

Batch Detail Report

Batch : 758U
 Created : 04-Jun-2020 21:07
 Owner : CC van der Merwe
 Farm : Hencil Bonsmaras
 Account : VDMCC1

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
758U001	CCV16-0027	CATTLE	BONSMARA		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U002	CCV16-0036	CATTLE	BONSMARA	CCV12-0218 (F,1)(Valid)	CCV09-0018 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
758U003	CCV16-0058	CATTLE	BONSMARA		AG10-0175 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
758U004	CCV16-0116	CATTLE	BONSMARA		CCV09-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U005	CCV16-0121	CATTLE	BONSMARA	CCV13-0050 (F,1)(Valid)	AG08-0204 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
758U006	CCV16-0126	CATTLE	BONSMARA		AG08-0249 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U007	CCV16-0128	CATTLE	BONSMARA		AG08-0249 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U008	CCV16-0507	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U009	CCV17-0003	CATTLE	BONSMARA		AG08-0249 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U010	CCV17-0015	CATTLE	BONSMARA		CCV10-0103 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U011	CCV17-0018	CATTLE	BONSMARA		LAR07-0021 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U012	CCV17-0028	CATTLE	BONSMARA		CCV09-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 12-Jun-2020 14:51

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
758U013	CCV17-0037	CATTLE	BONSMARA		CCV10-0103 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U014	CCV17-0065	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U015	CCV17-0071	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U016	CCV17-0082	CATTLE	BONSMARA	CCV09-0160 (F,1)(Not Valid)	AG08-0204 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
758U017	CCV17-0088	CATTLE	BONSMARA		LAR13-0256 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U018	CCV17-0096	CATTLE	BONSMARA	CCV12-0205 (F,1)(Not Valid)	FCT09-0142 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
758U019	CCV17-0107	CATTLE	BONSMARA	CCV15-0003 (F,1)(Valid)	LAR07-0021 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
758U020	CCV17-0109	CATTLE	BONSMARA		AG08-0249 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U021	CCV17-0127	CATTLE	BONSMARA	CCV14-0096 (F,1)(Valid)	AG07-0400 (M,1)(Valid) FCT09-0142 (M,1)(Valid)	PAR_C	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
758U022	CCV17-0131	CATTLE	BONSMARA		LAR07-0021 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U023	CCV17-0137	CATTLE	BONSMARA	CCV14-0092 (F,1)(Not Valid)	CCV11-0067 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
758U024	CCV17-0144	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U025	CCV17-0148	CATTLE	BONSMARA		FCT09-0142 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U026	CCV17-0153	CATTLE	BONSMARA		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 12-Jun-2020 14:51

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
758U027	CCV17-0165	CATTLE	BONSMARA	CCV12-0208 (F,1)(Not Valid)	LAR07-0021 (M,1)(Valid) CCV09-0018 (M,1)(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
758U028	CCV17-0169	CATTLE	BONSMARA	CCV12-0204 (F,1)(Not Valid)	AG06-0027 (M,1)(Valid) LAR05-0186 (M,1)(Valid) CCV11-0067 (M,1)(Valid) CCV10-0103 (M,1)(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
758U029	CCV17-0170	CATTLE	BONSMARA		AG11-0192 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U030	CCV17-0178	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid) CCV10-0103 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
758U031	CCV17-0183	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
758U032	CCV17-0185	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U033	CCV17-0186	CATTLE	BONSMARA	CCV12-0094 (F,1)(Not Valid)	AG08-0204 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
758U034	CCV17-0194	CATTLE	BONSMARA		CCV09-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U035	CCV17-0197	CATTLE	BONSMARA		AG10-0175 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U036	CCV17-0198	CATTLE	BONSMARA		AG11-0192 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U037	CCV17-0057	CATTLE	BONSMARA		FCT09-0142 (M,1)(Valid)	PAR_C	SV : Sire Valid	
758U038	CCV17-0119	CATTLE	BONSMARA		AG08-0204 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 12-Jun-2020 14:51

Page 3

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract	DR. M.P. MARX MANAGING DIRECTOR
--	---