

Created : 2021-11-25

Batch Detail Report

Batch : 6996U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6996U001	WBT19-0027 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0121 (F,91)(Valid)	CSA15-0054 (M,91)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	40215
6996U002	WBT19-0028 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U003	WBT19-0029 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0015 (F,91)(Not Valid)	WBT16-0064 (M,91)(Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	40215
6996U004	WBT19-0031 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0051 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	40215
6996U005	WBT19-0032 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U006	WBT19-0034 (M, 186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	mNDXSX : Multiple Nominated Dams Excluded, Sire Valid	40215
6996U007	WBT19-0035 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0039 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	40215
6996U008	WBT19-0038 (F, 186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U009	WBT19-0041 (F, 186)	CATTLE	AFRICA DROU GHTMASTER		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215

Report Date : 01-Aug-2023 11:54

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(186)						
6996U010	WBT19-0043 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0013 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U011	WBT19-0045 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0016 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U012	WBT19-0047 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0020 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U013	WBT19-0048 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0053 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U014	WBT19-0049 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CHD13-0048C (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U015	WBT19-0050 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	DUX13-0607 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U016	WBT19-0051 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0031 (M,91)(Valid)	PAR_C	Hair	mNDXSV : Multiple Nominated Dams Excluded, Sire Valid	40215
6996U017	WBT19-0052 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C13-0014 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U018	WBT19-0055 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0028 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U019	WBT19-0058 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U020	WBT19-0060 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		OW16-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215

Report Date : 01-Aug-2023 11:54

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6996U021	WBT19-0061 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0031 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U022	WBT19-0063 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0018 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U023	WBT19-0065 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0066 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U024	WBT19-0067 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0059 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U025	WBT19-0068 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT14-0119 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U026	WBT19-0069 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT14-0119 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U027	WBT19-0070 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U028	WBT19-0071 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0046 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U029	WBT19-0072 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U030	WBT19-0073 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER01 : Repeat sample is requested	40215
6996U031	WBT19-0074 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0025 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U032	WBT19-0075 (M,186)	CATTLE	AFRICA DROU GHTMASTER	WBT17-0017 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	40215

Report Date : 01-Aug-2023 11:54

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(186)					Valid	
6996U033	WBT19-0076 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
6996U034	WBT19-0078 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0124 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U035	WBT19-0080 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0015 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U036	WBT19-0082 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		OW16-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U037	WBT19-0084 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	FXF11-0009 (N/S,186)(Valid)	HOT15-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U038	WBT19-0085 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0060 (F,91)(Valid)	OW16-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215
6996U039	WBT19-0086 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		TOP15-0101 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	40215
6996U040	WBT19-0087 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0050 (F,186)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40215

Report Date : 01-Aug-2023 11:54

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER