

Subject: FW: Resultaat van bondel 13296U
From: <chantemar@igen.co.za>
Date: 2023/08/02, 10:18 am
To: "'Marietjie Delport'" <marietjie@studbook.co.za>

Hallo Marietjie

Hoop dit gaan goed. Sien aangeheg asb 'n DNA resultaat van Unistel.

Sal jy asb die DNA van die volgende diere vir my op die sisteem kan laai:

CTM 23 04
CTM 23 08
CTM 23 11
CTM 23 32
CTM 23 54
CTM 23 13
CTM 23 52

Hulle is almal embryo kalwers en hul wys op die per kapita as PEN/ PNV

Baie dankie.

Groete,

Marie

From: Unistel Cattle <cattle@unistelmedical.co.za>
Sent: Monday, 12 June, 2023 8:39 AM
To: chantemar@igen.co.za
Subject: RE: Resultaat van bondel 13296U

More Marie,

Hoop dit gaan goed,

Sien asb aangeheg n opdatering van bondel 13296U—kyk asb of al passings moontlik is?

Kind Regards,

Elzet Smit

Laboratory Manager – Cattle Profiling
Animal Genetics



Human and Animal Genetic Testing

Main Switchboard. +27 (0)21 007 5617
Suite 13, Private Bag X22, Tygervally, 7536

Batch Detail Report

Created : 2023-05-15

Batch : 13296U
Owner : Gert Barnard
Farm : Chan-Te-mar
Account : BARNG1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U001	CTM23-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM15-0047 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U002	CTM23-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM15-0047 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U003	CTM23-0008 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0022 (F,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U004	CTM23-0044 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U005	CTM23-0042 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U006	CTM23-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM13-0201 (F,91)(Valid)	BLARNEY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U007	CTM23-0039 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0006 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U008	CTM23-0001 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0006 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U009	CTM23-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0022 (F,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U010	CTM23-0015 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0022 (F,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U011	CTM23-0033 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0022 (F,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U012	CTM23-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0022 (F,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U013	CTM23-0026 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U014	CTM23-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U015	CTM23-0038 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U016	CTM23-0006 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U017	CTM23-0021 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U018	CTM23-0034 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U019	CTM23-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U020	CTM23-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U021	CTM23-0041 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U022	CTM23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U023	CTM23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U024	CTM23-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U025	CTM23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U026	CTM23-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U027	CTM23-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U028	CTM23-0063 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	
13296U029	CTM23-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U030	CTM23-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U031	CTM23-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U032	CTM23-0046 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U033	CTM23-0005 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U034	CTM23-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U035	CTM23-0018 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U036	CTM23-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0003 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U037	CTM23-0060 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0155 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U038	CTM23-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0155 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U039	CTM23-0025 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0006 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U040	CTM23-0012 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0006 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U041	CTM23-0019 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0273 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U042	CTM23-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0273 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U043	CTM23-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0273 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U044	CTM23-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0033 (F,91)(Valid)	VOVA17-01777 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U045	CTM23-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM20-0033 (F,91)(Valid)	VOVA17-01777 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U046	CTM23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM13-0204 (N/S,91)(Valid)	HOT15-0143 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U047	CTM23-0040 (M,91)	CATTLE	DROUGHT MASTER (91)	C15-0002 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U048	CTM23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	C15-0002 (F,91)(Valid)	ZON13-0020 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U049	CTM23-0051 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0028 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U050	CTM23-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0028 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U051	CTM23-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0028 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U052	CTM23-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U053	CTM23-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U054	CTM23-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U055	CTM23-0020 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)(Valid)	CTM13-0203 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13296U056	CTM23-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U057	CTM23-0049 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U058	CTM23-0047 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U059	CTM23-0028 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U060	CTM23-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U061	CTM23-0057 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U062	CTM23-0056 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13296U063	CTM23-0053 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0026 (F,91)\(Valid)	CTM13-0203 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Jun-2023 08:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.