

Batch Detail Report

Batch : 13959U
Owner :Herman Kleynhans
Farm :Verrassing/Kleynhans Velde
Account : KLEH01
Origin : PRIVATE
Invoice To : Owner

Created : 2023-06-27

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13959U001	KVS19-0200 (F,85)	CATTLE	SANTA GERTRUDIS (85)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
13959U002	KVS19-0267 (F,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0237 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U003	KVS19-0382 (F,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0228 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U004	KVS18-0406 (F,85)	CATTLE	SANTA GERTRUDIS (85)		CJ14-0019 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U005	KVS19-0135 (F,85)	CATTLE	SANTA GERTRUDIS (85)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
13959U006	KVS19-0216 (F,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0228 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U007	KVS19-0287 (F,85)	CATTLE	SANTA GERTRUDIS (85)		KVS14-0120 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U008	KVS22-0371 (F,85)	CATTLE	SANTA GERTRUDIS (85)	KVS19-0200 (F,85)(Valid)	KVS18-0342 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U009	KVS22-0374 (F,85)	CATTLE	SANTA GERTRUDIS	KVS19-0267 (F,85)(Valid)	KVS18-0342 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 27-Jul-2023 15:02

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)					Valid	
13959U010	KVS22-0376 (F,85)	CATTLE	SANTA GERTRUDIS (85)	KVS19-0382 (F,85)(Valid)	KVS18-0342 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U011	KVS22-0378 (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS18-0406 (F,85)(Valid)	SP18-0057 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U012	KVS22-0379 (F,85)	CATTLE	SANTA GERTRUDIS (85)	KVS19-0135 (F,85)(Valid)	SP18-0057 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U013	KVS22-0380 (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS19-0216 (F,85)(Valid)	SP18-0057 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U014	KVS22-0381 (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS19-0287 (F,85)(Valid)	SP18-0057 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U015	KVS19-0309 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0228 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U016	KVS20-0002 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0237 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U017	KVS20-0009 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0228 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U018	KVS20-0019 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0059 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U019	KVS20-0032 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS17-0008 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U020	KVS20-0060 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS15-0325 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jul-2023 15:02

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13959U021	KVS20-0062 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS10-0241 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U022	KVS20-0081 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0059 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U023	KVS20-0087 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS14-0059 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U024	KVS20-0116 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0144 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U025	KVS20-0121 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0144 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U026	KVS20-0123 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0144 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U027	KVS20-0137 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS15-0153 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U028	KVS20-0147 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS14-0137 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U029	KVS20-0152 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0164 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U030	KVS20-0168 (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS16-0301 (F,85)(Valid)	KVS15-0325 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U031	KVS20-0246 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0140 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U032	KVS20-0247 (M,85)	CATTLE	SANTA GERTRUDIS		DG06-0046 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jul-2023 15:02

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)						
13959U033	KVS20-0253 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0213 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U034	KVS20-0265 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS14-0120 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U035	KVS20-0291 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0043 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U036	KVS20-0297 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0279 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U037	KVS20-0300 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0279 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U038	KVS20-0302 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS16-0140 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U039	KVS20-0328 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS13-0144 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U040	KVS20-0341 (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS17-0153 (F,85)(Valid)	KVS14-0059 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13959U041	KVS20-0347 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS15-0325 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U042	KVS20-0374 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS12-0098 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U043	KVS20-0397 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS17-0008 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jul-2023 15:02

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13959U044	KVS21-0102 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS10-0241 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
13959U045	KVS21-0115 (M,85)	CATTLE	SANTA GERTRUDIS (85)			PAR_C	Hair	NSR : No Sample Received	01
13959U046	KVS21-0119 (M,85)	CATTLE	SANTA GERTRUDIS (85)		KVS10-0241 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jul-2023 15:02

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER