

Batch Detail Report

Batch : 13066U
Owner :BFB van Staden
Farm :Annashoek
Account : VSTB01
Origin : SANTA GERTRUDIS
Invoice To : Owner

Created : 2023-04-26

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13066U001	BVS23-0001 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS14-0135 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U002	BVS23-0002 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS12-0047 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U003	BVS23-0003 (M,85)	CATTLE	SANTA GERTRUDIS (85)	17-0033 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U004	BVS23-0004 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS16-0104 (F,85)(Valid)	BVS13-0132 (N/S,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U005	BVS23-0005 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS16-0129 (F,85)(Valid)	BVS13-0132 (N/S,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U006	BVS23-0006 (F,85)	CATTLE	SANTA GERTRUDIS (85)	17-0090 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U007	BVS23-0007 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS12-0051 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U008	BVS23-0008 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS21-0030 (F,85)(Valid)	BVS19-0060 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U009	BVS23-0009 (F,85)	CATTLE	SANTA GERTRUDIS	BVS21-0021 (F,85)(Valid)	BVS19-0060 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	45200

Report Date : 27-Jun-2023 15:59

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)					Valid	
13066U010	BVS23-0010 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS20-0078 (F,85)(Valid)	BVS20-0042 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U011	BVS23-0011 Sample = BVS22-0011 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0021 (F,85)(Valid)	BVS19-0060 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U012	BVS23-0012 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS20-0085 (F,85)(Valid)	BVS20-0069 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U013	BVS23-0013 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS12-0027 (F,85)(Valid)	15-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U014	BVS23-0014 (F,85)	CATTLE	SANTA GERTRUDIS (85)			PAR_C	Hair	HER01 : Repeat sample is requested	45200
13066U015	BVS23-0015 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS16-0071 (F,85)(Valid)	BVS17-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U016	BVS23-0016 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS17-0138 (F,85)(Valid)	BVS17-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U017	BVS23-0017 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS16-0121 (F,85)(Valid)	BVS17-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U018	BVS23-0018 (M,85)	CATTLE	SANTA GERTRUDIS (85)	17-0112 (F,85)(Valid)	BVS17-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U019	BVS23-0019 (F,85)	CATTLE	SANTA GERTRUDIS (85)	17-0066 (F,85)(Valid)	BVS17-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U020	BVS23-0020 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0064 (F,85)(Valid)	19-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200

Report Date : 27-Jun-2023 15:59

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13066U021	BVS23-0021 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0053 (F,85)(Valid)	BVS13-0132 (N/S,85)(Valid) BVS19-0015 (M,85)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	45200
13066U022	BVS23-0022 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0084 (F,85)(Valid)	BVS19-0015 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U023	BVS23-0023 Sample = BVS22-0023 (M,85)	CATTLE	SANTA GERTRUDIS (85)	17-0049 (F,85)(Valid)	BVS18-0085 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U024	BVS23-0024 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0046 (F,85)(Valid)	BVS17-0094 (M,85)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	45200
13066U025	BVS23-0025 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS19-0094 (F,85)(Valid)	BVS19-0015 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U026	BVS23-0026 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS20-0007 (F,85)(Valid)	19-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U027	BVS23-0027 (M,85)	CATTLE	SANTA GERTRUDIS (85)		BVS19-0015 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45200
13066U028	BVS23-0028 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS18-0043 (F,85)(Valid)	BVS18-0085 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U029	BVS23-0029 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS21-0029 (F,85)(Valid)	BVS19-0060 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U030	BVS23-0030 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS21-0039 (F,85)(Valid)	BVS20-0042 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U031	BVS23-0031 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS14-0141 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200

Report Date : 27-Jun-2023 15:59

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13066U032	BVS23-0032 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS12-0066 (F,85)(Valid)	BVS18-0112 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U033	BVS23-0033 (F,85)	CATTLE	SANTA GERTRUDIS (85)	BVS11-0146 (F,85)(Valid)	13-0117 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200
13066U034	BVS22-0075 (M,85)	CATTLE	SANTA GERTRUDIS (85)	BVS20-0068 (F,85)(Valid)	BVS19-0043 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45200

Report Date : 27-Jun-2023 15:59

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER