

Subject: FW: DNS

From: "Droughtmaster SA" <office@droughtmastersa.co.za>

Date: 2023/08/29, 10:59 am

To: "'Marietjie Delport'" <marietjie@studbook.co.za>

07113 72DMA
ESB

From: Johan A Dannhauser <consideratasa@gmail.com>

Sent: Tuesday, August 29, 2023 10:29 AM

To: Droughtmaster SA <office@droughtmastersa.co.za>

Subject: DNS

Hallo Liezel

Hoop dit gaan goed?

Hier is nog DNS uitslae vir verwerking, kyk asb na die twee kalwers

CSA 22-0274 ons soek nog die vader, maak dus die moeder reg maar maak die Kalf asb F1 tot ons dit uitsort, sodat daar nie probleme is voorentoe nie.

CSA 22-0276 hier het die kalwers kwaai omgeruil haar moeder was CSA 19-0155 maar nou is die nuwe moeder CSA 18-68 volgens die DNS uitslae. Kyk asb net dat CSA 19-0155 se kalwing nie uit haar rekord wegval wanneer die moeder verander nie. Dit het baie in die verlede gebeur by NSV CSA 19-0155 het gekalf op die datum haar kalf is net missing.

As daar vrae is asb laat weet.

Dankie

— Attachments: —

Batch-14428U (2).pdf

128 KB

Batch Detail Report

Batch : 14428U
Owner : JA Dannhauser
Farm : Braklaagte
Account : DANJ02
Origin : PRIVATE
Invoice To : Owner

Created : 2023-07-31

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U001	CSA22-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0044 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U002	CSA22-0096 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0097 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U003	CSA22-0097 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0125 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U004	CSA22-0098 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0055 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U005	CSA22-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0080 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U006	CSA22-0101 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0137 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U007	CSA22-0102 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0099 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U008	CSA22-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0022 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U009	CSA22-0110 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0152 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U010	CSA22-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0178 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	Valid	
14428U011	CSA22-0115 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0156 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U012	CSA22-0119 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0027 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U013	CSA22-0120 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0093 (F,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U014	CSA22-0122 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA16-0120 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U015	CSA22-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA18-0194 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U016	CSA22-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	VOVA17-0022 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U017	CSA22-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA16-0120 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U018	CSA22-0138 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0080 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U019	CSA22-0139 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA18-0147 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U020	CSA22-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0075 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U021	CSA22-0143 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA18-0201 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U022	CSA22-0145 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0183 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U023	CSA22-0152 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0060 (F,91)(Valid)	CSA18-0194 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U024	CSA22-0156 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0042 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U025	CSA22-0157 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0086 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U026	CSA22-0158 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0072 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U027	CSA22-0162 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0029 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U028	CSA22-0163 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0086 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U029	CSA22-0168 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U030	CSA22-0170 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U031	CSA22-0171 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0054 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U032	CSA22-0172 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0014 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U033	CSA22-0174 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0100 (F,91)(Valid)	CSA19-0082 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
14428U034	CSA22-0178 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA18-0147 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U035	CSA22-0180 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0059 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U036	CSA22-0182 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0074 (F,91)(Valid)	CSA19-0117 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U037	CSA22-0187 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0108 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U038	CSA22-0190 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0148 (F,91)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U039	CSA22-0192 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0101 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U040	CSA22-0193 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0078 (F,91)(Valid)	CSA19-0082 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U041	CSA22-0194 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0140 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U042	CSA22-0200 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)(Valid)	CSA18-0201 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14428U043	CSA22-0201 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0183 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U044	CSA22-0203 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0031 (F,91)\(Valid)	CSA19-0150 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U045	CSA22-0205 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0064 (F,91)\(Valid)	CSA19-0145 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U046	CSA22-0206 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0155 (F,91)\(Valid)	CSA19-0150 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U047	CSA22-0207 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0082 (F,91)\(Valid)	CSA19-0065 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U048	CSA22-0209 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0032 (F,91)\(Valid)	CSA19-0082 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U049	CSA22-0219 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0102 (F,91)\(Valid)	CSA19-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U050	CSA22-0211 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0095 (F,91)\(Valid)	CSA19-0065 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U051	CSA22-0220 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0122 (F,91)\(Valid)	CSA19-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U052	CSA22-0221 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0158 (F,91)\(Valid)	CSA20-0057 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U053	CSA22-0225 (F,91)	CATTLE	DROUGHT MASTER (91)	OW18-0513 (F,91)\(Valid)	CSA19-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U054	CSA22-0228 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0104 (F,91)\(Valid)	CSA19-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U055	CSA22-0235 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0069 (F,91)\(Valid)	CSA20-0057 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U056	CSA22-0234 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0051 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	Valid	
14428U057	CSA22-0246 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0059 (F,186)(Valid)	CSA19-0082 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U058	CSA22-0248 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0192 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U059	CSA22-0252 (F,91)	CATTLE	DROUGHT MASTER (91)	OW18-0508 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U060	CSA22-0254 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0021 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U061	CSA22-0256 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0013 (F,91)(Valid)	CSA19-0117 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U062	CSA22-0257 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0044 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U063	CSA22-0259 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0129 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U064	CSA22-0260 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0091 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U065	CSA22-0262 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA15-0036 (F,91)(Valid)	CSA19-0065 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U066	CSA22-0268 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0072 (F,91)(Valid)	CSA20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14428U067	CSA22-0270 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0084 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U068	CSA22-0274 (F,91) F1	CATTLE	DROUGHT MASTER (91)	CSA20-0096 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
14428U069	CSA22-0275 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0051 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14428U070	CSA22-0276 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0068 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Aug-2023 11:35

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER