

Batch Detail Report

Batch : 13907U
Owner : Riaan/Cobus Lubbe
Farm : Welgevonden
Account : LUBC01
Origin : PRIVATE
Invoice To : Owner

Created : 2023-06-22

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13907U001	OT22-0011 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U002	OT22-0012 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U003	OT22-0013 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U004	OT22-0014 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U005	OT22-0015 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U006	OT22-0016 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U007	OT22-0017 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U008	OT22-0018 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U009	OT22-0019 (M,85)	CATTLE	SANTA GERTRUDIS		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851

Report Date : 05-Sep-2023 12:54

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)						
13907U010	OT22-0024 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U011	OT22-0025 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U012	OT22-0026 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U013	OT22-0027 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U014	OT22-0028 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U015	OT22-0029 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U016	OT22-0030 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U017	OT22-0033 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U018	OT21-0003 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U019	OT21-0004 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U020	OT21-0005 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851

Report Date : 05-Sep-2023 12:54

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13907U021	OT21-0006 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U022	OT21-0009 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U023	OT21-0014 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U024	OT21-0018 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U025	OT21-0019 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U026	OT21-0020 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U027	OT21-0022 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U028	OT22-0002 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U029	OT22-0003 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U030	OT22-0004 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U031	OT22-0005 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851

Report Date : 05-Sep-2023 12:54

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13907U032	OT22-0006 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U033	OT22-0007 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U034	OT22-0010 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U035	OT22-0034 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U036	OT22-0035 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U037	OT22-0001 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U038	OT21-0017 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U039	OT21-0011 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U040	OT21-0010 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U041	OT21-0016 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U042	OT21-0012 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U043	OT22-0082 (M,85)	CATTLE	SANTA		VV14-0196 (N/S,85)(Not	PAR_C	Hair	mNSX :	45851

Report Date : 05-Sep-2023 12:54

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			GERTRUDIS (85)		Valid) VV14-0165 (N/S,85)(Not Valid)			Multiple Nominated Sires Excluded	
13907U044	OT21-0008 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U045	OT21-0024 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U046	OT21-0013 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U047	OT20-0006 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U048	OT20-0018 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U049	OT20-0011 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Not Valid) VV14-0165 (N/S,85)(Not Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	45851
13907U050	OT20-0030 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U051	OT20-0032 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0196 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851
13907U052	OT20-0007 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV14-0165 (N/S,85)(Valid)	PAR_C	Hair	SV : Sire Valid	45851

Report Date : 05-Sep-2023 12:54

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER