

Subject: 0712313DMA - EDAFOS ONDERNEMINGS (EDMS) BPK
From: "Droughtmaster SA" <office@droughtmastersa.co.za>
Date: 2023/09/07, 04:00 pm
To: "'Marietjie Delport'" <marietjie@studbook.co.za>

FYI

From: Edafos Ondernemings <edafosond@gmail.com>
Sent: Friday, September 1, 2023 12:51 PM
To: Droughtmaster Office <office@droughtmasterafrica.co.za>
Subject: Lys van diere Pratos / Edafos

Hi Liezel

Ek heg sommer my DNA uitslae aan vir lys van diere
PT 15-0404 moet net hier bykom - ek is nog besig met sy DNA toetse
PT 13-0403 was ook 'n bul hier maar was afgekeur

Al die diere is nie meer op die plaas nie, tans omtrent net 20 volwasse diere, meeste van die manlike diere is geslag (oom lan ons gehelp met die kies van die bestes)
Maar ek dink kom ons probeer eers almal op die stelsel kry vir rekord doeleindes, dan haal ons die af wat nie meer aktief is nie.

As ek reg onthou is al die geboortes tot en met 2018 volledig deur gegee.
Laat weet of ek die 2020 en 2021 diere by Pratos se kennis nog moet deurgee op die Nam vorms of hoe ek moet maak?

Die 2022 diere by Edafos glo ek gaan ek eers kan deurgee as die diere oorgedra is, dit gaan ek dan seker op stamboek doen?

Dankie vir julle hulp - laat weet as ek nog iets moet stuur.

Groete / Greetings
Annarie

Edafos Ondernemings
Nils 084 606 4817 (Direkteur/Director)
Annarie 082 532 7356 (Direkteur/Director & Kantoor/Office)

— Attachments: —

DNA Batch-13719U v1.pdf	25,8 KB
DNA Batch-13719U v2 13719U007 herhaal nou 14006U.pdf	18,3 KB
DNA Batch-13771U v2.pdf	68,3 KB
DNA Batch-13772U v2.pdf	33,0 KB

Batch Detail Report

Batch : 13719U
 Owner :Edafos Ondernemings Edms Bpk
 Farm :
 Account :
 Origin : PRIVATE
 Invoice To : Owner

Created : 2023-06-14

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13719U001	C08-0284 (F,91)	CATTLE	DROUGHT MASTER (91)		DO2013 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
13719U002	C08-0462 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
13719U003	PT13-0402 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)(Valid)	C10-0068 2DE X (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13719U004	PT15-0402 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13719U005	PT16-0404 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)(Valid)	C07-0355 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13719U006	PT18-0408 (M,91)	CATTLE	DROUGHT MASTER (91)	PT13-0402 (F,91)(Valid)		PAR_C	Hair	DV : Dam Valid	
13719U007	PT20-0402 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	

Report Date : 19-Jun-2023 11:09

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER



Batch Detail Report

Batch : 14006U
Owner :Edafos Ondernemings Edms Bpk
Farm :
Account :
Origin : PRIVATE
Invoice To : Owner

Created : 2023-06-29

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14006U001	PT20-0402 (M,91)	CATTLE	DROUGHT MASTER (91)	PT15-0402 (F,91)(Valid)		PAR_C	Hair	DVmxNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 03-Jul-2023 08:51

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 13771U
 Owner :Edafos Ondermemings Edms Bpk
 Farm :
 Account : EDA01
 Origin : PRIVATE
 Invoice To : Owner

Created : 2023-06-19

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13771U001	PT20-0401 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	
13771U002	PT20-0403 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U003	PT20-0404 (M,91)	CATTLE	DROUGHT MASTER (91)	PT15-0403 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
13771U004	PT20-0405 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)(Valid)	OW14-0572 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U005	PT20-0406 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0404 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U006	PT20-0407 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0403 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U007	PT20-0408 (F,91)	CATTLE	DROUGHT MASTER (91)	PT15-0401 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
13771U008	PT20-0409 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0407 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 13-Jul-2023 08:56

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13771U009	PT20-0410 (M,91)	CATTLE	DROUGHT MASTER (91)	PT13-0401 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U010	PT21-0401 (F,91)	CATTLE	DROUGHT MASTER (91)	PT15-0402 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U011	PT21-0402 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)(Valid)	TOP16-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U012	PT21-0403 (M,91)	CATTLE	DROUGHT MASTER (91)	PT15-0403 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U013	PT21-0404 (M,91)	CATTLE	DROUGHT MASTER (91)	PT17-0404 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U014	PT21-0405 (M,91)	CATTLE	DROUGHT MASTER (91)	PT17-0403 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U015	PT21-0406 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U016	PT21-0407 (M,91)	CATTLE	DROUGHT MASTER (91)	PT13-0401 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U017	PT21-0408 (M,91)	CATTLE	DROUGHT MASTER (91)	PT18-0411 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U018	PT21-0409 (M,91)	CATTLE	DROUGHT MASTER (91)	PT13-0402 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U019	PT21-0410 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0407 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U020	PT21-0411 (M,91)	CATTLE	DROUGHT MASTER (91)	PT20-0403 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 13-Jul-2023 08:56

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES3	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13771U021	PT22-0401 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	Valid HER01 : Repeat sample is requested	
13771U022	EDA22-0001 (M,91)	CATTLE	DROUGHT MASTER (91)	PT15-0402 (F,91)(Valid)	PT16-0404 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U023	EDA22-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)(Valid)	PT18-0408 (M,91)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
13771U024	EDA22-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0404 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U025	EDA22-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U026	EDA22-0006 (F,91)	CATTLE	DROUGHT MASTER (91)	PT15-0403 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U027	EDA22-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	PT17-0403 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U028	EDA22-0008 (M,91)	CATTLE	DROUGHT MASTER (91)	PT20-0403 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U029	EDA22-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	PT18-0411 (F,91)(Valid)	PT18-0408 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U031	EDA23-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	PT13-0401 (F,91)(Valid)	GRB19-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13771U032	EDA23-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	PT20-0409 (F,91)(Valid)	GRB19-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 13-Jul-2023 08:56

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13771U033	EDA23-0003 (M,91)	CATTLE	DROUGHT MASTER (91)	PT18-0409 (F,91)(Valid)	GRB19-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 13772U
 Owner :Pratos Boerdery (Edms) Bpk
 Farm :Rietkuil
 Account : PRAT01
 Origin : PRIVATE
 Invoice To : Owner

Created : 2023-06-19

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13772U001	PT13-0401 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)\(Valid)	C10-0021 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45697
13772U002	PT15-0401 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)\(Valid)	C07-0355 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45697
13772U003	PT15-0403 (F,91)	CATTLE	DROUGHT MASTER (91)		C08-0469 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	45697
13772U004	PT16-0402 (F,91)	CATTLE	DROUGHT MASTER (91)	PT13-0401 (F,91)\(Valid)		PAR_C	Hair	DV : Dam Valid	45697
13772U005	PT17-0403 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0462 (F,91)\(Valid)	C08-0469 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45697
13772U006	PT17-0404 (F,91)	CATTLE	DROUGHT MASTER (91)	PT15-0401 (F,91)\(Valid)	C13-0014 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45697
13772U007	PT17-0407 (F,91)	CATTLE	DROUGHT MASTER (91)	PT13-0401 (F,91)\(Valid)		PAR_C	Hair	DV : Dam Valid	45697
13772U008	PT18-0409 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0284 (F,91)\(Valid) PT15-0401 (F,91)\(Valid)		PAR_C	Hair	mNDVmNSX : Multiple Nominated Dams Valid, Multiple Nominated Sires Excluded	45697
13772U009	PT18-0410 (M,91)	CATTLE	DROUGHT MASTER (91)	PT15-0403 (F,91)\(Valid)		PAR_C	Hair	DV : Dam Valid	45697

Report Date : 24-Jul-2023 13:02

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13772U010	PT18-0411 (F.91)	CATTLE	DROUGHT MASTER (91)	PT15-0402 (F.91)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	45697

Report Date : 24-Jul-2023 13:02

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER