

Batch Detail Report

Farm :Hencil Bo

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
1237U001	CCV17-0150 (M,1)	CATTLE	BONSMARA (1)		LAR05-0186 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U002	CCV18-0002 (M,1)	CATTLE	BONSMARA (1)		LAR07-0021 (M,1)(Valid)	PAR_C	SV : Sire
1237U003	CCV18-0023 (M,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U004	CCV18-0025 (M,1)	CATTLE	BONSMARA (1)	CCV10-0157 (F,1)(Valid)	CCV11-0067 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U005	CCV18-0026 (M,1)	CATTLE	BONSMARA (1)		CCV10-0103 (M,1)(Valid)	PAR_C	SV : Sire
1237U006	CCV18-0031 (M,1)	CATTLE	BONSMARA (1)	CCV15-0011 (F,1)(Valid)	LAR13-0256 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U007	CCV18-0033 (M,1)	CATTLE	BONSMARA (1)		AG08-0204 (M,1)(Valid) AG07-0176 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U008	CCV18-0038 (M,1)	CATTLE	BONSMARA (1)	CCV12-0224 (F,1)(Valid)	LAR12-0018 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U009	CCV18-0048 (M,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U010	CCV18-0049 (M,1)	CATTLE	BONSMARA (1)		AG12-0062 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U011	CCV18-0052 (M,1)	CATTLE	BONSMARA (1)		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M
MANA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
1237U012	CCV18-0058 (M,1)	CATTLE	BONSMARA (1)	CCV14-0139 (F,1)(Valid)	LAR13-0256 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U013	CCV18-0059 (M,1)	CATTLE	BONSMARA (1)		LAR13-0256 (M,1)(Valid)	PAR_C	SV : Sire
1237U014	CCV18-0061 (M,1)	CATTLE	BONSMARA (1)		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire
1237U015	CCV18-0084 (M,1)	CATTLE	BONSMARA (1)	AG08-0374 (F,1)(Valid)		PAR_C	DV Dan Nom Excl
1237U016	CCV18-0088 (M,1)	CATTLE	BONSMARA (1)			PAR_C	NSR No 3
1237U017	CCV18-0009 (M,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U018	CCV18-0096 (M,1)	CATTLE	BONSMARA (1)	CCV15-0076 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U019	CCV18-0010 (M,1)	CATTLE	BONSMARA (1)		AG06-0027 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U020	CCV18-0104 (M,1)	CATTLE	BONSMARA (1)	CCV15-0071 (F,1)(Not Valid)	AG07-0400 (M,1)(Valid) FCT09-0142 (M,1)(Valid) AG12-0062 (M,1)(Valid)	PAR_C	DX Dan Multi Sires
1237U021	CCV18-0107 (M,1)	CATTLE	BONSMARA (1)	CCV15-0104 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U022	CCV18-0109 (M,1)	CATTLE	BONSMARA (1)	AG07-0215 (F,1)(Valid)		PAR_C	DV Dan Nom Excl
1237U023	CCV18-0126 (M,1)	CATTLE	BONSMARA (1)	AG08-0418 (F,1)(Not Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DXS Dan Valid
1237U024	CCV18-0134 (M,1)	CATTLE	BONSMARA (1)	CCV16-0112 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVS Dan

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

**DR. M
MANA**

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
1237U025	CCV18-0143 (M,1)	CATTLE	BONSMARA (1)		AG12-0062 (M,1)(Valid) CCV09-0018 (M,1)(Valid)	PAR_C	Valid mNS Multi Sires
1237U026	CCV18-0144 (M,1)	CATTLE	BONSMARA (1)	CCV16-0032 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U027	CCV18-0147 (M,1)	CATTLE	BONSMARA (1)	CCV14-0022 (F,1)(Not Valid)	LAR12-0455 (M,1)(Valid)	PAR_C	DXS Dan Valid
1237U028	CCV18-0149 (M,1)	CATTLE	BONSMARA (1)	CCV14-0175 (F,1)(Valid)	LAR07-0021 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U029	CCV18-0015 (M,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U030	CCV18-0150 (M,1)	CATTLE	BONSMARA (1)		LAR13-0256 (M,1)(Valid) LAR10-0329 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U031	CCV18-0151 (M,1)	CATTLE	BONSMARA (1)			1-MYF94L_C	F94L Myc Norm
1237U031	CCV18-0151 (M,1)	CATTLE	BONSMARA (1)			3-MYNT821_C	HER Rep requ
1237U031	CCV18-0151 (M,1)	CATTLE	BONSMARA (1)			2-MYQ204X_C	Q20 Myc Norm
1237U031	CCV18-0151 (M,1)	CATTLE	BONSMARA (1)	CCV14-0023 (F,1)(Valid)	LAR12-0455 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U032	CCV18-0154 (M,1)	CATTLE	BONSMARA (1)		FCT09-0142 (M,1)(Valid)	PAR_C	SV : Sire
1237U033	CCV18-0156 (M,1)	CATTLE	BONSMARA (1)	CCV14-0070 (F,1)(Not Valid)	AG06-0027 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	DXm Dan Multi Sires

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

**DR. M
MANA**

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
1237U034	CCV18-0158 (M,1)	CATTLE	BONSMARA (1)	CCV15-0003 (F,1)(Valid)	LAR07-0021 (M,1)(Valid)	PAR_C	DVS : Dam Valid
1237U035	CCV18-0159 (M,1)	CATTLE	BONSMARA (1)	CCV14-0096 (F,1)(Valid)	LAR07-0021 (M,1)(Valid)	PAR_C	DVS : Dam Valid
1237U036	CCV18-0160 (M,1)	CATTLE	BONSMARA (1)	CCV12-0212 (F,1)(Valid)	LAR12-0018 (M,1)(Valid)	PAR_C	DVS : Dam Valid
1237U037	CCV18-0162 (M,1)	CATTLE	BONSMARA (1)		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire
1237U038	CCV18-0168 (M,1)	CATTLE	BONSMARA (1)		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire
1237U039	CCV18-0017 (M,1)	CATTLE	BONSMARA (1)		LAR13-0256 (M,1)(Valid)	PAR_C	SV : Sire
1237U040	CCV18-0171 (M,1)	CATTLE	BONSMARA (1)	CCV13-0094 (F,1)(Valid)	LAR07-0021 (M,1)(Valid)	PAR_C	DVS : Dam Valid
1237U041	CCV18-0175 (M,1)	CATTLE	BONSMARA (1)		LAR12-0455 (M,1)(Valid)	PAR_C	SV : Sire
1237U042	CCV18-0179 (M,1)	CATTLE	BONSMARA (1)		FCT09-0142 (M,1)(Valid)	PAR_C	SV : Sire
1237U043	CCV18-0182 (M,1)	CATTLE	BONSMARA (1)		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire
1237U044	CCV19-0002 (M,1)	CATTLE	BONSMARA (1)		LAR12-0455 (M,1)(Valid)	PAR_C	SV : Sire
1237U045	CCV19-0007 (M,1)	CATTLE	BONSMARA (1)		LAR12-0455 (M,1)(Valid)	PAR_C	SV : Sire
1237U046	CCV19-0014 (M,1)	CATTLE	BONSMARA (1)		AG07-0400 (M,1)(Valid)	PAR_C	SV : Sire
1237U047	CCV19-0015 (M,1)	CATTLE	BONSMARA (1)		AG15-0212 (M,1)(Valid) LAR14-0389 (M,1)(Valid)	PAR_C	mNS : Multi Sires
1237U048	CCV19-0016 (M,1)	CATTLE	BONSMARA		LAR14-0389 (M,1)(Valid)	PAR_C	SV :

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

**DR. M
MANA**

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
			(1)				Sire
1237U049	CCV19-0025 (M,1)	CATTLE	BONSMARA (1)		AG08-0011 (M,1)(Valid) AG12-0062 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U050	CCV19-0026 (M,1)	CATTLE	BONSMARA (1)		AG06-0027 (M,1)(Valid) LAR14-0389 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U051	CCV19-0028 (M,1)	CATTLE	BONSMARA (1)	CCV12-0206 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U052	CCV19-0031 (M,1)	CATTLE	BONSMARA (1)	CCV14-0169 (F,1)(Not Valid)	LAR12-0455 (M,1)(Valid)	PAR_C	DXS Dan Valid
1237U053	CCV19-0033 (M,1)	CATTLE	BONSMARA (1)	CCV12-0208 (F,1)(Valid)	LAR12-0018 (M,1)(Valid)	PAR_C	DVS Dan Valid
1237U054	CCV19-0034 (M,1)	CATTLE	BONSMARA (1)		LAR14-0389 (M,1)(Valid)	PAR_C	SV : Sire
1237U055	CCV19-0042 (M,1)	CATTLE	BONSMARA (1)		LAR05-0186 (M,1)(Valid)	PAR_C	SV : Sire
1237U056	CCV19-0049 (M,1)	CATTLE	BONSMARA (1)	CCV13-0040 (F,1)(Not Valid)	LAR12-0018 (M,1)(Valid)	PAR_C	DXS Dan Valid
1237U057	CCV19-0059 (M,1)	CATTLE	BONSMARA (1)		AG08-0204 (M,1)(Valid) AG08-0231 (M,1)(Valid) AG06-0027 (M,1)(Valid) FCT09-0142 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNS Multi Sires
1237U058	CCV19-0073 (M,1)	CATTLE	BONSMARA (1)		LAR12-0455 (M,1)(Valid)	PAR_C	SV : Sire
1237U059	CCV20-0042 (M,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U060	CCV18-0024 (U,1)	CATTLE	BONSMARA (1)		LAR13-0256 (M,1)(Valid)	PAR_C	SV : Sire
1237U061	CCV18-0040 (U,1)	CATTLE	BONSMARA		AG07-0400 (M,1)(Valid)	PAR_C	mNS

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

**DR. M
MANA**

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	
			(1)		CCV11-0067 (M,1)(Valid)		Multi Sires
1237U062	CCV18-0047 (U,1)	CATTLE	BONSMARA (1)		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire
1237U063	CCV18-0139 (U,1)	CATTLE	BONSMARA (1)	CCV12-0212 (F,1)(Valid)	AG11-0192 (M,1)(Valid)	PAR_C	DVS : Dan Valid
1237U064	CCV10-0174 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	PEX Ext

Report Date : 03-Aug-2020 11:16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M
MANA