

Created : 2022-03-25

Batch Detail Report

Batch : 8287U
Owner : CR(Chris) Visser BDY
Farm : Skatkis Bonsmaras
Account : VISC01
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIUE	TEST	RESULT	INVOICE
8287U001	CRV21-0002 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U001	CRV21-0002 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U001	CRV21-0002 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U002	CRV21-0005 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U002	CRV21-0005 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U002	CRV21-0005 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U003	CRV21-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U003	CRV21-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U003	CRV21-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U004	CRV21-0018 (M,1)	CATTLE	BONSMARA			DMG-1_C	F94NOR :	

Report Date : 26-Apr-2022 07:10

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U004	CRV21-0018 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Myostatin - F94L Normal Q20NOR : Myostatin - Q204X Normal	
8287U004	CRV21-0018 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U005	CRV21-0023 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U005	CRV21-0023 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U005	CRV21-0023 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U006	CRV21-0027 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U006	CRV21-0027 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U006	CRV21-0027 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U007	CRV21-0034 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U007	CRV21-0034 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U007	CRV21-0034 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	

Report Date : 26-Apr-2022 07:10

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE#
8287U008	CRV21-0052 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U008	CRV21-0052 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U008	CRV21-0052 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U009	CRV21-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U009	CRV21-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U009	CRV21-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U010	CRV21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U010	CRV21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U010	CRV21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U011	CRV21-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U011	CRV21-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U011	CRV21-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821	

Report Date : 26-Apr-2022 07:10

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U012	CRV21-0063 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Normal F94NOR : Myostatin - F94L	
8287U012	CRV21-0063 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U012	CRV21-0063 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n8NOR : Myostatin - n1821 Normal	
8287U013	CRV21-0069 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U013	CRV21-0069 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U013	CRV21-0069 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n8NOR : Myostatin - n1821 Normal	
8287U014	CRV21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U014	CRV21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U014	CRV21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n8NOR : Myostatin - n1821 Normal	
8287U015	CRV21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U015	CRV21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	

Report Date : 26-Apr-2022 07:10

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U015	CRV21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U016	CRV21-0084 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U016	CRV21-0084 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U016	CRV21-0084 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U017	CRV21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U017	CRV21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U017	CRV21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U018	CRV21-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U018	CRV21-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U018	CRV21-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U019	CRV21-0126 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U019	CRV21-0126 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X	

Report Date : 26-Apr-2022 07:10

Page 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U019	CRV21-0126 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
8287U020	CRV21-0132 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U020	CRV21-0132 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U020	CRV21-0132 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
8287U021	CRV21-0134 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U021	CRV21-0134 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U021	CRV21-0134 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
8287U022	CRV21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U022	CRV21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U022	CRV21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
8287U023	CRV21-0140 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Report Date : 26-Apr-2022 07:10

Page 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U023	CRV21-0140 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U023	CRV21-0140 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U024	CRV21-0142 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U024	CRV21-0142 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U024	CRV21-0142 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U025	CRV21-0149 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U025	CRV21-0149 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U025	CRV21-0149 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U026	CRV21-0152 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U026	CRV21-0152 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U026	CRV21-0152 (M.1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U027	CRV21-0157 (M.1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L	

Report Date : 26-Apr-2022 07:10

Page 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8287U027	CRV21-0157 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Normal Q20HET : Myostatin - Q204X Heterozygote	
8287U027	CRV21-0157 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U028	CRV21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U028	CRV21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U028	CRV21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U029	CRV21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U029	CRV21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
8287U029	CRV21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	
8287U030	HP21-0006 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
8287U030	HP21-0006 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
8287U030	HP21-0006 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	n18NOR : Myostatin - n1821 Normal	

Report Date : 26-Apr-2022 07:10

Page 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER