



Batch Detail Report

Batch : 11408U
Owner : JA Dannhauser
Farm : Braklaagte
Account : DANJ02
Origin : PRIVATE
Invoice To : Owner

Created : 2022-12-02

11408U001	CSA21-0217 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0093 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U002	CSA22-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0068 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U003	CSA22-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U004	CSA22-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA15-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U005	CSA22-0040 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U006	CSA22-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U007	CSA22-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U008	CSA22-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U009	CSA22-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire

Report Date : 06-Jan-2023 08:22

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

								Valid
11408U010	CSA22-0046 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA15-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U011	CSA22-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0146 (F,91)(Valid)	CSA15-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U012	CSA22-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0123 (F,91)(Valid)	CSA19-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U013	CSA22-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U014	CSA22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U015	CSA22-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U016	CSA22-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U017	CSA22-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U018	CSA22-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U019	CSA22-0068 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U020	CSA22-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0178 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 06-Jan-2023 08:22

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

11408U021	CSA22-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U022	CSA22-0071 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U023	CSA22-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0174 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U024	CSA22-0073 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U025	CSA22-0074 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U026	CSA22-0075 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0172 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U027	CSA22-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U028	CSA22-0077 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U029	CSA22-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U030	CSA22-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U031	CSA22-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U032	CSA22-0081 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0174 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire

Report Date : 06-Jan-2023 08:22

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

11408U033	CSA22-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0073 (F,91)(Valid)	CSA16-0056 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid
11408U034	CSA22-0083 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U035	CSA22-0084 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U036	CSA22-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U037	CSA22-0086 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U038	CSA22-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U039	CSA22-0088 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0178 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U040	CSA22-0090 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0171 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U041	CSA22-0091 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0180 (F,91)(Valid)	PEDERSON (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U042	CSA22-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0172 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
11408U043	CSA22-0093 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 06-Jan-2023 08:22

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

11408U044	CSA22-0094 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0172 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U045	CSA22-0089 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)(Valid)	CSA15-0086 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U046	CSA22-0147 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0130 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
11408U047	CSA22-0048 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0136 (F,91)(Valid)	CSA19-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 06-Jan-2023 08:22

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER