

Batch Detail Report

Batch : 1266U
 Created :14-Jul-2020 21:07
 Owner :Arthur de Villiers
 Farm :Arthur De Villiers and Son
 Account : ADV01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1266U001	AG20-0079 (M,1)	CATTLE	BONSMARA (1)	AG18-0373 (F,1)(Not Valid)	AG16-0090 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	35010
1266U002	AG20-0085 (F,1)	CATTLE	BONSMARA (1)	AG17-0048 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U003	AG20-0086 (M,1)	CATTLE	BONSMARA (1)	AG18-0080 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U004	AG20-0087 (F,1)	CATTLE	BONSMARA (1)	AG17-0879 (F,1)(Valid)	AG17-0073 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U005	AG20-0088 (F,1)	CATTLE	BONSMARA (1)	AG17-0331 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U006	AG20-0090 (M,1)	CATTLE	BONSMARA (1)	AG16-0093 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U007	AG20-0091 (M,1)	CATTLE	BONSMARA (1)	AG17-0441 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U008	AG20-0092 (M,1)	CATTLE	BONSMARA (1)	AG17-1024 (F,1)(Valid)	AG17-0073 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U009	AG20-0094 (M,1)	CATTLE	BONSMARA (1)	AG17-1046 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U010	AG20-0095 (F,1)	CATTLE	BONSMARA (1)	AG18-0076 (F,1)(Valid)	AG16-0090 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010

Report Date : 29-Jul-2020 13:56

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1266U011	AG20-0096 (F,1)	CATTLE	BONSMARA (1)	AG18-0503 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	35010
1266U012	AG20-0097 (F,1)	CATTLE	BONSMARA (1)	AG18-0081 (F,1)(Valid)	AG16-0090 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U013	AG20-0098 (M,1)	CATTLE	BONSMARA (1)	AG17-0380 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U014	AG20-0099 (F,1)	CATTLE	BONSMARA (1)	AG16-0198 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35010
1266U015	AG20-0100 (M,1)	CATTLE	BONSMARA (1)			PAR_C	PU : Profile (Unistel)	35010

Report Date : 29-Jul-2020 13:56

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR