

Batch Detail Report

Batch : 1642U
Created : 18-Aug-2020 09:04
Owner : Dr AP Revelas
Farm : Werkkraal/Alegria Bonsmara
Account : REVA01
Origin : BONSMARA SA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1642U001	REV19-0114 (M,1)	CATTLE	BONSMARA (1)		TMB13-0235 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U002	REV20-0111 (F,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	
1642U003	REV20-0020 (M,1)	CATTLE	BONSMARA (1)		CSW13-0253 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U004	REV19-0023 (F,1)	CATTLE	BONSMARA (1)	JL09-0095 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
1642U005	REV19-0021 (F,1)	CATTLE	BONSMARA (1)		REV14-0089 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U006	REV18-0081 (F,1)	CATTLE	BONSMARA (1)		REV14-0089 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U007	REV18-0059 (F,1)	CATTLE	BONSMARA (1)		REV14-0089 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U008	WA17-0215 (M,1)	CATTLE	BONSMARA (1)		PAD09-0156 (M,1)(Valid)	PAR_C	SV : Sire Valid	
1642U009	REV19-0045 (Artois) (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	HER02 : Test to be repeated by lab	
1642U009	REV19-0045 (Artois) (M,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
1642U009	REV19-0045 (Artois) (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1642U009	REV19-0045	CATTLE	BONSMARA			DMG-2_C	HER02 :	

Report Date : 02-Sep-2020 16:14

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
	(Artois) (M,1)		(1)				Test to be repeated by lab	
1642U010	REV17-0107 (Sparticus) (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	HER02 : Test to be repeated by lab	
1642U010	REV17-0107 (Sparticus) (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1642U010	REV17-0107 (Sparticus) (M,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
1642U010	REV17-0107 (Sparticus) (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Report Date : 02-Sep-2020 16:14

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR