

Batch Detail Report

Batch : 1624U
Created : 15-Aug-2020 12:50
Owner : Sampie Smith
Farm : Sambesi Trust
Account :
Origin : DRAKENSBERG BREEDERS SOCIETY

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1624U001	BF20-0126 (M,71)	CATTLE	DRAKENSBERGER (71)		HAS13-0143 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U002	BF20-0032 (F,71)	CATTLE	DRAKENSBERGER (71)			PAR_C	mNSX : Multiple Nominated Sires Excluded	
1624U003	BF20-0178 (U,71)	CATTLE	DRAKENSBERGER (71)		BF15-0129 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U004	BF20-0132 (F,71)	CATTLE	DRAKENSBERGER (71)		BF15-0129 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U005	BF20-0036 (F,71)	CATTLE	DRAKENSBERGER (71)		JR13-0027 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U006	BF20-0156 (F,71)	CATTLE	DRAKENSBERGER (71)		BF15-0055 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U007	SK20-0120 (F,71)	CATTLE	DRAKENSBERGER (71)		HAS13-0143 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U008	BF20-0144 (F,71)	CATTLE	DRAKENSBERGER (71)		HAS13-0143 (M,71)(Valid)	PAR_C	SV : Sire Valid	
1624U009	BF09-0060 (M,71)	CATTLE	DRAKENSBERGER (71)			PROF_C	PU : Profile (Unistel)	
1624U009	BF09-0060 (M,71)	CATTLE	DRAKENSBERGER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U009	BF09-0060 (M,71)	CATTLE	DRAKENSBERGER (71)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1624U009	BF09-0060 (M,71)	CATTLE	DRAKENSBERGER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Report Date : 04-Sep-2020 11:41

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1624U010	SK17-0021 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	
1624U010	SK17-0021 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U010	SK17-0021 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1624U010	SK17-0021 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
1624U011	SK18-0008 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	
1624U011	SK18-0008 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U011	SK18-0008 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	HER02 : Test to be repeated by lab	
1624U011	SK18-0008 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	HER02 : Test to be repeated by lab	
1624U012	SK18-0010 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	
1624U012	SK18-0010 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U012	SK18-0010 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	HER02 : Test to be repeated by lab	
1624U012	SK18-0010 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
1624U013	BF14-0145 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	

Report Date : 04-Sep-2020 11:41

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1624U013	BF14-0145 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U013	BF14-0145 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1624U013	BF14-0145 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
1624U014	SK18-0015 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	
1624U014	SK18-0015 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U014	SK18-0015 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1624U014	SK18-0015 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
1624U015	SK17-0016 (M,71)	CATTLE	DRAKENSBER GER (71)			PROF_C	PU : Profile (Unistel)	
1624U015	SK17-0016 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
1624U015	SK17-0016 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
1624U015	SK17-0016 (M,71)	CATTLE	DRAKENSBER GER (71)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
1624U016	BF15-0055 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	
1624U017	BF15-0129 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	

Report Date : 04-Sep-2020 11:41

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1624U018	HAS13-0143 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	
1624U019	BF16-0017 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	
1624U020	BF16-0216 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	
1624U021	BF17-0034 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	
1624U022	BF16-0052 (M,71)	CATTLE	DRAKENSBER GER (71)			PROFX_C	PEX : External Profile	

Report Date : 04-Sep-2020 11:41

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR