

Batch Detail Report

Batch : 1527U
Created :06-Aug-2020 09:49
Owner :Charl Uys
Farm :Dagbreek Windsorton
Account : UYSC01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1527U001	MCU20-0001 (F,1)	CATTLE	BONSMARA (1)	MCU14-0065 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U002	MCU20-0002 (F,1)	CATTLE	BONSMARA (1)	MCU16-0056 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U003	MCU20-0005 (M,1)	CATTLE	BONSMARA (1)	MCU13-0153 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U004	MCU20-0006 (F,1)	CATTLE	BONSMARA (1)		MCU17-0200 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U005	MCU20-0007 (F,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	35344
1527U006	MCU20-0008 (F,1)	CATTLE	BONSMARA (1)	MCU16-0122 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U007	MCU20-0009 (F,1)	CATTLE	BONSMARA (1)	MCU16-0122 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U008	MCU20-0010 (F,1)	CATTLE	BONSMARA (1)	MCU13-0056 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	35344
1527U009	MCU20-0011 (M,1)	CATTLE	BONSMARA (1)	MCU16-0058 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U010	MCU20-0012 (M,1)	CATTLE	BONSMARA (1)	MCU13-0103 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344

Report Date : 09-Sep-2020 09:07

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1527U011	MCU20-0013 (M,1)	CATTLE	BONSMARA (1)	MCU15-0138 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	35344
1527U012	MCU20-0015 (F,1)	CATTLE	BONSMARA (1)	MCU14-0055 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U013	MCU20-0016 (M,1)	CATTLE	BONSMARA (1)	MCU13-0156 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U014	MCU20-0017 (M,1)	CATTLE	BONSMARA (1)	MCU16-0003 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U015	MCU20-0018 (M,1)	CATTLE	BONSMARA (1)	MCU13-0041 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U016	MCU20-0019 (M,1)	CATTLE	BONSMARA (1)	MCU14-0054 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U017	MCU20-0020 (F,1)	CATTLE	BONSMARA (1)	MCU14-0033 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U018	MCU20-0021 (M,1)	CATTLE	BONSMARA (1)	HCO14-0012 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U019	MCU20-0022 (M,1)	CATTLE	BONSMARA (1)		AG16-0087 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U020	MCU20-0023 (F,1)	CATTLE	BONSMARA (1)	MCU14-0120 (F,1)(Valid)	AG14-0017 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U021	MCU20-0024 (M,1)	CATTLE	BONSMARA (1)	MCU14-0180 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U022	MCU20-0025 (F,1)	CATTLE	BONSMARA (1)	WAT09-0258 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U023	MCU20-0026 (M,1)	CATTLE	BONSMARA		HDT10-0131 (M,1)(Valid)	PAR_C	SV :	35344

Report Date : 09-Sep-2020 09:07

Page 2

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract	DR. M.P. MARX MANAGING DIRECTOR
--	---

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
1527U024	MCU20-0027 (F,1)	CATTLE	BONSMARA (1)	MCU14-0158 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U025	MCU20-0028 (M,1)	CATTLE	BONSMARA (1)	MCU14-0118 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U026	MCU20-0029 (M,1)	CATTLE	BONSMARA (1)	MCU13-0158 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U027	MCU20-0030 (M,1)	CATTLE	BONSMARA (1)	MCU14-0012 (F,1)(Valid)	AG14-0017 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U028	MCU20-0031 (F,1)	CATTLE	BONSMARA (1)	MCU15-0025 (F,1)(Valid)	AG14-0017 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U029	MCU20-0034 (M,1)	CATTLE	BONSMARA (1)	MCU15-0020 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U030	MCU20-0035 (M,1)	CATTLE	BONSMARA (1)	MCU15-0075 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U031	MCU20-0036 (F,1)	CATTLE	BONSMARA (1)	MCU15-0044 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U032	MCU20-0038 (F,1)	CATTLE	BONSMARA (1)	MCU14-0183 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U033	MCU20-0039 (F,1)	CATTLE	BONSMARA (1)	MCU11-0082 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U034	MCU20-0040 (M,1)	CATTLE	BONSMARA (1)	MCU14-0141 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U035	MCU20-0041 (F,1)	CATTLE	BONSMARA (1)	MCU15-0083 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344

Report Date : 09-Sep-2020 09:07

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1527U036	MCU20-0042 (F,1)	CATTLE	BONSMARA (1)	HCO14-0002 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U037	MCU20-0043 (M,1)	CATTLE	BONSMARA (1)	MCU15-0205 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U038	MCU20-0044 (F,1)	CATTLE	BONSMARA (1)	MCU13-0104 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U039	MCU20-0045 (F,1)	CATTLE	BONSMARA (1)	MCU12-0117 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U040	MCU20-0046 (F,1)	CATTLE	BONSMARA (1)		AG16-0087 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U041	MCU20-0047 (M,1)	CATTLE	BONSMARA (1)		MCU16-0213 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U042	MCU20-0048 (M,1)	CATTLE	BONSMARA (1)	MCU13-0102 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U043	MCU20-0049 (M,1)	CATTLE	BONSMARA (1)	MCU14-0041 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U044	MCU20-0050 (M,1)	CATTLE	BONSMARA (1)	MCU14-0101 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U045	MCU20-0051 (F,1)	CATTLE	BONSMARA (1)	MCU11-0053 (F,1)(Valid)	HDT10-0131 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U046	MCU20-0052 (F,1)	CATTLE	BONSMARA (1)	MCU12-0124 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U047	MCU20-0053 (M,1)	CATTLE	BONSMARA (1)	MCU16-0061 (F,1)(Valid)	MCU17-0200 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U048	MCU20-0054 (M,1)	CATTLE	BONSMARA (1)		MCU17-0039 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344

Report Date : 09-Sep-2020 09:07

Page 4

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract	DR. M.P. MARX MANAGING DIRECTOR
--	---

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1527U049	MCU20-0055 (M,1)	CATTLE	BONSMARA (1)	MCU14-0038 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U050	MCU20-0056 (F,1)	CATTLE	BONSMARA (1)	MCU11-0047 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U051	MCU20-0058 (M,1)	CATTLE	BONSMARA (1)	MCU15-0084 (F,1)(Valid)	AG14-0017 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U052	MCU20-0060 (M,1)	CATTLE	BONSMARA (1)		HDT10-0131 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U053	MCU20-0061 (M,1)	CATTLE	BONSMARA (1)	MCU13-0166 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U054	MCU20-0062 (F,1)	CATTLE	BONSMARA (1)	MCU15-0222 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U055	MCU20-0063 (M,1)	CATTLE	BONSMARA (1)	MCU14-0103 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U056	MCU20-0064 (M,1)	CATTLE	BONSMARA (1)	MCU11-0151 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U057	MCU20-0065 (F,1)	CATTLE	BONSMARA (1)	MCU15-0034 (F,1)(Valid)	MCU17-0078 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U058	MCU20-0066 (M,1)	CATTLE	BONSMARA (1)	MCU10-0110 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U059	MCU20-0067 (M,1)	CATTLE	BONSMARA (1)	MCU13-0034 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U060	MCU20-0068 (F,1)	CATTLE	BONSMARA (1)	MCU12-0168 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U061	MCU20-0069 (M,1)	CATTLE	BONSMARA (1)		MCU17-0039 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344

Report Date : 09-Sep-2020 09:07

Page 5

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract	DR. M.P. MARX MANAGING DIRECTOR
--	---

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1527U062	MCU20-0071 (F,1)	CATTLE	BONSMARA (1)	MCU14-0072 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U063	MCU20-0072 (F,1)	CATTLE	BONSMARA (1)	MCU15-0103 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U064	MCU20-0073 (F,1)	CATTLE	BONSMARA (1)	MCU14-0135 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U065	MCU20-0074 (F,1)	CATTLE	BONSMARA (1)		AG16-0087 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U066	MCU20-0075 (M,1)	CATTLE	BONSMARA (1)	MCU16-0140 (F,1)(Valid)	MCU17-0132 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U067	MCU20-0076 (F,1)	CATTLE	BONSMARA (1)	MCU12-0047 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U068	MCU20-0077 (F,1)	CATTLE	BONSMARA (1)	MCU10-0052 (F,1)(Valid)	MCU17-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U069	MCU20-0078 (F,1)	CATTLE	BONSMARA (1)	WAT10-0096 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U070	MCU20-0079 (M,1)	CATTLE	BONSMARA (1)	MCU15-0167 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U071	MCU20-0080 (F,1)	CATTLE	BONSMARA (1)	MCU14-0177 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U072	MCU20-0081 (F,1)	CATTLE	BONSMARA (1)	MCU15-0115 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U073	MCU20-0082 (F,1)	CATTLE	BONSMARA (1)	MCU16-0045 (F,1)(Valid)	MCU17-0078 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U074	MCU20-0083 (F,1)	CATTLE	BONSMARA (1)	MCU12-0070 (F,1)(Valid)	MCU16-0213 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	35344

Report Date : 09-Sep-2020 09:07

Page 6

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract	DR. M.P. MARX MANAGING DIRECTOR
--	---

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1527U075	MCU20-0084 (F,1)	CATTLE	BONSMARA (1)		MCU16-0213 (M,1)(Valid)	PAR_C	SV : Sire Valid	35344
1527U076	MCU20-0085 (M,1)	CATTLE	BONSMARA (1)	MCU15-0112 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U077	MCU20-0086 (M,1)	CATTLE	BONSMARA (1)	MCU15-0118 (F,1)(Valid)	AJF17-0199 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U078	MCU20-0088 (F,1)	CATTLE	BONSMARA (1)	MCU15-0071 (F,1)(Valid)	AJF17-0199 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344
1527U079	MCU20-0089 (M,1)	CATTLE	BONSMARA (1)	MCU15-0148 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35344

Report Date : 09-Sep-2020 09:07

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR