

Batch Detail Report

Batch : 1637U
Created : 17-Aug-2020 11:57
Owner : Anton Reabow
Farm : Kilmun
Account : REEA01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1637U001	AR18-0141 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U002	AR18-0110 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0232 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U003	AR18-0067 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0232 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U004	AR18-0121 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U005	AR18-0042 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U006	AR18-0084 (M,31)	CATTLE	BEEFMASTER (31)			PAT_C	NSR : No Sample Received	
1637U007	AR18-0014 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U008	AR18-0194 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U009	AR18-0109 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U010	AR18-0119 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U011	AR18-0069 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U012	AR18-0090 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U013	AR18-0182 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 03-Sep-2020 11:55

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1637U014	AR18-0164 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U015	AR18-0174 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U016	AR18-0131 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U017	AR18-0132 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U018	AR18-0099 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U019	AR18-0087 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0232 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U020	AR18-0026 (M,31)	CATTLE	BEEFMASTER (31)			PAT_C	mNSX : Multiple Nominated Sires Excluded	
1637U021	AR18-0017 (M,31)	CATTLE	BEEFMASTER (31)			PAT_C	mNSX : Multiple Nominated Sires Excluded	
1637U022	AR18-0056 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U023	AR18-0038 (M,31)	CATTLE	BEEFMASTER (31)			PAT_C	mNSX : Multiple Nominated Sires Excluded	
1637U024	AR18-0051 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U025	AR18-0082 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0232 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U026	AR18-0052 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U027	AR18-0063 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U028	AR18-0070 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0232 (M,31)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 03-Sep-2020 11:55

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1637U029	AR18-0005 (M,31)	CATTLE	BEEFMASTER (31)		AR15-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U030	AR18-0059 (M,31)	CATTLE	BEEFMASTER (31)		AR15-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U031	AR18-0106 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U032	AR18-0161 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U033	AR18-0138 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U034	AR18-0023 (M,31)	CATTLE	BEEFMASTER (31)			PAT_C	mNSX : Multiple Nominated Sires Excluded	
1637U035	AR18-0152 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U036	AR18-0072 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U037	AR18-0150 (M,31)	CATTLE	BEEFMASTER (31)		SC14-0324 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U038	AR18-0134 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U039	AR18-0122 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U040	AR18-0007 (M,31)	CATTLE	BEEFMASTER (31)		SC13-0122 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U041	AR18-0202 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U042	AR18-0197 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U043	AR18-0040 (M,31)	CATTLE	BEEFMASTER (31)		SC13-0122 (M,UNK_C)(Valid)	PAT_C	SV : Sire Valid	
1637U044	AR18-0140 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 03-Sep-2020 11:55

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1637U045	AR18-0171 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U046	AR18-0151 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U047	AR18-0112 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U048	AR18-0142 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U049	AR18-0180 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U050	AR18-0123 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U051	AR18-0205 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U052	AR18-0071 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U053	AR18-0083 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U054	AR18-0091 (M,31)	CATTLE	BEEFMASTER (31)		SBM13-0121 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U055	AR18-0153 (M,31)	CATTLE	BEEFMASTER (31)		SBM12-0132 (M,31)(Valid)	PAT_C	SV : Sire Valid	
1637U056	AR18-0191 (U,31)	CATTLE	BEEFMASTER (31)			PAT_C	NSR : No Sample Received	
1637U057	AR18-0037 (U,31)	CATTLE	BEEFMASTER (31)			ST_C	Store : Store this sample	
1637U058	AR18-0175 (U,31)	CATTLE	BEEFMASTER (31)			PAT_C	NSR : No Sample Received	
1637U059	AR18-0137 (U,31)	CATTLE	BEEFMASTER (31)			ST_C	Store : Store this sample	
1637U060	AR18-0162 (U,31)	CATTLE	BEEFMASTER (31)			PAT_C	NSR : No Sample Received	

Report Date : 03-Sep-2020 11:55

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1637U061	AR18-0146 (U,31)	CATTLE	BEEFMASTER (31)			ST_C	Store : Store this sample	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR