

SAMPLE	ANIMAL	SPECIES	BREED	DAM	
1860U001	JSM12-0032 (U,1)	CATTLE	BONSMARA (1)		
1860U002	JSM12-0048 (U,1)	CATTLE	BONSMARA (1)		
1860U003	JSM14-0022 (U,1)	CATTLE	BONSMARA (1)		
1860U004	JSM17-0023 (U,1)	CATTLE	BONSMARA (1)		
1860U005	CSW07-0013 (U,1)	CATTLE	BONSMARA (1)		
1860U005	CSW07-0013 (U,1)	CATTLE	BONSMARA (1)		
1860U006	CSW10-0152 (U,1)	CATTLE	BONSMARA (1)		
1860U006	CSW10-0152 (U,1)	CATTLE	BONSMARA (1)		
1860U007	CSW11-0013 (U,1)	CATTLE	BONSMARA (1)		
1860U007	CSW11-0013 (U,1)	CATTLE	BONSMARA (1)		
1860U008	CSW11-0027 (U,1)	CATTLE	BONSMARA (1)		

Report Date : 18-Sep-2020 17:08

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for errors. Any errors may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the test.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	
1860U008	CSW11-0027 (U,1)	CATTLE	BONSMARA (1)		
1860U009	CSW11-0019 (U,1)	CATTLE	BONSMARA (1)		
1860U009	CSW11-0019 (U,1)	CATTLE	BONSMARA (1)		
1860U010	CSW12-0003 (U,1)	CATTLE	BONSMARA (1)		
1860U010	CSW12-0003 (U,1)	CATTLE	BONSMARA (1)		
1860U011	CSW12-0064 (U,1)	CATTLE	BONSMARA (1)		
1860U011	CSW12-0064 (U,1)	CATTLE	BONSMARA (1)		
1860U012	CSW17-0161 (U,1)	CATTLE	BONSMARA (1)		
1860U012	CSW17-0161 (U,1)	CATTLE	BONSMARA (1)		

Report Date : 18-Sep-2020 17:08

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for errors. Any errors may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the test.