

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7007U034	CTP21-0098 (M,24)	CATTLE	BORAN (24)	JH18-0104 (F,24)(Valid)	JH17-0108 (M,24)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	
7007U035	CTP21-0101 (F,24)	CATTLE	BORAN (24)	BH15-0232 (F,24)(Valid)	QT16-0037 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U036	CTP21-0103 (F,24)	CATTLE	BORAN (24)	BH14-0191 (F,24)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7007U037	CTP21-0104 (F,24)	CATTLE	BORAN (24)	QT18-0019 (F,24)(Valid)	WIT16-0040 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U038	CTP21-0105 (M,24)	CATTLE	BORAN (24)	LE15-0014 (F,24)(Valid)	QT16-0037 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U039	CTP21-0106 (F,24)	CATTLE	BORAN (24)	DBC18-0008 (F,24)(Valid)	TTB13-0037 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U040	CTP21-0107 (F,24)	CATTLE	BORAN (24)	BU18-0002 (F,24)(Valid)	HOT14-0017 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U041	CTP21-0108 (M,24)	CATTLE	BORAN (24)	FN18-0081 (F,24)(Valid)	FN14-0017 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U042	CTP21-0109 (M,24)	CATTLE	BORAN (24)	W12-0059 (F,24)(Valid)	B09-0582 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U043	CTP21-0110 (F,24)	CATTLE	BORAN (24)	FBGO19-0011 (F,24)(Valid)	FBGO17-0022 (N/S,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U044	CTP21-0112 (F,24)	CATTLE	BORAN (24)	E15-0002 (F,24)(Not Valid)	TTB13-0037 (M,24)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	

Report Date : 20-Dec-2021 15:20

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7007U010	CTP21-0049 (F,24)	CATTLE	BORAN (24)	FN18-0117 (F,24)(Valid)	FN15-0154 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U011	CTP21-0050 (F,24)	CATTLE	BORAN (24)	PT18-0028 (F,24)(Valid)	VST16-0146 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U012	CTP21-0055 (F,24)	CATTLE	BORAN (24)			PAR_C	HER04 : No sample in envelope/bag	
7007U013	CTP21-0058 (M,24)	CATTLE	BORAN (24)	EP13-0009 (F,24)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7007U014	CTP21-0059 (F,24)	CATTLE	BORAN (24)	D14-0150 (F,24)(Valid)	QT16-0047 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U015	CTP21-0071 (F,24)	CATTLE	BORAN (24)		B09-0582 (M,24)(Valid)	PAR_C	SV : Sire Valid	
7007U016	CTP21-0078 (F,24)	CATTLE	BORAN (24)	WJ12-0097 (F,24)(Not Valid)	JRS14-0015 (M,24)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7007U017	CTP21-0080 (M,24)	CATTLE	BORAN (24)	QT18-0029 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U018	CTP21-0081 (F,24)	CATTLE	BORAN (24)	ELS16-0007 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U019	CTP21-0082 (F,24)	CATTLE	BORAN (24)	ELS18-0017 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U020	CTP21-0083 (F,24)	CATTLE	BORAN (24)	ENJ18-0117 (F,24)(Valid)	TV14-0002 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7007U021	CTP21-0084 (F,24)	CATTLE	BORAN (24)	ED15-0072 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire	

Report Date : 20-Dec-2021 15:20

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER