

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TRANSPOND	RESULT	DATE
15029U050	MB23-0381 (F,31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	Valid SV : Sire Valid	46862
15029U051	MB23-0401 (F,31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U052	MB23-0402 (F,31)	CATTLE	BEEFMASTER (31)	BOS19-9075 (F,31)(Valid)	BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46862
15029U053	MB23-0407 (F,31)	CATTLE	BEEFMASTER (31)		AHD18-0005 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U054	MB23-0412 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0460 (F,31)(Valid)	BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46862
15029U055	MB23-0414 (F,31)	CATTLE	BEEFMASTER (31)	MB17-0552 (F,31)(Valid)	BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46862
15029U056	MB23-0423 (M,31)	CATTLE	BEEFMASTER (31)	MB19-0036 (F,31)(Valid)	BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46862
15029U057	MB23-0427 (M,31)	CATTLE	BEEFMASTER (31)	MB16-0304 (F,31)(Valid)	BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46862
15029U058	MB23-0434 (M,31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U059	MB23-0453 (M,31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U060	MB23-0454 (F,31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U061	MB23-0364 (F,31)	CATTLE	BEEFMASTER (31)		V817-0160 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	46862
15029U062	MB23-0371 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0810 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	46862

Report Date : 14-Nov-2023 08:33

Page : 5

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. This results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATA	SIRE	TEST	TEST/VALUE	RESULT	DATE
16369U034	MB23-0792 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0872 (F,31)(Valid)	V818-0257 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U035	MB23-0793 (F,31)	CATTLE	BEEFMASTER (31)		MB17-0473 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16369U036	MB23-0794 (M,31)	CATTLE	BEEFMASTER (31)		MB19-0118 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16369U037	MB23-0795 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0869 (F,31)(Valid)	MB17-0473 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U038	MB23-0796 (M,31)	CATTLE	BEEFMASTER (31)	MB21-0859 (F,31)(Valid)	MB19-0118 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U039	MB23-0797 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0435 (F,31)(Valid)	MB17-0473 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U040	MB23-0798 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0583 (F,31)(Valid)	AHD18-0134 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U041	MB23-0800 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0859 (F,31)(Valid)	MB17-0473 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U042	MB23-0807 (M,31)	CATTLE	BEEFMASTER (31)	MB21-0932 (F,31)(Valid)	V818-0257 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U043	MB23-0808 (F,31)	CATTLE	BEEFMASTER (31)	MB21-0508 (F,31)(Valid)	V818-0257 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U044	MB23-0809 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8113 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16369U045	MB23-0810 (M,31)	CATTLE	BEEFMASTER (31)	MB21-0929 (F,31)(Valid)	MB17-0473 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16369U046	MB23-0811 (M,31)	CATTLE	BEEFMASTER	MB21-0809 (F,31)(Valid)	MB17-0473 (M,31)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 30-Jan-2024 08:56

Unistat report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistat Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	NAME	SIRE	TEST	TEST TYPE	STATUS
15800U011	MB23-0578 (M,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	Valid SV : Sire Valid 47353
15800U012	MB23-0579 (F,31)	CATTLE	BEEFMASTER (31)	MB17-0085 (F,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U013	MB23-0587 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0162 (F,31)(Valid)	BOS18-8286 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U014	MB23-0585 (M,31)	CATTLE	BEEFMASTER (31)	MB16-0087 (N/S,31)(Valid)	BOS18-8286 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U015	MB23-0587 (M,31)	CATTLE	BEEFMASTER (31)	MB18-0074 (N/S,31)(Valid)	V818-0218 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U016	MB23-0602 (M,31)	CATTLE	BEEFMASTER (31)	MB18-0287 (N/S,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U017	MB23-0606 (F,31)	CATTLE	BEEFMASTER (31)	MB18-0054 (N/S,31)(Valid)	V818-0218 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U018	MB23-0612 (F,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid 47353
15800U019	MB23-0616 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0279 (F,31)(Valid)	BOS18-8286 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U020	MB23-0624 (F,31)	CATTLE	BEEFMASTER (31)		MB18-0147 (N/S,31)(Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded 47353
15800U021	MB23-0625 (F,31)	CATTLE	BEEFMASTER (31)	MB18-0521 (F,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid 47353
15800U022	MB23-0625 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0654 (F,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire 47353

Report Date : 30-Jan-2024 08:51

Page : 2

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim at all not exceed the value of the contract.
 Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TRAITS	RESULT	DATE
15800U035	MB23-0636 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0316 (N/S,31)(Valid)	CKT18-0131 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U036	MB23-0677 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0263 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U037	MB23-0673 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0220 (F,31)(Valid)	MB19-0347 (N/S,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15900U038	MB23-0582 (M,31)	CATTLE	BEEFMASTER (31)		MB19-0347 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U039	MB23-0583 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0688 (F,31)(Valid)	MB19-0347 (N/S,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U040	MB23-0622 (F,31)	CATTLE	BEEFMASTER (31)		MB18-0676 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U041	MB23-0630 (F,31)	CATTLE	BEEFMASTER (31)		MB18-0676 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U042	MB23-0633 (F,31)	CATTLE	BEEFMASTER (31)	MB16-0389 (F,31)(Valid)	MB19-0676 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U043	MB23-0634 (F,31)	CATTLE	BEEFMASTER (31)		MB19-0676 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U044	MB23-0639 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0535 (F,31)(Valid)	MB19-0676 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U045	MB23-0640 (F,31)	CATTLE	BEEFMASTER (31)	MB16-0228 (F,31)(Valid)	MB19-0676 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U046	MB23-0641 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0585 (F,31)(Valid)	MB19-0676 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47353
15800U047	MB23-0643 (M,31)	CATTLE	BEEFMASTER (31)		MB19-0676 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353

Report Date : 30-Jan-2024 08:51

Unilever reports these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unilever Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unilever Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories as Unilever Medical Laboratories participates in ISAG comparison testing and therefore it incorporates the national scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOB	SIRE	TES	Footnote	RES ID	STATUS
15800U048	MB23-0644 (M.31)	CATTLE	BEEFMASTER (31)	MB17-0218 (F.31)(Valid)	MB19-0676 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U049	MB23-0654 (F.31)	CATTLE	BEEFMASTER (31)	MB19-0522 (F.31)(Valid)	BOS16-6024 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U050	MB23-0655 (F.31)	CATTLE	BEEFMASTER (31)		MB19-0676 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U051	MB23-0658 (M.31)	CATTLE	BEEFMASTER (31)		MB19-0676 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U052	MB23-0688 (M.31)	CATTLE	BEEFMASTER (31)		BOS16-6088 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U053	MB23-0589 (M.31)	CATTLE	BEEFMASTER (31)	MB19-0524 (F.31)(Valid)	BOS16-6088 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U054	MB23-0553 (M.31)	CATTLE	BEEFMASTER (31)	MB16-0057 (F.31)(Valid)	V819-0340 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U055	MB23-0617 (F.31)	CATTLE	BEEFMASTER (31)		V820-0407 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353
15800U056	MB23-0619 (M.31)	CATTLE	BEEFMASTER (31)	MB17-0560 (F.31)(Valid)	BOS16-6088 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U057	MB23-0621 (F.31)	CATTLE	BEEFMASTER (31)	BOS17-7527 (F.31)(Valid)	V820-0407 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U058	MB23-0631 (F.31)	CATTLE	BEEFMASTER (31)	MB17-0102 (F.31)(Valid)	V819-0303 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U059	MB23-0632 (M.31)	CATTLE	BEEFMASTER (31)	MB17-0487 (F.31)(Valid)	V818-0224 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47353
15800U060	MB23-0645 (M.31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	47353

Report Date : 30-Jan-2024 08:51

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST ID	RESULT	WAVE
16053U012	MB23-0739 (M,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	Sire Valid SV : Sire Valid	47635
16053U013	MB23-0741 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0463 (F,31)(Valid)	V818-0218 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U014	MB23-0748 (M,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U015	MB23-0780 (M,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U016	MB23-0814 (M,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U017	MB23-0674 (F,31)	CATTLE	BEEFMASTER (31)		PD18-0258 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U018	MB23-0680 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0731 (F,31)(Valid)	MB19-0347 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U019	MB23-0694 (F,31)	CATTLE	BEEFMASTER (31)		OKT17-0155 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U020	MB23-0696 (M,31)	CATTLE	BEEFMASTER (31)	MB19-0421 (F,31)(Valid)	PD18-0259 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U021	MB23-0697 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0649 (F,31)(Valid)	V818-0218 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U022	MB23-0725 (M,31)	CATTLE	BEEFMASTER (31)		PD18-0269 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U023	MB23-0727 (M,31)	CATTLE	BEEFMASTER (31)		AHD19-0082 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U024	MB23-0756 (F,31)	CATTLE	BEEFMASTER (31)		AHD19-0082 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOGM	SIRE	TEST	TEST TYPE	RESULT	REFERENCE
16053U025	MB23-0764 (M,31)	CATTLE	BEEFMASTER (31)		PD18-0259 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U026	MB23-0775 (F,31)	CATTLE	BEEFMASTER (31)	MB18-0285 (N/S,31)(Valid)	PD18-0259 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U027	MB23-0802 (F,31)	CATTLE	BEEFMASTER (31)		V818-0224 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47535
16053U028	MB23-0779 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0436 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47535
16053U029	MB23-0782 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0728 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U030	MB23-0804 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0409 (F,31)(Valid)	V819-0303 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U031	MB23-0815 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0643 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U032	MB23-0680 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0673 (F,31)(Valid)	V818-0303 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U033	MB23-0681 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0532 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U034	MB23-0686 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0647 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U035	MB23-0691 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0578 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U036	MB23-0693 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0504 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635

Report Date : 26-Jan-2024 08:52

Page : 3

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: Some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAW	SIRE	TEST	TEST TYPE	RESULT	REFERENCE
16053U037	MB23-0695 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0625 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U038	MB23-0698 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0369 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U039	MB23-0712 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0338 (F,31)(Valid) <i>mark master reg. asb.</i>	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U040	MB23-0719 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0451 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U041	MB23-0720 (M,31)	CATTLE	BEEFMASTER (31)		V819-0303 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U042	MB23-0726 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0234 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U043	MB23-0730 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0834 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U044	MB23-0738 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0437 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U045	MB23-0740 (F,31)	CATTLE	BEEFMASTER (31)		V820-0407 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	47635
16053U046	MB23-0744 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0393 (M,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U047	MB23-0745 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0368 (F,31)(Valid) <i>mark asb master reg.</i>	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635
16053U048	MB23-0747 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0516 (F,31)(Valid)	V820-0407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47635

Report Date : 26-Jan-2024 08:52

Page : 4

CHARNÉ ROSSOUW
DIVISION MANAGER

Unistel report it ^{also} results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, this claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TES	TRAITES (T)	RESULT	NOTES
16416U057	MB23-0990 (M.31)	CATTLE	BEEFMASTER (31)	MB20-0762 (F.31)(Valid)	MB19-0347 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U058	MB23-0991 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0700 (F.31)(Valid)	V819-0303 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U059	MB23-0992 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0758 (F.31)(Valid)	V817-0160 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U060	MB23-0956 (M.31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U061	MB23-0998 (F.31)	CATTLE	BEEFMASTER (31)	MB16-0536 (F.31)(Valid)	BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U062	MB23-1003 (F.31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U063	MB23-1008 (M.31)	CATTLE	BEEFMASTER (31)	MB20-0759 (F.31)(Not Valid)	MB19-0347 (N/S.31)(Valid)	PAR_C	Hair	DXSV : Dam Exceues, Sire Valid	
16416U064	MB23-1019 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0745 (F.31)(Valid)	V817-0160 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U065	MB23-1021 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0276 (F.31)(Valid)	V820-0407 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U066	MB23-1022 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0693 (F.31)(Valid)	OKT19-0190 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U067	MB23-1023 (F.31)	CATTLE	BEEFMASTER (31)	MB17-0276 (F.31)(Valid)	BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U068	MB23-1028 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0587 (F.31)(Valid)	V820-0407 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Feb-2024 08:01

Page : 4

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST TYPE	RESULT	DATE
16416U081	MB23-1093 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0742 (F.31)(Valid)	MB19-0347 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U082	MB23-1092 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0830 (F.31)(Valid)	MB19-0347 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U083	MB23-1093 (F.31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U084	MB23-1094 (F.31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U085	MB23-1101 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0753 (F.31)(Valid)	V817-0160 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U086	MB23-1103 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0684 (F.31)(Valid)	V817-0160 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U087	MB23-1105 (M.31)	CATTLE	BEEFMASTER (31)		BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U088	MB23-1115 (M.31)	CATTLE	BEEFMASTER (31)		V817-0160 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U089	MB23-1117 (M.31)	CATTLE	BEEFMASTER (31)	MB20-0696 (F.31)(Valid)	V817-0160 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U090	MB23-1120 (F.31)	CATTLE	BEEFMASTER (31)	MB20-0827 (F.31)(Valid)	V819-0303 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U091	MB23-1121 (M.31)	CATTLE	BEEFMASTER (31)		V819-0303 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U092	MB23-1122 (M.31)	CATTLE	BEEFMASTER (31)		V817-0160 (N/S.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U093	MB23-1125 (F.31)	CATTLE	BEEFMASTER (31)	MB14-0181 Koei (F.31)(Valid)	BOS13-3238 (N/S.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Feb-2024 08:01

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST TYPE	RESULT	IMAGE
18418U094	MB23-1126 (M,31)	CATTLE	BEEFMASTER (31)	MB19-0878 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U095	MB23-1130 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0704 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U096	MB23-1131 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0874 (F,31)(Valid)	V819-0303 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18418U097	MB23-1137 (F,31)	CATTLE	BEEFMASTER (31)	SPB18-0017 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18418U098	MB23-1138 (M,31)	CATTLE	BEEFMASTER (31)		V817-0160 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18416U099	MB23-1141 (M,31)	CATTLE	BEEFMASTER (31)	MB19-0790 (F,31)(Valid)	OKT18-0190 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U100	MB23-1152 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0820 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U101	MB23-1153 (M,31)	CATTLE	BEEFMASTER (31)		V817-0160 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18416U102	MB23-1158 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0721 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U103	MB23-1159 (F,31)	CATTLE	BEEFMASTER (31)	BOS19-9261 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U104	MB23-1168 (M,31)	CATTLE	BEEFMASTER (31)	MB20-0779 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18416U105	MB23-1171 (M,31)	CATTLE	BEEFMASTER (31)	MB15-0234 (F,31)(Valid)	JAN19-1905 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Feb-2024 08:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST TYPE	RESULT	DATE
16416U106	MB23-1172 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0491 (F,31)(Valid)	BOS18-8286 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U107	MB23-1175 (M,31)	CATTLE	BEEFMASTER (31)		JAN19-1906 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U108	MB23-1177 (M,31)	CATTLE	BEEFMASTER (31)		OKT19-0190 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U109	MB23-1182 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0223 (F,31)(Valid)	V817-0160 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U110	MB23-0936 (F,31)	CATTLE	BEEFMASTER (31)	MB16-0214 (F,31)(Valid)	BOS16-6088 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U111	MB23-0985 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0128 (F,31)(Valid)	BOS16-6088 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U112	MB23-1013 (F,31)	CATTLE	BEEFMASTER (31)		BOS16-6088 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U113	MB23-1026 (M,31)	CATTLE	BEEFMASTER (31)		BOS16-6088 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U114	MB23-1027 (F,31)	CATTLE	BEEFMASTER (31)		BOS16-6088 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U115	MB23-1032 (F,31)	CATTLE	BEEFMASTER (31)		BOS16-6088 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U116	MB23-1045 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0684 (F,31)(Valid)	BOS16-6088 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U117	MB23-1046 (F,31)	CATTLE	BEEFMASTER (31)	MB18-0015 (N/S,31)(Valid)	BOS16-6088 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U118	MB23-1048 (F,31)	CATTLE	BEEFMASTER (31)	MB15-0596 (F,31)(Valid)	BOS16-6088 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Feb-2024 08:01

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	TESTER	ISSUE	STATUS
16416U171	MB23-0985 (F,31)	CATTLE	BEEFMASTER (31)	MB19-0784 (F,31)(Valid)	OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U172	MB23-0973 (M,31)	CATTLE	BEEFMASTER (31)		OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U173	MB23-0974 (M,31)	CATTLE	BEEFMASTER (31)	MB18-0305 (N/S,31)(Valid)	OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U174	MB23-0994 (M,31)	CATTLE	BEEFMASTER (31)		OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U175	MB23-0999 (M,31)	CATTLE	BEEFMASTER (31)	SPB18-0054 (F,31)(Valid)	OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U176	MB23-1005 (F,31)	CATTLE	BEEFMASTER (31)	WN11-0115 (F,31)(Valid)	OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U177	MB23-1014 (M,31)	CATTLE	BEEFMASTER (31)		OKT18-0165 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U178	MB23-1031 (F,31)	CATTLE	BEEFMASTER (31)	MB15-0195 (F,31)(Valid)	BOS18-8286 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U179	MB23-1042 (M,31)	CATTLE	BEEFMASTER (31)	MB18-0864 (F,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U180	MB23-1049 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8286 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U181	MB23-1057 (M,31)	CATTLE	BEEFMASTER (31)	MB19-0813 (F,31)(Valid)	V818-0224 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U182	MB23-1062 (F,31)	CATTLE	BEEFMASTER (31)	MB17-0167 (F,31)(Valid)	BOS18-8286 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U183	MB23-1064 (F,31)	CATTLE	BEEFMASTER (31)	MB20-0796 (F,31)(Valid)	BOS18-8286 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 01-Feb-2024 08:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOB	SIRE	TEST	TEST Type	RESULT	DATE
16416U209	MB23-1135 (M,31)	CATTLE	BEEFMASTER (31)		OKT17-0155 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16416U210	MB23-1156 (M,31)	CATTLE	BEEFMASTER (31)	MB18-0485 (F,31)(Valid)	V817-0160 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U211	MB23-1158 (F,31)	CATTLE	BEEFMASTER (31)	MB18-0567 (F,31)(Valid)	OKT19-0190 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16416U212	MB23-1153 (M,31)	CATTLE	BEEFMASTER (31)	MB21-0475 (F,31)(Valid)	BOS18-8113 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Feb-2024 08:01

Page : 16

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER