



Batch Detail Report

Batch : 200U
Created : 13-Mar-2020 15:08
Owner : Charles/Chris Krugell
Farm : Nootgedacht
Account : KRUGC1

0596114 BON

200U001	CKB17-0023	✓	CATTLE	BONSMARA	SYF12-0090 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U002	CKB17-0027	✓	CATTLE	BONSMARA	SYF15-0097 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U003	CKB17-0028	(M)	CATTLE	BONSMARA	SYF12-0090 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U004	CKB17-0037	✓	CATTLE	BONSMARA	SYF15-0097 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U005	CKB17-0041	✓	CATTLE	BONSMARA	AG09-0310 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U006	CKB17-0050	(M)	CATTLE	BONSMARA	ADV10-0082 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U007	CKB17-0053	✓	CATTLE	BONSMARA	SYF12-0090 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U008	CKB17-0056	(M)	CATTLE	BONSMARA	SYF15-0097 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U009	CKB17-0057	✓	CATTLE	BONSMARA	SYF12-0090 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U010	CKB17-0059	(M)	CATTLE	BONSMARA	AG13-0024 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U011	CKB17-0067	✓	CATTLE	BONSMARA	mNSX : Multiple Nominated Sires Excluded	PAT_C	SV : Sire Valid.
200U012	CKB17-0082	✓	CATTLE	BONSMARA	AG10-0080 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U013	CKB17-0094	✓	CATTLE	BONSMARA	CKB15-0015 (M.1)(Valid)	PAT_C	SV : Sire Valid.

Report Date : 02-Apr-2020 11:17

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

200U014	CKB17-0097	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded SV : Sire Valid.
200U015	CKB17-0104	CATTLE	BONSMARA	✓	PAT_C	ADV10-0082 (M,1)(Valid)
200U016	CKB17-0122	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U017	CKB18-0009	CATTLE	BONSMARA	✓	PAT_C	NSR : No Sample Received
200U018	CKB18-0010	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U019	CKB18-0011	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U020	CKB18-0012	CATTLE	BONSMARA	✓	PAT_C	NSR : No Sample Received
200U021	CKB18-0019	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U022	CKB18-0021	CATTLE	BONSMARA	(N)	PAT_C	SV : Sire Valid.
200U023	CKB18-0025	CATTLE	BONSMARA	(N)	PAT_C	SV : Sire Valid.
200U024	CKB18-0022	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U025	CKB18-0024	CATTLE	BONSMARA	✓	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U026	WAT17-0558	CATTLE	BONSMARA	(N)	PAT_C	SV : Sire Valid.
200U027	CKB17-0004	CATTLE	BONSMARA	F	PAT_C	SV : Sire Valid.

Report Date : 02-Apr-2020 11:17

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

200U028	CKB17-0010	✓	CATTLE	BONSMARA	AG10-0080 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U029	CKB17-0013	✓	CATTLE	BONSMARA	AG10-0080 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U030	CKB17-0015	✓	CATTLE	BONSMARA	AG10-0080 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U031	CKB17-0017	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U032	CKB17-0026	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U033	CKB17-0029	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U034	CKB17-0030	✓	CATTLE	BONSMARA	AG13-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U035	CKB17-0031	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U036	CKB17-0032	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U037	CKB17-0035	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U038	CKB17-0036	✓	CATTLE	BONSMARA	SYF12-0090 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U039	CKB17-0039	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U040	CKB17-0042	✓	CATTLE	BONSMARA	SYF12-0090 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U041	CKB17-0044	✓	CATTLE	BONSMARA	SYF12-0090 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U042	CKB17-0046	✓	CATTLE	BONSMARA	SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid.
200U043	CKB17-0048	✓	CATTLE	BONSMARA	ADV10-0082 (M,1)(Valid)	PAT_C	SV : Sire Valid.

Report Date : 02-Apr-2020 11:17

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

200U044	CKB17-0049	✓	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U045	CKB17-0052	✓	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U046	CKB17-0055	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U047	CKB17-0065	✓	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U048	CKB17-0068	✓	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U049	CKB17-0069	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U050	CKB17-0070	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U051	CKB17-0075	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U052	CKB17-0080	F	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U053	CKB17-0090	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U054	CKB17-0092	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.
200U055	CKB17-0093	✓	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U056	CKB17-0096	(F)	CATTLE	BONSMARA	PAT_C	mNSX : Multiple Nominated Sires Excluded
200U057	CKB17-0098	✓	CATTLE	BONSMARA	PAT_C	SV : Sire Valid.

Report Date : 02-Apr-2020 11:17

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

200U058	CKB17-0101	✓	CATTLE	BONSMARA	AG10-0080 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U059	CKB17-0105	✓	CATTLE	BONSMARA	ADV10-0082 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U060	CKB17-0111	✓	CATTLE	BONSMARA	CKB14-0035 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U061	CKB17-0120	✓	CATTLE	BONSMARA	CKB14-0035 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U062	CKB18-0005	✓	CATTLE	BONSMARA	CKB14-0035 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U063	CKB18-0008	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U064	CKB18-0013	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U065	CKB18-0014	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U066	CKB18-0015	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U067	CKB18-0017	✓	CATTLE	BONSMARA	CKB15-0015 (M.1)(Valid)	PAT_C	SV : Sire Valid.
200U068	CKB18-0018	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded
200U069	CKB18-0020	✓	CATTLE	BONSMARA		PAT_C	mNSX : Multiple Nominated Sires Excluded

Report Date : 02-Apr-2020 11:17

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR