

Subject: Re: WBT16-34

From: Waterford Droughtmasters <waterforddroughtmasters@gmail.com>

Date: 2024/03/15, 07:31 am

To: Marietjie Delpont <marietjie@studbook.co.za>

Goeie more Marietjie

Hoop jy het heerlik geslaap

Duisende dankies vir dit

Dan wou ek geboortes gedoen het vir die volgende diere maar die sisteem se die geboortes is reeds gedoen. Die diere bestaan egter nie op Logix nie

KPB22-06 GEBORE 29/10/2022 SAMPLE NR 11417U002

KPB22-07 GEBORE 13/11/2022 SAMPLE NR 11417U002

KPB23-40 GEBORE 04/05/2023 SAMPLE NR 13873U012

Sien aangeheg die labuitslae

Weereens DANKIE vir jou moeite en terugvoer, ek waardeer opreg

Groete

Callie

Op Do. 14 Mrt. 2024 om 11:54 het Marietjie Delpont <marietjie@studbook.co.za> geskryf.

gedoen terug in die kudde

--

Kind regards / Groete

Marietjie Delpont

Teamleader Data Clerk: Afrikaners, Angus S.A., Borguni, Charolais, Droughtmasters, Santa Gertrudis

E marietjie@studbook.co.za **P** +27 51 410 0912



Batch Detail Report

Created : 2022-12-05

Batch : 11417U
Owner : Carl Crous
Farm :Rudolph Boerdersy Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11417U001	KPB22-0006 (F,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0003 (F,91)(Valid)	HOT18-03 (M,186)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U002	KPB22-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0177 (F,91)(Valid)	TOP17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U003	WBT22-0093 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0039 (F,91)(Valid)	OW17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U004	WBT22-0094 (M,91)	CATTLE	DROUGHT MASTER (91)		OW17-03 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
11417U005	WBT22-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0052 (F,91)(Valid)	TOP17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U006	WBT22-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0120 (F,91)(Valid)	OW17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U007	WBT22-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0058 (F,91)(Valid)	OW17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U008	WBT22-0098 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0003 (F,186)(Valid)	HOT18-03 (M,186)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
11417U009	WBT22-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0051 (F,91)(Valid)	OW17-03 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	

Report Date : 23-Dec-2022 09:17

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11417U010	WB120-0156 (F.91)	CATTLE	DROUGHT MASTER (91)	WB117-0015 (F.91)(Valid)	TOP16-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 23-Dec-2022 09:17

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ require. This Certificate replaces all previously issued certificates. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ require. This Certificate replaces all previously issued certificates. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-06-21

Batch : 13873U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U001	WBT23-0012 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0041 (F,91)(Valid)	OW17-0001 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U002	WBT23-0014 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	01
13873U003	WBT23-0019 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0091 (N/S,91)(Valid)	TOP17-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U004	WBT23-0019 (M,91)	CATTLE	DROUGHT MASTER (91)			ST_C	Hair	Store : Store this sample	01
13873U005	WBT23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	01
13873U006	WBT23-0033 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0091 (F,186)(Valid)	AGO18-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U007	WBT23-0035 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0004 (F,91)(Valid)	OW17-0001 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U008	WBT23-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0097 (F,91)(Valid)	TOP17-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U009	WBT23-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0098 (F,91)(Valid)	TOP17-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requiree. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requiree. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	Tissue Type	RESULT	INVOICE
13873U010	WBT23-0038 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0065 (F,186)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U011	WBT23-0039 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0022 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U012	KPB23-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U013	WBT23-0041 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0056 (F,186)(Valid)	C10-002 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U014	WBT23-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0004 (F,91)(Valid)	OW17-0-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U015	WBT23-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0133 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U016	WBT23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0015 (F,186)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U017	WBT23-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0013 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U018	WBT23-0046 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0104 (F,186)(Valid)	C10-002 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U019	WBT23-0047 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0010 (F,186)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U020	WBT23-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0084 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U021	WBT23-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0063 (F,91)(Valid)	TOP17-C-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ require. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ require. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for a error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medi therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U022	WBT23-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0041 (F,91)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U023	WBT23-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0031 (F,91)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U024	WBT23-0053 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0278 (F,91)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U025	WBT23-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT14-0018 (F,91)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U026	WBT23-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0102 (F,186)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U027	WBT23-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0087 (F,91)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U028	WBT23-0057 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0087 (F,186)(Valid)	TOP17-05 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U029	WBT23-0200 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-02 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U030	WBT23-0201 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-02 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U031	WBT23-0202 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0206 (F,91)(Valid)	VOVA17-17 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U032	WBT23-0203 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-02 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for an error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U033	WBT23-0204 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U034	WBT23-0205 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U035	WBT23-0206 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0104 (F,91)(Valid)	AGO18-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U036	WBT23-0207 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U037	WBT23-0208 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U038	WBT23-0211 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U039	WBT23-0212 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U040	WBT23-0213 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U041	WBT23-0214 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U042	WBT23-0215 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0104 (F,91)(Valid)	AGO18-0025 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U043	WBT23-0216 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requiree. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for an error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical therefore incorporates international scoring standards in the generation of our STR profiles.