



Batch Detail Report

Batch : 1974U
Created : 11-Sep-2020 22:16
Owner : Louis van der Walt
Farm : Soutpansberg Boerdery Trust
Account : BOTB01

— 0608378 BON —

SPECIES		BRED		DAM		SIRE	TEST	RESULT	INVOICE
1974U001	CATTLE	BONSMARA (1)	BBP18-0242 (M,1)	BBP16-0053 (F,1)(Valid)	BBP14-0197 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U002	CATTLE	BONSMARA (1)	BBP18-0293 (M,1)	BBP15-0085 (F,1)(Not Valid)	LAP12-0322 (M,1)(Valid)	PAR_C	DVSV : Dam Excluded, Sire Valid		
1974U003	CATTLE	BONSMARA (1)	BBP19-0226 (F,1)	BBP16-0268 (F,1)(Valid)	BBP16-0005 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U004	CATTLE	BONSMARA (1)	BBP20-0021 (M,1)	BBP17-0150 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U005	CATTLE	BONSMARA (1)	BBP20-0044 (M,1)	LABCODE	AG15-0159 (M,1)(Valid) BBP16-0040 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid		
1974U006	CATTLE	BONSMARA (1)	BBP20-0048 (M,1)	LABCODE		PAR_C	mNSX : Multiple Nominated Sires Excluded		
1974U007	CATTLE	BONSMARA (1)	BBP20-0049 (F,1)		BBP16-0070 (M,1)(Valid)	PAR_C	SV : Sire Valid		
1974U008	CATTLE	BONSMARA (1)	BBP20-0053 (F,1)	BBP15-0243 (F,1)(Valid)	CRV14-0115 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U009	CATTLE	BONSMARA (1)	BBP20-0054 (F,1)	AG03-0184 (F,1)(Valid)	CRV14-0115 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U010	CATTLE	BONSMARA (1)	BBP20-0056 (M,1)	CRV10-0469 (F,1)(Valid)	BBP16-0040 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid		
1974U011	CATTLE	BONSMARA	BBP20-0057 (F,1)		BBP16-0070 (M,1)(Valid)	PAR_C	SV : Sire Valid		

Report Date : 28-Sep-2020 10:25

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SPECIES		BREED	DAM	SIRE	TEST	RESULT	INVOICE
1974U026	BBP20-0080 (F,1)	CATTLE	BONSMARA (1)	BBP17-0067 (F,1)(Valid)	BBP15-0010 (M,1)(Valid)	PAR_C Sires Valid DVSU : Dam Valid, Sire Valid	
1974U027	BBP20-0081 (F,1)	CATTLE	BONSMARA (1)	BBP12-0089 (F,1)(Valid)	FCT10-0241 (M,1)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U028	BBP20-0083 (M,1)	CATTLE	BONSMARA (1)	BBP17-0047 (F,1)(Valid)	BBP15-0010 (M,1)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U029	BBP20-0086 (F,1)	CATTLE	BONSMARA (1)	BBP14-0061 (F,1)(Valid)	BG12-0043 (M,UNK_C)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U030	BBP20-0089 (F,1)	CATTLE	BONSMARA (1)	BBP14-0152 (F,1)(Valid)	BBP16-0070 (M,1)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U031	BBP20-0090 (F,1)	CATTLE	BONSMARA (1)		BBP16-0028 (M,1)(Valid)	PAR_C SV : Sire Valid	
1974U032	BBP20-0092 (M,1)	CATTLE	BONSMARA (1)	BBP12-0369 (F,1)(Valid)	CRV14-0059 (M,1)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U033	BBP20-0096 (M,1)	CATTLE	BONSMARA (1)		BBP16-0040 (M,1)(Valid)	PAR_C SV : Sire Valid	
1974U034	BBP20-0099 (M,1)	CATTLE	BONSMARA (1)		BBP16-0097 (M,1)(Valid)	PAR_C SV : Sire Valid	
1974U035	BBP20-0102 (M,1)	CATTLE	BONSMARA (1)		CRV14-0059 (M,1)(Valid)	PAR_C SV : Sire Valid	
1974U036	BBP20-0103 (F,1)	CATTLE	BONSMARA (1)	BBP15-0170 (F,1)(Valid)	CRV14-0115 (M,1)(Valid)	PAR_C DVSU : Dam Valid, Sire Valid	
1974U037	BBP20-0108 (F,1)	CATTLE	BONSMARA (1)		BBP16-0028 (M,1)(Valid)	PAR_C SV : Sire Valid	
1974U038	BBP20-0109 (F,1)	CATTLE	BONSMARA (1)		BBP16-0040 (M,1)(Valid)	PAR_C SV : Sire Valid	

Report Date : 28-Sep-2020 10:25

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SPECIES		BREED		DAM		SIRE		TEST	RESULT	INVOICE
1974U039	BBP20-0111 (M,1)	CATTLE	BONSMARA (1)	BBP14-0270 (F,1)(Valid)		BBP16-0097 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U040	BBP20-0113 (M,1)	CATTLE	BONSMARA (1)	BBP16-0285 (F,1)(Valid)		AG13-0159 (M,1)(Valid) BBP16-0090 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Multiple Nominated Sires Valid	
1974U041	BBP20-0114 (M,1)	CATTLE	BONSMARA (1)	BBP15-0258 (F,1)(Valid)		BBP14-0233 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U042	BBP20-0115 (M,1)	CATTLE	BONSMARA (1)			FCT10-0241 (M,1)(Valid)		PAR_C	SV : Sire Valid	
1974U043	BBP20-0116 (M,1)	CATTLE	BONSMARA (1)	BBP15-0153 (F,1)(Valid)		BBP16-0097 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U044	BBP20-0117 (M,1)	CATTLE	BONSMARA (1)	BBP15-0268 (F,1)(Valid)		BBP14-0233 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U045	BBP20-0118 (F,1)	CATTLE	BONSMARA (1)			BBP16-0097 (M,1)(Valid)		PAR_C	SV : Sire Valid	
1974U046	BBP20-0119 (M,1)	CATTLE	BONSMARA (1)					PAR_C	HER02 : Test to be repeated by lab	
1974U047	BBP20-0120 (M,1)	CATTLE	BONSMARA (1)	FCT08-0046 (F,1)(Valid)		BBP16-0097 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U048	BBP20-0121 (F,1)	CATTLE	BONSMARA (1)	BBP15-0379 (F,1)(Valid)		BBP16-0028 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U049	BBP20-0122 (F,1)	CATTLE	BONSMARA (1)	BBP17-0417 (F,1)(Valid)		BBP17-0168 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U050	BBP20-0123 (M,1)	CATTLE	BONSMARA (1)	BBP17-0176 (F,1)(Valid)		BBP17-0168 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	
1974U051	BBP20-0124 (F,1)	CATTLE	BONSMARA (1)	BBP17-0410 (F,1)(Valid)		BBP17-0168 (M,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Sep-2020 10:25

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SPECIES		BREED	DAM	SIRE	TEST	RESULT	INVOICE
1974U052	BBP20-0125 (M,1)	CATTLE	BONSMARA (1)	BBP17-0293 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U053	BBP20-0127 (F,1)	CATTLE	BONSMARA (1)	BBP17-0400 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U054	BBP20-0128 (M,1)	CATTLE	BONSMARA (1)	BBP18-0016 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U055	BBP20-0129 (F,1)	CATTLE	BONSMARA (1)	BBP17-0097 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U056	BBP20-0130 (F,1)	CATTLE	BONSMARA (1)	BBP17-0275 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U057	BBP20-0131 (F,1)	CATTLE	BONSMARA (1)	BBP17-0292 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U058	BBP20-0133 (M,1)	CATTLE	BONSMARA (1)	BBP17-0263 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U059	BBP20-0134 (M,1)	CATTLE	BONSMARA (1)	BBP17-0308 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U060	BBP20-0136 (F,1)	CATTLE	BONSMARA (1)	BBP17-0109 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U061	BBP20-0137 (F,1)	CATTLE	BONSMARA (1)	BBP17-0404 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U062	BBP20-0139 (M,1)	CATTLE	BONSMARA (1)	BBP17-0354 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid
1974U063	BBP20-0140 (M,1)	CATTLE	BONSMARA (1)	BBP17-0251 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid

Report Date : 28-Sep-2020 10:25

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

	SPECIES	BRGD	DAM	SIRE	TEST	RESULT	INVOICE
1974U064	BBP20-0142 (M,1)	CATTLE	BONSMARA (1)	BBP17-0151 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
1974U065	BBP20-0143 (F,1)	CATTLE	BONSMARA (1)	BBP17-0161 (F,1)(Valid)	BBP17-0168 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
1974U066	BBP20-0144 (M,1)	CATTLE	BONSMARA (1)	BBP17-0294 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
1974U067	BBP20-0145 (F,1)	CATTLE	BONSMARA (1)	BBP17-0304 (F,1)(Valid)	BBP17-0065 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid

Report Date : 28-Sep-2020 10:25

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR