

Subject: Hurley Droughtmasters - 0715536000/ DNS profiel /Inplantings lyste
From: "Gerhard Swanepoel Jnr" <finance@duraflexdams.co.za>
Date: 2024/03/19, 12:05 pm
To: <marietjie@studbook.co.za>

Gerhard Swanepoel Jnr has shared a OneDrive file with you. To view it, click the link below.

 Batch-11465U (002) - Korrek.pdf


Hi Marietjie

Baie dankie vir die hulp vroeër.

Ek heg vir jou die DNS profiele aan vanaf Unistel asook die inplantings lyste vanaf Invitro Africa(hulle het dit in plaas van schedule O vorms voorsien), dis volgens hulle voldoende.

Baie dankie vir jou moeite

GERHARD SWANEPOEL JNR
DURA-FLEX DAMS & LININGS
LICHTENBURG
2740
082 520 3928
018 011 1119



—Attachments:—



Tel/Mobile:

+27 (0) 56 817 1146

Fax:

+27 (0) 86 518 0459

Email:

erika@invitroafrica.com

DATE:

2023-02-28

Client	(Multiple Items)
Transfer Date	2023-02-28

PD DATE: 29/04/2023

Expected calving date (277 days): 02/12/2023

NR	RECIPIENT NR.	BREED	SIDE	GR.	DAY	Donor	Bull	Embryo In Type
1	10	SIX	R	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
2	78	DM	R	2	1	TOP18-122	VOVA17-017	IVF FRESH
3	R5	BZX	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
4	07	SI	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
5	R8	SI	R	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
6	O17	BR	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
7	W50	BR	R	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
8	W122	DM	L	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
9	W70	SI	R	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
10	W18	DM	R	3	1	TOP18-114	VOVA17-017	IVF DT
11	G5	SI	L	3	1	TOP18-114	VOVA17-017	IVF DT
12	W74	DM	R	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
13	W5-18	BZX	R	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
14	G4	SI	R	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
15	O47-20	SI	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
16	08-19	SI	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
17	W28-18	SI	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
18	BT2	SI	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
19	29-20	BZ	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
20	W45-19	DM	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
21	W59-20	DM	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
22	W62-20	DM	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
23	W77-20	DM	R	3	1	TOP18-122	VOVA17-017	IVF FRESH
24	W14	DM	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF FRESH
25	W105	BV	L	3	1	TOP18-122	VOVA17-017	IVF FRESH
26	W50-19	DM	L	2	1	TOP18-122	VOVA17-017	IVF FRESH
27	W55-18	DM	L	2	1	TOP18-122	VOVA17-017	IVF FRESH
28	W88-20	DM	L	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
29	W94-20	SI	L	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
30	W33-20	DMX	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
31	W3-20	DM	L	3	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
32	O75-20	DMX	L	3	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
33	W11-18	SI	L	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
34	W76-20	DMX	L	3	1	TOP18-114	VOVA17-017	IVF DT
35	W85	DM	L	2	1	TOP18-114	VOVA17-017	IVF DT
36	W83	DM	L	2	1	TOP18-114	VOVA17-017	IVF DT
37	O7-19	DM	L	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
38	W44	SI	L	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
39	W95	SI	L	2	1	TOP18-114	VOVA17-017	IVF DT
40	O9-19	SI	L	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
41	W90-20	DM	R	3	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT
42	W76	SI	R	3	1	TOP18-114	VOVA17-017	IVF DT
43	W15	DM	R	3	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
44	W51	DM	R	3	1	TOP18-114	VOVA17-017	IVF DT
45	W91-20	SI	R	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
46	W63	DM	R	2	1	TOP17-100	TOP17-235(SILVER.BULLET)(SXF)	IVF DT
47	W75	DM	R	2	1	TOP18-124	TOP19-155(SHOTGUN)(SXF)	IVF DT



Tel/Mobile: +27 (0) 56 817 1146
Fax: +27 (0) 86 518 0459
Email: ka@invitroafrica.com

DATE: 2022-01-26

Client	WILZAK
Transfer Date	2022-01-26

PD DATE: 27-03-2022
Expected calving date (277 days): 30-10-2022

NR	RECIPIENT NR.	BREED	SIDE	GR.	DAY	Donor	Bull	Embryo In Type
1	1118	DM	L	3	1	TOP20-124	AGO18-019	IVF DT
2	1519	DM	R	3	1	TOP20-124	AGO18-019	IVF DT
3	W61	DM	R	3	1	TOP17-163	AGO18-019	IVF DT
4	W62	DM	L	2	1	TOP20-124	AGO18-019	IVF DT
5	R8	SI	R	2	1	TOP18-124	SWAN1636	IVF DT
6	3318	DM	R	3	1	TOP20-124	AGO18-019	IVF DT
7	O17	SI	L	3	1	TOP18-124	SWAN1636	IVF DT
8	3719	DM	R	3	1	TOP20-124	AGO18-019	IVF DT
9	W4-18	DM	R	2	1	TOP17-163	AGO18-019	IVF DT
10	BT1	SI	R	2	1	TOP20-124	AGO18-019	IVF DT
11	O18	SI	R	2	1	TOP17-163	AGO18-019	IVF DT
12	O7	SI	R	3	1	TOP17-163	AGO18-019	IVF DT
13	4818	DM	R	2	1	TOP20-124	AGO18-019	IVF DT
14	O9	SI	R	2	1	TOP17-163	AGO18-019	IVF DT
15	W1320	DM	L	2	1	TOP20-124	AGO18-019	IVF DT
16	W50	SI	L	2	1	TOP17-163	AGO18-019	IVF DT
17	W39	SI	R	2	1	TOP17-163	AGO18-019	IVF DT
18	W122	DMZ	L	2	1	TOP20-124	AGO18-019	IVF DT
19	W2018	SI	R	2	1	TOP17-163	AGO18-019	IVF DT
20	O8	SI	R	3	1	TOP20-124	AGO18-019	IVF DT
21	W70	SI	L	2	1	TOP20-124	AGO18-019	IVF DT
22	O520	SI	L	3	1	TOP20-124	AGO18-019	IVF DT
23	W27	SI	R	2	1	TOP20-124	AGO18-019	IVF DT
24	GEEL 5	SI	R	2	1	TOP20-124	AGO18-019	IVF DT
25	O5	SI	R	2	1	TOP20-124	AGO18-019	IVF DT
26	GR5	SI	R	2	1	TOP18-124	SWAN1636	IVF DT
27	O3	SI	L	3	1	TOP17-163	AGO18-019	IVF DT



Batch Detail Report

Batch : 16724U
Owner :JG Swanepoel
Farm :Hurley
Account : SWAJG1
Origin : PRIVATE
Invoice To : Owner

Created : 2024-02-05

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16724U001	HUR23-0001 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U002	HUR23-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U003	HUR23-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U004	HUR23-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U005	HUR23-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U006	HUR23-0006 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U007	HUR23-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U008	HUR23-0008 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U009	HUR23-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 19-Feb-2024 07:54

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16724U010	HUR23-0010 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)\(Valid)	TOP19-0155 (M,91)\(Valid)	PAR_C	Hair	Valid	
16724U011	HUR23-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)\(Valid)	TOP19-0155 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U012	HUR23-0012 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)\(Valid)	VOVA17-0017 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U013	HUR23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)\(Valid)	VOVA17-0017 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U014	HUR23-0014 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)\(Valid)	VOVA17-0017 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U015	HUR23-0015 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U016	HUR23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U017	HUR23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)\(Valid)	VOVA17-0017 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U018	HUR23-0018 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)\(Valid)	VOVA17-0017 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U019	HUR23-0019 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)\(Valid)	TOP19-0155 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U020	HUR23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)\(Valid)	TOP19-0155 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 19-Feb-2024 07:54

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16724U021	HUR23-0021 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U022	HUR23-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U023	HUR23-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U024	HUR23-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U025	HUR23-0025 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U026	HUR23-0026 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U027	HUR23-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0122 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16724U028	HUR23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Not Valid)	TOP17-0235 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
16724U029	HUR23-0029 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Not Valid)	TOP19-0155 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
16724U030	HUR23-0030 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Not Valid)	TOP17-0235 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
16724U031	HUR23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Not Valid)	TOP17-0235 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	

Report Date : 19-Feb-2024 07:54

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER