

Batch Detail Report

Batch : 608U
Created :21-May-2020 20:56
Owner :(IS)Schalk van der Merwe
Farm :Leeuwheuvel
Account : VDMES1

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U001	LHB19-0200	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U002	LHB19-0201	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U003	LHB19-0202	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U004	LHB19-0203	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U005	LHB19-0204	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U006	LHB19-0205	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U007	LHB19-0206	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U008	LHB19-0207	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U009	LHB19-0208	CATTLE	BONSMARA	JJ08-0161 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U010	LHB19-0209	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U011	LHB19-0210	CATTLE	BONSMARA	LHB12-0082 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U012	LHB19-0212	CATTLE	BONSMARA	LHB12-0143 (F,1)(Not Valid)	WAT16-0153 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U013	LHB19-0213	CATTLE	BONSMARA	LHB13-0194 (F,1)(Not Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U014	LHB19-0214	CATTLE	BONSMARA	LHB15-0164 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U015	LHB19-0216	CATTLE	BONSMARA	LHB12-0074 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U016	LHB19-0217	CATTLE	BONSMARA	LHB16-0009 (F,1)(Not Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U017	LHB19-0218	CATTLE	BONSMARA	LHB13-0206 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U018	LHB19-0219	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U019	LHB19-0220	CATTLE	BONSMARA	LHB14-0131 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U020	LHB19-0221	CATTLE	BONSMARA	LHB15-0053 (F,1)(Not Valid)		PAR_C	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
608U021	LHB19-0222	CATTLE	BONSMARA	LHB14-0137 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U022	LHB19-0223	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U023	LHB19-0224	CATTLE	BONSMARA	LHB12-0095 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U024	LHB19-0225	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U025	LHB19-0226	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U026	LHB19-0227	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U027	LHB19-0228	CATTLE	BONSMARA	LHB15-0271 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U028	LHB19-0229	CATTLE	BONSMARA	LHB15-0004 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U029	LHB19-0230	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U030	LHB19-0231	CATTLE	BONSMARA	LHB17-0193 (F,1)(Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U031	LHB19-0233	CATTLE	BONSMARA	LHB12-0035 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U032	LHB19-0235	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U033	LHB19-0236	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U034	LHB19-0237	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid) LHB15-0215 (M,1)(Valid)	PAR_C	mSV : Multiple Sires Valid	
608U035	LHB19-0238	CATTLE	BONSMARA	LHB12-0046 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U036	LHB19-0239	CATTLE	BONSMARA	LHB17-0294 (F,1)(Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U037	LHB19-0240	CATTLE	BONSMARA	LHB17-0226 (F,1)(Not Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U038	LHB19-0241	CATTLE	BONSMARA	LHB13-0161 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U039	LHB19-0242	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV :	

Report Date : 10-Jun-2020 15:45

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid	
608U040	LHB19-0243	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U041	LHB19-0244	CATTLE	BONSMARA	LHB16-0205 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U042	LHB19-0245	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U043	LHB19-0246	CATTLE	BONSMARA	LHB15-0291 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U044	LHB19-0247	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U045	LHB19-0248	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U046	LHB19-0249	CATTLE	BONSMARA	LHB15-0103 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U047	LHB19-0250	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U048	LHB19-0251	CATTLE	BONSMARA	LHB14-0019 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U049	LHB19-0252	CATTLE	BONSMARA		JG15-0838 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U050	LHB19-0253	CATTLE	BONSMARA	LHB17-0202 (F,1)(Not Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U051	LHB19-0254	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
608U052	LHB19-0255	CATTLE	BONSMARA	LHB17-0291 (F,1)(Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U053	LHB19-0256	CATTLE	BONSMARA	LHB15-0156 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U054	LHB19-0257	CATTLE	BONSMARA	LHB17-0224 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U055	LHB19-0258	CATTLE	BONSMARA	LHB17-0229 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U056	LHB19-0259	CATTLE	BONSMARA	LHB17-0234 (F,1)(Not Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U057	LHB19-0260	CATTLE	BONSMARA	LHB15-0166 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U058	LHB19-0261	CATTLE	BONSMARA	LHB16-0082 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U059	LHB19-0262	CATTLE	BONSMARA	CAB12-0015 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U060	LHB19-0263	CATTLE	BONSMARA	JJ07-0133 (F,1)(Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U061	LHB19-0264	CATTLE	BONSMARA	JJ07-0017 (F,1)(Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U062	LHB19-0265	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U063	LHB19-0266	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U064	LHB19-0267	CATTLE	BONSMARA	CAB10-0001 (F,1)(Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U065	LHB19-0268	CATTLE	BONSMARA	LHB12-0107 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U066	LHB19-0269	CATTLE	BONSMARA	LHB16-0177 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U067	LHB19-0270	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U068	LHB19-0271	CATTLE	BONSMARA	LHB16-0289 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U069	LHB19-0272	CATTLE	BONSMARA	LHB17-0111 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U070	LHB19-0273	CATTLE	BONSMARA	LHB17-0206 (F,1)(Not Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U071	LHB19-0274	CATTLE	BONSMARA	LHB17-0338 (F,1)(Valid)	LHB17-0227 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U072	LHB19-0275	CATTLE	BONSMARA	LHB17-0278 (F,1)(Valid)	LHB17-0227 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U073	LHB19-0276	CATTLE	BONSMARA	LHB16-0175 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U074	LHB19-0277	CATTLE	BONSMARA	LHB16-0181 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U075	LHB19-0278	CATTLE	BONSMARA	LHB17-0308 (F,1)(Valid)	LHB17-0177 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U076	LHB19-0279	CATTLE	BONSMARA	LHB17-0223 (F,1)(Valid)	LHB17-0177 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U077	LHB19-0280	CATTLE	BONSMARA	LHB17-0251 (F,1)(Valid)		PAR_C	DV mNSX :	

Report Date : 10-Jun-2020 15:45

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Multiple Nominated Sires Excluded	
608U078	LHB19-0281	CATTLE	BONSMARA	CAB13-0060 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U079	LHB19-0282	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U080	LHB19-0283	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U081	LHB19-0284	CATTLE	BONSMARA	LHB15-0207 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U082	LHB19-0285	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
608U083	LHB19-0286	CATTLE	BONSMARA	LHB16-0328 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U084	LHB19-0287	CATTLE	BONSMARA	LHB16-0191 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U085	LHB19-0288	CATTLE	BONSMARA	LHB16-0183 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U086	LHB19-0289	CATTLE	BONSMARA	LHB16-0224 (F,1)(Not Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U087	LHB19-0290	CATTLE	BONSMARA	LHB13-0236 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U088	LHB19-0291	CATTLE	BONSMARA	LHB14-0026 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U089	LHB19-0292	CATTLE	BONSMARA	MCU10-0048 (F,1)(Valid)	JG15-0838 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U090	LHB19-0293	CATTLE	BONSMARA	LHB17-0328 (F,1)(Valid)	LHB17-0177 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U091	LHB19-0301	CATTLE	BONSMARA	LHB14-0154 (F,1)(Not Valid)		PAR_C	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
608U092	LHB19-0302	CATTLE	BONSMARA	LHB14-0076 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U093	LHB19-0303	CATTLE	BONSMARA	LHB16-0064 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U094	LHB19-0304	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U095	LHB19-0305	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U096	LHB19-0306	CATTLE	BONSMARA	CAB13-0083 (F,1)(Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U097	LHB19-0307	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U098	LHB19-0308	CATTLE	BONSMARA	LHB15-0153 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U099	LHB19-0309	CATTLE	BONSMARA	LHB13-0105 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U100	LHB19-0310	CATTLE	BONSMARA		BBM13-0066 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U101	LHB19-0320	CATTLE	BONSMARA	LHB12-0075 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U102	LHB19-0321	CATTLE	BONSMARA	LHB15-0216 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U103	LHB19-0322	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U104	LHB19-0323	CATTLE	BONSMARA	LHB13-0166 (F,1)(Valid)	TOR14-0281 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U105	LHB19-0324	CATTLE	BONSMARA	JJ10-0034 (F,1)(Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U106	LHB19-0325	CATTLE	BONSMARA	LHB16-0079 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U107	LHB19-0326	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U108	LHB19-0327	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U109	LHB19-0328	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U110	LHB19-0329	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U111	LHB19-0330	CATTLE	BONSMARA		TOR14-0281 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U112	LHB19-0331	CATTLE	BONSMARA	LHB12-0068 (F,1)(Not Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
608U113	LHB19-0332	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U114	LHB19-0333	CATTLE	BONSMARA	LHB13-0203 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U115	LHB19-0334	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	mSV :	

Report Date : 10-Jun-2020 15:45

Page 9

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
					LHB17-0184 (M,1)(Valid)		Multiple Sires Valid	
608U116	LHB19-0335	CATTLE	BONSMARA		BBM13-0066 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U117	LHB19-0336	CATTLE	BONSMARA	LHB16-0023 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
608U118	LHB19-0337	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U119	LHB19-0338	CATTLE	BONSMARA		LHB15-0215 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U120	LHB19-0339	CATTLE	BONSMARA	LHB12-0013 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U121	LHB19-0340	CATTLE	BONSMARA	LHB15-0258 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U122	LHB19-0341	CATTLE	BONSMARA		BBM13-0066 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U123	LHB19-0342	CATTLE	BONSMARA	LHB14-0039 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U124	LHB19-0343	CATTLE	BONSMARA	CAB15-0017 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U125	LHB19-0344	CATTLE	BONSMARA		BBM13-0066 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U126	LHB19-0345	CATTLE	BONSMARA	LHB13-0244 (F,1)(Valid)	BBM13-0066 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
608U127	LHB19-0346	CATTLE	BONSMARA		LAR15-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid	
608U128	LHB19-0347	CATTLE	BONSMARA		BBM13-0066 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
608U129	LHB19-0349	CATTLE	BONSMARA	JJ08-0073 (F,1)(Not Valid)	LHB15-0215 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	

Report Date : 10-Jun-2020 15:45

Page 11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR