

Batch Detail Report

Batch : 8U
Created : 20-Feb-2020 10:46
Owner : PD Roets
Farm : Percivale
Account :
Via : Private

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8U001	BL16-0109	CATTLE	SOUTH DEVON			PAT_C	mNSX : Nominated Sires Excluded	
8U002	JM17-2275	CATTLE	SOUTH DEVON			PAT_C	mNSX : Nominated Sires Excluded	
8U003	PDR19-0004	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U004	PDR19-0005	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U005	PDR19-0007	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U006	PDR19-0008	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U007	PDR19-0009	CATTLE	SOUTH DEVON		JM14-1710 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U008	PDR19-0010	CATTLE	SOUTH DEVON		JM14-1710 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U009	PDR19-0011	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U010	PDR19-0012	CATTLE	SOUTH DEVON			PAR_C	mNSX : Nominated Sires Excluded	PD100220bs
8U011	PDR19-0016	CATTLE	SOUTH DEVON		JM14-1710 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U012	PDR19-0033	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs

Report Date : 18-Mar-2020 09:02

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
8U013	PDR19-0035	CATTLE	SOUTH DEVON			PAR_C	mNSX : Nominated Sires Excluded	PD100220bs
8U014	PDR19-0056	CATTLE	SOUTH DEVON			PAR_C	mNSX : Nominated Sires Excluded	PD100220bs
8U015	PDR19-0058	CATTLE	SOUTH DEVON			PAR_C	mNSX : Nominated Sires Excluded	PD100220bs
8U016	PDR19-0061	CATTLE	SOUTH DEVON		BL12-0068 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs
8U017	PDR19-0065	CATTLE	SOUTH DEVON		BL12-0069 (M,81)(Valid)	PAR_C	SV : Sire Valid.	PD100220bs

Report Date : 18-Mar-2020 09:02

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR