



BOERBOK GENETIC REPORT

21 September 2026



MR I.H. NELL

FDM : 106



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.21	-0.04	-0.26	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.23	-0.10	-0.26	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.34	-0.12	-0.39	-0.06	-0.03	-0.07
Post-wean Weight	0.35	0.54	0.30	0.50	0.58	0.45
Number Lambs Weaned	-1.50	-1.44	-1.51	-0.36	-0.55	-0.26
Total Weight Weaned	-1.34	-1.00	-1.43	-0.31	-0.37	-0.27
Age at First Lambing	-2.62	-2.41	-2.67	-0.30	-0.22	-0.35
Inter-lambing Period	2.56	1.92	2.72	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	95	97	94	101	100	101
Reproduction Index	95	97	94	102	101	102
Inbreeding						
Inbreeding (%)	9.20	9.16	9.13	5.54	5.93	5.34
Number of Animals						
Number of Animals	437	86	351	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	97.3	99.3	96.8
Weaning Weight Maternal	95.0	98.2	94.2
Weaning Weight Comb	94.5	98.3	93.5
Post-wean Weight	97.9	99.1	97.6
Number Lambs Weaned	96.3	96.6	96.2
Total Weight Weaned	94.7	96.7	94.2
Age First Lambing	103.1	102.8	103.1
Interlambing Period	94.9	96.6	94.4
Selection Indices			
Logix Merit Index	95.0	97.2	94.4
Ewe Index	94.6	97.1	94.0
Growth Index	96.8	98.9	96.3
Inbreeding			
Inbreeding (%)	9.20	9.16	9.13
Number of Animals			
Number of Animals	437	86	351

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	9.89	0.32
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	422	97
Known Dams	422	97

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 251




Sires

Number: 38




Young Ewes

Number: 166









Young Rams

Number: 86




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW	AFL		ILP		RI	LMI				
	EBV					EBV			EBV		EBV							
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV	Number	EBV			Number	EBV		
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight				Post-Wean	Lambs Weaned		TWW	AFL		ILP		RI		LMI
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2013							3 4.53			17 -2.60	12 3.38				
2014							1 1.70			10 -2.60	7 3.59				
2015							8 1.56			18 -0.62	5 2.36				
2016										22 -1.95	14 4.46				
2017							2 1.60			19 -1.64	14 2.38				
2018							1 1.60			31 -2.46	27 2.37				
2019										41 -5.53	25 3.01				
2020										40 -4.77	25 5.27				
2021							3 -1.90			49 -3.24	20 2.66				
2022							27 -2.12			62 -2.81	26 4.22				
2023							16 -1.96			95 -2.90	22 3.37				
2024										1 -21.07					

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
106	20	0104	106	18	0044	10.51	86	79	-0.32	-0.94	-1.10	0.86	-2.70	-2.87	-2.47	5.31								
	95889333		106	17	0215				50	96	50	77	81	34	101	12	91	41	86	71	103	34	87	4
762	20	1147	762	19	1002	7.01	90	90	-0.40	0.03	-0.17	-0.34	-2.80	-2.05	-7.78	9.73								
	90577230		762	15	0213				56	95	51	102	97	40	93	26	90	47	91	54	110	35	75	92
106	21	0006	106	18	0044	10.51	79	77	-1.27	-1.18	-1.81	-0.63	-2.20	-3.77	0.52	4.01								
	94594603		106	20	0105				60	86	51	71	69	14	92	10	93	45	81	66	99	32	91	3
106	21	0050	106	20	0104	2.87	89	83	-0.08	-0.67	-0.71	0.85	-2.70	-2.36	-7.14	7.24								
	96098108		106	19	0279				49	99	40	84	88	18	101	9	91	36	89	69	109	32	82	2
762	21	0521	762	19	0696	4.65	105	111	0.60	1.12	1.42	0.49	-2.60	0.16	0.67	0.16								
	93656841		762	17	0420				61	106	52	129	125	25	99	27	91	50	103	71	99	31	101	66
106	22	0095	106	19	0282	21.33	91	91	-0.12	-0.45	-0.51	0.36	-3.10	-2.43	-3.46	-0.34								
	96872791		106	17	0215				51	98	42	90	92	47	98	15	89	39	89	54	104	30	103	4
970	22	0140	430	21	0129	1.96	109	116	-0.57	0.37	0.09	0.19	1.10	0.47	-10.93	-0.51								
	95120234		970	20	0108				45	93	33	110	102	21	97	9	109	32	105	44	114	26	103	5
116	22	0199	116	21	0032	2.16	109	102	1.02	-0.36	0.15	1.91	1.50	1.56	7.23	-3.01								
	96412473		116	17	0187				50	111	21	92	103	6	108	5	111	28	112	39	91	18	110	4
106	22	0925	106	20	0102	11.09	89	85	-0.36	-0.83	-1.01	0.43	-1.70	-2.21	1.50	1.89								
	99619025		106	18	0927				34	96	28	80	83	9	98	7	95	25	90	41	98	21	97	2
106	23	0002	762	21	0521	6.00	94	96	0.12	0.15	0.21	0.44	-3.20	-1.65	0.23	1.24								
	108800673		106	16	0269				35	101	30	105	104	15	99	16	88	29	93	45	100	24	99	5
872	23	0012	762	20	1147	2.92	99	99	0.00	-0.02	-0.02	0.08	-0.60	-0.38	-4.08	4.40								
	100337757		872	17	0055				56	100	30	100	100	37	96	13	101	36	100	27	105	17	90	3
106	23	0016	762	21	0521	4.42	109	121	0.01	1.79	1.79	-0.63	-1.20	1.08	-7.74	1.78								
	99618985		106	19	0201				83	100	50	136	131	15	92	19	98	56	109	63	110	24	97	3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam			
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambd
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
106	23	0079	762	21	0521	6.40	100	102	0.16	0.36	0.44	0.40	-2.10	-0.74	-2.87	1.40								
107659278			106	18	0196				35	102	31	110	108	16	98	16	94	29	98	45	103	22	98	7
106	23	0129	106	19	0282	2.80	101	105	-0.41	0.01	-0.19	-0.16	-0.30	-0.57	-4.06	-0.85								
114448269			106	18	0020				29	95	30	101	97	14	95	7	102	24	99	40	105	24	104	1
106	23	0146	106	19	0282	8.45	94	94	-0.31	-0.29	-0.44	0.17	-1.80	-1.68	-3.68	1.74								
114448251			106	18	0181				31	96	32	94	93	15	97	9	95	26	93	48	104	28	97	5
106	23	0160	762	21	0521	4.76	96	98	0.01	0.24	0.24	0.33	-2.10	-1.01	0.06	3.01								
114448244			106	18	0187				33	100	29	107	105	14	98	14	94	27	97	44	100	22	94	3
106	23	0172	106	21	0050	7.15	88	84	-0.33	-0.67	-0.83	0.50	-2.20	-2.31	-1.21	4.83								
114448236			106	17	0053				27	96	23	84	86	10	99	6	93	21	89	42	101	21	89	3
106	23	0242	106	20	0102	12.74	88	85	-0.38	-0.64	-0.83	0.25	-2.60	-2.58	-4.07	4.16								
114448228			106	20	0078				32	95	28	85	86	9	97	8	91	25	88	41	105	22	90	3
106	23	0248	106	21	0050	8.11	90	85	-0.18	-0.57	-0.66	0.58	-2.40	-2.19	-4.53	6.03								
114448285			106	13	0186				30	98	26	87	89	12	99	10	92	24	90	42	106	22	85	2
106	23	0286	106	21	0050	8.89	92	91	-0.20	-0.41	-0.52	0.46	-2.30	-2.00	-6.81	4.04								
114448210			106	19	0090				30	97	26	90	91	13	99	8	93	23	91	43	108	23	91	5
106	23	0311	762	21	0521	4.52	95	96	0.01	0.18	0.19	0.26	-2.30	-1.19	2.06	2.74								
108800681			106	20	0259				34	100	29	105	104	14	97	15	93	28	96	44	97	21	94	4
106	23	0314	106	19	0282	10.18	93	94	-0.19	-0.24	-0.34	0.13	-2.20	-1.75	-4.83	2.66								
114448277			106	16	0003				35	98	36	95	95	18	97	11	93	30	92	49	106	30	95	6
762	23	0390	762	22	0248	6.77	101	99	0.75	0.08	0.46	1.46	-1.50	-0.07	12.13	-4.05								
100490028			762	21	0670				49	108	36	103	108	28	105	15	96	36	102	46	84	24	113	101
762	23	0467	762	20	0696	11.20	119	115	1.50	0.25	1.00	3.00	0.60	2.11	-5.28	-5.05								
100604651			762	21	1268				50	117	36	107	118	37	115	15	106	37	115	47	107	30	116	3
106	23	0995	106	22	0267	13.86	87	84	-0.55	-0.82	-1.10	0.18	-2.00	-2.58	-0.50	2.50								
107610867			106	18	0192				21	94	20	80	81	8	97	6	94	17	88	32	100	18	95	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights					EBV - Fertility												
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
872	24	0021	872	21	0010	2.85		103	103	0.12	-0.02	0.04	0.38	0.80	0.58	10.98	-3.25	3						
	107312183		872	17	0055					23	101	10	100	101	21	98	5		107	14	106	17	86	6
872	24	0057	872	23	0012	2.90		102	104	-0.34	0.03	-0.14	-0.21	0.50	-0.01	-2.23	1.73	3						
	107312191		872	19	0102					28	96	15	102	98	18	94	6		106	18	103	14	103	9
872	24	0058	872	23	0012	2.90		102	104	-0.34	0.03	-0.14	-0.21	0.50	-0.01	-2.23	1.73	3						
	107312209		872	19	0102					28	96	15	102	98	18	94	6		106	18	103	14	103	9
106	24	0228	106	21	0050	8.02		90	87	-0.18	-0.53	-0.62	0.56	-2.40	-2.15	-5.37	5.69	5						
	110490752		106	15	0175					30	98	26	88	90	12	99	10		92	24	90	44	107	24
106	24	0274	106	23	0016	6.72		99	104	-0.22	0.46	0.36	-0.18	-1.80	-0.83	-4.11	2.34	3						
	107793549		106	21	0017					44	97	29	112	106	10	95	10		95	30	98	40	105	18
106	25	0005	762	20	1147	2.87		97	100	-0.54	0.05	-0.22	-0.42	-0.60	-0.84	-4.08	4.39	3						
	114533086		872	20	0020					28	94	26	102	97	20	93	13		101	24	98	27	105	17
106	25	0013	762	23	0467	4.68		109	108	0.74	0.26	0.63	1.63	-0.50	0.69	-3.03	-1.58	1						
	113307581		106	23	0031					30	108	23	107	111	20	106	10		101	23	107	36	104	18
106	25	0016	106	23	0079	20.38		99	102	0.15	0.37	0.44	0.38	-2.20	-0.80	-2.90	1.43	1						
	113307482		106	23	0088					24	101	22	110	108	11	98	11		93	20	98	35	104	15
106	25	0024	762	23	0467	3.70		105	102	0.47	-0.18	0.05	1.50	-0.20	0.16	-1.62	-0.90	3						
	114536261		106	18	0023					27	105	21	96	101	19	105	9		102	21	104	32	102	20
106	25	0029	762	23	0467	4.56		104	99	0.59	-0.24	0.06	1.76	-0.90	-0.19	-7.17	1.53	1						
	113306468		106	23	0287					29	106	22	95	101	19	107	8		99	21	101	35	109	19
106	25	0031	106	23	0016	18.12		105	114	0.06	1.10	1.13	-0.16	-1.60	0.20	-3.83	1.00	1						
	113306484		106	23	0051					45	100	29	129	120	11	95	12		96	31	104	41	105	16
106	25	0032	106	23	0016	4.48		100	105	-0.10	0.60	0.56	-0.05	-1.80	-0.57	-5.04	3.51	1						
	113306500		106	23	0247					44	99	28	116	110	10	95	10		95	30	99	41	106	16
106	25	0035	106	23	0016	6.97		99	104	-0.19	0.51	0.42	-0.04	-1.80	-0.75	-4.72	3.70	1						
	113307474		106	23	0062					44	98	29	114	108	12	95	10		95	30	98	41	106	16

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
Comp no.									Dir	Mat	Comb							Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106	25	0036	106	23	0016	18.29	105	114	0.10	1.11	1.16	-0.15	-1.80	0.12	-5.39	1.81	1					
	113306567	106	23	0047					45	101	29	129	120	11	95	12		95	31	103	41	107
106	25	0046	106	23	0995	17.62	85	81	-0.56	-0.85	-1.13	0.15	-2.30	-2.79	-0.58	5.39	3					
	114533060	106	20	0226					18	93	17	79	81	8	97	6		93	15	86	32	101
106	25	0057	106	23	0002	3.04	99	102	-0.28	0.11	-0.03	-0.03	-0.80	-0.64	-0.08	0.15	1					
	114632011	106	23	0330					17	97	15	104	100	7	96	8		100	14	99	22	100
106	25	0064	106	23	0002	21.65	96	97	0.11	0.22	0.28	0.42	-2.70	-1.29	-1.06	2.32	1					
	113963623	106	23	0204					25	101	22	106	105	10	98	11		91	21	95	34	101
106	25	0065	106	23	0002	21.65	96	97	0.11	0.22	0.28	0.42	-2.70	-1.29	-1.06	2.32	1					
	113963631	106	23	0204					25	101	22	106	105	10	98	11		91	21	95	34	101
106	25	0068	762	23	0467	5.58	109	109	0.81	0.30	0.70	1.69	-0.60	0.75	-3.57	-1.80	1					
	113306542	106	23	0029					30	109	24	108	112	20	107	11		101	23	107	35	104
106	25	0069	106	23	0016	2.90	108	117	-0.33	0.94	0.77	-0.56	0.20	0.72	-4.06	0.42	1					
	114536253	106	19	0121					41	96	25	124	114	8	92	9		104	27	107	31	105
106	25	0070	106	23	0995	15.24	86	83	-0.53	-0.74	-1.00	0.13	-2.40	-2.71	-0.92	4.37	1					
	114536303	106	22	0147					19	94	18	82	83	7	97	6		92	16	87	31	101
106	25	0076	106	23	0995	19.85	88	85	-0.56	-0.74	-1.02	0.17	-1.80	-2.38	-0.52	4.18	3					
	113306526	106	18	0187					16	93	16	82	83	6	97	5		95	13	89	30	100
106	25	0086	762	23	0467	4.22	105	102	0.51	-0.14	0.12	1.58	-0.30	0.19	-2.45	-0.41	5					
	113307615	106	18	0181					27	105	21	97	102	19	106	9		102	21	104	35	103
106	25	0091	762	23	0467	5.08	107	107	0.59	0.14	0.43	1.48	-0.90	0.19	-6.48	-1.15	3					
	113302855	106	20	0188					30	106	25	104	108	20	105	9		99	23	104	36	108
106	25	0099	762	23	0467	4.38	103	100	0.46	-0.21	0.02	1.57	-0.50	-0.05	-0.28	-1.32	3					
	113307623	106	17	0053					28	105	21	96	101	19	106	9		101	21	102	34	100
106	25	0102	106	23	0995	13.44	89	87	-0.57	-0.66	-0.94	0.25	-1.80	-2.30	-0.36	2.67	4					
	113302145	106	13	0223					19	93	18	84	84	9	97	8		95	16	89	30	100

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambd								
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
106	25	0103	762	23	0467	4.83	104	100	0.53	-0.15	0.11	1.57	-0.80	-0.11	-6.86	2.07								
	113302137		106	20	0064				31	106	25	97	102	20	106	22	96	2						
106	25	0106	762	23	0467	5.36	105	103	0.57	0.01	0.29	1.56	-1.10	-0.08	-7.83	1.15								
	113302863		106	20	0078				31	106	25	101	105	20	106	22	99	3						
106	25	0117	762	23	0467	5.16	105	102	0.53	-0.19	0.07	1.75	-0.60	-0.02	-4.01	-0.92								
	113306583		106	22	0162				29	106	23	96	102	21	107	19	104	1						
106	25	0119	106	22	0912	11.13	92	94	-0.47	-0.28	-0.52	-0.06	-2.30	-2.14	-7.11	2.93								
	113306518		106	17	0099				22	94	21	94	91	8	95	19	94	6						
106	25	0136	106	23	0079	14.10	94	94	-0.07	-0.19	-0.22	0.52	-2.20	-1.57	-1.97	1.96								
	113307508		106	23	0293				23	99	22	96	97	13	99	35	102	17	97	1				
106	25	0141	106	23	0995	10.39	93	93	-0.23	-0.21	-0.33	0.31	-2.00	-1.64	-1.02	2.59								
	113307490		106	23	0010				21	97	19	96	95	8	98	31	101	14	95	1				
106	25	0148	762	23	0467	5.17	103	99	0.47	-0.26	-0.03	1.59	-0.80	-0.27	-5.84	1.20								
	113307532		106	20	0044				31	105	25	94	100	20	106	37	107	22	99	4				
106	25	0160	762	20	1147	6.57	88	86	-0.42	-0.42	-0.63	-0.03	-2.60	-2.40	-4.13	6.31								
	113307524		106	21	0017				32	95	29	90	90	21	95	37	105	22	85	3				
106	25	0169	762	23	0467	3.70	105	102	0.47	-0.18	0.05	1.50	-0.20	0.16	-1.62	-0.90								
	114536295		106	18	0023				27	105	21	96	101	19	105	9	102	21	104	32	102	20	104	3
106	25	0194	762	23	0467	5.01	106	104	0.57	0.05	0.34	1.52	-0.80	0.14	-6.83	1.11								
	113307607		106	20	0279				31	106	25	102	106	20	106	9	100	24	103	36	108	22	99	3
106	25	0196	762	23	0467	2.87	111	112	0.41	0.16	0.37	1.26	1.10	1.24	-2.83	-3.00								
	114536287		106	20	0161				25	104	18	105	107	19	104	7	109	18	110	23	103	15	110	1
106	25	0202	762	23	0467	5.97	107	104	0.61	-0.08	0.23	1.66	-0.50	0.23	-5.85	-1.20								
	113302848		106	18	0196				30	107	25	99	104	21	107	10	101	23	104	36	107	22	105	7
106	25	0203	762	23	0467	5.97	107	104	0.61	-0.08	0.23	1.66	-0.50	0.23	-5.85	-1.20								
	113307466		106	18	0196				30	107	25	99	104	21	107	10	101	23	104	36	107	22	105	7

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambed
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106	25	0204	762	23	0467	4.02	105	103	0.46	-0.12	0.11	1.53	-0.10	0.28	-3.21	-0.15	
	113307599		106	18	0189				27	105	21	98	9	103	21	104	3
106	25	0207	762	23	0467	4.59	108	109	0.52	0.29	0.55	1.49	-0.50	0.51	-3.40	-2.30	
	113306492		106	19	0019				29	106	24	108	10	101	23	106	4
106	25	0209	106	23	0995	15.86	88	86	-0.45	-0.65	-0.87	0.16	-2.20	-2.42	-2.31	3.55	
	114536311		106	21	0018				20	95	20	85	6	93	17	89	2
106	25	0279	106	23	0002	11.87	89	88	-0.23	-0.30	-0.42	0.23	-2.60	-2.10	1.84	3.28	
	114533094		106	20	0259				22	97	20	93	10	91	18	90	4
106	25	0288	106	23	0079	3.04	102	106	-0.26	0.22	0.09	-0.04	-0.20	-0.16	-1.63	0.23	
	113306559		106	23	0095				17	97	15	106	8	102	14	102	1
106	25	0301	106	23	0016	10.95	102	109	-0.23	0.62	0.51	-0.28	-1.20	-0.33	-6.17	2.13	
	114536279		106	19	0161				45	97	31	117	12	98	32	101	2
106	25	0306	106	23	0079	19.42	98	100	0.12	0.31	0.37	0.38	-2.20	-0.89	0.54	1.55	
	113306476		106	23	0063				25	101	22	109	11	93	21	97	1
106	25	0405	106	22	0111	18.99	90	88	-0.35	-0.49	-0.66	0.42	-2.00	-2.04	-2.78	4.96	
	114521677		106	23	0906				21	96	21	89	6	94	18	91	1
106	25	0406	106	22	0111	18.99	90	88	-0.35	-0.49	-0.66	0.42	-2.00	-2.04	-2.78	4.96	
	114521909		106	23	0906				21	96	21	89	6	94	18	91	1
106	25	0410	106	22	0273	12.78	90	89	-0.38	-0.41	-0.60	0.16	-2.20	-2.10	-2.34	4.24	
	114529944		106	21	0933				24	96	22	91	7	93	19	90	1
106	25	0411	106	22	0273	18.38	87	84	-0.44	-0.65	-0.87	0.21	-2.20	-2.41	0.14	4.68	
	114529928		106	22	0924				23	95	20	84	6	93	18	89	1
106	25	0419	106	22	0273	14.13	89	86	-0.40	-0.50	-0.70	0.23	-1.90	-2.04	-0.63	5.56	
	114514011		106	17	0920				23	95	20	88	7	94	18	91	2
106	25	0449	106	22	0111	9.54	92	92	-0.65	-0.42	-0.74	-0.12	-1.20	-1.78	-2.25	3.15	
	114513963		106	23	0955				21	92	20	90	5	98	17	92	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI	Times Lamb					
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106	25	0452	106	22	0111	11.37	93	93	-0.27	-0.25	-0.38	0.27	-2.10	-1.78	-5.27	3.68	2					
	114521941		106	21	0902				23	97	23	95	94	12	97	7		94	19	92	34	107
106	25	0460	106	22	0273	20.84	86	85	-0.59	-0.62	-0.91	-0.06	-2.30	-2.59	1.86	3.42	2					
	113930309		106	22	0910				23	93	21	85	85	9	95	7		93	19	88	34	97
106	25	0466	762	23	0388	6.75	97	98	-0.16	-0.11	-0.19	0.59	-1.20	-0.99	1.33	-0.62	3					
	113930317		106	22	0920				30	98	23	98	97	14	100	9		98	22	97	32	98
106	25	0467	762	23	0388	6.75	97	98	-0.16	-0.11	-0.19	0.59	-1.20	-0.99	1.33	-0.62	3					
	113930291		106	22	0920				30	98	23	98	97	14	100	9		98	22	97	32	98
106	25	0479	106	22	0273	17.91	86	83	-0.66	-0.69	-1.02	-0.04	-2.20	-2.67	-0.26	5.43	1					
	114532567		106	23	0951				24	92	21	84	83	8	95	6		93	19	87	33	100
106	25	0483	762	23	0388	6.75	96	97	-0.22	-0.19	-0.30	0.53	-1.10	-1.07	2.11	-0.36	2					
	113962542		106	22	0903				30	97	24	96	95	14	99	9		98	23	96	32	97
106	25	0484	762	23	0388	5.62	97	97	-0.07	-0.13	-0.17	0.66	-1.30	-0.98	0.36	0.88	1					
	114513872		106	23	0992				30	99	22	97	97	13	100	9		97	22	97	35	99
106	25	0486	106	22	0273	22.00	85	82	-0.56	-0.67	-0.94	0.07	-2.20	-2.54	1.93	5.83	1					
	114514169		106	22	0933				22	94	20	84	84	9	96	7		93	18	88	35	97
106	25	0511	106	22	0111	7.59	95	96	-0.17	0.08	0.00	0.22	-2.20	-1.41	-4.62	4.42	1					
	114612724		106	23	0014				23	98	22	103	100	11	97	9		93	19	94	34	106
Ram Flock Average: Number of rams in the flock: 86					97	97	-0.04	-0.10	-0.12	0.54	-1.44	-1.00	-2.41	1.92								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat	Comb											
							Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
106 13 0223 95819827	1298 10 0440 106 11 9219	1.51	91	90	-0.58 31 93	-0.49 30 88	-0.78 87	0.33 15 98	-1.50 14 96	-1.97 27 91	-0.22 52 100	2.84 32 94	4							
106 15 0015 95800561	1298 10 0440 106 07 0140	2.07	91	90	-0.53 31 94	-0.54 31 87	-0.81 86	0.01 13 96	-1.50 14 96	-1.97 27 91	-1.71 42 102	2.97 33 94	5							
106 15 0044 95862322	970 15 0043 106 13 0079	2.89	89	92	-1.02 30 88	-0.43 31 90	-0.94 84	-0.80 11 90	-0.50 10 101	-1.75 26 92	5.30 46 93	1.82 28 97	7							
106 15 0175 95862272	1298 10 0440 106 11 0717	5.75	92	90	-0.28 34 97	-0.39 33 91	-0.53 91	0.27 16 97	-2.10 17 94	-1.93 30 91	-3.59 56 104	4.14 36 91	5							
106 16 0003 82027996	1298 10 0440 106 11 0222	5.98	90	87	-0.24 39 97	-0.44 39 90	-0.56 91	0.09 23 96	-2.00 17 94	-1.87 34 92	-1.92 55 102	6.08 36 85	6							
106 16 0006 82028028	1298 10 0440 106 10 0100	6.04	90	86	-0.27 35 97	-0.54 33 87	-0.67 89	0.38 16 98	-2.10 17 94	-2.07 30 91	-2.31 50 103	5.79 35 86	7							
106 16 0019 82028150	1298 10 0440 106 11 0015	6.11	90	87	-0.29 34 97	-0.46 33 89	-0.61 90	0.32 16 98	-2.10 17 94	-2.01 30 91	-1.71 50 102	4.74 31 89	4							
106 16 0269 95800801	1298 10 0440 106 14 0261	39.08	83	80	-0.36 34 96	-0.83 32 80	-1.01 83	0.38 15 98	-3.80 16 85	-3.46 29 83	-0.20 54 100	2.32 36 96	5							
106 17 0008 82028432	106 15 0050 106 15 0072	6.02	90	91	-0.86 28 90	-0.54 29 87	-0.97 84	-0.40 8 93	-0.50 7 101	-1.70 24 93	3.03 49 96	2.44 27 95	3							
106 17 0053 82028895	106 15 0050 106 15 0121	12.44	88	85	-0.57 24 93	-0.67 23 84	-0.95 84	0.15 10 97	-1.60 9 96	-2.20 20 90	4.72 49 94	2.42 27 95	3							
106 17 0099 82028457	762 15 0453 106 14 0026	7.62	93	97	-0.40 31 95	0.10 31 103	-0.10 99	-0.14 12 95	-2.80 13 90	-1.97 27 91	-8.31 52 110	4.06 31 91	6							
106 17 0917 99115511	106 15 0050 106 13 0044	11.22	93	90	-0.25 31 97	-0.43 28 90	-0.55 91	0.44 10 99	-1.20 10 98	-1.39 25 95	-0.98 46 101	4.52 27 89	3							
106 17 0920 114513989	106 15 0050 106 13 0044	11.22	93	90	-0.25 31 97	-0.43 28 90	-0.55 91	0.44 10 99	-1.20 10 98	-1.39 25 95	-0.95 47 101	4.51 27 90	2							
106 17 0927 114536402	106 15 0050 106 15 0175	11.12	92	90	-0.46 24 95	-0.47 24 89	-0.70 88	0.19 10 97	-1.20 10 98	-1.65 21 93	-0.81 46 101	3.90 28 91	1							
106 18 0023 99010951	106 15 0050 106 15 0125	6.03	90	88	-0.57 23 93	-0.61 23 85	-0.90 85	-0.01 10 96	-1.10 8 98	-1.84 20 92	2.04 43 97	3.25 26 93	3							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb										
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106 18 0043 82944745	106 15 0050 106 15 0015	9.16	91	90	-0.59 24 93	-0.54 23 87	-0.84 86	0.07 9 96	-0.90 8 99	-1.67 20 93	1.19 45 98	3.17 30 93	3						
106 18 0064 95870051	106 15 0050 106 14 0022	12.23	92	90	-0.43 25 95	-0.48 24 89	-0.70 88	0.25 10 97	-1.40 10 97	-1.76 21 92	-0.64 54 101	2.88 31 94	5						
106 18 0122 99010944	106 16 0016 106 16 0027	15.43	90	91	-0.45 47 95	-0.08 38 99	-0.31 95	-0.06 12 95	-2.80 12 90	-2.21 35 90	-8.14 56 110	8.03 31 80	4						
106 18 0139 95800637	106 16 0016 106 14 0104	16.71	88	84	-0.35 37 96	-0.59 34 86	-0.76 87	0.25 13 97	-2.60 12 91	-2.50 30 88	-6.38 47 108	7.03 27 83	1						
106 18 0156 95869921	762 15 0121 106 15 0107	5.95	94	92	-0.39 34 95	-0.43 32 90	-0.63 90	0.13 18 97	-1.30 14 97	-1.60 29 93	-5.92 56 107	4.30 33 90	3						
106 18 0187 95869970	106 15 0050 106 14 0039	12.41	88	85	-0.57 25 93	-0.65 25 84	-0.94 84	0.16 10 97	-1.60 9 96	-2.18 21 90	-0.55 52 101	5.87 31 86	3						
106 18 0189 95869988	106 15 0050 106 15 0059	9.20	92	90	-0.58 23 93	-0.49 22 89	-0.78 87	0.05 9 96	-0.90 8 99	-1.61 19 93	-1.15 45 101	4.75 26 89	3						
106 18 0192 95832978	106 15 0050 106 16 0269	14.16	88	85	-0.50 24 94	-0.68 24 84	-0.93 84	0.25 10 97	-2.00 9 94	-2.38 21 89	0.89 45 99	2.99 28 94	1						
106 18 0196 95800926	762 15 0121 106 15 0082	8.86	94	94	-0.28 35 97	-0.40 34 91	-0.54 91	0.31 19 98	-1.60 15 96	-1.64 30 93	-6.42 54 108	2.65 31 95	7						
106 18 0226 95870010	106 15 0050 106 16 0269	14.16	88	84	-0.50 24 94	-0.68 24 84	-0.93 84	0.25 10 97	-2.00 9 94	-2.38 21 89	-0.30 55 100	4.64 31 89	3						
106 18 0229 95870028	762 15 0121 106 16 0167	7.36	94	93	-0.39 33 95	-0.50 32 88	-0.69 88	0.19 18 97	-1.10 13 98	-1.55 28 94	-4.37 50 105	2.50 31 95	3						
106 18 9202 96115126	762 15 0121 106 16 9121	2.57	101	104	-0.47 30 95	-0.17 29 96	-0.41 93	-0.11 17 95	0.30 12 105	-0.46 25 100	-3.99 46 105	-1.19 27 105	1						
106 19 0019 95870127	762 15 0453 106 16 0061	4.92	97	103	-0.46 31 95	0.33 32 109	0.10 102	-0.02 14 96	-1.70 12 95	-1.15 27 96	-1.52 57 102	0.46 32 101	4						
106 19 0023 95870168	762 15 0121 106 16 0052	5.14	93	93	-0.61 33 93	-0.53 33 87	-0.84 86	-0.07 17 95	-0.70 12 100	-1.56 28 94	-1.96 49 102	2.20 31 96	3						
106 19 0047 95870226	762 15 0121 106 15 0044	4.38	93	95	-0.64 34 93	-0.43 33 90	-0.75 87	-0.26 18 94	-0.80 13 100	-1.55 29 94	-2.50 57 103	1.67 35 97	3						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106 19 0079 95870242	762 15 0453 106 16 0008	6.36	93	95	-0.48 30 94	0.10 30 103	-0.14 98	-0.15 11 95	-2.30 12 93	-1.76 26 92	-8.08 54 110	7.52 30 81	3									
106 19 0139 99045767	762 15 0121 106 17 0215	32.04	93	92	-0.26 37 97	-0.54 36 87	-0.67 89	0.40 23 98	-1.70 14 95	-1.82 31 92	-4.48 59 106	1.29 35 98	3									
106 19 0161 95815304	762 15 0121 106 14 0108	5.86	93	92	-0.47 35 94	-0.54 35 87	-0.78 87	0.07 18 96	-1.20 14 98	-1.74 30 93	-4.59 49 106	2.47 31 95	2									
106 19 0177 95816070	762 15 0121 106 17 0018	8.63	94	96	-0.33 35 96	-0.20 34 96	-0.36 94	0.11 18 96	-2.20 14 93	-1.85 30 92	-5.83 51 107	1.55 31 98	2									
106 19 0201 95800884	762 15 0121 106 12 0066	1.60	104	111	-0.46 48 95	0.48 36 113	0.25 105	-0.72 17 91	0.10 13 104	0.08 35 103	-8.37 55 110	2.16 31 96	3									
106 19 0287 95800710	762 15 0121 106 12 0148	5.86	94	94	-0.38 34 95	-0.42 33 90	-0.61 90	0.14 18 97	-1.30 14 97	-1.58 29 93	-2.14 54 103	1.39 33 98	4									
106 20 0011 92296524	106 16 0016 106 18 0064	21.36	90	87	-0.41 35 95	-0.57 33 86	-0.78 87	0.28 12 97	-2.10 10 94	-2.24 28 90	-6.10 50 108	5.79 31 86	3									
106 20 0044 92296920	106 16 0016 106 18 0187	17.90	87	82	-0.56 38 93	-0.77 36 82	-1.05 82	0.18 12 97	-2.30 10 93	-2.71 31 87	-6.40 56 108	7.45 32 81	4									
106 20 0064 99045742	106 16 0016 106 13 0135	15.81	89	85	-0.45 36 95	-0.55 34 87	-0.77 87	0.15 12 97	-2.20 12 93	-2.32 30 89	-8.45 45 111	9.20 31 77	2									
106 20 0066 95800611	762 15 0121 106 17 0120	7.31	94	92	-0.36 33 96	-0.43 32 90	-0.61 90	0.24 18 97	-1.20 13 98	-1.51 28 94	-3.48 54 104	3.17 34 93	2									
106 20 0078 92297175	106 16 0016 106 18 0036	12.59	91	90	-0.36 37 96	-0.23 34 95	-0.41 93	0.11 12 96	-2.90 11 90	-2.33 30 89	-10.38 55 113	7.35 31 82	3									
106 20 0082 95800785	106 18 0044 106 18 0024	6.87	84	80	-0.66 32 92	-0.89 27 78	-1.22 79	0.00 12 96	-1.80 9 95	-2.63 25 87	3.27 53 96	4.90 28 88	3									
106 20 0090 95832994	106 18 0044 106 18 0123	7.16	85	80	-0.73 27 92	-0.83 26 80	-1.19 80	-0.04 11 95	-1.40 8 97	-2.40 22 89	3.79 44 95	6.26 29 85	2									
106 20 0112 95800694	106 16 0016 106 15 0175	22.43	89	86	-0.33 37 96	-0.52 35 88	-0.69 88	0.29 13 98	-2.50 13 92	-2.36 31 89	-8.95 55 111	8.14 32 79	3									
106 20 0176 95800645	106 16 0016 106 17 9114	5.40	91	91	-0.62 36 93	-0.23 34 95	-0.54 91	-0.24 12 94	-2.00 11 94	-2.05 29 91	-10.06 54 113	8.03 31 80	2									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							EBV Acc	Index	EBV Acc	Index		EBV Index	EBV Acc		Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31		-0.30	0.15			
106 20 0180 95800546	106 19 0282 106 16 0002		13.81	95	98	-0.33 33	96	0.03 34	102	-0.13 98	-0.04 15	95	-2.40 10	-1.74 28	93	-7.55 46	109	2.23 27	96	2	
106 20 0188 99046278	106 19 0282 106 16 0002		13.81	95	98	-0.33 33	96	0.03 34	102	-0.13 98	-0.04 15	95	-2.40 10	-1.74 28	93	-7.68 55	110	2.74 31	94	3	
106 20 0226 99046526	106 18 0044 106 14 3497		10.34	83	77	-0.56 30	93	-0.88 28	79	-1.16 80	0.12 14	96	-2.50 11	-2.95 25	86	-0.66 55	101	8.28 30	79	3	
106 20 0238 93565216	106 16 0016 106 12 0066		1.60	96	96	-0.50 35	94	-0.13 32	98	-0.38 94	-0.44 11	93	-0.70 9	-1.04 28	97	-10.52 47	113	7.94 27	80	2	
106 20 0255 95800686	106 18 0044 106 15 0003		9.27	86	83	-0.57 29	93	-0.73 27	82	-1.02 83	0.04 13	96	-2.00 10	-2.50 24	88	0.83 53	99	4.38 28	90	3	
106 20 0259 99046583	106 18 0044 106 14 0025		9.19	85	81	-0.59 28	93	-0.75 27	82	-1.05 82	0.03 13	96	-2.00 10	-2.54 23	88	3.44 51	95	5.32 28	87	4	
106 20 0279 92296698	106 16 0016 106 17 0102		5.87	92	92	-0.36 37	96	-0.14 36	97	-0.32 95	0.04 12	96	-2.20 11	-1.82 31	92	-8.38 55	110	7.28 31	82	3	
106 20 0953 114612328	106 18 0044 106 18 0943		5.32	88	87	-0.75 26	91	-0.69 25	84	-1.06 82	-0.18 11	94	-1.00 8	-2.04 21	91	4.89 42	94	2.16 24	96	1	
106 20 9317 96115175	106 18 0044 106 17 9204		8.58	86	83	-0.62 27	93	-0.78 26	81	-1.09 82	0.06 12	96	-1.70 9	-2.42 22	89	3.86 45	95	3.47 24	92	1	
106 21 0017 96344346	106 20 0102 106 14 3497		12.36	86	83	-0.44 31	95	-0.87 28	79	-1.08 82	0.28 12	97	-2.40 9	-2.74 25	87	-0.48 49	100	2.90 25	94	3	
106 21 0018 99046799	106 19 0282 106 20 0226		9.93	90	88	-0.35 33	96	-0.47 34	89	-0.64 89	0.15 16	97	-2.40 9	-2.26 28	89	-4.13 56	105	4.60 31	89	2	
106 21 0023 99047136	106 19 0282 106 19 0047		18.86	95	99	-0.39 34	95	-0.24 35	95	-0.44 93	-0.04 17	95	-1.60 10	-1.59 29	93	-3.52 56	104	-1.44 32	106	3	
106 21 0099 99047243	106 16 0016 106 19 0099		10.21	90	86	-0.38 37	95	-0.61 35	86	-0.80 87	0.19 14	97	-2.20 11	-2.31 30	89	-9.02 57	111	7.15 32	82	2	
106 21 0118 96776752	1130 19 0132 1130 18 0109		2.17	113 117		-0.33 16	96	0.52 16	114	0.35 106	1.53 15	106	2.40 5	1.63 13	112	-1.30 26	101	-0.28 13	103	0	
106 21 0154 99046567	106 19 0282 106 16 0006		10.21	93	93	-0.20 34	97	-0.30 35	93	-0.40 93	0.28 16	97	-2.20 11	-1.82 29	92	-5.02 47	106	2.52 29	95	1	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
106 21 0178 114612120	106 18 0044 106 13 0122	9.29	85	81	-0.66 29	92	-0.85 27	80	-1.17 80	-0.02 13	96	-2.00 10	-2.70 24	94	87	4.18 45	95	3.20 25	93	1		
106 21 0192 99046682	106 16 0016 106 19 0287	13.35	90	87	-0.38 37	95	-0.54 35	87	-0.73 88	0.23 14	97	-2.10 11	-2.18 30	94	90	-7.82 48	110	6.95 28	83	1		
106 21 0206 99046732	106 19 0282 106 18 0181	8.45	94	94	-0.31 31	96	-0.29 32	94	-0.44 93	0.17 15	97	-1.80 9	-1.68 26	95	93	-3.68 48	104	1.74 28	97	1		
106 21 0214 96105572	106 18 0044 106 20 0105	10.51	85	80	-0.65 35	93	-0.86 35	79	-1.19 80	0.01 14	96	-2.20 10	-2.83 29	93	86	-1.60 51	102	6.27 29	85	2		
106 21 0235 99047144	106 19 0282 106 14 0127	10.33	93	93	-0.23 33	97	-0.28 34	94	-0.39 94	0.19 16	97	-2.30 10	-1.89 28	93	92	-6.38 56	108	3.40 31	93	2		
106 21 0902 114521883	106 19 0282 106 15 0175	10.06	94	95	-0.21 34	97	-0.22 35	95	-0.33 95	0.22 16	97	-2.20 11	-1.75 29	93	92	-5.98 53	107	2.62 31	95	2		
106 21 0914 114612674	106 18 0044 106 18 0134	2.80	92	92	-0.67 24	92	-0.50 23	88	-0.83 86	-0.21 11	94	-0.40 8	-1.40 20	102	94	3.53 37	95	2.13 19	96	1		
106 21 0922 114612138	106 18 0044 106 17 0435	2.92	92	91	-0.67 24	92	-0.50 23	88	-0.83 86	-0.21 11	94	-0.40 8	-1.40 20	102	94	3.56 36	95	2.12 19	96	1		
106 21 0933 114529936	106 19 0282 106 17 0917	8.40	95	96	-0.19 33	98	-0.24 33	95	-0.34 95	0.31 15	98	-1.70 9	-1.45 27	95	94	-4.36 47	105	1.88 27	97	1		
106 21 0941 114536386	106 19 0282 106 14 0104	10.15	93	94	-0.23 33	97	-0.28 34	94	-0.40 93	0.18 16	97	-2.30 10	-1.89 28	93	92	-3.51 47	104	0.40 28	101	1		
106 22 0011 96915608	106 20 0104 106 20 0214	10.50	87	82	-0.41 30	95	-0.76 30	82	-0.97 84	0.53 18	99	-2.20 8	-2.49 25	93	88	-4.74 53	106	7.44 23	81	1		
106 22 0013 99285017	106 20 0102 106 18 0038	11.56	90	86	-0.40 33	95	-0.68 30	84	-0.88 85	0.38 10	98	-1.90 8	-2.22 26	94	90	-2.57 40	103	3.69 21	92	0		
106 22 0028 106947625	106 20 0104 106 20 0255	20.59	86	81	-0.44 29	95	-0.84 29	80	-1.06 82	0.45 18	99	-2.30 8	-2.66 24	93	87	-0.78 53	101	4.83 22	89	1		
872 22 0059 98969132	872 21 0010 872 19 0102	2.84	102	103	-0.06 19	99	0.01 9	101	-0.03 100	0.21 19	97	0.80 5	0.43 12	107	105	10.97 17	86	-3.25 6	111	1		
106 22 0115 106954258	106 18 0044 106 20 0002	10.76	87	82	-0.54 30	94	-0.72 29	83	-0.98 83	0.22 13	97	-2.00 9	-2.45 25	94	88	-0.61 54	101	6.12 25	85	1		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106 22 0123 99090953	106 16 0016 106 19 0002			11.72	94	91	-0.34 38	96	-0.40 35	91	-0.56 91	0.20 14	97	-2.50 11	-2.23 31	90	-40.26 52	17.56 136	30 64	2		
106 22 0125 106947609	106 18 0044 106 15 0059			9.63	86	82	-0.59 28	93	-0.75 27	82	-1.05 82	0.03 13	96	-2.00 10	-2.54 23	88	2.12 52	4.54 97	24 24	89	1	
106 22 0146 99090409	106 20 0104 106 20 0012			14.72	88	84	-0.34 31	96	-0.67 31	84	-0.84 86	0.52 18	99	-2.60 8	-2.57 26	88	-2.77 53	4.86 103	22 22	89	1	
106 22 0147 106947633	106 18 0044 106 20 0078			11.27	85	82	-0.51 31	94	-0.65 29	84	-0.91 85	0.09 12	96	-2.70 10	-2.78 25	86	-1.35 54	6.24 102	25 25	85	1	
1130 22 0156 99276636	1298 18 0160 1130 19 0147			1.59	113	114	0.49 32	105	0.34 31	109	0.59 111	1.23 28	104	1.60 14	1.80 27	113	0.33 34	-3.00 99	27 27	110	2	
106 22 0158 106954209	106 18 0044 106 13 0186			12.17	85	81	-0.47 30	94	-0.77 28	82	-1.00 83	0.19 13	97	-2.30 12	-2.62 25	87	2.79 43	5.00 96	25 25	88	0	
106 22 0159 106947765	106 18 0044 106 13 0121			10.34	85	81	-0.49 29	94	-0.79 27	81	-1.03 83	0.14 13	97	-2.30 11	-2.65 24	87	2.72 53	4.80 96	25 25	89	1	
106 22 0161 106947757	106 18 0044 106 13 0121			10.34	85	81	-0.49 29	94	-0.79 27	81	-1.03 83	0.14 13	97	-2.30 11	-2.65 24	87	2.72 53	4.80 96	25 25	89	1	
106 22 0162 99618746	106 20 0104 106 17 0238			13.83	91	88	-0.45 30	95	-0.63 30	85	-0.85 86	0.50 20	99	-1.70 9	-2.10 25	90	-2.75 52	3.22 103	23 23	93	1	
106 22 0178 106947559	106 18 0044 106 19 0035			10.22	87	83	-0.51 29	94	-0.75 28	82	-1.01 83	0.16 14	97	-1.80 10	-2.34 24	89	5.24 53	2.66 93	25 25	95	1	
106 22 0224 106947716	106 20 0104 106 19 0019			7.24	91	91	-0.39 29	95	-0.30 30	93	-0.50 92	0.42 18	98	-2.20 9	-2.01 25	91	-1.67 52	2.78 102	23 23	94	1	
106 22 0226 96106158	106 20 0102 106 19 0143			9.88	88	87	-0.44 30	95	-0.51 28	88	-0.73 88	0.12 10	96	-2.60 8	-2.51 24	88	-3.14 39	3.85 104	21 21	91	1	
106 22 0240 106954191	106 18 0044 106 18 0181			8.94	85	81	-0.57 27	93	-0.80 26	81	-1.08 82	0.12 12	96	-1.90 9	-2.51 22	88	3.80 51	4.75 95	25 25	89	1	
106 22 0903 107793556	106 20 0104 106 20 0998			11.38	90	89	-0.45 31	95	-0.59 32	86	-0.82 86	0.27 19	97	-2.00 8	-2.24 26	90	-1.31 45	1.16 101	23 23	99	2	
106 22 0909 96423694	106 20 0102 106 20 0927			11.90	90	91	-0.48 30	94	-0.62 28	85	-0.86 86	0.05 10	96	-1.80 7	-2.17 24	90	0.92 41	-1.25 99	22 22	105	1	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Index	EBV Acc		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31		-0.30		0.15		
106 22 0910 96776620	106 18 0044 106 20 0998		8.17	87	87	-0.62 30 93		-0.66 30 84		-0.97 84	-0.12 13 95		-1.90 9 94	-2.42 25 89		4.03 50 95		0.24 27 101		2	
106 22 0914 107793721	106 18 0044 106 18 0212		9.76	86	81	-0.55 27 94		-0.76 26 82		-1.03 83	0.14 12 97		-1.80 9 95	-2.39 22 89		4.35 46 94		4.99 25 88		0	
106 22 0920 107793572	106 20 0104 106 20 0928		10.80	92	92	-0.33 30 96		-0.42 30 90		-0.59 90	0.39 19 98		-2.30 8 93	-2.13 25 90		-2.86 45 103		0.64 27 100		3	
106 22 0924 107793739	106 20 0102 106 17 0917		11.09	90	86	-0.33 30 96		-0.73 26 82		-0.89 85	0.41 9 98		-1.70 7 95	-2.08 23 91		0.59 45 99		2.76 21 94		1	
106 22 0933 107793697	106 18 0044 106 18 0212		9.76	86	81	-0.55 27 94		-0.76 26 82		-1.03 83	0.14 12 97		-1.80 9 95	-2.39 22 89		4.17 52 95		5.05 25 88		1	
106 22 0938 107793689	106 20 0104 106 17 0928		3.42	93	93	-0.68 27 92		-0.51 27 88		-0.85 86	-0.07 18 95		-0.80 7 100	-1.67 22 93		-0.37 46 100		1.01 21 99		1	
106 22 0952 107793648	106 20 0102 106 17 0191		2.92	94	95	-0.54 26 94		-0.48 23 89		-0.75 87	-0.06 7 95		-0.30 5 102	-1.20 20 96		3.79 44 95		-0.92 15 104		1	
106 22 9102 96776711	106 20 0102 106 19 9124		13.23	91	91	-0.55 31 94		-0.67 29 84		-0.94 84	0.02 11 96		-1.70 8 95	-2.24 25 90		-5.90 42 107		1.80 23 97		0	
106 23 0009 110856630	762 21 0521 106 18 0038		5.48	99	101	0.11 37 101		0.40 33 111		0.45 108	0.44 15 99		-2.00 15 94	-0.70 30 99		-3.36 44 104		3.28 21 93		0	
106 23 0010 107610875	762 21 0521 106 18 0038		5.48	99	101	0.11 37 101		0.40 33 111		0.45 108	0.44 15 99		-2.00 15 94	-0.70 30 99		-1.53 53 102		2.68 21 95		1	
106 23 0014 114612286	762 21 0521 106 20 0176		5.29	98	101	-0.01 35 100		0.45 31 112		0.44 108	0.13 14 97		-2.30 15 93	-0.95 29 97		-4.68 53 106		4.09 22 91		1	
106 23 0025 99638678	762 21 0521 106 19 0143		5.21	98	102	0.07 34 100		0.57 30 115		0.60 111	0.17 14 97		-2.80 15 90	-1.05 28 97		-4.02 52 105		3.47 21 92		1	
106 23 0029 107613697	762 21 0521 106 19 0112		6.03	99	102	0.12 34 101		0.34 30 109		0.41 107	0.37 15 98		-1.90 15 94	-0.68 28 99		-1.87 53 102		1.46 22 98		1	
106 23 0031 107614539	762 21 0521 106 16 0021		4.17	98	101	-0.03 32 99		0.27 28 108		0.26 105	0.25 13 97		-1.70 14 95	-0.78 26 98		-0.79 54 101		1.90 20 97		1	
106 23 0034 99638702	762 21 0521 106 15 0015		4.34	98	100	0.04 34 100		0.29 30 108		0.31 106	0.25 14 97		-2.00 15 94	-0.88 28 97		-0.52 41 100		1.56 23 98		0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							EBV	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
	Acc	Index	Acc				Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106 23 0045 100010768	106 21 0050 106 20 0112	8.58	89	84	-0.21 31 97	-0.60 26 86	-0.70 88	0.57 11 99	-2.60 8 91	-2.36 24 89	-8.04 44 110	7.69 23 81	0								
106 23 0047 112201355	762 21 0521 106 21 0235	5.57	99	102	0.19 35 102	0.42 31 111	0.52 109	0.34 15 98	-2.40 15 92	-0.83 29 98	-3.04 54 104	1.84 22 97	1								
106 23 0051 112209119	762 21 0521 106 21 0152	5.26	99	103	0.12 34 101	0.41 30 111	0.47 108	0.31 15 98	-2.10 14 94	-0.73 28 98	0.09 54 100	0.23 21 101	1								
106 23 0053 112201314	762 21 0521 106 21 0135	5.72	100	103	0.16 34 101	0.43 31 112	0.51 109	0.35 15 98	-2.20 14 93	-0.74 28 98	-2.91 54 104	0.99 21 99	1								
106 23 0057 112202536	762 21 0521 106 21 0133	5.64	100	103	0.13 35 101	0.44 31 112	0.50 109	0.31 15 98	-2.10 14 94	-0.69 29 99	-4.49 54 106	2.42 21 95	1								
106 23 0062 112201330	106 20 0104 106 21 0139	11.77	87	82	-0.38 31 96	-0.77 30 82	-0.95 84	0.55 18 99	-2.40 8 92	-2.58 25 88	-1.71 54 102	5.62 22 86	1								
106 23 0063 107614018	762 21 0521 106 21 0139	5.53	96	97	0.08 35 101	0.27 31 107	0.31 106	0.36 14 98	-2.30 15 93	-1.04 29 97	3.94 53 95	1.70 21 97	1								
106 23 0068 112201397	762 21 0521 106 21 0169	5.57	99	103	0.20 35 102	0.44 31 112	0.54 110	0.35 15 98	-2.40 15 92	-0.80 29 98	-1.00 54 101	0.14 22 102	1								
106 23 0088 107613564	762 21 0521 106 21 0052	5.67	99	102	0.14 34 101	0.38 30 110	0.45 108	0.35 15 98	-2.40 14 92	-0.93 28 97	-2.92 54 104	1.46 21 98	1								
106 23 0097 114612294	106 21 0006 106 19 0009	14.97	87	87	-0.84 35 90	-0.68 30 84	-1.10 81	-0.31 11 94	-2.00 8 94	-2.72 27 87	-3.48 52 104	3.12 23 93	1								
872 23 0115 100337575	872 21 0013 872 20 0101	2.79	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		4.57 11 94	-2.93 5 110	1								
106 23 0121 112201363	106 20 0104 106 16 0238	15.93	84	79	-0.34 30 96	-0.88 30 79	-1.05 82	0.62 19 100	-3.20 10 88	-3.14 25 84	-1.71 53 102	4.46 24 90	1								
106 23 0158 112209127	762 21 0521 106 20 0011	5.89	97	99	0.09 35 101	0.28 31 108	0.32 106	0.39 14 98	-2.40 15 92	-1.07 29 96	-2.86 53 103	3.02 22 94	1								
106 23 0183 112202502	106 21 0050 106 19 0019	10.90	93	93	-0.27 29 97	-0.17 25 97	-0.30 95	0.42 11 98	-2.20 8 93	-1.76 23 92	-4.35 54 105	3.85 23 91	1								
872 23 0184 100337617	762 20 1147 872 20 0152	2.87	97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	Times EPI Lamberd	
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36		-0.31		-0.30	0.15		
106 23 0205 112209143	106 19 0282 106 14 0212		8.00	93	95	-0.34 33	96	-0.27 34	94	-0.44 93	-0.28 17	94	-2.10 10	94	-1.87 28	92	-4.79 55	106	0.89 28	99	1
776 23 0212 110300373	776 21 0335 776 21 0741		4.93	113	109	0.95 21	110	0.00 18	101	0.48 109	2.01 12	109	1.40 7	110	1.80 17	113	1.89 39	97	-3.44 17	111	1
106 23 0238 107613416	106 20 0104 106 15 0059		10.08	89	85	-0.42 29	95	-0.69 29	84	-0.90 85	0.42 18	98	-2.10 9	94	-2.36 24	89	-3.92 51	105	4.95 22	88	1
106 23 0247 112201454	106 21 0050 106 14 0127		7.33	89	85	-0.19 29	98	-0.59 25	86	-0.68 89	0.53 11	99	-2.50 9	92	-2.28 23	89	-2.34 52	103	5.23 22	88	1
106 23 0265 107613705	106 19 0282 106 18 0156		20.14	95	96	-0.26 34	97	-0.24 34	95	-0.37 94	0.15 17	97	-1.80 10	95	-1.59 28	93	-6.83 49	108	1.78 29	97	1
106 23 0269 107613648	106 19 0282 106 19 0023		19.15	95	97	-0.37 34	96	-0.29 34	94	-0.48 92	0.05 16	96	-1.50 10	96	-1.57 28	94	-4.26 54	105	0.53 28	100	1
106 23 0270 107613374	106 20 0104 106 17 0102		6.36	92	91	-0.33 30	96	-0.28 31	94	-0.44 93	0.31 18	98	-2.10 9	94	-1.86 26	92	-4.00 51	105	4.57 23	89	1
106 23 0287 107613515	106 21 0050 106 20 0044		8.14	88	83	-0.32 31	96	-0.72 27	83	-0.88 85	0.51 11	99	-2.50 7	92	-2.54 24	88	-9.06 52	111	8.10 22	80	1
106 23 0293 107615064	106 20 0104 106 19 0139		26.79	89	85	-0.29 31	97	-0.74 31	82	-0.88 85	0.63 21	100	-2.20 9	93	-2.34 26	89	-1.07 53	101	2.51 25	95	1
106 23 0905 114571664	106 20 0104 106 18 0212		9.86	89	84	-0.38 28	95	-0.69 28	83	-0.88 85	0.53 18	99	-1.90 8	94	-2.21 23	90	-1.00 54	101	5.17 23	88	1
106 23 0906 114514177	106 20 0104 106 18 0212		9.86	89	84	-0.38 28	95	-0.69 28	83	-0.88 85	0.53 18	99	-1.90 8	94	-2.21 23	90	-1.00 54	101	5.17 23	88	1
106 23 0916 107793663	106 21 0006 106 21 0917		15.50	85	85	-0.90 34	90	-0.80 29	81	-1.25 79	-0.33 8	94	-2.00 6	94	-2.90 26	86	-1.51 52	102	2.93 19	94	1
106 23 0927 114538788	106 22 0267 106 21 0910		11.05	93	94	-0.60 23	93	-0.52 23	88	-0.81 86	-0.16 9	95	-1.30 6	97	-1.89 19	92	-3.77 47	105	0.43 18	101	1
106 23 0951 114529951	106 21 0006 106 17 0920		9.94	86	84	-0.76 34	91	-0.80 29	81	-1.18 80	-0.09 9	95	-1.70 7	95	-2.58 26	88	-0.20 48	100	4.26 21	90	1
106 23 0952 114612302	106 21 0006 106 20 0090		19.36	82	79	-1.00 33	89	-1.00 28	76	-1.50 74	-0.33 9	94	-1.80 7	95	-3.08 25	85	2.15 40	97	5.14 21	88	1

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Phenotype
	EBV	EBV	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106 23 0955 114513922	106 21 0006 106 20 0052	2.87	92	93	-0.97 30 89	-0.55 25 87	-1.04 83	-0.56 7 92	-0.30 5 102	-1.70 22 93	0.06 44 100	1.54 16 98	1						
106 23 0967 114612369	106 21 0006 106 19 9404	6.45	88	90	-0.96 34 89	-0.49 29 89	-0.97 84	-0.54 9 92	-1.80 8 95	-2.53 26 88	-1.46 48 102	2.40 22 95	1						
106 23 0975 114612351	106 21 0006 106 22 0920	18.43	86	85	-0.80 34 91	-0.80 30 81	-1.20 80	-0.12 12 95	-2.20 6 93	-2.92 26 86	-1.49 50 102	2.43 21 95	1						
106 23 0979 114567266	106 21 0006 106 20 0922	17.44	85	84	-1.06 33 88	-0.88 28 79	-1.41 76	-0.54 9 92	-1.40 7 97	-2.77 25 87	1.56 51 98	2.81 19 94	1						
106 23 0987 113964654	106 20 0104 1130 22 0156	5.41	100	97	0.09 30 101	-0.30 30 93	-0.25 96	1.04 22 103	-0.50 9 101	-0.51 25 100	-1.07 39 101	1.16 22 99	1						
106 23 0992 114513807	106 21 0050 106 21 0928	8.07	91	89	-0.15 29 98	-0.48 26 89	-0.55 91	0.52 12 99	-2.50 7 92	-2.13 23 90	-4.80 54 106	3.65 21 92	1						
106 23 0993 114567803	106 21 0050 106 21 0928	8.07	91	89	-0.15 29 98	-0.48 26 89	-0.55 91	0.52 12 99	-2.50 7 92	-2.13 23 90	-4.72 50 106	3.62 21 92	1						
106 23 9111 114612682	106 21 0006 106 18 0134	2.80	92	93	-0.97 30 89	-0.55 25 87	-1.04 83	-0.56 7 92	-0.30 5 102	-1.70 22 93	-0.02 41 100	1.57 16 98	1						
106 24 0011 114544075	106 22 0912 106 18 0043	7.48	91	90	-0.57 20 93	-0.60 18 86	-0.89 85	0.04 7 96	-1.30 6 97	-1.95 16 91	-2.35 31 103	2.48 19 95	0						
106 24 0014 110490687	970 22 0140 106 18 0196	2.79	102	105	-0.42 28 95	-0.01 24 101	-0.22 96	0.25 14 97	-0.30 9 102	-0.62 22 99	-8.67 35 111	1.07 20 99	0						
872 24 0023 107312126	872 21 0013 872 19 0022	2.79	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		4.57 11 94	-2.93 5 110	0						
872 24 0036 107312134	872 21 0013 872 22 0082	2.71	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		4.57 11 94	-2.93 5 110	0						
106 24 0037 114544018	106 22 0912 106 16 0019	10.36	91	89	-0.42 23 95	-0.57 22 87	-0.78 87	0.17 10 97	-1.90 10 94	-2.13 20 90	-3.80 33 105	3.27 19 93	0						
872 24 0039 107312142	872 21 0013 872 19 0161	2.79	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		4.57 11 94	-2.93 5 110	0						
872 24 0044 107312159	872 21 0013 872 20 0020	2.79	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		4.57 11 94	-2.93 5 110	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
	Acc	Index	Acc				Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
872 24 0055 107312167	872 23 0012 872 20 0062	2.87	102	104	-0.34 28 96	0.03 15 102	-0.14 98	-0.21 18 94	0.50 6 106	-0.01 18 103	-2.23 14 103	1.73 9 97	0								
106 24 0057 110490703	970 22 0140 106 20 0011	2.83	99	102	-0.49 29 94	-0.10 23 98	-0.34 94	0.24 12 97	-0.50 7 101	-0.89 22 97	-8.51 33 111	2.64 20 95	0								
872 24 0070 107442246	872 23 0012 872 18 0204	2.80	102	104	-0.34 28 96	0.03 15 102	-0.14 98	-0.21 18 94	0.50 6 106	-0.01 18 103	-2.23 14 103	1.73 9 97	0								
872 24 0073 107312175	872 23 0012 872 20 0102	2.87	102	104	-0.34 28 96	0.03 15 102	-0.14 98	-0.21 18 94	0.50 6 106	-0.01 18 103	-2.23 14 103	1.73 9 97	0								
106 24 0087 114544117	106 22 0912 106 19 0287	17.14	92	92	-0.47 23 95	-0.54 22 87	-0.78 87	0.08 11 96	-1.50 8 96	-1.91 19 92	-4.02 34 105	1.60 20 98	0								
106 24 0105 114544109	106 23 0016 106 18 0114	4.57	102	108	-0.23 43 97	0.64 28 117	0.52 109	-0.25 9 94	-1.20 10 98	-0.31 30 101	-3.19 39 104	1.88 18 97	0								
106 24 0148 107793606	106 22 0912 106 21 0099	13.95	90	88	-0.47 24 95	-0.64 23 85	-0.87 85	0.10 9 96	-2.00 7 94	-2.30 20 89	-7.46 35 109	4.48 20 90	0								
106 24 0168 114544067	106 22 0912 106 21 0169	14.15	92	93	-0.37 23 96	-0.45 23 89	-0.64 89	0.11 10 96	-2.00 7 94	-2.03 19 91	-3.98 35 105	0.86 20 100	0								
106 24 0187 114544083	106 23 0016 106 21 0089	11.15	103	112	-0.19 45 98	0.78 31 120	0.68 112	-0.34 11 93	-1.40 10 97	-0.26 32 101	-5.38 42 107	0.22 20 101	0								
106 24 0190 114544091	106 22 0912 106 19 0090	18.69	93	94	-0.44 23 95	-0.41 22 90	-0.63 89	0.04 11 96	-1.80 8 95	-1.93 19 91	-6.19 33 108	1.32 20 98	0								
106 24 0194 114544034	106 23 0016 106 21 0023	11.15	103	112	-0.19 45 98	0.78 31 120	0.68 112	-0.34 11 93	-1.40 10 97	-0.26 32 101	-5.63 42 107	0.17 20 101	0								
106 24 0203 114544059	106 23 0016 106 20 0259	4.71	98	103	-0.29 44 96	0.52 29 114	0.37 107	-0.30 10 94	-1.60 11 96	-0.73 31 98	-2.15 40 103	3.55 18 92	0								
106 24 0216 114544042	970 22 0140 106 22 0272	2.70	97	99	-0.56 28 93	-0.10 22 98	-0.38 94	0.10 12 96	-0.80 7 100	-1.14 21 96	-5.53 34 107	3.02 18 94	0								
106 24 0260 114544026	970 22 0140 106 22 0054	2.54	97	99	-0.58 27 93	-0.22 22 95	-0.51 92	0.12 12 96	-0.40 7 102	-1.04 20 97	-4.02 30 105	1.78 18 97	0								
106 24 0283 114544000	970 22 0140 106 20 0219	2.66	96	97	-0.57 26 93	-0.21 21 96	-0.50 92	0.16 12 97	-0.40 6 102	-1.02 19 97	-4.14 34 105	4.14 19 91	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106 24 0288 114495328	970 22 0140 106 18 0143	2.79		101	105	-0.48 27 94	-0.02 22 100	-0.25 96	0.24 12 97	0.00 6 103	-0.49 20 100	-4.99 37 106	0.43 20 101	0						
106 24 0949 114612310	106 22 0267 106 22 0123	16.62		91	88	-0.47 26 94	-0.68 24 84	-0.92 85	0.15 9 97	-2.30 7 93	-2.53 21 88	-21.07 34 127	9.78 19 75	1						
106 24 0991 107793580	970 22 0140 106 22 0920	2.69		100	104	-0.45 27 95	-0.03 22 100	-0.25 96	0.29 14 98	-0.60 6 101	-0.84 20 98	-6.90 32 109	0.06 19 102	0						
106 24 0993 107793564	970 22 0140 106 22 0903	2.65		99	103	-0.51 27 94	-0.11 23 98	-0.37 94	0.23 14 97	-0.50 6 101	-0.92 21 97	-6.12 31 108	0.32 18 101	0						
106 24 9101 107793598	970 22 0140 106 22 0903	2.65		99	103	-0.51 27 94	-0.11 23 98	-0.37 94	0.23 14 97	-0.50 6 101	-0.92 21 97	-6.12 31 108	0.32 18 101	0						
106 25 0001 114495773	762 20 1147 872 22 0082	2.71		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0002 114495765	762 20 1147 872 22 0082	2.71		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0003 113899603	762 20 1147 872 23 0115	2.83		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-1.61 28 102	3.40 18 93	0						
106 25 0004 113899611	762 20 1147 872 20 0020	2.87		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0006 114495674	762 20 1147 872 19 0022	2.90		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0008 113899645	762 20 1147 872 22 0059	3.38		96	97	-0.23 30 97	0.02 26 101	-0.10 99	-0.07 22 95	-1.00 13 99	-0.81 25 98	1.59 28 98	3.24 18 93	0						
106 25 0009 113899595	762 20 1147 872 22 0015	2.71		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0012 113899231	762 23 0388 106 23 0114	6.07		100	103	0.07 32 100	0.35 23 110	0.38 107	0.53 13 99	-1.30 11 97	-0.37 24 100	2.05 35 97	0.52 16 100	0						
106 25 0014 113307565	762 23 0467 106 23 0031	4.68		109	108	0.74 30 108	0.26 23 107	0.63 111	1.63 20 106	-0.50 10 101	0.69 23 107	-3.03 36 104	-1.58 18 106	0						
106 25 0015 113307557	106 23 0079 106 23 0088	20.38		99	102	0.15 24 101	0.37 22 110	0.44 108	0.38 11 98	-2.20 11 93	-0.80 20 98	-2.90 35 104	1.43 15 98	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
106 25 0019 113891337	762 23 0467 106 23 0265	5.54	107	106	0.62 30 107	0.00 25 101	0.31 106	1.58 20 106	-0.60 9 101	0.26 23 104	-6.05 34 108	-1.64 21 106	0						
106 25 0020 113891329	762 23 0467 106 23 0265	5.54	107	106	0.62 30 107	0.00 25 101	0.31 106	1.58 20 106	-0.60 9 101	0.26 23 104	-6.05 34 108	-1.64 21 106	0						
106 25 0021 114495682	762 23 0467 106 23 0233	5.50	104	101	0.57 29 106	-0.26 23 94	0.03 101	1.66 20 107	-0.70 9 100	-0.10 22 102	-2.92 35 104	-2.08 19 108	0						
106 25 0023 114495732	762 23 0467 106 23 0233	5.50	104	101	0.57 29 106	-0.26 23 94	0.03 101	1.66 20 107	-0.70 9 100	-0.10 22 102	-2.92 35 104	-2.08 19 108	0						
106 25 0025 113899181	106 23 0995 106 23 0270	11.63	89	88	-0.44 19 95	-0.55 18 87	-0.77 87	0.24 10 97	-2.10 5 94	-2.25 15 90	-2.25 30 103	3.53 15 92	0						
106 25 0027 113891311	762 23 0467 106 23 0902	5.33	103	101	0.34 30 104	-0.28 23 94	-0.11 98	1.39 20 105	-0.60 9 101	-0.30 22 101	-6.00 34 107	-0.34 19 103	0						
106 25 0028 113918668	762 23 0467 106 23 0902	5.33	103	101	0.34 30 104	-0.28 23 94	-0.11 98	1.39 20 105	-0.60 9 101	-0.30 22 101	-6.00 34 107	-0.34 19 103	0						
106 25 0030 113899579	106 23 0016 106 23 0158	17.06	104	112	0.05 45 100	1.03 29 127	1.06 119	-0.12 10 95	-1.80 12 95	0.00 31 103	-5.30 41 107	2.40 16 95	0						
106 25 0034 113899322	106 23 0016 106 23 0053	18.36	106	115	0.08 45 101	1.11 29 129	1.15 120	-0.14 11 95	-1.70 12 95	0.17 31 104	-5.32 41 107	1.38 16 98	0						
106 25 0037 114495740	762 23 0467 106 23 0085	4.97	108	107	0.82 30 109	0.28 23 108	0.69 112	1.68 20 107	-0.90 11 99	0.56 23 106	-3.05 35 104	-1.41 19 106	0						
106 25 0040 113891360	106 23 0016 106 23 0238	6.39	100	106	-0.21 44 97	0.55 29 115	0.45 108	-0.11 12 95	-1.60 10 96	-0.61 30 99	-5.83 40 107	3.37 16 93	0						
106 25 0042 113899496	106 23 0016 106 23 0057	18.33	106	114	0.07 45 101	1.11 30 129	1.15 120	-0.16 11 95	-1.70 12 95	0.16 32 104	-6.11 41 108	2.10 16 96	0						
106 25 0049 113918577	106 22 0912 106 22 0086	2.71	98	100	-0.61 16 93	-0.29 14 93	-0.60 90	-0.24 6 94	0.00 5 103	-0.91 12 97	-3.14 21 104	0.43 11 101	0						
106 25 0051 113899629	762 20 1147 872 20 0062	2.87	97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0						
106 25 0052 114495724	762 23 0467 106 21 0214	5.25	102	98	0.43 31 105	-0.31 25 93	-0.10 99	1.50 20 106	-0.80 9 100	-0.36 24 100	-3.44 35 104	0.61 21 100	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
106 25 0053 114495799	106 23 0002 106 20 0011		14.68	92	91	-0.14 25 98		-0.21 22 96		-0.28 95		0.36 9 98		-2.70 10 91		-1.98 20 91		-2.94 33 104		3.51 19 92		0
106 25 0058 113891352	106 22 0912 106 22 0182		14.63	88	86	-0.51 21 94		-0.72 20 83		-0.98 84		0.06 9 96		-2.00 7 94		-2.43 17 88		-0.83 34 101		2.25 17 96		0
106 25 0059 113891345	106 22 0912 106 22 0182		14.63	88	86	-0.51 21 94		-0.72 20 83		-0.98 84		0.06 9 96		-2.00 7 94		-2.43 17 88		-0.83 34 101		2.25 17 96		0
106 25 0061 113899637	762 20 1147 872 18 0204		2.80	97	100	-0.54 28 94		0.05 26 102		-0.22 97		-0.42 20 93		-0.60 13 101		-0.84 24 98		-4.08 27 105		4.39 17 90		0
106 25 0074 113891378	762 23 0467 106 18 0191		5.85	106	104	0.64 33 107		-0.16 28 97		0.16 103		1.71 21 107		-0.70 10 100		0.06 26 103		-3.96 38 105		-2.83 23 110		0
106 25 0075 113891386	106 22 0912 106 16 0003		10.31	90	89	-0.40 25 95		-0.55 24 87		-0.75 87		0.05 13 96		-1.90 10 94		-2.09 21 90		-3.91 35 105		3.94 21 91		0
106 25 0078 113891394	762 23 0467 106 16 0019		5.12	105	101	0.61 30 107		-0.11 24 98		0.19 104		1.66 20 107		-0.70 11 100		0.08 23 103		-3.49 34 104		-0.15 22 102		0
106 25 0080 113899249	106 23 0995 106 20 0255		14.89	87	84	-0.56 18 93		-0.78 17 81		-1.06 82		0.11 7 96		-2.00 6 94		-2.54 15 88		0.17 31 100		3.44 17 92		0
106 25 0082 114495716	762 23 0467 106 16 0008		4.22	105	101	0.51 27 105		-0.14 21 97		0.11 102		1.58 19 106		-0.30 9 102		0.18 21 104		-3.16 35 104		0.32 21 101		0
106 25 0084 113918536	106 23 0995 106 22 0028		16.04	87	83	-0.50 18 94		-0.83 18 80		-1.08 82		0.31 10 98		-2.20 5 93		-2.65 15 87		-0.64 31 101		3.67 14 92		0
106 25 0087 113918494	106 22 0912 106 22 0240		14.00	88	86	-0.56 21 93		-0.73 19 82		-1.01 83		0.07 8 96		-1.80 6 95		-2.37 17 89		-1.05 33 101		3.28 17 93		0
106 25 0088 113891436	106 23 0995 106 20 0082		15.42	86	82	-0.61 19 93		-0.86 17 79		-1.16 80		0.09 7 96		-1.90 5 94		-2.61 15 87		1.39 31 98		3.70 17 92		0
106 25 0090 113891410	106 22 0912 106 22 0318		12.72	89	87	-0.60 20 93		-0.70 19 83		-1.00 83		0.02 8 96		-1.40 6 97		-2.14 16 90		-0.41 30 100		2.87 16 94		0
106 25 0092 113891428	762 23 0467 106 19 0047		5.06	106	105	0.43 30 105		-0.09 25 99		0.13 103		1.37 21 105		-0.10 10 103		0.28 23 104		-3.89 37 105		-1.69 23 107		0
106 25 0095 113899348	762 23 0467 106 20 0112		5.48	104	100	0.58 31 106		-0.14 25 97		0.15 103		1.64 20 106		-0.90 10 99		-0.10 24 102		-7.11 36 109		1.55 22 98		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambled
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106 25 0098 113899223	106 23 0995 106 21 0153	2.79	95	97	-0.61 11 93	-0.37 10 91	-0.68 89	-0.16 5 95	-0.20 5 102	-1.11 9 96	-0.44 16 100	0.78 9 100	0								
106 25 0100 113307573	762 23 0467 106 17 0053	4.38	103	100	0.46 28 105	-0.21 21 96	0.02 101	1.57 19 106	-0.50 9 101	-0.05 21 102	-0.28 34 100	-1.32 20 106	0								
106 25 0101 113899173	106 23 0995 106 21 0153	2.79	95	97	-0.61 11 93	-0.37 10 91	-0.68 89	-0.16 5 95	-0.20 5 102	-1.11 9 96	-0.44 16 100	0.78 9 100	0								
106 25 0104 113891402	762 23 0467 106 20 0064	4.83	104	100	0.53 31 106	-0.15 25 97	0.11 102	1.57 20 106	-0.80 9 100	-0.11 24 102	-6.86 32 109	2.07 22 96	0								
106 25 0108 114522675	762 23 0467 106 22 0125	4.45	102	99	0.46 29 105	-0.25 22 94	-0.03 100	1.51 20 106	-0.70 9 100	-0.22 22 101	-1.58 35 102	-0.25 19 103	0								
106 25 0115 113899587	762 20 1147 872 21 0120	2.79	97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	0								
106 25 0116 113306575	762 23 0467 106 22 0162	5.16	105	102	0.53 29 106	-0.19 23 96	0.07 102	1.75 21 107	-0.60 9 101	-0.02 22 102	-4.01 35 105	-0.92 19 104	0								
106 25 0118 113306534	106 22 0912 106 17 0099	11.13	92	94	-0.47 22 94	-0.28 21 94	-0.52 91	-0.06 8 95	-2.30 8 93	-2.14 18 90	-7.11 33 109	2.93 19 94	0								
106 25 0120 114495781	106 23 0155 106 22 0115	7.86	93	93	-0.21 23 97	-0.04 21 100	-0.15 98	0.19 10 97	-2.30 9 93	-1.63 19 93	-1.69 35 102	4.84 17 89	0								
106 25 0121 113918460	762 23 0467 106 22 0161	4.65	102	98	0.51 29 105	-0.27 23 94	-0.02 100	1.57 20 106	-0.90 9 99	-0.30 22 101	-1.28 35 101	-0.13 19 102	0								
106 25 0122 113898720	762 23 0467 106 18 0226	4.65	103	100	0.50 28 105	-0.22 22 95	0.03 101	1.63 19 106	-0.70 9 100	-0.14 21 102	-2.79 36 103	-0.20 22 102	0								
106 25 0123 113898662	762 23 0467 106 18 0226	4.65	103	100	0.50 28 105	-0.22 22 95	0.03 101	1.63 19 106	-0.70 9 100	-0.14 21 102	-2.79 36 103	-0.20 22 102	0								
106 25 0124 114495708	762 20 1147 106 23 0090	6.30	93	94	-0.16 33 98	0.08 30 103	0.00 100	0.02 21 96	-2.60 15 91	-1.64 28 93	-3.85 37 105	5.63 20 86	0								
106 25 0126 113898712	762 23 0467 106 20 0066	5.67	106	104	0.57 30 106	-0.09 24 98	0.19 104	1.62 21 106	-0.30 10 102	0.30 23 104	-4.38 36 105	-0.94 23 105	0								
106 25 0127 113898654	762 23 0467 106 20 0066	5.67	106	104	0.57 30 106	-0.09 24 98	0.19 104	1.62 21 106	-0.30 10 102	0.30 23 104	-4.38 36 105	-0.94 23 105	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
106 25 0139 113899298	106 23 0002 106 23 0143	9.34	93	92	-0.06 22	99	-0.19 20	96	-0.22 97	0.50 9	99	-2.60 9	91	-1.81 18	92	-1.49 35	102	2.79 16	94	0		
106 25 0140 113899306	106 23 0155 106 23 0269	8.70	97	99	-0.13 24	98	0.17 23	105	0.11 102	0.10 11	96	-2.10 9	94	-1.22 20	96	-3.51 35	104	2.04 18	96	0		
106 25 0142 113898704	106 23 0016 106 23 0198	11.53	103	111	-0.13 45	98	0.76 30	120	0.69 112	-0.23 11	94	-1.50 10	96	-0.27 31	101	-6.84 42	109	1.31 19	98	0		
106 25 0146 113898738	762 23 0467 106 20 0148	5.22	103	100	0.55 31	106	-0.20 25	96	0.08 102	1.61 20	106	-1.00 9	99	-0.25 24	101	-5.09 36	106	0.43 22	101	0		
106 25 0147 113898688	762 23 0467 106 20 0148	5.22	103	100	0.55 31	106	-0.20 25	96	0.08 102	1.61 20	106	-1.00 9	99	-0.25 24	101	-5.09 36	106	0.43 22	101	0		
106 25 0149 113326490	762 23 0467 106 20 0044	5.17	103	99	0.47 31	105	-0.26 25	94	-0.03 100	1.59 20	106	-0.80 9	100	-0.27 24	101	-5.84 37	107	1.20 22	99	0		
106 25 0151 113899454	106 23 0002 106 20 0238	9.13	95	96	-0.19 25	98	0.01 22	101	-0.08 99	0.00 9	96	-2.00 9	94	-1.38 20	95	-5.15 33	106	4.59 18	89	0		
106 25 0152 113899553	106 23 0002 106 23 0212	14.53	91	90	-0.10 23	99	-0.30 21	93	-0.35 94	0.51 12	99	-2.80 9	90	-2.08 19	91	-1.46 31	102	2.21 17	96	0		
106 25 0153 113899371	106 23 0002 106 23 0212	14.53	91	90	-0.10 23	99	-0.30 21	93	-0.35 94	0.51 12	99	-2.80 9	90	-2.08 19	91	-1.46 31	102	2.21 17	96	0		
106 25 0154 114522683	106 23 0995 106 20 0255	14.89	87	84	-0.56 18	93	-0.78 17	81	-1.06 82	0.11 7	96	-2.00 6	94	-2.54 15	88	0.17 31	100	3.44 17	92	0		
776 25 0158 110300381	776 24 0037 776 23 0212	7.86	107	107	0.01 19	100	-0.07 16	99	-0.06 99	0.73 9	100	1.50 5	111	0.85 15	107	-0.39 27	100	-0.80 13	104	0		
106 25 0161 113307540	762 20 1147 106 21 0017	6.57	88	86	-0.42 32	95	-0.42 29	90	-0.63 90	-0.03 21	95	-2.60 14	91	-2.40 27	89	-4.13 37	105	6.31 22	85	0		
106 25 0162 113899397	762 23 0467 106 21 0089	5.42	107	107	0.55 30	106	0.00 25	101	0.28 105	1.48 20	105	-0.50 9	101	0.26 23	104	-4.15 37	105	-3.19 22	111	0		
106 25 0166 113898639	762 23 0467 106 23 0091	3.04	111	112	0.41 25	104	0.16 18	105	0.37 107	1.26 19	104	1.10 7	109	1.24 18	110	-2.83 23	103	-3.00 15	110	0		
106 25 0167 113908180	762 23 0467 106 23 0091	3.04	111	112	0.41 25	104	0.16 18	105	0.37 107	1.26 19	104	1.10 7	109	1.24 18	110	-2.83 23	103	-3.00 15	110	0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
106 25 0168 113898696	106 23 0016 106 23 0121		7.13	98	103	-0.17 44 98		0.45 29 112		0.37 107		-0.01 12 96		-2.20 11 93		-1.03 31 97		-4.72 41 106		3.12 17 93		0
106 25 0172 113918452	106 23 0016 106 22 0178		8.50	99	105	-0.25 44 97		0.52 29 114		0.40 107		-0.24 10 94		-1.50 11 96		-0.63 31 99		-1.25 41 101		2.22 17 96		0
106 25 0173 113918643	106 23 0016 106 22 0178		8.50	99	105	-0.25 44 97		0.52 29 114		0.40 107		-0.24 10 94		-1.50 11 96		-0.63 31 99		-1.25 41 101		2.22 17 96		0
106 25 0174 113918502	762 23 0467 106 18 0156		5.30	106	104	0.56 30 106		-0.09 24 98		0.19 104		1.57 21 106		-0.30 10 102		0.28 23 104		-5.60 36 107		-0.37 22 103		0
106 25 0181 114495757	106 23 0995 106 19 0177		16.85	91	90	-0.44 20 95		-0.51 20 88		-0.73 88		0.14 10 97		-2.10 7 94		-2.21 17 90		-3.16 30 104		2.02 18 96		0
106 25 0183 113918510	762 23 0467 106 21 0235		5.12	106	104	0.64 30 107		-0.02 25 100		0.30 106		1.60 20 106		-0.80 9 100		0.14 23 103		-5.83 37 107		-0.83 22 104		0
106 25 0184 113918551	762 23 0467 106 21 0235		5.12	106	104	0.64 30 107		-0.02 25 100		0.30 106		1.60 20 106		-0.80 9 100		0.14 23 103		-5.83 37 107		-0.83 22 104		0
106 25 0185 113899470	106 23 0002 106 19 0139		9.84	94	94	-0.07 25 99		-0.19 23 96		-0.23 96		0.42 14 98		-2.50 11 92		-1.76 21 92		-2.12 37 103		1.27 21 98		0
106 25 0186 113898670	762 23 0467 106 18 0122		5.51	105	103	0.52 34 106		0.08 26 103		0.34 106		1.47 20 105		-1.10 9 98		-0.05 25 102		-6.71 36 108		1.49 22 98		0
106 25 0188 113898647	762 23 0467 106 19 0023		5.24	106	104	0.45 30 105		-0.14 24 97		0.08 102		1.47 21 105		-0.10 10 103		0.24 23 104		-3.62 34 104		-1.43 22 106		0
106 25 0189 113898746	762 23 0467 106 19 0023		5.24	106	104	0.45 30 105		-0.14 24 97		0.08 102		1.47 21 105		-0.10 10 103		0.24 23 104		-3.62 34 104		-1.43 22 106		0
106 25 0190 113899272	762 23 0467 106 21 0139		5.07	104	100	0.53 30 106		-0.17 24 96		0.09 102		1.62 20 106		-0.70 9 100		-0.06 23 102		-4.90 37 106		1.03 20 99		0
106 25 0191 113899546	762 23 0467 106 21 0139		5.07	104	100	0.53 30 106		-0.17 24 96		0.09 102		1.62 20 106		-0.70 9 100		-0.06 23 102		-4.90 37 106		1.03 20 99		0
106 25 0193 113918445	106 23 0995 106 19 0011		2.90	95	97	-0.61 11 93		-0.37 10 91		-0.68 89		-0.16 5 95		-0.20 5 102		-1.11 9 96		-0.44 16 100		0.78 9 100		0
106 25 0195 113307516	762 23 0467 106 20 0279		5.01	106	104	0.57 31 106		0.05 25 102		0.34 106		1.52 20 106		-0.80 9 100		0.14 24 103		-6.83 36 108		1.11 22 99		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
106 25 0199 113899538	762 23 0467 106 22 0119	2.71	111	112	0.41 0.16 0.37 1.26 25 104 18 105 107 19 104	1.10 1.24 -2.83 -3.00 7 109 18 110 23 103 15 110	0												
106 25 0200 113899504	762 23 0467 106 22 0119	2.71	111	112	0.41 0.16 0.37 1.26 25 104 18 105 107 19 104	1.10 1.24 -2.83 -3.00 7 109 18 110 23 103 15 110	0												
106 25 0201 113918544	762 23 0467 106 21 0192	5.62	105	101	0.56 -0.15 0.13 1.61 31 106 25 97 103 20 106	-0.70 -0.01 -6.55 0.95 9 100 24 103 33 108 21 99	0												
106 25 0205 113918650	106 23 0002 106 21 0102	11.32	92	90	-0.12 -0.25 -0.31 0.53 23 98 22 95 95 12 99	-2.60 -1.93 -3.90 4.49 9 91 19 91 34 105 17 90	0												
106 25 0206 113899462	106 23 0002 106 21 0102	11.32	92	90	-0.12 -0.25 -0.31 0.53 23 98 22 95 95 12 99	-2.60 -1.93 -3.90 4.49 9 91 19 91 34 105 17 90	0												
106 25 0208 114522667	106 23 0995 106 21 0018	15.86	88	86	-0.45 -0.65 -0.87 0.16 20 95 20 85 85 9 97	-2.20 -2.42 -2.31 3.55 6 93 17 89 32 103 18 92	0												
106 25 0210 113899314	106 23 0995 106 19 0287	15.28	90	89	-0.47 -0.62 -0.86 0.16 20 95 19 85 86 10 97	-1.70 -2.11 -1.32 1.95 8 95 17 90 31 101 19 97	0												
106 25 0211 113899280	106 23 0995 106 19 0287	15.28	90	89	-0.47 -0.62 -0.86 0.16 20 95 19 85 86 10 97	-1.70 -2.11 -1.32 1.95 8 95 17 90 31 101 19 97	0												
106 25 0215 113899488	106 23 0995 106 16 0269	30.78	85	82	-0.46 -0.83 -1.05 0.28 20 95 19 80 82 9 98	-2.90 -3.02 -0.35 2.41 9 90 17 85 31 100 20 95	0												
106 25 0217 113899405	762 23 0467 106 21 0215	5.25	101	97	0.41 -0.33 -0.12 1.50 30 104 24 93 98 20 105	-0.80 -0.39 -1.90 -0.05 9 100 23 100 35 102 21 102	0												
106 25 0219 113918635	106 23 0155 106 21 0154	10.01	96	98	-0.04 0.17 0.15 0.21 24 99 23 105 103 11 97	-2.40 -1.31 -3.89 3.04 10 92 20 95 33 105 18 94	0												
106 25 0220 113899207	106 23 0002 106 20 0011	14.68	92	91	-0.14 -0.21 -0.28 0.36 25 98 22 96 95 9 98	-2.70 -1.98 -2.94 3.51 10 91 20 91 33 104 19 92	0												
106 25 0223 113918676	106 23 0002 106 22 0146	11.92	91	90	-0.11 -0.26 -0.32 0.48 23 99 22 94 95 12 99	-2.90 -2.11 -1.27 3.05 9 90 19 90 34 101 16 94	0												
106 25 0229 113918627	106 23 0155 106 22 0115	7.86	93	93	-0.21 -0.04 -0.15 0.19 23 97 21 100 98 10 97	-2.30 -1.63 -1.69 4.84 9 93 19 93 35 102 17 89	0												
106 25 0230 113899389	106 23 0155 106 23 0068	19.19	99	103	0.16 0.54 0.62 0.25 25 102 22 114 111 10 97	-2.50 -0.80 -1.88 1.84 11 92 21 98 35 102 16 97	0												

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility														
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd			
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15				
106 25 0231 113899215	106 23 0155 106 23 0068		19.19	99	103	0.16 25 102		0.54 22 114		0.62 111		0.25 10 97		-2.50 11 92		-0.80 21 98		-1.88 35 102		1.84 16 97		0		
106 25 0232 113899165	106 23 0002 106 17 0008		8.81	92	93	-0.37 22 96		-0.20 21 96		-0.38 94		0.02 8 96		-1.80 9 95		-1.64 19 93		1.63 33 98		1.84 18 97		0		
106 25 0235 113899199	106 23 0002 106 20 0180		9.97	94	97	-0.10 24 99		0.09 23 103		0.04 101		0.20 11 97		-2.80 9 90		-1.69 20 93		-3.66 32 104		1.73 18 97		0		
106 25 0238 113899330	106 23 0002 106 23 0183		7.08	94	94	-0.07 23 99		-0.01 20 101		-0.05 100		0.43 9 98		-2.70 9 91		-1.70 19 93		-2.06 35 102		2.55 16 95		0		
106 25 0243 113899561	106 23 0155 106 23 0205		8.95	96	99	-0.11 24 99		0.18 23 105		0.13 103		-0.06 11 95		-2.40 9 92		-1.37 20 95		-3.78 35 105		2.22 18 96		0		
106 25 0244 113918585	106 23 0002 106 21 0023		8.90	95	97	-0.14 24 98		-0.05 23 100		-0.11 98		0.20 11 97		-2.40 9 92		-1.62 20 93		-1.65 36 102		-0.10 20 102		0		
106 25 0247 113918486	106 23 0155 106 23 0025		20.99	98	102	0.09 24 101		0.60 22 116		0.65 112		0.16 10 97		-2.70 11 91		-0.93 20 97		-3.39 34 104		3.51 15 92		0		
106 25 0248 113918593	106 23 0155 106 22 0224		9.82	95	97	-0.13 23 98		0.17 21 105		0.10 102		0.29 12 98		-2.40 9 92		-1.41 19 94		-2.21 34 103		3.17 16 93		0		
106 25 0249 113899355	762 23 0467 106 18 0064		4.83	105	103	0.53 28 106		-0.12 22 98		0.15 103		1.62 19 106		-0.40 9 102		0.18 21 104		-2.96 36 104		-1.09 21 105		0		
106 25 0250 113899413	762 23 0467 106 18 0064		4.83	105	103	0.53 28 106		-0.12 22 98		0.15 103		1.62 19 106		-0.40 9 102		0.18 21 104		-2.96 36 104		-1.09 21 105		0		
106 25 0251 113899512	106 23 0995 106 20 0219		17.02	85	81	-0.56 17 93		-0.81 16 80		-1.09 82		0.15 7 97		-2.00 5 94		-2.57 14 88		1.08 31 98		5.65 17 86		0		
106 25 0253 113899421	106 23 0002 106 19 0201		4.94	99	104	-0.17 30 98		0.32 24 109		0.23 104		-0.14 11 95		-1.50 10 96		-0.76 23 98		-4.07 35 105		1.70 20 97		0		
106 25 0257 113899264	106 23 0155 106 20 0153		10.00	94	94	-0.10 26 99		0.05 24 102		0.00 100		0.24 11 97		-2.60 10 91		-1.61 22 93		-5.25 36 106		5.22 20 88		0		
106 25 0258 113899256	106 23 0155 106 20 0153		10.00	94	94	-0.10 26 99		0.05 24 102		0.00 100		0.24 11 97		-2.60 10 91		-1.61 22 93		-5.25 36 106		5.22 20 88		0		
106 25 0259 113899157	106 23 0155 106 20 0153		10.00	94	94	-0.10 26 99		0.05 24 102		0.00 100		0.24 11 97		-2.60 10 91		-1.61 22 93		-5.25 36 106		5.22 20 88		0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	Times EPI	Lambd
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36		-0.31		-0.30	0.15		
106 25 0268 113899363	106 23 0155 106 17 0035		7.74	95	96	-0.16 21 98		0.09 19 103		0.01 101	0.18 9 97		-1.90 9 94		-1.21 17 96		-0.87 33 101	3.83 18 91		0	
106 25 0270 113918619	106 23 0155 106 22 0159		7.77	92	91	-0.18 23 98		-0.08 21 99		-0.17 97	0.14 10 97		-2.50 9 92		-1.76 19 92		-0.02 35 100	4.18 17 90		0	
106 25 0273 113918569	106 23 0002 106 19 0079		9.55	94	95	-0.18 23 98		0.12 21 104		0.03 101	0.14 9 97		-2.70 10 91		-1.68 19 93		-3.92 35 105	4.38 19 90		0	
106 25 0275 113899520	106 23 0155 106 18 0143		7.60	96	98	-0.13 22 98		0.12 21 104		0.05 101	0.22 10 97		-1.90 9 94		-1.15 19 96		-0.91 37 101	2.46 19 95		0	
106 25 0292 113918478	106 23 0002 106 21 0206		10.80	94	95	-0.09 23 99		-0.07 22 99		-0.12 98	0.30 10 98		-2.50 9 92		-1.66 19 93		-1.72 33 102	1.49 18 98		0	
106 25 0293 113918528	106 23 0002 106 21 0206		10.80	94	95	-0.09 23 99		-0.07 22 99		-0.12 98	0.30 10 98		-2.50 9 92		-1.66 19 93		-1.72 33 102	1.49 18 98		0	
106 25 0294 114495690	106 23 0155 106 22 0011		8.01	93	92	-0.14 23 98		-0.06 21 99		-0.14 98	0.34 12 98		-2.40 9 92		-1.65 19 93		-3.75 35 105	5.50 16 87		0	
106 25 0333 113918601	106 23 0002 106 22 0146		11.92	91	90	-0.11 23 99		-0.26 22 94		-0.32 95	0.48 12 99		-2.90 9 90		-2.11 19 90		-1.27 34 101	3.05 16 94		0	
106 25 0402 114571698	106 22 0273 106 23 0905		16.82	87	83	-0.47 22 94		-0.63 20 85		-0.87 85	0.27 11 97		-2.30 6 93		-2.48 18 88		-0.66 35 101	5.89 17 86		0	
106 25 0408 114612690	106 22 0273 106 20 0953		19.06	87	84	-0.65 21 92		-0.63 19 85		-0.96 84	-0.09 8 95		-1.80 6 95		-2.37 17 89		2.29 31 97	4.38 17 90		0	
106 25 0413 113928295	106 22 0273 106 20 0927		9.62	90	91	-0.55 23 94		-0.39 22 91		-0.66 89	-0.14 10 95		-2.00 7 94		-2.14 19 90		-0.36 35 100	1.56 20 98		0	
106 25 0414 114538796	106 22 0111 106 17 0927		7.18	92	91	-0.39 19 95		-0.37 20 91		-0.57 91	0.25 10 97		-1.60 6 96		-1.73 16 93		-2.69 32 103	4.32 18 90		0	
106 25 0415 114571615	106 22 0273 106 17 0917		14.13	89	86	-0.40 23 95		-0.50 20 88		-0.70 88	0.23 8 97		-1.90 7 94		-2.04 18 91		-0.65 33 101	5.56 19 87		0	
106 25 0416 113928311	106 22 0273 106 21 0915		9.62	90	90	-0.55 24 94		-0.39 23 91		-0.66 89	-0.14 10 95		-2.00 7 94		-2.14 20 90		-1.93 35 102	3.41 19 93		0	
106 25 0418 114612781	106 22 0267 106 19 9125		8.69	90	91	-0.57 23 93		-0.42 22 90		-0.71 88	-0.05 8 95		-2.10 7 94		-2.25 19 90		-4.49 35 106	3.22 19 93		0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
106 25 0420 114571623	106 22 0273 106 17 0920	14.13	89	86	-0.40 23 95	-0.50 20 88	-0.70 88	0.23 8 97	-1.90 7 94	-2.04 18 91	-0.63 33 101	5.56 19 87	0							
106 25 0421 114544711	106 22 0273 106 22 0938	12.42	89	88	-0.62 22 93	-0.54 20 87	-0.85 86	-0.03 11 95	-1.70 6 95	-2.18 18 90	-0.34 33 100	3.81 16 91	0							
106 25 0425 114567506	106 22 0273 106 23 0979	19.65	85	83	-0.81 24 91	-0.73 21 83	-1.13 81	-0.27 8 94	-2.00 6 94	-2.73 19 87	0.62 34 99	4.71 16 89	0							
106 25 0428 114632029	106 22 0273 106 21 0178	21.64	85	82	-0.61 22 93	-0.71 20 83	-1.01 83	-0.01 9 96	-2.30 7 93	-2.70 18 87	1.93 32 97	4.90 18 88	0							
106 25 0431 113928345	106 22 0273 106 21 0901	20.64	86	85	-0.58 22 93	-0.49 20 88	-0.79 87	-0.06 9 95	-2.30 7 93	-2.46 18 88	1.40 35 98	4.93 19 88	0							
106 25 0432 113928303	106 22 0273 106 21 0901	20.64	86	85	-0.58 22 93	-0.49 20 88	-0.79 87	-0.06 9 95	-2.30 7 93	-2.46 18 88	1.40 35 98	4.93 19 88	0							
106 25 0434 113964613	106 22 0273 106 20 0176	16.12	88	87	-0.59 25 93	-0.40 23 91	-0.70 88	-0.12 8 95	-2.30 7 93	-2.37 20 89	-5.19 35 106	7.32 20 82	0							
106 25 0435 114612112	106 22 0111 106 23 0916	14.78	89	88	-0.61 23 93	-0.54 21 87	-0.84 86	-0.01 10 96	-2.00 5 94	-2.35 18 89	-3.03 34 104	3.84 15 91	0							
106 25 0437 114612708	106 22 0273 106 23 0097	16.42	86	85	-0.70 24 92	-0.63 21 85	-0.98 84	-0.16 8 95	-2.30 6 93	-2.71 19 87	-1.90 35 102	4.86 17 89	0							
106 25 0438 113964639	106 22 0111 106 22 0123	12.07	94	92	-0.33 24 96	-0.34 24 92	-0.50 92	0.26 11 97	-2.30 7 93	-2.05 20 91	-22.41 34 128	11.15 19 71	0							
106 25 0440 114612757	106 22 0111 106 23 9111	9.51	92	92	-0.65 21 92	-0.42 20 90	-0.74 88	-0.12 10 95	-1.20 5 98	-1.78 17 92	-2.29 30 103	3.16 14 93	0							
106 25 0445 114612658	106 22 0111 106 20 9317	12.38	89	87	-0.47 20 94	-0.53 20 88	-0.77 87	0.19 11 97	-1.90 6 94	-2.14 17 90	-0.35 31 100	4.11 17 91	0							
106 25 0446 114612807	106 22 0273 106 22 0923	11.49	91	92	-0.44 24 95	-0.27 23 94	-0.49 92	-0.01 10 96	-2.40 7 92	-2.16 20 90	-7.22 36 109	4.87 19 88	0							
106 25 0448 114612799	106 22 0111 106 21 0922	10.59	92	92	-0.50 19 94	-0.39 19 91	-0.64 89	0.05 10 96	-1.20 6 98	-1.60 16 93	-0.50 28 100	3.44 15 92	0							
106 25 0454 114612146	106 22 0111 106 18 9202	8.41	97	98	-0.40 21 95	-0.23 21 95	-0.43 93	0.10 12 96	-0.90 7 99	-1.16 18 96	-4.27 31 105	1.78 18 97	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Index			EBV Acc							
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106 25 0455 114632037	106 22 0273 106 23 0993	10.39	88	85	-0.36 22 96	-0.53 20 88	-0.70 88	0.26 9 97	-2.60 6 91	-2.44 18 88	-2.52 34 103	5.11 16 88	0						
106 25 0461 114544257	106 22 0111 106 23 0927	11.70	92	93	-0.46 19 95	-0.40 19 91	-0.63 90	0.08 10 96	-1.70 5 95	-1.88 16 92	-4.17 32 105	2.59 15 95	0						
106 25 0463 113964647	106 22 0111 106 22 0909	12.59	91	91	-0.40 21 95	-0.45 21 90	-0.65 89	0.18 10 97	-2.00 6 94	-2.05 18 91	-1.82 30 102	1.75 16 97	0						
106 25 0464 114612732	106 22 0111 106 23 0975	18.98	89	88	-0.56 23 93	-0.54 21 87	-0.82 86	0.10 11 96	-2.10 5 94	-2.36 18 89	-3.03 33 104	3.59 16 92	0						
106 25 0465 114538770	106 22 0273 106 21 0941	11.80	89	88	-0.39 24 95	-0.43 22 90	-0.63 90	0.09 10 96	-2.50 7 92	-2.32 19 89	-1.91 33 102	3.50 19 92	0						
106 25 0469 113964621	106 22 0111 1130 22 0156	4.78	103	103	0.08 22 101	0.03 22 102	0.07 102	0.77 17 101	-0.20 8 102	-0.01 19 103	-2.11 28 103	0.88 18 100	0						
106 25 0470 113964662	106 22 0111 1130 22 0156	4.78	103	103	0.08 22 101	0.03 22 102	0.07 102	0.77 17 101	-0.20 8 102	-0.01 19 103	-2.11 28 103	0.88 18 100	0						
106 25 0471 113928329	106 22 0111 106 23 0145	22.16	91	89	-0.36 21 96	-0.35 21 92	-0.53 91	0.33 13 98	-2.30 6 93	-2.09 18 90	-7.37 34 109	6.39 16 84	0						
106 25 0472 113928337	106 22 0111 106 23 0145	22.16	91	89	-0.36 21 96	-0.35 21 92	-0.53 91	0.33 13 98	-2.30 6 93	-2.09 18 90	-7.37 34 109	6.39 16 84	0						
106 25 0478 114536394	106 21 0006 106 18 0139	12.73	84	81	-0.81 35 91	-0.88 31 79	-1.29 78	-0.19 10 94	-2.40 8 92	-3.13 27 84	-2.93 40 104	5.52 21 87	0						
106 25 0481 113928287	762 23 0388 106 22 0903	6.75	96	97	-0.22 30 97	-0.19 24 96	-0.30 95	0.53 14 99	-1.10 9 98	-1.07 23 96	2.11 32 97	-0.36 17 103	0						
106 25 0482 113962559	762 23 0388 106 22 0903	6.75	96	97	-0.22 30 97	-0.19 24 96	-0.30 95	0.53 14 99	-1.10 9 98	-1.07 23 96	2.11 32 97	-0.36 17 103	0						
106 25 0487 114536378	106 22 0273 106 22 0933	22.00	85	82	-0.56 22 94	-0.67 20 84	-0.94 84	0.07 9 96	-2.20 7 93	-2.54 18 88	1.93 35 97	5.83 18 86	0						
106 25 0488 114612765	106 22 0111 106 21 0914	10.53	92	92	-0.50 19 94	-0.39 19 91	-0.64 89	0.05 10 96	-1.20 6 98	-1.60 16 93	-0.51 28 100	3.44 15 92	0						
106 25 0496 114612344	106 22 0273 106 22 0952	12.78	90	88	-0.55 21 94	-0.53 19 88	-0.80 87	-0.03 7 96	-1.50 6 96	-1.98 17 91	1.74 32 98	2.84 15 94	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106 25 0502 114612773	106 22 0111 106 24 0949		13.40	92	90	-0.40 20	95	-0.48 20	89	-0.68 89	0.23 10	97	-2.20 6	-2.20 17	90	-12.81 27	116	7.27 15	82	0
106 25 0504 114565989	106 22 0111 106 22 9566		2.71	98	100	-0.50 15	94	-0.10 15	98	-0.35 94	-0.09 9	95	-0.20 5	-0.72 12	98	-2.47 22	103	1.90 11	97	0
106 25 0508 114612666	106 22 0273 106 20 0090		20.27	85	81	-0.64 22	93	-0.70 20	83	-1.02 83	-0.02 8	96	-2.00 6	-2.55 18	88	1.74 32	98	6.43 19	84	0
106 25 0510 114612740	106 22 0273 106 23 0952		20.98	84	80	-0.78 24	91	-0.79 21	81	-1.18 80	-0.16 8	95	-2.20 6	-2.89 19	86	0.92 30	99	5.87 16	86	0
106 25 0512 114612336	106 22 0273 106 23 0987		13.10	92	89	-0.23 23	97	-0.44 21	90	-0.55 91	0.52 13	99	-1.60 7	-1.63 19	93	-0.69 30	101	3.88 17	91	0
106 25 0520 114612716	106 22 0273 106 23 0967		15.56	86	86	-0.76 24	91	-0.53 21	87	-0.91 85	-0.27 8	94	-2.20 6	-2.61 19	87	-0.89 33	101	4.50 17	90	0
	Ewe flock average: Total ewes in flock: 336				94	94	-0.26	-0.26	-0.39	0.30	-1.51	-1.43	-2.67	2.72						

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number	Dir	Mat			Comb									
			y	Herds	Weaned	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lambbed	
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	1298 10 0440 67972885	2.92	CRUS04 0050 LM 08 0030				79	73	-0.35 58 96	-0.96 55 77	-1.13 81	0.46 26 99	-4.60 28 82	-4.07 50 79	-1.39 81 102	5.62 55 86	2	
2	970 15 0043 76127182	2.26	1150 11 0094 970 08 0018				94	103	-1.40 38 84	-0.24 36 95	-0.94 84	-1.50 17 86	0.50 14 106	-1.34 32 95	5.92 52 92	-4.37 33 114	9	
3	106 15 0050 79065942	2.89	106 13 0046				92	90	-0.64 35 93	-0.54 35 87	-0.86 86	0.12 12 96	-0.30 9 102	-1.36 29 95	1.98 73 97	3.65 43 92	1	
4	762 15 0121 76688290	12.52	762 13 0334 762 12 0642				97	97	-0.26 61 97	-0.42 59 90	-0.56 91	0.28 34 98	-1.10 23 98	-1.35 51 95	-8.67 83 111	1.02 54 99	2	
5	762 15 0453 76715903	5.84	762 13 0338 1168 10 0052				96	104	-0.47 55 95	0.72 55 119	0.49 109	-0.46 19 93	-3.40 22 87	-1.78 47 92	-11.75 72 115	5.52 46 87	113 8	
6	106 16 0016 82028127	9.10	1298 10 0440 106 14 0061		9	1	87	81	-0.39 66 95	-0.66 61 84	-0.85 86	0.31 21 98	-2.90 18 90	-2.78 53 86	-13.49 79 117	12.51 46 67	1	
7	106 18 0044 93116010	4.79	HOK 15 0033 106 13 0058		1	1	80	74	-0.66 49 92	-1.07 46 74	-1.40 76	0.07 21 96	-2.50 16 92	-3.23 40 84	7.51 72 90	5.18 39 88	3	
8	1298 18 0160 84217942	8.48	762 16 0351 1298 15 0087	2	1	7	2	112	105	1.43 60 116	0.26 57 107	0.98 117	1.79 51 107	0.60 26 106	2.05 51 114	0.03 58 100	2.83 37 94	6
9	1130 19 0132 90107483	1.59	1126 15 0100 1130 17 0135		1	1	122	127	-0.35 32 96	1.08 32 128	0.90 116	2.91 30 115	3.30 10 119	2.71 27 118	-7.54 44 109	1.93 21 97	3	
10	106 19 0282 91053264	8.41	762 15 0121 106 16 0063		10	1	97	101	-0.14 58 98	-0.05 61 100	-0.12 98	0.17 28 97	-2.30 15 93	-1.57 49 93	-7.74 81 110	-0.75 47 104	4	
11	762 19 0696 86226339	7.23	762 18 0006 762 14 0050	2	1	3	1	111	99	2.22 69 125	0.15 57 105	1.26 122	2.48 25 112	-1.10 27 98	1.71 55 112	-1.27 58 101	3.50 34 92	136 8
12	762 19 1002 86225661	4.89	762 18 0157 762 13 0028	29	5	31	8	89	87	-0.48 90 94	-0.13 82 98	-0.37 94	-0.56 60 92	-1.60 48 96	-1.57 77 93	-1.57 87 102	10.65 62 73	100 8
13	106 20 0102 95889341	11.97	106 18 0044 106 18 0191		4	1	85	81	-0.41 52 95	-1.04 45 75	-1.24 79	0.38 14 98	-2.30 10 93	-2.82 40 86	2.24 61 97	0.98 31 99	5	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						EBV Acc Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
14 106 20 0104 95889333	10.51	106 18 0044 106 17 0215			6	1	86	79	-0.32 50 96	-0.94 50 77	-1.10 81	0.86 34 101	-2.70 12 91	-2.87 41 86	-2.47 71 103	5.31 34 87	4	
15 762 20 0696 90186990	2.87	430 18 0050 762 18 0167	48	2	1	1	121	115	1.43 85 116	-0.04 56 100	0.67 112	3.59 71 119	1.50 18 111	2.28 58 116	-3.66 73 104	-7.63 46 123	2	
16 762 20 1147 90577230	7.01	762 19 1002 762 15 0213			3	1	90	90	-0.40 56 95	0.03 51 102	-0.17 97	-0.34 40 93	-2.80 26 90	-2.05 47 91	-7.78 54 110	9.73 35 75	92 3	
17 106 21 0006 94594603	10.51	106 18 0044 106 20 0105	7	2	6	1	79	77	-1.27 60 86	-1.18 51 71	-1.81 69	-0.63 14 92	-2.20 10 93	-3.77 45 81	0.52 66 99	4.01 32 91	3	
18 872 21 0010 98969173	2.79	430 19 0033 - - -	3	1			100	97	0.55 39 106	-0.07 19 99	0.21 104	0.91 38 102	-0.10 8 103	0.43 24 105	22.33 34 71	-5.57 11 117		
19 872 21 0013 98969165	2.79				2	1									9.52 23 88	-4.92 6 115		
20 116 21 0032 92624089	2.62	116 19 0112 116 18 0148	5	1	2	1	106	102	0.53 50 106	-0.23 28 95	0.04 101	1.44 9 105	1.20 5 109	1.02 31 108	8.70 62 89	-3.17 25 111	5	
21 106 21 0050 96098108	2.87	106 20 0104 106 19 0279	4	1	3	1	89	83	-0.08 49 99	-0.67 40 84	-0.71 88	0.85 18 101	-2.70 9 91	-2.36 36 89	-7.14 69 109	7.24 32 82	2	
22 430 21 0129 93088292	26.81	430 19 0152 430 15 0025	30	2	7	3	121	127	0.48 81 105	0.95 56 125	1.19 121	1.47 40 105	0.30 15 105	1.61 56 112	-29.11 68 136	2.41 41 95	5	
23 776 21 0335 95146536	5.67	776 20 0131 776 18 0018					111	103	1.17 27 113	-0.37 23 92	0.22 104	2.12 16 110	1.60 9 111	1.76 21 113	5.41 43 93	-3.27 18 111	2	
24 762 21 0521 93656841	4.65	762 19 0696 762 17 0420			6	1	105	111	0.60 61 106	1.12 52 129	1.42 125	0.49 25 99	-2.60 27 91	0.16 50 103	0.67 71 99	0.16 31 101	66 8	
25 106 22 0111 100730605	6.36	106 20 0104 106 17 0102					92	91	-0.33 30 96	-0.28 31 94	-0.44 93	0.31 18 98	-2.10 9 94	-1.86 26 92	-4.56 43 106	4.75 23 89	6	
26 970 22 0140 95120234	1.96	430 21 0129 970 20 0108					109	116	-0.57 45 93	0.37 33 110	0.09 102	0.19 21 97	1.10 9 109	0.47 32 105	-10.93 44 114	-0.51 26 103	5	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						EBV Acc Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
27	762 22 0248 96007711	4.56	762 20 0478 762 20 0733	19	1	3	1	113	98	1.92 80	-0.64 53	0.32 85	3.26 39	1.70 17	2.30 55	11.05 75	-4.87 37	96 5
28	106 22 0267 100730639	16.92	106 20 0102 106 20 0105			1	1	86	83	-0.61 35	-0.97 93	-1.27 33	0.10 77	-2.10 9	-2.84 28	-1.87 44	2.01 102	3
29	106 22 0273 100730613	11.72	106 18 0044 106 18 0122					85	82	-0.56 34	-0.58 94	-0.85 30	0.01 86	-2.60 10	-2.69 27	-0.32 46	6.60 100	4
30	106 22 0912 100730621	13.23	106 20 0102 106 19 9124					91	91	-0.55 31	-0.67 94	-0.94 29	0.02 84	-1.70 8	-2.24 25	-5.90 42	1.80 107	3
31	106 23 0002 108800673	6.00	762 21 0521 106 16 0269					94	96	0.12 35	0.15 101	0.21 30	0.44 105	-3.20 16	-1.65 29	0.23 45	1.24 100	5
32	872 23 0012 100337757	2.92	762 20 1147 872 17 0055	8	1			99	99	0.00 56	-0.02 100	-0.02 30	0.08 100	-0.60 13	-0.38 36	-4.08 27	4.40 105	3
33	106 23 0016 99618985	4.42	762 21 0521 106 19 0201	43	1	3	1	109	121	0.01 83	1.79 100	1.79 50	-0.63 136	-1.20 19	1.08 56	-7.74 63	1.78 110	3
34	106 23 0079 107659278	6.40	762 21 0521 106 18 0196					100	102	0.16 35	0.36 102	0.44 31	0.40 110	-2.10 16	-0.74 29	-2.87 45	1.40 103	7
35	106 23 0155 108800608	5.53	762 21 0521 106 19 0179					99	103	0.12 35	0.63 101	0.69 31	0.15 117	-2.60 15	-0.81 29	-2.76 45	3.55 103	3
36	762 23 0388 100498039	7.16	762 22 0248 762 21 0789	1	1			102	104	0.02 52	0.21 100	0.21 35	0.79 106	-0.20 16	0.10 37	5.53 46	-1.88 93	2
37	762 23 0467 100604651	11.20	762 20 0696 762 21 1268					119	115	1.50 50	0.25 117	1.00 36	3.00 107	0.60 15	2.11 37	-5.28 47	-5.05 107	3
38	106 23 0995 107610867	13.86	106 22 0267 106 18 0192					87	84	-0.55 21	-0.82 94	-1.10 20	0.18 80	-2.00 6	-2.58 17	-0.50 32	2.50 100	1
39	776 24 0037 110300365	13.09	776 21 0729 776 21 0271					101	104	-0.93 31	-0.13 89	-0.60 27	-0.55 97	1.50 8	-0.16 24	-2.68 102	1.85 38	2

		Sire Flock Average: Number of sires used in the flock: 39	98	97	0.01	-0.12	-0.11	0.66	-1.10	-0.77	-1.83	1.85
--	--	---	----	----	------	-------	-------	------	-------	-------	-------	------

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP	Dam
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir	Mat				Comb	EBV		
			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EPI	Times Lamb					
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1	762 23 0467 100604651	11.20	762 20 0696 762 21 1268				119	115	1.50 50	0.25 117	1.00 118	3.00 37	0.60 15	2.11 37	-5.28 107	-5.05 30	3
2	106 25 0196 114536287	2.87	762 23 0467 106 20 0161				111	112	0.41 25	0.16 104	0.37 107	1.26 19	1.10 7	1.24 18	-2.83 110	-3.00 15	1
3	106 25 0068 113306542	5.58	762 23 0467 106 23 0029				109	109	0.81 30	0.30 109	0.70 112	1.69 20	-0.60 11	0.75 23	-3.57 104	-1.80 19	1
4	116 22 0199 96412473	2.16	116 21 0032 116 17 0187	6	1		109	102	1.02 50	-0.36 21	0.15 103	1.91 6	1.50 5	1.56 28	7.23 39	-3.01 18	4
5	970 22 0140 95120234	1.96	430 21 0129 970 20 0108				109	116	-0.57 45	0.37 93	0.09 102	0.19 21	1.10 9	0.47 32	-10.93 105	-0.51 26	5
6	106 23 0016 99618985	4.42	762 21 0521 106 19 0201	43	1	3	1	121	0.01 83	1.79 50	1.79 131	-0.63 15	-1.20 19	1.08 56	-7.74 63	1.78 24	3
7	106 25 0013 113307581	4.68	762 23 0467 106 23 0031				109	108	0.74 30	0.26 108	0.63 111	1.63 20	-0.50 10	0.69 23	-3.03 104	-1.58 18	1
8	106 25 0207 113306492	4.59	762 23 0467 106 19 0019				108	109	0.52 29	0.29 106	0.55 110	1.49 20	-0.50 10	0.51 23	-3.40 104	-2.30 22	4
9	106 25 0069 114536253	2.90	106 23 0016 106 19 0121				108	117	-0.33 41	0.94 25	0.77 114	-0.56 8	0.20 9	0.72 27	-4.06 105	0.42 12	1
10	106 25 0091 113302855	5.08	762 23 0467 106 20 0188				107	107	0.59 30	0.14 106	0.43 108	1.48 20	-0.90 9	0.19 23	-6.48 104	-1.15 36	3
11	106 25 0203 113307466	5.97	762 23 0467 106 18 0196				107	104	0.61 30	-0.08 107	0.23 104	1.66 21	-0.50 10	0.23 23	-5.85 104	-1.20 36	7
12	106 25 0202 113302848	5.97	762 23 0467 106 18 0196				107	104	0.61 30	-0.08 107	0.23 104	1.66 21	-0.50 10	0.23 23	-5.85 104	-1.20 36	7
13	106 25 0194 113307607	5.01	762 23 0467 106 20 0279				106	104	0.57 31	0.05 106	0.34 106	1.52 20	-0.80 9	0.14 24	-6.83 103	1.11 22	3
14	106 25 0031 113306484	18.12	106 23 0016 106 23 0051				105	114	0.06 45	1.10 29	1.13 120	-0.16 11	-1.60 12	0.20 31	-3.83 104	1.00 16	1
15	106 25 0204 113307599	4.02	762 23 0467 106 18 0189				105	103	0.46 27	-0.12 105	0.11 102	1.53 19	-0.10 9	0.28 21	-3.21 104	-0.15 20	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16	106 25 0036 113306567	18.29	106 23 0016 106 23 0047		105	114	0.10 45 101	1.11 29 129	1.16 120	-0.15 11 95	-1.80 12 95	0.12 31 103	-5.39 41 107	1.81 16 97	1
17	106 25 0106 113302863	5.36	762 23 0467 106 20 0078		105	103	0.57 31 106	0.01 25 101	0.29 105	1.56 20 106	-1.10 9 98	-0.08 24 102	-7.83 36 110	1.15 22 99	3
18	106 25 0086 113307615	4.22	762 23 0467 106 18 0181		105	102	0.51 27 105	-0.14 21 97	0.12 102	1.58 19 106	-0.30 9 102	0.19 21 104	-2.45 35 103	-0.41 21 103	5
19	106 25 0117 113306583	5.16	762 23 0467 106 22 0162		105	102	0.53 29 106	-0.19 23 96	0.07 102	1.75 21 107	-0.60 9 101	-0.02 22 102	-4.01 35 105	-0.92 19 104	1
20	762 21 0521 93656841	4.65	762 19 0696 762 17 0420	6 1	105	111	0.60 61 106	1.12 52 129	1.42 125	0.49 25 99	-2.60 27 91	0.16 50 103	0.67 71 99	0.16 31 101	66 8
21	106 25 0024 114536261	3.70	762 23 0467 106 18 0023		105	102	0.47 27 105	-0.18 21 96	0.05 101	1.50 19 105	-0.20 9 102	0.16 21 104	-1.62 32 102	-0.90 20 104	3
22	106 25 0169 114536295	3.70	762 23 0467 106 18 0023		105	102	0.47 27 105	-0.18 21 96	0.05 101	1.50 19 105	-0.20 9 102	0.16 21 104	-1.62 32 102	-0.90 20 104	3
23	106 25 0103 113302137	4.83	762 23 0467 106 20 0064		104	100	0.53 31 106	-0.15 25 97	0.11 102	1.57 20 106	-0.80 9 100	-0.11 24 102	-6.86 32 109	2.07 22 96	2
24	106 25 0029 113306468	4.56	762 23 0467 106 23 0287		104	99	0.59 29 106	-0.24 22 95	0.06 101	1.76 19 107	-0.90 8 99	-0.19 21 101	-7.17 35 109	1.53 19 98	1
25	106 25 0099 113307623	4.38	762 23 0467 106 17 0053		103	100	0.46 28 105	-0.21 21 96	0.02 101	1.57 19 106	-0.50 9 101	-0.05 21 102	-0.28 34 100	-1.32 20 106	3
26	106 25 0148 113307532	5.17	762 23 0467 106 20 0044		103	99	0.47 31 105	-0.26 25 94	-0.03 100	1.59 20 106	-0.80 9 100	-0.27 24 101	-5.84 37 107	1.20 22 99	4
27	872 24 0021 107312183	2.85	872 21 0010 872 17 0055		103	103	0.12 23 101	-0.02 10 100	0.04 101	0.38 21 98	0.80 5 107	0.58 14 106	10.98 17 86	-3.25 6 111	3
28	106 25 0301 114536279	10.95	106 23 0016 106 19 0161		102	109	-0.23 45 97	0.62 31 117	0.51 109	-0.28 12 94	-1.20 12 98	-0.33 32 101	-6.17 40 108	2.13 20 96	2
29	106 25 0288 113306559	3.04	106 23 0079 106 23 0095		102	106	-0.26 17 97	0.22 15 106	0.09 102	-0.04 8 95	-0.20 8 102	-0.16 14 102	-1.63 22 102	0.23 11 101	1
30	872 24 0058 107312209	2.90	872 23 0012 872 19 0102		102	104	-0.34 28 96	0.03 15 102	-0.14 98	-0.21 18 94	0.50 6 106	-0.01 18 103	-2.23 14 103	1.73 9 97	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31	872 24 0057 107312191	2.90	872 23 0012 872 19 0102		102	104	-0.34 28 96	0.03 15 102	-0.14 98	-0.21 18 94	0.50 6 106	-0.01 18 103	-2.23 14 103	1.73 9 97	3
32	762 23 0390 100490028	6.77	762 22 0248 762 21 0670		101	99	0.75 49 108	0.08 36 103	0.46 108	1.46 28 105	-1.50 15 96	-0.07 36 102	12.13 46 84	-4.05 24 113	101 4
33	106 23 0129 114448269	2.80	106 19 0282 106 18 0020		101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-4.06 40 105	-0.85 24 104	1
34	106 25 0032 113306500	4.48	106 23 0016 106 23 0247		100	105	-0.10 44 99	0.60 28 116	0.56 110	-0.05 10 95	-1.80 10 95	-0.57 30 99	-5.04 41 106	3.51 16 92	1
35	106 23 0079 107659278	6.40	762 21 0521 106 18 0196		100	102	0.16 35 102	0.36 31 110	0.44 108	0.40 16 98	-2.10 16 94	-0.74 29 98	-2.87 45 103	1.40 22 98	7
36	872 23 0012 100337757	2.92	762 20 1147 872 17 0055	8 1	99	99	0.00 56 100	-0.02 30 100	-0.02 100	0.08 37 96	-0.60 13 101	-0.38 36 100	-4.08 27 105	4.40 17 90	3
37	106 25 0016 113307482	20.38	106 23 0079 106 23 0088		99	102	0.15 24 101	0.37 22 110	0.44 108	0.38 11 98	-2.20 11 93	-0.80 20 98	-2.90 35 104	1.43 15 98	1
38	106 25 0035 113307474	6.97	106 23 0016 106 23 0062		99	104	-0.19 44 98	0.51 29 114	0.42 108	-0.04 12 95	-1.80 10 95	-0.75 30 98	-4.72 41 106	3.70 16 92	1
39	106 24 0274 107793549	6.72	106 23 0016 106 21 0017		99	104	-0.22 44 97	0.46 29 112	0.36 106	-0.18 10 95	-1.80 10 95	-0.83 30 98	-4.11 40 105	2.34 18 95	3
40	106 25 0057 114632011	3.04	106 23 0002 106 23 0330		99	102	-0.28 17 97	0.11 15 104	-0.03 100	-0.03 7 96	-0.80 8 100	-0.64 14 99	-0.08 22 100	0.15 12 102	1
41	106 25 0306 113306476	19.42	106 23 0079 106 23 0063		98	100	0.12 25 101	0.31 22 109	0.37 107	0.38 11 98	-2.20 11 93	-0.89 21 97	0.54 35 99	1.55 15 98	1
42	106 25 0467 113930291	6.75	762 23 0388 106 22 0920		97	98	-0.16 30 98	-0.11 23 98	-0.19 97	0.59 14 100	-1.20 9 98	-0.99 22 97	1.33 32 98	-0.62 18 104	3
43	106 25 0466 113930317	6.75	762 23 0388 106 22 0920		97	98	-0.16 30 98	-0.11 23 98	-0.19 97	0.59 14 100	-1.20 9 98	-0.99 22 97	1.33 32 98	-0.62 18 104	3
44	106 25 0005 114533086	2.87	762 20 1147 872 20 0020		97	100	-0.54 28 94	0.05 26 102	-0.22 97	-0.42 20 93	-0.60 13 101	-0.84 24 98	-4.08 27 105	4.39 17 90	3
45	106 25 0484 114513872	5.62	762 23 0388 106 23 0992		97	97	-0.07 30 99	-0.13 22 97	-0.17 97	0.66 13 100	-1.30 9 97	-0.98 22 97	0.36 35 99	0.88 16 99	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							Comb
			EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
46	106 23 0160 114448244	4.76	762 21 0521 106 18 0187	96	98	0.01 33	0.24 100	0.24 107	0.33 14	98	-2.10 14	-1.01 27	0.06 44	3.01 22	3
47	106 25 0483 113962542	6.75	762 23 0388 106 22 0903	96	97	-0.22 30	-0.19 24	-0.30 96	0.53 14	99	-1.10 9	-1.07 23	2.11 32	-0.36 17	2
48	106 25 0064 113963623	21.65	106 23 0002 106 23 0204	96	97	0.11 25	0.22 101	0.28 106	0.42 10	98	-2.70 11	-1.29 21	-1.06 34	2.32 16	1
49	106 25 0065 113963631	21.65	106 23 0002 106 23 0204	96	97	0.11 25	0.22 101	0.28 106	0.42 10	98	-2.70 11	-1.29 21	-1.06 34	2.32 16	1
50	106 25 0511 114612724	7.59	106 22 0111 106 23 0014	95	96	-0.17 23	0.08 22	0.00 103	0.22 11	97	-2.20 9	-1.41 19	-4.62 34	4.42 16	1
51	106 23 0311 108800681	4.52	762 21 0521 106 20 0259	95	96	0.01 34	0.18 100	0.19 105	0.26 14	97	-2.30 15	-1.19 28	2.06 44	2.74 21	4
52	106 25 0136 113307508	14.10	106 23 0079 106 23 0293	94	94	-0.07 23	-0.19 22	-0.22 96	0.52 13	99	-2.20 9	-1.57 19	-1.97 35	1.96 17	1
53	106 23 0002 108800673	6.00	762 21 0521 106 16 0269	94	96	0.12 35	0.15 101	0.21 105	0.44 15	99	-3.20 16	-1.65 29	0.23 45	1.24 24	5
54	106 23 0146 114448251	8.45	106 19 0282 106 18 0181	94	94	-0.31 31	-0.29 32	-0.44 94	0.17 15	97	-1.80 9	-1.68 26	-3.68 48	1.74 28	5
55	106 23 0314 114448277	10.18	106 19 0282 106 16 0003	93	94	-0.19 35	-0.24 36	-0.34 95	0.13 18	97	-2.20 11	-1.75 30	-4.83 49	2.66 30	6
56	106 25 0452 114521941	11.37	106 22 0111 106 21 0902	93	93	-0.27 23	-0.25 23	-0.38 95	0.27 12	97	-2.10 7	-1.78 19	-5.27 34	3.68 19	2
57	106 25 0141 113307490	10.39	106 23 0995 106 23 0010	93	93	-0.23 21	-0.21 19	-0.33 96	0.31 8	98	-2.00 8	-1.64 17	-1.02 31	2.59 14	1
58	106 23 0286 114448210	8.89	106 21 0050 106 19 0090	92	91	-0.20 30	-0.41 26	-0.52 90	0.46 13	99	-2.30 8	-2.00 23	-6.81 43	4.04 23	5
59	106 25 0119 113306518	11.13	106 22 0912 106 17 0099	92	94	-0.47 22	-0.28 21	-0.52 94	-0.06 8	95	-2.30 8	-2.14 18	-7.11 33	2.93 19	6
60	106 25 0449 114513963	9.54	106 22 0111 106 23 0955	92	92	-0.65 21	-0.42 20	-0.74 90	-0.12 10	95	-1.20 5	-1.78 17	-2.25 31	3.15 14	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam			
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir		Mat			Comb		EBV		EBV			EBV		EPI
									EBV Acc Index		EBV Acc Index					EBV Index		EBV Acc Index			EBV Acc Index		
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
61	106 22 0095 96872791	21.33	106 19 0282 106 17 0215	4	1	2	1	91	91	-0.12 51	-0.45 98	-0.51 92	0.36 47	98	-3.10 15	-2.43 39	-3.46 54	-0.34 104			4		
62	106 24 0228 110490752	8.02	106 21 0050 106 15 0175					90	87	-0.18 30	-0.53 98	-0.62 90	0.56 12	99	-2.40 10	-2.15 24	-5.37 44	5.69 107	24	86	5		
63	106 25 0406 114521909	18.99	106 22 0111 106 23 0906					90	88	-0.35 21	-0.49 96	-0.66 89	0.42 13	98	-2.00 6	-2.04 18	-2.78 34	4.96 103	16	88	1		
64	106 25 0405 114521677	18.99	106 22 0111 106 23 0906					90	88	-0.35 21	-0.49 96	-0.66 89	0.42 13	98	-2.00 6	-2.04 18	-2.78 34	4.96 103	16	88	1		
65	762 20 1147 90577230	7.01	762 19 1002 762 15 0213			3	1	90	90	-0.40 56	0.03 51	-0.17 102	-0.34 40	93	-2.80 26	-2.05 47	-7.78 54	9.73 110	35	75	92 3		
66	106 25 0410 114529944	12.78	106 22 0273 106 21 0933					90	89	-0.38 24	-0.41 96	-0.60 91	0.16 10	97	-2.20 7	-2.10 19	-2.34 33	4.24 103	19	90	1		
67	106 23 0248 114448285	8.11	106 21 0050 106 13 0186					90	85	-0.18 30	-0.57 98	-0.66 87	0.58 12	99	-2.40 10	-2.19 24	-4.53 42	6.03 106	22	85	2		
68	106 25 0279 114533094	11.87	106 23 0002 106 20 0259					89	88	-0.23 22	-0.30 97	-0.42 93	0.23 10	97	-2.60 10	-2.10 18	1.84 34	3.28 97	18	93	4		
69	106 21 0050 96098108	2.87	106 20 0104 106 19 0279	4	1	3	1	89	83	-0.08 49	-0.67 99	-0.71 84	0.85 18	101	-2.70 9	-2.36 36	-7.14 69	7.24 109	32	82	2		
70	106 25 0419 114514011	14.13	106 22 0273 106 17 0920					89	86	-0.40 23	-0.50 95	-0.70 88	0.23 8	97	-1.90 7	-2.04 18	-0.63 33	5.56 101	19	87	2		
71	106 25 0102 113302145	13.44	106 23 0995 106 13 0223					89	87	-0.57 19	-0.66 93	-0.94 84	0.25 9	97	-1.80 8	-2.30 16	-0.36 30	2.67 100	18	95	4		
72	106 22 0925 99619025	11.09	106 20 0102 106 18 0927					89	85	-0.36 34	-0.83 96	-1.01 80	0.43 9	98	-1.70 7	-2.21 25	1.50 41	1.89 98	21	97	2		
73	106 25 0209 114536311	15.86	106 23 0995 106 21 0018					88	86	-0.45 20	-0.65 95	-0.87 85	0.16 9	97	-2.20 6	-2.42 17	-2.31 32	3.55 103	18	92	2		
74	106 23 0172 114448236	7.15	106 21 0050 106 17 0053					88	84	-0.33 27	-0.67 96	-0.83 84	0.50 10	99	-2.20 6	-2.31 21	-1.21 42	4.83 101	21	89	3		
75	106 25 0160 113307524	6.57	762 20 1147 106 21 0017					88	86	-0.42 32	-0.42 95	-0.63 90	-0.03 21	95	-2.60 14	-2.40 27	-4.13 37	6.31 105	22	85	3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index							Comb EBV Index	
			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EPI Times Lamb							
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76	106 23 0242 114448228	12.74	106 20 0102 106 20 0078				88	85	-0.38 32 95	-0.64 28 85	-0.83 86	0.25 9 97	-2.60 8 91	-2.58 25 88	-4.07 41 105	4.16 22 90	3	
77	106 25 0076 113306526	19.85	106 23 0995 106 18 0187				88	85	-0.56 16 93	-0.74 16 82	-1.02 83	0.17 6 97	-1.80 5 95	-2.38 13 89	-0.52 30 100	4.18 18 90	3	
78	106 25 0411 114529928	18.38	106 22 0273 106 22 0924				87	84	-0.44 23 95	-0.65 20 84	-0.87 85	0.21 8 97	-2.20 6 93	-2.41 18 89	0.14 32 100	4.68 16 89	1	
79	106 23 0995 107610867	13.86	106 22 0267 106 18 0192				87	84	-0.55 21 94	-0.82 20 80	-1.10 81	0.18 8 97	-2.00 6 94	-2.58 17 88	-0.50 32 100	2.50 18 95	1	
80	106 25 0460 113930309	20.84	106 22 0273 106 22 0910				86	85	-0.59 23 93	-0.62 21 85	-0.91 85	-0.06 9 95	-2.30 7 93	-2.59 19 88	1.86 34 97	3.42 18 93	2	
81	106 25 0070 114536303	15.24	106 23 0995 106 22 0147				86	83	-0.53 19 94	-0.74 18 82	-1.00 83	0.13 7 97	-2.40 6 92	-2.71 16 87	-0.92 31 101	4.37 15 90	1	
82	106 20 0104 95889333	10.51	106 18 0044 106 17 0215		6	1	86	79	-0.32 50 96	-0.94 50 77	-1.10 81	0.86 34 101	-2.70 12 91	-2.87 41 86	-2.47 71 103	5.31 34 87	4	
83	106 25 0479 114532567	17.91	106 22 0273 106 23 0951				86	83	-0.66 24 92	-0.69 21 84	-1.02 83	-0.04 8 95	-2.20 6 93	-2.67 19 87	-0.26 33 100	5.43 16 87	1	
84	106 25 0486 114514169	22.00	106 22 0273 106 22 0933				85	82	-0.56 22 94	-0.67 20 84	-0.94 84	0.07 9 96	-2.20 7 93	-2.54 18 88	1.93 35 97	5.83 18 86	1	
85	106 25 0046 114533060	17.62	106 23 0995 106 20 0226				85	81	-0.56 18 93	-0.85 17 79	-1.13 81	0.15 8 97	-2.30 6 93	-2.79 15 86	-0.58 32 101	5.39 18 87	3	
86	106 21 0006 94594603	10.51	106 18 0044 106 20 0105	7	2	6	1	79	77	-1.27 60 86	-1.18 51 71	-1.81 69	-0.63 14 92	-2.20 10 93	-3.77 45 81	0.52 66 99	4.01 32 91	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					Times Lambed
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Acc Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1 1130 22 0156 99276636	1.59	1298 18 0160 1130 19 0147	113	114	0.49 32 105	0.34 31 109	0.59 111	1.23 28 104	1.60 14 111	1.80 27 113	0.33 34 99	-3.00 27 110		2
2 776 23 0212 110300373	4.93	776 21 0335 776 21 0741	113	109	0.95 21 110	0.00 18 101	0.48 109	2.01 12 109	1.40 7 110	1.80 17 113	1.89 39 97	-3.44 17 111		1
3 106 21 0118 96776752	2.17	1130 19 0132 1130 18 0109	113	117	-0.33 16 96	0.52 16 114	0.35 106	1.53 15 106	2.40 5 115	1.63 13 112	-1.30 26 101	-0.28 13 103		0
4 106 25 0166 113898639	3.04	762 23 0467 106 23 0091	111	112	0.41 25 104	0.16 18 105	0.37 107	1.26 19 104	1.10 7 109	1.24 18 110	-2.83 23 103	-3.00 15 110		0
5 106 25 0199 113899538	2.71	762 23 0467 106 22 0119	111	112	0.41 25 104	0.16 18 105	0.37 107	1.26 19 104	1.10 7 109	1.24 18 110	-2.83 23 103	-3.00 15 110		0
6 106 25 0167 113908180	3.04	762 23 0467 106 23 0091	111	112	0.41 25 104	0.16 18 105	0.37 107	1.26 19 104	1.10 7 109	1.24 18 110	-2.83 23 103	-3.00 15 110		0
7 106 25 0200 113899504	2.71	762 23 0467 106 22 0119	111	112	0.41 25 104	0.16 18 105	0.37 107	1.26 19 104	1.10 7 109	1.24 18 110	-2.83 23 103	-3.00 15 110		0
8 106 25 0014 113307565	4.68	762 23 0467 106 23 0031	109	108	0.74 30 108	0.26 23 107	0.63 111	1.63 20 106	-0.50 10 101	0.69 23 107	-3.03 36 104	-1.58 18 106		0
9 106 25 0037 114495740	4.97	762 23 0467 106 23 0085	108	107	0.82 30 109	0.28 23 108	0.69 112	1.68 20 107	-0.90 11 99	0.56 23 106	-3.05 35 104	-1.41 19 106		0
10 106 25 0019 113891337	5.54	762 23 0467 106 23 0265	107	106	0.62 30 107	0.00 25 101	0.31 106	1.58 20 106	-0.60 9 101	0.26 23 104	-6.05 34 108	-1.64 21 106		0
11 106 25 0020 113891329	5.54	762 23 0467 106 23 0265	107	106	0.62 30 107	0.00 25 101	0.31 106	1.58 20 106	-0.60 9 101	0.26 23 104	-6.05 34 108	-1.64 21 106		0
12 106 25 0162 113899397	5.42	762 23 0467 106 21 0089	107	107	0.55 30 106	0.00 25 101	0.28 105	1.48 20 105	-0.50 9 101	0.26 23 104	-4.15 37 105	-3.19 22 111		0
13 776 25 0158 110300381	7.86	776 24 0037 776 23 0212	107	107	0.01 19 100	-0.07 16 99	-0.06 99	0.73 9 100	1.50 5 111	0.85 15 107	-0.39 27 100	-0.80 13 104		0
14 106 25 0126 113898712	5.67	762 23 0467 106 20 0066	106	104	0.57 30 106	-0.09 24 98	0.19 104	1.62 21 106	-0.30 10 102	0.30 23 104	-4.38 36 105	-0.94 23 105		0
15 106 25 0127 113898654	5.67	762 23 0467 106 20 0066	106	104	0.57 30 106	-0.09 24 98	0.19 104	1.62 21 106	-0.30 10 102	0.30 23 104	-4.38 36 105	-0.94 23 105		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 106 25 0174 113918502	5.30	762 23 0467 106 18 0156	106	104	0.56 30 106	-0.09 24 98	0.19 104	1.57 21 106	-0.30 10 102	0.28 23 104	-5.60 36 107	-0.37 22 103	0
17 106 25 0092 113891428	5.06	762 23 0467 106 19 0047	106	105	0.43 30 105	-0.09 25 99	0.13 103	1.37 21 105	-0.10 10 103	0.28 23 104	-3.89 37 105	-1.69 23 107	0
18 106 25 0183 113918510	5.12	762 23 0467 106 21 0235	106	104	0.64 30 107	-0.02 25 100	0.30 106	1.60 20 106	-0.80 9 100	0.14 23 103	-5.83 37 107	-0.83 22 104	0
19 106 25 0184 113918551	5.12	762 23 0467 106 21 0235	106	104	0.64 30 107	-0.02 25 100	0.30 106	1.60 20 106	-0.80 9 100	0.14 23 103	-5.83 37 107	-0.83 22 104	0
20 106 25 0188 113898647	5.24	762 23 0467 106 19 0023	106	104	0.45 30 105	-0.14 24 97	0.08 102	1.47 21 105	-0.10 10 103	0.24 23 104	-3.62 34 104	-1.43 22 106	0
21 106 25 0074 113891378	5.85	762 23 0467 106 18 0191	106	104	0.64 33 107	-0.16 28 97	0.16 103	1.71 21 107	-0.70 10 100	0.06 26 103	-3.96 38 105	-2.83 23 110	0
22 106 25 0189 113898746	5.24	762 23 0467 106 19 0023	106	104	0.45 30 105	-0.14 24 97	0.08 102	1.47 21 105	-0.10 10 103	0.24 23 104	-3.62 34 104	-1.43 22 106	0
23 106 25 0195 113307516	5.01	762 23 0467 106 20 0279	106	104	0.57 31 106	0.05 25 102	0.34 106	1.52 20 106	-0.80 9 100	0.14 24 103	-6.83 36 108	1.11 22 99	0
24 106 25 0042 113899496	18.33	106 23 0016 106 23 0057	106	114	0.07 45 101	1.11 30 129	1.15 120	-0.16 11 95	-1.70 12 95	0.16 32 104	-6.11 41 108	2.10 16 96	0
25 106 25 0034 113899322	18.36	106 23 0016 106 23 0053	106	115	0.08 45 101	1.11 29 129	1.15 120	-0.14 11 95	-1.70 12 95	0.17 31 104	-5.32 41 107	1.38 16 98	0
26 106 25 0249 113899355	4.83	762 23 0467 106 18 0064	105	103	0.53 28 106	-0.12 22 98	0.15 103	1.62 19 106	-0.40 9 102	0.18 21 104	-2.96 36 104	-1.09 21 105	0
27 106 25 0250 113899413	4.83	762 23 0467 106 18 0064	105	103	0.53 28 106	-0.12 22 98	0.15 103	1.62 19 106	-0.40 9 102	0.18 21 104	-2.96 36 104	-1.09 21 105	0
28 106 25 0082 114495716	4.22	762 23 0467 106 16 0008	105	101	0.51 27 105	-0.14 21 97	0.11 102	1.58 19 106	-0.30 9 102	0.18 21 104	-3.16 35 104	0.32 21 101	0
29 106 25 0116 113306575	5.16	762 23 0467 106 22 0162	105	102	0.53 29 106	-0.19 23 96	0.07 102	1.75 21 107	-0.60 9 101	-0.02 22 102	-4.01 35 105	-0.92 19 104	0
30 106 25 0201 113918544	5.62	762 23 0467 106 21 0192	105	101	0.56 31 106	-0.15 25 97	0.13 103	1.61 20 106	-0.70 9 100	-0.01 24 103	-6.55 33 108	0.95 21 99	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 106 25 0078 113891394	5.12	762 23 0467 106 16 0019	105	101	0.61 30	-0.11 24	0.19 104	1.66 20	-0.70 11	0.08 23	-3.49 34	-0.15 22	0
32 106 25 0186 113898670	5.51	762 23 0467 106 18 0122	105	103	0.52 34	0.08 26	0.34 106	1.47 20	-1.10 9	-0.05 25	-6.71 36	1.49 22	0
33 106 25 0030 113899579	17.06	106 23 0016 106 23 0158	104	112	0.05 45	1.03 29	1.06 119	-0.12 10	-1.80 12	0.00 31	-5.30 41	2.40 16	0
34 106 19 0201 95800884	1.60	762 15 0121 106 12 0066	104	111	-0.46 48	0.48 36	0.25 105	-0.72 17	0.10 13	0.08 35	-8.37 55	2.16 31	3
35 106 25 0023 114495732	5.50	762 23 0467 106 23 0233	104	101	0.57 29	-0.26 23	0.03 101	1.66 20	-0.70 9	-0.10 22	-2.92 35	-2.08 19	0
36 106 25 0095 113899348	5.48	762 23 0467 106 20 0112	104	100	0.58 31	-0.14 25	0.15 103	1.64 20	-0.90 10	-0.10 24	-7.11 36	1.55 22	0
37 106 25 0021 114495682	5.50	762 23 0467 106 23 0233	104	101	0.57 29	-0.26 23	0.03 101	1.66 20	-0.70 9	-0.10 22	-2.92 35	-2.08 19	0
38 106 25 0190 113899272	5.07	762 23 0467 106 21 0139	104	100	0.53 30	-0.17 24	0.09 102	1.62 20	-0.70 9	-0.06 23	-4.90 37	1.03 20	0
39 106 25 0191 113899546	5.07	762 23 0467 106 21 0139	104	100	0.53 30	-0.17 24	0.09 102	1.62 20	-0.70 9	-0.06 23	-4.90 37	1.03 20	0
40 106 25 0104 113891402	4.83	762 23 0467 106 20 0064	104	100	0.53 31	-0.15 25	0.11 102	1.57 20	-0.80 9	-0.11 24	-6.86 32	2.07 22	0
41 106 24 0194 114544034	11.15	106 23 0016 106 21 0023	103	112	-0.19 45	0.78 31	0.68 112	-0.34 11	-1.40 10	-0.26 32	-5.63 42	0.17 20	0
42 106 25 0100 113307573	4.38	762 23 0467 106 17 0053	103	100	0.46 28	-0.21 21	0.02 101	1.57 19	-0.50 9	-0.05 21	-0.28 34	-1.32 20	0
43 106 25 0142 113898704	11.53	106 23 0016 106 23 0198	103	111	-0.13 45	0.76 30	0.69 112	-0.23 11	-1.50 10	-0.27 31	-6.84 42	1.31 19	0
44 106 24 0187 114544083	11.15	106 23 0016 106 21 0089	103	112	-0.19 45	0.78 31	0.68 112	-0.34 11	-1.40 10	-0.26 32	-5.38 42	0.22 20	0
45 106 25 0147 113898688	5.22	762 23 0467 106 20 0148	103	100	0.55 31	-0.20 25	0.08 102	1.61 20	-1.00 9	-0.25 24	-5.09 36	0.43 22	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
								Dir	Mat	Comb										
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
46	106 25 0123 113898662	4.65	762 23 0467 106 18 0226	103	100	0.50 28 105	-0.22 22 95	0.03 101	1.63 19 106	-0.70 9 100	-0.14 21 102	-2.79 36 103	-0.20 22 102					0		
47	106 25 0122 113898720	4.65	762 23 0467 106 18 0226	103	100	0.50 28 105	-0.22 22 95	0.03 101	1.63 19 106	-0.70 9 100	-0.14 21 102	-2.79 36 103	-0.20 22 102					0		
48	106 25 0027 113891311	5.33	762 23 0467 106 23 0902	103	101	0.34 30 104	-0.28 23 94	-0.11 98	1.39 20 105	-0.60 9 101	-0.30 22 101	-6.00 34 107	-0.34 19 103					0		
49	106 25 0028 113918668	5.33	762 23 0467 106 23 0902	103	101	0.34 30 104	-0.28 23 94	-0.11 98	1.39 20 105	-0.60 9 101	-0.30 22 101	-6.00 34 107	-0.34 19 103					0		
50	106 25 0146 113898738	5.22	762 23 0467 106 20 0148	103	100	0.55 31 106	-0.20 25 96	0.08 102	1.61 20 106	-1.00 9 99	-0.25 24 101	-5.09 36 106	0.43 22 101					0		
51	872 23 0115 100337575	2.79	872 21 0013 872 20 0101	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			4.57 11 94	-2.93 5 110			1			
52	872 24 0039 107312142	2.79	872 21 0013 872 19 0161	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			4.57 11 94	-2.93 5 110			0			
53	872 24 0023 107312126	2.79	872 21 0013 872 19 0022	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			4.57 11 94	-2.93 5 110			0			
54	872 24 0036 107312134	2.71	872 21 0013 872 22 0082	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			4.57 11 94	-2.93 5 110			0			
55	872 24 0044 107312159	2.79	872 21 0013 872 20 0020	103	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			4.57 11 94	-2.93 5 110			0			
56	106 25 0470 113964662	4.78	106 22 0111 1130 22 0156	103	103	0.08 22 101	0.03 22 102	0.07 102	0.77 17 101	-0.20 8 102	-0.01 19 103	-2.11 28 103	0.88 18 100					0		
57	106 25 0469 113964621	4.78	106 22 0111 1130 22 0156	103	103	0.08 22 101	0.03 22 102	0.07 102	0.77 17 101	-0.20 8 102	-0.01 19 103	-2.11 28 103	0.88 18 100					0		
58	106 25 0149 113326490	5.17	762 23 0467 106 20 0044	103	99	0.47 31 105	-0.26 25 94	-0.03 100	1.59 20 106	-0.80 9 100	-0.27 24 101	-5.84 37 107	1.20 22 99					0		
59	106 25 0108 114522675	4.45	762 23 0467 106 22 0125	102	99	0.46 29 105	-0.25 22 94	-0.03 100	1.51 20 106	-0.70 9 100	-0.22 22 101	-1.58 35 102	-0.25 19 103					0		
60	872 22 0059 98969132	2.84	872 21 0010 872 19 0102	102	103	-0.06 19 99	0.01 9 101	-0.03 100	0.21 19 97	0.80 5 107	0.43 12 105	10.97 17 86	-3.25 6 111					1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
61	106 25 0052 114495724	5.25	762 23 0467 106 21 0214	102	98	0.43 31	-0.31 25	-0.10 99	1.50 20	-0.80 9	-0.36 100	-3.44 24	0.61 100	0			
62	106 25 0121 113918460	4.65	762 23 0467 106 22 0161	102	98	0.51 29	-0.27 23	-0.02 100	1.57 20	-0.90 9	-0.30 99	-1.28 22	-0.13 101	0			
63	872 24 0070 107442246	2.80	872 23 0012 872 18 0204	102	104	-0.34 28	0.03 15	-0.14 98	-0.21 18	0.50 6	-0.01 106	-2.23 18	1.73 103	0			
64	872 24 0073 107312175	2.87	872 23 0012 872 20 0102	102	104	-0.34 28	0.03 15	-0.14 98	-0.21 18	0.50 6	-0.01 106	-2.23 18	1.73 103	0			
65	872 24 0055 107312167	2.87	872 23 0012 872 20 0062	102	104	-0.34 28	0.03 15	-0.14 98	-0.21 18	0.50 6	-0.01 106	-2.23 18	1.73 103	0			
66	106 24 0105 114544109	4.57	106 23 0016 106 18 0114	102	108	-0.23 43	0.64 28	0.52 109	-0.25 9	-1.20 10	-0.31 98	-3.19 30	1.88 101	0			
67	106 24 0014 110490687	2.79	970 22 0140 106 18 0196	102	105	-0.42 28	-0.01 24	-0.22 96	0.25 14	-0.30 9	-0.62 102	-8.67 35	1.07 111	0			
68	106 25 0217 113899405	5.25	762 23 0467 106 21 0215	101	97	0.41 30	-0.33 24	-0.12 98	1.50 20	-0.80 9	-0.39 100	-1.90 23	-0.05 102	0			
69	106 24 0288 114495328	2.79	970 22 0140 106 18 0143	101	105	-0.48 27	-0.02 22	-0.25 96	0.24 12	0.00 6	-0.49 103	-4.99 37	0.43 106	0			
70	106 18 9202 96115126	2.57	762 15 0121 106 16 9121	101	104	-0.47 30	-0.17 29	-0.41 93	-0.11 17	0.30 12	-0.46 105	-3.99 46	-1.19 105	1			
71	106 24 0991 107793580	2.69	970 22 0140 106 22 0920	100	104	-0.45 27	-0.03 22	-0.25 96	0.29 14	-0.60 6	-0.84 101	-6.90 32	0.06 109	0			
72	106 25 0040 113891360	6.39	106 23 0016 106 23 0238	100	106	-0.21 44	0.55 29	0.45 108	-0.11 12	-1.60 10	-0.61 96	-5.83 40	3.37 107	0			
73	106 25 0012 113899231	6.07	762 23 0388 106 23 0114	100	103	0.07 32	0.35 23	0.38 107	0.53 13	-1.30 11	-0.37 97	2.05 24	0.52 100	0			
74	106 23 0057 112202536	5.64	762 21 0521 106 21 0133	100	103	0.13 35	0.44 31	0.50 109	0.31 15	-2.10 14	-0.69 94	-4.49 29	2.42 99	1			
75	106 23 0053 112201314	5.72	762 21 0521 106 21 0135	100	103	0.16 34	0.43 31	0.51 109	0.35 15	-2.20 14	-0.74 93	-2.91 54	0.99 104	1			

Ewe Selection List: LMI

Inbreeding in red is high

Indices ≥ 124
 Above breed average
 Indices ≤ 76

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambled		
					Dir	Mat	Comb								Acc	Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
76	106 23 0987 113964654	5.41	106 20 0104 1130 22 0156	100	97	0.09 30 101	-0.30 30 93	-0.25 96	1.04 22 103	-0.50 9 101	-0.51 25 100	-1.07 39 101	1.16 22 99	1		
77	106 23 0029 107613697	6.03	762 21 0521 106 19 0112	99	102	0.12 34 101	0.34 30 109	0.41 107	0.37 15 98	-1.90 15 94	-0.68 28 99	-1.87 53 102	1.46 22 98	1		
78	106 24 0993 107793564	2.65	970 22 0140 106 22 0903	99	103	-0.51 27 94	-0.11 23 98	-0.37 94	0.23 14 97	-0.50 6 101	-0.92 21 97	-6.12 31 108	0.32 18 101	0		
79	106 23 0068 112201397	5.57	762 21 0521 106 21 0169	99	103	0.20 35 102	0.44 31 112	0.54 110	0.35 15 98	-2.40 15 92	-0.80 29 98	-1.00 54 101	0.14 22 102	1		
80	106 24 9101 107793598	2.65	970 22 0140 106 22 0903	99	103	-0.51 27 94	-0.11 23 98	-0.37 94	0.23 14 97	-0.50 6 101	-0.92 21 97	-6.12 31 108	0.32 18 101	0		
81	106 24 0057 110490703	2.83	970 22 0140 106 20 0011	99	102	-0.49 29 94	-0.10 23 98	-0.34 94	0.24 12 97	-0.50 7 101	-0.89 22 97	-8.51 33 111	2.64 20 95	0		
82	106 25 0015 113307557	20.38	106 23 0079 106 23 0088	99	102	0.15 24 101	0.37 22 110	0.44 108	0.38 11 98	-2.20 11 93	-0.80 20 98	-2.90 35 104	1.43 15 98	0		
83	106 23 0051 112209119	5.26	762 21 0521 106 21 0152	99	103	0.12 34 101	0.41 30 111	0.47 108	0.31 15 98	-2.10 14 94	-0.73 28 98	0.09 54 100	0.23 21 101	1		
84	106 25 0253 113899421	4.94	106 23 0002 106 19 0201	99	104	-0.17 30 98	0.32 24 109	0.23 104	-0.14 11 95	-1.50 10 96	-0.76 23 98	-4.07 35 105	1.70 20 97	0		
85	106 23 0009 110856630	5.48	762 21 0521 106 18 0038	99	101	0.11 37 101	0.40 33 111	0.45 108	0.44 15 99	-2.00 15 94	-0.70 30 99	-3.36 44 104	3.28 21 93	0		
86	106 23 0047 112201355	5.57	762 21 0521 106 21 0235	99	102	0.19 35 102	0.42 31 111	0.52 109	0.34 15 98	-2.40 15 92	-0.83 29 98	-3.04 54 104	1.84 22 97	1		
87	106 25 0172 113918452	8.50	106 23 0016 106 22 0178	99	105	-0.25 44 97	0.52 29 114	0.40 107	-0.24 10 94	-1.50 11 96	-0.63 31 99	-1.25 41 101	2.22 17 96	0		
88	106 25 0230 113899389	19.19	106 23 0155 106 23 0068	99	103	0.16 25 102	0.54 22 114	0.62 111	0.25 10 97	-2.50 11 92	-0.80 21 98	-1.88 35 102	1.84 16 97	0		
89	106 23 0010 107610875	5.48	762 21 0521 106 18 0038	99	101	0.11 37 101	0.40 33 111	0.45 108	0.44 15 99	-2.00 15 94	-0.70 30 99	-1.53 53 102	2.68 21 95	1		
90	106 25 0231 113899215	19.19	106 23 0155 106 23 0068	99	103	0.16 25 102	0.54 22 114	0.62 111	0.25 10 97	-2.50 11 92	-0.80 21 98	-1.88 35 102	1.84 16 97	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
91	106 25 0173 113918643	8.50	106 23 0016 106 22 0178	99	105	-0.25 44	0.52 29	0.40 114	-0.24 107	-0.24 10	94	-1.50 11	-0.63 31	-1.25 41	2.22 17	96	0			
92	106 23 0088 107613564	5.67	762 21 0521 106 21 0052	99	102	0.14 34	0.38 101	0.45 30	0.35 110	0.35 108	98	-2.40 14	-0.93 28	-2.92 54	1.46 104	21	98	1		
93	106 23 0031 107614539	4.17	762 21 0521 106 16 0021	98	101	-0.03 32	0.27 99	0.26 28	0.25 108	0.25 105	97	-1.70 14	-0.78 26	-0.79 54	1.90 101	20	97	1		
94	106 24 0203 114544059	4.71	106 23 0016 106 20 0259	98	103	-0.29 44	0.52 96	0.37 29	-0.30 114	-0.30 107	94	-1.60 11	-0.73 31	-2.15 40	3.55 103	18	92	0		
95	106 25 0247 113918486	20.99	106 23 0155 106 23 0025	98	102	0.09 24	0.60 101	0.65 22	0.16 116	0.16 112	97	-2.70 11	-0.93 20	-3.39 34	3.51 104	15	92	0		
96	106 25 0504 114565989	2.71	106 22 0111 106 22 9566	98	100	-0.50 15	-0.10 94	-0.35 15	-0.09 98	-0.09 94	95	-0.20 5	-0.72 12	-2.47 22	1.90 103	11	97	0		
97	106 23 0014 114612286	5.29	762 21 0521 106 20 0176	98	101	-0.01 35	0.45 100	0.44 31	0.13 112	0.13 108	97	-2.30 15	-0.95 29	-4.68 53	4.09 106	22	91	1		
98	106 25 0168 113898696	7.13	106 23 0016 106 23 0121	98	103	-0.17 44	0.45 98	0.37 29	-0.01 112	-0.01 107	96	-2.20 11	-1.03 31	-4.72 41	3.12 106	17	93	0		
99	106 23 0034 99638702	4.34	762 21 0521 106 15 0015	98	100	0.04 34	0.29 100	0.31 30	0.25 108	0.25 106	97	-2.00 15	-0.88 28	-0.52 41	1.56 100	23	98	0		
100	106 23 0025 99638678	5.21	762 21 0521 106 19 0143	98	102	0.07 34	0.57 100	0.60 30	0.17 115	0.17 111	97	-2.80 15	-1.05 28	-4.02 52	3.47 105	21	92	1		
101	106 25 0049 113918577	2.71	106 22 0912 106 22 0086	98	100	-0.61 16	-0.29 93	-0.60 14	-0.24 93	-0.24 90	94	0.00 5	-0.91 12	-3.14 21	0.43 104	11	101	0		
102	106 19 0019 95870127	4.92	762 15 0453 106 16 0061	97	103	-0.46 31	0.33 95	0.10 32	-0.02 109	-0.02 102	96	-1.70 12	-1.15 27	-1.52 57	0.46 102	32	101	4		
103	106 24 0260 114544026	2.54	970 22 0140 106 22 0054	97	99	-0.58 27	-0.22 93	-0.51 22	0.12 95	0.12 92	96	-0.40 7	-1.04 20	-4.02 30	1.78 105	18	97	0		
104	106 23 0158 112209127	5.89	762 21 0521 106 20 0011	97	99	0.09 35	0.28 101	0.32 31	0.39 108	0.39 106	98	-2.40 15	-1.07 29	-2.86 53	3.02 103	22	94	1		
105	106 25 0004 113899611	2.87	762 20 1147 872 20 0020	97	100	-0.54 28	0.05 94	-0.22 26	-0.42 102	-0.42 97	93	-0.60 13	-0.84 24	-4.08 27	4.39 105	17	90	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir		Mat		Comb	EBV			EBV	EBV	Acc	Index	Acc	Index		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50			-0.36	-0.31							-0.30	0.15
106	106 25 0002	2.71	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	114495765		872 22 0082			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
107	106 25 0009	2.71	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	113899595		872 22 0015			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
108	106 25 0051	2.87	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	113899629		872 20 0062			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
109	106 25 0115	2.79	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	113899587		872 21 0120			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
110	872 23 0184	2.87	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	100337617		872 20 0152			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
111	106 25 0001	2.71	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	114495773		872 22 0082			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
112	106 25 0061	2.80	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	113899637		872 18 0204			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
113	106 25 0006	2.90	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-4.08	4.39	0							
	114495674		872 19 0022			28 94	26 102	97	20 93	13 101	24 98	27 105	17 90									
114	106 24 0216	2.70	970 22 0140	97	99	-0.56	-0.10		-0.38	0.10	-0.80	-1.14	-5.53	3.02	0							
	114544042		106 22 0272			28 93	22 98	94	12 96	7 100	21 96	34 107	18 94									
115	106 25 0140	8.70	106 23 0155	97	99	-0.13	0.17		0.11	0.10	-2.10	-1.22	-3.51	2.04	0							
	113899306		106 23 0269			24 98	23 105	102	11 96	9 94	20 96	35 104	18 96									
116	106 25 0003	2.83	762 20 1147	97	100	-0.54	0.05		-0.22	-0.42	-0.60	-0.84	-1.61	3.40	0							
	113899603		872 23 0115			28 94	26 102	97	20 93	13 101	24 98	28 102	18 93									
117	106 25 0454	8.41	106 22 0111	97	98	-0.40	-0.23		-0.43	0.10	-0.90	-1.16	-4.27	1.78	0							
	114612146		106 18 9202			21 95	21 95	93	12 96	7 99	18 96	31 105	18 97									
118	106 25 0482	6.75	762 23 0388	96	97	-0.22	-0.19		-0.30	0.53	-1.10	-1.07	2.11	-0.36	0							
	113962559		106 22 0903			30 97	24 96	95	14 99	9 98	23 96	32 97	17 103									
119	106 25 0481	6.75	762 23 0388	96	97	-0.22	-0.19		-0.30	0.53	-1.10	-1.07	2.11	-0.36	0							
	113928287		106 22 0903			30 97	24 96	95	14 99	9 98	23 96	32 97	17 103									
120	106 24 0283	2.66	970 22 0140	96	97	-0.57	-0.21		-0.50	0.16	-0.40	-1.02	-4.14	4.14	0							
	114544000		106 20 0219			26 93	21 96	92	12 97	6 102	19 97	34 105	19 91									

Ewe Selection List: LMI

Inbreeding in red is high

Indices ≥ 124
 Above breed average
 Indices ≤ 76

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro- duction Index	Weaning Weight			Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd	
							Dir	Mat	Comb			Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
121	106 20 0238 93565216	1.60	106 16 0016 106 12 0066	96	96	-0.50 35	-0.13 94	-0.38 94	-0.44 11	-0.44 93	-0.70 9	-1.04 100	-1.04 28	-1.04 97	-10.52 47	-10.52 113	7.94 27	7.94 80		2		
122	106 25 0008 113899645	3.38	762 20 1147 872 22 0059	96	97	-0.23 30	0.02 97	-0.10 26	-0.07 101	-0.07 99	-1.00 13	-0.81 99	-0.81 25	-0.81 98	1.59 28	1.59 98	3.24 18	3.24 93		0		
123	106 25 0219 113918635	10.01	106 23 0155 106 21 0154	96	98	-0.04 24	0.17 99	0.15 23	0.21 105	0.21 103	-2.40 10	-1.31 92	-1.31 20	-1.31 95	-3.89 33	-3.89 105	3.04 18	3.04 94		0		
124	106 25 0275 113899520	7.60	106 23 0155 106 18 0143	96	98	-0.13 22	0.12 98	0.05 21	0.22 104	0.22 101	-1.90 9	-1.15 94	-1.15 19	-1.15 96	-0.91 37	-0.91 101	2.46 19	2.46 95		0		
125	106 25 0243 113899561	8.95	106 23 0155 106 23 0205	96	99	-0.11 24	0.18 99	0.13 23	-0.06 105	-0.06 103	-2.40 9	-1.37 92	-1.37 20	-1.37 95	-3.78 35	-3.78 105	2.22 18	2.22 96		0		
126	106 23 0063 107614018	5.53	762 21 0521 106 21 0139	96	97	0.08 35	0.27 101	0.31 31	0.36 107	0.36 106	-2.30 15	-1.04 93	-1.04 29	-1.04 97	3.94 53	3.94 95	1.70 21	1.70 97		1		
127	106 25 0193 113918445	2.90	106 23 0995 106 19 0011	95	97	-0.61 11	-0.37 93	-0.68 10	-0.16 91	-0.16 89	-0.20 5	-1.11 102	-1.11 9	-1.11 96	-0.44 16	-0.44 100	0.78 9	0.78 100		0		
128	106 25 0098 113899223	2.79	106 23 0995 106 21 0153	95	97	-0.61 11	-0.37 93	-0.68 10	-0.16 91	-0.16 89	-0.20 5	-1.11 102	-1.11 9	-1.11 96	-0.44 16	-0.44 100	0.78 9	0.78 100		0		
129	106 25 0101 113899173	2.79	106 23 0995 106 21 0153	95	97	-0.61 11	-0.37 93	-0.68 10	-0.16 91	-0.16 89	-0.20 5	-1.11 102	-1.11 9	-1.11 96	-0.44 16	-0.44 100	0.78 9	0.78 100		0		
130	106 21 0023 99047136	18.86	106 19 0282 106 19 0047	95	99	-0.39 34	-0.24 95	-0.44 35	-0.04 95	-0.04 93	-1.60 10	-1.59 96	-1.59 29	-1.59 93	-3.52 56	-3.52 104	-1.44 32	-1.44 106		3		
131	106 21 0933 114529936	8.40	106 19 0282 106 17 0917	95	96	-0.19 33	-0.24 98	-0.34 33	0.31 95	0.31 95	-1.70 9	-1.45 95	-1.45 27	-1.45 94	-4.36 47	-4.36 105	1.88 27	1.88 97		1		
132	106 23 0265 107613705	20.14	106 19 0282 106 18 0156	95	96	-0.26 34	-0.24 97	-0.37 34	0.15 95	0.15 94	-1.80 10	-1.59 95	-1.59 28	-1.59 93	-6.83 49	-6.83 108	1.78 29	1.78 97		1		
133	106 25 0248 113918593	9.82	106 23 0155 106 22 0224	95	97	-0.13 23	0.17 98	0.10 21	0.29 105	0.29 102	-2.40 9	-1.41 92	-1.41 19	-1.41 94	-2.21 34	-2.21 103	3.17 16	3.17 93		0		
134	106 20 0180 95800546	13.81	106 19 0282 106 16 0002	95	98	-0.33 33	0.03 96	-0.13 34	-0.04 102	-0.04 98	-2.40 10	-1.74 92	-1.74 28	-1.74 93	-7.55 46	-7.55 109	2.23 27	2.23 96		2		
135	106 23 0269 107613648	19.15	106 19 0282 106 19 0023	95	97	-0.37 34	-0.29 96	-0.48 34	0.05 94	0.05 92	-1.50 10	-1.57 96	-1.57 28	-1.57 94	-4.26 54	-4.26 105	0.53 28	0.53 100		1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambd	
					Dir	Mat					EBV	EBV	EBV	EBV			EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
136	106 25 0268 113899363	7.74	106 23 0155 106 17 0035	95	96	-0.16 21 98	0.09 19 103	0.01 101	0.18 9 97	-1.90 9 94	-1.21 17 96	-0.87 33 101	3.83 18 91	0			
137	106 25 0151 113899454	9.13	106 23 0002 106 20 0238	95	96	-0.19 25 98	0.01 22 101	-0.08 99	0.00 9 96	-2.00 9 94	-1.38 20 95	-5.15 33 106	4.59 18 89	0			
138	106 20 0188 99046278	13.81	106 19 0282 106 16 0002	95	98	-0.33 33 96	0.03 34 102	-0.13 98	-0.04 15 95	-2.40 10 92	-1.74 28 93	-7.68 55 110	2.74 31 94	3			
139	106 25 0244 113918585	8.90	106 23 0002 106 21 0023	95	97	-0.14 24 98	-0.05 23 100	-0.11 98	0.20 11 97	-2.40 9 92	-1.62 20 93	-1.65 36 102	-0.10 20 102	0			
140	106 25 0235 113899199	9.97	106 23 0002 106 20 0180	94	97	-0.10 24 99	0.09 23 103	0.04 101	0.20 11 97	-2.80 9 90	-1.69 20 93	-3.66 32 104	1.73 18 97	0			
141	106 18 0196 95800926	8.86	762 15 0121 106 15 0082	94	94	-0.28 35 97	-0.40 34 91	-0.54 91	0.31 19 98	-1.60 15 96	-1.64 30 93	-6.42 54 108	2.65 31 95	7			
142	106 22 0952 107793648	2.92	106 20 0102 106 17 0191	94	95	-0.54 26 94	-0.48 23 89	-0.75 87	-0.06 7 95	-0.30 5 102	-1.20 20 96	3.79 44 95	-0.92 15 104	1			
143	106 25 0438 113964639	12.07	106 22 0111 106 22 0123	94	92	-0.33 24 96	-0.34 24 92	-0.50 92	0.26 11 97	-2.30 7 93	-2.05 20 91	-22.41 34 128	11.15 19 71	0			
144	106 22 0123 99090953	11.72	106 16 0016 106 19 0002	94	91	-0.34 38 96	-0.40 35 91	-0.56 91	0.20 14 97	-2.50 11 92	-2.23 31 90	-40.26 52 136	17.56 30 64	2			
145	106 21 0902 114521883	10.06	106 19 0282 106 15 0175	94	95	-0.21 34 97	-0.22 35 95	-0.33 95	0.22 16 97	-2.20 11 93	-1.75 29 92	-5.98 53 107	2.62 31 95	2			
146	106 18 0229 95870028	7.36	762 15 0121 106 16 0167	94	93	-0.39 33 95	-0.50 32 88	-0.69 88	0.19 18 97	-1.10 13 98	-1.55 28 94	-4.37 50 105	2.50 31 95	3			
147	106 19 0177 95816070	8.63	762 15 0121 106 17 0018	94	96	-0.33 35 96	-0.20 34 96	-0.36 94	0.11 18 96	-2.20 14 93	-1.85 30 92	-5.83 51 107	1.55 31 98	2			
148	106 25 0259 113899157	10.00	106 23 0155 106 20 0153	94	94	-0.10 26 99	0.05 24 102	0.00 100	0.24 11 97	-2.60 10 91	-1.61 22 93	-5.25 36 106	5.22 20 88	0			
149	106 25 0258 113899256	10.00	106 23 0155 106 20 0153	94	94	-0.10 26 99	0.05 24 102	0.00 100	0.24 11 97	-2.60 10 91	-1.61 22 93	-5.25 36 106	5.22 20 88	0			
150	106 25 0293 113918528	10.80	106 23 0002 106 21 0206	94	95	-0.09 23 99	-0.07 22 99	-0.12 98	0.30 10 98	-2.50 9 92	-1.66 19 93	-1.72 33 102	1.49 18 98	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambd			
					Dir	Mat					EBV	EBV	EBV	EBV			EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
151	106 21 0206 99046732	8.45	106 19 0282 106 18 0181	94	94	-0.31 31	-0.29 96	-0.44 32	0.17 94	-0.44 93	0.17 15	97	-1.80 9	-1.68 26	-3.68 48	1.74 104	28	97	1
152	106 25 0292 113918478	10.80	106 23 0002 106 21 0206	94	95	-0.09 23	-0.07 99	-0.12 22	0.30 99	-0.12 98	0.30 10	98	-2.50 9	-1.66 19	-1.72 33	1.49 102	18	98	0
153	106 25 0257 113899264	10.00	106 23 0155 106 20 0153	94	94	-0.10 26	0.05 99	0.00 24	0.24 102	0.00 100	0.24 11	97	-2.60 10	-1.61 22	-5.25 36	5.22 106	20	88	0
154	106 20 0066 95800611	7.31	762 15 0121 106 17 0120	94	92	-0.36 33	-0.43 96	-0.61 32	0.24 90	-0.61 90	0.24 18	97	-1.20 13	-1.51 28	-3.48 54	3.17 104	34	93	2
155	106 19 0287 95800710	5.86	762 15 0121 106 12 0148	94	94	-0.38 34	-0.42 95	-0.61 33	0.14 90	-0.61 90	0.14 18	97	-1.30 14	-1.58 29	-2.14 54	1.39 103	33	98	4
156	106 25 0238 113899330	7.08	106 23 0002 106 23 0183	94	94	-0.07 23	-0.01 99	-0.05 20	0.43 101	-0.05 100	0.43 9	98	-2.70 9	-1.70 19	-2.06 35	2.55 102	16	95	0
157	106 25 0273 113918569	9.55	106 23 0002 106 19 0079	94	95	-0.18 23	0.12 98	0.03 21	0.14 104	0.03 101	0.14 9	97	-2.70 10	-1.68 19	-3.92 35	4.38 105	19	90	0
158	106 25 0185 113899470	9.84	106 23 0002 106 19 0139	94	94	-0.07 25	-0.19 99	-0.23 23	0.42 96	-0.23 96	0.42 14	98	-2.50 11	-1.76 21	-2.12 37	1.27 103	21	98	0
159	106 18 0156 95869921	5.95	762 15 0121 106 15 0107	94	92	-0.39 34	-0.43 95	-0.63 32	0.13 90	-0.63 90	0.13 18	97	-1.30 14	-1.60 29	-5.92 56	4.30 107	33	90	3
160	106 19 0047 95870226	4.38	762 15 0121 106 15 0044	93	95	-0.64 34	-0.43 93	-0.75 33	-0.26 90	-0.75 87	-0.26 18	94	-0.80 13	-1.55 29	-2.50 57	1.67 103	35	97	3
161	106 17 0099 82028457	7.62	762 15 0453 106 14 0026	93	97	-0.40 31	0.10 95	-0.10 31	-0.14 103	-0.10 99	-0.14 12	95	-2.80 13	-1.97 27	-8.31 52	4.06 110	31	91	6
162	106 19 0139 99045767	32.04	762 15 0121 106 17 0215	93	92	-0.26 37	-0.54 97	-0.67 36	0.40 87	-0.67 89	0.40 23	98	-1.70 14	-1.82 31	-4.48 59	1.29 106	35	98	3
163	106 21 0154 99046567	10.21	106 19 0282 106 16 0006	93	93	-0.20 34	-0.30 97	-0.40 35	0.28 93	-0.40 93	0.28 16	97	-2.20 11	-1.82 29	-5.02 47	2.52 106	29	95	1
164	106 23 0205 112209143	8.00	106 19 0282 106 14 0212	93	95	-0.34 33	-0.27 96	-0.44 34	-0.28 94	-0.44 93	-0.28 17	94	-2.10 10	-1.87 28	-4.79 55	0.89 106	28	99	1
165	106 23 0183 112202502	10.90	106 21 0050 106 19 0019	93	93	-0.27 29	-0.17 97	-0.30 25	0.42 97	-0.30 95	0.42 11	98	-2.20 8	-1.76 23	-4.35 54	3.85 105	23	91	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambled
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
166	106 21 0941 114536386	10.15	106 19 0282 106 14 0104	93	94	-0.23 33 97	-0.28 34 94	-0.40 93	0.18 16 97	-2.30 10 93	-1.89 28 92	-3.51 47 104	0.40 28 101	1
167	106 24 0190 114544091	18.69	106 22 0912 106 19 0090	93	94	-0.44 23 95	-0.41 22 90	-0.63 89	0.04 11 96	-1.80 8 95	-1.93 19 91	-6.19 33 108	1.32 20 98	0
168	106 17 0920 114513989	11.22	106 15 0050 106 13 0044	93	90	-0.25 31 97	-0.43 28 90	-0.55 91	0.44 10 99	-1.20 10 98	-1.39 25 95	-0.95 47 101	4.51 27 90	2
169	106 17 0917 99115511	11.22	106 15 0050 106 13 0044	93	90	-0.25 31 97	-0.43 28 90	-0.55 91	0.44 10 99	-1.20 10 98	-1.39 25 95	-0.98 46 101	4.52 27 89	3
170	106 19 0023 95870168	5.14	762 15 0121 106 16 0052	93	93	-0.61 33 93	-0.53 33 87	-0.84 86	-0.07 17 95	-0.70 12 100	-1.56 28 94	-1.96 49 102	2.20 31 96	3
171	106 21 0235 99047144	10.33	106 19 0282 106 14 0127	93	93	-0.23 33 97	-0.28 34 94	-0.39 94	0.19 16 97	-2.30 10 93	-1.89 28 92	-6.38 56 108	3.40 31 93	2
172	106 25 0294 114495690	8.01	106 23 0155 106 22 0011	93	92	-0.14 23 98	-0.06 21 99	-0.14 98	0.34 12 98	-2.40 9 92	-1.65 19 93	-3.75 35 105	5.50 16 87	0
173	106 25 0124 114495708	6.30	762 20 1147 106 23 0090	93	94	-0.16 33 98	0.08 30 103	0.00 100	0.02 21 96	-2.60 15 91	-1.64 28 93	-3.85 37 105	5.63 20 86	0
174	106 19 0161 95815304	5.86	762 15 0121 106 14 0108	93	92	-0.47 35 94	-0.54 35 87	-0.78 87	0.07 18 96	-1.20 14 98	-1.74 30 93	-4.59 49 106	2.47 31 95	2
175	106 19 0079 95870242	6.36	762 15 0453 106 16 0008	93	95	-0.48 30 94	0.10 30 103	-0.14 98	-0.15 11 95	-2.30 12 93	-1.76 26 92	-8.08 54 110	7.52 30 81	3
176	106 23 0927 114538788	11.05	106 22 0267 106 21 0910	93	94	-0.60 23 93	-0.52 23 88	-0.81 86	-0.16 9 95	-1.30 6 97	-1.89 19 92	-3.77 47 105	0.43 18 101	1
177	106 22 0938 107793689	3.42	106 20 0104 106 17 0928	93	93	-0.68 27 92	-0.51 27 88	-0.85 86	-0.07 18 95	-0.80 7 100	-1.67 22 93	-0.37 46 100	1.01 21 99	1
178	106 25 0139 113899298	9.34	106 23 0002 106 23 0143	93	92	-0.06 22 99	-0.19 20 96	-0.22 97	0.50 9 99	-2.60 9 91	-1.81 18 92	-1.49 35 102	2.79 16 94	0
179	106 25 0120 114495781	7.86	106 23 0155 106 22 0115	93	93	-0.21 23 97	-0.04 21 100	-0.15 98	0.19 10 97	-2.30 9 93	-1.63 19 93	-1.69 35 102	4.84 17 89	0
180	106 25 0229 113918627	7.86	106 23 0155 106 22 0115	93	93	-0.21 23 97	-0.04 21 100	-0.15 98	0.19 10 97	-2.30 9 93	-1.63 19 93	-1.69 35 102	4.84 17 89	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight			Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
181	106 20 0279 92296698	5.87	106 16 0016 106 17 0102	92	92	-0.36 37 96	-0.14 36 97	-0.32 95	0.04 12 96	-2.20 11 93	-1.82 31 92	-8.38 55 110	7.28 31 82	3			
182	106 25 0461 114544257	11.70	106 22 0111 106 23 0927	92	93	-0.46 19 95	-0.40 19 91	-0.63 90	0.08 10 96	-1.70 5 95	-1.88 16 92	-4.17 32 105	2.59 15 95	0			
183	106 24 0087 114544117	17.14	106 22 0912 106 19 0287	92	92	-0.47 23 95	-0.54 22 87	-0.78 87	0.08 11 96	-1.50 8 96	-1.91 19 92	-4.02 34 105	1.60 20 98	0			
184	106 25 0232 113899165	8.81	106 23 0002 106 17 0008	92	93	-0.37 22 96	-0.20 21 96	-0.38 94	0.02 8 96	-1.80 9 95	-1.64 19 93	1.63 33 98	1.84 18 97	0			
185	106 25 0512 114612336	13.10	106 22 0273 106 23 0987	92	89	-0.23 23 97	-0.44 21 90	-0.55 91	0.52 13 99	-1.60 7 96	-1.63 19 93	-0.69 30 101	3.88 17 91	0			
186	106 24 0168 114544067	14.15	106 22 0912 106 21 0169	92	93	-0.37 23 96	-0.45 23 89	-0.64 89	0.11 10 96	-2.00 7 94	-2.03 19 91	-3.98 35 105	0.86 20 100	0			
187	106 25 0488 114612765	10.53	106 22 0111 106 21 0914	92	92	-0.50 19 94	-0.39 19 91	-0.64 89	0.05 10 96	-1.20 6 98	-1.60 16 93	-0.51 28 100	3.44 15 92	0			
188	106 25 0414 114538796	7.18	106 22 0111 106 17 0927	92	91	-0.39 19 95	-0.37 20 91	-0.57 91	0.25 10 97	-1.60 6 96	-1.73 16 93	-2.69 32 103	4.32 18 90	0			
189	106 25 0448 114612799	10.59	106 22 0111 106 21 0922	92	92	-0.50 19 94	-0.39 19 91	-0.64 89	0.05 10 96	-1.20 6 98	-1.60 16 93	-0.50 28 100	3.44 15 92	0			
190	106 23 0270 107613374	6.36	106 20 0104 106 17 0102	92	91	-0.33 30 96	-0.28 31 94	-0.44 93	0.31 18 98	-2.10 9 94	-1.86 26 92	-4.00 51 105	4.57 23 89	1			
191	106 25 0118 113306534	11.13	106 22 0912 106 17 0099	92	94	-0.47 22 94	-0.28 21 94	-0.52 91	-0.06 8 95	-2.30 8 93	-2.14 18 90	-7.11 33 109	2.93 19 94	0			
192	106 25 0205 113918650	11.32	106 23 0002 106 21 0102	92	90	-0.12 23 98	-0.25 22 95	-0.31 95	0.53 12 99	-2.60 9 91	-1.93 19 91	-3.90 34 105	4.49 17 90	0			
193	106 21 0914 114612674	2.80	106 18 0044 106 18 0134	92	92	-0.67 24 92	-0.50 23 88	-0.83 86	-0.21 11 94	-0.40 8 102	-1.40 20 94	3.53 37 95	2.13 19 96	1			
194	106 21 0922 114612138	2.92	106 18 0044 106 17 0435	92	91	-0.67 24 92	-0.50 23 88	-0.83 86	-0.21 11 94	-0.40 8 102	-1.40 20 94	3.56 36 95	2.12 19 96	1			
195	106 25 0206 113899462	11.32	106 23 0002 106 21 0102	92	90	-0.12 23 98	-0.25 22 95	-0.31 95	0.53 12 99	-2.60 9 91	-1.93 19 91	-3.90 34 105	4.49 17 90	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambed		
					Dir	Mat									EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
196	106 22 0920 107793572	10.80	106 20 0104 106 20 0928	92	92	-0.33 30	-0.42 96	-0.59 30	0.39 90	-2.30 8	-2.13 25	-2.86 45	0.64 103	27	100	3
197	106 25 0440 114612757	9.51	106 22 0111 106 23 9111	92	92	-0.65 21	-0.42 92	-0.74 20	-0.12 90	-1.20 5	-1.78 17	-2.29 30	3.16 103	14	93	0
198	106 17 0927 114536402	11.12	106 15 0050 106 15 0175	92	90	-0.46 24	-0.47 95	-0.70 24	0.19 89	-1.20 10	-1.65 21	-0.81 46	3.90 101	28	91	1
199	106 25 0502 114612773	13.40	106 22 0111 106 24 0949	92	90	-0.40 20	-0.48 95	-0.68 20	0.23 89	-2.20 6	-2.20 17	-12.81 27	7.27 116	15	82	0
200	106 25 0220 113899207	14.68	106 23 0002 106 20 0011	92	91	-0.14 25	-0.21 98	-0.28 22	0.36 96	-2.70 10	-1.98 20	-2.94 33	3.51 104	19	92	0
201	106 18 0064 95870051	12.23	106 15 0050 106 14 0022	92	90	-0.43 25	-0.48 95	-0.70 24	0.25 89	-1.40 10	-1.76 21	-0.64 54	2.88 101	31	94	5
202	106 25 0053 114495799	14.68	106 23 0002 106 20 0011	92	91	-0.14 25	-0.21 98	-0.28 22	0.36 96	-2.70 10	-1.98 20	-2.94 33	3.51 104	19	92	0
203	106 18 0189 95869988	9.20	106 15 0050 106 15 0059	92	90	-0.58 23	-0.49 93	-0.78 22	0.05 89	-0.90 8	-1.61 19	-1.15 45	4.75 101	26	89	3
204	106 25 0270 113918619	7.77	106 23 0155 106 22 0159	92	91	-0.18 23	-0.08 98	-0.17 21	0.14 99	-2.50 9	-1.76 19	-0.02 35	4.18 100	17	90	0
205	106 23 0955 114513922	2.87	106 21 0006 106 20 0052	92	93	-0.97 30	-0.55 89	-1.04 25	-0.56 87	-0.30 5	-1.70 22	0.06 44	1.54 100	16	98	1
206	106 15 0175 95862272	5.75	1298 10 0440 106 11 0717	92	90	-0.28 34	-0.39 97	-0.53 33	0.27 91	-2.10 17	-1.93 30	-3.59 56	4.14 104	36	91	5
207	106 23 9111 114612682	2.80	106 21 0006 106 18 0134	92	93	-0.97 30	-0.55 89	-1.04 25	-0.56 87	-0.30 5	-1.70 22	-0.02 41	1.57 100	16	98	1
208	106 22 0224 106947716	7.24	106 20 0104 106 19 0019	91	91	-0.39 29	-0.30 95	-0.50 30	0.42 93	-2.20 9	-2.01 25	-1.67 52	2.78 102	23	94	1
209	106 20 0176 95800645	5.40	106 16 0016 106 17 9114	91	91	-0.62 36	-0.23 93	-0.54 34	-0.24 95	-2.00 11	-2.05 29	-10.06 54	8.03 113	31	80	2
210	106 25 0152 113899553	14.53	106 23 0002 106 23 0212	91	90	-0.10 23	-0.30 99	-0.35 21	0.51 93	-2.80 9	-2.08 19	-1.46 31	2.21 102	17	96	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index					EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
211	106 25 0446 114612807	11.49	106 22 0273 106 22 0923	91	92	-0.44 24 95	-0.27 23 94	-0.49 92	-0.01 10 96	-2.40 7 92	-2.16 20 90	-7.22 36 109	4.87 19 88	0		
212	106 18 0043 82944745	9.16	106 15 0050 106 15 0015	91	90	-0.59 24 93	-0.54 23 87	-0.84 86	0.07 9 96	-0.90 8 99	-1.67 20 93	1.19 45 98	3.17 30 93	3		
213	106 23 0992 114513807	8.07	106 21 0050 106 21 0928	91	89	-0.15 29 98	-0.48 26 89	-0.55 91	0.52 12 99	-2.50 7 92	-2.13 23 90	-4.80 54 106	3.65 21 92	1		
214	106 24 0949 114612310	16.62	106 22 0267 106 22 0123	91	88	-0.47 26 94	-0.68 24 84	-0.92 85	0.15 9 97	-2.30 7 93	-2.53 21 88	-21.07 34 127	9.78 19 75	1		
215	106 25 0153 113899371	14.53	106 23 0002 106 23 0212	91	90	-0.10 23 99	-0.30 21 93	-0.35 94	0.51 12 99	-2.80 9 90	-2.08 19 91	-1.46 31 102	2.21 17 96	0		
216	106 25 0463 113964647	12.59	106 22 0111 106 22 0909	91	91	-0.40 21 95	-0.45 21 90	-0.65 89	0.18 10 97	-2.00 6 94	-2.05 18 91	-1.82 30 102	1.75 16 97	0		
217	106 25 0471 113928329	22.16	106 22 0111 106 23 0145	91	89	-0.36 21 96	-0.35 21 92	-0.53 91	0.33 13 98	-2.30 6 93	-2.09 18 90	-7.37 34 109	6.39 16 84	0		
218	106 23 0993 114567803	8.07	106 21 0050 106 21 0928	91	89	-0.15 29 98	-0.48 26 89	-0.55 91	0.52 12 99	-2.50 7 92	-2.13 23 90	-4.72 50 106	3.62 21 92	1		
219	106 25 0472 113928337	22.16	106 22 0111 106 23 0145	91	89	-0.36 21 96	-0.35 21 92	-0.53 91	0.33 13 98	-2.30 6 93	-2.09 18 90	-7.37 34 109	6.39 16 84	0		
220	106 22 9102 96776711	13.23	106 20 0102 106 19 9124	91	91	-0.55 31 94	-0.67 29 84	-0.94 84	0.02 11 96	-1.70 8 95	-2.24 25 90	-5.90 42 107	1.80 23 97	0		
221	106 24 0011 114544075	7.48	106 22 0912 106 18 0043	91	90	-0.57 20 93	-0.60 18 86	-0.89 85	0.04 7 96	-1.30 6 97	-1.95 16 91	-2.35 31 103	2.48 19 95	0		
222	106 25 0333 113918601	11.92	106 23 0002 106 22 0146	91	90	-0.11 23 99	-0.26 22 94	-0.32 95	0.48 12 99	-2.90 9 90	-2.11 19 90	-1.27 34 101	3.05 16 94	0		
223	106 25 0223 113918676	11.92	106 23 0002 106 22 0146	91	90	-0.11 23 99	-0.26 22 94	-0.32 95	0.48 12 99	-2.90 9 90	-2.11 19 90	-1.27 34 101	3.05 16 94	0		
224	106 22 0162 99618746	13.83	106 20 0104 106 17 0238	91	88	-0.45 30 95	-0.63 30 85	-0.85 86	0.50 20 99	-1.70 9 95	-2.10 25 90	-2.75 52 103	3.22 23 93	1		
225	106 13 0223 95819827	1.51	1298 10 0440 106 11 9219	91	90	-0.58 31 93	-0.49 30 88	-0.78 87	0.33 15 98	-1.50 14 96	-1.97 27 91	-0.22 52 100	2.84 32 94	4		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambled			
					Dir	Mat					EBV	EBV	EBV	EBV			EBV	EBV	EBV
					Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Index	Phenotype			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
226	106 15 0015 95800561	2.07	1298 10 0440 106 07 0140	91	90	-0.53 31	-0.54 94	-0.81 31	0.01 87	-0.81 86	0.01 13	96	-1.50 14	-1.97 27	-1.71 42	2.97 102	33	94	5
227	106 20 0078 92297175	12.59	106 16 0016 106 18 0036	91	90	-0.36 37	-0.23 96	-0.41 34	0.11 95	-0.41 93	0.11 12	96	-2.90 11	-2.33 30	-10.38 55	7.35 113	31	82	3
228	106 24 0037 114544018	10.36	106 22 0912 106 16 0019	91	89	-0.42 23	-0.57 95	-0.78 22	0.17 87	-0.78 87	0.17 10	97	-1.90 10	-2.13 20	-3.80 33	3.27 105	19	93	0
229	106 25 0181 114495757	16.85	106 23 0995 106 19 0177	91	90	-0.44 20	-0.51 95	-0.73 20	0.14 88	-0.73 88	0.14 10	97	-2.10 7	-2.21 17	-3.16 30	2.02 104	18	96	0
230	106 22 0909 96423694	11.90	106 20 0102 106 20 0927	90	91	-0.48 30	-0.62 94	-0.86 28	0.05 85	-0.86 86	0.05 10	96	-1.80 7	-2.17 24	0.92 41	-1.25 99	22	105	1
231	106 25 0075 113891386	10.31	106 22 0912 106 16 0003	90	89	-0.40 25	-0.55 95	-0.75 24	0.05 87	-0.75 87	0.05 13	96	-1.90 10	-2.09 21	-3.91 35	3.94 105	21	91	0
232	106 25 0210 113899314	15.28	106 23 0995 106 19 0287	90	89	-0.47 20	-0.62 95	-0.86 19	0.16 85	-0.86 86	0.16 10	97	-1.70 8	-2.11 17	-1.32 31	1.95 101	19	97	0
233	106 25 0418 114612781	8.69	106 22 0267 106 19 9125	90	91	-0.57 23	-0.42 93	-0.71 22	-0.05 90	-0.71 88	-0.05 8	95	-2.10 7	-2.25 19	-4.49 35	3.22 106	19	93	0
234	106 17 0008 82028432	6.02	106 15 0050 106 15 0072	90	91	-0.86 28	-0.54 90	-0.97 29	-0.40 87	-0.97 84	-0.40 8	93	-0.50 7	-1.70 24	3.03 49	2.44 96	27	95	3
235	106 25 0211 113899280	15.28	106 23 0995 106 19 0287	90	89	-0.47 20	-0.62 95	-0.86 19	0.16 85	-0.86 86	0.16 10	97	-1.70 8	-2.11 17	-1.32 31	1.95 101	19	97	0
236	106 18 0122 99010944	15.43	106 16 0016 106 16 0027	90	91	-0.45 47	-0.08 95	-0.31 38	-0.06 99	-0.31 95	-0.06 12	95	-2.80 12	-2.21 35	-8.14 56	8.03 110	31	80	4
237	106 25 0413 113928295	9.62	106 22 0273 106 20 0927	90	91	-0.55 23	-0.39 94	-0.66 22	-0.14 91	-0.66 89	-0.14 10	95	-2.00 7	-2.14 19	-0.36 35	1.56 100	20	98	0
238	106 16 0019 82028150	6.11	1298 10 0440 106 11 0015	90	87	-0.29 34	-0.46 97	-0.61 33	0.32 89	-0.61 90	0.32 16	98	-2.10 17	-2.01 30	-1.71 50	4.74 102	31	89	4
239	106 22 0903 107793556	11.38	106 20 0104 106 20 0998	90	89	-0.45 31	-0.59 95	-0.82 32	0.27 86	-0.82 86	0.27 19	97	-2.00 8	-2.24 26	-1.31 45	1.16 101	23	99	2
240	106 21 0192 99046682	13.35	106 16 0016 106 19 0287	90	87	-0.38 37	-0.54 95	-0.73 35	0.23 87	-0.73 88	0.23 14	97	-2.10 11	-2.18 30	-7.82 48	6.95 110	28	83	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:					-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
241 106 24 0148 107793606	13.95	106 22 0912 106 21 0099	90	88	-0.47 24 95	-0.64 23 85	-0.87 85	0.10 9 96	-2.00 7 94	-2.30 20 89	-7.46 35 109	4.48 20 90		0
242 106 16 0003 82027996	5.98	1298 10 0440 106 11 0222	90	87	-0.24 39 97	-0.44 39 90	-0.56 91	0.09 23 96	-2.00 17 94	-1.87 34 92	-1.92 55 102	6.08 36 85		6
243 106 18 0023 99010951	6.03	106 15 0050 106 15 0125	90	88	-0.57 23 93	-0.61 23 85	-0.90 85	-0.01 10 96	-1.10 8 98	-1.84 20 92	2.04 43 97	3.25 26 93		3
244 106 20 0011 92296524	21.36	106 16 0016 106 18 0064	90	87	-0.41 35 95	-0.57 33 86	-0.78 87	0.28 12 97	-2.10 10 94	-2.24 28 90	-6.10 50 108	5.79 31 86		3
245 106 25 0416 113928311	9.62	106 22 0273 106 21 0915	90	90	-0.55 24 94	-0.39 23 91	-0.66 89	-0.14 10 95	-2.00 7 94	-2.14 20 90	-1.93 35 102	3.41 19 93		0
246 106 21 0018 99046799	9.93	106 19 0282 106 20 0226	90	88	-0.35 33 96	-0.47 34 89	-0.64 89	0.15 16 97	-2.40 9 92	-2.26 28 89	-4.13 56 105	4.60 31 89		2
247 106 21 0099 99047243	10.21	106 16 0016 106 19 0099	90	86	-0.38 37 95	-0.61 35 86	-0.80 87	0.19 14 97	-2.20 11 93	-2.31 30 89	-9.02 57 111	7.15 32 82		2
248 106 25 0496 114612344	12.78	106 22 0273 106 22 0952	90	88	-0.55 21 94	-0.53 19 88	-0.80 87	-0.03 7 96	-1.50 6 96	-1.98 17 91	1.74 32 98	2.84 15 94		0
249 106 22 0924 107793739	11.09	106 20 0102 106 17 0917	90	86	-0.33 30 96	-0.73 26 82	-0.89 85	0.41 9 98	-1.70 7 95	-2.08 23 91	0.59 45 99	2.76 21 94		1
250 106 22 0013 99285017	11.56	106 20 0102 106 18 0038	90	86	-0.40 33 95	-0.68 30 84	-0.88 85	0.38 10 98	-1.90 8 94	-2.22 26 90	-2.57 40 103	3.69 21 92		0
251 106 16 0006 82028028	6.04	1298 10 0440 106 10 0100	90	86	-0.27 35 97	-0.54 33 87	-0.67 89	0.38 16 98	-2.10 17 94	-2.07 30 91	-2.31 50 103	5.79 35 86		7
252 106 25 0025 113899181	11.63	106 23 0995 106 23 0270	89	88	-0.44 19 95	-0.55 18 87	-0.77 87	0.24 10 97	-2.10 5 94	-2.25 15 90	-2.25 30 103	3.53 15 92		0
253 106 15 0044 95862322	2.89	970 15 0043 106 13 0079	89	92	-1.02 30 88	-0.43 31 90	-0.94 84	-0.80 11 90	-0.50 10 101	-1.75 26 92	5.30 46 93	1.82 28 97		7
254 106 25 0090 113891410	12.72	106 22 0912 106 22 0318	89	87	-0.60 20 93	-0.70 19 83	-1.00 83	0.02 8 96	-1.40 6 97	-2.14 16 90	-0.41 30 100	2.87 16 94		0
255 106 23 0045 100010768	8.58	106 21 0050 106 20 0112	89	84	-0.21 31 97	-0.60 26 86	-0.70 88	0.57 11 99	-2.60 8 91	-2.36 24 89	-8.04 44 110	7.69 23 81		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
							Dir		Mat		Comb	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
					Acc	Index	Acc	Index	EBV	EBV											Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
256	106 20 0112 95800694	22.43	106 16 0016 106 15 0175	89	86	-0.33 37	-0.52 96	-0.69 88	0.29 13	98	-2.50 13	-2.36 92	-8.95 55	8.14 111	32	79			3			
257	106 25 0465 114538770	11.80	106 22 0273 106 21 0941	89	88	-0.39 24	-0.43 95	-0.63 90	0.09 10	96	-2.50 7	-2.32 92	-1.91 33	3.50 102	19	92			0			
258	106 25 0415 114571615	14.13	106 22 0273 106 17 0917	89	86	-0.40 23	-0.50 95	-0.70 88	0.23 8	97	-1.90 7	-2.04 94	-0.65 33	5.56 101	19	87			0			
259	106 23 0293 107615064	26.79	106 20 0104 106 19 0139	89	85	-0.29 31	-0.74 97	-0.88 85	0.63 21	100	-2.20 9	-2.34 93	-1.07 53	2.51 101	25	95			1			
260	106 25 0445 114612658	12.38	106 22 0111 106 20 9317	89	87	-0.47 20	-0.53 94	-0.77 87	0.19 11	97	-1.90 6	-2.14 94	-0.35 31	4.11 100	17	91			0			
261	106 25 0420 114571623	14.13	106 22 0273 106 17 0920	89	86	-0.40 23	-0.50 95	-0.70 88	0.23 8	97	-1.90 7	-2.04 94	-0.63 33	5.56 101	19	87			0			
262	106 25 0464 114612732	18.98	106 22 0111 106 23 0975	89	88	-0.56 23	-0.54 93	-0.82 86	0.10 11	96	-2.10 5	-2.36 94	-3.03 33	3.59 104	16	92			0			
263	106 25 0421 114544711	12.42	106 22 0273 106 22 0938	89	88	-0.62 22	-0.54 93	-0.85 86	-0.03 11	95	-1.70 6	-2.18 95	-0.34 33	3.81 100	16	91			0			
264	106 23 0247 112201454	7.33	106 21 0050 106 14 0127	89	85	-0.19 29	-0.59 98	-0.68 89	0.53 11	99	-2.50 9	-2.28 92	-2.34 52	5.23 103	22	88			1			
265	106 25 0435 114612112	14.78	106 22 0111 106 23 0916	89	88	-0.61 23	-0.54 93	-0.84 86	-0.01 10	96	-2.00 5	-2.35 94	-3.03 34	3.84 104	15	91			0			
266	106 23 0238 107613416	10.08	106 20 0104 106 15 0059	89	85	-0.42 29	-0.69 95	-0.90 85	0.42 18	98	-2.10 9	-2.36 94	-3.92 51	4.95 105	22	88			1			
267	106 20 0064 99045742	15.81	106 16 0016 106 13 0135	89	85	-0.45 36	-0.55 95	-0.77 87	0.15 12	97	-2.20 12	-2.32 93	-8.45 45	9.20 111	31	77			2			
268	106 23 0905 114571664	9.86	106 20 0104 106 18 0212	89	84	-0.38 28	-0.69 95	-0.88 85	0.53 18	99	-1.90 8	-2.21 94	-1.00 54	5.17 101	23	88			1			
269	106 23 0906 114514177	9.86	106 20 0104 106 18 0212	89	84	-0.38 28	-0.69 95	-0.88 85	0.53 18	99	-1.90 8	-2.21 94	-1.00 54	5.17 101	23	88			1			
270	106 25 0208 114522667	15.86	106 23 0995 106 21 0018	88	86	-0.45 20	-0.65 95	-0.87 85	0.16 9	97	-2.20 6	-2.42 93	-2.31 32	3.55 103	18	92			0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility											
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
								Dir		Mat		Comb	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36											-0.31	-0.30
271	106 22 0226 96106158	9.88	106 20 0102 106 19 0143	88	87	-0.44 30	-0.51 95	-0.73 28	0.12 88	10	-2.60 8	-2.51 91	-3.14 39	3.85 104	21	91					1		
272	106 23 0287 107613515	8.14	106 21 0050 106 20 0044	88	83	-0.32 31	-0.72 96	-0.88 27	0.51 83	11	-2.50 7	-2.54 92	-9.06 52	8.10 111	22	80					1		
273	106 25 0087 113918494	14.00	106 22 0912 106 22 0240	88	86	-0.56 21	-0.73 93	-1.01 19	0.07 82	8	-1.80 6	-2.37 95	-1.05 33	3.28 101	17	93					0		
274	106 25 0058 113891352	14.63	106 22 0912 106 22 0182	88	86	-0.51 21	-0.72 94	-0.98 20	0.06 83	9	-2.00 7	-2.43 94	-0.83 34	2.25 101	17	96					0		
275	106 25 0434 113964613	16.12	106 22 0273 106 20 0176	88	87	-0.59 25	-0.40 93	-0.70 23	-0.12 91	8	-2.30 7	-2.37 93	-5.19 35	7.32 106	20	82					0		
276	106 20 0953 114612328	5.32	106 18 0044 106 18 0943	88	87	-0.75 26	-0.69 91	-1.06 25	-0.18 84	11	-1.00 8	-2.04 99	4.89 42	2.16 94	24	96					1		
277	106 25 0161 113307540	6.57	762 20 1147 106 21 0017	88	86	-0.42 32	-0.42 95	-0.63 29	-0.03 90	21	-2.60 14	-2.40 91	-4.13 37	6.31 105	22	85					0		
278	106 25 0059 113891345	14.63	106 22 0912 106 22 0182	88	86	-0.51 21	-0.72 94	-0.98 20	0.06 83	9	-2.00 7	-2.43 94	-0.83 34	2.25 101	17	96					0		
279	106 18 0139 95800637	16.71	106 16 0016 106 14 0104	88	84	-0.35 37	-0.59 96	-0.76 34	0.25 86	13	-2.60 12	-2.50 91	-6.38 47	7.03 108	27	83					1		
280	106 18 0187 95869970	12.41	106 15 0050 106 14 0039	88	85	-0.57 25	-0.65 93	-0.94 25	0.16 84	10	-1.60 9	-2.18 96	-0.55 52	5.87 101	31	86					3		
281	106 25 0455 114632037	10.39	106 22 0273 106 23 0993	88	85	-0.36 22	-0.53 96	-0.70 20	0.26 88	9	-2.60 6	-2.44 91	-2.52 34	5.11 103	16	88					0		
282	106 18 0192 95832978	14.16	106 15 0050 106 16 0269	88	85	-0.50 24	-0.68 94	-0.93 24	0.25 84	10	-2.00 9	-2.38 94	0.89 45	2.99 99	28	94					1		
283	106 23 0967 114612369	6.45	106 21 0006 106 19 9404	88	90	-0.96 34	-0.49 89	-0.97 29	-0.54 89	9	-1.80 8	-2.53 95	-1.46 48	2.40 102	22	95					1		
284	106 17 0053 82028895	12.44	106 15 0050 106 15 0121	88	85	-0.57 24	-0.67 93	-0.95 23	0.15 84	10	-1.60 9	-2.20 96	4.72 49	2.42 94	27	95					3		
285	106 18 0226 95870010	14.16	106 15 0050 106 16 0269	88	84	-0.50 24	-0.68 94	-0.93 24	0.25 84	10	-2.00 9	-2.38 94	-0.30 55	4.64 100	31	89					3		

Ewe Selection List: LMI

Inbreeding in red is high

Indices ≥ 124
 Above breed average
 Indices ≤ 76

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		EPI	Times Lambled
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
286	106 22 0146 99090409	14.72	106 20 0104 106 20 0012	88	84	-0.34 31 96	-0.67 31 84	-0.84 86	0.52 18 99	-2.60 8 91	-2.57 26 88	-2.77 53 103	4.86 22 89			1
287	106 22 0910 96776620	8.17	106 18 0044 106 20 0998	87	87	-0.62 30 93	-0.66 30 84	-0.97 84	-0.12 13 95	-1.90 9 94	-2.42 25 89	4.03 50 95	0.24 27 101			2
288	106 22 0011 96915608	10.50	106 20 0104 106 20 0214	87	82	-0.41 30 95	-0.76 30 82	-0.97 84	0.53 18 99	-2.20 8 93	-2.49 25 88	-4.74 53 106	7.44 23 81			1
289	106 23 0097 114612294	14.97	106 21 0006 106 19 0009	87	87	-0.84 35 90	-0.68 30 84	-1.10 81	-0.31 11 94	-2.00 8 94	-2.72 27 87	-3.48 52 104	3.12 23 93			1
290	106 23 0062 112201330	11.77	106 20 0104 106 21 0139	87	82	-0.38 31 96	-0.77 30 82	-0.95 84	0.55 18 99	-2.40 8 92	-2.58 25 88	-1.71 54 102	5.62 22 86			1
291	106 25 0080 113899249	14.89	106 23 0995 106 20 0255	87	84	-0.56 18 93	-0.78 17 81	-1.06 82	0.11 7 96	-2.00 6 94	-2.54 15 88	0.17 31 100	3.44 17 92			0
292	106 25 0402 114571698	16.82	106 22 0273 106 23 0905	87	83	-0.47 22 94	-0.63 20 85	-0.87 85	0.27 11 97	-2.30 6 93	-2.48 18 88	-0.66 35 101	5.89 17 86			0
293	106 25 0154 114522683	14.89	106 23 0995 106 20 0255	87	84	-0.56 18 93	-0.78 17 81	-1.06 82	0.11 7 96	-2.00 6 94	-2.54 15 88	0.17 31 100	3.44 17 92			0
294	106 25 0408 114612690	19.06	106 22 0273 106 20 0953	87	84	-0.65 21 92	-0.63 19 85	-0.96 84	-0.09 8 95	-1.80 6 95	-2.37 17 89	2.29 31 97	4.38 17 90			0
295	106 20 0044 92296920	17.90	106 16 0016 106 18 0187	87	82	-0.56 38 93	-0.77 36 82	-1.05 82	0.18 12 97	-2.30 10 93	-2.71 31 87	-6.40 56 108	7.45 32 81			4
296	106 22 0178 106947559	10.22	106 18 0044 106 19 0035	87	83	-0.51 29 94	-0.75 28 82	-1.01 83	0.16 14 97	-1.80 10 95	-2.34 24 89	5.24 53 93	2.66 25 95			1
297	106 22 0115 106954258	10.76	106 18 0044 106 20 0002	87	82	-0.54 30 94	-0.72 29 83	-0.98 83	0.22 13 97	-2.00 9 94	-2.45 25 88	-0.61 54 101	6.12 25 85			1
298	106 25 0084 113918536	16.04	106 23 0995 106 22 0028	87	83	-0.50 18 94	-0.83 18 80	-1.08 82	0.31 10 98	-2.20 5 93	-2.65 15 87	-0.64 31 101	3.67 14 92			0
299	106 25 0520 114612716	15.56	106 22 0273 106 23 0967	86	86	-0.76 24 91	-0.53 21 87	-0.91 85	-0.27 8 94	-2.20 6 93	-2.61 19 87	-0.89 33 101	4.50 17 90			0
300	106 25 0432 113928303	20.64	106 22 0273 106 21 0901	86	85	-0.58 22 93	-0.49 20 88	-0.79 87	-0.06 9 95	-2.30 7 93	-2.46 18 88	1.40 35 98	4.93 19 88			0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
								Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
301	106 25 0431 113928345	20.64	106 22 0273 106 21 0901	86	85	-0.58 22	-0.49 93	-0.79 20	-0.06 88	-0.79 87	-0.06 9	-2.30 7	-2.46 93	1.40 18	4.93 88	35	19	88		0	
302	106 20 0255 95800686	9.27	106 18 0044 106 15 0003	86	83	-0.57 29	-0.73 93	-1.02 27	0.04 82	-1.02 83	0.04 13	-2.00 10	-2.50 94	0.83 24	4.38 88	53	28	99	90	3	
303	106 21 0017 96344346	12.36	106 20 0102 106 14 3497	86	83	-0.44 31	-0.87 95	-1.08 28	0.28 79	-1.08 82	0.28 12	-2.40 9	-2.74 92	-0.48 25	2.90 87	49	25	100	94	3	
304	106 22 0028 106947625	20.59	106 20 0104 106 20 0255	86	81	-0.44 29	-0.84 95	-1.06 29	0.45 80	-1.06 82	0.45 18	-2.30 8	-2.66 93	-0.78 24	4.83 87	53	22	101	89	1	
305	106 20 9317 96115175	8.58	106 18 0044 106 17 9204	86	83	-0.62 27	-0.78 93	-1.09 26	0.06 81	-1.09 82	0.06 12	-1.70 9	-2.42 95	3.86 22	3.47 89	45	24	95	92	1	
306	106 25 0437 114612708	16.42	106 22 0273 106 23 0097	86	85	-0.70 24	-0.63 92	-0.98 21	-0.16 85	-0.98 84	-0.16 8	-2.30 6	-2.71 93	-1.90 19	4.86 87	35	17	102	89	0	
307	106 23 0951 114529951	9.94	106 21 0006 106 17 0920	86	84	-0.76 34	-0.80 91	-1.18 29	-0.09 81	-1.18 80	-0.09 9	-1.70 7	-2.58 95	-0.20 26	4.26 88	48	21	100	90	1	
308	106 23 0975 114612351	18.43	106 21 0006 106 22 0920	86	85	-0.80 34	-0.80 91	-1.20 30	-0.12 81	-1.20 80	-0.12 12	-2.20 6	-2.92 93	-1.49 26	2.43 86	50	21	102	95	1	
309	106 25 0088 113891436	15.42	106 23 0995 106 20 0082	86	82	-0.61 19	-0.86 93	-1.16 17	0.09 79	-1.16 80	0.09 7	-1.90 5	-2.61 94	1.39 15	3.70 87	31	17	98	92	0	
310	106 22 0125 106947609	9.63	106 18 0044 106 15 0059	86	82	-0.59 28	-0.75 93	-1.05 27	0.03 82	-1.05 82	0.03 13	-2.00 10	-2.54 94	2.12 23	4.54 88	52	24	97	89	1	
311	106 22 0933 107793697	9.76	106 18 0044 106 18 0212	86	81	-0.55 27	-0.76 94	-1.03 26	0.14 82	-1.03 83	0.14 12	-1.80 9	-2.39 95	4.17 22	5.05 89	52	25	95	88	1	
312	106 22 0914 107793721	9.76	106 18 0044 106 18 0212	86	81	-0.55 27	-0.76 94	-1.03 26	0.14 82	-1.03 83	0.14 12	-1.80 9	-2.39 95	4.35 22	4.99 89	46	25	94	88	0	
313	106 23 0916 107793663	15.50	106 21 0006 106 21 0917	85	85	-0.90 34	-0.80 90	-1.25 29	-0.33 81	-1.25 79	-0.33 8	-2.00 6	-2.90 94	-1.51 26	2.93 86	52	19	102	94	1	
314	106 25 0251 113899512	17.02	106 23 0995 106 20 0219	85	81	-0.56 17	-0.81 93	-1.09 16	0.15 80	-1.09 82	0.15 7	-2.00 5	-2.57 94	1.08 14	5.65 88	31	17	98	86	0	
315	106 25 0487 114536378	22.00	106 22 0273 106 22 0933	85	82	-0.56 22	-0.67 94	-0.94 20	0.07 84	-0.94 84	0.07 9	-2.20 7	-2.54 93	1.93 18	5.83 88	35	18	97	86	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambd
					Dir	Mat					EBV	EBV	EBV	EBV		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
316	106 25 0215 113899488	30.78	106 23 0995 106 16 0269	85	82	-0.46 20 95	-0.83 19 80	-1.05 82	0.28 9 98	-2.90 9 90	-3.02 17 85	-0.35 31 100	2.41 20 95	0		
317	106 22 0147 106947633	11.27	106 18 0044 106 20 0078	85	82	-0.51 31 94	-0.65 29 84	-0.91 85	0.09 12 96	-2.70 10 91	-2.78 25 86	-1.35 54 102	6.24 25 85	1		
318	106 22 0240 106954191	8.94	106 18 0044 106 18 0181	85	81	-0.57 27 93	-0.80 26 81	-1.08 82	0.12 12 96	-1.90 9 94	-2.51 22 88	3.80 51 95	4.75 25 89	1		
319	106 25 0508 114612666	20.27	106 22 0273 106 20 0090	85	81	-0.64 22 93	-0.70 20 83	-1.02 83	-0.02 8 96	-2.00 6 94	-2.55 18 88	1.74 32 98	6.43 19 84	0		
320	106 22 0158 106954209	12.17	106 18 0044 106 13 0186	85	81	-0.47 30 94	-0.77 28 82	-1.00 83	0.19 13 97	-2.30 12 93	-2.62 25 87	2.79 43 96	5.00 25 88	0		
321	106 20 0090 95832994	7.16	106 18 0044 106 18 0123	85	80	-0.73 27 92	-0.83 26 80	-1.19 80	-0.04 11 95	-1.40 8 97	-2.40 22 89	3.79 44 95	6.26 29 85	2		
322	106 25 0425 114567506	19.65	106 22 0273 106 23 0979	85	83	-0.81 24 91	-0.73 21 83	-1.13 81	-0.27 8 94	-2.00 6 94	-2.73 19 87	0.62 34 99	4.71 16 89	0		
323	106 25 0428 114632029	21.64	106 22 0273 106 21 0178	85	82	-0.61 22 93	-0.71 20 83	-1.01 83	-0.01 9 96	-2.30 7 93	-2.70 18 87	1.93 32 97	4.90 18 88	0		
324	106 20 0259 99046583	9.19	106 18 0044 106 14 0025	85	81	-0.59 28 93	-0.75 27 82	-1.05 82	0.03 13 96	-2.00 10 94	-2.54 23 88	3.44 51 95	5.32 28 87	4		
325	106 22 0161 106947757	10.34	106 18 0044 106 13 0121	85	81	-0.49 29 94	-0.79 27 81	-1.03 83	0.14 13 97	-2.30 11 93	-2.65 24 87	2.72 53 96	4.80 25 89	1		
326	106 22 0159 106947765	10.34	106 18 0044 106 13 0121	85	81	-0.49 29 94	-0.79 27 81	-1.03 83	0.14 13 97	-2.30 11 93	-2.65 24 87	2.72 53 96	4.80 25 89	1		
327	106 23 0979 114567266	17.44	106 21 0006 106 20 0922	85	84	-1.06 33 88	-0.88 28 79	-1.41 76	-0.54 9 92	-1.40 7 97	-2.77 25 87	1.56 51 98	2.81 19 94	1		
328	106 21 0178 114612120	9.29	106 18 0044 106 13 0122	85	81	-0.66 29 92	-0.85 27 80	-1.17 80	-0.02 13 96	-2.00 10 94	-2.70 24 87	4.18 45 95	3.20 25 93	1		
329	106 21 0214 96105572	10.51	106 18 0044 106 20 0105	85	80	-0.65 35 93	-0.86 35 79	-1.19 80	0.01 14 96	-2.20 10 93	-2.83 29 86	-1.60 51 102	6.27 29 85	2		
330	106 20 0082 95800785	6.87	106 18 0044 106 18 0024	84	80	-0.66 32 92	-0.89 27 78	-1.22 79	0.00 12 96	-1.80 9 95	-2.63 25 87	3.27 53 96	4.90 28 88	3		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights					EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
							Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
331	106 23 0121	15.93	106 20 0104	84	79	-0.34	-0.88	-1.05	0.62	-3.20	-3.14	-1.71	4.46					1	
	112201363		106 16 0238			30 96	30 79	82	19 100	10 88	25 84	53 102	24 90						
332	106 25 0478	12.73	106 21 0006	84	81	-0.81	-0.88	-1.29	-0.19	-2.40	-3.13	-2.93	5.52					0	
	114536394		106 18 0139			35 91	31 79	78	10 94	8 92	27 84	40 104	21 87						
333	106 25 0510	20.98	106 22 0273	84	80	-0.78	-0.79	-1.18	-0.16	-2.20	-2.89	0.92	5.87					0	
	114612740		106 23 0952			24 91	21 81	80	8 95	6 93	19 86	30 99	16 86						
334	106 16 0269	39.08	1298 10 0440	83	80	-0.36	-0.83	-1.01	0.38	-3.80	-3.46	-0.20	2.32					5	
	95800801		106 14 0261			34 96	32 80	83	15 98	16 85	29 83	54 100	36 96						
335	106 20 0226	10.34	106 18 0044	83	77	-0.56	-0.88	-1.16	0.12	-2.50	-2.95	-0.66	8.28					3	
	99046526		106 14 3497			30 93	28 79	80	14 96	11 92	25 86	55 101	30 79						
336	106 23 0952	19.36	106 21 0006	82	79	-1.00	-1.00	-1.50	-0.33	-1.80	-3.08	2.15	5.14					1	
	114612302		106 20 0090			33 89	28 76	74	9 94	7 95	25 85	40 97	21 88						