



DORPER GENETIC REPORT

21 September 2026



MR G.H. GARRY SIMON

FDM : 2100



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring.

In reality, each offspring receives a random sample of each parent's genes, therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dorper breed, namely the Dorper Logix Merit Index (DLMI), the Dorper Growth Index (DGI) and the Dorper Reproduction Index (DRI). These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Dorper Logix Merit Index (DLMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the DLMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The DLMI is constructed as follows :

$$DLMI = (0.30 * Wean Dir) + (0.04 * Post-Wean) + (0.21 * Wean Mat) + (0.12 * ILP) + (0.13 * AFL) + (0.20 * NLS)$$

Schematically the DLMI can be explained as follows :



Dorper Growth Index (DGI)

Breeding values for Direct and Maternal Weaning Weight, as well as Post-weaning weight are included in this index. This index can be used to identify animals with good pre-weaning and post-weaning growth potential.

The DGI is constructed as follows :

$$DGI = (0.5518 * Wean Dir) + (0.0682 * Post-Wean) + (0.38 * Wean Mat)$$

Reproduction Index (DRI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The DRI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.2 * Wean Mat) + (0.4 * NLW)$$

It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Dorper

Average Genetic Levels : EBVs

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	-0.17	-0.11	-0.21	0.00	0.04	-0.02
Wean Maternal	-0.66	-0.61	-0.68	0.14	0.12	0.16
Wean Combined	-0.74	-0.67	-0.79	0.14	0.13	0.15
Post-Wean	-2.06	-1.86	-2.17	-0.25	-0.21	-0.27
Number of Lambs Weaned	0.99	1.27	0.84	0.10	0.11	0.09
Total Weight Weaned	-0.23	0.05	-0.39	0.21	0.22	0.20
Age at First Lambing	1.17	1.13	1.18	0.27	0.41	0.19
Inter-lambing Period	0.15	0.16	0.14	1.10	1.20	1.05
Selection Indices						
Dorper Logix Merit Index	96	97	96	99	99	100
Dorper Growth Index	94	95	94	100	100	100
Dorper Reproduction Index	99	100	99	99	99	99
Inteling						
Inbreeding (%)	6.79	7.33	7.23	3.50	3.79	3.35
Number of Animals						
Number of animals	433	180	253	35778	12454	23129

** Averages of all active animals in the herd.

Average Genetic Levels : Indices

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	97.7	98.3	97.4	100	99.5	99.0
Wean Maternal	91.9	92.3	91.6	100	100.1	100.5
Wean Combined	92.7	93.3	92.3	100	99.8	99.9
Post-Wean	92.5	93.4	92.1	100	100.0	99.8
Number of Lambs Weaned	103.5	105.0	102.7	100	98.9	98.8
Total Weight Weaned	97.4	98.6	96.7	100	99.3	99.2
Age at First Lambing	97.6	97.7	97.6	100	99.6	100.2
Inter-lambing Period	101.4	101.3	101.4	100	98.7	99.1
Selection Indices						
Dorper Logix Merit Index	96	97	96	99	99	100
Dorper Growth Index	94	95	94	100	100	100
Dorper Reproduction Index	99	100	99	99	99	99
Inbreeding						
Inbreeding (%)	6.79	7.33	7.23	3.50	3.79	3.35
Number of Animals						
Number of animals	433	180	253	35778	12454	23129

** Averages of all active animals in the flock.

ACTIVE ANIMALS

Animals born in the last 24 months and their parents, are defined as the active population, unless cancelled on Logix.

Inbreeding

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.18	0.07
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Nr Animals	% Animals
Known sires	360	83
Known dams	401	93

Note : Inbreeding can be under-estimated if pedigree information is incomplete or incorrect.

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Geen / None	0


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WnD:	Wean Direct
WnM:	Wean Maternal
WnC:	Wean Combined
PostWn:	Post-Wean Weight
NLW:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
DRI:	Dorper Reproduction Index
DLMI:	Dorper Logix Merit Index
DGI:	Dorper Growth Index

All animals in the flock

Number : 406




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are less than two years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams of Lambs < 24 months

Number: 99




Sires of Lambs < 24 months

Number: 2




Ewes < 24 months

Number: 76




Rams < 24 months

Number: 78




Genetic Trends


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-Weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)



Genetic trends are based on measured animals bred by the relevant breeder


Genetic Trends

Age at First Lambing




For AFL and ILP flock genetic trends below breed averages are desirable.


Inter-lambing Period




Dorper Reproduction Index (DRI)



Dorper Growth Index (DGI)



Dorper Logix Meriete Indeks (DLMI)



Genetic Trends of Breed

Birth yr	Weaning Weight EBV			Post-Wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Indeks	Indeks	Indeks
2014	10616	-0.75	-0.31	1723	-1.71	2567	0.18	10616	94	1815	2.67	1310	0.09	97.4	92.2	93.3
2015	9178	-0.61	-0.19	2199	-2.07	2380	0.07	9178	95	1770	1.57	1282	0.27	96.9	93.8	94.0
2016	8648	-0.64	-0.18	2168	-2.11	2851	0.05	8648	95	1887	1.08	1361	0.42	98.3	93.7	94.8
2017	9591	-0.43	-0.17	2442	-1.27	2361	0.19	9591	96	2136	1.45	1584	-0.05	98.6	95.1	96.0
2018	8658	-0.42	-0.15	2216	-0.96	2334	0.30	8658	97	1845	1.17	1345	-0.02	99.5	95.3	96.6
2019	8660	-0.25	-0.15	1784	-0.76	1966	0.13	8660	97	1740	-0.12	1314	-0.17	99.8	96.3	97.6
2020	7900	-0.18	-0.07	1820	-0.61	2135	-0.01	7900	98	1738	0.66	1328	-0.33	100.2	97.2	98.4
2021	9083	0.00	0.00	2527	0.00	2732	0.01	9083	99	2313	0.00	1597	0.00	100.4	98.8	99.6
2022	8777	-0.01	0.14	2174	-0.19	2444	0.20	8777	101	1866	0.36	1241	-0.45	102.1	99.4	100.7
2023	7691	0.09	0.12	1828	0.94	1984	0.14	7691	100	1533	-0.35	767	0.33	100.9	100.0	100.5
2024	8002	0.06	0.05	1612	1.09	1162	0.15	8002	100	1115	-0.48	155	0.16	100.0	99.4	99.7
2025	8602	0.02	0.19	1782	1.14	22	-0.19	8602	100	62	1.32	2	-2.08	100.0	99.9	99.9

Genetic Trends of Flock

Birth yr	Weaning Weight EBV			Post-wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Numbe Index
2014	203	-0.47	-0.34	12	-2.46	60	-0.97	203	93	55	2.62	38	3.07	91.5	93.8	203 91.1
2015	149	-0.43	-0.37	9	-1.80	22	-0.67	149	93	22	2.02	19	0.24	91.2	93.9	149 91.0
2016	169	-0.25	-0.43	12	-1.67	27	-0.87	169	91	29	1.49	24	3.64	88.5	94.8	169 90.2
2017	131	-0.76	-0.41	8	-1.87	15	-1.36	131	90	18	3.41	13	5.90	85.9	91.7	131 86.0
2018	113	-0.84	-0.34	19	-1.91	19	-0.70	113	91	20	2.92	16	6.19	87.9	91.5	113 87.1
2019	108	-0.61	-0.63	20	-2.85	17	-1.50	108	90	16	2.45	13	4.24	87.6	91.4	108 87.5
2020	76	-0.14	-0.70	12	-1.80	27	1.34	76	98	27	1.57	18	3.16	97.8	94.0	76 95.3
2021	101	-0.31	-0.76	21	-2.35	37	0.28	101	94	37	1.44	27	1.93	93.8	92.5	101 92.2
2022	84	0.12	-0.88	2	-1.17	24	1.13	84	98	24	1.49	19	0.71	97.6	94.6	84 96.2
2023	87	-0.10	-0.70	14	-1.09	26	1.03	87	97	25	1.96	7	-4.18	100.3	94.2	87 97.2
2024	115	0.05	-0.94	7	-1.53	14	0.68	115	97	14	1.29			99.8	93.8	115 97.1
2025	106	-0.50	-0.26					106	99					104.5	94.1	106 98.8

Breeding Values and Selection Indices Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

Percentile	Wean Dir	Wean Mat	Wean Comb	Post Wean	NLW	TWW	AFL	ILP	DGI	DRI	DLMI
Gemid/Avg	0.01	0.15	0.15	-0.24	0.10	0.21	0.26	1.11	99.67	99.27	99.43
SA/SD	1.34	1.06	1.40	2.83	2.12	2.69	-4.79	-5.11	11.48	11.66	11.77
MIN	-6.40	-4.87	-5.73	-10.91	-9.90	-12.32	104.15	24.50	58.80	51.80	54.90
1%	-2.69	-2.69	-2.72	-6.05	-4.40	-4.76	12.59	15.06	77.20	70.60	77.00
5%	-1.89	-1.69	-1.87	-4.18	-2.80	-3.23	7.35	10.51	84.30	80.40	83.00
10%	-1.50	-1.16	-1.44	-3.37	-2.10	-2.54	5.14	7.78	87.30	84.30	86.40
20%	-1.11	-0.61	-0.90	-2.45	-1.20	-1.78	3.22	4.19	90.90	90.40	90.00
30%	-0.82	-0.28	-0.57	-1.83	-1.20	-1.21	1.96	3.55	93.20	93.30	92.60
40%	-0.50	-0.03	-0.31	-1.19	-0.70	-0.89	0.94	1.89	95.60	96.20	94.80
50%	-0.15	0.17	-0.03	-0.55	-0.20	-0.40	0.35	0.96	97.60	99.30	97.40
60%	0.18	0.36	0.25	0.02	0.20	0.21	-0.70	-0.32	100.30	101.60	100.30
70%	0.59	0.58	0.62	0.80	0.80	0.96	-1.27	-1.60	103.50	104.90	103.80
80%	1.09	0.92	1.14	1.86	1.60	2.04	-2.58	-2.95	107.90	108.70	108.70
90%	1.83	1.46	2.04	3.51	2.90	4.10	-4.62	-4.91	115.30	114.20	116.20
95%	2.49	1.93	2.90	5.09	4.10	5.80	-6.92	-6.70	122.70	119.10	122.60
99%	3.68	2.69	4.18	8.05	6.40	8.19	-13.63	-9.96	134.30	127.50	131.50
MAX	6.10	5.19	7.21	14.14	16.10	12.93	-61.56	-16.75	144.60	138.90	146.10

SA/SD = Standard deviation : An indicator of how far breeding values/selection indices are distributed around the average.

Rams with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility												
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	1st generation		2nd generation		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs Weaned	TWW		AFL		ILP		Dam			
				Prog	Nr	Prog	Nr				Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index
				weaned	flocks	weaned	flocks				EBV Acc	EBV Index		EBV Acc	EBV Index		EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EPI	T Lamberd N Weaned		
			Active Breed Average:				100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10									
2081 24 0273 2024/07/07	2	2.52	- - - 2081 21 0256	45	1		110	102	116	0.11 83	0.43 100 43	0.49 103	0.13 29	0.10 101	3.60 20	2.70 53	-2.22 110	-2.42 107	-2.42 10	-2.42 108	128	6 7				
			Ram Flock Average Number of rams with progeny in the flock: 1				110	102	116	0.11	0.43	0.49	0.13	3.60	2.70	-2.22	-2.42									

Active rams, born since Jan 2022, with progeny in the flock



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
								Dir	Mat								
								EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
1	2100 24 0003 2024/03/04	2	28.90	2100 19 0019 2100 21 0080	98	94	101	0.07 58 100	-0.90 53 89	-0.86 92	-2.29 42 92	1.40 39 106	0.02 52 98	0.11 48 101	-0.58 25 103	90	1 1
2	2100 24 0005 2024/03/18	2	27.62	2100 19 0019 2100 21 0060	95	90	98	0.04 64 100	-1.53 54 83	-1.51 86	-3.15 41 88	1.70 39 107	-0.47 54 96	1.13 45 98	0.75 25 100	105	3 4
3	2100 24 0006 2024/03/18	2	27.62	2100 19 0019 2100 21 0060	93	88	99	-0.41 64 96	-1.45 54 83	-1.66 85	-3.76 41 86	1.70 39 107	-0.84 54 95	1.13 45 98	0.75 25 100	105	3 4
4	2100 24 0008 2024/03/18	1	3.99	2100 19 0019 2100 18 0064	87	87	94	-1.53 65 86	-0.29 56 96	-1.06 90	-3.64 43 86	0.40 41 101	-1.58 56 92	0.81 46 99	7.10 25 84	125	8 7
5	2100 24 0009 2024/03/18	1	29.12	2100 19 0019 2100 22 0053	108	110	99	2.39 64 120	-0.76 53 91	0.43 102	1.69 41 108	0.60 39 102	1.99 54 107	-1.92 48 106	2.01 25 97	93	1 1
6	2100 24 0011 2024/03/25	2	27.51	2100 19 0019 2100 21 0110	94	86	103	-0.68 64 93	-1.45 54 83	-1.79 84	-4.26 41 84	2.50 39 111	-0.63 54 96	-0.12 47 101	-0.12 25 102	92	1 2
7	2100 24 0013 2024/04/29	2	6.26	2100 19 0019 2100 18 0079	80	80	87	-1.57 66 86	-1.64 56 81	-2.42 79	-5.51 45 79	-1.00 41 93	-3.81 56 82	3.39 47 92	1.21 26 99	128	8 9
8	2100 24 0014 2024/04/29	2	6.26	2100 19 0019 2100 18 0079	84	85	86	-0.59 66 94	-1.82 56 80	-2.12 82	-4.18 45 84	-1.00 41 93	-3.01 56 86	3.39 47 92	1.21 26 99	128	8 9
9	2100 24 0015 2024/04/29	2	9.20	2100 19 0019 2100 21 0104	102	97	103	0.56 65 104	-0.88 55 90	-0.61 94	-1.34 42 96	2.10 38 109	0.93 55 102	0.90 45 98	-0.99 25 104	125	4 6
10	2100 24 0017 2024/04/29	1	26.01	2100 19 0019 2100 22 0047	104	99	105	0.82 58 106	-0.98 53 88	-0.57 94	-1.13 41 96	2.70 39 112	1.46 52 105	1.41 48 97	-1.61 26 106	89	2 1
11	2100 24 0020 2024/04/29	2	17.35	2100 19 0019 2100 19 0032	99	95	100	0.49 65 103	-1.23 56 86	-0.99 91	-2.06 44 93	1.60 40 107	0.22 56 99	-0.39 47 102	1.25 26 99	130	7 6
12	2100 24 0022 2024/04/29	1	4.25	2100 19 0019 2100 20 0084	111	109	104	2.59 65 121	-1.15 55 87	0.14 100	1.46 44 107	2.90 40 113	3.17 55 112	0.37 45 100	1.05 26 99	99	3 5
13	2100 24 0023 2024/04/29	1	29.28	2100 19 0019 2100 21 0099	100	96	102	0.65 64 105	-1.20 54 86	-0.88 92	-1.69 41 94	2.30 39 110	0.82 54 102	1.51 47 97	0.21 26 101	91	2 2
14	2100 24 0024 2024/04/29	1	4.63	2100 19 0019 2100 20 0067	98	96	96	0.73 65 105	-1.28 55 85	-0.91 91	-1.69 43 94	0.50 40 101	-0.25 55 97	1.43 47 97	-0.81 26 104	123	5 4
15	2100 24 0028 2024/04/29	2	1.47	2100 19 0019 2100 19 0102	105	99	107	0.63 66 105	-0.67 57 92	-0.36 96	-0.95 43 97	3.30 42 116	1.94 57 107	1.97 47 96	-1.47 27 106	114	5 8
16	2100 24 0029 2024/04/29	2	1.47	2100 19 0019 2100 19 0102	103	97	108	0.30 66 102	-0.61 57 92	-0.46 95	-1.39 43 95	3.30 42 116	1.67 57 105	1.97 47 96	-1.47 27 106	114	5 8
17	2100 24 0030 2024/04/29	2	10.50	2100 19 0019 2100 21 0025	100	99	99	0.64 64 105	-0.63 54 92	-0.32 96	-0.78 41 98	1.50 38 106	0.90 54 102	1.35 43 97	2.30 25 96	95	2 3
18	2100 24 0033 2024/04/29	1	4.90	2100 19 0019 2100 17 0085	102	103	99	1.00 66 108	-0.43 56 94	0.07 99	0.17 41 102	1.10 40 104	1.23 56 104	1.65 47 96	1.49 26 98	127	6 8



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
19	2100 24 0034 2024/04/29	1	2.29	2100 19 0019 2100 20 0036		95	91	100	-0.54 64 95	-0.81 53 90	-1.08 90	-3.00 42 89	1.30 38 105	-0.57 54 96	-0.62 47 102	1.70 26 97	93	2 2
20	2100 24 0035 2024/04/29	1	34.35	2100 19 0019 2100 22 0014		99	97	99	0.72 64 105	-1.15 53 87	-0.80 92	-1.58 41 95	1.40 38 106	0.41 54 100	1.95 48 96	-1.13 25 105	94	1 1
21	2100 24 0037 2024/04/29	1	2.68	2100 19 0019 2100 22 0071		88	84	95	-1.01 64 91	-1.46 55 83	-1.96 83	-4.72 44 82	0.50 39 101	-2.16 55 89	3.49 46 91	-1.52 24 106	104	4 4
22	2100 24 0039 2024/04/29	1	17.01	2100 19 0019 2100 19 0020		90	89	94	-0.82 65 92	-0.76 56 91	-1.17 89	-3.40 43 87	-0.70 41 95	-2.00 56 90	-0.49 47 102	1.19 26 99	119	7 7
23	2100 24 0040 2024/04/29	2	2.52	2100 19 0019 - - -		91	96	88	0.28 47 102	-0.94 43 89	-0.80 92	-1.33 36 96	0.90 32 103	-0.11 42 98	2.31 39 95	11.26 21 73		0
24	2100 24 0041 2024/04/29	2	2.52	2100 19 0019 - - -		91	96	88	0.28 47 102	-0.94 43 89	-0.80 92	-1.33 36 96	0.90 32 103	-0.11 42 98	2.31 39 95	11.26 21 73		0
25	2100 24 0046 2024/04/29	1	7.55	2100 19 0019 2100 21 0047		103	102	100	1.15 64 109	-0.74 54 91	-0.17 97	-0.15 42 100	1.50 39 106	1.31 54 104	2.95 45 93	-0.82 26 104	112	3 3
26	2100 24 0047 2024/04/29	2	7.35	2100 19 0019 2100 19 0043		93	92	95	-0.17 65 98	-1.06 56 88	-1.15 89	-2.68 42 90	1.20 40 105	-0.52 56 96	1.61 45 96	3.96 26 92	132	5 7
27	2100 24 0048 2024/04/29	2	7.35	2100 19 0019 2100 19 0043		87	84	96	-1.57 65 86	-0.80 56 90	-1.59 86	-4.59 42 82	1.20 40 105	-1.65 56 91	1.61 45 96	3.96 26 92	132	5 7
28	2100 24 0050 2024/04/29	1	2.52	2100 19 0019 - - -		91	96	88	0.28 47 102	-0.94 43 89	-0.80 92	-1.33 36 96	0.90 32 103	-0.11 42 98	2.31 39 95	11.26 21 73		0
29	2100 24 0051 2024/04/29	1	2.52	2100 19 0019 - - -		91	96	88	0.28 47 102	-0.94 43 89	-0.80 92	-1.33 36 96	0.90 32 103	-0.11 42 98	2.31 39 95	11.26 21 73		0
30	2100 24 0053 2024/04/29	1	27.32	2100 19 0019 2100 21 0055		90	88	93	-0.50 64 95	-1.40 54 84	-1.65 85	-3.87 41 85	-0.20 39 97	-2.02 54 90	2.67 47 94	-1.82 26 106	90	2 2
31	2100 24 0054 2024/05/09	1	13.54	2100 19 0019 2100 20 0008		103	102	98	1.84 65 115	-1.58 57 82	-0.67 93	-0.32 43 100	1.70 42 107	1.27 57 104	1.65 48 96	-0.03 27 102	121	6 7
32	2100 24 0055 2024/05/09	2	28.90	2100 19 0019 2100 21 0012		102	97	104	0.77 65 106	-1.20 56 86	-0.81 92	-1.58 41 95	2.70 40 112	1.19 56 103	0.88 48 98	-0.17 26 102	118	4 6
33	2100 24 0057 2024/05/09	2	28.32	2100 19 0019 2100 22 0016		102	100	100	1.10 65 109	-1.06 55 88	-0.51 95	-0.84 41 98	2.00 39 109	1.24 55 104	2.22 48 95	0.79 26 100	121	3 4
34	2100 24 0058 2024/05/09	2	28.32	2100 19 0019 2100 22 0016		100	97	100	0.62 65 104	-0.97 55 89	-0.67 93	-1.50 41 95	2.00 39 109	0.84 55 102	2.22 48 95	0.79 26 100	121	3 4
35	2100 24 0060 2024/05/21	1	27.41	2100 19 0019 2100 21 0058		105	100	106	1.09 64 108	-0.99 55 88	-0.44 95	-0.70 58 98	3.30 39 116	2.08 55 107	2.13 47 95	-0.59 26 103	132	3 5
36	2100 24 0061 2024/05/21	2	29.71	2100 19 0019 2100 22 0043		97	94	101	0.01 64 99	-0.94 55 89	-0.94 91	-2.39 57 91	1.80 39 108	0.15 55 99	2.45 48 94	-0.72 26 104	108	2 3



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights					EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding		Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW		AFL		ILP		Dam	
				Dir	Mat				Comb	Post-Wean	Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI	T Lamed N Weaned
				EBV	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:				100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
37	2100 24 0065 2024/06/04	1	3.10	2100 19 0019 2100 18 0109		88	88	92	-0.68 65 93	-1.21 56 86	-1.56 86	-3.67 41 86	-0.60 41 95	-2.26 56 89	2.72 46 93	-0.24 25 102	127	9 8			
38	2100 24 0067 2024/06/04	1	2.77	2100 19 0019 2100 22 0069		99	93	104	0.32 64 102	-1.47 55 83	-1.31 88	-2.61 42 90	2.40 39 111	0.29 55 100	0.69 47 99	-2.18 25 107	105	3 4			
39	2100 24 0068 2024/06/04	2	1.09	2100 20 0075 2100 21 0053		95	87	106	-1.39 65 87	-0.49 55 94	-1.19 89	-3.84 47 85	1.70 38 107	-0.86 55 95	-1.52 43 105	-2.14 23 107	127	4 6			
40	2100 24 0069 2024/06/04	2	1.09	2100 20 0075 2100 21 0053		104	99	105	0.82 65 106	-0.85 55 90	-0.44 95	-0.75 59 98	1.70 38 107	0.99 55 103	-1.52 43 105	-2.14 23 107	127	4 6			
41	2100 24 0070 2024/06/04	2	2.52	2100 20 0075 - -		91	95	90	-0.07 47 99	-0.63 41 92	-0.66 93	-1.35 40 95	0.40 29 101	-0.46 41 96	3.21 33 92	7.71 18 82		0			
42	2100 24 0071 2024/06/04	2	2.52	2100 20 0075 - -		91	95	90	-0.07 47 99	-0.63 41 92	-0.66 93	-1.35 40 95	0.40 29 101	-0.46 41 96	3.21 33 92	7.71 18 82		0			
43	2100 24 0072 2024/06/04	1	32.25	2100 20 0075 2100 22 0071		93	90	96	-0.39 64 96	-1.08 53 87	-1.27 88	-3.01 61 89	0.00 37 98	-1.47 54 92	4.39 41 89	-5.07 21 115	104	4 4			
44	2100 24 0073 2024/06/04	1	1.28	2100 20 0075 2100 19 0021		100	97	102	0.25 64 101	-0.65 53 92	-0.52 95	-1.46 47 95	0.60 38 102	-0.03 54 98	1.87 42 96	-5.29 23 115	88	7 4			
45	2100 24 0074 2024/06/20	1	1.42	2100 20 0075 2100 21 0064		96	101	90	0.65 63 105	-0.41 51 95	-0.08 98	-0.23 46 100	-1.30 35 92	-0.54 52 96	3.79 40 91	0.50 21 100	93	3 2			
46	2100 24 0077 2024/06/20	1	1.08	2100 20 0075 2100 19 0042		84	88	88	-1.34 64 88	-0.42 53 94	-1.09 90	-3.59 47 86	-1.70 37 90	-2.78 54 87	4.70 40 88	1.35 22 98	119	5 5			
47	2100 24 0079 2024/06/20	1	1.21	2100 20 0075 2100 21 0106		93	90	96	-0.65 64 94	-0.79 53 90	-1.12 90	-3.04 46 89	-1.00 36 93	-2.04 53 90	0.23 41 100	-3.72 23 111	94	3 3			
48	2100 24 0080 2024/07/04	1	2.52	2100 20 0075 - -		91	95	90	-0.07 47 99	-0.63 41 92	-0.66 93	-1.35 40 95	0.40 29 101	-0.46 41 96	3.21 33 92	7.71 18 82		0			
49	2100 24 0081 2024/07/04	2	13.54	2100 20 0075 2100 20 0009		92	88	100	-1.13 65 90	-0.71 55 91	-1.27 88	-3.59 47 86	1.30 39 105	-1.05 55 94	0.78 43 99	0.92 23 99	113	5 7			
50	2100 24 0086 2024/07/11	1	13.52	2100 20 0075 2100 20 0081		98	96	99	0.24 65 101	-0.69 54 92	-0.57 94	-1.59 47 95	1.20 38 105	0.27 55 100	3.60 41 91	-1.58 23 106	92	4 5			
51	2100 24 0091 2024/07/11	1	2.75	2100 20 0075 2100 21 0024		89	88	93	-0.77 64 93	-1.00 53 88	-1.39 87	-3.41 61 87	-1.00 37 93	-2.37 54 88	3.13 42 92	-2.93 22 109	99	4 4			
52	2100 24 0101 2024/11/14	1	2.81	2100 20 0075 2100 21 0095		104	103	99	1.62 64 113	-1.03 52 88	-0.22 97	0.32 56 102	0.70 36 102	1.01 53 103	2.10 42 95	-3.52 23 111	89	3 2			
53	2100 24 0103 2024/11/14	1	32.06	2100 20 0075 2100 23 0038		100	95	103	0.16 64 101	-0.84 52 90	-0.76 93	-1.86 47 93	1.00 36 104	-0.08 53 98	2.41 41 94	-5.88 22 117	95	1 1			
54	2100 24 0104 2024/11/14	2	26.64	2100 20 0075 2100 23 0064		104	96	109	0.15 64 101	-0.63 52 92	-0.55 94	-1.51 47 95	2.70 35 112	1.15 53 103	1.92 42 96	-5.29 21 115	100	1 2			



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat									EBV	EBV		
									Acc	Index	Acc	Index	EBV	EBV	Acc	Index	Acc	Index	EPI	T Lamed N Weaned		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
55	2100 24 0107 2024/11/14	1	7.42	2100 20 0075 2100 21 0063		101	99	101	0.62 63	-0.62 51	-0.31 96	-0.76 57	0.80 35	0.48 52	1.24 38	-2.56 22	96	2 2				
56	2100 24 0108 2024/11/14	2	25.83	2100 20 0075 2100 23 0052		90	86	97	-0.92 64	-1.34 52	-1.80 84	-4.11 47	0.20 35	-2.14 53	3.81 41	-5.28 21	96	1 2				
57	2100 24 0110 2024/11/14	2	7.40	2100 20 0075 2100 21 0046		96	91	102	-0.40 63	-0.95 52	-1.16 89	-2.81 46	1.20 34	-0.64 52	1.47 38	-3.63 22	101	2 3				
58	2100 24 0113 2024/11/14	1	1.16	2100 20 0075 2100 19 0020		90	88	96	-1.31 65	-0.42 55	-1.08 90	-3.61 47	-1.20 39	-2.45 55	0.41 42	-2.36 23	119	7 7				
59	2100 24 0114 2024/11/14	1	32.06	2100 20 0075 2100 23 0039		95	88	103	-0.92 64	-0.94 53	-1.40 87	-3.75 47	1.40 36	-1.02 53	2.54 41	-5.44 23	107	2 3				
60	2100 24 0115 2024/11/14	1	2.52	2100 20 0075 - - -		91	95	90	-0.07 47	-0.63 41	-0.66 93	-1.35 40	0.40 29	-0.46 41	3.21 33	7.71 18		0				
61	2100 24 0117 2024/11/14	1	25.86	2100 20 0075 2100 23 0002		103	97	105	0.53 63	-0.88 51	-0.62 94	-1.35 46	1.70 35	0.67 52	2.03 39	-5.95 21	110	1 1				
62	2100 24 0118 2024/11/14	1	25.86	2100 20 0075 2100 23 0085		102	97	104	0.43 64	-0.89 52	-0.67 93	-1.52 46	1.40 36	0.38 53	1.54 41	-5.50 22	109	2 2				
63	2100 24 0119 2024/11/14	1	32.25	2100 20 0075 2100 22 0071		91	88	96	-0.64 64	-1.28 53	-1.60 86	-3.76 48	0.00 37	-1.92 54	4.39 41	-5.07 21	104	4 4				
64	2100 24 0120 2024/11/14	2	1.29	2100 20 0075 2100 21 0104		100	94	105	-0.30 65	-0.48 54	-0.63 94	-2.06 46	1.60 36	0.18 54	1.80 40	-4.54 22	125	4 6				
65	2100 24 0121 2024/11/14	2	1.29	2100 20 0075 2100 21 0104		98	92	105	-0.66 65	-0.41 54	-0.74 93	-2.54 46	1.60 36	-0.11 54	1.80 40	-4.54 22	125	4 6				
66	2100 24 0123 2024/11/14	1	13.63	2100 20 0075 2100 20 0067		96	94	98	0.03 58	-0.90 53	-0.89 92	-2.19 47	0.00 38	-0.88 51	2.33 42	-4.36 23	123	5 4				
67	2100 24 0125 2024/11/14	1	2.65	2100 20 0075 2100 21 0078		96	93	98	-0.01 65	-1.01 54	-1.01 91	-2.22 46	0.00 37	-1.02 54	2.10 42	-4.60 23	107	4 4				
68	2100 24 0281 2024/11/27	1	1.13	2100 20 0075 2100 17 0054		99	104	94	0.62 65	0.24 54	0.55 103	0.35 45	-1.20 39	0.13 55	1.44 42	1.32 23	123	9 6				
69	2100 24 0287 2024/11/27	1	1.17	2100 20 0075 2100 21 0004		89	87	96	-1.50 64	-0.36 53	-1.10 90	-3.71 46	0.00 36	-1.85 53	2.26 40	1.05 22	90	3 4				
70	2100 24 0289 2024/11/27	1	1.16	2100 20 0075 2100 21 0098		91	88	96	-0.84 64	-0.93 53	-1.35 88	-3.70 46	0.00 37	-1.77 54	3.62 42	-3.46 23	99	3 3				
71	2100 24 0290 2024/11/27	1	2.52	2100 20 0075 - - -		91	95	90	-0.07 47	-0.63 41	-0.66 93	-1.35 40	0.40 29	-0.46 41	3.21 33	7.71 18		0				
72	2100 24 0291 2024/11/27	1	2.52	2100 20 0075 - - -		91	95	90	-0.07 47	-0.63 41	-0.66 93	-1.35 40	0.40 29	-0.46 41	3.21 33	7.71 18		0				

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
73	2100 25 0003 2025/04/21	1	2.18	- - - 2100 19 0090	- - - 2100 22 0016	88	97	83	-0.28 48 97	-0.10 34 98	-0.24 97	-1.18 21 96	-2.60 21 85	-1.94 36 90	1.21 18 98	8.05 8 81	113	7 7
74	2100 25 0004 2025/04/21	1	2.18	- - - 2100 22 0016	- - - 2100 20 0023	98	95	102	-0.37 50 96	-0.26 34 96	-0.44 95	-1.96 21 93	1.40 23 106	0.22 38 99	0.66 27 99	0.45 15 101	121	3 4
75	2100 25 0005 2025/04/21	1	2.18	- - - 2100 20 0023	- - - 2100 20 0096	99	96	102	-0.28 49 97	-0.09 34 98	-0.23 97	-1.47 24 95	1.00 25 104	0.23 38 99	-0.15 23 101	0.63 16 100	153	5 4
76	2100 25 0006 2025/04/29	1	2.18	- - - 2100 20 0096	- - - 2100 22 0032	97	95	98	0.02 50 99	-0.63 35 92	-0.62 94	-1.66 24 94	0.70 24 102	-0.19 38 98	-1.74 26 105	3.60 15 93	96	3 3
77	2100 25 0009 2025/04/29	1	2.18	- - - 2100 22 0032	- - - 2100 22 0022	104	102	104	0.81 49 106	-0.39 33 95	0.02 99	-0.17 21 100	1.40 22 106	1.26 37 104	-0.53 27 102	-0.73 15 104	98	2 2
78	2100 25 0010 2025/04/29	1	2.18	- - - 2100 22 0022	- - - 2100 22 0047	100	97	102	0.22 49 101	-0.62 33 92	-0.51 95	-1.53 22 95	1.50 22 106	0.50 37 100	0.94 28 98	-0.28 15 103	93	3 2
79	2100 25 0016 2025/05/09	1	2.18	- - - 2100 22 0047	- - - 2100 20 0089	103	98	107	0.14 49 100	-0.32 32 96	-0.25 97	-1.18 21 96	2.20 22 110	1.14 36 103	-0.15 27 101	-1.94 15 107	89	2 1
80	2100 25 0017 2025/05/09	1	2.18	- - - 2100 20 0089	- - - 2100 20 0070	107	102	108	0.79 51 106	-0.36 37 95	0.04 99	-0.12 24 100	2.80 25 113	2.11 40 107	-0.53 27 102	0.10 16 102	105	5 6
81	2100 25 0027 2025/05/09	1	2.18	- - - 2100 20 0070	- - - 2100 23 0042	97	92	107	-1.22 51 89	0.28 36 102	-0.33 96	-2.70 26 90	2.40 24 111	0.50 39 101	1.60 23 96	0.13 15 101	110	6 6
82	2100 25 0030 2025/05/21	2	2.18	- - - 2100 23 0042	- - - 2100 23 0077	97	88	109	-1.32 49 88	-0.40 32 95	-1.06 90	-3.61 24 86	2.50 20 111	-0.22 36 97	-0.35 21 102	-2.43 12 108	97	1 2
83	2100 25 0031 2025/05/21	2	2.18	- - - 2100 23 0042	- - - 2100 23 0077	94	84	109	-2.18 49 81	-0.24 32 96	-1.33 88	-4.78 24 82	2.50 20 111	-0.92 36 95	-0.35 21 102	-2.43 12 108	97	1 2
84	2100 25 0034 2025/05/21	1	2.18	- - - 2100 23 0077	- - - 2100 23 0029	95	92	101	-0.98 45 91	-0.19 24 97	-0.68 93	-2.46 12 91	0.70 14 102	-0.75 30 95	-0.29 20 102	-0.12 7 102	96	1 1
85	2100 25 0035 2025/05/21	1	2.18	- - - 2100 23 0029	- - - 2100 21 0104	94	89	104	-1.45 49 87	-0.17 32 97	-0.89 92	-3.46 23 87	1.00 20 104	-1.02 36 94	0.65 20 99	-2.88 13 109	105	2 2
86	2100 25 0038 2025/05/21	1	2.18	- - - 2100 21 0104	- - - 2100 23 0073	96	90	106	-1.42 50 87	0.02 35 99	-0.69 93	-3.16 22 88	1.50 21 106	-0.50 38 96	-0.66 23 103	-1.32 12 105	125	4 6
87	2100 25 0039 2025/05/21	1	2.18	- - - 2100 23 0073	- - - 2100 20 0081	91	85	103	-1.95 48 83	-0.31 30 96	-1.29 88	-4.55 23 83	0.60 20 102	-1.91 35 90	-0.20 25 101	-3.19 12 110	95	1 1
88	2100 25 0041 2025/05/21	2	2.18	- - - 2100 20 0081	- - - 2100 20 0081	95	93	100	-0.74 35 93	-0.22 35 97	-0.59 94	-2.51 24 91	1.10 24 104	-0.30 32 97	1.14 25 98	1.64 15 98	92	4 5
89	2100 25 0042 2025/05/21	2	2.18	- - - 2100 20 0081	- - - 2100 22 0013	94	91	100	-1.02 50 91	-0.17 36 97	-0.68 93	-2.88 24 89	1.10 24 104	-0.53 39 96	1.14 25 98	1.64 15 98	92	4 5
90	2100 25 0043 2025/05/21	1	2.18	- - - 2100 22 0013		92	87	103	-1.51 50 86	-0.39 34 95	-1.15 89	-3.89 21 85	1.80 22 108	-0.82 37 95	-0.47 28 102	2.32 15 96	103	2 3

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
91	2100 25 0046 2025/06/05	2	2.18	- - 2100 23 0027	-	103	98	106	0.11 49 100	-0.22 32 97	-0.16 97	-1.13 24 96	2.20 20 110	1.21 36 104	2.07 23 95	-2.45 12 108	102	1 2
92	2100 25 0058 2025/06/05	2	2.18	- - 2100 21 0053	-	100	94	106	-0.42 51 96	-0.38 36 95	-0.59 94	-2.11 23 92	1.70 24 107	0.22 39 99	-3.98 27 112	1.08 15 99	127	4 6
93	2100 25 0059 2025/06/05	2	2.18	- - 2100 21 0053	-	100	94	106	-0.50 51 95	-0.37 36 95	-0.62 94	-2.21 23 92	1.70 24 107	0.15 39 99	-3.98 27 112	1.08 15 99	127	4 6
94	2100 25 0067 2025/06/20	1	2.18	- - 2100 22 0067	-	95	91	101	-0.79 48 93	-0.46 32 94	-0.85 92	-2.78 21 90	1.10 22 104	-0.59 36 96	-0.96 22 103	2.18 13 96	95	2 2
95	2100 25 0069 2025/06/20	1	2.18	- - 2100 22 0080	-	94	89	102	-1.12 49 90	-0.54 32 93	-1.10 90	-3.51 24 87	0.80 21 103	-1.18 36 93	-0.01 22 101	-2.56 14 108	100	2 2
96	2100 25 0072 2025/06/25	2	2.18	- - 2100 21 0046	-	93	86	103	-1.58 48 86	-0.44 32 94	-1.24 89	-4.00 22 85	1.20 18 105	-1.31 35 93	-0.99 18 103	-0.42 13 103	101	2 3
97	2100 25 0075 2025/07/08	1	2.19	2081 24 0273 2100 24 0082	-	100	93	108	-0.73 60 93	-0.25 38 96	-0.62 94	-2.25 28 92	2.30 23 110	0.40 43 100	-1.69 27 105	-0.72 13 104	100	1 1
98	2100 25 0076 2025/07/08	2	2.19	2081 24 0273 2100 20 0009	-	103	100	104	0.52 62 104	-0.37 43 95	-0.11 98	-0.30 28 100	2.40 27 111	1.60 47 105	-1.49 29 105	3.80 16 92	113	5 7
99	2100 25 0080 2025/08/04	2	2.19	2081 24 0273 2100 23 0039	-	100	93	109	-0.66 61 94	-0.34 40 95	-0.67 93	-2.37 28 91	2.60 24 112	0.56 44 101	0.27 27 100	-2.56 15 108	107	2 3
100	2100 25 0082 2025/08/04	1	2.19	2081 24 0273 2100 21 0042	-	98	93	104	-0.73 53 93	-0.17 37 97	-0.54 94	-2.09 26 92	1.40 23 106	-0.07 40 98	-2.52 25 108	1.28 14 98	95	4 2
101	2100 25 0084 2025/08/11	1	2.18	2081 24 0273 2100 21 0098	-	101	100	101	0.62 61 105	-0.55 40 93	-0.24 97	-0.67 26 98	1.20 25 105	0.79 45 102	1.35 28 97	-0.58 16 103	99	3 3
102	2100 25 0085 2025/08/11	2	2.19	2081 24 0273 2100 24 0078	-	110	105	110	1.32 60 110	-0.32 38 96	0.34 102	0.86 27 104	3.20 22 115	2.92 43 111	1.57 27 97	-2.99 12 109	103	1 2
103	2100 25 0086 2025/08/11	2	2.19	2081 24 0273 2100 24 0078	-	100	92	111	-1.25 60 89	0.16 38 101	-0.46 95	-2.64 27 90	3.20 22 115	0.83 43 102	1.57 27 97	-2.99 12 109	103	1 2
104	2100 25 0087 2025/08/11	3	2.18	2081 24 0273 2100 21 0031	-	106	97	112	0.04 61 100	-0.31 41 96	-0.30 96	-1.09 27 97	4.40 26 121	2.36 45 108	-0.29 31 102	0.48 16 101	138	4 7
105	2100 25 0088 2025/08/11	3	2.18	2081 24 0273 2100 21 0031	-	106	98	112	0.15 61 101	-0.33 41 95	-0.26 97	-0.93 27 97	4.40 26 121	2.46 45 109	-0.29 31 102	0.48 16 101	138	4 7
106	2100 25 0089 2025/08/11	3	2.18	2081 24 0273 2100 21 0031	-	105	96	113	-0.23 61 97	-0.26 41 96	-0.38 96	-1.46 27 95	4.40 26 121	2.14 45 107	-0.29 31 102	0.48 16 101	138	4 7
107	2100 25 0091 2025/09/04	1	2.22	2081 24 0273 2100 24 0059	-	100	101	99	0.46 59 103	-0.12 37 98	0.12 100	-0.10 25 101	0.80 22 103	0.82 42 102	0.30 28 100	2.98 12 94	96	1 1
108	2100 25 0092 2025/09/04	1	2.19	2081 24 0273 2100 21 0004	-	96	95	101	-0.76 61 93	0.15 40 101	-0.23 97	-1.68 26 94	1.20 23 105	0.11 44 99	-0.01 25 101	3.94 14 92	90	3 4

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
109	2100 25 0093 2025/09/04	1	2.18	2081 24 0273 2100 22 0048		103	96	110	-0.33 61 96	-0.08 40 98	-0.24 97	-1.48 26 95	2.90 25 113	1.34 45 104	0.18 29 100	-2.08 16 107	104	3 3
110	2100 25 0094 2025/09/04	1	2.23	2081 24 0273 2100 21 0008		99	97	102	-0.27 59 97	0.01 36 99	-0.12 98	-0.98 24 97	0.60 20 102	0.11 41 99	0.15 20 100	-0.43 12 103	87	2 2
111	2100 25 0095 2025/09/04	1	2.19	2081 24 0273 2100 21 0063		103	99	107	-0.20 59 98	0.24 37 101	0.14 100	-0.73 28 98	2.00 22 109	1.24 42 104	-1.03 22 104	0.32 13 101	96	2 2
112	2100 25 0096 2025/09/04	1	2.22	2081 24 0273 2100 23 0032		108	104	108	0.90 59 107	-0.17 37 97	0.28 101	0.54 27 103	2.50 22 111	2.23 42 108	-1.02 25 104	-0.65 11 103	97	1 1
113	2100 25 0097 2025/09/04	2	2.18	2081 24 0273 2100 18 0064		96	96	100	-0.91 54 92	0.48 41 104	0.03 99	-1.30 29 96	1.10 27 104	0.24 43 99	-0.57 26 102	6.43 14 85	125	8 7
114	2100 25 0101 2025/10/09	1	2.19	2081 24 0273 2100 20 0094		90	87	98	-1.47 60 87	-0.50 40 94	-1.24 89	-3.88 28 85	0.40 25 101	-1.73 44 91	0.04 26 101	1.24 15 99	104	4 4
115	2100 25 0102 2025/10/16	2	2.19	2081 24 0273 2100 23 0037		103	99	107	0.17 60 101	-0.22 37 97	-0.14 98	-0.84 28 98	1.80 21 108	1.03 42 103	0.64 26 99	-3.41 13 111	96	1 1
116	2100 25 0104 2025/10/24	2	2.18	2081 24 0273 2100 18 0116		107	102	110	0.50 62 103	-0.04 42 98	0.20 100	-0.03 28 101	3.60 26 117	2.61 46 109	-0.54 24 102	1.72 15 97	100	6 8
117	2100 25 0107 2025/10/24	2	2.18	2081 24 0273 2100 19 0102		109	102	114	0.31 62 102	0.28 44 102	0.43 102	0.11 28 101	4.00 28 119	2.99 47 111	0.60 28 99	-2.14 18 107	114	5 8
118	2100 25 0112 2025/11/24	2	2.18	2081 24 0273 - - -		96	99	95	-0.01 41 99	0.01 22 99	0.00 99	-0.23 15 100	1.50 10 106	0.90 27 102	0.93 11 98	10.59 5 75		0
119	2100 25 0114 2025/11/24	1	2.18	2081 24 0273 2100 21 0052		98	96	98	0.31 53 102	-0.77 38 91	-0.62 94	-1.41 26 95	-0.70 25 95	-0.89 41 95	-4.24 28 112	0.41 15 101	91	4 2
120	2100 25 0115 2025/11/24	1	2.31	2081 24 0273 2100 23 0109		90	85	101	-1.75 56 84	-0.42 34 94	-1.29 88	-3.93 25 85	1.70 19 107	-1.15 39 94	0.49 20 99	2.65 10 95	94	1 1
121	2100 25 0116 2025/11/24	1	2.19	2081 24 0273 2100 21 0024		99	99	99	-0.01 61 99	0.11 40 100	0.11 100	-0.31 31 100	0.10 24 99	0.16 44 99	0.86 28 98	-0.05 14 102	99	4 4
122	2100 25 0117 2025/11/24	1	2.18	2081 24 0273 2100 23 0058		104	98	109	0.09 60 100	-0.22 37 97	-0.18 97	-1.01 27 97	2.50 22 111	1.37 42 104	-0.41 27 102	-1.69 13 106	95	1 1
123	2100 25 0118 2025/11/24	2	2.19	2081 24 0273 2100 21 0025		106	105	106	0.68 60 105	0.25 39 102	0.59 104	0.78 26 104	2.20 22 110	2.25 43 108	-0.03 21 101	1.64 14 98	95	2 3
124	2100 25 0121 2025/11/24	2	2.18	2081 24 0273 2100 23 0060		107	98	112	0.24 60 101	-0.48 38 94	-0.36 96	-1.08 27 97	3.50 22 117	1.86 43 106	-1.05 27 104	-3.06 12 110	100	1 2
125	2100 25 0123 2025/11/24	2	2.18	2081 24 0273 2100 22 0061		104	102	105	0.48 61 103	-0.02 40 99	0.22 101	-0.03 26 101	2.40 24 111	1.89 44 106	-1.39 30 105	3.70 15 92	103	2 3
126	2100 25 0124 2025/11/24	2	2.18	2081 24 0273 2100 22 0061		108	107	105	1.39 61 111	-0.19 40 97	0.50 103	1.21 26 106	2.40 24 111	2.64 44 109	-1.39 30 105	3.70 15 92	103	2 3



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam T Lamberd N Weaned				
								Dir	Mat	Comb	Post-Wean									
								Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc			EBV Index	Acc	EBV Index
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
127	2100 25 0125 2025/11/24	1	2.19	2081 24 0273 2100 24 0283	103	96	109	-0.16 60 98	-0.40 37 95	-0.48 95	-1.57 28 95	2.50 22 111	0.94 42 102	-0.41 23 102	-3.47 13 111	99	1 1			
128	2100 25 0126 2025/11/24	1	2.18	2081 24 0273 2100 22 0043	102	97	107	-0.14 61 98	-0.22 40 97	-0.28 96	-1.41 27 95	2.50 24 111	1.15 44 103	1.08 30 98	-1.39 15 105	108	2 3			
129	2100 25 0131 2025/12/22	2	2.18	2081 24 0273 - - -	96	99	95	-0.01 41 99	0.01 22 99	0.00 99	-0.23 15 100	1.50 10 106	0.90 27 102	0.93 11 98	10.59 5 75		0			
Ram Flock Average :					97	95	100	-0.11	-0.61	-0.67	-1.86	1.27	0.05	1.13	0.16					
Total number of young rams :					129															

Young rams born since Jan 2024, with at least one parent known



Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
1	2100 17 0054 2017/05/09	1	13.49	2100 16 0004 2100 14 0165	93	107	83	0.04	1.53	1.55	1.16	-3.70	-0.65	0.57	10.82	123	9					
2	2100 17 0085 2017/05/25	1	4.15	2100 15 0169 2100 14 0274	98	102	97	-0.37	0.90	0.72	0.12	0.10	0.60	2.78	4.07	127	6					
3	2100 18 0064 2018/05/31	1	10.40	2100 17 0044 2100 12 0043	81	90	84	-1.93	0.53	-0.43	-2.72	-1.40	-2.23	1.09	15.28	125	8					
4	2100 18 0079 2018/06/21	1	7.56	2100 17 0044 2100 14 0004	65	71	71	-2.64	-2.05	-3.37	-7.34	-4.10	-7.14	6.26	3.50	128	8					
5	2100 18 0109 2018/07/18	1	0.84	2100 17 0044 2100 13 0151	80	86	80	-1.05	-1.16	-1.69	-3.90	-3.50	-4.31	4.92	0.59	127	9					
6	2100 19 0005 2019/02/05	1	2.04	888 16 0073 - - -	94	96	94	0.10	-0.68	-0.63	-1.26	1.70	0.44	0.38	10.33	114	6					
7	2100 19 0020 2019/05/09	1	1.21	888 16 0073 2100 14 0167	81	85	86	-2.12	-0.10	-1.16	-4.43	-3.50	-4.32	-1.50	3.46	119	7					
8	2100 19 0021 2019/05/09	1	1.12	888 16 0073 2100 16 0014	102	102	98	1.01	-0.55	-0.05	-0.14	0.00	0.46	1.41	-2.41	88	7					
9	2100 19 0032 2019/06/18	1	1.14	888 16 0073 2100 14 0199	95	92	98	-0.22	-0.92	-1.02	-2.75	1.00	-0.53	-1.31	3.58	130	7					
10	2100 19 0042 2019/07/02	1	10.33	2100 18 0069 2100 14 0164	73	88	69	-1.55	-0.21	-0.99	-3.57	-4.60	-4.52	7.08	10.88	119	5					
11	2100 19 0043 2019/07/03	2	14.39	2100 18 0069 2100 16 0062	86	90	88	-0.85	-0.71	-1.13	-3.05	0.10	-1.49	2.70	9.00	132	5					
12	2100 19 0083 2019/08/24	2	11.30	2100 18 0069 2100 17 0058	70	84	64	-0.93	-1.52	-1.99	-4.61	-6.60	-6.42	3.92	7.49	87	4					
13	2100 19 0090 2019/08/24	1	2.04	2100 18 0069 - - -	75	96	63	-0.47	0.03	-0.20	-1.00	-6.40	-4.28	5.02	17.85	113	7					
14	2100 19 0102 2019/10/09	2	1.25	888 16 0033 2100 16 0050	106	99	113	-0.10	0.23	0.19	-0.73	4.40	2.78	3.42	-1.86	114	5					
15	2100 20 0008 2020/05/09	1	1.21	888 16 0033 2100 15 0050	93	91	96	-0.32	-1.10	-1.26	-3.08	1.10	-0.76	2.77	1.01	121	6					
16	2100 20 0009 2020/05/09	1	1.25	888 16 0033 2100 18 0064	88	88	94	-1.09	-0.79	-1.34	-3.50	1.30	-1.10	-0.75	10.02	113	5					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned	
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
17	2100 20 0014 2020/05/14	1	1.30	888 16 0033 2100 17 0003	86	87	91	-1.17	-0.76	-1.34	-3.94	1.20	-1.20	8.50	3.08	109	4					
								68 89	65 91	88	47 85	46 105	62 93	51 78	30 94		3					
18	2100 20 0023 2020/05/21	1	1.31	888 16 0033 2100 14 0159	98	99	98	0.14	-0.06	0.01	-0.75	0.80	0.55	2.29	3.00	153	5					
								64 100	67 98	99	48 98	49 103	62 101	46 95	32 94		4					
19	2100 20 0067 2020/05/28	2	1.23	888 16 0033 2100 17 0058	92	94	91	0.05	-0.97	-0.94	-2.29	-1.10	-1.58	2.34	-0.54	123	5					
								69 100	68 89	91	47 92	48 93	64 92	52 95	31 103		4					
20	2100 20 0069 2020/07/22	2	1.35	888 16 0033 2100 18 0139	104	100	101	1.52	-1.51	-0.75	-0.42	1.90	1.15	0.49	-0.88	105	5					
								70 112	70 83	93	47 99	49 108	65 103	51 99	30 104		6					
21	2100 20 0070 2020/07/22	1	1.25	888 16 0033 2100 17 0154	103	102	106	0.24	0.32	0.44	-0.49	3.70	2.77	5.80	1.99	110	6					
								71 101	70 102	102	51 99	49 118	66 110	46 85	30 97		6					
22	2100 20 0081 2020/07/22	1	1.22	888 16 0033 2100 18 0047	95	98	93	0.28	-0.51	-0.37	-1.35	1.10	0.43	4.89	5.03	92	4					
								70 102	69 93	96	49 95	48 104	65 100	50 88	31 89		5					
23	2100 20 0084 2020/09/01	2	1.25	888 16 0033 2100 17 0137	108	104	108	1.11	-0.23	0.33	0.39	3.70	3.11	0.21	3.18	99	3					
								69 109	68 96	101	52 103	46 118	63 111	44 100	30 94		5					
24	2100 20 0089 2020/09/01	1	1.30	888 16 0033 2100 16 0074	105	99	110	0.21	-0.21	-0.10	-0.85	4.40	2.64	1.53	1.94	105	5					
								71 101	71 97	98	49 98	50 121	66 110	53 97	32 97		6					
25	2100 20 0094 2020/12/12	1	1.24	888 16 0033 2100 19 0083	76	80	79	-1.40	-1.74	-2.44	-5.64	-2.70	-4.76	2.30	4.90	104	4					
								67 87	66 80	79	48 78	46 84	62 78	47 95	29 89		4					
26	2100 20 0096 2020/12/12	2	1.26	888 16 0033 2100 17 0035	90	92	91	-0.33	-0.94	-1.10	-2.57	0.30	-1.08	-0.88	8.93	96	3					
								68 96	67 89	90	47 91	48 100	63 94	52 103	30 79		3					
27	2100 21 0003 2021/03/22	1	1.20	2100 19 0016 2100 16 0050	103	100	105	0.34	-0.21	-0.05	-0.56	1.90	1.26	1.30	-1.83	117	5					
								70 102	69 97	98	43 99	48 108	65 104	50 97	29 106		6					
28	2100 21 0004 2021/03/22	1	1.26	2100 19 0016 2100 18 0078	83	89	85	-1.34	-0.18	-0.85	-3.09	-1.10	-2.18	2.20	10.29	90	3					
								68 88	65 97	92	44 88	42 93	61 89	45 95	26 75		4					
29	2100 21 0008 2021/03/29	1	1.64	2100 19 0016 2100 19 0065	87	91	87	-0.89	-0.36	-0.81	-2.42	-2.40	-2.69	2.53	1.55	87	2					
								61 92	56 95	92	38 91	34 86	53 87	33 94	23 98		2					
30	2100 21 0012 2021/04/12	2	7.25	2100 19 0019 2100 17 0060	100	94	105	-0.07	-0.77	-0.81	-2.35	3.10	1.02	1.24	0.73	118	4					
								72 99	71 91	92	43 91	49 115	66 103	56 97	30 100		6					
31	2100 21 0013 2021/04/12	1	6.32	2100 19 0019 2100 18 0048	82	80	90	-1.63	-1.46	-2.28	-5.56	0.30	-2.91	2.39	4.28	88	1					
								66 85	60 83	80	44 78	42 100	58 86	47 94	26 91		1					
32	2100 21 0021 2021/04/29	1	1.23	2100 19 0016 2100 18 0017	96	101	91	0.38	-0.06	0.13	-0.46	-2.70	-1.30	1.32	-1.67	109	5					
								68 102	68 98	100	44 99	46 84	63 93	52 97	27 106		5					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned		
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
									EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
33	2100 21 0024 2021/04/29	1	1.27	2100 19 0016 2100 18 0040		86	93	83	-0.82 68	-0.08 92	-0.49 66	-1.69 98	-3.30 44	-2.88 81	3.95 62	2.33 27	99	4						
34	2100 21 0025 2021/04/29	1	1.27	2100 19 0016 2100 19 0043		96	98	97	-0.50 67	0.39 95	0.14 63	-0.96 103	0.90 39	0.43 103	2.17 59	5.69 100	95	2						
35	2100 21 0031 2021/04/29	1	4.20	2100 19 0019 2100 18 0014		101	92	109	-0.14 71	-1.04 98	-1.11 69	-2.44 88	5.30 48	2.00 126	1.64 65	3.38 107	138	4						
36	2100 21 0034 2021/04/29	1	6.64	2100 19 0019 2100 18 0043		98	95	102	-0.42 68	-0.23 96	-0.44 64	-1.91 96	1.80 45	0.44 108	0.93 61	1.83 100	97	4						
37	2100 21 0042 2021/06/15	1	1.32	2100 19 0016 2100 20 0009		86	85	93	-1.58 65	-0.78 86	-1.57 61	-4.30 91	-0.70 41	-2.77 95	-2.81 58	4.98 87	95	4						
38	2100 21 0046 2021/06/15	1	1.31	2100 19 0016 2100 20 0025		92	88	99	-0.74 64	-1.08 93	-1.45 61	-3.44 87	1.20 36	-1.10 105	0.61 56	0.91 94	101	2						
39	2100 21 0047 2021/06/24	1	1.28	2100 19 0016 2100 19 0102		100	102	99	0.29 67	0.22 102	0.36 65	-0.03 101	0.80 44	0.98 103	5.37 45	-0.57 103	112	3						
40	2100 21 0052 2021/08/10	1	8.00	2100 19 0019 2100 16 0174		86	91	80	0.50 67	-1.98 103	-1.73 63	-2.95 78	-5.00 46	-4.48 73	-6.27 61	3.24 80	91	4						
41	2100 21 0053 2021/08/10	1	4.98	2100 19 0019 2100 17 0035		104	98	105	0.60 71	-0.78 104	-0.48 70	-0.99 91	2.20 49	1.15 110	-5.36 66	3.89 103	127	4						
42	2100 21 0055 2021/08/10	1	4.08	2100 19 0019 2100 17 0107		88	91	84	0.32 67	-1.71 102	-1.55 63	-2.94 81	-2.50 45	-2.90 85	4.82 60	-2.57 86	90	2						
43	2100 21 0058 2021/08/10	1	4.26	2100 19 0019 2100 20 0054		101	94	110	-0.34 69	-0.41 96	-0.58 67	-2.20 95	4.50 45	1.96 122	3.74 63	-0.10 107	132	3						
44	2100 21 0060 2021/08/10	1	4.68	2100 19 0019 2100 20 0020		91	89	94	-0.08 66	-1.71 99	-1.75 63	-3.50 81	1.10 44	-1.13 104	1.73 60	2.58 94	105	3						
45	2100 21 0063 2021/08/10	1	7.51	2100 19 0016 2100 20 0028		93	92	99	-1.18 64	0.17 89	-0.42 58	-2.50 101	0.40 38	-0.77 101	0.16 56	3.05 95	96	2						
46	2100 21 0064 2021/08/10	2	1.66	2100 19 0016 2100 19 0090		85	99	77	-0.25 63	0.31 97	0.19 60	-0.46 102	-3.80 38	-2.22 79	5.26 56	9.19 89	93	3						
47	2100 21 0072 2021/09/22	1	1.69	2100 19 0019 2100 16 0050		110	102	115	0.64 70	-0.19 105	0.13 68	-0.26 97	4.80 48	3.33 123	0.46 64	-0.79 112	113	3						
48	2100 21 0078 2021/10/01	1	3.22	2100 19 0019 2100 18 0040		90	90	91	-0.37 69	-1.11 96	-1.30 67	-2.82 87	-1.20 46	-2.20 92	1.89 63	-1.02 89	107	4						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
									Dir	Mat	Comb	Post-wean										
									Acc	Index	Acc	Index	EBV Index	Acc	Index							
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
49	2100 21 0095 2021/10/20	1	4.51	2100 19 0019 2100 17 0076		98	99	95	0.90 67 107	-0.91 63 89	-0.46 95	-0.67 45 98	0.20 44 99	0.11 60 99	1.88 52 96	1.14 28 99	89	3 2				
50	2100 21 0098 2021/10/20	2	8.02	2100 19 0019 2100 17 0058		89	93	86	0.38 68 102	-1.40 65 84	-1.21 89	-2.48 43 91	-1.10 46 93	-1.67 62 91	4.91 52 88	1.25 30 99	99	3 3				
51	2100 21 0104 2021/10/26	2	1.35	2100 19 0016 2100 17 0089		100	96	105	-0.26 69 97	-0.19 67 97	-0.32 96	-1.55 44 95	1.90 42 108	0.69 62 101	1.27 46 97	-0.89 25 104	125	4 6				
52	2100 21 0106 2021/10/26	1	1.29	2100 19 0016 2100 16 0040		86	88	87	-1.00 67 91	-0.80 64 90	-1.30 88	-3.59 44 86	-3.20 44 82	-3.72 61 83	-1.87 49 106	0.74 28 100	94	3 3				
53	2100 21 0111 2021/11/11	1	2.73	2100 19 0019 2100 20 0003		94	90	97	0.18 67 101	-1.74 66 80	-1.65 85	-3.10 42 88	2.10 42 109	-0.30 61 97	1.13 51 98	3.16 28 94	110	3 5				
54	2100 22 0012 2022/04/22	2	2.66	2100 19 0019 2100 20 0048		97	90	103	0.05 67 100	-1.67 62 81	-1.65 85	-3.29 43 88	1.70 42 107	-0.60 59 96	-3.41 56 110	-0.43 30 103	93	2 2				
55	2100 22 0013 2022/04/22	1	2.62	2100 19 0019 2100 20 0009		91	88	98	-0.82 68 92	-0.94 65 89	-1.35 88	-3.53 43 87	2.50 44 111	-0.26 61 97	1.65 56 96	6.38 30 85	103	2 3				
56	2100 22 0014 2022/04/29	1	18.14	2100 19 0019 2100 19 0009		94	93	97	-0.31 66 97	-0.66 59 92	-0.82 92	-2.53 42 91	0.50 42 101	-0.67 58 96	3.37 55 92	-1.17 26 105	94	1 1				
57	2100 22 0015 2022/04/29	1	3.11	2100 19 0019 2100 20 0096		91	91	94	-0.37 66 96	-1.04 60 88	-1.23 89	-3.00 43 89	0.50 43 101	-1.11 58 94	0.59 56 99	3.87 26 92	92	1 1				
58	2100 22 0016 2022/04/29	1	6.09	2100 19 0019 2100 17 0003		97	97	98	0.01 69 99	-0.40 66 95	-0.39 96	-1.66 42 94	1.70 45 107	0.63 62 101	3.91 54 90	2.65 30 95	121	3 4				
59	2100 22 0022 2022/05/09	2	4.15	2100 19 0019 2100 20 0081		97	96	97	0.40 67 103	-0.98 64 88	-0.78 92	-1.85 43 93	1.80 44 108	0.50 61 100	4.48 56 89	1.18 30 99	93	3 2				
60	2100 22 0023 2022/05/09	1	10.77	2100 19 0019 2100 16 0032		86	83	95	-1.22 69 89	-1.53 66 83	-2.14 81	-5.25 43 80	1.80 46 108	-1.67 63 91	0.39 57 100	6.29 31 86	99	2 3				
61	2100 22 0029 2022/05/24	1	4.08	2100 19 0019 2100 17 0107		96	99	93	0.23 68 101	-0.25 66 96	-0.13 98	-0.94 47 97	-1.90 47 89	-1.16 62 94	3.16 57 92	-3.48 30 111	108	3 3				
62	2100 22 0030 2022/05/24	1	8.43	2100 19 0019 2100 21 0024		88	92	88	-0.30 67 97	-0.97 62 89	-1.12 90	-2.58 49 90	-1.10 43 93	-1.94 60 90	4.73 55 88	0.94 29 99	95	2 2				
63	2100 22 0032 2022/05/24	1	7.66	2100 19 0019 2100 21 0003		102	100	102	0.49 67 103	-0.31 63 96	-0.07 98	-0.62 42 98	1.60 44 107	1.14 60 103	1.53 55 97	0.29 29 101	98	2 2				
64	2100 22 0043 2022/05/24	1	8.86	2100 19 0019 2100 21 0021		97	96	97	0.48 68 103	-1.02 65 88	-0.78 92	-1.79 46 94	1.40 44 106	0.30 61 100	4.38 56 89	-0.36 29 103	108	2 3				

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean										
									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index		Nr Weaned
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
65	2100 22 0047 2022/05/24	2	1.47	2100 19 0019 2100 19 0102	107	102	108	0.94 67	-0.51 107	-0.04 61	-0.21 94	3.20 44	2.36 115	2.31 59	-2.14 108	89	2					
66	2100 22 0048 2022/05/24	2	1.47	2100 19 0019 2100 19 0102	101	97	103	0.44 69	-0.81 103	-0.59 66	-1.45 90	2.20 47	0.95 110	2.59 63	-1.74 102	104	3					
67	2100 22 0053 2022/06/07	1	7.69	2100 19 0019 2100 17 0054	109	114	97	2.16 66	0.29 118	1.37 60	2.81 102	-1.00 43	1.85 93	-4.37 58	5.11 106	93	1					
68	2100 22 0056 2022/06/07	1	27.38	2100 19 0019 2100 21 0031	105	98	104	1.68 68	-2.10 114	-1.26 66	-1.17 77	3.00 46	1.38 114	-2.40 62	0.80 104	107	3					
69	2100 22 0061 2022/06/14	2	5.13	2100 19 0019 2100 18 0078	101	105	94	1.59 68	-0.62 113	0.18 65	0.82 92	1.20 44	1.69 105	-0.56 61	9.81 106	103	2					
70	2100 22 0067 2022/07/21	1	13.97	2100 19 0019 2100 19 0005	96	97	94	0.71 65	-1.09 105	-0.74 62	-1.18 87	1.00 43	0.22 104	0.67 59	6.09 99	95	2					
71	2100 22 0069 2022/08/04	1	4.41	2100 20 0075 2100 18 0015	97	88	105	-0.44 69	-1.42 96	-1.64 67	-3.67 84	2.60 45	-0.29 112	0.86 63	-3.28 97	105	3					
72	2100 22 0070 2022/08/04	1	16.63	2100 20 0075 2100 20 0089	105	98	110	0.33 68	-0.58 102	-0.41 65	-1.18 93	3.50 43	1.86 117	1.86 61	-3.21 106	102	2					
73	2100 22 0071 2022/07/11	1	13.89	2100 20 0075 2100 20 0087	84	85	86	-0.57 68	-1.86 94	-2.14 65	-4.47 79	-1.10 45	-3.09 93	6.46 62	-1.97 85	104	4					
74	2100 22 0073 2022/08/11	1	7.39	2100 20 0075 2100 21 0043	92	87	98	-0.93 65	-0.99 91	-1.46 60	-3.78 88	0.30 40	-1.74 100	3.22 57	-4.77 91	94	2					
75	2100 22 0074 2022/08/25	1	13.84	2100 20 0075 2100 20 0040	102	95	106	-0.05 59	-0.66 99	-0.69 56	-1.98 92	1.00 39	-0.11 104	-3.37 53	-3.92 98	100	1					
76	2100 22 0080 2022/11/09	1	13.50	2100 20 0075 2100 20 0008	96	93	97	0.18 66	-1.28 101	-1.19 63	-2.46 85	0.50 43	-0.80 101	2.58 60	-3.38 95	100	2					
77	2100 22 0090 2022/12/21	2	1.11	2100 20 0075 2100 17 0035	98	98	97	0.14 67	-0.22 100	-0.15 63	-0.83 97	0.30 43	0.10 100	1.19 60	1.85 99	100	2					
78	2100 23 0002 2023/03/02	2	1.09	2100 20 0075 2100 21 0012	104	99	106	0.80 66	-0.88 106	-0.48 59	-0.97 90	2.30 40	1.30 110	1.74 57	-3.72 104	110	1					
79	2100 23 0011 2023/03/22	1	1.08	2100 20 0075 2100 19 0042	89	94	87	-0.24 64	-0.63 97	-0.74 53	-2.10 92	-1.70 37	-1.88 90	4.74 54	1.34 90	90	1					
80	2100 23 0022 2023/05/18	2	8.10	2100 20 0075 2100 21 0111	94	87	100	-0.40 65	-1.60 96	-1.80 58	-3.83 82	1.70 38	-0.98 107	1.86 56	-2.53 94	95	1					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID	BDate	Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25		0.10	0.21	0.27	1.10					
81	2100 23 0027 2023/05/08	1	13.69	2100 20 0075		107	104	106	1.16	-0.36	0.22	0.25		3.40	2.83	6.74	-3.15			102	1 2	
				2100 20 0070					66	109	62	95	101	48	102	40	116	58	110			46
82	2100 23 0029 2023/06/08	1	9.07	2100 20 0075		99	96	100	0.19	-0.66	-0.56	-1.46		0.90	0.08	3.89	-4.01			105	2 2	
				2100 21 0047					66	101	61	92	94	46	95	40	103	58	99			40
83	2100 23 0032 2023/06/08	2	1.59	2100 20 0075		102	100	101	0.71	-0.59	-0.23	-0.37		1.50	1.02	0.19	1.11			97	1 1	
				2100 19 0005					64	105	58	93	97	46	99	39	106	56	103			45
84	2100 23 0036 2023/06/22	2	13.69	2100 20 0075		100	92	107	-0.42	-0.79	-1.00	-2.79		2.20	0.11	-1.55	-2.43			106	2 2	
				2100 20 0084					66	96	61	90	91	48	90	41	110	58	99			46
85	2100 23 0037 2023/06/22	1	13.63	2100 20 0075		96	94	97	-0.01	-0.83	-0.83	-2.13		0.00	-0.83	3.49	-4.40			96	1 1	
				2100 20 0067					65	99	58	90	92	47	92	38	98	56	95			48
86	2100 23 0038 2023/07/05	2	13.50	2100 20 0075		96	92	100	-0.38	-0.71	-0.91	-2.59		0.80	-0.62	2.51	-3.58			95	1 1	
				2100 20 0008					66	96	60	91	91	47	90	41	103	58	96			49
87	2100 23 0039 2023/07/05	2	13.50	2100 20 0075		92	86	101	-1.05	-1.19	-1.71	-4.33		1.60	-1.27	2.75	-2.71			107	2 3	
				2100 20 0008					68	90	65	86	85	47	83	43	107	61	93			49
88	2100 23 0042 2023/07/05	2	16.63	2100 20 0075		100	91	110	-0.40	-0.97	-1.17	-2.91		3.90	0.97	1.89	-3.12			97	1 2	
				2100 20 0089					67	96	62	89	89	47	89	40	119	59	103			42
89	2100 23 0046 2023/07/19	1	4.41	2100 20 0075		97	99	94	0.55	-0.64	-0.37	-0.95		-2.50	-1.59	2.24	-7.74			110	2 3	
				2100 17 0107					68	104	63	92	96	47	97	41	85	60	92			43
90	2100 23 0049 2023/08/03	1	1.57	2100 20 0075		86	95	81	-0.16	-0.61	-0.69	-1.71		-3.00	-2.57	3.59	4.85			94	1 1	
				2100 19 0090					64	98	58	92	93	46	94	38	83	56	88			37
91	2100 23 0052 2023/08/03	1	1.04	2100 20 0075		81	79	88	-1.46	-1.91	-2.64	-5.61		-0.80	-3.85	5.31	-2.37			96	1 2	
				2100 18 0079					68	87	62	79	77	49	78	41	94	59	82			50
92	2100 23 0057 2023/08/24	1	1.16	2100 20 0075		99	97	102	-0.46	0.14	-0.10	-1.45		-0.40	-0.57	-0.31	-3.45			112	2 3	
				2100 19 0020					67	95	64	100	98	47	95	43	96	60	96			49
93	2100 23 0058 2023/08/24	2	1.11	2100 20 0075		92	87	102	-1.38	-0.61	-1.30	-4.11		1.50	-1.08	1.40	-0.96			95	1 1	
				2100 22 0023					65	88	58	92	88	46	84	39	106	56	94			49
94	2100 23 0059 2023/08/24	2	1.11	2100 20 0075		96	91	101	-0.32	-0.95	-1.11	-2.88		1.40	-0.43	1.24	-0.93			95	1 1	
				2100 22 0023					65	97	58	89	90	46	89	39	106	56	97			44
95	2100 23 0060 2023/08/24	1	1.87	2100 20 0075		104	94	109	0.56	-1.43	-1.15	-2.04		3.40	1.17	0.12	-3.71			100	1 2	
				2100 22 0056					66	104	61	84	89	46	93	39	116	58	103			49
96	2100 23 0064 2023/08/24	2	2.66	2100 20 0075		104	94	113	-0.49	-0.27	-0.51	-2.01		4.30	1.83	1.52	-2.40			100	1 2	
				2100 21 0031					67	95	61	96	95	46	93	40	121	58	106			51

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID	BDate	Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-wean		Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb													
									Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
97	2100 23 0073 2023/09/06	2	1.14	2100 20 0075 2100 19 0009		93	90	98	-0.58 65	-0.99 94 58	-1.29 88	-3.32 47 87	0.10 40	-1.52 57 92	2.19 51 95	-4.64 23 114	95	1						
98	2100 23 0076 2023/09/06	2	15.14	2100 20 0075 2100 20 0069		104	101	103	1.18 67	-1.01 109 62	-0.42 95	-0.35 47 100	1.20 42	0.89 59 102	2.18 48 95	-6.13 27 118	111	2						
99	2100 23 0077 2023/09/06	2	2.33	2100 20 0076 2100 20 0069		95	96	96	0.01 51	-0.50 94 45	-0.50 95	-0.98 23 97	0.20 29	-0.37 44 97	2.03 41 95	1.50 15 98	96	1						
100	2100 23 0078 2023/09/06	1	1.09	2100 20 0075 2100 21 0053		103	97	106	0.30 66	-0.64 92 59	-0.50 95	-1.32 47 96	1.60 40	0.61 57 101	-2.18 51 107	-2.13 23 107	97	1						
101	2100 23 0079 2023/09/06	1	27.52	2100 20 0075 2100 22 0069		101	93	106	-0.08 65	-0.86 90 58	-0.90 91	-2.28 46 92	1.80 39	0.14 56 99	0.71 50 99	-5.72 22 117	98	1						
102	2100 23 0085 2023/10/04	1	1.09	2100 20 0075 2100 21 0012		100	95	103	0.14 67	-0.81 90 62	-0.74 93	-1.95 46 93	1.50 42	0.23 59 99	0.77 49 99	-2.83 27 109	109	2						
103	2100 23 0109 2023/10/25	2	2.35	2100 20 0075 - -		82	84	84	-0.74 50	-1.80 80 49	-2.17 81	-4.08 40 84	-0.10 32	-2.60 45 87	3.21 33 92	7.71 18 82	94	1						
104	2100 24 0001 2024/03/04	1	26.83	2100 19 0019 2100 22 0015		92	92	91	0.36 64	-1.62 82 58	-1.44 87	-2.73 41 90	0.90 41	-0.72 56 95	5.52 55 86	1.26 25 99	98	1						
105	2100 24 0021 2024/04/29	2	17.35	2100 19 0019 2100 19 0032		97	93	102	-0.11 66	-0.96 89 60	-1.02 91	-2.65 44 90	1.50 42	-0.17 58 98	-1.76 54 106	1.28 26 99	101	1						
106	2100 24 0027 2024/04/29	1	27.32	2100 19 0019 2100 22 0029		101	101	98	0.94 65	-0.73 91 59	-0.26 97	-0.56 43 99	0.00 42	0.21 57 99	1.68 55 96	-2.27 26 108	100	1						
107	2100 24 0032 2024/04/29	1	8.86	2100 19 0019 2100 21 0021		107	107	101	1.43 66	-0.14 97 62	0.58 103	1.04 42 105	-0.30 40	1.11 58 103	-2.68 54 108	-1.27 25 105	112	2						
108	2100 24 0036 2024/04/29	1	29.28	2100 19 0019 2100 21 0052		94	94	90	0.96 65	-2.04 77 58	-1.56 86	-2.38 42 91	-1.60 41	-2.05 57 90	-4.12 54 112	1.11 26 99	99	1						
109	2100 24 0043 2024/04/29	1	7.36	2100 19 0019 2100 19 0083		86	92	82	0.25 64	-1.56 82 55	-1.43 87	-2.84 43 89	-2.20 39	-2.63 55 87	3.08 52 93	3.18 24 94	90	0						
110	2100 24 0044 2024/04/29	2	13.97	2100 19 0019 2100 19 0005		98	96	98	0.55 64	-1.15 87 59	-0.87 92	-1.53 42 95	1.60 41	0.36 57 100	-0.86 51 103	4.67 24 90	100	1						
111	2100 24 0059 2024/05/09	1	4.37	2100 19 0019 2100 19 0090		88	97	82	0.22 64	-0.55 93 59	-0.44 95	-1.14 41 96	-1.90 40	-1.47 57 92	2.82 51 93	8.38 23 80	96	1						
112	2100 24 0062 2024/05/21	2	29.71	2100 19 0019 2100 22 0043		100	98	99	1.31 66	-1.72 81 60	-1.07 90	-1.43 42 95	2.50 41	1.09 58 103	4.19 55 90	-0.75 26 104	101	2						

Ewes with Progeny

 Genotyped
 EBV - Estimated Breeding Value
 Indices >= 124
 Above breed average
 Indices <= 76
 Acc: Accuracy of the breeding value
 Breeding values with an accuracy below 5% are not printed
 Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight								Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
							Dir		Mat		Comb		Post-wean											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index			
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
113	2100 24 0078 2024/06/20	1	7.30	2100 20 0075 2100 22 0022	98	93	106	-0.52	-0.50	-0.75	-2.55	2.90	0.73	5.37	-3.57	103	1							
								66	95	60	94	93	46	91	39	113	57	101	49	86	23	111	2	
114	2100 24 0082 2024/07/04	2	13.54	2100 20 0075 2100 20 0009	94	89	99	-0.54	-1.12	-1.40	-3.22	1.00	-1.07	-1.16	0.98	100	1							
								66	95	59	87	87	47	88	41	104	58	94	49	104	23	99	1	
115	2100 24 0085 2024/07/11	2	33.62	2100 20 0075 2100 22 0070	97	90	104	-0.45	-1.14	-1.36	-3.24	1.60	-0.63	2.15	-5.70	100	1							
								65	95	57	87	88	47	88	38	107	56	96	39	95	22	116	1	
116	2100 24 0283 2024/11/27	1	15.14	2100 20 0075 2100 20 0069	100	94	102	0.50	-1.41	-1.16	-2.00	1.40	-0.06	1.41	-4.53	99	1							
								66	104	59	84	89	47	93	40	106	57	98	42	97	23	113	1	
117	2100 24 0285 2024/11/27	1	1.06	2100 20 0075 2100 21 0099	103	98	105	0.36	-0.49	-0.31	-1.05	2.10	1.13	2.41	-3.34	101	1							
								65	102	57	94	96	46	97	39	109	56	103	43	94	24	110	1	
Ewe Flock Average						96	94	99	-0.21	-0.68	-0.79	-2.17	0.84	-0.39	1.18	0.14								
Number of ewes with progeny in the flock: 117																								

Active ewes with progeny born since Jan 2024.

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
1	2100 24 0001 2024/03/04	1	26.83	2100 19 0019 2100 22 0015	92	92	91	0.36 64 102	-1.62 58 82	-1.44 87	-2.73 41 90	0.90 41 103	-0.72 56 95	5.52 55 86	1.26 25 99	92	1	1			
2	2100 24 0002 2024/03/04	1	8.13	2100 19 0019 2100 21 0042	90	86	98	-1.13 64 90	-0.99 53 88	-1.55 86	-4.12 42 84	0.70 38 102	-1.70 54 91	-1.15 45 104	1.95 25 97	95	4	2			
3	2100 24 0004 2024/03/04	2	28.90	2100 19 0019 2100 21 0080	100	96	101	0.47 64 103	-0.97 53 89	-0.74 93	-1.75 42 94	1.40 39 106	0.34 54 100	0.11 48 101	-0.58 25 103	90	1	1			
4	2100 24 0010 2024/03/18	1	2.66	2100 19 0019 2100 22 0074	101	95	104	0.35 62 102	-1.06 52 88	-0.89 92	-1.98 43 93	1.60 38 107	0.25 53 99	-1.42 46 105	-2.50 24 108	100	1	1			
5	2100 24 0012 2024/03/25	2	27.51	2100 19 0019 2100 21 0110	97	90	103	0.01 64 99	-1.58 54 82	-1.58 86	-3.33 41 87	2.50 39 111	-0.08 54 98	-0.12 47 101	-0.12 25 102	92	1	2			
6	2100 24 0018 2024/04/29	2	3.86	2100 19 0019 2100 19 0064	86	87	87	-0.49 58 95	-1.54 52 83	-1.78 84	-3.72 43 86	-1.10 38 93	-2.69 51 87	2.23 45 95	2.40 25 96	84	4	2			
7	2100 24 0019 2024/02/28	2	3.86	2100 19 0019 2100 19 0064	86	87	87	-0.49 58 95	-1.54 52 83	-1.78 84	-3.72 43 86	-1.10 38 93	-2.69 51 87	2.23 45 95	2.40 25 96	84	4	2			
8	2100 24 0021 2024/04/29	2	17.35	2100 19 0019 2100 19 0032	97	93	102	-0.11 66 98	-0.96 60 89	-1.02 91	-2.65 44 90	1.50 42 106	-0.17 58 98	-1.76 54 106	1.28 26 99	130	7	6			
9	2100 24 0027 2024/04/29	1	27.32	2100 19 0019 2100 22 0029	101	101	98	0.94 65 107	-0.73 59 91	-0.26 97	-0.56 43 99	0.00 42 98	0.21 57 99	1.68 55 96	-2.27 26 108	108	3	3			
10	2100 24 0031 2024/04/29	2	10.50	2100 19 0019 2100 21 0025	100	99	99	0.59 64 104	-0.62 54 92	-0.33 96	-0.84 41 98	1.50 38 106	0.87 54 102	1.35 43 97	2.30 25 96	95	2	3			
11	2100 24 0032 2024/04/29	1	8.86	2100 19 0019 2100 21 0021	107	107	101	1.43 66 111	-0.14 62 97	0.58 103	1.04 42 105	-0.30 40 97	1.11 58 103	-2.68 54 108	-1.27 25 105	109	5	5			
12	2100 24 0036 2024/04/29	1	29.28	2100 19 0019 2100 21 0052	94	94	90	0.96 65 107	-2.04 58 77	-1.56 86	-2.38 42 91	-1.60 41 90	-2.05 57 90	-4.12 54 112	1.11 26 99	91	4	2			
13	2100 24 0038 2024/04/29	1	26.61	2100 19 0019 2100 22 0012	98	91	103	0.08 64 100	-1.51 54 83	-1.47 87	-3.07 41 89	2.00 38 109	-0.23 54 97	-1.44 48 105	-0.76 26 104	93	2	2			
14	2100 24 0042 2024/04/29	1	7.69	2100 19 0019 2100 17 0054	97	101	93	0.37 59 102	0.04 55 99	0.22 101	-0.45 41 99	-0.70 41 95	-0.02 53 98	0.55 47 99	4.87 26 89	123	9	6			
15	2100 24 0043 2024/04/29	1	7.36	2100 19 0019 2100 19 0083	86	92	82	0.25 64 101	-1.56 55 82	-1.43 87	-2.84 43 89	-2.20 39 87	-2.63 55 87	3.08 52 93	3.18 24 94	87	4	4			

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
16	2100 24 0044 2024/04/29	2	13.97	2100 19 0019 2100 19 0005	98	96	98	0.55 64 104	-1.15 59 87	-0.87 92	-1.53 42 95	1.60 41 107	0.36 57 100	-0.86 51 103	4.67 24 90	114	6	6					
17	2100 24 0045 2024/04/29	2	13.97	2100 19 0019 2100 19 0005	97	95	98	0.24 63 101	-1.04 55 88	-0.92 91	-1.87 42 93	1.90 39 108	0.35 54 100	0.45 44 100	4.63 24 90	114	6	6					
18	2100 24 0059 2024/05/09	1	4.37	2100 19 0019 2100 19 0090	88	97	82	0.22 64 101	-0.55 59 93	-0.44 95	-1.14 41 96	-1.90 40 89	-1.47 57 92	2.82 51 93	8.38 23 80	113	7	7					
19	2100 24 0062 2024/05/21	2	29.71	2100 19 0019 2100 22 0043	100	98	99	1.31 66 110	-1.72 60 81	-1.07 90	-1.43 42 95	2.50 41 111	1.09 58 103	4.19 55 90	-0.75 26 104	108	2	3					
20	2100 24 0063 2024/05/21	1	38.97	2100 19 0019 2100 22 0056	102	96	103	1.08 64 108	-1.76 55 80	-1.22 89	-1.77 41 94	2.60 39 112	0.88 55 102	-0.94 48 103	-0.14 26 102	107	3	3					
21	2100 24 0064 2024/05/21	1	4.29	2100 19 0019 2100 20 0023	99	97	100	0.42 57 103	-0.76 55 91	-0.55 94	-1.40 43 95	1.50 40 106	0.56 52 101	1.41 45 97	0.96 27 99	153	5	4					
22	2100 24 0076 2024/06/20	2	16.63	2100 20 0075 2100 20 0089	104	98	108	0.42 65 103	-0.58 55 93	-0.37 96	-1.04 47 97	2.80 38 113	1.52 55 105	1.93 42 96	-3.12 24 110	105	5	6					
23	2100 24 0078 2024/06/20	1	7.30	2100 20 0075 2100 22 0022	98	93	106	-0.52 66 95	-0.50 60 94	-0.75 93	-2.55 46 91	2.90 39 113	0.73 57 101	5.37 49 86	-3.57 23 111	93	3	2					
24	2100 24 0082 2024/07/04	2	13.54	2100 20 0075 2100 20 0009	94	89	99	-0.54 66 95	-1.12 59 87	-1.40 87	-3.22 47 88	1.00 41 104	-1.07 58 94	-1.16 49 104	0.98 23 99	113	5	7					
25	2100 24 0083 2024/07/04	1	29.01	2100 20 0075 2100 22 0073	96	91	102	-0.44 63 96	-0.92 52 89	-1.14 90	-2.90 47 89	0.80 35 103	-0.88 52 95	2.77 40 93	-6.47 22 118	94	2	2					
26	2100 24 0084 2024/07/11	2	33.62	2100 20 0075 2100 22 0070	105	99	107	0.76 64 106	-0.82 53 90	-0.44 95	-0.83 47 98	2.30 36 110	1.32 53 104	2.09 39 95	-5.69 22 116	102	2	3					
27	2100 24 0085 2024/07/11	2	33.62	2100 20 0075 2100 22 0070	97	90	104	-0.45 65 95	-1.14 57 87	-1.36 88	-3.24 47 88	1.60 38 107	-0.63 56 96	2.15 39 95	-5.70 22 116	102	2	3					
28	2100 24 0087 2024/07/11	1	29.85	2100 20 0075 2100 23 0029	99	95	103	-0.02 63 99	-0.73 52 91	-0.73 93	-1.93 46 93	1.00 35 104	-0.14 52 98	3.10 39 92	-6.09 22 117	105	2	2					
29	2100 24 0088 2024/08/11	1	2.52	2100 20 0075 - - -	91	95	90	-0.07 47 99	-0.63 41 92	-0.66 93	-1.35 40 95	0.40 29 101	-0.46 41 96	3.21 33 92	7.71 18 82			0					
30	2100 24 0090 2024/07/11	2	4.40	2100 20 0075 2100 21 0072	106	99	110	0.56 65 104	-0.56 54 93	-0.28 97	-0.85 46 97	3.00 38 114	1.80 55 106	1.39 43 97	-4.48 23 113	113	3	5					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
31	2100 24 0092 2024/07/11	1	1.33	2100 20 0075 2100 22 0067	99	97	99	0.59 63 104	-1.01 52 88	-0.71 93	-1.32 46 96	1.10 36 104	0.24 53 99	1.50 40 97	-1.04 22 104	95	2 2							
32	2100 24 0093 2024/07/24	1	29.36	2100 20 0075 2100 23 0022	94	87	103	-0.87 63 92	-1.10 51 87	-1.53 86	-3.88 46 85	1.40 35 106	-1.13 52 94	2.09 39 95	-5.36 21 116	95	1 1							
33	2100 24 0094 2024/07/24	1	1.44	2100 20 0075 2100 21 0023	88	83	98	-1.75 62 84	-0.87 50 90	-1.74 85	-4.80 46 81	0.40 34 101	-2.38 51 88	1.53 37 97	-1.58 20 106	87	1 1							
34	2100 24 0095 2024/09/20	2	8.10	2100 20 0075 2100 21 0111	95	89	102	-0.43 64 96	-1.19 53 86	-1.41 87	-3.31 46 88	1.70 36 107	-0.61 53 96	1.72 42 96	-2.51 23 108	110	3 5							
35	2100 24 0096 2024/09/20	2	8.10	2100 20 0075 2100 21 0111	102	98	101	1.14 64 109	-1.48 53 83	-0.92 91	-1.17 46 96	1.70 36 107	0.67 53 101	1.72 42 96	-2.51 23 108	110	3 5							
36	2100 24 0097 2024/09/20	1	1.05	2100 20 0075 2100 21 0034	99	94	104	-0.21 58 97	-0.53 52 93	-0.64 94	-2.00 47 93	1.50 37 106	0.16 51 99	1.62 43 96	-3.18 23 110	97	4 3							
37	2100 24 0098 2024/09/20	2	27.51	2100 20 0075 2100 23 0046	103	102	99	1.25 64 110	-0.92 53 89	-0.29 96	-0.18 47 100	-0.60 36 95	-0.03 53 98	2.28 39 95	-7.96 22 122	110	2 3							
38	2100 24 0099 2024/09/20	2	27.51	2100 20 0075 2100 23 0046	97	94	100	-0.11 64 98	-0.67 53 92	-0.72 93	-2.05 47 93	-0.60 36 95	-1.14 53 94	2.28 39 95	-7.96 22 122	110	2 3							
39	2100 24 0100 2024/09/20	1	4.51	2100 20 0075 2100 21 0003	98	91	106	-0.95 64 91	-0.32 54 96	-0.79 92	-2.84 46 89	1.60 37 107	-0.30 54 97	1.81 41 96	-5.00 23 115	117	5 6							
40	2100 24 0102 2024/11/14	1	32.88	2100 20 0075 2100 23 0076	106	102	104	1.48 64 112	-1.09 52 87	-0.35 96	0.00 47 101	1.20 36 105	1.11 53 103	2.25 41 95	-7.15 22 120	111	2 2							
41	2100 24 0105 2024/11/14	2	26.64	2100 20 0075 2100 23 0064	104	97	109	0.34 64 102	-0.66 52 92	-0.49 95	-1.25 47 96	2.70 35 112	1.30 53 104	1.92 42 96	-5.29 21 115	100	1 2							
42	2100 24 0106 2024/11/14	1	25.89	2100 20 0075 2100 23 0057	103	100	103	0.71 64 105	-0.53 53 93	-0.17 97	-0.48 47 99	0.40 36 101	0.43 53 100	1.01 41 98	-5.82 22 117	112	2 3							
43	2100 24 0109 2024/11/14	2	25.83	2100 20 0075 2100 23 0052	88	83	97	-1.37 64 88	-1.26 52 86	-1.94 83	-4.71 47 82	0.20 35 99	-2.50 53 88	3.81 41 91	-5.28 21 115	96	1 2							
44	2100 24 0111 2024/11/14	2	7.40	2100 20 0075 2100 21 0046	96	91	102	-0.37 57 96	-0.96 51 89	-1.15 89	-2.76 46 90	1.20 34 105	-0.61 49 96	1.47 38 97	-3.63 22 111	101	2 3							
45	2100 24 0112 2024/11/14	1	1.11	2100 20 0075 2100 22 0023	90	83	101	-1.51 64 86	-1.02 54 88	-1.77 84	-4.90 46 81	1.50 37 106	-1.63 54 92	1.36 44 97	-0.94 24 104	99	2 3							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
46	2100 24 0116 2024/11/14	1	25.87	2100 20 0075 2100 22 0090	99	95	101	-0.08 64	-0.50 99 53	-0.54 94	-1.66 47	0.80 36	-0.10 53	1.75 39	-3.17 22	100	2							
47	2100 24 0122 2024/11/14	1	7.36	2100 20 0075 2100 21 0021	98	96	98	-0.02 64	-0.41 99 54	-0.42 95	-1.56 46	-0.70 37	-0.85 54	1.82 42	-4.93 22	109	5							
48	2100 24 0124 2024/11/14	1	1.10	2100 20 0075 2100 19 0032	97	93	102	-0.20 65	-0.86 98 55	-0.96 91	-2.55 48	1.10 38	-0.40 55	0.51 42	-2.30 23	130	7							
49	2100 24 0282 2024/11/27	1	1.07	2100 20 0075 2100 18 0064	93	94	94	-0.54 65	-0.23 95 55	-0.50 95	-1.83 47	-0.10 38	-0.83 55	1.71 40	3.55 22	125	8							
50	2100 24 0283 2024/11/27	1	15.14	2100 20 0075 2100 20 0069	100	94	102	0.50 66	-1.41 104 59	-1.16 89	-2.00 47	1.40 40	-0.06 57	1.41 42	-4.53 23	105	5							
51	2100 24 0284 2024/11/27	1	7.41	2100 20 0075 2100 21 0042	95	92	99	-0.34 63	-0.89 96 52	-1.06 90	-2.59 46	0.20 35	-1.11 52	-0.25 40	-1.60 101 22	95	4							
52	2100 24 0285 2024/11/27	1	1.06	2100 20 0075 2100 21 0099	103	98	105	0.36 65	-0.49 102 57	-0.31 96	-1.05 46	2.10 39	1.13 56	2.41 43	-3.34 24	91	2							
53	2100 24 0286 2024/11/27	1	1.91	2100 20 0075 2100 22 0030	91	88	97	-0.96 64	-0.75 91 52	-1.23 89	-3.44 47	0.10 36	-1.65 53	3.53 43	-3.62 23	95	2							
54	2100 24 0288 2024/11/27	1	2.66	2100 20 0075 2100 21 0031	98	89	108	-0.86 65	-0.79 92 54	-1.22 89	-3.35 46	3.30 38	0.33 55	1.98 44	-2.40 23	138	4							
55	2100 25 0008 2025/04/29	1	2.18	- - - 2100 20 0070	99	95	106	-0.80 51	0.20 92 36	-0.20 97	-2.12 26	2.40 24	0.85 39	1.60 23	0.13 15	110	6							
56	2100 25 0011 2025/04/29	1	2.18	- - - 2100 23 0079	101	95	106	-0.19 48	-0.53 98 30	-0.63 94	-1.98 23	1.50 19	0.18 34	-0.95 25	-3.73 11	98	1							
57	2100 25 0012 2025/04/29	1	2.18	- - - 2100 21 0064	92	97	91	-0.39 48	0.08 96 31	-0.12 98	-1.21 21	-1.40 19	-1.15 35	1.33 22	3.72 11	93	3							
58	2100 25 0013 2025/04/29	1	2.18	- - - 2100 23 0078	101	95	106	-0.33 48	-0.36 96 31	-0.52 95	-1.94 23	1.40 20	0.15 35	-2.39 25	-1.94 107 12	97	1							
59	2100 25 0015 2025/04/29	1	2.18	- - - 2100 20 0094	89	89	92	-0.75 50	-0.99 93 34	-1.37 88	-3.52 24	-0.80 23	-2.22 38	-0.15 24	1.58 101 14	104	4							
60	2100 25 0019 2025/05/09	1	2.18	- - - 2100 23 0036	96	88	107	-1.50 49	-0.28 86 32	-1.03 90	-3.78 24	1.70 21	-0.76 36	-2.08 23	-2.08 106 12	106	2							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID BDate		Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10		
61	2100 25 0020 2025/05/09	2	2.18	- - - 2100 24 0032	102	98	104	0.00 49 99		-0.06 32 98		-0.06 98 21		-1.07 97		0.40 20 101		0.18 36 99		-2.64 27 108		-1.51 13 106		112	1 2
62	2100 25 0021 2025/05/09	2	2.18	- - - 2100 24 0032	108	107	103	1.60 49 113		-0.36 32 95		0.44 102 21		1.10 105		0.40 20 101		1.48 36 105		-2.64 27 108		-1.51 13 106		112	1 2
63	2100 25 0022 2025/05/09	1	2.18	- - - 2100 20 0008	93	88	102	-1.21 51 89		-0.48 38 94		-1.09 90 24		-3.60 86		1.10 27 104		-1.03 40 94		0.09 28 101		-0.37 17 103		121	6 7
64	2100 25 0026 2025/05/09	1	2.18	- - - 2100 22 0029	95	93	100	-0.91 50 92		-0.06 34 98		-0.51 95 24		-2.49 91		-0.40 23 96		-1.21 38 93		0.28 28 100		-2.61 15 109		108	3 3
65	2100 25 0028 2025/05/09	1	2.18	- - - 2100 22 0070	101	94	108	-0.46 49 95		-0.30 34 96		-0.53 94 24		-2.07 93		2.30 21 110		0.62 37 101		-0.37 21 102		-2.47 14 108		102	2 3
66	2100 25 0029 2025/05/09	1	2.18	- - - 2100 23 0011	92	91	97	-1.00 32 91		-0.27 27 96		-0.78 92 24		-2.88 89		-0.30 18 97		-1.46 27 92		1.07 20 98		-0.20 11 102		90	1 0
67	2100 25 0032 2025/05/21	1	2.18	- - - 2100 23 0076	97	90	106	-1.04 49 90		-0.33 32 95		-0.85 92 23		-3.03 89		1.20 21 105		-0.65 36 96		-0.21 24 101		-3.93 13 112		111	2 2
68	2100 25 0033 2025/05/21	1	2.18	- - - 2100 21 0052	85	82	94	-2.02 49 82		-0.70 33 92		-1.70 85 22		-5.19 80		-1.90 23 89		-3.85 37 82		-4.43 26 113		0.75 15 100		91	4 2
69	2100 25 0036 2025/05/21	2	2.18	- - - 2100 22 0069	91	81	107	-2.45 50 78		-0.42 35 94		-1.65 85 23		-5.50 79		1.90 22 108		-1.73 38 91		-0.87 25 103		-2.51 14 108		105	3 4
70	2100 25 0037 2025/05/21	2	2.18	- - - 2100 22 0069	94	86	106	-1.55 50 86		-0.59 35 93		-1.36 88 23		-4.27 84		1.90 22 108		-1.00 38 94		-0.87 25 103		-2.51 14 108		105	3 4
71	2100 25 0040 2025/05/21	1	2.18	- - - 2100 22 0056	97	88	106	-0.93 50 91		-0.85 34 90		-1.31 88 21		-3.62 86		2.10 23 109		-0.52 38 96		-2.50 28 108		-0.47 15 103		107	3 3
72	2100 25 0044 2025/05/21	1	2.18	- - - 2100 21 0003	98	92	106	-0.98 51 91		-0.02 36 99		-0.51 95 22		-2.47 91		1.50 24 106		-0.10 39 98		-0.65 25 103		-1.78 15 106		117	5 6
73	2100 25 0045 2025/06/05	1	2.18	- - - 2100 23 0049	89	89	94	-1.45 48 87		-0.18 30 97		-0.90 91 23		-3.35 87		-0.90 19 94		-2.17 34 89		0.49 19 99		1.55 10 98		94	1 1
74	2100 25 0047 2025/06/05	2	2.18	- - - 2100 23 0027	100	95	106	-0.50 49 95		-0.11 32 98		-0.36 96 24		-1.97 93		2.20 20 110		0.71 36 101		2.07 23 95		-2.45 12 108		102	1 2
75	2100 25 0049 2025/06/05	1	2.18	- - - 2100 23 0046	93	89	101	-1.48 49 87		-0.12 33 98		-0.86 92 23		-3.48 87		-0.70 21 95		-2.02 36 90		-0.18 21 101		-4.74 13 114		110	2 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
76	2100 25 0050 2025/06/05	1	2.18	- - - 2100 19 0042	91	97	87	0.02 50 99	-0.38 34 95	-0.37 96	-1.32 24 96	-1.70 23 90	-1.38 38 93	2.24 23 95	4.57 13 90	119	5 5						
77	2100 25 0051 2025/06/05	1	2.18	2100 19 0020	84	80	97	-3.08 51 73	0.20 36 101	-1.34 88	-5.59 24 78	-1.20 26 92	-3.60 39 83	-2.05 25 106	0.86 15 100	119	7 7						
78	2100 25 0052 2025/06/05	1	2.18	- - - 2100 21 0106	88	84	98	-2.09 49 81	-0.23 33 96	-1.28 88	-4.58 22 82	-1.00 22 93	-2.92 37 86	-2.23 24 107	-0.50 14 103	94	3 3						
79	2100 25 0053 2025/06/05	2	2.18	- - - 2100 21 0111	95	89	102	-0.74 50 93	-0.84 34 90	-1.21 89	-3.31 21 88	1.60 21 107	-0.62 37 96	-0.74 26 103	0.71 14 100	110	3 5						
80	2100 25 0054 2025/06/05	2	2.18	- - - 2100 21 0111	91	84	102	-1.67 50 85	-0.67 34 92	-1.51 87	-4.58 21 82	1.60 21 107	-1.38 37 93	-0.74 26 103	0.71 14 100	110	3 5						
81	2100 25 0055 2025/06/05	1	2.18	- - - 2100 24 0044	96	91	103	-0.75 48 93	-0.51 31 93	-0.88 92	-2.78 21 90	1.40 21 106	-0.42 35 97	-1.73 26 105	1.46 12 98	100	1 1						
82	2100 25 0056 2025/06/05	2	2.18	- - - 2100 23 0057	100	96	104	-0.46 49 95	-0.02 33 99	-0.25 97	-1.66 23 94	0.40 21 101	-0.24 36 97	-1.45 25 105	-2.60 13 108	112	2 3						
83	2100 25 0057 2025/06/05	2	2.18	- - - 2100 23 0057	96	91	105	-1.41 49 87	0.16 33 101	-0.54 94	-2.95 23 89	0.40 21 101	-1.01 36 94	-1.45 25 105	-2.60 13 108	112	2 3						
84	2100 25 0060 2025/06/05	1	2.18	- - - 2100 21 0013	87	81	99	-2.24 48 80	-0.59 31 93	-1.71 85	-5.34 22 79	0.70 21 102	-2.41 35 88	-0.10 23 101	1.27 13 99	88	1 1						
85	2100 25 0063 2025/06/20	1	2.18	- - - 2100 22 0090	96	93	102	-0.82 49 92	-0.07 33 98	-0.48 95	-2.25 23 92	0.70 22 102	-0.47 37 96	-0.71 21 103	0.06 13 102	100	2 2						
86	2100 25 0064 2025/06/20	1	2.18	- - - 2100 24 0027	100	97	102	0.11 48 100	-0.42 31 94	-0.37 96	-1.40 21 95	0.50 21 101	-0.02 35 98	-0.46 27 102	-2.01 13 107	100	1 1						
87	2100 25 0065 2025/06/20	1	2.18	- - - 2100 22 0071	92	89	96	-0.68 49 93	-0.98 34 88	-1.32 88	-3.40 26 87	0.00 22 98	-1.66 37 91	1.93 24 96	-1.85 12 107	104	4 4						
88	2100 25 0066 2025/06/20	1	2.18	- - - 2100 21 0047	100	98	103	-0.19 49 98	0.04 34 99	-0.05 98	-1.09 22 97	1.00 22 104	0.46 37 100	1.39 23 97	-1.16 14 105	112	3 3						
89	2100 25 0068 2025/06/20	1	2.18	- - - 2100 22 0048	99	94	105	-0.35 49 96	-0.42 34 94	-0.60 94	-2.12 21 92	1.70 23 107	0.25 37 99	-0.01 27 101	-1.74 15 106	104	3 3						
90	2100 25 0070 2025/06/25	1	2.18	- - - 2100 21 0021	93	91	99	-1.29 50 88	0.12 35 100	-0.52 95	-2.87 22 89	-0.80 23 94	-1.65 38 91	-0.64 26 103	-1.71 14 106	109	5 5						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned			
									Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
91	2100 25 0071 2025/06/25	1	2.18	- - - 2100 20 0069	102	98	103	0.64 50 105		-0.86 36 90		-0.54 94 23 97		1.50 24 106		0.68 39 101		-1.05 25 104		-1.31 15 105		105	5 6	
92	2100 25 0073 2025/06/25	2	2.18	- - - 2100 21 0046	92	86	103	-1.71 48 85		-0.42 32 94		-1.28 88 22 84		1.20 18 105		-1.41 35 92		-0.99 18 103		-0.42 13 103		101	2 3	
93	2100 25 0074 2025/06/25	1	2.18	- - - 2100 24 0001	90	86	100	-1.54 48 86		-0.62 30 92		-1.38 88 21 83		1.00 20 104		-1.55 35 92		1.46 27 97		-0.24 13 102		98	1 1	
94	2100 25 0077 2025/07/08	2	2.19	2081 24 0273 2100 20 0009	97	92	105	-1.00 62 91		-0.09 43 98		-0.58 94 28 91		2.40 27 111		0.36 47 100		-1.49 29 105		3.80 16 92		113	5 7	
95	2100 25 0078 2025/08/04	1	2.18	2081 24 0273 2100 23 0085	104	97	110	-0.20 60 98		-0.13 39 98		-0.23 97 27 96		2.50 23 111		1.18 43 103		-0.73 27 103		-2.62 14 109		109	2 2	
96	2100 25 0079 2025/08/04	1	2.18	2081 24 0273 2100 24 0036	101	95	103	0.10 60 100		-0.73 37 91		-0.68 93 25 94		1.00 23 104		-0.02 43 98		-3.17 29 109		-0.65 14 103		99	1 1	
97	2100 25 0081 2025/08/04	2	2.19	2081 24 0273 2100 23 0039	101	94	108	-0.51 61 95		-0.37 40 95		-0.62 94 28 92		2.60 24 112		0.68 44 101		0.27 27 100		-2.56 15 108		107	2 3	
98	2100 25 0083 2025/08/04	1	2.18	2081 24 0273 2100 24 0021	105	99	109	0.26 60 101		-0.32 38 96		-0.18 97 26 97		2.50 23 111		1.45 43 104		-1.99 29 106		-0.57 14 103		101	1 1	
99	2100 25 0090 2025/09/04	1	2.18	2081 24 0273 2100 24 0043	98	97	99	0.18 52 101		-0.56 35 93		-0.47 95 26 95		0.70 22 102		0.04 39 99		0.43 28 100		0.38 13 101		90	1 0	
100	2100 25 0098 2025/09/04	2	2.18	2081 24 0273 2100 18 0064	99	100	99	-0.11 61 98		0.33 42 102		0.28 101 29 100		1.10 27 104		0.88 46 102		-0.57 26 102		6.43 14 85		125	8 7	
101	2100 25 0099 2025/10/09	2	2.18	2081 24 0273 2100 24 0062	106	101	107	0.86 60 107		-0.67 38 92		-0.24 97 26 99		3.00 23 114		1.99 43 107		0.98 30 98		-1.58 14 106		101	1 2	
102	2100 25 0100 2025/10/09	2	2.18	2081 24 0273 2100 24 0062	102	96	108	-0.02 60 99		-0.51 38 93		-0.52 95 26 94		3.00 23 114		1.27 43 104		0.98 30 98		-1.58 14 106		101	1 2	
103	2100 25 0103 2025/10/16	2	2.19	2081 24 0273 2100 23 0037	103	98	107	0.05 53 100		-0.20 36 97		-0.17 97 28 97		1.80 21 108		0.94 39 102		0.64 26 99		-3.41 13 111		96	1 1	
104	2100 25 0105 2025/10/24	2	2.18	2081 24 0273 2100 18 0116	105	100	110	0.12 62 100		0.03 42 99		0.08 99 28 99		3.60 26 117		2.30 46 108		-0.54 24 102		1.72 15 97		100	6 8	
105	2100 25 0106 2025/10/24	1	2.18	2081 24 0273 2100 23 0059	105	99	108	0.37 60 102		-0.35 37 95		-0.17 97 27 98		2.50 22 111		1.52 42 105		-0.50 24 102		-1.67 13 106		95	1 1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID BDate		Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambded N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
									EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index			
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
106	2100 25 0108 2025/10/24	2	2.18	2081 24 0273 2100 19 0102	108	100	115	-0.15 62	0.36 44	0.29 101	-0.51 28	4.00 28	2.61 47	0.60 28	-2.14 18	114	5 8						
107	2100 25 0109 2025/10/24	1	2.18	2081 24 0273 2100 24 0285	109	104	110	0.93 60	-0.16 37	0.31 101	0.49 27	2.80 22	2.45 42	0.09 24	-2.88 13	101	1 1						
108	2100 25 0110 2025/11/24	2	2.19	2081 24 0273 2100 21 0058	105	97	113	-0.33 61	0.05 40	-0.11 98	-1.33 28	4.00 24	2.13 44	0.76 29	-1.26 15	132	3 5						
109	2100 25 0111 2025/11/24	2	2.19	2081 24 0273 2100 21 0058	105	97	113	-0.26 61	0.04 40	-0.09 98	-1.24 28	4.00 24	2.18 44	0.76 29	-1.26 15	132	3 5						
110	2100 25 0113 2025/11/24	2	2.18	2081 24 0273 - - -	96	99	95	-0.01 41	0.01 22	0.00 99	-0.23 15	1.50 10	0.90 27	0.93 11	10.59 5		0						
111	2100 25 0119 2025/11/24	2	2.19	2081 24 0273 2100 21 0025	103	100	107	-0.20 53	0.41 38	0.31 101	-0.42 26	2.20 22	1.53 40	-0.03 21	1.64 14	95	2 3						
112	2100 25 0120 2025/11/24	1	2.19	2081 24 0273 2100 23 0036	103	94	112	-0.61 60	-0.10 38	-0.40 96	-1.96 28	2.90 23	1.03 43	-1.89 25	-2.42 12	106	2 2						
113	2100 25 0122 2025/11/24	2	2.18	2081 24 0273 2100 23 0060	107	99	112	0.40 60	-0.51 38	-0.31 96	-0.87 27	3.50 22	1.99 43	-1.05 27	-3.06 12	100	1 2						
114	2100 25 0127 2025/11/24	1	2.18	2081 24 0273 2100 24 0085	100	91	111	-1.07 60	-0.19 37	-0.72 93	-2.78 28	2.60 21	0.30 42	-0.04 22	-4.06 12	100	1 1						
115	2100 25 0128 2025/12/22	1	2.18	2081 24 0273 2100 18 0109	95	94	98	-0.47 55	-0.36 41	-0.60 94	-1.89 26	0.10 27	-0.78 43	1.35 26	-0.91 15	127	9 8						
116	2100 25 0129 2025/12/22	1	2.18	2081 24 0273 2100 19 0032	103	97	107	-0.05 54	-0.24 41	-0.27 97	-1.31 29	2.30 27	1.09 43	-1.77 28	0.58 15	130	7 6						
117	2100 25 0130 2025/12/22	2	2.18	2081 24 0273 - - -	96	99	95	-0.01 41	0.01 22	0.00 99	-0.23 15	1.50 10	0.90 27	0.93 11	10.59 5		0						
Ewe Flock Average:						95.9	98.8	-0.21	-0.68	-0.79	-2.17	0.84	-0.39	1.18	0.14								
Total number of young ewes:						117																	

Ewes born since Jan 2024, with at least one known parent