



WHITE DORPER GENETIC REPORT

21 September 2026



R.J. CAHI & SON CC

FDM : 916



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring.

In reality, each offspring receives a random sample of each parent's genes, therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the White Dorper breed, namely the Dorper Logix Merit Index (DLMI), the Dorper Growth Index (DGI) and the Dorper Reproduction Index (DEI). These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Dorper Logix Merit Index (DLMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the DLMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The DLMI is constructed as follows :

$$DLMI = (0.30 * Wean Dir) + (0.04 * Post-Wean) + (0.21 * Wean Mat) + (0.12 * ILP) + (0.13 * AFL) + (0.20 * NLS)$$

Schematically the DLMI can be explained as follows :



Dorper Growth Index (DGI)

Breeding values for Direct and Maternal Weaning Weight, as well as Post-weaning weight are included in this index. This index can be used to identify animals with good pre-weaning and post-weaning growth potential.

The DGI is constructed as follows :

$$DGI = (0.5518 * Wean Dir) + (0.0682 * Post-Wean) + (0.38 * Wean Mat)$$

Reproduction Index (DRI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The DRI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.2 * Wean Mat) + (0.4 * NLW)$$

It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

White Dorper

Average Genetic Levels : EBVs

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	0.60	0.60	0.60	0.38	0.38	0.38
Wean Maternal	-0.19	-0.12	-0.23	-0.09	-0.15	-0.05
Wean Combined	0.11	0.18	0.07	0.11	0.04	0.14
Post-Wean	-0.35	-0.24	-0.40	-0.37	-0.42	-0.34
Number of Lambs Weaned	1.37	1.46	1.32	0.25	0.29	0.23
Total Weight Weaned	1.24	1.17	1.36	0.45	0.41	0.47
Age at First Lambing	-0.04	0.10	-0.13	-0.72	-0.73	-0.71
Inter-lambing Period	2.83	2.73	2.88	0.03	0.28	-0.10
Selection Indices						
Dorper Logix Merit Index	101	102	101	100	99	100
Dorper Growth Index	100	101	100	99	99	99
Dorper Reproduction Index	102	102	101	100	100	100
Inteling						
Inbreeding (%)	2.73	2.67	2.61	3.12	3.27	3.06
Number of Animals						
Number of animals	1643	726	917	15577	5027	10469

** Averages of all active animals in the herd.

Average Genetic Levels : Indices

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	101.5	101.5	101.5	100	99.3	99.3
Wean Maternal	98.1	99.0	97.6	100	98.6	100.0
Wean Combined	99.4	100.0	99.0	100	98.7	99.6
Post-Wean	99.5	99.9	99.2	100	99.1	99.5
Number of Lambs Weaned	105.3	105.9	105.0	100	99.8	99.4
Total Weight Weaned	103.1	103.7	102.8	100	99.0	99.3
Age at First Lambing	100.2	100.2	100.2	100	101.6	101.2
Inter-lambing Period	95.4	95.6	95.3	100	99.8	100.5
Selection Indices						
Dorper Logix Merit Index	101	102	101	100	99	100
Dorper Growth Index	100	101	100	99	99	99
Dorper Reproduction Index	102	102	101	100	100	100
Inbreeding						
Inbreeding (%)	2.73	2.67	2.61	3.12	3.27	3.06
Number of Animals						
Number of animals	1643	726	917	15577	5027	10469

** Averages of all active animals in the flock.

ACTIVE ANIMALS

Animals born in the last 24 months and their parents, are defined as the active population, unless cancelled on Logix.

Inbreeding

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2001 - 2026	2.82	0.11
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Nr Animals	% Animals
Known sires	1612	98
Known dams	1588	97

Note : Inbreeding can be under-estimated if pedigree information is incomplete or incorrect.

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Baie Sterk / Very Strong	9


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WnD:	Wean Direct
WnM:	Wean Maternal
WnC:	Wean Combined
PostWn:	Post-Wean Weight
NLW:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
DRI:	Dorper Reproduction Index
DLMI:	Dorper Logix Merit Index
DGI:	Dorper Growth Index

All animals in the flock

Number : 1775




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are less than two years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams of Lambs < 24 months

Number: 417




Sires of Lambs < 24 months

Number: 31




Ewes < 24 months

Number: 414









Rams < 24 months

Number: 378




Genetic Trends







Genetic trends are based on measured animals bred by the relevant breeder

Genetic Trends



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth yr	Weaning Weight EBV			Post-Wean		NLW		TWW		AFL		ILP		DRI		DGI		DLMI	
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Number	Index	Number	Index
2014	6582	-0.64	-0.17	744	-2.14	1869	-1.23	6582	89	989	4.71	702	4.45	92.9	91.3	6582	89.6		
2015	7060	-0.61	-0.25	869	-2.09	1624	-1.25	7060	89	1054	2.91	746	5.30	93.5	90.9	7060	89.9		
2016	7106	-0.60	-0.20	1331	-1.81	1367	-1.19	7106	89	822	6.46	597	6.77	95.3	91.3	7106	91.2		
2017	6194	-0.49	-0.28	734	-2.09	1286	-0.78	6194	90	966	-2.48	646	5.06	94.0	91.6	6194	90.8		
2018	5590	-0.45	-0.13	775	-1.83	1424	-0.94	5590	91	920	-1.24	661	1.44	96.4	92.8	5590	92.9		
2019	5443	-0.32	-0.07	628	-1.65	949	-0.22	5443	93	798	0.46	584	3.02	98.8	94.2	5443	95.1		
2020	5258	-0.13	-0.03	739	-0.09	1259	-0.41	5258	95	1004	0.86	794	1.02	99.6	95.9	5258	96.7		
2021	6206	0.00	0.00	989	0.00	1215	0.02	6206	96	1091	0.00	792	0.00	101.2	97.0	6206	98.5		
2022	5487	0.15	-0.03	626	0.26	1120	0.02	5487	96	968	-0.39	627	-0.39	100.6	97.9	5487	99.0		
2023	4376	0.47	0.01	836	0.94	1038	0.25	4376	100	859	1.10	469	-1.68	100.3	100.5	4376	100.5		
2024	3976	0.60	-0.06	509	1.38	551	0.75	3976	101	584	0.51	87	-4.12	101.4	101.0	3976	101.6		
2025	3932	0.62	0.13	637	0.24	42	0.61	3932	102	56	-1.68			103.8	102.4	3932	103.7		

Genetic Trends of Flock

Birth yr	Weaning Weight EBV			Post-wean		NLW		TWW		AFL		ILP		DRI		DGI		DLMI	
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Number	Index	Number	Index
2014	374	-0.22	-0.70	19	-2.64	116	-0.66	374	91	104	7.15	82	4.63	86.2	90.7	374	86.1		
2015	499	0.02	-0.58	24	-2.08	128	-0.43	499	93	110	7.23	89	6.99	86.0	93.3	499	87.7		
2016	351	-0.22	-0.90	244	-2.63	118	-0.45	351	91	111	9.86	84	8.15	84.9	89.6	351	84.7		
2017	445	-0.22	-0.61	19	-2.45	149	0.37	445	93	139	7.89	100	7.87	88.1	91.5	445	87.4		
2018	361	-0.58	-0.50	126	-3.01	122	-0.50	361	90	118	3.54	86	3.82	89.5	89.5	361	86.6		
2019	442	0.05	-0.54	17	-0.10	120	1.26	442	97	104	5.20	75	5.00	94.5	93.9	442	92.7		
2020	437	0.26	-0.39	15	0.13	120	0.63	437	98	109	2.21	78	3.18	96.5	96.4	437	95.8		
2021	493	0.25	-0.28	152	-0.89	91	0.75	493	100	85	1.79	57	4.42	98.7	97.0	493	97.1		
2022	515	0.77	-0.49	42	-0.42	112	0.01	515	99	102	0.92	70	3.52	94.9	99.3	515	97.6		
2023	447	0.66	-0.08	116	0.21	120	1.37	447	104	117	-1.49	64	2.34	102.8	101.3	447	102.5		
2024	401	0.55	-0.15	51	-0.52	68	2.01	401	104	74	-0.37	5	-0.95	102.6	100.0	401	101.4		
2025	510	0.67	-0.32	70	-0.83			510	103					101.5	99.8	510	101.1		

Breeding Values and Selection Indices Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

Percentile	Wean Dir	Wean Mat	Wean Comb	Post Wean	NLW	TWW	AFL	ILP	DGI	DRI	DLMI
Gemid/Avg	0.39	-0.08	0.11	-0.35	0.26	0.46	-0.76	0.00	99.33	100.29	99.82
SA/SD	1.13	0.88	1.21	2.59	2.17	2.34	-8.96	-7.00	11.60	11.84	11.70
MIN	-4.43	-4.26	-5.08	-10.50	-10.60	-8.03	34.98	30.04	58.30	42.60	55.80
1%	-2.23	-2.44	-3.00	-6.72	-4.60	-4.98	14.69	16.38	71.50	72.40	71.50
5%	-1.42	-1.63	-2.00	-4.79	-3.00	-3.38	10.28	11.25	79.50	80.60	79.50
10%	-1.02	-1.16	-1.44	-3.73	-2.10	-2.53	8.30	8.69	84.20	85.20	84.50
20%	-0.55	-0.73	-0.83	-2.55	-1.40	-1.39	5.41	5.85	90.00	90.70	90.20
30%	-0.21	-0.46	-0.42	-1.62	-0.80	-0.71	3.41	3.80	93.60	94.40	94.30
40%	0.04	-0.25	-0.14	-0.89	-0.60	-0.21	1.81	2.03	96.40	97.60	97.70
50%	0.34	-0.09	0.11	-0.18	0.00	0.40	0.11	0.19	99.30	100.50	100.00
60%	0.61	0.11	0.41	0.32	0.50	0.96	-1.62	-1.56	102.30	103.10	102.60
70%	0.96	0.34	0.74	1.01	1.20	1.64	-3.54	-3.77	105.50	105.80	105.70
80%	1.34	0.63	1.12	1.81	2.00	2.42	-5.77	-6.08	109.10	109.50	109.30
90%	1.87	1.00	1.62	2.82	3.10	3.47	-9.49	-9.27	113.90	115.30	114.60
95%	2.29	1.30	2.03	3.76	4.00	4.40	-13.17	-12.46	118.10	120.40	119.00
99%	3.16	1.93	2.81	5.55	6.30	6.13	-32.65	-15.56	126.00	129.20	126.30
MAX	5.14	3.76	4.79	10.57	13.40	10.62	-174.60	-21.81	141.50	146.30	146.80

SA/SD = Standard deviation : An indicator of how far breeding values/selection indices are distributed around the average.

Rams with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	1st generation		2nd generation		DLMI	DGI	DRI	Dir	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW		AFL		ILP		Dam	
				Prog	Nr	Prog	Nr					Mat	EBV				EBV	EBV	EBV	EBV	EBV	EPI	T Lamberd	
				weaned	flocks	weaned	flocks					Acc	Index		Acc		Index	Acc	Index	Acc	Index	Acc	Index	Acc
			Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03					
916 22 0022 2022/03/25	1	4.80	916 20 0174 916 19 0159	7	1	1	1	99	106	87	1.70 74	-0.53 113	0.32 57	0.96 94	0.101 57	0.96 105	-1.60 41	0.21 60	3.55 98	3.82 26	94	96	5 5	
916 22 0083 2022/04/13	1	1.30	916 20 0174 916 19 0439	53	1	10	1	96	97	95	0.55 87	-0.50 101	-0.23 69	-1.60 94	0.96 76	0.94	0.70 46	0.47 71	8.63 99	-1.02 86	-1.02 26	102	100 7 7	
916 22 0094 2022/04/19	1	1.67	1490 19 0127 916 20 0422	105	1	3	1	101	99	100	1.13 92	-0.96 107	-0.40 65	-1.08 88	0.95 72	0.96	1.80 39	1.25 69	0.83 103	2.29 52	2.29 23	96	106 5 6	
916 22 0167 2022/08/17	1	1.97		1	1				101		0.73 20	-0.26 103	0.11 5	1.02 97	0.99 5	1.02 106	-0.80 5	-0.01 10					0	
916 22 0178 2022/06/05	1	1.96	916 20 0174 916 19 0179	48	1			93	97	88	0.72 86	-0.83 103	-0.47 58	-1.78 90	0.94 54	0.93	-1.00 37	-0.71 64	6.32 94	-0.25 41	-0.25 23	101	101 4 5	
916 22 0183 2022/07/04	1	1.97		3	1				93		-0.63 34	-0.01 89	-0.32 8	-0.84 101	0.95 5	0.97	-0.80 5	-1.12 16					0	
916 22 0225 2022/10/25	1	1.97																					0	
916 22 0302 2022/08/30	2	1.68	1490 19 0127 916 20 0131	36	1	14	1	118	106	125	1.49 85	-0.35 111	0.40 72	1.46 96	0.102 64	1.08	6.20 48	4.86 71	-4.33 121	-2.52 64	-2.52 28	105	130 6 11	
916 22 0303 2022/03/21	1	1.97		1	1				97		0.11 20	-0.15 97	-0.09 5	0.18 99	0.98 5	0.18 102	-0.80 5	-0.51 10					0	
916 22 0312 2022/08/30	2	3.57	916 19 0495 916 19 0358	20	1			102	108	92	1.94 78	-0.49 115	0.48 56	1.48 94	0.103 67	1.08	1.60 40	2.42 61	10.70 82	8.22 27	8.22 86	135	6 8	
916 22 0328 2022/06/07	1	1.97		18	1				92		-0.27 65	-0.55 93	-0.69 20	-1.14 93	0.92 34	0.96	-0.80 5	-1.30 33					0	
916 22 0403 2022/10/14	1	1.02	916 19 0408 916 21 0199	26	1			106	109	99	1.73 81	-0.14 113	0.73 58	1.39 99	0.105 65	1.07	1.90 41	2.73 63	5.40 92	5.50 26	5.50 91	126	6 6	
916 22 0432 2022/05/12	1	1.97		4	1				101		0.71 38	-0.30 103	0.05 9	0.91 97	0.99 26	0.91 105	-0.80 5	-0.07 18					0	
916 22 0485 2022/11/07	1	1.91	1490 19 0127 916 20 0361	24	1	1	1	104	108	93	2.24 78	-0.88 118	0.24 52	1.46 89	0.101 43	1.08	0.40 30	1.60 57	10.06 39	-2.95 84	-2.95 19	105	100 3 2	
2750 22 0780 2022/06/01	1	1.64	2750 21 0609 2750 19 0403	14	1			96	93	101	-0.26 67	-0.33 93	-0.46 38	-0.86 96	0.94 34	0.97	-0.60 22	-0.96 45	-3.89 25	-4.63 107	-4.63 16	108	97 2 1	
1490 23 0086 2023/05/01	1	0.95	1490 21 0109 1490 17 0087	38	2			95	94	97	0.42 81	-0.83 100	-0.62 50	-2.20 90	0.92 73	0.91	1.30 29	0.37 57	4.35 35	1.86 93	1.86 18	97	153 8 8	

Rams with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny				Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	1st generation		2nd generation		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned		TWW		AFL		ILP		Dam	
			Sire ID Dam ID	Prog weaned	Nr flocks	Prog weaned				Nr flocks	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index			EBV Index	Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	T Lamberd N Weaned	
			Active Breed Average:				100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 23 0135 2023/05/30	1	1.01	916 21 0039 916 17 0069	105	1		99	91	107	-0.11 92	-0.75 64	-0.81 91	-2.31 85	91	2.70 38	0.76 69	-4.25 45	1.50 23	98	183	7 10		
916 23 0136 2023/05/31	2	5.64	916 21 0381 916 21 0352	15	1		105	102	109	0.25 75	0.50 52	0.63 107	-0.48 53	99	2.60 35	2.31 57	3.54 43	-0.19 24	101	110	4 7		
916 23 0197 2023/08/14	1	0.81	916 21 0039 916 21 0446	54	1		105	105	102	1.07 87	0.02 58	0.56 101	0.96 66	105	-0.50 37	0.79 64	-7.45 45	0.55 23	99	98	3 3		
916 23 0403 2023/10/30	1	2.07	916 21 0054 916 21 0268	13	1		122	116	124	1.06 74	1.67 50	2.20 123	3.17 64	115	3.20 29	4.65 54	-9.10 40	0.62 18	99	104	3 4		
916 23 0432 2023/10/18	2	4.97	916 21 0054 916 20 0406	1	1		111	105	120	0.09 66	1.02 51	1.06 114	1.38 65	107	5.10 33	4.17 53	0.23 42	3.60 19	94	109	5 9		
916 24 0009 2024/03/17	1	1.15	916 21 0108 916 19 0432	20	2		123	133	99	4.24 80	1.08 54	3.20 115	7.22 63	134	-0.20 33	5.19 59	2.39 40	6.00 19	90	113	7 10		
916 24 0107 2024/05/18	1	1.31	916 21 0183 916 21 0087	17	1		101	94	114	-0.70 77	0.26 51	-0.10 104	-1.56 61	94	4.00 31	1.96 56	0.98 42	1.48 19	98	117	3 4		
916 24 0215 2024/08/15	1	2.09		1	1			100		0.48 20	-0.21 5	0.03 98	0.68 5	104	-0.80 5	-0.21 10					0		
916 24 0216 2024/09/14	3	0.97	916 21 0108 916 20 0098	56	1		107	110	99	1.75 87	-0.02 57	0.86 100	2.09 63	110	0.90 30	2.27 62	-3.45 41	9.45 17	84	125	5 9		
916 24 0237 2024/09/16	2	1.96	916 21 0108 916 22 0002	11	1		108	117	92	2.46 74	0.40 51	1.63 106	3.20 46	116	0.00 30	2.87 55	7.18 41	9.09 17	85	102	3 4		
916 24 0252 2024/09/08	1	3.06	916 21 0054 916 23 0072	2	1		118	114	121	1.02 65	1.40 48	1.91 119	3.11 49	115	4.80 30	5.29 50	-0.99 41	5.79 19	90	109	2 3		
Ram Flock Average							105	103	103	0.92	-0.07	0.39	0.65		1.10	1.51	1.54	2.41					
Number of rams with progeny in the flock: 27																							

Active rams, born since Jan 2022, with progeny in the flock

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0001 2024/03/15	1	8.63	916 21 0054 916 19 0398		109	102	120	-0.24 59	1.03 93	0.91 114	0.70 104	6.00 34	4.39 50	2.20 44	7.17 21	130	6 9
916 24 0005 2024/03/14	1	0.80	916 21 0108 916 22 0532		112	112	104	1.68 64	0.44 112	1.28 107	2.49 112	-1.10 30	1.46 50	-20.99 42	8.82 18	95	2 2
916 24 0006 2024/03/14	1	1.46	916 21 0108 916 20 0397		104	108	94	1.57 61	-0.03 47	0.75 100	0.61 104	-2.50 27	0.03 48	-9.53 32	2.88 12	118	5 5
916 24 0007 2024/03/14	1	1.00	916 21 0108 916 20 0131		118	111	123	0.96 67	0.96 105	1.44 113	2.75 113	5.90 32	5.46 53	0.41 42	3.16 17	130	6 11
916 24 0008 2024/03/14	1	2.77	916 22 0083 916 19 0427		100	98	105	0.02 64	0.10 96	0.11 99	-1.21 62	2.00 34	1.32 52	5.05 40	-1.61 20	101	6 8
916 24 0009 2024/03/17	1	1.15	916 21 0108 916 19 0432		123	133	99	4.24 80	1.08 136	3.20 129	7.22 63	-0.20 33	5.19 59	2.39 40	6.00 19	113	7 10
916 24 0011 2024/03/19	1	1.43	916 21 0108 916 18 0081		93	104	83	0.83 65	0.11 104	0.53 103	0.79 51	-2.00 30	-0.26 51	7.08 39	8.62 15	141	7 8
916 24 0012 2024/03/19	1	3.41	916 22 0083 916 19 0055		95	90	102	0.00 64	-1.03 95	-1.03 88	-2.67 49	1.80 35	0.05 52	1.83 40	-2.63 20	136	7 9
916 24 0013 2024/03/19	1	8.16	916 22 0083 916 20 0073		97	97	96	0.55 63	-0.63 101	-0.35 95	-1.28 62	0.20 34	0.04 51	7.75 41	-6.12 19	137	6 8
916 24 0014 2024/03/20	1	2.32	916 22 0083 916 21 0522		105	110	96	1.82 63	-0.01 114	0.90 107	1.50 61	0.30 32	1.99 50	6.01 38	2.01 20	103	4 5
916 24 0015 2024/03/20	1	14.02	916 22 0083 916 22 0175		102	106	93	1.80 63	-0.56 114	0.34 102	0.53 44	0.20 32	1.36 50	8.15 39	-0.84 19	125	4 5
916 24 0016 2024/03/20	1	5.76	916 21 0108 916 21 0004		105	116	91	1.84 64	0.83 114	1.75 115	2.90 44	-0.70 30	2.26 50	4.50 40	12.25 17	93	3 3
916 24 0017 2024/03/20	1	0.81	916 21 0108 916 20 0102		106	115	90	2.18 64	0.34 118	1.43 112	3.16 63	-1.50 31	1.62 51	-1.91 40	11.76 18	93	4 4
916 24 0019 2024/03/21	1	1.97	916 22 0303 916 19 0179		97	97	97	0.20 51	-0.30 98	-0.20 96	-0.97 22	-0.90 22	-0.64 38	-0.20 20	-3.78 12	101	4 5
916 24 0024 2024/03/23	1	4.82	916 22 0083 916 21 0352		111	115	102	2.18 63	0.35 118	1.45 112	2.37 62	1.60 33	3.50 51	9.27 41	-0.16 20	110	4 7
916 24 0028 2024/03/24	2	0.82	916 21 0108 916 19 0436		112	113	106	1.58 66	0.69 111	1.48 113	2.31 63	1.10 33	2.93 53	0.29 41	1.31 19	110	7 9
916 24 0029 2024/03/24	2	0.82	916 21 0108 916 19 0436		108	109	107	0.79 66	0.97 104	1.37 112	1.48 49	1.10 33	2.43 53	0.29 41	1.31 19	110	7 9
916 24 0030 2024/03/24	1	0.61	916 21 0108 916 17 0410		92	101	83	0.79 66	-0.26 104	0.14 100	0.49 63	-1.20 32	-0.19 52	9.28 40	9.23 19	126	6 8

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents			Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate				Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam		
												Dir	Mat									EBV Index
Active Breed Average:									100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03			
916 24 0031 2024/03/25	2	2.79	916 22 0083 916 21 0448		88	91	92	-0.47 62 91	-0.45 47 95	-0.68 92	-2.92 64 88	0.30 31 100	-0.73 49 93	11.18 37 82	-0.62 18 101	100	4	4				
916 24 0035 2024/03/25	1	0.92	916 21 0108 916 20 0318		101	111	87	1.75 64 113	0.20 49 103	1.07 109	2.38 63 112	-1.30 32 92	1.17 51 103	6.36 39 90	7.79 20 87	89	2	2				
916 24 0038 2024/03/26	1	0.58	916 21 0108 916 17 0153		89	96	86	0.18 66 97	-0.39 51 96	-0.30 95	-1.00 62 97	0.00 32 98	-0.21 52 96	9.37 40 85	10.11 18 83	173	7	8				
916 24 0039 2024/03/26	1	4.67	916 22 0083 916 21 0413		98	103	92	0.88 62 104	-0.04 48 100	0.40 102	0.00 63 101	-1.30 31 92	0.06 49 97	6.56 35 90	-1.36 17 103	131	5	7				
916 24 0043 2024/03/28	2	1.59	916 22 0302 916 19 0286		106	97	116	0.31 64 99	-0.39 52 96	-0.23 96	-0.78 60 98	5.20 37 126	3.04 53 112	-2.03 44 104	3.06 22 95	171	7	12				
916 24 0045 2024/03/28	1	2.17	916 22 0083 916 18 0375		84	85	88	-0.68 63 89	-1.04 49 87	-1.38 85	-3.91 60 83	0.00 32 98	-1.71 50 89	8.74 38 86	1.88 18 97	122	6	8				
916 24 0046 2024/03/30	1	1.74	916 19 0176 916 22 0183		94	95	94	-0.03 61 95	-0.19 48 98	-0.21 96	-1.87 39 93	-1.40 31 91	-1.06 49 92	2.38 37 97	-3.23 17 106	104	3	3				
916 24 0047 2024/04/02	1	1.68	916 21 0054 916 21 0445		106	106	108	0.30 62 99	1.07 46 115	1.21 110	1.24 66 107	1.60 29 107	2.32 48 109	-1.07 39 103	5.19 18 91	89	2	2				
916 24 0049 2024/04/03	1	2.17	916 22 0094 916 21 0351		93	96	92	0.44 62 100	-0.71 45 91	-0.49 94	-1.46 42 95	-0.60 28 95	-0.63 48 94	2.90 37 96	1.22 18 98	89	2	2				
916 24 0051 2024/04/09	1	2.30	916 21 0183 916 22 0123		91	90	94	-0.09 63 95	-0.94 47 88	-0.99 89	-2.18 41 91	0.30 31 100	-0.85 49 93	1.20 38 99	2.92 19 95	92	2	2				
916 24 0056 2024/04/15	1	2.02	916 21 0183 916 20 0138		88	85	96	-0.74 64 88	-0.98 51 88	-1.35 85	-3.52 62 85	1.20 35 105	-1.01 52 92	0.93 43 99	4.00 22 93	89	4	5				
916 24 0058 2024/03/12	2	2.09	916 19 0176 916 22 0282		98	100	93	1.28 63 108	-0.88 51 89	-0.24 96	-0.50 62 99	-0.30 33 97	0.22 51 98	2.45 44 97	0.32 21 100	96	2	3				
916 24 0059 2024/03/12	2	2.09	916 19 0176 916 22 0282		99	102	95	1.03 63 106	-0.41 51 95	0.10 99	-0.12 62 101	-0.30 33 97	0.44 51 99	2.45 44 97	0.32 21 100	96	2	3				
916 24 0060 2024/03/15	2	1.98	916 21 0039 916 22 0468		123	123	113	2.70 64 123	0.96 53 113	2.31 121	4.71 64 122	1.90 37 108	4.80 54 121	-6.01 45 111	1.71 24 97	100	2	3				
916 24 0062 2024/03/15	1	1.95	916 19 0176 916 22 0524		107	107	101	1.42 63 110	0.00 52 101	0.71 105	1.05 63 106	-1.20 35 92	0.70 52 101	-11.33 46 120	1.73 22 97	114	3	4				
916 24 0064 2024/03/20	1	1.67	916 22 0302 916 15 0375		101	101	101	0.83 63 104	-0.38 52 96	0.04 99	0.51 61 103	2.30 38 110	1.84 53 106	0.32 45 100	8.82 24 85	164	9	10				
916 24 0068 2024/04/02	1	1.96	916 19 0176 916 22 0531		89	86	98	-1.26 63 83	-0.34 51 96	-0.97 89	-3.65 61 85	-2.10 35 87	-2.86 52 83	-11.59 45 121	-0.90 22 102	97	3	3				
916 24 0073 2024/04/26	1	1.23	916 21 0054 916 18 0315		106	102	118	-0.88 65 87	1.62 52 122	1.18 110	0.44 49 103	4.20 34 120	3.26 53 113	-0.12 43 101	7.55 21 87	137	7	10				



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
			Dam ID					Dir	Mat							EBV Index	EBV Index	EBV Index	EBV Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 24 0074 2024/04/26	1	9.03	916 22 0083 916 20 0066		89	96	80	0.84 63 104	-1.01 49 87	-0.59 93	-1.49 45 94	33 83	51 88	40 91	19 100	125	6 6		
916 24 0075 2024/04/28	1	3.91	916 22 0083 916 18 0180		81	79	90	-0.87 63 87	-1.76 50 77	-2.20 77	-5.72 63 75	33 106	51 89	41 88	20 92	144	6 7		
916 24 0079 2024/05/01	1	0.73	916 21 0267 916 21 0221		104	100	113	-0.57 65 90	1.05 52 115	0.77 106	-0.11 63 101	35 112	53 107	43 98	23 102	122	5 6		
916 24 0081 2024/05/02	1	1.98	916 19 0176 916 22 0078		93	99	87	0.66 63 102	-0.41 51 95	-0.09 98	-1.00 44 97	34 90	52 94	45 89	21 98	94	3 3		
916 24 0085 2024/05/04	1	13.19	916 21 0267 916 19 0430		87	80	103	-1.46 65 81	-0.90 51 89	-1.63 83	-5.19 63 78	32 111	52 93	41 94	21 103	90	4 5		
916 24 0086 2024/05/04	1	2.60	916 21 0183 916 19 0358		91	92	97	-0.54 65 90	-0.26 51 97	-0.53 93	-2.03 47 92	35 110	53 100	43 85	21 88	135	6 8		
916 24 0087 2024/05/05	1	1.53	916 21 0267 916 19 0306		94	92	102	-0.55 64 90	-0.21 50 98	-0.48 94	-2.36 48 90	33 112	51 101	42 97	22 86	115	4 4		
916 24 0088 2024/05/05	2	0.74	916 21 0267 916 19 0145		93	91	100	-0.21 65 93	-0.70 51 91	-0.80 91	-2.74 61 89	32 119	52 104	41 89	20 83	104	5 6		
916 24 0090 2024/05/05	1	1.09	916 21 0267 916 22 0006		102	95	111	-0.24 64 93	-0.01 50 101	-0.13 97	-1.71 46 93	30 113	51 104	40 105	19 100	104	3 4		
916 24 0094 2024/05/07	1	1.31	916 21 0267 916 20 0134		83	78	92	-1.28 62 83	-1.42 48 82	-2.06 79	-5.28 60 77	29 89	49 79	34 107	16 110	90	5 5		
916 24 0096 2024/05/07	1	2.03	916 19 0176 916 22 0362		98	104	90	1.19 63 108	-0.22 52 98	0.38 102	0.06 45 101	35 90	52 97	44 93	21 99	111	4 4		
916 24 0099 2024/05/11	2	0.88	916 21 0183 916 21 0275		99	90	111	-0.48 65 91	-0.51 51 94	-0.75 91	-2.70 45 89	32 116	52 102	42 105	20 100	118	4 6		
916 24 0100 2024/05/11	2	0.88	916 21 0183 916 21 0275		98	89	111	-0.69 65 89	-0.47 51 94	-0.82 91	-2.98 45 88	32 116	52 101	42 105	20 100	118	4 6		
916 24 0101 2024/05/12	1	1.10	916 21 0267 916 21 0249		89	84	102	-1.15 63 84	-0.65 48 92	-1.23 87	-3.96 62 83	29 112	49 96	37 96	18 93	90	2 2		
916 24 0102 2024/05/13	2	2.91	916 22 0083 916 19 0281		75	71	89	-1.66 63 79	-2.08 50 73	-2.91 70	-7.36 62 68	34 106	51 83	40 86	20 97	116	5 7		
916 24 0104 2024/05/14	1	2.38	916 22 0302 916 19 0391		99	89	114	-0.68 63 89	-0.55 51 93	-0.89 90	-2.63 44 89	35 127	52 107	43 97	21 95	114	5 8		
916 24 0105 2024/05/15	2	2.12	916 22 0083 916 20 0188		94	93	101	-0.66 62 89	0.20 47 103	-0.13 97	-2.50 44 90	31 104	49 98	34 88	17 102	105	5 7		
916 24 0107 2024/05/18	1	1.31	916 21 0183 916 21 0087		101	94	114	-0.70 77 88	0.26 51 104	-0.10 97	-1.56 61 94	31 119	56 107	42 99	19 98	117	3 4		



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam	
			Dir	Mat				Comb	Post-Wean	EPI	T Lamberd N Weaned						
			Acc ^{EBV} Index	Acc ^{EBV} Index				EBV ^{Index}	Acc ^{EBV} Index								
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0108 2024/05/18	2	2.23	916 21 0054 916 22 0381		110	109	108	1.09 64 107	0.65 49 109	1.20 110	1.88 63 110	1.70 31 107	2.77 51 111	-0.06 40 101	1.52 19 98	108	3 4
916 24 0109 2024/05/18	2	2.23	916 21 0054 916 22 0381		110	109	107	1.18 64 107	0.51 49 108	1.11 109	1.80 48 109	1.70 31 107	2.72 51 110	-0.06 40 101	1.52 19 98	108	3 4
916 24 0110 2024/05/15	1	6.82	916 22 0094 916 19 0364		101	95	107	0.19 65 97	-0.46 50 95	-0.36 95	-1.56 43 94	2.80 34 113	1.42 52 104	-1.15 39 103	2.61 20 96	94	6 8
916 24 0111 2024/05/18	3	2.99	916 22 0083 916 21 0249		85	84	93	-0.95 62 86	-0.92 46 88	-1.40 85	-4.26 62 82	1.50 30 106	-0.97 48 92	7.61 36 88	4.53 17 93	90	2 2
916 24 0112 2024/05/18	1	1.92	916 21 0183 916 20 0371		91	96	88	0.40 64 100	-0.68 51 92	-0.48 94	-1.21 42 96	0.30 33 100	-0.10 52 97	7.42 42 88	8.16 19 86	139	6 7
916 24 0113 2024/05/18	2	0.78	916 21 0267 916 20 0278		100	93	106	0.32 65 99	-0.97 52 88	-0.81 91	-2.19 46 91	2.80 34 113	1.03 53 102	-0.59 42 102	-0.76 22 102	117	4 7
916 24 0115 2024/05/20	2	2.30	916 19 0176 916 22 0248		90	90	94	-0.37 62 92	-0.66 50 92	-0.85 90	-3.16 45 87	0.10 32 99	-0.97 50 92	1.42 43 98	3.27 19 95	91	1 2
916 24 0117 2024/05/21	1	8.84	916 22 0083 916 20 0123		90	95	87	0.55 62 101	-0.94 47 88	-0.67 92	-1.92 46 92	0.20 33 99	-0.27 50 96	13.88 40 77	1.64 22 98	84	2 2
916 24 0118 2024/05/22	1	2.14	916 19 0176 916 21 0198		87	90	88	-0.37 64 92	-0.62 53 92	-0.81 91	-2.79 46 88	-0.70 37 95	-1.41 54 90	6.69 46 89	3.52 24 94	107	4 5
916 24 0119 2024/05/23	1	1.46	916 21 0054 916 18 0080		97	93	110	-1.50 65 80	1.01 51 114	0.26 101	-1.53 52 94	2.40 33 111	0.95 52 102	5.79 41 91	-0.97 18 102	182	9 10
916 24 0120 2024/05/25	1	2.35	916 19 0176 916 22 0152		90	90	94	-0.30 63 93	-0.80 51 90	-0.95 89	-2.89 46 88	-0.10 34 98	-1.16 52 91	1.58 44 98	1.07 21 99	92	2 2
916 24 0121 2024/05/25	1	1.28	916 21 0039 916 17 0290		101	96	109	-0.03 66 95	-0.17 56 98	-0.18 97	-1.67 65 94	3.70 41 118	2.03 56 107	2.44 48 97	2.48 24 96	162	10 12
916 24 0124 2024/05/22	2	1.93	916 21 0183 916 20 0230		103	106	100	0.98 64 105	0.23 50 104	0.72 105	1.22 61 107	1.50 32 106	2.11 51 107	0.96 42 99	9.73 20 84	101	3 4
916 24 0126 2024/05/22	1	7.93	916 21 0183 916 22 0089		103	105	97	1.44 64 110	-0.35 49 96	0.37 102	1.10 43 106	1.60 32 107	2.05 51 107	3.76 41 94	7.64 19 87	97	3 4
916 24 0132 2024/05/26	1	1.41	916 21 0267 916 21 0316		95	94	95	0.57 64 101	-1.20 48 85	-0.92 90	-1.36 44 95	-0.10 28 98	-0.69 50 94	1.74 38 98	-3.81 17 107	112	4 4
916 24 0134 2024/05/27	1	13.67	916 22 0083 916 22 0071		101	100	105	0.16 63 97	0.25 50 104	0.34 102	-0.92 45 97	2.10 33 109	1.68 51 105	5.44 40 91	-0.15 20 101	116	4 6
916 24 0136 2024/06/03	1	1.21	916 21 0183 916 21 0446		94	100	91	0.27 64 98	0.14 49 103	0.27 101	0.03 49 101	-1.20 31 92	-0.31 51 96	2.44 41 97	5.88 19 90	98	3 3
916 24 0139 2024/06/06	2	1.06	916 22 0083 916 20 0360		97	96	97	0.52 63 101	-0.68 49 92	-0.42 94	-1.25 63 95	1.10 34 104	0.50 51 100	6.21 41 90	-1.12 21 102	109	4 6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
			Dam ID					Dir	Mat							EBV Index	EBV Index	EBV Index	EBV Index
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0141 2024/06/07	2	1.29	916 21 0267 916 22 0159		94	89	102	-0.21 64 93	-0.99 50 88	-1.09 88	-2.90 62 88	1.80 31 108	-0.12 51 97	-1.11 41 103	0.49 19 100	105	3 4		
916 24 0144 2024/06/10	2	1.48	916 22 0083 916 19 0191		91	89	96	-0.01 65 95	-1.20 51 85	-1.21 87	-3.40 62 86	3.30 35 116	0.77 53 101	9.48 40 85	6.40 20 89	176	8 14		
916 24 0145 2024/06/10	2	1.48	916 22 0083 916 19 0191		90	88	97	-0.29 65 93	-1.00 51 87	-1.14 87	-3.52 46 85	3.30 35 116	0.70 53 101	9.48 40 85	6.40 20 89	176	8 14		
916 24 0148 2024/06/14	1	2.73	916 21 0054 916 21 0326		115	115	111	1.43 63 110	1.16 49 116	1.87 116	3.22 48 116	2.50 31 111	4.09 50 117	-3.55 41 107	8.52 20 86	94	3 3		
916 24 0151 2024/06/17	2	1.39	916 21 0267 916 20 0305		106	103	108	0.93 65 105	-0.11 52 99	0.36 102	0.41 62 103	2.90 34 113	2.56 53 110	2.52 41 96	0.54 22 99	154	6 9		
916 24 0156 2024/06/18	2	2.64	916 21 0267 916 21 0253		94	86	106	-0.68 65 89	-0.91 51 89	-1.26 86	-3.92 44 83	2.90 31 113	0.14 52 98	-0.25 39 101	-0.22 19 101	119	5 7		
916 24 0160 2024/06/19	1	2.74	916 22 0083 916 22 0292		96	101	91	0.74 62 103	-0.28 48 97	0.10 99	-0.50 47 99	-0.20 32 97	0.35 50 99	5.57 39 91	5.51 20 91	119	4 4		
916 24 0161 2024/06/19	1	14.34	916 22 0083 916 22 0095		84	86	90	-1.10 62 84	-0.50 47 94	-1.05 88	-4.01 61 83	-1.00 31 93	-2.20 49 86	6.43 40 90	-0.32 19 101	88	2 2		
916 24 0165 2024/06/20	1	7.44	916 22 0083 916 20 0072		93	101	86	0.84 63 104	-0.28 49 97	0.14 100	-0.58 62 98	-1.50 34 90	-0.34 51 95	10.10 40 84	1.21 20 98	123	5 6		
916 24 0171 2024/06/22	1	2.12	916 19 0176 916 22 0092		97	104	87	1.20 63 108	-0.20 51 98	0.40 102	0.20 45 102	-2.20 35 87	-0.32 52 96	5.93 44 91	-0.18 22 101	106	4 4		
916 24 0172 2024/06/25	2	1.00	916 22 0302 916 20 0256		126	120	122	2.81 62 124	0.29 50 105	1.70 115	4.27 59 120	6.50 32 132	7.00 50 132	-4.13 42 108	7.80 20 87	105	3 5		
916 24 0173 2024/06/25	2	1.00	916 22 0302 916 20 0256		112	102	121	0.70 62 103	-0.05 50 100	0.30 101	0.17 40 102	6.50 32 132	4.55 50 119	-4.13 42 108	7.80 20 87	105	3 5		
916 24 0174 2024/06/25	1	1.97	916 19 0176 916 22 0353		102	105	97	0.79 58 103	0.28 48 104	0.67 105	0.88 41 105	-1.50 26 90	0.17 47 98	0.12 35 101	-2.91 16 105	112	4 4		
916 24 0182 2024/06/28	1	1.34	916 21 0183 916 21 0199		106	104	113	-0.14 83 94	1.16 54 116	1.09 109	0.98 62 105	3.80 32 118	3.30 60 113	2.89 42 96	6.04 19 90	126	6 6		
916 24 0183 2024/06/28	1	2.43	916 19 0176 916 22 0251		104	107	94	2.08 64 116	-0.71 52 91	0.33 102	0.92 46 105	0.60 36 101	1.73 53 106	6.52 45 90	0.18 22 100	112	4 5		
916 24 0185 2024/06/30	2	1.28	916 21 0039 916 22 0303		119	104	127	1.43 65 110	-0.56 54 93	0.16 100	0.70 65 104	6.50 38 132	4.77 55 121	-8.10 47 115	-2.66 24 105	135	4 6		
916 24 0186 2024/06/30	2	1.28	916 21 0039 916 22 0303		124	110	129	1.96 65 115	-0.15 54 99	0.84 106	2.28 65 111	6.50 38 132	5.72 55 125	-8.10 47 115	-2.66 24 105	135	4 6		
916 24 0187 2024/06/30	2	1.08	916 21 0183 916 18 0351		93	93	97	-0.43 65 91	-0.09 52 99	-0.31 95	-1.71 44 93	1.40 35 106	0.32 53 99	6.05 44 90	5.11 21 92	161	9 12		

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lambded N Weaned
BDate								Dir	Mat								
								Acc ^{EBV} Index	Acc ^{EBV} Index	EBV Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index		
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0188 2024/06/30	2	13.32	916 21 0183 916 19 0351		100	103	94	1.37 63 109	-0.55 49 93	0.13 100	0.53 62 103	1.30 33 105	1.60 51 105	6.87 42 89	6.61 21 89	87	1
916 24 0191 2024/07/02	1	1.97	916 21 0039 916 22 0368		109	100	115	0.35 58 99	0.05 47 101	0.22 100	0.08 44 101	1.30 30 105	1.18 47 103	-13.53 39 124	-4.13 19 108	97	2
916 24 0200 2024/07/03	1	2.37	916 19 0176 916 22 0260		94	94	95	0.35 64 99	-0.88 52 89	-0.70 92	-2.28 61 91	0.50 34 101	-0.22 52 96	3.11 44 95	0.63 21 99	109	4
916 24 0205 2024/07/04	1	1.68	916 21 0039 916 22 0456		95	86	106	-0.57 63 90	-1.10 51 86	-1.39 85	-3.43 48 86	1.50 35 106	-0.77 52 93	-9.63 46 117	-0.01 22 100	90	1
916 24 0206 2024/07/05	2	0.77	916 21 0108 916 16 0167		98	105	90	1.07 67 106	0.11 53 102	0.65 105	0.52 67 103	0.10 37 99	1.24 55 103	6.96 45 89	9.61 22 84	139	11
916 24 0207 2024/07/05	2	0.77	916 21 0108 916 16 0167		102	110	92	1.32 67 109	0.50 53 107	1.16 110	1.59 67 108	0.10 37 99	1.88 55 106	6.96 45 89	9.61 22 84	139	11
916 24 0208 2024/07/05	2	0.97	916 21 0108 916 23 0016		110	106	110	1.09 65 107	0.15 50 103	0.70 105	0.95 47 105	2.40 30 111	2.68 51 110	-6.16 41 111	3.64 18 94	126	3
916 24 0209 2024/07/05	2	0.97	916 21 0108 916 23 0016		110	106	110	1.01 65 106	0.17 50 103	0.67 105	0.84 47 105	2.40 30 111	2.62 51 110	-6.16 41 111	3.64 18 94	126	3
916 24 0211 2024/06/07	2	1.66	916 22 0302 916 22 0324		93	90	100	-0.46 62 91	-0.54 49 93	-0.77 91	-2.04 37 92	1.30 32 105	-0.22 50 96	1.87 41 98	1.05 19 99	99	3
916 24 0216 2024/09/14	3	0.97	916 21 0108 916 20 0098		107	110	99	1.75 87 113	-0.02 57 100	0.86 107	2.09 63 110	0.90 30 103	2.27 62 108	-3.45 41 107	9.45 17 84	125	5
916 24 0219 2024/09/14	2	3.68	916 22 0083 916 23 0139		107	99	114	0.36 62 99	-0.02 48 100	0.16 100	-0.87 45 97	3.90 31 119	2.68 49 110	0.16 41 101	-1.57 19 103	117	2
916 24 0221 2024/09/14	2	2.45	916 21 0108 916 19 0362		107	113	99	1.33 64 109	0.95 51 113	1.61 114	2.61 46 113	0.60 30 101	2.63 51 110	4.87 39 92	6.29 16 89	111	6
916 24 0223 2024/09/15	2	0.80	916 21 0108 916 20 0014		104	107	101	1.04 66 106	0.42 51 106	0.94 107	1.22 47 107	2.40 32 111	2.90 52 111	6.85 40 89	8.19 18 86	136	5
916 24 0225 2024/09/15	3	1.75	916 21 0108 916 19 0060		102	109	95	1.11 65 107	0.59 50 109	1.15 109	1.20 45 106	0.50 29 101	2.00 51 107	5.14 39 92	9.76 16 83	113	5
916 24 0226 2024/09/15	3	1.75	916 21 0108 916 19 0060		102	109	95	1.16 65 107	0.58 50 108	1.16 110	1.25 45 107	0.50 29 101	2.04 51 107	5.14 39 92	9.76 16 83	113	5
916 24 0227 2024/09/15	3	1.75	916 21 0108 916 19 0060		101	107	95	0.78 65 103	0.65 50 109	1.04 108	0.74 45 104	0.50 29 101	1.73 51 106	5.14 39 92	9.76 16 83	113	5
916 24 0228 2024/09/15	3	0.84	916 21 0108 916 19 0369		114	113	109	1.98 66 116	0.24 52 104	1.23 110	2.21 47 111	3.30 34 116	4.20 53 118	2.88 42 96	3.55 20 94	138	7
916 24 0231 2024/09/15	2	0.72	916 21 0108 916 20 0406		106	110	100	1.44 66 110	0.37 51 106	1.09 109	2.15 49 111	1.60 31 107	2.77 52 111	4.85 41 92	6.46 18 89	109	5

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0235 2024/09/16	1	0.69	916 21 0108 916 17 0350		104	112	95	1.41 66	0.68 110	1.38 112	2.17 44	0.50 34	2.38 53	8.21 41	7.83 17	132	11 12
916 24 0236 2024/09/16	1	4.59	916 21 0108 916 20 0257		104	118	84	2.32 65	0.61 119	1.77 115	3.96 47	-3.40 32	0.89 52	3.10 41	7.25 20	101	4 4
916 24 0237 2024/09/16	2	1.96	916 21 0108 916 22 0002		108	117	92	2.46 74	0.40 120	1.63 114	3.20 46	0.00 30	2.87 55	7.18 41	9.09 17	102	3 4
916 24 0239 2024/09/16	2	1.97	916 21 0108 916 22 0701		109	116	95	2.28 60	0.38 119	1.52 113	3.88 39	-1.30 20	1.88 45	0.67 31	2.13 10	100	3 5
916 24 0245 2024/09/17	1	2.26	916 21 0039 916 23 0416		104	89	119	-0.26 60	-0.84 93	-0.97 89	-3.84 48	2.40 33	0.34 49	-22.58 42	-3.10 21	93	1 1
916 24 0247 2024/09/18	1	0.74	916 21 0054 916 15 0345		115	110	120	0.51 65	1.34 101	1.60 114	1.95 47	4.20 32	4.37 52	0.47 39	0.48 17	195	9 12
916 24 0248 2024/09/18	1	2.21	916 21 0054 916 21 0120		110	115	104	1.33 63	1.27 109	1.93 117	3.78 50	1.70 30	3.62 50	3.75 41	9.04 19	104	3 3
916 24 0249 2024/09/18	1	0.87	916 21 0108 916 20 0026		104	113	93	1.36 65	0.87 109	1.55 113	2.45 46	-0.80 31	1.75 51	4.63 40	8.13 18	115	5 6
916 24 0252 2024/09/08	1	3.06	916 21 0054 916 23 0072		118	114	121	1.02 65	1.40 106	1.91 117	3.11 49	4.80 30	5.29 50	-0.99 41	5.79 19	109	2 3
916 24 0254 2024/09/08	1	2.62	916 21 0039 916 23 0049		113	107	114	1.59 63	-0.29 112	0.50 103	1.15 50	3.40 37	3.33 53	-5.65 46	0.26 24	107	2 3
916 24 0255 2024/09/08	1	1.82	916 21 0225 916 23 0067		115	109	117	0.95 60	0.78 105	1.26 110	1.27 44	0.80 33	2.21 49	-29.95 40	2.70 22	108	2 3
916 24 0256 2024/09/08	1	2.37	916 21 0225 916 23 0185		99	109	88	1.26 62	0.49 108	1.12 109	1.49 47	-2.10 33	0.49 50	6.41 42	4.25 22	94	1 1
916 24 0257 2024/09/11	1	13.82	916 22 0094 916 23 0105		101	103	93	1.95 63	-1.28 115	-0.31 95	-0.20 42	0.30 30	0.85 49	0.57 38	1.39 19	107	2 3
916 24 0258 2024/09/11	1	1.27	916 21 0225 916 23 0037		95	104	88	0.61 62	0.37 102	0.68 105	0.72 47	-1.60 34	0.02 50	5.00 43	7.04 23	93	1 1
916 24 0260 2024/09/11	2	2.21	916 22 0094 916 23 0113		111	105	110	1.68 63	-0.59 112	0.25 101	0.65 43	3.30 28	3.07 48	-4.15 38	1.87 16	98	1 2
916 24 0262 2024/09/11	2	7.96	916 21 0054 916 23 0089		117	106	129	0.08 64	1.25 96	1.29 111	1.71 48	6.30 30	5.11 50	-2.51 42	1.65 19	103	2 3
916 24 0263 2024/09/11	2	7.96	916 21 0054 916 23 0089		115	104	129	-0.31 64	1.32 92	1.17 110	1.19 48	6.30 30	4.80 50	-2.51 42	1.65 19	103	2 3
916 24 0265 2024/09/14	1	2.92	916 21 0054 916 23 0141		121	113	126	1.07 63	1.29 106	1.82 116	2.88 49	4.80 30	5.23 50	-4.52 42	-0.01 19	110	2 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights						EBV - Fertility					
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam		
											Dir	Mat									EBV Index
Active Breed Average:								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03			
916 24 0269 2024/09/17	1	3.65	916 21 0054 916 23 0098		116	111	119	1.02 63 106	0.94 48 113	1.45 112	2.33 51 112	4.20 31 120	4.48 50 119	-4.03 43 108	3.96 19 93	94	1				
916 24 0270 2024/09/20	2	1.70	916 21 0225 916 23 0077		98	94	106	-0.99 63 86	0.64 49 109	0.15 100	-1.17 45 96	0.00 34 98	-0.35 51 95	-11.67 44 121	5.81 23 90	96	1				
916 24 0273 2024/09/20	1	3.06	916 21 0054 916 23 0071		117	113	118	1.20 63 108	1.04 48 115	1.64 114	2.94 47 114	4.70 30 123	5.06 50 122	-0.63 41 102	5.63 19 91	106	2				
916 24 0274 2024/09/20	1	8.91	916 21 0328 916 23 0195		112	102	119	1.01 64 106	-0.36 49 96	0.14 100	0.18 51 102	6.10 33 130	4.31 51 118	-1.11 41 103	2.80 22 96	105	2				
916 24 0275 2024/09/23	1	2.29	916 21 0328 916 18 0376		98	93	105	-0.06 63 95	-0.62 49 93	-0.65 92	-1.65 46 94	3.10 33 115	1.18 51 103	1.71 39 98	3.04 20 95	97	5				
916 24 0280 2024/09/08	1	1.45	916 21 0183 916 22 0515		96	91	102	-0.48 64 91	-0.39 50 95	-0.63 92	-2.04 43 92	-0.50 34 96	-1.18 52 91	-14.75 44 126	4.50 21 93	101	3				
916 24 0282 2024/09/11	2	0.84	916 21 0328 916 20 0132		120	109	127	1.28 65 108	0.32 51 105	0.96 108	2.26 51 111	8.60 34 136	6.76 52 130	-0.34 40 101	0.46 20 100	120	7				
916 24 0284 2024/09/12	2	1.54	916 21 0108 916 20 0457		114	120	100	2.61 64 122	0.66 49 109	1.97 117	4.44 43 121	1.00 28 104	3.87 50 116	2.23 36 97	7.80 17 87	130	4				
916 24 0286 2024/09/11	1	1.07	916 21 0267 916 18 0373		92	93	95	-0.18 64 94	-0.40 50 95	-0.49 94	-2.30 44 91	-0.70 32 95	-1.00 51 92	0.90 35 99	-0.08 19 100	114	6				
916 24 0291 2024/09/18	1	1.59	916 21 0183 916 22 0282		97	95	102	0.06 63 96	-0.43 49 95	-0.40 95	-1.33 44 95	2.10 31 109	0.89 50 101	1.04 42 99	4.35 19 93	96	2				
916 24 0294 2024/09/21	2	0.75	916 21 0267 916 17 0314		100	94	109	-0.12 66 94	-0.36 53 96	-0.42 94	-1.88 47 93	3.50 35 117	1.62 54 105	1.89 42 98	1.56 20 98	180	9				
916 24 0296 2024/09/21	1	4.61	916 21 0183 916 22 0274		101	105	93	1.56 63 111	-0.52 47 94	0.26 101	1.15 42 106	0.10 31 99	1.10 49 102	2.17 42 97	5.47 18 91	97	1				
916 24 0297 2024/09/25	2	2.23	916 21 0183 916 22 0414		99	97	102	0.29 62 98	-0.33 47 96	-0.18 97	-0.98 43 97	2.40 29 111	1.40 49 104	2.10 40 97	6.02 18 90	106	2				
916 24 0301 2024/09/17	1	5.19	916 22 0094 916 23 0070		111	114	99	2.61 62 122	-0.27 44 97	1.04 108	2.74 41 113	0.90 27 103	2.89 47 111	1.45 36 98	2.10 18 97	101	2				
916 24 0303 2024/09/17	1	1.53	916 21 0225 916 23 0188		95	101	90	0.40 63 100	0.16 49 103	0.36 102	-0.22 46 100	-1.30 34 92	-0.22 51 96	3.57 43 95	5.22 23 91	99	2				
916 24 0304 2024/09/20	2	1.97	916 22 0083 916 23 0389		104	103	102	1.03 62 106	-0.20 46 98	0.31 101	-0.08 43 101	1.20 29 105	1.55 48 105	2.97 38 96	-1.91 18 104	104	2				
916 24 0306 2024/09/21	2	1.87	916 22 0094 916 23 0171		99	97	100	0.41 61 100	-0.41 43 95	-0.21 96	-1.11 41 96	0.40 25 100	0.24 46 98	-0.73 36 102	-0.28 14 101	93	1				
916 24 0309 2024/09/21	1	2.79	916 21 0039 916 23 0448		111	104	112	1.20 64 108	-0.34 52 96	0.26 101	0.62 50 104	2.20 36 110	2.18 53 108	-9.73 46 117	-0.76 23 102	100	2				



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights					EBV - Fertility						
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam		
											Dir	Mat									EBV Index
Active Breed Average:								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03			
916 24 0312 2024/09/23	2	1.53	916 22 0094 916 23 0180	95	91	101	0.07 64 96	-0.94 46 88	-0.91 90	-2.81 43 88	2.50 29 111	0.63 49 100	3.80 36 94	1.13 17 98	102	2 3					
916 24 0313 2024/09/23	2	1.53	916 22 0094 916 23 0180	97	93	101	0.39 64 99	-1.00 46 87	-0.81 91	-2.37 43 90	2.50 29 111	0.89 49 101	3.80 36 94	1.13 17 98	102	2 3					
916 24 0314 2024/09/25	1	2.72	916 22 0094 916 23 0133	100	100	96	1.50 62 111	-1.12 43 86	-0.37 95	-0.58 44 98	1.20 26 105	1.10 46 102	-0.07 36 101	5.11 17 91	94	2 1					
916 24 0316 2024/09/25	2	1.00	916 21 0225 916 23 0044	107	107	106	1.05 56 106	0.37 47 106	0.90 107	1.19 47 106	2.10 34 109	2.68 47 110	1.81 43 98	3.13 23 95	94	1 2					
916 24 0320 2024/09/26	1	1.05	916 21 0225 916 23 0084	101	108	91	1.23 63 108	0.27 49 104	0.88 107	1.59 44 108	-1.70 34 89	0.48 51 99	3.38 43 95	2.05 23 97	101	2 2					
916 24 0321 2024/09/26	2	1.84	916 22 0094 916 23 0190	97	96	97	0.67 64 102	-0.85 46 89	-0.52 93	-1.69 44 93	1.90 29 108	0.96 49 102	4.73 38 93	3.89 18 94	104	2 3					
916 24 0323 2024/09/27	1	3.08	916 21 0054 916 23 0022	104	102	110	-0.31 62 92	0.99 47 114	0.83 106	0.86 48 105	2.50 30 111	2.17 49 108	1.20 41 99	4.44 19 93	95	2 2					
916 24 0325 2024/09/27	1	1.11	916 21 0054 916 20 0177	105	107	101	1.18 64 107	0.10 50 102	0.69 105	1.90 45 110	0.60 32 101	1.63 51 105	-0.84 40 102	3.18 19 95	101	5 5					
916 24 0329 2024/09/28	2	1.81	916 21 0183 916 22 0454	98	98	100	0.58 64 101	-0.47 50 94	-0.18 97	-0.65 46 98	2.70 33 112	1.73 51 106	7.18 43 88	5.55 21 91	99	2 3					
916 24 0332 2024/09/28	1	0.89	916 21 0183 916 22 0538	102	100	101	0.52 63 101	-0.12 49 99	0.14 100	0.05 44 101	-0.30 32 97	0.22 50 98	-11.73 43 121	5.85 21 90	96	2 2					
916 24 0333 2024/09/28	1	2.11	916 21 0183 916 22 0280	98	98	98	0.68 63 102	-0.59 47 93	-0.25 96	-0.38 43 99	1.90 30 108	1.23 49 103	3.90 41 94	5.18 19 91	92	2 2					
916 24 0334 2024/09/29	2	1.97	916 21 0183 916 22 0545	107	107	104	1.14 59 107	0.19 45 103	0.75 106	1.79 37 109	0.90 23 103	1.86 45 106	-1.28 33 103	1.13 14 98	100	2 4					
916 24 0336 2024/09/29	1	0.67	916 21 0108 916 20 0010	101	111	90	1.39 64 110	0.52 50 108	1.22 110	2.08 47 110	-0.40 32 96	1.67 51 105	7.52 41 88	10.43 19 82	105	4 4					
916 24 0337 2024/10/02	2	1.97	916 21 0267 916 19 0126	89	82	102	-1.09 65 84	-1.07 51 86	-1.62 83	-5.80 43 75	0.70 30 102	-1.75 52 89	-4.19 39 108	-4.60 18 108	127	6 8					
916 24 0338 2024/10/02	2	1.97	916 21 0267 916 19 0126	89	81	102	-1.25 65 83	-1.05 51 87	-1.67 82	-6.01 43 74	0.70 30 102	-1.87 52 88	-4.19 39 108	-4.60 18 108	127	6 8					
916 24 0339 2024/10/02	2	2.94	916 21 0054 916 23 0002	113	110	113	1.19 63 108	0.65 48 109	1.24 110	1.93 49 110	3.20 30 115	3.76 50 116	0.54 41 100	0.58 19 99	103	2 4					
916 24 0341 2024/10/05	2	0.98	916 21 0225 916 23 0258	104	102	105	0.50 63 101	0.22 50 104	0.46 103	0.21 48 102	1.40 34 106	1.55 51 105	-2.54 43 105	3.48 23 94	106	2 3					
916 24 0343 2024/10/10	1	1.51	916 21 0039 916 23 0263	108	104	107	1.32 63 109	-0.33 51 96	0.33 102	0.67 51 104	1.20 36 105	1.71 52 105	-8.32 46 115	0.81 24 99	100	2 2					



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights					EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
											Dir	Mat									EBV Index	EBV Index
Active Breed Average:								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 24 0345 2024/10/10	1	1.30	916 21 0267 916 20 0385		101	100	104	0.28 64 98	0.14 50 103	0.29 101	-0.75 45 98	1.50 32 106	1.33 51 104	-0.02 41 101	3.14 20 95	107	4 4					
916 24 0348 2024/10/11	2	2.46	916 21 0039 916 23 0232		106	96	114	0.49 57 100	-0.73 51 91	-0.48 94	-1.70 50 93	2.90 35 113	1.50 50 104	-8.77 46 116	-3.13 22 106	94	1 2					
916 24 0352 2024/10/12	2	7.53	916 21 0267 916 17 0397		97	94	104	-0.42 65 91	0.01 52 101	-0.20 96	-2.37 47 90	1.80 34 108	0.67 53 100	-2.71 42 105	5.81 22 90	149	7 9					
916 24 0353 2024/10/12	2	7.53	916 21 0267 916 17 0397		96	93	104	-0.62 65 89	0.04 52 101	-0.27 96	-2.64 47 89	1.80 34 108	0.51 53 100	-2.71 42 105	5.81 22 90	149	7 9					
916 24 0354 2024/10/14	1	2.12	916 21 0039 916 23 0360		116	111	113	1.97 63 115	-0.09 51 100	0.90 107	2.00 49 110	2.00 34 109	3.08 52 112	-7.31 44 113	-3.26 22 106	108	2 3					
916 24 0356 2024/10/15	2	0.99	916 21 0328 916 18 0028		110	108	110	1.51 66 111	-0.03 52 100	0.73 105	1.74 54 109	5.80 35 129	4.96 53 121	9.55 41 84	7.50 21 87	149	7 11					
916 24 0361 2024/10/17	2	0.79	916 21 0267 916 22 0316		103	98	108	0.25 64 98	-0.14 50 99	-0.01 98	-1.18 46 96	2.70 31 112	1.73 51 106	0.96 41 99	-0.19 20 101	118	3 5					
916 24 0363 2024/10/17	1	0.93	916 21 0267 916 19 0483		84	84	90	-0.64 65 89	-1.25 51 84	-1.57 83	-4.17 46 82	-0.10 32 98	-1.94 52 88	2.61 40 96	3.27 19 95	114	6 8					
916 24 0366 2024/10/20	1	1.12	916 21 0108 916 22 0267		106	116	90	2.24 64 118	0.47 48 107	1.59 114	3.14 47 115	-1.20 30 92	2.00 50 107	4.46 42 93	7.83 19 87	109	2 2					
916 24 0367 2024/10/22	2	1.32	916 21 0108 916 18 0052		106	108	103	1.13 65 107	0.35 51 105	0.92 107	1.48 49 108	1.60 31 107	2.44 52 109	-0.48 39 102	6.89 16 88	147	7 11					
916 24 0369 2024/10/22	1	1.61	916 21 0328 916 17 0390		113	114	105	2.47 65 120	-0.23 51 98	1.01 108	3.28 48 116	3.70 36 118	4.46 53 119	4.88 41 92	7.08 23 88	124	7 8					
916 24 0370 2024/10/22	2	1.11	916 21 0267 916 20 0065		96	94	98	0.54 65 101	-1.11 51 86	-0.85 90	-1.68 44 94	1.60 32 107	0.38 52 99	1.39 41 98	2.11 20 97	128	5 7					
916 24 0371 2024/10/22	2	1.11	916 21 0267 916 20 0065		91	87	99	-0.56 65 90	-0.91 51 89	-1.19 87	-3.17 44 87	1.60 32 107	-0.51 52 95	1.39 41 98	2.11 20 97	128	5 7					
916 24 0372 2024/10/22	2	0.73	916 21 0267 916 20 0272		98	98	97	0.68 64 102	-0.58 50 93	-0.24 96	-0.84 47 97	1.40 33 106	0.94 51 102	6.99 41 89	0.47 23 100	103	3 5					
916 24 0374 2024/10/23	1	1.37	916 21 0267 916 21 0340		88	88	92	-0.63 61 89	-0.68 45 92	-0.99 89	-3.02 40 87	-1.00 26 93	-1.90 47 88	1.39 33 98	0.25 17 100	91	2 2					
916 24 0376 2024/10/25	1	1.59	916 21 0267 916 22 0167		91	91	93	0.10 63 97	-1.05 48 87	-1.00 89	-2.82 43 88	0.00 29 98	-0.95 49 92	4.54 37 93	-1.89 19 104	92	2 2					
916 24 0377 2024/10/25	1	11.00	916 21 0039 916 23 0120		98	86	111	-0.65 63 89	-0.86 51 89	-1.19 87	-4.00 50 83	1.60 35 107	-0.55 52 94	-13.21 45 123	-3.14 23 106	98	2 2					
916 24 0379 2024/10/25	1	1.55	916 21 0267 916 19 0005		92	89	100	-0.66 65 89	-0.55 51 93	-0.88 90	-2.63 45 89	1.90 32 108	-0.07 52 97	4.10 40 94	1.96 19 97	150	7 9					



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
			Dam ID	Dir Acc ^{EBV} Index				Mat Acc ^{EBV} Index	EBV Index							Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	EPI	T Lamed N Weaned
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0380 2024/10/25	2	0.90	916 21 0267 916 22 0228		91	93	92	0.07 64 96	-0.69 48 92	-0.66 92	-2.02 43 92	0.60 30 101	-0.27 50 96	9.70 38 84	1.40 18 98	105	3 4				
916 24 0382 2024/10/26	2	2.46	916 21 0267 916 21 0282		101	95	109	0.19 64 97	-0.57 50 93	-0.48 94	-1.89 47 93	3.10 33 115	1.47 51 104	1.09 41 99	-2.07 22 104	99	2 3				
916 24 0385 2024/10/28	1	1.93	916 21 0267 916 23 0701		96	90	105	-0.46 59 91	-0.61 45 93	-0.84 90	-2.41 40 90	1.00 21 104	-0.47 45 95	-3.27 30 106	-3.97 14 107	99	3 4				
916 24 0388 2024/11/03	2	1.93	916 21 0267 916 23 0702		103	99	107	0.25 58 98	0.01 44 101	0.13 100	-0.27 38 100	1.00 21 104	0.86 44 101	-3.27 30 106	-3.97 14 107	100	2 3				
916 24 0390 2024/11/03	1	1.81	916 21 0183 916 22 0468		104	109	96	1.74 63 113	-0.16 49 99	0.71 105	1.43 44 108	1.10 31 104	2.24 50 108	3.89 41 94	7.04 20 88	100	2 3				
916 24 0391 2024/11/03	1	2.28	916 21 0201 916 21 0448		87	82	100	-1.53 58 80	-0.64 44 92	-1.40 85	-4.73 45 80	1.20 28 105	-1.45 46 90	-0.87 34 102	2.21 17 97	100	4 4				
916 24 0394 2024/11/03	1	1.41	916 21 0267 916 22 0384		118	108	120	1.59 60 112	-0.09 46 100	0.71 105	0.10 42 102	2.90 27 113	3.24 47 113	-15.36 35 127	-2.73 17 105	98	2 2				
916 24 0400 2024/11/03	1	1.44	916 21 0267 916 20 0397		92	84	104	-0.99 61 86	-0.86 48 89	-1.36 85	-5.03 42 78	-0.30 28 97	-2.03 48 87	-12.24 33 122	-3.26 15 106	118	5 5				
916 24 0401 2024/11/03	1	6.21	916 21 0201 916 21 0055		95	85	113	-2.01 59 75	0.44 44 107	-0.56 93	-3.88 41 84	2.00 29 109	-0.37 46 95	-15.15 35 127	7.18 18 88	112	3 4				
916 24 0402 2024/11/03	1	0.92	916 21 0267 916 22 0349		100	99	98	1.08 64 106	-0.85 49 89	-0.31 95	-0.85 44 97	1.10 30 104	0.90 50 102	2.62 40 96	0.51 19 99	98	3 3				
916 24 0403 2024/11/03	2	1.94	916 21 0267 916 20 0341		96	95	96	0.43 64 100	-0.74 50 91	-0.52 93	-1.38 44 95	0.60 30 101	0.05 51 97	2.42 39 97	1.03 18 99	130	5 7				
916 24 0404 2024/11/03	2	1.94	916 21 0267 916 20 0341		96	95	96	0.43 64 100	-0.74 50 91	-0.52 93	-1.38 44 95	0.60 30 101	0.05 51 97	2.42 39 97	1.03 18 99	130	5 7				
916 24 0405 2024/11/03	2	0.75	916 21 0267 916 21 0227		105	97	115	-0.22 58 93	0.27 50 104	0.16 100	-0.80 45 97	2.80 34 113	1.73 49 106	-3.18 42 106	-3.08 23 106	98	3 5				
916 24 0407 2024/11/03	2	0.71	916 21 0267 916 19 0187		79	74	96	-1.93 65 76	-1.31 51 83	-2.27 76	-6.84 46 70	2.60 31 112	-1.68 52 89	4.60 36 93	7.11 19 88	121	6 9				
916 24 0409 2024/11/03	1	1.43	916 21 0201 916 21 0522		100	97	103	0.18 59 97	-0.19 44 98	-0.10 97	-1.25 38 95	1.10 29 104	0.65 46 100	-6.04 36 111	4.84 19 92	103	4 5				
916 24 0410 2024/11/03	1	1.91	916 21 0201 916 20 0361		99	93	108	-0.59 53 90	0.03 37 101	-0.27 96	-1.49 31 94	1.00 19 104	0.04 39 97	-6.86 26 113	-0.82 12 102	100	3 2				
916 24 0411 2024/11/03	2	2.62	916 21 0039 916 20 0073		106	99	110	0.86 65 104	-0.70 55 91	-0.27 96	-0.60 51 98	1.90 39 108	1.30 55 104	-4.86 47 109	-6.77 24 112	137	6 8				
916 24 0419 2024/11/08	2	5.15	916 21 0039 916 21 0352		114	108	115	1.49 59 111	0.08 54 102	0.82 106	1.02 52 106	3.40 39 116	3.61 52 115	-3.34 47 106	-0.82 25 102	110	4 7				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW		AFL		ILP		Dam	
			Dam ID	Dir				Mat	Acc ^{EBV} Index				Acc ^{EBV} Index	EBV Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	EPI
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03					
916 24 0421 2024/11/08	3	1.63	916 21 0039 916 21 0413		116	116	103	3.17 64 127	-0.65 53 92	0.94 107	3.08 53 115	0.50 37 101	2.82 54 111	-6.04 42 111	-2.01 22 104	131	5 7			
916 24 0426 2024/11/10	2	0.90	916 21 0267 916 17 0313		104	101	104	1.17 65 107	-0.70 51 91	-0.12 97	-0.08 49 101	3.50 32 117	2.57 52 110	2.96 40 96	5.20 20 91	107	5 7			
916 25 0001 2025/03/27	2	0.88	916 21 0108 916 19 0398		117	123	105	2.27 66 118	1.43 52 120	2.57 123	5.17 63 124	2.50 33 111	5.20 53 123	6.82 42 89	10.04 19 83	130	6 9			
916 25 0002 2025/03/27	2	0.88	916 21 0108 916 19 0398		103	107	100	1.03 66 106	0.35 52 105	0.86 107	1.26 49 107	2.50 33 111	2.87 53 111	6.82 42 89	10.04 19 83	130	6 9			
916 25 0005 2025/03/28	1	2.19	916 23 0135 916 23 0350		104	103	104	0.73 63 103	0.10 45 102	0.47 103	0.28 64 102	0.70 29 102	1.25 48 103	0.23 36 100	-2.83 19 105	99	2 2			
916 25 0009 2025/03/31	1	14.00	916 23 0135 916 23 0202		101	92	110	0.17 63 97	-0.91 45 89	-0.83 90	-2.24 65 91	3.10 29 115	1.11 48 103	-5.85 36 111	0.55 19 99	100	2 2			
916 25 0013 2025/03/31	2	1.63	916 23 0135 916 23 0196		106	99	113	0.28 62 98	-0.09 44 100	0.05 99	-0.44 62 99	2.90 25 113	1.93 47 107	-3.81 33 107	-1.36 16 103	105	2 3			
916 25 0015 2025/04/01	1	0.77	916 23 0135 916 23 0290		95	96	94	0.52 63 101	-0.69 45 91	-0.44 94	-0.93 64 97	-0.40 28 96	-0.42 48 95	-2.04 35 104	3.94 18 94	105	2 2			
916 25 0016 2025/04/01	1	1.13	916 22 0312 916 23 0371		96	96	97	0.58 59 101	-0.77 42 90	-0.49 94	-1.11 60 96	1.50 29 106	0.70 46 101	4.12 35 94	3.66 20 94	101	2 2			
916 25 0017 2025/04/03	2	7.32	916 22 0312 916 23 0367		105	104	107	0.64 60 102	0.30 43 105	0.62 104	0.86 43 105	4.00 28 119	3.34 46 113	5.76 34 91	8.51 18 86	108	2 3			
916 25 0019 2025/04/03	1	1.38	916 23 0135 916 23 0375		105	104	104	0.75 63 103	0.25 44 104	0.63 104	0.48 64 103	0.70 28 102	1.42 48 104	-3.39 35 107	2.54 19 96	103	2 2			
916 25 0022 2025/04/04	1	1.86	916 23 0135 916 23 0341		104	104	101	0.90 56 105	0.09 43 102	0.53 103	0.80 50 105	-0.10 28 98	0.92 45 102	-0.98 35 102	-1.32 19 103	94	2 2			
916 25 0023 2025/04/04	2	1.79	916 23 0135 916 23 0207		92	89	100	-0.60 63 89	-0.61 45 93	-0.91 90	-3.25 64 86	0.60 27 101	-0.85 48 93	-3.21 35 106	1.42 17 98	105	2 3			
916 25 0025 2025/04/04	1	1.88	916 23 0135 916 23 0320		98	97	98	0.46 63 100	-0.50 45 94	-0.27 96	-1.26 64 95	0.60 28 101	0.32 48 99	0.75 35 100	1.51 18 98	99	2 2			
916 25 0027 2025/04/06	2	4.43	916 22 0312 916 23 0393		98	98	96	0.90 59 105	-0.80 42 90	-0.35 95	-0.89 40 97	1.70 27 107	1.12 45 103	4.97 34 92	4.20 18 93	108	2 3			
916 25 0028 2025/04/06	2	4.43	916 22 0312 916 23 0393		95	95	97	0.30 59 99	-0.69 42 92	-0.54 93	-1.71 40 93	1.70 27 107	0.63 45 100	4.97 34 92	4.20 18 93	108	2 3			
916 25 0029 2025/04/08	1	2.82	916 23 0135 916 23 0156		105	102	104	1.20 63 108	-0.59 44 93	0.01 98	-0.05 64 101	2.30 28 110	1.99 48 107	-2.95 34 106	4.35 18 93	95	2 1			
916 25 0031 2025/04/10	2	4.75	916 22 0094 916 20 0023		92	92	96	-0.11 56 94	-0.68 42 92	-0.74 91	-2.24 44 91	1.00 28 104	-0.20 44 96	3.38 34 95	3.65 18 94	83	1 1			

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							EBV Index	EBV Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0033 2025/03/25	1	3.12	916 21 0267 916 18 0375		92	90	96	-0.12 64 94	-0.90 50 89	-0.97 89	-2.57 42 89	1.10 31 104	-0.37 51 95	4.03 38 94	1.46 18 98	122	6 8
916 25 0035 2025/03/29	1	0.84	916 21 0267 916 19 0492		87	87	93	-0.54 65 90	-0.89 50 89	-1.16 87	-3.55 46 85	1.60 30 107	-0.47 51 95	10.09 38 84	3.89 18 94	121	6 9
916 25 0036 2025/03/29	1	0.87	916 21 0267 916 19 0436		106	97	115	0.27 65 98	-0.21 52 98	-0.08 98	-1.36 48 95	3.20 33 115	1.98 53 107	-2.42 42 105	-4.84 21 109	110	7 9
916 25 0038 2025/04/02	2	1.76	916 21 0267 916 21 0502		105	93	118	-0.02 65 95	-0.58 51 93	-0.59 93	-1.98 47 92	5.10 31 125	2.47 52 109	-4.36 38 108	0.12 20 100	107	3 6
916 25 0040 2025/04/03	1	2.65	916 21 0267 916 22 0292		89	88	93	-0.11 64 94	-1.28 49 84	-1.34 86	-3.43 62 86	0.90 31 103	-0.85 51 93	0.86 40 99	5.10 20 92	119	4 4
916 25 0041 2025/04/05	2	0.73	916 21 0267 916 18 0301		103	95	117	-0.70 66 88	0.47 54 107	0.12 100	-1.57 46 94	4.60 36 122	2.53 54 110	1.71 43 98	0.20 22 100	176	8 14
916 25 0043 2025/04/05	2	3.72	916 22 0083 916 21 0486		91	87	101	-0.66 63 89	-0.77 49 91	-1.10 88	-3.74 50 84	2.00 32 109	-0.23 50 96	4.37 38 93	-0.29 19 101	127	4 6
916 25 0044 2025/04/05	2	3.72	916 22 0083 916 21 0486		95	92	104	-0.53 63 90	-0.14 49 99	-0.41 94	-2.48 64 90	2.00 32 109	0.52 50 100	4.37 38 93	-0.29 19 101	127	4 6
916 25 0045 2025/04/07	2	3.96	916 21 0267 916 18 0175		99	91	106	0.37 66 99	-1.25 53 84	-1.07 88	-2.68 63 89	3.70 35 118	1.34 54 104	0.96 43 99	0.78 21 99	187	7 10
916 25 0046 2025/04/07	2	3.96	916 21 0267 916 18 0175		99	91	106	0.30 66 99	-1.23 53 84	-1.08 88	-2.76 48 89	3.70 35 118	1.29 54 103	0.96 43 99	0.78 21 99	187	7 10
916 25 0049 2025/04/07	2	0.94	916 21 0267 916 18 0315		96	91	106	-0.77 65 88	-0.03 52 100	-0.41 94	-2.53 62 90	2.80 34 113	0.88 53 101	1.80 42 98	4.27 21 93	137	7 10
916 25 0054 2025/04/10	1	3.87	916 23 0135 916 21 0236		98	100	93	1.15 63 107	-0.79 46 90	-0.21 96	-0.57 64 99	0.40 29 100	0.60 49 100	-0.33 34 101	8.09 18 86	95	3 3
916 25 0056 2025/04/14	2	1.89	916 23 0135 916 22 0239		112	109	107	2.07 63 116	-0.51 45 94	0.53 103	1.46 47 108	2.40 28 111	3.00 48 112	-4.56 35 109	1.79 18 97	105	3 4
916 25 0057 2025/04/14	2	1.89	916 23 0135 916 22 0239		109	105	108	1.40 56 110	-0.38 44 96	0.32 101	0.54 47 104	2.40 28 111	2.46 45 109	-4.56 35 109	1.79 18 97	105	3 4
916 25 0058 2025/04/14	1	2.86	916 23 0135 916 20 0102		90	86	96	-0.47 64 91	-1.12 47 86	-1.35 85	-3.47 64 85	0.70 30 102	-1.16 50 91	-6.35 36 112	7.29 19 88	93	4 4
916 25 0061 2025/04/08	1	0.84	916 21 0267 916 21 0199		102	95	114	-0.61 65 89	0.29 50 104	-0.02 98	-1.57 47 94	3.90 31 119	2.02 51 107	0.90 40 99	0.95 18 99	126	6 6
916 25 0065 2025/04/08	1	2.11	916 21 0183 916 21 0103		98	100	99	0.46 64 100	-0.14 50 99	0.09 99	-0.33 61 100	2.40 33 111	1.75 51 106	6.23 43 90	8.81 20 85	127	4 5
916 25 0067 2025/04/09	1	3.12	916 23 0135 916 23 0450		112	104	119	0.43 63 100	0.52 43 108	0.74 105	0.69 64 104	4.10 26 120	3.42 47 114	-6.12 35 111	2.94 15 95	93	1 1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam	
			Dir	Mat				Comb	Post-Wean	EPI	T Lamed N Weaned						
			Acc ^{EBV} Index	Acc ^{EBV} Index				EBV ^{Index}	Acc ^{EBV} Index								
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0071 2025/04/11	3	4.31	916 21 0183 916 19 0432		104	104	103	0.83 65	0.18 52	0.60 104	0.34 46	1.90 35	2.15 53	1.67 43	4.95 21	113	7 10
916 25 0074 2025/04/11	2	1.97	916 22 0183 916 20 0439		98	90	106	-0.23 52	-0.80 37	-0.92 90	-1.78 25	1.60 27	-0.07 40	-3.90 29	-3.03 17	122	6 8
916 25 0076 2025/04/12	2	1.35	916 23 0135 916 22 0062		97	93	103	0.06 64	-0.70 48	-0.66 92	-2.11 49	2.40 31	0.81 50	1.77 35	1.54 19	124	4 7
916 25 0077 2025/04/12	2	1.35	916 23 0135 916 22 0062		92	87	102	-0.68 64	-0.84 48	-1.18 87	-3.61 63	2.40 31	-0.08 50	1.77 35	1.54 19	124	4 7
916 25 0078 2025/04/12	2	2.87	916 23 0135 916 22 0484		101	92	112	-0.40 64	-0.29 47	-0.49 94	-1.99 63	3.00 29	1.11 49	-4.59 34	-0.10 18	118	3 5
916 25 0080 2025/04/12	2	0.90	916 21 0267 916 22 0008		104	103	100	1.51 64	-0.82 50	-0.06 98	0.19 62	1.60 31	1.65 51	3.15 41	-0.42 19	105	4 5
916 25 0082 2025/04/12	1	1.30	916 23 0135 916 22 0186		92	89	103	-1.11 64	0.00 47	-0.55 93	-3.12 48	1.10 31	-0.45 50	1.43 35	-0.14 18	130	4 5
916 25 0084 2025/04/13	1	1.93	916 21 0267 916 23 0701		102	98	106	0.38 59	-0.32 45	-0.13 97	-0.51 59	1.00 21	0.67 45	-3.27 30	-3.97 14	99	3 4
916 25 0088 2025/04/14	1	1.52	916 22 0312 916 23 0228		108	108	103	1.57 57	-0.11 38	0.68 105	1.84 38	1.90 24	2.60 42	2.74 32	1.96 15	94	1 1
916 25 0091 2025/04/15	2	1.61	916 23 0135 916 22 0175		96	93	102	-0.26 64	-0.30 47	-0.43 94	-2.07 63	1.30 30	0.22 50	1.71 34	0.42 18	125	4 5
916 25 0093 2025/04/15	1	3.19	916 21 0183 916 22 0362		105	108	96	1.83 64	-0.28 50	0.64 104	1.47 44	0.70 33	1.97 51	2.91 43	4.68 20	111	4 4
916 25 0094 2025/04/15	1	4.58	916 23 0135 916 19 0055		81	68	104	-2.11 65	-2.06 49	-3.12 68	-7.52 66	2.80 33	-2.50 51	-4.61 36	-1.37 19	136	7 9
916 25 0095 2025/04/15	1	0.81	916 21 0267 916 20 0274		94	88	106	-0.97 64	-0.34 50	-0.82 90	-3.20 45	1.80 31	-0.22 51	-2.68 40	0.53 20	107	4 5
916 25 0098 2025/04/01	1	1.02	916 22 0312 916 23 0337		108	113	98	1.75 59	0.46 42	1.34 111	2.57 61	0.00 29	2.21 46	-1.44 35	7.04 20	96	2 2
916 25 0099 2025/04/01	1	1.90	916 22 0094 916 20 0371		89	93	89	0.13 64	-0.81 48	-0.75 91	-2.21 41	-0.10 31	-0.74 50	6.23 37	5.14 18	139	6 7
916 25 0101 2025/04/01	1	3.92	916 22 0094 916 17 0311		93	97	92	0.30 65	-0.32 49	-0.17 97	-1.25 44	0.60 34	0.34 52	10.07 37	3.86 19	156	9 12
916 25 0105 2025/04/04	2	2.22	916 22 0094 2310 19 0051		101	98	103	0.54 65	-0.45 49	-0.18 97	-1.16 65	1.40 30	0.93 51	0.27 37	-1.05 19	111	5 7
916 25 0108 2025/04/04	2	1.88	916 22 0094 916 22 0064		101	100	101	1.00 64	-0.68 48	-0.18 97	-0.79 61	2.10 31	1.58 50	3.21 39	1.80 18	116	4 6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dir	Mat				Acc ^{EBV} Index	Acc ^{EBV} Index							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0110 2025/04/04	1	2.36	916 22 0094 916 21 0019		110	112	104	1.79 64	0.31 114	1.21 48	1.75 105	2.50 31	3.60 50	2.23 97	8.05 19	115	4 5
916 25 0111 2025/04/08	1	2.23	916 22 0094 916 23 0366		92	90	94	0.31 63	-1.41 99	-1.25 45	-2.88 82	0.70 29	-0.68 48	-0.14 38	2.47 17	93	1 1
916 25 0114 2025/04/08	2	2.46	916 22 0094 916 22 0458		98	101	91	1.63 64	-1.23 112	-0.42 47	-0.30 84	0.40 30	0.64 50	2.93 36	3.63 18	107	3 4
916 25 0116 2025/04/11	2	1.49	916 22 0094 916 22 0029		101	104	94	1.53 64	-0.62 111	0.14 47	0.37 92	0.80 30	1.38 50	5.00 37	4.87 18	103	3 4
916 25 0123 2025/04/14	2	1.52	916 22 0094 916 20 0131		100	83	123	-1.28 66	-0.82 83	-1.46 50	-3.99 90	7.60 32	2.46 52	-1.49 40	-0.91 103	130	6 11
916 25 0127 2025/04/17	1	13.80	916 22 0094 916 22 0303		107	97	113	1.09 65	-1.20 106	-0.66 48	-1.08 85	5.30 30	3.07 50	0.61 38	-0.35 100	135	4 6
916 25 0131 2025/04/26	2	5.13	916 22 0094 916 20 0309		97	96	95	0.90 65	-1.20 105	-0.76 50	-1.06 85	0.90 34	0.23 52	1.24 39	1.77 21	133	6 9
916 25 0132 2025/04/26	2	5.13	916 22 0094 916 20 0309		96	95	94	1.14 65	-1.55 107	-0.98 50	-1.24 80	0.90 34	0.13 52	1.24 39	1.77 21	133	6 9
916 25 0140 2025/04/28	2	2.12	916 21 0267 - -		108	90	124	-0.16 46	-0.81 94	-0.89 36	-4.51 90	3.70 21	1.25 36	-31.98 30	-4.93 14		0
916 25 0142 2025/04/28	1	1.52	916 23 0135 916 20 0212		89	85	100	-1.21 64	-0.54 83	-1.14 47	-3.57 94	0.00 30	-1.75 50	-1.78 35	-3.66 104	125	5 6
916 25 0143 2025/04/29	1	1.87	916 23 0135 916 21 0445		90	89	98	-0.99 63	-0.11 86	-0.61 43	-3.05 99	0.20 27	-0.98 47	-0.88 31	3.59 17	89	2 2
916 25 0144 2025/04/29	2	4.08	916 23 0135 916 19 0391		82	73	101	-1.73 65	-1.71 78	-2.57 49	-6.53 78	3.70 32	-1.21 51	2.24 37	4.88 20	114	5 8
916 25 0147 2025/04/30	1	2.09	916 23 0135 916 19 0231		91	85	102	-0.88 62	-0.81 87	-1.25 43	-3.80 90	2.20 26	-0.37 46	-1.03 30	4.18 16	87	1 1
916 25 0148 2025/04/30	1	1.89	916 21 0108 916 19 0077		113	122	97	2.67 66	0.93 122	2.26 51	4.09 113	-0.10 32	3.54 52	4.33 40	6.39 17	145	7 9
916 25 0149 2025/04/30	1	5.90	916 22 0083 916 22 0159		90	88	97	-0.66 63	-0.60 89	-0.93 48	-3.19 93	0.70 32	-0.84 50	3.60 40	0.91 19	105	3 4
916 25 0151 2025/04/30	1	4.64	916 22 0083 916 21 0316		95	98	89	1.06 62	-1.02 106	-0.49 47	-0.43 87	-1.20 30	-0.68 49	6.44 38	-3.39 16	112	4 4
916 25 0152 2025/04/30	1	4.80	916 22 0083 916 22 0066		91	93	90	0.46 62	-1.06 100	-0.83 46	-2.14 87	0.70 30	-0.17 48	8.35 37	4.03 17	89	1 1
916 25 0155 2025/05/01	1	1.13	916 23 0135 916 19 0352		95	93	100	-0.05 66	-0.54 95	-0.56 50	-1.80 94	2.20 34	0.73 52	5.69 39	3.07 22	104	4 6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0156 2025/05/02	1	2.92	916 22 0312 916 21 0120		92	102	85	0.51 60	0.10 44	0.36 102	0.26 43	-0.40 29	0.37 47	11.41 34	10.80 19	104	3 3
916 25 0158 2025/05/03	2	5.62	916 22 0403 916 23 0436		117	115	116	1.65 61	0.93 44	1.76 113	3.23 41	5.20 27	5.70 47	3.84 35	8.18 18	111	2 4
916 25 0161 2025/05/03	1	1.35	916 22 0403 916 23 0401		104	111	94	1.82 59	0.07 41	0.98 108	1.97 60	0.40 28	2.13 45	6.97 35	5.31 18	101	2 2
916 25 0162 2025/05/06	1	2.04	916 23 0136 916 17 0350		100	99	105	-0.08 61	0.42 46	0.38 102	-0.94 33	2.60 32	1.90 49	7.66 35	2.53 18	132	11 12
916 25 0163 2025/05/07	1	2.64	916 21 0267 916 21 0253		94	86	106	-0.70 65	-0.91 51	-1.26 86	-3.95 44	2.90 31	0.13 52	-0.25 39	-0.22 19	119	5 7
916 25 0164 2025/05/07	1	4.77	916 22 0094 916 20 0305		104	103	102	1.42 65	-0.68 50	0.03 99	0.22 46	2.40 34	2.17 52	3.32 38	2.61 21	154	6 9
916 25 0168 2025/05/09	1	2.82	916 21 0328 916 24 0135		115	110	114	1.97 62	-0.22 45	0.77 106	2.15 47	5.40 30	5.00 48	2.27 39	4.22 19	100	1 1
916 25 0169 2025/05/09	1	1.97	916 22 0432 916 23 0414		99	103	90	1.18 50	-0.39 32	0.20 100	0.77 54	-2.20 21	-0.53 36	-1.20 27	0.32 14	102	2 2
916 25 0176 2025/05/14	2	1.98	916 22 0094 916 24 0004		108	107	104	1.59 62	-0.17 44	0.62 104	1.14 41	1.60 25	2.37 47	1.33 34	0.02 15	113	2 3
916 25 0181 2025/05/15	2	1.48	916 21 0108 916 23 0139		113	112	112	1.27 64	0.82 49	1.45 112	2.21 46	2.80 29	3.76 50	-1.84 41	4.16 17	117	2 4
916 25 0185 2025/05/19	1	2.06	2750 22 0780 916 23 0184		100	96	103	0.21 56	-0.41 36	-0.30 95	-1.27 55	0.70 23	0.23 41	-2.87 29	-2.52 15	101	2 2
916 25 0186 2025/05/23	1	1.72	2750 22 0780 916 22 0356		101	98	105	-0.04 57	0.14 39	0.12 100	-0.20 25	0.10 24	0.16 42	-3.46 28	-3.71 15	116	4 5
916 25 0189 2025/05/26	2	26.18	916 21 0267 916 23 0388		100	93	111	-0.47 64	-0.14 48	-0.38 95	-2.33 44	3.60 28	1.55 50	2.54 40	-0.79 18	113	2 3
916 25 0190 2025/05/26	1	3.28	916 23 0135 916 23 0208		109	111	103	1.36 62	0.59 44	1.27 111	1.81 62	0.40 27	2.19 47	-5.00 35	5.40 18	103	2 2
916 25 0191 2025/05/26	2	5.01	2750 22 0780 916 22 0472		88	87	91	-0.13 58	-1.38 40	-1.44 84	-2.73 33	0.10 26	-1.45 44	3.05 29	1.76 18	106	3 5
916 25 0192 2025/05/26	2	5.01	2750 22 0780 916 22 0472		87	87	91	-0.24 58	-1.36 40	-1.48 84	-2.88 33	0.10 26	-1.53 44	3.05 29	1.76 18	106	3 5
916 25 0193 2025/05/26	1	1.57	2750 22 0780 916 22 0036		86	84	96	-1.70 57	-0.09 39	-0.93 89	-3.81 31	-1.00 25	-2.38 43	-4.96 30	3.39 16	98	3 4
916 25 0194 2025/05/26	1	2.04	916 22 0312 916 24 0181		95	99	92	0.48 59	-0.30 42	-0.06 98	-0.73 39	0.00 28	0.19 45	5.99 33	3.82 18	108	2 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam		
			Dir	Mat	Comb				Post-Wean	Acc ^{EBV} Index	Acc ^{EBV} Index	EBV Index							Acc ^{EBV} Index
			Acc ^{EBV} Index	Acc ^{EBV} Index	EBV Index				Acc ^{EBV} Index										
Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03			
916 25 0198 2025/05/26	1	14.84	2750 22 0780 916 22 0270			95	95	98	-0.14 55 94	-0.25 33 97	-0.32 95	-0.99 23 97	-0.20 20 97	-0.51 38 95	-1.02 22 103	0.01 15 100	96	2 1	
916 25 0199 2025/05/26	1	2.43	916 22 0403 916 16 0169			102	96	112	0.15 63 97	-0.30 49 97	-0.23 96	-1.15 60 96	6.10 36 130	3.51 51 114	7.47 40 88	6.66 22 89	148	9 13	
916 25 0203 2025/05/26	1	2.03	2750 22 0780 916 23 0392			92	89	100	-0.79 54 88	-0.46 32 95	-0.85 90	-2.24 25 91	-0.30 17 97	-1.42 37 90	-1.59 26 103	-4.34 11 108	94	1 1	
916 25 0204 2025/05/26	1	6.25	916 21 0328 916 24 0026			118	111	120	1.71 63 113	0.24 46 104	1.09 109	2.18 62 111	6.20 31 131	5.66 49 125	3.52 40 95	2.38 19 96	95	1 1	
916 25 0208 2025/05/31	2	1.44	916 21 0108 916 21 0414			99	110	86	1.50 63 111	0.24 46 104	0.99 108	1.70 48 109	-2.30 27 86	0.37 48 99	5.29 35 92	5.70 15 90	91	2 3	
916 25 0211 2025/06/01	1	1.79	916 23 0135 916 18 0080			87	83	98	-1.28 65 83	-0.67 48 92	-1.31 86	-4.15 52 82	1.00 32 104	-1.35 51 90	5.98 34 91	-2.57 17 105	182	9 10	
916 25 0216 2025/06/01	1	1.97	916 22 0328 916 24 0065			98	95	97	0.83 56 104	-1.20 34 85	-0.78 91	-0.79 53 98	-0.90 22 94	-0.91 40 93	-6.59 23 112	-4.19 13 108	113	2 2	
916 25 0223 2025/06/12	1	1.97	916 22 0328 916 19 0003			102	99	102	0.44 54 100	-0.22 31 98	0.00 98	-0.56 24 99	-1.40 18 91	-0.62 37 94	-7.46 13 114	-7.31 7 113	99	4 4	
916 25 0225 2025/06/14	1	4.13	916 22 0094 916 20 0193			101	96	106	0.24 57 98	-0.45 46 95	-0.33 95	-1.65 42 94	2.00 30 109	0.99 47 102	0.21 35 100	-2.31 17 104	105	6 7	
916 25 0226 2025/06/14	1	1.94	916 22 0094 916 23 0312			87	93	82	0.37 55 99	-1.02 42 87	-0.83 90	-2.36 43 90	-1.60 27 90	-1.61 44 89	6.53 37 90	4.59 16 92	100	1 1	
916 25 0228 2025/08/08	2	4.37	916 23 0135 916 20 0014			99	91	110	-0.25 65 93	-0.58 49 93	-0.70 92	-2.38 64 90	4.60 31 122	1.93 51 107	2.41 35 97	3.73 19 94	136	5 9	
916 25 0229 2025/08/08	2	4.37	916 23 0135 916 20 0014			101	94	110	-0.08 65 95	-0.44 49 95	-0.48 94	-1.87 64 93	4.60 31 122	2.24 51 108	2.41 35 97	3.73 19 94	136	5 9	
916 25 0231 2025/08/10	2	1.97	916 23 0135 916 22 0701			95	89	105	-0.97 59 86	-0.21 43 98	-0.70 92	-2.31 43 91	0.80 20 102	-0.70 44 94	-3.77 25 107	-2.33 12 104	100	3 5	
916 25 0234 2025/08/13	2	3.60	916 22 0178 916 23 0080			104	109	93	2.24 61 118	-0.64 43 92	0.48 103	0.83 36 105	0.00 28 98	1.60 46 105	3.65 34 95	2.35 18 96	100	2 3	
916 25 0235 2025/08/13	2	3.60	916 22 0178 916 23 0080			100	103	94	1.31 54 109	-0.47 42 94	0.18 100	-0.44 36 99	0.00 28 98	0.84 43 101	3.65 34 95	2.35 18 96	100	2 3	
916 25 0240 2025/08/13	2	3.51	916 23 0135 916 20 0406			93	84	107	-0.91 65 86	-0.96 49 88	-1.42 85	-3.78 65 84	3.70 31 118	0.35 51 99	0.41 36 100	2.00 18 97	109	5 9	
916 25 0242 2025/08/13	2	1.89	916 24 0216 916 23 0141			117	115	109	2.52 62 121	-0.09 43 100	1.18 110	2.87 40 114	2.40 26 111	3.88 46 116	-3.94 33 108	2.37 16 96	110	2 3	
916 25 0243 2025/08/13	2	1.89	916 24 0216 916 23 0141			110	106	110	1.11 62 107	0.18 43 103	0.73 105	0.95 40 105	2.40 26 111	2.73 46 111	-3.94 33 108	2.37 16 96	110	2 3	

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights					EBV - Fertility					
Animal ID BDate			Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam	
					Dir	Mat	Comb				Post-Wean	Acc ^{EBV} Index	Acc ^{EBV} Index	EBV Index						
					Dam ID							Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index					
Active Breed Average:								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0246 2025/08/13	1	2.74	916 23 0135 916 20 0416		103	100	105	0.52 64 101	-0.05 46 100	0.22 100	-0.42 49 99	1.70 30 107	1.50 49 104	-2.63 35 105	3.62 18 94	91	4 4			
916 25 0247 2025/08/13	2	1.44	916 22 0094 916 20 0341		91	92	94	-0.24 63 93	-0.56 47 93	-0.68 92	-2.24 60 91	0.20 29 99	-0.68 49 94	3.22 36 95	3.10 17 95	130	5 7			
916 25 0250 2025/08/13	2	1.21	916 24 0216 916 23 0049		104	105	103	0.85 62 104	0.30 43 105	0.72 105	1.06 39 106	1.70 26 107	2.17 46 108	0.92 33 99	6.14 17 90	107	2 3			
916 25 0251 2025/08/13	2	1.64	916 24 0252 916 22 0369		102	95	113	-0.56 57 90	0.31 41 105	0.02 99	-1.57 33 94	4.30 25 121	2.32 43 109	-1.68 32 104	7.24 14 88	99	2 4			
916 25 0252 2025/08/13	2	1.64	916 24 0252 916 22 0369		101	94	113	-0.70 57 88	0.33 41 105	-0.02 98	-1.76 33 93	4.30 25 121	2.21 43 108	-1.68 32 104	7.24 14 88	99	2 4			
916 25 0253 2025/08/14	1	3.42	916 22 0178 916 23 0137		118	122	102	3.19 61 128	0.37 42 106	1.97 117	4.09 58 120	0.90 27 103	4.10 46 117	4.33 33 93	-0.44 18 101	105	2 3			
916 25 0255 2025/08/14	1	1.87	916 23 0136 916 22 0225		102	104	98	1.01 59 106	-0.09 42 100	0.42 102	0.20 57 102	0.40 28 100	1.16 45 103	3.49 34 95	0.19 18 100	104	3 3			
916 25 0261 2025/08/15	1	1.70	916 24 0216 916 22 0414		106	107	101	1.58 61 111	-0.22 41 98	0.57 104	1.30 38 107	1.50 23 106	2.26 45 108	-1.23 31 103	6.58 14 89	106	2 3			
916 25 0262 2025/08/15	1	3.26	916 23 0135 916 20 0369		89	83	101	-1.06 62 85	-1.02 43 87	-1.55 83	-4.30 63 82	1.70 26 107	-1.06 46 92	-4.38 32 108	3.78 16 94	87	1 1			
916 25 0263 2025/08/15	2	2.45	916 22 0312 916 23 0231		93	99	88	0.62 59 102	-0.37 42 96	-0.06 98	-0.68 41 98	-0.40 28 96	0.01 45 97	8.25 34 87	4.96 17 92	97	1 2			
916 25 0267 2025/08/15	2	2.17	916 22 0178 916 23 0105		90	93	89	0.29 62 98	-0.95 44 88	-0.80 91	-2.52 35 90	-1.10 29 93	-1.32 47 91	3.32 34 95	0.12 19 100	107	2 3			
916 25 0269 2025/08/15	2	2.01	916 22 0178 916 23 0454		103	100	104	0.82 62 104	-0.46 42 95	-0.05 98	-0.19 37 100	2.10 25 109	1.62 46 105	-1.15 33 103	3.18 15 95	96	1 2			
916 25 0270 2025/08/15	2	2.01	916 22 0178 916 23 0454		91	86	100	-0.50 62 90	-1.18 42 85	-1.44 85	-3.62 58 85	2.10 25 109	-0.43 46 95	-1.15 33 103	3.18 15 95	96	1 2			
916 25 0271 2025/08/15	2	1.07	916 24 0216 916 22 0524		111	109	108	1.28 63 108	0.33 45 105	0.97 108	1.75 60 109	0.30 28 100	1.79 48 106	-16.06 36 128	6.33 18 89	114	3 4			
916 25 0274 2025/08/15	1	1.58	916 22 0178 916 23 0389		105	106	99	1.61 61 112	-0.46 42 95	0.34 102	0.50 34 103	0.40 26 100	1.39 46 104	1.81 32 98	-1.52 16 103	104	2 3			
916 25 0277 2025/08/15	2	2.06	916 23 0136 916 20 0457		108	106	110	0.78 59 103	0.47 43 107	0.86 107	0.86 31 105	3.00 27 114	3.05 45 112	1.68 29 98	2.50 18 96	130	4 6			
916 25 0279 2025/08/17	1	1.34	916 24 0216 916 22 0345		110	112	102	1.80 62 114	0.30 43 105	1.20 110	2.79 37 114	0.70 26 102	2.52 46 109	-1.23 32 103	3.50 16 94	99	3 3			
916 25 0286 2025/08/17	1	2.96	916 22 0094 916 21 0412		105	108	95	2.20 63 118	-0.79 44 90	0.31 101	1.18 62 106	1.00 28 104	2.01 48 107	2.97 34 96	5.03 17 92	91	1 1			

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0288 2025/08/19	1	1.97	916 22 0328 916 24 0037		99	95	103	0.09 46 96	-0.40 29 95	-0.35 95	-0.77 27 98	0.80 19 102	0.17 33 98	-2.17 26 104	-1.34 10 103	93	2 2
916 25 0290 2025/08/19	2	3.00	916 24 0216 916 23 0195		103	100	106	0.62 62 102	-0.24 44 97	0.07 99	-0.32 60 100	2.20 26 110	1.69 47 105	-3.90 34 107	5.32 16 91	105	2 3
916 25 0292 2025/08/19	2	1.85	916 23 0135 916 23 0072		100	94	109	-0.17 63 94	-0.23 45 98	-0.31 95	-1.75 64 93	3.40 28 116	1.64 48 105	-0.81 34 102	4.20 18 93	109	2 3
916 25 0293 2025/08/19	2	1.85	916 23 0135 916 23 0072		108	104	111	0.84 63 104	0.17 45 103	0.59 104	0.59 64 104	3.40 28 116	3.05 48 112	-0.81 34 102	4.20 18 93	109	2 3
916 25 0294 2025/08/19	1	1.25	916 23 0135 916 20 0072		98	102	88	1.75 64 113	-1.21 48 85	-0.34 95	-0.22 50 100	-0.50 32 96	0.23 50 98	3.66 35 95	2.47 19 96	123	5 6
916 25 0295 2025/08/19	2	3.60	916 23 0136 916 23 0360		106	106	107	0.54 58 101	0.75 40 111	1.02 108	0.71 33 104	1.30 24 105	2.07 43 107	2.75 32 96	-2.19 16 104	108	2 3
916 25 0304 2025/08/19	1	2.12	916 22 0328 - -		108	92	120	0.03 33 96	-0.68 10 92	-0.66 92	-3.20 17 87	1.90 5 108	0.49 17 100	-34.47 5 136	-7.04 5 113		0
916 25 0305 2025/08/20	1	1.19	916 23 0135 916 22 0002		95	93	101	-0.31 64 92	-0.27 47 97	-0.43 94	-2.34 49 91	2.10 29 109	0.67 49 100	2.75 36 96	4.63 18 92	102	3 4
916 25 0306 2025/08/20	1	3.54	916 22 0178 916 23 0119		92	95	92	0.00 62 96	-0.28 44 97	-0.28 96	-1.76 36 93	-0.40 28 96	-0.52 47 95	4.56 34 93	2.78 18 96	132	3 4
916 25 0309 2025/08/20	1	11.71	916 23 0136 916 21 0345		97	99	99	0.02 59 96	0.23 43 104	0.24 101	-1.08 37 96	0.60 30 101	0.61 46 100	4.52 34 93	2.26 20 96	101	4 5
916 25 0310 2025/08/20	2	4.94	916 22 0178 916 23 0234		91	92	92	0.00 62 96	-0.67 43 92	-0.67 92	-2.66 36 89	-0.50 27 96	-0.97 47 92	5.69 33 91	-1.00 16 102	98	1 2
916 25 0311 2025/08/20	2	4.94	916 22 0178 916 23 0234		91	92	92	-0.03 62 95	-0.67 43 92	-0.69 92	-2.70 36 89	-0.50 27 96	-1.00 47 92	5.69 33 91	-1.00 16 102	98	1 2
916 25 0312 2025/08/20	2	2.12	916 22 0178 - -		108	95	117	0.52 43 101	-0.81 29 90	-0.56 93	-3.52 27 85	1.80 19 108	0.79 32 101	-28.43 20 136	-4.13 11 108		0
916 25 0314 2025/08/24	1	1.85	916 22 0178 916 22 0528		85	92	81	0.09 60 96	-0.85 40 89	-0.81 91	-2.52 57 90	-2.50 25 85	-2.26 44 86	5.30 27 92	3.28 15 95	93	1 1
916 25 0315 2025/08/24	2	3.03	916 23 0135 916 21 0352		107	105	107	1.08 58 106	0.07 47 102	0.61 104	0.45 51 103	2.60 31 112	2.71 48 110	2.83 36 96	1.10 19 98	110	4 7
916 25 0318 2025/08/30	2	2.67	916 22 0178 916 20 0132		104	96	113	-0.05 63 95	-0.09 46 100	-0.11 97	-1.08 38 96	3.80 30 118	2.14 49 108	1.75 33 98	-1.87 16 104	120	7 9
916 25 0320 2025/08/30	2	3.45	916 22 0178 916 20 0144		98	92	106	0.07 64 96	-0.78 48 90	-0.75 91	-2.40 39 90	2.40 33 111	0.73 51 101	-0.81 36 102	-0.90 20 102	130	6 11
916 25 0321 2025/08/30	2	3.45	916 22 0178 916 20 0144		97	91	106	-0.14 64 94	-0.74 48 91	-0.81 91	-2.68 39 89	2.40 33 111	0.56 51 100	-0.81 36 102	-0.90 20 102	130	6 11

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
								Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0324 2025/08/30	2	2.12	916 23 0135 - - -		109	92	124	0.10 46 97	-0.77 32 90	-0.72 91	-3.78 43 84	3.70 19 118	1.55 34 105	-33.71 23 136	-3.25 12 106		0
916 25 0326 2025/08/15	2	3.20	916 23 0136 916 19 0397		96	95	99	0.20 59 98	-0.48 43 94	-0.38 95	-1.56 35 94	1.50 29 106	0.62 46 100	3.00 32 96	2.53 19 96	87	2 3
916 25 0327 2025/08/15	2	3.20	916 23 0136 916 19 0397		95	93	100	-0.15 59 94	-0.42 43 95	-0.49 94	-2.04 35 92	1.50 29 106	0.33 46 99	3.00 32 96	2.53 19 96	87	2 3
916 25 0329 2025/08/20	2	2.12	916 24 0216 916 19 0286		99	97	101	0.52 65 101	-0.64 48 92	-0.39 95	-1.03 60 96	2.50 32 111	1.38 51 104	-1.59 37 104	9.04 19 85	171	7 12
916 25 0330 2025/08/20	2	2.12	916 24 0216 916 19 0286		103	101	103	0.74 65 103	-0.16 48 99	0.21 100	0.15 42 102	2.50 32 111	2.08 51 107	-1.59 37 104	9.04 19 85	171	7 12
916 25 0331 2025/08/20	1	2.03	916 22 0328 916 24 0076		113	101	121	0.31 52 99	0.26 26 104	0.41 102	-0.22 54 100	1.80 13 108	1.65 33 105	-19.83 16 135	-3.87 7 107	97	1 1
916 25 0333 2025/08/20	1	1.48	916 22 0094 916 23 0484		99	95	103	0.36 61 99	-0.69 42 91	-0.52 93	-1.52 41 94	0.90 24 103	0.20 45 98	-4.76 34 109	-0.73 13 102	89	1 1
916 25 0334 2025/08/21	2	1.52	916 24 0216 916 23 0479		92	90	95	0.14 63 97	-1.30 44 83	-1.23 87	-2.54 59 90	1.50 25 106	-0.26 47 96	0.41 32 100	5.88 15 90	111	3 5
916 25 0337 2025/09/01	1	7.93	916 22 0094 916 24 0053		107	99	112	0.87 63 104	-0.60 44 93	-0.16 97	-0.46 43 99	4.80 28 123	3.15 48 113	1.12 37 99	2.48 16 96	94	1 1
916 25 0339 2025/08/15	1	14.12	916 24 0216 916 18 0376		95	98	90	0.90 62 105	-0.95 44 88	-0.50 94	-0.63 36 98	-0.70 27 95	-0.46 47 95	-1.08 32 103	5.57 14 91	97	5 5
916 25 0340 2025/08/15	1	0.96	916 24 0216 916 19 0236		109	116	96	2.00 61 116	0.62 42 109	1.61 114	3.57 60 117	-0.80 27 94	2.13 46 108	-2.37 33 105	7.42 19 87	99	1 1
916 25 0341 2025/08/15	1	2.78	916 23 0135 916 19 0005		104	104	102	1.00 65 106	-0.16 48 99	0.35 102	1.03 63 106	1.90 31 108	1.99 51 107	2.37 34 97	3.64 17 94	150	7 9
916 25 0342 2025/08/15	1	0.90	916 22 0094 916 19 0506		98	99	95	1.01 65 106	-0.75 49 91	-0.24 96	-0.95 45 97	1.00 34 104	0.86 52 101	4.25 38 94	3.49 22 94	136	6 7
916 25 0343 2025/08/15	2	4.39	916 23 0135 916 19 0369		106	94	118	0.18 66 97	-0.62 50 92	-0.53 93	-1.99 50 92	5.40 34 127	2.80 52 111	-1.56 37 103	-0.91 21 102	138	7 13
916 25 0345 2025/08/17	3	4.32	916 23 0135 916 19 0040		96	89	107	-0.75 65 88	-0.41 49 95	-0.78 91	-2.66 49 89	3.20 32 115	0.77 51 101	-1.75 37 104	4.97 20 92	134	6 9
916 25 0348 2025/08/20	2	5.25	916 23 0135 916 19 0358		96	94	100	0.07 65 96	-0.57 48 93	-0.54 93	-1.63 52 94	2.40 32 111	0.94 51 102	5.31 36 92	3.84 19 94	135	6 8
916 25 0350 2025/08/20	1	1.72	916 24 0216 916 19 0348		121	119	116	2.10 64 117	1.03 47 114	2.08 118	4.27 61 120	4.10 31 120	5.59 50 125	-1.08 36 103	5.60 17 91	137	6 8
916 25 0351 2025/08/20	1	2.89	916 23 0135 916 19 0362		102	97	108	-0.02 64 95	0.01 48 101	-0.01 98	-0.98 49 97	2.80 30 113	1.67 50 105	0.43 34 100	1.83 17 97	111	6 8

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
								Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0355 2025/08/24	2	4.17	916 22 0094 916 24 0027		107	104	107	1.45 63 110	-0.51 45 94	0.22 100	0.17 44 102	3.30 27 116	2.92 48 111	2.55 37 96	1.34 15 98	97	1 2
916 25 0356 2025/08/24	2	4.17	916 22 0094 916 24 0027		101	96	110	-0.21 63 93	0.08 45 102	-0.03 98	-1.63 61 94	3.30 27 116	1.85 48 106	2.55 37 96	1.34 15 98	97	1 2
916 25 0359 2025/08/25	2	3.53	916 22 0178 916 23 0002		99	102	92	1.67 62 112	-1.04 43 87	-0.21 96	-0.63 37 98	-0.10 28 98	0.57 47 100	6.00 33 91	-1.90 18 104	103	2 4
916 25 0361 2025/08/25	1	1.99	916 22 0178 916 20 0098		98	96	97	0.96 64 105	-1.23 47 84	-0.75 91	-1.38 36 95	1.10 30 104	0.40 50 99	-2.60 35 105	4.11 17 93	125	5 9
916 25 0363 2025/08/30	4	4.86	916 22 0178 916 23 0209		84	87	87	-0.54 61 90	-0.95 43 88	-1.22 87	-3.61 34 85	-1.50 26 90	-2.39 46 85	6.30 32 90	-1.80 15 103	99	1 4
916 25 0370 2025/09/05	2	1.50	916 22 0178 916 18 0028		91	95	91	0.14 64 97	-0.43 47 95	-0.36 95	-1.65 42 94	1.00 31 104	0.31 50 99	11.64 33 81	5.18 17 91	149	7 11
916 25 0372 2025/09/05	2	1.40	916 22 0178 916 20 0390		98	101	94	0.78 60 103	-0.29 42 97	0.10 99	-0.31 29 100	-0.30 25 97	0.31 45 99	4.54 24 93	0.61 16 99	104	3 4
916 25 0374 2025/09/06	2	1.75	916 22 0178 916 19 0483		80	85	81	-0.54 63 90	-1.15 46 86	-1.41 85	-3.97 37 83	-2.00 30 88	-2.88 49 83	6.16 33 90	4.08 18 93	114	6 8
916 25 0377 2025/08/19	1	1.97	916 22 0328 916 24 0057		98	96	99	0.23 54 98	-0.52 31 94	-0.40 94	-0.90 28 97	-1.50 19 90	-1.19 37 91	-9.73 26 117	-2.81 11 105	96	1 1
916 25 0379 2025/08/19	1	2.12	916 22 0328 - - -		108	92	120	0.03 33 96	-0.68 10 92	-0.66 92	-3.20 17 87	1.90 5 108	0.49 17 100	-34.47 5 136	-7.04 5 113		0
916 25 0380 2025/08/21	2	2.37	916 23 0135 916 22 0369		91	83	107	-1.25 63 83	-0.75 46 91	-1.37 85	-4.45 48 81	3.30 28 116	-0.02 48 97	-3.31 33 106	5.10 16 92	99	2 4
916 25 0381 2025/08/21	2	2.37	916 23 0135 916 22 0369		95	87	106	-0.57 63 90	-0.87 46 89	-1.16 87	-3.52 48 85	3.30 28 116	0.54 48 100	-3.31 33 106	5.10 16 92	99	2 4
916 25 0382 2025/08/24	2	2.12	916 23 0135 916 23 0399		105	100	107	1.18 62 107	-0.78 43 90	-0.19 97	-0.46 49 99	3.00 26 114	2.20 46 108	-1.47 34 103	1.61 16 98	99	1 2
916 25 0385 2025/08/18	1	2.12	916 22 0403 916 23 0070		107	111	100	1.53 59 111	0.40 41 106	1.17 110	2.10 38 111	0.90 28 103	2.47 45 109	3.74 34 94	3.70 19 94	101	2 2
916 25 0387 2025/08/18	1	3.76	916 22 0403 916 22 0280		96	97	97	0.49 59 101	-0.61 42 93	-0.37 95	-1.02 58 97	1.50 28 106	0.78 45 101	5.00 34 92	3.77 19 94	92	2 2
916 25 0388 2025/08/18	1	2.18	916 22 0403 916 23 0022		99	103	93	1.19 59 108	-0.46 42 95	0.14 100	0.59 40 104	0.70 29 102	1.15 46 103	6.21 35 90	4.84 19 92	95	2 2
916 25 0389 2025/08/18	1	3.60	916 22 0403 916 19 0306		110	115	97	2.49 61 121	0.04 45 101	1.29 111	3.17 61 115	2.20 33 110	3.86 48 116	5.32 37 92	12.17 21 79	115	4 4
916 25 0391 2025/08/21	1	2.80	916 22 0403 916 23 0054		111	108	110	1.45 59 110	0.09 42 102	0.82 106	1.53 41 108	2.50 29 111	3.04 46 112	-2.72 36 105	1.09 19 98	93	1 1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents			Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID						Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0395 2025/08/22	1	14.23	916 22 0403 916 22 0454	99	100	98	0.99 61 105	-0.57 45 93	-0.08 98	-0.41 60 99	2.30 31 110	1.80 48 106	8.28 37 87	4.14 20 93	99	2 3		
916 25 0400 2025/09/01	2	4.92	916 22 0403 916 23 0448	106	108	100	1.53 60 111	-0.01 43 101	0.75 106	1.66 40 109	1.00 28 104	2.12 46 108	1.26 35 99	3.16 18 95	100	2 3		
916 25 0406 2025/09/02	1	3.24	916 22 0403 916 24 0002	95	99	92	0.65 57 102	-0.45 39 95	-0.13 97	-0.81 39 97	-0.30 26 97	0.02 43 97	6.13 33 90	1.15 15 98	93	1 1		
916 25 0409 2025/09/12	1	2.12	916 24 0009 - - -	123	114	121	2.28 40 118	0.14 27 103	1.28 111	0.98 31 106	2.20 16 110	3.74 29 115	-30.39 20 136	-1.00 9 102		0		
916 25 0411 2025/09/14	1	4.52	916 24 0009 916 23 0263	108	116	96	1.83 59 114	0.80 41 111	1.72 115	3.15 40 115	-1.00 26 93	2.03 44 107	1.16 33 99	4.98 17 92	100	2 2		
916 25 0413 2025/09/14	1	2.12	916 24 0009 - - -	123	114	121	2.28 40 118	0.14 27 103	1.28 111	0.98 31 106	2.20 16 110	3.74 29 115	-30.39 20 136	-1.00 9 102		0		
916 25 0414 2025/09/17	1	1.93	916 24 0009 916 23 0702	117	122	103	2.51 54 121	0.99 37 114	2.24 120	4.98 31 124	-0.50 16 96	3.20 39 113	-1.69 20 104	-0.04 9 100	100	2 3		
916 25 0417 2025/10/03	1	6.45	916 24 0009 916 22 0509	100	109	89	1.30 59 109	0.33 40 105	0.97 108	1.50 38 108	-1.20 25 92	0.90 44 102	4.37 29 93	7.52 15 87	96	2 2		
916 25 0418 2025/10/03	2	1.61	916 24 0216 916 16 0167	99	101	97	0.55 65 101	0.02 49 101	0.30 101	-0.24 50 100	1.30 35 105	1.35 52 104	2.92 39 96	9.12 21 85	139	11 13		
916 25 0422 2025/10/09	2	3.17	916 24 0009 916 22 0316	118	123	104	2.86 61 124	0.78 44 111	2.21 120	4.55 41 122	1.30 28 105	4.42 47 119	2.54 34 96	3.74 17 94	118	3 5		
916 25 0425 2025/10/11	2	1.97	916 22 0328 916 24 0083	105	100	108	0.67 56 102	-0.23 32 98	0.11 99	-0.02 28 101	2.10 17 109	1.70 38 105	-1.66 24 104	-2.04 10 104	102	1 2		
916 25 0426 2025/10/13	2	2.73	916 23 0135 916 20 0398	91	94	90	0.07 62 96	-0.60 43 93	-0.57 93	-1.55 47 94	-0.60 25 95	-0.89 46 93	4.20 29 94	3.24 15 95	94	1 2		
916 25 0427 2025/10/13	2	2.73	916 23 0135 916 20 0398	88	90	91	-0.51 62 90	-0.49 43 94	-0.75 91	-2.34 47 91	-0.60 25 95	-1.37 46 90	4.20 29 94	3.24 15 95	94	1 2		
916 25 0431 2025/10/19	3	0.99	916 23 0135 916 20 0131	112	96	129	-0.11 65 94	-0.03 50 100	-0.09 98	-0.46 51 99	8.10 32 136	4.72 52 120	-4.03 38 108	-1.31 18 103	130	6 11		
916 25 0434 2025/10/20	2	1.51	916 24 0216 916 22 0303	113	106	117	1.07 63 106	0.19 45 103	0.73 105	1.51 43 108	4.80 27 123	4.14 48 117	-1.53 34 103	3.23 16 95	135	4 6		
916 25 0435 2025/10/20	2	1.51	916 24 0216 916 22 0303	113	106	117	1.07 63 106	0.19 45 103	0.73 105	1.51 43 108	4.80 27 123	4.14 48 117	-1.53 34 103	3.23 16 95	135	4 6		
916 25 0440 2025/10/25	1	1.36	916 24 0009 916 22 0034	105	116	87	2.44 60 120	0.13 42 102	1.35 111	2.88 38 114	-1.60 28 90	1.61 46 105	3.68 34 94	7.91 17 87	94	3 3		
916 25 0445 2025/10/27	1	2.26	916 23 0135 916 23 0190	94	90	101	-0.28 63 93	-0.69 46 92	-0.83 90	-2.75 50 89	2.30 28 110	0.42 48 99	2.19 36 97	3.50 18 94	104	2 3		

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam		
			Dir	Mat	Comb				Post-Wean	Acc ^{EBV} Index	Acc ^{EBV} Index	EBV ^{Index}					Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03			
916 25 0448 2025/10/27	2	1.22	916 23 0135 916 21 0021		104	98	114	-0.28 65	0.43 93	0.29 106	-1.24 49	3.80 31	2.44 51	-2.21 32	3.75 18	152	5 8		
916 25 0449 2025/10/27	2	1.22	916 23 0135 916 21 0021		107	101	114	0.31 65	0.32 99	0.48 105	-0.43 49	3.80 31	2.92 51	-2.21 32	3.75 18	152	5 8		
916 25 0450 2025/10/27	1	1.65	916 23 0135 916 21 0019		106	105	108	0.64 64	0.51 102	0.83 108	0.42 49	2.90 31	2.90 50	-0.31 36	7.66 19	115	4 5		
916 25 0455 2025/10/17	1	4.25	916 22 0094 916 24 0328		90	83	103	-1.23 62	-0.80 83	-1.41 43	-4.72 90	1.30 27	-1.25 47	-6.59 36	2.53 15	97	1 1		
916 25 0457 2025/10/17	2	2.94	916 22 0094 916 23 0131		104	103	104	0.81 63	0.09 104	0.49 102	0.05 103	2.70 28	2.52 48	1.89 37	7.03 17	109	2 3		
916 25 0459 2025/10/17	1	1.38	916 22 0094 916 22 0134		99	99	97	0.84 63	-0.64 104	-0.22 47	-0.55 92	0.40 28	0.44 49	-0.52 36	1.36 17	108	3 4		
916 25 0460 2025/10/20	1	2.03	916 23 0135 916 20 0039		83	80	98	-2.23 64	-0.09 73	-1.20 47	-4.67 100	0.80 30	-1.84 50	1.07 34	5.54 18	134	6 7		
916 25 0461 2025/10/20	1	1.63	916 24 0216 916 20 0177		89	93	86	0.13 63	-0.81 97	-0.74 45	-1.51 90	-1.80 28	-1.76 48	-0.26 32	5.55 15	101	5 5		
916 25 0462 2025/10/20	1	1.27	916 23 0135 916 22 0029		98	98	99	0.29 64	-0.20 98	-0.06 46	-0.73 98	1.30 29	0.87 49	2.47 35	4.48 18	103	3 4		
916 25 0464 2025/10/20	1	2.09	916 22 0094 916 24 0054		103	101	102	0.88 56	-0.45 104	-0.01 37	0.12 95	0.50 20	0.74 40	-2.47 26	-1.89 12	94	1 1		
916 25 0465 2025/10/20	1	1.30	916 24 0009 916 20 0035		119	120	111	2.30 61	1.02 119	2.18 45	4.23 114	3.90 31	5.67 48	5.02 35	6.58 19	135	5 7		
916 25 0467 2025/10/23	1	1.03	916 22 0094 916 24 0331		100	103	94	1.36 63	-0.67 109	0.01 43	0.18 92	0.00 26	0.70 47	2.02 35	2.06 14	100	1 1		
916 25 0469 2025/10/25	1	2.81	916 22 0094 916 23 0073		97	97	96	0.72 63	-0.75 103	-0.39 45	-1.17 95	1.70 29	0.99 48	5.12 38	4.84 18	96	2 2		
916 25 0470 2025/10/25	2	2.87	916 22 0094 916 23 0082		112	117	98	2.80 63	0.06 124	1.46 47	2.97 101	1.40 30	3.70 49	3.52 38	7.21 19	108	2 3		
916 25 0473 2025/10/26	1	1.53	916 22 0094 916 23 0180		97	93	101	0.43 64	-1.01 100	-0.79 46	-2.32 87	2.50 29	0.92 49	3.80 36	1.13 17	102	2 3		
916 25 0475 2025/10/28	1	1.63	916 22 0094 916 24 0222		100	101	99	0.59 63	-0.05 102	0.25 44	-0.32 101	1.20 26	1.27 47	3.11 36	4.28 14	97	1 1		
916 25 0479 2025/10/28	1	1.84	916 22 0094 916 23 0189		104	106	96	1.97 63	-0.71 115	0.27 46	0.60 91	1.50 29	2.15 49	4.72 38	3.93 18	101	2 2		
916 25 0481 2025/10/29	1	2.34	916 22 0094 916 24 0266		104	104	102	1.17 62	-0.20 107	0.38 43	0.35 98	1.30 27	1.75 47	0.78 37	2.15 16	100	1 1		

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights					EBV - Fertility						
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam			
										Dir	Mat	Comb	Post-Wean							Acc ^{EBV} _{Index}	Acc ^{EBV} _{Index}
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 25 0483 2025/11/01	2	2.85	916 22 0094 916 24 0114	97	91	105	0.09 63 96	-1.05 45 87	-1.00 89	-2.78 43 89	2.90 27 113	0.78 48 101	0.25 33 100	0.74 16 99	101	1 2					
916 25 0484 2025/11/01	2	2.85	916 22 0094 916 24 0114	96	89	105	-0.20 63 94	-0.99 45 88	-1.09 88	-3.17 43 87	2.90 27 113	0.55 48 100	0.25 33 100	0.74 16 99	101	1 2					
916 25 0485 2025/11/08	1	1.09	916 23 0135 916 22 0324	96	99	89	1.39 64 110	-1.24 46 84	-0.54 93	-0.31 47 100	-0.40 29 96	-0.09 49 97	1.91 34 98	3.06 17 95	99	3 4					
916 25 0486 2025/11/08	1	1.75	916 23 0197 916 23 0341	110	115	98	2.15 61 117	0.35 41 105	1.43 112	3.34 42 116	-1.70 27 89	1.48 45 104	-2.58 35 105	-1.80 18 103	94	2 2					
916 25 0494 2025/11/11	3	1.02	916 23 0197 916 23 0023	112	105	111	1.39 62 110	-0.37 43 96	0.33 102	1.26 40 107	1.00 28 104	1.62 47 105	-18.52 35 132	2.24 17 96	99	1 3					
916 25 0496 2025/11/11	3	1.02	916 23 0197 916 23 0023	104	95	113	-0.29 62 93	-0.06 43 100	-0.20 96	-1.03 40 96	1.00 28 104	0.26 47 98	-18.52 35 132	2.24 17 96	99	1 3					
916 25 0497 2025/11/14	2	1.21	916 23 0135 2310 19 0051	101	95	106	0.14 65 97	-0.46 48 95	-0.39 95	-1.60 55 94	1.90 29 108	0.82 50 101	-2.27 35 105	-1.45 19 103	111	5 7					
916 25 0498 2025/11/14	2	1.21	916 23 0135 2310 19 0051	107	103	105	1.42 65 110	-0.70 48 91	0.01 98	0.15 55 102	1.90 29 108	1.86 50 106	-2.27 35 105	-1.45 19 103	111	5 7					
916 25 0501 2025/11/14	1	7.35	916 23 0197 916 23 0290	99	104	93	0.73 62 103	0.22 43 104	0.58 104	0.95 42 105	-2.00 27 88	-0.26 47 96	-3.64 35 107	3.47 18 94	105	2 2					
916 25 0502 2025/11/14	1	1.42	916 22 0178 916 19 0492	83	89	84	-0.39 63 92	-0.80 45 90	-1.00 89	-3.30 37 86	-0.30 29 97	-1.37 48 90	13.64 31 77	4.70 16 92	121	6 9					
916 25 0503 2025/11/08	1	6.19	916 23 0197 916 22 0251	107	106	103	1.51 63 111	-0.25 45 97	0.51 103	1.11 42 106	1.40 31 106	2.11 49 107	-0.21 36 101	0.33 20 100	112	4 5					
916 25 0505 2025/11/14	2	1.77	916 23 0197 916 23 0394	106	104	104	1.09 62 106	-0.16 43 99	0.38 102	0.50 41 103	1.20 26 105	1.65 46 105	-3.57 31 107	1.17 15 98	98	1 2					
916 25 0506 2025/11/14	2	1.77	916 23 0197 916 23 0394	101	98	105	0.09 62 96	0.02 43 101	0.07 99	-0.86 41 97	1.20 26 105	0.83 46 101	-3.57 31 107	1.17 15 98	98	1 2					
916 25 0509 2025/11/17	2	8.14	916 23 0197 916 20 0439	100	94	105	0.26 64 98	-0.72 47 91	-0.59 93	-1.37 42 95	1.80 32 108	0.62 50 100	-4.74 37 109	0.29 21 100	122	6 8					
916 25 0510 2025/11/17	2	8.14	916 23 0197 916 20 0439	100	94	105	0.18 64 97	-0.70 47 91	-0.62 92	-1.49 42 94	1.80 32 108	0.55 50 100	-4.74 37 109	0.29 21 100	122	6 8					
916 25 0512 2025/11/17	1	2.09	916 23 0197 916 23 0196	105	100	107	0.68 61 102	-0.28 42 97	0.06 99	-0.09 39 101	1.30 25 105	1.18 45 103	-5.41 33 110	-1.84 16 104	105	2 3					
916 25 0515 2025/11/17	1	3.99	916 23 0197 916 21 0486	95	89	104	-0.69 63 89	-0.45 45 95	-0.80 91	-2.86 47 88	1.40 29 106	-0.31 48 96	-3.67 33 107	0.49 17 100	127	4 6					
916 25 0516 2025/11/17	1	1.89	916 23 0197 916 23 0214	102	99	104	0.69 61 102	-0.54 42 94	-0.20 96	-0.45 39 99	1.00 27 104	0.75 46 101	-3.98 34 108	-1.30 17 103	97	2 2					

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility						
Animal ID BDate	Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam	
			Dir	Mat	Comb				Post-Wean	Acc ^{EBV} Index	Acc ^{EBV} Index	EBV ^{Index}					Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 25 0517 2025/11/17	1	2.12	916 23 0197 916 23 0274		102	103	100	0.50 62	0.31 43	0.57 105	0.58 41	0.58 104	-0.30 28	0.64 47	-2.97 35	2.67 19	103	2
916 25 0518 2025/11/17	2	2.48	916 23 0197 916 19 0191		96	93	101	0.09 65	-0.76 48	-0.71 91	-2.08 42	-2.08 92	2.70 32	0.96 51	1.44 36	7.19 19	176	8
916 25 0522 2025/11/19	2	1.93	916 23 0197 916 23 0701		100	98	102	0.16 57	-0.14 40	-0.06 99	-0.38 36	-0.38 99	-0.70 18	-0.40 41	-6.61 23	-2.77 11	99	3
916 25 0523 2025/11/19	2	1.93	916 23 0197 916 23 0701		99	96	102	-0.06 57	-0.10 40	-0.13 99	-0.67 36	-0.67 98	-0.70 18	-0.58 41	-6.61 23	-2.77 11	99	3
916 25 0530 2025/11/21	2	1.57	916 22 0178 916 22 0484		97	94	100	0.23 63	-0.70 45	-0.59 91	-2.00 36	-2.00 92	1.10 29	0.19 48	0.69 33	-0.98 18	118	3
916 25 0535 2025/11/24	1	7.45	916 23 0197 916 23 0337		100	98	102	-0.11 62	0.33 43	0.27 105	-0.72 43	-0.72 98	-1.00 28	-0.38 47	-10.51 36	3.20 19	96	2
916 25 0539 2025/11/24	1	3.54	916 23 0197 916 19 0230		104	99	109	0.37 64	-0.14 47	0.04 99	-0.25 43	-0.25 100	2.90 31	1.97 50	0.30 36	-0.02 19	131	5
916 25 0540 2025/11/24	1	5.05	916 23 0197 916 19 0476		97	101	94	0.31 64	0.21 47	0.36 103	-0.38 39	-0.38 99	-1.00 31	-0.09 50	-0.75 35	5.10 18	118	6
916 25 0543 2025/11/27	1	1.88	916 23 0197 916 23 0371		105	103	105	0.50 62	0.32 43	0.58 105	0.65 41	0.65 104	0.40 28	1.07 47	-4.96 35	-0.18 18	101	2
916 25 0544 2025/11/27	1	4.93	916 22 0178 916 23 0320		88	91	88	-0.17 61	-0.66 43	-0.75 91	-2.95 37	-2.95 88	-1.30 28	-1.61 46	6.03 34	0.64 18	99	2
916 25 0545 2025/11/27	2	1.97	916 22 0178 916 23 0249		110	110	106	1.73 61	0.04 42	0.91 101	1.92 35	1.92 110	1.80 28	2.85 46	2.25 33	-1.20 18	100	2
916 25 0546 2025/11/27	2	1.97	916 22 0178 916 23 0249		106	104	106	0.76 61	0.22 42	0.60 104	0.60 35	0.60 104	1.80 28	2.06 46	2.25 33	-1.20 18	100	2
916 25 0547 2025/11/27	1	2.66	916 22 0178 916 21 0236		85	91	83	0.00 62	-0.85 44	-0.85 90	-2.95 38	-2.95 88	-1.50 29	-1.75 47	4.95 33	7.21 18	95	3
916 25 0548 2025/11/30	2	2.36	916 23 0197 916 21 0275		106	98	111	0.53 63	-0.40 46	-0.14 95	-0.91 42	-0.91 97	1.80 29	1.21 49	-7.87 35	-3.78 18	118	4
916 25 0556 2025/11/17	1	1.74	916 23 0197 916 19 0436		111	107	112	1.13 64	0.22 47	0.78 104	1.01 44	1.01 106	1.60 32	2.30 50	-5.75 36	-3.63 20	110	7
916 25 0557 2025/11/17	1	1.01	916 23 0197 916 21 0199		106	103	111	0.10 64	0.74 45	0.79 110	0.58 44	0.58 104	2.30 29	2.21 49	-2.43 35	2.16 17	126	6
916 25 0558 2025/12/01	1	1.79	916 23 0197 916 23 0207		96	96	96	0.31 62	-0.56 43	-0.40 93	-1.65 42	-1.65 94	-1.00 27	-0.85 47	-4.81 35	0.95 17	105	2
916 26 0001 2026/03/24	1	1.98	916 24 0216 916 20 0138		96	96	95	0.61 63	-0.86 45	-0.55 93	-1.09 43	-1.09 96	0.30 30	-0.07 48	-2.40 35	4.56 19	89	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam			
			Dir	Mat				Comb	Post-Wean	Acc ^{EBV} Index	Acc ^{EBV} Index							EBV Index	Acc ^{EBV} Index
			Acc ^{EBV} Index	Acc ^{EBV} Index				EBV Index	Acc ^{EBV} Index										
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 26 0003 2026/03/26	1	1.14	916 24 0216 916 20 0212		102	104	95	1.37 63 109	-0.48 45 94	0.21 100	0.88 35 105	-0.90 28 94	0.35 48 99	-1.38 33 103	0.31 16 100	125	5 6		
916 26 0005 2026/03/27	1	1.78	916 24 0216 916 22 0175		109	114	95	2.60 63 122	-0.36 45 96	0.94 107	2.65 39 113	0.30 27 100	2.42 48 109	2.11 33 97	4.39 16 93	125	4 5		
916 26 0006 2026/03/27	2	4.53	916 24 0107 916 20 0309		102	100	100	1.43 61 110	-1.17 45 85	-0.45 94	0.17 44 102	2.00 31 109	1.46 48 104	1.32 36 99	1.36 20 98	133	6 9		
916 26 0008 2026/03/27	1	1.70	916 22 0485 916 24 0347		106	109	99	1.49 59 111	0.21 39 103	0.95 108	2.25 34 111	1.10 24 104	2.36 43 109	4.93 33 92	4.74 15 92	101	1 1		
916 26 0009 2026/03/28	1	7.85	916 22 0485 916 24 0261		109	109	101	2.30 58 119	-0.66 37 92	0.49 103	1.71 30 109	1.60 21 107	2.60 41 110	2.64 31 96	-0.54 12 101	101	1 1		
916 26 0015 2026/03/30	1	0.98	916 24 0216 916 18 0080		96	99	93	0.66 64 102	-0.49 46 94	-0.16 97	-0.58 44 98	0.00 29 98	0.17 49 98	6.38 33 90	1.40 15 98	182	9 10		
916 26 0016 2026/03/30	2	1.92	916 22 0485 916 24 0158		105	96	110	0.89 56 104	-1.03 37 87	-0.59 93	-2.08 29 92	2.10 20 109	1.12 40 103	-8.61 24 116	-3.73 11 107	107	1 2		
916 26 0017 2026/03/31	2	1.92	916 22 0485 916 24 0158		104	95	110	0.64 56 102	-0.98 37 88	-0.66 92	-2.42 29 90	2.10 20 109	0.92 40 102	-8.61 24 116	-3.73 11 107	107	1 2		
916 26 0018 2026/04/01	2	1.72	916 22 0485 916 23 0436		116	115	112	2.00 60 116	0.54 42 108	1.54 113	3.38 33 116	4.40 24 121	5.18 45 123	6.17 32 90	3.95 15 94	111	2 4		
916 26 0020 2026/04/01	2	1.39	916 24 0237 916 24 0033		106	108	101	1.41 58 110	0.17 39 103	0.88 107	1.19 38 106	1.30 22 105	2.36 42 109	-0.82 29 102	7.58 13 87	98	1 2		
916 26 0022 2026/04/01	1	5.15	916 24 0107 916 21 0288		102	107	96	1.12 60 107	0.19 44 103	0.75 106	1.20 39 106	0.30 31 100	1.49 47 104	1.80 34 98	6.43 20 89	116	3 4		
916 26 0023 2026/04/01	2	1.66	916 22 0485 916 22 0036		97	101	91	1.14 60 107	-0.65 43 92	-0.08 98	-0.50 34 99	-0.50 27 96	0.18 46 98	2.02 33 97	4.23 17 93	98	3 4		
916 26 0026 2026/04/01	2	2.36	916 24 0237 916 18 0356		95	97	98	-0.22 60 93	0.19 45 103	0.08 99	-0.86 34 97	1.30 30 105	0.75 47 101	3.88 34 94	7.42 19 88	121	6 9		
916 26 0029 2026/04/01	1	1.71	1490 23 0086 916 24 0220		101	95	108	0.15 60 97	-0.40 39 95	-0.32 95	-1.89 43 93	3.20 22 115	1.67 43 105	1.70 31 98	0.17 13 100	110	2 2		
916 26 0032 2026/04/01	2	2.05	916 24 0216 916 22 0071		103	101	108	-0.11 63 94	0.66 46 109	0.60 104	-0.27 40 100	2.20 29 110	1.87 49 106	-0.60 34 102	5.09 17 92	116	4 6		
916 26 0034 2026/04/02	1	1.45	916 22 0485 916 24 0218		108	113	96	2.47 59 120	-0.38 39 96	0.86 107	2.62 31 113	0.50 22 101	2.40 43 109	3.17 32 95	3.23 13 95	99	1 1		
916 26 0035 2026/04/02	2	1.36	1490 23 0086 916 24 0163		99	97	104	0.15 60 97	-0.15 39 99	-0.07 98	-1.03 44 96	3.10 23 115	1.86 43 106	3.15 31 95	6.65 13 89	103	1 2		
916 26 0036 2026/04/02	2	1.36	1490 23 0086 916 24 0163		94	90	105	-0.97 60 86	0.06 39 102	-0.43 94	-2.55 44 90	3.10 23 115	0.95 43 102	3.15 31 95	6.65 13 89	103	1 2		

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility						
Animal ID BDate	Birth Status	% In- breeding	Sire ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam	
			Dir	Mat	Comb				Post-Wean	EPI	T Lamed N Weaned							
												Acc ^{EBV} Index					Acc ^{EBV} Index	EBV Index
Active Breed Average:						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 26 0037 2026/04/02	1	4.12	916 23 0403 916 24 0360			119	111	123	1.08 57 106	0.93 38 113	1.47 113	2.24 40 111	4.90 23 124	4.95 42 121	-4.67 32 109	1.88 14 97	99	1 1
916 26 0038 2026/04/03	2	1.86	916 23 0403 916 24 0425			105	98	116	-0.48 57 91	0.62 38 109	0.38 102	-0.76 38 98	2.40 23 111	1.58 42 105	-9.64 32 117	1.71 14 97	102	1 2
916 26 0039 2026/04/03	2	1.86	916 23 0403 916 24 0425			107	100	115	-0.12 57 94	0.56 38 108	0.49 103	-0.27 38 100	2.40 23 111	1.87 42 106	-9.64 32 117	1.71 14 97	102	1 2
916 26 0040 2026/04/03	2	1.92	916 22 0485 916 24 0215			117	106	117	2.20 56 118	-1.01 38 87	0.09 99	0.20 31 102	3.10 22 115	3.05 41 112	-14.91 27 126	-4.06 13 107	102	1 2
916 26 0041 2026/04/03	2	1.92	916 22 0485 916 24 0215			109	95	119	0.44 56 100	-0.68 38 92	-0.46 94	-2.19 31 91	3.10 22 115	1.62 41 105	-14.91 27 126	-4.06 13 107	102	1 2
916 26 0044 2026/04/03	1	1.69	1490 23 0086 916 24 0330			100	99	99	0.91 59 105	-0.65 38 92	-0.19 97	-0.74 43 98	2.10 23 109	1.53 43 105	4.49 32 93	3.74 14 94	101	1 1
916 26 0047 2026/04/04	1	16.06	916 23 0403 916 23 0367			119	113	122	1.09 59 107	1.21 41 117	1.76 115	2.92 42 114	4.80 24 123	5.18 44 123	-4.14 33 108	4.71 16 92	108	2 3
916 26 0052 2026/04/05	1	1.55	1490 23 0086 916 24 0429			94	93	98	0.04 59 96	-0.67 38 92	-0.65 92	-2.39 43 90	0.80 22 102	-0.15 42 96	1.55 31 98	0.64 13 99	99	1 1
916 26 0053 2026/04/05	1	3.54	916 23 0403 916 24 0416			116	111	118	1.18 57 107	0.76 38 111	1.35 111	2.01 38 110	3.20 23 115	3.86 42 116	-8.92 32 116	3.65 14 94	100	1 1
916 26 0055 2026/04/05	1	1.11	1490 23 0086 916 24 0259			91	95	90	0.08 59 96	-0.34 38 96	-0.30 95	-1.78 43 93	-0.70 24 95	-0.68 43 94	4.50 32 93	4.14 15 93	99	1 1
916 26 0056 2026/04/07	2	1.74	916 24 0237 916 23 0227			106	107	103	1.34 59 109	0.06 43 101	0.73 105	0.95 33 105	2.10 27 109	2.66 45 110	2.24 34 97	5.27 15 91	130	3 5
916 26 0063 2026/04/08	1	1.69	916 22 0485 916 20 0441			93	96	91	0.49 60 100	-0.68 43 92	-0.44 94	-1.13 33 96	1.50 27 106	0.71 46 101	10.33 34 83	7.59 17 87	92	3 4
916 26 0064 2026/04/08	2	2.74	916 24 0216 916 23 0254			96	91	105	-0.52 62 90	-0.38 42 96	-0.65 92	-2.33 40 91	1.90 25 108	0.23 46 98	-6.08 31 111	4.72 15 92	96	1 2
916 26 0065 2026/04/08	2	2.11	- - - 916 23 0254			101	91	111	-0.29 48 93	-0.56 32 93	-0.71 92	-2.38 25 90	0.50 20 101	-0.55 35 94	-10.96 24 120	-9.43 12 117	96	1 2
916 26 0067 2026/04/08	1	1.71	1490 23 0086 916 24 0220			104	99	108	0.68 60 102	-0.50 39 94	-0.16 97	-1.17 43 96	3.20 22 115	2.10 43 107	1.70 31 98	0.17 13 100	110	2 2
916 26 0068 2026/04/11	1	6.49	916 24 0237 916 23 0264			97	103	92	0.67 58 102	0.19 40 103	0.53 103	0.19 33 102	0.50 26 101	1.17 44 103	5.71 33 91	11.10 16 81	103	2 2
916 26 0071 2026/04/11	2	1.55	916 24 0216 916 18 0081			89	94	88	-0.08 63 95	-0.37 45 96	-0.41 94	-1.28 45 95	-0.80 28 94	-0.93 48 93	3.05 32 96	8.13 14 86	141	7 8
916 26 0073 2026/04/11	1	1.86	916 24 0216 916 24 0004			110	111	103	1.64 61 112	0.35 41 105	1.17 110	2.38 37 112	1.10 22 104	2.64 44 110	-0.81 30 102	3.60 13 94	113	2 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Dam ID					Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 26 0075 2026/04/11	1	1.68	916 24 0237 916 24 0181		103	111	91	1.94 58	-0.07 115	0.90 40	1.76 100	-0.80 24	1.39 43	4.24 94	4.26 15	108	2 2
916 26 0076 2026/04/11	1	2.25	916 23 0403 916 24 0423		114	110	114	1.23 57	0.62 108	1.23 39	1.85 109	1.70 24	2.87 42	-8.14 111	-0.68 14	99	1 1
916 26 0077 2026/04/12	1	2.06	916 23 0403 916 24 0138		112	109	112	1.29 58	0.42 109	1.06 39	1.42 106	2.80 24	3.39 43	-1.35 114	0.90 14	100	1 1
916 26 0078 2026/04/13	2	4.36	916 24 0107 916 24 0025		102	92	115	-0.42 59	-0.26 91	-0.47 40	-1.86 97	4.70 24	2.15 44	2.25 108	-1.00 15	107	2 4
916 26 0081 2026/04/15	1	2.51	916 22 0485 916 24 0146		102	104	98	1.39 59	-0.51 109	0.19 39	0.58 94	1.40 23	1.72 43	6.12 106	1.53 14	100	1 1
916 26 0084 2026/04/17	1	2.27	916 24 0107 916 21 0330		105	104	108	0.41 60	0.59 100	0.79 43	0.47 109	2.60 28	2.55 46	2.54 110	3.99 18	114	4 5
916 26 0090 2026/04/22	1	3.67	916 24 0107 916 19 0364		99	91	114	-1.11 53	0.22 84	-0.33 45	-2.31 104	3.90 31	1.46 45	-1.07 104	2.21 19	94	6 8
916 26 0091 2026/05/04	1	1.64	1490 23 0086 916 24 0168		101	104	95	1.33 52	-0.38 109	0.29 35	-0.12 96	0.60 22	1.31 39	4.21 104	4.13 13		1 0
916 26 0092 2026/05/04	1	1.45	916 24 0216 916 24 0289		108	111	101	1.55 54	0.35 111	1.13 37	2.56 105	1.20 21	2.62 40	-1.21 110	7.89 12		1 0
916 26 0094 2026/05/06	1	1.54	916 21 0108 916 20 0457		113	119	100	2.41 57	0.70 120	1.90 48	4.16 110	1.00 28	3.71 47	2.23 115	7.80 17	130	4 6
916 26 0095 2026/05/08	2	1.38	916 24 0216 916 21 0448		92	94	92	0.11 55	-0.63 97	-0.57 43	-1.82 92	0.40 25	-0.28 43	5.15 96	4.61 14	100	4 4
916 26 0098 2026/05/11	1	4.43	916 23 0403 916 24 0362		113	109	115	0.95 49	0.71 105	1.19 35	1.39 110	3.00 21	3.46 37	-2.77 114	0.18 14		1 0
916 26 0099 2026/05/11	1	2.80	916 23 0403 916 22 0382		111	107	112	1.00 50	0.48 106	0.98 39	1.16 107	3.20 29	3.40 41	-0.90 114	3.64 20		1 0
916 26 0100 2026/05/14	1	0.77	916 21 0108 916 16 0167		103	111	92	1.52 62	0.50 111	1.26 53	1.91 107	0.10 37	2.07 53	6.96 107	9.61 22	139	11 13
916 26 0101 2026/05/15	2	3.70	916 24 0237 916 18 0315		100	104	97	0.49 52	0.54 100	0.79 44	0.39 108	1.30 30	1.81 44	5.78 106	9.75 18	137	7 10
916 26 0102 2026/05/15	2	3.70	916 24 0237 916 18 0315		100	104	97	0.49 52	0.54 100	0.79 44	0.39 108	1.30 30	1.81 44	5.78 106	9.75 18	137	7 10
916 26 0103 2026/05/15	2	13.98	916 23 0403 916 24 0299		112	107	118	0.20 49	1.22 98	1.32 35	1.44 117	3.90 21	3.76 37	-3.08 116	4.96 13		1 0
916 26 0105 2026/05/15	2	1.28	916 23 0197 916 23 0334		102	103	101	0.73 55	0.14 103	0.50 42	0.46 103	0.50 26	1.16 43	-1.75 104	3.95 18	99	2 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
								Dir	Mat							Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index	Acc ^{EBV} Index
Active Breed Average:					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 26 0107 2026/05/15	2	2.33	916 23 0197 916 23 0179		104	102	102	1.10 54 107	-0.46 40 95	0.09 99	-0.08 41 101	1.20 26 105	1.36 42 104	-0.84 32 102	-0.14 16 101	1 0			
916 26 0109 2026/05/19	2	1.50	916 22 0485 916 24 0238		104	112	92	2.22 51 118	-0.21 36 98	0.90 107	2.15 32 111	0.20 21 99	2.12 38 108	9.67 32 84	3.05 13 95	1 0			
916 26 0113 2026/05/19	2	1.86	916 23 0403 916 23 0004		116	115	112	1.51 49 111	1.09 38 115	1.85 116	2.99 46 115	3.00 25 114	4.40 39 119	-1.05 33 103	5.94 16 90	1 0			
916 26 0117 2026/05/20	1	1.29	916 24 0237 916 23 0033		114	115	105	2.12 50 117	0.33 38 105	1.39 112	2.82 33 114	0.10 26 99	2.51 40 109	-11.90 34 121	5.39 16 91	1 0			
916 26 0118 2026/05/20	1	1.30	916 23 0403 916 24 0418		110	103	116	0.24 49 98	0.63 35 109	0.75 106	0.47 39 103	2.20 22 110	2.19 37 108	-13.37 33 124	3.95 14 94	1 0			
916 26 0119 2026/05/20	1	2.85	916 23 0197 916 23 0096		101	98	101	0.52 55 101	-0.53 42 94	-0.27 96	-0.44 41 99	-0.60 29 95	-0.37 44 95	-14.10 37 125	4.19 19 93	93	2 1		
916 26 0120 2026/05/24	1	1.58	916 24 0216 916 24 0048		108	106	106	1.20 52 108	-0.07 35 100	0.53 103	1.42 36 107	1.80 19 108	2.21 38 108	-2.95 29 106	2.54 11 96	1 0			
916 26 0121 2026/05/24	2	1.19	916 24 0237 916 22 0270		102	108	93	1.49 48 111	0.07 36 102	0.82 106	1.41 28 107	0.10 22 99	1.62 37 105	4.52 27 93	6.87 15 88	96	2 1		
916 26 0124 2026/05/25	1	8.41	916 24 0216 916 21 0426		101	110	89	1.43 55 110	0.38 41 106	1.10 109	1.96 40 110	-1.10 25 93	1.15 43 103	0.32 30 100	12.71 16 78	90	2 1		
916 26 0128 2026/05/26	2	1.69	916 24 0237 916 20 0132		111	107	115	0.86 52 104	0.52 43 108	0.95 108	1.46 35 108	4.30 28 121	3.97 43 117	2.19 33 97	2.81 15 95	120	7 9		
916 26 0130 2026/05/26	1	4.30	916 24 0216 916 24 0290		105	105	102	1.05 54 106	0.05 38 101	0.57 104	0.99 39 106	1.00 23 104	1.70 41 105	-5.95 34 111	7.55 13 87	1 0			
916 26 0131 2026/06/02	1	0.69	916 21 0108 916 17 0350		104	111	95	1.37 60 109	0.68 51 110	1.37 112	2.13 44 111	0.50 34 101	2.36 51 109	8.21 41 87	7.83 17 87	132	11 12		
Ram Flock Average :					102	101	102	0.60	-0.12	0.18	-0.24	1.46	1.36	0.10	2.73				
Total number of young rams :					516														

Young rams born since Jan 2024, with at least one parent known

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-wean		Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 15 0375 2015/09/10	1	0.29	602 11 0248 916 12 0414		83	95	77	-0.11 75	-0.25 94	-0.30 97	-0.64 95	61 98	-1.60 59	-1.31 90	4.96 91	20.17 39	65	164	9 10			
916 16 0167 2016/07/15	1	1.92	916 14 0268 916 12 0413		94	97	95	0.16 80	-0.09 97	-0.01 100	-1.44 98	77 95	1.80 63	1.16 108	9.28 76	8.79 103	85	139	11 13			
916 16 0169 2016/07/15	2	5.02	916 14 0268 916 13 0470		102	95	115	-0.21 78	-0.09 93	-0.20 100	-1.01 96	68 97	10.40 59	5.94 74	9.54 126	7.82 84	87	148	9 13			
916 17 0290 2017/08/04	3	1.43	916 13 0098 916 15 0554		89	94	91	0.11 75	-0.62 97	-0.56 93	-2.43 93	55 90	3.10 56	1.35 71	21.46 104	7.29 57	88	162	10 12			
916 17 0313 2017/08/10	1	0.80	916 15 0529 916 15 0063		101	101	103	0.65 74	-0.15 102	0.18 99	0.40 100	62 103	4.20 49	3.02 120	6.71 67	12.25 112	79	107	5 7			
916 17 0314 2017/08/18	2	0.62	916 15 0529 916 14 0084		102	98	110	-0.05 77	0.18 95	0.15 103	-0.63 100	56 98	4.20 55	2.65 120	4.57 72	4.98 110	92	180	9 14			
916 17 0350 2017/08/10	2	0.74	916 13 0098 916 15 0128		96	98	100	-0.12 74	0.29 94	0.23 105	-1.02 101	39 96	2.50 54	1.66 111	11.79 69	5.24 105	91	132	11 12			
916 17 0370 2017/08/26	2	1.14	2319 16 0025 916 16 0009		79	83	80	-1.13 72	-0.89 84	-1.46 71	-3.42 89	46 86	-4.40 51	-4.66 75	1.54 67	-3.51 74	106	127	11 11			
916 17 0390 2017/08/14	2	0.36	916 15 0503 916 14 0198		97	108	82	1.87 72	-0.49 114	0.44 70	2.07 94	44 110	-1.20 52	0.66 92	7.63 67	9.77 100	83	124	7 8			
916 17 0397 2017/08/21	1	1.38	916 14 0397 916 13 0243		98	100	101	-0.37 73	0.87 92	0.68 74	-1.22 112	54 96	0.80 54	0.98 102	-4.64 69	13.48 102	77	149	7 9			
916 18 0002 2018/03/18	1	1.01	2480 15 0303 916 12 0060		81	82	91	-1.55 71	-0.51 80	-1.29 72	-4.52 94	66 81	1.10 48	-1.40 104	11.09 66	5.24 90	91	119	6 8			
916 18 0028 2018/03/28	2	0.33	2480 15 0303 916 12 0129		85	88	95	-1.37 75	0.15 82	-0.54 73	-2.79 103	65 89	3.00 49	0.58 114	16.97 68	10.61 100	82	149	7 11			
916 18 0047 2018/04/04	1	1.14	2480 16 0337 916 16 0655		124	114	127	1.23 73	1.27 108	1.88 71	3.31 117	65 116	3.40 48	4.53 116	-32.27 66	5.34 119	91	154	7 10			
916 18 0052 2018/04/07	1	1.14	2419 16 0025 916 15 0289		100	88	117	-0.99 72	-0.30 86	-0.79 72	-2.83 97	60 88	4.80 47	1.59 123	-5.59 66	3.35 105	95	147	7 11			
916 18 0080 2018/05/08	2	1.23	1866 15 0512 916 13 0420		75	75	88	-2.45 73	-0.59 71	-1.82 93	-5.99 81	61 74	-0.80 51	-3.52 94	16.20 67	-6.64 80	112	182	9 10			
916 18 0081 2018/05/11	1	2.32	2480 15 0303 916 13 0491		75	83	77	-1.24 70	-0.85 83	-1.47 69	-3.72 89	65 84	-2.50 46	-3.59 85	9.54 64	6.82 79	89	141	7 8			

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 18 0175 2018/06/11	1	1.28	916 16 0162 916 16 0015		96	87	106	-0.06 75	-1.40 95	-1.43 82	-3.52 85	58 85	4.60 55	1.31 122	2.71 60	3.42 96	33 94	187	7 10		
916 18 0247 2018/09/01	1	0.78	2480 16 0337 916 11 0211		102	96	107	-0.20 68	0.12 93	0.02 70	-1.47 102	49 99	0.50 37	0.22 62	-34.92 51	11.07 136	30 81	128	7 8		
916 18 0315 2018/08/24	2	1.16	1490 16 0128 916 17 0352		92	91	104	-1.49 74	0.69 81	-0.06 73	-2.43 110	52 98	2.70 52	0.82 69	4.37 93	10.40 32	82	137	7 10		
916 18 0351 2018/08/17	1	0.62	1490 16 0128 916 13 0549		88	91	94	-1.10 73	0.24 84	-0.31 73	-2.41 104	50 95	0.10 53	-0.80 68	8.89 93	1.89 30	97	161	9 12		
916 18 0356 2018/09/01	2	0.71	1490 16 0128 916 17 0368		87	81	105	-2.14 73	-0.17 74	-1.23 72	-3.89 99	51 86	2.70 52	-0.68 68	0.58 94	5.74 54	90	121	6 9		
916 18 0375 2018/09/11	2	2.40	916 17 0354 916 14 0169		84	88	85	-0.50 68	-0.82 90	-1.07 67	-2.61 90	37 88	-0.60 44	-1.68 62	8.85 89	4.78 23	92	122	6 8		
916 18 0414 2018/10/04	2	2.46	916 15 0035 916 10 0322		97	102	94	0.47 67	0.15 100	0.38 71	0.30 103	40 102	0.60 52	0.98 65	9.16 48	4.09 85	93	121	6 7		
916 18 0444 2018/10/21	2	2.12	916 14 0115 916 13 0453		97	104	91	0.38 72	0.70 99	0.89 74	0.70 110	56 107	-1.40 59	0.24 70	-0.59 62	10.94 102	81	121	6 6		
916 19 0003 2019/03/10	1	1.64	- - - 916 16 0450		106	104	104	0.93 57	0.15 105	0.62 57	-0.28 103	34 104	-1.90 36	-0.06 52	-9.15 26	-8.55 116	115	99	4 4		
916 19 0005 2019/03/10	1	1.42	1336 17 0064 916 16 0121		95	99	92	0.66 71	-0.52 102	-0.19 71	0.32 94	48 97	1.10 48	0.80 66	8.98 52	5.78 85	90	150	7 9		
916 19 0040 2019/03/16	1	2.00	916 17 0471 916 17 0124		94	88	107	-1.17 73	-0.10 84	-0.68 73	-2.72 99	48 92	3.70 52	0.95 68	0.74 102	8.44 58	86	134	6 9		
916 19 0045 2019/03/16	1	3.06	1866 14 0197 916 15 0126		92	89	99	-0.23 72	-0.96 93	-1.08 70	-3.43 88	38 88	1.50 46	-0.30 65	7.08 96	-3.72 54	107	126	6 8		
2310 19 0051 2019/03/25	1	2.13	2310 17 0381 2310 14 0175		105	102	105	1.01 72	-0.29 106	0.22 70	-0.03 97	69 100	1.10 45	1.38 65	-0.29 53	-4.40 101	108	111	5 7		
916 19 0055 2019/03/19	1	1.23	916 17 0471 916 16 0131		92	80	109	-1.08 73	-1.47 85	-2.00 74	-4.45 81	62 79	2.90 54	-0.80 69	-4.97 93	-4.24 55	108	136	7 9		
916 19 0060 2019/03/22	1	1.23	916 16 0162 916 15 0167		88	87	101	-1.63 69	0.29 79	-0.53 69	-4.22 105	46 93	2.50 43	0.16 63	5.66 98	9.09 51	85	113	5 7		
916 19 0077 2019/03/22	1	1.48	916 16 0162 916 15 0292		99	99	97	1.06 73	-0.82 106	-0.29 71	-2.13 90	57 96	1.30 51	1.02 67	4.04 94	2.36 29	96	145	7 9		

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 19 0126 2019/04/13	1	3.06	1866 14 0197 916 12 0192		87	81	97	-0.78 71 88	-1.47 69 81	-1.86 80	-6.81 41 70	-1.40 43 91	-3.09 64 82	-7.60 48 114	-7.34 23 113	127	6 8				
916 19 0145 2019/04/17	2	0.63	916 16 0325 916 17 0196		95	99	92	1.02 70 106	-0.83 70 90	-0.32 95	-0.83 49 97	4.90 49 124	3.13 65 113	14.44 55 76	22.08 29 64	104	5 6				
916 19 0191 2019/05/21	1	1.36	916 16 0325 916 15 0015		86	81	99	-0.72 76 88	-1.57 75 80	-1.93 80	-4.90 52 79	5.80 53 129	1.19 70 103	10.33 56 83	13.83 29 76	176	8 14				
916 19 0230 2019/08/17	2	1.83	916 17 0187 916 14 0345		105	96	116	0.19 75 97	-0.40 72 95	-0.31 95	-0.75 54 98	6.30 50 131	3.56 68 115	8.05 55 87	-0.58 30 101	131	5 7				
916 19 0236 2019/08/08	1	27.23	916 16 0186 916 18 0053		107	117	89	2.63 65 122	0.12 60 102	1.43 112	3.81 57 118	-2.40 45 86	1.31 58 104	-1.30 51 103	5.39 33 91	99	1 1				
916 19 0281 2019/08/05	1	2.24	916 17 0187 916 15 0174		91	90	96	-0.34 72 92	-0.69 72 92	-0.85 90	-2.20 52 91	2.10 50 109	0.24 67 98	8.13 55 87	5.05 31 92	116	5 7				
916 19 0286 2019/08/08	1	1.84	916 17 0471 916 15 0558		101	97	108	0.30 76 99	-0.40 75 95	-0.25 96	-1.00 57 97	4.20 56 120	2.42 71 109	0.26 61 100	8.63 33 85	171	7 12				
916 19 0348 2019/08/14	2	2.56	916 17 0471 916 17 0409		119	109	129	0.62 75 102	1.15 74 116	1.46 112	1.85 61 109	7.30 53 136	6.15 70 127	1.29 60 99	1.75 30 97	137	6 8				
916 19 0352 2019/08/17	2	0.92	916 16 0186 916 17 0290		97	102	91	1.22 76 108	-0.55 75 93	0.07 99	0.35 58 103	1.70 55 107	1.70 71 105	15.62 63 74	4.64 37 92	104	4 6				
916 19 0358 2019/08/17	2	5.30	916 17 0471 916 17 0357		92	96	92	0.17 73 97	-0.37 71 96	-0.29 96	-1.05 59 96	2.00 51 109	1.00 67 102	14.86 56 75	6.18 31 90	135	6 8				
916 19 0362 2019/08/08	1	3.06	916 17 0187 916 14 0246		106	105	109	0.45 66 100	0.69 71 110	0.92 107	0.87 47 105	2.80 46 113	2.82 63 111	5.11 50 92	2.16 25 97	111	6 8				
916 19 0364 2019/08/11	1	4.17	916 17 0471 916 14 0411		97	87	114	-1.51 72 80	0.19 73 103	-0.56 93	-3.06 49 87	3.70 55 118	0.90 68 102	-3.13 57 106	2.93 33 95	94	6 8				
916 19 0367 2019/08/24	2	1.01	916 17 0466 916 12 0257		110	105	106	1.93 70 115	-0.91 69 89	0.06 99	0.18 51 102	1.80 51 108	2.10 65 107	-0.68 45 102	-6.72 32 112	90	4 5				
916 19 0369 2019/08/24	1	0.82	916 17 0466 916 11 0298		111	97	125	0.46 76 100	-0.49 75 94	-0.26 96	-1.70 53 93	8.00 55 136	4.77 71 121	1.13 59 99	-3.33 34 106	138	7 13				
916 19 0387 2019/10/02	1	0.67	916 16 0290 916 15 0209		104	102	106	0.35 72 99	0.30 71 105	0.48 103	-0.26 49 100	-0.10 52 98	0.60 67 100	-7.67 53 114	-2.02 30 104	117	6 7				
916 19 0391 2019/10/02	1	0.72	916 17 0471 916 16 0265		88	82	101	-1.06 75 85	-1.07 72 86	-1.61 83	-4.29 59 82	4.70 52 123	0.68 69 100	8.73 58 86	8.25 32 86	114	5 8				

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW		AFL		ILP		EPI	T Lamed N Weaned			
								Dir	Mat	Comb	Post-wean										EBV Acc	EBV Index	EBV Acc
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03								
916 19 0397 2019/10/05	1	0.41	916 16 0290 916 16 0101	86	85	90	-0.42 67	91	-1.36 66	83	-1.57 83	-3.41 46	86	0.40 47	100	-1.54 62	90	2.45 48	5.24 29	91	87	2 3	
916 19 0398 2019/10/05	1	8.33	916 17 0471 916 16 0085	94	87	110	-1.14 74	84	-0.33 74	96	-0.90 90	-3.17 59	87	6.50 53	132	2.44 69	109	9.01 60	9.65 33	84	130	6 9	
916 19 0427 2019/10/01	1	0.71	916 16 0290 916 17 0040	108	103	113	0.68 72	102	0.18 71	103	0.52 103	0.30 51	102	3.30 51	116	2.84 67	111	1.47 55	-2.20 31	104	101	6 8	
916 19 0432 2019/10/10	1	1.33	916 16 0290 916 15 0347	114	116	106	2.12 74	117	0.65 72	109	1.71 115	2.63 54	113	1.20 53	105	3.49 68	114	0.15 54	1.58 31	98	113	7 10	
916 19 0436 2019/10/13	1	0.85	916 16 0290 916 14 0010	114	104	123	0.57 73	101	0.52 73	108	0.81 106	0.21 59	102	3.70 52	118	3.31 68	113	-4.06 57	-7.81 32	114	110	7 9	
916 19 0439 2019/10/22	1	2.44	916 17 0466 916 17 0130	96	95	97	0.25 74	98	-0.49 73	94	-0.37 95	-1.83 58	93	0.30 55	100	-0.06 69	97	5.21 60	-3.78 34	107	100	7 7	
916 19 0476 2019/10/03	1	1.33	916 16 0274 916 18 0348	91	100	86	0.12 73	97	0.28 71	104	0.34 102	-0.94 40	97	-1.60 49	90	-0.56 67	94	5.95 54	9.66 27	84	118	6 8	
916 19 0483 2019/10/12	1	0.97	916 16 0274 916 18 0303	72	79	73	-1.10 71	84	-1.59 70	80	-2.13 78	-5.22 52	78	-3.00 48	83	-4.48 65	75	6.01 53	8.41 27	86	114	6 8	
916 19 0492 2019/10/15	1	7.08	916 16 0274 916 18 0128	76	84	78	-0.95 70	86	-0.87 68	89	-1.34 85	-4.07 51	83	0.30 44	100	-1.64 63	89	20.97 46	9.64 22	84	121	6 9	
916 19 0504 2019/11/10	2	7.18	2139 17 0250 916 18 0239	105	111	98	1.37 70	109	0.59 70	108	1.27 111	1.38 57	107	1.30 52	105	2.74 66	111	6.19 53	8.80 38	85	114	4 5	
916 19 0506 2019/11/13	1	0.61	2139 17 0250 916 18 0282	90	93	91	-0.26 72	93	-0.32 72	96	-0.45 94	-2.36 54	90	0.20 55	99	-0.46 68	95	7.67 55	4.69 37	92	136	6 7	
916 20 0010 2020/03/30	1	1.90	916 17 0471 916 17 0224	88	94	90	-0.51 69	90	0.05 68	101	-0.21 96	-1.67 53	94	0.80 50	102	0.02 64	97	10.40 57	10.44 32	82	105	4 4	
916 20 0014 2020/03/15	1	0.88	916 17 0471 916 17 0184	99	91	112	-0.52 73	90	-0.28 72	97	-0.54 93	-2.47 52	90	6.40 50	132	3.04 67	112	9.07 53	5.95 30	90	136	5 9	
916 20 0035 2020/04/02	2	1.59	916 17 0471 916 16 0169	113	108	121	0.61 73	102	0.93 72	113	1.23 110	1.56 59	108	7.90 53	136	6.27 68	128	7.64 58	7.16 32	88	135	5 7	
916 20 0039 2020/04/02	1	1.87	916 17 0187 916 17 0017	84	90	86	-0.94 70	86	-0.06 68	100	-0.53 93	-2.39 48	90	-1.10 47	93	-1.66 64	89	6.39 51	9.58 27	84	134	6 7	
916 20 0060 2020/04/26	1	1.42	1866 17 0044 916 18 0124	72	81	67	-0.61 66	89	-1.79 64	77	-2.10 78	-4.49 37	81	-7.00 44	64	-6.60 60	65	7.28 52	-6.03 25	111	111	5 5	

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 20 0066 2020/04/28	1	1.42	1866 17 0044 916 16 0242	81	95	66	1.04 69 106	-1.50 68 81	-0.98 89	-1.51 48 94	-6.50 48 64	-4.36 64 76	3.16 54 95	1.86 27 97	125	6 6					
916 20 0072 2020/05/02	1	1.42	1866 17 0044 916 12 0394	86	98	71	1.33 71 109	-1.25 70 84	-0.59 93	-1.23 52 96	-3.70 51 79	-2.15 66 87	11.57 53 81	3.44 30 94	123	5 6					
916 20 0073 2020/05/03	2	1.42	1866 17 0044 916 14 0345	95	93	99	-0.12 72 94	-0.45 71 95	-0.51 93	-1.58 49 94	-0.30 51 97	-0.75 67 93	6.87 56 89	-11.22 28 120	137	6 8					
916 20 0093 2020/05/21	1	0.35	916 16 0290 916 15 0359	91	93	90	0.14 64 97	-0.81 57 90	-0.73 91	-1.87 40 93	-0.30 38 97	-0.84 55 93	4.52 41 93	2.50 25 96	87	1 1					
916 20 0097 2020/05/24	1	1.42	1866 17 0044 916 15 0558	76	85	69	-0.14 69 94	-1.62 69 79	-1.69 82	-3.47 38 85	-6.70 51 64	-5.78 65 69	2.03 56 97	-2.91 28 105	106	6 7					
916 20 0098 2020/05/24	1	3.19	916 18 0231 916 18 0376	95	84	107	-0.60 75 89	-1.28 72 84	-1.58 83	-3.45 47 86	3.30 46 116	0.10 67 98	-11.53 56 120	8.47 26 86	125	5 9					
916 20 0131 2020/05/23	2	1.80	916 18 0054 916 17 0355	114	97	134	-0.79 77 88	0.81 75 111	0.42 102	0.46 57 103	13.40 51 136	8.06 70 137	-3.82 60 107	-4.11 27 107	130	6 11					
916 20 0132 2020/05/23	2	1.80	916 18 0054 916 17 0355	112	96	132	-0.74 72 88	0.64 70 109	0.27 101	-0.28 53 100	8.70 47 136	5.12 65 122	-2.81 52 106	-3.48 24 106	120	7 9					
916 20 0138 2020/06/07	1	4.48	916 17 0466 916 16 0076	83	79	92	-1.07 70 85	-1.60 69 80	-2.13 78	-5.02 59 78	-0.20 51 97	-2.79 65 83	-1.34 56 103	-0.33 34 101	89	4 5					
916 20 0144 2020/06/21	1	1.12	916 16 0290 916 18 0175	107	92	122	0.05 76 96	-0.84 76 90	-0.82 90	-2.17 56 91	5.80 54 129	2.68 71 110	-7.95 60 114	-1.54 33 103	130	6 11					
916 20 0151 2020/06/27	1	0.93	916 16 0290 916 18 0372	109	106	105	1.51 68 111	-0.24 65 98	0.52 103	1.12 43 106	1.00 47 104	1.87 62 106	-4.61 52 109	-0.70 31 102	85	3 3					
916 20 0177 2020/07/05	2	1.42	1866 17 0044 916 17 0153	79	86	72	0.19 69 97	-1.91 67 75	-1.81 81	-2.80 35 88	-4.40 47 75	-4.35 63 76	2.93 49 96	1.66 26 97	101	5 5					
916 20 0188 2020/07/12	1	2.49	916 18 0113 916 19 0072	94	92	106	-1.35 66 82	0.80 64 111	0.13 100	-2.70 43 89	1.50 41 106	0.35 59 99	6.21 34 90	-1.11 22 102	105	5 7					
916 20 0193 2020/07/12	1	1.88	916 18 0113 916 19 0055	100	93	112	-0.65 68 89	0.06 64 101	-0.27 96	-2.21 45 91	2.10 44 109	0.67 61 100	-0.40 45 101	-6.91 24 112	105	6 7					
916 20 0212 2020/08/15	3	1.42	1866 17 0044 916 18 0446	92	93	91	0.17 69 97	-0.78 68 90	-0.70 92	-1.44 32 95	-2.60 47 85	-2.18 64 86	0.68 52 100	-8.82 27 116	125	5 6					
916 20 0230 2020/08/21	2	2.58	916 18 0238 916 18 0180	94	97	94	0.03 67 96	-0.10 65 99	-0.09 98	-1.03 51 96	0.30 44 100	0.11 61 98	-1.29 53 103	11.13 30 81	101	3 4					

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
							Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :				100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 20 0237 2020/08/23	2	7.35	916 18 0238 916 18 0301	105	104	110	-0.20 69	1.24 67 117	1.14 109	0.65 44	104	1.80 47	2.12 63 108	-2.81 53 106	6.08 30	90	114	4 5		
916 20 0272 2020/08/21	1	14.53	2310 17 0373 916 16 0275	102	111	87	2.28 70	-0.38 69 96	0.76 106	2.47 57	112	-0.10 51	1.84 65 106	14.75 56 76	2.80 36	95	103	3 5		
916 20 0274 2020/08/23	1	0.52	916 16 0290 916 17 0319	103	101	102	0.72 68	-0.22 66 98	0.14 100	0.09 48	101	0.80 46	0.98 62 102	-4.59 53 109	2.92 29	95	107	4 5		
916 20 0284 2020/08/25	1	1.91	916 16 0186 - - -	111	103	109	1.48 59	-0.63 65 92	0.11 99	-0.98 44	97	-0.30 47	0.66 59 100	-31.62 45 136	-2.77 29	105	108	4 5		
916 20 0305 2020/08/26	1	0.39	916 16 0186 916 16 0199	108	107	103	1.76 74	-0.41 74 95	0.46 103	1.60 57	108	3.00 54	3.14 69 113	5.81 57 91	2.94 34	95	154	6 9		
916 20 0309 2020/08/27	1	8.11	916 16 0186 916 18 0424	96	97	87	2.04 73	-2.31 73 70	-1.29 86	-0.18 63	100	0.10 54	-0.21 69 96	1.65 59 98	1.24 35	98	133	6 9		
916 20 0341 2020/08/31	1	1.90	916 18 0237 916 18 0292	87	92	87	-0.41 66	-0.30 66 97	-0.51 93	-1.61 45	94	-1.50 43	-1.61 61 89	5.62 49 91	3.92 25	94	130	5 7		
916 20 0369 2020/09/03	2	5.10	916 18 0231 916 19 0111	90	87	96	-0.55 65	-0.99 57 88	-1.27 86	-3.34 48	86	0.70 35	-1.12 55 92	-4.51 44 108	6.05 23	90	87	1 1		
916 20 0371 2020/09/03	1	4.31	916 19 0409 916 16 0206	83	94	76	0.31 69	-0.89 68 89	-0.73 91	-1.75 42	93	-2.00 47	-1.78 64 88	11.64 52 81	7.99 27	87	139	6 7		
916 20 0390 2020/09/24	2	1.42	916 19 0409 916 17 0620	103	105	100	0.88 60	0.25 59 104	0.69 105	1.23 24	107	0.50 35	1.43 54 104	2.75 25 96	1.46 22	98	104	3 4		
916 20 0393 2020/09/26	2	0.53	916 16 0122 916 15 0420	122	113	125	2.06 74	0.11 74 102	1.15 109	2.73 57	113	9.50 54	7.88 69 136	0.35 60 100	2.47 37	96	141	4 7		
916 20 0397 2020/09/08	2	1.91	916 18 0186 - - -	88	81	98	-1.38 53	-0.89 61 89	-1.58 83	-6.36 35	72	-3.40 38	-4.31 53 76	-23.69 27 136	-4.67 13	108	118	5 5		
916 20 0398 2020/09/08	1	0.84	916 18 0186 916 16 0196	74	85	74	-1.60 60	-0.11 55 99	-0.91 90	-3.30 41	86	-3.90 32	-4.05 52 77	12.65 35 79	4.98 19	92	94	1 2		
916 20 0406 2020/10/10	2	2.42	916 19 0343 916 14 0401	96	89	111	-1.03 73	-0.14 72 99	-0.65 92	-2.37 58	90	4.70 49	1.65 67 105	5.07 56 92	2.50 29	96	109	5 9		
916 20 0416 2020/10/21	1	0.64	916 19 0343 916 15 0100	103	105	103	0.38 69	0.81 66 111	1.00 108	0.40 46	103	0.70 45	1.60 62 105	-1.02 53 103	5.74 27	90	91	4 4		
916 20 0422 2020/10/08	2	1.14	916 19 0343 916 17 0314	98	93	108	-0.64 75	0.08 71 102	-0.24 96	-2.08 60	92	3.00 49	1.24 67 103	0.06 56 101	3.74 28	94	106	5 6		

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 20 0430 2020/10/10	1	3.30	916 19 0343 916 16 0317	84	88	87	-0.80 68 87	-0.52 67 94	-0.92 89	-3.01 52 88	-2.40 46 86	-2.76 63 84	0.82 54 99	2.15 28 97	93	4 4					
916 20 0439 2020/10/14	1	6.94	916 16 0122 916 19 0397	99	89	108	0.37 73 99	-1.63 73 79	-1.45 84	-2.45 50 90	4.00 54 119	1.14 69 103	-2.03 58 104	0.03 35 100	122	6 8					
916 20 0441 2020/10/18	2	2.39	916 19 0343 916 16 0433	82	86	89	-1.09 68 85	-0.51 66 94	-1.06 88	-3.48 51 85	2.60 45 112	-0.04 62 97	10.59 56 83	18.12 29 69	92	3 4					
916 20 0457 2020/11/01	1	1.64	916 19 0495 916 19 0525	115	113	111	1.95 66 115	0.32 66 105	1.29 111	3.05 33 115	3.50 41 117	4.37 60 119	-0.18 40 101	5.18 27 91	130	4 6					
916 21 0004 2021/03/14	1	6.95	916 19 0494 916 19 0476	92	99	93	-0.43 68 91	0.82 64 112	0.60 104	-1.16 39 96	0.20 44 99	0.51 61 100	4.37 53 93	14.08 28 76	93	3 3					
916 21 0019 2021/03/27	1	0.63	916 19 0494 916 17 0327	109	112	109	0.28 70 98	1.98 69 127	2.13 119	1.63 46 108	3.10 48 115	4.13 65 117	3.63 56 95	13.81 30 76	115	4 5					
916 21 0021 2021/03/27	1	0.84	916 19 0494 916 19 0387	115	110	120	0.54 72 101	1.43 71 120	1.71 115	1.17 47 106	4.90 48 124	4.92 66 121	-0.18 46 101	5.99 28 90	152	5 8					
916 21 0055 2021/03/24	1	2.81	916 19 0343 916 18 0034	103	98	111	-0.38 69 92	0.54 66 108	0.35 102	-1.15 55 96	1.60 44 107	1.12 62 103	-14.82 46 126	9.72 28 84	112	3 4					
916 21 0063 2021/04/07	1	0.78	916 19 0343 916 17 0340	104	110	100	0.41 68 100	1.59 66 122	1.80 116	1.50 45 108	-1.70 46 89	0.99 62 102	-1.10 54 103	2.78 27 96	122	4 4					
916 21 0080 2021/03/19	1	5.03	916 19 0343 916 18 0409	110	102	119	0.06 68 96	0.70 65 110	0.73 105	0.11 45 102	4.60 43 122	3.52 61 114	-1.43 46 103	1.84 28 97	101	2 3					
916 21 0103 2021/04/10	1	5.60	916 19 0494 916 19 0281	92	95	95	-0.19 69 94	-0.13 68 99	-0.22 96	-1.55 52 94	2.10 47 109	0.94 64 102	9.26 55 85	9.28 29 84	127	4 5					
916 21 0121 2021/05/02	1	0.78	2480 15 0246 916 15 0375	92	93	91	0.04 68 96	-0.62 63 93	-0.60 93	-1.82 53 93	-1.80 42 89	-1.66 60 89	-9.55 53 117	8.31 29 86	100	3 3					
916 21 0198 2021/06/02	2	0.83	916 16 0186 916 19 0191	90	93	89	0.21 71 98	-0.93 70 88	-0.83 90	-1.88 51 93	0.70 53 102	-0.30 66 96	7.38 58 88	6.79 35 89	107	4 5					
916 21 0199 2021/06/02	1	1.29	916 18 0054 916 17 0094	109	103	120	-0.43 74 91	1.37 68 119	1.15 109	0.81 56 105	5.00 45 124	3.94 65 116	2.58 53 96	3.76 24 94	126	6 6					
916 21 0221 2021/06/10	2	0.41	602 13 0432 916 18 0301	115	116	118	0.09 73 96	2.79 72 136	2.84 126	4.29 58 120	2.40 56 111	4.32 69 118	4.54 60 93	0.10 37 100	122	5 6					
916 21 0227 2021/06/10	1	0.95	602 13 0432 916 18 0452	115	108	122	0.20 70 97	1.37 69 119	1.47 112	2.15 50 111	2.80 52 113	3.24 65 113	-5.57 57 110	-4.30 36 108	98	3 5					

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information						Parents			Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate				Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI		T Lamberd N Weaned	
												Dir	Mat	Comb	Post-wean												
						EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype	
Active Breed Average :						100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03											
916 21 0236 2021/06/16	1	2.73	916 20 0170 916 19 0037	86	95	76	0.85 67	-1.16 63	-0.73 91	-2.00 55	104	85	88	60	90	3.59 52	14.68 28	75	95	3	3						
916 21 0253 2021/07/03	2	0.75	916 20 0170 916 15 0345	96	89	105	-0.07 72	-1.13 70	-1.16 87	-3.19 43	95	86	115	65	100	0.29 50	1.42 25	98	119	5	7						
916 21 0264 2021/07/12	2	1.55	2480 15 0246 916 15 0347	93	94	90	0.55 68	-1.08 65	-0.80 91	-2.60 51	101	86	88	61	89	-8.43 54	4.14 29	93	95	3	3						
916 21 0268 2021/07/13	1	1.00	2480 15 0246 916 18 0436	111	104	115	0.49 69	0.54 64	0.78 106	-0.55 56	100	108	103	60	105	-13.58 47	-3.46 26	106	104	3	4						
916 21 0275 2021/07/14	2	0.84	2480 15 0246 916 14 0345	106	91	121	-0.16 71	-0.80 69	-0.87 90	-2.97 51	94	90	120	64	105	-8.30 53	-8.11 28	114	118	4	6						
916 21 0282 2021/08/08	2	1.49	916 16 0122 916 15 0182	108	103	110	1.12 69	-0.34 67	0.22 100	0.13 56	107	96	117	64	111	2.96 55	-2.28 34	104	99	2	3						
916 21 0288 2021/08/10	2	0.95	916 16 0186 916 17 0282	98	112	81	1.69 70	0.36 69	1.20 110	2.24 49	113	105	81	66	97	2.62 53	11.39 36	81	116	3	4						
916 21 0297 2021/08/16	2	5.27	916 19 0408 916 19 0285	94	101	87	0.95 69	-0.41 67	0.07 99	-0.28 54	105	95	93	64	97	6.27 55	4.79 31	92	113	4	4						
916 21 0316 2021/08/13	2	1.42	1866 17 0501 916 20 0055	93	98	82	1.43 67	-1.52 62	-0.80 91	0.55 45	110	81	83	58	88	4.26 47	-5.76 20	110	112	4	4						
916 21 0326 2021/08/12	1	8.94	916 20 0170 916 17 0397	98	104	92	0.81 68	0.19 64	0.60 104	-0.02 46	104	103	95	61	100	-2.49 53	12.33 29	79	94	3	3						
916 21 0330 2021/08/15	1	4.71	916 19 0408 916 19 0362	113	119	101	2.38 70	0.76 68	1.95 117	3.68 54	120	111	104	64	116	4.10 54	6.51 30	89	114	4	5						
916 21 0340 2021/08/20	1	1.14	916 16 0086 916 18 0490	79	88	76	-0.90 53	-0.47 50	-0.93 89	-2.68 25	86	94	73	47	76	3.56 25	2.35 21	96	91	2	2						
916 21 0345 2021/08/20	1	2.07	916 19 0408 916 18 0414	97	105	86	1.46 69	-0.35 68	0.38 102	0.58 53	110	96	90	64	98	5.50 53	4.70 31	92	101	4	5						
916 21 0352 2021/08/26	2	4.69	916 19 0408 916 18 0370	115	119	106	2.28 72	0.88 69	2.02 118	3.21 55	119	112	111	66	120	9.91 56	0.70 31	99	110	4	7						
916 21 0412 2021/10/05	1	3.77	916 20 0170 916 19 0048	100	106	91	1.43 65	-0.25 58	0.47 103	1.00 62	110	97	99	56	104	5.11 44	7.78 24	87	91	1	1						
916 21 0413 2021/10/07	2	1.29	916 20 0056 916 18 0373	106	117	86	2.79 66	-0.04 65	1.36 111	3.48 58	124	100	82	60	101	4.50 38	-1.70 22	103	131	5	7						

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
							Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :				100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 21 0414 2021/10/07	2	1.29	916 20 0056 916 18 0373	92	100	81	1.16 61 107	-0.78 57 90	-0.20 96	-0.48 55 99	-3.00 36 83	-1.43 54 90	5.95 39 91	0.98 23 99	91	2 3				
916 21 0426 2021/11/01	2	7.07	916 19 0482 916 14 0301	95	110	80	1.12 66 107	0.78 58 111	1.33 111	1.83 49 109	-3.10 39 82	0.03 57 97	4.09 43 94	15.96 26 73	90	2 1				
916 21 0445 2021/11/07	1	0.76	916 18 0100 916 17 0340	90	98	84	0.36 64 99	-0.29 57 97	-0.11 97	-1.44 66 95	-2.40 38 86	-1.37 55 90	2.49 44 97	5.68 24 91	89	2 2				
916 21 0446 2021/11/09	1	0.96	916 19 0482 916 17 0370	95	108	80	0.96 71 105	0.57 64 108	1.05 108	1.96 64 110	-5.10 42 72	-1.53 62 90	1.68 48 98	3.43 25 94	98	3 3				
916 21 0448 2021/11/12	2	0.91	916 18 0100 916 18 0080	76	78	85	-1.53 68 80	-1.24 64 84	-2.00 79	-5.73 66 75	-0.10 41 98	-2.82 60 83	13.74 45 77	-0.22 23 101	100	4 4				
916 21 0484 2021/11/23	1	2.07	916 19 0482 916 17 0002	102	110	94	0.69 68 103	1.20 65 117	1.54 113	1.72 62 109	-2.30 41 86	0.51 61 100	-3.08 46 106	7.31 23 88	120	4 5				
916 21 0486 2021/12/01	1	2.93	916 18 0100 916 19 0055	90	81	106	-1.17 70 84	-1.17 68 85	-1.75 81	-4.94 67 79	3.30 44 116	-0.36 63 95	0.11 48 101	0.44 26 100	127	4 6				
916 21 0502 2021/12/19	1	1.37	2377 19 0183 916 20 0393	118	104	127	1.40 72 110	-0.48 70 94	0.22 100	0.88 54 105	7.30 46 136	5.30 65 123	-7.94 47 114	2.10 29 97	107	3 6				
916 21 0522 2021/12/22	1	1.05	916 19 0495 916 20 0300	96	100	93	0.52 69 101	-0.08 66 100	0.18 100	-0.64 47 98	-0.20 45 97	0.32 62 99	3.39 49 95	5.04 29 92	103	4 5				
916 22 0002 2022/02/22	2	1.61	916 20 0174 916 19 0149	99	105	94	1.17 70 107	-0.11 67 99	0.48 103	-0.08 50 101	1.50 45 106	1.96 63 107	9.74 56 84	7.75 28 87	102	3 4				
916 22 0004 2022/03/19	1	1.58	916 20 0174 916 14 0116	86	91	84	-0.21 68 93	-0.61 65 93	-0.72 91	-2.88 46 88	-2.60 47 85	-2.38 62 85	3.13 55 95	2.44 25 96	95	3 3				
916 22 0006 2022/03/19	2	1.48	1490 19 0127 916 18 0052	115	111	114	1.38 69 109	0.58 66 108	1.28 111	1.99 51 110	3.10 43 115	3.83 62 116	-3.91 53 107	2.57 27 96	104	3 4				
916 22 0008 2022/03/23	1	1.78	916 20 0174 916 20 0309	91	93	87	1.08 70 106	-1.83 68 76	-1.29 86	-1.91 52 92	0.30 46 100	-0.57 64 94	7.09 55 89	1.03 26 99	105	4 5				
916 22 0013 2022/03/23	2	4.42	916 20 0170 916 19 0523	94	99	87	0.90 67 105	-0.68 65 92	-0.23 96	-0.74 43 98	-1.10 45 93	-0.44 61 95	2.81 55 96	6.06 28 90	104	4 4				
916 22 0014 2022/03/25	1	1.50	916 20 0174 916 19 0281	93	95	92	0.34 68 99	-0.68 65 92	-0.51 93	-1.50 44 94	0.70 44 102	0.08 61 97	7.66 45 88	3.04 28 95	95	2 3				
916 22 0029 2022/03/26	1	1.14	916 20 0174 916 17 0495	99	107	90	1.14 69 107	0.27 66 104	0.84 106	1.45 53 108	-0.20 44 97	1.29 62 103	9.18 53 85	7.46 28 87	103	3 4				

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned	
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 22 0034 2022/03/29	1	1.08	916 20 0077 916 16 0041		85	95	76	0.50 67	-0.79 101	-0.54 90	-1.68 93	44 94	-3.10 45	-2.15 82	4.97 55	9.81 29	92 83			94	3 3	
916 22 0035 2022/03/29	1	1.41	916 19 0408 916 17 0143		84	95	74	1.08 68	-1.48 106	-0.94 81	-1.39 89	53 95	-1.10 46	-1.06 93	11.39 57	13.43 32	81 77			87	2 2	
916 22 0036 2022/03/29	1	1.88	916 20 0174 916 18 0034		91	95	89	0.17 68	-0.45 97	-0.37 95	-2.27 95	52 91	-1.40 44	-1.12 91	-6.03 55	11.40 28	81 81			98	3 4	
916 22 0044 2022/03/29	2	0.96	916 20 0170 916 19 0352		104	108	97	1.62 69	-0.14 112	0.67 99	1.15 105	52 106	1.70 44	2.50 61	7.04 55	6.51 29	89 89			95	2 3	
916 22 0062 2022/04/02	1	1.07	916 20 0174 916 19 0506		95	94	99	0.09 68	-0.61 96	-0.57 93	-2.12 93	49 92	2.20 48	0.80 110	7.79 54	1.57 30	98 98			124	4 7	
916 22 0064 2022/04/05	1	1.26	916 20 0174 916 20 0299		102	100	103	0.76 70	-0.39 103	0.00 96	-0.65 98	49 98	2.50 47	1.88 111	5.59 58	1.32 28	98 98			116	4 6	
916 22 0070 2022/04/11	1	1.22	916 20 0174 916 20 0439		99	95	102	0.56 68	-0.87 101	-0.59 89	-1.43 93	43 95	2.10 44	0.96 61	1.08 51	1.20 29	98 98			93	2 3	
916 22 0071 2022/04/11	1	1.65	916 20 0174 916 18 0301		105	99	116	-0.66 72	1.09 89	0.76 115	-0.83 106	48 97	3.60 49	2.59 66	2.25 55	0.73 29	99 99			116	4 6	
916 22 0078 2022/04/13	1	1.97	916 20 0174 916 18 0395		97	104	88	1.29 67	-0.33 109	0.32 64	0.38 96	44 103	-1.10 44	0.30 61	7.19 55	2.35 27	96 96			94	3 3	
916 22 0089 2022/04/16	2	2.19	916 20 0170 916 19 0005		99	104	95	0.82 68	0.07 104	0.48 64	0.72 102	45 104	0.50 43	1.19 61	4.32 48	6.95 26	88 88			97	3 4	
916 22 0092 2022/04/19	1	3.43	1490 19 0127 916 20 0279		104	113	88	2.09 68	0.15 117	1.19 65	2.39 103	46 112	-2.40 46	0.80 86	5.85 54	-0.62 29	101 101			106	4 4	
916 22 0134 2022/05/21	2	1.42	916 20 0170 916 17 0062		97	98	95	0.41 66	-0.30 100	-0.10 64	-0.21 97	46 100	-1.00 39	-0.49 93	-1.87 50	0.43 25	104 100			108	3 4	
916 22 0145 2022/05/26	2	4.84	916 20 0170 916 19 0146		90	95	87	0.55 65	-0.86 101	-0.59 56	-1.52 89	44 93	1.40 38	0.53 55	7.50 43	14.83 23	75 75			90	1 1	
916 22 0167 2022/06/02	1	2.41	916 20 0174 916 19 0111		82	89	79	-0.15 66	-1.10 94	-1.17 61	-3.24 86	41 87	-2.80 41	-2.93 58	9.86 44	-1.92 27	104 104			92	2 2	
916 22 0175 2022/06/05	1	2.04	916 20 0174 916 20 0225		99	103	93	0.99 69	-0.24 106	0.26 67	-0.14 98	46 100	-0.20 45	0.63 97	7.67 51	-0.66 28	102 102			125	4 5	
916 22 0177 2022/06/05	2	1.73	916 20 0174 916 18 0315		86	89	89	-0.67 68	-0.54 89	-0.87 65	-2.81 94	49 88	-0.40 46	-1.45 96	3.25 54	7.96 29	87 87			99	3 3	

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-wean	Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned
								Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 22 0183 2022/06/09	2	1.97	- - - 916 17 0184	96	93	102	-0.70 56	0.23 55	-0.12 97	-2.20 17	91	-0.80 34	-0.95 51	-1.25 25	-6.71 13	104	3				
916 22 0186 2022/06/09	1	1.44	916 20 0174 916 15 0182	94	97	96	-0.35 70	0.43 68	0.26 101	-1.52 45	94	-0.60 48	-0.27 64	7.10 54	-1.79 28	130	4				
916 22 0187 2022/06/09	2	1.79	1490 19 0127 916 20 0406	103	102	101	1.05 67	-0.39 62	0.14 100	0.25 51	102	1.70 42	1.68 59	4.29 54	0.43 28	92	2				
916 22 0220 2022/06/19	2	1.58	916 20 0174 916 17 0038	83	92	78	0.12 68	-0.94 65	-0.88 90	-2.41 44	90	-1.90 46	-1.96 62	8.68 55	7.85 30	99	3				
916 22 0225 2022/06/23	1	1.05	916 20 0077 916 16 0308	95	100	87	1.18 68	-0.83 64	-0.24 96	-0.37 51	99	-1.70 44	-0.67 61	3.45 53	0.58 26	104	3				
916 22 0228 2022/06/24	2	0.91	916 20 0077 916 17 0311	88	101	76	1.11 68	-0.62 63	-0.07 98	0.17 41	102	-1.70 43	-0.54 60	20.19 46	4.66 22	105	3				
916 22 0235 2022/07/01	1	2.26	916 20 0174 916 16 0085	89	94	86	0.36 70	-0.93 68	-0.75 91	-1.83 49	93	-0.30 47	-0.75 64	10.68 52	3.31 28	123	4				
916 22 0237 2022/07/05	1	1.27	916 20 0174 916 15 0476	87	95	79	0.98 68	-1.45 65	-0.97 89	-0.99 48	97	-1.00 46	-1.08 62	8.15 56	8.71 32	92	2				
916 22 0248 2022/08/23	2	1.04	916 20 0170 916 21 0163	98	94	101	0.60 66	-1.08 60	-0.78 91	-2.08 46	92	2.30 37	0.91 57	-3.18 51	6.29 22	91	1				
916 22 0251 2022/08/26	2	8.40	916 19 0408 916 21 0003	112	111	104	2.52 70	-0.62 68	0.64 105	2.02 52	110	3.30 49	3.88 64	7.04 57	0.11 32	112	4				
916 22 0260 2022/09/01	2	4.98	916 20 0170 916 21 0180	98	92	104	0.36 69	-1.14 66	-0.96 89	-2.51 50	90	3.00 43	1.02 62	0.22 52	1.00 26	109	4				
916 22 0267 2022/08/21	1	1.02	916 19 0408 916 21 0182	107	115	89	2.83 66	-0.36 63	1.06 109	2.67 52	113	-0.90 46	1.94 60	4.28 58	5.23 32	109	2				
916 22 0270 2022/08/24	1	5.25	2750 21 0609 916 21 0013	97	99	95	0.52 60	-0.26 50	0.00 98	-0.37 31	99	0.20 33	0.38 50	1.85 37	4.64 26	96	2				
916 22 0280 2022/08/05	3	7.44	2750 21 0609 916 19 0391	95	94	97	0.12 65	-0.58 58	-0.52 93	-1.12 44	96	1.10 39	0.21 56	4.59 48	2.03 27	92	2				
916 22 0282 2022/08/16	2	2.20	916 20 0077 916 18 0409	102	99	102	0.83 68	-0.62 63	-0.20 96	-0.37 49	99	1.40 41	1.06 60	-1.11 51	0.38 27	96	2				
916 22 0292 2022/08/26	2	0.85	916 20 0170 916 15 0376	93	101	87	0.56 68	0.02 65	0.30 101	0.07 54	101	-1.00 46	-0.02 62	2.51 51	12.05 29	119	4				

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 22 0301 2022/08/30	2	0.99	916 20 0077 916 16 0014	71	78	74	-1.28 67	-1.48 62	-2.12 78	-4.92 45	-2.70 42	-4.38 59	8.18 51	7.07 25	88	2					
916 22 0303 2022/08/30	2	1.68	1490 19 0127 916 20 0131	123	111	128	1.73 72	0.15 69	1.02 108	2.76 57	8.70 46	7.10 65	0.38 55	-2.98 27	135	4					
916 22 0315 2022/08/30	2	3.50	916 20 0170 916 18 0481	100	105	91	1.54 65	-0.50 56	0.27 101	0.49 43	0.00 37	1.04 55	6.70 47	3.74 22	89	1					
916 22 0316 2022/08/30	2	8.13	1490 19 0127 916 20 0348	114	114	109	2.03 69	0.39 67	1.40 112	2.61 53	2.70 44	4.03 62	2.70 56	1.48 29	118	3					
916 22 0321 2022/09/03	2	13.98	916 20 0170 916 20 0007	93	96	94	0.07 66	-0.31 61	-0.27 96	-1.49 43	0.20 40	-0.11 58	-2.09 53	10.77 27	93	2					
916 22 0324 2022/08/11	1	1.28	916 20 0077 916 17 0328	83	94	73	0.76 68	-1.32 65	-0.94 89	-1.21 37	-3.60 43	-2.72 61	8.07 51	4.63 25	99	3					
916 22 0325 2022/08/11	1	1.52	916 19 0408 916 20 0397	97	97	97	0.55 64	-0.61 61	-0.33 95	-2.28 48	-1.10 41	-0.72 58	-7.74 41	1.29 24	92	2					
916 22 0339 2022/08/22	1	2.12	2750 21 0609 916 17 0327	104	110	97	1.22 64	0.60 58	1.21 110	2.07 33	-0.60 40	1.46 56	3.11 38	2.84 22	93	2					
916 22 0341 2022/08/22	1	1.99	916 16 0122 916 20 0230	103	102	102	1.23 67	-0.64 63	-0.02 98	0.28 51	2.90 47	2.33 61	1.96 57	6.99 34	91	2					
916 22 0345 2022/08/26	2	2.66	2750 21 0609 916 17 0409	113	114	105	1.79 66	0.63 61	1.52 113	3.42 37	0.60 42	2.78 59	0.98 50	-2.46 28	99	3					
916 22 0346 2022/08/26	1	7.67	2750 21 0609 916 19 0040	100	99	100	0.51 65	-0.34 58	-0.08 98	-0.08 34	0.80 39	0.65 56	-2.60 47	4.16 27	92	2					
916 22 0349 2022/08/28	1	0.94	1490 19 0127 916 17 0069	96	101	90	0.98 69	-0.53 65	-0.04 98	-0.45 44	-0.50 44	0.15 62	6.02 52	2.87 27	98	3					
916 22 0356 2022/09/05	1	1.64	1490 19 0127 916 19 0525	114	113	107	1.98 66	0.28 67	1.27 111	2.90 36	0.80 42	2.74 61	-3.02 51	-2.79 26	116	4					
916 22 0362 2022/09/06	2	1.88	1490 19 0127 916 16 0178	106	112	94	1.95 69	0.13 67	1.11 109	1.93 46	-1.20 47	1.36 63	2.62 54	1.04 29	111	4					
916 22 0369 2022/09/10	1	0.99	916 20 0170 916 19 0060	90	82	105	-1.21 68	-0.96 64	-1.57 83	-4.98 44	3.80 40	0.11 60	-2.37 48	8.69 22	99	2					
916 22 0381 2022/09/05	1	1.45	916 20 0077 916 15 0292	93	98	84	1.35 68	-1.29 66	-0.62 92	-1.45 48	-2.20 45	-1.26 62	4.51 48	-1.65 27	108	3					

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility											
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-wean		Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned	
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03								
916 22 0382 2022/09/05	1	2.04	916 16 0122 916 12 0394		100	99	100	0.94 67	-0.71 105	60	91	-0.24 96	-0.85 55	97	3.30 50	2.21 116	60	108	7.29 53	6.65 88	34	89	1 0
916 22 0384 2022/09/08	1	1.97	1490 19 0127 - - -		131	120	129	2.53 51	0.89 121	53	112	2.15 119	2.20 36	111	3.00 35	5.21 114	48	123	-29.94 35	-3.60 136	19	107	98 2 2
916 22 0397 2022/09/10	2	1.70	916 20 0170 916 17 0129		98	105	89	1.23 67	-0.10 108	64	99	0.51 103	0.46 42	103	-1.70 43	0.11 89	60	98	-1.54 49	8.68 103	26	85	102 3 3
916 22 0400 2022/10/08	1	1.51	916 19 0408 916 21 0275		103	103	98	1.72 66	-1.01 113	60	87	-0.15 97	-0.30 52	100	0.80 43	1.20 102	58	103	-0.11 47	-0.42 101	27	101	94 1 1
916 22 0414 2022/10/27	1	1.64	916 21 0043 916 21 0264		103	101	103	0.88 62	-0.33 104	58	96	0.11 99	-0.21 42	100	2.10 35	1.81 109	54	106	1.00 46	3.70 99	24	94	106 2 3
916 22 0423 2022/10/08	1	4.43	916 20 0174 916 19 0382		103	108	94	1.33 65	0.28 109	61	104	0.95 107	1.31 47	107	-1.40 43	0.77 91	58	101	0.47 53	1.73 100	29	97	100 2 2
916 22 0450 2022/10/13	3	2.95	916 19 0408 916 21 0253		97	100	94	0.74 66	-0.32 103	60	97	0.06 99	-0.88 50	97	0.40 43	0.66 100	58	100	4.76 51	4.29 93	26	93	91 1 1
916 22 0454 2022/10/13	2	4.29	916 19 0408 916 19 0230		100	101	99	0.99 69	-0.53 106	66	94	-0.04 98	-0.18 56	100	2.70 46	2.08 112	63	107	11.16 56	2.78 82	31	96	99 2 3
916 22 0458 2022/10/14	2	0.97	916 20 0077 916 16 0214		97	103	83	2.26 70	-1.53 118	66	80	-0.40 95	0.66 46	104	-1.00 45	0.13 93	63	98	5.03 50	4.97 92	28	92	107 3 4
916 22 0468 2022/10/17	2	1.12	916 20 0077 916 19 0504		109	118	93	2.74 67	0.19 123	63	103	1.56 113	3.18 48	115	-0.40 42	2.69 96	60	110	4.57 50	5.76 93	28	90	100 2 3
916 22 0472 2022/10/17	2	5.22	916 19 0408 916 16 0291		86	89	80	1.37 71	-2.68 109	69	65	-1.99 79	-2.74 56	89	0.90 48	-0.76 103	65	93	9.98 53	8.15 84	31	86	106 3 5
916 22 0484 2022/11/04	2	4.69	916 20 0170 916 17 0376		102	92	113	-0.23 70	-0.58 93	67	93	-0.69 92	-2.17 49	91	3.30 44	1.18 116	63	103	-4.93 51	-1.71 109	27	103	118 3 5
916 22 0509 2022/11/08	2	4.93	916 21 0466 916 19 0281		86	95	78	0.46 64	-0.82 100	57	90	-0.59 93	-1.35 45	95	-2.20 38	-1.68 87	55	89	6.35 43	9.04 90	25	85	96 2 2
916 22 0515 2022/11/11	1	1.05	2377 19 0060 916 18 0303		92	88	96	-0.81 69	-0.44 87	67	95	-0.85 90	-2.53 46	90	-3.60 48	-3.41 79	63	80	-32.70 59	0.67 136	31	99	101 3 3
916 22 0524 2022/11/14	2	1.04	2377 19 0060 916 19 0181		113	109	111	1.15 70	0.53 107	68	108	1.10 109	1.74 56	109	-0.30 48	1.50 97	64	104	-28.67 59	3.22 136	32	95	114 3 4
916 22 0528 2022/11/14	1	3.09	916 21 0466 916 20 0430		82	93	77	-0.21 61	-0.46 93	52	95	-0.56 93	-2.00 49	92	-3.90 34	-3.00 78	51	82	4.29 35	6.81 93	19	89	93 1 1

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents			Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI T Lamberd N Weaned	
											Dir	Mat	Comb	Post-wean										
										Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03									
916 22 0529 2022/11/14	1	0.80	2377 19 0060 916 18 0247	100	94	104	0.12 69 97	-0.69 67 92	-0.63 92	-1.37 45 95	-0.10 43 98	-0.63 62 94	-46.23 57 136	6.45 30 89	110	3 4								
916 22 0531 2022/11/17	1	0.78	2377 19 0060 916 18 0372	99	93	102	-0.05 68 95	-0.63 63 92	-0.66 92	-1.50 48 94	-2.10 46 87	-1.95 61 88	-29.19 56 136	-2.04 30 104	97	3 3								
916 22 0532 2022/11/17	1	0.91	2377 19 0060 916 18 0026	107	104	106	0.75 69 103	0.22 65 104	0.60 104	0.84 55 105	-0.80 45 94	0.49 62 100	-46.60 59 136	7.21 31 88	95	2 2								
916 22 0538 2022/11/24	1	0.79	2377 19 0060 916 18 0324	99	98	99	-0.19 68 94	0.37 63 106	0.27 101	-0.24 47 100	-3.30 45 81	-1.81 61 88	-26.66 54 136	3.38 30 95	96	2 2								
916 23 0002 2023/03/15	1	1.93	916 21 0381 916 15 0322	107	108	96	2.70 68 123	-1.27 63 84	0.08 99	0.62 50 104	0.90 42 103	1.97 60 107	5.69 53 91	-3.54 28 106	103	2 4								
916 23 0003 2023/03/15	2	3.53	916 19 0408 916 20 0016	106	112	98	1.75 66 113	0.28 60 104	1.16 109	1.99 52 110	2.50 43 111	3.53 58 114	8.24 48 87	11.24 27 81	94	1 1								
916 23 0004 2023/03/15	2	3.53	916 19 0408 916 20 0016	110	115	101	1.96 65 115	0.52 56 108	1.50 113	2.81 65 114	2.80 41 113	4.16 56 118	7.00 53 89	11.27 27 81		1 0								
916 23 0011 2023/03/19	1	1.64	2377 19 0060 916 19 0064	96	89	106	-1.37 63 82	0.16 60 103	-0.52 93	-1.37 40 95	-2.20 38 87	-2.52 56 85	-28.70 52 136	-2.93 26 105	98	2 2								
916 23 0015 2023/03/20	2	2.13	916 21 0039 916 20 0144	110	98	118	0.79 68 103	-0.71 64 91	-0.31 95	-0.89 52 97	3.70 45 118	2.30 61 108	-11.58 58 121	-2.02 29 104	100	2 2								
916 23 0016 2023/03/20	2	2.13	916 21 0039 916 20 0144	116	97	129	0.93 71 105	-1.07 68 86	-0.61 93	-1.17 52 96	6.30 46 131	3.64 64 115	-16.94 56 130	-3.15 29 106	126	3 5								
916 23 0022 2023/03/21	2	7.67	916 21 0325 916 17 0410	93	98	87	0.78 64 103	-0.80 59 90	-0.41 94	-0.03 46 101	-0.50 41 96	-0.32 57 96	7.01 51 89	4.18 28 93	95	2 2								
916 23 0023 2023/03/21	2	1.11	2377 19 0060 916 20 0065	108	96	116	0.31 69 99	-0.50 63 94	-0.35 95	-0.36 44 99	2.40 43 111	1.25 61 103	-29.58 54 136	3.93 26 94	99	1 3								
916 23 0027 2023/03/21	1	8.00	916 21 0039 916 20 0010	101	99	104	0.48 66 100	-0.30 58 97	-0.06 98	-0.73 52 98	1.90 41 108	1.33 57 104	-2.49 54 105	4.04 25 93	94	1 1								
916 23 0028 2023/03/23	1	1.51	916 19 0408 916 20 0114	100	98	100	0.82 67 104	-0.69 60 92	-0.28 96	-1.12 52 96	1.80 43 108	1.21 59 103	-1.44 53 103	5.68 27 91	93	1 1								
916 23 0037 2023/03/25	1	2.50	916 19 0408 916 20 0341	94	102	84	1.15 65 107	-0.52 59 94	0.06 99	-0.01 50 101	-1.70 42 89	-0.39 57 95	6.15 55 90	5.61 26 91	93	1 1								
916 23 0044 2023/03/30	2	8.34	916 21 0381 916 19 0369	116	106	120	1.61 66 112	-0.44 57 95	0.36 102	0.36 49 103	5.80 40 129	4.65 57 120	-0.23 53 101	-2.22 25 104	94	1 2								

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
							Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average :				100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 23 0047 2023/04/01	2	8.12	916 21 0381 916 19 0398	104	97	113	0.17 66	-0.27 60	-0.18 97	-1.28 50	5.10 41	2.96 58	2.34 51	4.29 24	100	2 3				
916 23 0049 2023/04/03	2	14.30	916 21 0325 916 19 0352	109	110	106	1.44 66	0.33 62	1.05 108	2.07 46	2.60 42	3.33 59	5.29 53	2.84 29	107	2 3				
916 23 0051 2023/04/03	1	1.65	916 21 0039 916 16 0085	91	84	101	-0.43 67	-1.46 60	-1.67 82	-3.75 56	2.50 42	-0.39 59	-0.64 56	2.64 24	93	1 1				
916 23 0054 2023/04/05	1	2.33	916 21 0039 916 21 0227	115	105	121	0.74 66	0.40 59	0.77 106	1.07 51	3.10 42	3.00 58	-10.85 54	-3.32 26	93	1 1				
916 23 0067 2023/03/28	2	1.93	2377 19 0060 - - -	118	105	127	0.64 55	0.51 59	0.83 106	-0.53 38	3.10 38	3.01 53	-63.75 42	-3.09 21	108	2 3				
916 23 0070 2023/04/08	1	8.71	916 21 0325 916 17 0144	111	116	101	1.84 62	0.85 57	1.77 115	3.50 41	0.00 37	2.68 54	2.07 49	1.90 27	101	2 2				
916 23 0071 2023/04/08	2	1.09	916 21 0325 916 19 0174	107	105	106	1.25 65	-0.21 61	0.42 102	0.65 43	3.70 40	3.26 58	3.35 51	6.56 28	106	2 3				
916 23 0072 2023/04/08	2	1.09	916 21 0325 916 19 0174	107	105	111	0.56 65	0.56 62	0.84 106	0.55 52	4.00 40	3.52 58	2.64 51	6.89 28	109	2 3				
916 23 0073 2023/03/08	1	1.21	916 21 0381 916 15 0410	97	101	92	1.23 67	-0.71 61	-0.10 97	-0.03 52	1.70 42	1.54 59	9.42 55	7.38 28	96	2 2				
916 23 0077 2023/03/23	2	1.40	2377 19 0060 916 17 0124	99	88	115	-1.22 67	-0.14 63	-0.75 91	-2.66 41	1.50 42	-0.46 60	-27.18 56	3.14 25	96	1 2				
916 23 0080 2023/03/28	1	1.89	916 21 0381 916 15 0098	107	110	99	1.89 66	-0.10 61	0.84 106	0.90 48	1.10 43	2.45 59	0.99 54	4.94 29	100	2 3				
916 23 0082 2023/04/12	2	1.06	916 19 0408 916 17 0282	114	123	99	2.33 68	1.47 65	2.63 124	4.09 49	1.10 46	4.46 62	6.22 56	12.13 31	108	2 3				
916 23 0084 2023/05/14	1	1.92	1490 19 0127 916 20 0212	101	105	91	1.71 66	-0.61 61	0.24 101	0.81 40	-1.80 41	0.02 58	2.92 53	-4.38 27	101	2 2				
916 23 0089 2023/05/17	2	1.68	1490 19 0127 916 20 0131	115	102	126	0.69 69	-0.10 65	0.25 101	0.48 46	7.10 42	4.85 61	-0.40 55	-1.39 27	103	2 3				
916 23 0093 2023/05/20	1	0.77	2377 19 0060 916 18 0414	108	103	107	1.06 66	-0.36 61	0.17 100	0.93 43	-0.50 43	0.41 59	-24.03 53	2.89 27	93	1 1				
916 23 0096 2023/05/20	2	0.64	2377 19 0060 916 16 0199	96	90	100	-0.03 67	-1.07 61	-1.09 88	-1.84 49	-0.70 44	-1.52 59	-20.75 58	7.84 30	93	2 1				

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-wean	Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned
								Dir	Mat	Comb			Acc	Index	Acc	Index	EBV	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 23 0105 2023/05/22	1	1.79	1490 19 0127 916 18 0496	97	101	88	68 1.79 114	64 -1.42 82	-0.52 93	-0.64 44 98	-1.20 44 92	-0.35 61 95	0.32 55 100	0.50 30 99	107	2 3						
916 23 0113 2023/05/27	2	2.07	916 21 0039 916 20 0457	119	109	121	66 1.83 114	62 -0.15 99	0.76 106	1.83 47 109	4.80 39 123	4.55 58 119	-9.13 54 116	1.45 23 98	98	1 2						
916 23 0116 2023/05/27	1	0.68	2377 19 0060 916 17 0153	103	91	114	69 -0.12 94	65 -0.82 90	-0.88 90	-1.52 44 94	2.50 43 111	0.56 61 100	-23.55 54 136	5.75 26 90	101	1 3						
916 23 0119 2023/05/29	1	2.24	916 21 0381 916 21 0120	104	108	95	67 1.68 112	64 -0.16 99	0.68 105	1.53 49 108	0.30 41 100	1.70 60 105	2.81 54 96	5.82 27 90	132	3 4						
916 23 0120 2023/05/29	1	1.60	916 21 0381 916 20 0397	91	85	98	63 -0.36 92	58 -1.30 83	-1.48 84	-4.59 45 80	-1.10 37 93	-2.32 55 86	-9.83 48 118	-3.96 24 107	98	2 2						
916 23 0131 2023/05/30	2	2.56	916 21 0183 916 21 0019	107	107	109	68 0.38 99	62 1.16 116	1.34 111	1.02 44 106	3.70 38 118	3.75 59 116	2.96 53 96	11.77 25 80	109	2 3						
916 23 0133 2023/05/30	2	1.47	916 21 0381 916 21 0500	96	97	92	63 1.06 106	53 -1.14 86	-0.61 93	-1.18 51 96	0.60 34 101	0.29 52 99	-0.96 51 102	7.93 26 87	94	2 1						
916 23 0134 2023/05/30	1	4.67	916 21 0039 916 21 0351	99	97	98	65 0.96 105	61 -1.09 86	-0.61 93	-1.00 50 97	-0.40 41 96	-0.37 58 95	-6.21 56 111	-1.62 28 103	99	2 2						
916 23 0137 2023/05/31	2	5.64	916 21 0381 916 21 0352	126	127	111	66 3.71 133	59 0.47 107	2.32 121	4.85 53 123	2.80 40 113	5.86 57 126	2.34 53 97	-0.63 28 101	105	2 3						
916 23 0139 2023/05/31	1	4.40	916 21 0039 916 21 0246	114	97	134	68 -0.53 90	66 0.59 109	0.33 102	-1.10 50 96	7.10 42 135	4.32 61 118	-8.31 56 115	-2.11 27 104	117	2 4						
916 23 0141 2023/06/01	2	2.99	916 21 0381 916 19 0436	117	108	120	67 1.39 110	63 0.20 103	0.90 107	1.07 50 106	3.90 41 119	3.93 59 116	-4.43 53 108	-4.72 28 109	110	2 3						
916 23 0147 2023/06/01	1	3.13	916 21 0039 916 19 0427	106	96	116	66 0.19 97	59 -0.34 96	-0.25 96	-1.35 51 95	3.20 42 115	1.77 58 106	-7.87 55 114	-2.27 25 104	93	1 1						
916 23 0150 2023/06/01	1	1.63	916 21 0039 916 21 0413	109	107	104	65 1.64 112	59 -0.26 97	0.56 104	1.15 53 106	0.50 40 101	1.68 57 105	-3.73 54 107	-2.09 22 104	94	1 1						
916 23 0155 2023/06/04	2	1.15	916 22 0022 916 21 0107	105	108	99	61 1.26 108	51 0.34 105	0.97 108	1.44 39 108	0.30 32 100	1.78 50 106	1.21 43 99	3.39 19 94	95	1 2						
916 23 0163 2023/06/13	1	2.65	916 21 0039 916 21 0103	97	91	103	65 0.13 97	54 -1.06 87	-0.99 89	-2.62 64 89	2.00 40 109	0.28 55 98	-4.88 55 109	3.51 24 94	89	1 1						
916 23 0179 2023/07/18	2	3.82	916 19 0176 916 15 0114	102	99	102	65 1.13 107	55 -0.95 88	-0.38 95	-1.12 48 96	2.80 37 113	1.87 55 106	5.77 45 91	-0.82 21 102		1 0						

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03								
916 23 0180 2023/07/18	2	3.82	916 19 0176 916 15 0114	94	89	102	-0.13 68	94	-1.08 64	86	-1.15 87	-3.36 48	86	3.20 42	115	0.71 60	101	6.77 50	89	-0.02 26	100	102	2 3
916 23 0182 2023/07/19	1	2.70	916 19 0176 916 17 0183	91	101	80	1.07 67	106	-0.56 63	93	-0.02 98	-0.91 49	97	-2.70 43	84	-1.11 60	92	7.23 53	88	4.32 28	93	99	2 2
916 23 0184 2023/07/20	2	2.09	916 19 0176 916 19 0521	102	97	106	0.58 64	101	-0.62 60	92	-0.33 95	-2.09 50	92	2.10 39	109	1.22 57	103	-1.85 52	104	-0.41 26	101	101	2 2
916 23 0185 2023/07/21	1	2.48	916 19 0176 916 16 0342	96	106	84	1.36 65	109	-0.08 57	100	0.60 104	0.05 50	101	-2.70 38	84	-0.34 56	95	8.97 51	85	0.02 20	100	94	1 1
916 23 0188 2023/07/23	2	1.99	916 19 0176 916 17 0096	87	88	89	-0.49 66	91	-0.73 61	91	-0.97 89	-3.55 48	85	-1.00 41	93	-1.82 58	88	3.28 53	95	1.96 26	97	99	2 2
916 23 0189 2023/07/23	2	2.91	916 19 0176 916 17 0181	98	103	94	0.89 67	104	-0.11 62	99	0.33 102	-0.32 50	100	1.10 42	104	1.43 59	104	8.61 55	86	5.57 28	91	101	2 2
916 23 0190 2023/07/23	2	2.91	916 19 0176 916 17 0181	94	95	95	0.40 68	100	-0.78 64	90	-0.58 93	-2.04 50	92	2.00 42	109	0.82 60	101	8.64 55	86	5.49 28	91	104	2 3
916 23 0195 2023/08/13	2	4.32	916 21 0039 916 19 0299	99	90	110	-0.11 68	94	-0.94 64	88	-1.00 89	-2.85 55	88	3.60 43	117	1.11 61	103	-4.35 55	108	1.20 28	98	105	2 3
916 23 0196 2023/08/14	1	1.63	916 22 0302 916 22 0001	105	96	112	0.44 62	100	-0.61 58	93	-0.39 95	-0.94 41	97	3.00 34	114	1.63 54	105	-3.38 48	107	-4.23 22	108	105	2 3
916 23 0201 2023/08/16	2	3.20	916 21 0039 916 18 0175	105	90	122	-0.50 69	90	-0.53 65	94	-0.78 91	-2.93 53	88	5.60 44	128	2.34 62	109	-7.28 56	113	-0.12 29	101	108	2 4
916 23 0202 2023/08/16	2	3.20	916 21 0039 916 18 0175	101	90	113	-0.14 68	94	-0.88 63	89	-0.94 89	-2.82 56	88	3.50 44	117	1.09 61	102	-7.45 56	114	-0.40 29	101	100	2 2
916 23 0207 2023/08/19	1	2.66	916 19 0176 916 21 0264	89	89	89	0.09 67	96	-1.24 62	84	-1.19 87	-3.52 50	85	-1.50 39	90	-2.04 59	87	-2.18 54	105	1.34 26	98	105	2 3
916 23 0208 2023/08/19	1	2.32	916 19 0176 916 18 0034	99	106	92	0.73 60	103	0.52 60	108	0.89 107	0.03 54	101	-2.00 39	88	0.06 55	97	-5.76 55	111	9.30 26	84	103	2 2
916 23 0209 2023/08/19	2	2.05	916 19 0176 916 18 0361	83	85	85	-0.51 66	90	-1.30 60	83	-1.56 83	-3.68 42	85	-1.90 37	88	-2.96 57	83	6.29 50	90	-3.35 19	106	99	1 4
916 23 0214 2023/08/20	2	2.95	916 22 0302 916 18 0400	103	96	105	1.02 65	106	-1.23 60	84	-0.72 91	-0.89 40	97	2.50 40	111	1.29 57	103	-0.51 52	102	-3.14 25	106	97	2 2
916 23 0215 2023/08/20	2	2.95	916 22 0302 916 18 0400	107	101	111	1.00 64	106	-0.58 56	93	-0.08 98	-0.01 40	101	3.60 37	117	2.59 55	110	0.45 42	100	-1.98 21	104	94	1 1

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamberd N Weaned
								Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index	Acc	Index	Acc	Index	Acc	Indexs	Acc	Index	Phenotype	
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 23 0220 2023/08/22	2	1.38	916 22 0302 916 18 0351		99	94	107	-0.27 64	-0.13 93	-0.26 99	-1.33 96	2.60 38	1.17 55	2.71 96	-0.33 21	101	94	1 1			
916 23 0226 2023/08/24	1	1.97	916 21 0039 916 22 0701		106	100	112	0.14 61	0.19 56	0.26 103	-0.05 101	1.30 33	1.11 53	-7.46 50	-4.32 19	108	94	1 1			
916 23 0227 2023/08/25	1	3.43	916 21 0039 916 17 0350		102	92	115	-0.51 71	-0.16 90	-0.41 99	-2.30 94	4.20 46	1.86 64	-2.70 55	1.45 23	98	130	3 5			
916 23 0228 2023/08/25	1	1.65	916 22 0302 916 21 0704		110	104	115	0.53 57	0.39 101	0.66 50	1.28 106	2.20 28	2.25 48	-5.23 47	-4.30 14	108	94	1 1			
916 23 0230 2023/08/26	1	1.21	916 21 0039 916 19 0060		99	93	109	-0.45 66	-0.07 91	-0.29 59	-2.46 100	3.00 39	1.28 57	-1.82 103	3.29 23	95	94	1 1			
916 23 0231 2023/08/26	1	1.87	916 19 0176 916 18 0324		86	92	85	-0.39 66	-0.31 92	-0.50 61	-2.42 97	-2.30 39	-2.08 58	5.80 52	1.70 22	97	97	1 2			
916 23 0232 2023/08/27	1	1.86	916 19 0176 916 21 0275		100	94	105	0.28 65	-0.72 98	-0.58 58	-2.22 91	1.60 37	0.52 56	-0.95 100	-3.93 21	107	94	1 2			
916 23 0234 2023/08/28	1	2.90	916 19 0176 916 19 0439		90	90	95	-0.46 67	-0.56 91	-0.79 62	-3.17 93	0.10 40	-0.96 59	5.06 53	-1.75 23	103	98	1 2			
916 23 0238 2023/08/29	1	1.98	916 22 0302 916 20 0439		109	98	115	1.09 64	-1.01 106	-0.47 56	-0.27 87	4.50 38	2.78 55	-5.34 53	-1.18 22	102	94	1 1			
916 23 0246 2023/09/01	1	1.93	916 19 0176 - - -		106	96	112	0.43 51	-0.48 100	-0.27 53	-3.16 94	0.10 33	0.01 48	-28.58 35	-3.88 16	107	100	2 2			
916 23 0249 2023/09/01	2	1.34	916 22 0302 916 21 0221		123	117	124	1.68 65	1.12 112	1.95 60	4.16 115	4.60 41	5.55 58	-1.83 53	-2.15 27	104	100	2 3			
916 23 0254 2023/09/04	1	4.64	916 21 0039 916 21 0167		97	86	110	-0.45 66	-1.18 91	-1.41 61	-3.55 85	2.90 40	0.11 58	-8.71 47	-0.01 24	100	96	1 2			
916 23 0258 2023/09/07	2	6.44	916 21 0039 916 21 0486		106	94	118	0.17 68	-0.70 97	-0.61 64	-2.05 91	4.30 42	2.05 60	-8.94 54	-1.53 27	103	106	2 3			
916 23 0263 2023/09/03	1	0.96	916 21 0225 916 19 0382		103	109	91	1.57 65	0.13 111	0.92 59	2.01 102	-1.80 40	0.62 57	-0.06 100	3.96 29	94	100	2 2			
916 23 0264 2023/09/03	2	7.49	916 21 0225 916 19 0191		91	95	92	-0.07 68	-0.21 95	-0.25 61	-1.39 98	1.00 42	0.32 59	4.23 53	13.10 28	78	103	2 2			
916 23 0274 2023/09/03	2	0.62	916 21 0225 916 20 0305		104	109	97	1.27 67	0.36 108	0.99 61	2.00 105	-0.10 43	1.56 59	1.50 53	4.79 29	92	103	2 2			

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 23 0278 2023/09/03	1	0.75	916 19 0482 916 18 0491		92	105	77	1.21 64	-0.15 56	0.46 103	0.98 47	-4.50 38	-1.64 55	4.45 39	4.94 23	92	94	1			
916 23 0290 2023/09/06	1	3.80	916 19 0482 916 18 0403		94	104	84	0.58 66	0.38 60	0.67 105	1.21 53	-3.60 41	-1.20 58	0.16 52	6.38 27	89	105	2			
916 23 0292 2023/09/06	1	7.25	916 19 0482 916 18 0303		90	102	80	0.27 66	0.45 58	0.59 104	0.30 65	-4.60 40	-2.03 57	0.91 54	6.39 24	89	95	1			
916 23 0312 2023/09/04	1	2.50	916 19 0176 916 18 0490		73	87	64	-0.39 62	-1.07 51	-1.27 86	-3.64 46	-5.10 37	-4.52 52	12.24 53	6.88 21	88	100	1			
916 23 0320 2023/09/28	2	2.19	916 19 0176 916 19 0506		89	94	86	0.30 67	-0.74 61	-0.59 93	-2.25 51	-1.50 42	-1.34 59	5.74 54	1.53 28	98	99	2			
916 23 0333 2023/10/06	2	1.20	916 21 0225 916 22 0064		100	104	99	0.52 66	0.44 59	0.70 105	0.57 47	1.80 38	2.05 57	10.62 53	4.73 24	92	98	1			
916 23 0337 2023/10/09	1	1.06	916 21 0225 916 18 0026		104	105	100	0.97 68	0.21 61	0.69 105	0.65 56	-1.50 42	0.28 59	-13.57 56	5.85 29	90	96	2			
916 23 0341 2023/10/12	2	1.14	2310 21 0172 916 22 0134		109	117	94	1.90 65	0.92 57	1.88 116	3.90 52	-3.00 41	1.03 56	2.28 54	-4.14 29	108	94	2			
916 23 0350 2023/10/25	2	1.91	2310 21 0172 916 19 0045		104	108	97	1.27 68	0.26 62	0.90 107	1.21 54	-1.40 43	0.69 60	4.70 55	-7.16 29	113	99	2			
916 23 0360 2023/10/06	2	1.65	916 19 0176 916 21 0702		112	115	104	1.65 62	0.85 60	1.67 114	3.01 41	-0.10 33	2.43 55	1.95 46	-4.18 22	108	108	2			
916 23 0366 2023/10/09	1	0.65	916 21 0039 916 16 0009		92	92	91	0.56 66	-1.38 60	-1.10 88	-2.08 58	-0.40 42	-1.06 58	-1.12 55	2.66 24	96	93	1			
916 23 0367 2023/10/12	2	8.63	916 21 0054 916 19 0398		111	104	121	0.04 68	0.95 62	0.97 108	1.20 55	6.40 39	4.83 59	0.82 53	8.81 25	85	108	2			
916 23 0368 2023/10/12	2	8.63	916 21 0054 916 19 0398		112	109	116	0.89 67	0.78 60	1.22 110	2.17 51	5.60 39	5.03 58	4.62 53	7.99 25	87	101	2			
916 23 0370 2023/10/14	2	1.03	916 21 0225 916 18 0452		111	110	109	1.13 65	0.74 57	1.31 111	2.17 45	1.50 40	2.77 56	-1.10 53	-0.06 25	100	95	1			
916 23 0375 2023/10/21	1	0.75	916 21 0225 916 20 0249		113	120	100	2.12 66	1.19 60	2.25 120	4.01 52	-1.30 41	2.53 58	-2.54 54	3.57 30	94	103	2			
916 23 0388 2023/10/06	1	1.97	916 21 0267 916 22 0311		105	100	114	-0.03 67	0.49 61	0.47 103	-0.54 46	4.40 37	3.10 58	5.87 52	0.28 24	100	113	2			

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-wean	Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
								Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 23 0389 2023/10/12	1	1.25	916 21 0267 916 22 0356		110	106	110	1.14 66	0.16 59	0.73 105	0.94 42	105	1.80 36	2.38 56	-2.70 49	-2.80 24	105	104	2 3		
916 23 0393 2023/10/16	1	2.18	916 21 0267 916 22 0258		94	89	101	-0.05 67	-1.13 60	-1.15 87	-3.14 46	87	1.80 36	-0.10 57	-0.76 52	0.19 24	100	108	2 3		
916 23 0394 2023/10/17	2	1.78	916 19 0176 916 18 0052		99	93	109	-0.46 66	-0.06 61	-0.29 96	-2.10 49	92	2.90 38	1.22 58	0.31 44	1.79 20	97	98	1 2		
916 23 0395 2023/10/17	2	1.78	916 19 0176 916 18 0052		98	96	103	-0.02 66	-0.15 61	-0.16 97	-1.51 49	94	0.80 40	0.31 58	-2.34 53	0.82 25	99	101	2 2		
916 23 0396 2023/10/17	1	0.92	916 21 0267 916 22 0349		92	91	94	0.12 65	-1.08 55	-1.02 89	-2.74 44	89	0.40 33	-0.72 54	2.65 40	0.50 19	99	94	1 1		
916 23 0397 2023/04/17	1	1.58	916 22 0485 916 22 0228		95	105	84	1.69 56	-0.72 52	0.13 100	0.88 30	105	0.30 30	1.15 48	30.19 45	0.45 14	100	98	1 2		
916 23 0399 2023/10/19	1	1.90	916 21 0267 916 22 0267		110	107	106	1.98 66	-0.72 56	0.27 101	0.71 46	104	3.20 34	3.18 55	1.31 51	1.72 21	97	99	1 2		
916 23 0401 2023/10/24	1	1.06	916 21 0225 916 18 0083		100	109	92	0.74 64	1.01 57	1.38 112	1.83 54	109	-1.00 37	1.15 55	8.54 51	5.12 26	91	101	2 2		
916 23 0414 2023/11/08	1	2.17	916 19 0176 916 21 0288		92	103	79	1.15 66	-0.29 61	0.28 101	0.11 50	102	-3.50 41	-1.24 58	3.37 53	6.72 28	89	102	2 2		
916 23 0436 2023/10/18	2	1.62	916 21 0054 916 20 0016		125	121	127	1.43 68	2.02 64	2.74 125	4.87 50	123	8.50 37	8.55 59	2.27 52	10.86 24	82	111	2 4		
916 23 0448 2023/10/21	2	1.43	916 21 0054 916 20 0097		109	110	102	1.65 67	0.06 61	0.88 107	2.34 46	112	0.20 38	1.82 58	-2.88 51	0.82 24	99	100	2 3		
916 23 0450 2023/10/21	2	1.66	916 21 0054 916 20 0114		115	105	127	-0.09 66	1.22 56	1.17 110	0.93 53	105	5.50 35	4.43 55	-8.00 53	4.38 19	93	93	1 1		
916 23 0454 2023/10/22	2	2.28	916 21 0054 916 20 0098		112	102	120	0.70 68	-0.05 60	0.30 101	1.10 52	106	5.30 35	3.83 57	-8.62 51	6.61 19	89	96	1 2		
916 23 0456 2023/10/22	2	2.17	916 21 0054 916 19 0005		114	110	115	1.09 68	0.71 62	1.26 110	2.83 48	114	3.90 38	4.14 59	-0.09 52	3.82 24	94	100	2 3		
916 23 0479 2023/10/26	1	1.30	916 21 0267 916 22 0237		85	80	95	-0.82 69	-1.74 65	-2.15 78	-4.67 49	80	2.10 39	-1.30 61	4.26 50	2.31 25	96	111	3 5		
916 24 0002 2024/03/12	1	7.92	916 22 0083 916 20 0080		88	93	84	0.28 55	-0.90 50	-0.76 91	-2.05 42	92	-2.50 32	-2.12 48	6.86 47	-3.21 16	106	93	1 1		

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI T Lamberd N Weaned	
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average :					100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0003 2024/03/12	1	1.53	916 22 0083 916 21 0484		102	109	94	1.18 64	0.53 54	1.12 109	1.22 49	-1.10 34	1.05 53	3.80 48	3.13 18	95	1	1			
916 24 0004 2024/03/14	1	1.97	916 22 0083 916 22 0702		109	109	108	0.89 60	0.83 56	1.28 111	1.80 38	1.30 31	2.50 52	1.82 43	-2.25 20	113	2	3			
916 24 0025 2024/03/24	1	1.65	916 22 0302 916 18 0450		103	92	115	-0.02 65	-0.79 60	-0.80 91	-1.99 37	5.30 37	2.37 57	3.51 48	-3.48 24	107	2	4			
916 24 0026 2024/03/24	2	3.51	916 22 0083 916 19 0348		107	103	112	0.47 65	0.41 56	0.65 105	0.07 52	3.80 38	3.17 55	4.91 50	0.37 20	95	1	1			
916 24 0027 2024/03/24	2	3.51	916 22 0083 916 19 0348		107	100	115	0.28 67	0.22 59	0.36 102	-0.60 53	4.80 38	3.38 57	4.27 52	0.38 20	97	1	2			
916 24 0032 2024/03/25	2	2.79	916 22 0083 916 21 0448		86	90	90	-0.62 64	-0.35 53	-0.66 92	-3.16 50	0.00 34	-0.97 53	14.73 48	-0.73 18	94	1	1			
916 24 0033 2024/03/25	1	7.84	916 22 0094 916 21 0055		109	104	109	1.18 66	-0.21 57	0.38 102	0.31 61	2.50 33	2.47 55	-8.81 42	6.07 18	98	1	2			
916 24 0034 2024/03/25	1	0.94	916 21 0039 916 19 0483		92	86	98	0.07 67	-1.73 62	-1.69 82	-3.55 51	1.40 41	-0.82 59	-5.49 54	3.05 23	96	1	2			
916 24 0037 2024/03/26	2	1.16	916 22 0302 916 21 0103		101	99	104	0.44 63	-0.24 55	-0.02 98	-0.39 41	2.40 38	1.64 54	1.44 52	3.41 20	93	2	2			
916 24 0044 2024/03/28	2	1.59	916 22 0302 916 19 0286		108	96	122	0.22 68	-0.43 65	-0.32 95	-0.94 43	6.80 41	3.87 61	-2.59 52	3.85 26	115	2	4			
916 24 0048 2024/04/03	1	1.65	916 22 0302 916 21 0306		108	101	113	0.65 55	-0.12 42	0.21 100	0.76 32	2.70 24	2.15 43	-2.45 41	-4.38 14		1	0			
916 24 0052 2024/04/11	2	8.60	916 22 0302 916 16 0169		107	94	120	0.30 69	-0.83 65	-0.68 92	-1.18 47	9.40 42	5.11 61	0.20 54	2.70 22	112	2	4			
916 24 0053 2024/04/11	2	8.60	916 22 0302 916 16 0169		112	101	122	0.68 65	-0.25 58	0.09 99	0.25 47	7.80 40	5.11 57	1.41 54	2.67 22	94	1	1			
916 24 0057 2024/03/11	1	1.83	916 19 0176 916 22 0515		97	95	98	0.08 64	-0.36 56	-0.32 95	-1.54 45	-2.20 38	-1.60 55	-13.70 52	0.47 22	96	1	1			
916 24 0061 2024/03/15	2	1.98	916 21 0039 916 22 0468		115	112	107	2.35 65	-0.25 57	0.93 107	2.06 50	1.40 39	2.94 56	-7.90 52	1.78 24	96	1	1			
916 24 0065 2024/03/25	1	0.89	916 21 0039 916 17 0370		100	99	100	0.55 67	-0.40 62	-0.12 97	-0.30 53	-1.00 43	-0.45 60	-7.41 45	-2.30 27	113	2	2			

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI		T Lamed N Weaned
										Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average :							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0066 2024/04/01	1	0.81	916 21 0054 916 18 0028	111	111	117	-0.19 66	94	2.30 56	131	2.21 120	2.61 53	113	4.60 36	122	4.87 55	121	8.42 49	86	7.59 18	87	99	1 1	
916 24 0076 2024/04/28	1	2.09	916 21 0054 - - -	122	106	133	0.56 49	101	0.90 45	113	1.18 110	-0.14 47	100	4.50 26	122	4.16 42	118	-33.90 32	136	-1.65 13	103	97	1 1	
916 24 0077 2024/04/29	1	1.60	916 21 0183 916 17 0355	119	115	115	2.69 66	123	-0.35 57	96	1.00 108	3.56 43	117	6.10 38	130	6.00 56	127	6.27 53	90	1.51 20	98	97	1 1	
916 24 0083 2024/05/03	2	2.36	916 21 0267 916 21 0021	112	106	116	1.12 67	107	0.19 59	103	0.75 106	0.44 45	103	5.00 35	124	4.31 57	118	2.45 49	97	2.00 20	97	102	1 2	
916 24 0095 2024/05/07	1	1.66	916 21 0183 916 18 0444	101	103	99	0.86 67	104	-0.09 60	99	0.34 102	0.42 46	103	1.60 40	107	1.73 58	106	-0.01 54	101	9.66 25	84	102	1 2	
916 24 0114 2024/05/18	2	0.78	916 21 0267 916 20 0278	95	85	109	-0.58 67	90	-1.20 60	85	-1.49 84	-3.97 46	83	3.90 36	119	0.56 57	100	-0.34 42	101	-0.80 22	102	101	1 2	
916 24 0122 2024/05/20	1	1.16	916 21 0267 916 21 0063	103	104	102	0.61 65	102	0.48 55	107	0.79 106	0.18 44	102	0.40 34	100	1.33 54	104	1.97 51	97	0.41 19	100	99	1 1	
916 24 0128 2024/05/22	2	1.13	916 21 0183 916 18 0301	104	101	112	-0.13 67	94	0.72 58	110	0.65 105	0.09 45	101	4.20 39	120	3.11 57	112	5.15 53	92	5.27 22	91	98	1 1	
916 24 0131 2024/05/26	1	5.54	916 21 0054 916 21 0297	110	111	107	0.94 65	105	1.11 55	115	1.58 114	2.54 50	113	1.80 35	108	3.14 54	113	1.96 51	97	4.71 20	92	99	1 1	
916 24 0135 2024/06/01	1	1.30	916 22 0302 916 21 0196	100	99	101	0.66 62	102	-0.43 53	95	-0.10 97	-0.48 38	99	2.10 35	109	1.49 52	104	2.41 48	97	4.05 20	93	100	1 1	
916 24 0137 2024/06/04	1	2.42	916 19 0176 916 22 0013	90	93	88	0.00 64	95	-0.54 56	94	-0.54 93	-2.25 44	91	-1.80 37	89	-1.63 55	89	0.18 53	100	3.26 21	95	98	1 1	
916 24 0138 2024/06/05	1	4.10	916 22 0083 916 18 0175	97	95	101	0.36 66	99	-0.62 56	93	-0.44 94	-1.92 48	92	2.30 38	110	1.12 56	103	6.39 52	90	1.17 21	98	100	1 1	
916 24 0146 2024/06/14	1	2.49	916 21 0183 916 20 0422	99	97	104	-0.03 67	95	-0.03 56	100	-0.05 98	-1.08 48	96	2.50 36	111	1.44 56	104	2.18 52	97	6.01 20	90	100	1 1	
916 24 0153 2024/06/17	1	2.58	916 19 0176 916 22 0397	96	101	88	1.07 64	106	-0.61 56	93	-0.08 98	-0.69 44	98	-2.20 36	87	-0.87 54	93	-3.01 52	106	4.62 21	92	98	1 1	
916 24 0158 2024/06/18	1	2.09	916 22 0083 - - -	107	88	123	0.07 50	96	-1.28 50	84	-1.25 86	-4.90 38	79	3.90 27	119	1.13 45	103	-27.27 29	136	-4.51 13	108	107	1 2	
916 24 0163 2024/06/19	2	4.57	916 21 0054 916 20 0441	101	97	112	-0.61 66	89	0.63 58	109	0.32 101	-0.53 49	99	4.80 34	123	2.90 56	111	1.95 52	97	11.43 20	81	103	1 2	

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility						
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	EPI	T Lamberd N Weaned		
							Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Index							EBV Acc	EBV Index
Active Breed Average :				100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03				
916 24 0168 2024/07/10	2	1.89	916 21 0108 916 19 0077	106	114	93	2.25 66	0.08 118	1.20 102	1.95 110	48 110	-0.10 32	2.26 52	4.06 94	6.40 17	89	1 0	
916 24 0179 2024/06/27	1	1.85	916 19 0176 916 22 0064	97	100	93	0.89 65	-0.52 105	-0.07 94	-0.82 98	46 97	-0.30 38	0.19 56	3.84 94	0.85 21	99	97	1 1
916 24 0181 2024/06/27	1	1.77	916 19 0176 916 22 0356	97	100	92	0.83 65	-0.44 104	-0.03 60	-0.49 95	42 99	-1.50 39	-0.52 57	1.29 99	-0.57 25	101	108	2 2
916 24 0196 2024/07/02	2	5.58	916 21 0039 916 20 0362	99	90	108	0.03 66	-1.11 96	-1.10 59	-2.68 86	52 88	2.30 40	0.30 57	-11.70 55	2.57 23	96	96	1 1
916 24 0203 2024/07/04	1	2.01	916 22 0094 916 19 0045	95	93	98	0.29 65	-0.93 98	-0.79 48	-2.48 88	41 91	1.70 30	0.38 50	6.06 99	-0.78 17	102		1 0
916 24 0204 2024/07/04	1	7.78	916 22 0302 916 21 0199	112	102	122	0.15 64	0.62 97	0.70 55	0.68 109	43 105	5.40 35	4.02 54	-1.36 51	0.62 19	99	97	1 1
916 24 0215 2024/06/07	1	2.09	916 21 0039 - - -	116	94	132	0.48 52	-0.82 100	-0.59 54	-3.35 90	44 93	5.80 33	3.13 48	-39.88 38	-5.17 19	109	102	1 2
916 24 0218 2024/09/14	3	0.97	916 21 0108 916 20 0098	105	107	100	0.98 67	0.45 105	0.94 56	1.43 107	46 108	0.60 33	1.79 55	-3.72 51	9.42 17	84	99	1 1
916 24 0220 2024/09/14	2	3.68	916 22 0083 916 23 0139	110	100	119	0.47 65	-0.07 100	0.16 57	-0.78 100	45 98	5.00 34	3.39 55	-0.96 51	-1.52 19	103	110	2 2
916 24 0222 2024/09/14	2	2.45	916 21 0108 916 19 0362	104	110	98	1.11 65	0.67 107	1.22 56	1.88 110	46 110	0.60 33	2.14 54	5.40 49	6.27 16	89	97	1 1
916 24 0232 2024/09/15	2	0.72	916 21 0108 916 20 0406	108	110	104	1.21 67	0.65 108	1.25 56	2.16 109	49 111	2.00 34	3.05 55	3.51 51	6.51 18	89	102	2 2
916 24 0233 2024/09/16	2	1.37	916 21 0108 916 19 0040	103	108	98	0.99 67	0.49 105	0.99 56	1.51 107	46 108	1.00 35	2.08 55	2.25 51	9.44 19	84	96	1 1
916 24 0238 2024/09/16	2	1.96	916 21 0108 916 22 0002	105	116	91	2.20 65	0.45 118	1.55 49	2.84 107	46 113	0.00 30	2.65 51	9.27 51	9.05 17	85		1 0
916 24 0243 2024/09/17	1	1.65	916 21 0108 916 21 0355	98	101	93	0.76 61	-0.22 103	0.16 51	0.57 98	39 100	-1.20 25	-0.18 49	-0.29 44	2.17 10	97	96	1 1
916 24 0251 2024/09/08	1	0.99	916 21 0225 916 23 0015	107	107	104	0.93 64	0.43 105	0.90 55	1.30 106	48 107	0.60 38	1.72 55	-4.53 54	3.25 24	95	101	1 1
916 24 0259 2024/09/11	1	1.46	916 21 0225 916 23 0182	93	103	82	0.95 64	-0.08 105	0.40 55	0.27 100	47 102	-2.80 37	-0.81 54	4.66 53	6.43 24	89	99	1 1

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents			Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	T Lamed N Weaned
											Dir	Mat	Comb	Post-wean										
								Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Phenotype	
Active Breed Average :								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0261 2024/09/11			2	2.21	916 22 0094 916 23 0113			110	106	110	1.43 64	-0.27 110	97	0.45 103	0.70 43	104	2.80 31	2.84 52	111	-4.78 49	1.88 16	97	101	1 1
916 24 0266 2024/09/17			1	1.14	916 21 0225 916 23 0142			107	109	104	1.05 63	0.59 106	109	1.11 109	1.57 47	108	0.90 36	2.17 53	108	0.74 52	2.00 23	97	100	1 1
916 24 0267 2024/09/17			2	1.52	916 21 0225 916 23 0119			104	112	92	1.55 64	0.53 111	108	1.30 111	2.54 47	113	-1.10 37	1.42 54	104	2.07 53	7.19 23	88	101	1 1
916 24 0272 2024/09/20			1	4.08	916 21 0054 916 23 0073			108	106	109	0.99 64	0.18 106	103	0.67 105	1.42 49	107	3.40 33	3.21 53	113	0.66 52	6.10 19	90	98	1 1
916 24 0289 2024/09/14			1	2.02	916 21 0054 916 22 0265			109	112	104	1.34 62	0.72 109	110	1.39 112	3.04 47	115	1.50 29	2.96 48	112	1.03 52	6.33 18	89		1 0
916 24 0290 2024/09/18			1	4.51	916 21 0183 916 22 0524			103	100	106	0.35 64	0.12 99	102	0.29 101	-0.11 46	101	1.20 33	1.19 51	103	-8.46 53	5.65 21	91		1 0
916 24 0299 2024/09/25			2	1.53	916 21 0054 916 19 0336			101	98	112	-0.66 63	0.77 89	111	0.44 103	-0.28 49	100	4.50 30	2.81 50	111	2.94 51	9.30 19	84		1 0
916 24 0315 2024/09/25			1	2.59	916 22 0094 916 23 0134			100	97	99	1.07 64	-1.13 106	86	-0.59 93	-1.14 44	96	0.80 32	0.43 52	99	-4.07 50	0.38 18	100	101	1 1
916 24 0327 2024/09/27			2	0.78	916 21 0108 916 20 0035			108	111	106	0.89 66	1.16 104	116	1.60 114	2.25 49	111	3.20 33	3.97 53	117	8.19 52	8.73 19	85		1 0
916 24 0328 2024/09/27			1	7.55	916 21 0183 916 20 0284			94	85	103	-0.48 63	-1.22 91	85	-1.46 84	-4.13 43	82	0.80 36	-1.22 54	91	-14.00 50	2.76 20	96	97	1 1
916 24 0330 2024/09/28			2	1.81	916 21 0183 916 22 0454			102	101	102	0.86 65	-0.36 104	96	0.07 99	-0.03 46	101	2.80 35	2.18 54	108	4.62 53	5.62 21	91	101	1 1
916 24 0331 2024/09/28			1	1.11	916 21 0108 916 18 0361			101	108	87	1.96 65	-0.45 115	95	0.53 103	1.94 43	110	-1.90 33	0.37 54	99	3.22 48	1.84 15	97	100	1 1
916 24 0344 2024/10/10			1	1.93	916 21 0201 916 23 0168			107	103	108	0.62 53	0.13 102	102	0.44 103	0.70 30	104	0.30 24	0.93 43	102	-10.32 43	-0.72 12	102	100	1 1
916 24 0347 2024/10/11			1	2.53	916 21 0054 916 15 0375			103	105	106	-0.28 66	1.48 93	120	1.34 111	1.63 52	108	1.80 39	2.28 56	108	-0.21 54	12.43 23	79	101	1 1
916 24 0349 2024/10/11			2	2.46	916 21 0039 916 23 0232			106	96	114	0.43 64	-0.58 100	93	-0.37 95	-1.60 50	94	2.90 38	1.59 55	105	-8.69 46	-3.14 22	106	99	1 1
916 24 0350 2024/10/12			1	26.28	916 21 0039 916 23 0150			110	102	111	1.44 64	-0.84 110	90	-0.13 97	-0.07 51	101	2.40 38	2.03 55	107	-8.68 55	-2.25 22	104	100	1 1

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents			Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Post-wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lambed N Weaned	
											Dir	Mat								Comb
Active Breed Average :								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03		
916 24 0358 2024/10/15	1	2.34	916 21 0328 916 22 0321		116	112	111	2.31 64	-0.23 53	0.92 107	2.56 48	4.70 34	4.90 53	-0.77 51	7.61 21	101	1 2			
916 24 0360 2024/10/16	2	5.55	916 21 0328 916 21 0080		120	112	122	1.95 65	0.04 54	1.02 108	2.46 48	6.50 35	5.89 54	-0.24 49	3.14 22	99	1 1			
916 24 0362 2024/10/17	2	0.79	916 21 0267 916 22 0316		104	101	106	0.83 64	-0.24 50	0.17 100	-0.39 46	2.70 31	2.21 51	3.55 51	-0.26 20		0			
916 24 0364 2024/10/20	2	1.88	916 21 0267 916 21 0345		96	96	97	0.35 65	-0.50 55	-0.33 95	-1.57 46	0.70 35	0.27 54	2.39 40	1.42 21	99	1 1			
916 24 0416 2024/11/03	1	3.12	916 21 0201 916 19 0286		104	97	113	-0.14 62	0.13 54	0.05 99	-1.11 41	3.20 36	1.90 53	-8.74 50	6.68 21	100	1 1			
916 24 0418 2024/11/03	1	4.11	916 21 0183 916 22 0529		98	90	108	-0.59 64	-0.41 50	-0.71 92	-2.23 43	1.30 32	-0.22 51	-17.64 53	7.27 20		0			
916 24 0423 2024/11/08	3	1.63	916 21 0039 916 21 0413		109	107	103	1.77 65	-0.50 58	0.39 102	1.03 53	0.20 39	1.39 56	-7.17 52	-1.98 22	99	1 1			
916 24 0425 2024/11/09	2	0.95	916 21 0201 916 21 0018		97	89	107	-0.53 62	-0.70 56	-0.96 89	-2.65 40	1.70 35	-0.21 53	-10.18 50	2.81 21	102	1 2			
916 24 0429 2024/11/14	1	0.96	916 21 0267 916 22 0225		90	87	100	-1.04 65	-0.37 54	-0.89 90	-3.55 46	0.30 33	-1.23 53	-1.25 51	-0.58 19	99	1 1			
Ewe Flock Average Number of ewes with progeny in the flock: 393								101	100	101	0.60	-0.23	0.07	-0.40	1.32	1.17	-0.13	2.88		

Active ewes with progeny born since Jan 2024



Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0002 2024/03/12	1	7.92	916 22 0083 916 20 0080	88	93	84	0.28 55	98	-0.90 50	89	-0.76 91	-2.05 42	92	-2.50 32	85	-2.12 48	87	6.86 47	89	-3.21 16	106	86	1 1
916 24 0003 2024/03/12	1	1.53	916 22 0083 916 21 0484	102	109	94	1.18 64	107	0.53 54	108	1.12 109	1.22 49	107	-1.10 34	93	1.05 53	102	3.80 48	94	3.13 18	95	120	4 5
916 24 0004 2024/03/14	1	1.97	916 22 0083 916 22 0702	109	109	108	0.89 60	104	0.83 56	112	1.28 111	1.80 38	109	1.30 31	105	2.50 52	109	1.82 43	98	-2.25 20	104	100	1 1
916 24 0010 2024/03/19	1	1.44	916 21 0108 916 19 0003	109	115	97	1.96 62	115	0.60 46	109	1.58 114	2.58 43	113	-1.70 27	89	1.54 48	105	-2.26 32	105	0.94 12	99	4 4	
916 24 0018 2024/03/21	1	3.74	916 22 0094 916 21 0113	100	97	102	0.71 63	103	-0.71 46	91	-0.36 95	-1.02 44	96	2.00 29	109	1.20 49	103	-3.85 38	107	6.23 19	90	99	2 3
916 24 0020 2024/03/22	2	7.74	916 22 0083 916 20 0212	99	101	92	1.29 63	109	-0.81 49	90	-0.17 97	-0.25 41	100	-1.00 33	93	-0.12 51	96	4.65 39	93	-4.92 19	109	125	5 6
916 24 0021 2024/03/22	2	7.74	916 22 0083 916 20 0212	94	96	93	0.42 63	100	-0.65 49	92	-0.44 94	-1.44 41	95	-1.00 33	93	-0.83 51	93	4.65 39	93	-4.92 19	109	125	5 6
916 24 0022 2024/03/22	2	2.39	916 21 0183 916 21 0502	114	107	113	1.98 65	115	-0.66 51	92	0.32 101	1.51 46	108	5.00 33	124	4.31 52	118	-2.37 41	105	5.21 20	91	107	3 6
916 24 0025 2024/03/24	1	1.65	916 22 0302 916 18 0450	103	92	115	-0.02 65	95	-0.79 60	90	-0.80 91	-1.99 37	92	5.30 37	126	2.37 57	109	3.51 48	95	-3.48 24	106	84	1 1
916 24 0026 2024/03/24	2	3.51	916 22 0083 916 19 0348	107	103	112	0.47 65	100	0.41 56	106	0.65 105	0.07 52	101	3.80 38	118	3.17 55	113	4.91 50	92	0.37 20	100	137	6 8
916 24 0027 2024/03/24	2	3.51	916 22 0083 916 19 0348	107	100	115	0.28 67	98	0.22 59	104	0.36 102	-0.60 53	98	4.80 38	123	3.38 57	114	4.27 52	93	0.38 20	100	137	6 8
916 24 0032 2024/03/25	2	2.79	916 22 0083 916 21 0448	86	90	90	-0.62 64	89	-0.35 53	96	-0.66 92	-3.16 50	87	0.00 34	98	-0.97 53	92	14.73 48	76	-0.73 18	102	100	4 4
916 24 0033 2024/03/25	1	7.84	916 22 0094 916 21 0055	109	104	109	1.18 66	107	-0.21 57	98	0.38 102	0.31 61	102	2.50 33	111	2.47 55	109	-8.81 42	116	6.07 18	90	112	3 4
916 24 0034 2024/03/25	1	0.94	916 21 0039 916 19 0483	92	86	98	0.07 67	96	-1.73 62	78	-1.69 82	-3.55 51	85	1.40 41	106	-0.82 59	93	-5.49 54	110	3.05 23	95	114	6 8

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned					
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index	Acc	Index
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 24 0036 2024/03/26			2	1.16	916 22 0302 916 21 0103		105	100	110	0.56 62 101		-0.22 50 98		0.06 99		-0.17 41 100		4.20 34 120		2.86 51 111		2.46 42 97		3.38 20 94		127	4 5
916 24 0037 2024/03/26			2	1.16	916 22 0302 916 21 0103		101	99	104	0.44 63 100		-0.24 55 98		-0.02 98		-0.39 41 99		2.40 38 111		1.64 54 105		1.44 52 98		3.41 20 94		127	4 5
916 24 0040 2024/03/26			1	0.82	916 21 0054 916 17 0196		111	108	116	0.25 65 98		1.36 52 119		1.49 113		1.88 48 110		5.10 34 125		4.67 53 120		1.82 43 98		11.76 21 80		109	5 6
916 24 0041 2024/03/26			1	2.09	- - - 916 21 0018		101	97	105	-0.17 35 94		0.10 35 102		0.02 99		-0.90 26 97		-1.30 26 92		-0.85 33 93		-7.37 30 113		-8.99 18 116		102	4 4
916 24 0042 2024/03/28			1	1.35	916 22 0083 916 19 0387		98	97	101	-0.03 63 95		-0.01 50 101		-0.02 98		-1.58 45 94		0.30 35 100		0.15 52 98		0.48 40 100		-1.52 20 103		117	6 7
916 24 0044 2024/03/28			2	1.59	916 22 0302 916 19 0286		108	96	122	0.22 68 98		-0.43 65 95		-0.32 95		-0.94 43 97		6.80 41 134		3.87 61 116		-2.59 52 105		3.85 26 94		171	7 12
916 24 0048 2024/04/03			1	1.65	916 22 0302 916 21 0306		108	101	113	0.65 55 102		-0.12 42 99		0.21 100		0.76 32 104		2.70 24 112		2.15 43 108		-2.45 41 105		-4.38 14 108		100	2 2
916 24 0050 2024/04/08			1	1.91	916 22 0083 916 20 0361		98	99	98	0.38 48 99		-0.18 41 98		0.00 98		-0.53 38 99		0.10 23 99		0.25 40 98		5.20 30 92		-3.65 13 107		100	3 2
916 24 0052 2024/04/11			2	8.60	916 22 0302 916 16 0169		107	94	120	0.30 69 99		-0.83 65 90		-0.68 92		-1.18 47 96		9.40 42 136		5.11 61 122		0.20 54 100		2.70 22 96		148	9 13
916 24 0053 2024/04/11			2	8.60	916 22 0302 916 16 0169		112	101	122	0.68 65 102		-0.25 58 97		0.09 99		0.25 47 102		7.80 40 136		5.11 57 122		1.41 54 98		2.67 22 96		148	9 13
916 24 0057 2024/03/11			1	1.83	916 19 0176 916 22 0515		97	95	98	0.08 64 96		-0.36 56 96		-0.32 95		-1.54 45 94		-2.20 38 87		-1.60 55 89		-13.70 52 124		0.47 22 100		101	3 3
916 24 0061 2024/03/15			2	1.98	916 21 0039 916 22 0468		115	112	107	2.35 65 119		-0.25 57 97		0.93 107		2.06 50 110		1.40 39 106		2.94 56 112		-7.90 52 114		1.78 24 97		100	2 3
916 24 0063 2024/03/16			1	2.37	916 19 0176 916 22 0450		97	102	89	1.16 62 107		-0.55 50 93		0.03 99		-0.57 46 99		-0.80 34 94		0.13 51 98		5.38 44 92		2.27 21 96		91	1 1
916 24 0065 2024/03/25			1	0.89	916 21 0039 916 17 0370		100	99	100	0.55 67 101		-0.40 62 95		-0.12 97		-0.30 53 100		-1.00 43 93		-0.45 60 95		-7.41 45 113		-2.30 27 104		127	11 11

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 24 0066 2024/04/01			1	0.81	916 21 0054 916 18 0028		111	111	117	-0.19 66	2.30 94 56 131	2.21 120	2.61 53 113	4.60 36 122	4.87 55 121	8.42 49 86	7.59 18 87	149	7 11						
916 24 0070 2024/04/06			1	2.45	916 19 0176 916 22 0346		92	93	93	-0.20 62	-0.33 49 96	-0.43 94	-1.86 42 93	-0.60 33 95	-0.89 50 93	1.70 42 98	2.20 21 97	92	2 2						
916 24 0071 2024/04/06			1	2.58	916 19 0176 916 22 0396		89	94	87	0.13 62	-0.51 49 94	-0.45 94	-2.06 44 92	-1.50 32 90	-1.28 50 91	3.63 41 95	4.61 19 92	92	1 1						
916 24 0072 2024/04/06			1	2.09	- - - 916 22 0070		100	94	107	-0.15 49	-0.33 33 96	-0.40 94	-1.81 22 93	0.10 22 99	-0.42 37 95	-6.07 25 111	-8.83 15 116	93	2 3						
916 24 0076 2024/04/28			1	2.09	916 21 0054 - - -		122	106	133	0.56 49	0.90 45 113	1.18 110	-0.14 47 100	4.50 26 122	4.16 42 118	-33.90 32 136	-1.65 13 103		0						
916 24 0077 2024/04/29			1	1.60	916 21 0183 916 17 0355		119	115	115	2.69 66	-0.35 57 96	1.00 108	3.56 43 117	6.10 38 130	6.00 56 127	6.27 53 90	1.51 20 98	103	6 10						
916 24 0078 2024/05/01			1	2.34	916 19 0176 916 18 0356		90	90	95	-0.56 65	-0.42 53 95	-0.70 92	-2.46 46 90	0.30 37 100	-0.80 54 93	3.29 44 95	3.00 23 95	121	6 9						
916 24 0082 2024/05/03			1	0.92	916 21 0183 916 17 0311		97	104	91	1.15 65	-0.29 52 97	0.28 101	0.56 45 104	1.00 36 104	1.46 53 104	11.26 43 82	6.88 21 88	156	9 12						
916 24 0083 2024/05/03			2	2.36	916 21 0267 916 21 0021		112	106	116	1.12 67	0.19 59 103	0.75 106	0.44 45 103	5.00 35 124	4.31 57 118	2.45 49 97	2.00 20 97	152	5 8						
916 24 0084 2024/05/03			2	2.36	916 21 0267 916 21 0021		107	101	113	0.42 65	0.22 51 104	0.43 102	-0.65 45 98	3.80 32 118	2.92 52 111	-0.48 38 102	2.06 20 97	152	5 8						
916 24 0089 2024/05/05			2	0.74	916 21 0267 916 19 0145		90	88	100	-0.69 65	-0.66 51 92	-1.01 89	-3.49 45 85	3.90 32 119	0.99 52 102	6.83 41 89	10.11 20 83	104	5 6						
916 24 0091 2024/05/06			2	9.05	916 21 0039 916 18 0247		109	99	116	0.55 64	-0.36 55 96	-0.09 98	-0.92 50 97	2.30 35 110	1.57 54 105	-25.75 46 136	4.37 24 93	128	7 8						
916 24 0092 2024/05/06			2	9.05	916 21 0039 916 18 0247		106	94	116	-0.13 64	-0.23 55 98	-0.30 95	-1.84 50 93	2.30 35 110	1.01 54 102	-25.75 46 136	4.37 24 93	128	7 8						
916 24 0093 2024/05/07			1	13.79	916 21 0267 916 21 0243		101	97	104	0.39 63	-0.47 46 94	-0.28 96	-1.53 46 94	0.60 28 101	0.27 48 98	-5.62 36 110	-1.53 18 103	89	3 3						



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned			
										Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 24 0095 2024/05/07			1	1.66	916 21 0183 916 18 0444		101	103	99	0.86 67 104		-0.09 60 99		0.34 102 46 103		1.60 40 107		1.73 58 106		-0.01 54 101		9.66 25 84		121	6 6
916 24 0103 2024/05/13			2	2.91	916 22 0083 916 19 0281		97	98	95	0.86 63 104		-0.73 50 91		-0.30 95 46 97		1.40 34 106		0.97 51 102		8.38 40 86		2.02 20 97		116	5 7
916 24 0106 2024/05/15			2	2.12	916 22 0083 916 20 0188		94	93	101	-0.73 62 88		0.21 47 104		-0.16 97 44 89		1.10 31 104		0.14 49 98		7.42 34 88		-1.07 17 102		105	5 7
916 24 0114 2024/05/18			2	0.78	916 21 0267 916 20 0278		95	85	109	-0.58 67 90		-1.20 60 85		-1.49 84 46 83		3.90 36 119		0.56 57 100		-0.34 42 101		-0.80 22 102		117	4 7
916 24 0122 2024/05/20			1	1.16	916 21 0267 916 21 0063		103	104	102	0.61 65 102		0.48 55 107		0.79 106 44 102		0.40 34 100		1.33 54 104		1.97 51 97		0.41 19 100		122	4 4
916 24 0125 2024/05/22			1	1.70	916 21 0267 916 16 0102		85	89	85	0.03 65 96		-1.30 51 84		-1.28 86 51 88		0.00 34 98		-1.27 52 91		11.47 41 81		2.50 20 96		168	9 10
916 24 0128 2024/05/22			2	1.13	916 21 0183 916 18 0301		104	101	112	-0.13 67 94		0.72 58 110		0.65 105 45 101		4.20 39 120		3.11 57 112		5.15 53 92		5.27 22 91		176	8 14
916 24 0130 2024/05/25			1	1.40	916 22 0083 916 20 0309		96	97	91	1.32 64 109		-1.41 51 82		-0.75 91 49 97		0.40 36 100		0.15 53 98		5.14 42 92		0.11 22 100		133	6 9
916 24 0131 2024/05/26			1	5.54	916 21 0054 916 21 0297		110	111	107	0.94 65 105		1.11 55 115		1.58 114 50 113		1.80 35 108		3.14 54 113		1.96 51 97		4.71 20 92		113	4 4
916 24 0133 2024/05/27			1	2.20	916 19 0176 916 22 0187		96	98	93	0.57 63 101		-0.45 50 95		-0.17 97 46 96		-0.20 33 97		0.00 51 97		5.15 44 92		0.34 21 100		92	2 2
916 24 0135 2024/06/01			1	1.30	916 22 0302 916 21 0196		100	99	101	0.66 62 102		-0.43 53 95		-0.10 97 38 99		2.10 35 109		1.49 52 104		2.41 48 97		4.05 20 93		87	2 2
916 24 0137 2024/06/04			1	2.42	916 19 0176 916 22 0013		90	93	88	0.00 64 95		-0.54 56 94		-0.54 93 44 91		-1.80 37 89		-1.63 55 89		0.18 53 100		3.26 21 95		104	4 4
916 24 0138 2024/06/05			1	4.10	916 22 0083 916 18 0175		97	95	101	0.36 66 99		-0.62 56 93		-0.44 94 48 92		2.30 38 110		1.12 56 103		6.39 52 90		1.17 21 98		187	7 10
916 24 0140 2024/06/06			2	1.06	916 22 0083 916 20 0360		97	96	97	0.65 63 102		-0.85 49 89		-0.52 93 48 95		1.10 34 104		0.46 51 99		6.21 41 90		-1.12 21 102		109	4 6



Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
											Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0142 2024/06/07	2	1.29	916 21 0267 916 22 0159	93	87	102	-0.50 64 90	-0.90 50 89	-1.15 87	-3.24 46 86	1.80 31 108	-0.32 51 96	-1.11 41 103	0.49 19 100	105	3 4								
916 24 0143 2024/06/07	1	2.72	916 21 0183 916 20 0439	97	91	104	0.06 65 96	-0.98 52 88	-0.95 89	-2.06 45 92	3.30 35 116	1.06 53 102	0.58 44 100	4.18 22 93	122	6 8								
916 24 0146 2024/06/14	1	2.49	916 21 0183 916 20 0422	99	97	104	-0.03 67 95	-0.03 56 100	-0.05 98	-1.08 48 96	2.50 36 111	1.44 56 104	2.18 52 97	6.01 20 90	106	5 6								
916 24 0147 2024/06/14	1	2.29	916 21 0183 916 19 0282	100	100	101	0.59 62 101	-0.24 47 97	0.05 99	-0.51 43 99	2.30 29 110	1.72 49 106	3.85 39 94	5.63 18 91	84	1 1								
916 24 0149 2024/06/15	1	1.03	916 21 0108 916 20 0390	110	119	94	2.47 63 120	0.56 47 108	1.79 116	4.06 41 119	-0.50 26 96	2.72 48 110	3.69 32 94	5.94 15 90	104	3 4								
916 24 0152 2024/06/17	2	1.39	916 21 0267 916 20 0305	101	97	105	0.52 65 101	-0.61 52 93	-0.35 95	-1.13 48 96	2.90 34 113	1.65 53 105	2.52 41 96	0.54 22 99	154	6 9								
916 24 0153 2024/06/17	1	2.58	916 19 0176 916 22 0397	96	101	88	1.07 64 106	-0.61 56 93	-0.08 98	-0.69 44 98	-2.20 36 87	-0.87 54 93	-3.01 52 106	4.62 21 92	102	3 3								
916 24 0154 2024/06/18	2	1.19	916 22 0083 916 19 0492	89	95	86	0.43 63 100	-0.80 49 90	-0.59 93	-1.98 46 92	0.50 32 101	-0.07 50 97	14.80 37 75	4.31 17 93	121	6 9								
916 24 0155 2024/06/18	2	1.19	916 22 0083 916 19 0492	79	82	88	-1.62 63 79	-0.42 49 95	-1.23 87	-4.77 46 80	0.50 32 101	-1.74 50 89	14.80 37 75	4.31 17 93	121	6 9								
916 24 0157 2024/06/18	2	2.64	916 21 0267 916 21 0253	95	88	106	-0.35 65 92	-0.98 51 88	-1.15 87	-3.47 44 85	2.90 31 113	0.42 52 99	-0.25 39 101	-0.22 19 101	119	5 7								
916 24 0158 2024/06/18	1	2.09	916 22 0083 - - -	107	88	123	0.07 50 96	-1.28 50 84	-1.25 86	-4.90 38 79	3.90 27 119	1.13 45 103	-27.27 29 136	-4.51 13 108		0								
916 24 0162 2024/06/19	2	4.57	916 21 0054 916 20 0441	101	99	110	-0.71 64 88	1.03 49 114	0.67 105	-0.14 49 100	4.10 31 120	2.78 51 111	2.99 42 96	11.41 20 81	92	3 4								
916 24 0163 2024/06/19	2	4.57	916 21 0054 916 20 0441	101	97	112	-0.61 66 89	0.63 58 109	0.32 101	-0.53 49 99	4.80 34 123	2.90 56 111	1.95 52 97	11.43 20 81	92	3 4								
916 24 0164 2024/06/19	1	0.80	916 21 0108 916 18 0414	104	113	92	1.70 64 113	0.61 51 109	1.46 112	2.83 44 114	-0.50 33 96	2.01 52 107	6.89 38 89	7.26 19 88	121	6 7								



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 24 0166 2024/06/21	1	2.78	916 22 0302 916 21 0102	99	99	99	0.58 58 101		-0.30 45 97		-0.01 98		-0.28 35 100		1.90 29 108		1.42 46 104		4.57 36 93		5.26 18 91		94	2 2	
916 24 0168 2024/07/10	2	1.89	916 21 0108 916 19 0077	106	114	93	2.25 66 118		0.08 51 102		1.20 110		1.95 48 110		-0.10 32 98		2.26 52 108		4.06 50 94		6.40 17 89		145	7 9	
916 24 0169 2024/07/10	1	1.04	916 22 0302 916 18 0047	130	119	128	2.75 63 123		0.20 51 103		1.57 113		4.27 46 120		4.80 34 123		5.83 52 126		-18.30 43 132		1.41 20 98		154	7 10	
916 24 0170 2024/06/22	1	3.06	916 21 0054 916 23 0010	125	121	121	2.37 62 119		0.96 47 113		2.15 119		4.62 48 122		4.20 29 120		5.85 49 126		-5.11 39 110		1.71 18 97		94	1 1	
916 24 0175 2024/06/25	1	2.68	916 22 0302 916 20 0151	117	110	114	2.16 61 117		-0.42 49 95		0.66 105		2.19 39 111		3.60 33 117		3.90 50 116		-4.47 41 108		-1.61 21 103		85	3 3	
916 24 0176 2024/06/27	1	1.28	916 22 0302 916 19 0439	112	107	110	1.87 63 114		-0.61 52 93		0.33 102		1.17 43 106		3.30 36 116		3.24 53 113		0.44 44 100		-3.15 22 106		100	7 7	
916 24 0177 2024/06/27	1	2.03	916 19 0176 916 22 0062	98	101	91	1.31 63 109		-0.79 53 90		-0.13 97		-0.54 45 99		0.00 35 98		0.53 53 100		6.90 44 89		0.91 22 99		124	4 7	
916 24 0178 2024/06/27	1	2.18	916 21 0039 916 19 0506	105	100	106	1.07 65 106		-0.68 55 92		-0.15 97		-0.61 52 98		2.20 41 110		1.71 56 106		-4.46 47 108		1.18 27 98		136	6 7	
916 24 0179 2024/06/27	1	1.85	916 19 0176 916 22 0064	97	100	93	0.89 65 105		-0.52 58 94		-0.07 98		-0.82 46 97		-0.30 38 97		0.19 56 98		3.84 54 94		0.85 21 99		116	4 6	
916 24 0180 2024/06/27	1	0.85	916 21 0039 916 21 0121	102	95	107	0.30 64 99		-0.66 52 92		-0.51 93		-1.60 52 94		1.20 37 105		0.36 53 99		-13.07 46 123		2.99 24 95		100	3 3	
916 24 0181 2024/06/27	1	1.77	916 19 0176 916 22 0356	97	100	92	0.83 65 104		-0.44 60 95		-0.03 98		-0.49 42 99		-1.50 39 90		-0.52 57 95		1.29 49 99		-0.57 25 101		116	4 5	
916 24 0184 2024/06/29	1	2.06	916 19 0176 916 22 0186	94	99	90	0.44 64 100		-0.14 52 99		0.08 99		-1.14 44 96		-1.40 35 91		-0.55 53 94		6.56 44 90		-0.77 21 102		130	4 5	
916 24 0189 2024/07/01	1	2.72	916 19 0176 916 20 0039	89	95	85	0.08 64 96		-0.38 52 96		-0.34 95		-1.66 45 94		-1.60 35 90		-1.26 53 91		6.20 44 90		4.92 21 92		134	6 7	
916 24 0190 2024/07/01	1	1.70	916 21 0039 916 22 0423	108	103	108	1.09 63 106		-0.24 52 98		0.31 101		0.16 50 102		1.40 37 106		1.69 53 105		-8.05 46 115		-0.30 24 101		100	2 2	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
											Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0195 2024/07/02	2	5.58	916 21 0039 916 20 0362	103	94	111	0.30 65	99	54 89	-0.70 92	-1.88 52	93	3.00 38	114	1.25 55	103	-10.53 47	2.53 23	96	110	4 5			
916 24 0196 2024/07/02	2	5.58	916 21 0039 916 20 0362	99	90	108	0.03 66	96	59 86	-1.10 88	-2.68 52	89	2.30 40	110	0.30 57	99	-11.70 55	2.57 23	96	110	4 5			
916 24 0197 2024/07/03	1	2.04	916 21 0267 916 20 0393	111	100	120	0.76 65	103	52 96	0.02 99	-0.45 48	99	6.20 34	131	4.12 53	117	-0.22 42	0.31 23	100	141	4 7			
916 24 0198 2024/07/03	1	1.61	916 21 0267 916 21 0486	95	88	106	-0.30 64	93	50 86	-1.26 86	-3.51 51	85	3.00 31	114	0.40 51	99	-0.34 39	-0.71 19	102	127	4 6			
916 24 0199 2024/07/03	1	2.48	916 22 0083 916 20 0193	97	93	104	-0.34 62	92	48 98	-0.34 95	-2.30 44	91	1.40 32	106	0.33 50	99	4.11 37	-3.97 18	107	105	6 7			
916 24 0201 2024/07/04	1	1.97	916 22 0183 916 22 0484	99	92	108	-0.48 51	91	35 97	-0.52 93	-1.57 24	94	1.20 22	105	-0.04 38	97	-5.35 26	-3.89 13	107	118	3 5			
916 24 0203 2024/07/04	1	2.01	916 22 0094 916 19 0045	95	93	98	0.29 65	98	48 88	-0.79 91	-2.48 41	90	1.70 30	107	0.38 50	99	6.06 49	-0.78 17	102	126	6 8			
916 24 0204 2024/07/04	1	7.78	916 22 0302 916 21 0199	112	102	122	0.15 64	97	55 109	0.70 105	0.68 43	104	5.40 35	127	4.02 54	117	-1.36 51	0.62 19	99	126	6 6			
916 24 0210 2024/06/07	1	8.44	916 21 0039 916 22 0472	92	84	103	-0.57 65	90	54 82	-1.69 82	-4.14 52	82	2.60 38	112	-0.41 55	95	-3.30 46	2.91 25	95	106	3 5			
916 24 0212 2024/06/07	2	1.66	916 22 0302 916 22 0324	98	97	99	0.60 62	102	49 91	-0.44 94	-0.60 37	98	1.30 32	105	0.64 50	100	1.87 41	1.05 19	99	99	3 4			
916 24 0215 2024/06/07	1	2.09	916 21 0039 - - -	116	94	132	0.48 52	100	54 90	-0.59 93	-3.35 44	86	5.80 33	129	3.13 48	112	-39.88 38	-5.17 19	109		0			
916 24 0217 2024/09/14	3	0.97	916 21 0108 916 20 0098	99	100	99	0.29 66	98	51 101	0.20 100	-0.25 46	100	0.90 30	103	0.88 52	101	-3.45 41	9.45 17	84	125	5 9			
916 24 0218 2024/09/14	3	0.97	916 21 0108 916 20 0098	105	107	100	0.98 67	105	56 107	0.94 107	1.43 46	108	0.60 33	101	1.79 55	106	-3.72 51	9.42 17	84	125	5 9			
916 24 0220 2024/09/14	2	3.68	916 22 0083 916 23 0139	110	100	119	0.47 65	100	57 100	0.16 100	-0.78 45	98	5.00 34	124	3.39 55	114	-0.96 51	-1.52 19	103	117	2 4			

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
										Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0222 2024/09/14	2	2.45	916 21 0108 916 19 0362	104	110	98	1.11 65	0.67 56	1.22 110	1.88 46	110	0.60 33	2.14 101	5.40 49	6.27 16	89	111	68					
916 24 0224 2024/09/15	2	0.80	916 21 0108 916 20 0014	104	107	101	1.00 66	0.43 51	0.93 107	1.16 47	106	2.40 32	2.87 111	6.85 40	8.19 18	86	136	59					
916 24 0229 2024/09/15	3	0.84	916 21 0108 916 19 0369	110	109	109	1.27 66	0.37 52	1.00 108	1.25 47	107	3.30 34	3.62 116	2.88 42	3.55 20	94	138	713					
916 24 0230 2024/09/15	3	0.84	916 21 0108 916 19 0369	113	112	109	1.78 66	0.27 52	1.16 110	1.94 47	110	3.30 34	4.03 117	2.88 42	3.55 20	94	138	713					
916 24 0232 2024/09/15	2	0.72	916 21 0108 916 20 0406	108	110	104	1.21 67	0.65 56	1.25 110	2.16 49	111	2.00 34	3.05 109	3.51 51	6.51 18	89	109	59					
916 24 0233 2024/09/16	2	1.37	916 21 0108 916 19 0040	103	108	98	0.99 67	0.49 56	0.99 108	1.51 46	108	1.00 35	2.08 104	2.25 51	9.44 19	84	134	69					
916 24 0234 2024/09/16	2	1.37	916 21 0108 916 19 0040	103	108	98	1.04 66	0.46 51	0.98 108	1.54 46	108	1.10 33	2.16 104	2.68 41	9.43 19	84	134	69					
916 24 0238 2024/09/16	2	1.96	916 21 0108 916 22 0002	105	116	91	2.20 65	0.45 49	1.55 113	2.84 46	114	0.00 30	2.65 51	9.27 51	9.05 17	85	102	34					
916 24 0240 2024/09/16	2	1.97	916 21 0108 916 22 0701	110	117	95	2.31 60	0.37 46	1.53 113	3.92 39	119	-1.30 20	1.90 45	0.67 31	2.13 10	97	100	35					
916 24 0241 2024/09/16	1	0.82	916 21 0108 916 18 0026	104	104	106	-0.11 66	1.20 53	1.15 109	0.27 52	102	-0.60 33	0.73 53	-12.80 45	7.80 20	87	133	79					
916 24 0242 2024/09/16	1	0.73	916 21 0108 916 18 0400	103	109	94	1.50 65	0.18 51	0.93 107	1.65 46	109	-0.30 32	1.50 52	4.88 40	4.50 18	93	117	67					
916 24 0243 2024/09/17	1	1.65	916 21 0108 916 21 0355	98	101	93	0.76 61	-0.22 51	0.16 100	0.57 39	104	-1.20 25	-0.18 49	-0.29 44	2.17 10	97	101	44					
916 24 0244 2024/09/17	1	0.76	916 21 0108 916 19 0367	108	112	98	1.97 65	0.17 50	1.15 109	2.13 47	111	0.10 32	2.19 52	1.97 37	1.85 19	97	90	45					
916 24 0246 2024/09/17	1	0.70	916 21 0267 916 19 0159	90	88	96	-0.65 65	-0.61 51	-0.94 89	-3.01 46	88	0.20 34	-1.14 52	0.26 42	2.38 22	96	96	55					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
											Dir	Mat	Comb		Acc	Index		Acc	Index	EBV Index	Acc	Index	Acc		
Active Breed Average:								100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0251 2024/09/08	1	0.99	916 21 0225 916 23 0015	107	107	104	0.93 64	105	55	106	0.90 107	1.30 48	107	0.60 38	101	55	106	-4.53 54	109	3.25 24	95	100	2 2		
916 24 0253 2024/09/08	1	2.99	916 21 0054 916 23 0080	114	111	115	0.84 63	104	47	117	1.64 114	2.14 48	111	3.30 30	116	49	117	-1.82 42	104	4.82 19	92	100	2 3		
916 24 0259 2024/09/11	1	1.46	916 21 0225 916 23 0182	93	103	82	0.95 64	105	55	100	0.40 102	0.27 47	102	-2.80 37	84	54	93	4.66 53	93	6.43 24	89	99	2 2		
916 24 0261 2024/09/11	2	2.21	916 22 0094 916 23 0113	110	106	110	1.43 64	110	52	97	0.45 103	0.70 43	104	2.80 31	113	52	111	-4.78 49	109	1.88 16	97	98	1 2		
916 24 0264 2024/09/14	1	3.65	916 21 0054 916 23 0051	105	98	116	-0.38 63	92	0.56 47	108	0.37 102	-0.26 50	100	4.10 30	120	49	110	-2.63 42	105	3.67 18	94	93	1 1		
916 24 0266 2024/09/17	1	1.14	916 21 0225 916 23 0142	107	109	104	1.05 63	106	53	109	1.11 109	1.57 47	108	0.90 36	103	53	108	0.74 52	100	2.00 23	97	95	1 1		
916 24 0267 2024/09/17	2	1.52	916 21 0225 916 23 0119	104	112	92	1.55 64	111	55	108	1.30 111	2.54 47	113	-1.10 37	93	54	142 104	2.07 53	97	7.19 23	88	132	3 4		
916 24 0268 2024/09/17	2	1.52	916 21 0225 916 23 0119	103	111	93	1.44 63	110	50	107	1.17 110	2.26 47	111	-0.60 34	95	51	105	3.33 43	95	7.15 23	88	132	3 4		
916 24 0271 2024/09/20	2	1.70	916 21 0225 916 23 0077	99	96	106	-0.70 63	89	0.59 49	108	0.24 101	-0.77 45	98	0.00 34	98	51	97	-11.67 44	121	5.81 23	90	96	1 2		
916 24 0272 2024/09/20	1	4.08	916 21 0054 916 23 0073	108	106	109	0.99 64	106	53	103	0.67 105	1.42 49	107	3.40 33	116	53	113	0.66 52	100	6.10 19	90	96	2 2		
916 24 0279 2024/09/08	1	2.95	916 21 0054 916 22 0345	122	120	118	1.89 63	115	48	119	2.33 121	4.90 46	123	3.10 30	115	50	122	-1.82 41	104	1.12 19	98	99	3 3		
916 24 0281 2024/09/10	1	2.53	916 21 0183 916 22 0509	95	100	89	1.12 62	107	-0.76 47	91	-0.20 96	-0.13 43	101	0.20 30	99	49	99	4.78 39	93	8.69 19	85	96	2 2		
916 24 0283 2024/09/11	2	0.84	916 21 0328 916 20 0132	119	108	127	1.17 65	107	0.34 51	105	0.93 107	2.11 51	111	8.60 34	136	52	130	-0.34 40	101	0.46 20	100	120	7 9		
916 24 0285 2024/09/12	2	1.54	916 21 0108 916 20 0457	113	119	100	2.41 57	120	0.70 48	110	1.90 117	4.16 43	120	1.00 28	104	47	115	2.23 36	97	7.80 17	87	130	4 6		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0287 2024/09/14	2	2.41	916 21 0183 916 22 0014	98	99	96	0.89 64 105	-0.66 49 92	-0.22 96	-0.43 43 99	1.70 32 107	1.25 51 103	5.43 40 91	5.69 20 91	95	2 3								
916 24 0288 2024/09/14	2	2.41	916 21 0183 916 22 0014	94	94	97	0.08 64 96	-0.51 49 94	-0.47 94	-1.53 43 94	1.70 32 107	0.59 51 100	5.43 40 91	5.69 20 91	95	2 3								
916 24 0289 2024/09/14	1	2.02	916 21 0054 916 22 0265	109	112	104	1.34 62 109	0.72 46 110	1.39 112	3.04 47 115	1.50 29 106	2.96 48 112	1.03 52 99	6.33 18 89	97	1 1								
916 24 0290 2024/09/18	1	4.51	916 21 0183 916 22 0524	103	100	106	0.35 64 99	0.12 50 102	0.29 101	-0.11 46 101	1.20 33 105	1.19 51 103	-8.46 53 115	5.65 21 91	114	3 4								
916 24 0292 2024/09/21	2	3.41	916 21 0054 916 23 0137	127	125	120	2.58 63 122	1.35 47 119	2.64 124	5.25 50 125	4.20 30 120	6.45 49 129	-1.14 41 103	2.03 19 97	105	2 3								
916 24 0293 2024/09/21	2	3.41	916 21 0054 916 23 0137	125	122	121	2.19 56 118	1.43 46 120	2.52 123	4.71 50 122	4.20 30 120	6.13 46 127	-1.14 41 103	2.03 19 97	105	2 3								
916 24 0295 2024/09/21	2	0.75	916 21 0267 916 17 0314	100	94	108	-0.02 66 95	-0.38 53 96	-0.39 95	-1.75 47 93	3.50 35 117	1.70 54 105	1.89 42 98	1.56 20 98	180	9 14								
916 24 0298 2024/09/25	2	2.23	916 21 0183 916 22 0414	97	95	102	0.01 62 96	-0.27 47 97	-0.27 96	-1.36 43 95	2.40 29 111	1.17 49 103	2.10 40 97	6.02 18 90	106	2 3								
916 24 0299 2024/09/25	2	1.53	916 21 0054 916 19 0336	101	98	112	-0.66 63 89	0.77 49 111	0.44 103	-0.28 49 100	4.50 30 122	2.81 50 111	2.94 51 96	9.30 19 84	115	3 5								
916 24 0300 2024/09/25	2	1.53	916 21 0054 916 19 0336	103	99	113	-0.41 63 91	0.72 49 110	0.52 103	0.05 49 101	4.50 30 122	3.01 50 112	1.19 41 99	9.36 19 84	115	3 5								
916 24 0302 2024/09/17	1	0.82	916 21 0225 916 23 0147	101	101	104	0.07 62 96	0.47 48 107	0.51 103	-0.03 47 101	0.80 34 102	1.03 50 102	-2.01 44 104	3.11 23 95	93	1 1								
916 24 0305 2024/09/20	2	1.97	916 22 0083 916 23 0389	103	102	102	0.85 55 104	-0.17 45 98	0.25 101	-0.33 43 100	1.20 29 105	1.40 45 104	2.97 38 96	-1.91 18 104	104	2 3								
916 24 0307 2024/09/21	2	1.87	916 22 0094 916 23 0171	100	99	99	0.72 55 103	-0.47 42 94	-0.11 97	-0.70 41 98	0.40 25 100	0.49 43 99	-0.73 36 102	-0.28 14 101	93	1 2								
916 24 0308 2024/09/21	1	3.46	916 21 0225 916 23 0082	108	117	95	1.65 63 112	1.29 50 118	2.11 119	3.38 47 116	-0.20 36 97	2.81 52 111	5.03 44 92	10.30 25 83	108	2 3								

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 24 0310 2024/09/23			1	2.94	916 22 0094 916 23 0131		105	105	104	1.04 63 106		0.04 46 101		0.57 104 42 103		2.70 28 112		2.71 48 110		1.89 37 98		7.03 17 88		109	2 3
916 24 0311 2024/09/23			1	1.27	916 21 0054 916 23 0011		109	100	121	-0.94 62 86		1.38 47 119		0.91 107 46 105		1.70 29 107		1.46 49 104		-16.66 41 129		0.89 19 99		98	2 2
916 24 0315 2024/09/25			1	2.59	916 22 0094 916 23 0134		100	97	99	1.07 64 106		-1.13 52 86		-0.59 93 44 96		0.80 32 102		0.43 52 99		-4.07 50 108		0.38 18 100		99	2 2
916 24 0317 2024/09/25			2	1.00	916 21 0225 916 23 0044		109	109	106	1.43 62 110		0.30 48 105		1.02 108 47 109		2.10 34 109		2.99 50 112		1.81 43 98		3.13 23 95		94	1 2
916 24 0318 2024/09/26			1	1.84	916 22 0094 916 23 0189		98	99	97	0.76 63 103		-0.49 46 94		-0.11 97 44 96		1.50 29 106		1.17 49 103		4.72 38 93		3.93 18 94		101	2 2
916 24 0319 2024/09/26			1	4.03	916 21 0039 916 23 0247		105	101	105	1.06 63 106		-0.63 51 92		-0.10 97 50 99		0.90 35 103		0.97 52 102		-7.56 46 114		-0.53 22 101		95	1 1
916 24 0322 2024/09/26			2	1.84	916 22 0094 916 23 0190		97	97	97	0.74 64 103		-0.86 46 89		-0.49 94 44 94		1.90 29 108		1.02 49 102		4.73 38 93		3.89 18 94		104	2 3
916 24 0324 2024/09/27			1	1.68	916 21 0054 916 23 0096		106	100	116	-0.42 63 91		0.79 47 111		0.58 104 49 103		2.40 31 111		1.82 49 106		-12.68 43 122		6.27 20 89		93	2 1
916 24 0326 2024/09/27			2	0.78	916 21 0108 916 20 0035		115	119	106	2.19 66 118		0.92 51 113		2.01 118 49 119		3.20 33 115		5.03 53 122		6.14 41 90		8.79 19 85		135	5 7
916 24 0327 2024/09/27			2	0.78	916 21 0108 916 20 0035		108	111	106	0.89 66 104		1.16 51 116		1.60 114 49 111		3.20 33 115		3.97 53 117		8.19 52 87		8.73 19 85		135	5 7
916 24 0328 2024/09/27			1	7.55	916 21 0183 916 20 0284		94	85	103	-0.48 63 91		-1.22 55 85		-1.46 84 43 82		0.80 36 102		-1.22 54 91		-14.00 50 125		2.76 20 96		108	4 5
916 24 0330 2024/09/28			2	1.81	916 21 0183 916 22 0454		102	101	102	0.86 65 104		-0.36 55 96		0.07 99 46 101		2.80 35 113		2.18 54 108		4.62 53 93		5.62 21 91		99	2 3
916 24 0331 2024/09/28			1	1.11	916 21 0108 916 18 0361		101	108	87	1.96 65 115		-0.45 55 95		0.53 103 43 110		-1.90 33 88		0.37 54 99		3.22 48 95		1.84 15 97		123	7 8
916 24 0335 2024/09/29			2	1.97	916 21 0183 916 22 0545		106	106	104	1.04 59 106		0.20 45 103		0.72 105 37 109		0.90 23 103		1.78 45 106		-1.28 33 103		1.13 14 98		100	2 4

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned				
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index	
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 24 0340 2024/10/02			2	2.94	916 21 0054 916 23 0002		114	111	113	1.37 63 109		0.61 48 109		1.30 111 49 111		2.18 49 111		3.20 30 115		3.91 50 116		0.54 41 100		0.58 19 99		103	2 4
916 24 0342 2024/10/05			2	0.98	916 21 0225 916 23 0258		103	101	105	0.36 63 99		0.24 50 104		0.42 102 48 101		0.02 48 101		1.40 34 106		1.44 51 104		-2.54 43 105		3.48 23 94		106	2 3
916 24 0344 2024/10/10			1	1.93	916 21 0201 916 23 0168		107	103	108	0.62 53 102		0.13 45 102		0.44 103 30 104		0.70 30 104		0.30 24 100		0.93 43 102		-10.32 43 118		-0.72 12 102		100	2 2
916 24 0347 2024/10/11			1	2.53	916 21 0054 916 15 0375		103	105	106	-0.28 66 93		1.48 57 120		1.34 111 52 108		1.63 52 108		1.80 39 108		2.28 56 108		-0.21 54 101		12.43 23 79		164	9 10
916 24 0349 2024/10/11			2	2.46	916 21 0039 916 23 0232		106	96	114	0.43 64 100		-0.58 56 93		-0.37 95 50 94		-1.60 50 94		2.90 38 113		1.59 55 105		-8.69 46 116		-3.14 22 106		94	1 2
916 24 0350 2024/10/12			1	26.28	916 21 0039 916 23 0150		110	102	111	1.44 64 110		-0.84 56 90		-0.13 97 51 101		-0.07 51 101		2.40 38 111		2.03 55 107		-8.68 55 116		-2.25 22 104		94	1 1
916 24 0351 2024/10/12			1	2.17	916 21 0328 916 22 0134		113	109	111	1.69 63 113		-0.12 49 99		0.73 105 49 110		2.08 49 110		3.80 31 118		3.85 50 116		0.13 39 101		2.41 20 96		108	3 4
916 24 0355 2024/10/15			1	0.71	916 21 0267 916 18 0403		92	90	97	-0.30 65 93		-0.75 51 91		-0.90 90 46 90		-2.41 46 90		0.40 34 100		-0.81 52 93		0.37 42 100		0.79 21 99		107	6 7
916 24 0357 2024/10/15			2	0.99	916 21 0328 916 18 0028		106	103	111	0.70 66 103		0.12 52 102		0.47 103 54 104		0.64 54 104		5.80 35 129		4.30 53 118		9.55 41 84		7.50 21 87		149	7 11
916 24 0358 2024/10/15			1	2.34	916 21 0328 916 22 0321		116	112	111	2.31 64 119		-0.23 53 98		0.92 107 48 113		2.56 48 113		4.70 34 123		4.90 53 121		-0.77 51 102		7.61 21 87		93	2 2
916 24 0359 2024/10/16			2	5.55	916 21 0328 916 21 0080		122	115	123	2.18 64 118		0.26 49 104		1.35 111 48 115		3.15 48 115		6.60 33 133		6.40 51 129		0.35 38 100		3.12 22 95		101	2 3
916 24 0360 2024/10/16			2	5.55	916 21 0328 916 21 0080		120	112	122	1.95 65 115		0.04 54 101		1.02 108 48 112		2.46 48 112		6.50 35 132		5.89 54 126		-0.24 49 101		3.14 22 95		101	2 3
916 24 0362 2024/10/17			2	0.79	916 21 0267 916 22 0316		104	101	106	0.83 64 104		-0.24 50 97		0.17 100 46 99		-0.39 46 99		2.70 31 112		2.21 51 108		3.55 51 95		-0.26 20 101		118	3 5
916 24 0364 2024/10/20			2	1.88	916 21 0267 916 21 0345		96	96	97	0.35 65 99		-0.50 55 94		-0.33 95 46 94		-1.57 46 94		0.70 35 102		0.27 54 98		2.39 40 97		1.42 21 98		101	4 5

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights								EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean				Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Comb			Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 24 0365 2024/10/20	2	1.88	916 21 0267 916 21 0345	94	93	97	-0.08 64	95	-0.49 50	94	-0.53 93	-2.25 46	91	0.70 33	102	-0.15 51	96	2.36 40	97	1.42 21	98	101	4 5				
916 24 0368 2024/10/22	2	1.32	916 21 0108 916 18 0052	105	105	103	0.78 65	103	0.42 51	106	0.81 106	0.99 49	106	1.60 31	107	2.16 52	108	-0.48 39	102	6.89 16	88	147	7 11				
916 24 0373 2024/10/22	2	0.73	916 21 0267 916 20 0272	98	99	97	0.81 64	104	-0.60 50	93	-0.20 96	-0.66 47	98	1.40 33	106	1.05 51	102	6.99 41	89	0.47 23	100	103	3 5				
916 24 0375 2024/10/23	1	0.92	916 21 0267 916 17 0370	83	80	95	-1.75 65	78	-0.70 51	91	-1.57 83	-4.76 44	80	-0.80 33	94	-2.93 52	83	0.38 39	100	-2.68 18	105	127	11 11				
916 24 0381 2024/10/25	2	0.90	916 21 0267 916 22 0228	92	94	92	0.23 57	98	-0.72 48	91	-0.61 93	-1.80 43	93	0.60 30	101	-0.13 47	96	9.70 38	84	1.40 18	98	105	3 4				
916 24 0383 2024/10/26	2	2.46	916 21 0267 916 21 0282	103	96	109	0.48 64	100	-0.63 50	92	-0.39 95	-1.50 47	94	3.10 33	115	1.71 51	106	1.09 41	99	-2.07 22	104	99	2 3				
916 24 0384 2024/10/26	1	25.85	916 21 0267 916 23 0479	83	75	102	-2.09 64	74	-1.03 49	87	-2.07 78	-6.07 45	74	2.40 29	111	-1.68 50	89	1.74 39	98	0.22 19	100	111	3 5				
916 24 0386 2024/10/28	1	1.29	916 21 0267 916 20 0430	85	81	98	-1.72 64	78	-0.49 50	94	-1.35 85	-4.74 46	80	0.20 31	99	-2.09 51	87	0.02 41	101	0.15 19	100	93	4 4				
916 24 0387 2024/10/30	1	2.38	916 21 0267 916 20 0144	103	91	115	-0.04 66	95	-0.88 53	89	-0.90 90	-2.61 47	89	4.30 34	121	1.66 54	105	-4.36 43	108	-1.70 22	103	130	6 11				
916 24 0389 2024/11/03	2	1.93	916 21 0267 916 23 0702	105	101	107	0.54 58	101	-0.05 44	100	0.22 100	0.13 38	102	1.00 21	104	1.09 44	102	-3.27 30	106	-3.97 14	107	100	2 3				
916 24 0393 2024/11/03	1	1.69	916 21 0267 916 20 0097	83	83	88	-0.91 64	86	-1.12 50	86	-1.58 83	-4.32 43	82	-1.90 33	88	-3.18 51	81	0.62 41	100	-2.39 20	104	106	6 7				
916 24 0395 2024/11/03	1	1.95	916 21 0201 916 20 0060	87	87	89	-0.46 58	91	-1.03 44	87	-1.26 86	-3.28 35	86	-2.30 29	86	-2.87 46	83	-4.10 37	108	-0.69 17	102	111	5 5				
916 24 0397 2024/11/03	1	3.74	916 21 0039 916 14 0401	97	89	105	0.01 65	96	-1.22 55	85	-1.22 87	-2.74 50	89	2.40 39	111	0.23 55	98	-4.91 46	109	0.41 25	100	107	5 6				
916 24 0399 2024/11/03	1	2.73	916 21 0267 916 22 0044	101	99	102	0.72 64	103	-0.53 49	94	-0.17 97	-0.98 46	97	2.20 30	110	1.52 50	105	3.13 41	95	2.33 20	96	95	2 3				



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 24 0406 2024/11/03	2	0.75	916 21 0267 916 21 0227	102	94	115	-0.82 64	87	0.38 51	106	-0.03 98	-1.61 45	94	2.80 34	113	1.24 52	103	-3.18 42	106	-3.08 23	106	98	3 5
916 24 0408 2024/11/03	2	0.71	916 21 0267 916 19 0187	81	76	96	-1.58 65	80	-1.37 51	82	-2.16 78	-6.36 46	72	2.60 31	112	-1.39 52	90	4.60 36	93	7.11 19	88	121	6 9
916 24 0412 2024/11/03	2	2.62	916 21 0039 916 20 0073	104	95	111	0.29 59	98	-0.59 54	93	-0.45 94	-1.38 51	95	1.90 39	108	0.84 52	101	-4.86 47	109	-6.77 24	112	137	6 8
916 24 0413 2024/11/03	1	1.91	916 21 0039 916 23 0215	110	99	117	0.85 63	104	-0.65 50	92	-0.23 96	-0.60 48	98	3.90 35	119	2.53 52	110	-8.07 43	115	-2.15 22	104	94	1 1
916 24 0414 2024/11/03	1	1.62	916 21 0267 916 22 0339	98	96	102	-0.08 63	95	-0.04 47	100	-0.08 98	-1.35 42	95	1.10 29	104	0.54 49	100	1.17 36	99	0.49 18	100	93	2 2
916 24 0415 2024/11/03	1	1.48	916 21 0201 916 17 0153	87	82	99	-1.40 60	81	-0.75 47	91	-1.45 84	-4.13 38	82	2.00 32	109	-0.95 49	92	-0.68 37	102	7.22 19	88	173	7 8
916 24 0416 2024/11/03	1	3.12	916 21 0201 916 19 0286	104	97	113	-0.14 62	94	0.13 54	102	0.05 99	-1.11 41	96	3.20 36	115	1.90 53	106	-8.74 50	116	6.68 21	89	171	7 12
916 24 0417 2024/11/03	1	1.47	916 21 0267 916 22 0183	94	89	105	-0.92 61	86	-0.25 46	97	-0.71 92	-3.32 39	86	1.00 27	104	-0.57 47	94	-1.02 33	103	-4.29 15	108	104	3 3
916 24 0418 2024/11/03	1	4.11	916 21 0183 916 22 0529	98	90	108	-0.59 64	90	-0.41 50	95	-0.71 92	-2.23 43	91	1.30 32	105	-0.22 51	96	-17.64 53	131	7.27 20	88	110	3 4
916 24 0420 2024/11/08	2	5.15	916 21 0039 916 21 0352	114	109	115	1.59 65	112	0.06 54	101	0.85 107	1.15 52	106	3.40 39	116	3.69 55	115	-3.34 47	106	-0.82 25	102	110	4 7
916 24 0422 2024/11/08	3	1.63	916 21 0039 916 21 0413	109	107	104	1.72 64	113	-0.38 53	96	0.48 103	1.12 53	106	0.50 37	101	1.64 54	105	-6.04 42	111	-2.01 22	104	131	5 7
916 24 0423 2024/11/08	3	1.63	916 21 0039 916 21 0413	109	107	103	1.77 65	113	-0.50 58	94	0.39 102	1.03 53	106	0.20 39	99	1.39 56	104	-7.17 52	113	-1.98 22	104	131	5 7
916 24 0424 2024/11/09	2	0.95	916 21 0201 916 21 0018	102	98	105	0.25 59	98	-0.16 46	99	-0.04 98	-0.64 40	98	0.90 32	103	0.63 48	100	-8.50 39	115	2.75 21	96	102	4 4
916 24 0425 2024/11/09	2	0.95	916 21 0201 916 21 0018	97	89	107	-0.53 62	90	-0.70 56	91	-0.96 89	-2.65 40	89	1.70 35	107	-0.21 53	96	-10.18 50	118	2.81 21	95	102	4 4

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
											Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 24 0427 2024/11/10	2	0.90	916 21 0267 916 17 0313	97	92	105	-0.27 65	93	-0.43 51	95	-0.57 93	-2.05 49	92	3.50 32	117	1.40 52	104	2.96 40	96	5.20 20	91	107	5 7	
916 24 0428 2024/11/10	1	0.97	916 21 0267 916 20 0323	97	95	100	0.11 63	97	-0.46 49	95	-0.41 94	-1.88 44	93	1.20 32	105	0.37 50	99	-1.69 41	104	4.02 20	93	92	3 3	
916 24 0429 2024/11/14	1	0.96	916 21 0267 916 22 0225	90	87	100	-1.04 65	85	-0.37 54	96	-0.89 90	-3.55 46	85	0.30 33	100	-1.23 53	91	-1.25 51	103	-0.58 19	101	104	3 3	
916 24 0430 2024/11/14	1	3.67	916 21 0267 916 22 0123	88	83	98	-0.94 63	86	-1.07 47	87	-1.54 84	-4.12 42	83	0.40 29	100	-1.77 49	88	-0.80 35	102	-2.17 19	104	92	2 2	
916 24 0431 2024/11/14	1	0.81	916 21 0267 916 22 0518	94	82	111	-1.47 63	81	-0.72 48	91	-1.45 84	-4.29 45	82	1.40 30	106	-1.35 50	90	-15.49 39	127	-0.78 19	102	92	1 1	
916 25 0003 2025/03/27	1	4.14	916 22 0312 916 23 0238	106	103	104	1.54 58	111	-0.75 41	91	0.02 99	0.64 39	104	3.10 28	115	2.64 45	110	2.68 34	96	3.52 17	94	94	1 1	
916 25 0004 2025/03/27	1	1.94	916 22 0312 916 23 0274	106	112	94	2.26 59	118	-0.19 42	98	0.94 107	2.63 41	113	0.80 29	102	2.55 46	110	6.10 35	90	6.51 20	89	103	2 2	
916 25 0006 2025/03/28	1	1.30	916 23 0135 916 23 0264	97	96	99	0.41 63	100	-0.58 45	93	-0.37 95	-1.17 49	96	1.90 28	108	0.97 48	102	-0.01 35	101	7.30 18	88	103	2 2	
916 25 0007 2025/03/29	1	1.78	916 23 0135 916 23 0395	99	95	105	0.10 63	97	-0.48 45	94	-0.43 94	-1.68 49	94	1.70 28	107	0.64 48	100	-3.29 35	106	1.16 17	98	101	2 2	
916 25 0008 2025/03/30	1	2.08	916 23 0135 916 23 0246	104	94	112	0.21 60	98	-0.62 42	92	-0.52 93	-2.67 47	89	1.40 25	106	0.42 45	99	-16.42 29	129	-1.19 14	102	100	2 2	
916 25 0010 2025/03/31	3	5.09	916 22 0312 916 23 0201	107	104	106	1.53 60	111	-0.66 44	92	0.11 99	0.38 43	103	3.60 30	117	3.04 47	112	1.71 36	98	4.05 20	93	108	2 4	
916 25 0011 2025/03/31	3	5.09	916 22 0312 916 23 0201	101	96	107	0.27 60	98	-0.42 44	95	-0.29 96	-1.33 43	95	3.60 30	117	2.01 47	107	1.71 36	98	4.05 20	93	108	2 4	
916 25 0012 2025/03/31	3	5.09	916 22 0312 916 23 0201	103	99	107	0.72 52	103	-0.51 43	94	-0.15 97	-0.72 43	98	3.60 30	117	2.38 43	109	1.71 36	98	4.05 20	93	108	2 4	
916 25 0014 2025/03/31	2	1.63	916 23 0135 916 23 0196	101	92	110	-0.07 62	95	-0.64 44	92	-0.67 92	-1.94 47	92	2.90 25	113	1.03 47	102	-3.81 33	107	-1.36 16	103	105	2 3	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0018 2025/04/03	2	7.32	916 22 0312 916 23 0367	102	100	105	0.60 60	102	-0.21 43	98	0.09 99	-0.06 60	101	4.00 28	119	2.79 46	111	5.76 34	91	8.51 18	86	108	2 3		
916 25 0020 2025/04/04	2	1.17	916 23 0135 916 23 0334	97	93	104	-0.38 63	92	-0.16 44	99	-0.35 95	-1.87 50	93	2.10 27	109	0.73 47	101	-0.15 35	101	4.43 18	93	99	2 2		
916 25 0021 2025/04/04	2	1.17	916 23 0135 916 23 0334	103	101	105	0.46 63	100	0.09 44	102	0.32 101	-0.07 64	101	2.10 27	109	1.81 47	106	-0.15 35	101	4.43 18	93	99	2 2		
916 25 0024 2025/04/04	2	1.79	916 23 0135 916 23 0207	94	91	98	0.13 63	97	-1.02 45	87	-0.96 89	-2.72 50	89	0.60 27	101	-0.53 48	95	-3.21 35	106	1.42 17	98	105	2 3		
916 25 0026 2025/04/05	1	0.97	916 23 0135 916 23 0292	94	96	94	0.06 63	96	-0.16 44	99	-0.13 97	-1.05 66	96	-0.90 28	94	-0.64 48	94	-1.67 35	104	3.95 17	94	95	1 1		
916 25 0030 2025/04/10	1	2.87	916 22 0094 916 19 0230	106	101	108	1.20 65	108	-0.78 49	90	-0.18 97	-0.18 45	100	4.10 32	120	2.88 51	111	4.44 38	93	0.86 19	99	131	5 7		
916 25 0032 2025/04/10	1	1.61	916 22 0312 916 23 0249	112	112	108	1.81 51	114	0.31 41	105	1.22 110	2.82 40	114	3.10 29	115	3.98 42	117	4.44 35	93	3.04 19	95	100	2 3		
916 25 0034 2025/03/28	1	2.49	916 21 0183 916 20 0422	93	89	105	-1.09 65	85	0.00 51	101	-0.55 93	-2.75 48	89	2.80 34	113	0.59 52	100	1.63 43	98	6.03 20	90	106	5 6		
916 25 0037 2025/04/01	1	1.57	916 21 0267 916 18 0081	88	89	91	-0.29 64	93	-0.96 51	88	-1.10 88	-2.85 50	88	0.10 31	99	-1.18 51	91	4.38 39	93	2.48 18	96	141	7 8		
916 25 0039 2025/04/02	2	1.76	916 21 0267 916 21 0502	106	94	118	0.07 65	96	-0.59 51	93	-0.56 93	-1.86 47	93	5.10 31	125	2.54 52	110	-4.36 38	108	0.12 20	100	107	3 6		
916 25 0042 2025/04/05	2	0.73	916 21 0267 916 18 0301	102	93	118	-1.07 60	85	0.54 53	108	0.00 98	-2.08 46	92	4.60 36	122	2.23 52	108	1.71 43	98	0.20 22	100	176	8 14		
916 25 0047 2025/04/07	2	0.73	916 21 0267 916 19 0476	92	92	97	-0.44 65	91	-0.24 51	98	-0.46 94	-2.59 43	89	0.60 32	101	-0.32 52	96	2.59 41	96	3.90 19	94	118	6 8		
916 25 0048 2025/04/07	2	0.73	916 21 0267 916 19 0476	88	87	97	-1.21 65	83	-0.09 51	99	-0.70 92	-3.65 43	85	0.60 32	101	-0.95 52	92	2.59 41	96	3.90 19	94	118	6 8		
916 25 0050 2025/04/07	2	0.94	916 21 0267 916 18 0315	96	92	105	-0.52 65	90	-0.17 52	98	-0.43 94	-2.34 46	91	2.80 34	113	1.00 53	102	1.80 42	98	4.27 21	93	137	7 10		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0055 2025/04/14	1	2.30	916 22 0094 916 19 0439	94	92	99	-0.12 65 94	-0.57 50 93	-0.64 92	-2.57 46 90	1.00 34 104	-0.10 52 97	3.02 40 96	-0.75 20 102	100	7 7							
916 25 0062 2025/04/08	1	2.34	916 21 0267 916 23 0016	109	96	118	0.90 65 105	-1.09 50 86	-0.64 92	-1.43 46 95	4.60 31 122	2.57 51 110	-8.86 41 116	-2.51 20 105	126	3 5							
916 25 0063 2025/04/08	1	3.42	916 23 0135 916 22 0260	99	92	106	0.12 64 97	-0.94 47 88	-0.88 90	-2.41 49 90	2.90 29 113	0.92 49 102	-2.01 34 104	1.25 18 98	109	4 5							
916 25 0064 2025/04/08	1	1.41	916 23 0135 916 23 0214	97	89	107	-0.28 63 93	-0.86 44 89	-1.00 89	-2.60 47 89	2.60 28 112	0.42 48 99	-2.38 34 105	-0.82 17 102	97	2 2							
916 25 0066 2025/04/09	1	3.98	916 22 0312 916 23 0456	111	113	102	2.20 60 118	-0.01 43 101	1.09 109	3.09 41 115	2.70 27 112	3.81 46 116	5.31 34 92	6.02 18 90	100	2 3							
916 25 0068 2025/04/09	1	2.56	916 23 0135 916 22 0013	99	99	97	1.02 64 106	-0.83 46 90	-0.32 95	-0.67 48 98	0.80 30 102	0.67 49 100	-0.72 36 102	3.78 18 94	104	4 4							
916 25 0069 2025/04/09	2	3.66	916 23 0135 916 21 0330	108	108	104	1.56 64 111	-0.07 47 100	0.71 105	1.27 51 107	1.90 31 108	2.63 50 110	-0.08 35 101	4.01 19 93	114	4 5							
916 25 0070 2025/04/09	2	3.66	916 23 0135 916 21 0330	112	113	103	2.40 64 120	-0.23 47 98	0.97 108	2.41 51 112	1.90 31 108	3.31 50 113	-0.08 35 101	4.01 19 93	114	4 5							
916 25 0072 2025/04/11	3	4.31	916 21 0183 916 19 0432	106	107	103	1.32 59 109	0.09 51 102	0.75 106	1.00 46 106	1.90 35 108	2.55 50 110	1.67 43 98	4.95 21 92	113	7 10							
916 25 0073 2025/04/11	3	1.97	916 22 0183 916 19 0432	104	102	105	0.30 53 98	0.40 37 106	0.55 104	0.28 27 102	0.20 26 99	0.82 41 101	-2.81 27 106	-2.25 15 104	113	7 10							
916 25 0075 2025/04/11	2	2.72	916 21 0183 916 20 0439	99	94	104	0.51 65 101	-1.07 52 87	-0.81 91	-1.45 45 95	3.30 35 116	1.43 53 104	0.58 44 100	4.18 22 93	122	6 8							
916 25 0079 2025/04/12	2	2.87	916 23 0135 916 22 0484	101	92	110	-0.05 64 95	-0.69 47 92	-0.71 92	-2.08 49 92	3.00 29 114	1.06 49 102	-4.59 34 109	-0.10 18 101	118	3 5							
916 25 0081 2025/04/12	2	0.90	916 21 0267 916 22 0008	92	88	98	-0.10 64 94	-1.27 50 84	-1.32 86	-3.27 46 86	1.60 31 107	-0.41 51 95	3.15 41 95	-0.42 19 101	105	4 5							
916 25 0083 2025/04/13	1	3.81	916 22 0312 916 23 0227	101	99	103	0.50 61 101	-0.28 45 97	-0.03 98	-0.71 41 98	2.90 30 113	1.96 48 107	4.00 35 94	4.83 18 92	130	3 5							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned			
										Dir	Mat		Comb		Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc			Index	Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 25 0085 2025/04/13			1	1.08	916 21 0108 916 22 0235		103	113	87	2.19 65 118		-0.03 50 100		1.06 109 46 112		-0.90 31 94		1.61 51 105		7.65 39 88		6.87 17 88		123	4 5		
916 25 0086 2025/04/13			1	1.97	916 23 0135 916 22 0353		107	103	108	0.71 59 103		0.15 42 103		0.51 103 45 105		0.90 45 105		0.90 19 103		1.40 43 104		-5.01 23 109		-2.29 12 104		112	4 4
916 25 0087 2025/04/14			1	3.05	916 21 0267 916 22 0089		94	92	101	-0.48 64 91		-0.27 49 97		-0.51 93 44 91		-2.29 44 91		1.60 30 107		0.21 50 98		1.77 39 98		2.55 19 96		97	3 4
916 25 0089 2025/04/14			1	1.45	916 23 0135 916 19 0191		90	84	104	-0.88 66 87		-1.07 50 86		-1.51 84 50 82		-4.23 50 82		4.30 32 121		0.63 52 100		3.04 36 96		7.67 19 87		176	8 14
916 25 0090 2025/04/14			1	1.70	916 21 0267 916 16 0102		85	88	85	-0.09 59 95		-1.27 51 84		-1.32 86 51 87		-3.10 51 87		0.00 34 98		-1.37 50 90		11.47 41 81		2.50 20 96		168	9 10
916 25 0092 2025/04/15			2	1.61	916 23 0135 916 22 0175		96	93	101	-0.19 64 94		-0.38 47 96		-0.47 94 48 92		-2.08 48 92		1.30 30 105		0.21 50 98		1.71 34 98		0.42 18 100		125	4 5
916 25 0096 2025/04/01			1	0.89	916 22 0094 916 18 0247		103	97	108	0.33 64 99		-0.40 48 95		-0.23 96 43 94		-1.47 43 94		1.10 27 104		0.59 49 100		-17.05 36 130		6.68 19 89		128	7 8
916 25 0097 2025/04/01			1	2.46	916 22 0094 916 22 0381		97	99	92	1.31 64 109		-1.14 47 86		-0.48 94 43 96		-1.17 43 96		-0.20 30 97		0.05 50 97		2.67 36 96		0.32 18 100		108	3 4
916 25 0100 2025/04/01			1	0.95	916 22 0094 916 21 0221		106	105	109	0.15 65 97		1.00 49 114		1.08 109 46 105		0.97 46 105		2.10 34 109		2.41 52 109		2.68 40 96		1.19 22 98		122	5 6
916 25 0102 2025/04/01			1	1.99	916 22 0094 916 19 0145		103	106	95	2.26 64 118		-1.11 48 86		0.02 99 44 104		0.67 44 104		3.40 31 116		3.19 50 113		7.63 38 88		12.18 19 79		104	5 6
916 25 0103 2025/04/01			1	1.80	916 22 0094 916 20 0039		93	95	92	0.27 64 98		-0.54 48 94		-0.41 94 43 94		-1.50 43 94		0.30 31 100		-0.09 50 97		3.61 37 95		5.93 18 90		134	6 7
916 25 0104 2025/04/04			1	1.11	916 22 0094 916 18 0047		107	97	118	-0.43 65 91		0.45 49 107		0.24 101 48 96		-1.07 48 96		2.60 31 112		1.58 51 105		-15.72 39 128		3.82 19 94		154	7 10
916 25 0106 2025/04/04			2	2.22	916 22 0094 2310 19 0051		102	100	102	0.96 65 105		-0.60 49 93		-0.13 97 50 98		-0.72 50 98		1.40 30 106		1.19 51 103		0.27 37 100		-1.05 19 102		111	5 7
916 25 0107 2025/04/04			1	1.51	916 22 0094 916 22 0034		96	101	87	1.53 63 111		-1.01 46 87		-0.24 96 42 99		-0.40 42 99		-0.60 30 95		0.17 49 98		2.90 38 96		6.05 19 90		94	3 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0109 2025/04/04	2	1.88	916 22 0094 916 22 0064	101	100	101	1.00 64 106	-0.68 48 92	-0.18 97	-0.79 44 98	2.10 31 109	1.58 50 105	3.21 39 95	1.80 18 97	116	4 6							
916 25 0112 2025/04/08	1	1.33	916 22 0094 916 22 0324	92	97	86	0.96 64 105	-1.14 47 86	-0.66 92	-1.13 40 96	-0.90 29 94	-0.72 49 94	4.45 36 93	3.46 17 94	99	3 4							
916 25 0113 2025/04/08	1	1.23	916 22 0094 916 21 0484	102	105	97	1.01 64 106	0.10 47 102	0.61 104	0.45 47 103	-0.20 28 97	0.99 49 102	-1.13 35 103	4.80 16 92	120	4 5							
916 25 0115 2025/04/08	2	2.46	916 22 0094 916 22 0458	96	98	92	1.18 64 107	-1.15 47 85	-0.56 93	-0.92 43 97	0.40 30 100	0.27 50 98	2.93 36 96	3.63 18 94	107	3 4							
916 25 0117 2025/04/11	2	1.49	916 22 0094 916 22 0029	101	105	95	1.47 64 110	-0.41 47 95	0.33 102	0.64 45 104	0.80 30 102	1.54 50 105	5.00 37 92	4.87 18 92	103	3 4							
916 25 0118 2025/04/11	1	1.93	916 22 0094 916 22 0220	95	99	88	1.31 64 109	-1.08 47 86	-0.42 94	-0.81 42 97	-0.10 30 98	0.18 50 98	4.76 38 93	5.07 19 92	99	3 3							
916 25 0119 2025/04/11	2	1.56	916 22 0094 916 21 0021	106	102	111	0.41 65 100	0.32 49 105	0.52 103	-0.54 43 99	3.40 31 116	2.76 51 111	0.32 35 100	4.14 18 93	152	5 8							
916 25 0120 2025/04/11	2	1.56	916 22 0094 916 21 0021	102	98	111	-0.27 65 93	0.44 49 107	0.31 101	-1.46 43 94	3.40 31 116	2.21 51 108	0.32 35 100	4.14 18 93	152	5 8							
916 25 0121 2025/04/14	2	3.61	916 22 0094 916 22 0251	104	102	102	1.36 64 109	-0.70 48 91	-0.02 98	-0.17 44 100	2.50 31 111	2.16 50 108	3.93 38 94	1.20 20 98	112	4 5							
916 25 0122 2025/04/14	2	3.61	916 22 0094 916 22 0251	106	104	102	1.71 64 113	-0.77 48 91	0.09 99	0.32 44 103	2.50 31 111	2.45 50 109	3.93 38 94	1.20 20 98	112	4 5							
916 25 0124 2025/04/14	2	1.52	916 22 0094 916 20 0131	112	98	127	0.21 66 98	-0.08 50 100	0.02 99	-0.27 46 100	7.60 32 136	4.69 52 120	-1.49 40 103	-0.91 18 102	130	6 11							
916 25 0125 2025/04/14	1	14.34	916 22 0094 916 22 0092	102	106	94	1.55 64 111	-0.40 47 95	0.38 102	0.57 43 104	-0.30 30 97	0.97 50 102	3.34 38 95	0.84 19 99	106	4 4							
916 25 0126 2025/04/17	1	0.84	916 22 0094 916 18 0351	99	101	96	1.03 65 106	-0.55 50 93	-0.03 98	-0.36 44 99	0.90 33 103	1.02 52 102	4.86 39 92	2.09 19 97	161	9 12							
916 25 0128 2025/04/17	1	2.13	916 22 0094 916 18 0356	93	89	102	-0.58 65 90	-0.55 49 93	-0.84 90	-2.59 44 89	2.20 33 110	0.19 51 98	0.70 38 100	4.02 20 93	121	6 9							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0133 2025/04/26	2	2.81	916 22 0403 916 23 0227	105	102	107	0.80 61 104	-0.18 45 98	0.22 100	-0.19 40 100	3.00 31 114	2.42 48 109	1.35 36 98	3.47 18 94	130	3 5									
916 25 0134 2025/04/26	2	2.81	916 22 0403 916 23 0227	104	101	107	0.67 61 102	-0.16 45 99	0.18 100	-0.37 40 99	3.00 31 114	2.31 48 108	1.35 36 98	3.47 18 94	130	3 5									
916 25 0135 2025/04/27	1	3.60	916 22 0312 916 20 0237	105	108	100	1.29 60 109	0.30 44 105	0.94 107	1.64 40 108	1.70 31 107	2.61 47 110	3.95 35 94	7.15 20 88	114	4 5									
916 25 0136 2025/04/28	1	1.14	916 23 0135 916 21 0288	101	105	94	1.35 64 109	-0.30 48 97	0.38 102	0.73 49 104	-0.30 33 97	0.87 51 101	-0.81 35 102	6.45 21 89	116	3 4									
916 25 0137 2025/04/28	1	0.82	916 21 0108 916 22 0237	102	114	84	2.59 64 122	-0.31 49 97	0.98 108	3.05 46 115	-1.30 30 92	1.50 50 104	6.39 41 90	9.57 19 84	92	2 2									
916 25 0138 2025/04/28	2	0.95	916 23 0135 916 22 0071	105	99	111	0.28 65 98	0.04 48 101	0.18 100	-0.67 49 98	3.10 31 115	2.18 51 108	-1.00 36 102	1.12 19 98	116	4 6									
916 25 0139 2025/04/28	2	0.95	916 23 0135 916 22 0071	104	98	111	0.06 65 96	0.08 48 102	0.12 99	-0.96 49 97	3.10 31 115	2.01 51 107	-1.00 36 102	1.12 19 98	116	4 6									
916 25 0141 2025/04/28	2	2.12	916 21 0267 - - -	108	90	124	-0.16 46 94	-0.81 36 90	-0.89 90	-4.51 38 81	3.70 21 118	1.25 36 103	-31.98 30 136	-4.93 14 109		0									
916 25 0145 2025/04/29	2	4.08	916 23 0135 916 19 0391	92	85	105	-0.82 65 87	-0.87 49 89	-1.28 86	-3.61 52 85	3.70 32 118	0.53 51 100	2.24 37 97	4.88 20 92	114	5 8									
916 25 0146 2025/04/30	1	2.12	916 21 0108 - - -	117	109	117	1.60 47 112	0.14 35 103	0.94 107	0.01 39 101	1.50 20 106	2.64 36 110	-29.27 30 136	1.21 10 98		0									
916 25 0150 2025/04/30	1	1.54	916 22 0083 916 21 0446	99	107	87	1.50 63 111	-0.10 47 99	0.65 105	1.20 50 106	-2.20 31 87	0.08 49 97	5.15 38 92	1.20 18 98	98	3 3									
916 25 0153 2025/05/01	2	15.64	916 22 0083 916 22 0070	99	98	98	0.84 62 104	-0.73 48 91	-0.32 95	-1.14 44 96	1.40 32 106	0.94 50 102	4.86 39 92	0.09 20 100	93	2 3									
916 25 0154 2025/05/01	2	15.64	916 22 0083 916 22 0070	98	97	98	0.68 62 102	-0.71 48 91	-0.36 95	-1.34 44 95	1.40 32 106	0.82 50 101	4.86 39 92	0.09 20 100	93	2 3									
916 25 0159 2025/05/03	2	5.62	916 22 0403 916 23 0436	119	118	115	2.10 61 117	0.85 44 112	1.89 117	3.83 41 118	5.20 27 126	6.06 47 127	3.84 35 94	8.18 18 86	111	2 4									

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned			
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0160 2025/05/03	1	5.48	916 23 0136 916 18 0414	103	105	101	0.89 0.23 0.67 0.63 59 104 45 104 105 33 104		1.60 2.07 6.35 1.95 31 107 47 107 32 90 20 97		121 67														
916 25 0165 2025/05/07	2	1.23	916 23 0135 916 21 0438	105	110	98	1.39 0.39 1.09 1.83 63 110 44 106 109 49 109		0.40 2.02 1.92 6.05 28 100 48 107 33 97 18 90		93 23														
916 25 0166 2025/05/07	2	1.23	916 23 0135 916 21 0438	104	108	98	1.08 0.45 0.99 1.40 63 106 44 107 108 49 107		0.40 1.77 1.92 6.05 28 100 48 106 33 97 18 90		93 23														
916 25 0167 2025/05/09	1	4.91	2750 22 0780 916 23 0226	105	102	106	0.81 -0.23 0.17 0.72 55 104 35 98 100 28 104		0.30 0.76 -5.67 -4.47 20 100 39 101 28 110 13 108		94 11														
916 25 0170 2025/05/11	1	1.97	916 22 0432 916 23 0003	107	109	100	1.67 -0.09 0.74 2.05 50 112 31 99 105 29 110		0.80 2.05 1.23 2.58 22 102 36 107 24 99 14 96		94 11														
916 25 0171 2025/05/11	1	4.87	2750 22 0780 916 21 0297	101	104	93	1.52 -0.59 0.17 1.03 57 111 39 93 100 32 106		-0.90 0.39 1.19 0.08 27 94 43 99 30 99 17 100		113 44														
916 25 0172 2025/05/12	2	1.97	916 22 0432 916 23 0397	98	103	90	1.27 -0.52 0.11 0.99 48 108 28 94 99 20 106		-0.30 0.57 12.21 -2.82 15 97 33 100 22 80 7 105		98 12														
916 25 0173 2025/05/12	2	1.97	916 22 0432 916 23 0397	97	103	90	1.18 -0.51 0.09 0.88 48 107 28 94 99 20 105		-0.30 0.50 12.21 -2.82 15 97 33 100 22 80 7 105		98 12														
916 25 0174 2025/05/13	2	4.32	916 21 0328 916 24 0044	116	106	123	1.35 -0.14 0.54 1.37 64 109 49 99 104 48 107		7.70 5.83 -0.23 4.12 32 136 51 126 40 101 21 93		115 24														
916 25 0175 2025/05/13	2	4.32	916 21 0328 916 24 0044	115	104	123	1.04 -0.08 0.44 0.96 64 106 49 100 103 48 105		7.70 5.58 -0.23 4.12 32 136 51 125 40 101 21 93		115 24														
916 25 0177 2025/05/14	2	1.98	916 22 0094 916 24 0004	108	107	104	1.52 -0.16 0.60 1.06 62 111 44 99 104 41 106		1.60 2.32 1.33 0.02 25 107 47 109 34 99 15 100		113 23														
916 25 0178 2025/05/14	1	1.36	2750 22 0780 916 20 0093	91	90	96	-0.62 -0.46 -0.78 -2.13 56 89 35 95 91 26 91		-0.50 -1.39 0.32 -1.06 22 96 40 90 24 100 15 102		87 11														
916 25 0179 2025/05/14	1	1.40	2750 22 0780 916 21 0426	98	105	90	0.87 0.14 0.58 1.09 56 104 36 103 104 30 106		-1.90 -0.13 0.10 5.67 22 88 40 96 25 101 15 91		90 21														
916 25 0180 2025/05/14	1	1.16	916 23 0135 916 22 0177	95	93	98	0.15 -0.75 -0.67 -1.82 64 97 46 91 92 49 93		1.20 0.13 -0.50 4.73 30 105 49 98 35 102 19 92		99 33														

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0182 2025/05/15	2	1.48	916 21 0108 916 23 0139	112	110	112	1.07 0.85 1.39 1.95 64 106 49 112 112 46 110		2.80 3.61 -1.84 4.16 29 113 50 115 41 104 17 93		117	24													
916 25 0183 2025/05/19	2	1.48	916 22 0083 916 19 0148	102	103	99	1.53 -0.84 -0.07 -0.15 63 111 49 90 98 42 100		2.30 2.08 9.55 -0.77 31 110 50 107 38 84 18 102		118	58													
916 25 0184 2025/05/19	2	1.48	916 22 0083 916 19 0148	101	100	99	1.17 -0.77 -0.18 -0.65 63 107 49 91 97 42 98		2.30 1.78 9.55 -0.77 31 110 50 106 38 84 18 102		118	58													
916 25 0187 2025/05/25	2	7.20	916 23 0135 916 20 0393	119	110	119	2.30 -0.57 0.59 2.02 65 119 49 93 104 51 110		6.10 5.40 -1.95 1.99 33 130 51 124 37 104 22 97		141	47													
916 25 0188 2025/05/25	2	7.20	916 23 0135 916 20 0393	112	101	120	0.80 -0.29 0.11 -0.03 65 104 49 97 99 51 101		6.10 4.17 -1.95 1.99 33 130 51 118 37 104 22 97		141	47													
916 25 0195 2025/05/26	1	3.30	916 23 0136 916 22 0167	89	90	95	-0.78 -0.15 -0.54 -2.99 58 88 41 99 93 33 88		-0.10 -0.99 6.70 -1.05 27 98 44 92 31 89 18 102		92	22													
916 25 0196 2025/05/26	1	0.80	916 21 0267 916 23 0093	99	91	108	-0.37 -0.48 -0.67 -2.20 63 92 48 94 92 44 91		1.10 -0.19 -12.40 0.51 30 104 50 96 40 122 19 99		93	11													
916 25 0197 2025/05/26	1	4.44	916 21 0328 916 24 0023	118	110	120	1.89 -0.16 0.79 2.19 64 115 46 99 106 49 111		6.60 5.69 -0.17 4.81 30 133 49 125 37 101 19 92		103	22													
916 25 0200 2025/05/24	2	18.54	916 23 0432 916 23 0368	111	105	119	0.27 0.94 1.07 1.48 56 98 40 113 109 41 108		5.40 4.45 2.42 5.79 25 127 43 119 34 97 16 90		101	23													
916 25 0201 2025/05/24	2	18.54	916 23 0432 916 23 0368	112	107	118	0.49 0.90 1.14 1.78 47 100 40 113 109 41 109		5.40 4.63 2.42 5.79 25 127 39 120 34 97 16 90		101	23													
916 25 0202 2025/05/26	2	2.62	2750 22 0780 916 23 0388	107	104	106	1.15 -0.16 0.41 1.06 57 107 37 99 102 28 106		1.90 2.12 0.99 -2.18 21 108 41 108 29 99 15 104		113	23													
916 25 0205 2025/05/26	1	2.61	2750 22 0780 916 21 0326	99	100	96	0.53 -0.12 0.15 -0.09 57 101 38 99 100 29 101		-0.60 0.05 -3.19 3.85 25 95 42 97 29 106 17 94		94	33													
916 25 0206 2025/05/31	2	2.00	916 21 0328 916 24 0025	115	105	121	1.35 -0.34 0.33 1.01 57 109 47 96 102 47 106		7.00 5.21 2.82 0.46 31 135 47 123 39 96 20 100		107	24													
916 25 0207 2025/05/31	2	2.00	916 21 0328 916 24 0025	115	104	122	1.27 -0.33 0.31 0.90 63 108 47 96 101 47 105		7.00 5.15 2.82 0.46 31 135 49 122 39 96 20 100		107	24													

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0209 2025/05/31	2	1.44	916 21 0108 916 21 0414	101	113	85	2.02 56 116	0.15 46 103	1.16 109	2.40 48 112	-2.30 27 86	0.78 45 101	5.29 35 92	5.70 15 90	91	23							
916 25 0210 2025/06/01	1	4.67	2750 22 0780 916 23 0230	99	95	105	-0.10 56 94	-0.25 36 97	-0.30 95	-1.31 30 95	1.20 23 105	0.37 41 99	-2.86 30 106	-0.67 14 102	94	11							
916 25 0212 2025/06/03	1	1.27	916 23 0136 916 22 0004	96	98	96	0.23 59 98	-0.09 42 99	0.02 99	-1.40 35 95	0.00 29 98	0.13 46 98	3.33 35 95	1.12 17 98	95	33							
916 25 0213 2025/05/25	1	1.21	916 22 0094 916 22 0145	95	97	93	0.76 62 103	-0.90 44 89	-0.52 93	-1.41 42 95	1.60 27 107	0.82 47 101	4.17 34 94	8.56 16 86	90	11							
916 25 0214 2025/05/25	1	1.51	916 22 0094 916 21 0264	95	94	95	0.46 63 100	-0.95 47 88	-0.72 91	-2.36 44 90	-0.10 29 98	-0.55 49 94	-3.80 37 107	3.22 18 95	95	33							
916 25 0215 2025/05/28	1	3.07	916 22 0094 916 17 0290	92	92	96	-0.05 65 95	-0.67 50 92	-0.69 92	-2.66 45 89	2.50 34 111	0.79 52 101	11.14 39 82	4.79 19 92	162	1012							
916 25 0217 2025/06/01	1	1.97	916 22 0328 916 22 0400	98	94	100	0.25 55 98	-0.69 32 92	-0.57 93	-1.37 31 95	0.00 21 98	-0.44 38 95	-2.94 24 106	-3.25 13 106	94	11							
916 25 0218 2025/06/01	2	4.55	916 22 0094 916 21 0198	100	102	94	1.72 64 113	-1.14 48 86	-0.28 96	-0.06 44 101	1.30 33 105	1.36 51 104	4.10 39 94	4.54 21 92	107	45							
916 25 0219 2025/06/01	2	4.55	916 22 0094 916 21 0198	91	90	95	-0.22 64 93	-0.78 48 90	-0.89 90	-2.70 44 89	1.30 33 105	-0.22 51 96	4.10 39 94	4.54 21 92	107	45							
916 25 0220 2025/06/04	1	2.32	916 22 0094 916 22 0035	89	93	88	0.37 63 99	-1.08 46 86	-0.90 90	-2.24 45 91	0.40 30 100	-0.47 49 95	6.11 39 90	7.86 20 87	87	22							
916 25 0221 2025/06/04	1	1.97	916 22 0328 916 20 0066	90	94	83	0.57 57 101	-1.06 36 87	-0.78 91	-1.08 29 96	-3.70 24 79	-2.71 41 84	-1.30 27 103	-2.11 14 104	125	66							
916 25 0222 2025/06/07	1	1.97	916 22 0328 916 17 0355	109	97	120	0.04 58 96	-0.13 39 99	-0.11 97	0.01 28 101	4.70 26 123	2.73 43 111	-1.74 29 104	-5.63 14 110	103	610							
916 25 0224 2025/06/14	1	3.14	916 22 0094 916 20 0188	97	96	102	-0.11 57 94	-0.08 46 100	-0.14 97	-1.89 42 93	1.60 28 107	0.77 46 101	3.52 31 95	0.59 16 99	105	57							
916 25 0227 2025/08/15	1	2.80	916 23 0135 916 21 0063	102	102	103	0.28 64 98	0.40 46 106	0.54 104	-0.23 48 100	0.50 30 101	0.97 49 102	-2.68 35 105	2.14 18 97	122	44							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs weaned	TWW	AFL		ILP		Dam EPI T Lamb N Weaned			
										Dir	Mat					EBV Acc	EBV Index	EBV Acc	EBV Index			EBV Acc	EBV Index
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0230 2025/08/08	1	4.95	916 24 0216 916 22 0397		105	110	93	1.98 62	-0.15 44	0.84 106	1.93 38	-0.40 26	1.58 47	-2.49 32	9.06 16	102	3						
916 25 0232 2025/08/10	2	1.97	916 23 0135 916 22 0701		96	91	105	-0.66 59	-0.27 43	-0.60 93	-1.88 43	0.80 20	-0.45 44	-3.77 25	-2.33 12	100	3						
916 25 0233 2025/08/10	1	0.99	916 24 0216 916 22 0349		100	104	95	1.16 62	-0.24 44	0.34 102	0.54 39	0.20 27	1.04 47	1.29 33	6.16 16	98	3						
916 25 0236 2025/08/13	2	1.75	916 24 0216 916 23 0071		107	108	102	1.56 62	-0.12 43	0.65 105	1.44 38	2.30 25	2.81 46	-0.05 33	8.00 16	106	2						
916 25 0237 2025/08/13	2	1.75	916 24 0216 916 23 0071		106	106	103	1.26 62	-0.07 43	0.56 104	1.05 38	2.30 25	2.57 46	-0.05 33	8.00 16	106	2						
916 25 0238 2025/08/13	1	2.22	916 22 0094 916 24 0061		109	107	103	1.97 62	-0.65 44	0.34 102	0.80 44	1.60 28	2.28 47	-3.54 37	2.03 17	96	1						
916 25 0239 2025/08/13	1	1.17	916 24 0216 916 22 0228		98	106	87	1.54 62	-0.34 43	0.43 102	1.28 38	-0.40 26	0.96 46	8.37 31	7.05 14	105	3						
916 25 0241 2025/08/13	2	3.51	916 23 0135 916 20 0406		96	88	110	-0.93 65	-0.38 49	-0.84 90	-2.84 51	3.70 31	0.91 51	0.41 36	2.00 18	109	5						
916 25 0244 2025/08/13	1	4.17	916 22 0094 916 22 0346		102	101	99	1.20 63	-0.72 44	-0.12 97	-0.06 40	1.30 28	1.26 48	-0.89 35	3.22 18	92	2						
916 25 0245 2025/08/13	1	1.97	916 22 0328 916 23 0134		95	91	100	-0.25 56	-0.71 33	-0.83 90	-1.89 30	-0.60 21	-1.32 39	-5.99 28	-3.85 14	99	2						
916 25 0248 2025/08/13	2	1.44	916 22 0094 916 20 0341		93	94	94	0.14 63	-0.59 47	-0.52 93	-1.64 42	0.20 29	-0.33 49	3.22 36	3.10 17	130	5						
916 25 0249 2025/08/13	2	1.21	916 24 0216 916 23 0049		111	113	102	2.17 62	0.05 43	1.14 109	2.87 39	1.70 26	3.24 46	0.92 33	6.14 17	107	2						
916 25 0254 2025/08/14	1	1.48	916 24 0216 916 20 0385		107	111	100	1.41 63	0.56 44	1.26 111	2.08 40	0.60 28	2.33 48	-1.35 34	8.79 17	107	4						
916 25 0256 2025/08/14	1	2.54	916 23 0136 916 20 0060		83	85	88	-1.27 59	-0.44 42	-1.08 88	-3.97 32	-2.20 28	-3.03 45	5.41 34	-3.11 17	111	5						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Comb		Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0257 2025/08/15	1	7.51	916 23 0136 916 23 0015	107	99	114	0.41 59 100		-0.08 42 100		0.12 100		-0.83 37 97		3.20 28 115		2.25 45 108		-4.02 36 108		-1.11 19 102		100	2 2	
916 25 0258 2025/08/15	3	1.35	916 24 0216 916 23 0116	105	100	107	0.72 62 103		-0.40 44 95		-0.04 98		0.15 39 102		1.70 26 107		1.34 47 104		-13.50 34 124		7.60 15 87		101	1 3	
916 25 0259 2025/08/15	3	2.09	916 24 0215 916 23 0116	106	98	108	0.70 49 103		-0.61 34 93		-0.27 96		0.29 22 102		0.80 22 102		0.57 37 100		-14.66 27 126		-0.16 13 101		101	1 3	
916 25 0260 2025/08/15	3	1.35	916 24 0216 916 23 0116	103	97	108	0.29 62 98		-0.32 44 96		-0.18 97		-0.44 39 99		1.70 26 107		0.98 47 102		-13.50 34 124		7.60 15 87		101	1 3	
916 25 0264 2025/08/15	2	2.45	916 22 0312 916 23 0231	93	99	88	0.65 59 102		-0.37 42 96		-0.05 98		-0.64 41 98		-0.40 28 96		0.04 45 97		8.25 34 87		4.96 17 92		97	1 2	
916 25 0265 2025/08/15	2	4.62	916 24 0216 916 23 0155	110	114	98	2.39 60 120		0.00 39 101		1.19 110		2.97 37 114		0.60 22 101		2.75 43 111		-1.12 30 103		6.42 13 89		95	1 2	
916 25 0268 2025/08/15	2	2.17	916 22 0178 916 23 0105	95	99	88	1.27 62 108		-1.13 44 86		-0.49 94		-1.19 35 96		-1.10 29 93		-0.52 47 95		3.32 34 95		0.12 19 100		107	2 3	
916 25 0272 2025/08/15	2	1.07	916 24 0216 916 22 0524	114	112	107	1.85 63 114		0.18 45 103		1.10 109		2.45 42 112		0.30 28 100		2.21 48 108		-16.06 36 128		6.33 18 89		114	3 4	
916 25 0275 2025/08/15	1	1.18	916 23 0135 916 21 0004	97	97	100	-0.06 63 95		-0.01 46 101		-0.03 98		-1.44 47 95		1.50 29 106		0.84 49 101		0.06 35 101		7.79 18 87		93	3 3	
916 25 0276 2025/08/15	1	1.78	916 23 0135 916 23 0370	105	101	108	0.56 63 101		-0.02 44 101		0.26 101		-0.01 48 101		2.10 28 109		1.80 48 106		-2.67 35 105		0.72 17 99		95	1 1	
916 25 0278 2025/08/15	2	2.06	916 23 0136 916 20 0457	109	107	110	0.93 59 105		0.44 43 107		0.91 107		1.06 31 106		3.00 27 114		3.17 45 113		1.68 29 98		2.50 18 96		130	4 6	
916 25 0280 2025/08/17	2	1.97	916 22 0328 916 24 0052	104	94	114	0.18 57 97		-0.72 35 91		-0.64 92		-0.94 29 97		4.30 21 121		2.03 40 107		-2.79 27 106		-1.69 11 103		112	2 4	
916 25 0281 2025/08/17	2	1.97	916 22 0328 916 24 0052	100	89	115	-0.68 57 89		-0.56 35 93		-0.91 90		-2.12 29 92		4.30 21 121		1.33 40 104		-2.79 27 106		-1.69 11 103		112	2 4	
916 25 0282 2025/08/17	1	1.54	916 22 0178 916 22 0531	101	99	97	1.13 62 107		-0.88 44 89		-0.32 95		-0.56 36 99		-1.60 30 90		-0.71 48 94		-11.44 35 120		-1.15 19 102		97	3 3	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0283 2025/08/17	2	1.33	916 23 0136 916 23 0011	106	101	109	0.37 58	99	0.16 41	103	0.34 102	0.33 33	103	0.20 26	99	0.65 44	100	-12.58 34	122	-1.56 18	103	98	2 2
916 25 0284 2025/08/17	2	1.97	916 22 0167 916 23 0047	104	99	107	0.45 35	100	-0.26 30	97	-0.04 98	-0.13 25	101	2.10 21	109	1.45 30	104	-1.71 26	104	-0.90 12	102	100	2 3
916 25 0285 2025/08/17	2	1.97	916 22 0167 916 23 0047	107	103	107	1.22 48	108	-0.41 31	95	0.20 100	0.92 25	105	2.10 21	109	2.07 35	107	-1.71 26	104	-0.90 12	102	100	2 3
916 25 0287 2025/08/17	1	1.66	916 22 0178 916 21 0340	87	93	82	0.11 59	97	-0.69 39	92	-0.63 92	-1.95 30	92	-2.90 24	83	-2.32 43	86	4.94 24	92	1.05 15	99	91	2 2
916 25 0289 2025/08/19	1	1.28	916 24 0216 916 22 0423	109	113	96	2.27 62	118	0.00 42	101	1.13 109	2.68 39	113	-0.20 26	97	2.14 46	108	-1.49 33	103	5.59 17	91	100	2 2
916 25 0291 2025/08/19	2	3.00	916 24 0216 916 23 0195	103	99	105	0.71 62	103	-0.46 44	95	-0.10 97	-0.53 42	99	2.20 26	110	1.57 47	105	-3.90 34	107	5.32 16	91	105	2 3
916 25 0296 2025/08/19	2	3.60	916 23 0136 916 23 0360	109	109	107	1.07 58	106	0.65 40	109	1.19 110	1.43 33	108	1.30 24	105	2.50 43	109	2.75 32	96	-2.19 16	104	108	2 3
916 25 0297 2025/08/19	1	2.17	916 24 0216 916 23 0120	98	96	99	0.48 61	100	-0.62 41	92	-0.38 95	-1.54 39	94	-0.10 24	98	-0.20 45	96	-6.64 31	112	2.75 15	96	98	2 2
916 25 0298 2025/08/19	2	1.52	916 24 0216 916 23 0479	98	97	97	0.84 63	104	-0.95 44	88	-0.53 93	-0.78 40	98	1.50 25	106	0.80 47	101	0.41 32	100	5.88 15	90	111	3 5
916 25 0299 2025/08/19	2	1.52	916 24 0216 916 23 0479	93	91	98	-0.22 63	93	-0.75 44	91	-0.86 90	-2.23 40	91	1.50 25	106	-0.07 47	97	0.41 32	100	5.88 15	90	111	3 5
916 25 0300 2025/08/19	1	2.93	916 22 0178 916 23 0027	98	99	96	0.79 61	104	-0.60 42	93	-0.20 96	-0.99 37	97	0.50 28	101	0.49 46	100	1.91 34	98	1.90 17	97	94	1 1
916 25 0301 2025/08/19	2	1.39	916 24 0216 916 23 0067	114	105	119	0.83 60	104	0.32 42	105	0.73 105	0.27 37	102	2.00 24	109	2.34 45	109	-33.60 29	136	3.18 14	95	108	2 3
916 25 0302 2025/08/19	2	1.39	916 24 0216 916 23 0067	121	113	117	2.20 60	118	0.06 42	101	1.16 110	2.15 37	111	2.00 24	109	3.46 45	114	-33.60 29	136	3.18 14	95	108	2 3
916 25 0303 2025/08/19	1	2.12	916 23 0135 - - -	109	92	124	0.10 46	97	-0.77 32	90	-0.72 91	-3.78 43	84	3.70 19	118	1.55 34	105	-33.71 23	136	-3.25 12	106		0

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Comb		Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0307 2025/08/20	1	1.43	916 24 0216 916 21 0413	105	111	93	1.95 62 115	0.03 44 101	1.01 108	2.34 43 112	-1.20 26 92	1.26 47 103	0.53 28 100	3.88 14 94	131	5 7									
916 25 0308 2025/08/20	1	1.65	916 24 0216 916 21 0355	100	99	98	0.91 57 105	-0.76 40 91	-0.30 95	0.15 32 102	0.00 16 98	0.15 41 98	-4.52 22 109	1.68 8 97	101	4 4									
916 25 0313 2025/08/20	2	2.12	916 22 0178 - - -	108	95	117	0.52 43 101	-0.81 29 90	-0.56 93	-3.52 27 85	1.80 19 108	0.79 32 101	-28.43 20 136	-4.13 11 108		0									
916 25 0316 2025/08/24	2	3.03	916 23 0135 916 21 0352	108	106	107	1.20 65 108	0.04 48 101	0.64 105	0.61 51 104	2.60 31 112	2.80 51 111	2.83 36 96	1.10 19 98	110	4 7									
916 25 0317 2025/08/30	1	14.15	916 22 0178 916 22 0014	92	95	90	0.45 62 100	-0.74 44 91	-0.52 93	-1.74 35 93	-0.20 29 97	-0.41 47 95	6.99 30 89	1.40 18 98	95	2 3									
916 25 0319 2025/08/30	2	2.67	916 22 0178 916 20 0132	108	102	112	0.96 63 105	-0.28 46 97	0.20 100	0.29 38 102	3.80 30 118	2.97 49 112	1.75 33 98	-1.87 16 104	120	7 9									
916 25 0322 2025/08/30	4	4.86	916 22 0178 916 23 0209	88	91	86	0.10 54 97	-1.07 42 87	-1.02 89	-2.73 34 89	-1.50 26 90	-1.86 43 88	6.30 32 90	-1.80 15 103	99	1 4									
916 25 0323 2025/08/30	4	4.86	916 22 0178 916 23 0209	88	91	86	0.10 54 97	-1.07 42 87	-1.02 89	-2.73 34 89	-1.50 26 90	-1.86 43 88	6.30 32 90	-1.80 15 103	99	1 4									
916 25 0325 2025/08/30	2	2.12	916 23 0135 - - -	109	92	124	0.10 46 97	-0.77 32 90	-0.72 91	-3.78 43 84	3.70 19 118	1.55 34 105	-33.71 23 136	-3.25 12 106		0									
916 25 0328 2025/08/19	1	1.67	916 22 0094 916 24 0137	95	96	94	0.50 62 101	-0.74 44 91	-0.49 94	-1.76 42 93	0.00 27 98	-0.24 47 96	0.50 37 100	2.77 16 96	98	1 1									
916 25 0332 2025/08/20	1	1.94	916 22 0178 916 22 0183	96	97	95	0.32 59 99	-0.36 41 96	-0.20 96	-1.57 28 94	-0.90 25 94	-0.58 44 94	2.53 24 96	-3.48 13 106	104	3 3									
916 25 0335 2025/08/21	2	1.52	916 24 0216 916 23 0479	99	98	97	1.01 63 106	-0.98 44 88	-0.47 94	-0.55 40 99	1.50 25 106	0.93 47 102	0.41 32 100	5.88 15 90	111	3 5									
916 25 0336 2025/08/23	1	0.96	916 23 0135 916 23 0220	98	91	108	-0.45 62 91	-0.39 43 96	-0.62 92	-2.17 47 91	2.70 27 112	0.78 47 101	-0.77 34 102	0.59 16 99	94	1 1									
916 25 0344 2025/08/15	2	4.39	916 23 0135 916 19 0369	106	94	118	0.15 66 97	-0.62 50 93	-0.54 93	-2.03 50 92	5.40 34 127	2.78 52 111	-1.56 37 103	-0.91 21 102	138	7 13									

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned			
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0346 2025/08/17	3	4.32	916 23 0135 916 19 0040	94	87	108	-1.01 65 85	-0.36 49 96	-0.86 90	-3.01 49 88	3.20 32 115		0.56 51 100		-1.75 37 104		4.97 20 92		134	6 9					
916 25 0347 2025/08/17	3	4.32	916 23 0135 916 19 0040	93	86	108	-1.27 65 83	-0.31 49 97	-0.94 89	-3.37 49 86	3.20 32 115		0.34 51 99		-1.75 37 104		4.97 20 92		134	6 9					
916 25 0349 2025/08/20	2	5.25	916 23 0135 916 19 0358	98	97	100	0.66 65 102	-0.68 48 92	-0.35 95	-0.82 52 97	2.40 32 111		1.42 51 104		5.31 36 92		3.84 19 94		135	6 8					
916 25 0352 2025/08/20	1	2.92	916 24 0216 916 19 0387	108	109	102	1.53 63 111	0.06 46 101	0.82 106	1.56 40 108	0.40 30 100		1.82 49 106		-5.56 33 110		3.72 17 94		117	6 7					
916 25 0353 2025/08/20	1	1.83	916 22 0094 916 24 0153	96	97	94	0.72 62 103	-0.72 44 91	-0.36 95	-1.41 42 95	-0.20 27 97		-0.12 47 97		-1.09 37 103		3.45 16 94		98	1 1					
916 25 0354 2025/08/20	1	1.97	916 22 0328 916 24 0037	98	95	103	0.02 55 96	-0.38 30 96	-0.37 95	-0.86 27 97	0.80 19 102		0.12 37 98		-2.17 26 104		-1.34 10 103		93	2 2					
916 25 0357 2025/08/24	2	2.44	916 22 0094 916 24 0095	101	101	99	0.95 63 105	-0.52 45 94	-0.04 98	-0.39 43 99	1.70 28 107		1.45 48 104		0.41 37 100		5.98 17 90		102	1 2					
916 25 0358 2025/08/24	2	2.44	916 22 0094 916 24 0095	100	100	100	0.82 63 104	-0.49 45 94	-0.08 98	-0.57 43 99	1.70 28 107		1.35 48 104		0.41 37 100		5.98 17 90		102	1 2					
916 25 0360 2025/08/25	2	3.53	916 22 0178 916 23 0002	100	102	92	1.71 55 113	-1.05 43 87	-0.20 96	-0.58 37 98	-0.10 28 98		0.60 44 100		6.00 33 91		-1.90 18 104		103	2 4					
916 25 0362 2025/08/25	1	3.54	916 22 0178 916 23 0119	100	105	91	1.66 62 112	-0.58 44 93	0.25 101	0.49 36 103	-0.40 28 96		0.83 47 101		4.56 34 93		2.78 18 96		132	3 4					
916 25 0364 2025/08/30	4	4.86	916 22 0178 916 23 0209	88	91	86	0.13 61 97	-1.07 43 86	-1.01 89	-2.70 34 89	-1.50 26 90		-1.84 46 88		6.30 32 90		-1.80 15 103		99	1 4					
916 25 0365 2025/09/01	1	1.61	916 22 0094 916 24 0003	104	107	96	1.62 62 112	-0.30 43 97	0.51 103	0.70 43 104	0.40 26 100		1.56 46 105		2.31 36 97		2.71 15 96		95	1 1					
916 25 0366 2025/09/01	2	1.97	916 22 0328 916 24 0052	102	92	115	-0.22 57 93	-0.65 35 92	-0.76 91	-1.48 29 94	4.30 21 121		1.71 40 106		-2.79 27 106		-1.69 11 103		112	2 4					
916 25 0367 2025/09/01	2	1.97	916 22 0328 916 24 0052	102	91	115	-0.32 57 92	-0.63 35 92	-0.79 91	-1.63 29 94	4.30 21 121		1.63 40 105		-2.79 27 106		-1.69 11 103		112	2 4					

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03							
916 25 0368 2025/09/05	2	2.00	916 22 0178 916 21 0055	98	97	100	0.16 62	97	-0.15 45	99	-0.07 98	-1.48 38	94	0.30 29	100	0.19 48	98	-4.25 31	108	4.73 18	92	112	3 4	
916 25 0369 2025/09/05	2	2.00	916 22 0178 916 21 0055	99	99	99	0.51 62	101	-0.21 45	98	0.05 99	-1.00 38	97	0.30 29	100	0.48 48	99	-4.25 31	108	4.73 18	92	112	3 4	
916 25 0371 2025/09/05	2	1.50	916 22 0178 916 18 0028	92	96	91	0.24 64	98	-0.45 47	95	-0.33 95	-1.52 42	94	1.00 31	104	0.39 50	99	11.64 33	81	5.18 17	91	149	7 11	
916 25 0373 2025/09/05	2	1.40	916 22 0178 916 20 0390	97	100	94	0.68 60	102	-0.27 42	97	0.07 99	-0.44 29	99	-0.30 25	97	0.23 45	98	4.54 24	93	0.61 16	99	104	3 4	
916 25 0375 2025/09/06	2	1.75	916 22 0178 916 19 0483	83	88	80	-0.09 63	95	-1.23 46	84	-1.27 86	-3.36 37	86	-2.00 30	88	-2.51 49	85	6.16 33	90	4.08 18	93	114	6 8	
916 25 0376 2025/09/10	1	2.25	916 22 0178 916 21 0522	93	97	91	0.32 62	99	-0.40 45	95	-0.24 96	-1.62 36	94	-0.60 29	95	-0.44 48	95	4.86 32	92	2.40 18	96	103	4 5	
916 25 0378 2025/08/19	1	2.57	916 22 0178 916 18 0444	97	104	89	1.09 62	106	-0.17 47	98	0.38 102	0.19 39	102	-1.20 35	92	0.20 50	98	2.86 37	96	5.34 23	91	121	6 6	
916 25 0383 2025/08/24	2	2.12	916 23 0135 916 23 0399	103	98	107	0.75 62	103	-0.70 43	91	-0.33 95	-1.05 49	96	3.00 26	114	1.85 46	106	-1.47 34	103	1.61 16	98	99	1 2	
916 25 0384 2025/08/24	1	7.59	916 23 0135 916 23 0047	99	91	111	-0.40 62	92	-0.43 44	95	-0.63 92	-2.37 50	90	3.90 28	119	1.51 47	105	-0.95 34	102	2.90 17	95	100	2 3	
916 25 0386 2025/08/18	1	2.90	916 22 0403 916 22 0339	109	114	97	2.19 59	118	0.10 42	102	1.19 110	2.70 36	113	0.60 28	101	2.65 45	110	4.26 30	93	4.17 17	93	93	2 2	
916 25 0390 2025/08/21	1	1.68	916 22 0403 916 23 0188	94	96	94	0.28 60	98	-0.37 43	96	-0.23 96	-1.54 40	94	0.40 29	100	0.15 46	98	4.34 36	93	3.73 19	94	99	2 2	
916 25 0392 2025/08/21	2	2.69	916 22 0403 916 24 0034	97	96	99	0.61 60	102	-0.88 43	89	-0.58 93	-1.48 41	94	1.60 29	107	0.69 46	100	-0.04 36	101	4.28 18	93	96	1 2	
916 25 0393 2025/08/21	2	2.69	916 22 0403 916 24 0034	96	94	99	0.33 60	99	-0.83 43	90	-0.66 92	-1.86 41	93	1.60 29	107	0.46 46	99	-0.04 36	101	4.28 18	93	96	1 2	
916 25 0394 2025/08/22	1	1.48	916 22 0403 916 20 0073	98	97	100	0.22 62	98	-0.19 46	98	-0.08 98	-0.90 41	97	0.80 32	102	0.51 49	100	6.14 37	90	-2.86 19	105	137	6 8	



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs weaned	TWW	AFL		ILP		Dam EPI T Lamb N Weaned					
										Dir	Mat					Acc	Index	Acc	Index			Acc	Index	Acc	Index
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0396 2025/08/22	1	3.51	916 22 0403 916 23 0258	108	103	108	1.30 60	109	44	94	0.17 100	0.15 43	102	3.10 29	115	2.68 47	110	-1.77 36	104	1.99 19	97	106	2 3		
916 25 0397 2025/08/22	1	1.42	916 22 0403 916 23 0084	103	107	95	1.71 60	113	43	96	0.48 103	1.08 38	106	0.00 29	98	1.34 46	104	4.16 36	94	0.56 19	99	101	2 2		
916 25 0398 2025/08/25	2	1.67	916 22 0403 916 20 0284	111	107	107	1.74 59	113	44	95	0.46 103	0.40 39	103	0.80 31	102	1.81 47	106	-13.11 33	123	1.37 20	98	108	4 5		
916 25 0399 2025/08/25	2	1.67	916 22 0403 916 20 0284	112	108	107	1.90 59	115	44	95	0.51 103	0.62 39	104	0.80 31	102	1.94 47	107	-13.11 33	123	1.37 20	98	108	4 5		
916 25 0401 2025/09/01	2	4.92	916 22 0403 916 23 0448	107	109	100	1.71 60	113	43	100	0.81 106	1.89 40	110	1.00 28	104	2.26 46	108	1.26 35	99	3.16 18	95	100	2 3		
916 25 0402 2025/09/01	1	2.12	916 22 0403 - - -	115	101	122	1.02 40	106	29	95	0.05 99	-1.93 32	92	3.20 20	115	2.48 31	109	-28.89 24	136	-1.25 13	103		0		
916 25 0403 2025/09/02	2	1.97	916 22 0403 916 22 0545	108	109	104	1.22 55	108	39	107	1.06 109	2.09 32	111	0.50 20	101	1.97 41	107	-0.18 24	101	-0.29 13	101	100	2 4		
916 25 0404 2025/09/02	2	1.97	916 22 0403 916 22 0545	108	109	104	1.20 55	108	39	107	1.05 108	2.07 32	110	0.50 20	101	1.95 41	107	-0.18 24	101	-0.29 13	101	100	2 4		
916 25 0405 2025/09/02	1	2.12	916 22 0403 - - -	115	101	122	1.02 40	106	29	95	0.05 99	-1.93 32	92	3.20 20	115	2.48 31	109	-28.89 24	136	-1.25 13	103		0		
916 25 0408 2025/09/12	1	1.86	916 24 0009 916 23 0089	125	124	112	3.51 60	131	43	105	2.05 118	5.28 39	125	3.50 27	117	5.91 46	126	0.99 34	99	2.30 16	96	103	2 3		
916 25 0410 2025/09/12	1	3.00	916 24 0009 916 20 0097	103	114	83	2.65 61	122	44	96	0.94 107	2.70 37	113	-3.40 30	81	0.23 47	98	2.21 34	97	1.55 17	98	106	6 7		
916 25 0412 2025/09/14	1	1.75	916 24 0216 916 23 0350	106	109	98	1.51 62	111	43	102	0.88 107	1.65 42	109	-0.30 26	97	1.45 46	104	0.63 34	100	1.14 17	98	99	2 2		
916 25 0415 2025/09/17	1	2.69	916 24 0009 916 22 0515	110	112	101	1.77 60	113	44	105	1.19 110	2.42 39	112	-1.90 29	88	0.94 47	102	-15.15 36	127	3.34 18	95	101	3 3		
916 25 0416 2025/09/22	1	2.92	916 24 0009 916 18 0052	113	113	108	1.87 61	114	46	105	1.28 111	2.54 44	113	2.30 29	110	3.60 48	115	-1.60 33	104	4.68 15	92	147	7 11		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0419 2025/10/03	2	1.61	916 24 0216 916 16 0167	99	101	97	0.60 65	0.01 102	0.32 101	-0.16 50	100	1.30 35	1.40 105	2.92 52	9.12 104	39	96	21	85	139	11 13		
916 25 0420 2025/10/06	1	3.11	916 24 0009 916 22 0474	106	115	90	2.32 59	0.16 119	1.32 111	2.70 38	113	-0.40 26	2.24 44	8.25 29	5.66 14	87	91		91	1 1			
916 25 0421 2025/10/08	1	1.11	916 24 0009 916 20 0177	97	105	86	1.32 60	-0.25 44	0.41 102	0.99 36	106	-2.30 29	-0.31 47	2.66 32	3.83 16	96	94		101	5 5			
916 25 0423 2025/10/09	2	3.17	916 24 0009 916 22 0316	121	127	104	3.52 61	0.66 44	2.42 122	5.44 41	126	1.30 28	4.96 47	2.54 34	3.74 17	96	94		118	3 5			
916 25 0424 2025/10/11	2	1.97	916 22 0328 916 24 0083	104	99	109	0.35 56	-0.17 32	0.01 98	-0.46 28	99	2.10 17	1.44 38	-1.66 24	-2.04 10	104	104		102	1 2			
916 25 0428 2025/10/17	1	1.97	916 22 0328 916 24 0128	101	97	106	-0.08 56	0.06 32	0.02 99	-0.37 28	99	1.70 20	1.00 38	-0.31 27	-0.41 11	101	101		98	1 1			
916 25 0429 2025/10/19	2	0.98	916 23 0135 916 21 0484	100	101	101	0.31 64	0.22 46	0.37 102	-0.27 53	100	0.20 28	0.65 49	-3.66 32	4.41 16	107	93		120	4 5			
916 25 0430 2025/10/19	2	0.98	916 23 0135 916 21 0484	99	99	101	-0.04 64	0.28 46	0.27 101	-0.74 53	98	0.20 28	0.37 49	-3.66 32	4.41 16	107	93		120	4 5			
916 25 0432 2025/10/19	3	0.99	916 23 0135 916 20 0131	110	94	129	-0.44 65	0.03 50	-0.19 97	-0.91 51	97	8.10 32	4.45 52	-4.03 38	-1.31 18	103	103		130	6 11			
916 25 0433 2025/10/19	3	0.99	916 23 0135 916 20 0131	108	92	129	-0.86 65	0.11 50	-0.32 95	-1.48 51	94	8.10 32	4.11 52	-4.03 38	-1.31 18	103	103		130	6 11			
916 25 0436 2025/10/20	1	1.97	916 22 0328 916 24 0077	109	105	108	1.48 56	-0.50 31	0.24 101	1.57 27	108	2.60 19	2.54 38	0.25 26	-2.29 10	104	104		97	1 1			
916 25 0437 2025/10/22	1	1.97	916 22 0328 916 24 0243	96	95	97	0.01 54	-0.34 29	-0.34 95	-0.61 26	98	-1.00 12	-0.94 35	-3.03 22	-1.96 5	106	104		96	1 1			
916 25 0438 2025/10/25	1	0.90	916 23 0135 916 21 0221	106	103	113	-0.19 65	1.05 49	0.96 108	0.74 52	104	2.60 34	2.42 52	0.15 38	0.80 22	99	99		122	5 6			
916 25 0441 2025/10/25	2	2.04	916 23 0135 916 19 0427	111	107	109	1.85 65	-0.58 48	0.35 102	1.13 50	106	3.00 32	3.07 51	-1.39 36	-0.35 19	103	101		101	6 8			



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0442 2025/10/25	2	2.04	916 23 0135 916 19 0427	101	94	111	-0.24 65	93	-0.19 48	98	-0.31 95	-1.72 50	93	3.00 32	114	1.37 51	104	-1.39 36	103	-0.35 19	101	101	6 8
916 25 0443 2025/10/25	1	1.35	916 24 0009 916 22 0301	95	104	86	1.01 60	106	-0.12 42	99	0.39 102	0.52 39	103	-1.50 27	90	0.00 45	97	5.28 32	92	6.54 16	89	88	2 2
916 25 0444 2025/10/25	1	4.31	916 23 0135 916 20 0371	88	89	92	-0.52 64	90	-0.70 47	91	-0.96 89	-2.86 47	88	0.30 30	100	-1.04 50	92	3.70 34	94	4.75 18	92	139	6 7
916 25 0446 2025/10/27	2	0.95	916 22 0312 916 23 0333	101	105	95	1.16 59	107	-0.01 42	101	0.57 104	0.93 41	105	1.70 28	107	2.17 45	108	10.66 34	83	6.47 18	89	98	1 2
916 25 0447 2025/10/27	2	0.95	916 22 0312 916 23 0333	102	107	95	1.34 59	109	-0.04 42	100	0.63 104	1.17 41	106	1.70 28	107	2.31 45	108	10.66 34	83	6.47 18	89	98	1 2
916 25 0451 2025/10/28	1	1.12	916 24 0009 916 22 0321	107	113	96	1.85 59	114	0.44 41	107	1.37 112	2.45 38	112	0.00 26	98	2.29 44	108	0.15 33	101	8.39 16	86	93	2 2
916 25 0452 2025/10/29	1	2.55	916 23 0135 916 24 0204	106	97	115	0.10 62	96	-0.08 43	100	-0.03 98	-0.71 48	98	4.10 26	120	2.48 46	109	-2.80 34	106	1.06 15	99	97	1 1
916 25 0453 2025/10/29	1	2.22	916 23 0135 916 24 0122	103	100	104	0.63 62	102	-0.21 43	98	0.11 99	-0.54 48	99	1.60 26	107	1.39 46	104	-1.14 34	103	0.96 15	99	99	1 1
916 25 0454 2025/10/30	1	0.99	916 24 0009 916 24 0066	126	134	106	3.79 59	134	1.36 40	119	3.26 130	7.32 41	134	2.20 24	110	6.47 44	129	5.40 32	92	6.80 13	89	99	1 1
916 25 0456 2025/10/17	1	2.90	916 22 0094 916 24 0233	102	103	99	1.11 63	107	-0.24 44	97	0.31 101	0.28 43	102	1.40 26	106	1.71 47	105	1.54 36	98	5.87 15	90	96	1 1
916 25 0458 2025/10/17	2	2.94	916 22 0094 916 23 0131	105	105	104	1.06 63	106	0.04 46	101	0.57 104	0.39 42	103	2.70 28	112	2.72 48	110	1.89 37	98	7.03 17	88	109	2 3
916 25 0463 2025/10/20	1	2.03	916 22 0094 916 24 0032	97	99	94	1.07 62	106	-0.81 43	90	-0.27 96	-1.01 44	97	0.90 26	103	0.80 46	101	7.78 36	87	0.78 15	99	94	1 1
916 25 0466 2025/10/23	1	0.93	916 23 0135 916 22 0458	102	103	95	2.01 64	116	-1.31 46	83	-0.31 95	0.46 49	103	0.90 29	103	1.24 49	103	0.39 34	100	3.23 18	95	107	3 4
916 25 0468 2025/10/25	1	1.93	916 22 0094 916 23 0168	104	103	103	0.89 57	104	-0.05 40	100	0.39 102	0.68 36	104	0.30 20	100	1.02 42	102	-2.37 28	105	-1.89 12	104	100	2 2

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights								EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean				Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Comb			Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 25 0471 2025/10/25			2	2.87	916 22 0094 916 23 0082		114	119	98	3.09 63 127		0.00 47 101		1.55 113		3.36 43 116		1.40 30 106		3.93 49 116		3.52 38 95		7.21 19 88		108	2 3
916 25 0472 2025/10/26			1	3.37	916 22 0094 916 22 0341		104	103	101	1.62 63 112		-0.88 46 89		-0.07 98		0.20 44 102		2.40 31 111		2.18 49 108		1.40 39 98		4.64 21 92		91	2 2
916 25 0474 2025/10/28			1	1.66	916 22 0094 916 23 0182		94	97	91	0.66 63 102		-0.68 46 92		-0.35 95		-1.60 43 94		-0.40 29 96		-0.26 49 96		4.03 37 94		3.31 18 95		99	2 2
916 25 0476 2025/10/28			1	0.84	916 22 0094 916 22 0538		101	99	102	0.48 63 100		-0.30 46 97		-0.06 98		-0.65 43 98		-0.70 30 95		-0.24 49 96		-12.92 38 123		2.83 19 95		96	2 2
916 25 0477 2025/10/28			1	2.58	916 22 0094 916 24 0349		105	99	107	1.00 62 106		-0.81 44 90		-0.32 95		-1.05 44 96		2.30 27 110		1.56 47 105		-3.93 35 108		-0.43 16 101		99	1 1
916 25 0478 2025/10/28			1	1.67	916 22 0094 916 22 0315		101	103	95	1.49 62 111		-0.76 44 91		-0.02 98		-0.09 42 101		0.90 27 103		1.27 47 103		3.76 35 94		3.01 16 95		89	1 1
916 25 0480 2025/10/28			1	3.13	916 22 0094 916 20 0272		100	104	94	1.53 64 111		-0.64 48 92		0.13 100		0.46 46 103		0.90 32 103		1.43 50 104		7.79 38 87		2.55 21 96		103	3 5
916 25 0482 2025/11/01			1	1.98	916 22 0094 916 24 0364		99	98	99	0.86 63 104		-0.75 43 91		-0.33 95		-1.17 43 96		1.30 26 105		0.88 47 101		1.61 33 98		1.85 16 97		99	1 1
916 25 0487 2025/11/11			1	1.98	916 23 0197 916 22 0092		108	113	95	2.22 62 118		-0.03 44 100		1.07 109		2.54 40 113		-1.40 29 91		1.34 47 104		-0.80 35 102		-0.04 19 100		106	4 4
916 25 0488 2025/11/11			1	2.08	916 23 0197 916 22 0220		97	101	90	1.09 62 106		-0.55 44 93		0.00 98		-0.05 40 101		-1.20 29 92		-0.18 47 96		0.62 35 100		4.20 19 93		99	3 3
916 25 0489 2025/11/11			1	1.58	916 23 0197 916 23 0375		113	117	100	2.40 62 120		0.46 42 107		1.66 114		3.58 42 117		-0.90 28 94		2.31 46 108		-4.99 35 109		2.06 19 97		103	2 2
916 25 0490 2025/11/11			1	1.97	916 23 0197 916 22 0353		109	109	105	1.12 57 107		0.57 40 108		1.14 109		2.29 36 111		-0.70 18 95		1.28 41 103		-6.61 23 112		-2.77 11 105		112	4 4
916 25 0491 2025/11/11			1	1.21	916 23 0197 916 22 0362		108	111	98	1.93 63 115		0.00 45 101		0.97 108		2.02 40 110		-0.80 30 94		1.45 48 104		-2.42 35 105		0.79 18 99		111	4 4
916 25 0492 2025/11/11			2	2.77	916 23 0197 916 23 0456		105	101	109	0.04 62 96		0.56 43 108		0.58 104		0.49 41 103		1.70 26 107		1.62 46 105		-3.77 34 107		2.18 16 97		100	2 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0493 2025/11/11	2	2.77	916 23 0197 916 23 0456	110	108	108	1.20 62 108	0.35 43 105	0.94 107	2.05 41 110	1.70 26 107	2.56 46 110	-3.77 34 107	2.18 16 97	100	2 3							
916 25 0495 2025/11/11	3	1.02	916 23 0197 916 23 0023	110	103	111	1.01 62 106	-0.30 43 97	0.21 100	0.74 40 104	1.00 28 104	1.31 47 104	-18.52 35 132	2.24 17 96	99	1 3							
916 25 0499 2025/11/14	2	13.81	916 23 0197 916 23 0016	113	104	115	1.52 63 111	-0.62 46 92	0.14 100	0.61 42 104	2.90 29 113	2.64 49 110	-12.19 36 122	-1.30 19 103	126	3 5							
916 25 0500 2025/11/14	2	13.81	916 23 0197 916 23 0016	111	102	116	1.12 63 107	-0.55 46 93	0.01 98	0.06 42 101	2.90 29 113	2.31 49 108	-12.19 36 122	-1.30 19 103	126	3 5							
916 25 0504 2025/11/14	1	2.25	916 23 0197 916 19 0504	109	112	99	1.97 63 115	0.17 46 103	1.15 109	2.19 44 111	0.40 32 100	2.38 49 109	-0.63 35 102	4.68 22 92	114	4 5							
916 25 0507 2025/11/14	2	3.27	916 23 0197 916 22 0260	101	97	104	0.42 63 100	-0.50 45 94	-0.29 96	-1.18 42 96	1.30 28 105	0.70 48 101	-3.61 34 107	0.78 17 99	109	4 5							
916 25 0508 2025/11/14	2	3.27	916 23 0197 916 22 0260	100	96	104	0.35 63 99	-0.49 45 94	-0.31 95	-1.27 42 95	1.30 28 105	0.64 48 100	-3.61 34 107	0.78 17 99	109	4 5							
916 25 0511 2025/11/17	1	4.26	916 24 0009 916 22 0064	114	118	101	2.63 61 122	0.32 45 105	1.64 114	3.46 40 117	1.20 29 105	3.67 47 115	3.99 35 94	3.66 17 94	116	4 6							
916 25 0513 2025/11/17	1	1.73	916 22 0178 916 22 0292	93	99	88	0.65 62 102	-0.41 44 95	-0.09 98	-0.84 38 97	-1.00 30 93	-0.36 48 95	4.41 33 93	5.90 18 90	119	4 4							
916 25 0514 2025/11/17	1	1.77	916 23 0197 916 23 0395	104	103	102	0.90 62 105	-0.14 43 99	0.32 101	0.24 41 102	0.10 27 99	0.83 47 101	-4.89 35 109	0.68 17 99	101	2 2							
916 25 0519 2025/11/17	2	2.48	916 23 0197 916 19 0191	98	96	100	0.57 65 101	-0.85 48 89	-0.56 93	-1.43 42 95	2.70 32 112	1.34 51 104	1.44 36 98	7.19 19 88	176	8 14							
916 25 0520 2025/11/17	2	1.58	916 22 0178 916 21 0502	104	98	108	0.74 63 103	-0.60 46 93	-0.23 96	-0.88 38 97	3.10 30 115	2.01 49 107	-0.81 31 102	0.92 18 99	107	3 6							
916 25 0521 2025/11/17	2	1.58	916 22 0178 916 21 0502	106	101	108	1.23 63 108	-0.69 46 92	-0.07 98	-0.22 38 100	3.10 30 115	2.40 49 109	-0.81 31 102	0.92 18 99	107	3 6							
916 25 0524 2025/11/19	2	1.44	916 23 0197 916 22 0186	105	108	98	1.46 63 110	0.02 45 101	0.75 106	1.21 40 107	-0.50 30 96	1.18 48 103	-0.17 35 101	-0.62 18 101	130	4 5							



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38	-0.09	0.11	-0.37	0.25	0.45	-0.72	0.03						
916 25 0525 2025/11/19	2	1.44	916 23 0197 916 22 0186	101	103	99	0.60 63	0.18 102	0.48 103	0.04 40	101	-0.50 30	0.48 99	-0.17 35	-0.62 101	130	4 5						
916 25 0526 2025/11/21	1	7.16	916 23 0197 916 23 0278	96	102	90	0.67 61	0.03 102	0.36 102	0.33 41	103	-2.50 26	-0.81 93	-1.50 30	2.74 96	94	1 1						
916 25 0527 2025/11/21	1	1.62	916 23 0197 916 22 0235	101	104	93	1.52 63	-0.61 111	0.16 93	0.66 41	104	-0.40 30	0.68 100	1.62 98	1.93 97	123	4 5						
916 25 0528 2025/11/21	1	14.20	916 23 0197 916 23 0202	103	97	107	0.33 62	-0.40 99	-0.24 96	-1.12 44	96	1.50 29	0.83 101	-7.45 36	0.07 100	100	2 2						
916 25 0529 2025/11/21	2	1.57	916 22 0178 916 22 0484	99	97	100	0.77 63	-0.80 103	-0.42 94	-1.27 36	95	1.10 29	0.63 100	0.69 33	-0.98 100	118	3 5						
916 25 0531 2025/11/24	2	3.23	916 23 0197 916 22 0089	107	110	98	1.82 62	-0.12 114	0.79 106	2.03 40	110	0.00 28	1.70 105	-1.56 33	3.75 94	97	3 4						
916 25 0532 2025/11/24	2	3.23	916 23 0197 916 22 0089	102	104	98	0.94 55	0.05 105	0.52 103	0.84 40	105	0.00 28	0.99 102	-1.56 33	3.75 94	97	3 4						
916 25 0533 2025/11/24	1	2.93	916 23 0197 916 22 0013	99	101	95	0.82 62	-0.30 104	0.11 99	-0.11 40	101	-0.80 29	0.04 97	-2.32 36	3.30 95	104	4 4						
916 25 0534 2025/11/24	1	4.07	916 23 0197 916 23 0028	101	99	102	0.52 61	-0.26 101	0.00 98	-0.66 42	98	0.70 28	0.68 100	-4.44 35	3.11 95	93	1 1						
916 25 0536 2025/11/24	1	1.97	916 23 0197 916 22 0177	92	92	96	-0.63 62	-0.10 89	-0.42 94	-2.05 41	92	-0.40 29	-0.97 92	-2.10 35	4.25 104	99	3 3						
916 25 0537 2025/11/24	1	2.05	916 23 0197 916 23 0246	108	102	109	0.94 59	-0.26 105	0.21 100	-0.85 38	97	-0.20 25	0.56 100	-18.02 29	-1.66 103	100	2 2						
916 25 0538 2025/11/24	1	1.42	916 23 0197 916 22 0008	98	99	95	1.00 63	-0.89 106	-0.39 95	-0.57 42	98	-0.10 30	0.05 97	-0.18 35	0.79 101	105	4 5						
916 25 0541 2025/11/27	1	2.81	916 23 0197 916 23 0393	100	97	102	0.44 62	-0.54 100	-0.32 95	-1.19 40	96	0.70 26	0.32 99	-4.10 34	0.37 100	108	2 3						
916 25 0542 2025/11/27	1	1.79	916 22 0178 916 21 0103	90	93	93	-0.23 62	-0.39 93	-0.50 94	-2.34 37	91	0.60 30	-0.26 96	7.79 34	4.52 87	127	4 5						



Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 25 0549 2025/11/30	2	14.00	916 22 0178 916 22 0062	93	94	94	0.31 62	99	-0.71 46	91	-0.55 93	-2.08 36	92	0.60 30	101	-0.03 48	97	7.05 34	89	0.66 19	99	124	4 7		
916 25 0550 2025/11/30	2	14.00	916 22 0178 916 22 0062	94	95	94	0.46 62	100	-0.73 46	91	-0.50 94	-1.87 36	93	0.60 30	101	0.09 48	98	7.05 34	89	0.66 19	99	124	4 7		
916 25 0551 2025/11/30	2	2.36	916 23 0197 916 21 0275	105	97	111	0.24 63	98	-0.35 46	96	-0.23 96	-1.30 42	95	1.80 29	108	0.97 49	102	-7.87 35	114	-3.78 18	107	118	4 6		
916 25 0554 2025/11/17	1	1.46	916 23 0197 916 19 0432	113	114	104	2.14 64	117	0.23 47	104	1.31 111	2.54 43	113	0.40 32	100	2.62 50	110	-3.65 35	107	1.06 19	99	113	7 10		
916 25 0555 2025/11/17	1	0.69	916 21 0108 916 17 0350	103	111	95	1.25 66	108	0.71 52	110	1.33 111	1.96 44	110	0.50 34	101	2.25 53	108	8.21 41	87	7.83 17	87	132	11 12		
916 25 0559 2025/12/01	1	14.20	916 23 0197 916 23 0201	106	99	112	0.56 62	101	-0.30 44	97	-0.02 98	-0.61 42	98	2.60 29	112	1.82 47	106	-7.36 36	113	0.22 18	100	108	2 4		
916 25 0560 2025/12/20	1	1.08	916 21 0108 916 17 0290	101	111	90	1.70 66	113	0.19 52	103	1.04 108	1.71 48	109	0.80 34	102	2.37 53	109	13.05 41	78	8.86 18	85	162	10 12		
916 25 0561 2025/12/31	1	1.49	916 21 0108 916 23 0184	105	109	98	1.47 63	110	0.28 47	104	1.01 108	1.24 47	107	0.30 28	100	1.93 49	107	1.39 39	98	5.01 16	92	101	2 2		
916 26 0002 2026/03/25	1	1.94	1490 23 0086 916 24 0344	100	98	102	0.40 57	100	-0.33 35	96	-0.13 97	-0.91 39	97	0.80 19	102	0.55 40	100	-2.98 28	106	0.57 11	99	100	1 1		
916 26 0004 2026/03/26	1	1.57	916 23 0403 916 24 0251	116	114	114	1.40 57	110	0.97 38	114	1.67 114	2.78 40	114	1.90 24	108	3.51 42	114	-6.81 33	112	1.93 15	97	101	1 1		
916 26 0007 2026/03/27	2	4.53	916 24 0107 916 20 0309	98	95	100	0.63 61	102	-1.02 45	87	-0.71 92	-0.93 44	97	2.00 31	109	0.81 48	101	1.32 36	99	1.36 20	98	133	6 9		
916 26 0010 2026/03/28	1	2.61	916 24 0216 916 22 0532	110	106	108	1.17 62	107	0.12 44	102	0.70 105	1.35 42	107	0.10 27	99	1.34 47	104	-25.02 36	136	8.33 18	86	95	2 2		
916 26 0011 2026/03/28	1	1.42	916 24 0107 916 23 0401	98	99	103	-0.44 58	91	0.72 39	110	0.50 103	-0.50 41	99	1.50 24	106	1.18 43	103	4.76 33	93	3.30 16	95	101	2 2		
916 26 0012 2026/03/29	2	2.14	916 23 0403 916 24 0358	119	114	118	1.69 49	113	0.72 37	110	1.56 113	2.87 40	114	4.00 23	119	4.80 38	121	-4.93 32	109	4.12 14	93	101	1 2		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights								EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean				Lambs weaned		TWW		AFL		ILP		Dam EPI T Lamb N Weaned	
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 26 0013 2026/03/29			2	2.14	916 23 0403 916 24 0358		119	114	118	1.75 57 113		0.71 37 110		1.58 114 40 114		2.95		4.00 23 119		4.85 41 121		-4.93 32 109		4.12 14 93		101	1 2
916 26 0014 2026/03/29			1	4.33	916 23 0403 916 23 0396		103	99	110	-0.09 58 95		0.42 38 106		0.38 102		-0.70 39 98		1.80 22 108		1.42 42 104		-3.22 28 106		0.56 13 99		94	1 1
916 26 0019 2026/04/01			2	1.72	916 22 0485 916 23 0436		117	117	112	2.25 60 118		0.50 42 107		1.62 114 33 118		3.74		4.40 24 121		5.39 45 124		6.17 32 90		3.95 15 94		111	2 4
916 26 0021 2026/04/01			2	1.39	916 24 0237 916 24 0033		108	110	101	1.73 58 113		0.11 39 102		0.98 108		1.63 38 108		1.30 22 105		2.62 42 110		-0.82 29 102		7.58 13 87		98	1 2
916 26 0024 2026/04/01			2	1.66	916 22 0485 916 22 0036		98	101	91	1.23 60 108		-0.67 43 92		-0.05 98		-0.37 34 99		-0.50 27 96		0.26 46 98		2.02 33 97		4.23 17 93		98	3 4
916 26 0025 2026/04/01			1	2.19	916 24 0107 916 17 0370		89	87	97	-1.20 61 83		-0.27 45 97		-0.86 90		-2.87 38 88		-0.20 30 97		-1.58 48 89		1.26 32 99		-1.02 16 102		127	11 11
916 26 0027 2026/04/01			2	2.36	916 24 0237 916 18 0356		99	102	98	0.57 60 101		0.04 45 101		0.33 102		0.21 34 102		1.30 30 105		1.39 47 104		3.88 34 94		7.42 19 88		121	6 9
916 26 0028 2026/04/01			1	1.50	1490 23 0086 916 24 0196		95	89	103	-0.30 60 93		-0.88 39 89		-1.03 88		-3.15 45 87		1.80 25 108		-0.09 44 97		-3.67 32 107		2.21 15 97		96	1 1
916 26 0030 2026/04/01			1	5.45	916 24 0107 916 24 0272		99	93	112	-0.94 58 86		0.42 38 106		-0.05 98		-1.55 39 94		3.70 23 118		1.70 42 105		0.82 33 99		3.79 14 94		98	1 1
916 26 0031 2026/04/01			1	3.46	916 22 0485 916 23 0414		95	102	86	1.15 59 107		-0.48 41 94		0.09 99		0.04 33 101		-1.60 25 90		-0.29 44 96		6.71 33 89		1.89 17 97		102	2 2
916 26 0033 2026/04/01			2	2.05	916 24 0216 916 22 0071		103	101	108	-0.10 63 95		0.65 46 109		0.60 104		-0.25 40 100		2.20 29 110		1.87 49 106		-0.60 34 102		5.09 17 92		116	4 6
916 26 0042 2026/04/03			2	4.74	916 24 0107 916 20 0305		104	101	109	0.54 61 101		-0.08 45 100		0.19 100		0.04 42 101		3.50 31 117		2.56 48 110		3.40 35 95		2.21 19 97		154	6 9
916 26 0043 2026/04/03			2	4.74	916 24 0107 916 20 0305		108	105	108	1.22 61 108		-0.21 45 98		0.40 102		0.96 42 105		3.50 31 117		3.11 48 112		3.40 35 95		2.21 19 97		154	6 9
916 26 0045 2026/04/03			1	1.39	1490 23 0086 916 24 0131		104	104	102	0.93 59 105		0.10 38 102		0.56 104		0.50 44 103		1.60 23 107		1.98 43 107		3.15 31 95		3.29 14 95		99	1 1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights								EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean				Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned	
										Dir	Mat		Comb			Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 26 0046 2026/04/04	1	1.80	916 23 0403 916 24 0267	114	115	108	1.47 57 110		1.07 38 115		1.80 116 40 115		3.08 40 115		1.10 23 104		3.19 42 113		-3.51 33 107		3.90 15 94		101	1 1			
916 26 0048 2026/04/04	1	1.62	916 22 0485 916 24 0232	108	111	98	2.10 59 117		-0.19 39 98		0.87 107 32 112		2.33 32 112		1.20 23 105		2.64 43 110		6.79 32 89		1.78 13 97		102	2 2			
916 26 0049 2026/04/04	1	1.43	1490 23 0086 916 24 0179	96	97	95	0.68 59 102		-0.68 39 92		-0.34 95 43 94		-1.47 43 94		0.50 24 101		0.30 43 99		4.10 32 94		1.36 14 98		97	1 1			
916 26 0050 2026/04/05	2	1.55	916 24 0237 916 24 0044	108	107	107	1.33 59 109		-0.01 42 101		0.66 105 32 106		1.11 32 106		3.40 25 116		3.36 45 114		2.30 33 97		6.47 16 89		115	2 4			
916 26 0051 2026/04/05	2	1.55	916 24 0237 916 24 0044	109	108	106	1.61 59 112		-0.06 42 100		0.74 106 32 108		1.49 32 108		3.40 25 116		3.59 45 115		2.30 33 97		6.47 16 89		115	2 4			
916 26 0054 2026/04/05	1	2.42	916 23 0403 916 24 0315	110	106	112	0.91 57 105		0.30 37 105		0.75 106 39 105		0.80 39 105		2.00 21 109		2.41 41 109		-6.58 32 112		0.50 13 99		101	1 1			
916 26 0057 2026/04/07	2	1.74	916 24 0237 916 23 0227	102	102	104	0.44 59 100		0.22 43 104		0.44 103 33 100		-0.28 33 100		2.10 27 109		1.92 45 107		2.24 34 97		5.27 15 91		130	3 5			
916 26 0058 2026/04/07	1	14.17	916 24 0237 916 24 0232	108	114	98	1.84 50 114		0.52 38 108		1.44 112 34 113		2.68 34 113		1.00 23 104		2.96 39 112		5.35 33 92		7.80 12 87		102	2 2			
916 26 0059 2026/04/07	2	2.67	916 24 0216 916 22 0529	106	101	107	0.84 63 104		-0.34 45 96		0.08 99 39 102		0.22 39 102		0.40 26 100		0.74 48 101		-24.84 35 136		7.95 17 87		110	3 4			
916 26 0060 2026/04/07	2	2.67	916 24 0216 916 22 0529	105	99	107	0.54 63 101		-0.28 45 97		-0.01 98 39 100		-0.19 39 100		0.40 26 100		0.50 48 100		-24.84 35 136		7.95 17 87		110	3 4			
916 26 0061 2026/04/08	1	1.45	916 24 0107 916 23 0388	103	97	114	-0.33 59 92		0.37 40 106		0.20 100 38 97		-1.01 38 97		4.20 24 120		2.55 44 110		3.43 33 95		0.88 15 99		113	2 3			
916 26 0062 2026/04/08	1	2.35	916 24 0107 916 19 0281	96	92	105	-0.59 61 90		-0.20 45 98		-0.50 94 40 92		-1.98 40 92		3.10 29 115		1.07 47 102		4.56 35 93		3.27 18 95		116	5 7			
916 26 0066 2026/04/08	1	2.42	916 24 0107 916 21 0297	96	95	101	-0.32 60 92		0.01 43 101		-0.15 97 41 94		-1.52 41 94		1.40 29 106		0.53 46 100		3.63 34 95		3.13 18 95		113	4 4			
916 26 0069 2026/04/11	1	2.61	916 23 0403 916 24 0065	111	107	112	0.84 58 104		0.63 41 109		1.05 108 42 108		1.48 42 108		1.10 26 104		2.13 44 108		-8.25 30 115		-0.84 16 102		113	2 2			

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 26 0070 2026/04/11	1	1.76	916 22 0485 916 24 0350	104	102	102	1.34 58 109	-0.77 39 91	-0.10 97	0.02 33 101	1.40 24 106	1.41 43 104	0.69 34 100	-2.60 14 105	100	1 1									
916 26 0072 2026/04/11	2	1.55	916 24 0216 916 18 0081	91	96	88	0.26 56 98	-0.43 45 95	-0.31 95	-0.82 45 97	-0.80 28 94	-0.66 45 94	3.05 32 96	8.13 14 86	141	7 8									
916 26 0074 2026/04/11	1	1.22	1490 23 0086 916 20 0066	89	95	81	0.75 61 103	-1.17 43 85	-0.79 91	-1.82 44 93	-2.60 28 85	-1.98 46 87	3.76 32 94	1.86 16 97	125	6 6									
916 26 0079 2026/04/13	2	4.36	916 24 0107 916 24 0025	101	91	115	-0.61 59 89	-0.22 40 98	-0.53 93	-2.12 36 92	4.70 24 123	1.99 44 107	2.25 32 97	-1.00 15 102	107	2 4									
916 26 0080 2026/04/13	1	3.75	916 24 0107 916 23 0208	101	101	103	0.18 57 97	0.36 40 105	0.45 103	-0.54 41 99	1.00 25 104	1.14 43 103	-2.39 34 105	5.39 16 91	103	2 2									
916 26 0082 2026/04/16	2	1.54	916 24 0216 916 22 0325	103	104	98	1.25 61 108	-0.33 42 96	0.29 101	0.04 40 101	-0.10 26 98	0.86 46 101	-5.59 29 110	5.37 15 91	92	2 2									
916 26 0083 2026/04/16	2	1.54	916 24 0216 916 22 0325	102	103	98	1.15 61 107	-0.31 42 97	0.26 101	-0.11 40 101	-0.10 26 98	0.77 46 101	-5.59 29 110	5.37 15 91	92	2 2									
916 26 0085 2026/04/17	1	1.18	916 24 0216 916 22 0006	112	112	106	1.87 63 114	0.23 44 104	1.16 110	2.45 41 112	2.00 26 109	3.30 47 113	-3.68 33 107	6.01 16 90	104	3 4									
916 26 0086 2026/04/17	1	1.25	916 24 0237 916 23 0368	111	114	104	1.83 58 114	0.56 40 108	1.47 113	2.89 35 114	2.80 25 113	4.07 43 117	5.90 34 91	8.54 15 86	101	2 3									
916 26 0087 2026/04/17	1	1.52	1490 23 0086 916 19 0439	96	95	97	0.34 62 99	-0.66 45 92	-0.49 94	-2.01 47 92	0.80 31 102	0.16 48 98	4.78 35 93	-0.96 19 102	100	7 7									
916 26 0088 2026/04/20	2	2.63	916 24 0107 916 22 0356	111	108	110	1.35 59 109	0.14 43 103	0.81 106	1.64 35 108	2.40 26 111	2.93 45 111	-1.02 33 103	-0.66 16 101	116	4 5									
916 26 0089 2026/04/20	2	2.63	916 24 0107 916 22 0356	108	104	110	0.69 59 103	0.26 43 104	0.61 104	0.74 35 104	2.40 26 111	2.39 45 109	-1.02 33 103	-0.66 16 101	116	4 5									
916 26 0093 2026/05/06	1	2.39	916 24 0237 916 18 0351	98	104	93	0.68 52 102	0.32 44 105	0.66 105	0.40 34 103	0.00 30 98	1.00 44 102	8.04 35 87	5.49 18 91	161	9 12									
916 26 0096 2026/05/08	2	1.38	916 24 0216 916 21 0448	92	94	92	0.11 55 97	-0.63 43 92	-0.57 93	-1.82 46 93	0.40 25 100	-0.28 43 96	5.15 30 92	4.61 14 92	100	4 4									

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambded N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03	
916 26 0097 2026/05/11	1	13.99	916 22 0485 916 23 0156	106	108	97	2.07 51	116	-0.61 40	93	0.43 102	1.41 33	107	1.10 26	104	2.13 41	108	4.20 32	94	2.12 17	97	95	2 1		
916 26 0104 2026/05/15	2	13.98	916 23 0403 916 24 0299	112	107	118	0.20 49	98	1.22 35	117	1.32 111	1.44 40	108	3.90 21	119	3.76 37	116	-3.08 32	106	4.96 13	92		0		
916 26 0106 2026/05/15	2	1.28	916 23 0197 916 23 0334	102	103	101	0.73 55	103	0.14 42	103	0.50 103	0.46 42	103	0.50 26	101	1.16 43	103	-1.75 35	104	3.95 18	94	99	2 2		
916 26 0108 2026/05/15	2	2.33	916 23 0197 916 23 0179	104	102	102	1.10 54	107	-0.46 40	95	0.09 99	-0.08 41	101	1.20 26	105	1.36 42	104	-0.84 32	102	-0.14 16	101		0		
916 26 0110 2026/05/19	2	1.50	916 22 0485 916 24 0238	104	112	92	2.22 51	118	-0.21 36	98	0.90 107	2.15 32	111	0.20 21	99	2.12 38	108	9.67 32	84	3.05 13	95		0		
916 26 0111 2026/05/19	1	1.19	916 23 0403 916 21 0253	109	102	114	0.50 52	101	0.27 43	104	0.52 103	-0.01 39	101	3.20 27	115	2.69 43	110	-4.40 32	108	1.02 16	99	119	5 7		
916 26 0114 2026/05/19	2	1.86	916 23 0403 916 23 0004	116	115	112	1.51 49	111	1.09 38	115	1.85 116	2.99 46	115	3.00 25	114	4.40 39	119	-1.05 33	103	5.94 16	90		0		
916 26 0115 2026/05/20	2	5.95	916 23 0197 916 23 0133	101	101	97	1.06 54	106	-0.56 39	93	-0.03 98	-0.11 42	101	0.10 25	99	0.57 42	100	-4.20 34	108	4.24 17	93	94	2 1		
916 26 0116 2026/05/20	2	5.95	916 23 0197 916 23 0133	101	101	97	1.06 54	106	-0.56 39	93	-0.03 98	-0.11 42	101	0.10 25	99	0.57 42	100	-4.20 34	108	4.24 17	93	94	2 1		
916 26 0122 2026/05/24	2	1.19	916 24 0237 916 22 0270	102	108	93	1.49 48	111	0.07 36	102	0.82 106	1.41 28	107	0.10 22	99	1.62 37	105	4.52 27	93	6.87 15	88	96	2 1		
916 26 0123 2026/05/25	1	2.11	916 23 0403 - - -	120	104	130	0.69 37	102	0.44 25	106	0.78 106	-1.04 32	96	3.90 15	119	3.47 27	114	-36.14 20	136	-3.69 9	107		0		
916 26 0125 2026/05/25	1	3.27	916 23 0197 916 20 0193	103	99	107	0.21 55	98	0.04 43	101	0.14 100	-0.63 40	98	0.80 29	102	0.73 44	101	-3.92 32	107	-3.18 17	106	105	6 7		
916 26 0126 2026/05/26	1	1.74	916 22 0485 916 24 0327	106	109	100	1.56 51	111	0.14 36	103	0.92 107	1.86 32	109	1.80 22	108	2.78 39	111	9.13 32	85	2.89 13	95		0		
916 26 0127 2026/05/26	1	2.62	916 23 0197 916 24 0203	100	99	100	0.68 54	102	-0.45 38	95	-0.12 97	-0.76 39	98	0.60 24	101	0.58 41	100	-0.70 33	102	-0.12 14	101		0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate			Birth Status	% In- brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam EPI T Lambed N Weaned					
										Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index		
Active Breed Average:							100	100	100	0.38		-0.09		0.11		-0.37		0.25		0.45		-0.72		0.03			
916 26 0129 2026/05/26			2	1.69	916 24 0237 916 20 0132		111	107	115	0.86 52 104		0.52 43 108		0.95 108 35 108		1.46 35 108		4.30 28 121		3.97 43 117		2.19 33 97		2.81 15 95		120 7 9	
Ewe Flock Average:							100.8		101.2		0.60		-0.23		0.07		-0.40		1.32		1.17		-0.13		2.88		
Total number of young ewes:							561																				

Ewes born since Jan 2024, with at least one known parent

