



BOERBOK GENETIC REPORT

21 September 2026

MR P.W.J. P.J. VAN RENSBURG

FDM : 1028



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029



 **SA** **STAMBOEK
STUD BOOK**
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.41	-0.32	-0.47	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.07	0.03	0.09	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.14	-0.13	-0.15	-0.06	-0.03	-0.07
Post-wean Weight	0.01	0.17	-0.09	0.50	0.58	0.45
Number Lambs Weaned	0.29	-0.06	0.52	-0.36	-0.55	-0.26
Total Weight Weaned	-0.17	-0.32	-0.07	-0.31	-0.37	-0.27
Age at First Lambing	1.22	1.17	1.25	-0.30	-0.22	-0.35
Inter-lambing Period	0.44	0.78	0.22	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	101	100	101	101	100	101
Reproduction Index	104	102	105	102	101	102
Inbreeding						
Inbreeding (%)	6.32	4.91	7.21	5.54	5.93	5.34
Number of Animals						
Number of Animals	506	196	310	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	95.1	96.1	94.5
Weaning Weight Maternal	102.4	101.6	102.9
Weaning Weight Comb	97.9	98.1	97.8
Post-wean Weight	95.7	96.7	95.0
Number Lambs Weaned	104.8	103.1	105.9
Total Weight Weaned	101.5	100.6	102.1
Age First Lambing	98.2	98.3	98.2
Interlambing Period	100.7	99.7	101.2
Selection Indices			
Logix Merit Index	100.6	99.8	101.1
Ewe Index	103.5	101.9	104.6
Growth Index	95.7	96.6	95.1
Inbreeding			
Inbreeding (%)	6.32	4.91	7.21
Number of Animals			
Number of Animals	506	196	310

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2009 - 2025	4.77	0.21
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	504	100
Known Dams	475	94

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 155




Sires

Number: 22




Young Ewes

Number: 124



Young Rams


Number: 196




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW	AFL		ILP		RI	LMI				
	EBV					EBV			EBV		EBV							
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV	Number	EBV			Number	EBV		
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2016										3	-1.83	2	-4.80				
2018										3	-1.41	2	-1.42				
2019										2	-7.35	2	2.15				
2020										26	1.20	20	-0.32				
2021										31	0.68	28	1.16				
2022										28	3.00	16	0.24				
2023										28	1.23	7	-2.15				
2024										3	-4.21						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb							EPI	Times	
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Lambded		
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1028	18	0804	1028	12	0232	2.25	104	111	-0.63	0.07	-0.25	-0.44	1.60	0.40	9.15	-7.44		1		
	89868269		1028	14	0229				27	93	9	103	5	111	14	105	67	34	122	
1028	19	0565	1028	17	0205	2.75	100	103	-0.64	0.15	-0.17	-0.35	0.60	-0.12	-4.97	6.14		4		
	93139806		1028	18	0589				15	93	13	105	8	106	13	102	63	34	85	
959	20	0043	959	17	0024	15.80	99	110	-0.24	0.83	0.71	0.16	-2.90	-1.15	-1.00	-2.32		100	6	
	89912943		959	18	0009				54	97	49	122	27	96	56	101	34	108		
116	21	0010	116	19	0167	3.04	101	106	-0.56	0.11	-0.17	-0.49	0.40	-0.21	0.98	-1.43			3	
	92623826		116	16	0146				26	93	19	104	10	101	51	99	25	106		
959	21	0170	959	20	0061	10.06	98	92	0.66	-0.09	0.24	2.53	-3.20	-1.35	-5.82	4.45			3	
	92813484		959	18	0008				47	107	37	99	26	95	48	107	27	90	93	
1028	22	0060	1028	18	0804	2.89	104	110	-0.65	0.07	-0.25	-0.46	1.60	0.39	4.25	-3.56			4	
	99018988		1028	20	0013				14	93	5	103	5	111	7	105	44	22	112	
762	22	0706	762	19	0382	12.67	90	74	0.77	-0.93	-0.55	1.80	-1.80	-1.25	4.89	10.01			8	
	96016993		762	19	0392				58	108	54	77	28	95	53	94	40	74	122	
1028	23	0121	959	20	0043	4.14	99	107	-0.43	0.53	0.32	-0.03	-1.60	-0.86	-0.84	-0.33			3	
	98368046		1028	19	0011				30	95	27	114	16	96	25	98	31	101	19	103
1028	23	0124	116	21	0010	2.94	101	106	-0.60	0.13	-0.17	-0.42	0.50	-0.17	1.75	-0.74			3	
	98368079		1028	22	0005				15	93	11	104	6	106	11	102	35	19	104	
1028	23	0129	959	20	0043	2.89	102	109	-0.46	0.46	0.23	-0.17	-0.60	-0.36	-3.51	-0.30			4	
	98368095		1028	19	0023				27	95	24	112	13	101	22	100	31	104	18	103
1028	23	0134	1028	19	0565	2.73	100	105	-0.65	0.11	-0.21	-0.41	1.10	0.13	9.77	-2.75			5	
	98368145		1028	19	0005				10	93	7	104	5	109	7	103	39	20	109	
1028	23	0136	1028	19	0565	2.73	102	106	-0.65	0.11	-0.21	-0.41	1.10	0.13	-0.65	1.34			3	
	98368160		1028	19	0002				10	93	7	104	5	109	7	103	37	19	98	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam							
Comp no.								Dir	Mat							Comb		Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028	23	0138	1028	19	0565	33.19	101	104	-0.64	0.13	-0.19	-0.38	0.90	0.03	-5.66	6.07						
98673932	1028	21	0014	1028	21		0014	8	93	7	104	97	5	93	5	108	7	103	41	107	22	85
1028	23	0139	1028	19	0565	33.19	101	104	-0.64	0.13	-0.19	-0.38	0.90	0.03	-5.66	6.07						
98673940	1028	21	0014	1028	21		0014	8	93	7	104	97	5	93	5	108	7	103	41	107	22	85
1028	23	0142	1028	19	0565	11.76	102	106	-0.64	0.11	-0.21	-0.40	1.10	0.13	-2.68	2.32						
98368194	1028	20	0016	1028	20		0016	10	93	7	104	97	5	93	5	109	7	103	37	103	21	96
1028	23	0143	1028	19	0565	11.76	102	106	-0.64	0.11	-0.21	-0.40	1.10	0.13	-2.68	2.32						
98368202	1028	20	0016	1028	20		0016	10	93	7	104	97	5	93	5	109	7	103	37	103	21	96
1028	23	0144	1028	19	0565	15.00	101	103	-0.65	0.11	-0.21	-0.41	1.10	0.12	-2.18	4.87						
98368210	1028	19	0013	1028	19		0013	8	92	6	104	97	5	93	5	109	6	103	39	103	21	89
1028	23	0145	1028	19	0565	15.00	101	103	-0.65	0.11	-0.21	-0.41	1.10	0.12	-2.18	4.87						
98368228	1028	19	0013	1028	19		0013	8	92	6	104	97	5	93	5	109	6	103	39	103	21	89
1028	23	0147	1028	19	0565	9.00	100	103	-0.62	0.19	-0.12	-0.28	0.10	-0.37	-5.06	5.52						
98368244	1028	19	0017	1028	19		0017	16	93	14	106	98	9	94	9	104	14	100	38	106	20	87
1028	23	0148	1028	19	0565	30.14	101	104	-0.64	0.12	-0.20	-0.39	1.00	0.08	-2.65	4.65						
98368251	1028	22	0008	1028	22		0008	8	93	7	104	97	5	93	5	108	7	103	41	103	22	89
1028	23	0152	1028	19	0565	2.73	102	106	-0.65	0.11	-0.21	-0.41	1.10	0.13	-0.16	1.08						
98368293	1028	19	0012	1028	19		0012	10	93	7	104	97	5	93	5	109	7	103	36	100	20	99
1028	23	0154	116	21	0010	3.09	98	104	-0.58	0.21	-0.08	-0.29	-0.50	-0.67	0.36	0.80						
98368319	1028	19	0001	1028	19		0001	20	93	17	106	99	10	94	17	99	32	99	16	100		
1028	23	0159	959	20	0043	2.92	101	108	-0.44	0.47	0.25	-0.12	-0.90	-0.51	-0.40	-0.49						
98368368	1028	20	0019	1028	20		0019	28	95	25	113	105	13	95	11	99	23	100	34	100	22	103
1028	23	0160	1028	19	0565	17.88	101	104	-0.64	0.12	-0.20	-0.39	1.00	0.08	-1.60	3.35						
98386238	1028	21	0021	1028	21		0021	10	93	7	104	97	5	93	5	108	7	103	40	102	21	93
1028	23	0162	116	21	0010	2.37	102	108	-0.60	0.11	-0.19	-0.44	0.80	0.00	3.04	-2.90						
98368376	1028	22	0002	1028	22		0002	15	93	10	104	97	5	93	5	107	10	103	33	96	16	110

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded					
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028	23	0165	1028	19	0565	33.15	101	103	-0.64	0.13	-0.19	-0.38	0.90	0.03	-2.47	5.06	3					
	98648835		1028	21	0009				9	93	7	104	97	5	93	5		108	7	103	40	103
1028	23	0166	116	21	0010	2.87	102	106	-0.61	0.09	-0.21	-0.48	1.00	0.08	-1.47	1.56	3					
	98648801		1028	20	0004			13	93	10	103	97	5	93	5	108		9	103	36	102	18
1256	24	0011	1673	22	0153	5.18	90	94	-0.53	-0.01	-0.28	-0.14	-2.10	-1.80	11.47	-1.95	1					
	110490679		1256	22	0016			28	94	24	101	96	22	95	14	94		23	92	33	85	19
1028	24	0022	959	21	0170	2.65	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.48	-1.37	2.64	3					
	107289530		1028	20	0006			24	100	19	101	100	13	102	8	100		18	100	36	102	20
1028	24	0171	762	22	0706	5.25	94	89	0.07	-0.35	-0.31	0.79	-1.10	-0.94	2.10	5.83	3					
	107289183		1028	19	0011			32	101	30	92	95	16	101	19	98		28	97	29	97	22
1028	24	0175	762	22	0706	4.07	95	89	0.07	-0.39	-0.36	0.73	-0.60	-0.68	2.44	6.67	4					
	107289225		1028	20	0017			30	101	28	91	94	15	100	17	101		26	99	37	97	23
1028	24	0178	762	22	0706	2.64	96	90	0.06	-0.43	-0.40	0.67	-0.10	-0.43	8.23	3.07	4					
	107289258		1028	21	0005			29	100	27	90	93	14	100	17	103		25	100	37	89	24
1028	24	0180	959	21	0170	2.89	101	100	-0.01	0.00	-0.01	1.02	-0.80	-0.49	-6.36	3.35	6					
	107289274		1028	19	0010			24	100	19	101	100	13	102	8	100		18	100	28	108	15
1028	24	0186	959	21	0170	3.01	101	100	0.00	0.01	0.02	1.06	-1.00	-0.58	-8.76	4.86	4					
	107289332		1028	21	0001			24	100	19	101	101	13	103	8	99		18	99	34	111	18
1028	24	0188	762	22	0706	2.40	95	91	0.06	-0.43	-0.40	0.67	-0.10	-0.43	14.70	-0.81	5					
	107289357		1028	19	0005			30	100	27	90	93	14	100	17	103		26	100	35	81	22
1028	24	0191	762	22	0706	2.89	97	91	0.05	-0.43	-0.40	0.66	-0.10	-0.44	-1.06	6.73	4					
	107289381		1028	19	0006			29	100	27	90	93	14	100	17	103		25	100	35	101	23
1028	24	0192	762	22	0706	2.89	97	91	0.05	-0.43	-0.40	0.66	-0.10	-0.44	-1.06	6.73	4					
	107289399		1028	19	0006			29	100	27	90	93	14	100	17	103		25	100	35	101	23
1028	24	0195	959	21	0170	2.89	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.98	3.23	1					
	107395576		1028	22	0041			24	100	19	101	100	13	102	8	100		18	100	34	104	19

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights					EBV - Fertility										
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded					
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028	24	0196	959	21	0170	2.89	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.98	3.23	1					
	107395584		1028	22	0041				24	100	19	101	100	13	102	8		100	18	100	34	104
1028	24	0207	959	20	0043	2.46	101	109	-0.42	0.46	0.25	-0.16	-0.90	-0.50	0.27	-1.83	2					
	107289449		1028	23	0065				28	95	25	112	105	14	95	11		99	23	100	34	99
1028	24	0209	959	21	0170	2.82	100	98	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-6.30	5.53	3					
	107289464		1028	21	0007				24	100	19	101	100	13	102	8		100	18	100	35	108
1028	24	0210	959	21	0170	3.20	100	98	0.02	0.03	0.04	1.11	-1.30	-0.73	-8.00	6.05	5					
	107289472		1028	21	0019				28	100	20	102	101	14	103	9		97	21	98	35	110
1028	24	0211	959	21	0170	2.72	100	100	0.02	0.03	0.04	1.10	-1.30	-0.73	-1.47	0.74	4					
	107289480		1028	20	0011				25	100	20	102	101	14	103	9		97	19	98	34	102
1028	24	0214	959	21	0170	2.41	100	99	0.00	-0.01	0.00	1.04	-0.80	-0.48	-1.02	2.01	2					
	110071602		1028	22	0019				25	100	19	101	100	13	102	8		100	19	100	35	101
1028	24	0216	959	22	0200	2.40	98	111	-1.27	0.36	-0.28	-1.30	0.80	-0.43	10.35	-5.82	5					
	110071628		1028	21	0013				24	85	13	110	96	6	87	5		107	15	100	34	87
1028	24	0218	959	21	0170	2.89	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-4.55	3.71	2					
	107289514		1028	23	0001				24	100	19	101	100	13	102	8		100	18	100	32	106
1028	24	0219	959	21	0170	2.67	100	100	0.02	0.00	0.02	1.03	-1.10	-0.63	-2.19	1.43	2					
	110004801		1028	23	0073				25	100	19	101	101	13	102	8		98	19	99	32	103
1028	24	0220	959	21	0170	2.65	101	101	0.00	-0.01	-0.01	1.03	-0.80	-0.48	-0.95	0.57	3					
	107289522		1028	20	0021				24	100	19	101	100	13	102	8		100	18	100	32	101
1028	24	0221	959	21	0170	2.65	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.48	-1.37	2.64	3					
	110004819		1028	20	0006				24	100	19	101	100	13	102	8		100	18	100	36	102
1028	24	0225	959	21	0170	2.16	100	100	0.01	-0.01	0.00	1.04	-0.80	-0.48	0.30	0.29	2					
	107395659		1028	22	0020				25	100	19	101	100	13	103	8		100	19	100	35	99
1028	24	0227	959	21	0170	2.89	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.83	3.58	2					
	107395626		1028	22	0011				24	100	19	101	100	13	102	8		100	18	100	36	103

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights								EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight				Post-Wean	Number Weaned	TWW		AFL		ILP		Dam		
									Dir	Mat	Comb				Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028	24	0231	959	21	0170	2.16	101	101	0.01	-0.01	0.00	1.04	-0.80	-0.48	0.60	-0.95	1						
107395766			1028	22	0022		25	100	19	101	100	13	103	8	100	19					100	35	99
1028	24	0232	959	21	0170	2.65	100	100	0.00	-0.01	-0.01	1.03	-0.80	-0.48	-1.06	1.45	2						
107383655			1028	22	0015		24	100	19	101	100	13	102	8	100	18					100	35	101
1028	24	0234	959	21	0170	2.89	100	100	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.37	2.18	3						
107301681			1028	19	0009		24	100	19	101	100	13	102	8	100	18					100	33	103
1028	24	0236	959	21	0170	2.89	100	98	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.61	4.02	4						
110071636			1028	19	0013		24	100	19	101	100	13	102	8	100	18					100	33	103
1028	24	0237	959	21	0170	2.89	100	98	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.61	4.02	4						
110071644			1028	19	0013		24	100	19	101	100	13	102	8	100	18					100	33	103
1028	24	0238	959	22	0200	2.45	99	112	-1.25	0.37	-0.25	-1.31	0.50	-0.58	6.68	-5.65	2						
110071651			1028	23	0014		25	86	14	110	96	7	87	5	106	16					99	31	91
1028	24	0239	959	21	0170	2.89	101	100	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-3.23	2.39	4						
107301707			1028	20	0013		24	100	19	101	100	13	102	8	100	18					100	37	104
1028	24	0240	959	21	0170	2.89	101	100	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-3.23	2.39	4						
107301715			1028	20	0013		24	100	19	101	100	13	102	8	100	18					100	37	104
1028	24	0242	959	22	0200	2.91	99	110	-1.29	0.32	-0.33	-1.30	0.80	-0.49	6.68	-4.31	1						
110071677			1028	23	0027		24	85	13	109	95	6	87	5	107	15					100	28	91
1028	24	0243	959	22	0200	2.91	99	110	-1.29	0.32	-0.33	-1.30	0.80	-0.49	6.68	-4.31	1						
110071685			1028	23	0027		24	85	13	109	95	6	87	5	107	15					100	28	91
1028	24	0244	959	22	0200	2.91	98	109	-1.29	0.32	-0.33	-1.30	0.80	-0.49	8.08	-4.00	1						
110071693			1028	23	0026		24	85	13	109	95	6	87	5	107	15					100	29	90
1028	24	0248	959	20	0043	2.89	101	108	-0.45	0.45	0.23	-0.16	-0.60	-0.36	-0.34	-0.79	5						
107301723			1028	19	0019		27	95	24	112	104	13	95	11	101	22					101	36	100
1028	24	0251	762	22	0706	2.89	96	90	0.05	-0.43	-0.40	0.66	-0.10	-0.43	2.73	5.47	3						
107383820			1028	21	0041		29	100	27	90	93	14	100	17	103	25					100	38	96

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb									
						Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambled			
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028	24	0254	959	21	0170	2.89	100	98	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.76	4.28	1			
107395709			1028	21	0040				24	100	19	101	100	13	102	8		100	18	100
1028	24	0255	762	22	0706	3.45	96	89	0.06	-0.41	-0.38	0.69	-0.30	-0.53	-0.73	8.01	4			
110461886			1028	21	0014				29	100	27	91	94	14	100	17		102	25	99
1028	24	0256	762	22	0706	2.37	97	92	0.06	-0.43	-0.40	0.67	-0.10	-0.43	7.68	1.23	1			
107395675			1028	21	0400				30	100	27	90	93	14	100	17		103	26	100
1028	24	0258	762	22	0706	2.89	96	89	0.05	-0.43	-0.40	0.66	-0.10	-0.43	2.14	7.41	4			
107383754			1028	20	0026				29	100	27	90	93	14	100	17		103	25	100
1028	24	0260	762	22	0706	2.89	96	90	0.05	-0.43	-0.40	0.66	-0.10	-0.44	2.22	6.03	3			
107383879			1028	19	0028				29	100	27	90	93	14	100	17		103	25	100
1028	24	0268	762	22	0706	2.64	93	88	0.06	-0.43	-0.40	0.67	-0.10	-0.43	23.25	-2.24	4			
107383713			1028	21	0004				29	100	27	90	93	14	100	17		103	25	100
1028	24	0272	116	21	0010	2.87	101	106	-0.61	0.09	-0.21	-0.48	1.00	0.09	1.31	0.29	4			
107301764			1028	20	0014				14	93	10	103	97	5	93	5		108	10	103
1028	24	0273	116	21	0010	2.87	101	106	-0.61	0.09	-0.21	-0.48	1.00	0.09	1.31	0.29	4			
107301772			1028	20	0014				14	93	10	103	97	5	93	5		108	10	103
1028	24	0274	762	22	0706	2.89	98	92	0.05	-0.43	-0.40	0.65	-0.10	-0.44	-0.54	5.13	4			
110071735			1028	19	0024				29	100	27	90	93	14	100	17		103	25	100
1028	24	0278	116	21	0010	2.53	102	108	-0.61	0.09	-0.21	-0.48	1.00	0.09	3.48	-2.91	3			
107301798			1028	19	0029				15	93	10	103	97	5	93	5		108	10	103
1028	24	0280	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.46	1.60	0.38	3.52	-2.42	3			
107301814			1028	19	0036				14	92	5	103	96	5	93	5		111	7	105
1028	24	0281	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.46	1.60	0.38	3.52	-2.42	3			
107301822			1028	19	0036				14	92	5	103	96	5	93	5		111	7	105
1028	24	0282	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.46	1.60	0.38	3.52	-2.42	3			
107301830			1028	19	0036				14	92	5	103	96	5	93	5		111	7	105

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb							Acc	Index	Acc	Index	Acc
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1028	24	0283	1028	18	0804	27.01	103	110	-0.64	0.07	-0.25	-0.45	1.60	0.39	9.12	-6.13	3					
	107301848		1028	21	0022				15	93	5	103	96	5	93	5		111	8	105	43	88
1028	24	0286	959	20	0043	2.40	102	110	-0.45	0.45	0.23	-0.15	-0.60	-0.35	1.69	-3.25	2					
	107301871		1028	19	0034			28	95	24	112	104	13	95	11	101		23	101	33	98	19
1028	24	0288	116	21	0010	2.59	102	108	-0.59	0.13	-0.17	-0.41	0.50	-0.16	2.86	-3.47	5					
	107301897		1028	20	0012			16	93	12	104	97	6	93	5	106		12	102	35	96	17
1028	24	0291	959	20	0043	2.89	102	110	-0.46	0.46	0.23	-0.17	-0.60	-0.36	-3.49	-1.04	4					
	107301921		1028	19	0024			27	95	24	112	104	13	95	11	101		22	100	31	104	18
1028	24	0292	959	20	0043	2.89	102	109	-0.45	0.45	0.23	-0.16	-0.60	-0.36	-2.05	-0.36	3					
	107301939		1028	21	0043			27	95	24	112	104	13	95	11	101		22	101	38	102	22
1028	24	0294	959	20	0043	2.89	101	108	-0.45	0.45	0.23	-0.16	-0.60	-0.36	-0.83	-0.20	3					
	107301954		1028	19	0032			27	95	24	112	104	13	95	11	101		22	101	36	101	21
1028	24	0297	1028	18	0804	2.89	104	109	-0.65	0.07	-0.25	-0.46	1.60	0.38	4.59	-3.62	4					
	107301988		1028	19	0035			14	92	5	103	96	5	93	5	111		7	105	40	94	20
1028	24	0300	959	20	0043	2.40	102	110	-0.44	0.45	0.23	-0.15	-0.60	-0.35	2.40	-3.95	4					
	107302010		1028	20	0001			28	95	24	112	104	13	95	11	101		23	101	38	97	21
1028	24	0301	959	20	0043	2.40	102	110	-0.44	0.45	0.23	-0.15	-0.60	-0.35	2.40	-3.95	4					
	107302028		1028	20	0001			28	95	24	112	104	13	95	11	101		23	101	38	97	21
1028	24	0305	959	20	0043	2.89	101	108	-0.45	0.45	0.23	-0.16	-0.60	-0.36	-0.51	-0.47	4					
	107302069		1028	19	0018			27	95	24	112	104	13	95	11	101		22	101	34	100	20
1028	24	0308	116	21	0010	2.53	102	108	-0.61	0.09	-0.21	-0.48	1.00	0.09	3.36	-3.27	3					
	107302077		1028	19	0030			15	93	10	103	97	5	93	5	108		10	103	32	96	16
1028	24	0309	116	21	0010	2.53	102	108	-0.61	0.09	-0.21	-0.48	1.00	0.09	3.36	-3.27	3					
	107302085		1028	19	0030			15	93	10	103	97	5	93	5	108		10	103	32	96	16
1028	24	0313	116	21	0010	2.53	102	108	-0.61	0.09	-0.21	-0.48	1.00	0.09	2.39	-2.41	3					
	107302127		1028	19	0031			15	93	10	103	97	5	93	5	108		10	103	32	97	16

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
Comp no.								Dir	Mat							
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI Times Lambded
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1028	24	0314	116	21	0010	2.53										
		107302135	1028	19	0031		102	108								3
1028	24	0317	1028	18	0804	2.89										
		107302168	1028	19	0033		104	109								4
1028	24	0318	116	21	0010	2.52										
		107302176	1028	21	0021		102	106								4
1028	24	0320	116	21	0010	2.74										
		107302192	1028	21	0011		101	106								3
1028	24	0321	116	21	0010	2.74										
		107302200	1028	21	0011		101	106								3
1028	24	0323	1028	18	0804	2.64										
		107302226	1028	22	0005		102	108								3
1028	24	0328	762	22	0706	2.82										
		107383705	1028	21	0008		98	90								4
1028	24	0329	762	22	0706	2.82										
		107383788	1028	21	0008		98	90								4
1028	24	0330	762	22	0706	2.40										
		107383796	1028	20	0027		97	91								3
1028	24	0331	1028	18	0804	2.73										
		107302275	1028	21	0016		103	108								4
1028	24	0333	116	21	0010	2.74										
		107302291	1028	21	0012		101	106								2
1028	24	0335	762	22	0706	2.90										
		107383804	1028	19	0038		97	91								3
1028	24	0338	762	22	0706	2.32										
		107383861	1028	20	0016		97	92								3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
Comp no.									Dir	Mat							Comb	EBV Index				
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lamberd			
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028	24	0341	1028	19	0565	6.11	101	106	-0.54	0.30	0.03	-0.25	0.00	-0.24	-1.48	2.06						
	107302317		1028	23	0128				16	94	14	108	7	103	13	101	20	96	1			
1028	24	0346	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.46	1.60	0.38	4.54	-3.02			3			
	107302325		1028	19	0022				14	92	5	103	5	111	7	105	39	94	20	110		
1028	24	0348	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.45	1.60	0.39	3.60	-2.64				2		
	107302341		1028	22	0040				14	93	5	103	5	111	7	105	43	95	22	109		
1028	24	0349	1028	18	0804	2.89	103	109	-0.65	0.07	-0.25	-0.45	1.60	0.39	3.60	-2.64				2		
	107302358		1028	22	0040				14	93	5	103	5	111	7	105	43	95	22	109		
1028	24	0350	1028	18	0804	27.01	104	110	-0.64	0.07	-0.25	-0.45	1.60	0.39	6.44	-5.22				2		
	107395741		1028	22	0042				15	93	5	103	5	111	8	105	40	92	21	116		
1028	24	0353	1028	18	0804	2.89	104	110	-0.65	0.07	-0.25	-0.46	1.60	0.38	5.16	-4.17				2		
	107302374		1028	23	0035				14	92	5	103	5	111	7	105	41	93	22	113		
1028	24	0354	1028	18	0804	2.89	105	111	-0.65	0.07	-0.25	-0.47	1.60	0.38	1.69	-4.29				5		
	107302382		1028	19	0015				14	92	5	103	5	111	7	105	36	98	18	114		
1028	24	0360	959	22	0200	2.40	97	110	-1.28	0.36	-0.28	-1.31	0.80	-0.43	18.74	-8.92				5		
	110071776		1028	19	0005				24	85	13	110	5	107	15	100	32	76	16	126		
1028	24	0363	959	22	0200	2.40	98	110	-1.27	0.36	-0.28	-1.30	0.80	-0.43	7.28	-3.34				3		
	110462066		1028	21	0018				24	85	13	110	5	107	15	100	31	91	18	111		
1028	24	0365	1028	18	0804	2.71	104	110	-0.65	0.07	-0.25	-0.47	1.60	0.38	4.39	-4.19				3		
	107395725		1028	22	0062				14	92	5	103	5	111	7	105	34	94	17	113		
1028	24	0370	1028	18	0804	2.64	102	107	-0.63	0.11	-0.21	-0.39	1.10	0.14	3.32	-1.10				3		
	107302424		1028	20	0018				16	93	8	104	5	109	10	103	43	96	22	105		
1028	24	0372	1028	18	0804	38.94	104	111	-0.63	0.09	-0.23	-0.41	1.40	0.30	7.67	-6.99				3		
	107302432		1028	21	0002				16	93	6	103	5	110	9	104	40	90	20	121		
762	24	0374	762	22	1014	14.13	84	78	0.58	-0.31	-0.02	1.48	-5.70	-3.15	8.84	2.10						
	107587495		762	18	0158				45	106	40	93	25	77	38	84	39	89	30	96	77	6

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat	Comb								
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded		
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1028	25	0219	959	22	0200	2.70	98	110	-1.25	0.37	-0.26	-1.31	0.50	-0.58	7.21	-3.90	2		
	110031804		1028	23	0073				24	86	14	110	5	106	16	99	18	113	
1028	25	0378	959	20	0043	8.40	100	105	-0.12	0.41	0.36	0.60	-1.80	-0.78	0.32	-1.25	1		
	110494721		1028	23	0156				30	98	26	111	12	95	24	98	33	99	
1028	25	0379	959	20	0043	8.40	100	105	-0.12	0.41	0.36	0.60	-1.80	-0.78	0.32	-1.25	1		
	110494713		1028	23	0156				30	98	26	111	12	95	24	98	33	99	
1028	25	0380	959	21	0170	2.75	101	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-8.69	5.44	5		
	110494606		1028	19	0014				24	100	19	101	8	100	18	100	33	111	
1028	25	0382	959	21	0170	2.77	100	99	0.01	0.01	0.02	1.06	-1.00	-0.58	-4.26	3.81	1		
	110717428		1028	22	0071				24	100	19	101	8	99	18	99	33	105	
1028	25	0384	959	21	0170	3.48	98	97	0.02	0.07	0.08	1.16	-1.80	-0.99	-3.72	4.35	1		
	110717808		1028	22	0038				25	100	20	103	9	95	19	97	32	105	
1028	25	0385	959	21	0170	3.48	98	97	0.02	0.07	0.08	1.16	-1.80	-0.99	-3.72	4.35	1		
	110717824		1028	22	0038				25	100	20	103	9	95	19	97	32	105	
1028	25	0386	959	21	0170	3.20	100	98	0.02	0.03	0.04	1.11	-1.30	-0.73	-8.00	6.05	5		
	110494622		1028	21	0019				28	100	20	102	9	97	21	98	35	110	
1028	25	0390	959	20	0043	30.15	100	110	-0.34	0.64	0.47	0.00	-1.80	-0.78	1.27	-3.21	1		
	110494739		1028	23	0057				30	96	27	117	12	95	25	98	35	98	
1028	25	0392	959	21	0170	2.41	101	101	0.00	-0.01	0.00	1.04	-0.80	-0.48	0.32	-0.62	4		
	110494580		1028	20	0009				25	100	19	101	8	100	19	100	35	99	
1028	25	0394	959	21	0170	2.89	100	98	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.43	3.77	3		
	110494556		1028	20	0025				24	100	19	101	8	100	18	100	35	103	
1028	25	0396	959	21	0170	2.89	100	99	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-2.92	3.21	1		
	110717451		1028	23	0036				24	100	19	101	8	100	18	100	35	104	
1028	25	0400	959	21	0170	2.16	101	101	0.01	-0.01	0.00	1.04	-0.80	-0.48	0.83	-1.03	2		
	110717816		1028	22	0021				25	100	19	101	8	100	19	100	32	99	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights					EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
									Dir	Mat	Comb										
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded				
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028	25	0401	959	21	0170	2.65	100	100	0.00	-0.01	-0.01	1.03	-0.80	-0.48	-1.44	1.78					
	110494572		1028	23	0034				24	100	19	101	8	100	18	100	35	102	19	97	2
1028	25	0404	959	21	0170	2.89	101	100	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-6.41	3.95					
	110717782		1028	19	0006				24	100	19	101	8	100	18	100	32	108	18	91	4
1028	25	0405	959	21	0170	2.89	101	100	0.00	-0.01	-0.01	1.03	-0.80	-0.49	-6.41	3.95					
	110717790		1028	19	0006				24	100	19	101	8	100	18	100	32	108	18	91	4
1028	25	0407	959	20	0043	2.89	102	109	-0.46	0.46	0.23	-0.17	-0.60	-0.36	-3.95	-0.04					
	110494697		1028	19	0010				27	95	24	112	11	101	22	100	31	105	18	102	6
1028	25	0408	959	20	0043	2.89	102	109	-0.46	0.46	0.23	-0.17	-0.60	-0.36	-3.95	-0.04					
	110494705		1028	19	0010				27	95	24	112	11	101	22	100	31	105	18	102	6
1028	25	0410	762	23	0241	2.19	103	107	-0.29	0.02	-0.12	0.27	0.70	0.15	6.22	-4.67					
	110717659		1028	22	0031				28	97	22	101	12	107	22	103	32	92	17	115	2
1028	25	0415	762	23	0241	2.67	102	106	-0.26	0.04	-0.09	0.28	0.30	-0.04	2.48	-3.01					
	110717550		1028	23	0012				28	97	22	102	12	105	22	102	32	97	16	110	1
1028	25	0417	762	23	0241	3.28	102	106	-0.28	0.06	-0.08	0.33	0.20	-0.10	3.44	-2.94					
	110717519		1028	20	0011				29	97	23	102	12	104	23	102	35	95	18	110	4
1028	25	0418	762	23	0241	3.28	102	106	-0.28	0.06	-0.08	0.33	0.20	-0.10	3.44	-2.94					
	110717527		1028	20	0011				29	97	23	102	12	104	23	102	35	95	18	110	4
1028	25	0421	762	23	0241	2.65	102	105	-0.29	0.02	-0.12	0.26	0.70	0.15	2.53	-0.91					
	110717576		1028	20	0024				28	96	22	101	12	107	22	103	36	97	18	104	5
1028	25	0422	762	23	0241	2.65	102	105	-0.29	0.02	-0.12	0.26	0.70	0.15	2.53	-0.91					
	110717584		1028	20	0024				28	96	22	101	12	107	22	103	36	97	18	104	5
1028	25	0427	762	23	0241	3.28	102	106	-0.28	0.06	-0.08	0.33	0.20	-0.10	3.44	-2.94					
	110717667		1028	20	0011				29	97	23	102	12	104	23	102	35	95	18	110	4
1028	25	0428	762	23	0241	3.28	102	106	-0.28	0.06	-0.08	0.33	0.20	-0.10	3.44	-2.94					
	110717675		1028	20	0011				29	97	23	102	12	104	23	102	35	95	18	110	4

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb									
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded			
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028	25	0429	762	23	0241	3.16	102	105	-0.29	0.04	-0.10	0.29	0.50	0.05	2.91	-1.36	2			
	110717618		1028	22	0028				28	97	22	102	12	106	22	103	35	96	19	106
1028	25	0431	762	23	0241	3.73	101	104	-0.29	0.06	-0.08	0.32	0.20	-0.10	3.26	-1.48	3			
	110717436		1028	22	0005				28	97	23	102	12	104	22	102	35	96	19	106
1028	25	0435	762	23	0241	3.16	102	104	-0.29	0.04	-0.10	0.29	0.50	0.05	2.40	-0.47	1			
	110739604		1028	22	0029				28	97	22	102	12	106	22	103	35	97	17	103
1028	25	0436	762	23	0241	3.16	102	104	-0.29	0.04	-0.10	0.29	0.50	0.05	2.40	-0.47	1			
	110739596		1028	22	0029				28	97	22	102	12	106	22	103	35	97	17	103
1028	25	0437	762	23	0241	2.19	102	106	-0.29	0.02	-0.12	0.27	0.70	0.15	10.04	-6.10	1			
	110739620		1028	22	0037				28	97	22	101	12	107	22	103	35	87	17	119
1028	25	0438	762	23	0241	2.19	102	106	-0.29	0.02	-0.12	0.27	0.70	0.15	10.04	-6.10	1			
	110739638		1028	22	0037				28	97	22	101	12	107	22	103	35	87	17	119
1028	25	0439	762	23	0241	3.47	102	103	-0.29	0.05	-0.09	0.30	0.30	-0.06	-0.97	1.64	1			
	110717691		1028	23	0137				28	97	22	102	12	105	22	102	34	101	17	97
1028	25	0440	762	23	0241	2.19	102	106	-0.29	0.02	-0.12	0.27	0.70	0.15	10.04	-6.10	1			
	110739646		1028	22	0036				28	97	22	101	12	107	22	103	35	87	17	119
1028	25	0441	762	23	0241	2.19	102	106	-0.29	0.02	-0.12	0.27	0.70	0.15	10.04	-6.10	1			
	110739612		1028	22	0036				28	97	22	101	12	107	22	103	35	87	17	119
1028	25	0443	762	23	0241	2.65	103	105	-0.29	0.02	-0.12	0.26	0.70	0.15	3.85	-2.23	2			
	110717733		1028	22	0015				28	96	22	101	12	107	22	103	36	95	19	108
1028	25	0453	762	22	0706	2.74	96	92	0.07	-0.41	-0.38	0.71	-0.30	-0.52	5.00	2.82	3			
	112375621		1028	22	0002				30	100	27	91	17	102	26	100	34	93	22	94
1028	25	0454	762	22	0706	2.74	96	92	0.07	-0.41	-0.38	0.71	-0.30	-0.52	5.00	2.82	3			
	112375639		1028	22	0002				30	100	27	91	17	102	26	100	34	93	22	94
1028	25	0458	762	22	0706	2.74	97	92	0.07	-0.41	-0.38	0.71	-0.30	-0.52	5.54	1.73	3			
	112375670		1028	21	0002				30	100	27	91	17	102	26	100	34	93	22	97

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded							
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1028	25	0459	762	22	0706	2.74	97	92	0.07	-0.41	-0.38	0.71	-0.30	-0.52	5.54	1.73								
	112375688		1028	21	0002				30	100	27	91	94	14	100	17	102	26	100	34	93	22	97	3
1028	25	0460	762	22	0706	2.40	98	94	0.06	-0.43	-0.40	0.67	-0.10	-0.43	3.31	1.73								
	112375696		1028	20	0010				30	100	27	90	93	14	100	17	103	26	100	37	96	23	97	5
1028	25	0463	1028	24	0185	7.43	102	105	-0.63	0.09	-0.23	-0.46	1.30	0.24	0.74	1.71								
	112375712		1028	20	0026				8	93	5	103	96	5	93	5	110	5	104	32	99	17	97	4
1028	25	0468	1028	24	0185	11.34	102	107	-0.62	0.10	-0.21	-0.44	1.10	0.14	1.93	-0.42								
	112375761		1028	21	0021				10	93	6	103	97	5	93	5	109	7	103	29	97	15	103	4
1028	25	0470	1028	23	0129	2.84	103	107	-0.56	0.27	-0.01	-0.32	0.50	0.01	-5.14	3.15								
	112375787		1028	21	0007				14	94	12	107	100	7	94	5	106	11	103	30	106	17	93	3
1028	25	0475	762	22	0706	3.45	97	91	0.06	-0.41	-0.38	0.69	-0.30	-0.53	-3.40	7.64								
	112490933		1028	21	0001				29	100	27	91	94	14	100	17	102	25	99	36	104	23	81	4
1028	25	0477	762	22	0706	2.89	96	90	0.05	-0.43	-0.40	0.66	-0.10	-0.44	2.22	6.32								
	112375837		1028	19	0025				29	100	27	90	93	14	100	17	103	25	100	34	97	23	85	4
1028	25	0478	762	22	0706	2.15	96	91	0.06	-0.43	-0.40	0.67	-0.10	-0.43	5.65	3.07								
	112375845		1028	22	0020				30	100	27	90	93	14	100	17	103	26	100	37	93	24	93	2
1028	25	0481	1028	23	0129	2.90	103	109	-0.56	0.27	-0.01	-0.32	0.50	0.01	-1.74	-0.05								
	112375878		1028	19	0035				14	93	12	108	100	7	94	5	106	11	103	27	102	14	102	4
1028	25	0484	1028	23	0129	3.02	102	107	-0.55	0.29	0.01	-0.29	0.30	-0.09	-3.12	2.20								
	112375902		1028	21	0016				14	94	13	108	101	7	94	6	105	12	102	29	104	15	96	4
1028	25	0487	1028	23	0129	2.89	102	108	-0.56	0.27	-0.01	-0.32	0.50	0.01	-1.80	0.76								
	112375936		1028	21	0042				14	94	12	107	100	7	94	5	106	11	103	31	102	17	100	3
1028	25	0488	1028	23	0129	2.89	102	108	-0.56	0.27	-0.01	-0.32	0.50	0.01	-1.80	0.76								
	112375944		1028	21	0042				14	94	12	107	100	7	94	5	106	11	103	31	102	17	100	3
1028	25	0493	1028	23	0129	4.04	104	111	-0.55	0.26	-0.01	-0.31	0.50	0.01	0.03	-3.27								
	112375985		1028	21	0017				16	94	12	107	100	7	94	5	106	12	103	30	100	15	111	3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Comp no.		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
								Dir	Mat							Comb	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028	25	0494	1028	23	0129	4.04	104	111	-0.55	0.26	-0.01	-0.31	0.50	0.01	0.03	-3.27					
	112375993		1028	21	0017				16	94	12	107	5	106	12	103	15	111	3		
1028	25	0495	1028	23	0129	2.59	103	110	-0.55	0.26	-0.01	-0.31	0.50	0.01	-1.95	-0.90					
	112376009		1028	20	0016				15	94	12	107	5	106	12	103	26	102	15	104	3
1028	25	0497	762	22	0706	2.82	98	90	0.05	-0.43	-0.40	0.66	-0.10	-0.43	-7.99	10.38					
	112376025		1028	21	0008				29	100	27	90	17	103	25	100	37	110	24	73	4
1028	25	0498	762	22	0706	2.82	98	90	0.05	-0.43	-0.40	0.66	-0.10	-0.43	-7.99	10.38					
	112376033		1028	21	0008				29	100	27	90	17	103	25	100	37	110	24	73	4
1028	25	0500	762	22	0706	2.53	96	91	0.08	-0.42	-0.38	0.66	-0.40	-0.58	3.21	4.34					
	112376041		1028	23	0065				30	101	27	90	17	102	26	99	33	96	22	90	2
1028	25	0504	762	22	0706	2.90	97	91	0.05	-0.43	-0.40	0.65	-0.10	-0.44	2.25	4.53					
	112376082		1028	19	0038				29	100	27	90	17	103	25	100	27	97	20	89	3
1028	25	0505	762	22	0706	2.90	97	91	0.05	-0.43	-0.40	0.65	-0.10	-0.44	2.25	4.53					
	112376090		1028	19	0038				29	100	27	90	17	103	25	100	27	97	20	89	3
1028	25	0507	1028	23	0129	2.65	102	108	-0.55	0.26	-0.01	-0.31	0.50	0.01	0.76	-1.01					
	112376116		1028	20	0015				15	94	12	107	5	106	12	103	30	99	16	105	4
1028	25	0509	116	21	0010	2.87	102	107	-0.61	0.09	-0.21	-0.48	1.00	0.08	-1.07	0.08					
	112376132		1028	21	0043				13	93	10	103	5	108	9	103	36	101	18	102	3
1028	25	0512	1028	24	0185	7.43	102	106	-0.63	0.09	-0.23	-0.46	1.30	0.24	1.13	0.66					
	112376140		1028	22	0011				8	93	5	103	5	110	5	104	31	98	16	100	2
1028	25	0514	1028	23	0129	5.93	103	109	-0.56	0.27	-0.01	-0.32	0.50	0.01	-1.17	-0.61					
	112376165		1028	23	0035				14	93	12	108	5	106	11	103	28	101	16	104	2
1028	25	0515	1028	23	0129	5.93	103	109	-0.56	0.27	-0.01	-0.32	0.50	0.01	-1.17	-0.61					
	112376173		1028	23	0035				14	93	12	108	5	106	11	103	28	101	16	104	2
1028	25	0516	1028	23	0129	2.97	102	106	-0.55	0.28	0.00	-0.30	0.40	-0.04	-1.97	2.48					
	112376181		1028	22	0009				14	94	12	108	6	105	11	102	32	102	17	95	2

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
									Dir	Mat	Comb										
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded				
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1028	25	0517	1028	23	0129	2.97	102	106	-0.55	0.28	0.00	-0.30	0.40	-0.04	-1.97	2.48					
	112376199		1028	22	0009				14	94	12	108	6	105	11	102	17	95	2		
1028	25	0518	1028	23	0129	2.77	103	109	-0.55	0.27	-0.01	-0.32	0.50	0.01	-0.75	-0.80					
	112376207		1028	21	0045				14	94	12	107	5	106	11	103	30	101	16	104	3
1028	25	0520	1028	23	0129	2.65	102	108	-0.55	0.26	-0.01	-0.31	0.50	0.01	0.14	-0.37					
	112376223		1028	22	0019				15	94	12	107	5	106	12	103	29	100	15	103	2
1028	25	0525	762	23	0676	8.85	80	92	-0.91	0.38	-0.08	-1.17	-5.80	-4.02	6.87	-1.48					
	112720446		762	24	0474				42	90	33	110	18	76	33	79	32	91	20	106	1
1028	25	0526	762	23	0676	8.85	80	92	-0.91	0.38	-0.08	-1.17	-5.80	-4.02	6.87	-1.48					
	112720479		762	24	0474				42	90	33	110	18	76	33	79	32	91	20	106	1
1028	25	0529	762	22	0706	2.15	97	92	0.06	-0.43	-0.40	0.67	-0.10	-0.43	5.72	2.28					
	112490974		1028	22	0034				30	100	27	90	17	103	26	100	36	93	22	96	1
1028	25	0530	762	22	0706	2.15	97	92	0.06	-0.43	-0.40	0.67	-0.10	-0.43	5.72	2.28					
	112490982		1028	22	0034				30	100	27	90	17	103	26	100	36	93	22	96	1
1028	25	0534	762	22	0706	2.89	96	90	0.05	-0.43	-0.40	0.66	-0.10	-0.44	2.60	5.38					
	112376256		1028	19	0019				29	100	27	90	17	103	25	100	35	97	23	87	5
1028	25	0535	762	22	0706	3.93	95	90	0.16	-0.24	-0.16	0.82	-1.20	-0.80	1.57	6.53					
	112376264		1028	23	0085				32	102	30	95	18	98	28	98	35	98	24	84	2
1028	25	0537	1028	24	0185	3.02	100	103	-0.29	0.09	-0.06	0.35	-0.40	-0.44	-1.34	0.76					
	112490909		1028	24	0183				15	96	12	103	6	102	12	100	25	102	12	100	1
1028	25	0538	762	23	0676	12.33	89	89	0.28	0.13	0.27	0.56	-4.60	-2.36	4.87	1.54					
	112720453		762	24	0264				41	103	32	104	17	82	32	89	32	94	19	98	1
1028	25	0539	762	23	0676	12.33	89	89	0.28	0.13	0.27	0.56	-4.60	-2.36	4.87	1.54					
	112720461		762	24	0264				41	103	32	104	17	82	32	89	32	94	19	98	1
1028	25	0540	762	22	0706	3.60	95	88	0.06	-0.40	-0.37	0.71	-0.40	-0.58	0.26	8.44					
	112376298		1028	22	0004				29	100	27	91	17	102	25	99	36	99	24	79	2

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat	Comb								
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times		
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Lambd	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1028	25	0545	762	22	0706	3.45	96	89	0.06	-0.41	-0.38	0.69	-0.30	-0.53	0.56	7.05	3		
	112376272	1028	21	0015	29				100	27	91	94	14	100	17	102		25	99
1028	25	0547	762	23	0241	2.42	103	106	-0.29	0.02	-0.12	0.27	0.70	0.15	3.87	-2.95	2		
	112490917	1028	22	0042	28				96	22	101	98	17	97	12	107		22	103
Ram Flock Average: Number of rams in the flock: 196						100	102	-0.32	0.03	-0.13	0.17	-0.06	-0.32	1.17	0.78				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat	Comb											
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1028 19 0001 98336167	762 16 0269 1028 17 0097		27.49	96	101	-0.59 30 93	0.31 28 109	0.01 101	-0.09 18 95	-1.40 19 97	-1.13 27 96	-0.26 39 100	3.03 21 94	5						
1028 19 0002 98336175	1028 18 0804 - - -		2.90	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	3.67 37 95	-3.47 17 111	3						
1028 19 0005 98336209	1028 18 0804 - - -		2.90	100	108	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	24.51 45 69	-11.64 19 134	5						
1028 19 0006 98336217	1028 17 0205 - - -		2.90	104	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-7.01 44 109	3.45 24 92	4						
1028 19 0007 98336225	1028 17 0205 1028 18 0564		2.85	100	103	-0.64 15 93	0.15 13 105	-0.17 97	-0.35 8 93	0.60 8 106	-0.12 13 102	-0.05 44 100	3.05 23 94	5						
1028 19 0009 98336241	1028 17 0205 - - -		2.90	103	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		1.08 44 98	-0.09 23 102	3						
1028 19 0010 98336258	1028 15 0976 - - -		2.90	105	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-6.90 29 109	2.25 13 96	6						
1028 19 0011 98336266	762 16 0269 - - -		2.90	99	104	-0.62 26 93	0.23 25 107	-0.08 99	-0.22 16 94	-0.40 17 102	-0.63 24 99	-0.68 26 101	1.66 17 97	3						
1028 19 0012 98336274	1028 18 0804 - - -		2.90	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	4.66 35 94	-3.99 19 113	3						
1028 19 0013 98336282	1028 17 0205 - - -		2.90	102	104	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		0.61 44 99	3.59 24 92	4						
1028 19 0014 98336290	1028 17 0205 1028 16 1112		2.61	104	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-11.55 46 114	6.44 25 84	5						
1028 19 0015 98336308	1028 15 0976 - - -		2.90	106	112	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-5.78 24 107	-1.15 11 105	5						
1028 19 0016 98336316	762 16 0269 - - -		2.90	99	105	-0.62 26 93	0.23 25 107	-0.08 99	-0.22 16 94	-0.40 17 102	-0.63 24 99	0.78 30 99	0.17 19 101	3						
1028 19 0017 98336324	762 16 0269 - - -		2.90	99	102	-0.61 29 93	0.23 25 107	-0.08 99	-0.21 16 94	-0.40 17 102	-0.62 25 99	-5.14 41 106	4.90 21 88	4						
1028 19 0018 98336332	1028 17 0205 - - -		2.90	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.01 39 100	1.38 22 98	4						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31	-0.30		0.15				
1028 19 0019 98336340	1028 -	17 -	0205 -	2.90	103	107	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			0.31 47		0.75 25			5	
1028 19 0021 98336365	1028 -	17 -	0205 -	2.90	103	107	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			1.72 42		0.07 23			4	
1028 19 0022 98336373	1028 -	17 -	0205 -	2.90	103	107	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			-0.07 41		1.40 22			3	
1028 19 0023 98336399	1028 -	15 -	0976 -	2.90	105	109	-0.67 5	0.08 92	5	-0.26 96	-0.49 5		1.60 5			-6.01 27		1.72 10			4	
1028 19 0024 89852875	1028 -	15 -	0976 -	2.90	105	111	-0.67 5	0.08 92	5	-0.26 96	-0.49 5		1.60 5			-5.97 26		0.25 10			4	
1028 19 0025 98336407	1028 -	17 -	0205 -	2.90	102	106	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			-0.44 42		2.62 23			4	
1028 19 0026 98336415	1028 -	15 -	0976 -	2.90	105	110	-0.67 5	0.08 92	5	-0.26 96	-0.49 5		1.60 5			-5.59 19		0.48 6			2	
1028 19 0027 98336423	1028 1028	15 15	0976 0077	2.89	105	112	-0.67 5	0.08 92	5	-0.26 96	-0.49 5		1.60 5			-3.15 19		-2.15 17			3	
1028 19 0028 98336431	1028 -	17 -	0205 -	2.90	103	106	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			-0.45 39		2.05 22			3	
1028 19 0029 98336449	1028 -	18 -	0804 -	2.90	103	110	-0.65 14	0.07 92	5	-0.25 96	-0.47 5		1.60 5	0.38 7		5.99 42		-4.40 19			3	
1028 19 0030 98336456	1028 -	18 -	0804 -	2.90	104	110	-0.65 14	0.07 92	5	-0.25 96	-0.47 5		1.60 5	0.38 7		5.75 39		-5.11 18			3	
1028 19 0031 98336464	1028 -	18 -	0804 -	2.90	104	110	-0.65 14	0.07 92	5	-0.25 96	-0.47 5		1.60 5	0.38 7		3.80 39		-3.40 18			3	
1028 19 0032 98336472	1028 -	17 -	0205 -	2.90	103	106	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			-0.67 44		1.92 24			3	
1028 19 0033 98336480	1028 -	17 -	0205 -	2.90	103	108	-0.66 7	0.08 92	5	-0.26 96	-0.48 5		1.60 5			-0.37 45		0.51 24			4	
1028 19 0034 98336498	1028 -	18 -	0804 -	2.90	104	110	-0.65 14	0.07 92	5	-0.25 96	-0.47 5		1.60 5	0.38 7		4.39 34		-4.19 17			2	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	Lambded
							EBV Acc	Index	EBV Acc	Index		EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype		
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1028 19 0035 98336506	1028 -	17 -	0205 -	2.90	103	108	-0.66 7		0.08 5		-0.26 96		-0.48 5		1.60 5				0.02 44		0.20 23		4
1028 19 0036 98336514	1028 -	17 -	0205 -	2.90	103	106	-0.66 7		0.08 5		-0.26 96		-0.48 5		1.60 5				-2.11 42		2.61 23		3
1028 19 0039 98336555	1028 -	17 -	0205 -	2.90	102	106	-0.66 7		0.08 5		-0.26 96		-0.48 5		1.60 5				0.81 45		1.72 24		4
1028 20 0001 98336597	1028 1028	18 19	0804 0035	2.89	104	111	-0.65 14		0.07 5		-0.25 96		-0.46 5		1.60 5		0.38 7		5.80 53		-5.58 25		4
1028 20 0004 98336621	1028 1028	17 19	0205 0023	2.89	103	105	-0.66 7		0.08 5		-0.26 96		-0.48 5		1.60 5				-3.92 51		4.54 27		3
1028 20 0006 98336647	1028 1028	17 19	0205 0029	2.89	102	106	-0.65 10		0.07 5		-0.25 96		-0.47 5		1.60 5		0.38 5		3.08 54		0.83 28		3
1028 20 0007 98336654	1028 1028	17 19	0205 0020	27.17	103	107	-0.66 8		0.08 5		-0.25 96		-0.47 5		1.60 5				-2.13 51		2.19 28		3
1028 20 0009 98336670	1028 1028	18 19	0804 0009	2.89	104	111	-0.65 14		0.07 5		-0.25 96		-0.46 5		1.60 5		0.38 7		6.46 52		-5.68 26		4
1028 20 0010 98336688	1028 1028	18 19	0804 0015	2.89	106	114	-0.65 14		0.07 5		-0.25 96		-0.47 5		1.60 5		0.38 7		1.73 50		-6.56 25		5
1028 20 0011 98336696	1028 1028	18 19	0804 0008	2.40	102	108	-0.63 19		0.15 13		-0.16 98		-0.33 8		0.60 8		-0.12 14		2.88 49		-2.98 24		4
1028 20 0012 98336704	1028 1028	18 19	0804 0008	2.40	102	110	-0.63 19		0.15 13		-0.16 98		-0.33 8		0.60 8		-0.12 14		4.75 49		-5.51 24		5
1028 20 0013 98336712	1028 1028	17 19	0205 0033	27.17	104	108	-0.66 8		0.08 5		-0.25 96		-0.47 5		1.60 5				-0.65 56		0.32 29		4
1028 20 0014 98336720	1028 1028	17 19	0205 0039	27.17	102	105	-0.66 8		0.08 5		-0.25 96		-0.47 5		1.60 5				1.64 55		2.01 29		4
1028 20 0015 98336738	1028 1028	18 19	0804 0039	2.89	103	107	-0.65 14		0.07 5		-0.25 96		-0.46 5		1.60 5		0.38 7		5.02 52		-1.72 26		4
1028 20 0016 98336746	1028 1028	18 19	0804 0014	2.75	104	110	-0.65 14		0.07 5		-0.25 96		-0.46 5		1.60 5		0.38 7		-0.39 41		-1.50 25		3

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1028 20 0017 98385537	1028	17	0205	2.89	100	103	-0.63		0.15		-0.16	-0.34		0.60		-0.12		-0.01		3.33		4
	1028	19	0017				16	93	13	105	98	8	93	8	106	13	102	53	100	24	93	
1028 20 0018 98336753	1028	17	0205	2.89	100	102	-0.63		0.15		-0.16	-0.34		0.60		-0.12		-2.51		5.24		3
	1028	19	0017				16	93	13	105	98	8	93	8	106	13	102	54	103	28	88	
1028 20 0019 98336761	1028	19	0565	2.73	102	106	-0.65		0.11		-0.21	-0.41		1.10		0.13		0.21		1.34		3
	1028	19	0012				10	93	7	104	97	5	93	5	109	7	103	39	100	26	98	
1028 20 0020 98336779	1028	18	0804	2.15	100	106	-0.61		0.19		-0.12	-0.27		0.10		-0.37		3.53		-1.52		2
	1028	19	0001				20	93	15	106	98	9	94	9	104	16	100	53	95	26	106	
1028 20 0021 98336787	1028	17	0205	2.89	104	109	-0.65		0.07		-0.25	-0.47		1.60		0.38		3.92		-3.31		3
	1028	19	0003				10	92	5	103	96	5	93	5	111	5	105	43	95	27	111	
1028 20 0024 98336811	1028	17	0205	2.89	103	106	-0.65		0.07		-0.25	-0.47		1.60		0.38		1.06		1.08		5
	1028	19	0002				10	92	5	103	96	5	93	5	111	5	105	52	98	23	99	
1028 20 0025 98336829	1028	17	0205	27.17	102	105	-0.66		0.08		-0.25	-0.47		1.60				0.96		3.10		3
	1028	19	0019				8	92	5	103	96	5	93	5	111			52	99	28	93	
1028 20 0026 98336837	1028	17	0205	27.17	102	104	-0.66		0.08		-0.25	-0.47		1.60				-0.62		4.81		4
	1028	19	0025				8	92	5	103	96	5	93	5	111			55	101	29	89	
1028 20 0027 98336845	1028	18	0804	2.89	104	109	-0.65		0.07		-0.25	-0.46		1.60		0.38		-2.55		0.31		3
	1028	19	0006				14	92	5	103	96	5	93	5	111	7	105	50	103	25	101	
1028 21 0001 98336852	1028	19	0565	15.00	104	107	-0.65		0.11		-0.21	-0.41		1.10		0.12		-11.69		5.26		4
	1028	19	0006				8	92	6	104	97	5	93	5	109	6	103	48	115	25	87	
1028 21 0002 98336860	1028	18	0804	26.76	103	111	-0.63		0.11		-0.20	-0.39		1.10		0.14		6.19		-6.55		3
	1028	20	0012				17	93	8	104	97	5	93	5	109	11	103	43	92	21	120	
1028 21 0004 98366594	1028	17	0205	2.89	100	107	-0.65		0.07		-0.25	-0.47		1.60		0.38		41.61		-14.48		4
	1028	19	0005				10	92	5	103	96	5	93	5	111	5	105	52	64	27	136	
1028 21 0005 98366602	1028	17	0205	2.89	101	106	-0.65		0.07		-0.25	-0.47		1.60		0.38		11.58		-3.88		4
	1028	19	0005				10	92	5	103	96	5	93	5	111	5	105	52	85	27	113	
1028 21 0006 98366610	1028	17	0205	27.17	101	102	-0.66		0.08		-0.25	-0.47		1.60				2.40		5.11		2
	1028	19	0013				8	92	5	103	96	5	93	5	111			53	97	28	88	
1028 21 0007 98366628	1028	17	0205	27.03	103	105	-0.66		0.08		-0.25	-0.47		1.60				-6.78		6.60		3
	1028	19	0014				8	92	5	103	96	5	93	5	111			52	108	28	84	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							EBV	EBV	EBV	EBV		EBV	EBV		EBV	EBV	EBV	EBV			
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1028 21 0008 98366636	1028 17 0205 1028 19 0014	27.03	106	107	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-20.86 53 126	10.75 28 72	4								
1028 21 0009 98366644	1028 19 0565 1028 20 0006	14.92	101	103	-0.65 9 93	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	0.04 51 100	3.99 27 91	3								
1028 21 0010 98366651	1028 18 0804 1028 20 0002	2.89	103	108	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	2.62 50 96	-1.27 25 105	2								
1028 21 0011 98366669	1028 19 0565 1028 20 0020	7.32	100	105	-0.63 13 93	0.17 10 105	-0.14 98	-0.31 6 94	0.40 6 105	-0.21 10 101	-0.28 50 100	1.65 26 97	3								
1028 21 0012 98366677	1028 19 0565 1028 20 0020	7.32	100	105	-0.63 13 93	0.17 10 105	-0.14 98	-0.31 6 94	0.40 6 105	-0.21 10 101	-1.15 51 101	2.01 26 96	2								
1028 21 0013 98366685	1028 18 0804 1028 19 0021	2.89	103	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	7.74 50 90	-5.44 25 117	5								
1028 21 0014 98366693	1028 19 0565 1028 19 0036	15.00	102	104	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-6.34 51 108	6.01 26 85	4								
1028 21 0015 98366701	1028 19 0565 1028 19 0032	15.00	102	105	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-3.78 49 105	4.09 25 91	3								
1028 21 0016 98366719	1028 19 0565 1028 19 0032	15.00	101	104	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-2.73 49 103	4.70 25 89	4								
1028 21 0017 98366727	1028 18 0804 1028 20 0010	27.01	105	113	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	3.56 51 95	-6.24 25 119	3								
1028 21 0018 98366735	1028 18 0804 1028 20 0004	2.89	103	108	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	1.58 44 98	-0.46 26 103	3								
1028 21 0019 98366743	1028 17 0205 1028 19 0017	2.89	101	104	-0.61 30 93	0.15 15 105	-0.16 98	-0.31 8 94	0.60 8 106	-0.10 19 102	-10.18 52 113	7.65 27 81	5								
1028 21 0020 98366750	1028 17 0205 1028 19 0017	2.89	100	103	-0.63 16 93	0.15 13 105	-0.16 98	-0.34 8 93	0.60 8 106	-0.12 13 102	-2.82 52 103	5.32 27 87	4								
1028 21 0021 98385529	1028 18 0804 1028 20 0022	2.73	102	106	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	1.77 49 98	0.56 24 100	4								
1028 21 0022 98366768	1028 18 0804 1028 20 0014	2.89	103	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	9.08 52 88	-4.82 26 115	3								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
	Acc	Index	Acc				Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028 21 0040 98366776	1028 17 0205 1028 20 0026	39.31	102	104	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.31 52 99	4.11 26 91	1								
1028 21 0041 98366784	1028 17 0205 1028 19 0019	27.17	103	107	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.57 54 99	0.93 29 99	3								
1028 21 0042 98366792	1028 17 0205 1028 19 0019	27.17	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.10 54 100	1.81 29 97	3								
1028 21 0043 98366800	1028 17 0205 1028 19 0024	2.89	104	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-3.11 51 104	1.59 26 98	3								
1028 21 0044 98366818	1028 17 0205 1028 19 0010	2.89	103	105	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-4.89 52 106	5.01 27 88	2								
1028 21 0045 98366826	1028 17 0205 1028 19 0003	2.89	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	2.01 52 97	-1.30 28 105	3								
1028 21 0400 96003272	1028 18 0804 1028 18 0590	2.85	103	111	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	10.46 42 87	-7.55 18 123	1								
1028 22 0001 98366834	1028 18 0804 1028 20 0009	27.01	104	111	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	7.40 52 90	-6.43 21 120	1								
1028 22 0002 98366842	1028 18 0804 1028 20 0011	26.76	103	109	-0.63 17 93	0.11 8 104	-0.20 97	-0.39 5 93	1.10 5 109	0.14 11 103	5.10 42 93	-4.38 21 114	3								
1028 22 0003 98366859	1028 19 0565 1028 20 0019	27.05	101	104	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-2.83 37 103	4.52 25 89	2								
1028 22 0004 98366867	1028 19 0565 1028 20 0019	27.05	100	102	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-4.36 48 105	6.87 26 83	2								
1028 22 0005 98366875	1028 17 0205 1028 19 0016	2.89	100	105	-0.64 15 93	0.15 13 105	-0.17 97	-0.35 8 93	0.60 8 106	-0.12 13 102	2.52 50 97	-0.05 27 102	3								
1028 22 0006 98366883	1028 17 0205 1028 19 0023	2.89	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-2.00 50 102	2.44 22 95	1								
1028 22 0008 98366909	1028 17 0205 1028 21 0014	27.13	102	105	-0.65 8 92	0.09 5 103	-0.23 96	-0.44 5 93	1.40 5 110	0.28 5 104	-0.33 53 100	3.16 29 93	2								
1028 22 0009 98366917	1028 17 0205 1028 20 0003	39.30	101	103	-0.65 8 92	0.09 5 103	-0.23 96	-0.44 5 93	1.40 5 110	0.29 5 104	-0.44 55 100	5.27 29 87	2								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028 22 0011 98366933	1028 17 0205 1028 19 0033	27.17	102	105	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.16 53 100	2.72 28 94	2									
1028 22 0015 98366974	1028 17 0205 1028 19 0030	2.89	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	3.70 52 95	-1.55 27 106	2									
1028 22 0019 98367014	1028 18 0804 1028 19 0013	2.89	102	107	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	3.79 50 95	-0.43 25 103	2									
1028 22 0020 98367022	1028 18 0804 1028 20 0015	27.01	103	109	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	6.41 52 92	-3.87 25 113	2									
1028 22 0021 98367030	1028 18 0804 1028 20 0001	27.01	104	111	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	7.47 43 90	-6.51 21 120	2									
1028 22 0022 98367048	1028 18 0804 1028 20 0001	27.01	104	111	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	7.02 52 91	-6.36 21 119	1									
1028 22 0028 98367071	1028 19 0565 1028 20 0005	14.92	102	106	-0.65 9 93	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	1.81 51 98	0.18 25 101	2									
1028 22 0029 98367089	1028 19 0565 1028 20 0005	14.92	101	105	-0.65 9 93	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	0.81 51 99	1.97 21 96	1									
1028 22 0031 98367097	1028 18 0804 1028 21 0013	27.01	104	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	8.45 42 89	-6.44 21 120	2									
1028 22 0034 98367121	1028 18 0804 1028 19 0031	27.01	104	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	6.56 48 91	-5.44 19 117	1									
1028 22 0036 98367139	1028 18 0804 1028 19 0005	27.01	102	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	16.09 49 79	-9.29 19 128	1									
1028 22 0037 98367147	1028 18 0804 1028 19 0005	27.01	102	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	16.09 49 79	-9.29 19 128	1									
1028 22 0038 98367154	1028 19 0565 1028 19 0001	12.06	98	102	-0.62 17 93	0.23 15 107	-0.08 99	-0.22 10 94	-0.40 10 102	-0.63 15 99	-1.62 44 102	4.26 20 90	1									
1028 22 0040 98367170	1028 17 0205 1028 20 0013	39.31	103	107	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-1.96 54 102	2.16 30 96	2									
1028 22 0041 98367188	1028 17 0205 1028 20 0013	39.31	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.15 48 100	2.01 26 96	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV
	Acc	Index	Acc				Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1028 22 0042 98367196	1028 18 0804 1028 20 0007	2.89	104	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	3.73 42 95	-3.00 26 110	2									
1028 22 0071 98367212	1028 19 0565 1028 21 0018	8.77	102	105	-0.64 10 93	0.11 7 104	-0.21 97	-0.40 5 93	1.10 5 109	0.13 7 103	-2.69 45 103	3.17 22 93	1									
1028 22 0073 98367238	1028 17 0205 1028 19 0012	2.89	103	107	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	2.51 42 97	-0.15 24 102	1									
1028 23 0001 98367253	1028 17 0205 1028 19 0010	2.89	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-3.27 41 104	2.97 22 94	2									
1028 23 0014 98367378	116 21 0010 1028 20 0010	2.52	104	112	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	0.40 43 99	-5.09 23 116	2									
1028 23 0026 98367493	1658 19 0056 1028 19 0022	2.91	102	107	-0.68 6 92	-0.02 5 100	-0.36 94	-0.45 5 93	1.60 5 111		3.18 37 96	-1.78 14 107	1									
1028 23 0027 98367501	1658 19 0056 1028 19 0024	2.91	104	109	-0.68 5 92	-0.02 5 100	-0.36 94	-0.46 5 93	1.60 5 111		0.39 34 99	-2.41 10 109	1									
1028 23 0034 98367568	1028 17 0205 1028 20 0001	15.03	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 5 105	2.95 52 96	-0.90 25 104	2									
1028 23 0035 98367576	1028 17 0205 1028 19 0027	2.89	103	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		1.17 46 98	-0.91 27 104	2									
1028 23 0036 98367584	1028 17 0205 1028 20 0013	39.31	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.02 52 100	1.97 26 97	1									
1028 23 0037 98367592	1028 17 0205 1028 20 0013	39.31	102	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		2.49 52 97	1.15 26 99	1									
1028 23 0053 98367642	116 21 0010 1028 19 0026	2.88	103	108	-0.62 13 93	0.10 9 103	-0.21 97	-0.49 5 92	1.00 5 108	0.08 9 103	-2.01 37 102	-0.57 13 103	1									
1028 23 0057 98385990	959 20 0043 1028 19 0030	2.40	102	110	-0.45 28 95	0.45 24 112	0.23 104	-0.15 13 95	-0.60 11 101	-0.35 23 101	3.54 42 95	-4.10 19 113	1									
1028 23 0058 98386014	959 20 0043 1028 19 0029	2.40	102	110	-0.45 28 95	0.45 24 112	0.23 104	-0.15 13 95	-0.60 11 101	-0.35 23 101	2.50 35 97	-3.36 20 111	1									
1028 23 0059 98386030	959 20 0043 1028 19 0035	2.89	102	109	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-1.66 43 102	-0.68 21 104	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility														
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed			
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15				
1028 23 0065 98367683	116 21 0010 1028 19 0031	2.53			102	107	-0.61 15	93	0.09 10	103	-0.21 97	-0.48 5	93	1.00 5	108	0.09 10	103	1.53 40	98	-1.33 21	106	2			
1028 23 0085 98385776	959 20 0043 1028 20 0026	2.89			100	105	-0.45 27	95	0.45 24	112	0.23 104	-0.16 13	95	-0.60 11	101	-0.35 22	101	-1.76 45	102	3.05 26	94	2			
1028 23 0088 98385677	959 20 0043 1028 21 0013	2.40			101	110	-0.44 28	95	0.45 24	112	0.23 104	-0.15 13	95	-0.60 11	101	-0.35 23	101	3.88 44	95	-4.04 21	113	1			
1028 23 0115 98367998	116 21 0010 1028 21 0044	2.87			102	106	-0.61 13	93	0.09 10	103	-0.21 97	-0.48 5	93	1.00 5	108	0.08 9	103	-2.47 43	103	1.96 18	97	1			
1028 23 0120 98368038	959 20 0043 1028 20 0020	3.33			100	108	-0.43 29	95	0.51 25	114	0.30 105	-0.05 14	95	-1.40 12	97	-0.76 24	98	1.27 38	98	-1.92 22	107	0			
1028 23 0123 98368061	959 20 0043 1028 19 0025	2.89			101	108	-0.45 27	95	0.45 24	112	0.23 104	-0.16 13	95	-0.60 11	101	-0.36 22	101	-0.72 35	101	0.15 21	102	0			
1028 23 0126 98386196	959 20 0043 1028 19 0019	2.89			101	108	-0.45 27	95	0.45 24	112	0.23 104	-0.16 13	95	-0.60 11	101	-0.36 22	101	-0.34 36	100	-0.79 21	104	0			
1028 23 0128 98368087	959 20 0043 1028 20 0015	2.40			101	109	-0.44 28	95	0.45 24	112	0.23 104	-0.15 13	95	-0.60 11	101	-0.35 23	101	2.01 38	97	-2.02 22	107	1			
1028 23 0131 98368111	959 20 0043 1028 20 0018	3.51			100	106	-0.43 28	95	0.49 25	113	0.28 105	-0.09 14	95	-1.10 12	98	-0.60 23	99	-1.75 39	102	1.46 22	98	0			
1028 23 0132 98368129	959 20 0043 1028 20 0018	3.51			100	106	-0.43 28	95	0.49 25	113	0.28 105	-0.09 14	95	-1.10 12	98	-0.60 23	99	-1.75 39	102	1.46 22	98	0			
1028 23 0133 98368137	1028 19 0565 1028 19 0005	2.73			100	105	-0.65 10	93	0.11 7	104	-0.21 97	-0.41 5	93	1.10 5	109	0.13 7	103	9.77 39	87	-2.75 20	109	0			
1028 23 0137 98673924	1028 19 0565 1028 21 0014	33.19			101	104	-0.64 8	93	0.13 7	104	-0.19 97	-0.38 5	93	0.90 5	108	0.03 7	103	-5.95 48	107	6.17 22	85	1			
1028 23 0140 98368178	959 20 0043 1028 22 0004	3.18			100	106	-0.44 27	95	0.48 25	113	0.26 105	-0.11 14	95	-1.00 11	99	-0.56 23	99	-3.13 46	104	2.42 21	95	1			
1028 23 0141 98368186	1028 19 0565 1028 20 0016	11.76			102	106	-0.64 10	93	0.11 7	104	-0.21 97	-0.40 5	93	1.10 5	109	0.13 7	103	-2.68 37	103	2.32 21	96	0			
1028 23 0146 98368236	1028 19 0565 1028 19 0017	9.00			100	103	-0.62 16	93	0.19 14	106	-0.12 98	-0.28 9	94	0.10 9	104	-0.37 14	100	-5.06 38	106	5.52 20	87	0			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028 23 0149 98368269	1028 19 0565 1028 22 0008	30.14	101	104	-0.64 8 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-2.65 41 103	4.65 22 89	0									
1028 23 0153 98368301	1028 19 0565 1028 19 0012	2.73	102	106	-0.65 10 93	0.11 7 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	-0.16 36 100	1.08 20 99	0									
1028 23 0155 98368327	116 21 0010 1028 19 0001	3.09	98	103	-0.58 20 93	0.21 17 106	-0.08 99	-0.29 10 94	-0.50 10 101	-0.67 17 99	1.10 42 98	0.56 16 100	1									
1028 23 0156 98368335	959 21 0170 1028 21 0022	2.41	100	100	0.01 25 100	-0.01 19 101	-0.01 100	1.04 13 102	-0.80 8 100	-0.48 19 100	1.63 35 98	-0.18 19 102	1									
1028 23 0157 98368343	959 21 0170 1028 21 0022	2.41	100	100	0.01 25 100	-0.01 19 101	-0.01 100	1.04 13 102	-0.80 8 100	-0.48 19 100	1.63 35 98	-0.18 19 102	0									
1028 23 0158 98368350	959 20 0043 1028 19 0022	2.89	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.54 34 100	-0.46 20 103	0									
1028 23 0161 98386253	1028 19 0565 1028 21 0021	17.88	101	104	-0.64 10 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-1.60 40 102	3.35 21 93	0									
1028 23 0163 98368384	116 21 0010 1028 22 0002	2.37	102	108	-0.60 15 93	0.11 10 104	-0.19 97	-0.44 5 93	0.80 5 107	0.00 10 103	3.04 33 96	-2.90 16 110	0									
1028 23 0167 98648819	116 21 0010 1028 20 0004	2.87	102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-1.47 36 102	1.56 18 98	0									
1028 24 0172 107289191	762 22 0706 1028 19 0007	4.05	95	89	0.06 30 100	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.69 26 99	2.42 35 97	6.53 23 84	0									
1028 24 0173 107289209	762 22 0706 1028 19 0007	4.05	95	89	0.06 30 100	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.69 26 99	2.42 35 97	6.53 23 84	0									
1028 24 0176 107289233	762 22 0706 1028 23 0001	2.89	97	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	0.81 34 99	6.49 23 84	0									
1028 24 0177 107289241	762 22 0706 1028 23 0001	2.89	97	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	0.81 34 99	6.49 23 84	0									
1028 24 0179 107289266	959 21 0170 1028 19 0010	2.89	101	100	-0.01 24 100	0.00 19 101	-0.01 100	1.02 13 102	-0.80 8 100	-0.49 18 100	-6.36 28 108	3.35 15 93	0									
1028 24 0183 107289308	959 21 0170 1028 19 0008	3.52	99	99	0.02 27 100	0.07 22 103	0.08 102	1.15 15 103	-1.80 12 95	-0.99 22 97	-4.78 39 106	2.91 17 94	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded		
							Dir		Mat		Comb												
							Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1028 24 0184 107289316	959 21 0170 1028 19 0008	3.52	98	98	0.02 27 100	0.07 22 103	0.08 102	1.15 15 103	-1.80 12 95	-0.99 22 97	-3.67 30 104	2.55 17 95	1										
1028 24 0189 107289365	959 21 0170 1028 20 0009	2.41	101	101	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	0.32 35 99	-0.62 19 104	0										
1028 24 0190 107289373	116 21 0010 1028 19 0014	2.73	102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-4.18 42 105	2.14 18 96	1										
1028 24 0194 107289415	959 21 0170 1028 22 0021	2.16	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.83 32 99	-1.03 17 105	0										
1028 24 0197 110004793	959 22 0200 1028 21 0010	2.40	98	110	-1.27 24 85	0.36 13 110	-0.28 96	-1.30 6 87	0.80 5 107	-0.43 15 100	7.80 34 90	-3.74 18 112	0										
1028 24 0198 107289423	959 21 0170 1028 20 0010	2.41	102	103	0.00 25 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 19 100	-2.05 35 102	-1.05 18 105	0										
1028 24 0199 107289431	959 21 0170 1028 20 0010	2.41	102	103	0.00 25 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 19 100	-2.05 35 102	-1.05 18 105	0										
1028 24 0200 110071487	959 21 0170 1028 22 0009	2.96	99	97	0.00 24 100	0.00 19 101	0.01 100	1.05 13 103	-0.90 8 99	-0.53 18 99	-3.13 36 104	4.86 20 89	0										
1028 24 0201 107395592	959 21 0170 1028 22 0001	2.16	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.79 35 99	-0.99 17 105	0										
1028 24 0202 107395600	959 21 0170 1028 22 0001	2.16	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.79 35 99	-0.99 17 105	0										
1028 24 0204 110461670	959 21 0170 1028 21 0005	2.65	99	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 18 100	2.88 35 96	0.29 19 101	0										
1028 24 0205 110071545	959 21 0170 1028 21 0009	2.89	99	98	0.01 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-2.89 35 103	4.22 19 90	0										
1028 24 0206 110071552	959 21 0170 1028 21 0009	2.89	99	98	0.01 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-2.89 35 103	4.22 19 90	0										
1028 24 0208 107289456	959 21 0170 1028 21 0007	2.82	100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-6.30 35 108	5.53 20 87	0										
1028 24 0212 107289498	959 21 0170 1028 20 0011	2.72	100	100	0.02 25 100	0.03 20 102	0.04 101	1.10 14 103	-1.30 9 97	-0.73 19 98	-1.47 34 102	0.74 18 100	0										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1028 24 0213 110071594	959 21 0170 1028 22 0019	2.41	100	99	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	-1.02 35 101	2.01 19 96	0							
1028 24 0215 110071610	959 22 0200 1028 21 0013	2.40	98	111	-1.27 24 85	0.36 13 110	-0.28 96	-1.30 6 87	0.80 5 107	-0.43 15 100	10.35 34 87	-5.82 18 118	0							
1028 24 0217 107289506	959 21 0170 1028 23 0001	2.89	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-4.55 32 106	3.71 18 92	0							
1028 24 0223 107289555	959 21 0170 1028 22 0003	2.95	99	98	0.01 24 100	0.02 19 101	0.03 101	1.08 13 103	-1.10 8 98	-0.63 18 99	-4.33 30 105	4.48 19 90	0							
1028 24 0226 107395618	959 21 0170 1028 22 0020	2.16	100	100	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.30 35 99	0.29 19 101	0							
1028 24 0228 107395634	959 21 0170 1028 22 0011	2.89	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.83 36 103	3.58 20 92	0							
1028 24 0230 107395642	959 21 0170 1028 22 0022	2.16	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.60 35 99	-0.95 17 105	0							
1028 24 0233 107383663	959 21 0170 1028 22 0015	2.65	100	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 18 100	-1.06 35 101	1.45 19 98	0							
1028 24 0235 107301699	959 21 0170 1028 19 0009	2.89	100	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.37 33 103	2.18 18 96	0							
1028 24 0245 110071701	959 22 0200 1028 23 0053	2.70	98	110	-1.26 24 86	0.37 14 110	-0.26 96	-1.32 7 87	0.50 5 106	-0.58 16 99	5.48 29 93	-3.39 14 111	0							
1028 24 0246 110071719	959 22 0200 1028 23 0085	6.54	97	109	-1.17 27 87	0.55 18 115	-0.03 100	-1.15 9 88	-0.30 7 102	-0.80 19 98	5.61 32 93	-1.58 18 106	0							
1028 24 0247 110071727	959 22 0200 1028 23 0085	6.54	97	109	-1.17 27 87	0.55 18 115	-0.03 100	-1.15 9 88	-0.30 7 102	-0.80 19 98	5.61 32 93	-1.58 18 106	0							
1028 24 0249 107301731	959 20 0043 1028 19 0019	2.89	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.34 36 100	-0.79 21 104	0							
1028 24 0252 107383838	762 22 0706 1028 21 0041	2.89	96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.43 25 100	2.73 38 96	5.47 25 87	0							
1028 24 0253 107395691	959 21 0170 1028 21 0040	2.89	100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.76 35 103	4.28 19 90	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1028 24 0257 107395683	762 22 0706 1028 21 0400	2.37	97	92	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	7.68 34 90	1.23 22 99	0							
1028 24 0259 107383762	762 22 0706 1028 20 0026	2.89	96	89	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.43 25 100	2.14 38 97	7.41 24 82	0							
1028 24 0261 107383648	762 22 0706 1028 19 0028	2.89	96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	2.22 33 97	6.03 23 85	0							
1028 24 0263 107383689	762 22 0706 1028 19 0025	2.89	96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	2.22 34 97	6.32 23 85	0							
1028 24 0264 107301749	1028 18 0804 1028 21 0042	2.89	103	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	4.53 43 94	-2.81 22 110	0							
762 24 0264 109912089	762 22 1427 762 22 1333	8.71	96	91	0.77 47 108	0.23 35 107	0.62 111	1.53 13 106	-3.20 17 88	-0.92 35 97	2.82 39 96	5.41 21 87	1							
1028 24 0265 107301756	1028 18 0804 1028 21 0042	2.89	103	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	4.53 43 94	-2.81 22 110	0							
1028 24 0269 107383721	762 22 0706 1028 21 0004	2.64	93	88	0.06 29 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 25 100	23.25 37 70	-2.24 24 108	0							
1028 24 0270 107383739	762 22 0706 1028 20 0015	2.40	96	91	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	4.95 37 94	4.15 24 90	0							
1028 24 0271 107383747	762 22 0706 1028 20 0015	2.40	96	91	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	4.95 37 94	4.15 24 90	0							
1028 24 0275 110071743	762 22 0706 1028 19 0024	2.89	98	92	0.05 29 100	-0.43 27 90	-0.40 93	0.65 14 100	-0.10 17 103	-0.44 25 100	-0.54 29 101	5.13 20 88	0							
1028 24 0277 107301780	116 21 0010 1028 19 0029	2.53	102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.48 33 95	-2.91 16 110	0							
1028 24 0279 107301806	116 21 0010 1028 19 0029	2.53	102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.48 33 95	-2.91 16 110	0							
1028 24 0284 107301855	1028 18 0804 1028 21 0022	27.01	103	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	9.12 43 88	-6.13 21 119	0							
1028 24 0285 107301863	959 20 0043 1028 20 0007	2.89	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.35 22 101	-1.56 38 102	-0.06 22 102	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1028 24 0287 107301889	959 20 0043 1028 19 0034	2.40			102	110	-0.45 28 95	0.45 24 112	0.23 104	-0.15 13 95	-0.60 11 101	-0.35 23 101	1.69 33 98	-3.25 19 111	0							
1028 24 0289 107301905	116 21 0010 1028 20 0012	2.59			102	108	-0.59 16 93	0.13 12 104	-0.17 97	-0.41 6 93	0.50 5 106	-0.16 12 102	2.86 35 96	-3.47 17 111	0							
1028 24 0290 107301913	116 21 0010 1028 20 0012	2.59			102	108	-0.59 16 93	0.13 12 104	-0.17 97	-0.41 6 93	0.50 5 106	-0.16 12 102	2.86 35 96	-3.47 17 111	0							
1028 24 0293 107301947	959 20 0043 1028 21 0043	2.89			102	109	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-2.05 38 102	-0.36 22 103	0							
1028 24 0295 107301962	959 20 0043 1028 19 0032	2.89			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.83 36 101	-0.20 21 102	0							
1028 24 0296 107301970	959 20 0043 1028 19 0032	2.89			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.83 36 101	-0.20 21 102	0							
1028 24 0298 107301996	1028 18 0804 1028 19 0035	2.89			104	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	4.59 40 94	-3.62 20 112	0							
1028 24 0299 107302002	1028 18 0804 1028 19 0035	2.89			104	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	4.59 40 94	-3.62 20 112	0							
1028 24 0303 107302044	959 20 0043 1028 19 0018	2.89			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.51 34 100	-0.47 20 103	0							
1028 24 0304 107302051	959 20 0043 1028 19 0018	2.89			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.51 34 100	-0.47 20 103	0							
1028 24 0310 107302093	116 21 0010 1028 19 0030	2.53			102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.36 32 96	-3.27 16 111	0							
1028 24 0311 107302101	959 20 0043 1028 19 0017	4.14			99	106	-0.42 31 95	0.53 27 114	0.32 106	-0.02 16 96	-1.60 14 96	-0.85 26 98	-3.07 35 104	1.29 20 98	0							
1028 24 0312 107302119	116 21 0010 1028 20 0004	2.87			102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-1.47 36 102	1.56 18 98	0							
1028 24 0315 107302143	1028 18 0804 1028 21 0015	2.73			103	108	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	2.69 42 96	-1.67 21 107	0							
1028 24 0316 107302150	116 21 0010 1028 20 0014	2.87			101	106	-0.61 14 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	1.31 37 98	0.29 19 101	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028 24 0319 107302184	116 21 0010 1028 21 0021	2.52	102	106	-0.60 15 93	0.10 10 103	-0.20 97	-0.46 5 93	0.90 5 108	0.04 10 103	1.37 35 98	-0.43 17 103	0						
1028 24 0322 107302218	116 21 0010 1028 21 0011	2.74	101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	0.35 36 99	0.11 18 102	0						
1028 24 0324 107302234	959 20 0043 1028 19 0039	2.89	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.10 36 100	-0.30 21 103	0						
1028 24 0325 107302242	959 20 0043 1028 19 0039	2.89	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.10 36 100	-0.30 21 103	0						
1028 24 0326 107302259	1028 18 0804 1028 21 0020	2.64	102	107	-0.63 16 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	3.17 42 96	-1.06 22 105	0						
1028 24 0327 107302267	1028 18 0804 1028 21 0020	2.64	102	107	-0.63 16 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	3.17 42 96	-1.06 22 105	0						
1028 24 0332 107302283	1028 18 0804 1028 21 0016	2.73	103	108	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	3.21 41 96	-1.37 21 106	0						
1028 24 0334 107302309	116 21 0010 1028 21 0012	2.74	101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	-0.09 36 100	0.30 18 101	0						
1028 24 0336 107383770	762 22 0706 1028 19 0038	2.90	97	91	0.05 29 100	-0.43 27 90	-0.40 93	0.65 14 100	-0.10 17 103	-0.44 25 100	2.25 27 97	4.53 20 89	0						
1028 24 0337 107383812	762 22 0706 1028 19 0038	2.90	97	91	0.05 29 100	-0.43 27 90	-0.40 93	0.65 14 100	-0.10 17 103	-0.44 25 100	2.25 27 97	4.53 20 89	0						
1028 24 0339 107383846	762 22 0706 1028 20 0016	2.32	97	92	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	2.25 33 97	4.26 23 90	0						
1028 24 0340 107383853	762 22 0706 1028 22 0008	3.17	96	89	0.06 29 100	-0.42 27 90	-0.39 94	0.68 14 100	-0.20 17 102	-0.48 25 100	2.28 38 97	6.58 24 84	0						
1028 24 0344 110461902	1028 18 0804 1028 19 0016	2.40	101	108	-0.63 19 93	0.15 13 105	-0.16 98	-0.33 8 94	0.60 8 106	-0.12 14 102	4.97 37 94	-3.63 19 112	0						
1028 24 0345 110461910	1028 18 0804 1028 19 0016	2.40	101	108	-0.63 19 93	0.15 13 105	-0.16 98	-0.33 8 94	0.60 8 106	-0.12 14 102	4.97 37 94	-3.63 19 112	0						
1028 24 0347 107302333	1028 18 0804 1028 19 0021	2.89	103	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	5.43 40 93	-3.69 20 112	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV Acc	Index	EBV Acc	Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1028 24 0351 107395758	1028 18 0804 1028 22 0042	27.01	104	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	6.44 40 92	-5.22 21 116	0									
1028 24 0352 107302366	1028 18 0804 1028 21 0045	14.95	104	110	-0.64 14 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 7 105	5.58 42 93	-4.37 22 114	0									
1028 24 0355 107302390	1028 18 0804 1028 19 0015	2.89	105	111	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	1.69 36 98	-4.29 18 114	0									
1028 24 0361 110071784	959 22 0200 1028 19 0005	2.40	97	110	-1.28 24 85	0.36 13 110	-0.28 96	-1.31 6 87	0.80 5 107	-0.43 15 100	18.74 32 76	-8.92 16 126	0									
1028 24 0362 110461936	116 21 0010 1028 21 0017	2.34	103	109	-0.60 15 93	0.09 10 103	-0.21 97	-0.47 5 93	1.00 5 108	0.09 10 103	2.27 36 97	-3.83 18 112	0									
1028 24 0364 110462074	959 22 0200 1028 21 0018	2.40	98	110	-1.27 24 85	0.36 13 110	-0.28 96	-1.30 6 87	0.80 5 107	-0.43 15 100	7.28 31 91	-3.34 18 111	0									
1028 24 0366 107395717	1028 18 0804 1028 22 0062	2.71	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	4.39 34 94	-4.19 17 113	0									
1028 24 0368 107302408	1028 18 0804 1028 19 0010	2.89	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	1.12 37 98	-2.59 18 109	0									
1028 24 0369 107302416	1028 18 0804 1028 19 0010	2.89	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	1.12 37 98	-2.59 18 109	0									
1028 24 0371 107395667	1028 18 0804 1028 20 0018	2.64	102	107	-0.63 16 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	3.32 43 96	-1.10 22 105	0									
1028 24 0373 107395733	1028 18 0804 1028 22 0031	39.07	104	111	-0.64 16 93	0.07 5 103	-0.25 96	-0.44 5 93	1.60 5 111	0.39 8 105	8.80 40 89	-6.94 20 121	0									
762 24 0474 107578023	762 22 1368 762 19 0424	8.57	80	96	-1.60 49 82	0.72 39 119	-0.08 99	-1.92 19 83	-5.40 22 78	-4.12 39 79	6.81 40 91	-0.62 24 104	1									
1028 25 0375 110494754	959 20 0043 1028 23 0059	30.40	100	109	-0.34 30 96	0.64 27 117	0.47 108	0.00 15 96	-1.80 12 95	-0.78 25 98	-1.33 35 102	-1.50 20 106	0									
1028 25 0381 110494614	959 21 0170 1028 19 0014	2.75	101	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-8.69 33 111	5.44 19 87	0									
1028 25 0383 110717485	959 21 0170 1028 22 0071	2.77	100	99	0.01 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-4.26 33 105	3.81 17 91	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028 25 0387 110494630	959 21 0170 1028 21 0019	3.20			100	98	0.02 28	0.03 100	0.04 101	1.11 14	103	-1.30 9	-0.73 21	-8.00 35	6.05 19			0	
1028 25 0389 110494655	959 21 0170 1028 21 0005	2.65			99	99	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.48 18	2.88 35	0.29 19			0	
1028 25 0391 110494747	959 20 0043 1028 23 0057	30.15			100	110	-0.34 30	0.64 117	0.47 109	0.00 15	96	-1.80 12	-0.78 25	1.27 35	-3.21 20			0	
1028 25 0393 110494598	959 21 0170 1028 20 0009	2.41			101	101	0.00 25	-0.01 100	0.00 100	1.04 13	102	-0.80 8	-0.48 19	0.32 35	-0.62 19			0	
1028 25 0395 110494564	959 21 0170 1028 20 0025	2.89			100	98	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.49 18	-2.43 35	3.77 20			0	
1028 25 0397 110717469	959 21 0170 1028 23 0036	2.89			100	99	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.49 18	-2.92 35	3.21 19			0	
1028 25 0398 110494663	959 21 0170 1028 21 0004	2.65			97	98	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.48 18	17.90 35	-5.02 19			0	
1028 25 0399 110494671	959 21 0170 1028 21 0004	2.65			97	98	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.48 18	17.90 35	-5.02 19			0	
1028 25 0402 110717477	959 20 0043 1028 23 0034	2.64			101	109	-0.44 28	0.45 112	0.23 104	-0.15 13	95	-0.60 11	-0.35 23	0.98 38	-1.61 21			0	
1028 25 0403 110717774	959 21 0170 1028 19 0006	2.89			101	100	0.00 24	-0.01 100	-0.01 100	1.03 13	102	-0.80 8	-0.49 18	-6.41 32	3.95 18			0	
1028 25 0411 110717592	762 23 0241 1028 21 0014	3.27			102	104	-0.29 28	0.04 102	-0.10 99	0.29 17	98	0.50 12	0.05 22	-1.17 35	1.56 19			0	
1028 25 0412 110717600	762 23 0241 1028 21 0014	3.27			102	104	-0.29 28	0.04 102	-0.10 99	0.29 17	98	0.50 12	0.05 22	-1.17 35	1.56 19			0	
1028 25 0413 110717634	762 23 0241 1028 23 0014	2.58			103	107	-0.27 28	0.03 102	-0.10 99	0.26 17	97	0.40 12	0.00 22	2.20 32	-4.00 18			0	
1028 25 0414 110717642	762 23 0241 1028 22 0031	2.19			103	107	-0.29 28	0.02 101	-0.12 98	0.27 17	97	0.70 12	0.15 22	6.22 32	-4.67 17			0	
1028 25 0416 110717568	762 23 0241 1028 24 0184	5.23			100	101	0.04 30	0.02 101	0.04 101	1.07 19	103	-1.00 13	-0.54 24	0.17 29	-0.17 16			0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028 25 0419 110717683	762 23 0241 1028 21 0044	2.88			103	104	-0.30 27 96	0.02 22 101	-0.13 98	0.25 17 97	0.70 12 107	0.15 22 103	-0.45 36 100	1.06 19 99			0		
1028 25 0424 110717535	762 23 0241 1028 22 0062	2.71			103	106	-0.30 27 96	0.03 22 101	-0.13 98	0.25 17 97	0.70 12 107	0.14 22 103	1.81 24 98	-1.92 14 107			0		
1028 25 0425 110717543	762 23 0241 1028 22 0062	2.71			103	106	-0.30 27 96	0.03 22 101	-0.13 98	0.25 17 97	0.70 12 107	0.14 22 103	1.81 24 98	-1.92 14 107			0		
1028 25 0430 110717626	762 23 0241 1028 22 0028	3.16			102	105	-0.29 28 97	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	2.91 35 96	-1.36 19 106			0		
1028 25 0432 110717444	762 23 0241 1028 22 0005	3.73			101	104	-0.29 28 97	0.06 23 102	-0.08 99	0.32 18 98	0.20 12 104	-0.10 22 102	3.26 35 96	-1.48 19 106			0		
1028 25 0433 110717493	762 23 0241 1028 23 0115	2.80			102	105	-0.27 28 97	0.03 22 102	-0.10 99	0.25 17 97	0.40 12 105	0.00 22 103	0.77 33 99	-0.47 16 103			0		
1028 25 0434 110717501	762 23 0241 1028 23 0115	2.80			102	105	-0.27 28 97	0.03 22 102	-0.10 99	0.25 17 97	0.40 12 105	0.00 22 103	0.77 33 99	-0.47 16 103			0		
1028 25 0442 110717725	762 23 0241 1028 22 0015	2.65			103	105	-0.29 28 96	0.02 22 101	-0.12 98	0.26 17 97	0.70 12 107	0.15 22 103	3.85 36 95	-2.23 19 108			0		
1028 25 0444 110717709	762 23 0241 1028 23 0140	4.41			101	105	-0.19 30 98	0.23 25 107	0.13 103	0.44 18 99	-0.60 13 101	-0.32 24 101	0.43 33 99	-0.24 17 103			0		
1028 25 0445 110717717	762 23 0241 1028 23 0140	4.41			101	105	-0.19 30 98	0.23 25 107	0.13 103	0.44 18 99	-0.60 13 101	-0.32 24 101	0.43 33 99	-0.24 17 103			0		
1028 25 0447 110717741	762 23 0241 1028 23 0088	3.95			102	106	-0.19 31 98	0.21 25 106	0.12 102	0.42 18 98	-0.40 13 102	-0.22 25 101	3.94 33 95	-3.47 17 111			0		
1028 25 0448 112490875	762 23 0241 1028 21 0041	2.88			103	105	-0.30 27 96	0.02 22 101	-0.13 98	0.26 17 97	0.70 12 107	0.15 22 103	2.28 37 97	-0.99 20 105			0		
1028 25 0449 112490883	762 23 0241 1028 21 0041	2.88			103	105	-0.30 27 96	0.02 22 101	-0.13 98	0.26 17 97	0.70 12 107	0.15 22 103	2.28 37 97	-0.99 20 105			0		
1028 25 0451 112375613	1028 24 0185 1028 20 0012	9.07			102	108	-0.61 12 93	0.13 8 104	-0.18 97	-0.39 5 93	0.80 5 107	-0.01 9 103	3.42 30 95	-3.45 15 111			0		
1028 25 0452 112490867	762 22 0706 1028 22 0073	2.64			96	90	0.06 29 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 25 100	3.70 34 95	4.93 23 88			0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	Lambled
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV	
	Acc	Index					Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1028 25 0455 112375647	1028 24 0185 1028 21 0022			10.98	102	108	-0.62 10 93		0.09 5 103		-0.22 96		-0.46 5 93		1.30 5 110		0.24 6 104		5.59 31 93		-3.11 15 110		0
1028 25 0456 112375654	1028 24 0185 1028 21 0022			10.98	102	108	-0.62 10 93		0.09 5 103		-0.22 96		-0.46 5 93		1.30 5 110		0.24 6 104		5.59 31 93		-3.11 15 110		0
1028 25 0457 112375662	116 21 0010 1028 19 0018			2.88	102	106	-0.61 13 93		0.09 10 103		-0.21 97		-0.48 5 93		1.00 5 108		0.08 9 103		0.48 32 99		-0.02 17 102		0
1028 25 0461 112375704	762 22 0706 1028 20 0010			2.40	98	94	0.06 30 100		-0.43 27 90		-0.40 93		0.67 14 100		-0.10 17 103		-0.43 26 100		3.31 37 96		1.73 23 97		0
1028 25 0462 112490925	116 21 0010 1028 23 0037			2.86	102	106	-0.61 14 93		0.09 10 103		-0.21 97		-0.48 5 93		1.00 5 108		0.09 10 103		1.73 36 98		-0.14 18 102		0
1028 25 0464 112375720	1028 24 0185 1028 20 0026			7.43	102	105	-0.63 8 93		0.09 5 103		-0.23 96		-0.46 5 93		1.30 5 110		0.24 5 104		0.74 32 99		1.71 17 97		0
1028 25 0465 112375738	1028 23 0129 1028 23 0058			16.52	102	110	-0.45 19 95		0.45 17 112		0.23 104		-0.16 9 95		-0.60 8 101		-0.36 16 101		-0.50 23 100		-1.83 13 107		0
1028 25 0466 112375746	1028 23 0129 1028 23 0058			16.52	102	110	-0.45 19 95		0.45 17 112		0.23 104		-0.16 9 95		-0.60 8 101		-0.36 16 101		-0.50 23 100		-1.83 13 107		0
1028 25 0469 112375779	1028 24 0185 1028 21 0021			11.34	102	107	-0.62 10 93		0.10 6 103		-0.21 97		-0.44 5 93		1.10 5 109		0.14 7 103		1.93 29 97		-0.42 15 103		0
1028 25 0471 112375795	762 22 0706 1028 19 0026			2.89	97	92	0.05 29 100		-0.43 27 90		-0.40 93		0.65 14 100		-0.10 17 103		-0.44 25 100		-0.35 28 100		5.24 20 87		0
1028 25 0472 112375803	762 22 0706 1028 19 0026			2.89	97	92	0.05 29 100		-0.43 27 90		-0.40 93		0.65 14 100		-0.10 17 103		-0.44 25 100		-0.35 28 100		5.24 20 87		0
1028 25 0473 112375811	1028 24 0185 1028 21 0013			10.23	103	109	-0.63 10 93		0.09 5 103		-0.23 96		-0.46 5 93		1.30 5 110		0.24 6 104		4.92 30 94		-3.42 15 111		0
1028 25 0474 112375829	1028 24 0185 1028 21 0013			10.23	103	109	-0.63 10 93		0.09 5 103		-0.23 96		-0.46 5 93		1.30 5 110		0.24 6 104		4.92 30 94		-3.42 15 111		0
1028 25 0476 112490941	762 22 0706 1028 21 0001			3.45	97	91	0.06 29 100		-0.41 27 91		-0.38 94		0.69 14 100		-0.30 17 102		-0.53 25 99		-3.40 36 104		7.64 23 81		0
1028 25 0479 112375852	762 22 0706 1028 22 0020			2.15	96	91	0.06 30 100		-0.43 27 90		-0.40 93		0.67 14 100		-0.10 17 103		-0.43 26 100		5.65 37 93		3.07 24 93		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1028 25 0480 112375860	1028 23 0129 1028 19 0035	2.90	103	109	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.74 27 102	-0.05 14 102	0										
1028 25 0483 112375894	762 22 0706 1028 21 0020	4.07	95	88	0.07 30 101	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.68 26 99	1.03 37 99	7.66 24 81	0										
1028 25 0485 112375910	1028 23 0129 1028 21 0016	3.02	102	107	-0.55 14 94	0.29 13 108	0.01 101	-0.29 7 94	0.30 6 105	-0.09 12 102	-3.12 29 104	2.20 15 96	0										
1028 25 0486 112375928	1028 23 0129 1028 21 0016	3.02	102	107	-0.55 14 94	0.29 13 108	0.01 101	-0.29 7 94	0.30 6 105	-0.09 12 102	-3.12 29 104	2.20 15 96	0										
1028 25 0489 112375951	1028 23 0129 1028 21 0042	2.89	102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100	0										
1028 25 0490 112375969	1028 23 0129 1028 21 0042	2.89	102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100	0										
1028 25 0491 112720438	762 22 0706 1028 23 0155	4.55	94	89	0.09 31 101	-0.36 28 92	-0.31 95	0.76 15 101	-1.10 18 98	-0.93 27 97	3.00 34 96	5.28 21 87	0										
1028 25 0492 112375977	1028 23 0129 1028 21 0017	4.04	104	111	-0.55 16 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.03 30 100	-3.27 15 111	0										
1028 25 0496 112376017	1028 23 0129 1028 20 0016	2.59	103	110	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	-1.95 26 102	-0.90 15 104	0										
1028 25 0501 112376058	762 22 0706 1028 23 0065	2.53	96	91	0.08 30 101	-0.42 27 90	-0.38 94	0.66 14 100	-0.40 17 102	-0.58 26 99	3.21 33 96	4.34 22 90	0										
1028 25 0502 112376066	1028 24 0185 1028 19 0015	2.88	104	109	-0.64 7 93	0.09 5 103	-0.23 96	-0.47 5 93	1.30 5 110	0.23 5 104	-1.84 20 102	-1.27 10 105	0										
1028 25 0503 112376074	762 22 0706 1028 19 0038	2.90	97	91	0.05 29 100	-0.43 27 90	-0.40 93	0.65 14 100	-0.10 17 103	-0.44 25 100	2.25 27 97	4.53 20 89	0										
1028 25 0506 112376108	1028 23 0129 1028 20 0015	2.65	102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.76 30 99	-1.01 16 105	0										
1028 25 0508 112376124	116 21 0010 1028 21 0043	2.87	102	107	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-1.07 36 101	0.08 18 102	0										
1028 25 0510 112490958	1028 23 0129 1028 22 0006	15.03	103	108	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-2.75 29 103	1.07 14 99	0										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Times EPI Lambded
							EBV	Mat	Comb	EBV			EBV	EBV	EBV	EBV	EBV	EBV	
	Acc	Index	Acc				Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1028 25 0511 112490966	1028 23 0129 1028 22 0006	15.03	103	108	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-2.75 29 103	1.07 14 99	0						
1028 25 0513 112376157	1028 24 0185 1028 21 0006	7.43	101	105	-0.63 8 93	0.09 5 103	-0.23 96	-0.46 5 93	1.30 5 110	0.24 5 104	2.25 31 97	1.86 16 97	0						
1028 25 0519 112376215	1028 23 0129 1028 21 0045	2.77	103	109	-0.55 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-0.75 30 101	-0.80 16 104	0						
1028 25 0521 112376231	1028 23 0129 1028 22 0019	2.65	102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.14 29 100	-0.37 15 103	0						
1028 25 0522 112376249	762 22 0706 1028 19 0011	5.25	94	89	0.07 32 101	-0.35 30 92	-0.31 95	0.79 16 101	-1.10 19 98	-0.94 28 97	2.10 29 97	5.83 22 86	0						
1028 25 0541 112376306	762 22 0706 1028 22 0004	3.60	95	88	0.06 29 100	-0.40 27 91	-0.37 94	0.71 14 100	-0.40 17 102	-0.58 25 99	0.26 36 99	8.44 24 79	0						
1028 25 0546 112376280	762 22 0706 1028 21 0015	3.45	96	89	0.06 29 100	-0.41 27 91	-0.38 94	0.69 14 100	-0.30 17 102	-0.53 25 99	0.56 36 99	7.05 23 83	0						
1028 25 0548 112490891	1028 24 0185 1028 24 0190	16.78	102	107	-0.61 10 93	0.10 7 103	-0.21 97	-0.47 5 93	1.00 5 108	0.09 7 103	-1.05 27 101	0.37 12 101	0						
	Ewe flock average: Total ewes in flock: 308				101	105	-0.47	0.09	-0.15	-0.09	0.52	-0.07	1.25	0.22					

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny y	Number Herds	Progeny Weaned	Number Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index							
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	1028 12 0232 71555130	1.54																	
2	1028 15 0976 78757325	2.89																	
3	762 16 0269 79100889	4.11	762 15 0032 762 13 0028					93	98	-0.57 53 93	0.38 50 110	0.10 102	0.04 32 96	-2.40 33 92	-1.62 47 93	-0.99 51 101	4.26 34 90	100 8	
4	959 17 0024 80498819	4.16	762 14 0450 1370 12 0020	26	1	7	1	96	112	-0.75 81 91	0.60 64 116	0.22 104	-1.86 33 84	-2.00 35 94	-1.35 64 95	7.69 68 90	-10.18 44 130	8	
5	1028 17 0205 82979584	2.89	1028 15 7624 1028 15 2222					102	104	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	0.36 77 99	3.70 43 92	2	
6	1028 18 0804 89868269	2.25	1028 12 0232 1028 14 0229					104	111	-0.63 27 93	0.07 9 103	-0.25 96	-0.44 5 93	1.60 5 111	0.40 14 105	9.15 67 88	-7.44 34 122	1	
7	1658 19 0056 95833182	2.92	770 17 0258 1658 17 0007					102	107	-0.69 11 92	-0.12 10 98	-0.46 92	-0.42 5 93	1.60 5 111	0.15 8 103	6.59 36 91	-5.01 18 116	5	
8	116 19 0167 89911424	2.39	116 18 0057 116 17 0169	3 1				97	103	-0.90 49 90	0.07 34 102	-0.38 94	-0.83 18 90	0.40 7 105	-0.59 34 99	7.23 68 91	-1.78 32 107	4	
9	762 19 0382 86288982	5.95	762 16 0414 762 17 0284	79	1	61	3	78	56	1.16 94 113	-1.33 89 67	-0.75 87	2.16 48 110	-4.90 56 80	-3.11 83 85	7.30 90 91	20.34 70 64	72 3	
10	1028 19 0565 93139806	2.75	1028 17 0205 1028 18 0589					100	103	-0.64 15 93	0.15 13 105	-0.17 97	-0.35 8 93	0.60 8 106	-0.12 13 102	-4.97 63 106	6.14 34 85	4	
11	959 20 0043 89912943	15.80	959 17 0024 959 18 0009	3 1				99	110	-0.24 54 97	0.83 49 122	0.71 113	0.16 27 97	-2.90 22 90	-1.15 45 96	-1.00 56 101	-2.32 34 108	100 6	
12	959 20 0061 89913065	3.19	959 18 0089 1370 15 0040	14	1	4	1	99	92	0.49 77 105	-0.06 53 99	0.18 103	2.06 36 109	-2.10 15 94	-0.83 54 98	-5.37 78 107	6.91 42 83	94 8	
13	116 21 0010 92623826	3.04	116 19 0167 116 16 0146					101	106	-0.56 26 93	0.11 19 104	-0.17 97	-0.49 10 92	0.40 5 105	-0.21 18 101	0.98 51 99	-1.43 25 106	3	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
			Progen y	Herds	Progeny Weaned	Progeny Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb				
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
14	959 21 0170 92813484	10.06	959 20 0061 959 18 0008				98	92	0.66 47 107	-0.09 37 99	0.24 105	2.53 26 112	-3.20 16 88	-1.35 36 95	-5.82 48 107	4.45 27 90	93	3			
15	1673 22 0153 95576252	4.39	762 18 0307 1673 19 0040				85	92	-0.92 47 89	0.17 37 105	-0.30 95	-0.51 39 92	-2.90 21 90	-2.49 37 88	18.05 46 77	-2.34 31 108			6		
16	959 22 0200 98884273	3.07	1088 19 0156 959 21 0001	4	1		94	112	-1.90 47 78	0.65 26 117	-0.30 95	-2.15 13 82	0.00 10 103	-1.25 30 95	12.97 44 83	-6.21 26 119			1		
17	762 22 0706 96016993	12.67	762 19 0382 762 19 0392				90	74	0.77 58 108	-0.93 54 77	-0.55 91	1.80 28 107	-1.80 34 95	-1.25 51 95	4.89 53 94	10.01 40 74	122	8			
18	762 22 1014 96022785	8.05	762 20 0829 762 19 0035	4	2	2 1	91	85	0.70 61 108	-0.35 51 92	0.00 100	1.82 33 108	-4.10 26 84	-2.11 49 90	3.87 50 95	1.52 34 98	75	7			
19	762 22 1368 96031422	7.84	762 21 0404 762 20 0515	12	1	1 1	86	111	-2.90 71 67	0.97 47 125	-0.49 92	-3.29 20 74	-1.80 21 95	-3.02 50 85	-1.25 54 101	1.11 25 99	90	6			
20	762 22 1427 96031877	5.56	762 21 0081 762 18 0173	31	2	3 1	80	86	-0.84 83 90	0.20 60 106	-0.22 97	-0.50 23 92	-5.50 28 77	-3.93 61 80	2.48 63 97	4.71 33 89	119	6			
21	1028 23 0129 98368095	2.89	959 20 0043 1028 19 0023				102	109	-0.46 27 95	0.46 24 112	0.23 104	-0.17 13 95	-0.60 11 101	-0.36 22 100	-3.51 31 104	-0.30 18 103			4		
22	762 23 0241 100835974	6.12	762 22 0248 762 17 0126				102	103	0.07 54 100	-0.03 44 100	0.01 100	0.99 34 102	-0.20 23 102	-0.08 43 102	4.00 49 95	-2.90 27 110	94	8			
23	762 23 0676 98687361	9.16	762 21 0081 762 18 0246	1	1		82	87	-0.22 68 97	0.03 54 102	-0.08 99	-0.41 21 93	-6.10 29 75	-3.85 54 80	6.92 51 91	-2.34 32 108	159	9			
24	1028 24 0185 107289324	2.52	116 21 0010 1028 22 0017				102	107	-0.60 15 93	0.10 10 103	-0.20 97	-0.46 5 93	0.90 5 108	0.04 10 103	2.09 33 97	-1.40 16 106			1		
			Sire Flock Average: Number of sires used in the flock: 24					95	98	-0.44	0.09	-0.13	-0.03	-1.52	-1.26	2.63	0.94				

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam					
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							Comb	EBV			
			EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb							
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1	1028 24 0354 107302382	2.89	028 18 0804 028 19 0015	105	111	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5	0.38 111	1.69 7	-4.29 105	-4.29 36	18 98	114 18	5
2	1028 24 0365 107395725	2.71	028 18 0804 028 22 0062	104	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5	0.38 111	4.39 7	-4.19 105	-4.19 34	-4.19 94	17 113	3
3	1028 18 0804 89868269	2.25	028 12 0232 028 14 0229	104	111	-0.63 27	0.07 93	-0.25 9	-0.44 103	-0.25 96	-0.44 5	1.60 5	0.40 111	9.15 14	-7.44 105	-7.44 67	-7.44 88	34 122	1
4	1028 22 0060 99018988	2.89	028 18 0804 028 20 0013	104	110	-0.65 14	0.07 93	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.39 111	4.25 7	-3.56 105	-3.56 44	-3.56 94	22 112	4
5	1028 24 0350 107395741	27.01	028 18 0804 028 22 0042	104	110	-0.64 15	0.07 93	-0.25 5	-0.45 103	-0.25 96	-0.45 5	1.60 5	0.39 111	6.44 8	-5.22 105	-5.22 40	-5.22 92	21 116	2
6	1028 24 0297 107301988	2.89	028 18 0804 028 19 0035	104	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 111	4.59 7	-3.62 105	-3.62 40	-3.62 94	20 112	4
7	1028 24 0317 107302168	2.89	028 18 0804 028 19 0033	104	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 111	4.39 7	-3.47 105	-3.47 41	-3.47 94	21 111	4
8	1028 25 0494 112375993	4.04	028 23 0129 028 21 0017	104	111	-0.55 16	0.26 94	-0.01 12	-0.31 107	-0.01 100	-0.31 7	0.50 5	0.01 12	0.03 103	-3.27 100	-3.27 30	-3.27 100	15 111	3
9	1028 24 0372 107302432	38.94	028 18 0804 028 21 0002	104	111	-0.63 16	0.09 93	-0.23 6	-0.41 103	-0.23 96	-0.41 5	1.40 5	0.30 110	7.67 9	-6.99 104	-6.99 40	-6.99 90	20 121	3
10	1028 25 0493 112375985	4.04	028 23 0129 028 21 0017	104	111	-0.55 16	0.26 94	-0.01 12	-0.31 107	-0.01 100	-0.31 7	0.50 5	0.01 12	0.03 103	-3.27 100	-3.27 30	-3.27 100	15 111	3
11	1028 24 0353 107302374	2.89	028 18 0804 028 23 0035	104	110	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 111	5.16 7	-4.17 105	-4.17 41	-4.17 93	22 113	2
12	1028 24 0349 107302358	2.89	028 18 0804 028 22 0040	103	109	-0.65 14	0.07 93	-0.25 5	-0.45 103	-0.25 96	-0.45 5	1.60 5	0.39 111	3.60 7	-2.64 105	-2.64 43	-2.64 95	22 109	2
13	1028 24 0348 107302341	2.89	028 18 0804 028 22 0040	103	109	-0.65 14	0.07 93	-0.25 5	-0.45 103	-0.25 96	-0.45 5	1.60 5	0.39 111	3.60 7	-2.64 105	-2.64 43	-2.64 95	22 109	2
14	1028 24 0280 107301814	2.89	028 18 0804 028 19 0036	103	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 111	3.52 7	-2.42 105	-2.42 40	-2.42 95	20 109	3
15	1028 24 0281 107301822	2.89	028 18 0804 028 19 0036	103	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 111	3.52 7	-2.42 105	-2.42 40	-2.42 95	20 109	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Progeny Number	Progeny Number			Dir	Mat							Comb		
			Weaned Herds	Weaned Herds					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index	EPI
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
16	1028 24 0282 107301830	2.89	028 18 0804 028 19 0036		103	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	3.52 40 95	-2.42 20 109	3		
17	1028 24 0346 107302325	2.89	028 18 0804 028 19 0022		103	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	4.54 39 94	-3.02 20 110	3		
18	1028 24 0283 107301848	27.01	028 18 0804 028 21 0022		103	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	9.12 43 88	-6.13 21 119	3		
19	1028 25 0495 112376009	2.59	028 23 0129 028 20 0016		103	110	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	-1.95 26 102	-0.90 15 104	3		
20	1028 25 0410 110717659	2.19	762 23 0241 028 22 0031		103	107	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	6.22 32 92	-4.67 17 115	2		
21	1028 25 0547 112490917	2.42	762 23 0241 028 22 0042		103	106	-0.29 28 96	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	3.87 32 95	-2.95 19 110	2		
22	1028 25 0518 112376207	2.77	028 23 0129 028 21 0045		103	109	-0.55 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-0.75 30 101	-0.80 16 104	3		
23	1028 25 0514 112376165	5.93	028 23 0129 028 23 0035		103	109	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.17 28 101	-0.61 16 104	2		
24	1028 25 0515 112376173	5.93	028 23 0129 028 23 0035		103	109	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.17 28 101	-0.61 16 104	2		
25	1028 25 0481 112375878	2.90	028 23 0129 028 19 0035		103	109	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.74 27 102	-0.05 14 102	4		
26	1028 24 0331 107302275	2.73	028 18 0804 028 21 0016		103	108	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	3.21 41 96	-1.37 21 106	4		
27	1028 25 0443 110717733	2.65	762 23 0241 028 22 0015		103	105	-0.29 28 96	0.02 22 101	-0.12 98	0.26 17 97	0.70 12 107	0.15 22 103	3.85 36 95	-2.23 19 108	2		
28	1028 25 0470 112375787	2.84	028 23 0129 028 21 0007		103	107	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-5.14 30 106	3.15 17 93	3		
29	1028 25 0488 112375944	2.89	028 23 0129 028 21 0042		102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100	3		
30	1028 24 0291 107301921	2.89	959 20 0043 028 19 0024		102	110	-0.46 27 95	0.46 24 112	0.23 104	-0.17 13 95	-0.60 11 101	-0.36 22 100	-3.49 31 104	-1.04 18 105	4		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		Dam
			Progeny Number	Progeny Number			Dir	Mat				EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	
			Weaned	Herds					Weaned	Herds	EBV Acc Index							EBV Acc Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
31	1028 25 0487 112375936	2.89	028 23 0129 028 21 0042		102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100				3
32	1028 25 0415 110717550	2.67	762 23 0241 028 23 0012		102	106	-0.26 28 97	0.04 22 102	-0.09 99	0.28 17 97	0.30 12 105	-0.04 22 102	2.48 32 97	-3.01 16 110				1
33	1028 25 0421 110717576	2.65	762 23 0241 028 20 0024		102	105	-0.29 28 96	0.02 22 101	-0.12 98	0.26 17 97	0.70 12 107	0.15 22 103	2.53 36 97	-0.91 18 104				5
34	1028 25 0422 110717584	2.65	762 23 0241 028 20 0024		102	105	-0.29 28 96	0.02 22 101	-0.12 98	0.26 17 97	0.70 12 107	0.15 22 103	2.53 36 97	-0.91 18 104				5
35	1028 24 0309 107302085	2.53	116 21 0010 028 19 0030		102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.36 32 96	-3.27 16 111				3
36	1028 24 0308 107302077	2.53	116 21 0010 028 19 0030		102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.36 32 96	-3.27 16 111				3
37	1028 25 0507 112376116	2.65	028 23 0129 028 20 0015		102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.76 30 99	-1.01 16 105				4
38	1028 25 0509 112376132	2.87	116 21 0010 028 21 0043		102	107	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-1.07 36 101	0.08 18 102				3
39	1028 23 0143 98368202	11.76	028 19 0565 028 20 0016		102	106	-0.64 10 93	0.11 7 104	-0.21 97	-0.40 5 93	1.10 5 109	0.13 7 103	-2.68 37 103	2.32 21 96				3
40	1028 25 0440 110739646	2.19	762 23 0241 028 22 0036		102	106	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	10.04 35 87	-6.10 17 119				1
41	1028 25 0441 110739612	2.19	762 23 0241 028 22 0036		102	106	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	10.04 35 87	-6.10 17 119				1
42	1028 23 0142 98368194	11.76	028 19 0565 028 20 0016		102	106	-0.64 10 93	0.11 7 104	-0.21 97	-0.40 5 93	1.10 5 109	0.13 7 103	-2.68 37 103	2.32 21 96				3
43	1028 24 0313 107302127	2.53	116 21 0010 028 19 0031		102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	2.39 32 97	-2.41 16 109				3
44	1028 24 0314 107302135	2.53	116 21 0010 028 19 0031		102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	2.39 32 97	-2.41 16 109				3
45	1028 25 0437 110739620	2.19	762 23 0241 028 22 0037		102	106	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	10.04 35 87	-6.10 17 119				1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46	1028 25 0438 110739638	2.19	762 23 0241 028 22 0037		102	106	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	10.04 35 87	-6.10 17 119	1
47	1028 25 0520 112376223	2.65	028 23 0129 028 22 0019		102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.14 29 100	-0.37 15 103	2
48	1028 24 0278 107301798	2.53	116 21 0010 028 19 0029		102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.48 33 95	-2.91 16 110	3
49	1028 23 0129 98368095	2.89	959 20 0043 028 19 0023		102	109	-0.46 27 95	0.46 24 112	0.23 104	-0.17 13 95	-0.60 11 101	-0.36 22 100	-3.51 31 104	-0.30 18 103	4
50	1028 25 0408 110494705	2.89	959 20 0043 028 19 0010		102	109	-0.46 27 95	0.46 24 112	0.23 104	-0.17 13 95	-0.60 11 101	-0.36 22 100	-3.95 31 105	-0.04 18 102	6
51	1028 24 0323 107302226	2.64	028 18 0804 028 22 0005		102	108	-0.64 15 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	5.84 42 92	-3.74 22 112	3
52	1028 25 0407 110494697	2.89	959 20 0043 028 19 0010		102	109	-0.46 27 95	0.46 24 112	0.23 104	-0.17 13 95	-0.60 11 101	-0.36 22 100	-3.95 31 105	-0.04 18 102	6
53	1028 25 0429 110717618	3.16	762 23 0241 028 22 0028		102	105	-0.29 28 97	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	2.91 35 96	-1.36 19 106	2
54	1028 25 0512 112376140	7.43	028 24 0185 028 22 0011		102	106	-0.63 8 93	0.09 5 103	-0.23 96	-0.46 5 93	1.30 5 110	0.24 5 104	1.13 31 98	0.66 16 100	2
55	1028 23 0136 98368160	2.73	028 19 0565 028 19 0002		102	106	-0.65 10 93	0.11 7 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	-0.65 37 101	1.34 19 98	3
56	1028 25 0435 110739604	3.16	762 23 0241 028 22 0029		102	104	-0.29 28 97	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	2.40 35 97	-0.47 17 103	1
57	1028 23 0162 98368376	2.37	116 21 0010 028 22 0002		102	108	-0.60 15 93	0.11 10 104	-0.19 97	-0.44 5 93	0.80 5 107	0.00 10 103	3.04 33 96	-2.90 16 110	3
58	1028 25 0428 110717675	3.28	762 23 0241 028 20 0011		102	106	-0.28 29 97	0.06 23 102	-0.08 99	0.33 18 98	0.20 12 104	-0.10 23 102	3.44 35 95	-2.94 18 110	4
59	1028 25 0427 110717667	3.28	762 23 0241 028 20 0011		102	106	-0.28 29 97	0.06 23 102	-0.08 99	0.33 18 98	0.20 12 104	-0.10 23 102	3.44 35 95	-2.94 18 110	4
60	1028 23 0152 98368293	2.73	028 19 0565 028 19 0012		102	106	-0.65 10 93	0.11 7 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	-0.16 36 100	1.08 20 99	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								
			EBV	EBV			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
61	1028 25 0417 110717519	3.28	762 23 0241 028 20 0011		102	106	-0.28 29	0.06 23	-0.08 97	0.33 18	0.20 12	-0.10 23	3.44 35	-2.94 18	4	
62	1028 25 0436 110739596	3.16	762 23 0241 028 22 0029		102	104	-0.29 28	0.04 22	-0.10 97	0.29 17	0.50 12	0.05 22	2.40 35	-0.47 17	1	
63	1028 25 0418 110717527	3.28	762 23 0241 028 20 0011		102	106	-0.28 29	0.06 23	-0.08 97	0.33 18	0.20 12	-0.10 23	3.44 35	-2.94 18	4	
64	1028 25 0468 112375761	11.34	028 24 0185 028 21 0021		102	107	-0.62 10	0.10 6	-0.21 93	-0.44 5	1.10 5	0.14 7	1.93 29	-0.42 15	4	
65	1028 24 0301 107302028	2.40	959 20 0043 028 20 0001		102	110	-0.44 28	0.45 24	0.23 95	-0.15 13	-0.60 11	-0.35 23	2.40 38	-3.95 21	4	
66	1028 24 0300 107302010	2.40	959 20 0043 028 20 0001		102	110	-0.44 28	0.45 24	0.23 95	-0.15 13	-0.60 11	-0.35 23	2.40 38	-3.95 21	4	
67	1028 24 0370 107302424	2.64	028 18 0804 028 20 0018		102	107	-0.63 16	0.11 8	-0.21 93	-0.39 5	1.10 5	0.14 10	3.32 43	-1.10 22	3	
68	1028 24 0292 107301939	2.89	959 20 0043 028 21 0043		102	109	-0.45 27	0.45 24	0.23 95	-0.16 13	-0.60 11	-0.36 22	-2.05 38	-0.36 22	3	
69	1028 23 0166 98648801	2.87	116 21 0010 028 20 0004		102	106	-0.61 13	0.09 10	-0.21 93	-0.48 5	1.00 5	0.08 9	-1.47 36	1.56 18	3	
70	1028 24 0286 107301871	2.40	959 20 0043 028 19 0034		102	110	-0.45 28	0.45 24	0.23 95	-0.15 13	-0.60 11	-0.35 23	1.69 33	-3.25 19	2	
71	1028 25 0484 112375902	3.02	028 23 0129 028 21 0016		102	107	-0.55 14	0.29 13	0.01 94	-0.29 7	0.30 6	-0.09 12	-3.12 29	2.20 15	4	
72	1028 25 0463 112375712	7.43	028 24 0185 028 20 0026		102	105	-0.63 8	0.09 5	-0.23 93	-0.46 5	1.30 5	0.24 5	0.74 32	1.71 17	4	
73	1028 25 0439 110717691	3.47	762 23 0241 028 23 0137		102	103	-0.29 28	0.05 22	-0.09 97	0.30 17	0.30 12	-0.06 22	-0.97 34	1.64 17	1	
74	1028 25 0516 112376181	2.97	028 23 0129 028 22 0009		102	106	-0.55 14	0.28 12	0.00 94	-0.30 7	0.40 6	-0.04 11	-1.97 32	2.48 17	2	
75	1028 25 0517 112376199	2.97	028 23 0129 028 22 0009		102	106	-0.55 14	0.28 12	0.00 94	-0.30 7	0.40 6	-0.04 11	-1.97 32	2.48 17	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76 1028 24 0318 107302176	2.52	116 21 0010 028 21 0021			102	106	-0.60 15 93	0.10 10 103	-0.20 97	-0.46 5 93	0.90 5 108	0.04 10 103	1.37 35 98	-0.43 17 103	4
77 1028 24 0288 107301897	2.59	116 21 0010 028 20 0012			102	108	-0.59 16 93	0.13 12 104	-0.17 97	-0.41 6 93	0.50 5 106	-0.16 12 102	2.86 35 96	-3.47 17 111	5
78 1028 24 0272 107301764	2.87	116 21 0010 028 20 0014			101	106	-0.61 14 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	1.31 37 98	0.29 19 101	4
79 1028 24 0273 107301772	2.87	116 21 0010 028 20 0014			101	106	-0.61 14 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	1.31 37 98	0.29 19 101	4
80 1028 24 0248 107301723	2.89	959 20 0043 028 19 0019			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.34 36 100	-0.79 21 104	5
81 1028 25 0431 110717436	3.73	762 23 0241 028 22 0005			101	104	-0.29 28 97	0.06 23 102	-0.08 99	0.32 18 98	0.20 12 104	-0.10 22 102	3.26 35 96	-1.48 19 106	3
82 1028 24 0294 107301954	2.89	959 20 0043 028 19 0032			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.83 36 101	-0.20 21 102	3
83 1028 23 0138 98673932	33.19	028 19 0565 028 21 0014			101	104	-0.64 8 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-5.66 41 107	6.07 22 85	4
84 1028 24 0305 107302069	2.89	959 20 0043 028 19 0018			101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.51 34 100	-0.47 20 103	4
85 1028 23 0139 98673940	33.19	028 19 0565 028 21 0014			101	104	-0.64 8 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-5.66 41 107	6.07 22 85	4
86 1028 23 0160 98386238	17.88	028 19 0565 028 21 0021			101	104	-0.64 10 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-1.60 40 102	3.35 21 93	4
87 1028 24 0180 107289274	2.89	959 21 0170 028 19 0010			101	100	-0.01 24 100	0.00 19 101	-0.01 100	1.02 13 102	-0.80 8 100	-0.49 18 100	-6.36 28 108	3.35 15 93	6
88 1028 23 0148 98368251	30.14	028 19 0565 028 22 0008			101	104	-0.64 8 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-2.65 41 103	4.65 22 89	2
89 1028 25 0380 110494606	2.75	959 21 0170 028 19 0014			101	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-8.69 33 111	5.44 19 87	5
90 1028 23 0144 98368210	15.00	028 19 0565 028 19 0013			101	103	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-2.18 39 103	4.87 21 89	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat	Comb								
			Weaned Herds	Weaned Herds												EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
91	1028 25 0405 110717790	2.89	959 21 0170 028 19 0006		101	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-6.41 32 108	3.95 18 91	4		
92	1028 23 0145 98368228	15.00	028 19 0565 028 19 0013		101	103	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-2.18 39 103	4.87 21 89	4		
93	1028 25 0404 110717782	2.89	959 21 0170 028 19 0006		101	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-6.41 32 108	3.95 18 91	4		
94	1028 24 0186 107289332	3.01	959 21 0170 028 21 0001		101	100	0.00 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-8.76 34 111	4.86 18 89	4		
95	1028 24 0207 107289449	2.46	959 20 0043 028 23 0065		101	109	-0.42 28 95	0.46 25 112	0.25 105	-0.16 14 95	-0.90 11 99	-0.50 23 100	0.27 34 99	-1.83 20 107	2		
96	116 21 0010 92623826	3.04	116 19 0167 116 16 0146		101	106	-0.56 26 93	0.11 19 104	-0.17 97	-0.49 10 92	0.40 5 105	-0.21 18 101	0.98 51 99	-1.43 25 106	3		
97	1028 23 0124 98368079	2.94	116 21 0010 028 22 0005		101	106	-0.60 15 93	0.13 11 104	-0.17 97	-0.42 6 93	0.50 5 106	-0.17 11 102	1.75 35 98	-0.74 19 104	3		
98	1028 25 0400 110717816	2.16	959 21 0170 028 22 0021		101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.83 32 99	-1.03 17 105	2		
99	1028 24 0231 107395766	2.16	959 21 0170 028 22 0022		101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.60 35 99	-0.95 17 105	1		
100	1028 24 0333 107302291	2.74	116 21 0010 028 21 0012		101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	-0.09 36 100	0.30 18 101	2		
101	1028 25 0392 110494580	2.41	959 21 0170 028 20 0009		101	101	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	0.32 35 99	-0.62 19 104	4		
102	1028 24 0341 107302317	6.11	028 19 0565 028 23 0128		101	106	-0.54 16 94	0.30 14 108	0.03 101	-0.25 8 94	0.00 7 103	-0.24 13 101	-1.48 37 102	2.06 20 96	1		
103	1028 23 0165 98648835	33.15	028 19 0565 028 21 0009		101	103	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-2.47 40 103	5.06 22 88	3		
104	1028 24 0239 107301707	2.89	959 21 0170 028 20 0013		101	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-3.23 37 104	2.39 20 95	4		
105	1028 24 0321 107302200	2.74	116 21 0010 028 21 0011		101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	0.35 36 99	0.11 18 102	3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat				Comb	EBV Acc Index			EBV Acc Index	EBV Acc Index
			Weaned Herds	Weaned Herds													
			Active Breed Average:		100	100	-0.06		-0.02	-0.06	0.50	-0.36		-0.31	-0.30	0.15	
106	1028 24 0220 107289522	2.65	959 21 0170 028 20 0021		101	101	0.00		-0.01	-0.01	1.03	-0.80		-0.48	-0.95	0.57	3
107	1028 23 0159 98368368	2.92	959 20 0043 028 20 0019		101	108	-0.44		0.47	0.25	-0.12	-0.90		-0.51	-0.40	-0.49	3
108	1028 24 0240 107301715	2.89	959 21 0170 028 20 0013		101	100	0.00		-0.01	-0.01	1.03	-0.80		-0.49	-3.23	2.39	4
109	1028 24 0320 107302192	2.74	116 21 0010 028 21 0011		101	106	-0.59		0.14	-0.16	-0.40	0.40		-0.21	0.35	0.11	3
110	1028 24 0218 107289514	2.89	959 21 0170 028 23 0001		100	99	0.00		-0.01	-0.01	1.03	-0.80		-0.49	-4.55	3.71	2
111	1028 24 0234 107301681	2.89	959 21 0170 028 19 0009		100	100	0.00		-0.01	-0.01	1.03	-0.80		-0.49	-2.37	2.18	3
112	1028 23 0134 98368145	2.73	028 19 0565 028 19 0005		100	105	-0.65		0.11	-0.21	-0.41	1.10		0.13	9.77	-2.75	5
113	1028 19 0565 93139806	2.75	028 17 0205 028 18 0589		100	103	-0.64		0.15	-0.17	-0.35	0.60		-0.12	-4.97	6.14	4
114	1028 25 0390 110494739	30.15	959 20 0043 028 23 0057		100	110	-0.34		0.64	0.47	0.00	-1.80		-0.78	1.27	-3.21	1
115	1028 24 0225 107395659	2.16	959 21 0170 028 22 0020		100	100	0.01		-0.01	0.00	1.04	-0.80		-0.48	0.30	0.29	2
116	1028 25 0537 112490909	3.02	028 24 0185 028 24 0183		100	103	-0.29		0.09	-0.06	0.35	-0.40		-0.44	-1.34	0.76	1
117	1028 24 0232 107383655	2.65	959 21 0170 028 22 0015		100	100	0.00		-0.01	-0.01	1.03	-0.80		-0.48	-1.06	1.45	2
118	1028 24 0209 107289464	2.82	959 21 0170 028 21 0007		100	98	0.00		-0.01	-0.01	1.03	-0.80		-0.49	-6.30	5.53	3
119	1028 25 0401 110494572	2.65	959 21 0170 028 23 0034		100	100	0.00		-0.01	-0.01	1.03	-0.80		-0.48	-1.44	1.78	2
120	1028 24 0196 107395584	2.89	959 21 0170 028 22 0041		100	99	0.00		-0.01	-0.01	1.03	-0.80		-0.49	-2.98	3.23	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat	Comb								
			Weaned Herds	Weaned Herds												EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
121	1028 24 0195 107395576	2.89	959 21 0170 028 22 0041		100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.98 34 104	3.23 19 93	1		
122	1028 25 0396 110717451	2.89	959 21 0170 028 23 0036		100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.92 35 104	3.21 19 93	1		
123	1028 24 0214 110071602	2.41	959 21 0170 028 22 0019		100	99	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	-1.02 35 101	2.01 19 96	2		
124	1028 24 0219 110004801	2.67	959 21 0170 028 23 0073		100	100	0.02 25 100	0.00 19 101	0.02 101	1.03 13 102	-1.10 8 98	-0.63 19 99	-2.19 32 103	1.43 18 98	2		
125	1028 25 0378 110494721	8.40	959 20 0043 028 23 0156		100	105	-0.12 30 98	0.41 26 111	0.36 106	0.60 15 100	-1.80 12 95	-0.78 24 98	0.32 33 99	-1.25 20 105	1		
126	1028 25 0382 110717428	2.77	959 21 0170 028 22 0071		100	99	0.01 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-4.26 33 105	3.81 17 91	1		
127	1028 25 0379 110494713	8.40	959 20 0043 028 23 0156		100	105	-0.12 30 98	0.41 26 111	0.36 106	0.60 15 100	-1.80 12 95	-0.78 24 98	0.32 33 99	-1.25 20 105	1		
128	1028 24 0227 107395626	2.89	959 21 0170 028 22 0011		100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.83 36 103	3.58 20 92	2		
129	1028 24 0221 110004819	2.65	959 21 0170 028 20 0006		100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 18 100	-1.37 36 102	2.64 20 95	3		
130	1028 24 0022 107289530	2.65	959 21 0170 028 20 0006		100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 18 100	-1.37 36 102	2.64 20 95	3		
131	1028 25 0394 110494556	2.89	959 21 0170 028 20 0025		100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.43 35 103	3.77 20 92	3		
132	1028 24 0236 110071636	2.89	959 21 0170 028 19 0013		100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.61 33 103	4.02 18 91	4		
133	1028 24 0237 110071644	2.89	959 21 0170 028 19 0013		100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.61 33 103	4.02 18 91	4		
134	1028 24 0211 107289480	2.72	959 21 0170 028 20 0011		100	100	0.02 25 100	0.03 20 102	0.04 101	1.10 14 103	-1.30 9 97	-0.73 19 98	-1.47 34 102	0.74 18 100	4		
135	1028 24 0254 107395709	2.89	959 21 0170 028 21 0040		100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.76 35 103	4.28 19 90	1		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
136 1028 25 0386 110494622	3.20	959 21 0170 028 21 0019			100	98	0.02 28 100	0.03 20 102	0.04 101	1.11 14 103	-1.30 9 97	-0.73 21 98	-8.00 35 110	6.05 19 85	5
137 1028 23 0147 98368244	9.00	028 19 0565 028 19 0017			100	103	-0.62 16 93	0.19 14 106	-0.12 98	-0.28 9 94	0.10 9 104	-0.37 14 100	-5.06 38 106	5.52 20 87	4
138 1028 24 0210 107289472	3.20	959 21 0170 028 21 0019			100	98	0.02 28 100	0.03 20 102	0.04 101	1.11 14 103	-1.30 9 97	-0.73 21 98	-8.00 35 110	6.05 19 85	5
139 959 20 0043 89912943	15.80	959 17 0024 959 18 0009		3 1	99	110	-0.24 54 97	0.83 49 122	0.71 113	0.16 27 97	-2.90 22 90	-1.15 45 96	-1.00 56 101	-2.32 34 108	100 6
140 1028 23 0121 98368046	4.14	959 20 0043 028 19 0011			99	107	-0.43 30 95	0.53 27 114	0.32 106	-0.03 16 95	-1.60 14 96	-0.86 25 98	-0.84 31 101	-0.33 19 103	3
141 1028 24 0238 110071651	2.45	959 22 0200 028 23 0014			99	112	-1.25 25 86	0.37 14 110	-0.25 96	-1.31 7 87	0.50 5 106	-0.58 16 99	6.68 31 91	-5.65 17 117	2
142 1028 24 0242 110071677	2.91	959 22 0200 028 23 0027			99	110	-1.29 24 85	0.32 13 109	-0.33 95	-1.30 6 87	0.80 5 107	-0.49 15 100	6.68 28 91	-4.31 14 114	1
143 1028 24 0243 110071685	2.91	959 22 0200 028 23 0027			99	110	-1.29 24 85	0.32 13 109	-0.33 95	-1.30 6 87	0.80 5 107	-0.49 15 100	6.68 28 91	-4.31 14 114	1
144 1028 24 0216 110071628	2.40	959 22 0200 028 21 0013			98	111	-1.27 24 85	0.36 13 110	-0.28 96	-1.30 6 87	0.80 5 107	-0.43 15 100	10.35 34 87	-5.82 18 118	5
145 1028 24 0363 110462066	2.40	959 22 0200 028 21 0018			98	110	-1.27 24 85	0.36 13 110	-0.28 96	-1.30 6 87	0.80 5 107	-0.43 15 100	7.28 31 91	-3.34 18 111	3
146 1028 23 0154 98368319	3.09	116 21 0010 028 19 0001			98	104	-0.58 20 93	0.21 17 106	-0.08 99	-0.29 10 94	-0.50 10 101	-0.67 17 99	0.36 32 99	0.80 16 100	5
147 1028 24 0244 110071693	2.91	959 22 0200 028 23 0026			98	109	-1.29 24 85	0.32 13 109	-0.33 95	-1.30 6 87	0.80 5 107	-0.49 15 100	8.08 29 90	-4.00 15 113	1
148 1028 25 0219 110031804	2.70	959 22 0200 028 23 0073			98	110	-1.25 24 86	0.37 14 110	-0.26 96	-1.31 7 87	0.50 5 106	-0.58 16 99	7.21 31 91	-3.90 18 113	2
149 1028 25 0460 112375696	2.40	762 22 0706 028 20 0010			98	94	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	3.31 37 96	1.73 23 97	5
150 1028 25 0498 112376033	2.82	762 22 0706 028 21 0008			98	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.43 25 100	-7.99 37 110	10.38 24 73	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							
			EBV Acc Index	EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
151	1028 25 0384 110717808	3.48	959 21 0170 028 22 0038		98	97	0.02 25	0.07 100	0.08 102	1.16 14	-1.80 9	-0.99 19	-3.72 32	4.35 17	1
152	1028 24 0329 107383788	2.82	762 22 0706 028 21 0008		98	90	0.05 29	-0.43 100	-0.40 93	0.66 14	-0.10 17	-0.43 100	-7.99 37	10.38 24	4
153	1028 25 0497 112376025	2.82	762 22 0706 028 21 0008		98	90	0.05 29	-0.43 100	-0.40 93	0.66 14	-0.10 17	-0.43 100	-7.99 37	10.38 24	4
154	1028 24 0328 107383705	2.82	762 22 0706 028 21 0008		98	90	0.05 29	-0.43 100	-0.40 93	0.66 14	-0.10 17	-0.43 100	-7.99 37	10.38 24	4
155	1028 25 0385 110717824	3.48	959 21 0170 028 22 0038		98	97	0.02 25	0.07 100	0.08 102	1.16 14	-1.80 9	-0.99 19	-3.72 32	4.35 17	1
156	959 21 0170 92813484	10.06	959 20 0061 959 18 0008		98	92	0.66 47	-0.09 107	0.24 105	2.53 26	-3.20 16	-1.35 36	-5.82 48	4.45 27	93 3
157	1028 24 0274 110071735	2.89	762 22 0706 028 19 0024		98	92	0.05 29	-0.43 100	-0.40 93	0.65 14	-0.10 17	-0.44 100	-0.54 29	5.13 20	4
158	1028 24 0360 110071776	2.40	959 22 0200 028 19 0005		97	110	-1.28 24	0.36 13	-0.28 96	-1.31 6	0.80 5	-0.43 100	18.74 32	-8.92 16	5
159	1028 24 0191 107289381	2.89	762 22 0706 028 19 0006		97	91	0.05 29	-0.43 100	-0.40 93	0.66 14	-0.10 17	-0.44 100	-1.06 35	6.73 23	4
160	1028 24 0338 107383861	2.32	762 22 0706 028 20 0016		97	92	0.06 30	-0.43 100	-0.40 93	0.67 14	-0.10 17	-0.43 100	2.25 33	4.26 23	3
161	1028 25 0475 112490933	3.45	762 22 0706 028 21 0001		97	91	0.06 29	-0.41 100	-0.38 94	0.69 14	-0.30 17	-0.53 99	-3.40 36	7.64 23	4
162	1028 24 0192 107289399	2.89	762 22 0706 028 19 0006		97	91	0.05 29	-0.43 100	-0.40 93	0.66 14	-0.10 17	-0.44 100	-1.06 35	6.73 23	4
163	1028 24 0330 107383796	2.40	762 22 0706 028 20 0027		97	91	0.06 30	-0.43 100	-0.40 93	0.67 14	-0.10 17	-0.43 100	1.17 37	5.16 23	3
164	1028 25 0505 112376090	2.90	762 22 0706 028 19 0038		97	91	0.05 29	-0.43 100	-0.40 93	0.65 14	-0.10 17	-0.44 100	2.25 27	4.53 20	3
165	1028 24 0335 107383804	2.90	762 22 0706 028 19 0038		97	91	0.05 29	-0.43 100	-0.40 93	0.65 14	-0.10 17	-0.44 100	2.25 27	4.53 20	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
166	1028 25 0504 112376082	2.90	762 22 0706 028 19 0038		97	91	0.05 29 100	-0.43 27 90	-0.40 93	0.65 14 100	-0.10 17 103	-0.44 25 100	2.25 27 97	4.53 20 89	3
167	1028 25 0529 112490974	2.15	762 22 0706 028 22 0034		97	92	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	5.72 36 93	2.28 22 96	1
168	1028 25 0530 112490982	2.15	762 22 0706 028 22 0034		97	92	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	5.72 36 93	2.28 22 96	1
169	1028 25 0458 112375670	2.74	762 22 0706 028 21 0002		97	92	0.07 30 100	-0.41 27 91	-0.38 94	0.71 14 100	-0.30 17 102	-0.52 26 100	5.54 34 93	1.73 22 97	3
170	1028 25 0459 112375688	2.74	762 22 0706 028 21 0002		97	92	0.07 30 100	-0.41 27 91	-0.38 94	0.71 14 100	-0.30 17 102	-0.52 26 100	5.54 34 93	1.73 22 97	3
171	1028 24 0256 107395675	2.37	762 22 0706 028 21 0400		97	92	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	7.68 34 90	1.23 22 99	1
172	1028 25 0478 112375845	2.15	762 22 0706 028 22 0020		96	91	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	5.65 37 93	3.07 24 93	2
173	1028 25 0534 112376256	2.89	762 22 0706 028 19 0019		96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	2.60 35 97	5.38 23 87	5
174	1028 24 0251 107383820	2.89	762 22 0706 028 21 0041		96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.43 25 100	2.73 38 96	5.47 25 87	3
175	1028 25 0454 112375639	2.74	762 22 0706 028 22 0002		96	92	0.07 30 100	-0.41 27 91	-0.38 94	0.71 14 100	-0.30 17 102	-0.52 26 100	5.00 34 93	2.82 22 94	3
176	1028 25 0453 112375621	2.74	762 22 0706 028 22 0002		96	92	0.07 30 100	-0.41 27 91	-0.38 94	0.71 14 100	-0.30 17 102	-0.52 26 100	5.00 34 93	2.82 22 94	3
177	1028 24 0260 107383879	2.89	762 22 0706 028 19 0028		96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	2.22 33 97	6.03 23 85	3
178	1028 25 0477 112375837	2.89	762 22 0706 028 19 0025		96	90	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.44 25 100	2.22 34 97	6.32 23 85	4
179	1028 25 0545 112376272	3.45	762 22 0706 028 21 0015		96	89	0.06 29 100	-0.41 27 91	-0.38 94	0.69 14 100	-0.30 17 102	-0.53 25 99	0.56 36 99	7.05 23 83	3
180	1028 24 0255 110461886	3.45	762 22 0706 028 21 0014		96	89	0.06 29 100	-0.41 27 91	-0.38 94	0.69 14 100	-0.30 17 102	-0.53 25 99	-0.73 37 101	8.01 24 80	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							
			EBV Acc Index	EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
181	1028 25 0500 112376041	2.53	762 22 0706 028 23 0065	96	91	0.08 30 101	-0.42 27 90	-0.38 94	0.66 14 100	-0.40 17 102	-0.58 26 99	3.21 33 96	4.34 22 90	2	
182	1028 24 0258 107383754	2.89	762 22 0706 028 20 0026	96	89	0.05 29 100	-0.43 27 90	-0.40 93	0.66 14 100	-0.10 17 103	-0.43 25 100	2.14 38 97	7.41 24 82	4	
183	1028 24 0178 107289258	2.64	762 22 0706 028 21 0005	96	90	0.06 29 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 25 100	8.23 37 89	3.07 24 93	4	
184	1028 25 0540 112376298	3.60	762 22 0706 028 22 0004	95	88	0.06 29 100	-0.40 27 91	-0.37 94	0.71 14 100	-0.40 17 102	-0.58 25 99	0.26 36 99	8.44 24 79	2	
185	1028 24 0188 107289357	2.40	762 22 0706 028 19 0005	95	91	0.06 30 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 26 100	14.70 35 81	-0.81 22 104	5	
186	1028 25 0535 112376264	3.93	762 22 0706 028 23 0085	95	90	0.16 32 102	-0.24 30 95	-0.16 98	0.82 16 101	-1.20 18 98	-0.80 28 98	1.57 35 98	6.53 24 84	2	
187	1028 24 0175 107289225	4.07	762 22 0706 028 20 0017	95	89	0.07 30 101	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.68 26 99	2.44 37 97	6.67 23 84	4	
188	1028 24 0171 107289183	5.25	762 22 0706 028 19 0011	94	89	0.07 32 101	-0.35 30 92	-0.31 95	0.79 16 101	-1.10 19 98	-0.94 28 97	2.10 29 97	5.83 22 86	3	
189	1028 24 0268 107383713	2.64	762 22 0706 028 21 0004	93	88	0.06 29 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 25 100	23.25 37 70	-2.24 24 108	4	
190	1256 24 0011 110490679	5.18	673 22 0153 256 22 0016	90	94	-0.53 28 94	-0.01 24 101	-0.28 96	-0.14 22 95	-2.10 14 94	-1.80 23 92	11.47 33 85	-1.95 19 107	1	
191	762 22 0706 96016993	12.67	762 19 0382 762 19 0392	90	74	0.77 58 108	-0.93 54 77	-0.55 91	1.80 28 107	-1.80 34 95	-1.25 51 95	4.89 53 94	10.01 40 74	122 8	
192	1028 25 0539 112720461	12.33	762 23 0676 762 24 0264	89	89	0.28 41 103	0.13 32 104	0.27 105	0.56 12 99	-4.60 17 82	-2.36 32 89	4.87 32 94	1.54 19 98	1	
193	1028 25 0538 112720453	12.33	762 23 0676 762 24 0264	89	89	0.28 41 103	0.13 32 104	0.27 105	0.56 12 99	-4.60 17 82	-2.36 32 89	4.87 32 94	1.54 19 98	1	
194	762 24 0374 107587495	14.13	762 22 1014 762 18 0158	84	78	0.58 45 106	-0.31 40 93	-0.02 100	1.48 26 105	-5.70 25 77	-3.15 38 84	8.84 39 89	2.10 30 96	77 6	
195	1028 25 0526 112720479	8.85	762 23 0676 762 24 0474	80	92	-0.91 42 90	0.38 33 110	-0.08 99	-1.17 14 88	-5.80 18 76	-4.02 33 79	6.87 32 91	-1.48 20 106	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
				Progeny Number	Progeny Number			Dir	Mat	Comb								
				Weaned Herds	Weaned Herds							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI
Active Breed Average:				100	100			-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
196	1028 25 0525 112720446	8.85	762 23 0676 762 24 0474		80	92	-0.91	0.38	-0.08	-1.17	-5.80	-4.02	6.87	-1.48	1			
							42 90	33 110	99	14 88	18 76	33 79	32 91	20 106				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambec
					Dir Acc	EBV Index	Mat Acc	EBV Index	Comb EBV Index	EBV Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1	1028 21 0008 98366636	27.03	1028 17 0205 1028 19 0014	106	107	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111			-20.86 53 126	10.75 28 72				4
2	1028 19 0015 98336308	2.90	1028 15 0976 - - -	106	112	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-5.78 24 107	-1.15 11 105				5
3	1028 20 0010 98336688	2.89	1028 18 0804 1028 19 0015	106	114	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105		1.73 50 98	-6.56 25 120				5
4	1028 19 0027 98336423	2.89	1028 15 0976 1028 15 0077	105	112	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-3.15 19 104	-2.15 17 108				3
5	1028 19 0024 89852875	2.90	1028 15 0976 - - -	105	111	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-5.97 26 107	0.25 10 101				4
6	1028 19 0026 98336415	2.90	1028 15 0976 - - -	105	110	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-5.59 19 107	0.48 6 101				2
7	1028 21 0017 98366727	27.01	1028 18 0804 1028 20 0010	105	113	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105		3.56 51 95	-6.24 25 119				3
8	1028 24 0355 107302390	2.89	1028 18 0804 1028 19 0015	105	111	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105		1.69 36 98	-4.29 18 114				0
9	1028 19 0010 98336258	2.90	1028 15 0976 - - -	105	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-6.90 29 109	2.25 13 96				6
10	1028 19 0023 98336399	2.90	1028 15 0976 - - -	105	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111			-6.01 27 107	1.72 10 97				4
11	1028 19 0014 98336290	2.61	1028 17 0205 1028 16 1112	104	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111			-11.55 46 114	6.44 25 84				5
12	1028 20 0016 98336746	2.75	1028 18 0804 1028 19 0014	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105		-0.39 41 100	-1.50 25 106				3
13	1028 24 0368 107302408	2.89	1028 18 0804 1028 19 0010	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105		1.12 37 98	-2.59 18 109				0
14	1028 24 0369 107302416	2.89	1028 18 0804 1028 19 0010	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105		1.12 37 98	-2.59 18 109				0
15	1028 19 0006 98336217	2.90	1028 17 0205 - - -	104	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111			-7.01 44 109	3.45 24 92				4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc Index	Acc Index	Acc Index	Acc Index	Phenotype		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
16	1028 20 0027 98336845	2.89	1028 18 0804 1028 19 0006	104	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.96 96	-0.46 5	1.60 5	0.38 111	-2.55 7	0.31 105	3
17	1028 23 0014 98367378	2.52	116 21 0010 1028 20 0010	104	112	-0.61 15	0.09 93	-0.21 10	-0.48 103	-0.97 97	-0.48 5	1.00 5	0.09 108	0.40 10	-5.09 103	2
18	1028 21 0001 98336852	15.00	1028 19 0565 1028 19 0006	104	107	-0.65 8	0.11 92	-0.21 6	-0.41 104	-0.97 97	-0.41 5	1.10 5	0.12 109	-11.69 6	5.26 115	4
19	1028 20 0001 98336597	2.89	1028 18 0804 1028 19 0035	104	111	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.96 96	-0.46 5	1.60 5	0.38 111	5.80 7	-5.58 105	4
20	1028 22 0022 98367048	27.01	1028 18 0804 1028 20 0001	104	111	-0.64 15	0.07 93	-0.25 5	-0.45 103	-0.96 96	-0.45 5	1.60 5	0.39 111	7.02 8	-6.36 105	1
21	1028 24 0366 107395717	2.71	1028 18 0804 1028 22 0062	104	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.96 96	-0.47 5	1.60 5	0.38 111	4.39 7	-4.19 105	0
22	1028 22 0021 98367030	27.01	1028 18 0804 1028 20 0001	104	111	-0.64 15	0.07 93	-0.25 5	-0.45 103	-0.96 96	-0.45 5	1.60 5	0.39 111	7.47 8	-6.51 105	2
23	1028 19 0034 98336498	2.90	1028 18 0804 - - -	104	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.96 96	-0.47 5	1.60 5	0.38 111	4.39 7	-4.19 105	2
24	1028 25 0502 112376066	2.88	1028 24 0185 1028 19 0015	104	109	-0.64 7	0.09 93	-0.23 5	-0.47 103	-0.96 96	-0.47 5	1.30 5	0.23 110	-1.84 5	-1.27 104	0
25	1028 22 0001 98366834	27.01	1028 18 0804 1028 20 0009	104	111	-0.64 15	0.07 93	-0.25 5	-0.45 103	-0.96 96	-0.45 5	1.60 5	0.39 111	7.40 8	-6.43 105	1
26	1028 21 0043 98366800	2.89	1028 17 0205 1028 19 0024	104	108	-0.66 7	0.08 92	-0.26 5	-0.48 103	-0.96 96	-0.48 5	1.60 5		-3.11 51	1.59 104	3
27	1028 22 0034 98367121	27.01	1028 18 0804 1028 19 0031	104	110	-0.64 15	0.07 93	-0.25 5	-0.45 103	-0.96 96	-0.45 5	1.60 5	0.39 111	6.56 8	-5.44 105	1
28	1028 19 0002 98336175	2.90	1028 18 0804 - - -	104	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.96 96	-0.47 5	1.60 5	0.38 111	3.67 7	-3.47 105	3
29	1028 19 0030 98336456	2.90	1028 18 0804 - - -	104	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.96 96	-0.47 5	1.60 5	0.38 111	5.75 7	-5.11 105	3
30	1028 20 0009 98336670	2.89	1028 18 0804 1028 19 0009	104	111	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.96 96	-0.46 5	1.60 5	0.38 111	6.46 7	-5.68 105	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Index	AFL EBV Index	ILP EBV Index	EPI Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1028 19 0012 98336274	2.90	1028 18 0804 - - -	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	4.66 35 94	-3.99 19 113	3
32 1028 23 0027 98367501	2.91	1658 19 0056 1028 19 0024	104	109	-0.68 5 92	-0.02 5 100	-0.36 94	-0.46 5 93	1.60 5 111		0.39 34 99	-2.41 10 109	1
33 1028 24 0351 107395758	27.01	1028 18 0804 1028 22 0042	104	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	6.44 40 92	-5.22 21 116	0
34 1028 24 0373 107395733	39.07	1028 18 0804 1028 22 0031	104	111	-0.64 16 93	0.07 5 103	-0.25 96	-0.44 5 93	1.60 5 111	0.39 8 105	8.80 40 89	-6.94 20 121	0
35 1028 20 0021 98336787	2.89	1028 17 0205 1028 19 0003	104	109	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	3.92 43 95	-3.31 27 111	3
36 1028 19 0031 98336464	2.90	1028 18 0804 - - -	104	110	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	3.80 39 95	-3.40 18 111	3
37 1028 22 0031 98367097	27.01	1028 18 0804 1028 21 0013	104	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	8.45 42 89	-6.44 21 120	2
38 1028 20 0013 98336712	27.17	1028 17 0205 1028 19 0033	104	108	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.65 56 101	0.32 29 101	4
39 1028 24 0299 107302002	2.89	1028 18 0804 1028 19 0035	104	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	4.59 40 94	-3.62 20 112	0
40 1028 24 0352 107302366	14.95	1028 18 0804 1028 21 0045	104	110	-0.64 14 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 7 105	5.58 42 93	-4.37 22 114	0
41 1028 22 0042 98367196	2.89	1028 18 0804 1028 20 0007	104	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	3.73 42 95	-3.00 26 110	2
42 1028 25 0492 112375977	4.04	1028 23 0129 1028 21 0017	104	111	-0.55 16 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.03 30 100	-3.27 15 111	0
43 1028 24 0298 107301996	2.89	1028 18 0804 1028 19 0035	104	109	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	4.59 40 94	-3.62 20 112	0
44 1028 23 0035 98367576	2.89	1028 17 0205 1028 19 0027	103	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		1.17 46 98	-0.91 27 104	2
45 1028 21 0045 98366826	2.89	1028 17 0205 1028 19 0003	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	2.01 52 97	-1.30 28 105	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility												
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded			
							Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index			Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
46	1028 19 0033 98336480	2.90	1028 17 0205 - - -	103	108	-0.66 7	0.08 92	-0.26 5	-0.48 103	-0.26 96	-0.48 5	1.60 5			-0.37 45	0.51 100			24	101	4	
47	1028 19 0029 98336449	2.90	1028 18 0804 - - -	103	110	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5	0.38 7	105	5.99 42		-4.40 19			114	3	
48	1028 19 0035 98336506	2.90	1028 17 0205 - - -	103	108	-0.66 7	0.08 92	-0.26 5	-0.48 103	-0.26 96	-0.48 5	1.60 5			0.02 44	0.20 100			23	101	4	
49	1028 24 0264 107301749	2.89	1028 18 0804 1028 21 0042	103	109	-0.65 14	0.07 93	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.39 7	105	4.53 43		-2.81 22			110	0	
50	1028 24 0347 107302333	2.89	1028 18 0804 1028 19 0021	103	109	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 7	105	5.43 40		-3.69 20			112	0	
51	1028 24 0265 107301756	2.89	1028 18 0804 1028 21 0042	103	109	-0.65 14	0.07 93	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.39 7	105	4.53 43		-2.81 22			110	0	
52	1028 25 0413 110717634	2.58	762 23 0241 1028 23 0014	103	107	-0.27 28	0.03 97	-0.10 22	0.26 102	-0.10 99	0.26 17	0.40 12	0.00 22	103	2.20 32		-4.00 18			113	0	
53	1028 21 0400 96003272	2.85	1028 18 0804 1028 18 0590	103	111	-0.65 14	0.07 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5	0.38 7	105	10.46 42		-7.55 18			123	1	
54	1028 22 0040 98367170	39.31	1028 17 0205 1028 20 0013	103	107	-0.66 8	0.08 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5			-1.96 54	2.16 102			30	96	2	
55	1028 20 0007 98336654	27.17	1028 17 0205 1028 19 0020	103	107	-0.66 8	0.08 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5			-2.13 51	2.19 103			28	96	3	
56	1028 21 0013 98366685	2.89	1028 18 0804 1028 19 0021	103	110	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 7	105	7.74 50		-5.44 25			117	5	
57	1028 23 0001 98367253	2.89	1028 17 0205 1028 19 0010	103	107	-0.66 7	0.08 92	-0.26 5	-0.48 103	-0.26 96	-0.48 5	1.60 5			-3.27 41	2.97 104			22	94	2	
58	1028 25 0424 110717535	2.71	762 23 0241 1028 22 0062	103	106	-0.30 27	0.03 96	-0.13 22	0.25 101	-0.13 98	0.25 17	0.70 12	0.14 22	103	1.81 24		-1.92 14			107	0	
59	1028 21 0018 98366735	2.89	1028 18 0804 1028 20 0004	103	108	-0.65 14	0.07 92	-0.25 5	-0.46 103	-0.25 96	-0.46 5	1.60 5	0.38 7	105	1.58 44		-0.46 26			103	3	
60	1028 25 0425 110717543	2.71	762 23 0241 1028 22 0062	103	106	-0.30 27	0.03 96	-0.13 22	0.25 101	-0.13 98	0.25 17	0.70 12	0.14 22	103	1.81 24		-1.92 14			107	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 1028 19 0009 98336241	2.90	1028 17 0205 - - -	103	108	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		1.08 44 98	-0.09 23 102	3
62 1028 25 0496 112376017	2.59	1028 23 0129 1028 20 0016	103	110	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	-1.95 26 102	-0.90 15 104	0
63 1028 21 0002 98336860	26.76	1028 18 0804 1028 20 0012	103	111	-0.63 17 93	0.11 8 104	-0.20 97	-0.39 5 93	1.10 5 109	0.14 11 103	6.19 43 92	-6.55 21 120	3
64 1028 24 0284 107301855	27.01	1028 18 0804 1028 21 0022	103	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	9.12 43 88	-6.13 21 119	0
65 1028 21 0010 98366651	2.89	1028 18 0804 1028 20 0002	103	108	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	2.62 50 96	-1.27 25 105	2
66 1028 22 0006 98366883	2.89	1028 17 0205 1028 19 0023	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-2.00 50 102	2.44 22 95	1
67 1028 22 0020 98367022	27.01	1028 18 0804 1028 20 0015	103	109	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	6.41 52 92	-3.87 25 113	2
68 1028 19 0036 98336514	2.90	1028 17 0205 - - -	103	106	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-2.11 42 102	2.61 23 95	3
69 1028 19 0019 98336340	2.90	1028 17 0205 - - -	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		0.31 47 99	0.75 25 100	5
70 1028 22 0015 98366974	2.89	1028 17 0205 1028 19 0030	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	3.70 52 95	-1.55 27 106	2
71 1028 25 0414 110717642	2.19	762 23 0241 1028 22 0031	103	107	-0.29 28 97	0.02 22 101	-0.12 98	0.27 17 97	0.70 12 107	0.15 22 103	6.22 32 92	-4.67 17 115	0
72 1028 24 0362 110461936	2.34	116 21 0010 1028 21 0017	103	109	-0.60 15 93	0.09 10 103	-0.21 97	-0.47 5 93	1.00 5 108	0.09 10 103	2.27 36 97	-3.83 18 112	0
73 1028 21 0044 98366818	2.89	1028 17 0205 1028 19 0010	103	105	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-4.89 52 106	5.01 27 88	2
74 1028 24 0315 107302143	2.73	1028 18 0804 1028 21 0015	103	108	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	2.69 42 96	-1.67 21 107	0
75 1028 23 0053 98367642	2.88	116 21 0010 1028 19 0026	103	108	-0.62 13 93	0.10 9 103	-0.21 97	-0.49 5 92	1.00 5 108	0.08 9 103	-2.01 37 102	-0.57 13 103	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76 1028 19 0018 98336332	2.90	1028 17 0205 - - -	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.01 39 100	1.38 22 98		4
77 1028 19 0021 98336365	2.90	1028 17 0205 - - -	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		1.72 42 98	0.07 23 102		4
78 1028 19 0032 98336472	2.90	1028 17 0205 - - -	103	106	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.67 44 101	1.92 24 97		3
79 1028 23 0034 98367568	15.03	1028 17 0205 1028 20 0001	103	108	-0.65 10 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 5 105	2.95 52 96	-0.90 25 104		2
80 1028 19 0022 98336373	2.90	1028 17 0205 - - -	103	107	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.07 41 100	1.40 22 98		3
81 1028 20 0004 98336621	2.89	1028 17 0205 1028 19 0023	103	105	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-3.92 51 105	4.54 27 89		3
82 1028 21 0007 98366628	27.03	1028 17 0205 1028 19 0014	103	105	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-6.78 52 108	6.60 28 84		3
83 1028 21 0041 98366784	27.17	1028 17 0205 1028 19 0019	103	107	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.57 54 99	0.93 29 99		3
84 1028 21 0042 98366792	27.17	1028 17 0205 1028 19 0019	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.10 54 100	1.81 29 97		3
85 1028 25 0519 112376215	2.77	1028 23 0129 1028 21 0045	103	109	-0.55 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-0.75 30 101	-0.80 16 104		0
86 1028 22 0073 98367238	2.89	1028 17 0205 1028 19 0012	103	107	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	2.51 42 97	-0.15 24 102		1
87 1028 19 0028 98336431	2.90	1028 17 0205 - - -	103	106	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.45 39 100	2.05 22 96		3
88 1028 25 0480 112375860	2.90	1028 23 0129 1028 19 0035	103	109	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.74 27 102	-0.05 14 102		0
89 1028 22 0041 98367188	39.31	1028 17 0205 1028 20 0013	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.15 48 100	2.01 26 96		1
90 1028 24 0332 107302283	2.73	1028 18 0804 1028 21 0016	103	108	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	3.21 41 96	-1.37 21 106		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd	
					Dir	Mat									EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91	1028 25 0473 112375811	10.23	1028 24 0185 1028 21 0013	103	109	-0.63 10 93	0.09 5 103	-0.23 96	-0.46 5 93	1.30 5 110	0.24 6 104	4.92 30 94	-3.42 15 111	0	
92	1028 25 0442 110717725	2.65	762 23 0241 1028 22 0015	103	105	-0.29 28 96	0.02 22 101	-0.12 98	0.26 17 97	0.70 12 107	0.15 22 103	3.85 36 95	-2.23 19 108	0	
93	1028 23 0036 98367584	39.31	1028 17 0205 1028 20 0013	103	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		-0.02 52 100	1.97 26 97	1	
94	1028 25 0419 110717683	2.88	762 23 0241 1028 21 0044	103	104	-0.30 27 96	0.02 22 101	-0.13 98	0.25 17 97	0.70 12 107	0.15 22 103	-0.45 36 100	1.06 19 99	0	
95	1028 25 0511 112490966	15.03	1028 23 0129 1028 22 0006	103	108	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-2.75 29 103	1.07 14 99	0	
96	1028 25 0474 112375829	10.23	1028 24 0185 1028 21 0013	103	109	-0.63 10 93	0.09 5 103	-0.23 96	-0.46 5 93	1.30 5 110	0.24 6 104	4.92 30 94	-3.42 15 111	0	
97	1028 25 0510 112490958	15.03	1028 23 0129 1028 22 0006	103	108	-0.56 14 93	0.27 12 108	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-2.75 29 103	1.07 14 99	0	
98	1028 20 0024 98336811	2.89	1028 17 0205 1028 19 0002	103	106	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	1.06 52 98	1.08 23 99	5	
99	1028 22 0002 98366842	26.76	1028 18 0804 1028 20 0011	103	109	-0.63 17 93	0.11 8 104	-0.20 97	-0.39 5 93	1.10 5 109	0.14 11 103	5.10 42 93	-4.38 21 114	3	
100	1028 25 0449 112490883	2.88	762 23 0241 1028 21 0041	103	105	-0.30 27 96	0.02 22 101	-0.13 98	0.26 17 97	0.70 12 107	0.15 22 103	2.28 37 97	-0.99 20 105	0	
101	1028 21 0022 98366768	2.89	1028 18 0804 1028 20 0014	103	109	-0.65 14 93	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.39 7 105	9.08 52 88	-4.82 26 115	3	
102	1028 25 0448 112490875	2.88	762 23 0241 1028 21 0041	103	105	-0.30 27 96	0.02 22 101	-0.13 98	0.26 17 97	0.70 12 107	0.15 22 103	2.28 37 97	-0.99 20 105	0	
103	1028 20 0015 98336738	2.89	1028 18 0804 1028 19 0039	103	107	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	5.02 52 93	-1.72 26 107	4	
104	1028 23 0026 98367493	2.91	1658 19 0056 1028 19 0022	102	107	-0.68 6 92	-0.02 5 100	-0.36 94	-0.45 5 93	1.60 5 111		3.18 37 96	-1.78 14 107	1	
105	1028 19 0025 98336407	2.90	1028 17 0205 - - -	102	106	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		-0.44 42 100	2.62 23 95	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106	1028 24 0190 107289373	2.73	116 21 0010 1028 19 0014	102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-4.18 42 105	2.14 18 96	1
107	1028 22 0019 98367014	2.89	1028 18 0804 1028 19 0013	102	107	-0.65 14 92	0.07 5 103	-0.25 96	-0.46 5 93	1.60 5 111	0.38 7 105	3.79 50 95	-0.43 25 103	2
108	1028 25 0490 112375969	2.89	1028 23 0129 1028 21 0042	102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100	0
109	1028 25 0489 112375951	2.89	1028 23 0129 1028 21 0042	102	108	-0.56 14 94	0.27 12 107	-0.01 100	-0.32 7 94	0.50 5 106	0.01 11 103	-1.80 31 102	0.76 17 100	0
110	1028 19 0039 98336555	2.90	1028 17 0205 - - -	102	106	-0.66 7 92	0.08 5 103	-0.26 96	-0.48 5 93	1.60 5 111		0.81 45 99	1.72 24 97	4
111	1028 24 0310 107302093	2.53	116 21 0010 1028 19 0030	102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.36 32 96	-3.27 16 111	0
112	1028 25 0506 112376108	2.65	1028 23 0129 1028 20 0015	102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.76 30 99	-1.01 16 105	0
113	1028 25 0412 110717600	3.27	762 23 0241 1028 21 0014	102	104	-0.29 28 96	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	-1.17 35 101	1.56 19 98	0
114	1028 21 0021 98385529	2.73	1028 18 0804 1028 20 0022	102	106	-0.64 14 93	0.09 5 103	-0.23 96	-0.43 5 93	1.40 5 110	0.29 8 104	1.77 49 98	0.56 24 100	4
115	1028 25 0548 112490891	16.78	1028 24 0185 1028 24 0190	102	107	-0.61 10 93	0.10 7 103	-0.21 97	-0.47 5 93	1.00 5 108	0.09 7 103	-1.05 27 101	0.37 12 101	0
116	1028 22 0037 98367147	27.01	1028 18 0804 1028 19 0005	102	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	16.09 49 79	-9.29 19 128	1
117	1028 25 0455 112375647	10.98	1028 24 0185 1028 21 0022	102	108	-0.62 10 93	0.09 5 103	-0.22 96	-0.46 5 93	1.30 5 110	0.24 6 104	5.59 31 93	-3.11 15 110	0
118	1028 25 0456 112375654	10.98	1028 24 0185 1028 21 0022	102	108	-0.62 10 93	0.09 5 103	-0.22 96	-0.46 5 93	1.30 5 110	0.24 6 104	5.59 31 93	-3.11 15 110	0
119	1028 25 0508 112376124	2.87	116 21 0010 1028 21 0043	102	107	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-1.07 36 101	0.08 18 102	0
120	1028 25 0411 110717592	3.27	762 23 0241 1028 21 0014	102	104	-0.29 28 96	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	-1.17 35 101	1.56 19 98	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir	Mat								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
121	1028 22 0036 98367139	27.01	1028 18 0804 1028 19 0005	102	110	-0.64 15 93	0.07 5 103	-0.25 96	-0.45 5 93	1.60 5 111	0.39 8 105	16.09 49 79	-9.29 19 128	1
122	1028 22 0011 98366933	27.17	1028 17 0205 1028 19 0033	102	105	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.16 53 100	2.72 28 94	2
123	1028 25 0521 112376231	2.65	1028 23 0129 1028 22 0019	102	108	-0.55 15 94	0.26 12 107	-0.01 100	-0.31 7 94	0.50 5 106	0.01 12 103	0.14 29 100	-0.37 15 103	0
124	1028 23 0141 98368186	11.76	1028 19 0565 1028 20 0016	102	106	-0.64 10 93	0.11 7 104	-0.21 97	-0.40 5 93	1.10 5 109	0.13 7 103	-2.68 37 103	2.32 21 96	0
125	1028 20 0006 98336647	2.89	1028 17 0205 1028 19 0029	102	106	-0.65 10 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 5 105	3.08 54 96	0.83 28 100	3
126	1028 25 0430 110717626	3.16	762 23 0241 1028 22 0028	102	105	-0.29 28 97	0.04 22 102	-0.10 99	0.29 17 98	0.50 12 106	0.05 22 103	2.91 35 96	-1.36 19 106	0
127	1028 25 0433 110717493	2.80	762 23 0241 1028 23 0115	102	105	-0.27 28 97	0.03 22 102	-0.10 99	0.25 17 97	0.40 12 105	0.00 22 103	0.77 33 99	-0.47 16 103	0
128	1028 23 0037 98367592	39.31	1028 17 0205 1028 20 0013	102	106	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		2.49 52 97	1.15 26 99	1
129	1028 24 0279 107301806	2.53	116 21 0010 1028 19 0029	102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.48 33 95	-2.91 16 110	0
130	1028 25 0434 110717501	2.80	762 23 0241 1028 23 0115	102	105	-0.27 28 97	0.03 22 102	-0.10 99	0.25 17 97	0.40 12 105	0.00 22 103	0.77 33 99	-0.47 16 103	0
131	1028 24 0277 107301780	2.53	116 21 0010 1028 19 0029	102	108	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	3.48 33 95	-2.91 16 110	0
132	1028 20 0012 98336704	2.40	1028 18 0804 1028 19 0008	102	110	-0.63 19 93	0.15 13 105	-0.16 98	-0.33 8 94	0.60 8 106	-0.12 14 102	4.75 49 94	-5.51 24 117	5
133	1028 25 0451 112375613	9.07	1028 24 0185 1028 20 0012	102	108	-0.61 12 93	0.13 8 104	-0.18 97	-0.39 5 93	0.80 5 107	-0.01 9 103	3.42 30 95	-3.45 15 111	0
134	1028 23 0065 98367683	2.53	116 21 0010 1028 19 0031	102	107	-0.61 15 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.09 10 103	1.53 40 98	-1.33 21 106	2
135	1028 20 0014 98336720	27.17	1028 17 0205 1028 19 0039	102	105	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		1.64 55 98	2.01 29 96	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index				EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
136	1028 23 0115 98367998	2.87	116 21 0010 1028 21 0044	102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	-2.47 43 103	1.96 18 97	1		
137	1028 23 0153 98368301	2.73	1028 19 0565 1028 19 0012	102	106	-0.65 10 93	0.11 7 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	-0.16 36 100	1.08 20 99	0		
138	1028 22 0071 98367212	8.77	1028 19 0565 1028 21 0018	102	105	-0.64 10 93	0.11 7 104	-0.21 97	-0.40 5 93	1.10 5 109	0.13 7 103	-2.69 45 103	3.17 22 93	1		
139	1028 23 0163 98368384	2.37	116 21 0010 1028 22 0002	102	108	-0.60 15 93	0.11 10 104	-0.19 97	-0.44 5 93	0.80 5 107	0.00 10 103	3.04 33 96	-2.90 16 110	0		
140	1028 21 0014 98366693	15.00	1028 19 0565 1028 19 0036	102	104	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-6.34 51 108	6.01 26 85	4		
141	1028 25 0457 112375662	2.88	116 21 0010 1028 19 0018	102	106	-0.61 13 93	0.09 10 103	-0.21 97	-0.48 5 93	1.00 5 108	0.08 9 103	0.48 32 99	-0.02 17 102	0		
142	1028 21 0015 98366701	15.00	1028 19 0565 1028 19 0032	102	105	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-3.78 49 105	4.09 25 91	3		
143	1028 25 0466 112375746	16.52	1028 23 0129 1028 23 0058	102	110	-0.45 19 95	0.45 17 112	0.23 104	-0.16 9 95	-0.60 8 101	-0.36 16 101	-0.50 23 100	-1.83 13 107	0		
144	1028 20 0025 98336829	27.17	1028 17 0205 1028 19 0019	102	105	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		0.96 52 99	3.10 28 93	3		
145	1028 24 0371 107395667	2.64	1028 18 0804 1028 20 0018	102	107	-0.63 16 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	3.32 43 96	-1.10 22 105	0		
146	1028 24 0326 107302259	2.64	1028 18 0804 1028 21 0020	102	107	-0.63 16 93	0.11 8 104	-0.21 97	-0.39 5 93	1.10 5 109	0.14 10 103	3.17 42 96	-1.06 22 105	0		
147	1028 22 0008 98366909	27.13	1028 17 0205 1028 21 0014	102	105	-0.65 8 92	0.09 5 103	-0.23 96	-0.44 5 93	1.40 5 110	0.28 5 104	-0.33 53 100	3.16 29 93	2		
148	1028 25 0465 112375738	16.52	1028 23 0129 1028 23 0058	102	110	-0.45 19 95	0.45 17 112	0.23 104	-0.16 9 95	-0.60 8 101	-0.36 16 101	-0.50 23 100	-1.83 13 107	0		
149	1028 25 0447 110717741	3.95	762 23 0241 1028 23 0088	102	106	-0.19 31 98	0.21 25 106	0.12 102	0.42 18 98	-0.40 13 102	-0.22 25 101	3.94 33 95	-3.47 17 111	0		
150	1028 25 0469 112375779	11.34	1028 24 0185 1028 21 0021	102	107	-0.62 10 93	0.10 6 103	-0.21 97	-0.44 5 93	1.10 5 109	0.14 7 103	1.93 29 97	-0.42 15 103	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
151	1028 24 0327 107302267	2.64	1028 18 0804 1028 21 0020	102	107	-0.63 16	0.11 93	-0.21 8	-0.39 104	-0.21 97	-0.39 5	1.10 5	0.14 109	3.17 42	-1.06 22	105		0
152	1028 20 0019 98336761	2.73	1028 19 0565 1028 19 0012	102	106	-0.65 10	0.11 93	-0.21 7	-0.41 104	-0.21 97	-0.41 5	1.10 5	0.13 109	0.21 39	1.34 100	26	98	3
153	1028 23 0167 98648819	2.87	116 21 0010 1028 20 0004	102	106	-0.61 13	0.09 93	-0.21 10	-0.48 103	-0.21 97	-0.48 5	1.00 5	0.08 108	-1.47 36	1.56 102	18	98	0
154	1028 23 0059 98386030	2.89	959 20 0043 1028 19 0035	102	109	-0.45 27	0.45 95	0.23 24	-0.16 112	-0.16 104	-0.16 13	-0.60 11	-0.36 101	-1.66 43	-0.68 102	21	104	1
155	1028 24 0312 107302119	2.87	116 21 0010 1028 20 0004	102	106	-0.61 13	0.09 93	-0.21 10	-0.48 103	-0.21 97	-0.48 5	1.00 5	0.08 108	-1.47 36	1.56 102	18	98	0
156	1028 25 0485 112375910	3.02	1028 23 0129 1028 21 0016	102	107	-0.55 14	0.29 94	0.01 13	-0.29 108	-0.29 101	-0.29 7	0.30 6	-0.09 105	-3.12 29	2.20 104	15	96	0
157	1028 25 0486 112375928	3.02	1028 23 0129 1028 21 0016	102	107	-0.55 14	0.29 94	0.01 13	-0.29 108	-0.29 101	-0.29 7	0.30 6	-0.09 105	-3.12 29	2.20 104	15	96	0
158	1028 22 0028 98367071	14.92	1028 19 0565 1028 20 0005	102	106	-0.65 9	0.11 93	-0.21 6	-0.41 104	-0.21 97	-0.41 5	1.10 5	0.13 109	1.81 51	0.18 25	101		2
159	1028 24 0287 107301889	2.40	959 20 0043 1028 19 0034	102	110	-0.45 28	0.45 95	0.23 24	-0.15 112	-0.15 104	-0.15 13	-0.60 11	-0.35 101	1.69 33	-3.25 19		111	0
160	1028 19 0013 98336282	2.90	1028 17 0205 - - -	102	104	-0.66 7	0.08 92	-0.26 5	-0.48 103	-0.26 96	-0.48 5	1.60 5		0.61 44	3.59 99	24	92	4
161	1028 24 0293 107301947	2.89	959 20 0043 1028 21 0043	102	109	-0.45 27	0.45 95	0.23 24	-0.16 112	-0.16 104	-0.16 13	-0.60 11	-0.36 101	-2.05 38	-0.36 102	22	103	0
162	1028 25 0464 112375720	7.43	1028 24 0185 1028 20 0026	102	105	-0.63 8	0.09 93	-0.23 5	-0.46 103	-0.23 96	-0.46 5	1.30 5	0.24 110	0.74 32	1.71 99	17	97	0
163	1028 24 0198 107289423	2.41	959 21 0170 1028 20 0010	102	103	0.00 25	-0.01 100	-0.01 19	1.03 101	1.03 100	1.03 13	-0.80 8	-0.48 100	-2.05 35	-1.05 102	18	105	0
164	1028 21 0040 98366776	39.31	1028 17 0205 1028 20 0026	102	104	-0.66 8	0.08 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 5		0.31 52	4.11 99	26	91	1
165	1028 20 0011 98336696	2.40	1028 18 0804 1028 19 0008	102	108	-0.63 19	0.15 93	-0.16 13	-0.33 105	-0.16 98	-0.33 8	0.60 8	-0.12 106	2.88 49	-2.98 24	110		4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
166 1028 24 0199 107289431	2.41	959 21 0170 1028 20 0010	102	103	0.00 25	-0.01 19	-0.01 100	1.03 13	-0.80 8	-0.48 19	-2.05 35	-1.05 18	0
167 1028 20 0026 98336837	27.17	1028 17 0205 1028 19 0025	102	104	-0.66 8	0.08 5	-0.25 96	-0.47 5	1.60 5		-0.62 55	4.81 29	4
168 1028 23 0058 98386014	2.40	959 20 0043 1028 19 0029	102	110	-0.45 28	0.45 24	0.23 104	-0.15 13	-0.60 11	-0.35 23	2.50 35	-3.36 20	1
169 1028 24 0289 107301905	2.59	116 21 0010 1028 20 0012	102	108	-0.59 16	0.13 12	-0.17 97	-0.41 6	0.50 5	-0.16 12	2.86 35	-3.47 17	0
170 1028 25 0462 112490925	2.86	116 21 0010 1028 23 0037	102	106	-0.61 14	0.09 10	-0.21 97	-0.48 5	1.00 5	0.09 10	1.73 36	-0.14 18	0
171 1028 24 0290 107301913	2.59	116 21 0010 1028 20 0012	102	108	-0.59 16	0.13 12	-0.17 97	-0.41 6	0.50 5	-0.16 12	2.86 35	-3.47 17	0
172 1028 23 0057 98385990	2.40	959 20 0043 1028 19 0030	102	110	-0.45 28	0.45 24	0.23 104	-0.15 13	-0.60 11	-0.35 23	3.54 42	-4.10 19	1
173 1028 24 0319 107302184	2.52	116 21 0010 1028 21 0021	102	106	-0.60 15	0.10 10	-0.20 97	-0.46 5	0.90 5	0.04 10	1.37 35	-0.43 17	0
174 1028 24 0285 107301863	2.89	959 20 0043 1028 20 0007	101	108	-0.45 27	0.45 24	0.23 104	-0.16 13	-0.60 11	-0.35 22	-1.56 38	-0.06 22	0
175 1028 21 0019 98366743	2.89	1028 17 0205 1028 19 0017	101	104	-0.61 30	0.15 15	-0.16 98	-0.31 8	0.60 8	-0.10 19	-10.18 52	7.65 27	5
176 1028 24 0316 107302150	2.87	116 21 0010 1028 20 0014	101	106	-0.61 14	0.09 10	-0.21 97	-0.48 5	1.00 5	0.09 10	1.31 37	0.29 19	0
177 1028 24 0249 107301731	2.89	959 20 0043 1028 19 0019	101	108	-0.45 27	0.45 24	0.23 104	-0.16 13	-0.60 11	-0.36 22	-0.34 36	-0.79 21	0
178 1028 23 0126 98386196	2.89	959 20 0043 1028 19 0019	101	108	-0.45 27	0.45 24	0.23 104	-0.16 13	-0.60 11	-0.36 22	-0.34 36	-0.79 21	0
179 1028 21 0005 98366602	2.89	1028 17 0205 1028 19 0005	101	106	-0.65 10	0.07 5	-0.25 96	-0.47 5	1.60 5	0.38 5	11.58 52	-3.88 27	4
180 1028 23 0088 98385677	2.40	959 20 0043 1028 21 0013	101	110	-0.44 28	0.45 24	0.23 104	-0.15 13	-0.60 11	-0.35 23	3.88 44	-4.04 21	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
181	1028 25 0432 110717444	3.73	762 23 0241 1028 22 0005	101	104	-0.29 28 97	0.06 23 102	-0.08 99	0.32 18 98	0.20 12 104	-0.10 22 102	3.26 35 96	-1.48 19 106	0
182	1028 24 0344 110461902	2.40	1028 18 0804 1028 19 0016	101	108	-0.63 19 93	0.15 13 105	-0.16 98	-0.33 8 94	0.60 8 106	-0.12 14 102	4.97 37 94	-3.63 19 112	0
183	1028 22 0029 98367089	14.92	1028 19 0565 1028 20 0005	101	105	-0.65 9 93	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	0.81 51 99	1.97 21 96	1
184	1028 23 0137 98673924	33.19	1028 19 0565 1028 21 0014	101	104	-0.64 8 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-5.95 48 107	6.17 22 85	1
185	1028 25 0513 112376157	7.43	1028 24 0185 1028 21 0006	101	105	-0.63 8 93	0.09 5 103	-0.23 96	-0.46 5 93	1.30 5 110	0.24 5 104	2.25 31 97	1.86 16 97	0
186	1028 24 0304 107302051	2.89	959 20 0043 1028 19 0018	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.51 34 100	-0.47 20 103	0
187	1028 21 0016 98366719	15.00	1028 19 0565 1028 19 0032	101	104	-0.65 8 92	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.12 6 103	-2.73 49 103	4.70 25 89	4
188	1028 24 0295 107301962	2.89	959 20 0043 1028 19 0032	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.83 36 101	-0.20 21 102	0
189	1028 24 0296 107301970	2.89	959 20 0043 1028 19 0032	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.83 36 101	-0.20 21 102	0
190	1028 25 0402 110717477	2.64	959 20 0043 1028 23 0034	101	109	-0.44 28 95	0.45 24 112	0.23 104	-0.15 13 95	-0.60 11 101	-0.35 23 101	0.98 38 99	-1.61 21 106	0
191	1028 24 0303 107302044	2.89	959 20 0043 1028 19 0018	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.51 34 100	-0.47 20 103	0
192	1028 23 0158 98368350	2.89	959 20 0043 1028 19 0022	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.54 34 100	-0.46 20 103	0
193	1028 23 0161 98386253	17.88	1028 19 0565 1028 21 0021	101	104	-0.64 10 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-1.60 40 102	3.35 21 93	0
194	1028 24 0345 110461910	2.40	1028 18 0804 1028 19 0016	101	108	-0.63 19 93	0.15 13 105	-0.16 98	-0.33 8 94	0.60 8 106	-0.12 14 102	4.97 37 94	-3.63 19 112	0
195	1028 25 0444 110717709	4.41	762 23 0241 1028 23 0140	101	105	-0.19 30 98	0.23 25 107	0.13 103	0.44 18 99	-0.60 13 101	-0.32 24 101	0.43 33 99	-0.24 17 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
196 1028 23 0123 98368061	2.89	959 20 0043 1028 19 0025	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.72 35 101	0.15 21 102	0
197 1028 24 0179 107289266	2.89	959 21 0170 1028 19 0010	101	100	-0.01 24 100	0.00 19 101	-0.01 100	1.02 13 102	-0.80 8 100	-0.49 18 100	-6.36 28 108	3.35 15 93	0
198 1028 23 0128 98368087	2.40	959 20 0043 1028 20 0015	101	109	-0.44 28 95	0.45 24 112	0.23 104	-0.15 13 95	-0.60 11 101	-0.35 23 101	2.01 38 97	-2.02 22 107	1
199 1028 25 0445 110717717	4.41	762 23 0241 1028 23 0140	101	105	-0.19 30 98	0.23 25 107	0.13 103	0.44 18 99	-0.60 13 101	-0.32 24 101	0.43 33 99	-0.24 17 103	0
200 1028 23 0149 98368269	30.14	1028 19 0565 1028 22 0008	101	104	-0.64 8 93	0.12 7 104	-0.20 97	-0.39 5 93	1.00 5 108	0.08 7 103	-2.65 41 103	4.65 22 89	0
201 1028 24 0325 107302242	2.89	959 20 0043 1028 19 0039	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.10 36 100	-0.30 21 103	0
202 1028 24 0324 107302234	2.89	959 20 0043 1028 19 0039	101	108	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.36 22 101	-0.10 36 100	-0.30 21 103	0
203 1028 25 0381 110494614	2.75	959 21 0170 1028 19 0014	101	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-8.69 33 111	5.44 19 87	0
204 1028 22 0003 98366859	27.05	1028 19 0565 1028 20 0019	101	104	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-2.83 37 103	4.52 25 89	2
205 1028 25 0403 110717774	2.89	959 21 0170 1028 19 0006	101	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-6.41 32 108	3.95 18 91	0
206 1028 22 0009 98366917	39.30	1028 17 0205 1028 20 0003	101	103	-0.65 8 92	0.09 5 103	-0.23 96	-0.44 5 93	1.40 5 110	0.29 5 104	-0.44 55 100	5.27 29 87	2
207 1028 24 0201 107395592	2.16	959 21 0170 1028 22 0001	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.79 35 99	-0.99 17 105	0
208 1028 24 0202 107395600	2.16	959 21 0170 1028 22 0001	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.79 35 99	-0.99 17 105	0
209 1028 24 0230 107395642	2.16	959 21 0170 1028 22 0022	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.60 35 99	-0.95 17 105	0
210 1028 24 0194 107289415	2.16	959 21 0170 1028 22 0021	101	101	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.83 32 99	-1.03 17 105	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index				EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
211	1028 24 0189 107289365	2.41	959 21 0170 1028 20 0009	101	101	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	0.32 35 99	-0.62 19 104	0		
212	1028 24 0334 107302309	2.74	116 21 0010 1028 21 0012	101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	-0.09 36 100	0.30 18 101	0		
213	1028 21 0009 98366644	14.92	1028 19 0565 1028 20 0006	101	103	-0.65 9 93	0.11 6 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	0.04 51 100	3.99 27 91	3		
214	1028 25 0393 110494598	2.41	959 21 0170 1028 20 0009	101	101	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	0.32 35 99	-0.62 19 104	0		
215	1028 24 0322 107302218	2.74	116 21 0010 1028 21 0011	101	106	-0.59 14 93	0.14 11 104	-0.16 98	-0.40 6 93	0.40 5 105	-0.21 11 101	0.35 36 99	0.11 18 102	0		
216	1028 21 0006 98366610	27.17	1028 17 0205 1028 19 0013	101	102	-0.66 8 92	0.08 5 103	-0.25 96	-0.47 5 93	1.60 5 111		2.40 53 97	5.11 28 88	2		
217	1028 22 0005 98366875	2.89	1028 17 0205 1028 19 0016	100	105	-0.64 15 93	0.15 13 105	-0.17 97	-0.35 8 93	0.60 8 106	-0.12 13 102	2.52 50 97	-0.05 27 102	3		
218	1028 24 0217 107289506	2.89	959 21 0170 1028 23 0001	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-4.55 32 106	3.71 18 92	0		
219	1028 19 0005 98336209	2.90	1028 18 0804 - - -	100	108	-0.65 14 92	0.07 5 103	-0.25 96	-0.47 5 93	1.60 5 111	0.38 7 105	24.51 45 69	-11.64 19 134	5		
220	1028 24 0235 107301699	2.89	959 21 0170 1028 19 0009	100	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.37 33 103	2.18 18 96	0		
221	1028 22 0004 98366867	27.05	1028 19 0565 1028 20 0019	100	102	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-4.36 48 105	6.87 26 83	2		
222	1028 25 0416 110717568	5.23	762 23 0241 1028 24 0184	100	101	0.04 30 100	0.02 25 101	0.04 101	1.07 19 103	-1.00 13 99	-0.54 24 99	0.17 29 100	-0.17 16 102	0		
223	1028 21 0012 98366677	7.32	1028 19 0565 1028 20 0020	100	105	-0.63 13 93	0.17 10 105	-0.14 98	-0.31 6 94	0.40 6 105	-0.21 10 101	-1.15 51 101	2.01 26 96	2		
224	1028 25 0375 110494754	30.40	959 20 0043 1028 23 0059	100	109	-0.34 30 96	0.64 27 117	0.47 108	0.00 15 96	-1.80 12 95	-0.78 25 98	-1.33 35 102	-1.50 20 106	0		
225	1028 24 0226 107395618	2.16	959 21 0170 1028 22 0020	100	100	0.01 25 100	-0.01 19 101	0.00 100	1.04 13 103	-0.80 8 100	-0.48 19 100	0.30 35 99	0.29 19 101	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI
Computer nr		Dam ID			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
226 1028 25 0391 110494747	30.15	959 20 0043 1028 23 0057	100	110	-0.34 30 96	0.64 27 117	0.47 109	0.00 15 96	-1.80 12 95	-0.78 25 98	1.27 35 98	-3.21 20 111	0
227 1028 21 0011 98366669	7.32	1028 19 0565 1028 20 0020	100	105	-0.63 13 93	0.17 10 105	-0.14 98	-0.31 6 94	0.40 6 105	-0.21 10 101	-0.28 50 100	1.65 26 97	3
228 1028 23 0133 98368137	2.73	1028 19 0565 1028 19 0005	100	105	-0.65 10 93	0.11 7 104	-0.21 97	-0.41 5 93	1.10 5 109	0.13 7 103	9.77 39 87	-2.75 20 109	0
229 1028 24 0208 107289456	2.82	959 21 0170 1028 21 0007	100	98	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-6.30 35 108	5.53 20 87	0
230 1028 24 0233 107383663	2.65	959 21 0170 1028 22 0015	100	100	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.48 18 100	-1.06 35 101	1.45 19 98	0
231 1028 23 0085 98385776	2.89	959 20 0043 1028 20 0026	100	105	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.35 22 101	-1.76 45 102	3.05 26 94	2
232 1028 25 0397 110717469	2.89	959 21 0170 1028 23 0036	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.92 35 104	3.21 19 93	0
233 1028 23 0156 98368335	2.41	959 21 0170 1028 21 0022	100	100	0.01 25 100	-0.01 19 101	-0.01 100	1.04 13 102	-0.80 8 100	-0.48 19 100	1.63 35 98	-0.18 19 102	1
234 1028 23 0157 98368343	2.41	959 21 0170 1028 21 0022	100	100	0.01 25 100	-0.01 19 101	-0.01 100	1.04 13 102	-0.80 8 100	-0.48 19 100	1.63 35 98	-0.18 19 102	0
235 1028 19 0007 98336225	2.85	1028 17 0205 1028 18 0564	100	103	-0.64 15 93	0.15 13 105	-0.17 97	-0.35 8 93	0.60 8 106	-0.12 13 102	-0.05 44 100	3.05 23 94	5
236 1028 24 0213 110071594	2.41	959 21 0170 1028 22 0019	100	99	0.00 25 100	-0.01 19 101	0.00 100	1.04 13 102	-0.80 8 100	-0.48 19 100	-1.02 35 101	2.01 19 96	0
237 1028 23 0140 98368178	3.18	959 20 0043 1028 22 0004	100	106	-0.44 27 95	0.48 25 113	0.26 105	-0.11 14 95	-1.00 11 99	-0.56 23 99	-3.13 46 104	2.42 21 95	1
238 1028 24 0228 107395634	2.89	959 21 0170 1028 22 0011	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.83 36 103	3.58 20 92	0
239 1028 20 0018 98336753	2.89	1028 17 0205 1028 19 0017	100	102	-0.63 16 93	0.15 13 105	-0.16 98	-0.34 8 93	0.60 8 106	-0.12 13 102	-2.51 54 103	5.24 28 88	3
240 1028 25 0383 110717485	2.77	959 21 0170 1028 22 0071	100	99	0.01 24 100	0.01 19 101	0.02 101	1.06 13 103	-1.00 8 99	-0.58 18 99	-4.26 33 105	3.81 17 91	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding		Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambled
						Dir	Mat	Comb			Acc	EBV	Acc	EBV	Acc	EBV		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
241	1028 21 0020 98366750	2.89	1028 17 0205 1028 19 0017	100	103	-0.63 16	0.15 93	-0.16 13	-0.34 105	-0.16 98	-0.34 8	0.60 106	-0.12 13	-2.82 102	5.32 52	27 103	87	4
242	1028 20 0017 98385537	2.89	1028 17 0205 1028 19 0017	100	103	-0.63 16	0.15 93	-0.16 13	-0.34 105	-0.16 98	-0.34 8	0.60 106	-0.12 13	-0.01 102	3.33 53	24 100	93	4
243	1028 25 0395 110494564	2.89	959 21 0170 1028 20 0025	100	98	0.00 24	-0.01 100	-0.01 19	1.03 101	-0.01 100	1.03 13	-0.80 100	-0.49 18	-2.43 100	3.77 35	20 103	92	0
244	1028 20 0020 98336779	2.15	1028 18 0804 1028 19 0001	100	106	-0.61 20	0.19 93	-0.12 15	-0.27 106	-0.12 98	-0.27 9	0.10 104	-0.37 16	3.53 100	53 53	-1.52 95	26 106	2
245	1028 23 0132 98368129	3.51	959 20 0043 1028 20 0018	100	106	-0.43 28	0.49 95	0.28 25	-0.09 113	0.28 105	-0.09 14	-1.10 12	-0.60 99	-1.75 102	1.46 39	22 102	98	0
246	1028 23 0131 98368111	3.51	959 20 0043 1028 20 0018	100	106	-0.43 28	0.49 95	0.28 25	-0.09 113	0.28 105	-0.09 14	-1.10 12	-0.60 99	-1.75 102	1.46 39	22 102	98	0
247	1028 24 0253 107395691	2.89	959 21 0170 1028 21 0040	100	98	0.00 24	-0.01 100	-0.01 19	1.03 101	-0.01 100	1.03 13	-0.80 100	-0.49 18	-2.76 100	4.28 35	19 103	90	0
248	1028 24 0212 107289498	2.72	959 21 0170 1028 20 0011	100	100	0.02 25	0.03 100	0.04 20	1.10 102	0.04 101	1.10 14	-1.30 9	-0.73 98	-1.47 102	0.74 34	18 102	100	0
249	1028 23 0146 98368236	9.00	1028 19 0565 1028 19 0017	100	103	-0.62 16	0.19 93	-0.12 14	-0.28 106	-0.12 98	-0.28 9	0.10 104	-0.37 14	-5.06 100	5.52 38	20 106	87	0
250	1028 21 0004 98366594	2.89	1028 17 0205 1028 19 0005	100	107	-0.65 10	0.07 92	-0.25 5	-0.47 103	-0.25 96	-0.47 5	1.60 111	0.38 5	41.61 105	-14.48 52	27 64	136	4
251	1028 23 0120 98368038	3.33	959 20 0043 1028 20 0020	100	108	-0.43 29	0.51 95	0.30 25	-0.05 114	-0.05 105	-0.05 14	-1.40 12	-0.76 98	1.27 38	-1.92 98	22 102	107	0
252	1028 25 0387 110494630	3.20	959 21 0170 1028 21 0019	100	98	0.02 28	0.03 100	0.04 20	1.11 102	0.04 101	1.11 14	-1.30 9	-0.73 98	-8.00 35	6.05 110	19 103	85	0
253	1028 24 0204 110461670	2.65	959 21 0170 1028 21 0005	99	99	0.00 24	-0.01 100	-0.01 19	1.03 101	-0.01 100	1.03 13	-0.80 8	-0.48 100	2.88 35	0.29 96	19 101	101	0
254	1028 25 0389 110494655	2.65	959 21 0170 1028 21 0005	99	99	0.00 24	-0.01 100	-0.01 19	1.03 101	-0.01 100	1.03 13	-0.80 8	-0.48 100	2.88 35	0.29 96	19 101	101	0
255	1028 24 0223 107289555	2.95	959 21 0170 1028 22 0003	99	98	0.01 24	0.02 100	0.03 19	1.08 101	0.03 101	1.08 13	-1.10 8	-0.63 99	-4.33 30	4.48 105	19 103	90	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir	Mat								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
256	1028 24 0206 110071552	2.89	959 21 0170 1028 21 0009	99	98	0.01 24	0.01 19	0.02 101	1.06 13	-1.00 8	-0.58 99	-2.89 35	4.22 19	0
257	1028 24 0205 110071545	2.89	959 21 0170 1028 21 0009	99	98	0.01 24	0.01 19	0.02 101	1.06 13	-1.00 8	-0.58 99	-2.89 35	4.22 19	0
258	1028 24 0311 107302101	4.14	959 20 0043 1028 19 0017	99	106	-0.42 31	0.53 27	0.32 106	-0.02 16	-1.60 14	-0.85 98	-3.07 35	1.29 20	0
259	1028 24 0200 110071487	2.96	959 21 0170 1028 22 0009	99	97	0.00 24	0.00 19	0.01 100	1.05 13	-0.90 8	-0.53 99	-3.13 36	4.86 20	0
260	1028 19 0017 98336324	2.90	762 16 0269 - - -	99	102	-0.61 29	0.23 25	-0.08 99	-0.21 16	-0.40 17	-0.62 99	-5.14 41	4.90 21	4
261	1028 19 0016 98336316	2.90	762 16 0269 - - -	99	105	-0.62 26	0.23 25	-0.08 99	-0.22 16	-0.40 17	-0.63 99	0.78 30	0.17 19	3
262	1028 24 0183 107289308	3.52	959 21 0170 1028 19 0008	99	99	0.02 27	0.07 22	0.08 102	1.15 15	-1.80 12	-0.99 97	-4.78 39	2.91 17	1
263	1028 19 0011 98336266	2.90	762 16 0269 - - -	99	104	-0.62 26	0.23 25	-0.08 99	-0.22 16	-0.40 17	-0.63 99	-0.68 26	1.66 17	3
264	1028 24 0364 110462074	2.40	959 22 0200 1028 21 0018	98	110	-1.27 24	0.36 13	-0.28 96	-1.30 6	0.80 5	-0.43 100	7.28 31	-3.34 18	0
265	1028 24 0215 110071610	2.40	959 22 0200 1028 21 0013	98	111	-1.27 24	0.36 13	-0.28 96	-1.30 6	0.80 5	-0.43 100	10.35 34	-5.82 18	0
266	1028 24 0197 110004793	2.40	959 22 0200 1028 21 0010	98	110	-1.27 24	0.36 13	-0.28 96	-1.30 6	0.80 5	-0.43 100	7.80 34	-3.74 18	0
267	1028 24 0184 107289316	3.52	959 21 0170 1028 19 0008	98	98	0.02 27	0.07 22	0.08 102	1.15 15	-1.80 12	-0.99 97	-3.67 30	2.55 17	1
268	1028 24 0245 110071701	2.70	959 22 0200 1028 23 0053	98	110	-1.26 24	0.37 14	-0.26 96	-1.32 7	0.50 5	-0.58 99	5.48 29	-3.39 14	0
269	1028 23 0155 98368327	3.09	116 21 0010 1028 19 0001	98	103	-0.58 20	0.21 17	-0.08 99	-0.29 10	-0.50 10	-0.67 99	1.10 42	0.56 16	1
270	1028 22 0038 98367154	12.06	1028 19 0565 1028 19 0001	98	102	-0.62 17	0.23 15	-0.08 99	-0.22 10	-0.40 10	-0.63 99	-1.62 44	4.26 20	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
							Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		Index	Acc	Index	Acc	Index	Acc			Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
271	1028 25 0461 112375704	2.40	762 22 0706 1028 20 0010	98	94	0.06 30	-0.43 100	-0.40 27	0.67 90	14	0.67 100	-0.10 17	-0.43 103	3.31 26	1.73 96	23	1.73 97		0			
272	1028 24 0275 110071743	2.89	762 22 0706 1028 19 0024	98	92	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	-0.54 25	5.13 101	20	5.13 88		0			
273	1028 25 0472 112375803	2.89	762 22 0706 1028 19 0026	97	92	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	-0.35 25	5.24 100	20	5.24 87		0			
274	1028 25 0471 112375795	2.89	762 22 0706 1028 19 0026	97	92	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	-0.35 25	5.24 100	20	5.24 87		0			
275	1028 24 0361 110071784	2.40	959 22 0200 1028 19 0005	97	110	-1.28 24	0.36 85	-0.28 13	-1.31 110	6	-1.31 87	0.80 5	-0.43 107	18.74 15	-8.92 76	16	-8.92 126		0			
276	1028 24 0339 107383846	2.32	762 22 0706 1028 20 0016	97	92	0.06 30	-0.43 100	-0.40 27	0.67 90	14	0.67 100	-0.10 17	-0.43 103	2.25 26	4.26 97	23	4.26 90		0			
277	1028 25 0476 112490941	3.45	762 22 0706 1028 21 0001	97	91	0.06 29	-0.41 100	-0.38 27	0.69 91	14	0.69 100	-0.30 17	-0.53 102	-3.40 25	7.64 104	23	7.64 81		0			
278	1028 24 0246 110071719	6.54	959 22 0200 1028 23 0085	97	109	-1.17 27	0.55 87	-0.03 18	-1.15 115	9	-1.15 88	-0.30 7	-0.80 102	5.61 19	-1.58 93	18	-1.58 106		0			
279	1028 24 0247 110071727	6.54	959 22 0200 1028 23 0085	97	109	-1.17 27	0.55 87	-0.03 18	-1.15 115	9	-1.15 88	-0.30 7	-0.80 102	5.61 19	-1.58 93	18	-1.58 106		0			
280	1028 24 0336 107383770	2.90	762 22 0706 1028 19 0038	97	91	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	2.25 25	4.53 97	20	4.53 89		0			
281	1028 25 0503 112376074	2.90	762 22 0706 1028 19 0038	97	91	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	2.25 25	4.53 97	20	4.53 89		0			
282	1028 25 0398 110494663	2.65	959 21 0170 1028 21 0004	97	98	0.00 24	-0.01 100	-0.01 19	1.03 101	13	1.03 102	-0.80 8	-0.48 100	17.90 18	-5.02 77	19	-5.02 116		0			
283	1028 24 0337 107383812	2.90	762 22 0706 1028 19 0038	97	91	0.05 29	-0.43 100	-0.40 27	0.65 90	14	0.65 100	-0.10 17	-0.44 103	2.25 25	4.53 97	20	4.53 89		0			
284	1028 25 0399 110494671	2.65	959 21 0170 1028 21 0004	97	98	0.00 24	-0.01 100	-0.01 19	1.03 101	13	1.03 102	-0.80 8	-0.48 100	17.90 18	-5.02 77	19	-5.02 116		0			
285	1028 24 0257 107395683	2.37	762 22 0706 1028 21 0400	97	92	0.06 30	-0.43 100	-0.40 27	0.67 90	14	0.67 100	-0.10 17	-0.43 103	7.68 26	1.23 90	22	1.23 99		0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd	
					Dir	Mat									EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
286	1028 24 0177 107289241	2.89	762 22 0706 1028 23 0001	97	90	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.44 25	0.81 34	6.49 23	84	0
287	1028 24 0176 107289233	2.89	762 22 0706 1028 23 0001	97	90	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.44 25	0.81 34	6.49 23	84	0
288	1028 25 0479 112375852	2.15	762 22 0706 1028 22 0020	96	91	0.06 30	-0.43 27	-0.40 93	0.67 14	-0.10 17	-0.43 26	5.65 37	3.07 24	93	0
289	1028 24 0252 107383838	2.89	762 22 0706 1028 21 0041	96	90	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.43 25	2.73 38	5.47 25	87	0
290	1028 24 0261 107383648	2.89	762 22 0706 1028 19 0028	96	90	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.44 25	2.22 33	6.03 23	85	0
291	1028 25 0452 112490867	2.64	762 22 0706 1028 22 0073	96	90	0.06 29	-0.43 27	-0.40 93	0.67 14	-0.10 17	-0.43 25	3.70 34	4.93 23	88	0
292	1028 24 0271 107383747	2.40	762 22 0706 1028 20 0015	96	91	0.06 30	-0.43 27	-0.40 93	0.67 14	-0.10 17	-0.43 26	4.95 37	4.15 24	90	0
293	1028 24 0270 107383739	2.40	762 22 0706 1028 20 0015	96	91	0.06 30	-0.43 27	-0.40 93	0.67 14	-0.10 17	-0.43 26	4.95 37	4.15 24	90	0
294	1028 24 0263 107383689	2.89	762 22 0706 1028 19 0025	96	90	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.44 25	2.22 34	6.32 23	85	0
295	1028 25 0546 112376280	3.45	762 22 0706 1028 21 0015	96	89	0.06 29	-0.41 27	-0.38 94	0.69 14	-0.30 17	-0.53 25	0.56 36	7.05 23	83	0
296	1028 25 0501 112376058	2.53	762 22 0706 1028 23 0065	96	91	0.08 30	-0.42 27	-0.38 94	0.66 14	-0.40 17	-0.58 26	3.21 33	4.34 22	90	0
297	762 24 0264 109912089	8.71	762 22 1427 762 22 1333	96	91	0.77 47	0.23 35	0.62 111	1.53 13	-3.20 17	-0.92 35	2.82 39	5.41 21	87	1
298	1028 24 0340 107383853	3.17	762 22 0706 1028 22 0008	96	89	0.06 29	-0.42 27	-0.39 94	0.68 14	-0.20 17	-0.48 25	2.28 38	6.58 24	84	0
299	1028 24 0259 107383762	2.89	762 22 0706 1028 20 0026	96	89	0.05 29	-0.43 27	-0.40 93	0.66 14	-0.10 17	-0.43 25	2.14 38	7.41 24	82	0
300	1028 19 0001 98336167	27.49	762 16 0269 1028 17 0097	96	101	-0.59 30	0.31 28	0.01 101	-0.09 18	-1.40 19	-1.13 27	-0.26 39	3.03 21	94	5

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambed	
					Dir	Mat									EBV Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
301	1028 25 0541 112376306	3.60	762 22 0706 1028 22 0004	95	88	0.06 29 100	-0.40 27 91	-0.37 94	0.71 14 100	-0.40 17 102	-0.58 25 99	0.26 36 99	8.44 24 79	0	
302	1028 25 0483 112375894	4.07	762 22 0706 1028 21 0020	95	88	0.07 30 101	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.68 26 99	1.03 37 99	7.66 24 81	0	
303	1028 24 0173 107289209	4.05	762 22 0706 1028 19 0007	95	89	0.06 30 100	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.69 26 99	2.42 35 97	6.53 23 84	0	
304	1028 24 0172 107289191	4.05	762 22 0706 1028 19 0007	95	89	0.06 30 100	-0.39 28 91	-0.36 94	0.73 15 100	-0.60 17 101	-0.69 26 99	2.42 35 97	6.53 23 84	0	
305	1028 25 0522 112376249	5.25	762 22 0706 1028 19 0011	94	89	0.07 32 101	-0.35 30 92	-0.31 95	0.79 16 101	-1.10 19 98	-0.94 28 97	2.10 29 97	5.83 22 86	0	
306	1028 25 0491 112720438	4.55	762 22 0706 1028 23 0155	94	89	0.09 31 101	-0.36 28 92	-0.31 95	0.76 15 101	-1.10 18 98	-0.93 27 97	3.00 34 96	5.28 21 87	0	
307	1028 24 0269 107383721	2.64	762 22 0706 1028 21 0004	93	88	0.06 29 100	-0.43 27 90	-0.40 93	0.67 14 100	-0.10 17 103	-0.43 25 100	23.25 37 70	-2.24 24 108	0	
308	762 24 0474 107578023	8.57	762 22 1368 762 19 0424	80	96	-1.60 49 82	0.72 39 119	-0.08 99	-1.92 19 83	-5.40 22 78	-4.12 39 79	6.81 40 91	-0.62 24 104	1	