WAGYU
BREEDING VALUE REPORT

September 2026

BEYOND BEEF

Herd Number: 651985

E-mail: james@beyondbeef.co.za
farm@beyondbeef.co.za

WAGYU SOCIETY OF SOUTH AFRICA

ICAR
CERTIFICATE OF QUALITY
Valid up to October 2029

Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are combined to form the Fertility Value by taking the heritability and economic importance in consideration.

Interpretation of EBVi and Selection Values




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*						
						80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High							Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light							Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less							More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High						*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low							High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy							Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy							Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light							Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor							Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light						* *	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light						* *	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less							More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less							More
	Longevity	Retention of progeny	Accepable progeny	Poor							Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less							More
	Carcass weight	Weight of the carcass	High quality carcass	Light							Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small							Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin							Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low							High

Herd and Breed Averages

Number 3170



Breeding Values (EBV):

Birth:	Birth weigth	IMF:	Marbling
Wean:	Weaning weight	Carcwt:	Carcass wt
Birth.mat:	Birth mat	EMA:	Eye muscle area
Milk:	Milk	RibFatt:	Rib Fat thickness
Postwn:	Postwean weight	MF:	Marbling Fineness
Matwt:	Mature weight		
HF:	Heifer Fertility		
CF:	Cow Fertility		
LL:	Longevity		

Selection values:

CEaseV	Calving Ease Value
CGrowthV	Calf Growth Value
MilkV:	Milk Value
MaintV:	Maintenance Value
FertV:	Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	1.77	94	1.23
	Wean Weight	5.9	107	2.9
	Birth Mat.	-0.36	99	-0.38
	Milk (Wn.Mat.)	10.0	102	8.7
Postwean growth	Postwean wt	11.6	107	6.4
	Mature weight	15	106	6
Fertility	Heifer Fertility	-5.1	104	-2.9
	Cow Fertility	0.4	101	0.5
	Longevity	5.1	100	5.2
Carcass	IMF	0.3	96	0.8
	Carcass weight	1.8	101	0.8
	EMA	0.9	101	0.8
	Rib Fat	-0.2	99	-0.1
	MF	-0.4	101	-0.5

Selection Value	Herd Avg
Calving Ease Value	94
Calf Growth Value	107
Milk Value	102
Maintenance Value	94
Fertility Value	102


- Average of live animals in the breed: *100*
- Above 100: ***more favourable***,
- Below 100: ***less*** *favourable*

What does a sub-selection value above breed average (100) mean?:

Calving ease:	Smaller calf at birth - easier calving
Calf growth:	Heavier calves at wean due to growth potential of the calf
Milk:	Cows with more milk and better mothering ability
Maintenance:	Animals with low maintenance requirements (lower mature weight).
Fertility:	Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight			Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV	Mat EBV		Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	200	0.32	0.12	**103**	90	0.1	**93**	90	8.99	**101**	76	3.0			**111**	141	-1.5	93	-0.1	226	2.3	**100**
2017	170	0.13	0.64	**100**												71	-8.5	66	-1.6	411	4.2	**110**
2018	13	0.18	-0.21	**107**												47	-4.4	41	-0.7	174	6.2	**105**
2019	12	0.12	-0.12	**105**												43	-6.3	41	-2.8	138	7.1	**112**
2020	48	0.02	-0.14	**107**							1	32.7			**74**	17	-8.8	13	-3.1	84	4.9	**115**
2021	68	0.59	-0.46	**103**												35	-8.6	10	-3.6	59	5.6	**114**
2022	97	0.39	-0.34	**104**												25	-5.1			21	7.5	**109**
2023	125	0.79	-0.38	**102**	4	1.6	**97**	4	-1.89	**80**												
2024	140	0.61	-0.15	**105**																		
2025	5	-0.49	-0.72	**120**																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight			Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV	Mat EBV		Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	**106**	280	0.5	**94**	280	6.43	**96**	213	2.7	17	-11	**110**	777	-1.4	388	-0.8	6318	-0.5	**102**
2017	787	0.41	0.21	**102**	405	0.6	**94**	405	3.76	**91**	309	0.1	33	-9	**111**	791	-1.9	308	-0.6	10308	-0.4	**102**
2018	1180	0.44	0.12	**103**	815	-1.4	**89**	815	2.45	**88**	823	-0.9	19	-23	**113**	665	-4.6	407	-1.0	9232	2.0	**106**
2019	1379	0.55	0.15	**102**	901	0.1	**93**	901	1.30	**86**	896	0.6	27	-30	**112**	1006	-2.8	469	-0.6	11910	1.7	**103**
2020	2115	0.65	-0.03	**102**	556	2.3	**98**	556	7.29	**97**	273	6.2	24	-7	**103**	665	-4.3	269	-1.0	11395	1.2	**106**
2021	2374	0.55	-0.10	**103**	589	0.4	**94**	589	4.13	**91**	253	0.2	19	-6	**112**	405	-6.0	158	-1.5	9292	1.5	**108**
2022	2062	0.42	-0.18	**105**	461	2.0	**98**	461	1.65	**87**	246	2.4	15	15	**110**	306	-2.8	72	-0.6	4200	2.1	**103**
2023	1637	0.34	-0.31	**107**	461	2.0	**98**	461	1.21	**86**	160	2.0	5	-3	**111**	121	-6.6	11	-0.6			**110**
2024	1413	0.39	-0.30	**107**	311	2.5	**99**	311	1.86	**87**	36	14.0			**97**	15	-2.4					**101**
2025	1478	0.37	-0.14	**106**	386	2.5	**99**	386	0.24	**84**												
2026	307	0.25	-0.03	**106**																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	2	-1.0	**86**	2	-7.3	**89**	2	0.1	**96**						
2014	1	0.9	**101**	1	-5.7	**91**	1	-0.5	**92**						
2015	7	-1.5	**81**	7	-7.1	**89**	7	-0.9	**89**						
2016	4	0.7	**100**	4	-11.8	**82**	4	-1.3	**87**	1	3.1	**133**	1	4.0	**128**
2017	1	-1.0	**86**	1	-6.6	**90**	1	4.4	**123**						
2018	1	-0.8	**88**	1	4.8	**106**	1	-1.6	**85**						
2019															
2020	21	-0.5	**90**	21	2.3	**102**	21	0.2	**96**	3	-1.9	**81**			
2021	21	0.4	**97**	21	1.6	**101**	21	0.4	**97**	21	0.5	**106**			
2022	78	1.2	**103**	78	-3.1	**95**	62	0.7	**99**	78	0.2	**103**	72	0.1	**104**
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	**99**	776	-0.1	**99**	361	0.8	**100**	346	0.2	**103**	5	-4.6	**74**
2014	16	-1.0	**86**	541	-3.8	**94**	301	1.7	**106**	269	-0.1	**100**	4	0.0	**103**
2015	36	-0.5	**90**	589	-7.1	**89**	548	1.0	**102**	520	-0.1	**100**	6	0.3	**105**
2016	124	-0.8	**87**	588	-0.3	**98**	322	0.1	**96**	211	0.3	**105**	5	2.1	**117**
2017	732	-0.4	**90**	1244	-0.2	**99**	1116	0.1	**95**	272	0.0	**102**	17	0.3	**105**
2018	1946	0.0	**94**	1969	0.0	**99**	1940	0.0	**95**	87	0.0	**101**	22	0.0	**103**
2019	2812	0.3	**96**	2823	-1.3	**97**	2753	0.8	**100**	212	-0.5	**96**	61	0.4	**106**
2020	4627	0.7	**99**	4682	-0.6	**98**	4656	0.5	**98**	713	-0.3	**98**	92	-1.2	**95**
2021	3444	0.9	**101**	3606	-0.3	**98**	3596	0.6	**99**	3275	-0.2	**99**	531	-0.6	**99**
2022	3277	1.0	**101**	3324	-0.9	**98**	3275	0.4	**97**	3191	-0.3	**97**	2749	-1.0	**97**
2023	1839	1.1	**103**	1845	1.3	**101**	1836	0.6	**99**	1795	0.0	**101**	1841	-1.0	**96**
2024	17	-0.6	**89**	17	1.3	**101**	17	0.5	**98**	16	-0.5	**96**	17	0.1	**103**

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																		
2132A		FB102	**111**	**130**	**127**	**129**	**116**	**92**	**75**	**97**	**112**	**105**	**119**					
FB		V5909S	0.16	14.9	23.0	29.8	30	4.4	-2.3	-1.0	2.7	0.4	2.5	8	31	4	4	
HEARTBRAND J-PRIME 2132A			58%	32%	28%	19%	13%	17%	43%	44%	36%	37%	23%					
2142A		AF6808	**93**	**125**	**122**	**127**	**106**	**94**	**80**	**96**	**99**	**94**	**113**					
FB		B3518R	1.95	13.1	19.6	29.0	15	5.5	-1.8	-2.3	0.7	-0.7	1.6	11	40	11	11	
HEARTBRAND RHUBARB 2142A			74%	47%	70%	66%	10%	14%	55%	54%	48%	41%	19%					
2618A		J251830R	**115**	**131**	**127**	**127**	**120**	**87**	**102**	**106**	**115**	**96**	**92**					
FB		AF2681	-0.21	15.3	22.7	28.6	35	1.8	1.0	4.7	3.0	-0.5	-1.8	1	6	2	1	
HEARTBRAND HERCULES 2618A			53%	29%	34%	27%	23%	25%	38%	38%	34%	35%	25%					
2619A		J251830R	**116**	**132**	**128**	**128**	**118**	**83**	**108**	**118**	**110**	**112**	**91**					
FB		AF2681	-0.29	16.0	23.3	29.4	32	-0.2	1.8	13.6	2.4	1.1	-1.9	2	7	4	4	
HEARTBRAND HERCULES 2619A			68%	53%	54%	27%	45%	43%	43%	49%	43%	46%	30%					
AF1208			**109**	**114**	**117**	**120**		**95**	**86**	**91**	**111**	**81**	**105**					
FB		FB2121	0.36	8.5	16.9	22.9		6.3	-1.0	-5.7	2.4	-1.9	0.3	3	4	3	1	
HEARTBRAND SAMSUNG S0947P			26%	8%	16%	10%		6%	20%	19%	16%	15%	5%					
AF6914		IMUFN2125	**94**	**120**	**120**	**124**	**111**	**87**	**87**	**95**	**119**	**75**	**95**					
FB		AF113	1.82	11.2	18.7	25.9	22	1.8	-0.8	-2.9	3.8	-2.5	-1.3	7	37	10	6	4
HEARTBRAND T0001M			82%	75%	78%	79%	13%	27%	53%	51%	45%	30%	20%					
AF793			**103**	**116**	**115**	**115**		**93**	**97**	**95**	**110**							
FB		AF190	0.90	9.3	15.5	18.9		5.0	0.4	-3.0	2.3			2	12	2	1	2
HEARTBRAND S0532N			73%	62%	66%	68%		16%	38%	36%	30%							
BB 150109		C0402	**98**	**149**	**143**	**137**	**139**	**81**	**104**	**110**	**123**	**65**	**65**					
FB		C767	1.47	22.6	33.1	36.2	62	-1.5	1.3	8.0	4.4	-3.4	-6.1	6	72	11	4	9
BB150109			94%	92%	93%	91%	82%	83%	86%	86%	85%	84%	82%					
BB 150113		C0402	**85**	**149**	**141**	**136**	**136**	**82**	**94**	**104**	**129**	**64**	**73**					
FB		C767	2.70	22.6	31.5	35.8	57	-1.0	0.1	3.3	5.2	-3.6	-4.8	6	97	19	11	7
BB150113			95%	94%	94%	92%	83%	84%	86%	86%	85%	85%	83%					
BB 150114		HBCFV2139	**104**	**120**	**113**	**115**	**109**	**85**	**107**	**101**	**98**	**76**	**70**					
FB		OHVFA0045	0.82	10.9	14.2	19.3	19	1.0	1.7	1.7	0.5	-2.4	-5.2	3	67	11	31	19
BB15-114			80%	44%	55%	53%	40%	38%	76%	75%	69%	74%	43%					
BB 150115		C0402	**95**	**149**	**140**	**135**	**138**	**83**	**104**	**123**	**127**	**53**	**53**					
FB		C767	1.73	22.6	31.1	34.6	61	-0.4	1.3	16.8	5.0	-4.5	-8.0	5	131	13	51	34
BB15-115			87%	84%	84%	84%	82%	82%	90%	90%	88%	88%	82%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 150116		C0402	**55**	**149**	**147**	**142**	**137**	**79**	**120**	**131**	**151**	**69**	**42**					
FB		OHVFA0045	5.57	22.6	35.5	40.4	60	-2.5	3.3	22.5	8.7	-3.0	-9.6	6	173	24	29	38
BB15-116			96%	91%	92%	92%	88%	88%	93%	93%	92%	90%	88%					
BB 150128		HBCFV2139	**90**	**125**	**118**	**120**	**107**	**85**	**97**	**87**	**97**	**80**	**87**					
FB		OHVFA0045	2.19	13.1	17.4	23.5	17	0.9	0.5	-8.4	0.4	-2.0	-2.5	4	135	12	79	10
ERNST			89%	86%	87%	87%	85%	85%	89%	89%	88%	88%	85%					
BB 150146		HBCFV2139	**99**	**139**	**133**	**133**	**122**	**84**	**90**	**87**	**102**	**97**	**105**					
FB		C647	1.32	18.5	26.9	33.3	38	0.3	-0.4	-8.7	1.0	-0.4	0.4	3	19	13	15	
ROBERT			62%	39%	68%	67%	33%	36%	53%	53%	50%	49%	42%					
BB 150160		HBCFV2139	**99**	**128**	**120**	**120**	**115**	**84**	**100**	**95**	**101**	**64**	**73**					
FB		OHVFA0045	1.32	14.1	18.5	23.4	27	0.5	0.8	-2.8	0.9	-3.5	-4.8	3	59	1	1	
BB15-160			66%	49%	69%	68%	40%	38%	58%	57%	54%	53%	43%					
BB 170002		FB14989	**85**	**138**	**131**	**132**	**126**	**93**	**135**	**107**	**103**	**83**	**52**					
FB		FB17963	2.66	18.0	25.5	32.3	43	4.8	5.2	6.0	1.2	-1.8	-8.0	2	36	9	22	9
BB170002			88%	80%	81%	81%	80%	80%	86%	86%	84%	83%	81%					
BB 170019		CCCFH0037	**95**	**135**	**128**	**128**	**121**	**80**	**112**	**95**	**146**	**83**	**76**					
FB		CCCFJ0066	1.76	17.1	23.7	29.4	37	-1.9	2.3	-3.0	7.9	-1.7	-4.2	2	135		44	31
BB170019			86%	83%	84%	84%	83%	83%	90%	90%	88%	85%	83%					
BB 170021		CCCFH0037	**96**	**143**	**138**	**142**	**115**	**81**	**100**	**96**	**107**	**83**	**90**					
FB		KALFC0031	1.63	20.5	29.8	40.2	27	-1.4	0.8	-2.4	1.9	-1.7	-2.0	1	41		10	9
BB170021			55%	35%	54%	52%	34%	33%	67%	66%	60%	45%	33%					
BB 170034		HBCFV2139	**105**	**118**	**116**	**119**	**102**	**92**	**89**	**122**	**102**	**105**	**95**					
FB		FB14728	0.71	10.3	15.9	22.6	9	4.5	-0.6	16.3	1.1	0.4	-1.3	1	29		20	5
BB170034			53%	37%	45%	43%	32%	35%	60%	61%	56%	54%	39%					
BB 170061		FB2998	**97**	**134**	**126**	**128**	**119**	**86**	**95**	**109**	**101**	**89**	**89**					
FB		AF2688	1.49	16.4	22.5	29.7	33	1.5	0.1	7.3	0.9	-1.1	-2.3	1	17		13	
BB170061			55%	27%	37%	29%	27%	24%	45%	45%	40%	34%	25%					
BB 170070		FB2998	**99**	**132**	**127**	**129**	**115**	**88**	**88**	**90**	**114**	**73**	**95**					
FB		V7297U	1.37	15.9	23.0	30.4	28	2.1	-0.7	-6.5	3.0	-2.6	-1.2	1	66		43	12
BB170070			52%	23%	33%	26%	20%	18%	69%	68%	60%	44%	24%					
BB 170089		FB2998	**98**	**133**	**128**	**130**	**114**	**87**	**92**	**90**	**112**	**83**	**97**					
FB		V7514U	1.45	16.4	23.5	31.0	27	2.1	-0.2	-6.2	2.6	-1.7	-0.9	1	16	2	15	
BB170089			88%	82%	82%	82%	82%	82%	83%	83%	83%	82%	82%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 170100		S5394S	**96**	**131**	**127**	**129**	**112**	**90**	**98**	**104**	**114**	**81**	**87**					
FB		AF9346	1.61	15.4	22.8	30.4	24	3.7	0.5	3.7	3.0	-1.9	-2.5	1	15		2	12
BB170100			48%	13%	23%	22%	8%	9%	69%	68%	60%	45%	17%					
BB 170107		FB2124	**92**	**145**	**141**	**141**	**129**	**88**	**96**	**140**	**125**	**121**	**96**					
FB		V7202U	1.99	21.1	31.4	39.9	47	2.5	0.3	29.0	4.7	1.9	-1.2	2	22	1	6	10
BB170107			82%	80%	80%	80%	80%	80%	84%	84%	83%	80%	80%					
BB 170109		C4037S	**100**	**131**	**127**	**129**	**118**	**89**	**99**	**111**	**108**	**87**	**84**					
FB		B3518R	1.20	15.5	22.8	30.3	31	2.9	0.7	8.2	2.0	-1.4	-3.0	1	16		13	2
BB170109			41%	23%	26%	22%	12%	14%	47%	47%	41%	24%	16%					
BB 170115		C4037S	**100**	**131**	**127**	**129**	**118**	**89**	**94**	**116**	**112**	**88**	**86**					
FB		B3518R	1.20	15.5	22.8	30.3	31	2.9	0.1	12.0	2.6	-1.2	-2.7	1	32		13	1
BB170115			41%	23%	26%	22%	12%	14%	43%	43%	38%	24%	16%					
BB 170138		2132A	**104**	**130**	**126**	**129**	**114**	**91**	**86**	**98**	**105**	**98**	**105**					
FB		B3518R	0.84	14.8	22.1	29.8	27	3.8	-1.0	-0.6	1.5	-0.3	0.4	1	5		1	
BB170138			42%	26%	28%	22%	12%	13%	33%	34%	28%	27%	18%					
BB 170159		J251830R	**106**	**130**	**125**	**126**	**120**	**87**	**84**	**74**	**110**	**56**	**99**					
FB		AF7868	0.67	14.8	21.8	27.8	35	2.1	-1.3	-17.8	2.4	-4.3	-0.6	2	28		11	6
BB170159			48%	27%	33%	27%	20%	23%	58%	57%	50%	34%	24%					
BB 170165		J251830R	**111**	**128**	**124**	**124**	**120**	**87**	**79**	**93**	**115**	**66**	**101**					
FB		AF7868	0.16	14.1	20.7	26.6	35	1.8	-1.9	-3.9	3.0	-3.3	-0.3	2	23	4	10	4
BB170165			74%	27%	33%	27%	20%	23%	53%	52%	46%	50%	24%					
BB 170173		2142A	**100**	**121**	**118**	**123**	**104**	**91**	**82**	**60**	**117**	**73**	**117**					
FB		V7297U	1.23	11.3	17.4	25.2	11	3.9	-1.5	-27.7	3.4	-2.7	2.2	2	77		33	19
BB170173			82%	79%	80%	80%	79%	79%	86%	86%	84%	80%	79%					
BB 170177		C4037S	**107**	**133**	**128**	**129**	**123**	**88**	**109**	**146**	**111**	**107**	**73**					
FB		AF2688	0.58	16.1	23.4	29.9	39	2.4	1.9	33.3	2.4	0.6	-4.7	4	66	3	19	34
BB170177			88%	82%	82%	82%	82%	82%	90%	90%	88%	82%	82%					
BB 170180		C4037S	**103**	**129**	**125**	**126**	**121**	**88**	**88**	**121**	**125**	**82**	**87**					
FB		AF2688	0.93	14.7	21.5	27.7	37	2.4	-0.7	15.3	4.7	-1.8	-2.5	1	10		1	9
BB170180			43%	20%	22%	18%	20%	19%	64%	63%	56%	21%	15%					
BB 170181		HBCFV2139	**105**	**118**	**116**	**119**	**102**	**92**	**88**	**106**	**98**	**100**	**101**					
FB		FB14728	0.71	10.3	16.0	22.6	9	4.5	-0.7	4.9	0.5	-0.1	-0.3	1	13		1	12
BB170181			53%	37%	45%	43%	32%	35%	71%	70%	64%	52%	39%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																			
BB 180003		☑	IMUFN2125	**103**	**138**	**131**	**129**	**126**	**84**	**91**	**119**	**120**	**106**	**96**					
FB		☑	BB 150105	0.98	18.3	25.4	30.5	43	0.1	-0.3	14.0	3.9	0.4	-1.1	1	14		8	6
BB180003				52%	37%	40%	36%	24%	25%	62%	62%	55%	58%	25%					
BB 180008		☑	2618A	**108**	**125**	**120**	**121**	**111**	**89**	**110**	**99**	**117**	**93**	**84**					
FB		☑	BB 150102	0.49	12.9	18.6	24.0	22	2.6	2.1	-0.2	3.4	-0.7	-3.0	1	8		6	1
BB180008				45%	26%	31%	26%	22%	25%	38%	38%	34%	37%	24%					
BB 180022	GT	☑	2618A	**110**	**124**	**120**	**121**	**110**	**89**	**95**	**94**	**112**	**99**	**101**					
FB	GT	☑	BB 150102	0.27	12.8	18.5	23.7	21	2.8	0.2	-3.3	2.6	-0.2	-0.3	2	21		11	
BB180022				85%	82%	82%	82%	82%	82%	83%	83%	82%	82%	82%					
BB 180027		☑	FB14989	**93**	**141**	**134**	**132**	**133**	**94**	**93**	**122**	**109**	**94**	**85**					
FB		☑	BB 150105	1.94	19.3	27.0	32.8	54	5.6	-0.1	16.3	2.2	-0.7	-2.9	1	5		4	1
BB180027				55%	36%	43%	41%	33%	35%	57%	56%	51%	44%	25%					
BB 180034		☑	J251830R	**103**	**128**	**124**	**124**	**117**	**88**	**93**	**92**	**104**	**78**	**96**					
FB		☑	AF8119	0.94	14.3	20.8	26.5	30	2.6	-0.1	-4.8	1.4	-2.2	-1.1	1	7		6	1
BB180034				52%	27%	33%	28%	20%	23%	42%	41%	36%	39%	25%					
BB 180037		☑	2142A	**95**	**131**	**127**	**131**	**113**	**93**	**73**	**87**	**100**	**80**	**116**					
FB		☑	AF9346	1.74	15.5	23.0	31.8	25	4.9	-2.7	-8.4	0.8	-2.0	2.1	1	13		4	8
BB180037				47%	25%	37%	37%	8%	10%	62%	61%	53%	57%	12%					
BB 180040	GT	☑	FB2124	**102**	**127**	**121**	**123**	**109**	**86**	**95**	**94**	**120**	**83**	**92**					
FB	GT	☑	BB 150125	1.05	13.8	19.0	25.5	20	1.5	0.2	-3.3	3.9	-1.7	-1.8	2	11		7	
BB180040				85%	81%	81%	81%	81%	81%	82%	82%	82%	82%	81%					
BB 180041				**108**	**104**	**107**	**110**	**94**	**94**	**109**	**88**	**106**	**79**	**81**					
FB		☑	BB 150125	0.50	4.6	10.3	15.3	-2	5.6	2.0	-7.6	1.7	-2.1	-3.5	1	1		1	
BB180041				33%	22%	28%	27%	20%	19%	30%	29%	28%	28%	22%					
BB 180042				**108**	**104**	**107**	**110**	**94**	**94**	**117**	**87**	**108**	**78**	**75**					
FB		☑	BB 150125	0.50	4.6	10.3	15.3	-2	5.6	2.9	-8.7	2.0	-2.2	-4.5	1	8		5	2
BB180042				33%	22%	28%	27%	20%	19%	41%	41%	36%	40%	22%					
BB 180043				**111**	**105**	**106**	**110**	**94**	**92**	**111**	**78**	**92**	**91**	**92**					
FB		☑	BB 150158	0.16	4.9	10.1	15.0	-2	4.3	2.2	-14.7	-0.5	-1.0	-1.8	1	8		3	4
BB180043				33%	27%	30%	27%	24%	21%	49%	49%	43%	45%	22%					
BB 180048		☑	2142A	**95**	**131**	**127**	**131**	**113**	**93**	**74**	**97**	**99**	**81**	**113**					
FB		☑	AF9346	1.74	15.5	23.0	31.8	25	4.9	-2.5	-1.2	0.6	-1.9	1.6	1	12		6	5
BB180048				47%	25%	37%	37%	8%	10%	56%	55%	48%	50%	12%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																			
BB 180049	☑		IMUFN2125	**103**	**138**	**131**	**129**	**126**	**84**	**99**	**94**	**124**	**81**	**86**					
FB	☑		BB 150105	0.98	18.3	25.4	30.5	43	0.1	0.7	-3.5	4.5	-1.9	-2.6	2	22		14	4
BB180049				52%	37%	40%	36%	24%	25%	59%	58%	52%	54%	25%					
BB 180050	☑		IMUFN2125	**103**	**138**	**131**	**129**	**126**	**84**	**99**	**93**	**124**	**74**	**83**					
FB	☑		BB 150105	0.98	18.3	25.4	30.5	43	0.1	0.6	-4.1	4.5	-2.6	-3.2	1	13		7	4
BB180050				52%	37%	40%	36%	24%	25%	59%	58%	52%	54%	25%					
BB 180069				**108**	**104**	**107**	**110**	**94**	**94**	**115**	**86**	**110**	**78**	**77**					
FB	☑		BB 150125	0.50	4.6	10.3	15.3	-2	5.6	2.7	-9.3	2.3	-2.2	-4.2	2	5		3	1
BB180069				33%	22%	28%	27%	20%	19%	36%	36%	32%	34%	22%					
BB 180070				**105**	**107**	**109**	**112**	**95**	**94**	**108**	**92**	**105**	**78**	**81**					
FB	☑		BB 150153	0.76	5.6	11.6	17.0	-1	5.4	1.8	-5.2	1.5	-2.2	-3.5	1	1		1	
BB180070				32%	22%	35%	34%	20%	19%	29%	29%	27%	27%	21%					
BB 180073				**109**	**99**	**102**	**106**	**91**	**94**	**118**	**69**	**112**	**68**	**77**					
FB	☑		BB 150154	0.39	2.7	7.3	11.8	-7	5.7	3.1	-21.4	2.6	-3.1	-4.1	1	15		10	4
BB180073				32%	22%	35%	34%	20%	20%	49%	48%	42%	48%	22%					
BB 180084	☑		C4081S	**103**	**145**	**137**	**134**	**132**	**83**	**97**	**114**	**123**	**65**	**70**					
FB	☑		BB 150105	0.99	21.2	29.1	34.0	52	-0.4	0.4	10.9	4.3	-3.5	-5.2	1	3		3	
BB180084				50%	31%	36%	28%	23%	23%	44%	44%	40%	38%	25%					
BB 180315	☑		C4037S	**100**	**131**	**127**	**129**	**118**	**89**	**96**	**112**	**113**	**86**	**85**					
FB	☑		B3518R	1.20	15.5	22.8	30.3	31	2.9	0.3	9.4	2.9	-1.5	-2.9	1	3		3	
BB180315				41%	23%	26%	22%	12%	14%	39%	39%	35%	24%	16%					
BB 180317	☑		FB2998	**95**	**132**	**126**	**128**	**116**	**87**	**104**	**104**	**97**	**88**	**83**					
FB	☑		1219Z	1.75	15.6	22.0	29.2	29	1.9	1.3	4.0	0.3	-1.3	-3.1	1	4		3	1
BB180317				55%	27%	36%	29%	22%	23%	43%	42%	38%	39%	25%					
BB 180319	☑		2132A	**104**	**128**	**125**	**127**	**112**	**90**	**85**	**104**	**114**	**93**	**103**					
FB	☑		1144Z	0.87	14.2	21.6	28.5	23	3.7	-1.1	3.3	3.0	-0.8	0.1	1	7		7	
BB180319				45%	18%	26%	26%	8%	10%	32%	32%	27%	27%	19%					
BB 190004	☑		C4037S	**100**	**131**	**127**	**129**	**118**	**89**	**96**	**112**	**113**	**86**	**85**					
FB	☑		B3518R	1.20	15.5	22.8	30.3	31	2.9	0.3	9.4	2.9	-1.5	-2.9	1	6			
BB190004 (ET)				41%	23%	26%	22%	12%	14%	39%	39%	35%	24%	16%					
BB 190007	☑		IMUFN2125	**100**	**119**	**116**	**118**	**106**	**88**	**89**	**92**	**112**	**92**	**104**					
FB	☑		B0589N	1.27	10.6	15.8	21.9	16	2.5	-0.6	-4.7	2.6	-0.8	0.2	1	2	1	2	
BB190007 (ET)				52%	26%	32%	30%	17%	19%	37%	37%	33%	31%	21%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 190011		FB2998	**94**	**135**	**129**	**131**	**115**	**90**	**80**	**102**	**92**	**101**	**110**					
FB		3112A	1.83	16.9	24.0	31.5	28	3.2	-1.7	2.3	-0.5	0.0	1.1	1	3			
BB190011 (ET)			55%	24%	34%	27%	21%	19%	36%	36%	33%	31%	23%					
BB 190015		FB2998	**79**	**138**	**132**	**134**	**112**	**91**	**81**	**97**	**91**	**104**	**112**					
FB		3112A	3.30	18.3	25.7	33.9	23	3.7	-1.6	-1.5	-0.7	0.3	1.4	1	18		15	
BB190015 (ET)			88%	80%	81%	80%	80%	80%	81%	81%	81%	80%	80%					
BB 190115		S5394S	**102**	**122**	**120**	**122**	**112**	**94**	**61**	**54**	**102**	**60**	**123**					
FB		1265Z	1.07	11.8	18.3	24.4	24	5.3	-4.1	-31.4	1.0	-3.9	3.3	1	32		20	
BB190115			86%	15%	24%	20%	8%	11%	61%	60%	42%	57%	46%					
BB 190132			**94**	**112**	**116**	**118**	**102**	**100**	**95**	**76**	**111**	**77**	**98**					
FB		1265Z	1.82	7.7	16.2	21.7	9	8.6	0.2	-16.4	2.5	-2.3	-0.7	1	1		1	
BB190132 (ET)			41%	12%	14%	13%	7%	9%	24%	23%	19%	22%	17%					
BB 190164		2132A	**103**	**129**	**127**	**128**	**115**	**91**	**83**	**107**	**112**	**99**	**107**					
FB		1145Z	0.98	14.7	22.8	29.5	28	3.7	-1.3	5.4	2.6	-0.2	0.6	1	2			
BB190164 (ET)			47%	22%	30%	22%	8%	11%	32%	32%	27%	28%	20%					
BB 190166		2132A	**103**	**129**	**127**	**128**	**115**	**91**	**83**	**107**	**112**	**99**	**107**					
FB		1145Z	0.98	14.7	22.8	29.5	28	3.7	-1.3	5.4	2.6	-0.2	0.6	1	3			
BB190166 (ET)			47%	22%	30%	22%	8%	11%	32%	32%	27%	28%	20%					
BB 200009		FB14989	**80**	**136**	**130**	**132**	**122**	**98**	**94**	**107**	**104**	**79**	**87**					
FB		BB 170097	3.14	17.5	25.1	32.4	38	7.4	0.0	5.7	1.4	-2.1	-2.6	1	19	3	10	
BB200009			82%	24%	34%	34%	26%	30%	49%	48%	43%	39%	29%					
BB 200028		FB2998	**85**	**126**	**120**	**123**	**104**	**87**	**95**	**89**	**100**	**73**	**90**					
FB		BB 180033	2.66	13.4	18.7	25.8	12	1.9	0.1	-6.7	0.8	-2.6	-2.1	1	30	2	15	
BB200028			90%	82%	82%	82%	81%	81%	83%	83%	82%	82%	82%					
BB 200064		BB 170165	**102**	**125**	**120**	**121**	**111**	**88**	**91**	**91**	**113**	**78**	**96**					
FB		BB 150102	1.00	12.9	18.4	23.9	22	2.6	-0.3	-5.9	2.8	-2.2	-1.2	1	1		1	
BB200064			70%	26%	31%	26%	22%	25%	37%	38%	34%	36%	24%					
BB 210061		S5394S	**87**	**128**	**123**	**126**	**108**	**89**	**94**	**106**	**101**	**91**	**92**					
FB		BB 170068	2.47	14.3	20.4	27.6	17	2.8	0.1	4.8	1.0	-1.0	-1.7	1	1			
BB210061			67%	16%	27%	21%	14%	13%	39%	38%	34%	27%	20%					
C0402		HBCFV2141	**79**	**149**	**151**	**150**	**149**	**78**	**102**	**110**	**142**	**77**	**72**					
FB		VW36	3.32	22.6	37.8	46.9	76	-3.2	1.0	8.1	7.3	-2.3	-4.9	27	79	33	14	3
KALANGA RED STAR C402			87%	69%	78%	75%	49%	47%	76%	76%	71%	68%	47%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
AKAUSHI																		
C4037S		H0518E	**104**	**133**	**129**	**130**	**123**	**88**	**96**	**126**	**130**	**81**	**78**					
FB		S0917J	0.89	16.2	24.2	30.8	39	2.6	0.4	19.0	5.4	-2.0	-4.0	3	15	2	2	
HEARTBRAND C4037S			55%	22%	23%	18%	13%	20%	59%	59%	54%	25%	17%					
C4081S		H0518E	**106**	**135**	**128**	**128**	**120**	**84**	**94**	**108**	**123**	**57**	**75**					
FB		FB2120	0.69	17.0	23.8	29.7	36	0.4	0.0	6.6	4.3	-4.2	-4.4	2	18	7	9	
HEARTBRAND COME AND TAKE IT			70%	29%	43%	29%	22%	24%	45%	45%	41%	43%	33%					
FB14989		FB101	**86**	**125**	**122**	**125**	**123**	**107**	**93**	**126**	**96**	**114**	**96**					
FB		FB12815	2.60	13.1	19.7	27.2	39	12.5	-0.1	19.2	0.1	1.2	-1.1	15	97	23	39	15
JC RUESHAW 75			83%	46%	64%	66%	52%	58%	79%	78%	71%	49%	34%					
FB2124		DAI27	**97**	**144**	**139**	**138**	**129**	**87**	**85**	**114**	**137**	**107**	**108**					
FB		3357 DAI4	1.50	20.7	30.1	36.9	48	2.0	-1.1	10.9	6.6	0.5	0.8	1	15	8	7	
SHIGEMARU			69%	34%	46%	40%	25%	29%	51%	50%	45%	38%	29%					
FB2998		DAI10	**92**	**142**	**132**	**135**	**118**	**85**	**96**	**100**	**93**	**89**	**89**					
FB		FB2120	2.00	19.7	26.1	34.8	32	0.7	0.3	0.5	-0.3	-1.1	-2.1	15	126	62	32	
HB BIG AL Q502			87%	45%	63%	50%	38%	35%	67%	66%	60%	58%	44%					
H5070S		J251830R	**91**	**141**	**133**	**133**	**124**	**86**	**93**	**112**	**98**	**76**	**83**					
FB		AF422	2.06	19.6	26.5	33.6	40	1.1	-0.1	9.4	0.4	-2.4	-3.2	4	6	4	4	
HEARTBRAND H5070S			64%	31%	36%	30%	22%	24%	42%	42%	38%	39%	30%					
HBCFV2139		AL502	**106**	**109**	**104**	**109**	**91**	**88**	**101**	**90**	**86**	**83**	**85**					
FB		J19461	0.64	6.8	8.8	14.6	-7	2.4	1.0	-6.1	-1.4	-1.7	-2.8	35	178	80	50	5
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					
IMUFN2125		DAI5 96	**106**	**120**	**117**	**119**	**107**	**86**	**91**	**79**	**123**	**91**	**108**					
FB		J19461	0.67	11.0	16.5	22.7	16	1.5	-0.4	-13.9	4.3	-1.0	0.8	14	83	46	8	
TAMAMARU (USA)			77%	47%	55%	54%	27%	33%	64%	63%	57%	53%	34%					
J251830R		DAI10	**104**	**138**	**129**	**129**	**127**	**83**	**97**	**98**	**105**	**64**	**80**					
FB		92958WGU	0.83	18.2	24.0	29.9	44	-0.2	0.4	-0.4	1.6	-3.6	-3.6	14	85	42	18	
HIKARI J251830R			84%	52%	63%	53%	40%	45%	68%	68%	61%	61%	46%					
PB 197853		BB 150126	**102**	**137**	**129**	**127**	**127**	**83**	**111**	**100**	**127**	**44**	**50**					
FB		BB 150153	1.02	17.8	23.9	28.8	44	-0.2	2.2	0.8	4.9	-5.4	-8.4	1	150			
PB KALANGA HOMORE			86%	80%	81%	81%	80%	80%	82%	82%	81%	81%	80%					
S5394S			**95**	**125**	**121**	**124**	**105**	**89**	**96**	**100**	**108**	**95**	**97**					
FB		AF263	1.69	12.9	19.2	26.2	13	3.0	0.3	1.1	1.9	-0.6	-1.0	5	26	11	10	1
HEARTBRAND JOE S5394S			77%	18%	38%	31%	10%	11%	63%	62%	54%	44%	31%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
148BE		J10632	**134**	**81**	**75**	**73**	**69**	**72**	**138**	**51**	**111**	**96**	**94**					
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4	88	1670	582	199	34
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
5U		FB2501	**127**	**90**	**83**	**83**	**77**	**59**	**126**	**106**	**124**	**89**	**77**					
FB		607E 100	-1.40	-0.9	-4.3	-5.4	-26	-12.8	4.1	4.8	4.6	-1.2	-4.1	16	274	93	67	50
SANJIRO 5U (ET)			97%	96%	95%	92%	92%	94%	94%	94%	93%	91%	91%					
A3001		IMJFAJ2810	**113**	**104**	**98**	**102**	**90**	**69**	**129**	**80**	**97**	**85**	**89**					
FB		Y3004	-0.06	4.5	4.8	8.8	-8	-7.9	4.4	-13.4	0.3	-1.5	-2.3	23	65	16	23	2
ECHIGO FARMS A3001 (AI)			94%	93%	93%	92%	92%	92%	94%	94%	93%	93%	92%					
AACFF0758		AACFB0545	**68**	**149**	**138**	**132**	**135**	**75**	**101**	**157**	**87**	**134**	**93**					
FB		WESFZ0084	4.33	22.6	30.0	32.4	56	-4.7	1.0	40.8	-1.3	3.2	-1.5	17	180	63	61	19
WESTHOLME HIRAMICHI TSURU			94%	82%	59%	71%	41%	54%	87%	87%	83%	78%	68%					
ADBFA0139		148BE	**119**	**96**	**84**	**82**	**73**	**65**	**138**	**59**	**116**	**90**	**95**					
FB		ADBFX0001	-0.59	1.2	-4.1	-6.9	-33	-10.0	5.6	-28.3	3.2	-1.0	-1.2	9	33	14	6	
MAYURA ITOSHIGENAMI JNR (AI)			82%	63%	70%	61%	53%	57%	76%	76%	74%	75%	68%					
ADBFL0022	☑	TF890040	**152**	**71**	**68**	**70**	**70**	**83**	**102**	**84**	**101**	**109**	**118**					
FB	☑	TF760	-3.86	-8.9	-14.1	-15.7	-36	0.0	1.1	-10.4	1.0	0.8	2.4	1	14	8	9	
MAYURA LEGION L0022 (AI) (ET)			66%	32%	30%	27%	17%	30%	43%	45%	39%	42%	30%					
ADBFL0048	☑	MO 139	**119**	**90**	**86**	**88**	**85**	**82**	**122**	**106**	**127**	**94**	**80**					
FB	☑	SFFB0103	-0.61	-1.0	-2.6	-1.9	-15	-0.6	3.5	4.7	4.9	-0.6	-3.6	1	6	3	3	
MAYURA LANDMARK L0048 (AI) (ET)			60%	54%	54%	54%	44%	48%	48%	55%	53%	54%	36%					
AL 160002	☑	MOYFF0054	**114**	**77**	**74**	**79**	**67**	**76**	**117**	**70**	**151**	**46**	**64**					
FB	☑	KSOFH0045	-0.08	-6.3	-10.0	-9.3	-41	-3.9	3.0	-20.3	8.7	-5.3	-6.2	2	50	7	6	20
YUKIHARUNAMI L002 (ET)			60%	46%	50%	42%	21%	44%	79%	79%	71%	51%	37%					
ALS 170004	☑	A3001	**98**	**109**	**104**	**107**	**91**	**79**	**102**	**121**	**119**	**96**	**89**					
FB	☑	SFWFK0025	1.39	6.6	8.6	12.8	-6	-2.4	1.1	15.4	3.7	-0.5	-2.3	4	312	3	40	5
SYNERGY-ALS ALS170004			56%	35%	40%	33%	24%	28%	72%	71%	64%	63%	51%					
BB 110002	☑	TFWFW0629	**154**	**78**	**69**	**70**	**74**	**66**	**83**	**76**	**103**	**121**	**143**					
FB	☑	KJDFC0006	-4.04	-6.1	-13.4	-16.2	-31	-9.1	-1.3	-16.0	1.3	1.9	6.4	2	89	58	6	6
UMDUMO			94%	89%	91%	87%	30%	56%	62%	62%	57%	41%	30%					
BB 110004	☑	TFWFW0629	**125**	**106**	**92**	**89**	**89**	**71**	**79**	**81**	**103**	**116**	**141**					
FB	☑	KSOFD0011	-1.18	5.2	1.0	-0.9	-10	-6.9	-1.9	-12.3	1.3	1.5	6.0	2	32	18	9	3
BB 110004			86%	71%	71%	60%	35%	48%	60%	60%	56%	45%	34%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 110008		TFWFW0629	**128**	**78**	**66**	**68**	**67**	**69**	**92**	**76**	**86**	**124**	**139**					
FB	✓	KJDFC0007	-1.52	-5.8	-15.2	-17.6	-41	-7.8	-0.2	-16.4	-1.3	2.2	5.7	4	43	31	18	4
BB 110008			86%	72%	69%	56%	36%	49%	65%	64%	60%	48%	37%					
BB 110010		TFWFW0629	**134**	**75**	**70**	**71**	**70**	**80**	**80**	**83**	**63**	**131**	**152**					
FB	✓	KJDFE0004	-2.07	-7.2	-12.9	-14.8	-37	-1.8	-1.7	-11.3	-5.0	2.8	7.7	2	8	5	2	1
BB 110010			72%	58%	59%	48%	32%	49%	61%	61%	58%	46%	33%					
BB 110011		TFWFW0629	**133**	**88**	**77**	**78**	**77**	**70**	**91**	**77**	**81**	**127**	**142**					
FB	✓	KJDFC0007	-1.97	-2.0	-8.5	-9.4	-26	-7.2	-0.3	-15.1	-2.1	2.4	6.1	4	41	11	12	13
BB 110011			82%	65%	67%	49%	36%	49%	73%	73%	67%	48%	37%					
BB 120013		TFWFW0629	**122**	**93**	**83**	**83**	**82**	**80**	**98**	**92**	**75**	**141**	**136**					
FB	✓	KJDFE0008	-0.94	0.2	-4.2	-5.6	-20	-1.7	0.6	-5.0	-3.1	3.8	5.2	5	29	4	3	1
BB 120013			76%	67%	69%	52%	32%	47%	62%	61%	59%	50%	37%					
BB 120016		TFWFW0629	**116**	**85**	**76**	**79**	**77**	**87**	**78**	**87**	**103**	**115**	**143**					
FB	✓	KJDFC0098	-0.32	-3.0	-8.6	-9.0	-27	1.6	-2.0	-8.7	1.3	1.4	6.4	7	163	55	42	33
BB 120016			78%	68%	70%	55%	29%	46%	84%	83%	78%	50%	37%					
BB 120023		TFWFW0629	**141**	**71**	**69**	**72**	**75**	**85**	**90**	**86**	**84**	**125**	**138**					
FB	✓	KJDFC0099	-2.76	-8.9	-13.0	-14.1	-29	0.8	-0.5	-9.1	-1.7	2.3	5.6	2	42	19	20	
BB 120023			87%	75%	82%	70%	29%	45%	56%	56%	53%	47%	33%					
BB 120027		TFWFW0629	**116**	**114**	**101**	**99**	**89**	**77**	**97**	**81**	**62**	**132**	**138**					
FB	✓	KJDFE0001	-0.36	8.5	6.7	6.6	-9	-3.4	0.4	-12.8	-5.1	2.9	5.6	2	49	33	11	1
BB 120027			91%	75%	77%	48%	32%	52%	65%	64%	60%	54%	41%					
BB 120028		TFWFW0629	**120**	**77**	**66**	**67**	**60**	**83**	**95**	**55**	**75**	**111**	**140**					
FB	✓	KJDFE0001	-0.74	-6.2	-15.2	-18.0	-50	-0.1	0.1	-30.8	-3.1	1.0	5.8	3	163	55	107	4
BB 120028			95%	79%	80%	48%	32%	54%	66%	65%	61%	48%	35%					
BB 140001		WESFZ0278	**136**	**90**	**82**	**84**	**82**	**76**	**119**	**48**	**95**	**57**	**96**					
FB	✓	KJDFD0023	-2.22	-1.2	-5.1	-5.3	-20	-3.9	3.2	-36.0	0.0	-4.2	-1.2	5	302	28	32	224
HIRASHIGETEYASU			91%	69%	70%	40%	36%	46%	96%	96%	94%	53%	34%					
BB 150107		FB13429	**120**	**131**	**122**	**124**	**112**	**87**	**64**	**100**	**84**	**110**	**140**					
PBD		BB 120025	-0.74	15.5	19.9	25.9	24	1.7	-3.7	0.6	-1.7	0.8	5.9	8	364	8	119	66
BB15-107			89%	56%	44%	40%	21%	33%	90%	89%	84%	89%	28%					
BB 150132		FB 14720	**119**	**98**	**93**	**95**	**97**	**93**	**47**	**105**	**85**	**107**	**150**					
PBD	✓	BB 120017	-0.64	2.2	1.6	3.7	2	5.2	-5.9	4.2	-1.6	0.6	7.5	4	21	5	4	12
BB150132			63%	38%	43%	36%	16%	28%	71%	70%	64%	46%	25%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 150133		FB14474	**109**	**119**	**108**	**109**	**96**	**79**	**91**	**94**	**83**	**142**	**138**					
PBD		BB 120026	0.34	10.4	11.1	14.5	0	-2.4	-0.3	-3.6	-1.9	3.9	5.6	7	63	22	34	12
BB15-133			68%	26%	36%	35%	17%	24%	73%	72%	64%	65%	39%					
BB 160205		OVE 080002	**131**	**75**	**70**	**74**	**66**	**79**	**86**	**84**	**87**	**107**	**131**					
FB		BB 120019	-1.74	-7.3	-12.9	-12.5	-42	-2.2	-0.9	-10.8	-1.3	0.5	4.4	1	8	8	7	
BB160205			61%	53%	58%	56%	35%	49%	58%	58%	56%	49%	37%					
BB 170004		KI 140010	**109**	**89**	**83**	**87**	**77**	**81**	**88**	**74**	**78**	**108**	**135**					
FB		BB 120019	0.37	-1.5	-4.3	-2.8	-27	-1.5	-0.7	-17.4	-2.6	0.7	5.1	4	29	8	7	14
BB170004			73%	41%	56%	53%	25%	34%	75%	74%	69%	47%	27%					
BB 170015		WSI135Z	**107**	**93**	**86**	**88**	**76**	**76**	**127**	**72**	**71**	**137**	**121**					
FB		BB 120014	0.51	0.2	-2.5	-1.6	-29	-3.9	4.2	-19.1	-3.6	3.4	2.9	1	31		10	19
BB170015			54%	44%	45%	37%	25%	45%	76%	75%	68%	55%	24%					
BB 170022		KI 140008	**116**	**94**	**86**	**87**	**82**	**74**	**80**	**55**	**73**	**97**	**147**					
FB		KI 140001	-0.37	0.6	-2.5	-2.9	-19	-4.9	-1.8	-31.1	-3.4	-0.4	7.1	1	27		7	13
BB170022			54%	45%	48%	38%	28%	38%	74%	73%	68%	47%	35%					
BB 170024	GT ✓	KI 140008	**125**	**89**	**84**	**86**	**84**	**80**	**92**	**71**	**101**	**91**	**118**					
FB	✓	KI 140002	-1.17	-1.4	-3.7	-3.7	-16	-2.1	-0.2	-20.0	0.9	-1.0	2.5	1	12		5	4
BB170024			88%	87%	87%	86%	86%	86%	88%	88%	88%	87%	86%					
BB 170029		KI 140008	**118**	**88**	**82**	**85**	**78**	**74**	**81**	**64**	**95**	**61**	**117**					
FB		KI 140016	-0.49	-2.0	-4.9	-3.9	-25	-5.0	-1.6	-24.6	0.0	-3.8	2.3	1	4		1	3
BB170029			55%	46%	52%	45%	29%	39%	64%	64%	60%	49%	37%					
BB 170030		KI 140008	**113**	**105**	**99**	**100**	**91**	**75**	**84**	**31**	**128**	**40**	**113**					
FB		BA 130879	-0.01	4.8	5.4	7.5	-7	-4.5	-1.2	-48.1	5.2	-5.8	1.6	1	31		7	14
BB170030			60%	47%	49%	41%	33%	41%	75%	75%	70%	52%	41%					
BB 170032	✓	KI 140008	**115**	**96**	**88**	**90**	**83**	**78**	**89**	**68**	**75**	**89**	**125**					
FB	✓	KI 140013	-0.27	1.2	-1.1	-0.3	-18	-2.9	-0.7	-21.5	-3.1	-1.2	3.5	1	11		2	9
BB170032			56%	45%	50%	38%	26%	37%	72%	71%	66%	51%	37%					
BB 170063	✓	CWBMBA 130891	**113**	**92**	**93**	**94**	**83**	**93**	**122**	**45**	**94**	**104**	**113**					
FB	✓	BB 120026	-0.05	-0.1	1.6	3.0	-18	4.9	3.6	-37.9	-0.2	0.2	1.5	1	17		2	15
BB170063			40%	25%	35%	34%	16%	23%	71%	70%	63%	31%	22%					
BB 170085	✓	KI 140008	**106**	**97**	**89**	**91**	**82**	**79**	**69**	**82**	**62**	**109**	**148**					
FB	✓	BB 120014	0.68	1.6	-0.6	0.6	-19	-2.6	-3.2	-12.2	-5.1	0.8	7.1	1	13		2	11
BB170085			58%	45%	52%	41%	26%	39%	73%	73%	67%	50%	37%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 170095	☑	KI 140008	**106**	**97**	**89**	**91**	**82**	**79**	**82**	**83**	**81**	**103**	**131**					
FB	☑	BB 120014	0.68	1.6	-0.6	0.6	-19	-2.6	-1.5	-11.0	-2.2	0.2	4.5	1	5		1	4
BB170095			58%	45%	52%	41%	26%	39%	66%	65%	61%	50%	37%					
BB 170099	☑	KI 140008	**116**	**89**	**82**	**84**	**77**	**78**	**80**	**89**	**98**	**99**	**126**					
FB	☑	BB 120018	-0.30	-1.3	-5.2	-5.0	-26	-3.0	-1.8	-6.7	0.4	-0.2	3.7	1	12		1	11
BB170099			56%	44%	53%	45%	26%	37%	73%	72%	67%	48%	36%					
BB 170122	☑	148BE	**129**	**85**	**78**	**78**	**74**	**78**	**97**	**70**	**117**	**100**	**122**					
FB	☑	BB 120021	-1.62	-3.0	-7.7	-9.4	-31	-3.1	0.4	-20.2	3.5	-0.1	3.0	1	31		8	9
BB170122			62%	55%	57%	55%	47%	52%	73%	73%	69%	60%	51%					
BB 170124	☑	148BE	**129**	**83**	**75**	**76**	**75**	**82**	**104**	**69**	**95**	**114**	**127**					
FB	☑	BB 120017	-1.56	-3.9	-9.4	-11.5	-30	-0.9	1.3	-20.8	0.0	1.2	3.8	1	1			
BB170124			62%	56%	61%	59%	47%	54%	60%	61%	59%	56%	49%					
BB 170127	☑	148BE	**129**	**83**	**75**	**76**	**75**	**82**	**101**	**83**	**109**	**116**	**123**					
FB	☑	BB 120017	-1.56	-3.9	-9.4	-11.5	-30	-0.9	0.9	-11.1	2.1	1.4	3.1	1	7		1	6
BB170127			62%	56%	61%	59%	47%	54%	69%	69%	65%	56%	49%					
BB 170130	☑	148BE	**129**	**85**	**78**	**78**	**74**	**78**	**113**	**75**	**97**	**110**	**114**					
FB	☑	BB 120021	-1.62	-3.0	-7.7	-9.4	-31	-3.1	2.4	-16.9	0.3	0.9	1.7	1	15		7	7
BB170130			62%	55%	57%	55%	47%	52%	71%	71%	68%	60%	51%					
BB 170134	☑	148BE	**102**	**94**	**96**	**94**	**98**	**106**	**111**	**82**	**102**	**101**	**98**					
FB	☑	CWBFBB 110007	1.06	0.4	3.3	2.9	3	11.7	2.2	-11.8	1.1	0.0	-0.9	1	1		1	
BB170134			49%	49%	49%	49%	44%	48%	48%	49%	49%	49%	45%					
BB 170140	☑	148BE	**98**	**95**	**97**	**95**	**98**	**106**	**97**	**82**	**90**	**124**	**121**					
FB	☑	CWBFBB 110007	1.47	0.9	4.1	3.8	3	11.9	0.4	-11.8	-0.7	2.2	2.9	2	14	3	5	3
BB170140			54%	49%	49%	49%	44%	48%	63%	63%	59%	57%	51%					
BB 170147	GT ☑ ☑	148BE	**112**	**93**	**88**	**90**	**81**	**80**	**92**	**96**	**105**	**99**	**114**					
FB	☐ ☑	BB 120021	0.04	0.2	-1.2	-0.3	-21	-1.8	-0.2	-2.0	1.6	-0.2	1.7	2	270	2	143	64
BB170147			90%	88%	88%	88%	87%	88%	94%	94%	92%	94%	88%					
BB 170161	☑	148BE	**120**	**78**	**71**	**70**	**64**	**69**	**111**	**39**	**94**	**70**	**113**					
FB	☑	PK 140003	-0.68	-6.1	-12.3	-15.8	-46	-7.7	2.3	-42.4	-0.2	-3.0	1.5	2	47	3	18	16
BB170161			74%	55%	54%	53%	48%	52%	77%	76%	72%	64%	50%					
BB 170164	GT ☑ ☑	148BE	**138**	**80**	**72**	**73**	**73**	**76**	**125**	**65**	**97**	**104**	**102**					
FB	☐ ☑	BB 120021	-2.42	-5.3	-11.3	-13.9	-32	-3.9	4.0	-24.1	0.3	0.3	-0.1	3	286	6	120	76
BB170164			93%	88%	88%	88%	87%	88%	94%	94%	93%	94%	88%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																			
BB 170167		☑	148BE	**130**	**89**	**80**	**81**	**73**	**72**	**99**	**70**	**94**	**114**	**131**					
FB		☑	BB 120021	-1.64	-1.3	-6.5	-7.7	-32	-6.2	0.7	-20.4	-0.2	1.2	4.4	3	86	22	36	14
BB170167				80%	55%	57%	55%	47%	52%	81%	80%	76%	72%	60%					
BB 170179		☑	148BE	**130**	**80**	**72**	**71**	**70**	**76**	**124**	**72**	**107**	**109**	**104**					
FB		☑	BB 120022	-1.66	-5.2	-11.6	-15.5	-36	-3.9	3.9	-18.6	1.9	0.8	0.2	1	3		1	2
BB170179				63%	55%	60%	60%	48%	53%	63%	64%	61%	57%	50%					
BB 180015		☑	IMUFP0036	**117**	**94**	**92**	**96**	**90**	**99**	**92**	**85**	**66**	**145**	**140**					
FB		☑	BB 120020	-0.45	0.4	0.8	4.2	-8	8.0	-0.3	-9.8	-4.5	4.2	5.9	1	14		8	5
BB180015				55%	44%	48%	45%	35%	42%	63%	62%	58%	59%	32%					
BB 180030		☑	IMJFAJ2810	**127**	**85**	**78**	**82**	**79**	**74**	**112**	**65**	**92**	**104**	**118**					
FB		☑	BB 120026	-1.35	-3.0	-7.5	-6.6	-24	-4.8	2.3	-24.2	-0.4	0.3	2.4	1	2		2	
BB180030				61%	49%	54%	51%	36%	45%	58%	59%	56%	51%	40%					
BB 180075		☑	IMUFP0036	**117**	**94**	**92**	**96**	**90**	**99**	**98**	**81**	**61**	**139**	**134**					
FB		☑	BB 120020	-0.45	0.4	0.8	4.2	-8	8.0	0.5	-12.8	-5.3	3.6	4.9	2	27	1	15	10
BB180075				55%	44%	48%	45%	35%	42%	69%	69%	63%	67%	32%					
BB 180078		☑	WESFZ0278	**106**	**100**	**94**	**97**	**86**	**84**	**109**	**89**	**86**	**100**	**106**					
FB		☑	BB 120014	0.63	2.8	2.1	5.1	-14	0.4	1.9	-7.1	-1.4	-0.1	0.4	1	14		11	3
BB180078				59%	49%	54%	43%	31%	40%	61%	61%	57%	54%	34%					
BB 180083		☑	IMUFM1615	**119**	**87**	**76**	**75**	**74**	**55**	**98**	**72**	**92**	**130**	**147**					
FB		☑	CWBFBB 110007	-0.63	-2.2	-8.7	-12.1	-31	-15.2	0.5	-18.7	-0.4	2.8	7.0	2	9	1	1	
BB180083				87%	87%	87%	87%	86%	87%	88%	88%	88%	88%	87%					
BB 180100		☑	A3001	**119**	**106**	**97**	**97**	**88**	**63**	**144**	**58**	**99**	**83**	**87**					
FB		☑	ADBFL0014	-0.60	5.5	4.3	5.2	-11	-10.8	6.4	-28.9	0.6	-1.7	-2.5	2	7	1	6	
BB180100				88%	87%	87%	86%	86%	86%	87%	87%	87%	87%	86%					
BB 180258		☑	WESFZ0278	**100**	**106**	**99**	**98**	**83**	**70**	**115**	**85**	**117**	**70**	**90**					
FB		☑	ADBFL0019	1.23	5.5	5.3	5.7	-18	-7.2	2.8	-10.0	3.4	-3.0	-2.1	1	79	7	48	
BB180258 (ET)				94%	89%	89%	88%	88%	88%	90%	90%	89%	90%	89%					
BB 180259		☑	ADBFL0048	**122**	**93**	**87**	**87**	**87**	**83**	**120**	**97**	**128**	**88**	**84**					
FB		☑	ADBFL0030	-0.88	0.0	-2.0	-2.7	-13	0.0	3.3	-1.5	5.1	-1.2	-3.1	1	5		2	
BB180259 (ET)				86%	84%	85%	84%	84%	84%	84%	85%	84%	84%	84%					
BB 180262		☑	ADBFL0022	**131**	**88**	**82**	**83**	**77**	**81**	**119**	**80**	**100**	**112**	**110**					
FB		☑	ADBFL0017	-1.76	-1.7	-4.8	-5.9	-27	-1.3	3.2	-13.7	0.8	1.0	1.1	1	20		16	
BB180262 (ET)				87%	84%	84%	84%	84%	84%	85%	85%	84%	84%	84%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 180264		ADBFA0139	**122**	**91**	**83**	**82**	**75**	**73**	**135**	**85**	**111**	**106**	**90**					
FB		ADBFL0045	-0.88	-0.9	-4.4	-6.9	-30	-5.4	5.2	-9.5	2.5	0.4	-2.1	1	19	10	13	
BB180264 (ET)			91%	86%	86%	86%	86%	86%	88%	88%	87%	88%	87%					
BB 180266		WESFZ0278	**113**	**103**	**98**	**99**	**88**	**72**	**98**	**83**	**109**	**88**	**112**					
FB		ADBFL0019	0.02	4.3	4.9	6.6	-11	-6.0	0.6	-11.0	2.1	-1.2	1.5	4	52	2	39	
BB180266 (ET)			93%	88%	88%	87%	87%	87%	88%	88%	88%	88%	87%					
BB 180275		ADBFA0139	**122**	**93**	**85**	**84**	**76**	**72**	**134**	**92**	**119**	**102**	**86**					
FB		ADBFL0045	-0.90	0.1	-3.2	-5.1	-29	-6.1	5.2	-4.8	3.7	0.1	-2.6	2	35	1	26	1
BB180275 (ET)			87%	85%	86%	85%	85%	85%	87%	87%	86%	86%	86%					
BB 180280		ADBFL0048	**111**	**97**	**92**	**92**	**87**	**85**	**122**	**96**	**120**	**94**	**86**					
FB		ADBFL0030	0.15	1.8	1.0	1.5	-12	0.6	3.6	-2.2	3.8	-0.7	-2.7	1	24		24	
BB180280			41%	32%	35%	31%	26%	28%	32%	34%	33%	34%	25%					
BB 180281		ADBFL0022	**142**	**89**	**83**	**82**	**81**	**77**	**104**	**95**	**105**	**127**	**127**					
FB		ADBFL0019	-2.84	-1.5	-4.3	-6.2	-20	-3.6	1.3	-2.9	1.5	2.5	3.8	3	66	6	54	1
BB180281			89%	87%	86%	86%	86%	86%	88%	88%	87%	88%	87%					
BB 180287		ADBFL0022	**129**	**87**	**81**	**81**	**76**	**79**	**119**	**74**	**101**	**103**	**106**					
FB		ADBFL0017	-1.59	-2.2	-5.7	-7.6	-28	-2.2	3.2	-17.3	1.0	0.2	0.5	1	14		14	
BB180287 (ET)			86%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%					
BB 180289		ADBFL0048	**122**	**90**	**84**	**84**	**81**	**78**	**125**	**101**	**116**	**95**	**86**					
FB		ADBFL0034	-0.91	-1.0	-3.9	-5.3	-20	-2.8	4.0	1.7	3.2	-0.6	-2.6	1	8		4	
BB180289 (ET)			86%	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%					
BB 180300		SMOFF0126	**113**	**109**	**103**	**103**	**87**	**72**	**87**	**124**	**116**	**142**	**134**					
FB		KSOFH0048	-0.06	6.7	7.9	9.7	-12	-6.4	-0.9	17.7	3.3	3.9	4.9	2	4	1	3	
BB180300			54%	41%	43%	46%	41%	42%	48%	49%	45%	42%	31%					
BB 180328		CWBMBA 130891	**116**	**79**	**82**	**84**	**72**	**84**	**104**	**72**	**101**	**76**	**103**					
FB		PK 140003	-0.31	-5.4	-5.4	-5.3	-33	0.0	1.3	-19.0	0.9	-2.4	0.0	1	9		5	3
BB180328			34%	25%	24%	20%	19%	22%	48%	47%	42%	45%	21%					
BB 190041		SMOFF0126	**111**	**106**	**96**	**96**	**83**	**73**	**102**	**91**	**87**	**161**	**149**					
FB		BB 120026	0.16	5.3	3.9	4.0	-18	-5.6	1.1	-5.5	-1.3	5.7	7.3	1	2		1	
BB190041			66%	43%	51%	52%	38%	42%	56%	56%	52%	48%	36%					
BB 190045		SMOFF0126	**107**	**111**	**100**	**99**	**85**	**74**	**94**	**84**	**100**	**138**	**144**					
FB		BB 120025	0.57	7.3	6.4	6.6	-15	-4.8	0.0	-10.4	0.8	3.6	6.6	1	1	1	1	
BB190045 (ET)			62%	45%	50%	51%	39%	42%	55%	55%	51%	49%	36%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 190050		SMOFF0126	**114**	**108**	**98**	**97**	**85**	**75**	**94**	**84**	**100**	**138**	**144**					
FB		BB 120025	-0.08	6.0	4.8	4.8	-15	-4.7	0.0	-10.4	0.8	3.6	6.6	1	2			
BB190050 (ET)			60%	45%	50%	51%	39%	42%	55%	55%	51%	49%	36%					
BB 190052		SMOFF0126	**112**	**106**	**96**	**95**	**83**	**73**	**102**	**91**	**87**	**161**	**149**					
FB		BB 120026	0.10	5.2	3.7	3.8	-18	-5.5	1.1	-5.5	-1.3	5.7	7.3	1	1			
BB190052			61%	43%	51%	52%	38%	42%	56%	56%	52%	48%	36%					
BB 190053	GT	SMOFF0126	**110**	**99**	**95**	**94**	**78**	**63**	**113**	**77**	**100**	**122**	**129**					
FB	GT	PK 140003	0.31	2.3	2.7	2.5	-25	-10.7	2.4	-15.5	0.8	2.0	4.1	1	11		11	
BB190053			88%	86%	86%	86%	86%	86%	87%	87%	87%	87%	86%					
BB 190064		SMOFF0126	**123**	**95**	**87**	**86**	**78**	**72**	**104**	**101**	**98**	**147**	**135**					
FB		BB 120022	-1.02	1.0	-2.3	-3.6	-25	-6.0	1.3	1.2	0.5	4.4	5.1	1	2		1	1
BB190064 (ET)			62%	43%	51%	52%	39%	42%	56%	56%	52%	50%	35%					
BB 190087	GT	SMOFF0154	**92**	**89**	**86**	**89**	**79**	**74**	**106**	**94**	**108**	**74**	**90**					
FB	GT	BB 160203	2.00	-1.4	-2.4	-1.4	-23	-5.2	1.6	-3.3	1.9	-2.6	-2.0	1	9		7	
BB190087			89%	86%	86%	86%	86%	86%	87%	87%	87%	87%	86%					
BB 190089	GT	SMOFF0154	**91**	**101**	**93**	**92**	**83**	**71**	**110**	**106**	**102**	**88**	**96**					
FB	GT	BB 160203	2.07	3.5	1.9	1.4	-19	-6.4	2.1	5.4	1.0	-1.3	-1.2	1	39	3	21	
BB190089			91%	86%	87%	86%	86%	86%	88%	88%	87%	87%	86%					
BB 190094		SMOFF0154	**87**	**96**	**97**	**94**	**105**	**100**	**112**	**109**	**93**	**111**	**100**					
FB		CWBFBB 110007	2.45	1.3	4.5	3.0	14	8.7	2.3	6.9	-0.2	0.9	-0.5	1	1			
BB190094 (ET)			47%	41%	44%	42%	38%	40%	46%	46%	44%	44%	41%					
BB 190100		AACFF0758	**71**	**132**	**127**	**123**	**131**	**107**	**93**	**135**	**90**	**120**	**97**					
FB		CWBFBB 110007	4.01	15.6	22.6	25.1	50	12.4	-0.1	25.4	-0.8	1.8	-0.9	2	12		11	
BB190100			71%	41%	30%	36%	20%	27%	44%	43%	41%	39%	34%					
BB 190102	GT	AACFF0758	**91**	**124**	**111**	**108**	**108**	**86**	**98**	**128**	**88**	**128**	**108**					
FB	GT	BB 120022	2.09	12.7	13.3	13.9	18	1.1	0.6	20.7	-1.0	2.5	0.8	1	36		23	
BB190102			92%	87%	86%	87%	85%	86%	87%	87%	87%	87%	86%					
BB 190111		AACFF0758	**91**	**130**	**113**	**109**	**110**	**80**	**97**	**110**	**91**	**122**	**113**					
FB		BB 120025	2.08	14.9	14.5	14.8	21	-1.8	0.4	7.5	-0.6	2.0	1.6	1	2	1	2	
BB190111			61%	50%	45%	48%	26%	36%	57%	57%	54%	51%	41%					
BB 190112		AACFF0758	**92**	**129**	**113**	**109**	**110**	**80**	**97**	**110**	**91**	**122**	**113**					
FB		BB 120025	1.96	14.6	14.1	14.4	21	-1.6	0.4	7.5	-0.6	2.0	1.6	2	34	3	23	
BB190112			70%	50%	45%	48%	26%	36%	57%	57%	54%	51%	41%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 190150		SMOFF0154	**122**	**79**	**71**	**68**	**78**	**71**	**132**	**102**	**98**	**119**	**100**					
FB		BB 120022	-0.91	-5.5	-11.9	-17.2	-25	-6.7	4.9	1.9	0.4	1.8	-0.4	1	7	1	2	1
BB190150			67%	48%	56%	54%	42%	46%	64%	64%	58%	61%	50%					
BB 190168		SMOFF0154	**113**	**87**	**80**	**80**	**80**	**69**	**111**	**97**	**81**	**115**	**115**					
FB		BB 110005	0.01	-2.2	-6.2	-8.1	-22	-7.9	2.2	-1.2	-2.1	1.3	1.8	1	1		1	
BB190168 (ET)			58%	49%	55%	53%	42%	47%	55%	55%	53%	51%	45%					
BB 200004	GT	BDWFM0495	**130**	**76**	**70**	**76**	**67**	**78**	**101**	**93**	**95**	**103**	**112**					
FB	GT	BB 170120	-1.64	-6.8	-12.7	-11.4	-40	-2.7	0.9	-4.4	0.0	0.1	1.5	1	42		33	
BB200004			91%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%					
BB 200007		BDWFM0495	**98**	**82**	**85**	**88**	**92**	**107**	**105**	**108**	**92**	**114**	**101**					
FB		CWBFBB 170071	1.43	-4.4	-3.3	-1.8	-5	12.5	1.5	6.7	-0.5	1.3	-0.3	1	23	1	17	1
BB200007			60%	40%	44%	42%	36%	39%	50%	50%	47%	45%	30%					
BB 200010		BDWFM0495	**115**	**82**	**79**	**83**	**77**	**77**	**109**	**95**	**100**	**86**	**95**					
FB		BB 170020	-0.22	-4.2	-7.1	-5.7	-27	-3.2	1.9	-2.4	0.8	-1.5	-1.2	2	2		2	
BB200010			74%	51%	54%	46%	39%	43%	54%	54%	51%	47%	36%					
BB 200022	GT	BDWFM0495	**133**	**65**	**62**	**68**	**67**	**84**	**105**	**101**	**94**	**96**	**101**					
FB	GT	CWBFBB 170047	-2.00	-11.1	-17.5	-17.6	-41	0.2	1.5	1.7	-0.2	-0.4	-0.3	1	37		13	
BB200022			91%	86%	86%	86%	85%	85%	88%	88%	86%	87%	86%					
BB 200033		5U	**122**	**88**	**84**	**85**	**78**	**75**	**117**	**103**	**110**	**96**	**89**					
FB		BA 160731	-0.88	-1.7	-4.2	-4.5	-25	-4.5	3.0	2.8	2.3	-0.5	-2.2	1	4		1	
BB200033			73%	51%	46%	36%	34%	46%	48%	48%	44%	31%	21%					
BB 200045		BDWFM0495	**126**	**65**	**62**	**67**	**64**	**75**	**114**	**93**	**106**	**89**	**96**					
FB		BB 170052	-1.32	-11.2	-17.7	-18.2	-45	-4.3	2.6	-4.0	1.7	-1.2	-1.2	1	2			
BB200045			53%	42%	46%	43%	37%	40%	51%	50%	48%	44%	33%					
BB 200052		BB 170161	**105**	**91**	**83**	**83**	**72**	**73**	**107**	**67**	**91**	**105**	**121**					
FB		BB 170502	0.72	-0.6	-4.6	-6.1	-33	-5.7	1.7	-22.5	-0.6	0.4	2.9	1	1		1	
BB200052			66%	35%	35%	34%	27%	34%	45%	45%	42%	36%	27%					
BB 210090		BB 170164	**125**	**89**	**82**	**82**	**80**	**79**	**127**	**77**	**110**	**98**	**92**					
FB		BB 180265	-1.21	-1.5	-5.0	-6.4	-22	-2.4	4.2	-15.3	2.4	-0.3	-1.7	1	1		1	
BB210090			69%	33%	35%	32%	27%	30%	48%	49%	47%	48%	32%					
BDWFM0495	GT	BDWFY0408	**126**	**57**	**54**	**62**	**57**	**75**	**120**	**101**	**97**	**115**	**104**					
FB	GT		-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1	39	333	88	100	71
MACQUARIE PRELUDE M0495			98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
ETJ001		PR860014	**98**	**103**	**98**	**104**	**87**	**76**	**56**	**104**	**103**	**70**	**112**					
FB		PR870015	1.44	4.3	4.9	10.3	-13	-4.0	-4.8	3.9	1.3	-2.9	1.4	51	328	154	31	4
HIRASHIGETAYASU J2351 HONGEN			98%	96%	96%	96%	95%	96%	96%	97%	96%	96%	95%					
IMUFP0036		J1185	**122**	**98**	**103**	**110**	**104**	**115**	**79**	**100**	**57**	**152**	**144**					
FB		DAI2	-0.88	2.3	7.8	15.6	12	16.7	-1.8	0.7	-5.9	4.9	6.5	36	152	80	34	5
TF ITOMICHI 1/2			96%	94%	93%	93%	93%	94%	95%	95%	95%	94%	93%					
KI 140008		OVE 080002	**105**	**102**	**97**	**99**	**89**	**74**	**70**	**63**	**101**	**51**	**120**					
FB		BA 080212	0.72	3.9	3.9	6.6	-10	-4.9	-3.0	-25.7	0.9	-4.7	2.8	9	290	52	15	79
KI 140008			96%	94%	94%	93%	93%	93%	96%	96%	96%	94%	93%					
KI 140010		OVE 080002	**106**	**90**	**85**	**89**	**79**	**77**	**92**	**63**	**81**	**81**	**120**					
FB		BA 080212	0.70	-1.2	-3.3	-0.7	-24	-3.7	-0.2	-25.2	-2.2	-1.9	2.8	7	309	18	92	180
KI 140010			81%	67%	77%	70%	40%	53%	96%	96%	94%	82%	42%					
KI 140018		KJDFC0087	**102**	**114**	**105**	**106**	**103**	**76**	**120**	**115**	**77**	**95**	**90**					
FB		KJDFC0143	1.05	8.5	9.3	12.1	11	-4.2	3.4	11.7	-2.8	-0.5	-2.0	12	106	17	14	8
KI 140018			93%	91%	91%	90%	90%	90%	92%	92%	92%	91%	90%					
KJDFC0087		IMUFM1615	**102**	**95**	**84**	**80**	**87**	**72**	**98**	**115**	**118**	**102**	**118**					
FB		KJDFY0034	1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4	55	369	126	100	52
LAKE WAGYU C087			98%	97%	97%	97%	96%	97%	98%	98%	98%	97%	96%					
OVE 080002		IMJFAJ2810	**137**	**63**	**58**	**64**	**58**	**74**	**84**	**81**	**98**	**77**	**115**					
FB		BYWFZ0075	-2.36	-11.9	-20.0	-20.7	-54	-5.1	-1.2	-12.5	0.4	-2.3	2.0	43	761	155	134	154
KITATERA			99%	98%	97%	97%	96%	97%	98%	98%	97%	97%	96%					
PB 220033		CCOFG0113	**128**	**81**	**81**	**84**	**81**	**85**	**123**	**98**	**103**	**122**	**101**					
FB		SWK 200083	-1.47	-4.7	-5.5	-5.3	-20	0.5	3.7	-0.5	1.2	2.0	-0.4	1	136			
PB220033			51%	43%	54%	44%	39%	41%	42%	42%	39%	41%	34%					
PMGFL0004		ADBFA0139	**124**	**86**	**79**	**82**	**74**	**68**	**137**	**55**	**115**	**56**	**79**					
FB		PMGFG0059	-1.05	-2.7	-7.3	-6.8	-32	-8.3	5.5	-31.1	3.2	-4.3	-3.9	13	57	16	19	3
PEPPERMILL GROVE L0004 (AI)			82%	54%	75%	63%	47%	50%	77%	76%	71%	71%	57%					
SMOFF0126		IMUFM1615	**113**	**115**	**107**	**106**	**84**	**64**	**95**	**106**	**104**	**161**	**156**					
FB		SMOFC0152	0.01	8.9	10.6	12.5	-16	-10.5	0.1	4.9	1.4	5.7	8.5	25	166	50	52	12
SUMO MICHIFUKU F126 (AI)			97%	96%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
SMOFF0154		IMUFM1615	**105**	**85**	**78**	**74**	**84**	**61**	**138**	**104**	**94**	**116**	**98**					
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8	33	285	101	126	20
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
SWK 190060		SMOFF0154	**93**	**106**	**100**	**96**	**91**	**73**	**138**	**108**	**121**	**112**	**87**					
FB		GRSFF0149	1.92	5.2	5.9	4.2	-7	-5.8	5.7	6.3	4.0	1.0	-2.6	10	127	12	44	1
MICHIFUKU Q060			98%	97%	96%	96%	95%	95%	96%	96%	96%	96%	95%					
WAP 150006		MOYFF0054	**124**	**62**	**60**	**67**	**58**	**83**	**103**	**153**	**112**	**120**	**85**					
FB		KSOFH0044	-1.10	-12.6	-18.7	-18.6	-54	-0.1	1.2	38.5	2.6	1.8	-2.9	4	72	10	10	10
H044'S			85%	44%	49%	43%	17%	43%	74%	73%	67%	45%	33%					
WESFZ0278		ETJ001	**106**	**108**	**105**	**110**	**96**	**85**	**99**	**93**	**104**	**46**	**77**					
FB		0001	0.61	6.2	9.4	15.5	1	1.0	0.6	-4.0	1.5	-5.2	-4.2	40	146	35	35	11
WESTHOLME HIRASHIGETAYASU Z278			96%	95%	94%	93%	93%	93%	95%	95%	94%	94%	93%					
WSI135Z		100 FB7973	**109**	**96**	**90**	**93**	**76**	**69**	**128**	**68**	**110**	**127**	**114**					
FB		FB12702	0.38	1.1	0.2	2.2	-28	-7.6	4.3	-22.0	2.4	2.5	1.8	7	54	26	3	10
WSI OKUKANEMICHI (AI)			79%	70%	56%	48%	37%	73%	65%	64%	57%	40%	24%					

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
1099Z		S5394S	**101**	**118**	**114**	**117**	**103**	**89**	**90**	**99**	**104**	**108**	**107**				
FB		AF9825	1.15	10.2	14.9	20.7	11	2.9	-0.4	0.1	1.3	0.7	0.7	3	11	4	
HEARTBRAND 1099Z			48%	12%	43%	18%	6%	10%	41%	40%	35%	34%	26%				
1145Z		S5394S	**94**	**129**	**126**	**128**	**114**	**89**	**91**	**116**	**112**	**94**	**95**				
FB		AF797	1.80	14.5	22.6	29.3	26	3.1	-0.3	11.9	2.6	-0.7	-1.3	4	38	13	
HEARTBRAND 1145Z			74%	30%	53%	41%	10%	15%	49%	48%	41%	43%	33%				
1219Z		J251830R	**97**	**121**	**119**	**121**	**113**	**90**	**99**	**105**	**104**	**83**	**87**				
FB		AF1286	1.50	11.5	18.0	23.6	25	3.2	0.7	4.1	1.4	-1.7	-2.5	3	19	6	
HEARTBRAND 1219Z			68%	30%	36%	29%	22%	30%	38%	37%	34%	34%	25%				
1265Z		IMUFN2125	**89**	**128**	**125**	**126**	**120**	**97**	**76**	**65**	**113**	**60**	**106**				
FB			2.27	14.1	21.9	27.7	35	7.3	-2.3	-24.1	2.8	-3.9	0.5	3	11	3	
HEARTBRAND 1265Z			62%	24%	28%	27%	13%	18%	48%	47%	39%	45%	34%				
3112A		FB102	**91**	**130**	**127**	**128**	**112**	**94**	**64**	**105**	**91**	**112**	**130**				
FB		AF1375	2.08	14.9	23.0	29.5	23	5.6	-3.8	4.1	-0.6	1.1	4.3	1	7	1	
HEARTBRAND 3112A ET			53%	19%	22%	19%	15%	15%	29%	28%	25%	22%	14%				
AF2688		J251830R	**103**	**125**	**120**	**122**	**120**	**88**	**94**	**119**	**109**	**90**	**88**				
FB		AF147	0.98	13.1	18.9	24.6	35	2.2	0.0	14.1	2.2	-1.1	-2.4	3	17	6	
HEARTBRAND H2426R			67%	32%	37%	30%	37%	32%	60%	59%	54%	34%	25%				
AF7437		AF2288	**99**	**131**	**125**	**127**	**115**	**87**	**93**	**100**	**108**	**82**	**90**				
FB		AF3393	1.37	15.3	21.7	28.9	28	1.8	-0.1	0.9	2.0	-1.8	-2.1	1	1	1	
HEARTBRAND V7553U			37%	18%	24%	20%	14%	13%	26%	26%	23%	22%	17%				
AF7868		AF1208	**107**	**121**	**122**	**123**	**113**	**92**	**80**	**85**	**119**	**66**	**103**				
FB		AF4673	0.52	11.5	19.6	25.8	25	4.3	-1.8	-9.6	3.8	-3.4	0.0	3	6	4	
HEARTBRAND SHELLI V7413U			47%	17%	20%	12%	8%	10%	38%	38%	32%	29%	11%				
AF8119			**102**	**119**	**119**	**120**	**107**	**94**	**93**	**93**	**113**	**84**	**100**				
FB		AF797	1.05	10.5	17.6	23.2	16	5.3	-0.1	-4.1	2.8	-1.6	-0.5	2	7	5	
HEARTBRAND V7219U			62%	15%	21%	20%	8%	10%	31%	31%	24%	30%	21%				
AF9346		B3314R	**97**	**137**	**133**	**135**	**119**	**92**	**83**	**100**	**103**	**82**	**103**				
FB		AF237	1.53	18.0	26.4	34.5	34	4.4	-1.3	1.0	1.2	-1.8	0.0	3	15	5	
HEARTBRAND 8446W			57%	18%	24%	32%	12%	15%	59%	58%	51%	42%	15%				
B0589N		FB2998	**92**	**119**	**115**	**118**	**106**	**90**	**88**	**105**	**101**	**94**	**100**				
FB		FB2122	2.00	10.5	15.4	21.5	15	3.5	-0.8	4.5	1.0	-0.7	-0.5	1	9	2	
HEARTBRAND B0589N			54%	23%	34%	27%	20%	19%	38%	37%	33%	33%	25%				
B3518R		FB2998	**97**	**129**	**124**	**128**	**112**	**90**	**96**	**99**	**97**	**90**	**92**				
FB		AF6862	1.51	14.8	21.3	29.8	24	3.2	0.3	-0.2	0.3	-1.0	-1.8	5	14	2	
HEARTBRAND BARBARA B3518R			62%	40%	48%	40%	20%	19%	50%	51%	44%	41%	28%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
B563			IMUFN2124	**103**	**110**	**107**	**108**	**103**	**87**	**108**	**96**	**131**	**95**	**90**				
FB			RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0	8	18	4	1
KALANGA SHIGEYUKO B563 (AI)				64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
BB 150102			HBCFV2139	**101**	**119**	**113**	**115**	**101**	**90**	**103**	**88**	**112**	**89**	**90**				
FB			B563	1.18	10.5	14.5	19.3	8	3.5	1.2	-7.8	2.6	-1.1	-2.0	2	15	8	
BB150102				89%	86%	86%	86%	85%	86%	86%	87%	86%	86%	85%				
BB 150105			C0402	**99**	**149**	**145**	**139**	**144**	**81**	**101**	**120**	**123**	**72**	**65**				
FB			C767	1.28	22.6	34.4	38.3	69	-1.2	0.9	15.3	4.3	-2.8	-6.0	3	17	4	3
NAMIKO				71%	56%	58%	49%	40%	38%	75%	75%	68%	64%	37%				
BB 150117			C0402	**79**	**149**	**144**	**138**	**139**	**79**	**90**	**90**	**122**	**59**	**78**				
FB			OHVFA0045	3.24	22.6	33.3	37.5	62	-2.3	-0.5	-6.2	4.1	-4.0	-4.0	2	11	7	
BB150117				89%	85%	86%	86%	85%	84%	87%	87%	86%	86%	85%				
BB 150131			HBCFV2139	**101**	**127**	**123**	**124**	**114**	**85**	**94**	**95**	**97**	**112**	**108**				
FB			C647	1.09	14.0	20.5	26.5	26	1.0	0.1	-2.6	0.4	1.0	0.8	3	11	9	
HOMARE				63%	46%	57%	51%	40%	38%	55%	56%	52%	52%	43%				
BB 150140			C0402	**89**	**142**	**133**	**130**	**129**	**82**	**108**	**101**	**137**	**86**	**80**				
FB			B563	2.32	19.7	26.9	30.7	47	-0.9	1.8	1.3	6.5	-1.4	-3.6	2	2	1	
FUYUKO				56%	41%	46%	40%	29%	31%	45%	46%	43%	41%	27%				
BB 170013			CCCFH0037	**78**	**143**	**136**	**137**	**118**	**81**	**101**	**77**	**121**	**62**	**82**				
FB			CCCFJ0066	3.35	20.1	28.6	36.4	32	-1.2	1.0	-15.7	4.0	-3.8	-3.4	1	3	2	
BB170013				86%	83%	84%	83%	82%	82%	84%	84%	83%	83%	82%				
BB 170040			HBCFV2139	**100**	**119**	**113**	**115**	**107**	**91**	**84**	**94**	**92**	**74**	**95**				
FB			FB14724	1.23	10.4	14.4	19.5	17	3.7	-1.2	-3.6	-0.5	-2.6	-1.2	1	4	2	
BB170040				84%	80%	81%	81%	80%	80%	82%	82%	81%	82%	81%				
BB 170042			HBCFV2139	**95**	**123**	**120**	**124**	**104**	**94**	**82**	**97**	**106**	**92**	**105**				
FB			FB14728	1.69	12.3	18.9	26.2	12	5.8	-1.5	-1.2	1.7	-0.9	0.4	1	5	3	
BB170042				85%	81%	82%	82%	81%	81%	83%	83%	82%	83%	82%				
BB 170051			HBCFV2139	**120**	**109**	**105**	**108**	**104**	**89**	**85**	**101**	**96**	**84**	**97**				
FB			FB14724	-0.75	6.7	9.4	14.0	12	2.9	-1.1	1.7	0.2	-1.7	-1.0	1	4	2	
BB170051				62%	37%	46%	44%	32%	35%	48%	48%	46%	45%	39%				
BB 170060			FB2998	**87**	**134**	**128**	**130**	**121**	**88**	**92**	**112**	**104**	**87**	**88**				
FB			AF2688	2.47	16.8	23.6	30.8	36	2.3	-0.3	9.3	1.4	-1.4	-2.4	1	3	3	
BB170060				86%	83%	83%	83%	83%	82%	84%	84%	83%	83%	82%				
BB 170062			FB2124	**104**	**141**	**135**	**136**	**123**	**87**	**90**	**106**	**122**	**105**	**106**				
FB			V7202U	0.87	19.5	28.2	35.6	39	1.9	-0.5	5.1	4.1	0.4	0.5	1	4	2	
BB170062				84%	81%	81%	81%	80%	80%	82%	82%	81%	81%	80%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
BB 170068		FB2998	**94**	**125**	**119**	**122**	**110**	**89**	**93**	**111**	**95**	**87**	**88**				
FB		AF2688	1.79	12.8	17.9	24.9	21	3.0	-0.1	8.5	0.0	-1.4	-2.4	1	3	2	
BB170068			86%	82%	83%	82%	82%	82%	83%	83%	83%	82%	82%				
BB 170075		J251830R	**107**	**137**	**130**	**130**	**124**	**85**	**92**	**86**	**114**	**77**	**101**				
FB		V7297U	0.56	17.7	24.8	30.7	41	0.9	-0.3	-9.1	3.0	-2.3	-0.4	1	6	4	
BB170075			86%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 170076		FB2998	**100**	**137**	**131**	**132**	**124**	**85**	**92**	**85**	**120**	**65**	**91**				
FB		V7297U	1.21	18.0	25.7	32.5	40	0.8	-0.2	-9.9	3.9	-3.4	-1.9	1	5	1	
BB170076			85%	80%	81%	81%	80%	80%	82%	82%	82%	81%	80%				
BB 170096		FB2998	**95**	**132**	**126**	**130**	**111**	**88**	**94**	**86**	**115**	**96**	**104**				
FB		V7514U	1.71	15.8	22.6	30.7	22	2.2	0.0	-8.8	3.0	-0.5	0.1	1	5	2	
BB170096			86%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 170097		H5070S	**98**	**137**	**130**	**130**	**121**	**89**	**92**	**93**	**110**	**63**	**87**				
FB		AF8119	1.47	17.8	25.0	31.2	36	2.9	-0.3	-3.9	2.3	-3.6	-2.5	1	5	4	
BB170097			86%	81%	81%	81%	80%	80%	82%	82%	81%	82%	81%				
BB 170103		H5070S	**89**	**134**	**128**	**130**	**114**	**91**	**94**	**106**	**100**	**88**	**92**				
FB		AF8119	2.32	16.6	23.6	30.7	26	4.0	0.1	5.1	0.7	-1.2	-1.7	1	6	3	
BB170103			86%	81%	82%	81%	81%	81%	82%	82%	82%	82%	81%				
BB 170105		H5070S	**93**	**133**	**128**	**129**	**119**	**89**	**89**	**106**	**108**	**83**	**96**				
FB		AF8119	1.90	16.3	23.6	30.0	33	3.1	-0.6	5.1	2.1	-1.7	-1.1	1	4	1	
BB170105			84%	80%	80%	80%	80%	80%	81%	81%	81%	81%	80%				
BB 170141		2132A	**98**	**135**	**131**	**133**	**117**	**92**	**95**	**94**	**109**	**86**	**92**				
FB		B3518R	1.42	17.0	25.3	33.6	31	4.5	0.1	-3.4	2.1	-1.5	-1.7	1	5	2	
BB170141			82%	78%	78%	78%	77%	77%	79%	79%	79%	79%	78%				
BB 170152		FB2124	**92**	**149**	**148**	**148**	**133**	**89**	**90**	**110**	**126**	**92**	**99**				
FB		AF9346	1.99	22.6	35.9	44.7	53	2.9	-0.4	7.6	4.8	-0.9	-0.7	1	3	2	
BB170152			83%	80%	80%	80%	80%	80%	81%	81%	81%	81%	80%				
BB 170169		2142A	**97**	**126**	**123**	**128**	**108**	**92**	**87**	**96**	**118**	**96**	**109**				
FB		V7297U	1.57	13.4	20.4	29.2	17	4.6	-0.9	-1.8	3.6	-0.5	0.9	1	3	2	
BB170169			83%	80%	81%	80%	79%	79%	81%	81%	81%	80%	79%				
BB 170170		HBCFV2139	**99**	**125**	**121**	**124**	**105**	**93**	**86**	**105**	**104**	**92**	**98**				
FB		FB14728	1.33	13.0	19.1	26.2	14	4.8	-0.9	4.2	1.3	-0.8	-0.8	1	4	2	
BB170170			85%	82%	83%	83%	82%	82%	83%	83%	83%	83%	82%				
BB 170174		2142A	**99**	**126**	**121**	**124**	**114**	**88**	**86**	**98**	**102**	**92**	**105**				
FB		AF2688	1.32	13.3	19.3	26.6	27	2.5	-0.9	-0.6	1.1	-0.8	0.3	1	5	4	
BB170174			86%	81%	82%	82%	81%	81%	82%	82%	82%	81%	81%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
BB 170178		2142A	**97**	**123**	**119**	**124**	**108**	**94**	**81**	**101**	**100**	**89**	**107**				
FB		AF9346	1.55	12.0	18.0	25.9	17	5.5	-1.6	1.7	0.8	-1.2	0.7	1	6	4	
BB170178			84%	79%	80%	80%	79%	79%	81%	81%	80%	80%	79%				
BB 170185		HBCFV2139	**111**	**122**	**119**	**123**	**108**	**90**	**92**	**100**	**108**	**106**	**105**				
FB		FB14728	0.12	11.8	18.0	25.2	17	3.6	-0.2	1.1	2.0	0.5	0.3	1	6		
BB170185			87%	83%	84%	83%	82%	83%	85%	85%	84%	84%	83%				
BB 170186		S5394S	**103**	**138**	**132**	**134**	**120**	**90**	**88**	**100**	**104**	**96**	**106**				
FB		AF9346	0.95	18.3	26.3	33.9	35	3.2	-0.7	1.0	1.5	-0.4	0.5	1	4	4	
BB170186			84%	79%	80%	79%	79%	79%	81%	81%	80%	80%	79%				
BB 170193		C4037S	**100**	**135**	**131**	**132**	**125**	**90**	**98**	**126**	**126**	**91**	**82**				
FB		AF2688	1.24	16.9	25.2	32.8	41	3.4	0.6	19.1	4.8	-1.0	-3.3	2	7	6	
BB170193			85%	82%	82%	82%	81%	82%	83%	83%	83%	82%	81%				
BB 180001		2618A	**114**	**133**	**127**	**127**	**120**	**88**	**99**	**97**	**121**	**90**	**93**				
FB		BB 150102	-0.10	16.4	23.2	29.0	35	2.6	0.7	-1.5	4.1	-1.0	-1.6	1	5	2	
BB180001			85%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%				
BB 180002		FB14989	**92**	**127**	**124**	**127**	**119**	**97**	**92**	**105**	**91**	**118**	**110**				
FB		BB 150131	1.99	14.0	20.9	28.2	33	7.3	-0.2	4.5	-0.6	1.7	1.2	1	4	2	
BB180002			84%	80%	81%	81%	80%	80%	82%	82%	82%	81%	80%				
BB 180029		C4081S	**102**	**141**	**132**	**130**	**128**	**81**	**93**	**98**	**125**	**55**	**74**				
FB		BB 150117	1.04	19.5	26.3	31.3	47	-1.6	-0.1	-0.3	4.7	-4.4	-4.5	1	5	3	
BB180029			86%	81%	82%	81%	81%	81%	82%	82%	82%	82%	81%				
BB 180032		C4081S	**93**	**139**	**132**	**130**	**125**	**82**	**106**	**100**	**130**	**72**	**76**				
FB		BB 150140	1.89	18.7	25.7	30.7	42	-0.7	1.6	0.6	5.5	-2.8	-4.3	1	3	2	
BB180032			83%	79%	80%	79%	79%	79%	80%	80%	80%	80%	79%				
BB 180033		J251830R	**108**	**127**	**121**	**121**	**117**	**85**	**92**	**98**	**115**	**70**	**91**				
FB		AF8119	0.49	13.8	19.2	24.2	31	1.0	-0.2	-0.9	3.0	-3.0	-2.0	1	4	2	
BB180033			87%	82%	83%	82%	82%	82%	83%	83%	82%	83%	82%				
BB 180045		IMUFN2125	**107**	**133**	**127**	**126**	**124**	**85**	**94**	**101**	**117**	**91**	**93**				
FB		BB 150105	0.55	16.3	23.2	27.9	40	0.8	0.1	1.3	3.4	-1.0	-1.5	1	5	3	
BB180045 (ET)			86%	82%	83%	82%	81%	81%	83%	83%	83%	83%	81%				
BB 180047		IMUFN2125	**106**	**135**	**129**	**128**	**126**	**86**	**98**	**104**	**125**	**77**	**80**				
FB		BB 150105	0.61	17.2	24.4	29.3	43	1.3	0.6	3.6	4.6	-2.3	-3.7	1	6	3	
BB180047			86%	82%	82%	82%	81%	81%	84%	84%	83%	83%	82%				
BB 180076		J251830R	**102**	**128**	**122**	**123**	**112**	**88**	**101**	**97**	**107**	**70**	**80**				
FB		BB 150102	1.01	14.3	19.6	25.1	24	2.5	0.9	-1.6	1.8	-2.9	-3.7	1	3	2	
BB180076			86%	83%	83%	83%	82%	83%	83%	84%	83%	83%	82%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 180091		✓	C4081S	**96**	**138**	**131**	**129**	**126**	**83**	**96**	**101**	**117**	**58**	**72**				
FB		✓	BB 150117	1.63	18.4	25.2	29.8	44	-0.5	0.3	1.5	3.3	-4.1	-5.0	1	1		
BB180091 (AI)				85%	81%	82%	81%	81%	81%	82%	82%	81%	81%	81%				
BB 180323		✓	FB2998	**86**	**134**	**128**	**130**	**115**	**88**	**96**	**106**	**96**	**93**	**91**				
FB		✓	1219Z	2.57	16.6	23.6	31.3	28	2.3	0.3	4.7	0.2	-0.8	-1.9	1	4	3	
BB180323 (ET)				87%	83%	84%	83%	83%	83%	84%	84%	83%	83%	83%				
BB 190017		✓	FB2998	**94**	**133**	**127**	**129**	**118**	**86**	**98**	**105**	**97**	**82**	**84**				
FB		✓	1219Z	1.80	16.1	23.0	30.2	32	1.4	0.6	4.2	0.3	-1.8	-3.1	1	5	3	1
BB190017 (ET)				86%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				
BB 190021		✓	FB2998	**86**	**144**	**137**	**139**	**120**	**89**	**77**	**103**	**87**	**104**	**113**				
FB		✓	3112A	2.57	20.7	29.4	37.7	35	2.9	-2.2	2.7	-1.2	0.3	1.6	1	5	3	
BB190021 (ET)				85%	81%	81%	81%	81%	81%	82%	82%	81%	81%	81%				
BB 190023		✓	FB2998	**87**	**131**	**125**	**128**	**116**	**89**	**93**	**109**	**99**	**86**	**89**				
FB		✓	1219Z	2.52	15.3	22.0	29.3	28	3.1	-0.1	7.1	0.7	-1.4	-2.3	1	3	2	
BB190023 (ET)				85%	82%	83%	82%	82%	82%	83%	83%	82%	82%	82%				
BB 190028		✓	FB2998	**98**	**124**	**119**	**123**	**110**	**89**	**101**	**107**	**95**	**87**	**85**				
FB		✓	1219Z	1.47	12.7	18.2	25.4	20	2.8	0.9	5.4	0.0	-1.3	-2.9	1	3	3	
BB190028 (ET)				86%	83%	83%	83%	82%	82%	83%	83%	83%	83%	83%				
BB 190031		✓	IMUFN2125	**90**	**123**	**120**	**123**	**106**	**91**	**89**	**95**	**104**	**99**	**106**				
FB		✓	B0589N	2.20	12.1	18.6	25.1	15	3.8	-0.6	-2.8	1.4	-0.2	0.5	1	3	2	
BB190031 (ET)				83%	79%	80%	80%	79%	79%	80%	80%	80%	80%	79%				
BB 190032		✓	IMUFN2125	**92**	**115**	**113**	**118**	**98**	**90**	**93**	**84**	**115**	**95**	**107**				
FB		✓	B0589N	2.06	9.0	14.2	21.4	3	3.4	-0.2	-10.3	3.1	-0.6	0.6	1	3	2	
BB190032 (ET)				84%	80%	80%	80%	79%	80%	81%	81%	81%	81%	80%				
BB 190049		✓	AF6914	**104**	**135**	**129**	**128**	**127**	**83**	**99**	**96**	**119**	**53**	**69**				
FB		✓	BB 150105	0.84	17.1	24.3	29.6	45	-0.1	0.6	-1.7	3.8	-4.6	-5.4	1	4	2	
BB190049 (ET)				84%	81%	81%	81%	79%	79%	81%	81%	81%	80%	79%				
BB 190063		✓	3186A	**99**	**141**	**136**	**136**	**126**	**88**	**99**	**106**	**129**	**82**	**86**				
FB		✓	1219Z	1.30	19.4	28.3	35.7	43	2.4	0.7	5.2	5.3	-1.8	-2.7	1	3	2	
BB190063 (ET)				84%	81%	81%	81%	80%	80%	81%	81%	81%	81%	81%				
BB 190119		✓	S5394S	**85**	**133**	**128**	**130**	**111**	**86**	**91**	**80**	**116**	**69**	**95**				
FB		✓	1265Z	2.65	16.3	23.2	30.8	21	1.5	-0.3	-13.3	3.2	-3.0	-1.3	1	4	3	
BB190119 (ET)				83%	79%	79%	79%	79%	79%	80%	80%	80%	80%	79%				
BB 190122		✓	FB2998	**111**	**126**	**119**	**121**	**110**	**87**	**94**	**98**	**95**	**99**	**99**				
FB		✓	1099Z	0.20	13.3	17.8	24.0	20	1.6	0.0	-0.7	0.0	-0.2	-0.7	1	2	1	
BB190122 (ET)				85%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
BB 190128		S5394S	**93**	**121**	**115**	**119**	**102**	**89**	**95**	**93**	**103**	**103**	**102**				
FB		1099Z	1.90	11.5	15.7	22.6	9	2.9	0.1	-4.1	1.3	0.2	-0.1	1	3	1	
BB190128 (ET)			84%	80%	81%	80%	80%	80%	82%	82%	81%	81%	80%				
BB 190141		2142A	**96**	**130**	**127**	**130**	**114**	**92**	**89**	**91**	**103**	**88**	**105**				
FB		AF14106	1.58	15.0	22.7	31.3	26	4.6	-0.6	-5.8	1.2	-1.2	0.3	1	3	1	
BB190141			82%	79%	80%	79%	78%	78%	79%	79%	79%	79%	78%				
BB 200026		FB14989	**98**	**124**	**119**	**121**	**117**	**98**	**96**	**118**	**105**	**102**	**91**				
FB		BB 170103	1.39	12.5	17.8	24.0	31	7.9	0.3	13.7	1.5	0.1	-1.9	1	4	1	
BB200026 (AI)			87%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 200039		FB2998	**114**	**119**	**114**	**117**	**110**	**85**	**100**	**101**	**103**	**97**	**91**				
FB		BB 180045	-0.13	10.5	14.6	20.6	20	1.0	0.8	1.5	1.3	-0.4	-1.8	1	2	1	
BB200039 (AI)			85%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				
BB 200040		AF793	**104**	**132**	**126**	**126**	**120**	**86**	**90**	**100**	**113**	**85**	**97**				
FB		BB 170174	0.82	15.9	22.0	27.6	35	1.4	-0.4	0.8	2.7	-1.6	-0.9	1	3	1	
BB200040 (AI)			85%	79%	79%	79%	78%	78%	79%	79%	78%	78%	78%				
BB 200067		BB 170165	**105**	**136**	**131**	**131**	**122**	**86**	**84**	**100**	**118**	**85**	**104**				
FB		BB 170062	0.78	17.5	25.3	32.0	37	1.5	-1.2	0.6	3.6	-1.5	0.1	1	2		
BB200067			68%	17%	21%	18%	12%	14%	32%	31%	28%	27%	15%				
BB 210033		FB2998	**94**	**140**	**131**	**133**	**120**	**87**	**94**	**96**	**101**	**76**	**88**				
FB		BB 170097	1.80	18.9	25.7	33.2	34	1.8	0.0	-1.7	1.0	-2.4	-2.3	1	1		
BB210033			70%	24%	33%	27%	20%	19%	38%	38%	34%	34%	26%				
BB 210041		S5394S	**106**	**124**	**120**	**123**	**111**	**88**	**97**	**103**	**102**	**88**	**90**				
FB		BB 190017	0.69	12.5	18.5	25.2	23	2.4	0.4	2.6	1.1	-1.2	-2.0	1	1		
BB210041			68%	16%	26%	21%	12%	13%	37%	36%	32%	28%	20%				
BB 210046		S5394S	**97**	**133**	**127**	**128**	**115**	**87**	**97**	**102**	**116**	**86**	**88**				
FB		BB 180047	1.54	16.1	23.0	29.1	28	1.7	0.4	2.3	3.3	-1.5	-2.4	1	2	1	
BB210046			70%	20%	28%	24%	13%	14%	41%	41%	36%	32%	22%				
BB 210048		FB2124	**96**	**144**	**137**	**135**	**129**	**84**	**89**	**106**	**131**	**81**	**91**				
FB		BB 180029	1.65	20.6	29.0	35.0	47	0.4	-0.6	5.3	5.6	-1.9	-1.8	1	1	1	
BB210048			69%	21%	28%	25%	16%	17%	31%	31%	28%	25%	19%				
BB 210053		FB2998	**105**	**127**	**120**	**122**	**110**	**88**	**100**	**94**	**102**	**89**	**90**				
FB		BB 150102	0.78	13.7	18.4	24.8	20	2.2	0.8	-3.7	1.1	-1.1	-2.1	1	1	1	
BB210053			72%	31%	41%	34%	27%	28%	42%	43%	39%	39%	30%				
BB 210056		S5394S	**77**	**145**	**136**	**135**	**122**	**83**	**93**	**95**	**115**	**77**	**87**				
FB		BB 150117	3.45	21.1	28.8	34.8	38	-0.1	-0.1	-2.6	3.0	-2.3	-2.5	1	1	1	
BB210056			71%	23%	32%	29%	18%	16%	42%	42%	36%	33%	24%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 210067		☑	FB2124	**87**	**140**	**134**	**135**	**122**	**87**	**86**	**106**	**120**	**99**	**107**				
FB		☑	BB 170174	2.47	19.2	27.5	34.9	37	1.8	-1.0	5.1	3.8	-0.2	0.6	1	2		
BB210067				69%	22%	30%	27%	16%	17%	32%	32%	29%	23%	16%				
BB 210078		☑	BB 170089	**89**	**135**	**129**	**131**	**115**	**88**	**94**	**98**	**104**	**88**	**94**				
FB		☑	BB 180323	2.28	17.0	24.2	31.9	27	2.1	0.1	-0.8	1.4	-1.3	-1.4	1	1		
BB210078				68%	19%	25%	20%	15%	15%	28%	28%	25%	23%	17%				
BB 210086		☑	BB 170002	**91**	**140**	**133**	**133**	**123**	**90**	**117**	**102**	**112**	**86**	**73**				
FB		☑	BB 180001	2.08	19.0	26.5	33.1	39	3.2	2.9	2.3	2.7	-1.4	-4.8	1	2	1	
BB210086				69%	20%	25%	23%	18%	20%	40%	39%	36%	32%	24%				
BB 210093		☑	BB 170002	**85**	**134**	**129**	**130**	**122**	**95**	**113**	**106**	**97**	**101**	**81**				
FB		☑	BB 180002	2.68	16.7	24.1	31.3	38	6.0	2.5	5.3	0.3	0.0	-3.4	1	1		
BB210093				68%	22%	29%	28%	22%	23%	45%	44%	40%	36%	27%				
BB 220008		☑	BB 170177	**107**	**130**	**124**	**125**	**120**	**87**	**100**	**122**	**113**	**88**	**82**				
FB		☑	BB 180033	0.53	14.9	21.3	27.1	35	1.7	0.8	16.2	2.7	-1.2	-3.3	1	2		
BB220008				50%	17%	20%	17%	14%	15%	47%	46%	41%	23%	17%				
BB 220021		☑	BB 200028	**93**	**122**	**117**	**119**	**103**	**89**	**99**	**89**	**106**	**81**	**90**				
FB		☑	BB 150102	1.92	11.9	16.6	22.6	10	2.7	0.7	-7.2	1.7	-1.9	-2.1	1	1		
BB220021				55%	26%	31%	27%	22%	24%	33%	33%	31%	31%	24%				
BB 220029		☑	BB 200009	**76**	**142**	**136**	**137**	**123**	**93**	**96**	**116**	**115**	**85**	**84**				
FB		☑	BB 170193	3.61	19.9	28.6	36.7	40	5.1	0.3	12.4	3.1	-1.5	-3.0	1	1		
BB220029				68%	18%	20%	19%	16%	21%	32%	32%	29%	22%	16%				
BB 220030		☑	BB 170177	**93**	**133**	**128**	**130**	**114**	**90**	**97**	**125**	**107**	**100**	**86**				
FB		☑	BB 170170	1.93	16.4	23.6	30.8	26	3.4	0.5	18.8	1.9	-0.1	-2.8	1	1		
BB220030				67%	21%	25%	23%	19%	20%	48%	48%	45%	25%	21%				
BB 220036		☑	BB 200009	**81**	**136**	**131**	**134**	**118**	**95**	**91**	**99**	**103**	**84**	**96**				
FB		☑	BB 190141	3.05	17.6	25.6	33.8	32	5.9	-0.3	0.0	1.3	-1.6	-1.1	1	1		
BB220036				67%	17%	25%	24%	14%	15%	29%	28%	25%	22%	15%				
BB 220053		☑	BB 200009	**80**	**142**	**135**	**136**	**121**	**93**	**85**	**105**	**95**	**92**	**100**				
FB		☑	BB 190021	3.17	19.7	28.0	35.9	36	5.1	-1.1	4.2	0.1	-0.9	-0.5	1	1		
BB220053				69%	17%	24%	22%	17%	18%	31%	30%	27%	25%	19%				
BB 220074		☑	BB 200028	**111**	**125**	**120**	**121**	**116**	**85**	**94**	**94**	**113**	**64**	**82**				
FB		☑	BB 180029	0.14	13.2	18.3	23.7	29	0.6	0.0	-3.5	2.8	-3.5	-3.3	1	1		
BB220074				69%	18%	24%	20%	15%	14%	27%	27%	23%	24%	18%				
BB 220138		☑	BB 170002	**77**	**144**	**136**	**135**	**125**	**87**	**121**	**104**	**117**	**77**	**64**				
FB		☑	BB 180032	3.43	20.6	28.5	34.8	42	1.8	3.4	3.3	3.4	-2.3	-6.2	1	1		
BB220138				67%	19%	25%	23%	17%	19%	40%	39%	35%	32%	24%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
EAF80400			IMUFN2125	**102**	**131**	**126**	**128**	**115**	**86**	**89**	**92**	**105**	**96**	**107**				
FB			FB9978	1.08	15.6	22.0	29.3	27	1.5	-0.6	-5.1	1.5	-0.5	0.7	3	3	1	
KAEDEMARU 2				48%	26%	31%	29%	16%	20%	36%	36%	32%	30%	20%				
FB14724			FB101	**109**	**117**	**114**	**115**	**117**	**93**	**70**	**112**	**107**	**84**	**108**				
FB			FB12161	0.39	9.8	14.9	19.3	31	5.1	-3.1	9.5	1.8	-1.6	0.8	1	2	2	
IWG MS RUESHAW 78Z (FB14724)				45%	17%	25%	22%	15%	17%	35%	34%	29%	27%	20%				
FB14728			FB102	**105**	**127**	**127**	**130**	**114**	**96**	**73**	**116**	**116**	**112**	**119**				
FB			FB12108	0.78	13.8	23.1	30.6	26	6.7	-2.6	11.9	3.2	1.1	2.5	1	7	3	
IWG MS JUDO 82Z (FB14728)				50%	18%	18%	15%	13%	14%	46%	46%	39%	34%	18%				
OHVFA0045			QW132	**85**	**138**	**128**	**127**	**127**	**82**	**99**	**100**	**116**	**45**	**60**				
FB			VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9	8	41	19	5
HIDDEN VALE OHV45				91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
V7202U			B3314R	**100**	**132**	**128**	**131**	**116**	**90**	**98**	**115**	**111**	**101**	**91**				
FB			B0078M	1.24	15.8	23.6	31.9	29	3.3	0.6	11.5	2.4	0.0	-2.0	2	8	3	
HEARTBRAND V7202U				44%	19%	26%	22%	14%	16%	49%	49%	43%	24%	17%				
V7297U				**105**	**123**	**122**	**124**	**111**	**90**	**89**	**76**	**128**	**66**	**100**				
FB			AF1916	0.75	12.2	19.9	25.9	23	3.5	-0.5	-16.1	5.1	-3.3	-0.5	3	12	5	
HEARTBRAND SHANNON V7297U				58%	15%	19%	16%	10%	9%	56%	56%	50%	42%	21%				
V7514U				**102**	**116**	**117**	**119**	**103**	**91**	**96**	**71**	**130**	**83**	**105**				
FB			AF3785	1.00	9.2	16.4	22.6	10	4.2	0.3	-19.9	5.4	-1.7	0.3	4	16	4	
HEARTBRAND SAIGE V7514U				58%	31%	25%	16%	8%	11%	45%	44%	38%	24%	18%				
JAPANESE BLACK																		
ADBFL0011		✓	TF890040	**150**	**65**	**63**	**66**	**65**	**86**	**105**	**87**	**112**	**99**	**108**				
FB		✓	TF760	-3.58	-11.4	-17.0	-19.3	-44	1.1	1.5	-8.1	2.6	-0.1	0.8	1	5	1	
MAYURA L0011 (AI) (ET)				44%	30%	30%	27%	17%	26%	32%	35%	32%	31%	19%				
ADBFL0014		✓	ADBFA0139	**118**	**99**	**88**	**84**	**80**	**60**	**136**	**71**	**109**	**101**	**101**				
FB		✓	ADBFH0173	-0.47	2.4	-1.6	-4.7	-22	-12.7	5.4	-19.9	2.1	0.0	-0.3	1	5	3	
MAYURA L0014 (AI) (ET)				55%	42%	45%	41%	36%	39%	48%	49%	47%	48%	42%				
ADBFL0017		✓	ADBFA0139	**112**	**95**	**89**	**88**	**80**	**83**	**130**	**76**	**103**	**96**	**93**				
FB		✓	ADBFH0258	0.04	0.9	-1.0	-1.9	-23	-0.5	4.6	-16.5	1.3	-0.5	-1.6	1	4	2	
MAYURA L0017 (AI) (ET)				55%	33%	38%	32%	27%	30%	41%	42%	39%	41%	36%				
ADBFL0019		✓	ADBFA0139	**118**	**94**	**85**	**82**	**75**	**64**	**119**	**83**	**112**	**116**	**118**				
FB		✓	ADBFH0173	-0.55	0.6	-3.2	-6.9	-30	-10.5	3.2	-11.2	2.7	1.4	2.4	1	12	9	
MAYURA L0019 (AI) (ET)				74%	47%	46%	41%	36%	42%	58%	58%	53%	57%	49%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
ADBFL0030	FB	ADBFA0139	**103**	**104**	**98**	**97**	**89**	**87**	**122**	**86**	**113**	**93**	**92**				
		ADBFH0258	0.91	4.5	4.6	4.9	-9	1.9	3.6	-9.2	2.7	-0.7	-1.8	2	6	3	
MAYURA L0030 (AI) (ET)			54%	33%	45%	32%	27%	30%	41%	42%	40%	41%	36%				
ADBFL0045	FB	151BE	**122**	**89**	**84**	**83**	**75**	**76**	**122**	**109**	**109**	**107**	**92**				
		ADBFH0166	-0.94	-1.5	-3.9	-5.5	-29	-3.8	3.5	6.8	2.1	0.5	-1.7	1	3	3	
MAYURA L0045 (AI) (ET)			61%	45%	47%	43%	34%	42%	55%	56%	52%	52%	41%				
ADBFL0055	FB	151BE	**116**	**90**	**84**	**84**	**75**	**78**	**109**	**106**	**105**	**100**	**102**				
		ADBFH0166	-0.33	-1.1	-4.0	-5.4	-30	-2.9	1.9	5.2	1.5	-0.1	-0.1	1	2	2	
MAYURA L0055 (AI) (ET)			53%	45%	47%	43%	34%	42%	52%	53%	51%	49%	38%				
ADBFL0079	FB	ADBFA0139	**120**	**86**	**77**	**75**	**74**	**63**	**119**	**66**	**115**	**99**	**113**				
		ADBFH0211	-0.73	-2.6	-8.2	-11.9	-31	-10.7	3.2	-23.4	3.1	-0.2	1.6	1	2	2	
MAYURA L0079 (AI) (ET)			53%	42%	45%	41%	37%	39%	46%	47%	46%	47%	41%				
ARUFE0060	FB	ARUFA0353	**115**	**87**	**87**	**93**	**87**	**98**	**85**	**112**	**77**	**107**	**113**				
		T096	-0.21	-2.3	-2.0	1.9	-13	7.6	-1.1	9.5	-2.8	0.6	1.5	3	7	1	
ARUNDEL SPRINGS KOUTANI			53%	44%	36%	21%	20%	25%	31%	31%	28%	28%	20%				
BA 130879	FB	148BE	**120**	**107**	**101**	**101**	**92**	**76**	**109**	**49**	**125**	**67**	**98**				
		BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8	4	19	7	1
BA 130879			93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 160731	FB	FB9866	**108**	**90**	**87**	**89**	**79**	**90**	**109**	**100**	**95**	**103**	**101**				
		CWBFBA 080172	0.48	-0.9	-2.0	-1.1	-24	3.7	1.9	0.9	0.1	0.2	-0.3	1	3	1	
WOODVIEW TAKADOI TF 771			86%	84%	83%	83%	83%	84%	84%	84%	84%	83%	83%				
BB 090002	BS		**91**														
			2.11											1	1	1	
BB090002			29%														
BB 090030	BS		**103**														
			0.98											1	1	1	
BB 090030			29%														
BB 090037	BS		**93**	**88**	**100**	**100**		**111**									
			1.89	-2.1	5.8	7.4		14.5						1	2	1	
BB 090037			42%	36%	38%	29%		52%									
BB 110005	FB	TFWFW0629	**120**	**90**	**82**	**86**	**77**	**77**	**84**	**90**	**69**	**114**	**131**				
		KJDFC0143	-0.72	-1.3	-5.0	-3.1	-27	-3.7	-1.2	-6.0	-4.0	1.2	4.4	1	6	3	
NANDI			66%	54%	66%	65%	37%	50%	60%	60%	59%	50%	37%				
BB 120014	FB	TFWFW0629	**106**	**91**	**82**	**84**	**76**	**83**	**92**	**86**	**54**	**147**	**149**				
		KJDFE0008	0.64	-0.7	-5.1	-5.4	-29	-0.3	-0.2	-9.1	-6.4	4.4	7.3	1	17	6	1
NINGI			74%	52%	71%	56%	32%	52%	73%	72%	68%	59%	42%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 120017		TFWFW0629	**124**	**85**	**76**	**78**	**81**	**92**	**69**	**88**	**79**	**131**	**159**				
FB		KJDFC0099	-1.09	-3.0	-9.0	-9.5	-21	4.3	-3.1	-7.9	-2.5	2.9	8.9	5	25	7	4
BONGA			75%	53%	73%	67%	29%	52%	71%	70%	65%	55%	36%				
BB 120018		TFWFW0629	**126**	**76**	**67**	**69**	**66**	**81**	**101**	**98**	**77**	**143**	**131**				
FB		KJDFE0008	-1.32	-6.5	-14.4	-16.7	-42	-1.2	0.9	-0.3	-2.7	4.0	4.5	2	16	11	1
BUKEKA			68%	50%	73%	68%	32%	46%	68%	68%	65%	52%	37%				
BB 120019		TFWFW0629	**120**	**87**	**82**	**86**	**75**	**85**	**88**	**86**	**76**	**136**	**146**				
FB		KJDFC0099	-0.71	-2.3	-5.1	-3.4	-30	1.0	-0.7	-9.0	-2.9	3.3	6.9	5	17	7	1
GOGEKILE			92%	90%	91%	91%	89%	90%	91%	91%	91%	90%	90%				
BB 120020		TFWFW0629	**113**	**89**	**80**	**81**	**76**	**82**	**102**	**90**	**72**	**140**	**133**				
FB		KJDFC0099	-0.01	-1.4	-6.2	-7.1	-28	-0.8	1.1	-6.3	-3.5	3.7	4.7	1	5	2	
KULULA			89%	88%	90%	89%	87%	88%	89%	89%	89%	89%	87%				
BB 120021		TFWFW0629	**125**	**90**	**81**	**84**	**80**	**83**	**84**	**80**	**87**	**113**	**139**				
FB		KJDFC0099	-1.20	-1.2	-5.7	-5.3	-22	-0.2	-1.3	-13.2	-1.3	1.2	5.8	2	14	6	1
ZWENE			78%	49%	58%	50%	29%	42%	79%	78%	74%	69%	45%				
BB 120022		TFWFW0629	**126**	**79**	**69**	**68**	**72**	**81**	**107**	**101**	**91**	**131**	**120**				
FB		KJDFE0008	-1.27	-5.5	-13.4	-17.5	-34	-1.6	1.7	1.4	-0.7	2.9	2.7	3	30	16	1
BUSHA			80%	51%	70%	69%	35%	47%	70%	70%	66%	59%	42%				
BB 120024		TFWFW0629	**112**	**96**	**85**	**82**	**82**	**79**	**94**	**107**	**67**	**150**	**139**				
FB		KJDFE0008	0.07	1.2	-3.6	-6.3	-19	-2.6	0.1	5.8	-4.4	4.7	5.7	3	16	1	1
KULELI			65%	50%	70%	69%	32%	46%	68%	68%	64%	51%	37%				
BB 120025		TFWFW0629	**114**	**101**	**89**	**87**	**86**	**86**	**93**	**62**	**96**	**109**	**133**				
FB		KJDFE0001	-0.17	3.2	-1.0	-2.9	-14	1.2	-0.1	-25.8	0.2	0.7	4.7	3	33	14	
NANSI			77%	56%	69%	66%	34%	47%	73%	73%	69%	65%	45%				
BB 120026		TFWFW0629	**111**	**97**	**85**	**84**	**83**	**83**	**110**	**76**	**70**	**155**	**142**				
FB		KJDFE0008	0.19	1.5	-3.2	-4.8	-19	-0.5	2.0	-15.9	-3.9	5.1	6.1	5	35	17	1
KHULU			80%	50%	70%	68%	32%	46%	76%	76%	71%	62%	45%				
BB 130036		BB 110002	**138**	**77**	**81**	**83**	**86**	**87**	**91**	**88**	**102**	**111**	**120**				
F1		BB 080002	-2.46	-6.3	-6.0	-6.0	-14	2.0	-0.3	-7.7	1.1	0.9	2.7	1	4	1	
BB130036			71%	63%	64%	65%	33%	48%	31%	31%	28%	21%	15%				
BB 140002		148BE	**116**	**98**	**91**	**88**	**88**	**73**	**113**	**95**	**109**	**108**	**102**				
FB		KSOFD0013	-0.34	2.2	0.3	-2.2	-11	-5.5	2.5	-2.6	2.2	0.7	-0.2	2	3	1	
ITOSHIGENAMI			58%	53%	69%	69%	46%	52%	56%	57%	55%	55%	47%				
BB 140018		BB 110002	**111**	**98**	**100**	**99**	**100**	**92**	**91**	**88**	**102**	**111**	**120**				
F1		BB 080008	0.15	2.3	6.0	6.8	7	4.7	-0.3	-7.7	1.1	0.9	2.7	1	3	1	
BB 140018			70%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 140037			BB 110012	**107**	**98**	**99**	**99**	**96**	**102**	**95**	**113**	**80**	**115**	**108**				
F1			BB 080046	0.55	2.3	5.5	6.9	1	9.8	0.2	9.8	-2.2	1.3	0.8	3	8	3	2
BB 140037				75%	58%	61%	26%	16%	32%	50%	49%	44%	43%	17%				
BB 150002			BB 110008	**110**	**90**	**88**	**90**	**86**	**93**	**96**	**88**	**94**	**112**	**118**				
F1			BB 090008	0.22	-1.2	-1.2	-0.6	-14	5.0	0.2	-7.9	-0.2	1.0	2.3	1	3	3	
BB15-0002				71%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
BB 160010			BB 120023	**111**	**79**	**87**	**89**	**87**	**101**	**95**	**93**	**93**	**113**	**117**				
F1			BB510	0.20	-5.3	-2.1	-0.8	-12	9.3	0.1	-4.2	-0.4	1.1	2.2	2	2	1	
BB16010				67%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
BB 160023			BB 110008	**106**	**93**	**92**	**93**	**89**	**97**	**96**	**88**	**94**	**112**	**118**				
F1			BB523	0.69	0.1	1.0	2.0	-10	7.3	0.2	-7.9	-0.2	1.0	2.3	1	1	1	
BB16023				67%	58%	34%	28%	18%	33%	32%	32%	30%	24%	18%				
BB 160203	GT	✓	ETJ001	**96**	**98**	**94**	**101**	**77**	**78**	**78**	**85**	**115**	**63**	**104**				
FB		✓	FB7637	1.63	1.9	2.4	8.0	-26	-3.1	-2.0	-9.6	3.1	-3.6	0.2	1	8	6	
BB160203				91%	88%	88%	88%	88%	88%	89%	89%	89%	89%	87%				
BB 170001	GT	✓	FB14989	**95**	**108**	**103**	**106**	**98**	**95**	**86**	**115**	**82**	**117**	**115**				
FB		✓	BB 110005	1.68	6.3	7.9	12.5	4	6.2	-1.0	11.7	-1.9	1.5	1.9	1	6	4	
BB170001				86%	82%	83%	83%	82%	82%	83%	83%	83%	82%	81%				
BB 170003	GT	✓	FB14989	**92**	**107**	**102**	**106**	**95**	**88**	**89**	**98**	**84**	**115**	**119**				
FB		✓	BB 110005	2.01	5.9	7.3	12.3	-1	2.6	-0.6	-0.5	-1.7	1.4	2.5	1	4		
BB170003				86%	83%	83%	83%	82%	83%	84%	84%	83%	83%	82%				
BB 170007	GT	✓	A3001	**95**	**108**	**99**	**99**	**89**	**85**	**118**	**74**	**97**	**94**	**103**				
FB		✓	BB 120025	1.76	6.0	5.3	6.9	-9	0.5	3.0	-17.8	0.3	-0.7	0.1	1	4	2	
BB170007				88%	85%	86%	85%	84%	85%	87%	87%	86%	86%	85%				
BB 170008	GT	✓	KI 140010	**106**	**100**	**93**	**94**	**88**	**78**	**106**	**92**	**94**	**98**	**105**				
FB		✓	BB 140002	0.68	3.1	1.8	3.2	-10	-3.1	1.6	-4.7	-0.2	-0.3	0.3	1	4	3	
BB170008				86%	84%	85%	85%	83%	84%	85%	85%	85%	85%	83%				
BB 170012	GT	✓	WSI135Z	**105**	**96**	**89**	**91**	**78**	**77**	**112**	**76**	**80**	**150**	**136**				
FB		✓	BB 120014	0.76	1.5	-1.0	0.1	-25	-3.6	2.3	-15.8	-2.4	4.6	5.3	1	5	2	
BB170012				88%	86%	86%	85%	85%	86%	86%	86%	86%	85%	85%				
BB 170017			WSI135Z	**111**	**95**	**88**	**89**	**78**	**79**	**111**	**73**	**81**	**136**	**132**				
FB			BB 120014	0.17	0.9	-1.7	-0.7	-25	-2.3	2.2	-18.0	-2.1	3.3	4.6	1	2	2	
BB170017				61%	44%	45%	37%	25%	45%	49%	48%	44%	36%	24%				
BB 170020	GT	✓	WESFZ0278	**109**	**100**	**97**	**98**	**89**	**80**	**105**	**83**	**104**	**54**	**82**				
FB		✓	KSOFJ0071	0.39	3.1	4.3	6.3	-9	-2.1	1.4	-10.9	1.4	-4.5	-3.3	1	6	2	
BB170020				88%	85%	85%	84%	84%	84%	86%	86%	86%	85%	84%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 170033		KI 140008	**117**	**104**	**98**	**99**	**90**	**74**	**94**	**44**	**109**	**53**	**109**				
FB		BA 130879	-0.37	4.7	4.9	6.7	-8	-4.9	0.0	-38.8	2.2	-4.6	1.0	1	6	4	
BB170033			91%	89%	89%	88%	88%	88%	89%	90%	89%	89%	88%				
BB 170043		CWBMBA 130891	**128**	**67**	**65**	**67**	**70**	**81**	**96**	**86**	**92**	**74**	**102**				
FB		PK 140003	-1.51	-10.2	-15.5	-18.5	-36	-1.3	0.3	-9.1	-0.4	-2.6	-0.1	1	5	3	
BB170043			85%	83%	83%	83%	82%	83%	84%	84%	83%	84%	83%				
BB 170046		CWBMBA 130891	**129**	**74**	**68**	**70**	**70**	**87**	**108**	**91**	**94**	**105**	**107**				
FB		BB 120022	-1.55	-7.6	-13.8	-16.1	-37	1.8	1.8	-5.6	-0.2	0.4	0.7	1	5	3	
BB170046			87%	84%	84%	84%	83%	84%	84%	84%	84%	84%	84%				
BB 170048		CWBMBA 130891	**116**	**84**	**77**	**78**	**79**	**88**	**97**	**88**	**86**	**113**	**124**				
FB		BB 120017	-0.34	-3.6	-8.1	-9.3	-24	2.4	0.4	-7.7	-1.4	1.2	3.3	1	5	1	
BB170048			87%	84%	85%	85%	84%	84%	85%	85%	85%	85%	84%				
BB 170050		CWBMBA 130891	**111**	**75**	**72**	**71**	**74**	**79**	**111**	**98**	**103**	**70**	**81**				
FB		PK 140003	0.16	-7.0	-11.7	-15.0	-30	-2.6	2.2	-0.8	1.2	-3.0	-3.5	1	3	1	
BB170050			86%	84%	84%	83%	83%	83%	85%	85%	84%	84%	84%				
BB 170052		CWBMBA 130891	**127**	**72**	**70**	**73**	**71**	**76**	**109**	**85**	**115**	**63**	**87**				
FB		PK 140003	-1.39	-8.2	-12.5	-13.8	-35	-4.2	1.9	-9.7	3.0	-3.7	-2.5	1	4	1	
BB170052			85%	83%	83%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 170073		CWBMBA 130891	**127**	**86**	**79**	**79**	**84**	**88**	**102**	**81**	**112**	**71**	**93**				
FB		BB 120025	-1.43	-2.7	-7.1	-9.1	-16	2.2	1.1	-12.9	2.6	-2.9	-1.5	1	4	1	
BB170073			87%	85%	85%	85%	85%	85%	86%	86%	85%	85%	84%				
BB 170079		CWBMBA 130891	**112**	**89**	**83**	**83**	**79**	**87**	**128**	**91**	**84**	**136**	**109**				
FB		BB 120026	0.11	-1.6	-4.6	-6.1	-24	1.8	4.4	-5.6	-1.6	3.3	1.0	1	4	1	
BB170079			86%	83%	84%	84%	83%	83%	84%	84%	84%	84%	83%				
BB 170090		KI 140008	**123**	**82**	**75**	**77**	**72**	**76**	**91**	**81**	**90**	**104**	**124**				
FB		BB 120018	-1.01	-4.2	-9.5	-10.7	-34	-3.9	-0.4	-12.7	-0.8	0.3	3.4	1	3	1	
BB170090			88%	86%	87%	86%	85%	86%	87%	87%	87%	86%	85%				
BB 170114		148BE	**130**	**83**	**75**	**76**	**70**	**74**	**113**	**60**	**81**	**104**	**118**				
FB		BB 120021	-1.72	-3.9	-9.3	-11.0	-37	-4.8	2.5	-27.5	-2.1	0.3	2.3	1	6	4	
BB170114			90%	88%	89%	88%	88%	88%	89%	89%	89%	89%	88%				
BB 170117		148BE	**119**	**82**	**74**	**74**	**67**	**76**	**136**	**70**	**85**	**119**	**102**				
FB		BB 120020	-0.62	-4.4	-10.1	-12.8	-41	-3.8	5.3	-20.5	-1.6	1.7	-0.2	1	4		
BB170117			89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170120		148BE	**128**	**95**	**87**	**88**	**82**	**77**	**108**	**62**	**106**	**104**	**121**				
FB		BB 120021	-1.50	1.0	-1.7	-2.3	-20	-3.7	1.8	-26.1	1.7	0.3	2.8	1	3	1	
BB170120			91%	89%	89%	89%	88%	89%	90%	90%	90%	90%	89%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 170126		148BE	**128**	**91**	**84**	**84**	**82**	**86**	**104**	**57**	**93**	**109**	**128**				
FB		BB 120017	-1.46	-0.7	-4.0	-5.3	-19	1.4	1.3	-29.7	-0.2	0.8	4.0	1	5	3	
BB170126			89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170132		148BE	**122**	**80**	**73**	**72**	**67**	**84**	**133**	**61**	**90**	**115**	**108**				
FB		BB 120020	-0.87	-5.2	-10.9	-14.5	-40	0.0	5.0	-26.7	-0.8	1.3	0.8	1	7	5	
BB170132			90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 170157		148BE	**132**	**91**	**82**	**81**	**74**	**80**	**120**	**65**	**114**	**119**	**115**				
FB		BB 120025	-1.89	-0.6	-5.3	-7.0	-30	-2.1	3.3	-24.1	3.0	1.7	1.9	1	4	1	
BB170157			89%	88%	89%	88%	87%	88%	89%	89%	89%	88%	88%				
BB 170166		148BE	**130**	**88**	**81**	**82**	**75**	**81**	**117**	**63**	**94**	**115**	**118**				
FB		BB 120021	-1.68	-2.1	-6.1	-6.3	-29	-1.2	3.0	-25.5	-0.1	1.3	2.4	1	3	1	
BB170166			89%	88%	88%	88%	87%	88%	89%	89%	89%	89%	88%				
BB 170168		148BE	**134**	**79**	**72**	**72**	**69**	**82**	**117**	**72**	**98**	**99**	**106**				
FB		BB 120021	-2.04	-5.5	-11.1	-14.0	-38	-0.9	3.0	-18.6	0.5	-0.2	0.5	1	6	3	
BB170168			90%	88%	88%	88%	87%	88%	89%	89%	89%	89%	88%				
BB 170184		148BE	**130**	**69**	**63**	**62**	**61**	**71**	**120**	**74**	**108**	**102**	**100**				
FB		BB 120022	-1.67	-9.5	-17.0	-22.6	-49	-6.7	3.4	-17.2	2.0	0.1	-0.5	1	6	3	
BB170184			91%	89%	89%	89%	88%	89%	89%	89%	89%	89%	88%				
BB 170191		148BE	**135**	**73**	**66**	**65**	**67**	**76**	**103**	**85**	**73**	**109**	**115**				
FB		BB 120014	-2.16	-7.8	-15.0	-20.0	-41	-4.0	1.2	-9.6	-3.3	0.8	1.9	1	5	2	
BB170191			89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170197		148BE	**120**	**83**	**76**	**74**	**67**	**77**	**132**	**89**	**121**	**110**	**89**				
FB		BB 120022	-0.73	-4.0	-9.2	-13.1	-41	-3.3	4.8	-6.8	4.0	0.8	-2.2	1	3	1	
BB170197			90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 170200		148BE	**117**	**93**	**85**	**82**	**79**	**76**	**123**	**54**	**111**	**95**	**105**				
FB		BB 120025	-0.46	0.1	-3.3	-6.5	-24	-4.2	3.7	-32.0	2.5	-0.6	0.3	1	3	2	
BB170200			90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 170501		WSI135Z	**116**	**90**	**83**	**84**	**77**	**77**	**122**	**84**	**100**	**124**	**107**				
FB		BB 120022	-0.37	-1.1	-4.4	-5.4	-27	-3.5	3.6	-10.4	0.7	2.2	0.7	1	3	3	
BB170501			87%	85%	85%	85%	84%	85%	86%	86%	85%	85%	84%				
BB 170502		WSI135Z	**104**	**99**	**90**	**90**	**81**	**77**	**103**	**95**	**88**	**140**	**130**				
FB		BB 120024	0.80	2.4	-0.2	-0.1	-21	-3.3	1.2	-2.7	-1.1	3.7	4.2	1	2	1	
BB170502			86%	85%	85%	84%	83%	85%	85%	85%	85%	84%	83%				
BB 180031		ETJ001	**113**	**88**	**82**	**84**	**75**	**76**	**78**	**97**	**100**	**110**	**127**				
FB		BB 120022	-0.05	-1.9	-5.4	-4.8	-30	-4.2	-1.9	-1.4	0.8	0.9	3.9	1	4	2	
BB180031			90%	87%	87%	87%	86%	87%	88%	88%	88%	87%	86%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 180038		BB 140001	**119**	**96**	**87**	**87**	**83**	**86**	**102**	**65**	**94**	**94**	**118**				
FB		BB 120025	-0.66	1.2	-2.0	-2.9	-18	1.3	1.0	-23.7	-0.1	-0.6	2.4	1	5	3	
BB180038			87%	84%	85%	84%	83%	83%	86%	86%	85%	84%	83%				
BB 180039		BB 140001	**119**	**94**	**85**	**85**	**86**	**81**	**100**	**92**	**80**	**113**	**119**				
FB		CWBFBB 110007	-0.58	0.3	-3.5	-3.8	-14	-1.3	0.8	-4.8	-2.3	1.1	2.6	1	3	3	
BB180039			87%	84%	84%	84%	83%	84%	85%	85%	85%	84%	83%				
BB 180087		ETJ001	**101**	**108**	**98**	**100**	**93**	**82**	**70**	**94**	**102**	**94**	**123**				
FB		BB 120025	1.18	6.1	5.0	7.1	-3	-0.7	-3.0	-3.7	1.1	-0.7	3.2	1	3	2	
BB180087 (ET)			88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 180099		ADBFA0139	**122**	**100**	**91**	**89**	**81**	**72**	**132**	**81**	**111**	**101**	**94**				
FB		ADBFL0045	-0.94	2.7	0.2	-1.4	-21	-6.2	4.8	-12.3	2.5	0.0	-1.4	1	3	2	
BB180099 (ET)			88%	86%	86%	86%	85%	85%	86%	86%	86%	86%	86%				
BB 180143		BB 150107	**101**	**117**	**118**	**118**	**120**	**112**	**74**	**106**	**89**	**108**	**121**				
F2		CWBFBB 160095	1.16	9.9	17.1	21.3	34	15.2	-2.4	5.3	-1.0	0.6	2.8	1	1	1	
BB180143			50%	34%	22%	20%	11%	35%	45%	44%	42%	44%	14%				
BB 180173		BB 150107	**91**	**120**	**121**	**120**	**120**	**113**	**73**	**113**	**89**	**115**	**124**				
F2		CWBFBB 160073	2.11	11.1	18.9	23.5	34	15.8	-2.6	9.7	-0.9	1.3	3.3	1	3	2	
BB180173			59%	28%	22%	20%	11%	16%	50%	50%	46%	50%	25%				
BB 180196		BB 150115	**94**	**125**	**125**	**122**	**132**	**110**	**102**	**128**	**112**	**81**	**67**				
F2		CWBFBB 140058	1.85	13.1	21.7	24.3	53	13.8	1.1	20.7	2.6	-1.9	-5.7	1	2	1	
BB180196			50%	23%	25%	24%	14%	15%	48%	47%	42%	45%	26%				
BB 180203		BB 150114	**104**	**108**	**110**	**110**	**118**	**110**	**96**	**107**	**96**	**91**	**86**				
F1			0.88	6.2	12.2	15.5	32	14.2	0.3	5.9	0.1	-1.0	-2.7	1	3	3	
BB180203			57%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
BB 180219		BB 150113	**87**	**126**	**126**	**123**	**131**	**109**	**97**	**105**	**114**	**75**	**76**				
F2		CWBFBB 140022	2.45	13.5	22.1	25.2	51	13.6	0.4	4.4	2.9	-2.5	-4.2	1	4	3	1
BB180219			62%	45%	46%	43%	14%	22%	38%	37%	33%	33%	15%				
BB 180240		BB 150146	**88**	**122**	**124**	**123**	**125**	**111**	**80**	**94**	**96**	**102**	**111**				
F2		CWBFBB 130006	2.41	11.7	21.1	25.4	41	14.6	-1.8	-3.4	0.2	0.1	1.3	1	2	1	
BB180240			48%	19%	34%	33%	16%	18%	37%	37%	32%	36%	29%				
BB 180251		A3001	**108**	**110**	**101**	**101**	**94**	**61**	**125**	**79**	**105**	**94**	**99**				
FB		ADBFL0014	0.44	6.8	6.8	8.0	-2	-12.1	3.9	-13.9	1.5	-0.6	-0.6	1	5	4	
BB180251 (ET)			88%	86%	86%	86%	85%	86%	87%	87%	86%	86%	86%				
BB 180252		ADBFL0048	**100**	**106**	**100**	**100**	**96**	**86**	**130**	**100**	**121**	**93**	**77**				
FB		ADBFL0030	1.28	5.2	6.0	7.7	0	1.2	4.5	0.8	4.0	-0.7	-4.1	1	3	1	
BB180252 (ET)			85%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 180257		ADBFL0022	**134**	**80**	**74**	**74**	**67**	**75**	**113**	**79**	**107**	**103**	**112**				
FB		ADBFL0019	-2.07	-5.3	-9.9	-12.5	-41	-4.7	2.4	-13.9	1.8	0.2	1.4	1	4	2	
BB180257 (ET)			89%	87%	87%	87%	86%	87%	87%	87%	87%	87%	87%				
BB 180260		ADBFL0022	**135**	**83**	**77**	**78**	**72**	**71**	**110**	**90**	**114**	**101**	**108**				
FB		ADBFL0019	-2.20	-3.9	-8.0	-10.1	-33	-6.7	2.1	-5.9	3.0	0.0	0.8	1	5	3	
BB180260 (ET)			89%	86%	86%	86%	86%	86%	87%	87%	86%	87%	86%				
BB 180261		WESFZ0278	**117**	**94**	**90**	**92**	**81**	**77**	**99**	**88**	**112**	**95**	**112**				
FB		ADBFL0019	-0.38	0.3	0.0	1.2	-21	-3.3	0.7	-7.7	2.6	-0.6	1.4	1	2	2	
BB180261 (ET)			88%	87%	87%	86%	85%	86%	87%	87%	87%	86%	86%				
BB 180263		ADBFL0022	**136**	**71**	**66**	**66**	**69**	**75**	**111**	**76**	**114**	**105**	**115**				
FB		ADBFL0079	-2.27	-8.7	-15.3	-18.7	-38	-4.4	2.2	-16.0	2.9	0.4	1.9	1	3	2	
BB180263 (ET)			87%	85%	85%	85%	85%	85%	85%	85%	85%	85%	85%				
BB 180265		ADBFL0048	**118**	**96**	**90**	**90**	**87**	**82**	**129**	**90**	**124**	**93**	**82**				
FB		ADBFL0030	-0.55	1.2	-0.1	-0.5	-12	-0.9	4.4	-6.4	4.5	-0.8	-3.3	2	2	1	
BB180265 (ET)			85%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%				
BB 180267		ADBFL0022	**140**	**78**	**73**	**74**	**75**	**73**	**105**	**72**	**109**	**110**	**124**				
FB		ADBFL0079	-2.68	-6.0	-11.1	-13.1	-30	-5.7	1.5	-19.0	2.2	0.9	3.3	1	2	1	
BB180267 (ET)			86%	84%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180268		ADBFL0022	**131**	**94**	**87**	**85**	**84**	**77**	**105**	**105**	**105**	**120**	**117**				
FB		ADBFL0019	-1.78	0.4	-2.3	-3.8	-17	-3.6	1.4	4.5	1.5	1.8	2.2	1	4	3	
BB180268 (ET)			88%	86%	86%	86%	86%	86%	86%	87%	86%	86%	86%				
BB 180270		WESFZ0278	**117**	**94**	**88**	**88**	**79**	**78**	**117**	**92**	**112**	**88**	**93**				
FB		ADBFL0019	-0.40	0.3	-1.7	-1.8	-23	-3.0	2.9	-4.8	2.6	-1.3	-1.5	1	5	4	
BB180270 (ET)			89%	86%	86%	86%	85%	86%	87%	87%	86%	86%	86%				
BB 180276		ADBFL0048	**110**	**94**	**90**	**92**	**85**	**87**	**120**	**94**	**124**	**85**	**82**				
FB		ADBFL0030	0.25	0.5	-0.4	1.0	-15	1.7	3.3	-3.5	4.5	-1.6	-3.3	1	5	2	
BB180276 (ET)			86%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 180277		ADBFL0022	**136**	**81**	**77**	**79**	**73**	**81**	**126**	**79**	**106**	**97**	**95**				
FB		ADBFL0017	-2.23	-4.8	-8.3	-8.8	-33	-1.6	4.1	-14.4	1.7	-0.4	-1.3	1	2	1	
BB180277 (ET)			86%	84%	84%	84%	84%	84%	85%	85%	84%	85%	84%				
BB 180278		A3001	**113**	**103**	**94**	**93**	**85**	**68**	**138**	**86**	**111**	**98**	**89**				
FB		ADBFL0014	-0.03	4.3	2.0	2.0	-15	-8.5	5.7	-9.4	2.5	-0.3	-2.2	1	2	1	
BB180278 (ET)			87%	86%	86%	86%	85%	86%	86%	87%	86%	86%	86%				
BB 180285		ADBFA0139	**135**	**87**	**80**	**79**	**75**	**80**	**122**	**85**	**124**	**90**	**92**				
FB		ADBFL0011	-2.17	-2.3	-6.5	-8.8	-30	-1.9	3.6	-9.7	4.5	-1.1	-1.8	1	4	3	
BB180285 (ET)			88%	86%	86%	86%	85%	86%	86%	86%	86%	86%	86%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 180288		ADBFL0022	**146**	**69**	**64**	**66**	**63**	**81**	**118**	**64**	**95**	**95**	**108**				
FB		ADBFL0017	-3.23	-9.7	-16.4	-19.1	-47	-1.1	3.1	-24.4	0.0	-0.6	0.7	1	5	4	
BB180288 (ET)			87%	84%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180290		SMOFF0126	**96**	**120**	**114**	**113**	**93**	**78**	**102**	**155**	**125**	**161**	**118**				
FB		KSOFJ0064	1.60	10.9	14.6	17.4	-4	-2.9	1.0	39.8	4.7	5.7	2.5	1	4	2	1
BB180290 (ET)			89%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 180295		ADBFL0022	**135**	**87**	**80**	**79**	**76**	**72**	**98**	**73**	**105**	**121**	**138**				
FB		ADBFL0019	-2.12	-2.5	-6.7	-9.0	-28	-5.9	0.5	-18.5	1.5	1.9	5.6	1	3	1	
BB180295 (ET)			88%	86%	86%	86%	86%	86%	87%	87%	86%	87%	86%				
BB 180296		SMOFF0126	**112**	**111**	**105**	**105**	**87**	**68**	**86**	**123**	**125**	**138**	**134**				
FB		KSOFH0048	0.04	7.5	8.9	11.4	-12	-8.5	-1.0	16.8	4.6	3.6	4.9	1	3	1	
BB180296 (ET)			87%	86%	86%	86%	85%	86%	86%	86%	86%	86%	85%				
BB 180297		PMGFL0004	**108**	**88**	**81**	**81**	**75**	**70**	**137**	**68**	**111**	**69**	**77**				
FB		KSOFL00103	0.46	-1.9	-5.9	-7.3	-29	-7.3	5.5	-21.8	2.5	-3.1	-4.2	1	4	2	
BB180297 (ET)			87%	84%	85%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180303		PMGFL0004	**118**	**87**	**83**	**87**	**79**	**84**	**102**	**75**	**96**	**77**	**106**				
FB		ARUFE0060	-0.55	-2.4	-4.7	-2.7	-24	0.3	1.0	-17.2	0.2	-2.2	0.4	1	4	1	
BB180303 (ET)			86%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 180304		SMOFF0126	**108**	**114**	**106**	**104**	**96**	**74**	**105**	**142**	**121**	**155**	**119**				
FB		KSOFJ0064	0.43	8.4	10.0	10.6	0	-5.3	1.4	30.6	4.0	5.1	2.6	1	2	2	
BB180304 (ET)			88%	86%	86%	87%	86%	86%	87%	87%	87%	86%	85%				
BB 180314		PMGFL0004	**112**	**85**	**78**	**80**	**72**	**69**	**126**	**79**	**110**	**54**	**74**				
FB		KSOFJ0071	0.04	-3.2	-7.7	-8.2	-33	-7.7	4.1	-14.2	2.3	-4.5	-4.7	1	3	3	
BB180314 (ET)			87%	86%	86%	85%	85%	85%	87%	87%	86%	86%	85%				
BB 180324		PMGFL0004	**119**	**91**	**86**	**90**	**79**	**74**	**131**	**86**	**118**	**95**	**89**				
FB		KSOFK00092	-0.65	-0.7	-2.4	-0.5	-23	-5.1	4.8	-8.9	3.5	-0.6	-2.3	2	3	2	
BB180324 (ET)			84%	83%	83%	83%	82%	82%	83%	83%	83%	83%	82%				
BB 190042		SMOFF0126	**118**	**91**	**82**	**81**	**74**	**78**	**106**	**99**	**96**	**146**	**135**				
FB		BB 120022	-0.48	-0.5	-4.9	-7.2	-31	-3.2	1.5	0.4	0.2	4.3	5.0	1	3	1	
BB190042 (ET)			90%	88%	88%	88%	87%	88%	88%	88%	88%	88%	87%				
BB 190046		SMOFF0126	**122**	**103**	**94**	**94**	**82**	**73**	**101**	**105**	**90**	**161**	**142**				
FB		BB 120022	-0.91	4.2	2.3	2.4	-19	-5.5	1.0	4.5	-0.8	5.7	6.3	1	3	2	
BB190046 (ET)			89%	87%	88%	88%	87%	87%	88%	88%	88%	87%	87%				
BB 190084		SMOFF0154	**109**	**89**	**82**	**82**	**81**	**70**	**113**	**94**	**75**	**124**	**122**				
FB		BB 120014	0.38	-1.5	-5.1	-6.9	-21	-7.4	2.4	-3.4	-3.1	2.2	3.0	1	2	1	
BB190084 (ET)			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 190085		SMOFF0154	**110**	**84**	**76**	**73**	**78**	**70**	**130**	**110**	**86**	**137**	**108**				
FB		BB 120022	0.30	-3.6	-9.0	-13.3	-25	-7.4	4.6	7.7	-1.4	3.5	0.8	1	2	2	
BB190085 (ET)			90%	88%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 190091		SMOFF0154	**112**	**92**	**82**	**79**	**90**	**73**	**130**	**85**	**80**	**133**	**114**				
FB		BB 120026	0.07	-0.5	-5.1	-9.0	-9	-5.4	4.6	-9.9	-2.3	3.1	1.8	1	3	2	
BB190091 (ET)			91%	88%	88%	88%	87%	87%	89%	89%	88%	88%	87%				
BB 190092		SMOFF0154	**109**	**95**	**87**	**85**	**90**	**75**	**121**	**94**	**84**	**125**	**115**				
FB		BB 170017	0.38	0.9	-2.1	-4.4	-9	-4.5	3.5	-3.6	-1.8	2.3	1.9	1	3	3	
BB190092 (ET)			89%	87%	87%	87%	87%	87%	88%	88%	87%	87%	87%				
BB 190095		SMOFF0154	**110**	**92**	**84**	**85**	**87**	**72**	**108**	**86**	**85**	**123**	**125**				
FB		CWBFBB 110007	0.26	-0.3	-3.6	-4.6	-13	-6.3	1.9	-9.1	-1.6	2.1	3.5	1	3	2	
BB190095 (ET)			87%	86%	86%	86%	85%	86%	86%	86%	86%	86%	86%				
BB 190101		SMOFF0154	**103**	**87**	**78**	**75**	**76**	**68**	**113**	**88**	**77**	**142**	**135**				
FB		BB 120026	0.92	-2.4	-7.6	-11.9	-29	-8.5	2.5	-8.0	-2.8	3.9	5.1	1	4	2	
BB190101			90%	87%	88%	87%	86%	87%	88%	88%	88%	87%	87%				
BB 190104		AACFF0758	**92**	**123**	**109**	**106**	**107**	**86**	**110**	**110**	**70**	**147**	**118**				
FB		BB 120026	1.99	12.3	12.0	12.1	16	1.2	2.1	7.9	-3.8	4.4	2.4	1	3	2	
BB190104 (ET)			88%	86%	86%	86%	85%	85%	87%	87%	87%	86%	85%				
BB 190105		AACFF0758	**86**	**131**	**117**	**115**	**115**	**81**	**103**	**122**	**78**	**137**	**109**				
FB		CWBFBB 110007	2.61	15.6	16.8	19.0	28	-1.1	1.2	16.5	-2.7	3.4	0.9	1	2		
BB190105 (ET)			86%	85%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 190106		AACFF0758	**79**	**132**	**118**	**116**	**109**	**81**	**85**	**107**	**61**	**150**	**141**				
FB		BB 120014	3.23	15.7	17.3	20.2	19	-1.5	-1.1	5.6	-5.2	4.7	6.0	1	3	2	
BB190106 (ET)			88%	86%	86%	85%	84%	85%	87%	87%	86%	86%	85%				
BB 190107		AACFF0758	**93**	**128**	**114**	**110**	**114**	**82**	**108**	**136**	**89**	**139**	**103**				
FB		BB 120022	1.90	14.1	14.6	15.1	26	-0.9	1.8	26.0	-1.0	3.6	0.1	1	3	2	
BB190107 (ET)			88%	87%	86%	87%	85%	86%	87%	87%	87%	87%	86%				
BB 190108		AACFF0758	**94**	**125**	**111**	**109**	**113**	**81**	**91**	**113**	**78**	**128**	**118**				
FB		CWBFBB 110007	1.81	13.1	12.8	14.3	25	-1.5	-0.3	10.2	-2.6	2.6	2.4	1	3	2	
BB190108 (ET)			86%	84%	84%	84%	83%	84%	85%	85%	85%	84%	84%				
BB 190113		AACFF0758	**93**	**127**	**112**	**108**	**113**	**86**	**100**	**130**	**69**	**159**	**125**				
FB		BB 120026	1.88	13.8	13.5	13.4	25	1.4	0.8	22.1	-4.0	5.5	3.4	1	4	2	
BB190113 (ET)			88%	85%	85%	85%	84%	85%	86%	86%	86%	86%	85%				
BB 190114		AACFF0758	**87**	**123**	**109**	**107**	**110**	**77**	**94**	**114**	**84**	**134**	**118**				
FB		CWBFBB 110007	2.46	12.3	12.0	12.8	21	-3.7	0.0	10.6	-1.7	3.2	2.3	1	2	1	
BB190114 (ET)			86%	85%	84%	85%	84%	84%	85%	85%	85%	85%	84%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 190120		FB2124	**93**	**144**	**138**	**138**	**125**	**86**	**93**	**102**	**125**	**87**	**93**				
FB		AF7437	1.87	20.7	29.5	37.4	42	1.2	-0.1	2.4	4.6	-1.3	-1.6	1	2	2	
BB190120 (ET)			82%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%				
BB 190127		AACFF0758	**97**	**128**	**114**	**109**	**114**	**84**	**97**	**109**	**83**	**128**	**117**				
FB		BB 120025	1.54	14.2	14.6	14.4	26	0.5	0.5	7.0	-1.9	2.6	2.3	1	2	1	
BB190127 (ET)			88%	86%	85%	86%	84%	85%	87%	87%	86%	86%	85%				
BB 190140		SMOFF0154	**113**	**79**	**74**	**74**	**72**	**73**	**129**	**92**	**90**	**121**	**108**				
FB		CWBFBB 160208	-0.06	-5.6	-10.1	-12.5	-34	-5.4	4.4	-4.7	-0.8	1.9	0.8	1	3	1	
BB190140 (ET)			88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 190142		AACFF0758	**66**	**137**	**127**	**126**	**114**	**84**	**96**	**120**	**100**	**110**	**100**				
FB		BB 160203	4.51	17.8	22.7	28.0	27	0.5	0.2	15.0	0.7	0.8	-0.4	1	4	1	
BB190142 (ET)			87%	85%	84%	85%	84%	84%	86%	86%	85%	85%	84%				
BB 190143		SMOFF0154	**100**	**98**	**89**	**88**	**88**	**74**	**108**	**99**	**71**	**134**	**127**				
FB		CWBFBB 110007	1.23	2.3	-1.0	-1.8	-12	-5.3	1.8	-0.2	-3.7	3.1	3.8	1	4	3	
BB190143 (ET)			88%	86%	86%	86%	85%	85%	86%	86%	86%	86%	86%				
BB 190144		SMOFF0154	**111**	**88**	**78**	**76**	**86**	**70**	**106**	**92**	**80**	**123**	**125**				
FB		CWBFBB 110007	0.21	-1.9	-7.4	-10.9	-14	-7.0	1.6	-4.9	-2.4	2.1	3.5	1	1		
BB190144 (ET)			87%	86%	86%	86%	86%	86%	87%	87%	86%	86%	86%				
BB 190145		SMOFF0154	**99**	**91**	**84**	**82**	**82**	**71**	**124**	**103**	**103**	**116**	**103**				
FB		CWBFBB 110007	1.37	-0.7	-3.9	-6.3	-19	-6.9	3.8	2.6	1.3	1.4	0.0	1	3	2	
BB190145 (ET)			88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 190147		SMOFF0154	**92**	**97**	**88**	**87**	**86**	**71**	**103**	**98**	**76**	**123**	**122**				
FB		CWBFBB 110007	1.97	1.9	-1.5	-2.6	-13	-6.7	1.2	-1.0	-2.9	2.1	3.0	1	3		
BB190147 (ET)			87%	85%	86%	85%	85%	85%	86%	86%	86%	86%	85%				
BB 190149		SMOFF0154	**114**	**85**	**77**	**74**	**78**	**72**	**125**	**114**	**91**	**129**	**106**				
FB		BB 120022	-0.11	-3.1	-8.1	-12.9	-25	-6.1	4.0	10.5	-0.6	2.7	0.5	1	1		
BB190149 (ET)			89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 190159		SMOFF0154	**112**	**90**	**81**	**79**	**85**	**71**	**126**	**86**	**90**	**122**	**111**				
FB		BB 120026	0.05	-1.1	-5.6	-8.6	-16	-6.5	4.0	-8.8	-0.8	2.0	1.3	1	3	2	
BB190159 (ET)			89%	87%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 190161		SMOFF0154	**91**	**95**	**87**	**85**	**78**	**71**	**118**	**88**	**65**	**149**	**136**				
FB		BB 120014	2.09	1.1	-2.2	-3.9	-26	-6.6	3.1	-7.6	-4.6	4.5	5.2	1	3	2	
BB190161 (ET)			89%	87%	88%	87%	86%	87%	88%	88%	88%	88%	87%				
BB 190162		AACFF0758	**90**	**125**	**111**	**107**	**113**	**88**	**106**	**98**	**97**	**101**	**101**				
FB		CWBFBB 160215	2.24	13.0	12.9	12.8	24	2.1	1.5	-0.5	0.3	0.0	-0.4	1	3	2	
BB190162 (ET)			86%	84%	83%	83%	83%	83%	84%	84%	84%	84%	83%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 190185			148BE	**129**	**78**	**73**	**75**	**66**	**74**	**112**	**71**	**105**	**107**	**111**				
FB			CWBFBB 160208	-1.59	-5.8	-10.5	-11.7	-42	-5.3	2.4	-19.8	1.5	0.5	1.3	1	2	2	
BB190185 (AI)				88%	87%	87%	87%	87%	87%	87%	88%	87%	87%	87%				
BB 190201			CWBMKI 140012	**143**	**84**	**94**	**97**	**101**	**109**	**100**	**90**	**105**	**95**	**98**				
F3			BB 170376	-2.92	-3.6	2.4	4.9	8	13.3	0.8	-6.1	1.6	-0.5	-0.8	1	1	1	
BB190201				61%	10%	17%	13%	8%	9%	15%	15%	14%	12%	10%				
BB 190202			BB 170004	**93**	**97**	**99**	**100**	**102**	**109**	**87**	**94**	**86**	**107**	**118**				
F3			CWBFBB 170439	1.90	1.6	5.4	7.4	9	13.7	-0.9	-3.7	-1.4	0.6	2.4	1	1	1	
BB190202				44%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
BB 190224			BB 150132	**99**	**101**	**103**	**104**	**112**	**116**	**61**	**108**	**85**	**118**	**137**				
F2			CWBFBB 140017	1.33	3.4	8.2	10.4	23	17.1	-4.1	6.7	-1.6	1.6	5.4	1	2	1	
BB190224				47%	19%	21%	18%	8%	14%	43%	43%	37%	35%	24%				
BB 190226			BB 160205	**107**	**89**	**91**	**93**	**96**	**108**	**85**	**98**	**90**	**106**	**116**				
F2			CWBFBB 140015	0.59	-1.6	0.6	1.9	1	13.2	-1.0	-0.3	-0.8	0.5	2.1	1	2	2	
BB190226				46%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
BB 190230			CWBMKI 140012	**104**														
F2			CWBFBB 130008	0.87											1	2	2	
BB190230				40%														
BB 200005			BDWFM0495	**131**	**60**	**55**	**59**	**54**	**80**	**126**	**80**	**89**	**122**	**111**				
FB			BB 170132	-1.78	-13.2	-22.0	-24.8	-60	-1.7	4.1	-13.7	-0.9	2.1	1.3	1	3	2	
BB200005 (AI)				90%	87%	88%	88%	87%	87%	88%	88%	88%	87%	87%				
BB 200008			BDWFM0495	**110**	**87**	**82**	**89**	**76**	**81**	**85**	**106**	**103**	**99**	**115**				
FB			BB 180031	0.22	-2.4	-4.9	-1.1	-28	-1.3	-1.1	5.4	1.2	-0.2	1.9	1	3	2	
BB200008 (AI)				89%	86%	86%	86%	85%	86%	87%	87%	86%	86%	85%				
BB 200015			IMUFP0036	**117**	**102**	**100**	**101**	**104**	**96**	**79**	**100**	**94**	**112**	**128**				
FB			BB 170023	-0.38	3.6	5.8	8.1	12	6.6	-1.9	0.6	-0.1	1.0	3.9	2	3	3	
BB200015 (AI)				89%	86%	86%	85%	87%	86%	87%	87%	86%	86%	85%				
BB 200017			BDWFM0495	**129**	**66**	**61**	**64**	**62**	**77**	**117**	**91**	**92**	**122**	**111**				
FB			BB 170200	-1.57	-11.0	-18.5	-20.7	-48	-3.6	3.0	-5.4	-0.5	2.0	1.3	1	4	2	
BB200017 (AI)				90%	87%	88%	87%	87%	87%	88%	88%	88%	87%	87%				
BB 200018			BDWFM0495	**115**	**76**	**72**	**78**	**67**	**77**	**101**	**83**	**108**	**85**	**106**				
FB			BB 160203	-0.20	-6.9	-11.3	-9.8	-42	-3.3	0.9	-11.1	2.1	-1.5	0.5	1	3	2	
BB200018 (AI)				90%	86%	87%	86%	86%	86%	87%	87%	87%	87%	86%				
BB 200027			BDWFM0495	**126**	**72**	**68**	**73**	**70**	**84**	**109**	**84**	**83**	**117**	**121**				
FB			BB 170048	-1.33	-8.4	-13.7	-13.9	-37	0.4	1.9	-10.2	-1.9	1.5	2.8	1	2	1	
BB200027 (AI)				89%	86%	86%	86%	86%	86%	87%	87%	86%	86%	85%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 200034			BDWFM0495	**114**	**80**	**71**	**75**	**73**	**80**	**104**	**111**	**96**	**106**	**103**				
FB			BB 180039	-0.09	-5.3	-11.8	-11.8	-32	-2.0	1.4	8.4	0.2	0.4	0.1	1	2	1	
BB200034 (AI)				89%	86%	86%	86%	85%	85%	86%	86%	86%	86%	85%				
BB 200037			5U	**139**	**88**	**83**	**86**	**79**	**70**	**116**	**121**	**107**	**95**	**80**				
FB			CWBFBB 170005	-2.60	-1.8	-4.4	-3.8	-24	-7.2	2.9	15.4	1.8	-0.5	-3.6	2	4	3	
BB200037 (AI)				87%	86%	86%	84%	86%	86%	85%	85%	85%	84%	83%				
BB 200044			IMUFP0036	**108**	**104**	**104**	**109**	**96**	**97**	**85**	**80**	**81**	**122**	**134**				
FB			CWBFBB 170027	0.44	4.6	8.4	14.6	1	7.4	-1.1	-13.1	-2.1	2.0	4.9	1	4	3	
BB200044 (AI)				86%	84%	84%	84%	83%	84%	85%	85%	84%	84%	83%				
BB 200050			BB 170161	**101**	**90**	**92**	**91**	**95**	**103**	**98**	**76**	**93**	**88**	**107**				
FB			CWBFBB 170026	1.18	-0.9	1.0	0.4	-1	10.5	0.6	-16.1	-0.2	-1.2	0.6	1	3	1	
BB200050				49%	28%	27%	27%	24%	26%	38%	38%	36%	32%	25%				
BB 200053			BB 170161	**89**	**120**	**110**	**107**	**101**	**75**	**101**	**64**	**108**	**64**	**95**				
FB			BB 150117	2.30	11.0	12.6	13.3	8	-4.6	0.9	-24.3	2.0	-3.5	-1.2	1	2	1	
BB200053				70%	35%	37%	36%	30%	30%	48%	47%	43%	41%	31%				
BB 200068			BB 170161	**107**	**110**	**103**	**102**	**94**	**77**	**102**	**62**	**104**	**73**	**107**				
FB			BB 170075	0.53	6.9	7.7	9.1	-3	-3.5	1.0	-25.7	1.4	-2.6	0.6	1	1		
BB200068				67%	31%	32%	30%	26%	29%	46%	45%	41%	39%	29%				
BB 210001			BB 170165	**98**	**115**	**118**	**117**	**123**	**112**	**82**	**103**	**104**	**86**	**101**				
PBD			CWBFBB 170047	1.38	8.9	17.1	21.1	40	15.1	-1.5	3.1	1.4	-1.4	-0.3	1	1	1	
BB210001				45%	14%	17%	14%	10%	12%	27%	26%	23%	25%	12%				
BB 210011			BB 150113	**85**	**131**	**121**	**119**	**112**	**79**	**100**	**98**	**111**	**81**	**89**				
FB			BB 170008	2.66	15.3	19.0	22.2	24	-2.3	0.8	-0.7	2.5	-1.9	-2.3	1	1		
BB210011				70%	50%	53%	50%	21%	29%	42%	42%	39%	35%	22%				
BB 210012			BB 150113	**90**	**129**	**119**	**117**	**112**	**84**	**106**	**89**	**113**	**79**	**88**				
FB			BB 170007	2.23	14.5	18.1	21.0	24	0.3	1.6	-7.3	2.8	-2.1	-2.4	1	2	1	
BB210012				72%	50%	53%	49%	19%	28%	42%	42%	39%	36%	25%				
BB 210015			BB 170002	**110**	**105**	**99**	**100**	**98**	**89**	**121**	**99**	**98**	**94**	**80**				
FB			BB 170046	0.24	4.8	5.3	7.4	3	3.1	3.5	0.2	0.5	-0.7	-3.7	1	2	1	
BB210015				69%	20%	26%	26%	17%	20%	40%	40%	36%	32%	24%				
BB 210020			BB 190112	**115**	**107**	**95**	**94**	**98**	**81**	**99**	**101**	**86**	**117**	**116**				
FB			BB 180039	-0.24	5.5	2.9	2.5	3	-1.1	0.6	1.4	-1.4	1.5	2.1	1	1	1	
BB210020				68%	30%	29%	26%	16%	21%	37%	37%	36%	29%	22%				
BB 210027			BB 190007	**105**	**109**	**106**	**108**	**98**	**84**	**97**	**88**	**108**	**73**	**93**				
FB			BB 170020	0.71	6.6	9.7	13.8	3	0.2	0.4	-7.8	2.0	-2.7	-1.6	1	2	1	
BB210027				67%	28%	29%	25%	17%	21%	34%	34%	32%	30%	23%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 210028		☑	BB 190112	**95**	**131**	**121**	**120**	**114**	**81**	**99**	**93**	**106**	**92**	**97**				
FB		☑	BB 170013	1.76	15.6	19.2	22.8	26	-1.2	0.7	-4.1	1.7	-0.9	-0.9	1	1		
BB210028				66%	32%	34%	33%	24%	26%	38%	38%	36%	34%	26%				
BB 210032		☑	SMOFF0154	**107**	**91**	**84**	**81**	**82**	**69**	**121**	**100**	**91**	**128**	**114**				
FB		☑	BB 170502	0.56	-0.6	-4.1	-7.1	-19	-7.9	3.4	0.5	-0.6	2.6	1.7	1	2	1	
BB210032				71%	46%	49%	47%	40%	45%	51%	51%	49%	47%	42%				
BB 210034		☑	SMOFF0154	**107**	**89**	**82**	**80**	**80**	**69**	**130**	**94**	**97**	**120**	**103**				
FB		☑	BB 170501	0.60	-1.3	-4.9	-8.1	-22	-7.8	4.7	-3.4	0.3	1.8	0.0	1	1		
BB210034				71%	46%	49%	47%	40%	45%	52%	52%	49%	48%	43%				
BB 210038		☑	BB 180258	**86**	**106**	**107**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
FB		☑	CWBFBB 170005	2.58	5.4	10.6	12.2	13	11.0	0.8	0.1	1.6	-1.3	-1.2	1	1	1	
BB210038				50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210049		☑	SMOFF0154	**114**	**79**	**72**	**69**	**73**	**66**	**129**	**89**	**101**	**109**	**99**				
FB		☑	BB 170184	-0.10	-5.7	-11.4	-16.9	-33	-9.3	4.5	-6.8	0.9	0.7	-0.6	1	1	1	
BB210049				73%	49%	53%	52%	45%	48%	55%	55%	53%	53%	48%				
BB 210051		☑	SMOFF0154	**132**	**80**	**74**	**72**	**79**	**71**	**130**	**95**	**109**	**103**	**95**				
FB		☑	BB 180285	-1.90	-5.1	-9.9	-14.4	-23	-6.5	4.6	-3.1	2.1	0.2	-1.3	1	2	1	
BB210051				72%	44%	48%	45%	40%	43%	50%	50%	49%	49%	45%				
BB 210055		☑	SMOFF0154	**132**	**74**	**68**	**65**	**75**	**69**	**121**	**95**	**83**	**112**	**107**				
FB		☑	BB 170191	-1.85	-7.6	-14.0	-19.8	-29	-7.7	3.5	-3.0	-1.8	1.1	0.6	1	1		
BB210055				72%	49%	53%	51%	45%	48%	55%	55%	53%	53%	48%				
BB 210062		☑	SMOFF0154	**107**	**86**	**79**	**77**	**78**	**65**	**132**	**91**	**102**	**85**	**86**				
FB		☑	BB 180314	0.57	-2.7	-7.1	-10.1	-25	-10.0	4.9	-5.3	1.1	-1.6	-2.7	1	2		
BB210062				71%	45%	49%	46%	40%	43%	53%	53%	50%	50%	45%				
BB 210064		☑	SMOFF0154	**129**	**77**	**72**	**71**	**79**	**68**	**122**	**88**	**101**	**113**	**111**				
FB		☑	BB 180267	-1.59	-6.2	-11.1	-15.3	-23	-8.1	3.6	-7.7	1.0	1.1	1.3	1	1	1	
BB210064				70%	43%	46%	44%	39%	42%	48%	49%	47%	47%	43%				
BB 210068		☑	BDWFM0495	**116**	**80**	**76**	**82**	**78**	**85**	**103**	**108**	**90**	**116**	**109**				
FB		☑	BB 170001	-0.28	-4.9	-8.7	-6.4	-26	1.0	1.1	6.6	-0.8	1.4	1.0	1	1		
BB210068				71%	44%	50%	48%	39%	43%	52%	52%	49%	44%	33%				
BB 210070			SMOFF0154	**111**	**85**	**78**	**76**	**76**	**72**	**128**	**88**	**96**	**107**	**102**				
FB		☑	BB 170168	0.18	-3.0	-7.5	-11.5	-27	-6.2	4.3	-7.5	0.1	0.6	-0.1	1	2	1	
BB210070				73%	49%	52%	50%	44%	48%	55%	56%	54%	54%	48%				
BB 210071		☑	SMOFF0154	**87**	**96**	**97**	**94**	**105**	**100**	**112**	**109**	**93**	**111**	**100**				
FB		☑	CWBFBB 180253	2.45	1.3	4.5	3.0	14	8.7	2.3	6.9	-0.2	0.9	-0.5	1	1		
BB210071				47%	41%	44%	42%	38%	40%	46%	46%	44%	44%	41%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 210076		☑	BB 170164	**146**	**81**	**75**	**75**	**78**	**77**	**115**	**85**	**101**	**112**	**110**				
FB		☑	BB 180268	-3.26	-4.7	-9.7	-12.2	-25	-3.4	2.7	-9.8	0.9	1.0	1.1	1	1	1	
BB210076				71%	32%	33%	30%	25%	29%	49%	49%	47%	48%	32%				
BB 210077		☑	BB 180264	**130**	**93**	**86**	**86**	**84**	**68**	**130**	**82**	**108**	**100**	**95**				
FB		☑	BB 180251	-1.68	0.1	-2.5	-3.7	-16	-8.3	4.5	-11.7	2.0	-0.1	-1.3	1	1	1	
BB210077				70%	27%	30%	26%	21%	24%	39%	39%	34%	38%	32%				
BB 210082		☑	BB 180258	**96**	**103**	**96**	**96**	**81**	**80**	**112**	**92**	**106**	**86**	**95**				
FB		☑	BA 160731	1.65	4.0	3.7	4.7	-21	-2.1	2.3	-4.5	1.7	-1.4	-1.2	1	1	1	
BB210082				72%	33%	25%	21%	22%	25%	40%	39%	34%	36%	29%				
BB 210083		☑	BB 170164	**118**	**91**	**85**	**85**	**77**	**76**	**112**	**76**	**104**	**99**	**107**				
FB		☑	BB 180261	-0.55	-0.9	-3.6	-3.9	-27	-3.8	2.3	-15.9	1.4	-0.2	0.7	1	1		
BB210083				69%	37%	38%	34%	28%	32%	52%	52%	50%	50%	34%				
BB 210085		☑	BB 180258	**80**	**108**	**109**	**108**	**105**	**105**	**100**	**99**	**105**	**88**	**95**				
FB		☑	CWBFBB 170041	3.14	6.2	11.7	13.5	13	11.4	0.8	0.1	1.6	-1.3	-1.2	1	2	1	
BB210085				50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210092		☑	BB 180258	**86**	**106**	**107**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
FB		☑	CWBFBB 160208	2.60	5.5	10.7	12.2	13	11.0	0.8	0.1	1.6	-1.3	-1.2	1	1	1	
BB210092				50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210097		☑	BB 190045	**89**	**111**	**100**	**99**	**86**	**73**	**101**	**91**	**86**	**136**	**136**				
FB		☑	BB 190143	2.31	7.5	6.1	6.4	-13	-5.4	0.9	-5.3	-1.5	3.4	5.2	1	1		
BB210097				65%	30%	33%	33%	27%	29%	37%	37%	35%	35%	29%				
BB 210213		☑	BB 180264	**96**	**99**	**100**	**98**	**101**	**106**	**110**	**99**	**102**	**106**	**96**				
F3		☑	CWBFBB 180172	1.64	2.4	6.0	6.2	7	12.0	2.0	0.3	1.1	0.5	-1.2	1	1		
BB210213				40%	19%	21%	19%	16%	18%	32%	32%	27%	31%	27%				
BB 210227		☑	BB 180264	**113**	**102**	**99**	**99**	**97**	**94**	**104**	**99**	**100**	**110**	**107**				
F3		☑	BB 180173	-0.01	3.9	5.8	6.5	2	5.4	1.3	0.1	0.8	0.9	0.6	1	1		
BB210227				67%	24%	24%	21%	17%	20%	41%	40%	35%	40%	29%				
BB 220003		☑	SMOFF0154	**110**	**93**	**83**	**80**	**85**	**73**	**116**	**83**	**95**	**112**	**115**				
FB		☑	BB 120025	0.28	0.0	-4.2	-8.0	-15	-5.4	2.8	-11.1	0.0	1.1	2.0	1	1		
BB220003				61%	50%	56%	53%	41%	46%	59%	58%	56%	55%	47%				
BB 220006		☑	BB 170164	**147**	**67**	**64**	**65**	**72**	**79**	**111**	**100**	**94**	**115**	**104**				
FB		☑	BB 170043	-3.29	-10.3	-16.7	-20.0	-34	-2.3	2.2	0.4	-0.1	1.3	0.2	1	1		
BB220006				67%	32%	32%	29%	25%	28%	66%	65%	47%	65%	49%				
BB 220014		☑	BB 180264	**123**	**86**	**80**	**79**	**78**	**72**	**124**	**90**	**93**	**115**	**106**				
FB		☑	BB 190084	-1.04	-2.7	-6.7	-9.1	-25	-6.2	3.8	-6.4	-0.3	1.3	0.5	1	1		
BB220014				68%	31%	35%	31%	26%	30%	43%	43%	39%	41%	35%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 220015		☑	BB 180264	**102**	**93**	**85**	**82**	**76**	**71**	**132**	**98**	**99**	**121**	**99**				
FB		☑	BB 190085	1.00	0.2	-3.5	-6.4	-27	-6.7	4.9	-0.9	0.6	2.0	-0.6	1	1		
BB220015				68%	31%	35%	33%	26%	29%	43%	43%	38%	41%	35%				
BB 220025		☑	BB 170147	**133**	**76**	**71**	**71**	**71**	**76**	**106**	**85**	**107**	**100**	**107**				
FB		☑	BB 170184	-1.99	-6.9	-12.0	-14.8	-35	-4.0	1.6	-9.6	1.8	-0.1	0.6	1	1		
BB220025				69%	39%	41%	41%	33%	37%	54%	54%	52%	53%	37%				
BB 220040		☑	BB 180266	**115**	**97**	**91**	**90**	**89**	**74**	**110**	**89**	**96**	**107**	**114**				
FB		☑	BB 190092	-0.22	1.8	0.4	-0.1	-10	-5.1	2.0	-7.3	0.2	0.5	1.7	1	1		
BB220040				70%	35%	35%	30%	25%	30%	37%	37%	35%	34%	29%				
BB 220044		☑	BB 170147	**91**	**100**	**102**	**102**	**104**	**110**	**88**	**105**	**99**	**102**	**107**				
FB		☑	CWBFBB 170026	2.10	2.9	7.6	9.4	12	13.8	-0.7	4.0	0.7	0.1	0.7	2	2	1	
BB220044				38%	28%	28%	28%	23%	26%	45%	45%	43%	45%	28%				
BB 220050		☑	BB 200007	**129**	**77**	**77**	**79**	**82**	**90**	**108**	**99**	**103**	**108**	**105**				
FB		☑	BB 180260	-1.54	-6.3	-8.5	-9.2	-19	3.2	1.8	0.4	1.2	0.6	0.3	1	1		
BB220050				64%	25%	26%	24%	20%	23%	31%	31%	29%	29%	21%				
BB 220088		☑	BB 180266	**101**	**101**	**94**	**93**	**79**	**76**	**108**	**78**	**103**	**94**	**109**				
FB		☑	BB 170168	1.09	3.4	2.1	2.3	-24	-3.9	1.8	-14.8	1.3	-0.7	1.0	1	1		
BB220088				71%	38%	38%	34%	28%	32%	41%	41%	40%	38%	32%				
BB 220090		☑	BB 180264	**97**	**114**	**102**	**99**	**94**	**77**	**121**	**111**	**100**	**122**	**97**				
FB		☑	BB 190107	1.48	8.4	7.5	6.9	-2	-3.3	3.5	8.3	0.8	2.0	-1.0	1	1		
BB220090				68%	31%	31%	31%	21%	25%	43%	42%	38%	40%	33%				
BB 220092		☑	BB 190150	**126**	**83**	**77**	**76**	**79**	**75**	**124**	**97**	**105**	**104**	**97**				
FB		☑	BB 180270	-1.25	-3.7	-8.3	-11.2	-24	-4.7	3.9	-1.4	1.5	0.2	-1.0	1	1		
BB220092				67%	34%	36%	33%	26%	30%	41%	41%	38%	38%	31%				
BB 220105		☑	SMOFF0154	**110**	**93**	**83**	**80**	**85**	**73**	**116**	**83**	**95**	**112**	**115**				
FB		☑	BB 120025	0.28	0.0	-4.2	-8.0	-15	-5.4	2.8	-11.1	0.0	1.1	2.0	1	1		
BB220105				61%	50%	56%	53%	41%	46%	59%	58%	56%	55%	47%				
BB 220110		☑	SMOFF0154	**115**	**82**	**74**	**71**	**78**	**71**	**123**	**102**	**92**	**123**	**109**				
FB		☑	BB 120022	-0.27	-4.3	-10.4	-15.3	-25	-6.8	3.7	2.5	-0.4	2.1	0.9	1	1		
BB220110				62%	48%	56%	54%	42%	46%	58%	58%	55%	53%	46%				
BB 220126		☑	BB 190089	**81**	**104**	**105**	**104**	**105**	**105**	**97**	**110**	**97**	**97**	**98**				
FB		☑	CWBFBB 160208	3.11	4.6	9.2	10.3	13	11.5	0.5	7.7	0.4	-0.4	-0.7	1	1		
BB220126				40%	24%	25%	24%	22%	23%	30%	30%	28%	29%	26%				
BB 220127		☑	BB 170164	**104**	**93**	**94**	**94**	**100**	**108**	**105**	**89**	**95**	**105**	**102**				
F2		☑	CWBFBB 180014	0.87	0.2	2.6	2.7	6	12.8	1.4	-7.0	0.0	0.4	-0.2	1	1		
BB220127				44%	29%	30%	28%	23%	26%	46%	46%	44%	45%	29%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 220130		BB 180264	**120**	**103**	**93**	**90**	**94**	**80**	**117**	**108**	**90**	**132**	**107**				
FB		BB 190113	-0.68	4.2	1.7	-0.1	-2	-1.7	3.0	6.3	-0.7	3.0	0.7	1	1		
BB220130			69%	31%	31%	31%	20%	25%	43%	43%	38%	40%	34%				
BB 220133		BB 180264	**109**	**101**	**91**	**90**	**80**	**70**	**137**	**86**	**111**	**102**	**90**				
FB		BB 180278	0.34	3.2	0.8	-0.2	-22	-7.1	5.4	-9.4	2.5	0.1	-2.1	1	1		
BB220133			60%	27%	30%	26%	21%	24%	39%	39%	34%	38%	32%				
BB 220300		BB 180281	**105**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 180149	0.78	2.2	6.3	6.8	12	13.0	0.1	3.6	0.6	1.5	1.7	1	1		
BB220300			40%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 220302		BB 180275	**96**	**100**	**101**	**99**	**101**	**105**	**109**	**103**	**106**	**104**	**94**				
F3		CWBFBB 190313	1.63	2.9	6.6	7.0	8	11.6	2.0	2.7	1.7	0.3	-1.5	1	1		
BB220302			30%	19%	21%	19%	16%	18%	28%	28%	26%	26%	22%				
BB 223004		BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 180229	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB223004			32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223007		BB 180281	**103**	**99**	**101**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 190216	0.91	2.4	6.5	7.1	12	13.1	0.1	3.6	0.6	1.5	1.7	1	1		
BB223007			40%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223015		BB 180258	**85**	**107**	**108**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
F3		CWBFBB 180170	2.69	5.6	10.9	12.4	13	11.1	0.8	0.1	1.6	-1.3	-1.2	1	1		
BB223015			45%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 223016		BB 180281	**128**	**89**	**92**	**93**	**93**	**99**	**102**	**97**	**103**	**114**	**111**				
F3		BB 190230	-1.51	-1.5	1.2	1.7	-3	8.0	1.0	-1.1	1.2	1.2	1.3	1	1		
BB223016			63%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223020		CWBMKI 140012	**119**	**100**	**107**	**107**	**107**	**106**	**105**	**96**	**111**	**85**	**84**				
F3		BB 180219	-0.60	2.8	10.3	13.3	17	12.2	1.5	-2.1	2.5	-1.6	-3.1	1	1		
BB223020			65%	23%	23%	22%	7%	11%	19%	19%	16%	16%	8%				
BB 223034		BB 180100	**96**	**106**	**107**	**106**	**107**	**101**	**114**	**86**	**96**	**95**	**94**				
PBD		CWBFBB 190205	1.67	5.4	10.2	11.9	17	9.2	2.6	-9.4	0.2	-0.6	-1.4	1	1		
BB223034			36%	19%	22%	18%	13%	16%	25%	24%	22%	23%	19%				
BB 223053		BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 190273	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB223053			32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223061		BB 180258	**85**	**107**	**108**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
F3		CWBFBB 180132	2.69	5.6	10.9	12.4	13	11.1	0.8	0.1	1.6	-1.3	-1.2	1	1		
BB223061			45%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 233004		☑ BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F1		CWBFBB 180158	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB233004			32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB110			**87**	**96**	**107**	**109**		**117**									
BS			2.52	1.3	10.6	14.9		17.6						1	1	1	
110BRAUNVIEH			28%	26%	28%	26%		40%									
BB449			**91**	**106**	**117**			**128**									
BS			2.14	5.3	16.5			23.5						1	1	1	
BB449SANTA			24%	23%	24%			40%									
BB534			**105**														
BS			0.79											1	1	1	
BB534BRAUNVIEH			29%														
BB535			**99**														
BS			1.31											1	1	1	
BB535BRAUNVIEH			29%														
BB536			**90**														
BS			2.23											1	1	1	
BB536BRAUNVIEH			29%														
BB537			**99**														
BS			1.35											1	1	1	
BB537BRAUNVIEH			29%														
BB613			**79**														
BS			3.27											1	1	1	
BB613CHAROLAIS			29%														
BB88			**64**														
BS			4.73											1	1	1	
BB88LIMOUSIN			29%														
BB906			**102**	**106**	**117**			**129**									
BS			1.06	5.5	16.8			24.1						1	1	1	
BB906BRAHMAN			29%	27%	29%			40%									
BB926			**97**	**101**	**112**			**126**									
BS			1.49	3.2	13.3			22.3						1	1	1	
BB926BONSMARA			29%	27%	29%			40%									
BB95			**100**														
BS			1.26											1	1	1	
BB95BONSMARA			29%														

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
FB7637			FB5317	**96**	**102**	**97**	**104**	**78**	**84**	**97**	**98**	**122**	**76**	**96**				
FB			FB6067	1.63	3.9	4.3	10.5	-25	0.0	0.4	-0.9	4.2	-2.4	-1.1	8	26	9	2
SARA P				78%	47%	54%	45%	44%	46%	71%	70%	66%	66%	48%				
KI 140016		✓	OVE 080002	**130**	**73**	**68**	**72**	**67**	**74**	**85**	**61**	**86**	**69**	**123**				
FB		✓	BA 080212	-1.69	-7.9	-13.8	-14.5	-40	-5.2	-1.2	-27.0	-1.4	-3.0	3.1	5	19	5	4
KI 140016				93%	92%	93%	93%	92%	92%	93%	93%	93%	92%	92%				
KSOFC0007			IMUFM1615	**120**	**92**	**83**	**81**	**83**	**68**	**101**	**104**	**137**	**89**	**106**				
FB			101	-0.71	-0.3	-4.3	-7.3	-18	-8.5	0.9	3.6	6.5	-1.2	0.5	5	12	6	
OASIS MORIYAMA C007				71%	57%	59%	54%	52%	54%	62%	64%	61%	59%	46%				
KSOFH0048			IMUFR3258	**114**	**104**	**99**	**99**	**90**	**79**	**79**	**142**	**129**	**115**	**111**				
FB			KJDFB0015	-0.14	4.5	5.2	6.9	-8	-2.2	-1.9	30.4	5.2	1.4	1.2	8	12	3	2
OASIS HIKOKURA H048 (AI)				59%	44%	44%	47%	42%	47%	52%	54%	49%	41%	27%				
KSOFJ0064			IMUFR3258	**90**	**121**	**113**	**110**	**103**	**85**	**105**	**170**	**133**	**149**	**87**				
FB			KSOFD0012	2.24	11.3	14.3	15.3	10	0.6	1.4	50.8	5.8	4.6	-2.5	10	22	4	2
OASIS MORIYAMA				71%	53%	58%	61%	28%	53%	65%	67%	61%	52%	32%				
KSOFJ0071			TWAFR0007	**115**	**85**	**80**	**78**	**75**	**70**	**122**	**66**	**102**	**54**	**81**				
FB			KSOFF0030	-0.25	-2.9	-6.7	-9.6	-29	-7.2	3.6	-23.0	1.1	-4.5	-3.5	2	6	4	
OASIS MORIYAMA J71				60%	53%	47%	43%	31%	44%	69%	69%	66%	60%	47%				
KSOFK00092			KSOFC0001	**110**	**95**	**93**	**94**	**89**	**86**	**105**	**109**	**101**	**118**	**109**				
FB			ARUFG0063	0.28	0.8	1.8	2.8	-9	1.4	1.5	7.4	0.9	1.6	0.9	1	1	1	
OASIS MOYASU				37%	29%	30%	29%	24%	28%	30%	32%	31%	29%	22%				
KSOFL00103			BIMFC0001	**104**	**90**	**84**	**83**	**78**	**77**	**118**	**100**	**110**	**94**	**90**				
FB			KJDFE0008	0.80	-1.2	-4.1	-5.6	-25	-3.6	3.1	0.5	2.3	-0.7	-2.1	4	5	4	
OASIS SENAYAMA (AI) (ET)				64%	39%	46%	43%	28%	36%	53%	54%	51%	47%	33%				
PK 140003		✓	KJDFD0111	**116**	**70**	**63**	**63**	**61**	**64**	**112**	**65**	**97**	**62**	**100**				
FB		✓	KJDFD0030	-0.33	-9.0	-17.3	-21.4	-49	-10.3	2.3	-24.1	0.4	-3.7	-0.5	5	18	4	
JANE				68%	50%	48%	41%	38%	43%	68%	68%	64%	58%	41%				
TWAFT0462			IMUFM1615	**109**	**98**	**91**	**91**	**88**	**68**	**85**	**106**	**107**	**99**	**121**				
FB			H2	0.34	2.2	0.7	0.1	-11	-8.4	-1.1	5.1	1.9	-0.2	2.8	2	4	1	
TWA SATUKU (ET) (AI)				59%	53%	56%	57%	47%	53%	57%	59%	56%	54%	43%				

WAGYU Bulls

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 190164	2		✓ 2132A	**101**	**129**	**91**	**85**	**135**	**103**	**129**	**85**	**91**	**128**	**115**	**132**	**133**	**112**	**83**	**107**	**112**	**99**	**107**
FB			✓ 1145Z	45%	22%	11 %	8 %	20%	0.98	14.7	0.16	3.7	25.7	28	-21.3	-6.1	10.4	-1.3	5.4	2.6	-0.2	0.6
BEYOND BEEF BB190164 (ET)									47 %	22 %	37%	11%	26%	8 %	30%	10%	59 %	32 %	32 %	27 %	28 %	20 %
BB 190181	8		✓ C4081S	**100**	**143**	**82**	**70**	**141**	**96**	**143**	**106**	**82**	**133**	**130**	**141**	**137**	**115**	**92**	**99**	**122**	**58**	**77**
FB			✓ BB 150117	63%	26%	19 %	21%	24%	1.58	20.4	-0.62	-0.9	29.6	49	-26.5	-6.5	11.5	-0.2	0.2	4.2	-4.1	-4.2
BEYOND BEEF BB190181 (AI)									67 %	26 %	46%	19%	31%	21%	36%	12%	50 %	36 %	36 %	32 %	33 %	24 %
BB 200009	3		✓ FB14989	**71**	**136**	**98**	**78**	**129**	**80**	**136**	**73**	**98**	**131**	**122**	**117**	**134**	**134**	**94**	**107**	**104**	**79**	**87**
FB			✓ BB 170097	76%	24%	30 %	26%	32%	3.14	17.5	0.64	7.4	28.3	38	-12.8	-5.9	19.8	0.0	5.7	1.4	-2.1	-2.6
BEYOND BEEF BB200009									82 %	24 %	51%	30%	34%	26%	46%	17%	58 %	49 %	48 %	43 %	39 %	29 %
BB 200028	11	GT	✓ FB2998	**79**	**126**	**87**	**96**	**132**	**85**	**126**	**78**	**87**	**122**	**104**	**127**	**131**	**117**	**95**	**89**	**100**	**73**	**90**
FB			✓ BB 180033	89%	82%	81 %	81%	82%	2.66	13.4	0.45	1.9	21.8	12	-18.5	-5.6	12.5	0.1	-6.7	0.8	-2.6	-2.1
BEYOND BEEF BB200028									90 %	82 %	84%	81%	82%	81%	84%	81%	86 %	83 %	83 %	82 %	82 %	82 %
BB 210042			✓ FB2124	**82**	**125**	**113**	**72**	**109**	**84**	**125**	**97**	**113**	**127**	**128**	**118**	**101**	**94**	**85**	**114**	**115**	**106**	**105**
FB			✓ CWBFBB 170150	33%	17%	15 %	12%	16%	2.83	13.2	-0.26	15.7	25.2	46	-13.4	0.1	2.8	-1.1	10.5	3.1	0.5	0.3
BEYOND BEEF BB210042									34 %	17 %	28%	15%	22%	12%	24%	9%	35 %	25 %	25 %	23 %	19 %	15 %
BB 210047			✓ FB2124	**93**	**143**	**88**	**76**	**142**	**94**	**143**	**93**	**88**	**137**	**124**	**146**	**132**	**108**	**81**	**108**	**112**	**105**	**111**
FB			✓ BB 190021	61%	21%	17 %	16%	26%	1.78	20.2	-0.11	2.5	32.4	41	-29.8	-6.1	8.7	-1.6	6.8	2.7	0.4	1.2
BEYOND BEEF BB210047									66 %	21 %	42%	17%	26%	16%	35%	16%	46 %	31 %	31 %	28 %	25 %	19 %
BB 210059	8		✓ S5394S	**68**	**135**	**88**	**87**	**115**	**79**	**135**	**68**	**88**	**131**	**113**	**110**	**114**	**119**	**94**	**106**	**106**	**91**	**92**
FB			✓ BB 170060	63%	16%	13 %	14%	26%	3.32	17.2	0.80	2.3	27.8	25	-8.4	-2.8	13.3	0.0	5.2	1.7	-1.0	-1.7
BEYOND BEEF BB210059									68 %	16 %	44%	13%	24%	14%	36%	16%	49 %	39 %	38 %	34 %	27 %	20 %
BB 210061	8		✓ S5394S	**80**	**128**	**89**	**92**	**115**	**87**	**128**	**75**	**89**	**125**	**108**	**109**	**115**	**141**	**94**	**106**	**101**	**91**	**92**
FB			✓ BB 170068	62%	16%	13 %	14%	26%	2.47	14.3	0.57	2.8	23.6	17	-8.1	-2.8	22.8	0.1	4.8	1.0	-1.0	-1.7
BEYOND BEEF BB210061									67 %	16 %	42%	13%	24%	14%	36%	16%	54 %	39 %	38 %	34 %	27 %	20 %
JAPANESE BLACK																						
BB 170164		GT	✓ 148BE	**106**	**80**	**76**	**127**	**105**	**138**	**80**	**122**	**76**	**72**	**73**	**109**	**102**	**101**	**125**	**65**	**97**	**104**	**102**
FB			✓ BB 120021	92%	88%	88 %	87%	88%	-2.42	-5.3	-1.19	-3.9	-13.0	-32	-8.4	-0.1	5.7	4.0	-24.1	0.3	0.3	-0.1
BEYOND BEEF BB170164									93 %	88 %	88%	88%	88%	87%	89%	87%	94 %	94 %	94 %	93 %	94 %	88 %
BB 180258	1	GT	✓ WESFZ0278	**104**	**106**	**70**	**117**	**82**	**100**	**106**	**106**	**70**	**98**	**83**	**79**	**86**	**128**	**115**	**85**	**117**	**70**	**90**
FB			✓ ADBFL0019	93%	89%	88 %	88%	88%	1.23	5.5	-0.61	-7.2	5.1	-18	9.5	2.9	17.4	2.8	-10.0	3.4	-3.0	-2.1
BEYOND BEEF BB180258 (ET)									94 %	89 %	89%	88%	88%	88%	89%	88%	91 %	90 %	90 %	89 %	90 %	89 %
BB 180264	6		✓ ADBFA0139	**122**	**91**	**73**	**125**	**89**	**122**	**91**	**127**	**73**	**82**	**75**	**85**	**94**	**126**	**135**	**85**	**111**	**106**	**90**
FB			✓ ADBFL0045	90%	86%	86 %	86%	86%	-0.88	-0.9	-1.41	-5.4	-6.0	-30	5.9	1.5	16.3	5.2	-9.5	2.5	0.4	-2.1
BEYOND BEEF BB180264 (ET)									91 %	86 %	87%	86%	86%	86%	87%	85%	89 %	88 %	88 %	87 %	88 %	87 %
BB 180266	1		✓ WESFZ0278	**117**	**103**	**72**	**112**	**82**	**113**	**103**	**115**	**72**	**98**	**88**	**78**	**86**	**139**	**98**	**83**	**109**	**88**	**112**
FB			✓ ADBFL0019	92%	88%	87 %	87%	88%	0.02	4.3	-0.93	-6.0	5.3	-11	9.8	2.9	21.9	0.6	-11.0	2.1	-1.2	1.5
BEYOND BEEF BB180266 (ET)									93 %	88 %	88%	87%	88%	87%	88%	87%	90 %	88 %	88 %	88 %	88 %	87 %

WAGYU Bulls

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 180271 FB BEYOND BEEF BB180271 (ET)	6	GT	ADBFA0139 ADBFL0055	**113** 86%	**99** 85%	**77** 85 %	**120** 85%	**96** 84%	**114** -0.11 86 %	**99** 2.6 85 %	**137** -1.76 86%	**77** -3.6 85%	**89** -1.4 86%	**80** -23 85%	**86** 5.2 85%	**105** -0.3 84%	**120** 13.7 87 %	**122** 3.6 86 %	**88** -8.0 86 %	**115** 3.1 86 %	**91** -1.0 86 %	**94** -1.4 85 %
BB 180275 FB BEYOND BEEF BB180275 (ET)	6	GT	ADBFA0139 ADBFL0045	**122** 87%	**93** 85%	**72** 85 %	**124** 85%	**92** 86%	**122** -0.90 87 %	**93** 0.1 85 %	**128** -1.42 86%	**72** -6.1 85%	**84** -4.6 86%	**76** -29 85%	**87** 4.6 86%	**98** 0.9 85%	**125** 15.9 88 %	**134** 5.2 87 %	**92** -4.8 87 %	**119** 3.7 86 %	**102** 0.1 86 %	**86** -2.6 86 %
BB 190052 FB BEYOND BEEF BB190052	2		SMOFF0126 BB 120026	**114** 60%	**106** 43%	**73** 42 %	**117** 38%	**105** 40%	**112** 0.10 61 %	**106** 5.2 43 %	**122** -1.20 58%	**73** -5.5 42%	**96** 3.3 52%	**83** -18 38%	**99** -2.3 51%	**110** -1.2 30%	**132** 18.7 65 %	**102** 1.1 56 %	**91** -5.5 56 %	**87** -1.3 52 %	**161** 5.7 48 %	**149** 7.3 36 %
BB 190053 FB BEYOND BEEF BB190053	8	GT	SMOFF0126 PK 140003	**115** 88%	**99** 86%	**63** 86 %	**122** 86%	**96** 86%	**110** 0.31 88 %	**99** 2.3 86 %	**111** -0.79 87%	**63** -10.7 86%	**94** 2.2 86%	**78** -25 86%	**89** 3.6 87%	**103** 0.0 85%	**127** 16.7 88 %	**113** 2.4 87 %	**77** -15.5 87 %	**100** 0.8 87 %	**122** 2.0 87 %	**129** 4.1 86 %
BB 190087 FB BEYOND BEEF BB190087	3	GT	SMOFF0154 BB 160203	**90** 89%	**89** 86%	**74** 86 %	**121** 86%	**110** 86%	**92** 2.00 89 %	**89** -1.4 86 %	**89** 0.01 87%	**74** -5.2 86%	**88** -2.3 86%	**79** -23 86%	**97** -1.2 86%	**120** -3.0 85%	**111** 10.0 88 %	**106** 1.6 87 %	**94** -3.3 87 %	**108** 1.9 87 %	**74** -2.6 87 %	**90** -2.0 86 %
BB 190094 FB BEYOND BEEF BB190094 (ET)			SMOFF0154 CWBFBB 110007	**89** 47%	**96** 41%	**100** 40 %	**95** 38%	**101** 34%	**87** 2.45 47 %	**96** 1.3 41 %	**104** -0.54 45%	**100** 8.7 40%	**96** 3.3 43%	**105** 14 38%	**93** 1.0 43%	**106** -0.6 25%	**114** 11.3 54 %	**112** 2.3 46 %	**109** 6.9 46 %	**93** -0.2 44 %	**111** 0.9 44 %	**100** -0.5 41 %
BB 190102 FB BEYOND BEEF BB190102	1	GT	AACFF0758 BB 120022	**93** 91%	**124** 87%	**86** 86 %	**92** 85%	**86** 86%	**91** 2.09 92 %	**124** 12.7 87 %	**103** -0.48 87%	**86** 1.1 86%	**110** 13.1 86%	**108** 18 85%	**89** 3.6 87%	**86** 3.0 85%	**121** 14.1 89 %	**98** 0.6 87 %	**128** 20.7 87 %	**88** -1.0 87 %	**128** 2.5 87 %	**108** 0.8 86 %
BB 190103 FB BEYOND BEEF BB190103 (ET)			AACFF0758 CWBFBB 110007	**65** 45%	**133** 41%	**107** 27 %	**69** 20%	**91** 30%	**69** 4.25 47 %	**133** 16.1 41 %	**96** -0.24 39%	**107** 12.4 27%	**125** 24.1 33%	**131** 50 20%	**94** 0.4 39%	**87** 2.4 20%	**100** 5.2 46 %	**93** -0.1 44 %	**135** 25.4 43 %	**90** -0.8 41 %	**120** 1.8 39 %	**97** -0.9 34 %
BB 190112 FB BEYOND BEEF BB190112	1		AACFF0758 BB 120025	**94** 67%	**129** 50%	**80** 36 %	**90** 26%	**87** 40%	**92** 1.96 70 %	**129** 14.6 50 %	**103** -0.51 55%	**80** -1.6 36%	**111** 13.8 46%	**110** 21 26%	**86** 5.1 53%	**89** 2.3 28%	**130** 18.2 66 %	**97** 0.4 57 %	**110** 7.5 57 %	**91** -0.6 54 %	**122** 2.0 51 %	**113** 1.6 41 %
BB 200007 FB BEYOND BEEF BB200007			BDWFM0495 CWBFBB 170071	**97** 56%	**82** 40%	**107** 39 %	**108** 36%	**91** 31%	**98** 1.43 60 %	**82** -4.4 40 %	**91** -0.05 43%	**107** 12.5 39%	**87** -3.0 43%	**92** -5 36%	**87** 4.8 42%	**97** 1.4 20%	**113** 10.7 51 %	**105** 1.5 50 %	**108** 6.7 50 %	**92** -0.5 47 %	**114** 1.3 45 %	**101** -0.3 30 %
BB 200022 FB BEYOND BEEF BB200022		GT	BDWFM0495 CWBFBB 170047	**108** 90%	**65** 86%	**84** 85 %	**133** 85%	**95** 84%	**133** -2.00 91 %	**65** -11.1 86 %	**88** 0.06 86%	**84** 0.2 85%	**65** -18.0 86%	**67** -41 85%	**89** 3.7 85%	**104** 0.4 84%	**118** 12.9 88 %	**105** 1.5 88 %	**101** 1.7 88 %	**94** -0.2 86 %	**96** -0.4 87 %	**101** -0.3 86 %
BB 210087 FB BEYOND BEEF BB210087	8		BB 170164 BB 180252	**123** 62%	**94** 33%	**81** 30 %	**116** 27%	**91** 32%	**116** -0.35 68 %	**94** 0.3 33 %	**111** -0.80 41%	**81** -1.4 30%	**87** -2.7 34%	**84** -16 27%	**97** -1.0 39%	**90** 2.5 25%	**114** 11.4 50 %	**127** 4.3 48 %	**82** -11.7 49 %	**109** 2.1 47 %	**99** -0.2 48 %	**90** -2.1 32 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																					
BB 150102 FB BEYOND BEEF BB150102	5	HBCFV2139 / B563	**101** 89 %	**119** 86 %	**90** 86 %	**99** 85 %	**141** 86 %	**101** 1.18 89 %	**119** 10.5 86 %	**95** -0.19 89 %	**90** 3.5 86 %	**114** 16.5 86 %	**101** 8 85%	**148** -30.9 87%	**133** -5.4 85%	**147** 25.2 89 %	**103** 1.2 86 %	**88** -7.8 87 %	**112** 2.6 86 %	**89** -1.1 86 %	**90** -2.0 85 %
BB 150117 FB BEYOND BEEF BB150117	6	C0402 / OHVFA0045	**81** 89 %	**148** 85 %	**79** 84 %	**61** 85 %	**148** 85 %	**79** 3.24 89 %	**149** 22.6 85 %	**110** -0.74 89 %	**79** -2.3 84 %	**141** 35.0 86 %	**139** 62 85%	**150** -31.9 86%	**143** -7.3 84%	**113** 10.9 89 %	**90** -0.5 87 %	**90** -6.2 87 %	**122** 4.1 86 %	**59** -4.0 86 %	**78** -4.0 85 %
BB 170040 FB BEYOND BEEF BB170040	4	HBCFV2139 / FB14724	**98** 84 %	**119** 80 %	**91** 80 %	**93** 80 %	**131** 80 %	**100** 1.23 84 %	**119** 10.4 80 %	**86** 0.12 84 %	**91** 3.7 80 %	**114** 16.5 81 %	**107** 17 80%	**117** -12.5 82%	**138** -6.3 79%	**122** 14.7 84 %	**84** -1.2 82 %	**94** -3.6 82 %	**92** -0.5 81 %	**74** -2.6 82 %	**95** -1.2 81 %
BB 170042 FB BEYOND BEEF BB170042	1	HBCFV2139 / FB14728	**88** 85 %	**123** 81 %	**94** 81 %	**96** 81 %	**149** 82 %	**95** 1.69 85 %	**123** 12.3 81 %	**72** 0.67 85 %	**94** 5.8 81 %	**122** 22.1 82 %	**104** 12 81%	**147** -30.3 83%	**146** -7.8 80%	**126** 16.2 84 %	**82** -1.5 83 %	**97** -1.2 83 %	**106** 1.7 82 %	**92** -0.9 83 %	**105** 0.4 82 %
BB 170051 FB BEYOND BEEF BB170051	4	HBCFV2139 / FB14724	**126** 62 %	**109** 37 %	**89** 35 %	**96** 32 %	**137** 38 %	**120** -0.75 62 %	**109** 6.7 37 %	**117** -1.01 63 %	**89** 2.9 35 %	**107** 11.3 45 %	**104** 12 32%	**125** -17.2 51%	**143** -7.2 26%	**124** 15.5 62 %	**85** -1.1 48 %	**101** 1.7 48 %	**96** 0.2 46 %	**84** -1.7 45 %	**97** -1.0 39 %
BB 170060 FB BEYOND BEEF BB170060	12	FB2998 / AF2688	**76** 86 %	**134** 83 %	**88** 82 %	**79** 83 %	**103** 83 %	**87** 2.47 86 %	**134** 16.8 83 %	**63** 1.00 86 %	**88** 2.3 82 %	**129** 26.8 83 %	**121** 36 83%	**96** -0.6 84%	**109** -1.1 82%	**120** 13.6 86 %	**92** -0.3 84 %	**112** 9.3 84 %	**104** 1.4 83 %	**87** -1.4 83 %	**88** -2.4 82 %
BB 170062 FB BEYOND BEEF BB170062		FB2124 / V7202U	**107** 84 %	**141** 81 %	**87** 80 %	**77** 80 %	**135** 81 %	**104** 0.87 84 %	**141** 19.5 81 %	**102** -0.44 84 %	**87** 1.9 80 %	**136** 31.4 81 %	**123** 39 80%	**142** -27.2 82%	**128** -4.5 80%	**122** 14.7 84 %	**90** -0.5 82 %	**106** 5.1 82 %	**122** 4.1 81 %	**105** 0.4 81 %	**106** 0.5 80 %
BB 170068 FB BEYOND BEEF BB170068	12	FB2998 / AF2688	**88** 86 %	**125** 82 %	**89** 82 %	**90** 82 %	**103** 83 %	**94** 1.79 86 %	**125** 12.8 82 %	**74** 0.59 85 %	**89** 3.0 82 %	**121** 21.0 82 %	**110** 21 82%	**95** 0.0 84%	**109** -1.1 82%	**125** 15.9 86 %	**93** -0.1 83 %	**111** 8.5 83 %	**95** 0.0 83 %	**87** -1.4 82 %	**88** -2.4 82 %
BB 170075 FB BEYOND BEEF BB170075	5	J251830R / V7297U	**109** 86 %	**137** 81 %	**85** 81 %	**76** 81 %	**139** 82 %	**107** 0.56 86 %	**137** 17.7 81 %	**96** -0.22 86 %	**85** 0.9 81 %	**130** 27.3 82 %	**124** 41 81%	**140** -26.0 83%	**136** -6.1 81%	**120** 13.6 85 %	**92** -0.3 83 %	**86** -9.1 83 %	**114** 3.0 82 %	**77** -2.3 82 %	**101** -0.4 81 %
BB 170076 FB BEYOND BEEF BB170076	13	FB2998 / V7297U	**97** 85 %	**137** 80 %	**85** 80 %	**76** 80 %	**136** 82 %	**100** 1.21 85 %	**137** 18.0 80 %	**84** 0.23 85 %	**85** 0.8 80 %	**132** 28.7 81 %	**124** 40 80%	**140** -25.9 83%	**132** -5.3 80%	**107** 8.2 85 %	**92** -0.2 82 %	**85** -9.9 82 %	**120** 3.9 82 %	**65** -3.4 81 %	**91** -1.9 80 %
BB 170096 FB BEYOND BEEF BB170096	7	FB2998 / V7514U	**89** 86 %	**132** 81 %	**88** 81 %	**89** 81 %	**126** 82 %	**95** 1.71 86 %	**132** 15.8 81 %	**76** 0.50 85 %	**88** 2.2 81 %	**128** 26.2 82 %	**111** 22 81%	**126** -18.0 83%	**125** -4.0 81%	**123** 15.2 85 %	**94** 0.0 83 %	**86** -8.8 83 %	**115** 3.0 82 %	**96** -0.5 82 %	**104** 0.1 81 %
BB 170097 FB BEYOND BEEF BB170097	3	H5070S / AF8119	**94** 86 %	**137** 81 %	**89** 80 %	**79** 80 %	**133** 82 %	**98** 1.47 86 %	**137** 17.8 81 %	**81** 0.32 85 %	**89** 2.9 80 %	**130** 27.7 81 %	**121** 36 80%	**128** -18.9 83%	**135** -5.9 81%	**126** 16.5 84 %	**92** -0.3 82 %	**93** -3.9 82 %	**110** 2.3 81 %	**63** -3.6 82 %	**87** -2.5 81 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																					
BB 170103 FB BEYOND BEEF BB170103	3	H5070S / AF8119	**82** 86 %	**134** 81 %	**91** 81 %	**86** 81 %	**142** 82 %	**89** 2.32 86 %	**134** 16.6 81 %	**76** 0.52 86 %	**91** 4.0 81 %	**129** 26.7 82 %	**114** 26 81%	**141** -26.4 83%	**140** -6.7 81%	**140** 22.4 85 %	**94** 0.1 82 %	**106** 5.1 82 %	**100** 0.7 82 %	**88** -1.2 82 %	**92** -1.7 81 %
BB 170104 FB BEYOND BEEF BB170104	7	FB2998 / V7514U	**94** 84 %	**129** 81 %	**86** 81 %	**88** 81 %	**121** 82 %	**97** 1.55 84 %	**129** 14.8 81 %	**85** 0.17 83 %	**86** 1.3 81 %	**126** 24.7 82 %	**112** 24 81%	**116** -12.4 83%	**124** -3.9 81%	**128** 17.3 85 %	**96** 0.3 83 %	**82** -12.0 83 %	**108** 2.0 82 %	**93** -0.8 82 %	**102** -0.1 81 %
BB 170105 FB BEYOND BEEF BB170105	3	H5070S / AF8119	**88** 84 %	**133** 80 %	**89** 80 %	**81** 80 %	**134** 81 %	**93** 1.90 84 %	**133** 16.3 80 %	**79** 0.39 84 %	**89** 3.1 80 %	**129** 26.4 80 %	**119** 33 80%	**134** -22.5 82%	**133** -5.5 80%	**137** 20.9 84 %	**89** -0.6 81 %	**106** 5.1 81 %	**108** 2.1 81 %	**83** -1.7 81 %	**96** -1.1 80 %
BB 170141 FB BEYOND BEEF BB170141	2	2132A / B3518R	**94** 82 %	**135** 78 %	**92** 77 %	**83** 77 %	**142** 78 %	**98** 1.42 82 %	**135** 17.0 78 %	**79** 0.40 81 %	**92** 4.5 77 %	**132** 29.0 78 %	**117** 31 77%	**130** -20.2 79%	**150** -8.6 77%	**106** 7.7 82 %	**95** 0.1 79 %	**94** -3.4 79 %	**109** 2.1 79 %	**86** -1.5 79 %	**92** -1.7 78 %
BB 170152 FB BEYOND BEEF BB170152		FB2124 / AF9346	**92** 83 %	**148** 80 %	**89** 80 %	**67** 80 %	**122** 81 %	**92** 1.99 83 %	**149** 22.6 80 %	**96** -0.23 83 %	**89** 2.9 80 %	**148** 39.9 80 %	**133** 53 80%	**138** -24.7 82%	**110** -1.2 80%	**129** 17.5 84 %	**90** -0.4 81 %	**110** 7.6 81 %	**126** 4.8 81 %	**92** -0.9 81 %	**99** -0.7 80 %
BB 170169 FB BEYOND BEEF BB170169	3	2142A / V7297U	**90** 83 %	**126** 80 %	**92** 79 %	**92** 79 %	**146** 80 %	**97** 1.57 83 %	**126** 13.4 80 %	**74** 0.58 82 %	**92** 4.6 79 %	**126** 24.4 80 %	**108** 17 79%	**141** -26.5 81%	**149** -8.4 79%	**119** 13.4 83 %	**87** -0.9 81 %	**96** -1.8 81 %	**118** 3.6 81 %	**96** -0.5 80 %	**109** 0.9 79 %
BB 170170 FB BEYOND BEEF BB170170	1	HBCFV2139 / FB14728	**96** 85 %	**125** 82 %	**93** 82 %	**95** 82 %	**141** 82 %	**99** 1.33 85 %	**125** 13.0 82 %	**85** 0.19 85 %	**93** 4.8 82 %	**123** 22.2 83 %	**105** 14 82%	**136** -23.9 84%	**140** -6.8 81%	**116** 12.2 85 %	**86** -0.9 83 %	**105** 4.2 83 %	**104** 1.3 83 %	**92** -0.8 83 %	**98** -0.8 82 %
BB 170174 FB BEYOND BEEF BB170174	4	2142A / AF2688	**97** 86 %	**126** 81 %	**88** 81 %	**86** 81 %	**132** 82 %	**99** 1.32 86 %	**126** 13.3 81 %	**87** 0.10 85 %	**88** 2.5 81 %	**123** 22.5 82 %	**114** 27 81%	**127** -18.7 83%	**134** -5.7 81%	**120** 14.0 85 %	**86** -0.9 82 %	**98** -0.6 82 %	**102** 1.1 82 %	**92** -0.8 81 %	**105** 0.3 81 %
BB 170178 FB BEYOND BEEF BB170178	4	2142A / AF9346	**90** 84 %	**123** 79 %	**94** 79 %	**92** 79 %	**149** 80 %	**97** 1.55 84 %	**123** 12.0 79 %	**73** 0.62 84 %	**94** 5.5 79 %	**122** 21.5 80 %	**108** 17 79%	**150** -31.9 81%	**150** -8.6 79%	**117** 12.5 83 %	**81** -1.6 81 %	**101** 1.7 81 %	**100** 0.8 80 %	**89** -1.2 80 %	**107** 0.7 79 %
BB 170185 FB BEYOND BEEF BB170185	1	HBCFV2139 / FB14728	**115** 87 %	**122** 83 %	**90** 83 %	**92** 82 %	**149** 83 %	**111** 0.12 87 %	**122** 11.8 83 %	**101** -0.40 87 %	**90** 3.6 83 %	**121** 21.1 84 %	**108** 17 82%	**147** -30.2 84%	**150** -8.6 82%	**121** 14.3 86 %	**92** -0.2 85 %	**100** 1.1 85 %	**108** 2.0 84 %	**106** 0.5 84 %	**105** 0.3 83 %
BB 170186 FB BEYOND BEEF BB170186	4	S5394S / AF9346	**105** 84 %	**138** 79 %	**90** 79 %	**80** 79 %	**130** 80 %	**103** 0.95 84 %	**138** 18.3 79 %	**99** -0.33 84 %	**90** 3.2 79 %	**133** 29.7 80 %	**120** 35 79%	**138** -24.8 81%	**123** -3.7 79%	**130** 17.9 83 %	**88** -0.7 81 %	**100** 1.0 81 %	**104** 1.5 80 %	**96** -0.4 80 %	**106** 0.5 79 %
BB 170193 FB BEYOND BEEF BB170193	10	C4037S / AF2688	**97** 85 %	**135** 82 %	**90** 82 %	**75** 81 %	**119** 82 %	**100** 1.24 85 %	**135** 16.9 82 %	**85** 0.19 85 %	**90** 3.4 82 %	**132** 28.6 82 %	**125** 41 81%	**115** -11.7 83%	**121** -3.4 81%	**125** 15.8 85 %	**98** 0.6 83 %	**126** 19.1 83 %	**126** 4.8 83 %	**91** -1.0 82 %	**82** -3.3 81 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 180001 FB BEYOND BEEF BB180001	3		2618A / BB 150102	**120** 85 %	**133** 81 %	**88** 81 %	**80** 81 %	**149** 81 %	**114** -0.10 85 %	**133** 16.4 81 %	**111** -0.81 85 %	**88** 2.6 81 %	**128** 25.7 81 %	**120** 35 81%	**150** -31.9 82%	**146** -7.7 80%	**139** 21.9 84 %	**99** 0.7 81 %	**97** -1.5 81 %	**121** 4.1 81 %	**90** -1.0 81 %	**93** -1.6 81 %
BB 180002 FB BEYOND BEEF BB180002	1		FB14989 / BB 150131	**88** 84 %	**127** 80 %	**97** 80 %	**81** 80 %	**126** 81 %	**92** 1.99 84 %	**127** 14.0 80 %	**83** 0.25 84 %	**97** 7.3 80 %	**125** 24.1 81 %	**119** 33 80%	**113** -10.2 82%	**133** -5.4 80%	**143** 23.6 84 %	**92** -0.2 82 %	**105** 4.5 82 %	**91** -0.6 82 %	**118** 1.7 81 %	**110** 1.2 80 %
BB 180029 FB BEYOND BEEF BB180029	8		C4081S / BB 150117	**104** 86 %	**141** 81 %	**81** 81 %	**72** 81 %	**148** 82 %	**102** 1.04 86 %	**141** 19.5 81 %	**120** -1.15 85 %	**81** -1.6 81 %	**131** 28.4 82 %	**128** 47 81%	**145** -28.9 83%	**148** -8.2 81%	**131** 18.4 85 %	**93** -0.1 82 %	**98** -0.3 82 %	**125** 4.7 82 %	**55** -4.4 82 %	**74** -4.5 81 %
BB 180032 FB BEYOND BEEF BB180032	5		C4081S / BB 150140	**95** 83 %	**139** 79 %	**82** 79 %	**75** 79 %	**121** 80 %	**93** 1.89 83 %	**139** 18.7 79 %	**101** -0.43 82 %	**82** -0.7 79 %	**131** 27.8 80 %	**125** 42 79%	**125** -17.2 81%	**118** -2.7 79%	**126** 16.4 83 %	**106** 1.6 80 %	**100** 0.6 80 %	**130** 5.5 80 %	**72** -2.8 80 %	**76** -4.3 79 %
BB 180033 FB BEYOND BEEF BB180033	2		J251830R / AF8119	**107** 87 %	**127** 82 %	**85** 82 %	**83** 82 %	**136** 82 %	**108** 0.49 87 %	**127** 13.8 82 %	**89** 0.03 85 %	**85** 1.0 82 %	**121** 21.3 82 %	**117** 31 82%	**133** -21.8 84%	**137** -6.1 81%	**128** 17.1 86 %	**92** -0.2 83 %	**98** -0.9 83 %	**115** 3.0 82 %	**70** -3.0 83 %	**91** -2.0 82 %
BB 180045 FB BEYOND BEEF BB180045 (ET)			IMUFN2125 / BB 150105	**112** 86 %	**133** 82 %	**85** 81 %	**76** 81 %	**147** 82 %	**107** 0.55 86 %	**133** 16.3 82 %	**108** -0.68 85 %	**85** 0.8 81 %	**127** 25.1 82 %	**124** 40 81%	**150** -31.9 84%	**144** -7.4 81%	**122** 14.7 86 %	**94** 0.1 83 %	**101** 1.3 83 %	**117** 3.4 83 %	**91** -1.0 83 %	**93** -1.5 81 %
BB 180047 FB BEYOND BEEF BB180047			IMUFN2125 / BB 150105	**109** 86 %	**135** 82 %	**86** 81 %	**74** 81 %	**148** 82 %	**106** 0.61 86 %	**135** 17.2 82 %	**99** -0.33 86 %	**86** 1.3 81 %	**129** 26.4 82 %	**126** 43 81%	**148** -31.0 83%	**146** -7.9 81%	**116** 11.9 86 %	**98** 0.6 84 %	**104** 3.6 84 %	**125** 4.6 83 %	**77** -2.3 83 %	**80** -3.7 82 %
BB 180076 FB BEYOND BEEF BB180076	4		J251830R / BB 150102	**102** 86 %	**128** 83 %	**88** 83 %	**88** 82 %	**124** 83 %	**102** 1.01 86 %	**128** 14.3 83 %	**91** -0.04 86 %	**88** 2.5 83 %	**122** 21.9 83 %	**112** 24 82%	**126** -18.0 84%	**121** -3.3 82%	**134** 19.8 86 %	**101** 0.9 83 %	**97** -1.6 84 %	**107** 1.8 83 %	**70** -2.9 83 %	**80** -3.7 82 %
BB 180091 FB BEYOND BEEF BB180091 (AI)	8		C4081S / BB 150117	**98** 85 %	**138** 81 %	**83** 81 %	**74** 81 %	**134** 81 %	**96** 1.63 85 %	**138** 18.4 81 %	**102** -0.46 83 %	**83** -0.5 81 %	**130** 27.1 82 %	**126** 44 81%	**128** -19.2 82%	**135** -5.9 80%	**121** 14.4 84 %	**96** 0.3 82 %	**101** 1.5 82 %	**117** 3.3 81 %	**58** -4.1 81 %	**72** -5.0 81 %
BB 190017 FB BEYOND BEEF BB190017 (ET)	14		FB2998 / 1219Z	**90** 86 %	**133** 82 %	**86** 82 %	**82** 82 %	**132** 83 %	**94** 1.80 86 %	**133** 16.1 82 %	**82** 0.28 86 %	**86** 1.4 82 %	**128** 26.2 82 %	**118** 32 82%	**131** -20.6 84%	**130** -4.8 82%	**93** 2.2 86 %	**98** 0.6 83 %	**105** 4.2 83 %	**97** 0.3 83 %	**82** -1.8 83 %	**84** -3.1 82 %
BB 190021 FB BEYOND BEEF BB190021 (ET)	6		FB2998 / 3112A	**81** 85 %	**144** 81 %	**89** 81 %	**80** 81 %	**149** 82 %	**86** 2.57 85 %	**144** 20.7 81 %	**84** 0.22 85 %	**89** 2.9 81 %	**138** 33.2 81 %	**120** 35 81%	**150** -31.8 83%	**149** -8.4 81%	**104** 6.8 85 %	**77** -2.2 82 %	**103** 2.7 82 %	**87** -1.2 81 %	**104** 0.3 81 %	**113** 1.6 81 %
BB 190023 FB BEYOND BEEF BB190023 (ET)	14		FB2998 / 1219Z	**74** 85 %	**131** 82 %	**89** 82 %	**84** 82 %	**120** 83 %	**87** 2.52 85 %	**131** 15.3 82 %	**57** 1.22 85 %	**89** 3.1 82 %	**127** 25.2 82 %	**116** 28 82%	**116** -12.2 84%	**121** -3.3 82%	**104** 6.9 86 %	**93** -0.1 83 %	**109** 7.1 83 %	**99** 0.7 82 %	**86** -1.4 82 %	**89** -2.3 82 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 190028	14	✓	FB2998	**93**	**124**	**89**	**90**	**127**	**98**	**124**	**79**	**89**	**121**	**110**	**120**	**130**	**102**	**101**	**107**	**95**	**87**	**85**
FB		✓	1219Z	86 %	83 %	82 %	82 %	84 %	1.47	12.7	0.40	2.8	21.4	20	-14.7	-4.8	6.0	0.9	5.4	0.0	-1.3	-2.9
BEYOND BEEF BB190028 (ET)									86 %	83 %	86 %	82 %	83 %	82%	85%	82%	86 %	83 %	83 %	83 %	83 %	83 %
BB 190031	1	✓	IMUFN2125	**83**	**123**	**91**	**94**	**138**	**90**	**123**	**75**	**91**	**121**	**106**	**146**	**130**	**112**	**89**	**95**	**104**	**99**	**106**
FB		✓	B0589N	83 %	79 %	79 %	79 %	80 %	2.20	12.1	0.57	3.8	21.4	15	-29.7	-4.9	10.2	-0.6	-2.8	1.4	-0.2	0.5
BEYOND BEEF BB190031 (ET)									83 %	79 %	82 %	79 %	80 %	79%	81%	79%	84 %	80 %	80 %	80 %	80 %	79 %
BB 190032	1	✓	IMUFN2125	**85**	**115**	**90**	**102**	**140**	**92**	**115**	**75**	**90**	**116**	**98**	**138**	**139**	**116**	**93**	**84**	**115**	**95**	**107**
FB		✓	B0589N	84 %	80 %	80 %	79 %	81 %	2.06	9.0	0.55	3.4	17.4	3	-25.0	-6.6	12.1	-0.2	-10.3	3.1	-0.6	0.6
BEYOND BEEF BB190032 (ET)									84 %	80 %	83 %	80 %	80 %	79%	82%	80%	84 %	81 %	81 %	81 %	81 %	80 %
BB 190049	1	✓	AF6914	**109**	**135**	**83**	**73**	**149**	**104**	**135**	**110**	**83**	**129**	**127**	**150**	**150**	**115**	**99**	**96**	**119**	**53**	**69**
FB		✓	BB 150105	84 %	81 %	79 %	79 %	80 %	0.84	17.1	-0.74	-0.1	26.5	45	-31.9	-8.6	11.7	0.6	-1.7	3.8	-4.6	-5.4
BEYOND BEEF BB190049 (ET)									84 %	81 %	83 %	79 %	81 %	79%	81%	79%	83 %	81 %	81 %	81 %	80 %	79 %
BB 190119		✓	S5394S	**78**	**133**	**86**	**89**	**148**	**85**	**133**	**74**	**86**	**129**	**111**	**145**	**149**	**121**	**91**	**80**	**116**	**69**	**95**
FB		✓	1265Z	83 %	79 %	79 %	79 %	80 %	2.65	16.3	0.58	1.5	26.6	21	-28.9	-8.4	14.2	-0.3	-13.3	3.2	-3.0	-1.3
BEYOND BEEF BB190119 (ET)									83 %	79 %	83 %	79 %	79 %	79%	81%	79%	83 %	80 %	80 %	80 %	80 %	79 %
BB 190122	10	✓	FB2998	**116**	**126**	**87**	**90**	**104**	**111**	**126**	**112**	**87**	**120**	**110**	**107**	**102**	**119**	**94**	**98**	**95**	**99**	**99**
FB		✓	1099Z	85 %	82 %	82 %	82 %	83 %	0.20	13.3	-0.84	1.6	20.4	20	-7.1	0.2	13.3	0.0	-0.7	0.0	-0.2	-0.7
BEYOND BEEF BB190122 (ET)									85 %	82 %	84 %	82 %	82 %	82%	84%	82%	86 %	83 %	83 %	83 %	83 %	82 %
BB 190128	26	✓	S5394S	**90**	**121**	**89**	**98**	**117**	**93**	**121**	**87**	**89**	**118**	**102**	**111**	**121**	**123**	**95**	**93**	**103**	**103**	**102**
FB		✓	1099Z	84 %	80 %	80 %	80 %	81 %	1.90	11.5	0.10	2.9	18.7	9	-9.4	-3.2	15.0	0.1	-4.1	1.3	0.2	-0.1
BEYOND BEEF BB190128 (ET)									84 %	80 %	83 %	80 %	80 %	80%	82%	80%	84 %	82 %	82 %	81 %	81 %	80 %
BB 200026	3	✓	FB14989	**95**	**124**	**98**	**83**	**145**	**98**	**124**	**83**	**98**	**120**	**117**	**139**	**148**	**138**	**96**	**118**	**105**	**102**	**91**
FB		✓✓	BB 170103	87 %	81 %	81 %	81 %	82 %	1.39	12.5	0.23	7.9	20.5	31	-25.7	-8.1	21.6	0.3	13.7	1.5	0.1	-1.9
BEYOND BEEF BB200026 (AI)									87 %	81 %	85 %	81 %	82 %	81%	83%	81%	84 %	83 %	83 %	82 %	82 %	81 %
BB 200040		✓	AF793	**104**	**132**	**86**	**80**	**118**	**104**	**132**	**92**	**86**	**126**	**120**	**113**	**121**	**137**	**90**	**100**	**113**	**85**	**97**
FB		✓✓	BB 170174	84 %	79 %	78 %	78 %	79 %	0.82	15.9	-0.08	1.4	24.4	35	-10.7	-3.3	21.2	-0.4	0.8	2.7	-1.6	-0.9
BEYOND BEEF BB200040 (AI)									85 %	79 %	81 %	78 %	79 %	78%	80%	78%	81 %	79 %	79 %	78 %	78 %	78 %
BB 200067	3		BB 170165	**108**	**136**	**86**	**78**	**137**	**105**	**136**	**101**	**86**	**131**	**122**	**136**	**135**	**119**	**84**	**100**	**118**	**85**	**104**
FB			BB 170062	64 %	17 %	14 %	12 %	29 %	0.78	17.5	-0.41	1.5	28.2	37	-24.0	-5.8	13.1	-1.2	0.6	3.6	-1.5	0.1
BEYOND BEEF BB200067									68 %	17 %	47 %	14 %	20 %	12%	41%	17%	51 %	32 %	31 %	28 %	27 %	15 %
BB 210033	13		FB2998	**91**	**140**	**87**	**80**	**123**	**94**	**140**	**85**	**87**	**132**	**120**	**115**	**128**	**121**	**94**	**96**	**101**	**76**	**88**
FB			BB 170097	66 %	24 %	19 %	20 %	36 %	1.80	18.9	0.17	1.8	29.0	34	-11.3	-4.6	14.3	0.0	-1.7	1.0	-2.4	-2.3
BEYOND BEEF BB210033									70 %	24 %	51 %	19 %	30 %	20%	52%	20%	57 %	38 %	38 %	34 %	34 %	26 %
BB 210041	9		S5394S	**103**	**124**	**88**	**89**	**121**	**106**	**124**	**81**	**88**	**121**	**111**	**115**	**124**	**107**	**97**	**103**	**102**	**88**	**90**
FB			BB 190017	63 %	16 %	13 %	12 %	32 %	0.69	12.5	0.33	2.4	21.4	23	-11.6	-3.9	8.2	0.4	2.6	1.1	-1.2	-2.0
BEYOND BEEF BB210041									68 %	16 %	44 %	13 %	24 %	12%	46%	17%	54 %	37 %	36 %	32 %	28 %	20 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA / Sire ID / Dam ID		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 210043	9	☑ FB2998		**97**	**129**	**88**	**87**	**131**	**99**	**129**	**88**	**88**	**123**	**113**	**122**	**134**	**119**	**90**	**97**	**92**	**81**	**92**
FB		☑ BB 170040		65 %	29 %	25 %	25 %	34 %	1.34	14.5	0.06	2.3	22.6	25	-15.8	-5.7	13.4	-0.5	-1.6	-0.4	-1.9	-1.7
BEYOND BEEF BB210043									69 %	29 %	50 %	25 %	36 %	25%	46%	21%	54 %	42 %	42 %	38 %	38 %	31 %
BB 210046	2	☑ S5394S		**96**	**133**	**87**	**85**	**145**	**97**	**133**	**94**	**87**	**127**	**115**	**143**	**145**	**117**	**97**	**102**	**116**	**86**	**88**
FB		☑ BB 180047		66 %	20 %	14 %	13 %	32 %	1.54	16.1	-0.15	1.7	25.6	28	-28.0	-7.6	12.7	0.4	2.3	3.3	-1.5	-2.4
BEYOND BEEF BB210046									70 %	20 %	52 %	14 %	26 %	13%	46%	18%	54 %	41 %	41 %	36 %	32 %	22 %
BB 210048	4	☑ FB2124		**98**	**144**	**84**	**71**	**145**	**96**	**144**	**105**	**84**	**136**	**129**	**150**	**139**	**121**	**89**	**106**	**131**	**81**	**91**
FB		☑ BB 180029		65 %	21 %	17 %	16 %	30 %	1.65	20.6	-0.56	0.4	31.6	47	-31.9	-6.5	14.1	-0.6	5.3	5.6	-1.9	-1.8
BEYOND BEEF BB210048									69 %	21 %	50 %	17 %	26 %	16%	45%	14%	50 %	31 %	31 %	28 %	25 %	19 %
BB 210052	14	☑ 2619A		**112**	**135**	**84**	**79**	**141**	**111**	**135**	**90**	**84**	**129**	**121**	**142**	**138**	**117**	**100**	**102**	**112**	**94**	**96**
FB		☑ BB 170075		64 %	30 %	24 %	25 %	30 %	0.17	16.9	0.00	0.3	26.7	36	-27.4	-6.4	12.4	0.8	2.3	2.7	-0.6	-1.1
BEYOND BEEF BB210052									68 %	30 %	51 %	24 %	26 %	25%	46%	15%	51 %	33 %	34 %	29 %	32 %	22 %
BB 210053	7	☑ FB2998		**106**	**127**	**88**	**90**	**140**	**105**	**127**	**95**	**88**	**121**	**110**	**145**	**134**	**131**	**100**	**94**	**102**	**89**	**90**
FB		☑ BB 150102		69 %	31 %	28 %	27 %	37 %	0.78	13.7	-0.20	2.2	21.2	20	-28.9	-5.6	18.4	0.8	-3.7	1.1	-1.1	-2.1
BEYOND BEEF BB210053									72 %	31 %	59 %	28 %	38 %	27%	54%	20%	61 %	42 %	43 %	39 %	39 %	30 %
BB 210056	3	☑ S5394S		**74**	**145**	**83**	**78**	**142**	**77**	**145**	**96**	**83**	**136**	**122**	**145**	**137**	**116**	**93**	**95**	**115**	**77**	**87**
FB		☑ BB 150117		67 %	23 %	16 %	18 %	30 %	3.45	21.1	-0.22	-0.1	31.4	38	-28.9	-6.3	12.3	-0.1	-2.6	3.0	-2.3	-2.5
BEYOND BEEF BB210056									71 %	23 %	53 %	16 %	30 %	18%	46%	13%	55 %	42 %	42 %	36 %	33 %	24 %
BB 210067		☑ FB2124		**86**	**140**	**87**	**78**	**131**	**87**	**140**	**97**	**87**	**135**	**122**	**139**	**125**	**115**	**86**	**106**	**120**	**99**	**107**
FB		☑ BB 170174		65 %	22 %	17 %	16 %	32 %	2.47	19.2	-0.26	1.8	30.8	37	-25.3	-4.0	11.7	-1.0	5.1	3.8	-0.2	0.6
BEYOND BEEF BB210067									69 %	22 %	51 %	17 %	28 %	16%	45%	18%	52 %	32 %	32 %	29 %	23 %	16 %
BB 210078	18	☑ BB 170089		**84**	**135**	**88**	**85**	**113**	**89**	**135**	**82**	**88**	**130**	**115**	**104**	**119**	**118**	**94**	**98**	**104**	**88**	**94**
FB		☑ BB 180323		62 %	19 %	15 %	15 %	30 %	2.28	17.0	0.27	2.1	27.7	27	-5.0	-2.9	12.8	0.1	-0.8	1.4	-1.3	-1.4
BEYOND BEEF BB210078									68 %	19 %	40 %	15 %	22 %	15%	45%	15%	51 %	28 %	28 %	25 %	23 %	17 %
BB 210086	4	☑ BB 170002		**93**	**140**	**90**	**77**	**147**	**91**	**140**	**105**	**90**	**133**	**123**	**145**	**146**	**136**	**117**	**102**	**112**	**86**	**73**
FB		☑ BB 180001		65 %	20 %	20 %	18 %	30 %	2.08	19.0	-0.59	3.2	29.4	39	-28.9	-7.9	20.7	2.9	2.3	2.7	-1.4	-4.8
BEYOND BEEF BB210086									69 %	20 %	48 %	20 %	24 %	18%	44%	17%	51 %	40 %	39 %	36 %	32 %	24 %
BB 210093	15	☑ BB 170002		**81**	**134**	**95**	**78**	**123**	**85**	**134**	**86**	**95**	**130**	**122**	**106**	**133**	**137**	**113**	**106**	**97**	**101**	**81**
FB		☑ BB 180002		62 %	22 %	23 %	22 %	30 %	2.68	16.7	0.14	6.0	27.3	38	-6.1	-5.4	21.2	2.5	5.3	0.3	0.0	-3.4
BEYOND BEEF BB210093									68 %	22 %	39 %	23 %	28 %	22%	45%	15%	50 %	45 %	44 %	40 %	36 %	27 %
BB 210121	6	☑ BB 170002		**87**	**139**	**89**	**75**	**135**	**90**	**139**	**86**	**89**	**133**	**125**	**130**	**136**	**122**	**114**	**96**	**112**	**74**	**72**
FB		☑ BB 170076		61 %	19 %	18 %	18 %	24 %	2.18	18.5	0.12	2.7	29.3	41	-20.4	-6.1	14.4	2.5	-1.9	2.6	-2.6	-5.0
BEYOND BEEF BB210121									66 %	19 %	40 %	18 %	24 %	18%	34%	15%	47 %	42 %	42 %	38 %	34 %	25 %
BB 220008	12	☑ BB 170177		**107**	**130**	**87**	**80**	**131**	**107**	**130**	**90**	**87**	**125**	**120**	**128**	**131**	**125**	**100**	**122**	**113**	**88**	**82**
FB		☑ BB 180033		47 %	17 %	15 %	14 %	27 %	0.53	14.9	0.00	1.7	23.8	35	-19.2	-5.1	16.0	0.8	16.2	2.7	-1.2	-3.3
BEYOND BEEF BB220008									50 %	17 %	37 %	15 %	18 %	14%	43%	11%	50 %	47 %	46 %	41 %	23 %	17 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 220021 FB BEYOND BEEF BB220021	6	☑	BB 200028 BB 150102	**90** 53 %	**122** 26 %	**89** 24 %	**97** 22 %	**137** 32 %	**93** 1.92 55 %	**122** 11.9 26 %	**86** 0.13 45 %	**89** 2.7 24 %	**118** 19.2 29 %	**103** 10 22%	**138** -25.2 47%	**134** -5.6 16%	**132** 18.7 52 %	**99** 0.7 33 %	**89** -7.2 33 %	**106** 1.7 31 %	**81** -1.9 31 %	**90** -2.1 24 %
BB 220027 FB BEYOND BEEF BB220027	9	☑	BB 200028 BB 170178	**82** 63 %	**125** 18 %	**90** 12 %	**94** 11 %	**145** 24 %	**89** 2.34 69 %	**125** 13.2 18 %	**75** 0.55 41 %	**90** 3.6 12 %	**123** 22.3 24 %	**106** 14 11%	**139** -25.7 33%	**147** -8.1 15%	**117** 12.5 42 %	**88** -0.7 28 %	**95** -2.5 28 %	**100** 0.8 24 %	**81** -1.9 23 %	**98** -0.7 15 %
BB 220029 FB BEYOND BEEF BB220029	6	☑	BB 200009 BB 170193	**67** 62 %	**142** 18 %	**93** 21 %	**77** 16 %	**125** 26 %	**76** 3.61 68 %	**142** 19.9 18 %	**77** 0.48 39 %	**93** 5.1 21 %	**137** 32.2 20 %	**123** 40 16%	**117** -13.0 42%	**129** -4.7 11%	**129** 17.5 45 %	**96** 0.3 32 %	**116** 12.4 32 %	**115** 3.1 29 %	**85** -1.5 22 %	**84** -3.0 16 %
BB 220030 FB BEYOND BEEF BB220030	6	☑	BB 170177 BB 170170	**90** 61 %	**133** 21 %	**90** 20 %	**86** 19 %	**134** 28 %	**93** 1.93 67 %	**133** 16.4 21 %	**87** 0.12 38 %	**90** 3.4 20 %	**129** 26.8 24 %	**114** 26 19%	**132** -21.5 43%	**133** -5.5 14%	**121** 14.0 50 %	**97** 0.5 48 %	**125** 18.8 48 %	**107** 1.9 45 %	**100** -0.1 25 %	**86** -2.8 21 %
BB 220036 FB BEYOND BEEF BB220036	3	☑	BB 200009 BB 190141	**75** 61 %	**136** 17 %	**95** 15 %	**82** 14 %	**140** 28 %	**81** 3.05 67 %	**136** 17.6 17 %	**80** 0.37 38 %	**95** 5.9 15 %	**133** 29.3 24 %	**118** 32 14%	**130** -20.5 43%	**147** -8.0 13%	**118** 13.0 45 %	**91** -0.3 29 %	**99** 0.0 28 %	**103** 1.3 25 %	**84** -1.6 22 %	**96** -1.1 15 %
BB 220049 FB BEYOND BEEF BB220049	6	☑	BB 170002 BB 180076	**83** 62 %	**137** 23 %	**90** 22 %	**81** 20 %	**129** 24 %	**86** 2.61 68 %	**137** 17.6 23 %	**89** 0.01 39 %	**90** 3.5 22 %	**130** 27.3 27 %	**119** 33 20%	**123** -16.4 34%	**131** -5.1 14%	**135** 20.2 46 %	**118** 3.0 42 %	**102** 2.2 42 %	**105** 1.5 38 %	**77** -2.3 35 %	**66** -5.8 26 %
BB 220053 FB BEYOND BEEF BB220053	6	☑	BB 200009 BB 190021	**73** 63 %	**142** 17 %	**93** 18 %	**79** 17 %	**138** 30 %	**80** 3.17 69 %	**142** 19.7 17 %	**78** 0.44 41 %	**93** 5.1 18 %	**136** 31.6 23 %	**121** 36 17%	**130** -20.5 45%	**141** -7.0 15%	**120** 13.7 47 %	**85** -1.1 31 %	**105** 4.2 30 %	**95** 0.1 27 %	**92** -0.9 25 %	**100** -0.5 19 %
BB 220074 FB BEYOND BEEF BB220074	11	☑	BB 200028 BB 180029	**115** 63 %	**126** 18 %	**85** 14 %	**84** 15 %	**139** 30 %	**111** 0.14 69 %	**125** 13.2 18 %	**101** -0.43 41 %	**85** 0.6 14 %	**120** 20.6 22 %	**116** 29 15%	**133** -22.2 45%	**140** -6.7 14%	**124** 15.5 47 %	**94** 0.0 27 %	**94** -3.5 27 %	**113** 2.8 23 %	**64** -3.5 24 %	**82** -3.3 18 %
BB 220096 FB BEYOND BEEF BB220096	5	☑	BB 200009 BB 170174	**108** 63 %	**122** 19 %	**94** 17 %	**82** 16 %	**130** 24 %	**110** 0.30 69 %	**122** 11.7 19 %	**82** 0.28 42 %	**94** 5.4 17 %	**120** 20.3 26 %	**118** 32 16%	**122** -15.8 34%	**135** -5.8 15%	**127** 16.9 42 %	**90** -0.5 32 %	**102** 2.6 31 %	**103** 1.2 28 %	**86** -1.5 24 %	**96** -1.1 16 %
BB 220138 FB BEYOND BEEF BB220138	6	☑	BB 170002 BB 180032	**74** 61 %	**144** 19 %	**87** 19 %	**75** 17 %	**127** 28 %	**77** 3.43 67 %	**144** 20.6 19 %	**94** -0.17 36 %	**87** 1.8 19 %	**135** 31.2 24 %	**125** 42 17%	**121** -15.3 43%	**129** -4.7 12%	**131** 18.5 49 %	**121** 3.4 40 %	**104** 3.3 39 %	**117** 3.4 35 %	**77** -2.3 32 %	**64** -6.2 24 %
BB 230004 FB BEYOND BEEF BB230004	17	☑	BB 200028 BB 170105	**80** 62 %	**131** 16 %	**88** 12 %	**89** 12 %	**133** 24 %	**87** 2.52 68 %	**131** 15.3 16 %	**78** 0.43 39 %	**88** 2.4 12 %	**126** 24.8 19 %	**111** 22 12%	**130** -20.5 33%	**134** -5.6 15%	**126** 16.4 42 %	**92** -0.3 24 %	**98** -0.8 24 %	**104** 1.5 20 %	**78** -2.2 22 %	**93** -1.6 16 %
BB 230008 FB BEYOND BEEF BB230008	6	☑	BB 200028 BB 200040	**101** 63 %	**125** 22 %	**87** 12 %	**88** 12 %	**125** 22 %	**103** 0.94 70 %	**125** 13.1 22 %	**86** 0.15 36 %	**87** 1.8 12 %	**121** 21.0 25 %	**112** 23 12%	**120** -14.6 32%	**127** -4.4 13%	**126** 16.5 41 %	**92** -0.2 24 %	**95** -2.9 24 %	**106** 1.8 21 %	**79** -2.1 19 %	**93** -1.5 14 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage Genomic DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 230010	8	☑	BB 200028	**100**	**131**	**87**	**87**	**133**	**101**	**131**	**90**	**87**	**127**	**113**	**134**	**131**	**119**	**92**	**98**	**111**	**89**	**98**
FB		☑	BB 170062	62 %	16 %	13 %	13 %	24 %	1.17	15.3	-0.02	2.0	25.1	26	-22.8	-5.1	13.5	-0.2	-0.8	2.5	-1.1	-0.8
BEYOND BEEF BB230010									68 %	16 %	40 %	13 %	20 %	13%	33%	15%	43 %	27 %	26 %	23 %	21 %	16 %
BB 230032	4	☑	BB 190115	**108**	**127**	**89**	**80**	**146**	**106**	**127**	**99**	**89**	**124**	**120**	**146**	**143**	**117**	**80**	**75**	**111**	**56**	**96**
FB		☑	BB 190049	62 %	25 %	13 %	11 %	21 %	0.69	13.9	-0.34	2.7	23.0	34	-29.6	-7.2	12.5	-1.7	-16.5	2.4	-4.3	-1.0
BEYOND BEEF BB230032									69 %	25 %	36 %	13 %	26 %	11%	29%	13%	44 %	40 %	39 %	31 %	36 %	27 %
BB 230038	18	☑	BB 170089	**122**	**124**	**88**	**88**	**113**	**117**	**124**	**104**	**88**	**120**	**112**	**113**	**113**	**126**	**93**	**94**	**103**	**91**	**98**
FB		☑	BB 190122	59 %	18 %	13 %	14 %	24 %	-0.38	12.5	-0.53	2.1	20.4	23	-10.3	-1.8	16.5	-0.1	-3.5	1.3	-1.0	-0.8
BEYOND BEEF BB230038									66 %	18 %	34 %	13 %	22 %	14%	34%	13%	46 %	28 %	28 %	25 %	23 %	17 %
BB 230048	5	☑	BB 200028	**89**	**125**	**87**	**93**	**141**	**94**	**125**	**77**	**87**	**122**	**107**	**136**	**142**	**119**	**93**	**85**	**108**	**71**	**92**
FB		☑	BB 190119	62 %	15 %	12 %	12 %	24 %	1.77	13.2	0.47	1.9	21.9	17	-23.7	-7.0	13.2	-0.1	-10.0	2.0	-2.8	-1.7
BEYOND BEEF BB230048									68 %	15 %	39 %	12 %	20 %	12%	33%	15%	43 %	28 %	28 %	24 %	24 %	18 %
BB 230065	5	☑	BB 170089	**74**	**145**	**87**	**80**	**127**	**81**	**145**	**79**	**87**	**139**	**120**	**122**	**130**	**122**	**96**	**98**	**121**	**83**	**92**
FB		☑	BB 190063	61 %	19 %	12 %	11 %	22 %	3.04	21.1	0.41	1.8	33.6	35	-15.6	-4.9	14.8	0.2	-0.5	3.9	-1.8	-1.8
BEYOND BEEF BB230065									67 %	19 %	36 %	12 %	22 %	11%	31%	13%	44 %	26 %	25 %	22 %	22 %	17 %
BB 230069		☑	BB 190015	**68**	**122**	**115**	**81**	**116**	**74**	**122**	**86**	**115**	**124**	**119**	**117**	**115**	**97**	**83**	**105**	**92**	**105**	**106**
FB		☑	CWBFBB 170087	36 %	12 %	9 %	10 %	15 %	3.73	11.9	0.15	16.6	23.4	34	-12.5	-2.2	4.0	-1.4	4.3	-0.5	0.4	0.6
BEYOND BEEF BB230069									40 %	12 %	22 %	9 %	15 %	10%	21%	9%	33 %	18 %	18 %	16 %	16 %	12 %
BB 230073	3	☑	BB 180040	**79**	**132**	**89**	**92**	**149**	**84**	**132**	**87**	**89**	**128**	**108**	**147**	**150**	**127**	**88**	**98**	**110**	**86**	**99**
FB		☑	BB 170178	60 %	19 %	13 %	12 %	20 %	2.83	15.8	0.09	3.1	25.8	18	-30.1	-8.5	16.9	-0.7	-0.8	2.4	-1.5	-0.6
BEYOND BEEF BB230073									66 %	19 %	38 %	13 %	26 %	12%	28%	13%	44 %	30 %	30 %	27 %	25 %	17 %
BB 230077	4	☑	BB 190015	**78**	**147**	**90**	**78**	**134**	**83**	**147**	**87**	**90**	**141**	**122**	**139**	**129**	**119**	**86**	**103**	**108**	**98**	**105**
FB		☑	BB 170152	60 %	15 %	13 %	12 %	22 %	2.89	22.0	0.10	3.2	35.3	38	-25.3	-4.8	13.5	-1.0	3.1	2.0	-0.3	0.4
BEYOND BEEF BB230077									67 %	15 %	35 %	13 %	20 %	12%	31%	13%	44 %	27 %	26 %	24 %	21 %	14 %
BB 230103	8	☑	BB 190015	**59**	**145**	**85**	**85**	**145**	**68**	**145**	**78**	**85**	**139**	**115**	**141**	**145**	**113**	**91**	**87**	**106**	**83**	**97**
FB		☑	BB 170013	62 %	23 %	21 %	22 %	23 %	4.34	21.1	0.45	1.0	33.4	28	-26.6	-7.7	10.7	-0.3	-8.6	1.7	-1.7	-1.0
BEYOND BEEF BB230103									68 %	23 %	39 %	21 %	28 %	22%	33%	13%	47 %	31 %	31 %	29 %	27 %	20 %
BB 230109	6	☑	BB 190015	**96**	**129**	**90**	**88**	**135**	**99**	**129**	**86**	**90**	**124**	**112**	**133**	**135**	**122**	**91**	**97**	**99**	**87**	**96**
FB		☑	BB 180076	62 %	21 %	18 %	17 %	24 %	1.34	14.7	0.15	3.3	23.5	23	-22.0	-5.8	14.8	-0.4	-1.5	0.6	-1.3	-1.1
BEYOND BEEF BB230109									68 %	21 %	38 %	18 %	24 %	17%	33%	15%	45 %	28 %	28 %	26 %	25 %	19 %
BB 230111	3	☑	BB 180040	**95**	**133**	**89**	**87**	**142**	**96**	**133**	**92**	**89**	**129**	**113**	**136**	**145**	**122**	**95**	**94**	**114**	**84**	**92**
FB		☑	BB 170141	59 %	19 %	14 %	13 %	20 %	1.65	16.2	-0.07	2.9	26.5	25	-23.7	-7.6	14.7	0.1	-3.3	3.0	-1.6	-1.7
BEYOND BEEF BB230111									65 %	19 %	35 %	14 %	22 %	13%	27%	13%	44 %	31 %	30 %	27 %	27 %	21 %
BB 230112	15	☑	BB 200028	**101**	**128**	**86**	**86**	**136**	**103**	**128**	**87**	**86**	**124**	**114**	**133**	**135**	**118**	**93**	**88**	**107**	**75**	**95**
FB		☑	BB 170075	63 %	19 %	15 %	15 %	26 %	0.97	14.3	0.09	1.5	22.9	26	-22.2	-5.9	13.1	-0.1	-7.9	1.9	-2.5	-1.2
BEYOND BEEF BB230112									69 %	19 %	42 %	15 %	22 %	15%	36%	15%	45 %	32 %	31 %	26 %	28 %	21 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
BB 230126	6		BB 190015	**78**	**133**	**94**	**86**	**145**	**85**	**133**	**81**	**94**	**128**	**114**	**140**	**148**	**124**	**89**	**108**	**98**	**103**	**101**
FB			BB 200026	63 %	17 %	18 %	17 %	23 %	2.73	16.1	0.34	5.7	26.0	27	-25.8	-8.2	15.5	-0.7	6.1	0.4	0.2	-0.3
BEYOND BEEF BB230126									69 %	17 %	39 %	18 %	23 %	17%	31%	15%	44 %	30 %	30 %	26 %	24 %	18 %
BB 230138	7		BB 190015	**81**	**138**	**90**	**84**	**140**	**87**	**138**	**80**	**90**	**132**	**116**	**134**	**142**	**119**	**86**	**95**	**100**	**83**	**99**
FB			BB 170097	63 %	15 %	11 %	12 %	22 %	2.51	18.3	0.37	3.3	28.9	30	-22.5	-7.1	13.2	-1.0	-2.7	0.8	-1.7	-0.6
BEYOND BEEF BB230138									69 %	15 %	40 %	11 %	18 %	12%	31%	14%	43 %	26 %	26 %	23 %	24 %	18 %
BB 230143	3		BB 190115	**100**	**122**	**96**	**84**	**130**	**102**	**122**	**86**	**96**	**121**	**116**	**123**	**132**	**130**	**77**	**80**	**96**	**89**	**117**
FB			BB 180002	61 %	18 %	18 %	17 %	22 %	1.05	12.0	0.15	6.5	21.3	29	-16.5	-5.3	17.9	-2.2	-13.4	0.2	-1.1	2.2
BEYOND BEEF BB230143									67 %	18 %	37 %	18 %	24 %	17%	30%	14%	44 %	40 %	40 %	32 %	36 %	28 %
BB 240005	3		BB 200009	**84**	**138**	**90**	**76**	**143**	**87**	**138**	**91**	**90**	**132**	**124**	**138**	**144**	**125**	**96**	**102**	**112**	**66**	**78**
FB			BB 190049	63 %	26 %	19 %	17 %	24 %	2.48	18.2	-0.03	3.5	28.7	41	-24.7	-7.5	15.8	0.3	2.0	2.6	-3.3	-4.0
BEYOND BEEF BB240005									69 %	26 %	40 %	19 %	30 %	17%	33%	14%	42 %	35 %	35 %	31 %	29 %	20 %
BB 240010	9		BB 170177	**89**	**132**	**89**	**81**	**122**	**95**	**132**	**74**	**89**	**128**	**119**	**120**	**123**	**114**	**101**	**127**	**105**	**97**	**81**
FB			BB 190023	61 %	17 %	15 %	15 %	23 %	1.71	16.0	0.60	2.7	26.1	34	-14.3	-3.6	11.0	0.9	20.2	1.5	-0.4	-3.5
BEYOND BEEF BB240010									67 %	17 %	36 %	15 %	19 %	15%	32%	14%	48 %	46 %	45 %	41 %	20 %	15 %
BB 240037	6		BB 190115	**106**	**123**	**91**	**89**	**137**	**105**	**123**	**91**	**91**	**120**	**111**	**139**	**133**	**123**	**81**	**74**	**102**	**74**	**107**
FB			BB 210053	63 %	17 %	15 %	14 %	22 %	0.70	12.3	-0.06	3.8	20.5	22	-25.8	-5.4	15.2	-1.7	-17.5	1.1	-2.5	0.6
BEYOND BEEF BB240037									70 %	17 %	36 %	15 %	22 %	14%	32%	12%	43 %	37 %	37 %	29 %	34 %	27 %
BB 240085			BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**111**	**111**	**90**	**104**	**103**	**103**	**101**
FB			CWBFBB 200062	28 %	13 %	13 %	11 %	12 %	2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
BEYOND BEEF BB240085									29 %	13 %	22 %	13 %	14 %	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %
BB 240132	5		BB 200028	**54**	**140**	**86**	**93**	**141**	**63**	**140**	**73**	**86**	**134**	**107**	**136**	**142**	**119**	**93**	**85**	**108**	**71**	**92**
FB			BB 190119	62 %	15 %	12 %	12 %	24 %	4.84	19.0	0.61	1.2	30.0	17	-23.7	-7.0	13.3	-0.1	-10.0	2.0	-2.8	-1.7
BEYOND BEEF BB240132									68 %	15 %	39 %	12 %	20 %	12%	33%	15%	41 %	28 %	28 %	24 %	24 %	18 %
JAPANESE BLACK																						
BB 160203		GT	ETJ001	**95**	**98**	**78**	**123**	**102**	**96**	**98**	**91**	**78**	**98**	**77**	**96**	**107**	**115**	**78**	**85**	**115**	**63**	**104**
FB			FB7637	91 %	88 %	88 %	88 %	88 %	1.63	1.9	-0.05	-3.1	4.7	-26	-0.5	-0.7	11.6	-2.0	-9.6	3.1	-3.6	0.2
BEYOND BEEF BB160203									91 %	88 %	90 %	88 %	88 %	88%	88%	87%	90 %	89 %	89 %	89 %	89 %	87 %
BB 170001		GT	FB14989	**88**	**108**	**95**	**102**	**92**	**95**	**108**	**71**	**95**	**105**	**98**	**73**	**106**	**141**	**86**	**115**	**82**	**117**	**115**
FB			BB 110005	86 %	82 %	82 %	82 %	82 %	1.68	6.3	0.70	6.2	9.8	4	13.1	-0.7	22.9	-1.0	11.7	-1.9	1.5	1.9
BEYOND BEEF BB170001									86 %	82 %	86 %	82 %	83 %	82%	84%	81%	86 %	83 %	83 %	83 %	82 %	81 %
BB 170003		GT	FB14989	**82**	**107**	**88**	**105**	**90**	**92**	**107**	**64**	**88**	**104**	**95**	**80**	**98**	**121**	**89**	**98**	**84**	**115**	**119**
FB			BB 110005	86 %	83 %	83 %	82 %	83 %	2.01	5.9	0.95	2.6	9.4	-1	8.6	1.0	14.4	-0.6	-0.5	-1.7	1.4	2.5
BEYOND BEEF BB170003									86 %	83 %	85 %	83 %	83 %	82%	84%	82%	86 %	84 %	84 %	83 %	83 %	82 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 170007 FB BEYOND BEEF BB170007	3		A3001 BB 120025	**89** 88 %	**108** 85 %	**85** 85 %	**111** 84 %	**83** 85 %	**95** 1.76 88 %	**108** 6.0 85 %	**79** 0.42 87 %	**85** 0.5 85 %	**99** 5.7 86 %	**89** -9 84%	**89** 3.7 86%	**81** 4.0 84%	**123** 15.1 88 %	**118** 3.0 87 %	**74** -17.8 87 %	**97** 0.3 86 %	**94** -0.7 86 %	**103** 0.1 85 %
BB 170008 FB BEYOND BEEF BB170008	3		KI 140010 BB 140002	**107** 86 %	**100** 84 %	**78** 84 %	**112** 83 %	**80** 84 %	**106** 0.68 86 %	**100** 3.1 84 %	**93** -0.13 86 %	**78** -3.1 84 %	**94** 2.0 85 %	**88** -10 83%	**82** 7.6 85%	**82** 3.8 83%	**118** 12.8 87 %	**106** 1.6 85 %	**92** -4.7 85 %	**94** -0.2 85 %	**98** -0.3 85 %	**105** 0.3 83 %
BB 170012 FB BEYOND BEEF BB170012	4		WSI135Z BB 120014	**106** 88 %	**96** 86 %	**77** 86 %	**122** 85 %	**107** 86 %	**105** 0.76 88 %	**96** 1.5 86 %	**123** -1.24 88 %	**77** -3.6 86 %	**90** -0.9 86 %	**78** -25 85%	**100** -3.0 86%	**112** -1.7 85%	**125** 16.0 88 %	**112** 2.3 86 %	**76** -15.8 86 %	**80** -2.4 86 %	**150** 4.6 85 %	**136** 5.3 85 %
BB 170020 FB BEYOND BEEF BB170020	1		WESFZ0278 KSOFJ0071	**112** 88 %	**100** 85 %	**80** 84 %	**111** 84 %	**102** 84 %	**109** 0.39 88 %	**100** 3.1 85 %	**100** -0.38 87 %	**80** -2.1 84 %	**98** 4.9 84 %	**89** -9 84%	**96** -0.6 85%	**107** -0.7 84%	**131** 18.6 88 %	**105** 1.4 86 %	**83** -10.9 86 %	**104** 1.4 86 %	**54** -4.5 85 %	**82** -3.3 84 %
BB 170043 FB BEYOND BEEF BB170043			CWBMBA 130891 PK 140003	**120** 85 %	**67** 83 %	**81** 83 %	**130** 82 %	**93** 83 %	**128** -1.51 85 %	**67** -10.2 83 %	**109** -0.73 85 %	**81** -1.3 83 %	**66** -17.4 83 %	**70** -36 82%	**96** -0.5 84%	**93** 1.8 82%	**121** 14.3 85 %	**96** 0.3 84 %	**86** -9.1 84 %	**92** -0.4 83 %	**74** -2.6 84 %	**102** -0.1 83 %
BB 170046 FB BEYOND BEEF BB170046			CWBMBA 130891 BB 120022	**118** 87 %	**74** 84 %	**87** 84 %	**130** 83 %	**87** 84 %	**129** -1.55 87 %	**74** -7.6 84 %	**104** -0.53 87 %	**87** 1.8 84 %	**69** -15.4 84 %	**70** -37 83%	**88** 4.2 85%	**89** 2.5 84%	**133** 19.4 86 %	**108** 1.8 84 %	**91** -5.6 84 %	**94** -0.2 84 %	**105** 0.4 84 %	**107** 0.7 84 %
BB 170048 FB BEYOND BEEF BB170048			CWBMBA 130891 BB 120017	**119** 87 %	**84** 84 %	**88** 84 %	**121** 84 %	**102** 84 %	**116** -0.34 87 %	**84** -3.6 84 %	**96** -0.23 87 %	**88** 2.4 84 %	**78** -9.1 85 %	**79** -24 84%	**108** -7.4 85%	**100** 0.5 84%	**132** 19.1 87 %	**97** 0.4 85 %	**88** -7.7 85 %	**86** -1.4 85 %	**113** 1.2 85 %	**124** 3.3 84 %
BB 170052 FB BEYOND BEEF BB170052			CWBMBA 130891 PK 140003	**119** 85 %	**72** 83 %	**76** 83 %	**129** 83 %	**81** 84 %	**127** -1.39 85 %	**72** -8.2 83 %	**117** -1.03 85 %	**76** -4.2 83 %	**72** -13.5 83 %	**71** -35 83%	**88** 4.0 84%	**79** 4.3 83%	**131** 18.5 86 %	**109** 1.9 84 %	**85** -9.7 84 %	**115** 3.0 84 %	**63** -3.7 84 %	**87** -2.5 83 %
BB 170073 FB BEYOND BEEF BB170073			CWBMBA 130891 BB 120025	**119** 87 %	**86** 85 %	**88** 85 %	**116** 85 %	**74** 85 %	**127** -1.43 87 %	**86** -2.7 85 %	**103** -0.50 87 %	**88** 2.2 85 %	**79** -8.5 85 %	**84** -16 85%	**82** 7.8 86%	**71** 5.7 84%	**121** 14.3 87 %	**102** 1.1 86 %	**81** -12.9 86 %	**112** 2.6 85 %	**71** -2.9 85 %	**93** -1.5 84 %
BB 170079 FB BEYOND BEEF BB170079			CWBMBA 130891 BB 120026	**114** 86 %	**89** 83 %	**87** 83 %	**121** 83 %	**99** 84 %	**112** 0.11 86 %	**89** -1.6 83 %	**96** -0.24 86 %	**87** 1.8 83 %	**83** -5.8 84 %	**79** -24 83%	**103** -4.4 84%	**98** 0.9 83%	**128** 17.3 86 %	**128** 4.4 84 %	**91** -5.6 84 %	**84** -1.6 84 %	**136** 3.3 84 %	**109** 1.0 83 %
BB 170090 FB BEYOND BEEF BB170090	3		KI 140008 BB 120018	**124** 88 %	**82** 86 %	**76** 86 %	**128** 85 %	**103** 86 %	**123** -1.01 88 %	**82** -4.2 86 %	**117** -1.02 87 %	**76** -3.9 86 %	**76** -10.5 86 %	**72** -34 85%	**114** -11.0 87%	**97** 1.0 85%	**111** 10.1 88 %	**91** -0.4 87 %	**81** -12.7 87 %	**90** -0.8 87 %	**104** 0.3 86 %	**124** 3.4 85 %
BB 170114 FB BEYOND BEEF BB170114			148BE BB 120021	**114** 90 %	**83** 88 %	**74** 88 %	**130** 88 %	**114** 88 %	**130** -1.72 90 %	**83** -3.9 88 %	**123** -1.25 90 %	**74** -4.8 88 %	**76** -10.5 88 %	**70** -37 88%	**114** -11.0 89%	**115** -2.2 88%	**114** 11.1 90 %	**113** 2.5 89 %	**60** -27.5 89 %	**81** -2.1 89 %	**104** 0.3 89 %	**118** 2.3 88 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage Genomic DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 170117 FB BEYOND BEEF BB170117			148BE BB 120020	**126** 89 %	**82** 88 %	**76** 87 %	**133** 87 %	**102** 88 %	**119** -0.62 89 %	**82** -4.4 88 %	**106** -0.61 88 %	**76** -3.8 87 %	**74** -11.9 88 %	**67** -41 87%	**110** -8.8 88%	**98** 0.9 87%	**113** 10.9 89 %	**136** 5.3 88 %	**70** -20.5 88 %	**85** -1.6 88 %	**119** 1.7 88 %	**102** -0.2 87 %
BB 170126 FB BEYOND BEEF BB170126			148BE BB 120017	**117** 89 %	**91** 88 %	**86** 87 %	**118** 87 %	**106** 88 %	**128** -1.46 89 %	**91** -0.7 88 %	**122** -1.22 89 %	**86** 1.4 87 %	**84** -5.0 88 %	**82** -19 87%	**108** -7.3 88%	**107** -0.7 87%	**112** 10.4 89 %	**104** 1.3 88 %	**57** -29.7 88 %	**93** -0.2 88 %	**109** 0.8 88 %	**128** 4.0 87 %
BB 170132 FB BEYOND BEEF BB170132			148BE BB 120020	**127** 90 %	**80** 89 %	**84** 88 %	**133** 88 %	**110** 88 %	**122** -0.87 90 %	**80** -5.2 89 %	**107** -0.64 90 %	**84** 0.0 88 %	**72** -13.1 89 %	**67** -40 88%	**111** -9.2 89%	**110** -1.2 88%	**118** 13.0 90 %	**133** 5.0 89 %	**61** -26.7 89 %	**90** -0.8 89 %	**115** 1.3 89 %	**108** 0.8 88 %
BB 170157 1 FB BEYOND BEEF BB170157	1		148BE BB 120025	**110** 89 %	**91** 88 %	**80** 88 %	**126** 87 %	**95** 88 %	**132** -1.89 89 %	**91** -0.6 88 %	**128** -1.45 89 %	**80** -2.1 88 %	**82** -6.5 88 %	**74** -30 87%	**101** -3.5 89%	**92** 1.9 87%	**109** 9.0 90 %	**120** 3.3 89 %	**65** -24.1 89 %	**114** 3.0 89 %	**119** 1.7 88 %	**115** 1.9 88 %
BB 170166 FB BEYOND BEEF BB170166			148BE BB 120021	**113** 89 %	**88** 88 %	**81** 88 %	**125** 87 %	**96** 88 %	**130** -1.68 89 %	**88** -2.1 88 %	**126** -1.35 89 %	**81** -1.2 88 %	**81** -6.6 88 %	**75** -29 87%	**95** 0.0 89%	**99** 0.7 87%	**112** 10.4 90 %	**117** 3.0 89 %	**63** -25.5 89 %	**94** -0.1 89 %	**115** 1.3 89 %	**118** 2.4 88 %
BB 170168 FB BEYOND BEEF BB170168			148BE BB 120021	**111** 90 %	**79** 88 %	**82** 88 %	**131** 87 %	**104** 88 %	**134** -2.04 90 %	**79** -5.5 88 %	**100** -0.38 90 %	**82** -0.9 88 %	**72** -13.0 88 %	**69** -38 87%	**106** -6.3 89%	**104** -0.3 87%	**113** 10.8 90 %	**117** 3.0 89 %	**72** -18.6 89 %	**98** 0.5 89 %	**99** -0.2 89 %	**106** 0.5 88 %
BB 170184 1 FB BEYOND BEEF BB170184	1		148BE BB 120022	**117** 91 %	**69** 89 %	**71** 89 %	**139** 88 %	**88** 89 %	**130** -1.67 91 %	**69** -9.5 89 %	**104** -0.55 91 %	**71** -6.7 89 %	**62** -20.2 89 %	**61** -49 88%	**94** 0.6 90%	**86** 3.1 88%	**112** 10.4 90 %	**120** 3.4 89 %	**74** -17.2 89 %	**108** 2.0 89 %	**102** 0.1 89 %	**100** -0.5 88 %
BB 170191 1 FB BEYOND BEEF BB170191	1		148BE BB 120014	**107** 89 %	**73** 88 %	**76** 87 %	**133** 87 %	**94** 88 %	**135** -2.16 89 %	**73** -7.8 88 %	**129** -1.46 89 %	**76** -4.0 87 %	**65** -17.9 88 %	**67** -41 87%	**97** -1.4 88%	**94** 1.6 87%	**113** 10.7 89 %	**103** 1.2 88 %	**85** -9.6 88 %	**73** -3.3 88 %	**109** 0.8 88 %	**115** 1.9 87 %
BB 170197 1 FB BEYOND BEEF BB170197	1		148BE BB 120022	**124** 90 %	**83** 89 %	**77** 88 %	**133** 88 %	**80** 88 %	**120** -0.73 90 %	**83** -4.0 89 %	**95** -0.18 90 %	**77** -3.3 88 %	**74** -11.6 89 %	**67** -41 88%	**96** -0.8 89%	**72** 5.5 88%	**117** 12.5 90 %	**132** 4.8 89 %	**89** -6.8 89 %	**121** 4.0 89 %	**110** 0.8 89 %	**89** -2.2 88 %
BB 170200 1 FB BEYOND BEEF BB170200	1		148BE BB 120025	**124** 90 %	**93** 89 %	**76** 88 %	**121** 88 %	**95** 88 %	**117** -0.46 90 %	**93** 0.1 89 %	**112** -0.84 90 %	**76** -4.2 88 %	**83** -5.3 89 %	**79** -24 88%	**105** -5.9 89%	**90** 2.3 88%	**123** 15.0 90 %	**123** 3.7 89 %	**54** -32.0 89 %	**111** 2.5 89 %	**95** -0.6 89 %	**105** 0.3 88 %
BB 170501 4 FB BEYOND BEEF BB170501	4		WSI135Z BB 120022	**123** 87 %	**90** 85 %	**77** 85 %	**123** 84 %	**80** 85 %	**116** -0.37 87 %	**90** -1.1 85 %	**107** -0.63 87 %	**77** -3.5 85 %	**83** -5.3 85 %	**77** -27 84%	**76** 11.3 86%	**86** 3.1 84%	**126** 16.3 88 %	**122** 3.6 86 %	**84** -10.4 86 %	**100** 0.7 85 %	**124** 2.2 85 %	**107** 0.7 84 %
BB 180031 1 FB BEYOND BEEF BB180031	1		ETJ001 BB 120022	**112** 90 %	**88** 87 %	**76** 87 %	**125** 86 %	**89** 87 %	**113** -0.05 90 %	**88** -1.9 87 %	**84** 0.22 90 %	**76** -4.2 87 %	**83** -5.6 87 %	**75** -30 86%	**91** 2.3 88%	**89** 2.5 86%	**104** 7.1 89 %	**78** -1.9 88 %	**97** -1.4 88 %	**100** 0.8 88 %	**110** 0.9 87 %	**127** 3.9 86 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 180038 FB BEYOND BEEF BB180038	5		BB 140001 / BB 120025	**126** 87 %	**96** 84 %	**86** 83 %	**117** 83 %	**96** 84 %	**119** -0.66 87 %	**96** 1.2 84 %	**112** -0.84 87 %	**86** 1.3 83 %	**87** -2.9 84 %	**83** -18 83%	**91** 2.3 85%	**99** 0.6 83%	**109** 9.1 87 %	**102** 1.0 86 %	**65** -23.7 86 %	**94** -0.1 85 %	**94** -0.6 84 %	**118** 2.4 83 %
BB 180039 FB BEYOND BEEF BB180039			BB 140001 / CWBFBB 110007	**125** 87 %	**94** 84 %	**81** 84 %	**114** 83 %	**103** 84 %	**119** -0.58 87 %	**94** 0.3 84 %	**106** -0.62 86 %	**81** -1.3 84 %	**85** -4.1 84 %	**86** -14 83%	**102** -4.1 85%	**104** -0.1 83%	**114** 11.2 86 %	**100** 0.8 85 %	**92** -4.8 85 %	**80** -2.3 85 %	**113** 1.1 84 %	**119** 2.6 83 %
BB 180087 FB BEYOND BEEF BB180087 (ET)	1		ETJ001 / BB 120025	**98** 88 %	**108** 87 %	**82** 86 %	**107** 86 %	**83** 86 %	**101** 1.18 88 %	**108** 6.1 87 %	**85** 0.19 88 %	**82** -0.7 86 %	**99** 5.6 87 %	**93** -3 86%	**80** 8.5 87%	**87** 2.9 85%	**125** 15.8 88 %	**70** -3.0 87 %	**94** -3.7 87 %	**102** 1.1 87 %	**94** -0.7 87 %	**123** 3.2 86 %
BB 180099 FB BEYOND BEEF BB180099 (ET)	6		ADBFA0139 / ADBFL0045	**118** 88 %	**100** 86 %	**72** 85 %	**119** 85 %	**93** 86 %	**122** -0.94 88 %	**100** 2.7 86 %	**139** -1.85 87 %	**72** -6.2 85 %	**89** -1.1 86 %	**81** -21 85%	**85** 6.0 86%	**100** 0.5 85%	**106** 7.8 88 %	**132** 4.8 86 %	**81** -12.3 86 %	**111** 2.5 86 %	**101** 0.0 86 %	**94** -1.4 86 %
BB 180251 FB BEYOND BEEF BB180251 (ET)	5		A3001 / ADBFL0014	**107** 88 %	**110** 86 %	**61** 86 %	**106** 85 %	**103** 86 %	**108** 0.44 88 %	**110** 6.8 86 %	**134** -1.67 88 %	**61** -12.1 86 %	**101** 7.0 86 %	**94** -2 85%	**99** -2.3 87%	**106** -0.6 85%	**115** 11.5 88 %	**125** 3.9 87 %	**79** -13.9 87 %	**105** 1.5 86 %	**94** -0.6 86 %	**99** -0.6 86 %
BB 180252 FB BEYOND BEEF BB180252 (ET)	6		ADBFL0048 / ADBFL0030	**102** 85 %	**106** 84 %	**86** 83 %	**104** 83 %	**77** 84 %	**100** 1.28 85 %	**106** 5.2 84 %	**101** -0.42 85 %	**86** 1.2 83 %	**100** 6.5 84 %	**96** 0 83%	**84** 6.3 84%	**75** 5.1 83%	**128** 17.0 86 %	**130** 4.5 84 %	**100** 0.8 84 %	**121** 4.0 84 %	**93** -0.7 84 %	**77** -4.1 83 %
BB 180257 FB BEYOND BEEF BB180257 (ET)	3		ADBFL0022 / ADBFL0019	**108** 89 %	**80** 87 %	**75** 87 %	**133** 86 %	**80** 86 %	**134** -2.07 89 %	**80** -5.3 87 %	**129** -1.46 88 %	**75** -4.7 87 %	**74** -11.6 87 %	**67** -41 86%	**79** 9.1 87%	**83** 3.6 86%	**121** 14.1 88 %	**113** 2.4 87 %	**79** -13.9 87 %	**107** 1.8 87 %	**103** 0.2 87 %	**112** 1.4 87 %
BB 180260 FB BEYOND BEEF BB180260 (ET)	3		ADBFL0022 / ADBFL0019	**101** 89 %	**83** 86 %	**71** 86 %	**128** 86 %	**99** 86 %	**135** -2.20 89 %	**83** -3.9 86 %	**149** -2.21 88 %	**71** -6.7 86 %	**77** -9.5 86 %	**72** -33 86%	**92** 1.6 87%	**105** -0.5 86%	**126** 16.3 88 %	**110** 2.1 87 %	**90** -5.9 87 %	**114** 3.0 86 %	**101** 0.0 87 %	**108** 0.8 86 %
BB 180261 FB BEYOND BEEF BB180261 (ET)	1		WESFZ0278 / ADBFL0019	**123** 88 %	**94** 87 %	**77** 86 %	**119** 85 %	**75** 86 %	**117** -0.38 88 %	**94** 0.3 87 %	**110** -0.77 88 %	**77** -3.3 86 %	**91** 0.2 86 %	**81** -21 85%	**72** 13.6 87%	**80** 4.1 85%	**120** 13.9 88 %	**99** 0.7 87 %	**88** -7.7 87 %	**112** 2.6 87 %	**95** -0.6 86 %	**112** 1.4 86 %
BB 180263 FB BEYOND BEEF BB180263 (ET)	2		ADBFL0022 / ADBFL0079	**103** 87 %	**71** 85 %	**75** 85 %	**131** 85 %	**70** 86 %	**136** -2.27 87 %	**71** -8.7 85 %	**136** -1.73 87 %	**75** -4.4 85 %	**66** -17.4 85 %	**69** -38 85%	**76** 11.3 86%	**70** 5.9 85%	**110** 9.5 87 %	**111** 2.2 85 %	**76** -16.0 85 %	**114** 2.9 85 %	**105** 0.4 85 %	**115** 1.9 85 %
BB 180265 FB BEYOND BEEF BB180265 (ET)	6		ADBFL0048 / ADBFL0030	**125** 85 %	**96** 84 %	**82** 84 %	**113** 84 %	**87** 84 %	**118** -0.55 85 %	**96** 1.2 84 %	**111** -0.81 85 %	**82** -0.9 84 %	**90** -0.7 84 %	**87** -12 84%	**90** 2.7 85%	**86** 3.0 83%	**120** 13.9 86 %	**129** 4.4 84 %	**90** -6.4 84 %	**124** 4.5 84 %	**93** -0.8 84 %	**82** -3.3 84 %
BB 180267 FB BEYOND BEEF BB180267 (ET)	2		ADBFL0022 / ADBFL0079	**95** 86 %	**78** 84 %	**73** 84 %	**125** 84 %	**76** 84 %	**140** -2.68 86 %	**78** -6.0 84 %	**148** -2.20 86 %	**73** -5.7 84 %	**73** -12.5 84 %	**75** -30 84%	**82** 7.8 85%	**75** 5.1 84%	**117** 12.5 86 %	**105** 1.5 85 %	**72** -19.0 85 %	**109** 2.2 85 %	**110** 0.9 85 %	**124** 3.3 84 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 180268 FB BEYOND BEEF BB180268 (ET)	3		ADBFL0022 / ADBFL0019	**106** 88 %	**94** 86 %	**77** 86 %	**116** 86 %	**80** 86 %	**131** -1.78 88 %	**94** 0.4 86 %	**148** -2.18 88 %	**77** -3.6 86 %	**86** -3.5 86 %	**84** -17 86%	**79** 9.3 87%	**84** 3.5 86%	**127** 16.9 88 %	**105** 1.4 86 %	**105** 4.5 87 %	**105** 1.5 86 %	**120** 1.8 86 %	**117** 2.2 86 %
BB 180270 FB BEYOND BEEF BB180270 (ET)	1		WESFZ0278 / ADBFL0019	**121** 89 %	**94** 86 %	**78** 86 %	**121** 85 %	**85** 86 %	**117** -0.40 89 %	**94** 0.3 86 %	**98** -0.31 88 %	**78** -3.0 86 %	**88** -2.2 86 %	**79** -23 85%	**81** 8.4 87%	**91** 2.2 85%	**119** 13.4 88 %	**117** 2.9 87 %	**92** -4.8 87 %	**112** 2.6 86 %	**88** -1.3 86 %	**93** -1.5 86 %
BB 180276 FB BEYOND BEEF BB180276 (ET)	6		ADBFL0048 / ADBFL0030	**116** 86 %	**94** 84 %	**87** 83 %	**115** 83 %	**80** 84 %	**110** 0.25 86 %	**94** 0.5 84 %	**109** -0.73 85 %	**87** 1.7 83 %	**91** -0.1 84 %	**85** -15 83%	**90** 3.1 84%	**76** 4.8 83%	**122** 14.7 86 %	**120** 3.3 84 %	**94** -3.5 84 %	**124** 4.5 84 %	**85** -1.6 84 %	**82** -3.3 83 %
BB 180277 FB BEYOND BEEF BB180277 (ET)	3		ADBFL0022 / ADBFL0017	**101** 86 %	**81** 84 %	**81** 84 %	**127** 84 %	**83** 84 %	**136** -2.23 86 %	**81** -4.8 84 %	**145** -2.06 86 %	**81** -1.6 84 %	**78** -9.0 84 %	**73** -33 84%	**79** 9.5 85%	**88** 2.6 84%	**117** 12.6 86 %	**126** 4.1 85 %	**79** -14.4 85 %	**106** 1.7 84 %	**97** -0.4 85 %	**95** -1.3 84 %
BB 180278 FB BEYOND BEEF BB180278 (ET)	5		A3001 / ADBFL0014	**116** 87 %	**103** 86 %	**68** 86 %	**115** 85 %	**92** 86 %	**113** -0.03 87 %	**103** 4.3 86 %	**122** -1.20 87 %	**68** -8.5 86 %	**93** 1.6 86 %	**85** -15 85%	**89** 3.5 87%	**96** 1.2 85%	**116** 12.2 88 %	**138** 5.7 86 %	**86** -9.4 87 %	**111** 2.5 86 %	**98** -0.3 86 %	**89** -2.2 86 %
BB 180285 FB BEYOND BEEF BB180285 (ET)	3		ADBFA0139 / ADBFL0011	**103** 88 %	**87** 86 %	**80** 86 %	**125** 85 %	**86** 86 %	**135** -2.17 88 %	**87** -2.3 86 %	**141** -1.93 87 %	**80** -1.9 86 %	**79** -8.1 86 %	**75** -30 85%	**77** 10.4 87%	**94** 1.6 85%	**114** 11.2 88 %	**122** 3.6 86 %	**85** -9.7 86 %	**124** 4.5 86 %	**90** -1.1 86 %	**92** -1.8 86 %
BB 180288 FB BEYOND BEEF BB180288 (ET)	3		ADBFL0022 / ADBFL0017	**90** 87 %	**69** 84 %	**81** 84 %	**137** 84 %	**93** 84 %	**146** -3.23 87 %	**69** -9.7 84 %	**144** -2.04 87 %	**81** -1.1 84 %	**65** -18.2 84 %	**63** -47 84%	**92** 1.9 85%	**96** 1.2 84%	**120** 13.8 86 %	**118** 3.1 85 %	**64** -24.4 85 %	**95** 0.0 85 %	**95** -0.6 85 %	**108** 0.7 84 %
BB 180290 FB BEYOND BEEF BB180290 (ET)	8		SMOFF0126 / KSOFJ0064	**100** 89 %	**120** 87 %	**78** 86 %	**107** 86 %	**100** 86 %	**96** 1.60 89 %	**120** 10.9 87 %	**111** -0.78 89 %	**78** -2.9 86 %	**113** 15.6 87 %	**93** -4 86%	**89** 3.6 87%	**110** -1.2 86%	**112** 10.3 89 %	**102** 1.0 87 %	**155** 39.8 87 %	**125** 4.7 87 %	**161** 5.7 87 %	**118** 2.5 86 %
BB 180295 FB BEYOND BEEF BB180295 (ET)	3		ADBFL0022 / ADBFL0019	**101** 88 %	**87** 86 %	**72** 86 %	**124** 86 %	**79** 86 %	**135** -2.12 88 %	**87** -2.5 86 %	**149** -2.21 88 %	**72** -5.9 86 %	**79** -8.2 86 %	**76** -28 86%	**76** 11.3 87%	**85** 3.2 86%	**128** 17.2 88 %	**98** 0.5 87 %	**73** -18.5 87 %	**105** 1.5 86 %	**121** 1.9 87 %	**138** 5.6 86 %
BB 180296 FB BEYOND BEEF BB180296 (ET)	5		SMOFF0126 / KSOFH0048	**107** 87 %	**111** 86 %	**68** 86 %	**113** 85 %	**76** 86 %	**112** 0.04 87 %	**111** 7.5 86 %	**148** -2.18 87 %	**68** -8.5 86 %	**105** 9.7 86 %	**87** -12 85%	**82** 7.7 86%	**75** 5.0 85%	**114** 11.3 88 %	**86** -1.0 86 %	**123** 16.8 86 %	**125** 4.6 86 %	**138** 3.6 86 %	**134** 4.9 85 %
BB 180297 FB BEYOND BEEF BB180297 (ET)	3		PMGFL0004 / KSOFL00103	**112** 87 %	**88** 84 %	**70** 84 %	**125** 84 %	**102** 84 %	**108** 0.46 87 %	**88** -1.9 84 %	**102** -0.47 86 %	**70** -7.3 84 %	**81** -7.0 84 %	**75** -29 84%	**94** 0.6 85%	**109** -1.0 83%	**113** 10.6 87 %	**137** 5.5 85 %	**68** -21.8 85 %	**111** 2.5 85 %	**69** -3.1 85 %	**77** -4.2 84 %
BB 180303 FB BEYOND BEEF BB180303 (ET)	4		PMGFL0004 / ARUFE0060	**124** 86 %	**87** 84 %	**84** 83 %	**121** 83 %	**110** 84 %	**118** -0.55 86 %	**87** -2.4 84 %	**102** -0.44 86 %	**84** 0.3 83 %	**85** -4.1 84 %	**79** -24 83%	**107** -7.2 84%	**112** -1.7 83%	**99** 4.7 86 %	**102** 1.0 84 %	**75** -17.2 84 %	**96** 0.2 84 %	**77** -2.2 84 %	**106** 0.4 83 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 180304 FB BEYOND BEEF BB180304 (ET)	8		SMOFF0126 KSOFJ0064	**109** 88 %	**114** 86 %	**74** 86 %	**104** 86 %	**89** 86 %	**108** 0.43 88 %	**114** 8.4 86 %	**126** -1.38 88 %	**74** -5.3 86 %	**105** 9.9 86 %	**96** 0 86%	**79** 9.3 87%	**99** 0.7 85%	**115** 11.8 88 %	**105** 1.4 87 %	**142** 30.6 87 %	**121** 4.0 87 %	**155** 5.1 86 %	**119** 2.6 85 %
BB 180314 FB BEYOND BEEF BB180314 (ET)	4		PMGFL0004 KSOFJ0071	**117** 87 %	**85** 86 %	**69** 85 %	**128** 85 %	**100** 86 %	**112** 0.04 87 %	**85** -3.2 86 %	**103** -0.50 87 %	**69** -7.7 85 %	**79** -8.4 86 %	**72** -33 85%	**93** 1.3 86%	**106** -0.5 85%	**108** 8.6 88 %	**126** 4.1 87 %	**79** -14.2 87 %	**110** 2.3 86 %	**54** -4.5 86 %	**74** -4.7 85 %
BB 180324 FB BEYOND BEEF BB180324 (ET)	3		PMGFL0004 KSOFK00092	**127** 84 %	**91** 83 %	**74** 82 %	**121** 82 %	**98** 82 %	**119** -0.65 84 %	**91** -0.7 83 %	**109** -0.72 84 %	**74** -5.1 82 %	**88** -1.9 83 %	**79** -23 82%	**89** 3.8 83%	**106** -0.6 82%	**118** 13.0 85 %	**131** 4.8 83 %	**86** -8.9 83 %	**118** 3.5 83 %	**95** -0.6 83 %	**89** -2.3 82 %
BB 190042 FB BEYOND BEEF BB190042 (ET)	2		SMOFF0126 BB 120022	**124** 90 %	**91** 88 %	**78** 88 %	**126** 87 %	**93** 88 %	**118** -0.48 90 %	**91** -0.5 88 %	**112** -0.82 89 %	**78** -3.2 88 %	**82** -6.5 88 %	**74** -31 87%	**86** 5.1 89%	**100** 0.6 87%	**124** 15.3 90 %	**106** 1.5 88 %	**99** 0.4 88 %	**96** 0.2 88 %	**146** 4.3 88 %	**135** 5.0 87 %
BB 190046 FB BEYOND BEEF BB190046 (ET)	2		SMOFF0126 BB 120022	**123** 89 %	**103** 87 %	**73** 87 %	**118** 87 %	**102** 88 %	**122** -0.91 89 %	**103** 4.2 87 %	**123** -1.25 89 %	**73** -5.5 87 %	**94** 2.0 88 %	**82** -19 87%	**89** 3.4 88%	**113** -1.8 87%	**125** 16.1 89 %	**101** 1.0 88 %	**105** 4.5 88 %	**90** -0.8 88 %	**161** 5.7 87 %	**142** 6.3 87 %
BB 190084 FB BEYOND BEEF BB190084 (ET)	2		SMOFF0154 BB 120014	**111** 89 %	**89** 87 %	**70** 87 %	**119** 87 %	**105** 87 %	**109** 0.38 89 %	**89** -1.5 87 %	**123** -1.25 89 %	**70** -7.4 87 %	**82** -6.4 88 %	**81** -21 87%	**96** -0.5 88%	**112** -1.7 86%	**112** 10.3 89 %	**113** 2.4 88 %	**94** -3.4 88 %	**75** -3.1 88 %	**124** 2.2 88 %	**122** 3.0 87 %
BB 190085 FB BEYOND BEEF BB190085 (ET)	2		SMOFF0154 BB 120022	**112** 90 %	**84** 88 %	**70** 88 %	**122** 88 %	**93** 88 %	**110** 0.30 90 %	**84** -3.6 88 %	**98** -0.32 90 %	**70** -7.4 88 %	**74** -11.5 89 %	**78** -25 88%	**82** 7.9 89%	**102** 0.1 87%	**115** 11.5 90 %	**130** 4.6 89 %	**110** 7.7 89 %	**86** -1.4 89 %	**137** 3.5 89 %	**108** 0.8 88 %
BB 190091 FB BEYOND BEEF BB190091 (ET)	2		SMOFF0154 BB 120026	**116** 91 %	**92** 88 %	**73** 87 %	**110** 87 %	**122** 88 %	**112** 0.07 91 %	**92** -0.5 88 %	**117** -1.03 89 %	**73** -5.4 87 %	**80** -7.5 88 %	**90** -9 87%	**109** -8.0 88%	**132** -5.2 87%	**107** 8.3 89 %	**130** 4.6 89 %	**85** -9.9 89 %	**80** -2.3 88 %	**133** 3.1 88 %	**114** 1.8 87 %
BB 190092 FB BEYOND BEEF BB190092 (ET)	4		SMOFF0154 BB 170017	**110** 89 %	**95** 87 %	**75** 87 %	**110** 87 %	**118** 87 %	**109** 0.38 89 %	**95** 0.9 87 %	**125** -1.34 89 %	**75** -4.5 87 %	**86** -3.7 87 %	**90** -9 87%	**109** -8.4 88%	**124** -3.8 86%	**114** 11.1 89 %	**121** 3.5 88 %	**94** -3.6 88 %	**84** -1.8 87 %	**125** 2.3 87 %	**115** 1.9 87 %
BB 190095 FB BEYOND BEEF BB190095 (ET)			SMOFF0154 CWBFBB 110007	**115** 87 %	**92** 86 %	**72** 86 %	**113** 85 %	**111** 86 %	**110** 0.26 87 %	**92** -0.3 86 %	**113** -0.87 87 %	**72** -6.3 86 %	**84** -4.5 86 %	**87** -13 85%	**92** 1.7 86%	**125** -4.0 85%	**112** 10.1 87 %	**108** 1.9 86 %	**86** -9.1 86 %	**85** -1.6 86 %	**123** 2.1 86 %	**125** 3.5 86 %
BB 190101 FB BEYOND BEEF BB190101	2		SMOFF0154 BB 120026	**107** 90 %	**87** 87 %	**68** 87 %	**124** 86 %	**105** 87 %	**103** 0.92 90 %	**87** -2.4 87 %	**113** -0.86 89 %	**68** -8.5 87 %	**76** -10.2 88 %	**76** -29 86%	**89** 3.7 88%	**117** -2.5 86%	**111** 10.0 89 %	**113** 2.5 88 %	**88** -8.0 88 %	**77** -2.8 88 %	**142** 3.9 87 %	**135** 5.1 87 %
BB 190104 FB BEYOND BEEF BB190104 (ET)	1		AACFF0758 BB 120026	**95** 88 %	**123** 86 %	**86** 85 %	**93** 85 %	**95** 86 %	**92** 1.99 88 %	**123** 12.3 86 %	**108** -0.67 87 %	**86** 1.2 85 %	**107** 11.6 86 %	**107** 16 85%	**99** -2.4 87%	**94** 1.7 85%	**130** 17.9 88 %	**110** 2.1 87 %	**110** 7.9 87 %	**70** -3.8 87 %	**147** 4.4 86 %	**118** 2.4 85 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 190105			AACFF0758	**85**	**131**	**81**	**85**	**83**	**86**	**131**	**99**	**81**	**116**	**115**	**89**	**82**	**114**	**103**	**122**	**78**	**137**	**109**
FB			CWBFBB 110007	86 %	85 %	84 %	84 %	84 %	2.61 86 %	15.6 85 %	-0.35 85 %	-1.1 84 %	17.5 84 %	28 84%	3.8 85%	3.8 83%	11.1 86 %	1.2 85 %	16.5 85 %	-2.7 85 %	3.4 85 %	0.9 84 %
BEYOND BEEF BB190105 (ET)																						
BB 190106	1		AACFF0758	**80**	**132**	**81**	**91**	**93**	**79**	**132**	**104**	**81**	**117**	**109**	**87**	**99**	**111**	**85**	**107**	**61**	**150**	**141**
FB			BB 120014	88 %	86 %	85 %	84 %	85 %	3.23 88 %	15.7 86 %	-0.54 87 %	-1.5 85 %	18.3 86 %	19 84%	4.6 86%	0.6 84%	10.0 88 %	-1.1 87 %	5.6 87 %	-5.2 86 %	4.7 86 %	6.0 85 %
BEYOND BEEF BB190106 (ET)																						
BB 190107	1		AACFF0758	**96**	**128**	**82**	**86**	**84**	**93**	**128**	**106**	**82**	**112**	**114**	**86**	**85**	**123**	**108**	**136**	**89**	**139**	**103**
FB			BB 120022	88 %	87 %	86 %	85 %	86 %	1.90 88 %	14.1 87 %	-0.61 88 %	-0.9 86 %	14.5 86 %	26 85%	5.3 87%	3.2 85%	14.9 88 %	1.8 87 %	26.0 87 %	-1.0 87 %	3.6 87 %	0.1 86 %
BEYOND BEEF BB190107 (ET)																						
BB 190108			AACFF0758	**96**	**125**	**81**	**87**	**89**	**94**	**125**	**103**	**81**	**110**	**113**	**84**	**94**	**113**	**91**	**113**	**78**	**128**	**118**
FB			CWBFBB 110007	86 %	84 %	84 %	83 %	84 %	1.81 86 %	13.1 84 %	-0.49 85 %	-1.5 84 %	13.2 84 %	25 83%	6.5 85%	1.6 83%	10.6 86 %	-0.3 85 %	10.2 85 %	-2.6 85 %	2.6 84 %	2.4 84 %
BEYOND BEEF BB190108 (ET)																						
BB 190113	1		AACFF0758	**96**	**127**	**86**	**87**	**120**	**93**	**127**	**112**	**86**	**109**	**113**	**117**	**122**	**129**	**100**	**130**	**69**	**159**	**125**
FB			BB 120026	88 %	85 %	85 %	84 %	85 %	1.88 88 %	13.8 85 %	-0.83 88 %	1.4 85 %	13.0 85 %	25 84%	-12.6 86%	-3.5 84%	17.7 88 %	0.8 86 %	22.1 86 %	-4.0 86 %	5.5 86 %	3.4 85 %
BEYOND BEEF BB190113 (ET)																						
BB 190114			AACFF0758	**90**	**123**	**77**	**90**	**91**	**87**	**123**	**108**	**77**	**108**	**110**	**81**	**100**	**115**	**94**	**114**	**84**	**134**	**118**
FB			CWBFBB 110007	86 %	85 %	84 %	84 %	84 %	2.46 86 %	12.3 85 %	-0.68 85 %	-3.7 84 %	12.0 84 %	21 84%	8.0 85%	0.5 84%	11.6 86 %	0.0 85 %	10.6 85 %	-1.7 85 %	3.2 85 %	2.3 84 %
BEYOND BEEF BB190114 (ET)																						
BB 190120	1		FB2124	**92**	**144**	**86**	**75**	**137**	**93**	**144**	**93**	**86**	**138**	**125**	**137**	**135**	**117**	**93**	**102**	**125**	**87**	**93**
FB			AF7437	82 %	80 %	80 %	80 %	80 %	1.87 82 %	20.7 80 %	-0.12 82 %	1.2 80 %	33.0 80 %	42 80%	-24.7 81%	-5.8 79%	12.6 83 %	-0.1 80 %	2.4 80 %	4.6 80 %	-1.3 80 %	-1.6 80 %
BEYOND BEEF BB190120 (ET)																						
BB 190127	1		AACFF0758	**101**	**128**	**84**	**86**	**79**	**97**	**128**	**111**	**84**	**111**	**114**	**78**	**83**	**117**	**97**	**109**	**83**	**128**	**117**
FB			BB 120025	88 %	86 %	85 %	84 %	85 %	1.54 88 %	14.2 86 %	-0.78 87 %	0.5 85 %	14.1 86 %	26 84%	10.2 86%	3.6 84%	12.6 88 %	0.5 87 %	7.0 87 %	-1.9 86 %	2.6 86 %	2.3 85 %
BEYOND BEEF BB190127 (ET)																						
BB 190142	7		AACFF0758	**58**	**137**	**84**	**86**	**101**	**66**	**137**	**82**	**84**	**127**	**114**	**97**	**105**	**120**	**96**	**120**	**100**	**110**	**100**
FB			BB 160203	87 %	85 %	84 %	84 %	84 %	4.51 87 %	17.8 85 %	0.31 87 %	0.5 84 %	25.0 84 %	27 84%	-1.3 85%	-0.4 84%	13.9 87 %	0.2 86 %	15.0 86 %	0.7 85 %	0.8 85 %	-0.4 84 %
BEYOND BEEF BB190142 (ET)																						
BB 190143			SMOFF0154	**103**	**98**	**74**	**112**	**128**	**100**	**98**	**103**	**74**	**88**	**88**	**112**	**139**	**116**	**108**	**99**	**71**	**134**	**127**
FB			CWBFBB 110007	88 %	86 %	85 %	85 %	86 %	1.23 88 %	2.3 86 %	-0.50 88 %	-5.3 85 %	-1.8 86 %	-12 85%	-9.7 86%	-6.6 85%	12.0 87 %	1.8 86 %	-0.2 86 %	-3.7 86 %	3.1 86 %	3.8 86 %
BEYOND BEEF BB190143 (ET)																						
BB 190144			SMOFF0154	**116**	**88**	**70**	**114**	**94**	**111**	**88**	**111**	**70**	**77**	**86**	**78**	**108**	**108**	**106**	**92**	**80**	**123**	**125**
FB			CWBFBB 110007	87 %	86 %	86 %	86 %	86 %	0.21 87 %	-1.9 86 %	-0.79 87 %	-7.0 86 %	-9.5 86 %	-14 86%	10.2 87%	-0.9 85%	8.8 88 %	1.6 87 %	-4.9 87 %	-2.4 86 %	2.1 86 %	3.5 86 %
BEYOND BEEF BB190144 (ET)																						
BB 190145			SMOFF0154	**99**	**91**	**71**	**118**	**89**	**99**	**91**	**96**	**71**	**83**	**82**	**73**	**102**	**113**	**124**	**103**	**103**	**116**	**103**
FB			CWBFBB 110007	88 %	87 %	86 %	86 %	86 %	1.37 88 %	-0.7 87 %	-0.22 88 %	-6.9 86 %	-5.5 87 %	-19 86%	13.0 87%	0.2 86%	10.7 88 %	3.8 87 %	2.6 87 %	1.3 87 %	1.4 87 %	0.0 86 %
BEYOND BEEF BB190145 (ET)																						

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 190147 FB BEYOND BEEF BB190147 (ET)			SMOFF0154 CWBFBB 110007	**91** 87 %	**97** 85 %	**71** 85 %	**114** 85 %	**106** 86 %	**92** 1.97 87 %	**97** 1.9 85 %	**91** -0.04 87 %	**71** -6.7 85 %	**87** -2.5 86 %	**86** -13 85%	**88** 4.1 86%	**119** -3.0 85%	**109** 8.9 87 %	**103** 1.2 86 %	**98** -1.0 86 %	**76** -2.9 86 %	**123** 2.1 86 %	**122** 3.0 85 %
BB 190149 FB BEYOND BEEF BB190149 (ET)	2		SMOFF0154 BB 120022	**120** 89 %	**85** 88 %	**72** 87 %	**122** 87 %	**83** 88 %	**114** -0.11 89 %	**85** -3.1 88 %	**105** -0.59 88 %	**72** -6.1 87 %	**75** -10.9 88 %	**78** -25 87%	**68** 15.5 88%	**97** 1.1 87%	**125** 15.9 89 %	**125** 4.0 88 %	**114** 10.5 88 %	**91** -0.6 88 %	**129** 2.7 88 %	**106** 0.5 87 %
BB 190159 FB BEYOND BEEF BB190159 (ET)	2		SMOFF0154 BB 120026	**117** 89 %	**90** 87 %	**71** 87 %	**115** 87 %	**106** 87 %	**112** 0.05 89 %	**90** -1.1 87 %	**115** -0.94 89 %	**71** -6.5 87 %	**80** -7.5 88 %	**85** -16 87%	**92** 1.7 88%	**116** -2.4 86%	**108** 8.5 89 %	**126** 4.0 88 %	**86** -8.8 88 %	**90** -0.8 88 %	**122** 2.0 88 %	**111** 1.3 87 %
BB 190161 FB BEYOND BEEF BB190161 (ET)	2		SMOFF0154 BB 120014	**90** 89 %	**95** 87 %	**71** 87 %	**122** 86 %	**111** 87 %	**91** 2.09 89 %	**95** 1.1 87 %	**93** -0.14 89 %	**71** -6.6 87 %	**86** -3.4 88 %	**78** -26 86%	**94** 0.4 88%	**123** -3.7 86%	**109** 8.9 89 %	**118** 3.1 88 %	**88** -7.6 88 %	**65** -4.6 88 %	**149** 4.5 88 %	**136** 5.2 87 %
BB 190162 FB BEYOND BEEF BB190162 (ET)			AACFF0758 CWBFBB 160215	**91** 86 %	**125** 84 %	**88** 83 %	**87** 83 %	**93** 84 %	**90** 2.24 86 %	**125** 13.0 84 %	**104** -0.52 85 %	**88** 2.1 83 %	**109** 12.5 83 %	**113** 24 83%	**91** 2.5 84%	**96** 1.2 83%	**116** 12.0 86 %	**106** 1.5 84 %	**98** -0.5 84 %	**97** 0.3 84 %	**101** 0.0 84 %	**101** -0.4 83 %
BB 200005 FB BEYOND BEEF BB200005 (AI)	1		BDWFM0495 BB 170132	**114** 90 %	**60** 87 %	**80** 87 %	**146** 87 %	**97** 87 %	**131** -1.78 90 %	**60** -13.2 87 %	**98** -0.32 89 %	**80** -1.7 87 %	**57** -23.8 88 %	**54** -60 87%	**84** 6.4 88%	**107** -0.8 86%	**109** 9.0 89 %	**126** 4.1 88 %	**80** -13.7 88 %	**89** -0.9 88 %	**122** 2.1 87 %	**111** 1.3 87 %
BB 200008 FB BEYOND BEEF BB200008 (AI)	1		BDWFM0495 BB 180031	**107** 89 %	**87** 86 %	**81** 86 %	**124** 85 %	**88** 86 %	**110** 0.22 89 %	**87** -2.4 86 %	**76** 0.53 88 %	**81** -1.3 86 %	**86** -3.4 86 %	**76** -28 85%	**84** 6.2 87%	**92** 2.0 85%	**115** 11.5 88 %	**85** -1.1 87 %	**106** 5.4 87 %	**103** 1.2 86 %	**99** -0.2 86 %	**115** 1.9 85 %
BB 200017 FB BEYOND BEEF BB200017 (AI)	1		BDWFM0495 BB 170200	**117** 90 %	**65** 87 %	**77** 87 %	**138** 87 %	**107** 87 %	**129** -1.57 90 %	**66** -11.0 87 %	**100** -0.39 89 %	**77** -3.6 87 %	**62** -20.0 88 %	**62** -48 87%	**106** -6.3 88%	**109** -1.0 86%	**118** 12.9 89 %	**117** 3.0 88 %	**91** -5.4 88 %	**92** -0.5 88 %	**122** 2.0 87 %	**111** 1.3 87 %
BB 200018 FB BEYOND BEEF BB200018 (AI)			BDWFM0495 BB 160203	**116** 90 %	**76** 86 %	**77** 86 %	**133** 86 %	**99** 86 %	**115** -0.20 90 %	**76** -6.9 86 %	**89** 0.03 88 %	**77** -3.3 86 %	**75** -11.0 86 %	**67** -42 86%	**80** 8.7 87%	**113** -1.9 85%	**122** 14.6 88 %	**101** 0.9 87 %	**83** -11.1 87 %	**108** 2.1 87 %	**85** -1.5 87 %	**106** 0.5 86 %
BB 200034 FB BEYOND BEEF BB200034 (AI)	1		BDWFM0495 BB 180039	**115** 89 %	**80** 86 %	**80** 85 %	**127** 85 %	**95** 85 %	**114** -0.09 89 %	**80** -5.3 86 %	**91** -0.04 87 %	**80** -2.0 85 %	**73** -12.3 86 %	**73** -32 85%	**92** 1.5 86%	**98** 0.9 84%	**127** 16.9 88 %	**104** 1.4 86 %	**111** 8.4 86 %	**96** 0.2 86 %	**106** 0.4 86 %	**103** 0.1 85 %
BB 200044 FB BEYOND BEEF BB200044 (AI)			IMUFP0036 CWBFBB 170027	**108** 86 %	**104** 84 %	**97** 84 %	**104** 83 %	**126** 84 %	**108** 0.44 86 %	**104** 4.6 84 %	**87** 0.10 86 %	**97** 7.4 84 %	**107** 11.1 84 %	**96** 1 83%	**133** -22.1 84%	**121** -3.3 83%	**123** 15.0 86 %	**85** -1.1 85 %	**80** -13.1 85 %	**81** -2.1 84 %	**122** 2.0 84 %	**134** 4.9 83 %
BB 200050 FB BEYOND BEEF BB200050			BB 170161 CWBFBB 170026	**103** 49 %	**90** 28 %	**103** 26 %	**105** 24 %	**87** 24 %	**101** 1.18 49 %	**90** -0.9 28 %	**116** -1.00 50 %	**103** 10.5 26 %	**91** 0.3 27 %	**95** -1 24%	**93** 1.3 28%	**85** 3.3 20%	**102** 6.0 47 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 200053 FB BEYOND BEEF BB200053		☑	BB 170161 BB 150117	**90** 66 %	**120** 35 %	**75** 30 %	**99** 30 %	**114** 35 %	**89** 2.30 70 %	**120** 11.0 35 %	**101** -0.43 53 %	**75** -4.6 30 %	**109** 12.5 36 %	**101** 8 30%	**120** -14.4 46%	**110** -1.4 24%	**115** 11.7 56 %	**101** 0.9 48 %	**64** -24.3 47 %	**108** 2.0 43 %	**64** -3.5 41 %	**95** -1.2 31 %
BB 200068 FB BEYOND BEEF BB200068		☑	BB 170161 BB 170075	**113** 62 %	**110** 31 %	**77** 29 %	**106** 26 %	**108** 34 %	**107** 0.53 67 %	**110** 6.9 31 %	**108** -0.67 45 %	**77** -3.5 29 %	**102** 8.0 31 %	**94** -3 26%	**107** -6.8 46%	**109** -1.2 23%	**117** 12.4 54 %	**102** 1.0 46 %	**62** -25.7 45 %	**104** 1.4 41 %	**73** -2.6 39 %	**107** 0.6 29 %
BB 210001 PBD BEYOND BEEF BB210001		☑	BB 170165 CWBFBB 170047	**102** 44 %	**115** 14 %	**112** 12 %	**77** 10 %	**110** 15 %	**98** 1.38 45 %	**115** 8.9 14 %	**105** -0.56 38 %	**112** 15.1 12 %	**117** 18.7 16 %	**123** 40 10%	**111** -9.2 22%	**109** -1.1 8%	**101** 5.5 41 %	**82** -1.5 27 %	**103** 3.1 26 %	**104** 1.4 23 %	**86** -1.4 25 %	**101** -0.3 12 %
BB 210011 FB BEYOND BEEF BB210011		☑	BB 150113 BB 170008	**82** 65 %	**131** 50 %	**79** 29 %	**88** 21 %	**99** 33 %	**85** 2.66 70 %	**131** 15.3 50 %	**90** -0.02 45 %	**79** -2.3 29 %	**120** 20.2 52 %	**112** 24 21%	**97** -0.9 49%	**102** 0.1 17%	**112** 10.2 58 %	**100** 0.8 42 %	**98** -0.7 42 %	**111** 2.5 39 %	**81** -1.9 35 %	**89** -2.3 22 %
BB 210012 FB BEYOND BEEF BB210012		☑	BB 150113 BB 170007	**83** 68 %	**129** 50 %	**84** 28 %	**88** 19 %	**106** 35 %	**90** 2.23 72 %	**129** 14.5 50 %	**75** 0.55 52 %	**84** 0.3 28 %	**118** 19.1 51 %	**112** 24 19%	**118** -13.1 50%	**98** 0.9 20%	**114** 11.1 58 %	**106** 1.6 42 %	**89** -7.3 42 %	**113** 2.8 39 %	**79** -2.1 36 %	**88** -2.4 25 %
BB 210015 FB BEYOND BEEF BB210015		☑	BB 170002 BB 170046	**114** 65 %	**105** 20 %	**89** 20 %	**102** 17 %	**117** 31 %	**110** 0.24 69 %	**105** 4.8 20 %	**101** -0.43 48 %	**89** 3.1 20 %	**99** 5.9 26 %	**98** 3 17%	**111** -9.4 43%	**121** -3.2 19%	**132** 19.1 50 %	**121** 3.5 40 %	**99** 0.2 40 %	**98** 0.5 36 %	**94** -0.7 32 %	**80** -3.7 24 %
BB 210020 2 FB BEYOND BEEF BB210020		☑	BB 190112 BB 180039	**120** 64 %	**107** 30 %	**81** 21 %	**102** 16 %	**99** 32 %	**115** -0.24 68 %	**107** 5.5 30 %	**103** -0.49 49 %	**81** -1.1 21 %	**94** 2.3 28 %	**98** 3 16%	**100** -2.8 45%	**99** 0.7 18%	**122** 14.5 48 %	**99** 0.6 37 %	**101** 1.4 37 %	**86** -1.4 36 %	**117** 1.5 29 %	**116** 2.1 22 %
BB 210027 FB BEYOND BEEF BB210027		☑	BB 190007 BB 170020	**107** 63 %	**109** 28 %	**84** 21 %	**102** 17 %	**119** 32 %	**105** 0.71 67 %	**109** 6.6 28 %	**95** -0.21 49 %	**84** 0.2 21 %	**107** 11.3 27 %	**98** 3 17%	**121** -15.2 43%	**116** -2.5 20%	**126** 16.3 50 %	**97** 0.4 34 %	**88** -7.8 34 %	**108** 2.0 32 %	**73** -2.7 30 %	**93** -1.6 23 %
BB 210028 FB BEYOND BEEF BB210028		☑	BB 190112 BB 170013	**94** 61 %	**131** 32 %	**81** 26 %	**86** 24 %	**108** 32 %	**95** 1.76 66 %	**131** 15.6 32 %	**93** -0.10 42 %	**81** -1.2 26 %	**120** 20.6 34 %	**114** 26 24%	**103** -4.8 46%	**112** -1.6 17%	**121** 14.3 52 %	**99** 0.7 38 %	**93** -4.1 38 %	**106** 1.7 36 %	**92** -0.9 34 %	**97** -0.9 26 %
BB 210032 4 FB BEYOND BEEF BB210032		☑	SMOFF0154 BB 170502	**110** 68 %	**91** 46 %	**69** 45 %	**118** 40 %	**119** 42 %	**107** 0.56 71 %	**91** -0.6 46 %	**117** -1.02 58 %	**69** -7.9 45 %	**82** -6.0 48 %	**82** -19 40%	**105** -5.5 56%	**130** -4.9 29%	**105** 7.5 60 %	**121** 3.4 51 %	**100** 0.5 51 %	**91** -0.6 49 %	**128** 2.6 47 %	**114** 1.7 42 %
BB 210034 4 FB BEYOND BEEF BB210034		☑	SMOFF0154 BB 170501	**112** 68 %	**89** 46 %	**69** 45 %	**120** 40 %	**90** 42 %	**107** 0.60 71 %	**89** -1.3 46 %	**110** -0.78 56 %	**69** -7.8 45 %	**81** -6.9 48 %	**80** -22 40%	**73** 12.7 56%	**104** -0.3 29%	**115** 11.8 60 %	**130** 4.7 52 %	**94** -3.4 52 %	**97** 0.3 49 %	**120** 1.8 48 %	**103** 0.0 43 %
BB 210038 FB BEYOND BEEF BB210038		☑	BB 180258 CWBFBB 170005	**86** 48 %	**106** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**86** 2.58 50 %	**106** 5.4 25 %	**101** -0.44 41 %	**104** 11.0 19 %	**107** 11.0 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**107** 8.0 42 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 210049 FB BEYOND BEEF BB210049	2	☑	☑ SMOFF0154 ☑ BB 170184	**120** 71 %	**79** 49 %	**66** 48 %	**127** 45 %	**105** 46 %	**114** -0.10 73 %	**79** -5.7 49 %	**107** -0.64 62 %	**66** -9.3 48 %	**70** -14.6 52 %	**73** -33 45%	**99** -2.1 59%	**110** -1.3 34%	**109** 9.1 60 %	**129** 4.5 55 %	**89** -6.8 55 %	**101** 0.9 53 %	**109** 0.7 53 %	**99** -0.6 48 %
BB 210051 FB BEYOND BEEF BB210051	4	☑	☑ SMOFF0154 ☑ BB 180285	**110** 69 %	**80** 44 %	**71** 43 %	**121** 40 %	**103** 44 %	**132** -1.90 72 %	**80** -5.1 44 %	**127** -1.41 59 %	**71** -6.5 43 %	**73** -12.6 46 %	**79** -23 40%	**92** 2.0 56%	**113** -1.8 31%	**111** 9.8 59 %	**130** 4.6 50 %	**95** -3.1 50 %	**109** 2.1 49 %	**103** 0.2 49 %	**95** -1.3 45 %
BB 210055 FB BEYOND BEEF BB210055	2	☑	☑ SMOFF0154 ☑ BB 170191	**112** 69 %	**74** 49 %	**69** 48 %	**125** 45 %	**96** 46 %	**132** -1.85 72 %	**74** -7.6 49 %	**123** -1.26 57 %	**69** -7.7 48 %	**66** -17.3 52 %	**75** -29 45%	**82** 7.5 59%	**108** -0.9 34%	**110** 9.4 61 %	**121** 3.5 55 %	**95** -3.0 55 %	**83** -1.8 53 %	**112** 1.1 53 %	**107** 0.6 48 %
BB 210062 FB BEYOND BEEF BB210062	6	☑	☑ SMOFF0154 ☑ BB 180314	**112** 69 %	**86** 45 %	**65** 43 %	**122** 40 %	**110** 43 %	**107** 0.57 71 %	**86** -2.7 45 %	**110** -0.76 59 %	**65** -10.0 43 %	**78** -9.0 48 %	**78** -25 40%	**99** -2.1 56%	**118** -2.8 30%	**108** 8.7 59 %	**132** 4.9 53 %	**91** -5.3 53 %	**102** 1.1 50 %	**85** -1.6 50 %	**86** -2.7 45 %
BB 210064 FB BEYOND BEEF BB210064	6	☑	☑ SMOFF0154 ☑ BB 180267	**116** 67 %	**77** 43 %	**68** 42 %	**121** 39 %	**100** 42 %	**129** -1.59 70 %	**77** -6.2 43 %	**121** -1.18 56 %	**68** -8.1 42 %	**71** -13.6 45 %	**79** -23 39%	**95** 0.0 55%	**106** -0.5 28%	**112** 10.2 57 %	**122** 3.6 48 %	**88** -7.7 49 %	**101** 1.0 47 %	**113** 1.1 47 %	**111** 1.3 43 %
BB 210066 FB BEYOND BEEF BB210066	7	☑	☑ SMOFF0154 ☑ BB 180257	**116** 67 %	**86** 43 %	**67** 42 %	**124** 39 %	**98** 40 %	**113** 0.01 70 %	**86** -2.9 43 %	**121** -1.18 54 %	**67** -8.5 42 %	**78** -9.3 45 %	**76** -29 39%	**87** 5.0 50%	**107** -0.7 29%	**112** 10.4 54 %	**126** 4.1 49 %	**92** -5.1 49 %	**100** 0.8 47 %	**109** 0.8 48 %	**105** 0.3 43 %
BB 210068 FB BEYOND BEEF BB210068	1	☑	☑ BDWFM0495 ☑ BB 170001	**114** 68 %	**80** 44 %	**85** 43 %	**122** 39 %	**87** 40 %	**116** -0.28 71 %	**80** -4.9 44 %	**81** 0.33 55 %	**85** 1.0 43 %	**79** -8.0 49 %	**78** -26 39%	**64** 18.0 54%	**104** -0.2 25%	**125** 15.9 58 %	**103** 1.1 52 %	**108** 6.6 52 %	**90** -0.8 49 %	**116** 1.4 44 %	**109** 1.0 33 %
BB 210070 FB BEYOND BEEF BB210070	2	☑	SMOFF0154 ☑ BB 170168	**114** 71 %	**85** 49 %	**72** 48 %	**124** 44 %	**112** 47 %	**111** 0.18 73 %	**85** -3.0 49 %	**99** -0.36 62 %	**72** -6.2 48 %	**77** -9.9 51 %	**76** -27 44%	**105** -5.6 59%	**117** -2.6 35%	**110** 9.4 61 %	**128** 4.3 55 %	**88** -7.5 56 %	**96** 0.1 54 %	**107** 0.6 54 %	**102** -0.1 48 %
BB 210071 FB BEYOND BEEF BB210071		☑	☑ SMOFF0154 ☑ CWBFBB 180253	**89** 47 %	**96** 41 %	**100** 40 %	**95** 38 %	**101** 34 %	**87** 2.45 47 %	**96** 1.3 41 %	**104** -0.54 45 %	**100** 8.7 40 %	**96** 3.3 43 %	**105** 14 38%	**93** 1.0 43%	**106** -0.6 25%	**96** 3.6 53 %	**112** 2.3 46 %	**109** 6.9 46 %	**93** -0.2 44 %	**111** 0.9 44 %	**100** -0.5 41 %
BB 210076 FB BEYOND BEEF BB210076	9	☑	☑ BB 170164 ☑ BB 180268	**92** 67 %	**81** 32 %	**77** 29 %	**122** 25 %	**97** 37 %	**146** -3.26 71 %	**81** -4.7 32 %	**135** -1.68 51 %	**77** -3.4 29 %	**75** -11.4 32 %	**78** -25 25%	**101** -3.5 49%	**96** 1.2 25%	**114** 11.3 53 %	**115** 2.7 49 %	**85** -9.8 49 %	**101** 0.9 47 %	**112** 1.0 48 %	**110** 1.1 32 %
BB 210077 FB BEYOND BEEF BB210077	12	☑	☑ BB 180264 ☑ BB 180251	**112** 65 %	**93** 27 %	**68** 24 %	**116** 21 %	**100** 34 %	**130** -1.68 70 %	**93** 0.1 27 %	**130** -1.52 48 %	**68** -8.3 24 %	**86** -3.5 28 %	**84** -16 21%	**99** -2.2 47%	**103** 0.0 20%	**120** 13.7 48 %	**130** 4.5 39 %	**82** -11.7 39 %	**108** 2.0 34 %	**100** -0.1 38 %	**95** -1.3 32 %
BB 210082 FB BEYOND BEEF BB210082	1	☑	☑ BB 180258 ☑ BA 160731	**98** 67 %	**103** 33 %	**80** 25 %	**119** 22 %	**97** 30 %	**96** 1.65 72 %	**103** 4.0 33 %	**105** -0.57 49 %	**80** -2.1 25 %	**96** 3.8 23 %	**81** -21 22%	**99** -2.2 43%	**98** 1.0 17%	**131** 18.3 49 %	**112** 2.3 40 %	**92** -4.5 39 %	**106** 1.7 34 %	**86** -1.4 36 %	**95** -1.2 29 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 210083	6	☑	BB 170164	**124**	**91**	**76**	**123**	**82**	**118**	**91**	**115**	**76**	**85**	**77**	**78**	**88**	**111**	**112**	**76**	**104**	**99**	**107**
FB		☑	BB 180261	64 %	37 %	32 %	28 %	38 %	-0.55	-0.9	-0.94	-3.8	-4.2	-27	9.7	2.7	9.9	2.3	-15.9	1.4	-0.2	0.7
BEYOND BEEF BB210083									69 %	37 %	43 %	32 %	36 %	28%	49%	26%	56 %	52 %	52 %	50 %	50 %	34 %
BB 210085		☑	BB 180258	**77**	**108**	**105**	**95**	**84**	**80**	**108**	**92**	**105**	**108**	**105**	**86**	**84**	**107**	**100**	**99**	**105**	**88**	**95**
FB		☑	CWBFBB 170041	48 %	25 %	19 %	16 %	18 %	3.14	6.2	-0.09	11.4	12.2	13	5.3	3.5	8.0	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB210085									50 %	25 %	41 %	19 %	21 %	16%	24%	13%	42 %	34 %	34 %	29 %	33 %	28 %
BB 210092		☑	BB 180258	**86**	**106**	**104**	**95**	**84**	**86**	**106**	**101**	**104**	**107**	**105**	**86**	**84**	**106**	**100**	**99**	**105**	**88**	**95**
FB		☑	CWBFBB 160208	48 %	25 %	19 %	16 %	18 %	2.60	5.5	-0.43	11.0	11.0	13	5.3	3.5	7.9	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB210092									50 %	25 %	41 %	19 %	21 %	16%	24%	13%	40 %	34 %	34 %	29 %	33 %	28 %
BB 210097	5	☑	BB 190045	**92**	**111**	**73**	**114**	**104**	**89**	**111**	**109**	**73**	**99**	**86**	**89**	**115**	**119**	**101**	**91**	**86**	**136**	**136**
FB		☑	BB 190143	60 %	30 %	29 %	27 %	34 %	2.31	7.5	-0.72	-5.4	5.9	-13	3.4	-2.1	13.2	0.9	-5.3	-1.5	3.4	5.2
BEYOND BEEF BB210097									65 %	30 %	43 %	29 %	33 %	27%	46%	21%	49 %	37 %	37 %	35 %	35 %	29 %
BB 210213		☑	BB 180264	**100**	**99**	**106**	**99**	**87**	**96**	**99**	**110**	**106**	**99**	**101**	**89**	**88**	**104**	**110**	**99**	**102**	**106**	**96**
F3		☑	CWBFBB 180172	36 %	19 %	18 %	16 %	20 %	1.64	2.4	-0.76	12.0	5.7	7	3.5	2.7	7.0	2.0	0.3	1.1	0.5	-1.2
BEYOND BEEF BB210213									40 %	19 %	23 %	18 %	20 %	16%	27%	13%	40 %	32 %	32 %	27 %	31 %	27 %
BB 210227	1	☑	BB 180264	**119**	**102**	**94**	**103**	**86**	**113**	**102**	**109**	**94**	**99**	**97**	**76**	**95**	**109**	**104**	**99**	**100**	**110**	**107**
F3		☑	BB 180173	61 %	24 %	20 %	17 %	28 %	-0.01	3.9	-0.74	5.4	5.7	2	11.0	1.5	9.2	1.3	0.1	0.8	0.9	0.6
BEYOND BEEF BB210227									67 %	24 %	36 %	20 %	22 %	17%	42%	14%	48 %	41 %	40 %	35 %	40 %	29 %
BB 220001			SMOFF0154	**89**	**96**	**100**	**95**	**101**	**87**	**96**	**104**	**100**	**96**	**105**	**93**	**106**	**90**	**112**	**109**	**93**	**111**	**100**
F1		☑	CWBFBB 110007	47 %	41 %	40 %	38 %	34 %	2.45	1.3	-0.54	8.7	3.3	14	1.0	-0.6	0.8	2.3	6.9	-0.2	0.9	-0.5
BEYOND BEEF BB220001									47 %	41 %	45 %	40 %	43 %	38%	43%	25%	46 %	46 %	46 %	44 %	44 %	41 %
BB 220003	2	☑	SMOFF0154	**115**	**93**	**73**	**115**	**99**	**110**	**93**	**113**	**73**	**82**	**85**	**88**	**107**	**112**	**116**	**83**	**95**	**112**	**115**
FB		☑	BB 120025	60 %	50 %	46 %	41 %	45 %	0.28	0.0	-0.86	-5.4	-6.5	-15	4.1	-0.8	10.2	2.8	-11.1	0.0	1.1	2.0
BEYOND BEEF BB220003									61 %	50 %	58 %	46 %	54 %	41%	59%	31%	64 %	59 %	58 %	56 %	55 %	47 %
BB 220006	1	☑	BB 170164	**97**	**67**	**79**	**128**	**99**	**147**	**67**	**117**	**79**	**64**	**72**	**102**	**98**	**112**	**111**	**100**	**94**	**115**	**104**
FB		☑	BB 170043	62 %	32 %	28 %	25 %	36 %	-3.29	-10.3	-1.02	-2.3	-18.7	-34	-4.1	0.9	10.3	2.2	0.4	-0.1	1.3	0.2
BEYOND BEEF BB220006									67 %	32 %	43 %	28 %	30 %	25%	47%	24%	52 %	66 %	65 %	47 %	65 %	49 %
BB 220007	2		SMOFF0126	**117**	**108**	**75**	**115**	**93**	**114**	**108**	**119**	**75**	**97**	**85**	**90**	**98**	**117**	**94**	**84**	**100**	**138**	**144**
FB		☑	BB 120025	59 %	45 %	42 %	39 %	40 %	-0.08	6.0	-1.09	-4.7	4.4	-15	3.2	0.8	12.6	0.0	-10.4	0.8	3.6	6.6
BEYOND BEEF BB220007									60 %	45 %	57 %	42 %	50 %	39%	51%	30%	61 %	55 %	55 %	51 %	49 %	36 %
BB 220011	4	☑	BB 170164	**112**	**97**	**85**	**114**	**98**	**110**	**97**	**96**	**85**	**91**	**86**	**91**	**105**	**121**	**106**	**90**	**90**	**110**	**108**
FB		☑	BB 170001	65 %	34 %	32 %	28 %	33 %	0.31	1.8	-0.22	1.0	0.2	-14	2.4	-0.4	14.3	1.5	-6.2	-0.8	0.9	0.9
BEYOND BEEF BB220011									70 %	34 %	46 %	32 %	37 %	28%	41%	25%	53 %	52 %	52 %	49 %	48 %	31 %
BB 220012	1		SMOFF0154	**110**	**95**	**79**	**110**	**121**	**107**	**95**	**101**	**79**	**91**	**90**	**113**	**126**	**113**	**112**	**92**	**88**	**119**	**116**
F1		☑	BB 200044	55 %	45 %	44 %	41 %	37 %	0.59	0.8	-0.43	-2.3	0.2	-8	-10.6	-4.2	10.9	2.3	-4.7	-1.2	1.7	2.1
BEYOND BEEF BB220012									55 %	45 %	53 %	44 %	46 %	41%	47%	27%	53 %	51 %	51 %	49 %	48 %	43 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage Genomic DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 220014	6	☑	BB 180264	**121**	**86**	**72**	**122**	**98**	**123**	**86**	**126**	**72**	**79**	**78**	**92**	**104**	**119**	**124**	**90**	**93**	**115**	**106**
FB		☑	BB 190084	62 %	31 %	30 %	26 %	35 %	-1.04	-2.7	-1.37	-6.2	-8.3	-25	2.0	-0.2	13.4	3.8	-6.4	-0.3	1.3	0.5
BEYOND BEEF BB220014									68 %	31 %	40 %	30 %	33 %	26%	49%	21%	49 %	43 %	43 %	39 %	41 %	35 %
BB 220015	6	☑	BB 180264	**107**	**93**	**71**	**124**	**93**	**102**	**93**	**111**	**71**	**83**	**76**	**86**	**99**	**120**	**132**	**98**	**99**	**121**	**99**
FB		☑	BB 190085	62 %	31 %	29 %	26 %	35 %	1.00	0.2	-0.80	-6.7	-5.3	-27	5.4	0.6	13.9	4.9	-0.9	0.6	2.0	-0.6
BEYOND BEEF BB220015									68 %	31 %	41 %	29 %	34 %	26%	49%	21%	49 %	43 %	43 %	38 %	41 %	35 %
BB 220025	18	☑	BB 170147	**114**	**76**	**76**	**129**	**101**	**133**	**76**	**108**	**76**	**71**	**71**	**109**	**97**	**109**	**106**	**85**	**107**	**100**	**107**
FB		☑	BB 170184	65 %	39 %	37 %	33 %	42 %	-1.99	-6.9	-0.68	-4.0	-13.8	-35	-8.3	1.1	9.1	1.6	-9.6	1.8	-0.1	0.6
BEYOND BEEF BB220025									69 %	39 %	48 %	37 %	41 %	33%	52%	31%	57 %	54 %	54 %	52 %	53 %	37 %
BB 220028		☑	BB 180266	**122**	**102**	**81**	**104**	**109**	**125**	**102**	**117**	**81**	**100**	**96**	**101**	**115**	**132**	**92**	**92**	**102**	**86**	**105**
FB		☑	BB 170051	63 %	32 %	26 %	22 %	27 %	-1.19	3.9	-1.01	-1.3	6.1	0	-3.7	-2.2	18.7	-0.2	-4.6	1.2	-1.4	0.3
BEYOND BEEF BB220028									69 %	32 %	41 %	26 %	32 %	22%	35%	19%	45 %	36 %	36 %	34 %	33 %	28 %
BB 220040	4	☑	BB 180266	**119**	**97**	**74**	**111**	**100**	**115**	**97**	**121**	**74**	**90**	**89**	**94**	**105**	**126**	**110**	**89**	**96**	**107**	**114**
FB		☑	BB 190092	64 %	35 %	30 %	25 %	34 %	-0.22	1.8	-1.15	-5.1	-0.3	-10	0.7	-0.5	16.3	2.0	-7.3	0.2	0.5	1.7
BEYOND BEEF BB220040									70 %	35 %	42 %	30 %	32 %	25%	47%	20%	49 %	37 %	37 %	35 %	34 %	29 %
BB 220044		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**95**	**88**	**105**	**99**	**102**	**107**
FB		☑	CWBFBB 170026	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	3.1	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB220044									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	46 %	45 %	45 %	43 %	45 %	28 %
BB 220046		☑	BB 200022	**107**	**66**	**80**	**132**	**83**	**139**	**66**	**113**	**80**	**64**	**68**	**82**	**85**	**114**	**108**	**89**	**104**	**101**	**108**
FB		☑	BB 180263	60 %	24 %	23 %	20 %	23 %	-2.51	-10.6	-0.86	-2.0	-18.7	-39	7.5	3.2	11.2	1.9	-7.2	1.4	0.0	0.8
BEYOND BEEF BB220046									67 %	24 %	35 %	23 %	25 %	20%	30%	16%	39 %	36 %	36 %	31 %	35 %	28 %
BB 220047	2	☑	BB 170147	**125**	**99**	**77**	**112**	**100**	**121**	**99**	**119**	**77**	**93**	**88**	**99**	**103**	**110**	**99**	**119**	**113**	**127**	**117**
FB		☑	BB 180304	62 %	35 %	34 %	30 %	33 %	-0.76	2.4	-1.09	-3.3	1.7	-10	-2.5	0.1	9.7	0.6	14.3	2.8	2.5	2.2
BEYOND BEEF BB220047									67 %	35 %	43 %	34 %	37 %	30%	41%	25%	53 %	52 %	52 %	49 %	50 %	32 %
BB 220050		☑	BB 200007	**116**	**77**	**90**	**118**	**95**	**129**	**77**	**121**	**90**	**78**	**82**	**90**	**100**	**119**	**108**	**99**	**103**	**108**	**105**
FB		☑	BB 180260	59 %	25 %	23 %	20 %	30 %	-1.54	-6.3	-1.18	3.2	-9.3	-19	3.2	0.5	13.5	1.8	0.4	1.2	0.6	0.3
BEYOND BEEF BB220050									64 %	25 %	39 %	23 %	25 %	20%	44%	17%	42 %	31 %	31 %	29 %	29 %	21 %
BB 220052	9	☑	BB 170164	**122**	**93**	**75**	**118**	**108**	**124**	**93**	**120**	**75**	**87**	**82**	**111**	**107**	**106**	**110**	**54**	**103**	**78**	**106**
FB		☑	BB 170033	66 %	37 %	33 %	29 %	34 %	-1.11	0.2	-1.15	-4.4	-3.1	-20	-9.4	-0.7	7.9	2.0	-31.4	1.2	-2.1	0.4
BEYOND BEEF BB220052									71 %	37 %	47 %	33 %	36 %	29%	42%	27%	54 %	54 %	54 %	52 %	52 %	36 %
BB 220057	9	☑	BB 170164	**101**	**85**	**77**	**122**	**93**	**138**	**85**	**135**	**77**	**78**	**78**	**94**	**94**	**114**	**115**	**85**	**101**	**112**	**110**
FB		☑	BB 180268	64 %	32 %	29 %	25 %	32 %	-2.50	-3.2	-1.70	-3.7	-9.3	-25	0.5	1.7	11.3	2.7	-9.8	0.9	1.0	1.1
BEYOND BEEF BB220057									69 %	32 %	44 %	29 %	32 %	25%	40%	25%	51 %	49 %	49 %	47 %	48 %	32 %
BB 220070	4	☑	BB 180264	**106**	**87**	**72**	**123**	**97**	**137**	**87**	**125**	**72**	**81**	**77**	**98**	**98**	**126**	**125**	**103**	**109**	**100**	**85**
FB		☑	BB 200037	64 %	33 %	34 %	35 %	26 %	-2.33	-2.5	-1.30	-6.1	-6.9	-27	-1.4	0.9	16.2	4.0	2.9	2.2	-0.1	-2.8
BEYOND BEEF BB220070									70 %	33 %	40 %	34 %	30 %	35%	34%	17%	42 %	39 %	38 %	34 %	34 %	28 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 220084	8	☑	BB 180266	**100**	**103**	**75**	**117**	**92**	**98**	**103**	**102**	**75**	**100**	**83**	**87**	**97**	**127**	**88**	**84**	**112**	**76**	**108**
FB		☑	BB 160203	65 %	37 %	31 %	28 %	29 %	1.44	4.3	-0.46	-4.7	6.7	-18	4.6	1.1	16.8	-0.7	-10.3	2.6	-2.4	0.8
BEYOND BEEF BB220084									71 %	37 %	44 %	31 %	34 %	28%	36%	22%	48 %	39 %	40 %	37 %	36 %	29 %
BB 220088	6	☑	BB 180266	**105**	**101**	**76**	**121**	**93**	**101**	**101**	**105**	**76**	**93**	**79**	**92**	**95**	**125**	**108**	**78**	**103**	**94**	**109**
FB		☑	BB 170168	66 %	38 %	32 %	28 %	38 %	1.09	3.4	-0.56	-3.9	1.8	-24	1.6	1.3	16.1	1.8	-14.8	1.3	-0.7	1.0
BEYOND BEEF BB220088									71 %	38 %	45 %	32 %	36 %	28%	49%	26%	51 %	41 %	41 %	40 %	38 %	32 %
BB 220090	5	☑	BB 180264	**100**	**114**	**77**	**106**	**84**	**97**	**114**	**115**	**77**	**101**	**94**	**82**	**89**	**124**	**121**	**111**	**100**	**122**	**97**
FB		☑	BB 190107	62 %	31 %	25 %	21 %	34 %	1.48	8.4	-0.96	-3.3	6.8	-2	7.8	2.6	15.5	3.5	8.3	0.8	2.0	-1.0
BEYOND BEEF BB220090									68 %	31 %	40 %	25 %	31 %	21%	48%	20%	51 %	43 %	42 %	38 %	40 %	33 %
BB 220092	4	☑	BB 190150	**123**	**83**	**75**	**121**	**91**	**126**	**83**	**107**	**75**	**76**	**79**	**85**	**98**	**122**	**124**	**97**	**105**	**104**	**97**
FB		☑	BB 180270	62 %	34 %	30 %	26 %	35 %	-1.25	-3.7	-0.66	-4.7	-10.2	-24	6.0	0.9	14.8	3.9	-1.4	1.5	0.2	-1.0
BEYOND BEEF BB220092									67 %	34 %	45 %	30 %	34 %	26%	48%	22%	49 %	41 %	41 %	38 %	38 %	31 %
BB 220105	2	☑	SMOFF0154	**115**	**93**	**73**	**115**	**102**	**110**	**93**	**113**	**73**	**82**	**85**	**93**	**109**	**110**	**116**	**83**	**95**	**112**	**115**
FB		☑	BB 120025	60 %	50 %	46 %	41 %	44 %	0.28	0.0	-0.86	-5.4	-6.5	-15	1.4	-1.1	9.7	2.8	-11.1	0.0	1.1	2.0
BEYOND BEEF BB220105									61 %	50 %	58 %	46 %	54 %	41%	57%	31%	63 %	59 %	58 %	56 %	55 %	47 %
BB 220108	2	☑	SMOFF0154	**110**	**88**	**72**	**120**	**104**	**106**	**88**	**114**	**72**	**79**	**80**	**91**	**115**	**109**	**115**	**95**	**74**	**131**	**124**
FB		☑	BB 120014	60 %	49 %	48 %	41 %	42 %	0.69	-1.9	-0.89	-6.1	-8.2	-23	2.6	-2.2	9.2	2.7	-2.8	-3.3	2.9	3.3
BEYOND BEEF BB220108									60 %	49 %	58 %	48 %	54 %	41%	54%	31%	61 %	59 %	58 %	56 %	54 %	46 %
BB 220110	2	☑	SMOFF0154	**121**	**82**	**71**	**122**	**91**	**115**	**82**	**114**	**71**	**72**	**78**	**79**	**102**	**116**	**123**	**102**	**92**	**123**	**109**
FB		☑	BB 120022	61 %	48 %	46 %	42 %	46 %	-0.27	-4.3	-0.92	-6.8	-13.3	-25	9.2	0.2	12.0	3.7	2.5	-0.4	2.1	0.9
BEYOND BEEF BB220110									62 %	48 %	59 %	46 %	55 %	42%	59%	32%	63 %	58 %	58 %	55 %	53 %	46 %
BB 220114	27	☑	BB 190064	**112**	**83**	**77**	**125**	**83**	**133**	**83**	**118**	**77**	**74**	**75**	**82**	**86**	**128**	**105**	**101**	**94**	**139**	**127**
FB			BB 120022	59 %	33 %	32 %	26 %	34 %	-1.95	-3.8	-1.06	-3.6	-11.8	-30	7.4	3.1	17.3	1.5	1.3	-0.1	3.6	3.9
BEYOND BEEF BB220114									62 %	33 %	49 %	32 %	43 %	26%	44%	24%	52 %	45 %	45 %	42 %	39 %	28 %
BB 220121		☑	SMOFF0154	**89**	**96**	**100**	**95**	**101**	**87**	**96**	**104**	**100**	**96**	**105**	**93**	**106**	**90**	**112**	**109**	**93**	**111**	**100**
FB		☑	CWBFBB 110007	47 %	41 %	40 %	38 %	34 %	2.45	1.3	-0.54	8.7	3.3	14	1.0	-0.6	0.8	2.3	6.9	-0.2	0.9	-0.5
BEYOND BEEF BB220121									47 %	41 %	45 %	40 %	43 %	38%	43%	25%	46 %	46 %	46 %	44 %	44 %	41 %
BB 220124	5	☑	BB 170147	**109**	**100**	**83**	**118**	**103**	**104**	**100**	**109**	**83**	**92**	**82**	**105**	**103**	**107**	**97**	**81**	**100**	**97**	**116**
FB		☑	BB 180038	63 %	35 %	31 %	26 %	33 %	0.85	2.9	-0.72	-0.5	1.1	-20	-6.0	0.0	8.3	0.4	-12.9	0.7	-0.4	2.1
BEYOND BEEF BB220124									68 %	35 %	45 %	31 %	36 %	26%	40%	26%	54 %	54 %	54 %	52 %	50 %	31 %
BB 220126		☑	BB 190089	**78**	**104**	**105**	**95**	**94**	**81**	**104**	**94**	**105**	**104**	**105**	**90**	**98**	**102**	**97**	**110**	**97**	**97**	**98**
FB		☑	CWBFBB 160208	38 %	24 %	23 %	22 %	20 %	3.11	4.6	-0.17	11.5	9.3	13	2.7	0.9	6.0	0.5	7.7	0.4	-0.4	-0.7
BEYOND BEEF BB220126									40 %	24 %	29 %	23 %	24 %	22%	25%	15%	41 %	30 %	30 %	28 %	29 %	26 %
BB 220127		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**94**	**105**	**89**	**95**	**105**	**102**
F2		☑	CWBFBB 180014	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	2.6	1.4	-7.0	0.0	0.4	-0.2
BEYOND BEEF BB220127									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	46 %	46 %	46 %	44 %	45 %	29 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 220130 FB BEYOND BEEF BB220130	5	☑ ☑	BB 180264 BB 190113	**124** 63 %	**103** 31 %	**80** 25 %	**106** 20 %	**103** 34 %	**120** -0.68 69 %	**103** 4.2 31 %	**121** -1.17 42 %	**80** -1.7 25 %	**91** 0.4 31 %	**94** -2 20%	**99** -2.4 48%	**108** -0.9 21%	**127** 16.6 50 %	**117** 3.0 43 %	**108** 6.3 43 %	**90** -0.7 38 %	**132** 3.0 40 %	**107** 0.7 34 %
BB 220133 FB BEYOND BEEF BB220133	12	☑ ☑	BB 180264 BB 180278	**111** 55 %	**101** 27 %	**70** 24 %	**120** 21 %	**92** 31 %	**109** 0.34 60 %	**101** 3.2 27 %	**124** -1.27 34 %	**70** -7.1 24 %	**91** -0.1 28 %	**80** -22 21%	**89** 3.5 44%	**96** 1.2 18%	**120** 13.8 48 %	**137** 5.4 39 %	**86** -9.4 39 %	**111** 2.5 34 %	**102** 0.1 38 %	**90** -2.1 32 %
BB 220139 FB BEYOND BEEF BB220139	4	☑ ☑	BB 170164 BB 180031	**121** 65 %	**88** 39 %	**76** 36 %	**126** 32 %	**97** 36 %	**117** -0.37 69 %	**88** -1.9 39 %	**102** -0.45 48 %	**76** -4.2 36 %	**81** -7.0 40 %	**74** -31 32%	**100** -3.0 44%	**96** 1.2 29%	**104** 6.7 56 %	**102** 1.0 54 %	**81** -12.8 54 %	**98** 0.5 52 %	**107** 0.6 52 %	**115** 1.9 35 %
BB 220300 F3 BEYOND BEEF BB220300		☑ ☑	BB 180281 CWBFBB 180149	**108** 39 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**105** 0.78 40 %	**98** 2.2 17 %	**117** -1.03 37 %	**108** 13.0 13 %	**100** 6.1 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**109** 9.0 37 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 220301 FB BEYOND BEEF BB220301		☑ ☑	SMOFF0154 CWBFBB 160208	**89** 47 %	**96** 41 %	**100** 40 %	**95** 38 %	**101** 34 %	**87** 2.45 47 %	**96** 1.3 41 %	**104** -0.54 45 %	**100** 8.7 40 %	**96** 3.3 43 %	**105** 14 38%	**93** 1.0 43%	**106** -0.6 25%	**90** 0.8 46 %	**112** 2.3 46 %	**109** 6.9 46 %	**93** -0.2 44 %	**111** 0.9 44 %	**100** -0.5 41 %
BB 220302 F3 BEYOND BEEF BB220302		☑ ☑	BB 180275 CWBFBB 190313	**100** 28 %	**100** 19 %	**105** 18 %	**99** 16 %	**89** 18 %	**96** 1.63 30 %	**100** 2.9 19 %	**110** -0.77 22 %	**105** 11.6 18 %	**100** 6.4 20 %	**101** 8 16%	**90** 2.8 22%	**89** 2.5 13%	**104** 7.1 37 %	**109** 2.0 28 %	**103** 2.7 28 %	**106** 1.7 26 %	**104** 0.3 26 %	**94** -1.5 22 %
BB 220303 F3 BEYOND BEEF BB220303		☑ ☑	BB 180258 CWBFBB 190220	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
BB 223004 F3 BEYOND BEEF BB223004		☑ ☑	BB 180281 CWBFBB 180229	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**109** 9.1 39 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 223007 F3 BEYOND BEEF BB223007		☑ ☑	BB 180281 CWBFBB 190216	**107** 39 %	**99** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**103** 0.91 40 %	**99** 2.4 17 %	**115** -0.95 37 %	**108** 13.1 13 %	**100** 6.4 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**109** 9.1 39 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 223015 F3 BEYOND BEEF BB223015		☑ ☑	BB 180258 CWBFBB 180170	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**107** 8.1 39 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
BB 223016 F3 BEYOND BEEF BB223016		☑ ☑	BB 180281 BB 190230	**120** 57 %	**89** 17 %	**99** 13 %	**107** 10 %	**88** 24 %	**128** -1.51 63 %	**89** -1.5 17 %	**112** -0.82 32 %	**99** 8.0 13 %	**92** 1.0 13 %	**93** -3 10%	**88** 4.4 38%	**91** 2.2 11%	**108** 8.7 40 %	**102** 1.0 29 %	**97** -1.1 29 %	**103** 1.2 25 %	**114** 1.2 29 %	**111** 1.3 23 %
BB 223020 F3 BEYOND BEEF BB223020		☑ ☑	CWBMKI 140012 BB 180219	**115** 60 %	**100** 23 %	**106** 11 %	**93** 7 %	**108** 20 %	**119** -0.60 65 %	**100** 2.8 23 %	**72** 0.66 41 %	**106** 12.2 11 %	**107** 11.4 22 %	**107** 17 7 %	**102** -4.3 37%		**93** 2.0 36 %	**105** 1.5 19 %	**96** -2.1 19 %	**111** 2.5 16 %	**85** -1.6 16 %	**84** -3.1 8 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 223029 F3 BEYOND BEEF BB223029		☑	BB 180281 CWBFBB 190238	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 223030 F3 BEYOND BEEF BB223030		☑	BB 180258 CWBFBB 190266	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
BB 223034 PBD BEYOND BEEF BB223034		☑	BB 180100 CWBFBB 190205	**97** 36 %	**106** 19 %	**101** 16 %	**93** 13 %	**95** 16 %	**96** 1.67 36 %	**106** 5.4 19 %	**116** -1.00 36 %	**101** 9.2 16 %	**106** 10.6 20 %	**107** 17 13%	**97** -1.2 20%	**93** 1.7 13%	**102** 6.2 40 %	**114** 2.6 25 %	**86** -9.4 24 %	**96** 0.2 22 %	**95** -0.6 23 %	**94** -1.4 19 %
BB 223047 F3 BEYOND BEEF BB223047		☑	BB 170164 CWBFBB 180174	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
BB 223053 F3 BEYOND BEEF BB223053		☑	BB 180281 CWBFBB 190273	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.8 39 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 223061 F3 BEYOND BEEF BB223061		☑	BB 180258 CWBFBB 180132	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**107** 8.1 39 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
BB 230001 FB BEYOND BEEF BB230001		☑	BB 200022 BB 190162	**111** 61 %	**96** 29 %	**86** 24 %	**110** 20 %	**94** 24 %	**109** 0.35 68 %	**96** 1.4 29 %	**96** -0.22 35 %	**86** 1.1 24 %	**88** -2.1 28 %	**90** -8 20%	**90** 3.1 31%	**98** 0.8 16%	**118** 12.7 41 %	**106** 1.5 39 %	**100** 0.6 39 %	**95** 0.0 34 %	**99** -0.2 37 %	**101** -0.3 30 %
BB 230003 3 FB BEYOND BEEF BB230003	3	☑	BB 170164 BB 200008	**125** 66 %	**84** 38 %	**79** 35 %	**125** 31 %	**97** 34 %	**122** -0.89 71 %	**84** -3.5 38 %	**98** -0.32 45 %	**79** -2.6 35 %	**80** -7.7 38 %	**75** -30 31%	**97** -1.1 42%	**98** 0.9 26%	**108** 8.4 53 %	**105** 1.5 53 %	**86** -9.4 53 %	**100** 0.7 51 %	**102** 0.0 51 %	**109** 0.9 34 %
BB 230013 14 FB BEYOND BEEF BB230013	14	☑	BB 190087 BB 200018	**105** 63 %	**82** 34 %	**76** 33 %	**127** 30 %	**105** 29 %	**105** 0.73 68 %	**82** -4.5 34 %	**89** 0.02 43 %	**76** -4.2 33 %	**81** -7.1 35 %	**73** -32 30%	**89** 3.7 37%	**116** -2.4 21%	**116** 12.1 45 %	**103** 1.2 38 %	**89** -7.2 38 %	**108** 2.0 37 %	**80** -2.1 36 %	**98** -0.7 30 %
BB 230021 4 FB BEYOND BEEF BB230021	4	☑	BB 190089 BB 180099	**118** 62 %	**91** 31 %	**73** 29 %	**118** 27 %	**98** 29 %	**127** -1.42 68 %	**91** -0.7 31 %	**120** -1.12 40 %	**73** -5.8 29 %	**83** -5.2 32 %	**82** -20 27%	**86** 5.2 36%	**108** -0.9 22%	**113** 10.6 46 %	**121** 3.4 38 %	**94** -3.5 38 %	**106** 1.8 36 %	**95** -0.6 37 %	**95** -1.3 32 %
BB 230023 FB BEYOND BEEF BB230023		☑	BB 200022 BB 170184	**104** 64 %	**63** 34 %	**78** 33 %	**136** 30 %	**91** 32 %	**140** -2.61 70 %	**63** -11.8 34 %	**97** -0.28 43 %	**78** -3.1 33 %	**61** -21.2 37 %	**64** -45 30%	**91** 2.1 38%	**93** 1.7 25%	**116** 11.9 46 %	**113** 2.4 44 %	**88** -7.8 44 %	**101** 0.9 40 %	**99** -0.2 42 %	**101** -0.4 35 %
BB 230024 9 FB BEYOND BEEF BB230024	9	☑	BB 190089 BB 180296	**121** 63 %	**96** 32 %	**70** 32 %	**115** 30 %	**90** 28 %	**124** -1.05 68 %	**96** 1.4 32 %	**124** -1.29 42 %	**70** -7.0 32 %	**91** -0.1 33 %	**85** -15 30%	**85** 6.1 36%	**95** 1.4 21%	**116** 12.2 47 %	**98** 0.5 39 %	**115** 11.1 39 %	**113** 2.8 36 %	**113** 1.1 36 %	**115** 1.9 30 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 230028 FB BEYOND BEEF BB230028	9	☑	☑ BB 170164 ☑ BB 180260	**109** 65 %	**84** 32 %	**73** 29 %	**127** 25 %	**102** 32 %	**131** -1.80 70 %	**84** -3.6 32 %	**135** -1.68 45 %	**73** -5.4 29 %	**77** -9.9 32 %	**73** -33 25%	**101** -3.4 40%	**104** -0.3 25%	**113** 10.9 52 %	**118** 3.1 49 %	**78** -15.0 49 %	**105** 1.6 47 %	**102** 0.1 48 %	**105** 0.4 32 %
BB 230029 FB BEYOND BEEF BB230029	4	☑	☑ BB 190102 ☑ BB 180270	**110** 65 %	**108** 35 %	**82** 26 %	**106** 21 %	**86** 30 %	**106** 0.61 70 %	**108** 6.0 35 %	**101** -0.41 44 %	**82** -0.9 26 %	**98** 4.8 32 %	**94** -2 21%	**85** 6.0 38%	**89** 2.6 21%	**120** 13.6 48 %	**108** 1.8 38 %	**110** 8.0 38 %	**100** 0.8 36 %	**108** 0.6 33 %	**101** -0.3 27 %
BB 230030 FB BEYOND BEEF BB230030	8	☑	☑ BB 170164 ☑ BB 190106	**117** 64 %	**104** 38 %	**79** 32 %	**109** 27 %	**99** 34 %	**112** 0.07 69 %	**104** 4.5 38 %	**113** -0.88 44 %	**79** -2.6 32 %	**93** 1.8 37 %	**91** -7 27%	**98** -1.9 42%	**101** 0.2 26%	**106** 7.8 54 %	**105** 1.5 54 %	**86** -9.3 54 %	**79** -2.5 51 %	**127** 2.5 51 %	**122** 3.0 35 %
BB 230033 FB BEYOND BEEF BB230033		☑	☑ BB 180258 ☑ CWBFBB 170006	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**107** 8.1 37 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
BB 230047 FB BEYOND BEEF BB230047		☑	☑ BB 190089 ☑ CWBFBB 200061	**78** 38 %	**104** 24 %	**105** 23 %	**95** 22 %	**94** 20 %	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29 %	**105** 11.5 23 %	**104** 9.3 24 %	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**100** 5.1 36 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
BB 230049 FB BEYOND BEEF BB230049	5	☑	☑ BB 190087 ☑ BB 180251	**105** 62 %	**99** 30 %	**67** 28 %	**113** 26 %	**106** 28 %	**101** 1.11 67 %	**99** 2.5 30 %	**112** -0.83 43 %	**67** -8.6 28 %	**94** 2.0 32 %	**87** -13 26%	**98** -1.7 36%	**113** -1.8 21%	**113** 10.7 46 %	**115** 2.7 35 %	**87** -8.6 35 %	**106** 1.7 34 %	**84** -1.6 34 %	**95** -1.3 29 %
BB 230062 FB BEYOND BEEF BB230062	3	☑	☑ BB 190089 ☑ BB 180314	**78** 63 %	**103** 31 %	**69** 29 %	**122** 26 %	**102** 28 %	**80** 3.17 68 %	**103** 4.2 31 %	**97** -0.26 42 %	**69** -7.6 29 %	**94** 2.1 32 %	**78** -26 26%	**90** 2.9 35%	**110** -1.4 20%	**114** 11.1 46 %	**118** 3.1 40 %	**93** -4.4 40 %	**106** 1.7 37 %	**71** -2.9 38 %	**85** -2.9 32 %
BB 230067 FB BEYOND BEEF BB230067	7	☑	☑ BB 180289 ☑ BB 180290	**116** 60 %	**105** 28 %	**78** 27 %	**113** 24 %	**92** 26 %	**110** 0.25 66 %	**105** 4.8 28 %	**111** -0.81 39 %	**78** -2.8 27 %	**98** 5.1 30 %	**87** -12 24%	**87** 4.6 33%	**98** 0.9 20%	**125** 15.8 44 %	**113** 2.5 32 %	**128** 20.8 33 %	**121** 4.0 31 %	**130** 2.8 30 %	**102** -0.1 21 %
BB 230070 FB BEYOND BEEF BB230070	2	☑	☑ BB 190102 ☑ BB 170050	**93** 62 %	**103** 28 %	**82** 21 %	**109** 16 %	**89** 25 %	**93** 1.86 68 %	**103** 4.2 28 %	**97** -0.26 40 %	**82** -1.0 21 %	**93** 1.6 26 %	**91** -6 16%	**92** 1.8 33%	**89** 2.5 17%	**120** 13.9 45 %	**105** 1.4 35 %	**113** 10.0 35 %	**96** 0.1 32 %	**99** -0.2 31 %	**95** -1.3 25 %
BB 230072 FB BEYOND BEEF BB230072	3	☑	☑ BB 180266 ☑ BB 190140	**118** 63 %	**91** 34 %	**73** 27 %	**120** 25 %	**102** 28 %	**112** 0.04 69 %	**91** -0.5 34 %	**113** -0.85 40 %	**73** -5.7 27 %	**87** -3.0 32 %	**80** -23 25%	**99** -2.3 36%	**106** -0.6 20%	**126** 16.4 45 %	**113** 2.5 37 %	**88** -7.8 37 %	**99** 0.6 34 %	**105** 0.3 35 %	**110** 1.2 30 %
BB 230078 FB BEYOND BEEF BB230078	3	☑	☑ BB 180258 ☑ BB 190095	**110** 63 %	**99** 32 %	**71** 27 %	**115** 25 %	**97** 28 %	**105** 0.78 69 %	**99** 2.7 32 %	**109** -0.74 40 %	**71** -6.8 27 %	**91** 0.4 30 %	**85** -15 25%	**85** 5.6 35%	**106** -0.6 20%	**121** 14.1 46 %	**112** 2.3 41 %	**85** -9.5 41 %	**101** 0.9 36 %	**96** -0.4 40 %	**107** 0.7 34 %
BB 230089 FB BEYOND BEEF BB230089	13	☑	☑ BB 190102 ☑ BB 170046	**116** 64 %	**98** 28 %	**86** 22 %	**111** 16 %	**87** 27 %	**111** 0.12 69 %	**98** 2.3 28 %	**103** -0.51 43 %	**86** 1.5 22 %	**89** -1.5 30 %	**89** -9 16%	**88** 3.9 35%	**88** 2.7 19%	**126** 16.5 45 %	**103** 1.2 33 %	**110** 7.6 33 %	**91** -0.6 31 %	**116** 1.5 29 %	**108** 0.8 23 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 230091	13	☑	BB 190102	**98**	**123**	**83**	**89**	**87**	**96**	**123**	**103**	**83**	**109**	**111**	**86**	**90**	**116**	**95**	**121**	**83**	**128**	**113**
FB		☑	BB 190108	62 %	33 %	23 %	17 %	28 %	1.66	12.3	-0.50	-0.1	12.4	21	5.0	2.3	12.2	0.1	15.5	-1.8	2.6	1.6
BEYOND BEEF BB230091									68 %	33 %	39 %	23 %	28 %	17%	36%	19%	45 %	36 %	35 %	34 %	31 %	26 %
BB 230093	1	☑	BB 190089	**78**	**105**	**78**	**119**	**101**	**81**	**105**	**93**	**78**	**95**	**81**	**95**	**106**	**123**	**119**	**99**	**93**	**112**	**102**
FB		☑	BB 170079	62 %	27 %	26 %	23 %	27 %	3.07	4.8	-0.14	-2.8	3.0	-21	0.0	-0.7	15.0	3.2	-0.1	-0.3	1.0	-0.1
BEYOND BEEF BB230093									67 %	27 %	41 %	26 %	30 %	23%	34%	20%	44 %	36 %	36 %	33 %	33 %	28 %
BB 230094	7	☑	BB 180258	**114**	**105**	**72**	**113**	**97**	**109**	**105**	**113**	**72**	**98**	**87**	**96**	**98**	**121**	**105**	**64**	**113**	**62**	**99**
FB		☑	BB 170033	66 %	34 %	28 %	23 %	29 %	0.34	4.9	-0.87	-6.0	5.0	-13	-0.5	0.8	14.1	1.4	-24.4	2.8	-3.8	-0.6
BEYOND BEEF BB230094									71 %	34 %	45 %	28 %	31 %	23%	36%	22%	50 %	45 %	45 %	41 %	42 %	34 %
BB 230096	2	☑	BB 180287	**101**	**113**	**81**	**106**	**97**	**98**	**113**	**107**	**81**	**104**	**94**	**103**	**95**	**126**	**113**	**82**	**107**	**91**	**97**
F1			BB 210012	58 %	28 %	18 %	13 %	22 %	1.46	8.3	-0.63	-1.2	9.1	-2	-4.6	1.4	16.3	2.4	-12.3	1.9	-1.0	-0.9
BEYOND BEEF BB230096									65 %	28 %	33 %	18 %	28 %	13%	30%	13%	42 %	26 %	26 %	24 %	23 %	17 %
BB 230101		☑	BB 200022	**114**	**80**	**80**	**133**	**88**	**113**	**80**	**90**	**80**	**75**	**67**	**93**	**86**	**118**	**118**	**95**	**107**	**103**	**95**
FB		☑	BB 170197	63 %	34 %	33 %	30 %	32 %	-0.01	-5.0	0.00	-1.8	-11.2	-41	1.4	3.0	13.0	3.1	-2.6	1.9	0.2	-1.2
BEYOND BEEF BB230101									69 %	34 %	40 %	33 %	37 %	30%	38%	25%	46 %	44 %	44 %	40 %	42 %	35 %
BB 230115	3	☑	BB 190089	**116**	**95**	**76**	**121**	**95**	**112**	**95**	**118**	**76**	**86**	**79**	**82**	**105**	**116**	**116**	**96**	**113**	**89**	**94**
FB		☑	BB 180285	63 %	30 %	28 %	26 %	29 %	0.08	0.8	-1.06	-4.2	-3.1	-24	7.4	-0.3	12.2	2.8	-2.2	2.7	-1.2	-1.5
BEYOND BEEF BB230115									68 %	30 %	42 %	28 %	30 %	26%	36%	22%	46 %	37 %	37 %	35 %	36 %	31 %
BB 230120	4	☑	BB 180259	**121**	**89**	**77**	**118**	**88**	**115**	**89**	**108**	**77**	**81**	**82**	**85**	**92**	**125**	**125**	**103**	**107**	**113**	**96**
FB		☑	BB 190085	59 %	29 %	27 %	24 %	28 %	-0.21	-1.7	-0.68	-3.7	-7.0	-19	5.9	1.9	15.9	4.0	3.1	1.9	1.1	-1.1
BEYOND BEEF BB230120									65 %	29 %	38 %	27 %	32 %	24%	35%	20%	45 %	33 %	34 %	32 %	32 %	26 %
BB 230125	6	☑	BB 180289	**124**	**92**	**78**	**123**	**89**	**117**	**92**	**111**	**78**	**84**	**77**	**86**	**93**	**130**	**115**	**100**	**106**	**120**	**111**
FB		☑	BB 190042	59 %	28 %	26 %	24 %	27 %	-0.44	-0.3	-0.81	-3.1	-5.1	-26	5.4	1.8	18.2	2.8	1.1	1.7	1.8	1.2
BEYOND BEEF BB230125									65 %	28 %	38 %	26 %	31 %	24%	34%	20%	44 %	32 %	32 %	31 %	30 %	22 %
BB 230132	1	☑	BB 190089	**116**	**97**	**75**	**121**	**99**	**110**	**97**	**112**	**75**	**88**	**79**	**94**	**104**	**114**	**115**	**86**	**108**	**103**	**105**
FB		☑	BB 170157	64 %	37 %	35 %	32 %	34 %	0.22	1.7	-0.83	-4.3	-2.3	-24	0.5	-0.2	11.3	2.7	-9.3	2.0	0.2	0.4
BEYOND BEEF BB230132									69 %	37 %	44 %	35 %	38 %	32%	40%	27%	49 %	43 %	43 %	41 %	42 %	36 %
BB 230135	3	☑	BB 190102	**111**	**107**	**79**	**108**	**83**	**109**	**107**	**125**	**79**	**96**	**92**	**83**	**86**	**124**	**98**	**100**	**97**	**124**	**123**
FB		☑	BB 180295	63 %	47 %	27 %	17 %	28 %	0.34	5.8	-1.33	-2.5	3.4	-5	6.9	3.1	15.4	0.6	1.1	0.3	2.2	3.2
BEYOND BEEF BB230135									69 %	47 %	42 %	27 %	28 %	17%	36%	19%	46 %	33 %	33 %	31 %	30 %	25 %
BB 230140		☑	BB 190089	**78**	**104**	**105**	**95**	**94**	**81**	**104**	**94**	**105**	**104**	**105**	**90**	**98**	**100**	**97**	**110**	**97**	**97**	**98**
FB		☑	CWBFBB 170038	38 %	24 %	23 %	22 %	20 %	3.11	4.6	-0.17	11.5	9.3	13	2.7	0.9	5.4	0.5	7.7	0.4	-0.4	-0.7
BEYOND BEEF BB230140									40 %	24 %	29 %	23 %	24 %	22%	25%	15%	36 %	30 %	30 %	28 %	29 %	26 %
BB 232002		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**93**	**88**	**105**	**99**	**102**	**107**
F2		☑	CWBFBB 160162	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	2.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB232002									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 232005 F1 BEYOND BEEF BB232005		☑	BB 190053	**91** 32 %	**103** 21 %	**101** 20 %	**98** 20 %	**91** 18 %	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27 %	**101** 9.3 20 %	**105** 9.8 22 %	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**101** 5.8 32 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
BB 232007 F2 BEYOND BEEF BB232007		☑ ☑	BB 170147 CWBFBB 160040	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**93** 2.2 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
BB 232008 F2 BEYOND BEEF BB232008		☑ ☑	BB 190053 CWBFBB 160096	**91** 32 %	**103** 21 %	**101** 20 %	**98** 20 %	**91** 18 %	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27 %	**101** 9.3 20 %	**105** 9.8 22 %	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**103** 6.7 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
BB 233004 F1 BEYOND BEEF BB233004		☑	BB 180281 CWBFBB 180158	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**126** 16.3 37 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 233014 F3 BEYOND BEEF BB233014		☑ ☑	BB 200004 CWBFBB 180170	**102** 37 %	**91** 24 %	**109** 23 %	**103** 21 %	**93** 20 %	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27 %	**109** 13.4 23 %	**94** 2.4 26 %	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.4 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
BB 233020 F3 BEYOND BEEF BB233020		☑ ☑	BB 180281 CWBFBB 190225	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.8 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 233029 F3 BEYOND BEEF BB233029		☑ ☑	BB 190100 CWBFBB 190216	**67** 32 %	**119** 20 %	**123** 13 %	**71** 10 %	**88** 14 %	**71** 4.08 35 %	**119** 10.6 20 %	**95** -0.19 20 %	**123** 20.9 13 %	**120** 20.4 16 %	**129** 47 10%	**94** 0.7 19%	**85** 3.2 10%	**102** 5.9 31 %	**89** -0.6 22 %	**124** 17.8 22 %	**92** -0.5 21 %	**113** 1.2 20 %	**99** -0.6 17 %
BB 233030 F3 BEYOND BEEF BB233030		☑	BB 200004 BB 180196	**117** 60 %	**101** 27 %	**94** 24 %	**100** 22 %	**105** 22 %	**111** 0.15 66 %	**101** 3.2 27 %	**111** -0.80 37 %	**94** 5.5 24 %	**98** 5.2 28 %	**100** 6 22%	**105** -5.7 28%	**106** -0.5 15%	**98** 4.5 43 %	**101** 1.0 39 %	**110** 8.1 39 %	**103** 1.3 36 %	**92** -0.9 37 %	**90** -2.1 27 %
BB 233048 F3 BEYOND BEEF BB233048		☑ ☑	BB 190053 BB 180219	**107** 61 %	**111** 31 %	**86** 23 %	**95** 21 %	**102** 22 %	**102** 1.03 66 %	**111** 7.2 31 %	**110** -0.74 41 %	**86** 1.5 23 %	**108** 11.8 32 %	**105** 13 21%	**100** -3.1 29%	**104** -0.2 14%	**111** 9.7 44 %	**105** 1.4 33 %	**91** -5.5 32 %	**107** 1.9 30 %	**98** -0.2 29 %	**103** -0.1 19 %
BB 233049 F3 BEYOND BEEF BB233049		☑ ☑	BB 180281 CWBFBB 180194	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.5 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 233052 F3 BEYOND BEEF BB233052	1	☑ ☑	BB 190053 BB 180173	**94** 59 %	**113** 26 %	**88** 22 %	**101** 21 %	**97** 21 %	**93** 1.90 65 %	**113** 8.0 26 %	**100** -0.37 38 %	**88** 2.4 22 %	**110** 13.3 24 %	**99** 4 21%	**90** 3.2 27%	**103** 0.0 15%	**109** 9.0 44 %	**93** -0.1 36 %	**95** -2.9 36 %	**95** -0.1 34 %	**119** 1.7 34 %	**126** 3.7 21 %
BB 233063 PBD BEYOND BEEF BB233063		☑ ☑	BB 170147 CWBFBB 190205	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**92** 1.9 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 233064 F3 BEYOND BEEF F3 23-0064		☑	☑ BB 190150 ☑ CWBFBB 190256	**98** 32 %	**93** 24 %	**105** 23 %	**98** 21 %	**91** 22 %	**96** 1.63 33 %	**93** 0.1 24 %	**104** -0.53 30 %	**105** 11.4 23 %	**93** 1.2 28 %	**102** 10 21%	**90** 3.1 28%	**92** 1.9 16%	**104** 7.0 36 %	**108** 1.9 32 %	**107** 6.0 32 %	**95** 0.1 29 %	**113** 1.1 30 %	**101** -0.3 25 %
BB 240009 FB BEYOND BEEF BB240009	7	☑	☑ BB 180266 ☑ BB 210027	**113** 63 %	**106** 30 %	**78** 22 %	**107** 18 %	**100** 25 %	**109** 0.40 70 %	**106** 5.5 30 %	**105** -0.57 36 %	**78** -2.9 22 %	**103** 8.4 26 %	**93** -4 18%	**100** -2.7 33%	**102** 0.2 17%	**132** 19.1 41 %	**98** 0.5 32 %	**86** -9.4 32 %	**108** 2.1 29 %	**81** -1.9 28 %	**103** 0.0 23 %
BB 240016 FB BEYOND BEEF BB240016	4	☑	☑ BB 190089 ☑ BB 180099	**99** 62 %	**105** 31 %	**71** 29 %	**118** 27 %	**98** 29 %	**97** 1.54 68 %	**105** 5.0 31 %	**116** -0.99 40 %	**71** -6.5 29 %	**95** 2.7 32 %	**82** -20 27%	**86** 5.2 36%	**108** -0.9 22%	**113** 10.7 44 %	**121** 3.4 38 %	**94** -3.5 38 %	**106** 1.8 36 %	**95** -0.6 37 %	**95** -1.3 32 %
BB 240017 FB BEYOND BEEF BB240017	6	☑	☑ BB 180258 ☑ BB 210064	**104** 64 %	**98** 33 %	**69** 28 %	**119** 25 %	**91** 28 %	**101** 1.18 70 %	**98** 2.3 33 %	**112** -0.83 40 %	**69** -8.0 28 %	**90** -0.7 31 %	**81** -21 25%	**87** 4.7 37%	**96** 1.2 19%	**120** 13.8 45 %	**119** 3.2 42 %	**86** -8.8 42 %	**109** 2.2 37 %	**91** -0.9 41 %	**100** -0.4 35 %
BB 240056 FB BEYOND BEEF BB240056	2	☑	☑ BB 190112 ☑ BB 180039	**101** 61 %	**114** 30 %	**80** 21 %	**102** 16 %	**95** 27 %	**99** 1.37 66 %	**114** 8.8 30 %	**104** -0.53 41 %	**80** -1.6 21 %	**100** 6.7 28 %	**98** 3 16%	**94** 0.5 36%	**97** 1.1 18%	**122** 14.7 43 %	**99** 0.6 37 %	**101** 1.4 37 %	**86** -1.4 36 %	**117** 1.5 29 %	**116** 2.1 22 %
BB 240064 FB BEYOND BEEF BB240064	11	☑	☑ BB 180275 ☑ BB 180261	**125** 59 %	**93** 31 %	**75** 26 %	**122** 22 %	**83** 28 %	**120** -0.71 65 %	**93** 0.1 31 %	**119** -1.10 38 %	**75** -4.7 26 %	**87** -2.4 29 %	**78** -25 22%	**79** 9.1 35%	**89** 2.5 20%	**123** 14.9 44 %	**117** 2.9 38 %	**90** -6.2 38 %	**115** 3.1 35 %	**98** -0.3 34 %	**99** -0.6 29 %
BB 240065 FB BEYOND BEEF BB240065	11	☑	☑ BB 190102 ☑ BB 170191	**120** 65 %	**98** 38 %	**81** 33 %	**112** 27 %	**90** 34 %	**115** -0.21 70 %	**98** 2.1 38 %	**116** -0.98 46 %	**81** -1.4 33 %	**87** -2.9 38 %	**88** -11 27%	**93** 1.1 41%	**90** 2.3 26%	**117** 12.4 48 %	**101** 0.9 41 %	**107** 5.6 41 %	**81** -2.2 40 %	**118** 1.6 38 %	**112** 1.4 32 %
BB 240074 FB BEYOND BEEF BB240074		☑	☑ BB 200022 ☑ BB 170001	**120** 63 %	**83** 27 %	**90** 27 %	**117** 24 %	**93** 25 %	**121** -0.85 69 %	**83** -3.7 27 %	**81** 0.35 41 %	**90** 3.4 27 %	**82** -5.9 32 %	**83** -19 24%	**81** 8.4 33%	**104** -0.1 17%	**130** 17.9 42 %	**96** 0.2 41 %	**108** 6.7 40 %	**88** -1.1 35 %	**107** 0.5 36 %	**108** 0.8 28 %
BB 240075 FB BEYOND BEEF BB240075		☑	☑ BB 200022 ☑ BB 180276	**123** 61 %	**79** 26 %	**85** 24 %	**124** 22 %	**88** 20 %	**123** -0.98 68 %	**79** -5.5 26 %	**99** -0.34 36 %	**85** 1.0 24 %	**78** -9.3 27 %	**76** -28 22%	**89** 3.4 26%	**88** 2.6 15%	**120** 13.8 40 %	**113** 2.4 38 %	**98** -0.9 38 %	**109** 2.1 33 %	**91** -1.0 37 %	**92** -1.8 30 %
BB 240089 FB BEYOND BEEF BB240089	5	☑	☑ BB 180275 ☑ BB 210092	**109** 56 %	**99** 23 %	**88** 20 %	**110** 18 %	**88** 20 %	**105** 0.74 63 %	**99** 2.6 23 %	**115** -0.93 31 %	**88** 2.5 20 %	**95** 2.9 22 %	**90** -8 18%	**87** 4.9 25%	**91** 2.2 15%	**116** 11.9 37 %	**117** 3.0 33 %	**96** -2.4 32 %	**112** 2.6 29 %	**95** -0.6 31 %	**91** -1.9 26 %
BB 240097 FB BEYOND BEEF BB240097	4	☑	☑ BB 190115 ☑ BB 180323	**87** 64 %	**129** 15 %	**91** 13 %	**86** 12 %	**126** 23 %	**92** 2.00 70 %	**129** 14.5 15 %	**80** 0.37 39 %	**91** 3.8 13 %	**126** 24.5 20 %	**114** 26 12%	**122** -15.8 32%	**127** -4.3 14%	**108** 8.7 44 %	**79** -1.9 36 %	**80** -13.3 35 %	**99** 0.6 27 %	**76** -2.4 33 %	**107** 0.7 26 %
BB 240113 FB BEYOND BEEF BB240113	3	☑	☑ BB 190102 ☑ BB 180268	**113** 63 %	**109** 29 %	**81** 22 %	**104** 17 %	**83** 28 %	**111** 0.13 69 %	**109** 6.5 29 %	**125** -1.33 42 %	**81** -1.3 22 %	**98** 4.8 28 %	**96** 1 17%	**84** 6.4 36%	**85** 3.2 20%	**124** 15.5 44 %	**102** 1.0 33 %	**117** 12.6 33 %	**96** 0.2 31 %	**124** 2.2 30 %	**113** 1.5 25 %

WAGYU Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																					
BB 240115	8	☑ BB 180266	**116**	**103**	**78**	**109**	**82**	**112**	**103**	**100**	**78**	**96**	**91**	**79**	**87**	**132**	**84**	**88**	**105**	**91**	**118**
FB		☑ BB 180087	64 %	38 %	31 %	27 %	32 %	0.02	4.1	-0.40	-3.2	3.9	-7	9.2	2.9	18.9	-1.2	-7.3	1.6	-0.9	2.4
BEYOND BEEF BB240115								70 %	38 %	42 %	31 %	35 %	27%	39%	24%	47 %	39 %	39 %	37 %	36 %	28 %
BB 240116	2	☑ BB 180266	**128**	**85**	**77**	**121**	**87**	**121**	**85**	**112**	**77**	**82**	**79**	**87**	**90**	**130**	**97**	**85**	**101**	**81**	**107**
FB		☑ BB 170043	63 %	30 %	22 %	19 %	25 %	-0.82	-3.1	-0.83	-3.6	-6.2	-24	4.7	2.4	18.1	0.4	-10.0	0.9	-1.9	0.7
BEYOND BEEF BB240116								69 %	30 %	39 %	22 %	25 %	19%	33%	17%	41 %	34 %	34 %	30 %	31 %	24 %
BB 240119		☑ BB 190100	**97**	**116**	**98**	**86**	**104**	**96**	**116**	**99**	**98**	**110**	**114**	**103**	**105**	**126**	**107**	**117**	**94**	**107**	**89**
FB		☑ BB 210015	60 %	23 %	17 %	13 %	22 %	1.64	9.3	-0.36	7.9	13.4	26	-4.5	-0.4	16.1	1.7	12.8	-0.1	0.6	-2.3
BEYOND BEEF BB240119								67 %	23 %	31 %	17 %	21 %	13%	29%	14%	37 %	30 %	29 %	28 %	25 %	21 %
BB 240133	2	☑ BB 170164	**111**	**104**	**77**	**117**	**103**	**107**	**104**	**115**	**77**	**96**	**83**	**99**	**107**	**107**	**113**	**110**	**111**	**135**	**110**
FB		☑ BB 180290	65 %	36 %	34 %	30 %	34 %	0.53	4.6	-0.95	-3.6	3.8	-18	-2.4	-0.7	8.0	2.5	7.8	2.5	3.2	1.2
BEYOND BEEF BB240133								70 %	36 %	46 %	34 %	38 %	30%	42%	26%	53 %	53 %	53 %	51 %	51 %	33 %
BB 240138	1	☑ BB 170164	**127**	**88**	**75**	**120**	**117**	**121**	**88**	**113**	**75**	**80**	**80**	**111**	**121**	**109**	**117**	**82**	**84**	**119**	**115**
FB		☑ BB 190143	64 %	35 %	33 %	30 %	34 %	-0.77	-1.9	-0.85	-4.5	-7.9	-22	-9.0	-3.4	8.9	2.9	-12.2	-1.7	1.7	1.8
BEYOND BEEF BB240138								69 %	35 %	45 %	33 %	36 %	30%	41%	26%	50 %	52 %	52 %	50 %	51 %	36 %
BB 240144	1	☑ BB 200010	**110**	**101**	**83**	**105**	**96**	**107**	**101**	**99**	**83**	**93**	**95**	**88**	**102**	**119**	**107**	**97**	**98**	**93**	**98**
FB		☑ BB 190162	60 %	33 %	25 %	22 %	26 %	0.52	3.5	-0.34	-0.4	1.5	-1	4.0	0.2	13.4	1.7	-1.5	0.5	-0.7	-0.8
BEYOND BEEF BB240144								66 %	33 %	39 %	25 %	30 %	22%	34%	18%	40 %	35 %	35 %	33 %	31 %	25 %
BB 240152	10	☑ BB 170164	**126**	**80**	**71**	**127**	**105**	**122**	**80**	**114**	**71**	**72**	**73**	**104**	**107**	**105**	**127**	**77**	**99**	**106**	**101**
FB		☑ BB 210049	65 %	38 %	35 %	32 %	35 %	-0.95	-4.9	-0.90	-6.7	-13.0	-33	-5.3	-0.7	7.4	4.3	-15.5	0.6	0.5	-0.4
BEYOND BEEF BB240152								70 %	38 %	44 %	35 %	39 %	32%	43%	27%	52 %	53 %	53 %	51 %	52 %	38 %
BB 240167		☑ BB 200052	**89**	**99**	**106**	**101**	**91**	**88**	**99**	**104**	**106**	**99**	**99**	**94**	**90**	**98**	**96**	**90**	**92**	**105**	**111**
FB		☑ CWBFBB 210014	31 %	18 %	17 %	14 %	16 %	2.44	2.5	-0.52	11.9	5.8	6	0.4	2.4	4.4	0.3	-6.2	-0.4	0.4	1.3
BEYOND BEEF BB240167								33 %	18 %	21 %	17 %	18 %	14%	19%	12%	28 %	22 %	22 %	21 %	18 %	14 %
BB 240303		☑ BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3		☑ CWBFBB 180189	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240303								39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
BB 240304		☑ BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F3		☑ CWBFBB 180152	23 %	12 %	11 %	8 %	13 %	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.5	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF BB240304								24 %	12 %	20 %	11 %	11 %	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
BB 240307		☑ BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**88**	**94**	**95**	**111**	**93**	**110**	**101**
F3		☑ CWBFBB 180162	28 %	20 %	19 %	18 %	16 %	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240307								30 %	20 %	21 %	19 %	22 %	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
BB 240313		☑ BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F3		☑ CWBFBB 180158	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240313								32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 240316 F3 BEYOND BEEF BB240316		☑	BB 200004 CWBFBB 190266	**102** 37 %	**91** 24 %	**109** 23 %	**103** 21 %	**93** 20 %	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27 %	**109** 13.4 23 %	**94** 2.4 26 %	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**99** 4.9 32 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
BB 240317 F3 BEYOND BEEF BB240317		☑	BB 190112 CWBFBB 180235	**80** 33 %	**118** 25 %	**110** 18 %	**82** 13 %	**86** 20 %	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27 %	**110** 13.9 18 %	**113** 15.6 24 %	**118** 33 13%	**90** 3.1 27%	**85** 3.2 14%	**103** 6.6 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
BB 240322 F3 BEYOND BEEF BB240322		☑	BB 170147 CWBFBB 190228	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
BB 240323 F3 BEYOND BEEF BB240323		☑	BB 170147 CWBFBB 180217	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
BB 240331 F3 BEYOND BEEF BB240331		☑	BB 180281 CWBFBB 190227	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
BB 240339 F3 BEYOND BEEF BB240339		☑	BB 200007 CWBFBB 180113	**81** 28 %	**94** 20 %	**123** 19 %	**91** 18 %	**88** 16 %	**84** 2.79 30 %	**94** 0.6 20 %	**92** -0.09 21 %	**123** 21.0 19 %	**101** 7.2 22 %	**109** 20 18%	**90** 2.9 21%	**88** 2.7 10%	**94** 2.8 26 %	**95** 0.2 25 %	**111** 8.4 25 %	**93** -0.4 23 %	**110** 0.9 23 %	**101** -0.3 15 %
BB 240341 F3 BEYOND BEEF BB240341		☑	BB 190112 CWBFBB 180192	**80** 33 %	**118** 25 %	**110** 18 %	**82** 13 %	**86** 20 %	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27 %	**110** 13.9 18 %	**113** 15.6 24 %	**118** 33 13%	**90** 3.1 27%	**85** 3.2 14%	**103** 6.6 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
BB 240342 F3 BEYOND BEEF BB240342		☑	BB 190112 CWBFBB 190273	**80** 33 %	**118** 25 %	**110** 18 %	**82** 13 %	**86** 20 %	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27 %	**110** 13.9 18 %	**113** 15.6 24 %	**118** 33 13%	**90** 3.1 27%	**85** 3.2 14%	**103** 6.6 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
BB 240349 F3 BEYOND BEEF BB240349		☑	BB 170147 CWBFBB 190303	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
BB 240350 F3 BEYOND BEEF BB240350		☑	BB 170147 CWBFBB 190275	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
BB 240356 F3 BEYOND BEEF BB240356		☑	BB 190112 CWBFBB 170411	**80** 33 %	**118** 25 %	**110** 18 %	**82** 13 %	**86** 20 %	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27 %	**110** 13.9 18 %	**113** 15.6 24 %	**118** 33 13%	**90** 3.1 27%	**85** 3.2 14%	**103** 6.6 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
BB 240361 F3 BEYOND BEEF BB240361		☑	BB 200007 CWBFBB 200180	**81** 28 %	**94** 20 %	**123** 19 %	**91** 18 %	**88** 16 %	**84** 2.79 30 %	**94** 0.6 20 %	**92** -0.09 21 %	**123** 21.0 19 %	**101** 7.2 22 %	**109** 20 18%	**90** 2.9 21%	**88** 2.7 10%	**94** 2.8 26 %	**95** 0.2 25 %	**111** 8.4 25 %	**93** -0.4 23 %	**110** 0.9 23 %	**101** -0.3 15 %

WAGYU Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
BB 240363		☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**88**	**94**	**95**	**111**	**93**	**110**	**101**
F3		☑	CWBFBB 210157	28 %	20 %	19 %	18 %	16 %	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240363									30 %	20 %	21 %	19 %	22 %	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
BB 240366		☑	BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**106**	**102**	**96**	**97**	**109**	**105**
F3		☑	CWBFBB 210168	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	7.9	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF BB240366									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
BB 240374		☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F3		☑	CWBFBB 180221	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240374									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
BB 240402		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
PBD		☑	CWBFBB 210233	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240402									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
BB 240403		☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
PBD		☑	CWBFBB 210220	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240403									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
BB 240407		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
PBD		☑	CWBFBB 210202	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240407									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB
BREEDING VALUE REPORT

September 2026

BEYOND BEEF

Herd Number: 651985

E-mail: james@beyondbeef.co.za
farm@beyondbeef.co.za

WAGYU SOCIETY OF SOUTH AFRICA

CERTIFICATE OF QUALITY
Valid up to October 2029

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
1099Z		S5394S	**101**	**118**	**114**	**117**	**103**	**89**	**90**	**99**	**104**	**108**	**107**				
FB		AF9825	1.15	10.2	14.9	20.7	11	2.9	-0.4	0.1	1.3	0.7	0.7	3	11	4	
HEARTBRAND 1099Z			48%	12%	43%	18%	6%	10%	41%	40%	35%	34%	26%				
1145Z		S5394S	**94**	**129**	**126**	**128**	**114**	**89**	**91**	**116**	**112**	**94**	**95**				
FB		AF797	1.80	14.5	22.6	29.3	26	3.1	-0.3	11.9	2.6	-0.7	-1.3	4	38	13	
HEARTBRAND 1145Z			74%	30%	53%	41%	10%	15%	49%	48%	41%	43%	33%				
1219Z		J251830R	**97**	**121**	**119**	**121**	**113**	**90**	**99**	**105**	**104**	**83**	**87**				
FB		AF1286	1.50	11.5	18.0	23.6	25	3.2	0.7	4.1	1.4	-1.7	-2.5	3	19	6	
HEARTBRAND 1219Z			68%	30%	36%	29%	22%	30%	38%	37%	34%	34%	25%				
1265Z		IMUFN2125	**89**	**128**	**125**	**126**	**120**	**97**	**76**	**65**	**113**	**60**	**106**				
FB			2.27	14.1	21.9	27.7	35	7.3	-2.3	-24.1	2.8	-3.9	0.5	3	11	3	
HEARTBRAND 1265Z			62%	24%	28%	27%	13%	18%	48%	47%	39%	45%	34%				
3112A		FB102	**91**	**130**	**127**	**128**	**112**	**94**	**64**	**105**	**91**	**112**	**130**				
FB		AF1375	2.08	14.9	23.0	29.5	23	5.6	-3.8	4.1	-0.6	1.1	4.3	1	7	1	
HEARTBRAND 3112A ET			53%	19%	22%	19%	15%	15%	29%	28%	25%	22%	14%				
AF2688		J251830R	**103**	**125**	**120**	**122**	**120**	**88**	**94**	**119**	**109**	**90**	**88**				
FB		AF147	0.98	13.1	18.9	24.6	35	2.2	0.0	14.1	2.2	-1.1	-2.4	3	17	6	
HEARTBRAND H2426R			67%	32%	37%	30%	37%	32%	60%	59%	54%	34%	25%				
AF7437		AF2288	**99**	**131**	**125**	**127**	**115**	**87**	**93**	**100**	**108**	**82**	**90**				
FB		AF3393	1.37	15.3	21.7	28.9	28	1.8	-0.1	0.9	2.0	-1.8	-2.1	1	1	1	
HEARTBRAND V7553U			37%	18%	24%	20%	14%	13%	26%	26%	23%	22%	17%				
AF7868		AF1208	**107**	**121**	**122**	**123**	**113**	**92**	**80**	**85**	**119**	**66**	**103**				
FB		AF4673	0.52	11.5	19.6	25.8	25	4.3	-1.8	-9.6	3.8	-3.4	0.0	3	6	4	
HEARTBRAND SHELLI V7413U			47%	17%	20%	12%	8%	10%	38%	38%	32%	29%	11%				
AF8119			**102**	**119**	**119**	**120**	**107**	**94**	**93**	**93**	**113**	**84**	**100**				
FB		AF797	1.05	10.5	17.6	23.2	16	5.3	-0.1	-4.1	2.8	-1.6	-0.5	2	7	5	
HEARTBRAND V7219U			62%	15%	21%	20%	8%	10%	31%	31%	24%	30%	21%				
AF9346		B3314R	**97**	**137**	**133**	**135**	**119**	**92**	**83**	**100**	**103**	**82**	**103**				
FB		AF237	1.53	18.0	26.4	34.5	34	4.4	-1.3	1.0	1.2	-1.8	0.0	3	15	5	
HEARTBRAND 8446W			57%	18%	24%	32%	12%	15%	59%	58%	51%	42%	15%				
B0589N		FB2998	**92**	**119**	**115**	**118**	**106**	**90**	**88**	**105**	**101**	**94**	**100**				
FB		FB2122	2.00	10.5	15.4	21.5	15	3.5	-0.8	4.5	1.0	-0.7	-0.5	1	9	2	
HEARTBRAND B0589N			54%	23%	34%	27%	20%	19%	38%	37%	33%	33%	25%				
B3518R		FB2998	**97**	**129**	**124**	**128**	**112**	**90**	**96**	**99**	**97**	**90**	**92**				
FB		AF6862	1.51	14.8	21.3	29.8	24	3.2	0.3	-0.2	0.3	-1.0	-1.8	5	14	2	
HEARTBRAND BARBARA B3518R			62%	40%	48%	40%	20%	19%	50%	51%	44%	41%	28%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
B563		IMUFN2124	**103**	**110**	**107**	**108**	**103**	**87**	**108**	**96**	**131**	**95**	**90**				
FB		RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0	8	18	4	1
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
BB 150102	✓ ✓	HBCFV2139	**101**	**119**	**113**	**115**	**101**	**90**	**103**	**88**	**112**	**89**	**90**				
FB	✓	B563	1.18	10.5	14.5	19.3	8	3.5	1.2	-7.8	2.6	-1.1	-2.0	2	15	8	
BB150102			89%	86%	86%	86%	85%	86%	86%	87%	86%	86%	85%				
BB 150105		C0402	**99**	**149**	**145**	**139**	**144**	**81**	**101**	**120**	**123**	**72**	**65**				
FB		C767	1.28	22.6	34.4	38.3	69	-1.2	0.9	15.3	4.3	-2.8	-6.0	3	17	4	3
NAMIKO			71%	56%	58%	49%	40%	38%	75%	75%	68%	64%	37%				
BB 150117	✓ ✓	C0402	**79**	**149**	**144**	**138**	**139**	**79**	**90**	**90**	**122**	**59**	**78**				
FB	✓	OHVFA0045	3.24	22.6	33.3	37.5	62	-2.3	-0.5	-6.2	4.1	-4.0	-4.0	2	11	7	
BB150117			89%	85%	86%	86%	85%	84%	87%	87%	86%	86%	85%				
BB 150131		HBCFV2139	**101**	**127**	**123**	**124**	**114**	**85**	**94**	**95**	**97**	**112**	**108**				
FB		C647	1.09	14.0	20.5	26.5	26	1.0	0.1	-2.6	0.4	1.0	0.8	3	11	9	
HOMARE			63%	46%	57%	51%	40%	38%	55%	56%	52%	52%	43%				
BB 150140		C0402	**89**	**142**	**133**	**130**	**129**	**82**	**108**	**101**	**137**	**86**	**80**				
FB		B563	2.32	19.7	26.9	30.7	47	-0.9	1.8	1.3	6.5	-1.4	-3.6	2	2	1	
FUYUKO			56%	41%	46%	40%	29%	31%	45%	46%	43%	41%	27%				
BB 170013	✓ ✓	CCCFH0037	**78**	**143**	**136**	**137**	**118**	**81**	**101**	**77**	**121**	**62**	**82**				
FB	✓	CCCFJ0066	3.35	20.1	28.6	36.4	32	-1.2	1.0	-15.7	4.0	-3.8	-3.4	1	3	2	
BB170013			86%	83%	84%	83%	82%	82%	84%	84%	83%	83%	82%				
BB 170040	✓ ✓	HBCFV2139	**100**	**119**	**113**	**115**	**107**	**91**	**84**	**94**	**92**	**74**	**95**				
FB	✓	FB14724	1.23	10.4	14.4	19.5	17	3.7	-1.2	-3.6	-0.5	-2.6	-1.2	1	4	2	
BB170040			84%	80%	81%	81%	80%	80%	82%	82%	81%	82%	81%				
BB 170042	✓ ✓	HBCFV2139	**95**	**123**	**120**	**124**	**104**	**94**	**82**	**97**	**106**	**92**	**105**				
FB	✓	FB14728	1.69	12.3	18.9	26.2	12	5.8	-1.5	-1.2	1.7	-0.9	0.4	1	5	3	
BB170042			85%	81%	82%	82%	81%	81%	83%	83%	82%	83%	82%				
BB 170051	✓	HBCFV2139	**120**	**109**	**105**	**108**	**104**	**89**	**85**	**101**	**96**	**84**	**97**				
FB	✓	FB14724	-0.75	6.7	9.4	14.0	12	2.9	-1.1	1.7	0.2	-1.7	-1.0	1	4	2	
BB170051			62%	37%	46%	44%	32%	35%	48%	48%	46%	45%	39%				
BB 170060	✓ ✓	FB2998	**87**	**134**	**128**	**130**	**121**	**88**	**92**	**112**	**104**	**87**	**88**				
FB	✓	AF2688	2.47	16.8	23.6	30.8	36	2.3	-0.3	9.3	1.4	-1.4	-2.4	1	3	3	
BB170060			86%	83%	83%	83%	83%	82%	84%	84%	83%	83%	82%				
BB 170062	✓ ✓	FB2124	**104**	**141**	**135**	**136**	**123**	**87**	**90**	**106**	**122**	**105**	**106**				
FB	✓	V7202U	0.87	19.5	28.2	35.6	39	1.9	-0.5	5.1	4.1	0.4	0.5	1	4	2	
BB170062			84%	81%	81%	81%	80%	80%	82%	82%	81%	81%	80%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 170068			FB2998	**94**	**125**	**119**	**122**	**110**	**89**	**93**	**111**	**95**	**87**	**88**				
FB			AF2688	1.79	12.8	17.9	24.9	21	3.0	-0.1	8.5	0.0	-1.4	-2.4	1	3	2	
BB170068				86%	82%	83%	82%	82%	82%	83%	83%	83%	82%	82%				
BB 170075			J251830R	**107**	**137**	**130**	**130**	**124**	**85**	**92**	**86**	**114**	**77**	**101**				
FB			V7297U	0.56	17.7	24.8	30.7	41	0.9	-0.3	-9.1	3.0	-2.3	-0.4	1	6	4	
BB170075				86%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 170076			FB2998	**100**	**137**	**131**	**132**	**124**	**85**	**92**	**85**	**120**	**65**	**91**				
FB			V7297U	1.21	18.0	25.7	32.5	40	0.8	-0.2	-9.9	3.9	-3.4	-1.9	1	5	1	
BB170076				85%	80%	81%	81%	80%	80%	82%	82%	82%	81%	80%				
BB 170096			FB2998	**95**	**132**	**126**	**130**	**111**	**88**	**94**	**86**	**115**	**96**	**104**				
FB			V7514U	1.71	15.8	22.6	30.7	22	2.2	0.0	-8.8	3.0	-0.5	0.1	1	5	2	
BB170096				86%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 170097			H5070S	**98**	**137**	**130**	**130**	**121**	**89**	**92**	**93**	**110**	**63**	**87**				
FB			AF8119	1.47	17.8	25.0	31.2	36	2.9	-0.3	-3.9	2.3	-3.6	-2.5	1	5	4	
BB170097				86%	81%	81%	81%	80%	80%	82%	82%	81%	82%	81%				
BB 170103			H5070S	**89**	**134**	**128**	**130**	**114**	**91**	**94**	**106**	**100**	**88**	**92**				
FB			AF8119	2.32	16.6	23.6	30.7	26	4.0	0.1	5.1	0.7	-1.2	-1.7	1	6	3	
BB170103				86%	81%	82%	81%	81%	81%	82%	82%	82%	82%	81%				
BB 170105			H5070S	**93**	**133**	**128**	**129**	**119**	**89**	**89**	**106**	**108**	**83**	**96**				
FB			AF8119	1.90	16.3	23.6	30.0	33	3.1	-0.6	5.1	2.1	-1.7	-1.1	1	4	1	
BB170105				84%	80%	80%	80%	80%	80%	81%	81%	81%	81%	80%				
BB 170141			2132A	**98**	**135**	**131**	**133**	**117**	**92**	**95**	**94**	**109**	**86**	**92**				
FB			B3518R	1.42	17.0	25.3	33.6	31	4.5	0.1	-3.4	2.1	-1.5	-1.7	1	5	2	
BB170141				82%	78%	78%	78%	77%	77%	79%	79%	79%	79%	78%				
BB 170152			FB2124	**92**	**149**	**148**	**148**	**133**	**89**	**90**	**110**	**126**	**92**	**99**				
FB			AF9346	1.99	22.6	35.9	44.7	53	2.9	-0.4	7.6	4.8	-0.9	-0.7	1	3	2	
BB170152				83%	80%	80%	80%	80%	80%	81%	81%	81%	81%	80%				
BB 170169			2142A	**97**	**126**	**123**	**128**	**108**	**92**	**87**	**96**	**118**	**96**	**109**				
FB			V7297U	1.57	13.4	20.4	29.2	17	4.6	-0.9	-1.8	3.6	-0.5	0.9	1	3	2	
BB170169				83%	80%	81%	80%	79%	79%	81%	81%	81%	80%	79%				
BB 170170			HBCFV2139	**99**	**125**	**121**	**124**	**105**	**93**	**86**	**105**	**104**	**92**	**98**				
FB			FB14728	1.33	13.0	19.1	26.2	14	4.8	-0.9	4.2	1.3	-0.8	-0.8	1	4	2	
BB170170				85%	82%	83%	83%	82%	82%	83%	83%	83%	83%	82%				
BB 170174			2142A	**99**	**126**	**121**	**124**	**114**	**88**	**86**	**98**	**102**	**92**	**105**				
FB			AF2688	1.32	13.3	19.3	26.6	27	2.5	-0.9	-0.6	1.1	-0.8	0.3	1	5	4	
BB170174				86%	81%	82%	82%	81%	81%	82%	82%	82%	81%	81%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 170178			2142A	**97**	**123**	**119**	**124**	**108**	**94**	**81**	**101**	**100**	**89**	**107**				
FB			AF9346	1.55	12.0	18.0	25.9	17	5.5	-1.6	1.7	0.8	-1.2	0.7	1	6	4	
BB170178				84%	79%	80%	80%	79%	79%	81%	81%	80%	80%	79%				
BB 170185			HBCFV2139	**111**	**122**	**119**	**123**	**108**	**90**	**92**	**100**	**108**	**106**	**105**				
FB			FB14728	0.12	11.8	18.0	25.2	17	3.6	-0.2	1.1	2.0	0.5	0.3	1	6		
BB170185				87%	83%	84%	83%	82%	83%	85%	85%	84%	84%	83%				
BB 170186			S5394S	**103**	**138**	**132**	**134**	**120**	**90**	**88**	**100**	**104**	**96**	**106**				
FB			AF9346	0.95	18.3	26.3	33.9	35	3.2	-0.7	1.0	1.5	-0.4	0.5	1	4	4	
BB170186				84%	79%	80%	79%	79%	79%	81%	81%	80%	80%	79%				
BB 170193			C4037S	**100**	**135**	**131**	**132**	**125**	**90**	**98**	**126**	**126**	**91**	**82**				
FB			AF2688	1.24	16.9	25.2	32.8	41	3.4	0.6	19.1	4.8	-1.0	-3.3	2	7	6	
BB170193				85%	82%	82%	82%	81%	82%	83%	83%	83%	82%	81%				
BB 180001			2618A	**114**	**133**	**127**	**127**	**120**	**88**	**99**	**97**	**121**	**90**	**93**				
FB			BB 150102	-0.10	16.4	23.2	29.0	35	2.6	0.7	-1.5	4.1	-1.0	-1.6	1	5	2	
BB180001				85%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%				
BB 180002			FB14989	**92**	**127**	**124**	**127**	**119**	**97**	**92**	**105**	**91**	**118**	**110**				
FB			BB 150131	1.99	14.0	20.9	28.2	33	7.3	-0.2	4.5	-0.6	1.7	1.2	1	4	2	
BB180002				84%	80%	81%	81%	80%	80%	82%	82%	82%	81%	80%				
BB 180029			C4081S	**102**	**141**	**132**	**130**	**128**	**81**	**93**	**98**	**125**	**55**	**74**				
FB			BB 150117	1.04	19.5	26.3	31.3	47	-1.6	-0.1	-0.3	4.7	-4.4	-4.5	1	5	3	
BB180029				86%	81%	82%	81%	81%	81%	82%	82%	82%	82%	81%				
BB 180032			C4081S	**93**	**139**	**132**	**130**	**125**	**82**	**106**	**100**	**130**	**72**	**76**				
FB			BB 150140	1.89	18.7	25.7	30.7	42	-0.7	1.6	0.6	5.5	-2.8	-4.3	1	3	2	
BB180032				83%	79%	80%	79%	79%	79%	80%	80%	80%	80%	79%				
BB 180033			J251830R	**108**	**127**	**121**	**121**	**117**	**85**	**92**	**98**	**115**	**70**	**91**				
FB			AF8119	0.49	13.8	19.2	24.2	31	1.0	-0.2	-0.9	3.0	-3.0	-2.0	1	4	2	
BB180033				87%	82%	83%	82%	82%	82%	83%	83%	82%	83%	82%				
BB 180045			IMUFN2125	**107**	**133**	**127**	**126**	**124**	**85**	**94**	**101**	**117**	**91**	**93**				
FB			BB 150105	0.55	16.3	23.2	27.9	40	0.8	0.1	1.3	3.4	-1.0	-1.5	1	5	3	
BB180045 (ET)				86%	82%	83%	82%	81%	81%	83%	83%	83%	83%	81%				
BB 180047			IMUFN2125	**106**	**135**	**129**	**128**	**126**	**86**	**98**	**104**	**125**	**77**	**80**				
FB			BB 150105	0.61	17.2	24.4	29.3	43	1.3	0.6	3.6	4.6	-2.3	-3.7	1	6	3	
BB180047				86%	82%	82%	82%	81%	81%	84%	84%	83%	83%	82%				
BB 180076			J251830R	**102**	**128**	**122**	**123**	**112**	**88**	**101**	**97**	**107**	**70**	**80**				
FB			BB 150102	1.01	14.3	19.6	25.1	24	2.5	0.9	-1.6	1.8	-2.9	-3.7	1	3	2	
BB180076				86%	83%	83%	83%	82%	83%	83%	84%	83%	83%	82%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 180091		✓	C4081S	**96**	**138**	**131**	**129**	**126**	**83**	**96**	**101**	**117**	**58**	**72**				
FB		✓	BB 150117	1.63	18.4	25.2	29.8	44	-0.5	0.3	1.5	3.3	-4.1	-5.0	1	1		
BB180091 (AI)				85%	81%	82%	81%	81%	81%	82%	82%	81%	81%	81%				
BB 180323		✓	FB2998	**86**	**134**	**128**	**130**	**115**	**88**	**96**	**106**	**96**	**93**	**91**				
FB		✓	1219Z	2.57	16.6	23.6	31.3	28	2.3	0.3	4.7	0.2	-0.8	-1.9	1	4	3	
BB180323 (ET)				87%	83%	84%	83%	83%	83%	84%	84%	83%	83%	83%				
BB 190017		✓	FB2998	**94**	**133**	**127**	**129**	**118**	**86**	**98**	**105**	**97**	**82**	**84**				
FB		✓	1219Z	1.80	16.1	23.0	30.2	32	1.4	0.6	4.2	0.3	-1.8	-3.1	1	5	3	1
BB190017 (ET)				86%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				
BB 190021		✓	FB2998	**86**	**144**	**137**	**139**	**120**	**89**	**77**	**103**	**87**	**104**	**113**				
FB		✓	3112A	2.57	20.7	29.4	37.7	35	2.9	-2.2	2.7	-1.2	0.3	1.6	1	5	3	
BB190021 (ET)				85%	81%	81%	81%	81%	81%	82%	82%	81%	81%	81%				
BB 190023		✓	FB2998	**87**	**131**	**125**	**128**	**116**	**89**	**93**	**109**	**99**	**86**	**89**				
FB		✓	1219Z	2.52	15.3	22.0	29.3	28	3.1	-0.1	7.1	0.7	-1.4	-2.3	1	3	2	
BB190023 (ET)				85%	82%	83%	82%	82%	82%	83%	83%	82%	82%	82%				
BB 190028		✓	FB2998	**98**	**124**	**119**	**123**	**110**	**89**	**101**	**107**	**95**	**87**	**85**				
FB		✓	1219Z	1.47	12.7	18.2	25.4	20	2.8	0.9	5.4	0.0	-1.3	-2.9	1	3	3	
BB190028 (ET)				86%	83%	83%	83%	82%	82%	83%	83%	83%	83%	83%				
BB 190031		✓	IMUFN2125	**90**	**123**	**120**	**123**	**106**	**91**	**89**	**95**	**104**	**99**	**106**				
FB		✓	B0589N	2.20	12.1	18.6	25.1	15	3.8	-0.6	-2.8	1.4	-0.2	0.5	1	3	2	
BB190031 (ET)				83%	79%	80%	80%	79%	79%	80%	80%	80%	80%	79%				
BB 190032		✓	IMUFN2125	**92**	**115**	**113**	**118**	**98**	**90**	**93**	**84**	**115**	**95**	**107**				
FB		✓	B0589N	2.06	9.0	14.2	21.4	3	3.4	-0.2	-10.3	3.1	-0.6	0.6	1	3	2	
BB190032 (ET)				84%	80%	80%	80%	79%	80%	81%	81%	81%	81%	80%				
BB 190049		✓	AF6914	**104**	**135**	**129**	**128**	**127**	**83**	**99**	**96**	**119**	**53**	**69**				
FB		✓	BB 150105	0.84	17.1	24.3	29.6	45	-0.1	0.6	-1.7	3.8	-4.6	-5.4	1	4	2	
BB190049 (ET)				84%	81%	81%	81%	79%	79%	81%	81%	81%	80%	79%				
BB 190063		✓	3186A	**99**	**141**	**136**	**136**	**126**	**88**	**99**	**106**	**129**	**82**	**86**				
FB		✓	1219Z	1.30	19.4	28.3	35.7	43	2.4	0.7	5.2	5.3	-1.8	-2.7	1	3	2	
BB190063 (ET)				84%	81%	81%	81%	80%	80%	81%	81%	81%	81%	81%				
BB 190119		✓	S5394S	**85**	**133**	**128**	**130**	**111**	**86**	**91**	**80**	**116**	**69**	**95**				
FB		✓	1265Z	2.65	16.3	23.2	30.8	21	1.5	-0.3	-13.3	3.2	-3.0	-1.3	1	4	3	
BB190119 (ET)				83%	79%	79%	79%	79%	79%	80%	80%	80%	80%	79%				
BB 190122		✓	FB2998	**111**	**126**	**119**	**121**	**110**	**87**	**94**	**98**	**95**	**99**	**99**				
FB		✓	1099Z	0.20	13.3	17.8	24.0	20	1.6	0.0	-0.7	0.0	-0.2	-0.7	1	2	1	
BB190122 (ET)				85%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 190128		✓	S5394S	**93**	**121**	**115**	**119**	**102**	**89**	**95**	**93**	**103**	**103**	**102**				
FB		✓	1099Z	1.90	11.5	15.7	22.6	9	2.9	0.1	-4.1	1.3	0.2	-0.1	1	3	1	
BB190128 (ET)				84%	80%	81%	80%	80%	80%	82%	82%	81%	81%	80%				
BB 190141		✓	2142A	**96**	**130**	**127**	**130**	**114**	**92**	**89**	**91**	**103**	**88**	**105**				
FB		✓	AF14106	1.58	15.0	22.7	31.3	26	4.6	-0.6	-5.8	1.2	-1.2	0.3	1	3	1	
BB190141				82%	79%	80%	79%	78%	78%	79%	79%	79%	79%	78%				
BB 200026		✓	FB14989	**98**	**124**	**119**	**121**	**117**	**98**	**96**	**118**	**105**	**102**	**91**				
FB		✓	BB 170103	1.39	12.5	17.8	24.0	31	7.9	0.3	13.7	1.5	0.1	-1.9	1	4	1	
BB200026 (AI)				87%	81%	82%	81%	81%	81%	83%	83%	82%	82%	81%				
BB 200039		✓	FB2998	**114**	**119**	**114**	**117**	**110**	**85**	**100**	**101**	**103**	**97**	**91**				
FB		✓	BB 180045	-0.13	10.5	14.6	20.6	20	1.0	0.8	1.5	1.3	-0.4	-1.8	1	2	1	
BB200039 (AI)				85%	82%	83%	82%	82%	82%	83%	83%	83%	83%	82%				
BB 200040		✓	AF793	**104**	**132**	**126**	**126**	**120**	**86**	**90**	**100**	**113**	**85**	**97**				
FB		✓	BB 170174	0.82	15.9	22.0	27.6	35	1.4	-0.4	0.8	2.7	-1.6	-0.9	1	3	1	
BB200040 (AI)				85%	79%	79%	79%	78%	78%	79%	79%	78%	78%	78%				
BB 200067		✓	BB 170165	**105**	**136**	**131**	**131**	**122**	**86**	**84**	**100**	**118**	**85**	**104**				
FB		✓	BB 170062	0.78	17.5	25.3	32.0	37	1.5	-1.2	0.6	3.6	-1.5	0.1	1	2		
BB200067				68%	17%	21%	18%	12%	14%	32%	31%	28%	27%	15%				
BB 210033		✓	FB2998	**94**	**140**	**131**	**133**	**120**	**87**	**94**	**96**	**101**	**76**	**88**				
FB		✓	BB 170097	1.80	18.9	25.7	33.2	34	1.8	0.0	-1.7	1.0	-2.4	-2.3	1	1		
BB210033				70%	24%	33%	27%	20%	19%	38%	38%	34%	34%	26%				
BB 210041		✓	S5394S	**106**	**124**	**120**	**123**	**111**	**88**	**97**	**103**	**102**	**88**	**90**				
FB		✓	BB 190017	0.69	12.5	18.5	25.2	23	2.4	0.4	2.6	1.1	-1.2	-2.0	1	1		
BB210041				68%	16%	26%	21%	12%	13%	37%	36%	32%	28%	20%				
BB 210046		✓	S5394S	**97**	**133**	**127**	**128**	**115**	**87**	**97**	**102**	**116**	**86**	**88**				
FB		✓	BB 180047	1.54	16.1	23.0	29.1	28	1.7	0.4	2.3	3.3	-1.5	-2.4	1	2	1	
BB210046				70%	20%	28%	24%	13%	14%	41%	41%	36%	32%	22%				
BB 210048		✓	FB2124	**96**	**144**	**137**	**135**	**129**	**84**	**89**	**106**	**131**	**81**	**91**				
FB		✓	BB 180029	1.65	20.6	29.0	35.0	47	0.4	-0.6	5.3	5.6	-1.9	-1.8	1	1	1	
BB210048				69%	21%	28%	25%	16%	17%	31%	31%	28%	25%	19%				
BB 210053		✓	FB2998	**105**	**127**	**120**	**122**	**110**	**88**	**100**	**94**	**102**	**89**	**90**				
FB		✓	BB 150102	0.78	13.7	18.4	24.8	20	2.2	0.8	-3.7	1.1	-1.1	-2.1	1	1	1	
BB210053				72%	31%	41%	34%	27%	28%	42%	43%	39%	39%	30%				
BB 210056		✓	S5394S	**77**	**145**	**136**	**135**	**122**	**83**	**93**	**95**	**115**	**77**	**87**				
FB		✓	BB 150117	3.45	21.1	28.8	34.8	38	-0.1	-0.1	-2.6	3.0	-2.3	-2.5	1	1	1	
BB210056				71%	23%	32%	29%	18%	16%	42%	42%	36%	33%	24%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																		
BB 210067		☑	FB2124	**87**	**140**	**134**	**135**	**122**	**87**	**86**	**106**	**120**	**99**	**107**				
FB		☑	BB 170174	2.47	19.2	27.5	34.9	37	1.8	-1.0	5.1	3.8	-0.2	0.6	1	2		
BB210067				69%	22%	30%	27%	16%	17%	32%	32%	29%	23%	16%				
BB 210078		☑	BB 170089	**89**	**135**	**129**	**131**	**115**	**88**	**94**	**98**	**104**	**88**	**94**				
FB		☑	BB 180323	2.28	17.0	24.2	31.9	27	2.1	0.1	-0.8	1.4	-1.3	-1.4	1	1		
BB210078				68%	19%	25%	20%	15%	15%	28%	28%	25%	23%	17%				
BB 210086		☑	BB 170002	**91**	**140**	**133**	**133**	**123**	**90**	**117**	**102**	**112**	**86**	**73**				
FB		☑	BB 180001	2.08	19.0	26.5	33.1	39	3.2	2.9	2.3	2.7	-1.4	-4.8	1	2	1	
BB210086				69%	20%	25%	23%	18%	20%	40%	39%	36%	32%	24%				
BB 210093		☑	BB 170002	**85**	**134**	**129**	**130**	**122**	**95**	**113**	**106**	**97**	**101**	**81**				
FB		☑	BB 180002	2.68	16.7	24.1	31.3	38	6.0	2.5	5.3	0.3	0.0	-3.4	1	1		
BB210093				68%	22%	29%	28%	22%	23%	45%	44%	40%	36%	27%				
BB 220008		☑	BB 170177	**107**	**130**	**124**	**125**	**120**	**87**	**100**	**122**	**113**	**88**	**82**				
FB		☑	BB 180033	0.53	14.9	21.3	27.1	35	1.7	0.8	16.2	2.7	-1.2	-3.3	1	2		
BB220008				50%	17%	20%	17%	14%	15%	47%	46%	41%	23%	17%				
BB 220021		☑	BB 200028	**93**	**122**	**117**	**119**	**103**	**89**	**99**	**89**	**106**	**81**	**90**				
FB		☑	BB 150102	1.92	11.9	16.6	22.6	10	2.7	0.7	-7.2	1.7	-1.9	-2.1	1	1		
BB220021				55%	26%	31%	27%	22%	24%	33%	33%	31%	31%	24%				
BB 220029		☑	BB 200009	**76**	**142**	**136**	**137**	**123**	**93**	**96**	**116**	**115**	**85**	**84**				
FB		☑	BB 170193	3.61	19.9	28.6	36.7	40	5.1	0.3	12.4	3.1	-1.5	-3.0	1	1		
BB220029				68%	18%	20%	19%	16%	21%	32%	32%	29%	22%	16%				
BB 220030		☑	BB 170177	**93**	**133**	**128**	**130**	**114**	**90**	**97**	**125**	**107**	**100**	**86**				
FB		☑	BB 170170	1.93	16.4	23.6	30.8	26	3.4	0.5	18.8	1.9	-0.1	-2.8	1	1		
BB220030				67%	21%	25%	23%	19%	20%	48%	48%	45%	25%	21%				
BB 220036		☑	BB 200009	**81**	**136**	**131**	**134**	**118**	**95**	**91**	**99**	**103**	**84**	**96**				
FB		☑	BB 190141	3.05	17.6	25.6	33.8	32	5.9	-0.3	0.0	1.3	-1.6	-1.1	1	1		
BB220036				67%	17%	25%	24%	14%	15%	29%	28%	25%	22%	15%				
BB 220053		☑	BB 200009	**80**	**142**	**135**	**136**	**121**	**93**	**85**	**105**	**95**	**92**	**100**				
FB		☑	BB 190021	3.17	19.7	28.0	35.9	36	5.1	-1.1	4.2	0.1	-0.9	-0.5	1	1		
BB220053				69%	17%	24%	22%	17%	18%	31%	30%	27%	25%	19%				
BB 220074		☑	BB 200028	**111**	**125**	**120**	**121**	**116**	**85**	**94**	**94**	**113**	**64**	**82**				
FB		☑	BB 180029	0.14	13.2	18.3	23.7	29	0.6	0.0	-3.5	2.8	-3.5	-3.3	1	1		
BB220074				69%	18%	24%	20%	15%	14%	27%	27%	23%	24%	18%				
BB 220138		☑	BB 170002	**77**	**144**	**136**	**135**	**125**	**87**	**121**	**104**	**117**	**77**	**64**				
FB		☑	BB 180032	3.43	20.6	28.5	34.8	42	1.8	3.4	3.3	3.4	-2.3	-6.2	1	1		
BB220138				67%	19%	25%	23%	17%	19%	40%	39%	35%	32%	24%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
AKAUSHI																	
CWBFBB 170087		2142A	**93**	**126**	**124**	**129**	**109**	**93**	**92**	**110**	**104**	**100**	**98**				
FB		V7202U	1.93	13.5	20.8	30.4	19	5.1	-0.2	8.1	1.4	-0.1	-0.7	1	2	2	
BB170087			82%	80%	81%	80%	79%	79%	81%	81%	80%	80%	79%				
CWBFBB 170150		FB2998	**101**	**131**	**126**	**128**	**117**	**89**	**88**	**98**	**110**	**70**	**88**				
FB		AF7868	1.18	15.3	22.3	29.7	30	2.8	-0.7	-0.4	2.3	-2.9	-2.3	1	4	3	
BB170150			83%	81%	81%	81%	81%	81%	82%	82%	81%	81%	81%				
CWBFBB 190014		AF1208	**109**	**129**	**126**	**128**	**116**	**90**	**84**	**90**	**112**	**85**	**107**				
F1		EAF80400	0.35	14.6	22.2	29.1	30	3.3	-1.2	-6.1	2.6	-1.6	0.7	1	3	3	
BB190014 (ET)			77%	76%	76%	76%	76%	76%	77%	77%	76%	76%	76%				
CWBFBB 200062		BB 170165	**120**	**127**	**123**	**124**	**120**	**89**	**84**	**97**	**109**	**81**	**104**				
FB		BB 170186	-0.75	13.7	20.3	26.5	35	2.8	-1.3	-1.5	2.2	-1.9	0.1	1	1	1	
BB200062			67%	15%	20%	18%	11%	12%	34%	34%	29%	29%	15%				
CWBFBB 210014		BB 150113	**87**	**149**	**145**	**142**	**134**	**85**	**92**	**107**	**127**	**78**	**86**				
FB		BB 170152	2.50	22.6	34.1	40.7	55	0.9	-0.2	5.5	5.0	-2.2	-2.7	1	1	1	
BB210014			69%	46%	48%	45%	16%	24%	37%	37%	33%	28%	17%				
EAF80400		IMUFN2125	**102**	**131**	**126**	**128**	**115**	**86**	**89**	**92**	**105**	**96**	**107**				
FB		FB9978	1.08	15.6	22.0	29.3	27	1.5	-0.6	-5.1	1.5	-0.5	0.7	3	3	1	
KAEDEMARU 2			48%	26%	31%	29%	16%	20%	36%	36%	32%	30%	20%				
FB14724		FB101	**109**	**117**	**114**	**115**	**117**	**93**	**70**	**112**	**107**	**84**	**108**				
FB		FB12161	0.39	9.8	14.9	19.3	31	5.1	-3.1	9.5	1.8	-1.6	0.8	1	2	2	
IWG MS RUESHAW 78Z (FB14724)			45%	17%	25%	22%	15%	17%	35%	34%	29%	27%	20%				
FB14728		FB102	**105**	**127**	**127**	**130**	**114**	**96**	**73**	**116**	**116**	**112**	**119**				
FB		FB12108	0.78	13.8	23.1	30.6	26	6.7	-2.6	11.9	3.2	1.1	2.5	1	7	3	
IWG MS JUDO 82Z (FB14728)			50%	18%	18%	15%	13%	14%	46%	46%	39%	34%	18%				
OHVFA0045		QW132	**85**	**138**	**128**	**127**	**127**	**82**	**99**	**100**	**116**	**45**	**60**				
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9	8	41	19	5
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
V7202U		B3314R	**100**	**132**	**128**	**131**	**116**	**90**	**98**	**115**	**111**	**101**	**91**				
FB		B0078M	1.24	15.8	23.6	31.9	29	3.3	0.6	11.5	2.4	0.0	-2.0	2	8	3	
HEARTBRAND V7202U			44%	19%	26%	22%	14%	16%	49%	49%	43%	24%	17%				
V7297U			**105**	**123**	**122**	**124**	**111**	**90**	**89**	**76**	**128**	**66**	**100**				
FB		AF1916	0.75	12.2	19.9	25.9	23	3.5	-0.5	-16.1	5.1	-3.3	-0.5	3	12	5	
HEARTBRAND SHANNON V7297U			58%	15%	19%	16%	10%	9%	56%	56%	50%	42%	21%				
V7514U			**102**	**116**	**117**	**119**	**103**	**91**	**96**	**71**	**130**	**83**	**105**				
FB		AF3785	1.00	9.2	16.4	22.6	10	4.2	0.3	-19.9	5.4	-1.7	0.3	4	16	4	
HEARTBRAND SAIGE V7514U			58%	31%	25%	16%	8%	11%	45%	44%	38%	24%	18%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
ADBFL0011		✓	TF890040	**150**	**65**	**63**	**66**	**65**	**86**	**105**	**87**	**112**	**99**	**108**				
FB		✓	TF760	-3.58	-11.4	-17.0	-19.3	-44	1.1	1.5	-8.1	2.6	-0.1	0.8	1	5	1	
MAYURA L0011 (AI) (ET)				44%	30%	30%	27%	17%	26%	32%	35%	32%	31%	19%				
ADBFL0014		✓	ADBFA0139	**118**	**99**	**88**	**84**	**80**	**60**	**136**	**71**	**109**	**101**	**101**				
FB		✓	ADBFH0173	-0.47	2.4	-1.6	-4.7	-22	-12.7	5.4	-19.9	2.1	0.0	-0.3	1	5	3	
MAYURA L0014 (AI) (ET)				55%	42%	45%	41%	36%	39%	48%	49%	47%	48%	42%				
ADBFL0017		✓	ADBFA0139	**112**	**95**	**89**	**88**	**80**	**83**	**130**	**76**	**103**	**96**	**93**				
FB		✓	ADBFH0258	0.04	0.9	-1.0	-1.9	-23	-0.5	4.6	-16.5	1.3	-0.5	-1.6	1	4	2	
MAYURA L0017 (AI) (ET)				55%	33%	38%	32%	27%	30%	41%	42%	39%	41%	36%				
ADBFL0019		✓	ADBFA0139	**118**	**94**	**85**	**82**	**75**	**64**	**119**	**83**	**112**	**116**	**118**				
FB		✓	ADBFH0173	-0.55	0.6	-3.2	-6.9	-30	-10.5	3.2	-11.2	2.7	1.4	2.4	1	12	9	
MAYURA L0019 (AI) (ET)				74%	47%	46%	41%	36%	42%	58%	58%	53%	57%	49%				
ADBFL0030		✓	ADBFA0139	**103**	**104**	**98**	**97**	**89**	**87**	**122**	**86**	**113**	**93**	**92**				
FB		✓	ADBFH0258	0.91	4.5	4.6	4.9	-9	1.9	3.6	-9.2	2.7	-0.7	-1.8	2	6	3	
MAYURA L0030 (AI) (ET)				54%	33%	45%	32%	27%	30%	41%	42%	40%	41%	36%				
ADBFL0045		✓	151BE	**122**	**89**	**84**	**83**	**75**	**76**	**122**	**109**	**109**	**107**	**92**				
FB		✓	ADBFH0166	-0.94	-1.5	-3.9	-5.5	-29	-3.8	3.5	6.8	2.1	0.5	-1.7	1	3	3	
MAYURA L0045 (AI) (ET)				61%	45%	47%	43%	34%	42%	55%	56%	52%	52%	41%				
ADBFL0055		✓	151BE	**116**	**90**	**84**	**84**	**75**	**78**	**109**	**106**	**105**	**100**	**102**				
FB		✓	ADBFH0166	-0.33	-1.1	-4.0	-5.4	-30	-2.9	1.9	5.2	1.5	-0.1	-0.1	1	2	2	
MAYURA L0055 (AI) (ET)				53%	45%	47%	43%	34%	42%	52%	53%	51%	49%	38%				
ADBFL0079		✓	ADBFA0139	**120**	**86**	**77**	**75**	**74**	**63**	**119**	**66**	**115**	**99**	**113**				
FB		✓	ADBFH0211	-0.73	-2.6	-8.2	-11.9	-31	-10.7	3.2	-23.4	3.1	-0.2	1.6	1	2	2	
MAYURA L0079 (AI) (ET)				53%	42%	45%	41%	37%	39%	46%	47%	46%	47%	41%				
ARUFE0060			ARUFA0353	**115**	**87**	**87**	**93**	**87**	**98**	**85**	**112**	**77**	**107**	**113**				
FB			T096	-0.21	-2.3	-2.0	1.9	-13	7.6	-1.1	9.5	-2.8	0.6	1.5	3	7	1	
ARUNDEL SPRINGS KOUTANI				53%	44%	36%	21%	20%	25%	31%	31%	28%	28%	20%				
BA 130879	GT	✓	148BE	**120**	**107**	**101**	**101**	**92**	**76**	**109**	**49**	**125**	**67**	**98**				
FB			BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8	4	19	7	1
BA 130879				93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 160731	GT	✓	FB9866	**108**	**90**	**87**	**89**	**79**	**90**	**109**	**100**	**95**	**103**	**101**				
FB		✓	CWBFBA 080172	0.48	-0.9	-2.0	-1.1	-24	3.7	1.9	0.9	0.1	0.2	-0.3	1	3	1	
WOODVIEW TAKADOI TF 771				86%	84%	83%	83%	83%	84%	84%	84%	84%	83%	83%				
BB 090002				**91**														
BS				2.11											1	1	1	
BB090002				29%														

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 090030			**103**															
BS			0.98												1	1	1	
BB 090030			29%															
BB 090037			**93**	**88**	**100**	**100**		**111**										
BS			1.89	-2.1	5.8	7.4		14.5							1	2	1	
BB 090037			42%	36%	38%	29%		52%										
BB 110005		☑	TFWFW0629	**120**	**90**	**82**	**86**	**77**	**77**	**84**	**90**	**69**	**114**	**131**				
FB		☑	KJDFC0143	-0.72	-1.3	-5.0	-3.1	-27	-3.7	-1.2	-6.0	-4.0	1.2	4.4	1	6	3	
NANDI				66%	54%	66%	65%	37%	50%	60%	60%	59%	50%	37%				
BB 120014		☑	TFWFW0629	**106**	**91**	**82**	**84**	**76**	**83**	**92**	**86**	**54**	**147**	**149**				
FB		☑	KJDFE0008	0.64	-0.7	-5.1	-5.4	-29	-0.3	-0.2	-9.1	-6.4	4.4	7.3	1	17	6	1
NINGI				74%	52%	71%	56%	32%	52%	73%	72%	68%	59%	42%				
BB 120017		☑	TFWFW0629	**124**	**85**	**76**	**78**	**81**	**92**	**69**	**88**	**79**	**131**	**159**				
FB		☑	KJDFC0099	-1.09	-3.0	-9.0	-9.5	-21	4.3	-3.1	-7.9	-2.5	2.9	8.9	5	25	7	4
BONGA				75%	53%	73%	67%	29%	52%	71%	70%	65%	55%	36%				
BB 120018		☑	TFWFW0629	**126**	**76**	**67**	**69**	**66**	**81**	**101**	**98**	**77**	**143**	**131**				
FB		☑	KJDFE0008	-1.32	-6.5	-14.4	-16.7	-42	-1.2	0.9	-0.3	-2.7	4.0	4.5	2	16	11	1
BUKEKA				68%	50%	73%	68%	32%	46%	68%	68%	65%	52%	37%				
BB 120019	GT	☑	TFWFW0629	**120**	**87**	**82**	**86**	**75**	**85**	**88**	**86**	**76**	**136**	**146**				
FB		☑	KJDFC0099	-0.71	-2.3	-5.1	-3.4	-30	1.0	-0.7	-9.0	-2.9	3.3	6.9	5	17	7	1
GOGEKILE				92%	90%	91%	91%	89%	90%	91%	91%	91%	90%	90%				
BB 120020	GT	☑	TFWFW0629	**113**	**89**	**80**	**81**	**76**	**82**	**102**	**90**	**72**	**140**	**133**				
FB		☑	KJDFC0099	-0.01	-1.4	-6.2	-7.1	-28	-0.8	1.1	-6.3	-3.5	3.7	4.7	1	5	2	
KULULA				89%	88%	90%	89%	87%	88%	89%	89%	89%	89%	87%				
BB 120021		☑	TFWFW0629	**125**	**90**	**81**	**84**	**80**	**83**	**84**	**80**	**87**	**113**	**139**				
FB		☑	KJDFC0099	-1.20	-1.2	-5.7	-5.3	-22	-0.2	-1.3	-13.2	-1.3	1.2	5.8	2	14	6	1
ZWENE				78%	49%	58%	50%	29%	42%	79%	78%	74%	69%	45%				
BB 120022		☑	TFWFW0629	**126**	**79**	**69**	**68**	**72**	**81**	**107**	**101**	**91**	**131**	**120**				
FB		☑	KJDFE0008	-1.27	-5.5	-13.4	-17.5	-34	-1.6	1.7	1.4	-0.7	2.9	2.7	3	30	16	1
BUSHA				80%	51%	70%	69%	35%	47%	70%	70%	66%	59%	42%				
BB 120024		☑	TFWFW0629	**112**	**96**	**85**	**82**	**82**	**79**	**94**	**107**	**67**	**150**	**139**				
FB		☑	KJDFE0008	0.07	1.2	-3.6	-6.3	-19	-2.6	0.1	5.8	-4.4	4.7	5.7	3	16	1	1
KULELI				65%	50%	70%	69%	32%	46%	68%	68%	64%	51%	37%				
BB 120025		☑	TFWFW0629	**114**	**101**	**89**	**87**	**86**	**86**	**93**	**62**	**96**	**109**	**133**				
FB		☑	KJDFE0001	-0.17	3.2	-1.0	-2.9	-14	1.2	-0.1	-25.8	0.2	0.7	4.7	3	33	14	
NANSI				77%	56%	69%	66%	34%	47%	73%	73%	69%	65%	45%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 120026		☑	TFWFW0629	**111**	**97**	**85**	**84**	**83**	**83**	**110**	**76**	**70**	**155**	**142**				
FB		☑	KJDFE0008	0.19	1.5	-3.2	-4.8	-19	-0.5	2.0	-15.9	-3.9	5.1	6.1	5	35	17	1
KHULU				80%	50%	70%	68%	32%	46%	76%	76%	71%	62%	45%				
BB 130036			BB 110002	**138**	**77**	**81**	**83**	**86**	**87**	**91**	**88**	**102**	**111**	**120**				
F1			BB 080002	-2.46	-6.3	-6.0	-6.0	-14	2.0	-0.3	-7.7	1.1	0.9	2.7	1	4	1	
BB130036				71%	63%	64%	65%	33%	48%	31%	31%	28%	21%	15%				
BB 140002			148BE	**116**	**98**	**91**	**88**	**88**	**73**	**113**	**95**	**109**	**108**	**102**				
FB			KSOFD0013	-0.34	2.2	0.3	-2.2	-11	-5.5	2.5	-2.6	2.2	0.7	-0.2	2	3	1	
ITOSHIGENAMI				58%	53%	69%	69%	46%	52%	56%	57%	55%	55%	47%				
BB 140018			BB 110002	**111**	**98**	**100**	**99**	**100**	**92**	**91**	**88**	**102**	**111**	**120**				
F1			BB 080008	0.15	2.3	6.0	6.8	7	4.7	-0.3	-7.7	1.1	0.9	2.7	1	3	1	
BB 140018				70%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
BB 140037			BB 110012	**107**	**98**	**99**	**99**	**96**	**102**	**95**	**113**	**80**	**115**	**108**				
F1			BB 080046	0.55	2.3	5.5	6.9	1	9.8	0.2	9.8	-2.2	1.3	0.8	3	8	3	2
BB 140037				75%	58%	61%	26%	16%	32%	50%	49%	44%	43%	17%				
BB 150002			BB 110008	**110**	**90**	**88**	**90**	**86**	**93**	**96**	**88**	**94**	**112**	**118**				
F1			BB 090008	0.22	-1.2	-1.2	-0.6	-14	5.0	0.2	-7.9	-0.2	1.0	2.3	1	3	3	
BB15-0002				71%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
BB 160010			BB 120023	**111**	**79**	**87**	**89**	**87**	**101**	**95**	**93**	**93**	**113**	**117**				
F1			BB510	0.20	-5.3	-2.1	-0.8	-12	9.3	0.1	-4.2	-0.4	1.1	2.2	2	2	1	
BB16010				67%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
BB 160023			BB 110008	**106**	**93**	**92**	**93**	**89**	**97**	**96**	**88**	**94**	**112**	**118**				
F1			BB523	0.69	0.1	1.0	2.0	-10	7.3	0.2	-7.9	-0.2	1.0	2.3	1	1	1	
BB16023				67%	58%	34%	28%	18%	33%	32%	32%	30%	24%	18%				
BB 160203	GT	☑	ETJ001	**96**	**98**	**94**	**101**	**77**	**78**	**78**	**85**	**115**	**63**	**104**				
FB		☑	FB7637	1.63	1.9	2.4	8.0	-26	-3.1	-2.0	-9.6	3.1	-3.6	0.2	1	8	6	
BB160203				91%	88%	88%	88%	88%	88%	89%	89%	89%	89%	87%				
BB 170001	GT	☑	FB14989	**95**	**108**	**103**	**106**	**98**	**95**	**86**	**115**	**82**	**117**	**115**				
FB		☑	BB 110005	1.68	6.3	7.9	12.5	4	6.2	-1.0	11.7	-1.9	1.5	1.9	1	6	4	
BB170001				86%	82%	83%	83%	82%	82%	83%	83%	83%	82%	81%				
BB 170003	GT	☑	FB14989	**92**	**107**	**102**	**106**	**95**	**88**	**89**	**98**	**84**	**115**	**119**				
FB		☑	BB 110005	2.01	5.9	7.3	12.3	-1	2.6	-0.6	-0.5	-1.7	1.4	2.5	1	4		
BB170003				86%	83%	83%	83%	82%	83%	84%	84%	83%	83%	82%				
BB 170007	GT	☑	A3001	**95**	**108**	**99**	**99**	**89**	**85**	**118**	**74**	**97**	**94**	**103**				
FB		☑	BB 120025	1.76	6.0	5.3	6.9	-9	0.5	3.0	-17.8	0.3	-0.7	0.1	1	4	2	
BB170007				88%	85%	86%	85%	84%	85%	87%	87%	86%	86%	85%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 170008		KI 140010	**106**	**100**	**93**	**94**	**88**	**78**	**106**	**92**	**94**	**98**	**105**				
FB		BB 140002	0.68	3.1	1.8	3.2	-10	-3.1	1.6	-4.7	-0.2	-0.3	0.3	1	4	3	
BB170008			86%	84%	85%	85%	83%	84%	85%	85%	85%	85%	83%				
BB 170012		WSI135Z	**105**	**96**	**89**	**91**	**78**	**77**	**112**	**76**	**80**	**150**	**136**				
FB		BB 120014	0.76	1.5	-1.0	0.1	-25	-3.6	2.3	-15.8	-2.4	4.6	5.3	1	5	2	
BB170012			88%	86%	86%	85%	85%	86%	86%	86%	86%	85%	85%				
BB 170017		WSI135Z	**111**	**95**	**88**	**89**	**78**	**79**	**111**	**73**	**81**	**136**	**132**				
FB		BB 120014	0.17	0.9	-1.7	-0.7	-25	-2.3	2.2	-18.0	-2.1	3.3	4.6	1	2	2	
BB170017			61%	44%	45%	37%	25%	45%	49%	48%	44%	36%	24%				
BB 170020		WESFZ0278	**109**	**100**	**97**	**98**	**89**	**80**	**105**	**83**	**104**	**54**	**82**				
FB		KSOFJ0071	0.39	3.1	4.3	6.3	-9	-2.1	1.4	-10.9	1.4	-4.5	-3.3	1	6	2	
BB170020			88%	85%	85%	84%	84%	84%	86%	86%	86%	85%	84%				
BB 170033		KI 140008	**117**	**104**	**98**	**99**	**90**	**74**	**94**	**44**	**109**	**53**	**109**				
FB		BA 130879	-0.37	4.7	4.9	6.7	-8	-4.9	0.0	-38.8	2.2	-4.6	1.0	1	6	4	
BB170033			91%	89%	89%	88%	88%	88%	89%	90%	89%	89%	88%				
BB 170043		CWBMBA 130891	**128**	**67**	**65**	**67**	**70**	**81**	**96**	**86**	**92**	**74**	**102**				
FB		PK 140003	-1.51	-10.2	-15.5	-18.5	-36	-1.3	0.3	-9.1	-0.4	-2.6	-0.1	1	5	3	
BB170043			85%	83%	83%	83%	82%	83%	84%	84%	83%	84%	83%				
BB 170046		CWBMBA 130891	**129**	**74**	**68**	**70**	**70**	**87**	**108**	**91**	**94**	**105**	**107**				
FB		BB 120022	-1.55	-7.6	-13.8	-16.1	-37	1.8	1.8	-5.6	-0.2	0.4	0.7	1	5	3	
BB170046			87%	84%	84%	84%	83%	84%	84%	84%	84%	84%	84%				
BB 170048		CWBMBA 130891	**116**	**84**	**77**	**78**	**79**	**88**	**97**	**88**	**86**	**113**	**124**				
FB		BB 120017	-0.34	-3.6	-8.1	-9.3	-24	2.4	0.4	-7.7	-1.4	1.2	3.3	1	5	1	
BB170048			87%	84%	85%	85%	84%	84%	85%	85%	85%	85%	84%				
BB 170050		CWBMBA 130891	**111**	**75**	**72**	**71**	**74**	**79**	**111**	**98**	**103**	**70**	**81**				
FB		PK 140003	0.16	-7.0	-11.7	-15.0	-30	-2.6	2.2	-0.8	1.2	-3.0	-3.5	1	3	1	
BB170050			86%	84%	84%	83%	83%	83%	85%	85%	84%	84%	84%				
BB 170052		CWBMBA 130891	**127**	**72**	**70**	**73**	**71**	**76**	**109**	**85**	**115**	**63**	**87**				
FB		PK 140003	-1.39	-8.2	-12.5	-13.8	-35	-4.2	1.9	-9.7	3.0	-3.7	-2.5	1	4	1	
BB170052			85%	83%	83%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 170073		CWBMBA 130891	**127**	**86**	**79**	**79**	**84**	**88**	**102**	**81**	**112**	**71**	**93**				
FB		BB 120025	-1.43	-2.7	-7.1	-9.1	-16	2.2	1.1	-12.9	2.6	-2.9	-1.5	1	4	1	
BB170073			87%	85%	85%	85%	85%	85%	86%	86%	85%	85%	84%				
BB 170079		CWBMBA 130891	**112**	**89**	**83**	**83**	**79**	**87**	**128**	**91**	**84**	**136**	**109**				
FB		BB 120026	0.11	-1.6	-4.6	-6.1	-24	1.8	4.4	-5.6	-1.6	3.3	1.0	1	4	1	
BB170079			86%	83%	84%	84%	83%	83%	84%	84%	84%	84%	83%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 170090			KI 140008	**123**	**82**	**75**	**77**	**72**	**76**	**91**	**81**	**90**	**104**	**124**				
FB			BB 120018	-1.01	-4.2	-9.5	-10.7	-34	-3.9	-0.4	-12.7	-0.8	0.3	3.4	1	3	1	
BB170090				88%	86%	87%	86%	85%	86%	87%	87%	87%	86%	85%				
BB 170114			148BE	**130**	**83**	**75**	**76**	**70**	**74**	**113**	**60**	**81**	**104**	**118**				
FB			BB 120021	-1.72	-3.9	-9.3	-11.0	-37	-4.8	2.5	-27.5	-2.1	0.3	2.3	1	6	4	
BB170114				90%	88%	89%	88%	88%	88%	89%	89%	89%	89%	88%				
BB 170117			148BE	**119**	**82**	**74**	**74**	**67**	**76**	**136**	**70**	**85**	**119**	**102**				
FB			BB 120020	-0.62	-4.4	-10.1	-12.8	-41	-3.8	5.3	-20.5	-1.6	1.7	-0.2	1	4		
BB170117				89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170120			148BE	**128**	**95**	**87**	**88**	**82**	**77**	**108**	**62**	**106**	**104**	**121**				
FB			BB 120021	-1.50	1.0	-1.7	-2.3	-20	-3.7	1.8	-26.1	1.7	0.3	2.8	1	3	1	
BB170120				91%	89%	89%	89%	88%	89%	90%	90%	90%	90%	89%				
BB 170126			148BE	**128**	**91**	**84**	**84**	**82**	**86**	**104**	**57**	**93**	**109**	**128**				
FB			BB 120017	-1.46	-0.7	-4.0	-5.3	-19	1.4	1.3	-29.7	-0.2	0.8	4.0	1	5	3	
BB170126				89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170132			148BE	**122**	**80**	**73**	**72**	**67**	**84**	**133**	**61**	**90**	**115**	**108**				
FB			BB 120020	-0.87	-5.2	-10.9	-14.5	-40	0.0	5.0	-26.7	-0.8	1.3	0.8	1	7	5	
BB170132				90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 170157			148BE	**132**	**91**	**82**	**81**	**74**	**80**	**120**	**65**	**114**	**119**	**115**				
FB			BB 120025	-1.89	-0.6	-5.3	-7.0	-30	-2.1	3.3	-24.1	3.0	1.7	1.9	1	4	1	
BB170157				89%	88%	89%	88%	87%	88%	89%	89%	89%	88%	88%				
BB 170166			148BE	**130**	**88**	**81**	**82**	**75**	**81**	**117**	**63**	**94**	**115**	**118**				
FB			BB 120021	-1.68	-2.1	-6.1	-6.3	-29	-1.2	3.0	-25.5	-0.1	1.3	2.4	1	3	1	
BB170166				89%	88%	88%	88%	87%	88%	89%	89%	89%	89%	88%				
BB 170168			148BE	**134**	**79**	**72**	**72**	**69**	**82**	**117**	**72**	**98**	**99**	**106**				
FB			BB 120021	-2.04	-5.5	-11.1	-14.0	-38	-0.9	3.0	-18.6	0.5	-0.2	0.5	1	6	3	
BB170168				90%	88%	88%	88%	87%	88%	89%	89%	89%	89%	88%				
BB 170184			148BE	**130**	**69**	**63**	**62**	**61**	**71**	**120**	**74**	**108**	**102**	**100**				
FB			BB 120022	-1.67	-9.5	-17.0	-22.6	-49	-6.7	3.4	-17.2	2.0	0.1	-0.5	1	6	3	
BB170184				91%	89%	89%	89%	88%	89%	89%	89%	89%	89%	88%				
BB 170191			148BE	**135**	**73**	**66**	**65**	**67**	**76**	**103**	**85**	**73**	**109**	**115**				
FB			BB 120014	-2.16	-7.8	-15.0	-20.0	-41	-4.0	1.2	-9.6	-3.3	0.8	1.9	1	5	2	
BB170191				89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 170197			148BE	**120**	**83**	**76**	**74**	**67**	**77**	**132**	**89**	**121**	**110**	**89**				
FB			BB 120022	-0.73	-4.0	-9.2	-13.1	-41	-3.3	4.8	-6.8	4.0	0.8	-2.2	1	3	1	
BB170197				90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 170200		148BE	**117**	**93**	**85**	**82**	**79**	**76**	**123**	**54**	**111**	**95**	**105**				
FB		BB 120025	-0.46	0.1	-3.3	-6.5	-24	-4.2	3.7	-32.0	2.5	-0.6	0.3	1	3	2	
BB170200			90%	89%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 170501		WSI135Z	**116**	**90**	**83**	**84**	**77**	**77**	**122**	**84**	**100**	**124**	**107**				
FB		BB 120022	-0.37	-1.1	-4.4	-5.4	-27	-3.5	3.6	-10.4	0.7	2.2	0.7	1	3	3	
BB170501			87%	85%	85%	85%	84%	85%	86%	86%	85%	85%	84%				
BB 170502		WSI135Z	**104**	**99**	**90**	**90**	**81**	**77**	**103**	**95**	**88**	**140**	**130**				
FB		BB 120024	0.80	2.4	-0.2	-0.1	-21	-3.3	1.2	-2.7	-1.1	3.7	4.2	1	2	1	
BB170502			86%	85%	85%	84%	83%	85%	85%	85%	85%	84%	83%				
BB 180031		ETJ001	**113**	**88**	**82**	**84**	**75**	**76**	**78**	**97**	**100**	**110**	**127**				
FB		BB 120022	-0.05	-1.9	-5.4	-4.8	-30	-4.2	-1.9	-1.4	0.8	0.9	3.9	1	4	2	
BB180031			90%	87%	87%	87%	86%	87%	88%	88%	88%	87%	86%				
BB 180038		BB 140001	**119**	**96**	**87**	**87**	**83**	**86**	**102**	**65**	**94**	**94**	**118**				
FB		BB 120025	-0.66	1.2	-2.0	-2.9	-18	1.3	1.0	-23.7	-0.1	-0.6	2.4	1	5	3	
BB180038			87%	84%	85%	84%	83%	83%	86%	86%	85%	84%	83%				
BB 180039		BB 140001	**119**	**94**	**85**	**85**	**86**	**81**	**100**	**92**	**80**	**113**	**119**				
FB		CWBFBB 110007	-0.58	0.3	-3.5	-3.8	-14	-1.3	0.8	-4.8	-2.3	1.1	2.6	1	3	3	
BB180039			87%	84%	84%	84%	83%	84%	85%	85%	85%	84%	83%				
BB 180087		ETJ001	**101**	**108**	**98**	**100**	**93**	**82**	**70**	**94**	**102**	**94**	**123**				
FB		BB 120025	1.18	6.1	5.0	7.1	-3	-0.7	-3.0	-3.7	1.1	-0.7	3.2	1	3	2	
BB180087 (ET)			88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 180099		ADBFA0139	**122**	**100**	**91**	**89**	**81**	**72**	**132**	**81**	**111**	**101**	**94**				
FB		ADBFL0045	-0.94	2.7	0.2	-1.4	-21	-6.2	4.8	-12.3	2.5	0.0	-1.4	1	3	2	
BB180099 (ET)			88%	86%	86%	86%	85%	85%	86%	86%	86%	86%	86%				
BB 180143		BB 150107	**101**	**117**	**118**	**118**	**120**	**112**	**74**	**106**	**89**	**108**	**121**				
F2		CWBFBB 160095	1.16	9.9	17.1	21.3	34	15.2	-2.4	5.3	-1.0	0.6	2.8	1	1	1	
BB180143			50%	34%	22%	20%	11%	35%	45%	44%	42%	44%	14%				
BB 180173		BB 150107	**91**	**120**	**121**	**120**	**120**	**113**	**73**	**113**	**89**	**115**	**124**				
F2		CWBFBB 160073	2.11	11.1	18.9	23.5	34	15.8	-2.6	9.7	-0.9	1.3	3.3	1	3	2	
BB180173			59%	28%	22%	20%	11%	16%	50%	50%	46%	50%	25%				
BB 180196		BB 150115	**94**	**125**	**125**	**122**	**132**	**110**	**102**	**128**	**112**	**81**	**67**				
F2		CWBFBB 140058	1.85	13.1	21.7	24.3	53	13.8	1.1	20.7	2.6	-1.9	-5.7	1	2	1	
BB180196			50%	23%	25%	24%	14%	15%	48%	47%	42%	45%	26%				
BB 180203		BB 150114	**104**	**108**	**110**	**110**	**118**	**110**	**96**	**107**	**96**	**91**	**86**				
F1			0.88	6.2	12.2	15.5	32	14.2	0.3	5.9	0.1	-1.0	-2.7	1	3	3	
BB180203			57%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 180219		BB 150113	**87**	**126**	**126**	**123**	**131**	**109**	**97**	**105**	**114**	**75**	**76**				
F2		CWBFBB 140022	2.45	13.5	22.1	25.2	51	13.6	0.4	4.4	2.9	-2.5	-4.2	1	4	3	1
BB180219			62%	45%	46%	43%	14%	22%	38%	37%	33%	33%	15%				
BB 180240		BB 150146	**88**	**122**	**124**	**123**	**125**	**111**	**80**	**94**	**96**	**102**	**111**				
F2		CWBFBB 130006	2.41	11.7	21.1	25.4	41	14.6	-1.8	-3.4	0.2	0.1	1.3	1	2	1	
BB180240			48%	19%	34%	33%	16%	18%	37%	37%	32%	36%	29%				
BB 180251	GT	A3001	**108**	**110**	**101**	**101**	**94**	**61**	**125**	**79**	**105**	**94**	**99**				
FB		ADBFL0014	0.44	6.8	6.8	8.0	-2	-12.1	3.9	-13.9	1.5	-0.6	-0.6	1	5	4	
BB180251 (ET)			88%	86%	86%	86%	85%	86%	87%	87%	86%	86%	86%				
BB 180252	GT	ADBFL0048	**100**	**106**	**100**	**100**	**96**	**86**	**130**	**100**	**121**	**93**	**77**				
FB		ADBFL0030	1.28	5.2	6.0	7.7	0	1.2	4.5	0.8	4.0	-0.7	-4.1	1	3	1	
BB180252 (ET)			85%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 180257	GT	ADBFL0022	**134**	**80**	**74**	**74**	**67**	**75**	**113**	**79**	**107**	**103**	**112**				
FB		ADBFL0019	-2.07	-5.3	-9.9	-12.5	-41	-4.7	2.4	-13.9	1.8	0.2	1.4	1	4	2	
BB180257 (ET)			89%	87%	87%	87%	86%	87%	87%	87%	87%	87%	87%				
BB 180260	GT	ADBFL0022	**135**	**83**	**77**	**78**	**72**	**71**	**110**	**90**	**114**	**101**	**108**				
FB		ADBFL0019	-2.20	-3.9	-8.0	-10.1	-33	-6.7	2.1	-5.9	3.0	0.0	0.8	1	5	3	
BB180260 (ET)			89%	86%	86%	86%	86%	86%	87%	87%	86%	87%	86%				
BB 180261	GT	WESFZ0278	**117**	**94**	**90**	**92**	**81**	**77**	**99**	**88**	**112**	**95**	**112**				
FB		ADBFL0019	-0.38	0.3	0.0	1.2	-21	-3.3	0.7	-7.7	2.6	-0.6	1.4	1	2	2	
BB180261 (ET)			88%	87%	87%	86%	85%	86%	87%	87%	87%	86%	86%				
BB 180263	GT	ADBFL0022	**136**	**71**	**66**	**66**	**69**	**75**	**111**	**76**	**114**	**105**	**115**				
FB		ADBFL0079	-2.27	-8.7	-15.3	-18.7	-38	-4.4	2.2	-16.0	2.9	0.4	1.9	1	3	2	
BB180263 (ET)			87%	85%	85%	85%	85%	85%	85%	85%	85%	85%	85%				
BB 180265	GT	ADBFL0048	**118**	**96**	**90**	**90**	**87**	**82**	**129**	**90**	**124**	**93**	**82**				
FB		ADBFL0030	-0.55	1.2	-0.1	-0.5	-12	-0.9	4.4	-6.4	4.5	-0.8	-3.3	2	2	1	
BB180265 (ET)			85%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%				
BB 180267	GT	ADBFL0022	**140**	**78**	**73**	**74**	**75**	**73**	**105**	**72**	**109**	**110**	**124**				
FB		ADBFL0079	-2.68	-6.0	-11.1	-13.1	-30	-5.7	1.5	-19.0	2.2	0.9	3.3	1	2	1	
BB180267 (ET)			86%	84%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180268	GT	ADBFL0022	**131**	**94**	**87**	**85**	**84**	**77**	**105**	**105**	**105**	**120**	**117**				
FB		ADBFL0019	-1.78	0.4	-2.3	-3.8	-17	-3.6	1.4	4.5	1.5	1.8	2.2	1	4	3	
BB180268 (ET)			88%	86%	86%	86%	86%	86%	86%	87%	86%	86%	86%				
BB 180270	GT	WESFZ0278	**117**	**94**	**88**	**88**	**79**	**78**	**117**	**92**	**112**	**88**	**93**				
FB		ADBFL0019	-0.40	0.3	-1.7	-1.8	-23	-3.0	2.9	-4.8	2.6	-1.3	-1.5	1	5	4	
BB180270 (ET)			89%	86%	86%	86%	85%	86%	87%	87%	86%	86%	86%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 180276			ADBFL0048	**110**	**94**	**90**	**92**	**85**	**87**	**120**	**94**	**124**	**85**	**82**				
FB			ADBFL0030	0.25	0.5	-0.4	1.0	-15	1.7	3.3	-3.5	4.5	-1.6	-3.3	1	5	2	
BB180276 (ET)				86%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 180277			ADBFL0022	**136**	**81**	**77**	**79**	**73**	**81**	**126**	**79**	**106**	**97**	**95**				
FB			ADBFL0017	-2.23	-4.8	-8.3	-8.8	-33	-1.6	4.1	-14.4	1.7	-0.4	-1.3	1	2	1	
BB180277 (ET)				86%	84%	84%	84%	84%	84%	85%	85%	84%	85%	84%				
BB 180278			A3001	**113**	**103**	**94**	**93**	**85**	**68**	**138**	**86**	**111**	**98**	**89**				
FB			ADBFL0014	-0.03	4.3	2.0	2.0	-15	-8.5	5.7	-9.4	2.5	-0.3	-2.2	1	2	1	
BB180278 (ET)				87%	86%	86%	86%	85%	86%	86%	87%	86%	86%	86%				
BB 180285			ADBFA0139	**135**	**87**	**80**	**79**	**75**	**80**	**122**	**85**	**124**	**90**	**92**				
FB			ADBFL0011	-2.17	-2.3	-6.5	-8.8	-30	-1.9	3.6	-9.7	4.5	-1.1	-1.8	1	4	3	
BB180285 (ET)				88%	86%	86%	86%	85%	86%	86%	86%	86%	86%	86%				
BB 180288			ADBFL0022	**146**	**69**	**64**	**66**	**63**	**81**	**118**	**64**	**95**	**95**	**108**				
FB			ADBFL0017	-3.23	-9.7	-16.4	-19.1	-47	-1.1	3.1	-24.4	0.0	-0.6	0.7	1	5	4	
BB180288 (ET)				87%	84%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180290			SMOFF0126	**96**	**120**	**114**	**113**	**93**	**78**	**102**	**155**	**125**	**161**	**118**				
FB			KSOFJ0064	1.60	10.9	14.6	17.4	-4	-2.9	1.0	39.8	4.7	5.7	2.5	1	4	2	1
BB180290 (ET)				89%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 180295			ADBFL0022	**135**	**87**	**80**	**79**	**76**	**72**	**98**	**73**	**105**	**121**	**138**				
FB			ADBFL0019	-2.12	-2.5	-6.7	-9.0	-28	-5.9	0.5	-18.5	1.5	1.9	5.6	1	3	1	
BB180295 (ET)				88%	86%	86%	86%	86%	86%	87%	87%	86%	87%	86%				
BB 180296			SMOFF0126	**112**	**111**	**105**	**105**	**87**	**68**	**86**	**123**	**125**	**138**	**134**				
FB			KSOFH0048	0.04	7.5	8.9	11.4	-12	-8.5	-1.0	16.8	4.6	3.6	4.9	1	3	1	
BB180296 (ET)				87%	86%	86%	86%	85%	86%	86%	86%	86%	86%	85%				
BB 180297			PMGFL0004	**108**	**88**	**81**	**81**	**75**	**70**	**137**	**68**	**111**	**69**	**77**				
FB			KSOFL00103	0.46	-1.9	-5.9	-7.3	-29	-7.3	5.5	-21.8	2.5	-3.1	-4.2	1	4	2	
BB180297 (ET)				87%	84%	85%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 180303			PMGFL0004	**118**	**87**	**83**	**87**	**79**	**84**	**102**	**75**	**96**	**77**	**106**				
FB			ARUFE0060	-0.55	-2.4	-4.7	-2.7	-24	0.3	1.0	-17.2	0.2	-2.2	0.4	1	4	1	
BB180303 (ET)				86%	84%	84%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 180304			SMOFF0126	**108**	**114**	**106**	**104**	**96**	**74**	**105**	**142**	**121**	**155**	**119**				
FB			KSOFJ0064	0.43	8.4	10.0	10.6	0	-5.3	1.4	30.6	4.0	5.1	2.6	1	2	2	
BB180304 (ET)				88%	86%	86%	87%	86%	86%	87%	87%	87%	86%	85%				
BB 180314			PMGFL0004	**112**	**85**	**78**	**80**	**72**	**69**	**126**	**79**	**110**	**54**	**74**				
FB			KSOFJ0071	0.04	-3.2	-7.7	-8.2	-33	-7.7	4.1	-14.2	2.3	-4.5	-4.7	1	3	3	
BB180314 (ET)				87%	86%	86%	85%	85%	85%	87%	87%	86%	86%	85%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 180324		PMGFL0004	**119**	**91**	**86**	**90**	**79**	**74**	**131**	**86**	**118**	**95**	**89**				
FB		KSOFK00092	-0.65	-0.7	-2.4	-0.5	-23	-5.1	4.8	-8.9	3.5	-0.6	-2.3	2	3	2	
BB180324 (ET)			84%	83%	83%	83%	82%	82%	83%	83%	83%	83%	82%				
BB 190042		SMOFF0126	**118**	**91**	**82**	**81**	**74**	**78**	**106**	**99**	**96**	**146**	**135**				
FB		BB 120022	-0.48	-0.5	-4.9	-7.2	-31	-3.2	1.5	0.4	0.2	4.3	5.0	1	3	1	
BB190042 (ET)			90%	88%	88%	88%	87%	88%	88%	88%	88%	88%	87%				
BB 190046		SMOFF0126	**122**	**103**	**94**	**94**	**82**	**73**	**101**	**105**	**90**	**161**	**142**				
FB		BB 120022	-0.91	4.2	2.3	2.4	-19	-5.5	1.0	4.5	-0.8	5.7	6.3	1	3	2	
BB190046 (ET)			89%	87%	88%	88%	87%	87%	88%	88%	88%	87%	87%				
BB 190084		SMOFF0154	**109**	**89**	**82**	**82**	**81**	**70**	**113**	**94**	**75**	**124**	**122**				
FB		BB 120014	0.38	-1.5	-5.1	-6.9	-21	-7.4	2.4	-3.4	-3.1	2.2	3.0	1	2	1	
BB190084 (ET)			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
BB 190085		SMOFF0154	**110**	**84**	**76**	**73**	**78**	**70**	**130**	**110**	**86**	**137**	**108**				
FB		BB 120022	0.30	-3.6	-9.0	-13.3	-25	-7.4	4.6	7.7	-1.4	3.5	0.8	1	2	2	
BB190085 (ET)			90%	88%	89%	89%	88%	88%	89%	89%	89%	89%	88%				
BB 190091		SMOFF0154	**112**	**92**	**82**	**79**	**90**	**73**	**130**	**85**	**80**	**133**	**114**				
FB		BB 120026	0.07	-0.5	-5.1	-9.0	-9	-5.4	4.6	-9.9	-2.3	3.1	1.8	1	3	2	
BB190091 (ET)			91%	88%	88%	88%	87%	87%	89%	89%	88%	88%	87%				
BB 190092		SMOFF0154	**109**	**95**	**87**	**85**	**90**	**75**	**121**	**94**	**84**	**125**	**115**				
FB		BB 170017	0.38	0.9	-2.1	-4.4	-9	-4.5	3.5	-3.6	-1.8	2.3	1.9	1	3	3	
BB190092 (ET)			89%	87%	87%	87%	87%	87%	88%	88%	87%	87%	87%				
BB 190095		SMOFF0154	**110**	**92**	**84**	**85**	**87**	**72**	**108**	**86**	**85**	**123**	**125**				
FB		CWBFBB 110007	0.26	-0.3	-3.6	-4.6	-13	-6.3	1.9	-9.1	-1.6	2.1	3.5	1	3	2	
BB190095 (ET)			87%	86%	86%	86%	85%	86%	86%	86%	86%	86%	86%				
BB 190101		SMOFF0154	**103**	**87**	**78**	**75**	**76**	**68**	**113**	**88**	**77**	**142**	**135**				
FB		BB 120026	0.92	-2.4	-7.6	-11.9	-29	-8.5	2.5	-8.0	-2.8	3.9	5.1	1	4	2	
BB190101			90%	87%	88%	87%	86%	87%	88%	88%	88%	87%	87%				
BB 190104		AACFF0758	**92**	**123**	**109**	**106**	**107**	**86**	**110**	**110**	**70**	**147**	**118**				
FB		BB 120026	1.99	12.3	12.0	12.1	16	1.2	2.1	7.9	-3.8	4.4	2.4	1	3	2	
BB190104 (ET)			88%	86%	86%	86%	85%	85%	87%	87%	87%	86%	85%				
BB 190105		AACFF0758	**86**	**131**	**117**	**115**	**115**	**81**	**103**	**122**	**78**	**137**	**109**				
FB		CWBFBB 110007	2.61	15.6	16.8	19.0	28	-1.1	1.2	16.5	-2.7	3.4	0.9	1	2		
BB190105 (ET)			86%	85%	84%	84%	84%	84%	85%	85%	85%	85%	84%				
BB 190106		AACFF0758	**79**	**132**	**118**	**116**	**109**	**81**	**85**	**107**	**61**	**150**	**141**				
FB		BB 120014	3.23	15.7	17.3	20.2	19	-1.5	-1.1	5.6	-5.2	4.7	6.0	1	3	2	
BB190106 (ET)			88%	86%	86%	85%	84%	85%	87%	87%	86%	86%	85%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 190107			AACFF0758	**93**	**128**	**114**	**110**	**114**	**82**	**108**	**136**	**89**	**139**	**103**				
FB			BB 120022	1.90	14.1	14.6	15.1	26	-0.9	1.8	26.0	-1.0	3.6	0.1	1	3	2	
BB190107 (ET)				88%	87%	86%	87%	85%	86%	87%	87%	87%	87%	86%				
BB 190108			AACFF0758	**94**	**125**	**111**	**109**	**113**	**81**	**91**	**113**	**78**	**128**	**118**				
FB			CWBFBB 110007	1.81	13.1	12.8	14.3	25	-1.5	-0.3	10.2	-2.6	2.6	2.4	1	3	2	
BB190108 (ET)				86%	84%	84%	84%	83%	84%	85%	85%	85%	84%	84%				
BB 190113			AACFF0758	**93**	**127**	**112**	**108**	**113**	**86**	**100**	**130**	**69**	**159**	**125**				
FB			BB 120026	1.88	13.8	13.5	13.4	25	1.4	0.8	22.1	-4.0	5.5	3.4	1	4	2	
BB190113 (ET)				88%	85%	85%	85%	84%	85%	86%	86%	86%	86%	85%				
BB 190114			AACFF0758	**87**	**123**	**109**	**107**	**110**	**77**	**94**	**114**	**84**	**134**	**118**				
FB			CWBFBB 110007	2.46	12.3	12.0	12.8	21	-3.7	0.0	10.6	-1.7	3.2	2.3	1	2	1	
BB190114 (ET)				86%	85%	84%	85%	84%	84%	85%	85%	85%	85%	84%				
BB 190120			FB2124	**93**	**144**	**138**	**138**	**125**	**86**	**93**	**102**	**125**	**87**	**93**				
FB			AF7437	1.87	20.7	29.5	37.4	42	1.2	-0.1	2.4	4.6	-1.3	-1.6	1	2	2	
BB190120 (ET)				82%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%				
BB 190127			AACFF0758	**97**	**128**	**114**	**109**	**114**	**84**	**97**	**109**	**83**	**128**	**117**				
FB			BB 120025	1.54	14.2	14.6	14.4	26	0.5	0.5	7.0	-1.9	2.6	2.3	1	2	1	
BB190127 (ET)				88%	86%	85%	86%	84%	85%	87%	87%	86%	86%	85%				
BB 190140			SMOFF0154	**113**	**79**	**74**	**74**	**72**	**73**	**129**	**92**	**90**	**121**	**108**				
FB			CWBFBB 160208	-0.06	-5.6	-10.1	-12.5	-34	-5.4	4.4	-4.7	-0.8	1.9	0.8	1	3	1	
BB190140 (ET)				88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 190142			AACFF0758	**66**	**137**	**127**	**126**	**114**	**84**	**96**	**120**	**100**	**110**	**100**				
FB			BB 160203	4.51	17.8	22.7	28.0	27	0.5	0.2	15.0	0.7	0.8	-0.4	1	4	1	
BB190142 (ET)				87%	85%	84%	85%	84%	84%	86%	86%	85%	85%	84%				
BB 190143			SMOFF0154	**100**	**98**	**89**	**88**	**88**	**74**	**108**	**99**	**71**	**134**	**127**				
FB			CWBFBB 110007	1.23	2.3	-1.0	-1.8	-12	-5.3	1.8	-0.2	-3.7	3.1	3.8	1	4	3	
BB190143 (ET)				88%	86%	86%	86%	85%	85%	86%	86%	86%	86%	86%				
BB 190144			SMOFF0154	**111**	**88**	**78**	**76**	**86**	**70**	**106**	**92**	**80**	**123**	**125**				
FB			CWBFBB 110007	0.21	-1.9	-7.4	-10.9	-14	-7.0	1.6	-4.9	-2.4	2.1	3.5	1	1		
BB190144 (ET)				87%	86%	86%	86%	86%	86%	87%	87%	86%	86%	86%				
BB 190145			SMOFF0154	**99**	**91**	**84**	**82**	**82**	**71**	**124**	**103**	**103**	**116**	**103**				
FB			CWBFBB 110007	1.37	-0.7	-3.9	-6.3	-19	-6.9	3.8	2.6	1.3	1.4	0.0	1	3	2	
BB190145 (ET)				88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	86%				
BB 190147			SMOFF0154	**92**	**97**	**88**	**87**	**86**	**71**	**103**	**98**	**76**	**123**	**122**				
FB			CWBFBB 110007	1.97	1.9	-1.5	-2.6	-13	-6.7	1.2	-1.0	-2.9	2.1	3.0	1	3		
BB190147 (ET)				87%	85%	86%	85%	85%	85%	86%	86%	86%	86%	85%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 190149		SMOFF0154	**114**	**85**	**77**	**74**	**78**	**72**	**125**	**114**	**91**	**129**	**106**				
FB		BB 120022	-0.11	-3.1	-8.1	-12.9	-25	-6.1	4.0	10.5	-0.6	2.7	0.5	1	1		
BB190149 (ET)			89%	88%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 190159		SMOFF0154	**112**	**90**	**81**	**79**	**85**	**71**	**126**	**86**	**90**	**122**	**111**				
FB		BB 120026	0.05	-1.1	-5.6	-8.6	-16	-6.5	4.0	-8.8	-0.8	2.0	1.3	1	3	2	
BB190159 (ET)			89%	87%	88%	88%	87%	87%	88%	88%	88%	88%	87%				
BB 190161		SMOFF0154	**91**	**95**	**87**	**85**	**78**	**71**	**118**	**88**	**65**	**149**	**136**				
FB		BB 120014	2.09	1.1	-2.2	-3.9	-26	-6.6	3.1	-7.6	-4.6	4.5	5.2	1	3	2	
BB190161 (ET)			89%	87%	88%	87%	86%	87%	88%	88%	88%	88%	87%				
BB 190162		AACFF0758	**90**	**125**	**111**	**107**	**113**	**88**	**106**	**98**	**97**	**101**	**101**				
FB		CWBFBB 160215	2.24	13.0	12.9	12.8	24	2.1	1.5	-0.5	0.3	0.0	-0.4	1	3	2	
BB190162 (ET)			86%	84%	83%	83%	83%	83%	84%	84%	84%	84%	83%				
BB 190185		148BE	**129**	**78**	**73**	**75**	**66**	**74**	**112**	**71**	**105**	**107**	**111**				
FB		CWBFBB 160208	-1.59	-5.8	-10.5	-11.7	-42	-5.3	2.4	-19.8	1.5	0.5	1.3	1	2	2	
BB190185 (AI)			88%	87%	87%	87%	87%	87%	87%	88%	87%	87%	87%				
BB 190201		CWBMKI 140012	**143**	**84**	**94**	**97**	**101**	**109**	**100**	**90**	**105**	**95**	**98**				
F3		BB 170376	-2.92	-3.6	2.4	4.9	8	13.3	0.8	-6.1	1.6	-0.5	-0.8	1	1	1	
BB190201			61%	10%	17%	13%	8%	9%	15%	15%	14%	12%	10%				
BB 190202		BB 170004	**93**	**97**	**99**	**100**	**102**	**109**	**87**	**94**	**86**	**107**	**118**				
F3		CWBFBB 170439	1.90	1.6	5.4	7.4	9	13.7	-0.9	-3.7	-1.4	0.6	2.4	1	1	1	
BB190202			44%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
BB 190224		BB 150132	**99**	**101**	**103**	**104**	**112**	**116**	**61**	**108**	**85**	**118**	**137**				
F2		CWBFBB 140017	1.33	3.4	8.2	10.4	23	17.1	-4.1	6.7	-1.6	1.6	5.4	1	2	1	
BB190224			47%	19%	21%	18%	8%	14%	43%	43%	37%	35%	24%				
BB 190226		BB 160205	**107**	**89**	**91**	**93**	**96**	**108**	**85**	**98**	**90**	**106**	**116**				
F2		CWBFBB 140015	0.59	-1.6	0.6	1.9	1	13.2	-1.0	-0.3	-0.8	0.5	2.1	1	2	2	
BB190226			46%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
BB 190230		CWBMKI 140012	**104**														
F2		CWBFBB 130008	0.87											1	2	2	
BB190230			40%														
BB 200005		BDWFM0495	**131**	**60**	**55**	**59**	**54**	**80**	**126**	**80**	**89**	**122**	**111**				
FB		BB 170132	-1.78	-13.2	-22.0	-24.8	-60	-1.7	4.1	-13.7	-0.9	2.1	1.3	1	3	2	
BB200005 (AI)			90%	87%	88%	88%	87%	87%	88%	88%	88%	87%	87%				
BB 200008		BDWFM0495	**110**	**87**	**82**	**89**	**76**	**81**	**85**	**106**	**103**	**99**	**115**				
FB		BB 180031	0.22	-2.4	-4.9	-1.1	-28	-1.3	-1.1	5.4	1.2	-0.2	1.9	1	3	2	
BB200008 (AI)			89%	86%	86%	86%	85%	86%	87%	87%	86%	86%	85%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 200015			IMUFP0036	**117**	**102**	**100**	**101**	**104**	**96**	**79**	**100**	**94**	**112**	**128**				
FB			BB 170023	-0.38	3.6	5.8	8.1	12	6.6	-1.9	0.6	-0.1	1.0	3.9	2	3	3	
BB200015 (AI)				89%	86%	86%	85%	87%	86%	87%	87%	86%	86%	85%				
BB 200017			BDWFM0495	**129**	**66**	**61**	**64**	**62**	**77**	**117**	**91**	**92**	**122**	**111**				
FB			BB 170200	-1.57	-11.0	-18.5	-20.7	-48	-3.6	3.0	-5.4	-0.5	2.0	1.3	1	4	2	
BB200017 (AI)				90%	87%	88%	87%	87%	87%	88%	88%	88%	87%	87%				
BB 200018			BDWFM0495	**115**	**76**	**72**	**78**	**67**	**77**	**101**	**83**	**108**	**85**	**106**				
FB			BB 160203	-0.20	-6.9	-11.3	-9.8	-42	-3.3	0.9	-11.1	2.1	-1.5	0.5	1	3	2	
BB200018 (AI)				90%	86%	87%	86%	86%	86%	87%	87%	87%	87%	86%				
BB 200027			BDWFM0495	**126**	**72**	**68**	**73**	**70**	**84**	**109**	**84**	**83**	**117**	**121**				
FB			BB 170048	-1.33	-8.4	-13.7	-13.9	-37	0.4	1.9	-10.2	-1.9	1.5	2.8	1	2	1	
BB200027 (AI)				89%	86%	86%	86%	86%	86%	87%	87%	86%	86%	85%				
BB 200034			BDWFM0495	**114**	**80**	**71**	**75**	**73**	**80**	**104**	**111**	**96**	**106**	**103**				
FB			BB 180039	-0.09	-5.3	-11.8	-11.8	-32	-2.0	1.4	8.4	0.2	0.4	0.1	1	2	1	
BB200034 (AI)				89%	86%	86%	86%	85%	85%	86%	86%	86%	86%	85%				
BB 200037			5U	**139**	**88**	**83**	**86**	**79**	**70**	**116**	**121**	**107**	**95**	**80**				
FB			CWBFBB 170005	-2.60	-1.8	-4.4	-3.8	-24	-7.2	2.9	15.4	1.8	-0.5	-3.6	2	4	3	
BB200037 (AI)				87%	86%	86%	84%	86%	86%	85%	85%	85%	84%	83%				
BB 200044			IMUFP0036	**108**	**104**	**104**	**109**	**96**	**97**	**85**	**80**	**81**	**122**	**134**				
FB			CWBFBB 170027	0.44	4.6	8.4	14.6	1	7.4	-1.1	-13.1	-2.1	2.0	4.9	1	4	3	
BB200044 (AI)				86%	84%	84%	84%	83%	84%	85%	85%	84%	84%	83%				
BB 200050			BB 170161	**101**	**90**	**92**	**91**	**95**	**103**	**98**	**76**	**93**	**88**	**107**				
FB			CWBFBB 170026	1.18	-0.9	1.0	0.4	-1	10.5	0.6	-16.1	-0.2	-1.2	0.6	1	3	1	
BB200050				49%	28%	27%	27%	24%	26%	38%	38%	36%	32%	25%				
BB 200053			BB 170161	**89**	**120**	**110**	**107**	**101**	**75**	**101**	**64**	**108**	**64**	**95**				
FB			BB 150117	2.30	11.0	12.6	13.3	8	-4.6	0.9	-24.3	2.0	-3.5	-1.2	1	2	1	
BB200053				70%	35%	37%	36%	30%	30%	48%	47%	43%	41%	31%				
BB 200068			BB 170161	**107**	**110**	**103**	**102**	**94**	**77**	**102**	**62**	**104**	**73**	**107**				
FB			BB 170075	0.53	6.9	7.7	9.1	-3	-3.5	1.0	-25.7	1.4	-2.6	0.6	1	1		
BB200068				67%	31%	32%	30%	26%	29%	46%	45%	41%	39%	29%				
BB 210001			BB 170165	**98**	**115**	**118**	**117**	**123**	**112**	**82**	**103**	**104**	**86**	**101**				
PBD			CWBFBB 170047	1.38	8.9	17.1	21.1	40	15.1	-1.5	3.1	1.4	-1.4	-0.3	1	1	1	
BB210001				45%	14%	17%	14%	10%	12%	27%	26%	23%	25%	12%				
BB 210011			BB 150113	**85**	**131**	**121**	**119**	**112**	**79**	**100**	**98**	**111**	**81**	**89**				
FB			BB 170008	2.66	15.3	19.0	22.2	24	-2.3	0.8	-0.7	2.5	-1.9	-2.3	1	1		
BB210011				70%	50%	53%	50%	21%	29%	42%	42%	39%	35%	22%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 210012		☑	BB 150113	**90**	**129**	**119**	**117**	**112**	**84**	**106**	**89**	**113**	**79**	**88**				
FB		☑	BB 170007	2.23	14.5	18.1	21.0	24	0.3	1.6	-7.3	2.8	-2.1	-2.4	1	2	1	
BB210012				72%	50%	53%	49%	19%	28%	42%	42%	39%	36%	25%				
BB 210015		☑	BB 170002	**110**	**105**	**99**	**100**	**98**	**89**	**121**	**99**	**98**	**94**	**80**				
FB		☑	BB 170046	0.24	4.8	5.3	7.4	3	3.1	3.5	0.2	0.5	-0.7	-3.7	1	2	1	
BB210015				69%	20%	26%	26%	17%	20%	40%	40%	36%	32%	24%				
BB 210020		☑	BB 190112	**115**	**107**	**95**	**94**	**98**	**81**	**99**	**101**	**86**	**117**	**116**				
FB		☑	BB 180039	-0.24	5.5	2.9	2.5	3	-1.1	0.6	1.4	-1.4	1.5	2.1	1	1	1	
BB210020				68%	30%	29%	26%	16%	21%	37%	37%	36%	29%	22%				
BB 210027		☑	BB 190007	**105**	**109**	**106**	**108**	**98**	**84**	**97**	**88**	**108**	**73**	**93**				
FB		☑	BB 170020	0.71	6.6	9.7	13.8	3	0.2	0.4	-7.8	2.0	-2.7	-1.6	1	2	1	
BB210027				67%	28%	29%	25%	17%	21%	34%	34%	32%	30%	23%				
BB 210028		☑	BB 190112	**95**	**131**	**121**	**120**	**114**	**81**	**99**	**93**	**106**	**92**	**97**				
FB		☑	BB 170013	1.76	15.6	19.2	22.8	26	-1.2	0.7	-4.1	1.7	-0.9	-0.9	1	1		
BB210028				66%	32%	34%	33%	24%	26%	38%	38%	36%	34%	26%				
BB 210032		☑	SMOFF0154	**107**	**91**	**84**	**81**	**82**	**69**	**121**	**100**	**91**	**128**	**114**				
FB		☑	BB 170502	0.56	-0.6	-4.1	-7.1	-19	-7.9	3.4	0.5	-0.6	2.6	1.7	1	2	1	
BB210032				71%	46%	49%	47%	40%	45%	51%	51%	49%	47%	42%				
BB 210034		☑	SMOFF0154	**107**	**89**	**82**	**80**	**80**	**69**	**130**	**94**	**97**	**120**	**103**				
FB		☑	BB 170501	0.60	-1.3	-4.9	-8.1	-22	-7.8	4.7	-3.4	0.3	1.8	0.0	1	1		
BB210034				71%	46%	49%	47%	40%	45%	52%	52%	49%	48%	43%				
BB 210038		☑	BB 180258	**86**	**106**	**107**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
FB		☑	CWBFBB 170005	2.58	5.4	10.6	12.2	13	11.0	0.8	0.1	1.6	-1.3	-1.2	1	1	1	
BB210038				50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210049		☑	SMOFF0154	**114**	**79**	**72**	**69**	**73**	**66**	**129**	**89**	**101**	**109**	**99**				
FB		☑	BB 170184	-0.10	-5.7	-11.4	-16.9	-33	-9.3	4.5	-6.8	0.9	0.7	-0.6	1	1	1	
BB210049				73%	49%	53%	52%	45%	48%	55%	55%	53%	53%	48%				
BB 210051		☑	SMOFF0154	**132**	**80**	**74**	**72**	**79**	**71**	**130**	**95**	**109**	**103**	**95**				
FB		☑	BB 180285	-1.90	-5.1	-9.9	-14.4	-23	-6.5	4.6	-3.1	2.1	0.2	-1.3	1	2	1	
BB210051				72%	44%	48%	45%	40%	43%	50%	50%	49%	49%	45%				
BB 210055		☑	SMOFF0154	**132**	**74**	**68**	**65**	**75**	**69**	**121**	**95**	**83**	**112**	**107**				
FB		☑	BB 170191	-1.85	-7.6	-14.0	-19.8	-29	-7.7	3.5	-3.0	-1.8	1.1	0.6	1	1		
BB210055				72%	49%	53%	51%	45%	48%	55%	55%	53%	53%	48%				
BB 210062		☑	SMOFF0154	**107**	**86**	**79**	**77**	**78**	**65**	**132**	**91**	**102**	**85**	**86**				
FB		☑	BB 180314	0.57	-2.7	-7.1	-10.1	-25	-10.0	4.9	-5.3	1.1	-1.6	-2.7	1	2		
BB210062				71%	45%	49%	46%	40%	43%	53%	53%	50%	50%	45%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 210064		☑ SMOFF0154	**129**	**77**	**72**	**71**	**79**	**68**	**122**	**88**	**101**	**113**	**111**				
FB		☑ BB 180267	-1.59	-6.2	-11.1	-15.3	-23	-8.1	3.6	-7.7	1.0	1.1	1.3	1	1	1	
BB210064			70%	43%	46%	44%	39%	42%	48%	49%	47%	47%	43%				
BB 210068		☑ BDWFM0495	**116**	**80**	**76**	**82**	**78**	**85**	**103**	**108**	**90**	**116**	**109**				
FB		☑ BB 170001	-0.28	-4.9	-8.7	-6.4	-26	1.0	1.1	6.6	-0.8	1.4	1.0	1	1		
BB210068			71%	44%	50%	48%	39%	43%	52%	52%	49%	44%	33%				
BB 210070		SMOFF0154	**111**	**85**	**78**	**76**	**76**	**72**	**128**	**88**	**96**	**107**	**102**				
FB		☑ BB 170168	0.18	-3.0	-7.5	-11.5	-27	-6.2	4.3	-7.5	0.1	0.6	-0.1	1	2	1	
BB210070			73%	49%	52%	50%	44%	48%	55%	56%	54%	54%	48%				
BB 210071		☑ SMOFF0154	**87**	**96**	**97**	**94**	**105**	**100**	**112**	**109**	**93**	**111**	**100**				
FB		☑ CWBFBB 180253	2.45	1.3	4.5	3.0	14	8.7	2.3	6.9	-0.2	0.9	-0.5	1	1		
BB210071			47%	41%	44%	42%	38%	40%	46%	46%	44%	44%	41%				
BB 210076		☑ BB 170164	**146**	**81**	**75**	**75**	**78**	**77**	**115**	**85**	**101**	**112**	**110**				
FB		☑ BB 180268	-3.26	-4.7	-9.7	-12.2	-25	-3.4	2.7	-9.8	0.9	1.0	1.1	1	1	1	
BB210076			71%	32%	33%	30%	25%	29%	49%	49%	47%	48%	32%				
BB 210077		☑ BB 180264	**130**	**93**	**86**	**86**	**84**	**68**	**130**	**82**	**108**	**100**	**95**				
FB		☑ BB 180251	-1.68	0.1	-2.5	-3.7	-16	-8.3	4.5	-11.7	2.0	-0.1	-1.3	1	1	1	
BB210077			70%	27%	30%	26%	21%	24%	39%	39%	34%	38%	32%				
BB 210082		☑ BB 180258	**96**	**103**	**96**	**96**	**81**	**80**	**112**	**92**	**106**	**86**	**95**				
FB		☑ BA 160731	1.65	4.0	3.7	4.7	-21	-2.1	2.3	-4.5	1.7	-1.4	-1.2	1	1	1	
BB210082			72%	33%	25%	21%	22%	25%	40%	39%	34%	36%	29%				
BB 210083		☑ BB 170164	**118**	**91**	**85**	**85**	**77**	**76**	**112**	**76**	**104**	**99**	**107**				
FB		☑ BB 180261	-0.55	-0.9	-3.6	-3.9	-27	-3.8	2.3	-15.9	1.4	-0.2	0.7	1	1		
BB210083			69%	37%	38%	34%	28%	32%	52%	52%	50%	50%	34%				
BB 210085		☑ BB 180258	**80**	**108**	**109**	**108**	**105**	**105**	**100**	**99**	**105**	**88**	**95**				
FB		☑ CWBFBB 170041	3.14	6.2	11.7	13.5	13	11.4	0.8	0.1	1.6	-1.3	-1.2	1	2	1	
BB210085			50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210092		☑ BB 180258	**86**	**106**	**107**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
FB		☑ CWBFBB 160208	2.60	5.5	10.7	12.2	13	11.0	0.8	0.1	1.6	-1.3	-1.2	1	1	1	
BB210092			50%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 210097		☑ BB 190045	**89**	**111**	**100**	**99**	**86**	**73**	**101**	**91**	**86**	**136**	**136**				
FB		☑ BB 190143	2.31	7.5	6.1	6.4	-13	-5.4	0.9	-5.3	-1.5	3.4	5.2	1	1		
BB210097			65%	30%	33%	33%	27%	29%	37%	37%	35%	35%	29%				
BB 210213		☑ BB 180264	**96**	**99**	**100**	**98**	**101**	**106**	**110**	**99**	**102**	**106**	**96**				
F3		☑ CWBFBB 180172	1.64	2.4	6.0	6.2	7	12.0	2.0	0.3	1.1	0.5	-1.2	1	1		
BB210213			40%	19%	21%	19%	16%	18%	32%	32%	27%	31%	27%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 210227		☑	BB 180264	**113**	**102**	**99**	**99**	**97**	**94**	**104**	**99**	**100**	**110**	**107**				
F3		☑	BB 180173	-0.01	3.9	5.8	6.5	2	5.4	1.3	0.1	0.8	0.9	0.6	1	1		
BB210227				67%	24%	24%	21%	17%	20%	41%	40%	35%	40%	29%				
BB 220003		☑	SMOFF0154	**110**	**93**	**83**	**80**	**85**	**73**	**116**	**83**	**95**	**112**	**115**				
FB		☑	BB 120025	0.28	0.0	-4.2	-8.0	-15	-5.4	2.8	-11.1	0.0	1.1	2.0	1	1		
BB220003				61%	50%	56%	53%	41%	46%	59%	58%	56%	55%	47%				
BB 220006		☑	BB 170164	**147**	**67**	**64**	**65**	**72**	**79**	**111**	**100**	**94**	**115**	**104**				
FB		☑	BB 170043	-3.29	-10.3	-16.7	-20.0	-34	-2.3	2.2	0.4	-0.1	1.3	0.2	1	1		
BB220006				67%	32%	32%	29%	25%	28%	66%	65%	47%	65%	49%				
BB 220014		☑	BB 180264	**123**	**86**	**80**	**79**	**78**	**72**	**124**	**90**	**93**	**115**	**106**				
FB		☑	BB 190084	-1.04	-2.7	-6.7	-9.1	-25	-6.2	3.8	-6.4	-0.3	1.3	0.5	1	1		
BB220014				68%	31%	35%	31%	26%	30%	43%	43%	39%	41%	35%				
BB 220015		☑	BB 180264	**102**	**93**	**85**	**82**	**76**	**71**	**132**	**98**	**99**	**121**	**99**				
FB		☑	BB 190085	1.00	0.2	-3.5	-6.4	-27	-6.7	4.9	-0.9	0.6	2.0	-0.6	1	1		
BB220015				68%	31%	35%	33%	26%	29%	43%	43%	38%	41%	35%				
BB 220025		☑	BB 170147	**133**	**76**	**71**	**71**	**71**	**76**	**106**	**85**	**107**	**100**	**107**				
FB		☑	BB 170184	-1.99	-6.9	-12.0	-14.8	-35	-4.0	1.6	-9.6	1.8	-0.1	0.6	1	1		
BB220025				69%	39%	41%	41%	33%	37%	54%	54%	52%	53%	37%				
BB 220040		☑	BB 180266	**115**	**97**	**91**	**90**	**89**	**74**	**110**	**89**	**96**	**107**	**114**				
FB		☑	BB 190092	-0.22	1.8	0.4	-0.1	-10	-5.1	2.0	-7.3	0.2	0.5	1.7	1	1		
BB220040				70%	35%	35%	30%	25%	30%	37%	37%	35%	34%	29%				
BB 220044		☑	BB 170147	**91**	**100**	**102**	**102**	**104**	**110**	**88**	**105**	**99**	**102**	**107**				
FB		☑	CWBFBB 170026	2.10	2.9	7.6	9.4	12	13.8	-0.7	4.0	0.7	0.1	0.7	2	2	1	
BB220044				38%	28%	28%	28%	23%	26%	45%	45%	43%	45%	28%				
BB 220050		☑	BB 200007	**129**	**77**	**77**	**79**	**82**	**90**	**108**	**99**	**103**	**108**	**105**				
FB		☑	BB 180260	-1.54	-6.3	-8.5	-9.2	-19	3.2	1.8	0.4	1.2	0.6	0.3	1	1		
BB220050				64%	25%	26%	24%	20%	23%	31%	31%	29%	29%	21%				
BB 220088		☑	BB 180266	**101**	**101**	**94**	**93**	**79**	**76**	**108**	**78**	**103**	**94**	**109**				
FB		☑	BB 170168	1.09	3.4	2.1	2.3	-24	-3.9	1.8	-14.8	1.3	-0.7	1.0	1	1		
BB220088				71%	38%	38%	34%	28%	32%	41%	41%	40%	38%	32%				
BB 220090		☑	BB 180264	**97**	**114**	**102**	**99**	**94**	**77**	**121**	**111**	**100**	**122**	**97**				
FB		☑	BB 190107	1.48	8.4	7.5	6.9	-2	-3.3	3.5	8.3	0.8	2.0	-1.0	1	1		
BB220090				68%	31%	31%	31%	21%	25%	43%	42%	38%	40%	33%				
BB 220092		☑	BB 190150	**126**	**83**	**77**	**76**	**79**	**75**	**124**	**97**	**105**	**104**	**97**				
FB		☑	BB 180270	-1.25	-3.7	-8.3	-11.2	-24	-4.7	3.9	-1.4	1.5	0.2	-1.0	1	1		
BB220092				67%	34%	36%	33%	26%	30%	41%	41%	38%	38%	31%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
BB 220105		SMOFF0154	**110**	**93**	**83**	**80**	**85**	**73**	**116**	**83**	**95**	**112**	**115**				
FB		BB 120025	0.28	0.0	-4.2	-8.0	-15	-5.4	2.8	-11.1	0.0	1.1	2.0	1	1		
BB220105			61%	50%	56%	53%	41%	46%	59%	58%	56%	55%	47%				
BB 220110		SMOFF0154	**115**	**82**	**74**	**71**	**78**	**71**	**123**	**102**	**92**	**123**	**109**				
FB		BB 120022	-0.27	-4.3	-10.4	-15.3	-25	-6.8	3.7	2.5	-0.4	2.1	0.9	1	1		
BB220110			62%	48%	56%	54%	42%	46%	58%	58%	55%	53%	46%				
BB 220126		BB 190089	**81**	**104**	**105**	**104**	**105**	**105**	**97**	**110**	**97**	**97**	**98**				
FB		CWBFBB 160208	3.11	4.6	9.2	10.3	13	11.5	0.5	7.7	0.4	-0.4	-0.7	1	1		
BB220126			40%	24%	25%	24%	22%	23%	30%	30%	28%	29%	26%				
BB 220127		BB 170164	**104**	**93**	**94**	**94**	**100**	**108**	**105**	**89**	**95**	**105**	**102**				
F2		CWBFBB 180014	0.87	0.2	2.6	2.7	6	12.8	1.4	-7.0	0.0	0.4	-0.2	1	1		
BB220127			44%	29%	30%	28%	23%	26%	46%	46%	44%	45%	29%				
BB 220130		BB 180264	**120**	**103**	**93**	**90**	**94**	**80**	**117**	**108**	**90**	**132**	**107**				
FB		BB 190113	-0.68	4.2	1.7	-0.1	-2	-1.7	3.0	6.3	-0.7	3.0	0.7	1	1		
BB220130			69%	31%	31%	31%	20%	25%	43%	43%	38%	40%	34%				
BB 220133		BB 180264	**109**	**101**	**91**	**90**	**80**	**70**	**137**	**86**	**111**	**102**	**90**				
FB		BB 180278	0.34	3.2	0.8	-0.2	-22	-7.1	5.4	-9.4	2.5	0.1	-2.1	1	1		
BB220133			60%	27%	30%	26%	21%	24%	39%	39%	34%	38%	32%				
BB 220300		BB 180281	**105**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 180149	0.78	2.2	6.3	6.8	12	13.0	0.1	3.6	0.6	1.5	1.7	1	1		
BB220300			40%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 220302		BB 180275	**96**	**100**	**101**	**99**	**101**	**105**	**109**	**103**	**106**	**104**	**94**				
F3		CWBFBB 190313	1.63	2.9	6.6	7.0	8	11.6	2.0	2.7	1.7	0.3	-1.5	1	1		
BB220302			30%	19%	21%	19%	16%	18%	28%	28%	26%	26%	22%				
BB 223004		BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 180229	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB223004			32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223007		BB 180281	**103**	**99**	**101**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		CWBFBB 190216	0.91	2.4	6.5	7.1	12	13.1	0.1	3.6	0.6	1.5	1.7	1	1		
BB223007			40%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223015		BB 180258	**85**	**107**	**108**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
F3		CWBFBB 180170	2.69	5.6	10.9	12.4	13	11.1	0.8	0.1	1.6	-1.3	-1.2	1	1		
BB223015			45%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 223016		BB 180281	**128**	**89**	**92**	**93**	**93**	**99**	**102**	**97**	**103**	**114**	**111**				
F3		BB 190230	-1.51	-1.5	1.2	1.7	-3	8.0	1.0	-1.1	1.2	1.2	1.3	1	1		
BB223016			63%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB 223020		☑	CWBMKI 140012	**119**	**100**	**107**	**107**	**107**	**106**	**105**	**96**	**111**	**85**	**84**				
F3		☑	BB 180219	-0.60	2.8	10.3	13.3	17	12.2	1.5	-2.1	2.5	-1.6	-3.1	1	1		
BB223020				65%	23%	23%	22%	7%	11%	19%	19%	16%	16%	8%				
BB 223034		☑	BB 180100	**96**	**106**	**107**	**106**	**107**	**101**	**114**	**86**	**96**	**95**	**94**				
PBD		☑	CWBFBB 190205	1.67	5.4	10.2	11.9	17	9.2	2.6	-9.4	0.2	-0.6	-1.4	1	1		
BB223034				36%	19%	22%	18%	13%	16%	25%	24%	22%	23%	19%				
BB 223053		☑	BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F3		☑	CWBFBB 190273	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB223053				32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB 223061		☑	BB 180258	**85**	**107**	**108**	**106**	**105**	**104**	**100**	**99**	**105**	**88**	**95**				
F3		☑	CWBFBB 180132	2.69	5.6	10.9	12.4	13	11.1	0.8	0.1	1.6	-1.3	-1.2	1	1		
BB223061				45%	25%	23%	19%	16%	19%	34%	34%	29%	33%	28%				
BB 233004		☑	BB 180281	**106**	**98**	**100**	**99**	**104**	**108**	**94**	**104**	**99**	**117**	**114**				
F1			CWBFBB 180158	0.66	2.1	6.0	6.5	12	12.9	0.1	3.6	0.6	1.5	1.7	1	1		
BB233004				32%	17%	14%	12%	10%	13%	29%	29%	25%	29%	23%				
BB110				**87**	**96**	**107**	**109**		**117**									
BS				2.52	1.3	10.6	14.9		17.6						1	1	1	
110BRAUNVIEH				28%	26%	28%	26%		40%									
BB449				**91**	**106**	**117**			**128**									
BS				2.14	5.3	16.5			23.5						1	1	1	
BB449SANTA				24%	23%	24%			40%									
BB534				**105**														
BS				0.79											1	1	1	
BB534BRAUNVIEH				29%														
BB535				**99**														
BS				1.31											1	1	1	
BB535BRAUNVIEH				29%														
BB536				**90**														
BS				2.23											1	1	1	
BB536BRAUNVIEH				29%														
BB537				**99**														
BS				1.35											1	1	1	
BB537BRAUNVIEH				29%														
BB613				**79**														
BS				3.27											1	1	1	
BB613CHAROLAIS				29%														

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
BB88				**64**														
BS				4.73											1	1	1	
BB88LIMOUSIN				29%														
BB906				**102**	**106**	**117**			**129**									
BS				1.06	5.5	16.8			24.1						1	1	1	
BB906BRAHMAN				29%	27%	29%			40%									
BB926				**97**	**101**	**112**			**126**									
BS				1.49	3.2	13.3			22.3						1	1	1	
BB926BONSMARA				29%	27%	29%			40%									
BB95				**100**														
BS				1.26											1	1	1	
BB95BONSMARA				29%														
CWBFBB 110007		☑	TFWFW0629	**122**	**86**	**78**	**80**	**76**	**76**	**84**	**85**	**65**	**125**	**140**				
FB		☑	KJDFC0061	-0.93	-2.6	-7.7	-7.8	-28	-3.8	-1.2	-9.8	-4.6	2.3	5.9	1	27	18	
BB110007				57%	51%	64%	64%	35%	46%	55%	55%	53%	46%	34%				
CWBFBB 130003			BB 110002	**121**	**88**	**88**	**88**	**88**	**96**	**91**	**88**	**102**	**111**	**120**				
F1			BB 080011	-0.83	-1.9	-1.6	-1.5	-11	6.4	-0.3	-7.7	1.1	0.9	2.7	2	7	3	
BB 130003				66%	61%	64%	64%	15%	39%	31%	31%	28%	21%	15%				
CWBFBB 130006			BB 110002	**134**	**85**	**90**	**94**	**88**	**94**	**91**	**88**	**102**	**111**	**120**				
F1			BB 070010	-2.09	-3.1	-0.4	3.2	-11	5.4	-0.3	-7.7	1.1	0.9	2.7	3	7	1	2
BB 130006				66%	61%	64%	65%	15%	35%	31%	31%	28%	21%	15%				
CWBFBB 130008			BB 110002	**143**	**88**	**87**	**86**	**91**	**96**	**91**	**88**	**102**	**111**	**120**				
F1			BB 090029	-2.90	-1.8	-2.1	-3.3	-7	6.4	-0.3	-7.7	1.1	0.9	2.7	2	6	1	
BB 130008				67%	61%	64%	65%	15%	35%	31%	31%	28%	21%	15%				
CWBFBB 140020			BB 110002	**139**	**82**	**82**	**82**	**87**	**94**	**91**	**88**	**102**	**111**	**120**				
F1			BB 080029	-2.54	-4.3	-4.8	-6.9	-12	5.3	-0.3	-7.7	1.1	0.9	2.7	2	7	1	2
BB 140020				66%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
CWBFBB 140025			BB 110002	**129**	**85**	**87**	**88**	**90**	**94**	**91**	**88**	**102**	**111**	**120**				
F1			BB 080023	-1.58	-3.0	-2.2	-2.0	-9	5.3	-0.3	-7.7	1.1	0.9	2.7	1	3	1	
BB 140025				67%	45%	45%	44%	15%	28%	31%	31%	28%	21%	15%				
CWBFBB 140031			BB 110009	**123**	**86**	**88**	**90**	**93**	**102**	**93**	**92**	**96**	**109**	**117**				
F1			BB 080020	-0.96	-2.9	-1.3	-0.6	-4	10.0	-0.1	-4.7	0.2	0.8	2.2	2	3	1	
BB 140031				62%	29%	30%	27%	15%	21%	27%	27%	26%	22%	17%				
CWBFBB 140033			BB 110011	**112**	**93**	**92**	**94**	**91**	**96**	**95**	**89**	**91**	**113**	**119**				
F1			BB 080044	0.05	0.1	1.4	2.6	-7	6.6	0.2	-7.2	-0.6	1.2	2.5	2	4	1	
BB 140033				64%	56%	61%	24%	18%	33%	37%	36%	34%	24%	18%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
CWBFBB 140045		BB 110012	**105**	**99**	**98**	**98**	**94**	**103**	**91**	**94**	**86**	**114**	**120**				
F1		BB 080045	0.70	2.4	4.6	5.9	-2	10.3	-0.4	-3.3	-1.4	1.2	2.7	1	3	1	
BB 140045			64%	58%	61%	26%	16%	32%	37%	37%	34%	25%	17%				
CWBFBB 140059		BB 110009	**112**	**92**	**95**	**96**	**95**	**102**	**93**	**92**	**96**	**109**	**117**				
F1		BB 090005	0.06	-0.4	2.8	4.2	-2	9.9	-0.1	-4.7	0.2	0.8	2.2	1	3	1	
BB 140059			62%	55%	60%	27%	15%	31%	27%	27%	26%	22%	17%				
CWBFBB 140060		BB 110010	**111**	**87**	**90**	**91**	**88**	**101**	**90**	**91**	**82**	**115**	**124**				
F1		BB 090002	0.16	-2.3	-0.2	0.7	-12	9.1	-0.5	-5.3	-2.0	1.4	3.3	1	8	5	2
BB 140060			63%	29%	30%	24%	16%	25%	31%	31%	29%	23%	17%				
CWBFBB 150005		BB 110008	**108**	**89**	**88**	**90**	**86**	**95**	**96**	**88**	**94**	**112**	**118**				
F1		BB 090009	0.48	-1.5	-1.3	-0.6	-14	6.0	0.2	-7.9	-0.2	1.0	2.3	3	7	3	3
BB15-0005			65%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 150010		BB 110008	**111**	**88**	**87**	**89**	**86**	**95**	**96**	**88**	**94**	**112**	**118**				
F1		BB 090019	0.20	-2.0	-1.9	-1.3	-14	6.0	0.2	-7.9	-0.2	1.0	2.3	4	8	4	1
BB15-0010			65%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 150011		BB 110004	**96**	**107**	**105**	**104**	**97**	**96**	**89**	**91**	**102**	**108**	**118**				
F1		BB 090010	1.57	5.6	8.9	10.3	2	6.6	-0.6	-5.8	1.1	0.7	2.4	3	9	5	2
BB15-0011			65%	36%	35%	30%	18%	24%	30%	30%	28%	23%	17%				
CWBFBB 150012		BB 110004	**105**	**103**	**102**	**101**	**97**	**96**	**89**	**91**	**102**	**108**	**118**				
F1		BB 090020	0.73	4.2	7.0	8.0	2	6.5	-0.6	-5.8	1.1	0.7	2.4	1	2	1	
BB15-0012			65%	36%	35%	30%	18%	24%	30%	30%	28%	23%	17%				
CWBFBB 150019		BB 110001	**103**	**92**	**94**	**97**	**90**	**103**	**100**	**84**	**88**	**92**	**103**				
F1		BB 090018	0.89	-0.4	2.3	4.8	-7	10.2	0.9	-10.6	-1.1	-0.9	0.0	2	3	1	1
BB15-0019			62%	27%	20%	17%	13%	19%	22%	22%	21%	19%	14%				
CWBFBB 150028		BB 110002	**101**	**97**	**97**	**97**	**90**	**94**	**91**	**88**	**102**	**111**	**120**				
F1		BB 090050	1.12	1.6	4.0	5.2	-9	5.5	-0.3	-7.7	1.1	0.9	2.7	4	9	5	2
BB15-0028			67%	45%	45%	44%	15%	28%	31%	31%	28%	21%	15%				
CWBFBB 150032		BB 110002	**122**	**88**	**89**	**90**	**90**	**94**	**91**	**88**	**102**	**111**	**120**				
F1		BB 090028	-0.87	-1.8	-0.5	-0.1	-9	5.4	-0.3	-7.7	1.1	0.9	2.7	2	3	1	
BB15-0032			67%	45%	45%	44%	15%	28%	31%	31%	28%	21%	15%				
CWBFBB 150042		BB 120016	**105**	**91**	**92**	**94**	**91**	**104**	**80**	**109**	**85**	**123**	**128**				
F1		BB 090045	0.72	-0.7	1.2	2.8	-7	10.8	-1.7	7.5	-1.6	2.1	4.0	2	4	1	2
BB15-0042			64%	34%	35%	27%	15%	23%	64%	63%	55%	25%	19%				
CWBFBB 150043		BB 120028	**123**	**81**	**82**	**84**	**83**	**103**	**97**	**78**	**88**	**106**	**118**				
F1		BB 090026	-1.00	-4.7	-5.4	-5.1	-19	10.4	0.4	-15.0	-1.1	0.4	2.4	2	3	1	
BB15-0043			68%	41%	42%	28%	16%	33%	33%	33%	30%	24%	17%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 150049			BB 110011	**128**	**86**	**87**	**89**	**91**	**95**	**95**	**89**	**91**	**113**	**119**				
F1			BB 090044	-1.48	-2.5	-1.8	-1.1	-6	6.2	0.2	-7.2	-0.6	1.2	2.5	1	4	3	
BB15-0049				64%	32%	34%	24%	18%	24%	37%	36%	34%	24%	18%				
CWBFBB 150061		☑	BB 120023	**131**	**78**	**84**	**86**	**90**	**103**	**95**	**93**	**93**	**113**	**117**				
F1			BB 090030	-1.76	-5.8	-3.9	-3.2	-8	10.2	0.1	-4.2	-0.4	1.1	2.2	1	5	4	1
bb150061				65%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
CWBFBB 150065			BB 120028	**107**	**84**	**84**	**86**	**82**	**99**	**97**	**78**	**88**	**106**	**118**				
F1			BB 090025	0.52	-3.5	-3.7	-3.4	-20	8.4	0.4	-15.0	-1.1	0.4	2.4	1	3	2	
BB15-0065				68%	41%	42%	28%	16%	33%	33%	33%	30%	24%	17%				
CWBFBB 150083		☑	BB 120016	**100**	**83**	**86**	**87**	**86**	**99**	**89**	**93**	**102**	**108**	**120**				
F1			BB 090037	1.22	-3.7	-2.9	-2.3	-13	8.3	-0.7	-4.0	1.1	0.7	2.6	1	7	5	1
bb150083				65%	58%	62%	31%	15%	36%	42%	41%	39%	25%	19%				
CWBFBB 150084			BB 120023	**115**	**106**	**114**	**114**	**114**	**104**	**95**	**93**	**93**	**113**	**117**				
F1			BB 090046	-0.19	5.3	15.0	18.7	26	10.7	0.1	-4.2	-0.4	1.1	2.2	2	5	2	2
BB15-0084				65%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
CWBFBB 150086			BB 120013	**112**	**94**	**94**	**94**	**93**	**101**	**99**	**96**	**88**	**121**	**116**				
F1			BB 090049	0.10	0.6	2.3	3.1	-4	9.5	0.7	-2.2	-1.1	1.9	2.1	1	2	1	
BB15-0086				64%	56%	61%	26%	16%	32%	31%	31%	30%	25%	18%				
CWBFBB 150145			BB 110008	**103**	**84**	**85**	**88**	**82**	**93**	**96**	**88**	**94**	**112**	**118**				
F1			BB110	0.90	-3.6	-3.4	-1.6	-19	5.3	0.2	-7.9	-0.2	1.0	2.3	1	7	6	
BB150145				64%	57%	61%	56%	18%	33%	32%	32%	30%	24%	18%				
CWBFBB 150148			BB 110008	**99**	**92**	**91**	**91**	**97**	**104**	**88**	**94**	**90**	**115**	**120**				
F1				1.32	-0.1	0.6	0.8	2	10.8	-0.7	-3.2	-0.8	1.3	2.7	1	3	2	
bb150148				43%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 160002			BB 110001	**102**	**89**	**92**	**95**	**90**	**102**	**100**	**84**	**88**	**92**	**103**				
F1			BB502	1.00	-1.5	1.0	3.4	-8	9.8	0.9	-10.6	-1.1	-0.9	0.0	3	7	4	
BB16002				62%	55%	20%	17%	13%	29%	22%	22%	21%	19%	14%				
CWBFBB 160004			BB 120023	**137**	**97**	**96**	**96**	**96**	**110**	**95**	**93**	**93**	**113**	**117**				
F1			BB504	-2.35	1.9	3.6	4.7	0	14.1	0.1	-4.2	-0.4	1.1	2.2	3	6	3	1
BB16004				65%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
CWBFBB 160006			BB 110004	**107**	**97**	**98**	**98**	**95**	**94**	**89**	**91**	**102**	**108**	**118**				
F1			BB506	0.54	1.7	4.7	5.6	-1	5.4	-0.6	-5.8	1.1	0.7	2.4	4	7	2	2
BB16006				65%	58%	61%	30%	18%	33%	30%	30%	28%	23%	17%				
CWBFBB 160013			BB 110011	**99**	**85**	**89**	**91**	**87**	**91**	**95**	**89**	**91**	**113**	**119**				
F1			BB513	1.37	-3.0	-0.9	0.6	-12	4.1	0.2	-7.2	-0.6	1.2	2.5	2	3	2	1
BB16013				64%	56%	61%	24%	18%	33%	37%	36%	34%	24%	18%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
CWBFBB 160017		BB 110008	**120**	**87**	**85**	**86**	**84**	**97**	**96**	**88**	**94**	**112**	**118**				
F1		BB517	-0.76	-2.2	-3.4	-3.3	-16	7.0	0.2	-7.9	-0.2	1.0	2.3	1	1	1	
BB16017			65%	58%	61%	28%	18%	33%	32%	32%	30%	24%	18%				
CWBFBB 160020		BB 120023	**103**	**78**	**84**	**87**	**84**	**100**	**95**	**93**	**93**	**113**	**117**				
F1		BB520	0.90	-6.1	-3.8	-2.7	-16	8.8	0.1	-4.2	-0.4	1.1	2.2	3	6	3	1
BB16020			65%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
CWBFBB 160021		BB 120028	**96**	**110**	**105**	**105**	**99**	**107**	**97**	**78**	**88**	**106**	**118**				
F1		BB521	1.65	6.8	9.4	11.2	4	12.4	0.4	-15.0	-1.1	0.4	2.4	1	1	1	
BB16021			67%	59%	40%	24%	16%	35%	33%	33%	30%	24%	17%				
CWBFBB 160024		BB 110008	**113**	**88**	**87**	**88**	**87**	**95**	**96**	**88**	**94**	**112**	**118**				
F1		BB524	-0.01	-2.1	-2.1	-1.6	-13	6.1	0.2	-7.9	-0.2	1.0	2.3	3	6	4	
BB16024			65%	58%	34%	28%	18%	33%	32%	32%	30%	24%	18%				
CWBFBB 160025		BB 120013	**116**	**107**	**105**	**105**	**103**	**105**	**99**	**96**	**88**	**121**	**116**				
F1		BB525	-0.28	5.9	9.5	11.1	10	11.1	0.7	-2.2	-1.1	1.9	2.1	3	7	3	1
BB16025			63%	57%	34%	26%	16%	32%	31%	31%	30%	25%	18%				
CWBFBB 160026		BB 110004	**107**	**87**	**87**	**88**	**86**	**92**	**89**	**91**	**102**	**108**	**118**				
F1		BB526	0.56	-2.5	-1.8	-1.8	-14	4.6	-0.6	-5.8	1.1	0.7	2.4	4	4	1	1
BB16026			65%	58%	61%	30%	18%	33%	30%	30%	28%	23%	17%				
CWBFBB 160031		BB 110012	**127**	**91**	**91**	**92**	**91**	**103**	**91**	**94**	**86**	**114**	**120**				
F1		BB531	-1.38	-0.8	0.5	1.0	-7	10.2	-0.4	-3.3	-1.4	1.2	2.7	3	8	4	1
BB16031			64%	58%	35%	26%	16%	32%	37%	37%	34%	25%	17%				
CWBFBB 160040		BB 120023	**134**	**77**	**83**	**85**	**90**	**103**	**95**	**93**	**93**	**113**	**117**				
F1		BB534	-2.03	-6.2	-4.5	-3.9	-8	10.2	0.1	-4.2	-0.4	1.1	2.2	2	5	4	
BB16040			66%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
CWBFBB 160042		BB 110002	**133**	**84**	**86**	**87**	**90**	**94**	**91**	**88**	**102**	**111**	**120**				
F1		BB535	-1.93	-3.6	-2.9	-3.0	-9	5.3	-0.3	-7.7	1.1	0.9	2.7	2	5	3	1
BB16042			67%	45%	45%	44%	15%	28%	31%	31%	28%	21%	15%				
CWBFBB 160045		BB 110004	**105**	**103**	**102**	**101**	**97**	**96**	**89**	**91**	**102**	**108**	**118**				
F1		BB536	0.79	4.3	7.1	8.2	2	6.6	-0.6	-5.8	1.1	0.7	2.4	1	4	2	
BB16045			65%	36%	35%	30%	18%	24%	30%	30%	28%	23%	17%				
CWBFBB 160046		BB 140001	**123**	**90**	**92**	**94**	**93**	**99**	**109**	**74**	**98**	**78**	**96**				
F1		BB537	-0.97	-1.0	1.3	2.6	-3	8.0	2.0	-17.7	0.5	-2.2	-1.1	1	4	4	
BB16046			66%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
CWBFBB 160081		BB 120027	**99**	**108**	**107**	**106**	**97**	**99**	**98**	**90**	**82**	**116**	**117**				
F1		BB336	1.28	6.0	10.2	12.1	2	8.3	0.5	-6.1	-2.1	1.4	2.2	2	3	2	1
BB16081			66%	37%	38%	24%	16%	26%	32%	32%	30%	27%	20%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen. / DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
CWBFBB 160086		BB 120027	**114**	**102**	**101**	**101**	**97**	**99**	**98**	**90**	**82**	**116**	**117**				
F1		BB380	-0.14	3.6	6.9	8.3	2	8.2	0.5	-6.1	-2.1	1.4	2.2	3	7	5	
BB16086			66%	37%	38%	24%	16%	26%	32%	32%	30%	27%	20%				
CWBFBB 160089		BB 120028	**101**	**90**	**89**	**90**	**83**	**102**	**97**	**78**	**88**	**106**	**118**				
F1		BB559	1.11	-1.3	-0.7	-0.1	-18	9.9	0.4	-15.0	-1.1	0.4	2.4	3	7	5	
BB16089			67%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 160096		BB 120027	**114**	**102**	**101**	**101**	**97**	**99**	**98**	**90**	**82**	**116**	**117**				
F1		BB95	-0.15	3.6	6.9	8.3	2	8.2	0.5	-6.1	-2.1	1.4	2.2	2	5	2	1
BB16096			66%	37%	38%	24%	16%	26%	32%	32%	30%	27%	20%				
CWBFBB 160131		BB 120028	**87**	**95**	**94**	**95**	**83**	**102**	**97**	**78**	**88**	**106**	**118**				
F1		BB613	2.46	1.0	2.3	3.5	-18	10.0	0.4	-15.0	-1.1	0.4	2.4	2	3	2	
BB16131			67%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 160135		BB 120028	**114**	**85**	**85**	**86**	**83**	**102**	**97**	**78**	**88**	**106**	**118**				
F1		BB799	-0.08	-3.3	-3.4	-3.3	-18	9.8	0.4	-15.0	-1.1	0.4	2.4	2	5	4	1
BB16135			67%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 160138		BB 110008	**70**	**104**	**101**	**102**	**86**	**95**	**96**	**88**	**94**	**112**	**118**				
F1		BB88	4.11	4.6	7.0	9.1	-14	6.3	0.2	-7.9	-0.2	1.0	2.3	2	5	3	
BB16138			65%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 160162		CWBMKI 140012	**99**	**114**	**124**			**114**									
F1		BB449	1.30	8.4	20.9			16.2						1	4	2	1
BB16162			58%	52%	56%			22%									
CWBFBB 160163		CWBMKI 140012	**102**	**114**	**121**			**115**									
F1		BB455	1.06	8.5	19.3			16.8						4	7	4	
BB16163			58%	52%	56%			22%									
CWBFBB 160165		BB 120027	**116**	**121**	**120**	**117**	**112**	**102**	**98**	**90**	**82**	**116**	**117**				
F1		BB906	-0.37	11.3	18.4	21.2	23	9.9	0.5	-6.1	-2.1	1.4	2.2	1	3	2	1
BB16165			66%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
CWBFBB 160170		BB 120027	**110**	**112**	**110**	**109**	**102**	**101**	**98**	**90**	**82**	**116**	**117**				
F1		BB926	0.23	7.6	12.3	14.3	10	9.2	0.5	-6.1	-2.1	1.4	2.2	1	4	3	1
BB16170			66%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
CWBFBB 160208		OVE 080002	**128**	**68**	**64**	**69**	**58**	**76**	**93**	**69**	**96**	**108**	**131**				
FB		BB 120019	-1.47	-9.8	-16.5	-16.7	-54	-3.9	-0.2	-21.0	0.1	0.6	4.4	1	8	4	
BB160208			90%	89%	89%	89%	87%	88%	89%	89%	89%	88%	88%				
CWBFBB 160215		BB 140001	**123**	**95**	**86**	**85**	**88**	**85**	**103**	**47**	**97**	**71**	**112**				
FB		BB 120025	-1.01	1.0	-2.6	-4.0	-10	0.6	1.1	-36.8	0.3	-2.8	1.5	1	1	1	
BB160215			87%	85%	85%	84%	83%	84%	86%	86%	86%	85%	84%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 160394		☑	BB 110008	**111**	**88**	**87**	**89**	**86**	**95**	**96**	**88**	**94**	**112**	**118**				
F1			BB863	0.21	-2.0	-1.9	-1.3	-14	6.0	0.2	-7.9	-0.2	1.0	2.3	1	2	2	
BB160394				43%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 170005	GT	☑	A3001	**128**	**96**	**91**	**95**	**85**	**72**	**112**	**94**	**93**	**97**	**98**				
FB		☑	BB 110005	-1.44	1.4	0.7	3.6	-16	-6.1	2.3	-3.6	-0.3	-0.4	-0.8	1	5	4	
BB170005				86%	85%	86%	85%	84%	85%	86%	86%	85%	85%	84%				
CWBFBB 170006	GT	☑	A3001	**117**	**94**	**87**	**88**	**83**	**73**	**113**	**90**	**84**	**117**	**115**				
FB		☑	BB 120024	-0.45	0.6	-2.0	-2.1	-18	-5.7	2.4	-6.3	-1.7	1.5	1.9	1	3	1	
BB170006				86%	85%	86%	85%	84%	84%	86%	86%	85%	85%	84%				
CWBFBB 170026	GT	☑	KI 140008	**100**	**112**	**107**	**107**	**96**	**71**	**93**	**67**	**122**	**71**	**108**				
FB		☑	BA 130879	1.27	7.8	10.3	13.0	0	-6.6	0.0	-22.5	4.2	-2.8	0.9	1	4	3	
BB170026				89%	87%	88%	87%	86%	87%	89%	89%	88%	88%	87%				
CWBFBB 170027	GT	☑	KI 140008	**105**	**109**	**103**	**105**	**91**	**77**	**79**	**59**	**105**	**73**	**124**				
FB		☑	BA 130879	0.75	6.5	8.1	11.4	-6	-3.7	-1.9	-28.0	1.5	-2.7	3.3	1	6	2	
BB170027				90%	88%	89%	88%	88%	88%	89%	89%	89%	89%	88%				
CWBFBB 170038	GT	☑	CWBMBA 130891	**135**	**64**	**60**	**61**	**66**	**79**	**106**	**86**	**95**	**96**	**107**				
FB		☑	BB 120022	-2.19	-11.6	-18.7	-23.3	-42	-2.6	1.5	-8.8	0.0	-0.5	0.6	1	1	1	
BB170038				86%	85%	85%	85%	84%	85%	85%	85%	85%	85%	85%				
CWBFBB 170041	GT	☑	KI 140018	**109**	**104**	**94**	**95**	**91**	**69**	**112**	**94**	**73**	**84**	**98**				
FB		☑	KI 140016	0.40	4.4	2.4	3.4	-7	-7.7	2.3	-3.6	-3.4	-1.6	-0.7	1	4	3	
BB170041				89%	87%	88%	87%	87%	87%	88%	88%	88%	87%	87%				
CWBFBB 170044	GT	☑	CWBMBA 130891	**123**	**80**	**75**	**77**	**76**	**89**	**85**	**84**	**90**	**113**	**136**				
FB		☑	BB 120017	-1.02	-5.0	-9.5	-10.5	-27	2.9	-1.1	-10.6	-0.7	1.2	5.2	1	3	2	
BB170044				84%	83%	84%	84%	83%	83%	84%	84%	84%	84%	83%				
CWBFBB 170047	GT	☑	CWBMBA 130891	**125**	**78**	**73**	**73**	**76**	**88**	**114**	**103**	**93**	**103**	**95**				
FB		☑	BB 120022	-1.24	-5.9	-11.0	-13.4	-28	2.1	2.6	2.9	-0.4	0.2	-1.2	1	4	3	
BB170047				86%	85%	85%	85%	85%	85%	86%	86%	85%	85%	85%				
CWBFBB 170071	GT	☑	CWBMBA 130891	**124**	**83**	**78**	**79**	**78**	**84**	**105**	**93**	**94**	**105**	**109**				
FB		☑	BB 120021	-1.07	-3.9	-7.9	-9.0	-25	0.0	1.4	-4.1	-0.2	0.3	1.0	1	3	2	
BB170071				85%	84%	84%	84%	83%	83%	85%	85%	84%	84%	83%				
CWBFBB 170272		☑	BB 120023	**105**	**89**	**93**	**94**	**101**	**112**	**87**	**100**	**89**	**116**	**120**				
F1				0.70	-1.6	1.7	2.5	8	15.1	-0.8	0.5	-1.0	1.4	2.6	1	3	2	1
BB170272				44%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
CWBFBB 170411			BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2			CWBFBB 150049	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	4	4	
BB170411				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 170425			BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2			CWBFBB 150083	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB170425				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 170428			BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2			CWBFBB 130006	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	3	1	1
BB170428				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 170439			BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2			CWBFBB 140060	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	6	4	1
BB170439				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 170497		☑	BB 120028	**95**	**92**	**91**	**91**	**94**	**111**	**90**	**84**	**84**	**108**	**120**				
F1				1.71	-0.3	0.6	0.6	-3	14.6	-0.5	-10.3	-1.7	0.7	2.8	1	3	3	
BB170497				48%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 180011	GT			**116**	**107**	**102**	**103**	**99**	**90**	**89**	**90**	**91**	**114**	**128**				
F1		☑	KSOFC0007	-0.29	5.7	7.5	10.1	5	3.6	-0.6	-6.2	-0.6	1.2	3.9	2	3	3	
BEYOND BEEF BB180011 (ET)				79%	78%	78%	78%	78%	78%	78%	78%	78%	78%	77%				
CWBFBB 180014		☑	BB 110011	**101**	**97**	**97**	**97**	**102**	**104**	**88**	**95**	**87**	**116**	**121**				
F1				1.09	1.8	4.0	4.9	9	11.1	-0.7	-2.5	-1.2	1.5	2.9	1	4	4	
BB180014 (ET)				41%	32%	34%	24%	18%	24%	37%	36%	34%	24%	18%				
CWBFBB 180081	GT	☑	BB 110011	**118**	**110**	**106**	**108**	**102**	**95**	**85**	**104**	**97**	**119**	**125**				
F1			BB55	-0.51	6.8	9.6	13.7	9	6.2	-1.1	3.6	0.4	1.7	3.5	1	5	4	
BB180081 (ET)				77%	76%	76%	76%	75%	75%	77%	77%	76%	76%	75%				
CWBFBB 180113		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160163	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	4	3	1
BB180113				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180114		☑	BB 150128	**80**	**116**	**117**	**118**	**117**	**112**	**91**	**100**	**95**	**93**	**94**				
F2		☑	CWBFBB 160118	3.17	9.3	16.9	21.3	31	15.2	-0.3	0.8	0.1	-0.8	-1.4	1	2	1	1
BB180114				37%	27%	28%	27%	20%	19%	36%	35%	33%	35%	21%				
CWBFBB 180132		☑	BB 150107	**95**	**119**	**119**	**119**	**120**	**113**	**74**	**106**	**89**	**108**	**121**				
F2		☑	CWBFBB 160031	1.71	10.6	18.2	22.5	34	15.6	-2.4	5.3	-1.0	0.6	2.8	1	4	4	
BB180132				44%	28%	22%	20%	11%	16%	45%	44%	42%	44%	14%				
CWBFBB 180133		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160024	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB180133				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180138		☑	BB 150107	**95**	**119**	**119**	**119**	**120**	**113**	**74**	**106**	**89**	**108**	**121**				
F2		☑	CWBFBB 160026	1.71	10.6	18.2	22.5	34	15.6	-2.4	5.3	-1.0	0.6	2.8	1	4	3	1
BB180138				44%	28%	22%	20%	11%	16%	45%	44%	42%	44%	14%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 180149		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160025	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	3	3	
BB180149				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180152		☑	BB 150132	**95**	**102**	**105**	**105**	**112**	**116**	**66**	**109**	**89**	**107**	**126**				
F2		☑	CWBFBB 160002	1.76	3.9	9.0	11.4	23	17.3	-3.5	7.1	-0.9	0.5	3.6	1	3	2	1
BB180152				32%	19%	21%	18%	8%	14%	36%	35%	32%	23%	13%				
CWBFBB 180158			BB 150107	**95**	**119**	**119**	**119**	**120**	**113**	**74**	**106**	**89**	**108**	**121**				
F3			CWBFBB 160086	1.71	10.6	18.2	22.5	34	15.6	-2.4	5.3	-1.0	0.6	2.8	2	2	2	
BB180158				44%	28%	22%	20%	11%	16%	45%	44%	42%	44%	14%				
CWBFBB 180162		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160081	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	3	3	
BB180162				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180169		☑	BB 150160	**84**	**117**	**118**	**118**	**121**	**112**	**92**	**104**	**97**	**85**	**87**				
F2		☑	CWBFBB 160006	2.74	9.9	17.5	21.3	36	14.9	-0.2	3.6	0.3	-1.5	-2.5	1	2	1	
BB180169				33%	25%	35%	34%	20%	19%	29%	29%	27%	27%	21%				
CWBFBB 180170		☑	BB 150128	**80**	**116**	**117**	**118**	**117**	**112**	**91**	**100**	**95**	**93**	**94**				
F2		☑	CWBFBB 160004	3.17	9.3	16.9	21.3	31	15.2	-0.3	0.8	0.1	-0.8	-1.4	1	4	3	1
BB180170				37%	27%	28%	27%	20%	19%	36%	35%	33%	35%	21%				
CWBFBB 180171		☑	BB 150107	**95**	**119**	**119**	**119**	**120**	**113**	**74**	**106**	**89**	**108**	**121**				
F2		☑	CWBFBB 160020	1.71	10.6	18.2	22.5	34	15.6	-2.4	5.3	-1.0	0.6	2.8	1	4	4	
BB180171				44%	28%	22%	20%	11%	16%	45%	44%	42%	44%	14%				
CWBFBB 180172		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160013	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	4	4	
BB180172				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180174		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160135	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB180174				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 180175		☑	BB 150128	**95**	**105**	**105**	**107**	**97**	**93**	**96**	**90**	**95**	**96**	**102**				
F2		☑	BB 160010	1.73	4.9	9.0	12.9	2	5.0	0.3	-6.3	0.0	-0.5	-0.2	1	3	2	1
BB180175				67%	40%	42%	32%	21%	25%	38%	38%	35%	37%	23%				
CWBFBB 180189		☑	BB 150114	**111**	**107**	**104**	**105**	**102**	**94**	**101**	**107**	**89**	**95**	**89**				
F2		☑	BB 140037	0.16	5.5	8.5	11.6	10	5.5	1.0	5.8	-0.9	-0.5	-2.2	1	4	3	
BB180189				69%	36%	41%	30%	21%	25%	45%	45%	41%	43%	23%				
CWBFBB 180192		☑	BB 150116	**63**	**133**	**132**	**128**	**132**	**109**	**102**	**122**	**123**	**88**	**72**				
F2		☑	CWBFBB 150032	4.87	16.3	26.0	29.8	52	13.4	1.1	16.3	4.3	-1.3	-5.0	1	3	2	
BB180192				47%	38%	40%	40%	18%	17%	43%	43%	40%	35%	18%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 180194		☑	BB 150115	**82**	**129**	**128**	**125**	**132**	**111**	**94**	**118**	**110**	**80**	**77**				
F2		☑	CWBFBB 140059	2.95	14.5	23.8	26.9	53	14.5	0.1	13.4	2.4	-2.0	-4.1	1	3	2	
BB180194				36%	23%	25%	24%	14%	15%	42%	41%	38%	38%	16%				
CWBFBB 180195			BB 150114	**87**	**113**	**115**	**115**	**118**	**112**	**96**	**107**	**96**	**91**	**86**				
F1				2.49	8.2	15.3	19.3	32	15.2	0.3	5.9	0.1	-1.0	-2.7	1	1	1	
BB180195				40%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
CWBFBB 180205		☑	BB 150115	**101**	**121**	**115**	**113**	**112**	**88**	**100**	**105**	**110**	**83**	**85**				
F2		☑	BB 150002	1.09	11.3	15.2	17.3	24	2.3	0.8	4.4	2.4	-1.7	-2.8	1	3	2	1
BB180205				66%	29%	31%	28%	17%	19%	45%	44%	41%	40%	18%				
CWBFBB 180207		☑	BB 150114	**87**	**113**	**115**	**115**	**118**	**112**	**96**	**107**	**96**	**91**	**86**				
F2		☑	CWBFBB 150049	2.49	8.2	15.3	19.3	32	15.2	0.3	5.9	0.1	-1.0	-2.7	1	5	2	3
BB180207				40%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
CWBFBB 180209		☑	BB 150114	**87**	**113**	**115**	**115**	**118**	**112**	**96**	**107**	**96**	**91**	**86**				
F2		☑	CWBFBB 150043	2.49	8.2	15.3	19.3	32	15.2	0.3	5.9	0.1	-1.0	-2.7	1	4	4	
BB180209				40%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
CWBFBB 180210		☑	BB 150114	**87**	**113**	**115**	**115**	**118**	**112**	**96**	**107**	**96**	**91**	**86**				
F2		☑	CWBFBB 150028	2.49	8.2	15.3	19.3	32	15.2	0.3	5.9	0.1	-1.0	-2.7	1	3	3	
BB180210				40%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
CWBFBB 180211		☑	BB 140001	**103**	**98**	**99**	**99**	**104**	**108**	**102**	**80**	**94**	**81**	**98**				
F1				0.97	2.2	5.7	6.9	12	12.8	1.0	-13.0	-0.1	-1.9	-0.7	1	4	3	1
BB180211				45%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
CWBFBB 180212		☑	BB 140001	**107**	**102**	**97**	**97**	**91**	**84**	**105**	**68**	**99**	**84**	**108**				
F2		☑	BB 140018	0.59	3.7	4.5	5.4	-7	0.0	1.5	-21.8	0.6	-1.7	0.7	1	3	2	
BB180212				69%	46%	48%	38%	19%	29%	51%	51%	49%	29%	18%				
CWBFBB 180214		☑	BB 150146	**84**	**123**	**125**	**124**	**125**	**112**	**87**	**100**	**98**	**101**	**103**				
F2		☑	CWBFBB 140031	2.74	12.1	21.7	26.2	41	14.8	-0.8	0.7	0.4	0.0	0.1	1	1	1	
BB180214				31%	19%	34%	33%	16%	18%	26%	26%	25%	25%	21%				
CWBFBB 180217		☑	BB 150113	**77**	**129**	**129**	**126**	**131**	**110**	**89**	**108**	**111**	**85**	**87**				
F2		☑	CWBFBB 150019	3.43	14.7	24.0	27.5	51	14.2	-0.5	6.7	2.5	-1.5	-2.6	1	4	4	
BB180217				47%	45%	46%	43%	14%	22%	32%	31%	28%	25%	15%				
CWBFBB 180221		☑	BB 150115	**82**	**129**	**128**	**125**	**132**	**111**	**94**	**118**	**110**	**80**	**77**				
F2		☑	CWBFBB 150010	2.95	14.5	23.8	26.9	53	14.5	0.1	13.4	2.4	-2.0	-4.1	1	1	1	
BB180221				36%	23%	25%	24%	14%	15%	42%	41%	38%	38%	16%				
CWBFBB 180225		☑	BB 150146	**84**	**123**	**125**	**124**	**125**	**112**	**87**	**100**	**98**	**101**	**103**				
F2		☑	CWBFBB 140033	2.74	12.1	21.7	26.2	41	14.8	-0.8	0.7	0.4	0.0	0.1	1	4	4	
BB180225				31%	19%	34%	33%	16%	18%	26%	26%	25%	25%	21%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 180228		☑	BB 150116	**63**	**133**	**132**	**128**	**132**	**109**	**102**	**122**	**123**	**88**	**72**				
F2		☑	CWBFBB 130003	4.87	16.3	26.0	29.8	52	13.4	1.1	16.3	4.3	-1.3	-5.0	1	3	2	
BB180228				47%	38%	40%	40%	18%	17%	43%	43%	40%	35%	18%				
CWBFBB 180229		☑	BB 150116	**63**	**133**	**132**	**128**	**132**	**109**	**102**	**122**	**123**	**88**	**72**				
F2		☑	CWBFBB 130008	4.87	16.3	26.0	29.8	52	13.4	1.1	16.3	4.3	-1.3	-5.0	1	3	3	
BB180229				47%	38%	40%	40%	18%	17%	43%	43%	40%	35%	18%				
CWBFBB 180234		☑	BB 150114	**87**	**113**	**115**	**115**	**118**	**112**	**96**	**107**	**96**	**91**	**86**				
F2		☑	CWBFBB 150065	2.49	8.2	15.3	19.3	32	15.2	0.3	5.9	0.1	-1.0	-2.7	1	4	3	1
BB180234				40%	22%	28%	27%	20%	19%	38%	37%	34%	37%	21%				
CWBFBB 180235		☑	BB 150146	**84**	**123**	**125**	**124**	**125**	**112**	**87**	**100**	**98**	**101**	**103**				
F2		☑	CWBFBB 150083	2.74	12.1	21.7	26.2	41	14.8	-0.8	0.7	0.4	0.0	0.1	1	3	3	
BB180235				31%	19%	34%	33%	16%	18%	26%	26%	25%	25%	21%				
CWBFBB 180253	GT	☑	A3001	**118**	**96**	**88**	**88**	**84**	**61**	**137**	**63**	**92**	**91**	**95**				
FB		☑	ADBFL0014	-0.54	1.3	-1.6	-1.9	-16	-12.1	5.5	-25.7	-0.5	-0.9	-1.3	1	1	1	
BB180253 (ET)				88%	87%	87%	87%	86%	86%	87%	87%	87%	87%	87%				
CWBFBB 183032		☑	BB 110008	**99**	**92**	**91**	**91**	**97**	**104**	**88**	**94**	**90**	**115**	**120**				
F1				1.32	-0.1	0.6	0.8	2	10.8	-0.7	-3.2	-0.8	1.3	2.7	1	2	2	
BB183032				43%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
CWBFBB 183046		☑	BB 120028	**95**	**92**	**91**	**91**	**94**	**111**	**90**	**84**	**84**	**108**	**120**				
F1				1.71	-0.3	0.6	0.6	-3	14.6	-0.5	-10.3	-1.7	0.7	2.8	1	2	2	
BB183046				48%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 183066		☑	BB 120028	**95**	**92**	**91**	**91**	**94**	**111**	**90**	**84**	**84**	**108**	**120**				
F1				1.71	-0.3	0.6	0.6	-3	14.6	-0.5	-10.3	-1.7	0.7	2.8	1	1	1	
BB183066				48%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
CWBFBB 190205		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F3		☑	CWBFBB 170425	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	4	3	
BB190205				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 190215		☑	BB 150109	**84**	**131**	**130**	**126**	**133**	**110**	**94**	**112**	**108**	**85**	**83**				
F2		☑	CWBFBB 160086	2.82	15.6	24.8	27.7	53	13.9	0.1	9.0	2.1	-1.5	-3.2	1	1	1	
BB190215				46%	44%	45%	42%	14%	21%	34%	33%	30%	23%	15%				
CWBFBB 190216		☑	BB 150115	**86**	**129**	**122**	**119**	**113**	**89**	**100**	**105**	**110**	**83**	**85**				
F2		☑	BB 160023	2.64	14.5	19.5	22.4	26	3.1	0.8	4.4	2.4	-1.7	-2.8	1	3	3	
BB190216				66%	37%	31%	28%	17%	22%	45%	44%	41%	40%	18%				
CWBFBB 190219		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 140025	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	2	2	
BB190219				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	Parentage DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 190222		☑	BB 150115	**82**	**129**	**128**	**125**	**132**	**111**	**94**	**118**	**110**	**80**	**77**				
F2		☑	CWBFBB 160031	2.95	14.5	23.8	26.9	53	14.5	0.1	13.4	2.4	-2.0	-4.1	1	3	3	
BB190222				36%	23%	25%	24%	14%	15%	42%	41%	38%	38%	16%				
CWBFBB 190223		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFB1019	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	2	2	
BB190223				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190225		☑	BB 170004	**89**	**98**	**100**	**101**	**102**	**110**	**87**	**94**	**86**	**107**	**118**				
F2		☑	CWBFBB 160170	2.26	2.0	6.1	8.2	9	14.0	-0.9	-3.7	-1.4	0.6	2.4	1	3	2	
BB190225				36%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
CWBFBB 190227		☑	BB 150132	**129**	**88**	**85**	**87**	**92**	**94**	**72**	**96**	**89**	**110**	**134**				
F2		☑	BB 150002	-1.57	-2.1	-3.1	-2.4	-6	5.4	-2.8	-1.8	-0.9	0.8	4.9	1	3	3	
BB190227				66%	26%	27%	23%	12%	19%	39%	39%	35%	26%	16%				
CWBFBB 190228		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 150012	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	1	1	
BB190228				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190238		☑	BB 170004	**89**	**98**	**100**	**101**	**102**	**110**	**87**	**94**	**86**	**107**	**118**				
F2		☑	CWBFBB 140060	2.26	2.0	6.1	8.2	9	14.0	-0.9	-3.7	-1.4	0.6	2.4	1	3	3	
BB190238				36%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
CWBFBB 190244		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 150042	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	3	3	
BB190244				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190252		☑	BB 150132	**95**	**102**	**105**	**105**	**112**	**116**	**66**	**109**	**89**	**107**	**126**				
F1				1.76	3.9	9.0	11.4	23	17.3	-3.5	7.1	-0.9	0.5	3.6	1	2	2	
BB190252				32%	19%	21%	18%	8%	14%	36%	35%	32%	23%	13%				
CWBFBB 190266		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 140045	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	3	3	
BB190266				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190273		☑	BB 150113	**77**	**129**	**129**	**126**	**131**	**110**	**89**	**108**	**111**	**85**	**87**				
F2		☑	CWBFBB 160017	3.43	14.7	24.0	27.5	51	14.2	-0.5	6.7	2.5	-1.5	-2.6	1	2	2	
BB190273				47%	45%	46%	43%	14%	22%	32%	31%	28%	25%	15%				
CWBFBB 190275		☑	CWBMKI 140012	**113**	**92**	**99**	**101**	**90**	**103**	**105**	**100**	**95**	**105**	**99**				
F2		☑	BB 140037	-0.04	-0.1	5.5	8.4	-8	10.1	1.4	0.5	-0.1	0.4	-0.6	1	3	2	
BB190275				65%	29%	31%	13%	8%	16%	25%	25%	22%	22%	9%				
CWBFBB 190288		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 150049	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB190288				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 190303		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 150084	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	1	1	
BB190303				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190305		☑	BB 170004	**89**	**98**	**100**	**101**	**102**	**110**	**87**	**94**	**86**	**107**	**118**				
F3		☑	CWBFBB 170411	2.26	2.0	6.1	8.2	9	14.0	-0.9	-3.7	-1.4	0.6	2.4	1	3	2	
BB190305				36%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
CWBFBB 190309		☑	BB 170004	**89**	**98**	**100**	**101**	**102**	**110**	**87**	**94**	**86**	**107**	**118**				
F2		☑	CWBFBB 150083	2.26	2.0	6.1	8.2	9	14.0	-0.9	-3.7	-1.4	0.6	2.4	1	2	1	
BB190309				36%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
CWBFBB 190313		☑	BB 160205	**100**	**91**	**93**	**95**	**96**	**109**	**85**	**98**	**90**	**106**	**116**				
F2		☑	CWBFBB 150011	1.21	-0.8	1.8	3.3	1	13.6	-1.0	-0.3	-0.8	0.5	2.1	1	3	3	
BB190313				30%	27%	29%	28%	17%	25%	29%	29%	28%	24%	19%				
CWBFBB 190314		☑	BB 170004	**89**	**98**	**100**	**101**	**102**	**110**	**87**	**94**	**86**	**107**	**118**				
F2		☑	CWBFBB 150145	2.26	2.0	6.1	8.2	9	14.0	-0.9	-3.7	-1.4	0.6	2.4	1	3	2	
BB190314				36%	21%	28%	27%	12%	17%	38%	37%	35%	24%	14%				
CWBFBB 200056		☑	CWBMBB 190039	**97**	**118**	**120**	**123**	**102**	**96**	**95**	**95**	**98**	**99**	**102**				
F1		☑	BB 190021	1.49	10.1	18.8	25.3	9	6.6	0.2	-3.0	0.5	-0.2	-0.2	1	3	3	
BB200056				57%	12%	17%	13%	10%	9%	18%	18%	16%	16%	12%				
CWBFBB 200061		☑	BB 170165	**138**	**97**	**93**	**94**	**95**	**81**	**96**	**77**	**98**	**85**	**109**				
PBD		☑	BB 170114	-2.46	1.9	1.6	3.0	-1	-1.1	0.3	-15.7	0.4	-1.5	1.0	1	2	2	
BB200061				68%	31%	33%	31%	25%	28%	42%	42%	39%	40%	29%				
CWBFBB 200173		☑	BB 180065	**82**	**101**	**105**	**102**	**113**	**113**	**92**	**102**	**98**	**106**	**109**				
F2		☑	CWBFBB 150049	2.97	3.3	9.4	9.4	24	15.9	-0.2	2.5	0.5	0.5	1.0	1	1	1	
BB200173				24%	25%	24%	24%	22%	24%	23%	25%	24%	24%	19%				
CWBFBB 200179		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 150145	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB200179				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 200180		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 150083	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	1	1	
BB200180				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 200184		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F3		☑	CWBFBB 170425	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB200184				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 200185		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		☑	CWBFBB 160138	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	2	2	
BB200185				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA / Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																	
CWBFBB 200190		BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		CWBFBB 170272	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	1	1	
BB200190			34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 200321		BB 180075	**94**	**100**	**104**	**105**	**108**	**119**	**91**	**97**	**77**	**123**	**117**				
F3		CWBFBB 180171	1.86	3.0	8.6	11.7	18	18.7	-0.3	-1.3	-2.8	2.1	2.3	1	2	2	
BB200321			28%	22%	24%	23%	18%	21%	35%	34%	31%	33%	16%				
CWBFBB 210021		BB 190112	**81**	**118**	**115**	**112**	**118**	**110**	**91**	**111**	**92**	**114**	**107**				
F2		CWBFBB 180081	3.06	10.1	15.3	16.8	33	13.9	-0.4	8.8	-0.4	1.2	0.7	1	1	1	
BB210021			35%	25%	23%	24%	13%	18%	29%	28%	27%	25%	20%				
CWBFBB 210102		BB 170107	**107**	**116**	**110**	**111**	**99**	**81**	**104**	**100**	**103**	**113**	**107**				
PBD		BB 170114	0.58	9.5	12.2	15.8	5	-1.3	1.4	0.7	1.3	1.1	0.6	1	1	1	
BB210102			63%	29%	31%	30%	24%	27%	45%	45%	42%	33%	28%				
CWBFBB 210155		BB 190089	**81**	**104**	**105**	**104**	**105**	**105**	**97**	**110**	**97**	**97**	**98**				
F2		CWBFBB 160042	3.11	4.6	9.2	10.3	13	11.5	0.5	7.7	0.4	-0.4	-0.7	1	1	1	
BB210155			40%	24%	25%	24%	22%	23%	30%	30%	28%	29%	26%				
CWBFBB 210157		BB 190111	**81**	**118**	**115**	**112**	**118**	**110**	**91**	**111**	**92**	**114**	**107**				
F2		CWBFBB 150145	3.12	10.3	15.5	17.0	33	13.8	-0.4	8.8	-0.4	1.2	0.7	1	1	1	
BB210157			30%	25%	23%	24%	13%	18%	29%	28%	27%	25%	20%				
CWBFBB 210166		BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F2		CWBFBB 160046	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	1	1	
BB210166			34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 210168		BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F1		CWBFBB 150061	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	1	1	
BB210168			34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 210202		BB 180300	**92**	**108**	**110**	**109**	**107**	**105**	**86**	**119**	**105**	**124**	**117**				
F3		CWBFBB 180212	2.05	6.2	12.2	14.4	16	11.5	-1.0	13.9	1.5	2.2	2.3	1	1	1	
BB210202			27%	21%	21%	23%	20%	21%	24%	24%	23%	21%	16%				
CWBFBB 210205		BB 170164	**136**	**87**	**85**	**86**	**95**	**94**	**111**	**86**	**96**	**97**	**94**				
F3		BB 180203	-2.28	-2.5	-3.3	-3.5	0	5.5	2.2	-9.1	0.2	-0.3	-1.4	1	1	1	
BB210205			68%	31%	33%	31%	25%	28%	50%	49%	47%	49%	31%				
CWBFBB 210220		BB 180264	**96**	**99**	**100**	**98**	**101**	**106**	**110**	**99**	**102**	**106**	**96**				
F3		CWBFBB 180132	1.64	2.4	6.0	6.2	7	12.0	2.0	0.3	1.1	0.5	-1.2	1	1	1	
BB210220			40%	19%	21%	19%	16%	18%	32%	32%	27%	31%	27%				
CWBFBB 210223		BB 180264	**96**	**99**	**100**	**98**	**101**	**106**	**110**	**99**	**102**	**106**	**96**				
F3		CWBFBB 180217	1.64	2.4	6.0	6.2	7	12.0	2.0	0.3	1.1	0.5	-1.2	1	1	1	
BB210223			40%	19%	21%	19%	16%	18%	32%	32%	27%	31%	27%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFBB 210228		☑	BB 170089	**84**	**120**	**122**	**122**	**120**	**113**	**88**	**102**	**103**	**94**	**99**				
F2		☑	CWBFBB 180195	2.80	11.0	20.0	25.1	36	15.8	-0.7	1.9	1.2	-0.6	-0.6	1	1	1	
BB210228				39%	14%	17%	13%	10%	9%	20%	20%	18%	16%	12%				
CWBFBB 210229		☑	BB 150133	**89**	**113**	**112**	**112**	**111**	**109**	**88**	**103**	**88**	**124**	**120**				
F3		☑	CWBFBB 180214	2.25	8.0	13.7	16.8	22	13.5	-0.7	3.2	-1.1	2.2	2.7	1	1	1	
BB210229				34%	13%	18%	17%	9%	12%	36%	36%	32%	32%	19%				
CWBFBB 210233		☑	BB 190089	**81**	**104**	**105**	**104**	**105**	**105**	**97**	**110**	**97**	**97**	**98**				
F3		☑	CWBFBB 180225	3.11	4.6	9.2	10.3	13	11.5	0.5	7.7	0.4	-0.4	-0.7	1	1	1	
BB 210233				40%	24%	25%	24%	22%	23%	30%	30%	28%	29%	26%				
CWBFBB 220135				**97**	**91**	**94**	**97**	**77**	**93**	**111**	**85**	**96**	**106**	**106**				
F1		☑	BB 200027	1.55	-0.6	2.2	5.2	-27	4.8	2.2	-9.5	0.1	0.5	0.4	1	1		
BB220135				63%	21%	24%	23%	18%	20%	25%	25%	24%	22%	17%				
FB7637			FB5317	**96**	**102**	**97**	**104**	**78**	**84**	**97**	**98**	**122**	**76**	**96**				
FB			FB6067	1.63	3.9	4.3	10.5	-25	0.0	0.4	-0.9	4.2	-2.4	-1.1	8	26	9	2
SARA P				78%	47%	54%	45%	44%	46%	71%	70%	66%	66%	48%				
KI 140016	GT	☑	OVE 080002	**130**	**73**	**68**	**72**	**67**	**74**	**85**	**61**	**86**	**69**	**123**				
FB		☑	BA 080212	-1.69	-7.9	-13.8	-14.5	-40	-5.2	-1.2	-27.0	-1.4	-3.0	3.1	5	19	5	4
KI 140016				93%	92%	93%	93%	92%	92%	93%	93%	93%	92%	92%				
KSOFC0007			IMUFM1615	**120**	**92**	**83**	**81**	**83**	**68**	**101**	**104**	**137**	**89**	**106**				
FB			101	-0.71	-0.3	-4.3	-7.3	-18	-8.5	0.9	3.6	6.5	-1.2	0.5	5	12	6	
OASIS MORIYAMA C007				71%	57%	59%	54%	52%	54%	62%	64%	61%	59%	46%				
KSOFH0048			IMUFR3258	**114**	**104**	**99**	**99**	**90**	**79**	**79**	**142**	**129**	**115**	**111**				
FB			KJDFB0015	-0.14	4.5	5.2	6.9	-8	-2.2	-1.9	30.4	5.2	1.4	1.2	8	12	3	2
OASIS HIKOKURA H048 (AI)				59%	44%	44%	47%	42%	47%	52%	54%	49%	41%	27%				
KSOFJ0064			IMUFR3258	**90**	**121**	**113**	**110**	**103**	**85**	**105**	**170**	**133**	**149**	**87**				
FB			KSOFD0012	2.24	11.3	14.3	15.3	10	0.6	1.4	50.8	5.8	4.6	-2.5	10	22	4	2
OASIS MORIYAMA				71%	53%	58%	61%	28%	53%	65%	67%	61%	52%	32%				
KSOFJ0071			TWAFR0007	**115**	**85**	**80**	**78**	**75**	**70**	**122**	**66**	**102**	**54**	**81**				
FB			KSOFF0030	-0.25	-2.9	-6.7	-9.6	-29	-7.2	3.6	-23.0	1.1	-4.5	-3.5	2	6	4	
OASIS MORIYAMA J71				60%	53%	47%	43%	31%	44%	69%	69%	66%	60%	47%				
KSOFK00092			KSOFC0001	**110**	**95**	**93**	**94**	**89**	**86**	**105**	**109**	**101**	**118**	**109**				
FB			ARUFG0063	0.28	0.8	1.8	2.8	-9	1.4	1.5	7.4	0.9	1.6	0.9	1	1	1	
OASIS MOYASU				37%	29%	30%	29%	24%	28%	30%	32%	31%	29%	22%				
KSOFL00103			BIMFC0001	**104**	**90**	**84**	**83**	**78**	**77**	**118**	**100**	**110**	**94**	**90**				
FB			KJDFE0008	0.80	-1.2	-4.1	-5.6	-25	-3.6	3.1	0.5	2.3	-0.7	-2.1	4	5	4	
OASIS SENAYAMA (AI) (ET)				64%	39%	46%	43%	28%	36%	53%	54%	51%	47%	33%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID / Name	Parentage Gen.	DNA	Sire ID / Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
JAPANESE BLACK																		
PK 140003		✓	KJDFD0111	**116**	**70**	**63**	**63**	**61**	**64**	**112**	**65**	**97**	**62**	**100**				
FB		✓	KJDFD0030	-0.33	-9.0	-17.3	-21.4	-49	-10.3	2.3	-24.1	0.4	-3.7	-0.5	5	18	4	
JANE				68%	50%	48%	41%	38%	43%	68%	68%	64%	58%	41%				
TWAFT0462			IMUFM1615	**109**	**98**	**91**	**91**	**88**	**68**	**85**	**106**	**107**	**99**	**121**				
FB			H2	0.34	2.2	0.7	0.1	-11	-8.4	-1.1	5.1	1.9	-0.2	2.8	2	4	1	
TWA SATUKU (ET) (AI)				59%	53%	56%	57%	47%	53%	57%	59%	56%	54%	43%				

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 204185			✔	BB 170021	**80**	**125**	**110**	**79**	**117**	**83**	**125**	**91**	**110**	**128**	**121**	**120**	**113**	**94**	**92**	**104**	**100**	**95**	**96**
F1					28%	18%	16 %	17%	14%	2.90	13.0	-0.06	14.0	26.0	36	-14.3	-2.0	2.4	-0.2	3.9	0.8	-0.6	-1.2
DXB04185										28 %	18 %	26%	16%	26%	17%	22%	7%	37 %	33 %	33 %	30 %	23 %	17 %
CWBMDXB 204267			✔	BB 170107	**78**	**126**	**114**	**72**	**110**	**81**	**126**	**94**	**114**	**128**	**128**	**117**	**102**	**97**	**90**	**127**	**109**	**114**	**98**
F1					22%	10%	8 %	7 %	12%	3.08	13.4	-0.14	16.0	26.3	46	-12.7	-0.3	3.8	-0.4	19.5	2.2	1.2	-0.7
DXB04267										23 %	10 %	17%	8 %	12%	7 %	17%	6%	33 %	32 %	31 %	27 %	11 %	8 %
CWBMDXB 204372			✔	BB 170107	**78**	**126**	**114**	**72**	**110**	**81**	**126**	**94**	**114**	**128**	**128**	**117**	**102**	**97**	**90**	**127**	**109**	**114**	**98**
F1					22%	10%	8 %	7 %	12%	3.08	13.4	-0.14	16.0	26.3	46	-12.7	-0.3	3.8	-0.4	19.5	2.2	1.2	-0.7
DXB04372										23 %	10 %	17%	8 %	12%	7 %	17%	6%	33 %	32 %	31 %	27 %	11 %	8 %
CWBMDXB 204498			✔	BB 170061	**80**	**120**	**113**	**77**	**103**	**84**	**120**	**89**	**113**	**122**	**123**	**105**	**99**	**97**	**90**	**111**	**97**	**98**	**95**
F1					27%	14%	12 %	13%	16%	2.82	11.0	0.04	15.4	21.5	39	-5.6	0.3	3.8	-0.5	8.7	0.3	-0.3	-1.3
DXB04498										28 %	14 %	25%	12%	16%	13%	23%	10%	32 %	22 %	22 %	20 %	17 %	13 %
CWBMDXB 204503			✔	BB 170177	**86**	**120**	**114**	**75**	**105**	**88**	**120**	**92**	**114**	**122**	**125**	**108**	**101**	**100**	**97**	**130**	**102**	**106**	**87**
F1					34%	10%	9 %	10%	12%	2.37	10.9	-0.08	15.9	21.8	42	-7.7	0.0	5.1	0.4	21.7	1.1	0.5	-2.5
DXB04503										38 %	10 %	20%	9 %	10%	10%	19%	6%	36 %	41 %	41 %	38 %	11 %	8 %
CWBMDXB 204715			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04715										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 204770			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1				CWBFWH16409	23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04770										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 204843			✔	BB 170061	**80**	**120**	**113**	**77**	**103**	**84**	**120**	**89**	**113**	**122**	**123**	**105**	**99**	**97**	**90**	**111**	**97**	**98**	**95**
F1				CWBFLI13110	27%	14%	12 %	13%	16%	2.82	11.0	0.04	15.4	21.5	39	-5.6	0.3	3.8	-0.5	8.7	0.3	-0.3	-1.3
DXB04843										28 %	14 %	25%	12%	16%	13%	23%	10%	32 %	22 %	22 %	20 %	17 %	13 %
CWBMDXB 214764			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1				CWBFWH28011	23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04764										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 214766			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04766										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 214804			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1				CWBFBL17192	23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04804										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 214853			✔	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1				CWBFBL15287	23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04853										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 214910			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1					30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB04910										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 214920			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO15470	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB04920										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 214928			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO15269	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB04928										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215004			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO8697	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05004										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215005			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO 187959	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05005										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215012			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO 151117	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05012										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215013			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO1691	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05013										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215018			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO 187929	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05018										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215021			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO15024	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05021										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215022			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO 163099	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05022										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215025			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO 151014	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05025										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %
CWBMDXB 215033			✓	BB 170019	**79**	**121**	**109**	**76**	**115**	**82**	**121**	**91**	**109**	**122**	**124**	**121**	**107**	**93**	**98**	**104**	**120**	**95**	**89**
F1				CWBFBO16414	30%	20%	18 %	20%	14%	2.96	11.4	-0.05	13.7	21.7	41	-14.8	-1.1	2.4	0.6	3.5	3.8	-0.6	-2.2
DXB05033										31 %	20 %	26%	18%	24%	20%	22%	7%	40 %	41 %	41 %	38 %	27 %	20 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 215044 F1 DXB05044			✓	BB 170173 CWBFBL17122	**82** 23%	**114** 12%			**118** 12%	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19%		**118** 19.1 18%		**120** -14.3 16%	**114** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBMDXB 215090 F1 DXB05090			✓	BB 170019 CWBFBO 187318	**79** 30%	**121** 20%	**109** 18 %	**76** 20%	**115** 14%	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26%	**109** 13.7 18%	**122** 21.7 24%	**124** 41 20%	**121** -14.8 22%	**107** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBMDXB 215124 F1 DXB05124			✓	BB 170019 CWBFBO 187274	**79** 30%	**121** 20%	**109** 18 %	**76** 20%	**115** 14%	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26%	**109** 13.7 18%	**122** 21.7 24%	**124** 41 20%	**121** -14.8 22%	**107** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBMDXB 215129 F1 DXB05129			✓	BB 170019 CWBFBO14491	**79** 30%	**121** 20%	**109** 18 %	**76** 20%	**115** 14%	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26%	**109** 13.7 18%	**122** 21.7 24%	**124** 41 20%	**121** -14.8 22%	**107** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBMDXB 215130 F1 DXB05130			✓	BB 170019 CWBFBO 181756	**79** 30%	**121** 20%	**109** 18 %	**76** 20%	**115** 14%	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26%	**109** 13.7 18%	**122** 21.7 24%	**124** 41 20%	**121** -14.8 22%	**107** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBMDXB 215136 F1 DXB05136			✓	BB 170021 CWBFBL14119	**80** 28%	**125** 18%	**110** 16 %	**79** 17%	**117** 14%	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26%	**110** 14.0 16%	**128** 26.0 26%	**121** 36 17%	**120** -14.3 22%	**113** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBMDXB 215140 F1 DXB05140			✓	BB 170173 CWBFBL1441	**82** 23%	**114** 12%			**118** 12%	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19%		**118** 19.1 18%		**120** -14.3 16%	**114** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBMDXB 215184 F1 DXB05184			✓	BB 170021 CWBFBL1769	**80** 28%	**125** 18%	**110** 16 %	**79** 17%	**117** 14%	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26%	**110** 14.0 16%	**128** 26.0 26%	**121** 36 17%	**120** -14.3 22%	**113** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBMDXB 215208 F1 DXB05208			✓	BB 170115 CWBFLA11305	**82** 20%	**119** 11%	**114** 7 %	**78** 6 %	**111** 10%	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17%	**114** 16.2 7 %	**122** 21.7 12%	**122** 38 6 %	**111** -9.4 15%	**108** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBMDXB 215235 F1 DXB05235			✓	BB 170021 CWBFWO15486	**80** 28%	**125** 18%	**110** 16 %	**79** 17%	**117** 14%	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26%	**110** 14.0 16%	**128** 26.0 26%	**121** 36 17%	**120** -14.3 22%	**113** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBMDXB 215268 F1 DXB05268			✓	BB 170159 CWBFLA61055	**84** 23%	**118** 14%	**113** 12 %	**77** 10%	**107** 13%	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20%	**113** 15.8 12%	**121** 20.9 16%	**123** 40 10%	**107** -7.1 19%	**104** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBMDXB 215272 F1 DXB05272			✓	BB 170159 CWBFLAE193	**84** 23%	**118** 14%	**113** 12 %	**77** 10%	**107** 13%	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20%	**113** 15.8 12%	**121** 20.9 16%	**123** 40 10%	**107** -7.1 19%	**104** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 215280 F1 DXB05280		✓	BB 170159 CWBFLA16987	**84** 23%	**118** 14%	**113** 12 %	**77** 10%	**107** 13%	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20%	**113** 15.8 12%	**121** 20.9 16%	**123** 40 10%	**107** -7.1 19%	**104** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBMDXB 215286 F1 DXB05286		✓	BB 170159 CWBFLA17725	**84** 23%	**118** 14%	**113** 12 %	**77** 10%	**107** 13%	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20%	**113** 15.8 12%	**121** 20.9 16%	**123** 40 10%	**107** -7.1 19%	**104** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBMDXB 215317 F1 DXB05317		✓	BB 170070 CWBFWO16496	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215318 F1 DXB05318		✓	BB 170070 CWBFWO16450	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215322 F1 DXB05322		✓	BB 170021 CWBFWO12251	**80** 28%	**125** 18%	**110** 16 %	**79** 17%	**117** 14%	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26%	**110** 14.0 16%	**128** 26.0 26%	**121** 36 17%	**120** -14.3 22%	**113** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBMDXB 215325 F1 DXB05325		✓	BB 170070 CWBFWO16030	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215364 F1 DXB05364		✓	BB 170159 CWBFLA70155	**84** 23%	**118** 14%	**113** 12 %	**77** 10%	**107** 13%	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20%	**113** 15.8 12%	**121** 20.9 16%	**123** 40 10%	**107** -7.1 19%	**104** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBMDXB 215367 F1 DXB05367		✓	BB 170173 CWBFBL14252	**82** 23%	**114** 12%			**118** 12%	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19%		**118** 19.1 18%		**120** -14.3 16%	**114** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBMDXB 215387 F1 DXB05387		✓	BB 170115 CWBFBL14223	**82** 20%	**119** 11%	**114** 7 %	**78** 6 %	**111** 10%	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17%	**114** 16.2 7 %	**122** 21.7 12%	**122** 38 6 %	**111** -9.4 15%	**108** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBMDXB 215422 F1 DXB05422		✓	BB 170034 CWBFLI17304	**84** 26%	**112** 18%	**116** 17 %	**86** 16%	**115** 16%	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25%	**116** 17.0 17%	**117** 18.1 22%	**114** 27 16%	**115** -11.9 22%	**112** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBMDXB 215459 F1 DXB05459		✓	BB 170070 CWBFBL1077	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215465 F1 DXB05465		✓	BB 170070 CWBFBL12171	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 215466 F1 DXB05466			✓	BB 170070 CWBFBL1781	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215479 F1 DXB05479			✓	BB 170109 CWBFLI16147	**82** 20%	**119** 11%	**114** 7 %	**78** 6 %	**111** 10%	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17%	**114** 16.2 7 %	**122** 21.7 12%	**122** 38 6 %	**111** -9.4 15%	**108** -1.2 6%	**95** 3.1 29 %	**92** -0.2 24 %	**112** 9.1 23 %	**101** 0.9 20 %	**96** -0.4 12 %	**93** -1.6 8 %
CWBMDXB 215482 F1 DXB05482			✓	BB 170061 CWBFLI16055	**80** 27%	**120** 14%	**113** 12 %	**77** 13%	**103** 16%	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25%	**113** 15.4 12%	**122** 21.5 16%	**123** 39 13%	**105** -5.6 23%	**99** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBMDXB 215494 F1 DXB05494			✓	BB 170181 CWBFLI11118	**84** 26%	**112** 18%	**116** 17 %	**86** 16%	**115** 16%	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25%	**116** 17.0 17%	**117** 18.1 22%	**114** 27 16%	**115** -11.9 22%	**112** -1.8 10%	**94** 2.7 34 %	**87** -0.9 35 %	**109** 7.5 35 %	**96** 0.1 32 %	**103** 0.2 26 %	**101** -0.3 19 %
CWBMDXB 215495 F1 DXB05495			✓	BB 170138 CWBFLI16072	**84** 20%	**118** 13%	**115** 6 %	**79** 6 %	**112** 11%	**87** 2.50 21 %	**118** 10.2 13 %	**91** -0.03 16%	**115** 16.6 6 %	**121** 21.5 12%	**121** 36 6 %	**111** -9.4 16%	**110** -1.6 6%	**87** -0.2 30 %	**85** -1.1 16 %	**106** 4.7 17 %	**99** 0.6 14 %	**102** 0.1 14 %	**103** 0.1 9 %
CWBMDXB 215498 F1 DXB05498			✓	BB 150116 CWBFLI15049	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 215503 F1 DXB05503			✓	BB 170070	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215513 F1 DXB05513			✓	BB 170070 CWBFBL13148	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215534 F1 DXB05534			✓	BB 150114	**87** 38%	**113** 22%	**112** 19 %	**82** 20%	**118** 20%	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30%	**112** 15.2 19%	**115** 16.9 28%	**118** 32 20%	**120** -14.7 28%	**114** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBMDXB 215543 F1 DXB05543			✓	BB 170070 CWBFRR16097	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 215644 F1 DXB05644			✓	BB 150116 CWBFLI15198	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 215680 F1 DXB05680			✓	BB 150115 CWBFCM16003	**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 215769 F1 DXB05769		✓	BB 150115 CWBFCM18066		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215775 F1 DXB05775		✓	BB 150115 CWBFCM13175		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215821 F1 DXB05821		✓	BB 180027 CWBFMO19326		**77** 27%	**124** 18%	**117** 17 %	**70** 16%	**110** 14%	**81** 3.05 27 %	**124** 12.5 18 %	**88** 0.07 25%	**117** 17.5 17%	**124** 23.4 21%	**130** 49 16%	**110** -8.7 21%	**107** -1.1 8%	**96** 3.4 30 %	**89** -0.6 28 %	**118** 13.2 28 %	**101** 1.0 26 %	**100** -0.1 22 %	**93** -1.6 13 %
CWBMDXB 215866 F1 DXB05866		✓	BB 150115 CWBFCM17091		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215872 F1 DXB05872		✓	BB 150115 CWBFCM11139		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215880 F1 DXB05880		✓	BB 150115 CWBFCM16093		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215883 F1 DXB05883		✓	BB 150115 CWBFCM16266		**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 215921 F1 DXB05921		✓	BB 150114 CWBFLA8026		**87** 38%	**113** 22%	**112** 19 %	**82** 20%	**118** 20%	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30%	**112** 15.2 19%	**115** 16.9 28%	**118** 32 20%	**120** -14.7 28%	**114** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBMDXB 215925 F1 DXB05925		✓	BB 150114 CWBFLA7345		**87** 38%	**113** 22%	**112** 19 %	**82** 20%	**118** 20%	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30%	**112** 15.2 19%	**115** 16.9 28%	**118** 32 20%	**120** -14.7 28%	**114** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBMDXB 215962 F1 DXB05962		✓	BB 180048 CWBFMO19361		**78** 23%	**119** 13%	**116** 5 %		**116** 12%	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21%	**116** 17.2 5 %	**122** 22.2 18%		**119** -13.7 17%	**110** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %
CWBMDXB 216043 F1 DXB06043		✓	BB 150114 CWBFLA3184		**87** 38%	**113** 22%	**112** 19 %	**82** 20%	**118** 20%	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30%	**112** 15.2 19%	**115** 16.9 28%	**118** 32 20%	**120** -14.7 28%	**114** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBMDXB 216080 F1 DXB06080		✓	BB 180073 CWBFMO19173		**84** 16%	**103** 11%	**117** 10 %	**91** 10%	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15%	**117** 17.6 10%	**110** 13.3 17%	**109** 19 10%	**106** -6.6 13%	**106** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 216082		✓	BB 180003	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**88**	**116**	**107**	**106**	**99**
F1			CWBFMO19491	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.3	-0.7	12.0	1.8	0.5	-0.7
DXB06082									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	31 %	31 %	27 %	29 %	13 %
CWBMDXB 216086		✓	BB 180003	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**88**	**116**	**107**	**106**	**99**
F1			CWBFMO19090	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.3	-0.7	12.0	1.8	0.5	-0.7
DXB06086									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	31 %	31 %	27 %	29 %	13 %
CWBMDXB 216125		✓	BB 180050	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**92**	**103**	**109**	**90**	**92**
F1			CWBFMO19031	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.2	-0.3	3.0	2.1	-1.1	-1.7
DXB06125									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	30 %	29 %	26 %	27 %	13 %
CWBMDXB 216242		✓	BB 180049	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**98**	**92**	**104**	**109**	**94**	**94**
F1			CWBFMO19240	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	4.4	-0.2	3.3	2.1	-0.7	-1.4
DXB06242									26 %	18 %	24%	13%	19%	12%	21%	8%	33 %	30 %	29 %	26 %	27 %	13 %
CWBMDXB 216245		✓	BB 180049	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**98**	**92**	**104**	**109**	**94**	**94**
F1			CWBFMO19316	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	4.4	-0.2	3.3	2.1	-0.7	-1.4
DXB06245									26 %	18 %	24%	13%	19%	12%	21%	8%	33 %	30 %	29 %	26 %	27 %	13 %
CWBMDXB 216262		✓	BB 180003	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**88**	**116**	**107**	**106**	**99**
F1			CWBFMO19059	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.3	-0.7	12.0	1.8	0.5	-0.7
DXB06262									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	31 %	31 %	27 %	29 %	13 %
CWBMDXB 216272		✓	BB 150128	**79**	**116**	**112**	**83**	**118**	**80**	**116**	**100**	**112**	**118**	**117**	**121**	**113**	**90**	**91**	**100**	**95**	**93**	**94**
F1			CWBFLE52511	35%	27%	19 %	20%	18%	3.17	9.3	-0.39	15.2	18.7	31	-15.3	-2.0	1.1	-0.3	0.8	0.1	-0.8	-1.4
DXB06272									37 %	27 %	27%	19%	28%	20%	25%	10%	40 %	36 %	35 %	33 %	35 %	21 %
CWBMDXB 216295		✓	BB 180050	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**92**	**103**	**109**	**90**	**92**
F1			CWBFMO19053	26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.2	-0.3	3.0	2.1	-1.1	-1.7
DXB06295									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	30 %	29 %	26 %	27 %	13 %
CWBMDXB 216413		✓	BB 180008	**87**	**116**	**114**	**81**	**114**	**89**	**116**	**93**	**114**	**118**	**119**	**119**	**108**	**100**	**97**	**106**	**105**	**100**	**93**
F1			CWBFMO19274	23%	13%	13 %	11%	12%	2.32	9.3	-0.13	16.0	19.1	33	-14.0	-1.1	5.4	0.5	4.9	1.6	-0.1	-1.6
DXB06413									23 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	12 %
CWBMDXB 216525		✓	BB 150128	**79**	**116**	**112**	**83**	**118**	**80**	**116**	**100**	**112**	**118**	**117**	**121**	**113**	**90**	**91**	**100**	**95**	**93**	**94**
F1			CWBFLE17224	35%	27%	19 %	20%	18%	3.17	9.3	-0.39	15.2	18.7	31	-15.3	-2.0	1.1	-0.3	0.8	0.1	-0.8	-1.4
DXB06525									37 %	27 %	27%	19%	28%	20%	25%	10%	40 %	36 %	35 %	33 %	35 %	21 %
CWBMDXB 216529		✓	BB 150116	**62**	**133**	**109**	**68**	**119**	**63**	**133**	**100**	**109**	**130**	**132**	**129**	**109**	**97**	**102**	**122**	**123**	**88**	**72**
F1			CWBFCM17162	44%	38%	17 %	18%	20%	4.87	16.3	-0.38	13.4	27.5	52	-19.6	-1.5	3.8	1.1	16.3	4.3	-1.3	-5.0
DXB06529									47 %	38 %	34%	17%	40%	18%	33%	6%	43 %	43 %	43 %	40 %	35 %	18 %
CWBMDXB 216534		✓	BB 150116	**62**	**133**	**109**	**68**	**119**	**63**	**133**	**100**	**109**	**130**	**132**	**129**	**109**	**97**	**102**	**122**	**123**	**88**	**72**
F1			CWBFCM18408	44%	38%	17 %	18%	20%	4.87	16.3	-0.38	13.4	27.5	52	-19.6	-1.5	3.8	1.1	16.3	4.3	-1.3	-5.0
DXB06534									47 %	38 %	34%	17%	40%	18%	33%	6%	43 %	43 %	43 %	40 %	35 %	18 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 216539 F1 DXB06539			✓	BB 180050 CWBFMO18359	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**95** 3.2 32 %	**92** -0.3 30 %	**103** 3.0 29 %	**109** 2.1 26 %	**90** -1.1 27 %	**92** -1.7 13 %
CWBMDXB 216546 F1 DXB06546			✓	BB 180008 CWBFMO19481	**87** 23%	**116** 13%	**114** 13 %	**81** 11%	**114** 12%	**89** 2.32 23 %	**116** 9.3 13 %	**93** -0.13 22%	**114** 16.0 13%	**118** 19.1 14%	**119** 33 11%	**119** -14.0 18%	**108** -1.1 7%	**100** 5.4 29 %	**97** 0.5 19 %	**106** 4.9 19 %	**105** 1.6 17 %	**100** -0.1 18 %	**93** -1.6 12 %
CWBMDXB 216564 F1 DXB06564			✓	BB 180042 CWBFMO19211	**83** 16%	**105** 11%	**116** 10 %	**90** 10%	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15%	**116** 17.5 10%	**112** 14.9 14%	**110** 21 10%	**107** -6.9 12%	**106** -0.8 5%	**90** 0.9 24 %	**101** 0.9 21 %	**100** 0.7 20 %	**100** 0.9 18 %	**92** -0.8 20 %	**88** -2.4 11 %
CWBMDXB 216580 F1 DXB06580			✓	BB 150128 CWBFLE16169	**79** 35%	**116** 27%	**112** 19 %	**83** 20%	**118** 18%	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27%	**112** 15.2 19%	**118** 18.7 28%	**117** 31 20%	**121** -15.3 25%	**113** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBMDXB 216584 F1 DXB06584			✓	BB 150128 CWBFLE 150024	**79** 35%	**116** 27%	**112** 19 %	**83** 20%	**118** 18%	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27%	**112** 15.2 19%	**118** 18.7 28%	**117** 31 20%	**121** -15.3 25%	**113** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBMDXB 216589 F1 DXB06589			✓	BB 150128 CWBFLE11039	**79** 35%	**116** 27%	**112** 19 %	**83** 20%	**118** 18%	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27%	**112** 15.2 19%	**118** 18.7 28%	**117** 31 20%	**121** -15.3 25%	**113** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBMDXB 216604 F1 DXB06604			✓	BB 150116 CWBFCM17086	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 216621 F1 DXB06621			✓	BB 180073 CWBFMO18472	**84** 16%	**103** 11%	**117** 10 %	**91** 10%	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15%	**117** 17.6 10%	**110** 13.3 17%	**109** 19 10%	**106** -6.6 13%	**106** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBMDXB 216628 F1 DXB06628			✓	BB 180049 CWBFMO19414	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBMDXB 216637 F1 DXB06637			✓	BB 180008 CWBFMO18473	**87** 23%	**116** 13%	**114** 13 %	**81** 11%	**114** 12%	**89** 2.32 23 %	**116** 9.3 13 %	**93** -0.13 22%	**114** 16.0 13%	**118** 19.1 14%	**119** 33 11%	**119** -14.0 18%	**108** -1.1 7%	**100** 5.4 29 %	**97** 0.5 19 %	**106** 4.9 19 %	**105** 1.6 17 %	**100** -0.1 18 %	**93** -1.6 12 %
CWBMDXB 216640 F1 DXB06640			✓	BB 170034 CWBFLI17192	**84** 26%	**112** 18%	**116** 17 %	**86** 16%	**115** 16%	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25%	**116** 17.0 17%	**117** 18.1 22%	**114** 27 16%	**115** -11.9 22%	**112** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBMDXB 216643 F1 DXB06643			✓	BB 170070 CWBFLI18085	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 216704 F1 DXB06704		✓	BB 150116 CWBFCM18038	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 216706 F1 DXB06706		✓	BB 150116 CWBFCM17304	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 216718 F1 DXB06718		✓	BB 180317 CWBFMO17210	**77** 27%	**119** 13%	**113** 11 %	**79** 11%	**106** 16%	**82** 2.95 28 %	**119** 10.6 13 %	**85** 0.17 25%	**113** 15.7 11%	**121** 21.3 16%	**121** 37 11%	**108** -7.5 23%	**102** -0.3 10%	**87** -0.3 30 %	**94** 0.1 21 %	**109** 7.0 21 %	**95** 0.0 19 %	**97** -0.4 19 %	**92** -1.7 13 %
CWBMDXB 216724 F1 DXB06724		✓	BB 180049 CWBFMO18116	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBMDXB 216776 F1 DXB06776		✓	BB 180073 CWBFMO17435	**84** 16%	**103** 11%	**117** 10 %	**91** 10%	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15%	**117** 17.6 10%	**110** 13.3 17%	**109** 19 10%	**106** -6.6 13%	**106** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBMDXB 216788 F1 DXB06788		✓	BB 180319 CWBFMO19499	**84** 21%	**117** 9 %	**115** 5 %		**111** 10%	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16%	**115** 16.5 5 %	**121** 21.0 13%		**112** -10.0 14%	**107** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %
CWBMDXB 216859 F1 DXB06859		✓	BB 180049 CWBFMO18141	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBMDXB 216863 F1 DXB06863		✓	BB 180073 CWBFMO18245	**84** 16%	**103** 11%	**117** 10 %	**91** 10%	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15%	**117** 17.6 10%	**110** 13.3 17%	**109** 19 10%	**106** -6.6 13%	**106** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBMDXB 216869 F1 DXB06869		✓	BB 150115 CWBFAV782	**80** 34%	**129** 23%	**111** 15 %	**68** 14%	**111** 16%	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26%	**111** 14.5 15%	**126** 24.9 24%	**132** 53 14%	**115** -11.8 25%	**104** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBMDXB 216934 F1 DXB06934		✓	BB 150116 CWBFLI18169	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMDXB 216936 F1 DXB06936		✓	BB 170070 CWBFLI14026	**80** 25%	**120** 12%	**113** 9 %	**79** 10%	**109** 16%	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23%	**113** 15.8 9 %	**122** 21.8 15%	**121** 36 10%	**113** -10.2 22%	**103** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBMDXB 217031 F1 DXB07031		✓	BB 180319 CWBFMO19505	**84** 21%	**117** 9 %	**115** 5 %		**111** 10%	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16%	**115** 16.5 5 %	**121** 21.0 13%		**112** -10.0 14%	**107** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 217035 F1 DXB07035		✓	BB 180049 CWBFMO16346	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBMDXB 217208 F1 DXB07208		✓	BB 180008 CWBFMO18262	**87** 23%	**116** 13%	**114** 13 %	**81** 11%	**114** 12%	**89** 2.32 23 %	**116** 9.3 13 %	**93** -0.13 22%	**114** 16.0 13%	**118** 19.1 14%	**119** 33 11%	**119** -14.0 18%	**108** -1.1 7%	**100** 5.4 29 %	**97** 0.5 19 %	**106** 4.9 19 %	**105** 1.6 17 %	**100** -0.1 18 %	**93** -1.6 12 %
CWBMDXB 217221 F1 DXB07221		✓	BB 180008 CWBFMO15055	**87** 23%	**116** 13%	**114** 13 %	**81** 11%	**114** 12%	**89** 2.32 23 %	**116** 9.3 13 %	**93** -0.13 22%	**114** 16.0 13%	**118** 19.1 14%	**119** 33 11%	**119** -14.0 18%	**108** -1.1 7%	**100** 5.4 29 %	**97** 0.5 19 %	**106** 4.9 19 %	**105** 1.6 17 %	**100** -0.1 18 %	**93** -1.6 12 %
CWBMDXB 217223 F1 DXB07223		✓	BB 180315 CWBFMO18098	**82** 20%	**119** 11%	**114** 7 %	**78** 6 %	**111** 10%	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17%	**114** 16.2 7 %	**122** 21.7 12%	**122** 38 6 %	**111** -9.4 15%	**108** -1.2 6%	**92** 1.9 26 %	**90** -0.4 19 %	**113** 9.7 19 %	**103** 1.3 17 %	**96** -0.5 12 %	**93** -1.6 8 %
CWBMDXB 217226 F1 DXB07226		✓	BB 180048 CWBFMO15486	**78** 23%	**119** 13%	**116** 5 %		**116** 12%	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21%	**116** 17.2 5 %	**122** 22.2 18%		**119** -13.7 17%	**110** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %
CWBMDXB 217230 F1 DXB07230		✓	BB 180027 CWBFMO14135	**77** 27%	**124** 18%	**117** 17 %	**70** 16%	**110** 14%	**81** 3.05 27 %	**124** 12.5 18 %	**88** 0.07 25%	**117** 17.5 17%	**124** 23.4 21%	**130** 49 16%	**110** -8.7 21%	**107** -1.1 8%	**96** 3.4 30 %	**89** -0.6 28 %	**118** 13.2 28 %	**101** 1.0 26 %	**100** -0.1 22 %	**93** -1.6 13 %
CWBMDXB 217293 F1 DXB07293		✓	BB 180049 CWBFMO14326	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBMDXB 217294 F1 DXB07294		✓	BB 180315 CWBFMO18375	**82** 20%	**119** 11%	**114** 7 %	**78** 6 %	**111** 10%	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17%	**114** 16.2 7 %	**122** 21.7 12%	**122** 38 6 %	**111** -9.4 15%	**108** -1.2 6%	**92** 1.9 26 %	**90** -0.4 19 %	**113** 9.7 19 %	**103** 1.3 17 %	**96** -0.5 12 %	**93** -1.6 8 %
CWBMDXB 217303 F1 DXB07303		✓	BB 180084 CWBFMO15374	**85** 24%	**126** 16%	**111** 11 %	**70** 11%	**111** 12%	**86** 2.57 25 %	**126** 13.4 16 %	**97** -0.26 21%	**111** 14.5 11%	**125** 24.3 16%	**130** 48 11%	**114** -11.2 18%	**106** -1.0 7%	**94** 2.5 28 %	**91** -0.4 22 %	**114** 10.5 22 %	**108** 2.0 20 %	**85** -1.5 19 %	**86** -2.7 12 %
CWBMDXB 217383 F1 DXB07383		✓	BB 180084 CWBFMO16281	**85** 24%	**126** 16%	**111** 11 %	**70** 11%	**111** 12%	**86** 2.57 25 %	**126** 13.4 16 %	**97** -0.26 21%	**111** 14.5 11%	**125** 24.3 16%	**130** 48 11%	**114** -11.2 18%	**106** -1.0 7%	**94** 2.5 28 %	**91** -0.4 22 %	**114** 10.5 22 %	**108** 2.0 20 %	**85** -1.5 19 %	**86** -2.7 12 %
CWBMDXB 217384 F1 DXB07384		✓	BB 180050 CWBFMO16077	**86** 26%	**122** 18%	**111** 13 %	**74** 12%	**116** 14%	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24%	**111** 14.8 13%	**123** 22.5 19%	**126** 44 12%	**120** -14.8 21%	**109** -1.6 8%	**95** 3.2 32 %	**92** -0.3 30 %	**103** 3.0 29 %	**109** 2.1 26 %	**90** -1.1 27 %	**92** -1.7 13 %
CWBMDXB 217601 F1 DXB07601		✓	BB 180037 CWBFMO15505	**78** 23%	**119** 13%	**116** 5 %		**116** 12%	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21%	**116** 17.2 5 %	**122** 22.2 18%		**119** -13.7 17%	**110** -1.8 8%	**92** 1.8 32 %	**79** -1.9 31 %	**100** 0.8 30 %	**97** 0.3 26 %	**93** -0.8 29 %	**109** 0.9 6 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 217764 F1 DXB07764			✓ BB 170165 CWBFGA18386	**89** 34%	**117** 14%	**113** 12 %	**77** 10%	**110** 15%	**90** 2.16 37 %	**117** 9.9 14 %	**92** -0.08 22%	**113** 15.6 12%	**120** 20.3 16%	**123** 40 10%	**111** -9.2 22%	**107** -1.1 8%	**95** 3.1 34 %	**82** -1.5 27 %	**103** 3.1 26 %	**104** 1.4 23 %	**86** -1.4 25 %	**101** -0.3 12 %
CWBMDXB 218160 F1 DXB08160			✓ BB 150116 CWBFLI17194	**62** 44%	**133** 38%	**109** 17 %	**68** 18%	**119** 20%	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34%	**109** 13.4 17%	**130** 27.5 40%	**132** 52 18%	**129** -19.6 33%	**109** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBMBB 220019 FB BEYOND BEEF BB220019	7		✓ BB 170177 ✓ BB 190031	**82** 59%	**133** 16%	**89** 13 %	**85** 13%	**132** 22%	**87** 2.47 66 %	**133** 16.2 16 %	**81** 0.31 34%	**89** 2.9 13%	**129** 26.7 18%	**115** 27 13%	**135** -23.1 31%	**126** -4.5 12%	**117** 12.7 47 %	**99** 0.6 45 %	**121** 15.3 45 %	**107** 1.9 41 %	**103** 0.2 19 %	**90** -2.1 13 %
CWBMBB 220033 FB BEYOND BEEF BB220033	8		✓ BB 170177 ✓ BB 180001	**120** 61%	**126** 16%	**89** 16 %	**79** 15%	**139** 22%	**127** -1.35 67 %	**126** 13.2 16 %	**103** -0.49 38%	**89** 2.9 16%	**122** 21.7 18%	**121** 37 15%	**140** -26.1 30%	**134** -5.9 13%	**131** 18.5 46 %	**104** 1.3 44 %	**121** 15.9 44 %	**116** 3.3 41 %	**99** -0.2 19 %	**83** -3.1 14 %
CWBMBB 220063 FB BEYOND BEEF BB220063	7		✓ BB 170002 ✓ BB 200039	**93** 60%	**131** 21%	**89** 19 %	**82** 18%	**135** 24%	**93** 1.88 66 %	**131** 15.5 21 %	**96** -0.22 38%	**89** 2.7 19%	**126** 24.5 26%	**118** 31 18%	**127** -18.5 35%	**135** -6.6 14%	**125** 16.0 46 %	**118** 3.0 42 %	**104** 3.8 41 %	**103** 1.3 37 %	**90** -1.1 34 %	**72** -4.9 25 %
CWBMBB 220094 FB BEYOND BEEF BB220094	4		✓ BB 190115 ✓ BB 190017	**99** 62%	**126** 15%	**90** 13 %	**85** 12%	**133** 24%	**101** 1.13 68 %	**126** 13.3 15 %	**85** 0.17 38%	**90** 3.4 13%	**123** 22.8 20%	**115** 28 12%	**132** -21.7 32%	**128** -5.0 15%	**104** 7.1 44 %	**80** -1.8 36 %	**80** -13.6 35 %	**99** 0.7 27 %	**71** -2.9 33 %	**104** 0.1 26 %
CWBMBB 223031 FB BEYOND BEEF BB223031	4		✓ BB 190115 ✓ BB 190028	**90** 63%	**126** 15%	**91** 13 %	**89** 12%	**130** 22%	**94** 1.78 69 %	**126** 13.2 15 %	**83** 0.27 38%	**91** 4.0 13%	**123** 22.5 20%	**111** 22 12%	**127** -18.7 31%	**127** -5.0 14%	**109** 9.0 43 %	**81** -1.6 36 %	**80** -13.0 35 %	**98** 0.5 27 %	**73** -2.6 33 %	**104** 0.2 26 %
CWBMDXB 229638 F1 DXB09638			✓ BB 180069 CWBFBL16193	**83** 16%	**105** 11%	**116** 10 %	**90** 10%	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15%	**116** 17.5 10%	**112** 14.9 14%	**110** 21 10%	**107** -6.9 12%	**106** -0.8 5%	**87** -0.3 25 %	**100** 0.8 18 %	**99** 0.4 18 %	**102** 1.0 16 %	**92** -0.9 17 %	**89** -2.2 11 %
CWBMBB 230007 FB BEYOND BEEF BB23-0007			✓ BB 200028 ✓ CWBFBB 170150	**72** 38%	**116** 13%	**113** 10 %	**85** 11%	**109** 17%	**78** 3.41 42 %	**116** 9.5 13 %	**85** 0.16 25%	**113** 15.6 10%	**119** 19.6 16%	**115** 28 11%	**110** -8.7 25%	**105** -0.8 9%	**100** 5.0 33 %	**90** -0.5 20 %	**101** 1.7 20 %	**97** 0.3 17 %	**90** -1.1 18 %	**96** -1.2 14 %
CWBMBB 230022 FB BEYOND BEEF BB23-0022	4		✓ BB 190115 ✓ BB 180323	**75** 64%	**133** 15%	**90** 13 %	**86** 12%	**126** 23%	**82** 2.95 70 %	**133** 16.3 15 %	**79** 0.41 39%	**90** 3.6 13%	**129** 27.0 20%	**114** 26 12%	**122** -15.8 32%	**123** -4.3 14%	**109** 9.2 45 %	**79** -1.9 36 %	**80** -13.3 35 %	**99** 0.6 27 %	**76** -2.4 33 %	**107** 0.7 26 %
CWBMBB 230027 FB BEYOND BEEF BB23-0027	4		✓ BB 190115 ✓ BB 170103	**106** 64%	**122** 11%	**93** 8 %	**87** 7 %	**138** 21%	**108** 0.50 70 %	**122** 11.9 11 %	**83** 0.25 39%	**93** 5.0 8 %	**120** 20.7 15%	**113** 25 7 %	**137** -24.6 28%	**133** -6.0 14%	**128** 17.2 42 %	**78** -2.0 34 %	**80** -13.1 33 %	**101** 0.9 24 %	**74** -2.6 32 %	**108** 0.8 25 %
CWBMBB 230031 FB BEYOND BEEF BB23-0031	4		✓ BB 190115 ✓ BB 190023	**74** 62%	**131** 15%	**91** 13 %	**86** 12%	**127** 22%	**83** 2.90 69 %	**131** 15.6 15 %	**71** 0.71 36%	**91** 4.0 13%	**128** 26.0 20%	**114** 26 12%	**125** -17.4 31%	**124** -4.3 14%	**111** 9.8 45 %	**77** -2.1 36 %	**82** -12.2 35 %	**100** 0.8 27 %	**73** -2.7 33 %	**106** 0.5 26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMBB 230041	10		☑ BB 180040	**113**	**131**	**84**	**81**	**145**	**108**	**131**	**114**	**84**	**124**	**119**	**143**	**141**	**134**	**94**	**96**	**123**	**69**	**83**
FB			☑ BB 180029						0.42	15.5	-0.90	0.1	23.5	33	-28.0	-7.3	19.7	0.0	-1.8	4.3	-3.1	-3.1
BEYOND BEEF BB23-0041				61%	19%	15 %	16%	22%	67 %	19 %	39%	15%	23%	16%	30%	13%	44 %	29 %	29 %	26 %	26 %	20 %
CWBMBB 230051	6		☑ BB 200028	**77**	**137**	**86**	**85**	**140**	**82**	**137**	**87**	**86**	**130**	**115**	**138**	**137**	**117**	**96**	**97**	**113**	**75**	**85**
FB			☑ BB 180047						3.00	17.9	0.12	1.3	27.8	27	-24.7	-6.8	12.3	0.3	-1.6	2.7	-2.5	-2.9
BEYOND BEEF BB23-0051				64%	22%	16 %	16%	26%	69 %	22 %	43%	16%	25%	16%	36%	15%	46 %	33 %	33 %	29 %	30 %	21 %
CWBMBB 230053	18		☑ BB 200028	**85**	**128**	**87**	**93**	**129**	**91**	**128**	**77**	**87**	**125**	**107**	**126**	**125**	**119**	**94**	**88**	**107**	**85**	**97**
FB			☑ BB 170096						2.08	14.4	0.47	2.1	23.7	17	-18.2	-4.8	13.4	0.1	-7.8	1.9	-1.6	-1.0
BEYOND BEEF BB23-0053				63%	19%	14 %	15%	25%	69 %	19 %	41%	14%	22%	15%	35%	15%	45 %	31 %	30 %	26 %	26 %	20 %
CWBMBB 230058	2		☑ BB 190132	**72**	**123**	**97**	**97**	**137**	**83**	**123**	**64**	**97**	**124**	**103**	**133**	**135**	**116**	**88**	**86**	**108**	**84**	**102**
FB			☑ BB 170042						2.86	12.1	0.96	6.9	23.2	10	-22.3	-6.1	12.1	-0.7	-8.8	2.1	-1.6	-0.2
BEYOND BEEF BB23-0058				58%	19%	18 %	16%	21%	64 %	19 %	36%	18%	24%	16%	28%	14%	40 %	30 %	29 %	26 %	28 %	23 %
CWBMBB 230059	5		☑ BB 190115	**99**	**121**	**92**	**93**	**137**	**99**	**121**	**91**	**92**	**118**	**107**	**141**	**131**	**132**	**82**	**71**	**107**	**74**	**107**
FB			☑ BB 150102						1.29	11.4	-0.04	4.4	19.2	16	-26.8	-5.3	18.8	-1.4	-19.6	1.8	-2.5	0.6
BEYOND BEEF BB23-0059				65%	23%	23 %	20%	24%	71 %	23 %	42%	23%	26%	20%	33%	14%	49 %	40 %	40 %	33 %	38 %	30 %
CWBMBB 230066	18		☑ BB 170089	**94**	**129**	**88**	**88**	**124**	**97**	**129**	**86**	**88**	**126**	**112**	**119**	**124**	**118**	**96**	**98**	**103**	**85**	**91**
FB			☑ BB 190028						1.57	14.8	0.15	2.4	24.4	23	-14.1	-4.3	12.9	0.3	-0.4	1.3	-1.5	-1.9
BEYOND BEEF BB23-0066				62%	19%	15 %	15%	25%	68 %	19 %	39%	15%	22%	15%	35%	15%	46 %	28 %	28 %	25 %	23 %	17 %
CWBMBB 230068	8		☑ BB 190015	**85**	**131**	**92**	**91**	**143**	**90**	**131**	**82**	**92**	**127**	**109**	**138**	**143**	**114**	**84**	**101**	**97**	**98**	**105**
FB			☑ BB 170170						2.21	15.4	0.30	4.3	25.5	18	-24.9	-7.6	11.0	-1.3	1.4	0.3	-0.3	0.3
BEYOND BEEF BB23-0068				62%	22%	20 %	19%	24%	68 %	22 %	39%	20%	26%	19%	33%	16%	45 %	31 %	31 %	29 %	28 %	23 %
CWBMBB 230084	5		☑ BB 190015	**72**	**133**	**90**	**90**	**139**	**79**	**133**	**81**	**90**	**128**	**110**	**128**	**142**	**116**	**82**	**95**	**91**	**89**	**104**
FB			☑ BB 170040						3.30	16.3	0.32	3.5	25.7	20	-19.3	-7.3	12.2	-1.4	-2.5	-0.6	-1.2	0.1
BEYOND BEEF BB23-0084				62%	22%	20 %	19%	24%	68 %	22 %	39%	20%	28%	19%	33%	16%	45 %	32 %	32 %	28 %	29 %	24 %
CWBMBB 230085			☑ BB 190015	**68**	**122**	**115**	**81**	**116**	**74**	**122**	**86**	**115**	**124**	**119**	**117**	**112**	**97**	**83**	**105**	**92**	**105**	**106**
F2			☑ CWBFBB 190014						3.73	11.9	0.15	16.6	23.4	34	-12.5	-2.2	3.7	-1.4	4.3	-0.5	0.4	0.6
BEYOND BEEF BB23-0085				36%	12%	9 %	10%	15%	40 %	12 %	22%	9 %	15%	10%	21%	9%	33 %	18 %	18 %	16 %	16 %	12 %
CWBMBB 230090	6		☑ BB 190015	**80**	**130**	**90**	**93**	**132**	**85**	**130**	**83**	**90**	**126**	**107**	**125**	**131**	**116**	**88**	**95**	**97**	**103**	**107**
F2			☑ BB 190128						2.68	15.1	0.27	3.3	24.3	16	-17.7	-5.8	12.2	-0.8	-2.8	0.3	0.2	0.6
BEYOND BEEF BB23-0090				60%	13%	10 %	11%	22%	67 %	13 %	34%	10%	19%	11%	30%	13%	43 %	26 %	26 %	23 %	21 %	15 %
CWBMBB 230097	9		☑ BB 170089	**84**	**142**	**88**	**83**	**126**	**86**	**142**	**94**	**88**	**136**	**117**	**128**	**120**	**131**	**90**	**95**	**108**	**90**	**102**
FB			☑ BB 170186						2.58	20.0	-0.16	2.3	31.9	31	-19.1	-3.7	18.6	-0.4	-2.6	2.1	-1.1	-0.2
BEYOND BEEF BB23-0097				62%	15%	10 %	11%	23%	68 %	15 %	39%	10%	18%	11%	32%	14%	45 %	29 %	29 %	26 %	22 %	15 %
CWBMBB 230118	4		☑ BB 190015	**104**	**131**	**88**	**82**	**147**	**103**	**131**	**94**	**88**	**126**	**118**	**146**	**141**	**116**	**87**	**99**	**104**	**97**	**102**
FB			☑ BB 180045						0.95	15.4	-0.18	2.5	24.7	32	-29.4	-7.9	12.2	-0.8	-0.1	1.4	-0.3	-0.1
BEYOND BEEF BB23-0118				62%	22%	16 %	16%	24%	68 %	22 %	39%	16%	24%	16%	33%	15%	46 %	31 %	30 %	27 %	26 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Parentage Genomic	DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMBB 230119	8		☑ BB 170089	**96**	**130**	**88**	**86**	**127**	**97**	**130**	**90**	**88**	**126**	**114**	**123**	**124**	**127**	**89**	**94**	**107**	**87**	**101**
FB			☑ BB 170174	62%	20%	13 %	14%	24%	1.48	15.0	0.00	2.3	24.9	27	-16.1	-4.7	16.7	-0.6	-3.4	1.9	-1.3	-0.3
BEYOND BEEF BB23-0119									68 %	20 %	40%	13%	24%	14%	33%	15%	46 %	29 %	28 %	25 %	21 %	14 %
CWBMBB 230122	10		☑ BB 190115	**77**	**124**	**91**	**95**	**137**	**84**	**124**	**80**	**91**	**123**	**105**	**136**	**133**	**117**	**77**	**69**	**108**	**77**	**115**
FB			☑ BB 190032	62%	15%	11 %	9 %	21%	2.81	12.8	0.38	4.1	22.5	14	-23.8	-5.9	12.4	-2.1	-20.8	2.1	-2.2	1.9
BEYOND BEEF BB23-0122									69 %	15 %	36%	11%	19%	9 %	30%	12%	44 %	37 %	37 %	28 %	35 %	27 %
CWBMBB 230124	18		☑ BB 170089	**90**	**133**	**88**	**82**	**113**	**95**	**133**	**78**	**88**	**128**	**118**	**107**	**112**	**126**	**92**	**101**	**108**	**85**	**93**
FB			☑ BB 170060	62%	19%	15 %	17%	25%	1.71	16.1	0.44	2.2	26.1	31	-7.0	-2.4	16.5	-0.2	1.5	2.0	-1.6	-1.7
BEYOND BEEF BB23-0124									68 %	19 %	39%	15%	22%	17%	35%	15%	46 %	30 %	30 %	27 %	23 %	17 %
CWBMBB 230127	9		☑ BB 190015	**69**	**137**	**91**	**90**	**146**	**77**	**137**	**75**	**91**	**133**	**110**	**140**	**145**	**115**	**84**	**97**	**104**	**100**	**110**
FB			☑ BB 170169	60%	17%	10 %	11%	22%	3.42	17.7	0.54	4.0	29.5	20	-26.2	-8.4	11.4	-1.3	-1.6	1.4	-0.1	1.2
BEYOND BEEF BB23-0127									67 %	17 %	35%	10%	24%	11%	30%	13%	44 %	27 %	27 %	24 %	21 %	14 %
CWBMBB 230141	4		☑ BB 190015	**86**	**136**	**90**	**82**	**133**	**91**	**136**	**82**	**90**	**132**	**118**	**128**	**132**	**117**	**89**	**111**	**108**	**97**	**97**
FB			☑ BB 170193	61%	17%	18 %	14%	20%	2.12	17.3	0.30	3.6	28.6	32	-18.9	-5.8	12.5	-0.5	8.8	2.1	-0.3	-1.0
BEYOND BEEF BB23-0141									67 %	17 %	37%	18%	18%	14%	28%	11%	44 %	28 %	28 %	25 %	19 %	14 %
CWBMBB 240019	27		☑ BB 200009	**86**	**135**	**93**	**78**	**131**	**92**	**135**	**77**	**93**	**130**	**122**	**122**	**133**	**130**	**93**	**100**	**107**	**71**	**87**
FB			☑ BB 170097	63%	15%	16 %	14%	24%	2.01	17.1	0.46	5.2	27.2	37	-15.9	-5.9	18.2	-0.1	0.9	1.8	-2.9	-2.5
BEYOND BEEF BB240019									69 %	15 %	42%	16%	20%	14%	33%	14%	40 %	31 %	31 %	27 %	27 %	20 %
CWBMBB 240023	7		☑ BB 190115	**116**	**124**	**90**	**81**	**141**	**114**	**124**	**94**	**90**	**121**	**119**	**141**	**135**	**116**	**80**	**79**	**113**	**68**	**101**
FB			☑ BB 180047	64%	20%	14 %	13%	22%	-0.11	12.6	-0.16	3.5	21.1	34	-26.9	-6.6	12.0	-1.8	-13.9	2.8	-3.1	-0.2
BEYOND BEEF BB240023									70 %	20 %	40%	14%	22%	13%	31%	14%	44 %	41 %	40 %	32 %	37 %	28 %
CWBMBB 240031	4		☑ BB 200009	**91**	**135**	**91**	**77**	**139**	**93**	**135**	**90**	**91**	**129**	**123**	**134**	**135**	**128**	**94**	**104**	**111**	**85**	**90**
FB			☑ BB 180045	63%	22%	19 %	18%	24%	1.91	17.0	-0.02	4.1	26.9	39	-22.8	-6.7	17.3	0.0	3.5	2.4	-1.5	-2.1
BEYOND BEEF BB240031									69 %	22 %	41%	19%	26%	18%	34%	15%	43 %	35 %	34 %	31 %	28 %	19 %
CWBMBB 240032	6		☑ BB 170177	**98**	**132**	**88**	**83**	**125**	**101**	**132**	**84**	**88**	**128**	**117**	**125**	**121**	**123**	**101**	**116**	**113**	**101**	**88**
FB			☑ BB 170096	62%	17%	13 %	14%	22%	1.16	15.9	0.23	2.3	26.2	30	-17.2	-4.0	15.2	0.9	12.3	2.7	0.0	-2.3
BEYOND BEEF BB240032									68 %	17 %	38%	13%	18%	14%	31%	14%	48 %	47 %	47 %	43 %	22 %	17 %
CWBMBB 240036	5		☑ BB 170177	**94**	**136**	**90**	**80**	**134**	**97**	**136**	**84**	**90**	**132**	**120**	**127**	**135**	**115**	**102**	**120**	**110**	**96**	**83**
FB			☑ BB 170141	60%	16%	11 %	11%	20%	1.52	17.5	0.21	3.3	29.0	35	-18.3	-6.4	11.4	1.0	15.0	2.3	-0.5	-3.2
BEYOND BEEF BB240036									67 %	16 %	34%	11%	16%	11%	28%	12%	47 %	46 %	46 %	41 %	21 %	15 %
CWBMBB 240038	9		☑ BB 170177	**112**	**124**	**89**	**84**	**126**	**112**	**124**	**86**	**89**	**121**	**116**	**122**	**125**	**113**	**105**	**126**	**103**	**97**	**79**
FB			☑ BB 190028	62%	17%	15 %	15%	23%	0.07	12.6	0.14	2.8	21.2	30	-15.6	-4.4	10.6	1.4	19.4	1.2	-0.4	-3.8
BEYOND BEEF BB240038									68 %	17 %	38%	15%	19%	15%	32%	14%	47 %	46 %	45 %	41 %	20 %	15 %
CWBMBB 240040			☑ BB 170089	**81**	**120**	**113**	**80**	**104**	**84**	**120**	**93**	**113**	**122**	**120**	**106**	**100**	**105**	**88**	**102**	**103**	**94**	**99**
F2			☑ CWBFBB 200056	36%	14%	9 %	10%	16%	2.80	11.0	-0.12	15.8	22.1	36	-6.2	0.1	7.5	-0.7	1.9	1.2	-0.6	-0.6
BEYOND BEEF BB240040									39 %	14 %	22%	9 %	15%	10%	22%	9%	32 %	20 %	20 %	18 %	16 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMBB 240047	3		☑ BB 200009	**85**	**129**	**95**	**85**	**138**	**92**	**129**	**74**	**95**	**127**	**115**	**129**	**139**	**127**	**90**	**102**	**111**	**88**	**98**
FB			☑ BB 170169	61%	17%	15 %	14%	22%	1.99	14.8	0.59	6.1	25.4	28	-19.7	-7.1	16.6	-0.5	2.0	2.5	-1.3	-0.8
BEYOND BEEF BB240047									67 %	17 %	37%	15%	24%	14%	31%	13%	40 %	31 %	31 %	28 %	24 %	16 %
CWBMBB 240050	9		☑ BB 170089	**109**	**122**	**91**	**89**	**141**	**110**	**122**	**84**	**91**	**121**	**111**	**135**	**139**	**126**	**87**	**96**	**106**	**86**	**102**
FB			☑ BB 170178	62%	19%	10 %	11%	22%	0.26	11.9	0.20	4.1	20.9	22	-23.2	-7.2	16.3	-0.9	-2.3	1.7	-1.5	-0.1
BEYOND BEEF BB240050									68 %	19 %	39%	10%	24%	11%	31%	14%	43 %	28 %	28 %	25 %	22 %	13 %
CWBMBB 240095	9		☑ BB 170089	**78**	**138**	**89**	**86**	**132**	**83**	**138**	**83**	**89**	**133**	**114**	**129**	**129**	**138**	**93**	**98**	**106**	**86**	**95**
FB			☑ BB 170103	62%	16%	11 %	11%	24%	2.84	18.3	0.25	2.8	29.3	26	-19.9	-5.3	21.3	-0.1	-0.6	1.7	-1.5	-1.3
BEYOND BEEF BB240095									68 %	16 %	41%	11%	18%	11%	32%	15%	42 %	25 %	25 %	22 %	21 %	16 %
CWBMBB 240096	10		☑ BB 200028	**72**	**124**	**88**	**99**	**136**	**81**	**124**	**75**	**88**	**122**	**101**	**132**	**134**	**117**	**94**	**87**	**108**	**84**	**98**
FB			☑ BB 190032	62%	19%	14 %	14%	24%	3.12	12.7	0.54	2.4	21.6	7	-21.7	-6.1	12.3	0.0	-8.5	2.0	-1.6	-0.7
BEYOND BEEF BB240096									68 %	19 %	39%	14%	22%	14%	35%	14%	43 %	30 %	29 %	26 %	26 %	20 %
CWBMBB 240098	8		☑ BB 200009	**70**	**138**	**91**	**80**	**130**	**79**	**138**	**77**	**91**	**133**	**120**	**124**	**131**	**114**	**96**	**106**	**100**	**81**	**85**
FB			☑ BB 190017	63%	18%	19 %	17%	26%	3.32	18.4	0.49	4.2	29.5	35	-16.7	-5.4	11.0	0.3	5.0	0.8	-1.9	-2.8
BEYOND BEEF BB240098									69 %	18 %	42%	19%	24%	17%	36%	16%	43 %	31 %	31 %	27 %	26 %	19 %
CWBMBB 240105	7		☑ BB 170089	**109**	**131**	**85**	**80**	**122**	**106**	**131**	**98**	**85**	**126**	**120**	**121**	**118**	**130**	**99**	**95**	**121**	**77**	**87**
FB			☑ BB 180032	60%	18%	13 %	13%	22%	0.63	15.6	-0.32	0.9	24.6	34	-15.3	-3.2	18.2	0.7	-2.8	4.1	-2.3	-2.6
BEYOND BEEF BB240105									66 %	18 %	35%	13%	20%	13%	32%	13%	42 %	26 %	26 %	23 %	22 %	16 %
CWBMBB 240106	3		☑ BB 190115	**96**	**122**	**94**	**92**	**141**	**100**	**122**	**80**	**94**	**121**	**108**	**141**	**137**	**121**	**72**	**76**	**104**	**76**	**114**
FB			☑ BB 170042	63%	20%	18 %	16%	23%	1.20	11.7	0.37	5.6	21.0	18	-26.5	-6.5	14.1	-2.8	-16.3	1.4	-2.4	1.8
BEYOND BEEF BB240106									69 %	20 %	39%	18%	25%	16%	31%	15%	43 %	41 %	40 %	32 %	38 %	31 %
CWBMBB 240114	4		☑ BB 170002	**105**	**130**	**92**	**75**	**127**	**106**	**130**	**89**	**92**	**127**	**125**	**118**	**129**	**130**	**116**	**117**	**114**	**87**	**67**
FB			☑ BB 170193	61%	19%	22 %	18%	20%	0.69	15.1	0.03	4.4	25.2	42	-13.3	-5.1	18.2	2.9	12.5	3.0	-1.4	-5.7
BEYOND BEEF BB240114									67 %	19 %	38%	22%	22%	18%	30%	10%	45 %	42 %	41 %	37 %	30 %	23 %
CWBMBB 240124	6		☑ BB 190115	**93**	**126**	**91**	**83**	**119**	**98**	**126**	**76**	**91**	**124**	**117**	**115**	**116**	**118**	**77**	**83**	**103**	**73**	**106**
FB			☑ BB 170060	63%	16%	13 %	14%	22%	1.42	13.6	0.53	3.9	22.9	30	-11.7	-3.2	12.8	-2.2	-11.0	1.2	-2.6	0.4
BEYOND BEEF BB240124									69 %	16 %	38%	13%	20%	14%	31%	13%	44 %	38 %	37 %	29 %	33 %	26 %
CWBMBB 240137	7		☑ BB 180022	**98**	**123**	**90**	**92**	**143**	**101**	**123**	**84**	**90**	**121**	**108**	**148**	**135**	**129**	**92**	**95**	**108**	**99**	**104**
FB			☑ BB 190031	58%	19%	16 %	14%	22%	1.16	12.3	0.22	3.3	20.9	18	-30.9	-6.0	17.5	-0.2	-3.0	2.0	-0.2	0.1
BEYOND BEEF BB240137									64 %	19 %	36%	16%	21%	14%	30%	13%	42 %	27 %	26 %	24 %	24 %	18 %
CWBMBB 240146	6		☑ BB 200028	**116**	**113**	**88**	**96**	**135**	**112**	**113**	**98**	**88**	**111**	**104**	**126**	**137**	**121**	**90**	**95**	**98**	**79**	**93**
FB			☑ BB 170051	62%	22%	20 %	19%	26%	0.02	8.2	-0.32	2.6	14.1	12	-17.8	-6.4	14.0	-0.5	-2.5	0.5	-2.1	-1.5
BEYOND BEEF BB240146									68 %	22 %	40%	20%	28%	19%	36%	16%	43 %	31 %	31 %	28 %	29 %	24 %
CWBMBB 240147	2		☑ BB 190115	**105**	**128**	**92**	**82**	**141**	**104**	**128**	**97**	**92**	**124**	**118**	**139**	**136**	**126**	**89**	**78**	**107**	**73**	**98**
FB			☑ BB 210086	61%	12%	11 %	10%	20%	0.89	14.1	-0.28	4.4	23.3	31	-25.8	-6.6	16.3	-0.6	-14.5	1.8	-2.7	-0.8
BEYOND BEEF BB240147									69 %	12 %	31%	11%	16%	10%	28%	11%	40 %	36 %	36 %	28 %	33 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Parentage Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMBB 240163	7	✓	✓	BB 170089	**106**	**129**	**87**	**85**	**134**	**105**	**129**	**94**	**87**	**125**	**115**	**131**	**130**	**126**	**95**	**96**	**114**	**84**	**93**
FB			✓	BB 210046	61%	17%	11 %	12%	22%	0.73	14.8	-0.17	2.1	24.2	27	-20.7	-5.7	16.4	0.1	-2.0	3.0	-1.6	-1.6
BEYOND BEEF BB240163										68 %	17 %	34%	11%	20%	12%	32%	13%	42 %	29 %	28 %	25 %	22 %	16 %
CWBMBB 250009	4	✓	✓	BB 190115	**95**	**127**	**90**	**85**	**133**	**98**	**127**	**85**	**90**	**124**	**115**	**132**	**128**	**104**	**80**	**80**	**99**	**71**	**104**
F1				BB 190017	51%	15%	13 %	12%	24%	1.44	13.9	0.18	3.3	23.6	28	-21.7	-5.0	7.1	-1.8	-13.6	0.7	-2.9	0.1
BEYOND BEEF BB250009										54 %	15 %	38%	13%	20%	12%	32%	15%	44 %	36 %	35 %	27 %	33 %	26 %
CWBMBB 250024			✓	BB 200028	**96**	**106**	**79**	**110**	**122**	**98**	**106**	**89**	**79**	**99**	**90**	**116**	**124**	**113**	**111**	**89**	**98**	**90**	**96**
F1				BB 210070	52%	28%	26 %	25%	29%	1.42	5.2	0.05	-2.2	6.0	-8	-12.1	-4.1	10.9	2.2	-7.1	0.5	-1.0	-1.1
BEYOND BEEF BB250024										55 %	28 %	40%	26%	30%	25%	38%	20%	43 %	34 %	34 %	32 %	32 %	28 %
CWBMBB 250025	10	✓	✓	BB 210061	**85**	**125**	**89**	**95**	**126**	**90**	**125**	**80**	**89**	**121**	**105**	**124**	**123**	**136**	**97**	**97**	**104**	**86**	**91**
F1				BB 220021	41%	15%	14 %	13%	20%	2.20	13.1	0.35	2.8	21.4	14	-16.6	-4.2	20.7	0.4	-1.2	1.4	-1.4	-1.9
BEYOND BEEF BB250025										44 %	15 %	31%	14%	19%	13%	30%	11%	38 %	25 %	25 %	23 %	21 %	16 %
CWBMBB 250031	9	✓	✓	BB 190004	**95**	**129**	**91**	**87**	**141**	**98**	**129**	**82**	**91**	**127**	**113**	**135**	**140**	**120**	**92**	**104**	**116**	**91**	**97**
F1				BB 170169	34%	17%	8 %	7 %	20%	1.39	14.4	0.31	3.8	25.2	24	-23.2	-7.4	13.9	-0.3	3.8	3.2	-1.0	-1.0
BEYOND BEEF BB250031										35 %	17 %	32%	8 %	21%	7 %	27%	12%	40 %	28 %	28 %	24 %	19 %	11 %
CWBMBB 250033	4	✓	✓	BB 190166	**99**	**127**	**89**	**85**	**134**	**101**	**127**	**86**	**89**	**125**	**115**	**129**	**131**	**116**	**85**	**102**	**107**	**96**	**106**
F1				BB 170174	40%	18%	10 %	10%	21%	1.15	14.0	0.13	3.1	24.1	27	-20.0	-5.9	11.9	-1.1	2.4	1.9	-0.5	0.5
BEYOND BEEF BB250033										40 %	18 %	38%	10%	23%	10%	29%	13%	42 %	26 %	26 %	23 %	19 %	13 %
CWBMBB 250051	8	✓	✓	BB 170177	**98**	**133**	**89**	**79**	**130**	**100**	**133**	**85**	**89**	**128**	**121**	**129**	**126**	**130**	**99**	**126**	**110**	**95**	**85**
F1				BB 170105	45%	13%	11 %	11%	21%	1.24	16.2	0.18	2.7	26.3	36	-19.5	-4.8	18.0	0.6	19.2	2.3	-0.6	-2.9
BEYOND BEEF BB250051										47 %	13 %	36%	11%	14%	11%	29%	13%	45 %	43 %	43 %	39 %	16 %	12 %
CWBMBB 250054	5	✓	✓	BB 190166	**96**	**135**	**89**	**80**	**134**	**101**	**135**	**77**	**89**	**132**	**120**	**129**	**132**	**111**	**91**	**106**	**120**	**91**	**97**
F1				BB 190063	36%	17%	10 %	7 %	18%	1.14	17.0	0.47	3.1	28.7	36	-19.6	-6.0	9.9	-0.3	5.3	3.9	-1.0	-1.0
BEYOND BEEF BB250054										37 %	17 %	33%	10%	20%	7 %	26%	11%	40 %	23 %	23 %	19 %	21 %	16 %
CWBMBB 250060	3	✓	✓	BB 190115	**94**	**125**	**95**	**84**	**130**	**97**	**125**	**85**	**95**	**123**	**116**	**123**	**131**	**129**	**77**	**80**	**96**	**89**	**117**
F1				BB 180002	50%	18%	18 %	17%	22%	1.53	12.9	0.17	6.3	22.5	29	-16.5	-5.3	17.8	-2.2	-13.4	0.2	-1.1	2.2
BEYOND BEEF BB250060										53 %	18 %	36%	18%	24%	17%	30%	14%	43 %	40 %	40 %	32 %	36 %	28 %
CWBMBB 250061	5	✓	✓	BB 170177	**100**	**134**	**90**	**80**	**134**	**102**	**134**	**85**	**90**	**130**	**120**	**127**	**135**	**115**	**102**	**120**	**110**	**96**	**83**
F1				BB 170141	44%	16%	11 %	11%	20%	1.00	16.5	0.18	3.5	27.6	35	-18.3	-6.4	11.4	1.0	15.0	2.3	-0.5	-3.2
BEYOND BEEF BB250061										47 %	16 %	34%	11%	16%	11%	28%	12%	47 %	46 %	46 %	41 %	21 %	15 %
CWBMBB 250062	2	✓	✓	BB 190115	**98**	**123**	**96**	**85**	**140**	**100**	**123**	**85**	**96**	**120**	**115**	**137**	**137**	**127**	**79**	**86**	**103**	**81**	**107**
F1				BB 200026	53%	14%	16 %	14%	22%	1.23	12.1	0.16	6.6	20.7	28	-24.2	-6.7	16.8	-1.9	-8.8	1.3	-1.9	0.7
BEYOND BEEF BB250062										57 %	14 %	37%	16%	20%	14%	29%	14%	41 %	39 %	38 %	30 %	34 %	27 %
CWBMBB 250112	7	✓	✓	BB 180022	**111**	**133**	**85**	**81**	**148**	**106**	**133**	**107**	**85**	**126**	**119**	**148**	**144**	**138**	**94**	**96**	**119**	**77**	**88**
F1				BB 180029	43%	18%	16 %	15%	22%	0.65	16.2	-0.63	0.6	24.6	34	-30.5	-7.6	21.6	0.0	-1.8	3.6	-2.3	-2.4
BEYOND BEEF BB250112										44 %	18 %	39%	16%	21%	15%	30%	13%	41 %	26 %	26 %	23 %	25 %	19 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMBB 250115	7	✓	BB 190004	**101**	**127**	**89**	**86**	**128**	**103**	**127**	**85**	**89**	**125**	**114**	**122**	**129**	**114**	**97**	**107**	**108**	**87**	**87**
F1			BB 210041	38%	14%	9 %	8 %	19%	0.95	14.0	0.18	2.7	23.8	27	-15.7	-5.1	11.3	0.4	6.0	2.0	-1.3	-2.5
BEYOND BEEF BB250115									40 %	14 %	28%	9 %	17%	8 %	28%	10%	39 %	27 %	27 %	24 %	18 %	13 %
CWBMBB 250122	4	✓	BB 170177	**99**	**143**	**89**	**72**	**123**	**99**	**143**	**93**	**89**	**138**	**128**	**130**	**115**	**126**	**99**	**128**	**118**	**99**	**86**
F1			BB 170152	43%	14%	12 %	12%	20%	1.28	20.4	-0.13	2.6	33.0	46	-20.6	-2.6	16.3	0.7	20.5	3.6	-0.1	-2.7
BEYOND BEEF BB250122									46 %	14 %	33%	12%	16%	12%	29%	11%	46 %	46 %	45 %	41 %	18 %	11 %
CWBMBB 250123	12	✓	BB 190004	**93**	**128**	**89**	**86**	**119**	**97**	**128**	**81**	**89**	**124**	**114**	**112**	**121**	**123**	**95**	**112**	**104**	**86**	**86**
F1			BB 170068	37%	18%	14 %	15%	22%	1.50	14.2	0.31	3.0	23.5	26	-9.9	-3.8	15.1	0.1	8.9	1.4	-1.4	-2.7
BEYOND BEEF BB250123									37 %	18 %	35%	14%	20%	15%	31%	13%	43 %	30 %	30 %	27 %	21 %	15 %
CWBMBB 250133	6	✓	BB 200028	**95**	**130**	**86**	**86**	**140**	**96**	**130**	**93**	**86**	**124**	**114**	**139**	**134**	**120**	**94**	**95**	**109**	**82**	**92**
F1			BB 180045	50%	22%	16 %	16%	26%	1.61	14.9	-0.12	1.3	23.5	26	-25.6	-6.5	13.6	0.1	-2.7	2.1	-1.8	-1.8
BEYOND BEEF BB250133									52 %	22 %	41%	16%	25%	16%	36%	15%	44 %	32 %	31 %	28 %	27 %	19 %
CWBMBB 250149	27	✓	BB 200009	**73**	**136**	**96**	**80**	**135**	**81**	**136**	**76**	**96**	**132**	**120**	**124**	**138**	**126**	**92**	**103**	**104**	**82**	**91**
F1			BB 220036	49%	15%	17 %	15%	21%	3.09	17.6	0.50	6.6	28.8	35	-16.7	-7.0	16.4	-0.2	2.8	1.3	-1.9	-1.9
BEYOND BEEF BB250149									53 %	15 %	32%	17%	21%	15%	31%	11%	37 %	28 %	28 %	25 %	22 %	16 %
CWBMBB 250166	36	✓	BB 170089	**91**	**134**	**88**	**86**	**117**	**94**	**134**	**88**	**88**	**130**	**114**	**111**	**118**	**126**	**93**	**94**	**108**	**85**	**96**
F1			BB 210078	47%	17%	12 %	12%	22%	1.86	16.7	0.08	2.1	27.2	27	-9.2	-3.3	16.4	-0.1	-3.5	2.0	-1.5	-1.1
BEYOND BEEF BB250166									51 %	17 %	30%	12%	18%	12%	32%	12%	41 %	24 %	24 %	22 %	19 %	15 %
CWBMBB 250194	5	✓	BB 170177	**90**	**137**	**91**	**78**	**132**	**93**	**137**	**84**	**91**	**132**	**122**	**127**	**130**	**122**	**97**	**125**	**103**	**99**	**87**
F1			BB 220053	46%	13%	13 %	13%	20%	1.87	17.9	0.20	3.7	28.9	38	-18.5	-5.5	14.4	0.4	18.8	1.3	-0.2	-2.6
BEYOND BEEF BB250194									51 %	13 %	28%	13%	15%	13%	29%	10%	43 %	44 %	44 %	40 %	16 %	12 %
CWBMBB 250201	4	✓	BB 190164	**99**	**132**	**90**	**80**	**127**	**101**	**132**	**85**	**90**	**130**	**120**	**123**	**127**	**118**	**91**	**116**	**119**	**95**	**95**
F1			BB 170193	37%	17%	16 %	11%	16%	1.11	15.8	0.18	3.6	27.2	35	-16.5	-4.7	13.1	-0.4	12.2	3.7	-0.6	-1.3
BEYOND BEEF BB250201									38 %	17 %	35%	16%	16%	11%	24%	8%	41 %	27 %	26 %	23 %	18 %	13 %
CWBMDXB 256760		✓	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16760									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256817		✓	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16817									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256819		✓	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16819									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256821		✓	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16821									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 256822			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16822										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256824			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16824										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256826			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16826										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256834			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16834										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256836			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16836										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256837			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16837										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256843			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16843										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256844			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16844										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256845			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16845										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256846			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16846										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256847			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16847										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256851			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16851										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 256852		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16852									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256853		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16853									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256857		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16857									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256858		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16858									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256860		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16860									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256864		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16864									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256873		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16873									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256892		✔	BB 180049	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**98**	**92**	**104**	**109**	**94**	**94**
F1				26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	4.4	-0.2	3.3	2.1	-0.7	-1.4
BEYOND BEEF DXB16892									26 %	18 %	24%	13%	19%	12%	21%	8%	33 %	30 %	29 %	26 %	27 %	13 %
CWBMDXB 256904		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16904									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256909		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16909									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256916		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16916									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256920		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16920									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 256924			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16924										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256926			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16926										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256927			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16927										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256934			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16934										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256947			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16947										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256948			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16948										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256949			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16949										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256952			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16952										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256953			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16953										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256978			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16978										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256979			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16979										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256985			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16985										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 256987		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16987										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256989		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16989										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256992		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16992										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 256993		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB16993										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257057		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17057										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257058		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17058										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257063		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17063										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257064		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17064										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257066		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17066										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257147		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17147										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257160		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17160										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257164		✔	PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17164										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 257175			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17175										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257185			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17185										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257188			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17188										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257192			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17192										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257193			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17193										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257197			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17197										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257200			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17200										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257201			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17201										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257202			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17202										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257203			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17203										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257204			✓ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17204										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257210			✓ BB	180049	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**98**	**92**	**104**	**109**	**94**	**94**
F1					26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	4.4	-0.2	3.3	2.1	-0.7	-1.4
BEYOND BEEF DXB17210										26 %	18 %	24%	13%	19%	12%	21%	8%	33 %	30 %	29 %	26 %	27 %	13 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 257212		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17212									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257213		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17213									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257243		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17243									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257248		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17248									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257259		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17259									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257263		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17263									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257264		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17264									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257266		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17266									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257268		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17268									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257269		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17269									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257271		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17271									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257272		✔	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17272									36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 257306			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17306										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257308			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17308										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257787			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17787										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257790			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17790										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257794			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17794										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257798			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17798										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 257799			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17799										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 258082			✔ BB	170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
BEYOND BEEF DXB18082										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 258123			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB18123										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 258124			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB18124										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 258125			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB18125										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBMDXB 258126			✔ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**106**	**84**	**98**	**107**	**110**	**75**	**76**
F1					33%	16%	12 %	12%	12%	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB18126										36 %	16 %	21%	12%	21%	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBMDXB 258127 F1 BEYOND BEEF DXB18127			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258130 F1 BEYOND BEEF DXB18130			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258131 F1 BEYOND BEEF DXB18131			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258133 F1 BEYOND BEEF DXB18133			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258145 F1 BEYOND BEEF DXB18145			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258147 F1 BEYOND BEEF DXB18147			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258148 F1 BEYOND BEEF DXB18148			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258150 F1 BEYOND BEEF DXB18150			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258151 F1 BEYOND BEEF DXB18151			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258154 F1 BEYOND BEEF DXB18154			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258155 F1 BEYOND BEEF DXB18155			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258156 F1 BEYOND BEEF DXB18156			✔ PB	197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBMDXB 258160 F1 BEYOND BEEF DXB18160			✓ PB 197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258162 F1 BEYOND BEEF DXB18162			✓ PB 197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258164 F1 BEYOND BEEF DXB18164			✓ PB 197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBMDXB 258180 F1 BEYOND BEEF DXB18180			✓ PB 197853	**86** 33%	**122** 16%	**111** 12 %	**73** 12%	**112** 12%	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21%	**111** 14.6 12%	**122** 21.7 21%	**127** 44 12%	**115** -11.8 19%	**106** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
JAPANESE BLACK																						
CWBMKI 140012 FB BEN TSON KI 140012	13	GT	✓ KJDFC0087 ✓ TWAFT0462	**110** 87%	**98** 86%	**75** 86 %	**111** 85%	**108** 85%	**108** 0.41 87 %	**98** 2.2 86 %	**123** -1.24 86%	**75** -4.8 86%	**90** -0.8 88%	**89** -10 85%	**90** 3.1 86%	**121** -3.4 84%	**111** 10.0 88 %	**87** -0.8 86 %	**133** 23.8 87 %	**126** 4.8 86 %	**108** 0.7 86 %	**114** 1.8 85 %
CWBMBB 180098 FB BEYOND BEEF BB180098 (ET)	3	GT	✓ ADBFL0022 ✓ ADBFL0019	**103** 90%	**78** 89%	**74** 88 %	**131** 88%	**84** 88%	**136** -2.28 90 %	**78** -6.0 89 %	**136** -1.72 89%	**74** -5.2 88%	**72** -13.4 88%	**69** -38 88%	**86** 5.4 89%	**84** 3.2 88%	**106** 7.7 90 %	**119** 3.2 89 %	**82** -11.8 89 %	**91** -0.6 89 %	**120** 1.8 89 %	**116** 2.1 89 %
CWBMBB 190099 FB BEYOND BEEF BB190099			✓ SMOFF0154 ✓ CWBFBB 110007	**89** 47%	**96** 41%	**100** 40 %	**95** 38%	**101** 34%	**87** 2.45 47 %	**96** 1.3 41 %	**104** -0.54 45%	**100** 8.7 40%	**96** 3.3 43%	**105** 14 38%	**93** 1.0 43%	**106** -0.6 25%	**90** 0.8 46 %	**112** 2.3 46 %	**109** 6.9 46 %	**93** -0.2 44 %	**111** 0.9 44 %	**100** -0.5 41 %
CWBMBB 190184 F2 BEYOND BEEF BB190184 (AI)			✓ CWBMBB 170156 ✓ BB 150102	**78** 58%	**112** 22%	**96** 22 %	**107** 19%	**125** 20%	**90** 2.20 63 %	**112** 7.7 22 %	**58** 1.20 37%	**96** 6.5 22%	**115** 17.0 24%	**93** -4 19%	**121** -15.2 28%	**125** -4.1 13%	**114** 11.1 36 %	**109** 1.9 26 %	**87** -8.3 27 %	**110** 2.4 25 %	**92** -0.9 26 %	**90** -2.0 20 %
CWBMBB 200035 F2 BEYOND BEEF BB200035 (AI)			✓ 5U ✓ CWBFBB 180081	**97** 47%	**99** 46%	**99** 43 %	**98** 30%	**92** 30%	**98** 1.38 48 %	**99** 2.3 46 %	**90** 0.00 45%	**99** 8.3 43%	**99** 6.0 40%	**102** 9 30%	**107** -7.0 40%	**84** 3.6 20%	**94** 2.7 46 %	**105** 1.5 44 %	**109** 7.4 43 %	**109** 2.2 41 %	**97** -0.3 28 %	**89** -2.2 18 %
CWBMDXB 201885 F1 DXB01885			✓ KI 140010	**87** 39%	**98** 34%	**108** 26 %	**97** 20%	**91** 25%	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35%	**108** 12.8 26%	**102** 7.5 36%	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBMDXB 202068 F1 DXB02068			✓ BB 140001	**107** 43%	**98** 35%	**108** 23 %	**96** 18%	**95** 26%	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34%	**108** 12.8 23%	**99** 5.9 28%	**104** 12 18%	**98** -1.9 34%	**94** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBMDXB 202397 F1 DXB02397			✓ BB 170099	**95** 28%	**98** 22%	**108** 19 %	**98** 13%	**95** 18%	**93** 1.93 28 %	**98** 2.1 22 %	**104** -0.53 26%	**108** 13.2 19%	**99** 5.9 24%	**102** 9 13%	**101** -3.3 23%	**90** 2.1 12%	**95** 3.2 36 %	**82** -1.5 36 %	**101** 1.7 36 %	**96** 0.1 33 %	**102** 0.1 24 %	**114** 1.7 18 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 202597			✓	BB 170063	**87**	**100**	**116**	**95**	**96**	**92**	**100**	**82**	**116**	**105**	**105**	**96**	**95**	**87**	**103**	**79**	**94**	**105**	**107**
F1					20%	12%	11 %	8 %	12%	2.06	2.7	0.30	17.2	9.6	13	-0.3	1.1	-0.4	1.2	-13.9	-0.2	0.4	0.6
DXB02597										20 %	12 %	20%	11%	17%	8 %	16%	9%	34 %	36 %	35 %	32 %	16 %	11 %
CWBMDXB 203034			✓	BB 140001	**107**	**98**	**108**	**96**	**95**	**103**	**98**	**105**	**108**	**99**	**104**	**98**	**94**	**86**	**102**	**80**	**94**	**81**	**98**
F1					43%	35%	23 %	18%	26%	0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
DXB03034										45 %	35 %	34%	23%	28%	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %
CWBMDXB 203156			✓	BB 170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**91**	**99**	**94**	**95**	**108**	**108**
F1					31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB03156										31 %	28 %	30%	26%	28%	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBMDXB 203949			✓	BB 170180	**83**	**118**	**114**	**76**	**103**	**86**	**118**	**90**	**114**	**121**	**124**	**105**	**100**	**92**	**86**	**117**	**109**	**94**	**94**
F1					21%	10%	9 %	10%	11%	2.55	10.1	-0.02	15.9	20.8	41	-5.5	0.3	1.8	-0.9	12.7	2.2	-0.7	-1.4
DXB203949										22 %	10 %	19%	9 %	10%	10%	16%	6%	32 %	32 %	32 %	28 %	11 %	8 %
CWBMDXB 204440			✓	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1					35%	28%	26 %	24%	24%	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB04440										37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 204460			✓	BB 170022	**96**	**100**	**107**	**95**	**95**	**93**	**100**	**106**	**107**	**101**	**105**	**100**	**92**	**88**	**82**	**84**	**83**	**102**	**124**
F1					26%	23%	19 %	14%	17%	1.90	3.1	-0.59	12.2	7.1	13	-2.9	1.8	0.1	-1.5	-10.5	-1.8	0.0	3.4
DXB04460										27 %	23 %	24%	19%	22%	14%	22%	12%	36 %	37 %	36 %	34 %	24 %	18 %
CWBMDXB 204542			✓	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB204542										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 204546			✓	BB 170022	**96**	**100**	**107**	**95**	**95**	**93**	**100**	**106**	**107**	**101**	**105**	**100**	**92**	**88**	**82**	**84**	**83**	**102**	**124**
F1					26%	23%	19 %	14%	17%	1.90	3.1	-0.59	12.2	7.1	13	-2.9	1.8	0.1	-1.5	-10.5	-1.8	0.0	3.4
DXB04546										27 %	23 %	24%	19%	22%	14%	22%	12%	36 %	37 %	36 %	34 %	24 %	18 %
CWBMDXB 204674			✓	BB 170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**95**	**89**	**85**	**72**	**111**	**73**	**107**
F1					29%	23%	20 %	16%	20%	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB204674										30 %	23 %	26%	20%	23%	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBMDXB 204690			✓	BB 170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**95**	**89**	**85**	**72**	**111**	**73**	**107**
F1					29%	23%	20 %	16%	20%	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB204690										30 %	23 %	26%	20%	23%	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBMDXB 204743			✓	BB 170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**95**	**89**	**85**	**72**	**111**	**73**	**107**
F1					29%	23%	20 %	16%	20%	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB204743										30 %	23 %	26%	20%	23%	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBMDXB 204750			✓	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB204750										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 210003 PEN BEYOND BEEF BB210003				BB 160203	**103** 52%	**90** 25%	**91** 25 %	**120** 22%	**105** 22%	**111** 0.14 56 %	**90** -1.0 25 %	**59** 1.17 36%	**91** 3.8 25%	**98** 5.1 24%	**80** -22 22%	**95** 0.0 27%	**111** -1.8 17%	**98** 4.3 35 %	**96** 0.3 29 %	**86** -9.2 29 %	**112** 2.6 28 %	**79** -2.1 27 %	**97** -0.9 21 %
CWBMBB 210026 F2 BEYOND BEEF BB210026			✓ ✓	BB 190007 CWBFBB 180014	**82** 25%	**113** 13%	**114** 9 %	**83** 8 %	**112** 14%	**85** 2.72 26 %	**113** 8.1 13 %	**92** -0.09 22%	**114** 15.9 9 %	**116** 17.9 16%	**117** 30 8 %	**118** -13.1 21%	**105** -0.7 8%	**100** 5.1 30 %	**87** -0.9 18 %	**103** 2.7 18 %	**103** 1.2 16 %	**99** -0.2 16 %	**103** 0.0 11 %
CWBMBB 210039 FB BEYOND BEEF BB210039	2		✓ ✓	SMOFF0154 BB 170033	**112** 69%	**96** 47%	**68** 45 %	**113** 41%	**113** 41%	**108** 0.45 72 %	**96** 1.3 47 %	**117** -1.03 57%	**68** -8.5 45%	**88** -2.0 48%	**87** -12 41%	**103** -4.8 51%	**121** -3.2 31%	**107** 8.3 57 %	**116** 2.8 54 %	**74** -17.6 54 %	**101** 1.0 53 %	**85** -1.6 52 %	**104** 0.1 46 %
CWBMBB 210045 F2 BEYOND BEEF BB210045			✓ ✓	BDWFM0495 CWBFBB 180074	**97** 46%	**82** 40%	**107** 39 %	**108** 36%	**91** 30%	**98** 1.45 47 %	**82** -4.3 40 %	**91** -0.05 43%	**107** 12.5 39%	**87** -2.9 43%	**92** -5 36%	**87** 4.8 39%	**97** 1.4 20%	**94** 2.7 43 %	**102** 1.1 46 %	**107** 5.8 46 %	**95** 0.0 44 %	**110** 0.9 40 %	**103** -0.1 30 %
CWBMBB 210094 FB BEYOND BEEF BB210094	2			SMOFF0154 BB 170120	**119** 68%	**90** 49%	**69** 48 %	**117** 44%	**111** 44%	**116** -0.33 71 %	**90** -0.9 49 %	**125** -1.31 56%	**69** -7.9 48%	**82** -6.4 51%	**83** -18 44%	**101** -3.2 53%	**117** -2.8 34%	**109** 9.0 58 %	**123** 3.7 56 %	**83** -11.3 56 %	**100** 0.8 54 %	**110** 0.8 55 %	**109** 1.0 49 %
CWBMDXB 214818 F1 DXB04818			✓	BB 170122 CWBFLI14023	**104** 31%	**96** 28%	**108** 26 %	**100** 23%	**95** 25%	**100** 1.27 31 %	**96** 1.3 28 %	**107** -0.64 30%	**108** 13.1 26%	**97** 4.2 28%	**100** 7 23%	**100** -2.8 29%	**90** 2.0 21%	**90** 1.0 38 %	**91** -0.4 37 %	**92** -5.1 36 %	**105** 1.6 35 %	**103** 0.2 30 %	**112** 1.4 25 %
CWBMDXB 214964 F1 DXB04964			✓	BB 170019	**79** 30%	**121** 20%	**109** 18 %	**76** 20%	**115** 14%	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26%	**109** 13.7 18%	**122** 21.7 24%	**124** 41 20%	**121** -14.8 22%	**107** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBMDXB 215106 F1 DXB05106			✓	BB 110011 CWBFWO16298	**106** 39%	**97** 32%	**104** 24 %	**98** 18%	**100** 26%	**101** 1.09 41 %	**97** 1.8 32 %	**108** -0.69 29%	**104** 11.1 24%	**97** 4.0 29%	**102** 9 18%	**103** -4.7 32%	**98** 0.8 19%	**97** 4.1 40 %	**88** -0.7 37 %	**95** -2.5 36 %	**87** -1.2 34 %	**116** 1.5 24 %	**121** 2.9 18 %
CWBMDXB 215111 F1 DXB05111			✓	BB 170147 CWBFBO 181236	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 215146 F1 DXB05146			✓	BB 170122 CWBFLI14132	**104** 31%	**96** 28%	**108** 26 %	**100** 23%	**95** 25%	**100** 1.27 31 %	**96** 1.3 28 %	**107** -0.64 30%	**108** 13.1 26%	**97** 4.2 28%	**100** 7 23%	**100** -2.8 29%	**90** 2.0 21%	**90** 1.0 38 %	**91** -0.4 37 %	**92** -5.1 36 %	**105** 1.6 35 %	**103** 0.2 30 %	**112** 1.4 25 %
CWBMDXB 215156 F1 DXB05156			✓	BB 170024 CWBFWO16452	**101** 28%	**98** 24%	**109** 20 %	**94** 19%	**98** 17%	**97** 1.49 29 %	**98** 2.1 24 %	**107** -0.64 26%	**109** 13.6 20%	**100** 6.6 22%	**106** 14 19%	**104** -5.4 23%	**93** 1.6 11%	**88** 0.2 35 %	**88** -0.7 32 %	**92** -5.0 32 %	**97** 0.3 30 %	**98** -0.3 24 %	**110** 1.1 18 %
CWBMDXB 215182 F1 DXB05182			✓	BB 170021	**80** 28%	**125** 18%	**110** 16 %	**79** 17%	**117** 14%	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26%	**110** 14.0 16%	**128** 26.0 26%	**121** 36 17%	**120** -14.3 22%	**113** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 215326		✔	BB	170024	**101**	**98**	**109**	**94**	**98**	**97**	**98**	**107**	**109**	**100**	**106**	**104**	**93**	**88**	**88**	**92**	**97**	**98**	**110**
F1				CWBFWO12293	28%	24%	20 %	19%	17%	1.49	2.1	-0.64	13.6	6.6	14	-5.4	1.6	0.2	-0.7	-5.0	0.3	-0.3	1.1
DXB05326										29 %	24 %	26%	20%	22%	19%	23%	11%	35 %	32 %	32 %	30 %	24 %	18 %
CWBMDXB 215402		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO15616	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05402										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215412		✔	BB	170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**91**	**99**	**94**	**95**	**108**	**108**
F1				CWBFLI16059	31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB05412										31 %	28 %	30%	26%	28%	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBMDXB 215419		✔	BB	170122	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**90**	**91**	**92**	**105**	**103**	**112**
F1				CWBFLI13145	31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.0	-0.4	-5.1	1.6	0.2	1.4
DXB05419										31 %	28 %	30%	26%	28%	23%	29%	21%	38 %	37 %	36 %	35 %	30 %	25 %
CWBMDXB 215421		✔	BB	170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**91**	**99**	**94**	**95**	**108**	**108**
F1				CWBFLI16208	31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB05421										31 %	28 %	30%	26%	28%	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBMDXB 215432		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO13271	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05432										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215434		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO14871	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05434										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215435		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO23581	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05435										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215438		✔	BB	170070	**80**	**120**	**113**	**79**	**109**	**84**	**120**	**88**	**113**	**122**	**121**	**113**	**103**	**90**	**86**	**101**	**104**	**90**	**98**
F1					25%	12%	9 %	10%	16%	2.77	10.8	0.07	15.8	21.8	36	-10.2	-0.6	1.0	-0.9	1.8	1.4	-1.1	-0.8
DXB05438										26 %	12 %	23%	9 %	15%	10%	22%	9%	36 %	34 %	34 %	30 %	22 %	12 %
CWBMDXB 215446		✔	BB	170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**91**	**99**	**94**	**95**	**108**	**108**
F1				CWBFLI18900	31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB05446										31 %	28 %	30%	26%	28%	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBMDXB 215461		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO16526	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05461										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215525		✔	KI	140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO15258	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05525										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 215560			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO14733	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05560										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215577			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO81125	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05577										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215600			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO15890	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05600										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215633			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1					40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05633										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 215646			✓	BB 170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**90**	**91**	**99**	**94**	**95**	**108**	**108**
F1				CWBFLI9164	31%	28%	26 %	23%	25%	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB05646										31 %	28 %	30%	26%	28%	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBMDXB 215651			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO12345	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05651										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215682			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO15725	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05682										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215697			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO1041	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05697										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215698			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFBO16128	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05698										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215702			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFBO9362	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05702										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 215713			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO13031	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05713										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 215718			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO16080	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05718										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 215752			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO17116	0.87	0.2						-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05752					41%	29%	26 %	23%	26%	44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 215808			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLE6057	1.71	10.6						-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05808					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 215834			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO15198	0.87	0.2						-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05834					41%	29%	26 %	23%	26%	44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 215839			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO16316	0.87	0.2						-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05839					41%	29%	26 %	23%	26%	44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 215865			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM18014	0.87	0.2						-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05865					41%	29%	26 %	23%	26%	44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 215888			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFBO16257	1.71	10.6						-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05888					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 215897			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFBO17368	1.71	10.6						-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05897					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 215907			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFLE1585	2.43	2.2						-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05907					39%	34%	26 %	20%	25%	40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215943			✓	BB 120013	**99**	**100**	**110**	**96**	**88**	**96**	**100**	**106**	**110**	**99**	**104**	**91**	**87**	**89**	**92**	**102**	**84**	**124**	**119**
F1				CWBFLE150891*	1.61	2.9						-0.60	13.9	6.0	12	2.6	2.8	0.6	-0.3	2.5	-1.7	2.2	2.5
DXB05943					36%	33%	24 %	16%	23%	38 %	33 %	30%	24%	30%	16%	30%	16%	40 %	31 %	31 %	30 %	25 %	18 %
CWBMDXB 215944			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFLE 150891	2.43	2.2						-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05944					39%	34%	26 %	20%	25%	40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 215947			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM18216	0.87	0.2						-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05947					41%	29%	26 %	23%	26%	44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216019			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFSA9289	2.43	2.2						-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06019					39%	34%	26 %	20%	25%	40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 216027			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM15101	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06027										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216081			✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1				CWBFMO19086	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06081										40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 216110			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM17142	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06110										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216127			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO18103	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06127										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216238			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17261	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06238										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216258			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17123	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06258										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216281			✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM18075	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06281										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216299			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17191	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06299										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216409			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO15047	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06409										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216427			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17069	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06427										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216435			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO18091	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06435										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216444			✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFMO18122	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06444										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 216469 F1 DXB06469		✓	BB	BB 150107 CWBFCM18402	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216470 F1 DXB06470		✓	BB	BB 150107 CWBFCM12348	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216476 F1 DXB06476		✓	BB	BB 150107 CWBFCM18154	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216477 F1 DXB06477		✓	BB	BB 170147 CWBFCM10396	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 216480 F1 DXB06480		✓	BB	BB 150107 CWBFCM17638	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216483 F1 DXB06483		✓	BB	BB 150107 CWBFCM17563	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216484 F1 DXB06484		✓	BB	BB 150107 CWBFCM13171	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 216504 F1 DXB06504		✓	BB	BB 170164 CWBFMO16404	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 216508 F1 DXB06508		✓	BB	BB 170164 CWBFMO14031	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 216531 F1 DXB06531		✓	BB	BB 170164 CWBFCM17078	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 216532 F1 DXB06532		✓	BB	BB 170164 CWBFCM13047	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 216549 F1 DXB06549		✓	BB	BB 170147 CWBFMO17347	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 216550		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO16234						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06550					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216556		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO13143						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06556					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216557		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17311						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06557					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216560		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO15053						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06560					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216616		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO15240						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06616					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216617		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO17619						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06617					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216622		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFMO14030						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06622					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216633		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFMO16219						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06633					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216649		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLA17164						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06649					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216652		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLA17875						1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06652					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216655		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1										1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06655					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216663		✓	BB	180328	**89**	**93**	**111**	**100**	**92**	**93**	**93**	**85**	**111**	**99**	**100**	**92**	**91**	**85**	**94**	**93**	**97**	**91**	**102**
F1				CWBFWO19085						1.93	0.1	0.19	14.7	5.8	6	1.5	2.0	-1.2	0.1	-4.5	0.3	-0.9	-0.1
DXB06663					17%	13%	11 %	10%	10%	17 %	13 %	15%	11%	11%	10%	13%	6%	25 %	24 %	24 %	21 %	22 %	10 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 216672		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO18304	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06672									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216694		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFSA4811	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06694									40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 216803		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFLA11435	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06803									44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216841		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFCM16014	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06841									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216862		☑	BB 180034	**82**	**117**	**114**	**78**	**109**	**86**	**117**	**86**	**114**	**120**	**122**	**110**	**105**	**96**	**89**	**103**	**99**	**92**	**99**
F1				26%	14%	12 %	10%	14%	2.55	10.0	0.14	16.0	20.3	37	-8.8	-0.8	3.6	-0.6	2.6	0.6	-0.9	-0.7
DXB06862									26 %	14 %	24%	12%	16%	10%	20%	8%	29 %	21 %	21 %	18 %	19 %	13 %
CWBMDXB 216887		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFLA14248	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06887									44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216907		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO18429	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06907									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216947		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWH14192	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06947									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216948		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWH17556	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06948									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 216959		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFOU17070	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06959									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216965		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFOU15314	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06965									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216966		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFLA70407	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06966									44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 216974		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLA15398	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06974										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 216993		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRR18262	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06993										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 216994		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRR18123	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06994										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217012		✓	BB	140001	**107**	**98**	**108**	**96**	**95**	**103**	**98**	**105**	**108**	**99**	**104**	**98**	**94**	**86**	**102**	**80**	**94**	**81**	**98**
F1				CWBFWO16172	43%	35%	23 %	18%	26%	0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
DXB07012										45 %	35 %	34%	23%	28%	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %
CWBMDXB 217019		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFCM18078	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07019										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217076		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLA11710	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB07076										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 217101		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH16529	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07101										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217110		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFFE15598	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07110										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217122		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFOU14333	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07122										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217132		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFOU17284	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07132										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217136		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFOU16310	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07136										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217140		✓	BB	150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				CWBFLA17579	40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB07140										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217144 F1 DXB07144		✓	BB	BB 150107 CWBFLA17801	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 217152 F1 DXB07152		✓	BB	BB 150107 CWBFLA15479	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 217178 F1 DXB07178		✓	BB	BB 170147 CWBFWO19600	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217195 F1 DXB07195		✓	BB	BB 170164 CWBFWO16342	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 217235 F1 DXB07235		✓	BB	BB 170147 CWBFCM18167	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217239 F1 DXB07239		✓	BB	BB 170147 CWBFCM14021	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217267 F1 DXB07267		✓	BB	BB 150107 CWBFLA16955	**95** 40%	**119** 28%	**113** 16 %	**80** 11%	**103** 18%	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25%	**113** 15.6 16%	**119** 19.9 21%	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBMDXB 217282 F1 DXB07282		✓	BB	BB 170147 CWBFCM9181	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217299 F1 DXB07299		✓	BB	BB 180319	**84** 21%	**117** 9 %	**115** 5 %		**111** 10%	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16%	**115** 16.5 5 %	**121** 21.0 13%		**112** -10.0 14%	**107** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %
CWBMDXB 217307 F1 DXB07307		✓	BB	BB 170147 CWBFMO16049	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217308 F1 DXB07308		✓	BB	BB 170147 CWBFMO11295	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217310 F1 DXB07310		✓	BB	BB 170147	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217315		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFMO13138	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07315										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217326		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFOU17211	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07326										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217347		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO13069	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07347										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217349		✓	BB	180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1				CWBFWO19323	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07349										28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBMDXB 217350		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWO11088	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07350										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217404		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFCM18241	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07404										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217425		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH14305	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07425										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217428		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH19268	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07428										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217430		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH17388	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07430										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217432		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH13162	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07432										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217435		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFCM11317	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07435										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217442		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWO17238	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07442										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217446		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWO19301	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07446										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217449		✓	BB	170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1				CWBFWO19317	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB07449										27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBMDXB 217450		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1					41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07450										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217453		✓	BB	180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1				CWBFWO18397	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07453										28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBMDXB 217460		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFWO17279	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07460										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217475		✓	BB	180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1				CWBFWO15112	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07475										28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217478		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWO19080	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07478										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217479		✓	BB	180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1				CWBFWO19365	29%	24%	20 %	15%	18%	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB07479										30 %	24 %	27%	20%	24%	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %
CWBMDXB 217493		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFAV7345	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07493										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217504		✓	BB	170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFCM14292	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07504										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217510		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH11301	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07510										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217512		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH14369	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07512										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 217519		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFFE16063	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07519									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217529		✓	BB 180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1			CWBFWO19045	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07529									28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBMDXB 217540		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFWO15282	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07540									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217556		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17018	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07556									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217558		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18200	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07558									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217590		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17506	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07590									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217591		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18483	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07591									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217592		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17318	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07592									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217596		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18195	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07596									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217609		✓	BB 180003	**86**	**122**	**111**	**74**	**116**	**86**	**122**	**98**	**111**	**123**	**126**	**120**	**109**	**95**	**88**	**116**	**107**	**106**	**99**
F1				26%	18%	13 %	12%	14%	2.57	11.9	-0.32	14.8	22.5	44	-14.8	-1.6	3.3	-0.7	12.0	1.8	0.5	-0.7
DXB07609									26 %	18 %	24%	13%	19%	12%	21%	8%	32 %	31 %	31 %	27 %	29 %	13 %
CWBMDXB 217617		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWH13118	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07617									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217624		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFFE10646	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07624									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217628		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO15399						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07628					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217630		✓	BB	180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1				CWBFWO18169						1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07630					28%	22%	21 %	18%	18%	28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217631		✓	BB	180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1				CWBFWO18435						1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07631					28%	22%	21 %	18%	18%	28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217636		✓	BB	180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1				CWBFWO19297						1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07636					28%	22%	21 %	18%	18%	28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBMDXB 217646		✓	BB	170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1				CWBFSA9096						1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB07646					35%	28%	26 %	24%	24%	37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 217649		✓	BB	170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1				CWBFSA9135						1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB07649					35%	28%	26 %	24%	24%	37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 217653		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO18287						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07653					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217655		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO19630						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07655					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217659		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO17252						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07659					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217661		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO14382						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07661					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217665		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO18307						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07665					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217670		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH15062						2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07670					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 217675		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFWH17301	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07675									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217682		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFFE16284	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07682									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217685		✓	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFSA9250	39%	34%	26 %	20%	25%	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB07685									40 %	34 %	35%	26%	36%	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBMDXB 217686		✓	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1			CWBFSA9129	35%	28%	26 %	24%	24%	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB07686									37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 217689		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO18458	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07689									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217690		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO18111	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07690									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217694		✓	BB 170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1			CWBFWO18135	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB07694									27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBMDXB 217695		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO17201	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07695									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217696		✓	BB 180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1			CWBFWO19283	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07696									28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBMDXB 217699		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO18066	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07699									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217702		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO17056	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07702									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217703		✓	BB 180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**88**	**99**	**80**	**125**	**121**
F1			CWBFWO19242	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB07703									28 %	22 %	26%	21%	24%	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 217708		✓	BB 180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1			CWBFWO19040	29%	24%	20 %	15%	18%	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB07708									30 %	24 %	27%	20%	24%	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %
CWBMDXB 217709		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO18442	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07709									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217711		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFRO15363	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07711									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217713		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17070	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07713									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217719		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM16441	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07719									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217724		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFRO18459	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07724									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217733		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM14216	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07733									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217738		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18451	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07738									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217740		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFAV260	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07740									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217742		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFWH16290	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07742									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217754		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFFE18705	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07754									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217758		✓	BB 170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**93**	**94**	**92**	**92**	**94**	**110**	**116**
F1			CWBFGA18963	39%	28%	26 %	23%	26%	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
DXB07758									40 %	28 %	37%	26%	28%	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217761 F1 DXB07761		✓	BB	BB 170161 CWBFGA17223	**98** 35%	**92** 28%	**104** 26 %	**105** 24%	**87** 24%	**95** 1.74 37 %	**92** -0.2 28 %	**107** -0.65 29%	**104** 10.9 26%	**93** 1.5 27%	**95** -1 24%	**93** 1.3 28%	**84** 3.3 20%	**95** 2.9 38 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %
CWBMDXB 217765 F1 DXB07765		✓	BB	BB 170167 CWBFGA15086	**103** 39%	**98** 28%	**105** 26 %	**100** 23%	**96** 26%	**100** 1.26 40 %	**98** 2.1 28 %	**106** -0.61 37%	**105** 11.6 26%	**98** 4.9 28%	**100** 6 23%	**100** -3.1 30%	**93** 1.5 21%	**94** 2.7 41 %	**92** -0.2 40 %	**92** -5.2 40 %	**94** -0.2 38 %	**110** 0.8 36 %	**116** 2.1 30 %
CWBMDXB 217767 F1 DXB07767		✓	BB	BB 170161 CWBFGA13231	**98** 35%	**92** 28%	**104** 26 %	**105** 24%	**87** 24%	**95** 1.74 37 %	**92** -0.2 28 %	**107** -0.65 29%	**104** 10.9 26%	**93** 1.5 27%	**95** -1 24%	**93** 1.3 28%	**84** 3.3 20%	**95** 2.9 38 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %
CWBMDXB 217775 F1 DXB07775		✓	BB	BB 170164 CWBFRO17280	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 217783 F1 DXB07783		✓	BB	BB 170015 CWBFWO18028	**90** 27%	**100** 22%	**108** 22 %	**99** 12%	**94** 16%	**89** 2.33 27 %	**100** 2.9 22 %	**102** -0.47 27%	**108** 12.7 22%	**102** 7.5 21%	**101** 8 12%	**96** -0.6 21%	**94** 1.6 10%	**91** 1.5 37 %	**106** 1.5 38 %	**92** -4.5 38 %	**82** -1.9 34 %	**121** 1.9 28 %	**111** 1.3 12 %
CWBMDXB 217787 F1 DXB07787		✓	BB	BB 180328 CWBFWO14328	**89** 17%	**93** 13%	**111** 11 %	**100** 10%	**92** 10%	**93** 1.93 17 %	**93** 0.1 13 %	**85** 0.19 15%	**111** 14.7 11%	**99** 5.8 11%	**100** 6 10%	**92** 1.5 13%	**91** 2.0 6%	**85** -1.2 25 %	**94** 0.1 24 %	**93** -4.5 24 %	**97** 0.3 21 %	**91** -0.9 22 %	**102** -0.1 10 %
CWBMDXB 217847 F1 DXB07847		✓	BB	BB 170147 CWBFCM11157	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217848 F1 DXB07848		✓	BB	BB 170164 CWBFCM18444	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 217859 F1 DXB07859		✓	BB	BB 170147 CWBFWH13252	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 217866 F1 DXB07866		✓	BB	BB 170167 CWBFGA13302	**103** 39%	**98** 28%	**105** 26 %	**100** 23%	**96** 26%	**100** 1.26 40 %	**98** 2.1 28 %	**106** -0.61 37%	**105** 11.6 26%	**98** 4.9 28%	**100** 6 23%	**100** -3.1 30%	**93** 1.5 21%	**94** 2.7 41 %	**92** -0.2 40 %	**92** -5.2 40 %	**94** -0.2 38 %	**110** 0.8 36 %	**116** 2.1 30 %
CWBMDXB 217867 F1 DXB07867		✓	BB	BB 170161 CWBFGA13258	**98** 35%	**92** 28%	**104** 26 %	**105** 24%	**87** 24%	**95** 1.74 37 %	**92** -0.2 28 %	**107** -0.65 29%	**104** 10.9 26%	**93** 1.5 27%	**95** -1 24%	**93** 1.3 28%	**84** 3.3 20%	**95** 2.9 38 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %
CWBMDXB 217875 F1 DXB07875		✓	BB	BB 170030 CWBFGA15035	**93** 29%	**106** 23%	**107** 20 %	**91** 16%	**99** 20%	**91** 2.08 30 %	**106** 5.2 23 %	**105** -0.57 26%	**107** 12.4 20%	**108** 11.7 23%	**109** 19 16%	**105** -5.6 25%	**95** 1.3 15%	**89** 0.3 38 %	**85** -1.2 38 %	**72** -19.0 37 %	**111** 2.5 35 %	**73** -2.7 26 %	**107** 0.7 21 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 217880		✓	BB 170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**95**	**89**	**85**	**72**	**111**	**73**	**107**
F1			CWBFGA17690	29%	23%	20 %	16%	20%	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB07880									30 %	23 %	26%	20%	23%	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBMDXB 217882		✓	BB 170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**93**	**94**	**92**	**92**	**94**	**110**	**116**
F1			CWBFGA17269	39%	28%	26 %	23%	26%	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
DXB07882									40 %	28 %	37%	26%	28%	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %
CWBMDXB 217891		✓	BB 170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**93**	**94**	**92**	**92**	**94**	**110**	**116**
F1			CWBFGA11118	39%	28%	26 %	23%	26%	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
DXB07891									40 %	28 %	37%	26%	28%	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %
CWBMDXB 217907		✓	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO12153	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07907									28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217908		✓	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1			CWBFSA9298	35%	28%	26 %	24%	24%	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB07908									37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 217927		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFAV828	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07927									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217930		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFRO18318	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07930									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217932		✓	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFRO14165	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07932									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217935		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFRO18456	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07935									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217938			BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM16194	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB07938									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 217951		✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFWH17427	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07951									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217954		✓	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1			CWBFGA15254	35%	28%	26 %	24%	24%	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB07954									37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 217956		✓	BB	170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**95**	**89**	**85**	**72**	**111**	**73**	**107**
F1				CWBFGA15014	29%	23%	20 %	16%	20%	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB07956										30 %	23 %	26%	20%	23%	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBMDXB 217960		✓	BB	170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**93**	**94**	**92**	**92**	**94**	**110**	**116**
F1				CWBFGA16214	39%	28%	26 %	23%	26%	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
DXB07960										40 %	28 %	37%	26%	28%	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %
CWBMDXB 217973		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO17426	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB07973										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 217977		✓	BB	170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1				CWBFWO18129	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB07977										27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBMDXB 217979		✓	BB	180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1				CWBFWO15245	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07979										28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217980		✓	BB	180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**91**	**92**	**91**	**97**	**77**	**123**	**117**
F1				CWBFWO8385	28%	22%	21 %	18%	18%	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB07980										28 %	22 %	26%	21%	24%	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBMDXB 217993		✓	BB	170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1				CWBFWO19327	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB07993										27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBMDXB 218014		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH17536	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08014										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218015		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH17004	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08015										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218025		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH16106	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08025										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218029		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFRO15305	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08029										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218031		✓	BB	180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1				CWBFWO19367	29%	24%	20 %	15%	18%	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB08031										30 %	24 %	27%	20%	24%	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 218032		✓	BB	BB 170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1				CWBFWO19209	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB08032										27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBMDXB 218035		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFID 187560	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08035										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218041		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFID 184664	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08041										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218060		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFID 176430	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08060										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218063		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFID17830	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08063										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218067		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFID 184722	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08067										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218073		✓	BB	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F1				CWBFAV221	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB08073										44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMDXB 218079		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH17056	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08079										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218084		✓	BB	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWH17040	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08084										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 218100		✓	BB	BB 180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1				CWBFWO19481	29%	24%	20 %	15%	18%	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB08100										30 %	24 %	27%	20%	24%	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %
CWBMDXB 218103		✓	BB	BB 180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1				CWBFWO19334	29%	24%	20 %	15%	18%	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB08103										30 %	24 %	27%	20%	24%	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %
CWBMDXB 218105		✓	BB	BB 170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1				CWBFWO19232	27%	22%	22 %	12%	16%	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB08105										27 %	22 %	27%	22%	21%	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 218111 F1 DXB08111			✓	BB 170147 CWBFWH12383	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 218112 F1 DXB08112			✓	BB 170147 CWBFWH12404	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 218123 F1 DXB08123			✓	BB 170015 CWBFWO19438	**90** 27%	**100** 22%	**108** 22 %	**99** 12%	**94** 16%	**89** 2.33 27 %	**100** 2.9 22 %	**102** -0.47 27%	**108** 12.7 22%	**102** 7.5 21%	**101** 8 12%	**96** -0.6 21%	**94** 1.6 10%	**91** 1.5 37 %	**106** 1.5 38 %	**92** -4.5 38 %	**82** -1.9 34 %	**121** 1.9 28 %	**111** 1.3 12 %
CWBMDXB 218124 F1 DXB08124			✓	BB 180078 CWBFWO19402	**87** 29%	**103** 24%	**112** 20 %	**94** 15%	**87** 18%	**88** 2.39 30 %	**103** 4.2 24 %	**97** -0.27 27%	**112** 14.9 20%	**106** 10.3 24%	**106** 15 15%	**90** 3.2 24%	**86** 3.1 13%	**92** 2.0 33 %	**97** 0.4 31 %	**101** 1.5 30 %	**90** -0.8 28 %	**103** 0.2 27 %	**103** 0.1 17 %
CWBMDXB 218130 F1 DXB08130			✓	BB 170147 CWBFWH16124	**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMDXB 218132 F1 DXB08132			✓	BB 180078 CWBFWO19408	**87** 29%	**103** 24%	**112** 20 %	**94** 15%	**87** 18%	**88** 2.39 30 %	**103** 4.2 24 %	**97** -0.27 27%	**112** 14.9 20%	**106** 10.3 24%	**106** 15 15%	**90** 3.2 24%	**86** 3.1 13%	**92** 2.0 33 %	**97** 0.4 31 %	**101** 1.5 30 %	**90** -0.8 28 %	**103** 0.2 27 %	**103** 0.1 17 %
CWBMDXB 218133 F1 DXB08133			✓	BB 180078 CWBFWO19350	**87** 29%	**103** 24%	**112** 20 %	**94** 15%	**87** 18%	**88** 2.39 30 %	**103** 4.2 24 %	**97** -0.27 27%	**112** 14.9 20%	**106** 10.3 24%	**106** 15 15%	**90** 3.2 24%	**86** 3.1 13%	**92** 2.0 33 %	**97** 0.4 31 %	**101** 1.5 30 %	**90** -0.8 28 %	**103** 0.2 27 %	**103** 0.1 17 %
CWBMDXB 218137 F1 DXB08137			✓	BB 180075 CWBFWO13127	**93** 28%	**100** 22%	**119** 21 %	**92** 18%	**95** 18%	**94** 1.86 28 %	**100** 3.0 22 %	**95** -0.20 26%	**119** 18.7 21%	**105** 9.8 24%	**108** 18 18%	**102** -4.2 23%	**91** 2.0 12%	**92** 1.7 35 %	**91** -0.3 35 %	**97** -1.3 34 %	**77** -2.8 31 %	**123** 2.1 33 %	**117** 2.3 16 %
CWBMDXB 218139 F1 DXB08139			✓	BB 180015 CWBFWO14089	**93** 28%	**100** 22%	**119** 21 %	**92** 18%	**95** 18%	**94** 1.86 28 %	**100** 3.0 22 %	**95** -0.20 26%	**119** 18.7 21%	**105** 9.8 24%	**108** 18 18%	**102** -4.2 23%	**91** 2.0 12%	**92** 1.6 33 %	**88** -0.7 32 %	**99** 0.2 31 %	**80** -2.4 29 %	**125** 2.3 30 %	**121** 2.8 16 %
CWBMDXB 218141 F1 DXB08141			✓	BB 170164 CWBFAV637	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMDXB 218142 F1 DXB08142			✓	BB 170164 CWBFAV572	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMBB 220005 F1 BEYOND BEEF BB220005			✓	BB 200034	**100** 56%	**86** 22%	**91** 20 %	**122** 18%	**102** 19%	**109** 0.33 63 %	**86** -2.6 22 %	**57** 1.22 31%	**91** 4.1 20%	**90** -0.6 23%	**78** -25 18%	**93** 1.1 26%	**108** -1.0 12%	**104** 7.0 28 %	**109** 2.0 26 %	**99** -0.2 26 %	**102** 1.2 25 %	**100** -0.1 21 %	**97** -0.9 16 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 220055	7		✓ BB 170147		**102**	**106**	**70**	**113**	**107**	**101**	**106**	**120**	**70**	**99**	**87**	**109**	**105**	**110**	**108**	**88**	**105**	**97**	**106**
FB			✓ BB 180251		63%	33%	30 %	27%	32%	1.17	5.3	-1.15	-7.2	5.4	-12	-8.3	-0.6	9.5	1.9	-8.0	1.6	-0.4	0.6
BEYOND BEEF BB220055										68 %	33 %	44%	30%	34%	27%	39%	26%	52 %	51 %	50 %	48 %	50 %	33 %
CWBMBB 220154	1		✓ BB 190089		**110**	**91**	**78**	**125**	**107**	**107**	**91**	**101**	**78**	**82**	**75**	**99**	**113**	**119**	**122**	**84**	**96**	**101**	**102**
FB			✓ BB 170132		51%	36%	35 %	32%	34%	0.60	-0.9	-0.43	-3.2	-6.0	-29	-2.4	-1.7	13.2	3.6	-10.6	0.1	0.0	-0.2
BEYOND BEEF BB220154A										53 %	36 %	45%	35%	38%	32%	40%	27%	47 %	43 %	43 %	41 %	42 %	36 %
CWBMBB 220159			✓ BB 200022		**120**	**72**	**85**	**132**	**91**	**125**	**72**	**95**	**85**	**69**	**68**	**88**	**97**	**126**	**107**	**96**	**94**	**101**	**104**
FB			✓ BB 170046		62%	24%	23 %	20%	24%	-1.17	-8.2	-0.21	0.9	-15.1	-39	3.9	1.4	16.1	1.6	-1.9	-0.2	0.0	0.2
BEYOND BEEF BB220159										68 %	24 %	39%	23%	28%	20%	31%	16%	40 %	37 %	36 %	32 %	34 %	27 %
CWBMBB 220207	6		✓ BB 180264		**125**	**85**	**71**	**125**	**97**	**121**	**85**	**121**	**71**	**76**	**75**	**87**	**106**	**119**	**124**	**86**	**94**	**124**	**112**
FB			✓ BB 190101		64%	31%	29 %	26%	31%	-0.77	-3.2	-1.17	-6.7	-10.2	-29	4.8	-0.5	13.2	3.8	-8.7	-0.1	2.2	1.5
BEYOND BEEF BB220207										70 %	31 %	42%	29%	34%	26%	40%	22%	46 %	44 %	43 %	39 %	41 %	35 %
CWBMBB 220209			✓ BB 170134		**86**	**100**	**122**	**88**	**90**	**86**	**100**	**101**	**122**	**105**	**112**	**98**	**84**	**94**	**98**	**98**	**98**	**103**	**99**
F1					24%	25%	24 %	22%	22%	2.61	3.0	-0.42	20.5	10.0	24	-1.7	3.3	2.8	0.5	-0.9	0.4	0.2	-0.6
BEYOND BEEF BB220209										24 %	25 %	24%	24%	24%	22%	24%	19%	29 %	24 %	25 %	25 %	25 %	23 %
CWBMBB 222065			✓ BB 180258		**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F3			✓ CWBFBB 180113		42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB222065										45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 223006			✓ BB 180258		**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F3			✓ CWBFBB 190227		42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB223006A										45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 223009			✓ BB 180258		**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F3			✓ CWBFBB 180209		42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB223009										45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 223052			✓ BB 180258		**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F3			✓ CWBFBB 180235		42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB223052										45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 223055			✓ BB 180258		**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F3			✓ CWBFBB 180171		42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB223055										45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 223058			✓ BB 180275		**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F2			✓ CWBFBB 180211		28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
BEYOND BEEF BB223058										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMBB 223059			✓ BB 180275		**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F3			✓ CWBFBB 180210		28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
BEYOND BEEF BB223059										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 221461			✔ BB	180040	**85**	**117**	**113**	**82**	**113**	**86**	**117**	**99**	**113**	**119**	**118**	**118**	**108**	**106**	**90**	**104**	**107**	**94**	**97**
F1										2.60	9.7	-0.35	15.5	19.6	32	-13.1	-1.2	7.9	-0.5	3.4	1.8	-0.6	-1.0
DXB10461					31%	14%	12 %	12%	12%	34 %	14 %	20%	12%	18%	12%	17%	7%	30 %	23 %	22 %	20 %	20 %	16 %
CWBMDXB 228306			✔ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08306					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228430			✔ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08430					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228439			✔ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08439					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228483			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08483					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228540			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08540					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228543			✔ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08543					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228605			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08605					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228642			✔ BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1										2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08642					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 228685			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08685					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228691			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08691					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228697			✔ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08697					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %

CWB Bulls

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 228712		✓	BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08712					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228747		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08747					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228749		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08749					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228757		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08757					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228813		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08813					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228820		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1										2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08820					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 228922		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08922					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 228961		✓	BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F1										0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08961					30%	17%	13 %	10%	16%	32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMDXB 228985		✓	BB	170177	**86**	**120**	**114**	**75**	**105**	**88**	**120**	**92**	**114**	**122**	**125**	**108**	**101**	**100**	**97**	**130**	**102**	**106**	**87**
F1										2.37	10.9	-0.08	15.9	21.8	42	-7.7	0.0	5.1	0.4	21.7	1.1	0.5	-2.5
DXB08985					34%	10%	9 %	10%	12%	38 %	10 %	20%	9 %	10%	10%	19%	6%	36 %	41 %	41 %	38 %	11 %	8 %
CWBMDXB 228990		✓	BB	180040	**85**	**117**	**113**	**82**	**113**	**86**	**117**	**99**	**113**	**119**	**118**	**118**	**108**	**106**	**90**	**104**	**107**	**94**	**97**
F1										2.60	9.7	-0.35	15.5	19.6	32	-13.1	-1.2	7.9	-0.5	3.4	1.8	-0.6	-1.0
DXB08990					31%	14%	12 %	12%	12%	34 %	14 %	20%	12%	18%	12%	17%	7%	30 %	23 %	22 %	20 %	20 %	16 %
CWBMDXB 229100		✓	BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**84**	**95**	**103**	**104**	**107**	**100**	**94**
F1										2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB09100					20%	16%	14 %	13%	14%	20 %	16 %	19%	14%	17%	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBMDXB 229150		✓	BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1										2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09150					36%	28%	26 %	23%	26%	38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 229181			✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1					36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09181										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 229379			✓	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
F1					40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
DXB09379										44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMDXB 229382			✓	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1					28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09382										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229385			✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1				CWBFWO18436	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09385										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 229386			✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F1					36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09386										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMDXB 229390			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1					40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB09390										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 229426			✓	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1					28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09426										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229451			✓	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1					40%	28%	16 %	11%	18%	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB09451										44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 229478			✓	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**114**	**94**	**83**	**86**	**105**	**89**	**109**
F1					23%	12%			12%	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09478										24 %	12 %	19%		18%		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBMDXB 229492			✓	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				CWBFLA14532	44%	44%	27 %	21%	22%	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09492										47 %	44 %	33%	27%	39%	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBMDXB 229493			✓	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1					28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09493										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229501			✓	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1					28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09501										30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 229507			✔	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**108**	**95**	**92**	**112**	**101**	**96**	**93**
F1										2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09507					20%	11%	7 %	6 %	10%	21 %	11 %	17%	7 %	12%	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBMDXB 229517			✔	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**112**	**95**	**87**	**118**	**98**	**105**	**98**
F1										2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09517					26%	18%	17 %	16%	16%	26 %	18 %	25%	17%	22%	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBMDXB 229522			✔	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**108**	**95**	**92**	**112**	**101**	**96**	**93**
F1										2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09522					20%	11%	7 %	6 %	10%	21 %	11 %	17%	7 %	12%	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBMDXB 229525			✔	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**112**	**95**	**87**	**118**	**98**	**105**	**98**
F1										2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09525					26%	18%	17 %	16%	16%	26 %	18 %	25%	17%	22%	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBMDXB 229539			✔	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1										1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09539					28%	19%	18 %	16%	18%	30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229542			✔	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1										1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB09542					40%	28%	16 %	11%	18%	44 %	28 %	25%	16%	21%	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBMDXB 229546			✔	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1										3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB9546					44%	44%	27 %	21%	22%	47 %	44 %	33%	27%	39%	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBMDXB 229553			✔	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1										1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09553					28%	19%	18 %	16%	18%	30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229560			✔	BB 170165	**89**	**117**	**113**	**77**	**110**	**90**	**117**	**92**	**113**	**120**	**123**	**111**	**107**	**95**	**82**	**103**	**104**	**86**	**101**
F1										2.16	9.9	-0.08	15.6	20.3	40	-9.2	-1.1	3.1	-1.5	3.1	1.4	-1.4	-0.3
DXB09560					34%	14%	12 %	10%	15%	37 %	14 %	22%	12%	16%	10%	22%	8%	34 %	27 %	26 %	23 %	25 %	12 %
CWBMDXB 229561			✔	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**84**	**95**	**98**	**76**	**93**	**88**	**107**
F1										1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB09561					35%	28%	26 %	24%	24%	37 %	28 %	29%	26%	27%	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBMDXB 229562			✔	BB 180300	**95**	**108**	**105**	**93**	**89**	**92**	**108**	**111**	**105**	**109**	**107**	**92**	**88**	**91**	**86**	**119**	**105**	**124**	**117**
F1										2.05	6.2	-0.79	11.5	12.9	16	1.7	2.6	1.3	-1.0	13.9	1.5	2.2	2.3
DXB09562					27%	21%	21 %	20%	18%	27 %	21 %	26%	21%	22%	20%	23%	13%	32 %	24 %	24 %	23 %	21 %	16 %
CWBMDXB 229563			✔	BB 170165	**89**	**117**	**113**	**77**	**110**	**90**	**117**	**92**	**113**	**120**	**123**	**111**	**107**	**95**	**82**	**103**	**104**	**86**	**101**
F1										2.16	9.9	-0.08	15.6	20.3	40	-9.2	-1.1	3.1	-1.5	3.1	1.4	-1.4	-0.3
DXB09563					34%	14%	12 %	10%	15%	37 %	14 %	22%	12%	16%	10%	22%	8%	34 %	27 %	26 %	23 %	25 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 229578			✔	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
F1										2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
DXB09578					40%	27%	19 %	16%	19%	44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMDXB 229582			✔	BB 170165	**89**	**117**	**113**	**77**	**110**	**90**	**117**	**92**	**113**	**120**	**123**	**111**	**107**	**95**	**82**	**103**	**104**	**86**	**101**
F1										2.16	9.9	-0.08	15.6	20.3	40	-9.2	-1.1	3.1	-1.5	3.1	1.4	-1.4	-0.3
DXB09582					34%	14%	12 %	10%	15%	37 %	14 %	22%	12%	16%	10%	22%	8%	34 %	27 %	26 %	23 %	25 %	12 %
CWBMDXB 229599			✔	BB 180100	**97**	**107**	**101**	**93**	**95**	**94**	**107**	**115**	**101**	**106**	**107**	**97**	**93**	**99**	**114**	**86**	**96**	**95**	**94**
F1										1.78	5.6	-0.93	9.3	10.9	17	-1.2	1.7	4.8	2.6	-9.4	0.2	-0.6	-1.4
DXB09599					24%	19%	16 %	13%	16%	25 %	19 %	22%	16%	20%	13%	20%	13%	31 %	25 %	24 %	22 %	23 %	19 %
CWBMDXB 229600			✔	BB 180100	**97**	**107**	**101**	**93**	**95**	**94**	**107**	**115**	**101**	**106**	**107**	**97**	**93**	**99**	**114**	**86**	**96**	**95**	**94**
F1										1.78	5.6	-0.93	9.3	10.9	17	-1.2	1.7	4.8	2.6	-9.4	0.2	-0.6	-1.4
DXB09600					24%	19%	16 %	13%	16%	25 %	19 %	22%	16%	20%	13%	20%	13%	31 %	25 %	24 %	22 %	23 %	19 %
CWBMDXB 229608			✔	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**108**	**95**	**92**	**112**	**101**	**96**	**93**
F1										2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09608					20%	11%	7 %	6 %	10%	21 %	11 %	17%	7 %	12%	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBMDXB 229612			✔	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**112**	**95**	**87**	**118**	**98**	**105**	**98**
F1										2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09612					26%	18%	17 %	16%	16%	26 %	18 %	25%	17%	22%	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBMDXB 229613			✔	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**112**	**95**	**87**	**118**	**98**	**105**	**98**
F1										2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09613					26%	18%	17 %	16%	16%	26 %	18 %	25%	17%	22%	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBMDXB 229617			✔	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**108**	**95**	**92**	**112**	**101**	**96**	**93**
F1										2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09617					20%	11%	7 %	6 %	10%	21 %	11 %	17%	7 %	12%	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBMDXB 229626			✔	BB 180100	**97**	**107**	**101**	**93**	**95**	**94**	**107**	**115**	**101**	**106**	**107**	**97**	**93**	**99**	**114**	**86**	**96**	**95**	**94**
F1										1.78	5.6	-0.93	9.3	10.9	17	-1.2	1.7	4.8	2.6	-9.4	0.2	-0.6	-1.4
DXB09626					24%	19%	16 %	13%	16%	25 %	19 %	22%	16%	20%	13%	20%	13%	31 %	25 %	24 %	22 %	23 %	19 %
CWBMDXB 229629			✔	BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**110**	**111**	**90**	**104**	**103**	**103**	**101**
F1										2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
DXB09629					28%	13%	13 %	11%	12%	29 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %
CWBMDXB 229630			✔	BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**110**	**111**	**90**	**104**	**103**	**103**	**101**
F1										2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
DXB09630					28%	13%	13 %	11%	12%	29 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %
CWBMDXB 229632			✔	BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**110**	**111**	**90**	**104**	**103**	**103**	**101**
F1										2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
DXB09632					28%	13%	13 %	11%	12%	29 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %

CWB Bulls

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 229633			✓ BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**110**	**111**	**90**	**104**	**103**	**103**	**101**
F1				28%	13%	13 %	11%	12%	2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
DXB09633									29 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %
CWBMDXB 229641			✓ BB 180022	**88**	**116**	**114**	**82**	**116**	**90**	**116**	**93**	**114**	**118**	**118**	**122**	**110**	**111**	**90**	**104**	**103**	**103**	**101**
F1				28%	13%	13 %	11%	12%	2.21	9.2	-0.12	16.1	19.0	33	-15.5	-1.5	9.9	-0.5	3.4	1.2	0.2	-0.3
DXB09641									29 %	13 %	22%	13%	14%	11%	18%	7%	29 %	19 %	19 %	17 %	18 %	14 %
CWBMDXB 229659			✓ BB 180069	**83**	**105**	**116**	**90**	**108**	**89**	**105**	**80**	**116**	**112**	**110**	**107**	**106**	**87**	**100**	**99**	**102**	**92**	**89**
F1				16%	11%	10 %	10%	8 %	2.33	5.1	0.35	17.5	14.9	21	-6.9	-0.8	-0.3	0.8	0.4	1.0	-0.9	-2.2
DXB09659									16 %	11 %	15%	10%	14%	10%	12%	5%	25 %	18 %	18 %	16 %	17 %	11 %
CWBMDXB 229665			✓ BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09665									30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229666			✓ BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09666									30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229675			✓ BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09675									30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMDXB 229678			✓ BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28%	19%	18 %	16%	18%	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09678									30 %	19 %	22%	18%	20%	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBMBB 230002			✓ BB 180258	**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**106**	**100**	**99**	**105**	**88**	**95**
F2			✓ CWBFBB 180014	42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	7.8	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF FB232002									45 %	25 %	28%	19%	21%	16%	24%	13%	37 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 230009	1		✓ BB 190087	**107**	**90**	**74**	**126**	**112**	**103**	**90**	**105**	**74**	**85**	**74**	**106**	**116**	**112**	**110**	**77**	**94**	**89**	**104**
FB			✓ BB 170114	63%	37%	35 %	32%	34%	0.96	-1.1	-0.58	-5.2	-4.2	-30	-6.1	-2.6	10.4	2.0	-15.4	-0.1	-1.1	0.2
BEYOND BEEF BB23-0009									68 %	37 %	46%	35%	38%	32%	41%	27%	48 %	42 %	42 %	41 %	41 %	35 %
CWBMBB 230012			✓ BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**110**	**92**	**98**	**101**	**97**	**107**
FB			✓ CWBFBB 170005	40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	9.4	-0.3	-0.5	0.9	-0.4	0.6
BEYOND BEEF BB23-0012									44 %	27 %	26%	19%	22%	16%	25%	13%	35 %	27 %	27 %	25 %	24 %	20 %
CWBMBB 230015	4		✓ BB 180266	**126**	**81**	**76**	**129**	**89**	**122**	**81**	**107**	**76**	**78**	**71**	**81**	**99**	**123**	**112**	**81**	**99**	**105**	**112**
FB			✓ BB 200005	65%	36%	30 %	27%	29%	-0.92	-4.6	-0.63	-3.8	-9.4	-35	8.1	1.1	15.0	2.3	-12.3	0.6	0.4	1.4
BEYOND BEEF BB23-0015									71 %	36 %	41%	30%	34%	27%	37%	21%	46 %	38 %	38 %	36 %	35 %	28 %
CWBMBB 230019	5		✓ BB 170164	**116**	**83**	**74**	**121**	**105**	**129**	**83**	**119**	**74**	**75**	**79**	**101**	**109**	**104**	**125**	**76**	**93**	**113**	**107**
FB			✓ BB 190159	65%	38%	35 %	31%	35%	-1.61	-4.0	-1.09	-5.1	-11.4	-24	-3.3	-1.3	7.1	4.0	-16.5	-0.2	1.1	0.6
BEYOND BEEF BB23-0019									70 %	38 %	45%	35%	40%	31%	43%	27%	55 %	55 %	54 %	52 %	53 %	37 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 230026	3		✓ BB 190102		**103**	**106**	**95**	**98**	**87**	**99**	**106**	**110**	**95**	**99**	**102**	**91**	**85**	**112**	**98**	**102**	**91**	**108**	**108**
FB			✓ BB 200050		61%	29%	22 %	18%	24%	1.33	5.3	-0.75	5.9	5.9	9	2.4	3.1	10.2	0.6	2.3	-0.6	0.6	0.7
BEYOND BEEF BB23-0026										67 %	29 %	38%	22%	28%	18%	30%	17%	43 %	34 %	34 %	32 %	29 %	24 %
CWBMBB 230034	6		✓ BB 190102		**110**	**103**	**78**	**108**	**94**	**106**	**103**	**103**	**78**	**93**	**92**	**91**	**98**	**116**	**118**	**98**	**100**	**98**	**92**
FB			✓ BB 180297		63%	30%	24 %	19%	27%	0.65	4.2	-0.50	-3.0	1.4	-5	2.1	1.0	12.1	3.1	-0.5	0.7	-0.3	-1.7
BEYOND BEEF BB23-0034										69 %	30 %	42%	24%	32%	19%	35%	19%	47 %	38 %	38 %	35 %	34 %	27 %
CWBMBB 230035			✓ BB 200028		**72**	**116**	**113**	**85**	**109**	**78**	**116**	**85**	**113**	**119**	**115**	**110**	**105**	**97**	**90**	**101**	**97**	**90**	**96**
F1					38%	13%	10 %	11%	17%	3.41	9.5	0.16	15.6	19.6	28	-8.7	-0.8	3.7	-0.5	1.7	0.3	-1.1	-1.2
BEYOND BEEF BB23-0035										42 %	13 %	25%	10%	16%	11%	25%	9%	30 %	20 %	20 %	17 %	18 %	14 %
CWBMBB 230036	1		✓ BB 190089		**117**	**83**	**77**	**124**	**104**	**129**	**83**	**100**	**77**	**77**	**76**	**97**	**109**	**115**	**114**	**89**	**100**	**93**	**101**
FB			✓ BB 170168		65%	37%	35 %	32%	34%	-1.55	-4.0	-0.37	-3.3	-10.0	-28	-0.9	-1.2	11.7	2.5	-6.6	0.7	-0.7	-0.3
BEYOND BEEF BB23-0036										70 %	37 %	47%	35%	38%	32%	41%	27%	49 %	43 %	44 %	42 %	42 %	36 %
CWBMBB 230037	5		✓ BB 180258		**111**	**108**	**72**	**110**	**86**	**108**	**108**	**117**	**72**	**100**	**90**	**79**	**93**	**122**	**110**	**113**	**119**	**112**	**105**
FB			✓ BB 180304		64%	33%	29 %	25%	28%	0.48	6.3	-1.01	-6.2	6.5	-9	9.4	1.8	14.6	2.1	10.3	3.7	1.1	0.2
BEYOND BEEF BB23-0037										70 %	33 %	42%	29%	32%	25%	36%	19%	48 %	43 %	43 %	38 %	40 %	32 %
CWBMBB 230043			✓ BB 190102		**79**	**115**	**112**	**82**	**86**	**80**	**115**	**98**	**112**	**113**	**118**	**91**	**83**	**101**	**92**	**121**	**91**	**117**	**105**
F2			✓ CWBFBB 180081		40%	25%	18 %	13%	20%	3.13	9.2	-0.30	15.2	15.3	31	2.3	3.5	5.7	-0.3	15.4	-0.6	1.5	0.3
BEYOND BEEF BB23-0043										43 %	25 %	28%	18%	24%	13%	26%	14%	36 %	28 %	28 %	26 %	24 %	20 %
CWBMBB 230044	2		✓ BB 190102		**114**	**103**	**85**	**106**	**98**	**110**	**103**	**103**	**85**	**95**	**94**	**98**	**99**	**110**	**100**	**101**	**92**	**103**	**107**
FB			✓ BB 180303		63%	31%	23 %	18%	26%	0.24	4.2	-0.48	0.8	3.1	-3	-1.8	0.7	9.5	0.8	1.8	-0.4	0.1	0.6
BEYOND BEEF BB23-0044										69 %	31 %	42%	23%	30%	18%	34%	19%	46 %	37 %	36 %	34 %	33 %	27 %
CWBMBB 230046			✓ BB 200022		**111**	**74**	**86**	**124**	**88**	**134**	**74**	**100**	**86**	**73**	**76**	**89**	**92**	**120**	**113**	**98**	**109**	**91**	**92**
FB			✓ BB 180276		61%	26%	24 %	22%	20%	-2.10	-7.7	-0.39	1.2	-12.3	-28	3.4	2.6	13.7	2.4	-0.9	2.1	-1.0	-1.8
BEYOND BEEF BB23-0046										68 %	26 %	36%	24%	27%	22%	26%	15%	41 %	38 %	38 %	33 %	37 %	30 %
CWBMBB 230057			✓ BB 190168		**92**	**97**	**104**	**96**	**91**	**91**	**97**	**99**	**104**	**98**	**104**	**87**	**94**	**98**	**98**	**105**	**87**	**110**	**108**
F1					29%	24%	24 %	21%	20%	2.09	1.7	-0.35	10.8	4.9	11	4.8	1.4	4.4	0.5	4.4	-1.2	0.9	0.8
BEYOND BEEF BB23-0057										29 %	24 %	27%	24%	27%	21%	26%	15%	32 %	27 %	27 %	27 %	26 %	22 %
CWBMBB 230060	4		✓ BB 180266		**117**	**93**	**70**	**118**	**93**	**112**	**93**	**114**	**70**	**86**	**82**	**83**	**101**	**125**	**106**	**85**	**93**	**115**	**124**
FB			✓ BB 190101		65%	36%	30 %	26%	30%	0.09	0.2	-0.91	-7.1	-3.5	-20	6.8	0.2	15.8	1.5	-9.5	-0.4	1.4	3.3
BEYOND BEEF BB23-0060										71 %	36 %	43%	30%	36%	26%	38%	22%	48 %	40 %	40 %	38 %	36 %	31 %
CWBMBB 230063	4		✓ BB 180258		**122**	**85**	**74**	**127**	**95**	**117**	**85**	**103**	**74**	**79**	**73**	**92**	**98**	**123**	**116**	**88**	**105**	**96**	**100**
FB			✓ BB 200017		65%	35%	30 %	27%	30%	-0.40	-3.2	-0.51	-5.3	-8.1	-33	1.6	0.9	15.0	2.9	-7.7	1.5	-0.5	-0.4
BEYOND BEEF BB23-0063										71 %	35 %	44%	30%	34%	27%	37%	22%	47 %	45 %	44 %	40 %	42 %	35 %
CWBMBB 230064			✓ BB 180266		**106**	**107**	**85**	**108**	**104**	**103**	**107**	**100**	**85**	**105**	**92**	**106**	**103**	**131**	**92**	**82**	**95**	**105**	**123**
FB			✓ BB 200044		62%	33%	26 %	23%	24%	0.92	5.8	-0.39	0.5	10.1	-5	-6.1	-0.2	18.3	-0.3	-12.0	0.0	0.4	3.2
BEYOND BEEF BB23-0064										68 %	33 %	38%	26%	28%	23%	31%	16%	44 %	34 %	34 %	32 %	31 %	24 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 230074 FB BEYOND BEEF BB23-0074			☑ BB 190087 ☑ CWBFBB 170044	**77** 35%	**98** 24%	**106** 23 %	**97** 22%	**98** 20%	**81** 3.08 36 %	**98** 2.1 24 %	**91** -0.05 29%	**106** 12.1 23%	**102** 7.5 24%	**103** 11 22%	**95** -0.1 25%	**100** 0.5 15%	**97** 3.7 34 %	**95** 0.2 27 %	**104** 3.4 27 %	**100** 0.8 26 %	**90** -1.1 26 %	**96** -1.1 23 %
CWBMBB 230075 FB BEYOND BEEF BB23-0075	6		☑ BB 180266 ☑ BB 170008	**108** 63%	**104** 34%	**75** 26 %	**112** 22%	**81** 28%	**104** 0.80 69 %	**104** 4.6 34 %	**103** -0.51 40%	**75** -4.6 26%	**98** 4.9 34%	**88** -10 22%	**80** 8.7 36%	**84** 3.4 21%	**127** 17.0 47 %	**102** 1.1 38 %	**88** -7.9 39 %	**101** 1.0 37 %	**93** -0.7 34 %	**109** 0.9 25 %
CWBMBB 230076 FB BEYOND BEEF BB23-0076	4		☑ BB 180258 ☑ BB 190161	**106** 65%	**97** 35%	**71** 30 %	**119** 26%	**96** 30%	**103** 0.89 70 %	**97** 1.8 35 %	**101** -0.41 44%	**71** -6.7 30%	**89** -1.2 34%	**81** -22 26%	**87** 4.9 38%	**105** -0.4 21%	**119** 13.3 49 %	**117** 2.9 46 %	**86** -8.8 46 %	**91** -0.6 40 %	**109** 0.8 44 %	**113** 1.6 37 %
CWBMBB 230080 FB BEYOND BEEF BB23-0080	8		☑ BB 180258 ☑ BB 180087	**82** 65%	**115** 36%	**75** 31 %	**112** 27%	**82** 31%	**84** 2.79 70 %	**115** 8.9 36 %	**94** -0.14 44%	**75** -4.3 31%	**105** 9.6 34%	**88** -10 27%	**80** 9.0 38%	**86** 2.9 24%	**127** 16.6 50 %	**93** -0.1 45 %	**89** -6.8 45 %	**110** 2.3 40 %	**82** -1.8 42 %	**106** 0.5 34 %
CWBMBB 230082 FB BEYOND BEEF BB23-0082			☑ BB 190089 ☑ CWBFBB 170071	**78** 38%	**104** 24%	**105** 23 %	**95** 22%	**94** 20%	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29%	**105** 11.5 23%	**104** 9.3 24%	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**100** 5.2 36 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
CWBMBB 230087 FB BEYOND BEEF BB23-0087	3		☑ BB 180266 ☑ BB 190143	**118** 63%	**98** 34%	**73** 27 %	**112** 25%	**105** 28%	**111** 0.12 69 %	**98** 2.3 34 %	**109** -0.74 42%	**73** -5.5 27%	**91** 0.4 32%	**88** -11 25%	**95** 0.0 36%	**112** -1.8 20%	**126** 16.5 44 %	**103** 1.2 37 %	**91** -5.6 37 %	**90** -0.8 34 %	**111** 1.0 35 %	**120** 2.7 30 %
CWBMBB 230088 FB BEYOND BEEF BB23-0088	1		☑ BB 190089 ☑ BB 170126	**124** 64%	**89** 37%	**80** 36 %	**118** 32%	**105** 34%	**125** -1.16 69 %	**89** -1.4 37 %	**111** -0.78 45%	**80** -2.1 36%	**83** -5.8 39%	**82** -19 32%	**98** -1.4 40%	**110** -1.5 27%	**115** 11.7 49 %	**107** 1.7 43 %	**82** -12.1 43 %	**98** 0.4 41 %	**98** -0.3 41 %	**112** 1.4 35 %
CWBMBB 230095 FB BEYOND BEEF BB23-0095	2		☑ BB 180258 ☑ BB 170501	**120** 65%	**96** 33%	**74** 29 %	**120** 20%	**81** 27%	**114** -0.10 70 %	**96** 1.2 33 %	**107** -0.65 44%	**74** -5.2 29%	**89** -1.5 30%	**80** -22 20%	**77** 10.4 35%	**86** 3.0 19%	**127** 16.7 48 %	**119** 3.2 42 %	**84** -10.2 41 %	**108** 2.1 36 %	**97** -0.4 37 %	**99** -0.7 30 %
CWBMBB 230099 FB BEYOND BEEF BB23-0099	4		☑ BB 180258 ☑ BB 190092	**111** 64%	**99** 34%	**73** 30 %	**114** 25%	**100** 28%	**108** 0.50 70 %	**99** 2.6 34 %	**116** -0.99 43%	**73** -5.8 30%	**91** -0.1 32%	**86** -13 25%	**94** 0.6 37%	**105** -0.5 20%	**121** 14.3 47 %	**118** 3.1 43 %	**89** -6.8 43 %	**100** 0.8 38 %	**97** -0.3 41 %	**102** -0.1 35 %
CWBMBB 230100 FB BEYOND BEEF BB23-0100			☑ BB 190087 ☑ BB 190185	**119** 61%	**83** 34%	**74** 33 %	**127** 31%	**106** 30%	**113** 0.01 66 %	**83** -3.9 34 %	**108** -0.68 41%	**74** -5.2 33%	**80** -7.4 35%	**73** -33 31%	**102** -4.0 35%	**109** -1.2 25%	**107** 8.3 44 %	**109** 2.0 36 %	**83** -11.5 37 %	**106** 1.7 36 %	**90** -1.0 36 %	**101** -0.4 32 %
CWBMBB 230105 FB BEYOND BEEF BB23-0105			☑ BB 190087 ☑ CWBFBB 170047	**77** 35%	**98** 24%	**106** 23 %	**97** 22%	**98** 20%	**81** 3.08 36 %	**98** 2.1 24 %	**91** -0.05 29%	**106** 12.1 23%	**102** 7.5 24%	**103** 11 22%	**95** -0.1 25%	**100** 0.5 15%	**97** 3.7 34 %	**95** 0.2 27 %	**104** 3.4 27 %	**100** 0.8 26 %	**90** -1.1 26 %	**96** -1.1 23 %
CWBMBB 230107 FB BEYOND BEEF BB23-0107	8		☑ BB 190015 ☑ BB 190120	**65** 59%	**147** 15%	**88** 12 %	**82** 13%	**142** 20%	**72** 3.93 66 %	**147** 22.0 15 %	**84** 0.21 34%	**88** 2.2 12%	**140** 34.8 19%	**118** 32 13%	**139** -25.3 29%	**138** -7.1 12%	**113** 10.9 42 %	**87** -0.9 23 %	**100** 0.5 23 %	**108** 2.0 21 %	**95** -0.5 19 %	**102** -0.1 14 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Parentage: Genomic / DNA / Sire ID / Dam ID		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 230114	2	✓ BB 180258		**96**	**108**	**83**	**109**	**87**	**97**	**108**	**89**	**83**	**102**	**91**	**76**	**95**	**134**	**101**	**100**	**100**	**93**	**102**
PBD		✓ BB 170001		65%	31%	27 %	22%	27%	1.48	6.0	0.04	-0.5	7.5	-7	11.3	1.1	19.6	0.9	0.9	0.7	-0.7	-0.1
BEYOND BEEF BB23-0114									70 %	31 %	45%	27%	32%	22%	35%	19%	48 %	42 %	42 %	37 %	37 %	30 %
CWBMBB 230117	7	✓ BB 170164		**96**	**77**	**79**	**127**	**94**	**143**	**77**	**134**	**79**	**73**	**73**	**94**	**96**	**109**	**126**	**72**	**101**	**100**	**99**
FB		✓ BB 180277		62%	31%	28 %	25%	31%	-2.93	-6.2	-1.66	-2.6	-12.6	-33	0.6	1.2	9.0	4.1	-19.2	1.0	-0.1	-0.7
BEYOND BEEF BB23-0117									68 %	31 %	41%	28%	30%	25%	38%	24%	51 %	50 %	50 %	46 %	49 %	32 %
CWBMBB 230121	2	✓ BB 170164		**108**	**83**	**79**	**119**	**104**	**138**	**83**	**112**	**79**	**80**	**81**	**103**	**105**	**115**	**115**	**74**	**100**	**79**	**92**
FB		✓ BB 170020		65%	38%	32 %	28%	34%	-2.43	-3.8	-0.85	-2.7	-7.8	-21	-4.5	-0.4	11.8	2.7	-17.5	0.8	-2.1	-1.7
BEYOND BEEF BB23-0121									70 %	38 %	46%	32%	36%	28%	41%	26%	55 %	54 %	54 %	51 %	52 %	35 %
CWBMBB 230123	4	✓ BB 180258		**117**	**104**	**72**	**117**	**92**	**112**	**104**	**115**	**72**	**95**	**83**	**84**	**99**	**127**	**108**	**95**	**103**	**116**	**116**
FB		✓ BB 190046		64%	33%	28 %	25%	29%	0.02	4.6	-0.94	-6.3	3.2	-18	6.4	0.6	16.6	1.9	-2.7	1.3	1.4	2.1
BEYOND BEEF BB23-0123									70 %	33 %	43%	28%	33%	25%	37%	21%	49 %	44 %	43 %	38 %	41 %	33 %
CWBMBB 230130	1	✓ BB 200022		**85**	**59**	**84**	**135**	**94**	**156**	**59**	**118**	**84**	**59**	**65**	**90**	**100**	**119**	**112**	**83**	**94**	**96**	**104**
FB		✓ BB 180288		62%	23%	22 %	20%	23%	-4.25	-13.7	-1.07	0.0	-22.7	-44	2.8	0.8	13.4	2.3	-11.4	-0.1	-0.5	0.2
BEYOND BEEF BB23-0130									68 %	23 %	38%	22%	24%	20%	30%	16%	41 %	36 %	36 %	30 %	34 %	28 %
CWBMBB 230134	3	✓ BB 180258		**86**	**105**	**70**	**117**	**85**	**86**	**105**	**99**	**70**	**95**	**83**	**76**	**95**	**121**	**120**	**94**	**110**	**93**	**96**
FB		✓ BB 190145		63%	32%	27 %	25%	28%	2.58	4.9	-0.36	-7.4	3.2	-19	11.2	1.5	14.2	3.3	-3.7	2.4	-0.8	-1.1
BEYOND BEEF BB23-0134									69 %	32 %	40%	27%	30%	25%	35%	20%	45 %	41 %	41 %	36 %	40 %	34 %
CWBMBB 230139	3	✓ BB 180259		**111**	**88**	**85**	**115**	**89**	**134**	**88**	**117**	**85**	**82**	**85**	**90**	**94**	**122**	**111**	**81**	**111**	**91**	**101**
FB		✓ BB 180038		59%	27%	22 %	18%	25%	-2.10	-1.9	-1.01	0.9	-6.4	-16	3.1	2.2	14.8	2.2	-12.6	2.5	-0.9	-0.3
BEYOND BEEF BB23-0139									65 %	27 %	38%	22%	28%	18%	32%	18%	45 %	34 %	35 %	34 %	27 %	19 %
CWBMBB 230142	8	✓ BB 190102		**118**	**99**	**85**	**112**	**98**	**113**	**99**	**105**	**85**	**89**	**88**	**100**	**98**	**119**	**116**	**95**	**89**	**121**	**108**
FB		✓ BB 170132		65%	37%	32 %	27%	33%	0.01	2.6	-0.58	0.7	-1.6	-11	-2.8	0.9	13.2	2.8	-3.0	-0.9	1.9	0.8
BEYOND BEEF BB23-0142									70 %	37 %	45%	32%	38%	27%	40%	26%	49 %	41 %	41 %	40 %	38 %	32 %
CWBMBB 230144	4	✓ BB 190087		**96**	**95**	**73**	**121**	**104**	**96**	**95**	**98**	**73**	**92**	**79**	**93**	**113**	**114**	**119**	**90**	**113**	**85**	**89**
FB		✓ BB 180324		60%	28%	28 %	26%	26%	1.65	0.8	-0.31	-5.4	0.5	-23	1.3	-1.8	11.2	3.2	-6.1	2.7	-1.6	-2.1
BEYOND BEEF BB23-0144									65 %	28 %	39%	28%	31%	26%	34%	18%	44 %	34 %	34 %	33 %	32 %	28 %
CWBMBB 230146	2	✓ BB 190102		**111**	**97**	**83**	**111**	**89**	**107**	**97**	**105**	**83**	**89**	**89**	**92**	**89**	**120**	**97**	**107**	**90**	**101**	**105**
FB		✓ BB 170043		61%	28%	21 %	16%	26%	0.57	1.8	-0.59	-0.2	-1.4	-9	1.5	2.4	13.9	0.4	5.8	-0.7	0.0	0.4
BEYOND BEEF BB23-0146									66 %	28 %	41%	21%	26%	16%	34%	18%	44 %	35 %	35 %	31 %	31 %	25 %
CWBMBB 232003		✓ BB 200004		**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**101**	**93**	**103**	**94**	**104**	**107**
F2		✓ CWBFBB 183032		37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	5.5	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF F2 23-0003									39 %	24 %	27%	23%	26%	21%	25%	15%	34 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 232004		✓ BB 180262		**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**85**	**107**	**102**	**96**	**97**	**109**	**105**
F2		✓ CWBFBB 160131		28%	12%	11 %	8 %	13%	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.3	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F2 23-0004									30 %	12 %	20%	11%	11%	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 232006			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**108**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 183066	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.6	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F2 23-0006									32 %	17 %	24%	13%	13%	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 232012			BB 190053	**91**	**103**	**101**	**98**	**91**	**90**	**103**	**102**	**101**	**105**	**102**	**91**	**92**	**103**	**99**	**95**	**97**	**114**	**115**
F2			CWBFBB 150145	32%	21%	20 %	20%	18%	2.23	4.0	-0.46	9.3	9.8	10	2.3	2.0	6.4	0.6	-2.7	0.3	1.3	1.9
BEYOND BEEF F2 23-0012									33 %	21 %	27%	20%	22%	20%	23%	14%	35 %	26 %	26 %	25 %	24 %	18 %
CWBMBB 232014			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 160046	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F2 23-0014									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 232015			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**93**	**88**	**105**	**99**	**102**	**107**
F2			CWBFBB 150083	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	2.0	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F2 23-0015									38 %	28 %	30%	26%	28%	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 232016			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**108**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 160042	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.6	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F2 23-0016									32 %	17 %	24%	13%	13%	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 232017			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**101**	**93**	**103**	**94**	**104**	**107**
F2			CWBFBB 160394	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	5.5	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF F2 23-0017									39 %	24 %	27%	23%	26%	21%	25%	15%	34 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 232020			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**108**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 183046	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.6	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F2 23-0020									32 %	17 %	24%	13%	13%	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 233002			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**92**	**88**	**105**	**99**	**102**	**107**
F3			CWBFBB 180228	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.7	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F3 23-0002									38 %	28 %	30%	26%	28%	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 233013			BB 190100	**67**	**119**	**123**	**71**	**88**	**71**	**119**	**95**	**123**	**120**	**129**	**94**	**83**	**101**	**89**	**124**	**92**	**113**	**99**
F3			CWBFBB 180229	32%	20%	13 %	10%	14%	4.08	10.6	-0.19	20.9	20.4	47	0.7	3.2	5.7	-0.6	17.8	-0.5	1.2	-0.6
BEYOND BEEF F3 23-0013									35 %	20 %	20%	13%	16%	10%	19%	10%	31 %	22 %	22 %	21 %	20 %	17 %
CWBMBB 233019			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**101**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 190275	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	5.5	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF F3 23-0019									39 %	24 %	27%	23%	26%	21%	25%	15%	34 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 233021			BB 190100	**67**	**119**	**123**	**71**	**88**	**71**	**119**	**95**	**123**	**120**	**129**	**94**	**83**	**102**	**89**	**124**	**92**	**113**	**99**
F3			CWBFBB 190261	32%	20%	13 %	10%	14%	4.08	10.6	-0.19	20.9	20.4	47	0.7	3.2	6.0	-0.6	17.8	-0.5	1.2	-0.6
BEYOND BEEF F3 23-0021									35 %	20 %	20%	13%	16%	10%	19%	10%	31 %	22 %	22 %	21 %	20 %	17 %
CWBMBB 233022			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**93**	**88**	**105**	**99**	**102**	**107**
F3			CWBFBB 190223	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	2.0	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F3 23-0022									38 %	28 %	30%	26%	28%	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 233027 PBD BEYOND BEEF F3 23-0027			✓ BB 190100 ✓ BB 190201		**99** 58%	**110** 21%	**108** 14 %	**84** 11%	**92** 19%	**101** 1.10 66 %	**110** 7.1 21 %	**85** 0.19 27%	**108** 12.7 14%	**112** 14.8 18%	**116** 29 11%	**93** 1.4 26%	**90** 1.9 12%	**107** 8.3 37 %	**96** 0.3 23 %	**113** 9.7 23 %	**98** 0.4 22 %	**108** 0.7 20 %	**98** -0.9 18 %
CWBMBB 233031 F2 BEYOND BEEF F3 23-0031			✓ BB 180262 ✓ BB 180203		**118** 58%	**98** 16%	**96** 14 %	**103** 13%	**103** 17%	**118** -0.50 64 %	**98** 2.1 16 %	**135** -1.68 35%	**96** 6.4 14%	**96** 3.6 18%	**97** 2 13%	**106** -6.2 23%	**102** 0.2 11%	**115** 11.6 40 %	**108** 1.8 24 %	**93** -3.9 24 %	**98** 0.5 22 %	**101** 0.0 24 %	**98** -0.8 16 %
CWBMBB 233032 F3 BEYOND BEEF F3 23-0032			✓ BB 200004 ✓ CWBFBB 170439		**102** 37%	**91** 24%	**109** 23 %	**103** 21%	**93** 20%	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27%	**109** 13.4 23%	**94** 2.4 26%	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.2 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBMBB 233033 F3 BEYOND BEEF F3 23-0033			✓ BB 200004 ✓ CWBFBB 180133		**102** 37%	**91** 24%	**109** 23 %	**103** 21%	**93** 20%	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27%	**109** 13.4 23%	**94** 2.4 26%	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.2 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBMBB 233034 F3 BEYOND BEEF F3 23-0034			✓ BB 180287 ✓ CWBFBB 180114		**102** 23%	**97** 12%	**109** 11 %	**99** 8 %	**87** 13%	**99** 1.29 24 %	**97** 1.7 12 %	**117** -1.02 20%	**109** 13.6 11%	**98** 5.2 11%	**101** 8 8 %	**91** 2.5 17%	**86** 3.0 9%	**108** 8.7 30 %	**102** 1.0 15 %	**94** -3.6 15 %	**97** 0.4 14 %	**104** 0.3 15 %	**104** 0.1 12 %
CWBMBB 233035 F3 BEYOND BEEF F3 23-0035			✓ BB 190053 CWBFBB 190266		**91** 32%	**103** 21%	**101** 20 %	**98** 20%	**91** 18%	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27%	**101** 9.3 20%	**105** 9.8 22%	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**103** 6.4 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
CWBMBB 233036 F3 BEYOND BEEF F3 23-0036			✓ BB 170147 ✓ CWBFBB 180189		**92** 36%	**100** 28%	**110** 26 %	**96** 23%	**98** 26%	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30%	**110** 13.8 26%	**102** 8.1 28%	**104** 12 23%	**106** -6.6 30%	**92** 1.7 21%	**92** 1.7 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBMBB 233037 1 PBD BEYOND BEEF F3 23-0037			✓ BB 190053 ✓ BB 190202		**111** 57%	**96** 24%	**87** 22 %	**110** 21%	**96** 20%	**106** 0.68 63 %	**96** 1.2 24 %	**110** -0.77 33%	**87** 1.6 22%	**95** 2.9 26%	**90** -8 21%	**94** 0.7 26%	**98** 0.8 15%	**110** 9.4 42 %	**100** 0.8 32 %	**85** -9.6 32 %	**93** -0.3 30 %	**115** 1.3 26 %	**123** 3.3 19 %
CWBMBB 233039 F3 BEYOND BEEF F3 23-0039			✓ BB 200004 ✓ CWBFBB 200179		**102** 37%	**91** 24%	**109** 23 %	**103** 21%	**93** 20%	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27%	**109** 13.4 23%	**94** 2.4 26%	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.2 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBMBB 233041 F3 BEYOND BEEF F3 23-0041			✓ BB 190053 ✓ CWBFBB 180149		**91** 32%	**103** 21%	**101** 20 %	**98** 20%	**91** 18%	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27%	**101** 9.3 20%	**105** 9.8 22%	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**102** 6.1 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
CWBMBB 233042 F3 BEYOND BEEF F3 23-3042			✓ BB 200004 ✓ CWBFBB 180162		**102** 37%	**91** 24%	**109** 23 %	**103** 21%	**93** 20%	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27%	**109** 13.4 23%	**94** 2.4 26%	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.2 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBMBB 233043 F3 BEYOND BEEF F3 23-0043			✓ BB 180262 ✓ CWBFBB 180205		**103** 28%	**98** 12%	**110** 11 %	**98** 8 %	**86** 13%	**100** 1.20 30 %	**98** 2.0 12 %	**117** -1.03 20%	**110** 14.0 11%	**99** 5.8 11%	**102** 9 8 %	**90** 2.8 17%	**85** 3.4 9%	**107** 8.0 31 %	**102** 1.0 15 %	**96** -1.8 15 %	**97** 0.3 14 %	**109** 0.7 15 %	**105** 0.4 12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 233046			✓	BB 180262	**128**	**89**	**101**	**109**	**92**	**122**	**89**	**110**	**101**	**93**	**91**	**91**	**94**	**107**	**109**	**90**	**101**	**106**	**103**
F3			✓	BB 190230	55%	12%	11 %	8 %	14%	-0.88	-1.4	-0.74	9.0	1.2	-6	2.1	1.6	8.0	2.0	-6.5	0.9	0.5	0.0
BEYOND BEEF F3 23-0046										62 %	12 %	30%	11%	11%	8 %	19%	9%	36 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233047			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F3			✓	CWBFBB 200185	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.7	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0047										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233053			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F3			✓	CWBFBB 180192	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.7	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0053										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233054			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**109**	**102**	**94**	**97**	**104**	**104**
F3			✓	CWBFBB 190244	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	9.1	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0054										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233056			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
PBD			✓	CWBFBB 200184	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.7	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0056										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233057			✓	BB 200004	**120**	**97**	**95**	**104**	**109**	**113**	**97**	**109**	**95**	**97**	**96**	**109**	**110**	**105**	**90**	**93**	**96**	**102**	**112**
F3			✓	BB 180240	60%	26%	25 %	23%	22%	-0.04	1.6	-0.70	6.1	4.0	0	-7.8	-1.2	7.3	-0.4	-3.9	0.1	0.1	1.4
BEYOND BEEF F3 23-0057										66 %	26 %	37%	25%	30%	23%	28%	16%	42 %	36 %	36 %	33 %	34 %	27 %
CWBMBB 233061			✓	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**92**	**88**	**105**	**99**	**102**	**107**
F3			✓	CWBFBB 180225	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.7	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F3 23-0061										38 %	28 %	30%	26%	28%	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 233066			✓	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**100**	**93**	**103**	**94**	**104**	**107**
F3			✓	CWBFBB 180132	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	5.2	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF F3 23-0066										39 %	24 %	27%	23%	26%	21%	25%	15%	34 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 233067			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**109**	**102**	**94**	**97**	**104**	**104**
F3			✓	CWBFBB 190314	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	9.1	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0067										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233068			✓	BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**85**	**107**	**102**	**96**	**97**	**109**	**105**
F3			✓	CWBFBB 180234	28%	12%	11 %	8 %	13%	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.0	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0068										30 %	12 %	20%	11%	11%	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233071			✓	BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**85**	**107**	**102**	**96**	**97**	**109**	**105**
F3			✓	CWBFBB 190313	28%	12%	11 %	8 %	13%	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.3	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0071										30 %	12 %	20%	11%	11%	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 233074			✓	BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F3			✓	CWBFBB 180217	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.7	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF F3 23-0074										24 %	12 %	20%	11%	11%	8 %	17%	9%	30 %	15 %	15 %	14 %	15 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 240001	3		✓ BB 180262		**107**	**103**	**82**	**117**	**84**	**102**	**103**	**109**	**82**	**95**	**83**	**88**	**85**	**130**	**118**	**77**	**99**	**103**	**107**
FB			✓ BB 170007		56%	24%	20 %	15%	25%	1.02	4.1	-0.72	-0.7	2.6	-18	4.1	3.4	17.9	3.1	-15.7	0.6	0.2	0.6
BEYOND BEEF BB240001										61 %	24 %	38%	20%	26%	15%	32%	18%	44 %	32 %	32 %	30 %	30 %	23 %
CWBMBB 240002	2		✓ BB 180262		**112**	**80**	**78**	**126**	**84**	**130**	**80**	**130**	**78**	**77**	**74**	**88**	**85**	**134**	**114**	**82**	**107**	**87**	**98**
FB			✓ BB 170052		53%	17%	15 %	12%	20%	-1.70	-5.2	-1.49	-2.7	-10.0	-31	4.3	3.5	19.6	2.6	-11.7	1.9	-1.3	-0.7
BEYOND BEEF BB240002										58 %	17 %	32%	15%	16%	12%	27%	13%	38 %	26 %	26 %	23 %	24 %	18 %
CWBMBB 240004	2		✓ BB 190115		**91**	**136**	**89**	**80**	**140**	**92**	**136**	**95**	**89**	**131**	**120**	**143**	**132**	**118**	**75**	**80**	**116**	**70**	**107**
PBD			✓ BB 210048		61%	13%	10 %	9 %	18%	2.04	17.5	-0.20	2.7	28.0	36	-27.6	-5.9	13.1	-2.3	-13.0	3.3	-2.9	0.7
BEYOND BEEF BB240004										69 %	13 %	32%	10%	17%	9 %	28%	9%	39 %	34 %	34 %	25 %	31 %	25 %
CWBMBB 240008			✓ BB 190112		**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F1					33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240008										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240013	11		✓ BB 180266		**122**	**99**	**70**	**114**	**91**	**118**	**99**	**122**	**70**	**93**	**86**	**89**	**94**	**129**	**114**	**83**	**108**	**94**	**104**
FB			✓ BB 210077		63%	30%	22 %	19%	26%	-0.55	2.7	-1.21	-7.2	1.6	-13	3.8	1.5	17.8	2.6	-11.4	2.1	-0.6	0.1
BEYOND BEEF BB240013										70 %	30 %	35%	22%	26%	19%	34%	17%	40 %	33 %	33 %	30 %	31 %	25 %
CWBMBB 240015			✓ BB 180022		**102**	**109**	**80**	**107**	**130**	**101**	**109**	**95**	**80**	**102**	**93**	**128**	**129**	**128**	**111**	**91**	**104**	**103**	**102**
PBD			✓ BB 210070		60%	28%	27 %	25%	26%	1.09	6.5	-0.20	-1.9	7.7	-3	-18.9	-4.8	17.1	2.2	-5.4	1.4	0.2	-0.2
BEYOND BEEF BB240015										66 %	28 %	38%	27%	29%	25%	34%	19%	42 %	34 %	34 %	32 %	33 %	28 %
CWBMBB 240021			✓ BB 180266		**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
F2			✓ CWBFBB 180011		40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
BEYOND BEEF BB240021										44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMBB 240033			✓ BB 190102		**79**	**115**	**112**	**82**	**86**	**80**	**115**	**98**	**112**	**113**	**118**	**91**	**83**	**98**	**92**	**121**	**91**	**117**	**105**
F2			✓ CWBFBB 180081		40%	25%	18 %	13%	20%	3.13	9.2	-0.30	15.2	15.3	31	2.3	3.5	4.5	-0.3	15.4	-0.6	1.5	0.3
BEYOND BEEF BB240033										43 %	25 %	28%	18%	24%	13%	26%	14%	34 %	28 %	28 %	26 %	24 %	20 %
CWBMBB 240039	14		✓ BB 180266		**113**	**101**	**76**	**115**	**89**	**108**	**101**	**110**	**76**	**96**	**85**	**89**	**91**	**135**	**105**	**88**	**107**	**87**	**104**
FB			✓ BB 210082		63%	31%	23 %	19%	24%	0.50	3.5	-0.77	-4.0	3.7	-16	3.8	1.9	20.1	1.5	-7.8	1.9	-1.3	0.1
BEYOND BEEF BB240039										70 %	31 %	36%	23%	25%	19%	33%	16%	40 %	33 %	33 %	30 %	30 %	24 %
CWBMBB 240042	3		✓ BB 190102		**109**	**105**	**80**	**112**	**83**	**105**	**105**	**115**	**80**	**95**	**88**	**84**	**84**	**121**	**106**	**104**	**98**	**115**	**110**
FB			✓ BB 180257		63%	29%	22 %	17%	28%	0.70	5.1	-0.94	-2.0	2.6	-11	6.3	3.3	14.1	1.5	3.4	0.4	1.4	1.1
BEYOND BEEF BB240042										69 %	29 %	42%	22%	28%	17%	36%	20%	44 %	33 %	33 %	31 %	30 %	25 %
CWBMBB 240043	1		✓ BB 190100		**89**	**110**	**88**	**97**	**97**	**89**	**110**	**99**	**88**	**103**	**103**	**94**	**98**	**116**	**115**	**101**	**101**	**95**	**87**
FB			✓ BB 180297		61%	26%	20 %	17%	24%	2.27	6.9	-0.36	2.5	8.3	11	0.5	0.7	11.9	2.7	1.8	0.9	-0.6	-2.5
BEYOND BEEF BB240043										67 %	26 %	37%	20%	26%	17%	30%	17%	41 %	34 %	34 %	31 %	31 %	25 %
CWBMBB 240044	5		✓ BB 180289		**126**	**89**	**76**	**115**	**104**	**120**	**89**	**115**	**76**	**81**	**85**	**97**	**110**	**123**	**128**	**93**	**98**	**114**	**100**
FB			✓ BB 190091		61%	29%	28 %	25%	28%	-0.73	-1.4	-0.94	-4.0	-7.1	-15	-1.2	-1.1	15.1	4.3	-4.1	0.5	1.2	-0.4
BEYOND BEEF BB240044										67 %	29 %	39%	28%	32%	25%	35%	21%	42 %	35 %	36 %	33 %	34 %	28 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 240045			☑ BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
FB			☑ CWBFBB 170027	40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
BEYOND BEEF BB240045									44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMBB 240052	11		☑ BB 180258	**125**	**95**	**73**	**119**	**89**	**121**	**95**	**120**	**73**	**87**	**81**	**90**	**91**	**121**	**115**	**85**	**109**	**91**	**100**
FB			☑ BB 210076	63%	30%	24 %	20%	26%	-0.85	0.7	-1.14	-5.3	-2.7	-21	3.0	2.1	14.3	2.7	-9.9	2.1	-1.0	-0.5
BEYOND BEEF BB240052									70 %	30 %	38%	24%	26%	20%	34%	19%	44 %	42 %	42 %	37 %	41 %	32 %
CWBMBB 240059	1		☑ BB 200022	**117**	**73**	**77**	**130**	**97**	**128**	**73**	**96**	**77**	**70**	**70**	**91**	**105**	**113**	**116**	**90**	**102**	**75**	**88**
FB			☑ BB 180314	62%	28%	25 %	23%	24%	-1.44	-8.0	-0.24	-3.6	-14.4	-37	2.5	-0.1	10.8	2.8	-6.2	1.1	-2.5	-2.5
BEYOND BEEF BB240059									68 %	28 %	38%	25%	30%	23%	31%	16%	42 %	41 %	41 %	36 %	39 %	31 %
CWBMBB 240061	4		☑ BB 180258	**92**	**119**	**75**	**104**	**88**	**90**	**119**	**105**	**75**	**108**	**96**	**83**	**92**	**120**	**100**	**96**	**89**	**110**	**115**
FB			☑ BB 190106	64%	35%	26 %	20%	28%	2.22	10.6	-0.58	-4.3	11.7	1	7.0	1.8	13.7	0.8	-2.2	-0.9	0.9	2.0
BEYOND BEEF BB240061									70 %	35 %	42%	26%	32%	20%	37%	20%	47 %	45 %	44 %	40 %	41 %	34 %
CWBMBB 240062			☑ BB 170089	**107**	**109**	**85**	**109**	**116**	**104**	**109**	**99**	**85**	**103**	**91**	**115**	**115**	**127**	**113**	**76**	**101**	**99**	**103**
PBD			☑ BB 170132	63%	31%	28 %	25%	31%	0.81	6.6	-0.35	0.9	8.2	-7	-11.3	-2.5	16.6	2.4	-16.5	0.9	-0.2	-0.1
BEYOND BEEF BB240062									68 %	31 %	42%	28%	33%	25%	38%	24%	46 %	36 %	36 %	34 %	34 %	28 %
CWBMBB 240063	9		☑ BB 180266	**127**	**97**	**79**	**115**	**89**	**121**	**97**	**114**	**79**	**91**	**85**	**85**	**94**	**124**	**100**	**74**	**101**	**91**	**115**
FB			☑ BB 180038	64%	35%	25 %	20%	28%	-0.76	1.9	-0.91	-2.2	0.1	-15	6.0	1.8	15.5	0.8	-17.3	1.0	-0.9	1.9
BEYOND BEEF BB240063									70 %	35 %	42%	25%	31%	20%	36%	20%	46 %	40 %	40 %	38 %	32 %	24 %
CWBMBB 240067			☑ BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
FB			☑ CWBFBB 170041	40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
BEYOND BEEF BB240067									44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMBB 240068	2		☑ BB 180266	**118**	**97**	**75**	**117**	**94**	**114**	**97**	**119**	**75**	**92**	**83**	**89**	**100**	**132**	**105**	**80**	**94**	**119**	**124**
FB			☑ BB 170012	63%	35%	29 %	20%	27%	-0.16	1.8	-1.11	-4.6	0.8	-18	3.4	0.6	19.0	1.5	-13.4	-0.1	1.7	3.4
BEYOND BEEF BB240068									69 %	35 %	42%	29%	30%	20%	35%	19%	46 %	36 %	36 %	33 %	30 %	23 %
CWBMBB 240069			☑ BB 190089	**78**	**104**	**105**	**95**	**94**	**81**	**104**	**94**	**105**	**104**	**105**	**90**	**98**	**98**	**97**	**110**	**97**	**97**	**98**
PBD			☑ CWBFBB 200061	38%	24%	23 %	22%	20%	3.11	4.6	-0.17	11.5	9.3	13	2.7	0.9	4.2	0.5	7.7	0.4	-0.4	-0.7
BEYOND BEEF BB240069									40 %	24 %	29%	23%	24%	22%	25%	15%	33 %	30 %	30 %	28 %	29 %	26 %
CWBMBB 240070			☑ BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**91**	**89**	**105**	**89**	**95**	**105**	**102**
F2			☑ CWBFBB 180074	41%	29%	26 %	23%	26%	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
BEYOND BEEF BB240070									44 %	29 %	31%	26%	29%	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBMBB 240073	3		☑ BB 180266	**104**	**99**	**71**	**115**	**85**	**101**	**99**	**105**	**71**	**92**	**85**	**75**	**95**	**126**	**111**	**93**	**106**	**102**	**108**
FB			☑ BB 190145	62%	34%	27 %	25%	28%	1.16	2.7	-0.56	-6.6	1.1	-15	11.4	1.5	16.3	2.2	-4.2	1.7	0.1	0.8
BEYOND BEEF BB240073									68 %	34 %	39%	27%	32%	25%	36%	20%	42 %	35 %	35 %	33 %	33 %	28 %
CWBMBB 240076	3		☑ BB 190100	**101**	**109**	**91**	**100**	**103**	**97**	**109**	**109**	**91**	**102**	**100**	**104**	**100**	**116**	**103**	**97**	**86**	**112**	**107**
FB			☑ BB 170114	62%	34%	29 %	25%	31%	1.54	6.6	-0.73	3.7	7.5	6	-5.3	0.1	12.1	1.2	-1.0	-1.5	1.1	0.7
BEYOND BEEF BB240076									68 %	34 %	41%	29%	32%	25%	38%	24%	44 %	39 %	39 %	38 %	37 %	31 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Parentage: Genomic / DNA / Sire ID / Dam ID		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 240077	13	☑ BB 180266		**92**	**108**	**88**	**103**	**83**	**91**	**108**	**103**	**88**	**105**	**97**	**82**	**84**	**123**	**99**	**91**	**107**	**88**	**104**
FB		☑ BB 210085		60%	30%	21 %	18%	21%	2.12	6.3	-0.49	2.6	10.2	1	7.5	3.2	15.0	0.7	-5.5	1.8	-1.2	0.2
BEYOND BEEF BB240077									67 %	30 %	33%	21%	25%	18%	27%	15%	39 %	32 %	32 %	29 %	29 %	24 %
CWBMBB 240081		☑ BB 200022		**126**	**83**	**85**	**125**	**101**	**120**	**83**	**104**	**85**	**78**	**75**	**98**	**104**	**115**	**105**	**79**	**94**	**103**	**115**
FB		☑ BB 170126		63%	34%	33 %	29%	30%	-0.73	-4.0	-0.54	0.6	-8.8	-30	-1.8	-0.1	11.6	1.4	-14.0	-0.2	0.2	1.9
BEYOND BEEF BB240081									69 %	34 %	41%	33%	37%	29%	36%	24%	44 %	44 %	44 %	40 %	42 %	35 %
CWBMBB 240083	1	☑ BB 170164		**119**	**84**	**74**	**120**	**108**	**127**	**84**	**118**	**74**	**77**	**80**	**101**	**113**	**106**	**117**	**75**	**91**	**113**	**114**
FB		☑ BB 190095		63%	35%	33 %	30%	33%	-1.37	-3.4	-1.04	-5.0	-9.5	-22	-3.3	-2.1	7.9	2.9	-16.6	-0.7	1.2	1.7
BEYOND BEEF BB240083									68 %	35 %	42%	33%	36%	30%	40%	26%	50 %	51 %	51 %	49 %	50 %	35 %
CWBMBB 240088	3	☑ BB 190102		**114**	**107**	**82**	**102**	**83**	**111**	**107**	**99**	**82**	**97**	**98**	**85**	**84**	**119**	**102**	**110**	**91**	**113**	**107**
FB		☑ BB 170008		63%	33%	26 %	20%	29%	0.19	5.6	-0.36	-0.7	4.4	4	5.6	3.4	13.4	1.1	8.0	-0.6	1.1	0.6
BEYOND BEEF BB240088									69 %	33 %	41%	26%	35%	20%	37%	21%	46 %	39 %	39 %	38 %	35 %	26 %
CWBMBB 240091	3	☑ BB 190102		**111**	**101**	**83**	**115**	**90**	**109**	**101**	**122**	**83**	**91**	**85**	**90**	**91**	**120**	**108**	**96**	**92**	**111**	**108**
FB		☑ BB 180288		63%	28%	21 %	16%	27%	0.39	3.3	-1.22	-0.2	0.0	-14	2.7	2.1	13.9	1.8	-1.9	-0.5	1.0	0.8
BEYOND BEEF BB240091									69 %	28 %	42%	21%	26%	16%	35%	19%	43 %	32 %	32 %	30 %	29 %	23 %
CWBMBB 240102	1	☑ BB 190089		**105**	**99**	**73**	**119**	**99**	**101**	**99**	**103**	**73**	**89**	**81**	**96**	**102**	**121**	**116**	**80**	**106**	**91**	**100**
FB		☑ BB 170200		64%	37%	35 %	32%	34%	1.10	2.3	-0.51	-5.4	-1.3	-21	-0.8	0.1	14.2	2.9	-13.3	1.8	-0.9	-0.4
BEYOND BEEF BB240102									69 %	37 %	45%	35%	38%	32%	41%	27%	48 %	43 %	43 %	41 %	42 %	36 %
CWBMBB 240104	4	☑ BB 180258		**68**	**112**	**70**	**119**	**96**	**71**	**112**	**97**	**70**	**101**	**81**	**87**	**105**	**119**	**117**	**86**	**91**	**109**	**113**
FB		☑ BB 190161		65%	35%	30 %	26%	30%	4.03	7.8	-0.27	-7.4	7.1	-22	4.9	-0.4	13.1	2.9	-8.8	-0.6	0.8	1.6
BEYOND BEEF BB240104									70 %	35 %	44%	30%	34%	26%	38%	21%	47 %	46 %	46 %	40 %	44 %	37 %
CWBMBB 240107	1	☑ BB 190089		**110**	**97**	**76**	**121**	**100**	**105**	**97**	**110**	**76**	**89**	**79**	**91**	**106**	**116**	**114**	**85**	**98**	**101**	**107**
FB		☑ BB 170166		63%	37%	35 %	32%	34%	0.75	1.8	-0.76	-3.9	-1.2	-24	2.2	-0.8	11.9	2.5	-10.1	0.5	0.0	0.6
BEYOND BEEF BB240107									68 %	37 %	44%	35%	38%	32%	40%	27%	48 %	43 %	44 %	42 %	42 %	36 %
CWBMBB 240110	4	☑ BB 180258		**127**	**83**	**74**	**127**	**95**	**121**	**83**	**104**	**74**	**78**	**73**	**92**	**98**	**123**	**116**	**88**	**105**	**96**	**100**
FB		☑ BB 200017		65%	35%	30 %	27%	30%	-0.81	-3.9	-0.53	-5.2	-9.2	-33	1.6	0.9	15.2	2.9	-7.7	1.5	-0.5	-0.4
BEYOND BEEF BB240110									71 %	35 %	44%	30%	34%	27%	37%	22%	46 %	45 %	44 %	40 %	42 %	35 %
CWBMBB 240111	4	☑ BB 180258		**116**	**97**	**73**	**114**	**100**	**112**	**97**	**117**	**73**	**89**	**86**	**94**	**105**	**121**	**118**	**89**	**100**	**97**	**102**
FB		☑ BB 190092		64%	34%	30 %	25%	28%	0.12	1.9	-1.01	-5.7	-1.1	-13	0.6	-0.5	14.2	3.1	-6.8	0.8	-0.3	-0.1
BEYOND BEEF BB240111									70 %	34 %	43%	30%	32%	25%	37%	20%	46 %	43 %	43 %	38 %	41 %	35 %
CWBMBB 240118		☑ BB 190100		**97**	**119**	**110**	**73**	**101**	**95**	**119**	**102**	**110**	**117**	**127**	**103**	**97**	**110**	**87**	**119**	**97**	**103**	**99**
FB		☑ BB 210001		57%	22%	15 %	11%	16%	1.71	10.4	-0.45	14.0	18.4	45	-4.4	0.6	9.3	-0.8	14.3	0.3	0.2	-0.6
BEYOND BEEF BB240118									64 %	22 %	28%	15%	18%	11%	22%	11%	35 %	26 %	25 %	24 %	23 %	18 %
CWBMBB 240121	1	☑ BB 200022		**113**	**77**	**82**	**129**	**90**	**133**	**77**	**115**	**82**	**73**	**71**	**83**	**99**	**116**	**114**	**93**	**109**	**93**	**97**
FB		☑ BB 180285		62%	27%	25 %	23%	25%	-1.99	-6.5	-0.93	-0.8	-12.7	-35	7.0	1.0	12.1	2.5	-4.0	2.1	-0.8	-1.0
BEYOND BEEF BB240121									68 %	27 %	37%	25%	28%	23%	32%	18%	42 %	38 %	38 %	34 %	37 %	31 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 240123 FB BEYOND BEEF BB240123				✓ BB 180258 ✓ BB 200044	**103** 63%	**106** 31%	**84** 26 %	**110** 23%	**104** 24%	**102** 1.02 69 %	**106** 5.4 31 %	**96** -0.25 40%	**84** 0.0 26%	**103** 8.6 27%	**90** -8 23%	**106** -6.3 31%	**103** -0.2 16%	**126** 16.2 44 %	**100** 0.8 40 %	**83** -11.5 40 %	**99** 0.7 35 %	**96** -0.5 38 %	**112** 1.4 31 %
CWBMBB 240130 PBD BEYOND BEEF BB240130				✓ BB 180266 ✓ CWBFBB 210102	**93** 40%	**105** 27%	**106** 19 %	**93** 16%	**84** 19%	**91** 2.09 44 %	**105** 5.0 27 %	**104** -0.53 26%	**106** 11.7 19%	**107** 11.3 22%	**107** 17 16%	**86** 5.4 25%	**83** 3.5 13%	**108** 8.4 32 %	**92** -0.3 27 %	**98** -0.5 27 %	**101** 0.9 25 %	**97** -0.4 24 %	**107** 0.6 20 %
CWBMBB 240135 FB BEYOND BEEF BB240135	4			✓ BB 180266 ✓ BB 190104	**115** 64%	**110** 36%	**79** 26 %	**103** 20%	**88** 28%	**110** 0.27 70 %	**110** 6.9 36 %	**112** -0.83 41%	**79** -2.2 26%	**100** 6.5 32%	**97** 3 20%	**89** 3.7 37%	**88** 2.3 20%	**134** 19.9 46 %	**104** 1.3 39 %	**97** -1.5 39 %	**90** -0.8 37 %	**118** 1.6 35 %	**115** 1.9 28 %
CWBMBB 240139 FB BEYOND BEEF BB240139	13			✓ BB 190102 ✓ BB 190108	**79** 62%	**130** 33%	**83** 23 %	**89** 17%	**87** 28%	**80** 3.16 68 %	**130** 15.2 33 %	**101** -0.43 39%	**83** -0.5 23%	**114** 16.4 28%	**111** 21 17%	**86** 5.0 36%	**88** 2.3 19%	**117** 12.3 43 %	**95** 0.1 36 %	**121** 15.5 35 %	**83** -1.8 34 %	**128** 2.6 31 %	**113** 1.6 26 %
CWBMBB 240141 FB BEYOND BEEF BB240141	13			✓ BB 190102 ✓ BB 190114	**90** 61%	**124** 33%	**81** 23 %	**91** 17%	**89** 27%	**88** 2.36 67 %	**124** 12.7 33 %	**105** -0.57 37%	**81** -1.4 23%	**109** 12.8 28%	**109** 19 17%	**85** 5.8 36%	**91** 1.7 18%	**118** 12.9 43 %	**96** 0.3 36 %	**121** 15.7 35 %	**86** -1.3 34 %	**131** 2.9 31 %	**113** 1.6 26 %
CWBMBB 240143 FB BEYOND BEEF BB240143				✓ BB 180266 ✓ CWBFBB 170026	**93** 40%	**105** 27%	**106** 19 %	**93** 16%	**84** 19%	**91** 2.09 44 %	**105** 5.0 27 %	**104** -0.53 26%	**106** 11.7 19%	**107** 11.3 22%	**107** 17 16%	**86** 5.4 25%	**83** 3.5 13%	**108** 8.4 32 %	**92** -0.3 27 %	**98** -0.5 27 %	**101** 0.9 25 %	**97** -0.4 24 %	**107** 0.6 20 %
CWBMBB 240145 FB BEYOND BEEF BB240145				✓ BB 170164 ✓ CWBFBB 170005	**108** 41%	**93** 29%	**108** 26 %	**100** 23%	**95** 26%	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31%	**108** 12.8 26%	**94** 2.2 29%	**100** 6 23%	**101** -3.7 31%	**91** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBMBB 240150 FB BEYOND BEEF BB240150	5			✓ BB 170164 ✓ BB 190046	**113** 64%	**91** 36%	**75** 34 %	**122** 30%	**104** 34%	**131** -1.80 69 %	**91** -0.8 36 %	**123** -1.23 45%	**75** -4.6 34%	**82** -5.9 38%	**78** -26 30%	**99** -2.5 42%	**108** -1.0 27%	**113** 10.9 53 %	**113** 2.5 53 %	**85** -9.8 53 %	**93** -0.3 51 %	**133** 3.1 51 %	**122** 3.1 34 %
CWBMBB 240151 FB BEYOND BEEF BB240151	4			✓ BB 180258 ✓ BB 210032	**114** 64%	**96** 34%	**70** 29 %	**117** 25%	**101** 28%	**109** 0.38 70 %	**96** 1.5 34 %	**112** -0.84 41%	**70** -7.4 29%	**88** -1.9 32%	**83** -18 25%	**92** 2.0 37%	**108** -1.0 20%	**117** 12.4 46 %	**118** 3.1 43 %	**92** -4.7 43 %	**104** 1.4 38 %	**99** -0.2 41 %	**102** -0.2 35 %
CWBMBB 240155 FB BEYOND BEEF BB240155	2			✓ BB 180258 ✓ BB 170501	**110** 64%	**99** 33%	**73** 29 %	**120** 20%	**81** 27%	**106** 0.67 69 %	**99** 2.7 33 %	**106** -0.61 44%	**73** -5.4 29%	**92** 0.5 30%	**80** -22 20%	**77** 10.4 35%	**86** 3.0 19%	**127** 16.8 47 %	**119** 3.2 42 %	**84** -10.2 41 %	**108** 2.1 36 %	**97** -0.4 37 %	**99** -0.7 30 %
CWBMBB 240202 F2 BEYOND BEEF BB240202				✓ BB 180281 ✓ CWBFBB 150061	**108** 30%	**98** 17%	**108** 13 %	**96** 10%	**81** 16%	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24%	**108** 12.9 13%	**99** 5.8 13%	**104** 12 10%	**84** 6.2 21%	**79** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBMBB 240205 F2 BEYOND BEEF BB240205				✓ BB 200007 ✓ CWBFBB 160045	**81** 28%	**94** 20%	**123** 19 %	**91** 18%	**88** 16%	**84** 2.79 30 %	**94** 0.6 20 %	**92** -0.09 21%	**123** 21.0 19%	**101** 7.2 22%	**109** 20 18%	**90** 2.9 21%	**89** 2.7 10%	**94** 2.8 26 %	**95** 0.2 25 %	**111** 8.4 25 %	**93** -0.4 23 %	**110** 0.9 23 %	**101** -0.3 15 %

CWB Bulls

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 240213			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 160131	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240213									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240215			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F2			CWBFBB 150145	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240215									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240225			BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F2			CWBFBB 160394	23%	12%	11 %	8 %	13%	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.5	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF BB240225									24 %	12 %	20%	11%	11%	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 240226	1		BB 180281	**120**	**90**	**78**	**121**	**89**	**126**	**90**	**119**	**78**	**88**	**79**	**86**	**93**	**126**	**91**	**90**	**110**	**95**	**115**
FB			BB 160203	62%	30%	28 %	25%	28%	-1.28	-1.1	-1.10	-3.2	-2.3	-23	5.4	1.8	16.4	-0.3	-6.2	2.3	-0.5	2.0
BEYOND BEEF BB240226									67 %	30 %	43%	28%	28%	25%	34%	21%	48 %	41 %	41 %	38 %	40 %	31 %
CWBMBB 240228			BB 200033	**95**	**98**	**107**	**98**	**94**	**96**	**98**	**93**	**107**	**100**	**102**	**103**	**88**	**107**	**101**	**108**	**102**	**101**	**95**
F2			CWBFBB 170497	34%	25%	23 %	17%	16%	1.64	1.9	-0.14	12.5	6.3	10	-4.8	2.8	8.0	0.9	6.5	1.0	0.0	-1.3
BEYOND BEEF BB240228									36 %	25 %	27%	23%	20%	17%	22%	11%	30 %	24 %	24 %	22 %	16 %	10 %
CWBMBB 240229			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F2			CWBFBB 150083	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240229									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240301			BB 200064	**120**	**103**	**99**	**96**	**117**	**114**	**103**	**106**	**99**	**103**	**104**	**119**	**113**	**121**	**88**	**94**	**102**	**92**	**106**
F3			BB 190226	54%	19%	17 %	14%	16%	-0.10	3.9	-0.62	8.1	8.4	11	-14.1	-2.0	14.1	-0.7	-3.1	1.0	-0.9	0.5
BEYOND BEEF BB240301									60 %	19 %	33%	17%	20%	14%	22%	10%	36 %	24 %	24 %	22 %	22 %	15 %
CWBMBB 240305			BB 210090	**100**	**98**	**109**	**97**	**91**	**97**	**98**	**105**	**109**	**99**	**103**	**97**	**87**	**100**	**106**	**95**	**102**	**102**	**97**
F1				32%	16%	15 %	13%	16%	1.48	2.1	-0.56	13.5	5.6	11	-0.9	2.7	5.2	1.5	-2.6	1.1	0.1	-1.0
BEYOND BEEF BB240305									35 %	16 %	20%	15%	16%	13%	19%	12%	25 %	24 %	24 %	23 %	24 %	16 %
CWBMBB 240309			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 180229	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240309									39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240310			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
PBD			CWBFBB 200184	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240310									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240311			BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**85**	**106**	**102**	**96**	**97**	**109**	**105**
F3			CWBFBB 190225	28%	12%	11 %	8 %	13%	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	7.9	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF BB240311									30 %	12 %	20%	11%	11%	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
CWBMBB 240314			BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
PBD			CWBFBB 190205	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240314									30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 240315			✓ BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			✓ CWBFBB 180170	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240315									39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240318			✓ BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			✓ CWBFBB 180234	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240318									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240319			✓ BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓ CWBFBB 180212	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240319									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240321			✓ BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			✓ CWBFBB 190223	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240321									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240325			✓ BB 170147	**115**	**106**	**95**	**94**	**110**	**109**	**106**	**109**	**95**	**103**	**106**	**116**	**103**	**100**	**94**	**101**	**110**	**87**	**95**
F3			✓ BB 180219	62%	36%	28 %	24%	28%	0.39	5.2	-0.73	6.1	8.7	15	-12.1	-0.5	5.2	0.1	1.2	2.3	-1.4	-1.3
BEYOND BEEF BB240325									67 %	36 %	43%	28%	36%	24%	35%	21%	50 %	49 %	49 %	46 %	48 %	29 %
CWBMBB 240326			✓ BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			✓ CWBFBB 180171	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240326									35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240327			✓ BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			✓ CWBFBB 190222	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240327									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240328			✓ BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
F2			✓ CWBFBB 180211	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240328									30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBMBB 240329			✓ BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓ CWBFBB 180169	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240329									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240330			✓ BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			✓ CWBFBB 190216	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240330									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240336			✓ BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			✓ CWBFBB 180149	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240336									38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240337			✓ BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓ CWBFBB 190288	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240337									32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 240340			☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			☑	CWBFBB 190309	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240340										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240343			☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			☑	CWBFBB 190257	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240343										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240344			☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			☑	CWBFBB 190313	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240344										39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240346			☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
F3			☑	CWBFBB 180207	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240346										30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBMBB 240347			☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F3			☑	CWBFBB 190314	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240347										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240351			☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			☑	CWBFBB 180175	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240351										39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240353			☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**92**	**91**	**88**	**105**	**99**	**102**	**107**
F2			☑	CWBFBB 190252	36%	28%	26 %	23%	26%	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240353										38 %	28 %	30%	26%	28%	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBMBB 240354			☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
F3			☑	CWBFBB 180205	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240354										30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBMBB 240355			☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			☑	CWBFBB 180209	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240355										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240357			☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
PBD			☑	CWBFBB 190305	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240357										39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240358			☑	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			☑	CWBFBB 210166	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240358										32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240359			☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
F3			☑	CWBFBB 190260	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240359										30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 240360			✓	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			✓	CWBFBB 180132	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240360										39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBMBB 240364			✓	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓	CWBFBB 190244	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240364										32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240367			✓	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			✓	CWBFBB 180174	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240367										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240368			✓	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓	CWBFBB 180138	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240368										32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240371			✓	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**79**	**107**	**94**	**104**	**99**	**117**	**114**
F3			✓	CWBFBB 180228	30%	17%	13 %	10%	16%	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240371										32 %	17 %	24%	13%	13%	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBMBB 240372			✓	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			✓	CWBFBB 200190	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240372										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240376			✓	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			✓	CWBFBB 210155	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240376										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240378			✓	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**84**	**103**	**91**	**111**	**92**	**114**	**107**
F3			✓	CWBFBB 200179	33%	25%	18 %	13%	20%	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240378										35 %	25 %	27%	18%	24%	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBMBB 240406			✓	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
PBD			✓	CWBFBB 210229	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240406										30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBMBB 240408			✓	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**83**	**108**	**92**	**98**	**101**	**97**	**107**
PBD			✓	CWBFBB 223044	40%	27%	19 %	16%	19%	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
BEYOND BEEF BB240408										44 %	27 %	26%	19%	22%	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBMBB 240409			✓	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**89**	**94**	**95**	**111**	**93**	**110**	**101**
F3			✓	CWBFBB 210228	28%	20%	19 %	18%	16%	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240409										30 %	20 %	21%	19%	22%	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBMBB 240410			✓	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
PBD			✓	CWBFBB 210205	37%	24%	23 %	21%	20%	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240410										39 %	24 %	27%	23%	26%	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage: Sire ID / DNA / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 240411 PBD BEYOND BEEF BB240411		✓	BB 190112 CWBFBB 210223	**80** 33%	**118** 25%	**110** 18 %	**82** 13%	**86** 20%	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27%	**110** 13.9 18%	**113** 15.6 24%	**118** 33 13%	**90** 3.1 27%	**84** 3.2 14%	**103** 6.6 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
CWBMBB 240412 PBD BEYOND BEEF BB240412		✓	BB 200004 CWBFBB 200321	**102** 37%	**91** 24%	**109** 23 %	**103** 21%	**93** 20%	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27%	**109** 13.4 23%	**94** 2.4 26%	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**99** 4.9 32 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBUMBB 243006 PEN BEYOND BEEF BB243006			BB 180265	**101** 46%	**96** 16%	**92** 14 %	**115** 13%	**98** 17%	**108** 0.50 52 %	**96** 1.5 16 %	**67** 0.85 25%	**92** 4.5 14%	**100** 6.2 17%	**85** -15 13%	**92** 1.6 23%	**102** 0.1 11%	**101** 5.5 26 %	**121** 3.5 16 %	**88** -7.6 17 %	**116** 3.3 16 %	**94** -0.7 17 %	**86** -2.6 13 %
CWBMBB 250001 F1 BEYOND BEEF BB250001	10	✓	BB 180289 BB 220025	**121** 43%	**83** 26%	**77** 24 %	**124** 22%	**93** 26%	**128** -1.45 46 %	**83** -4.0 26 %	**110** -0.75 30%	**77** -3.4 24%	**77** -9.4 26%	**76** -28 22%	**97** -1.3 32%	**92** 2.0 19%	**124** 15.5 40 %	**116** 2.8 32 %	**93** -3.9 33 %	**111** 2.5 31 %	**98** -0.3 32 %	**97** -1.0 23 %
CWBMBB 250002 F1 BEYOND BEEF BB250002		✓	BB 200004 BB 180091	**119** 47%	**107** 28%	**81** 25 %	**103** 24%	**117** 25%	**113** 0.00 50 %	**107** 5.8 28 %	**106** -0.63 36%	**81** -1.6 25%	**101** 7.3 30%	**97** 2 24%	**111** -9.4 34%	**120** -3.1 16%	**122** 14.6 42 %	**99** 0.6 36 %	**97** -1.4 36 %	**106** 1.7 33 %	**80** -2.0 33 %	**92** -1.7 26 %
CWBMBB 250003 F1 BEYOND BEEF BB250003		✓	BB 200007 BB 220044	**94** 33%	**91** 24%	**108** 23 %	**102** 21%	**95** 20%	**95** 1.76 35 %	**91** -0.7 24 %	**96** -0.23 26%	**108** 13.2 23%	**95** 2.6 26%	**98** 3 21%	**97** -0.9 26%	**95** 1.5 15%	**104** 6.9 34 %	**97** 0.4 34 %	**106** 5.4 34 %	**95** 0.1 32 %	**108** 0.7 32 %	**104** 0.2 21 %
CWBMBB 250008 F1 BEYOND BEEF BB250008	10	✓	BB 190052 BB 220015	**111** 44%	**99** 26%	**72** 25 %	**120** 23%	**99** 26%	**107** 0.55 46 %	**99** 2.7 26 %	**117** -1.00 36%	**72** -6.1 25%	**89** -1.0 31%	**80** -22 23%	**92** 1.6 35%	**105** -0.3 18%	**126** 16.3 41 %	**117** 3.0 35 %	**94** -3.2 35 %	**93** -0.4 32 %	**141** 3.9 32 %	**124** 3.4 25 %
CWBMBB 250010 F1 BEYOND BEEF BB250010		✓	BB 200007 BB 170042	**93** 43%	**103** 27%	**101** 26 %	**102** 24%	**120** 25%	**97** 1.56 44 %	**103** 4.0 27 %	**82** 0.31 40%	**101** 9.1 26%	**105** 9.6 31%	**98** 3 24%	**117** -12.7 33%	**122** -3.2 17%	**119** 13.5 40 %	**94** 0.0 37 %	**103** 2.8 37 %	**99** 0.6 33 %	**103** 0.2 34 %	**103** 0.1 26 %
CWBMBB 250014 F1 BEYOND BEEF BB250014	1	✓	BB 180289 BB 200008	**119** 46%	**88** 29%	**80** 28 %	**121** 25%	**86** 26%	**116** -0.35 48 %	**88** -1.7 29 %	**94** -0.15 37%	**80** -2.1 28%	**85** -4.2 30%	**79** -24 25%	**85** 5.9 33%	**93** 2.5 20%	**127** 16.7 40 %	**105** 1.5 32 %	**104** 3.6 33 %	**109** 2.2 31 %	**97** -0.4 30 %	**101** -0.4 23 %
CWBMBB 250018 F1 BEYOND BEEF BB250018	1	✓	BB 200022 BB 180285	**112** 48%	**76** 27%	**82** 25 %	**129** 23%	**90** 25%	**134** -2.08 51 %	**76** -6.7 27 %	**115** -0.93 37%	**82** -0.8 25%	**72** -13.0 28%	**71** -35 23%	**83** 7.0 32%	**99** 1.0 18%	**116** 12.1 42 %	**114** 2.5 38 %	**93** -4.0 38 %	**109** 2.1 34 %	**93** -0.8 37 %	**97** -1.0 31 %
CWBMBB 250019 F1 BEYOND BEEF BB250019	11	✓	BB 180258 BB 180099	**114** 51%	**103** 32%	**71** 26 %	**118** 22%	**87** 28%	**111** 0.14 54 %	**103** 4.1 32 %	**123** -1.23 40%	**71** -6.7 26%	**94** 2.0 29%	**82** -20 22%	**82** 7.7 35%	**93** 1.7 20%	**117** 12.6 46 %	**124** 3.8 42 %	**83** -11.1 41 %	**114** 3.0 37 %	**86** -1.5 40 %	**92** -1.7 34 %
CWBMBB 250020 F1 BEYOND BEEF BB250020		✓	BB 200022 BB 170157	**115** 50%	**78** 35%	**82** 33 %	**129** 30%	**95** 31%	**133** -1.95 53 %	**78** -5.9 35 %	**108** -0.70 40%	**82** -0.9 33%	**73** -12.2 36%	**71** -36 30%	**95** 0.1 37%	**99** 1.1 25%	**113** 11.0 45 %	**112** 2.4 44 %	**83** -11.2 44 %	**104** 1.4 40 %	**108** 0.7 43 %	**108** 0.8 36 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMBB 250022	9	✓	BB 190112	**118**	**101**	**78**	**111**	**91**	**114**	**101**	**116**	**78**	**88**	**89**	**92**	**91**	**122**	**100**	**97**	**82**	**115**	**114**
F1			BB 170191	-0.10	3.4				-0.10	3.4	-0.98	-2.8	-2.0	-10	1.8	2.0	14.4	0.8	-1.0	-2.0	1.4	1.7
BEYOND BEEF BB250022				49%	37%	33 %	27%	34%	50 %	37 %	45%	33%	38%	27%	41%	26%	48 %	42 %	42 %	40 %	38 %	32 %
CWBMBB 250028		✓	BB 200022	**125**	**77**	**76**	**126**	**93**	**120**	**77**	**99**	**76**	**73**	**74**	**81**	**105**	**117**	**118**	**98**	**95**	**108**	**102**
F1			BB 210034	-0.70	-6.2				55 %	31 %	-0.36	-3.8	-12.4	-31	8.2	0.1	12.3	3.1	-0.8	0.0	0.7	-0.1
BEYOND BEEF BB250028				51%	31%	30 %	27%	26%			35%	30%	32%	27%	34%	18%	41 %	41 %	41 %	37 %	39 %	33 %
CWBMBB 250029	4	✓	BB 200004	**121**	**80**	**77**	**127**	**96**	**128**	**80**	**109**	**77**	**75**	**73**	**90**	**102**	**122**	**112**	**95**	**100**	**103**	**104**
F1			BB 220092	48%	30%	28 %	25%	27%	-1.45	-5.3	-0.73	-3.7	-11.3	-32	3.2	0.3	14.8	2.4	-2.9	0.8	0.2	0.2
BEYOND BEEF BB250029									51 %	30 %	35%	28%	31%	25%	35%	19%	40 %	37 %	37 %	34 %	35 %	28 %
CWBMBB 250034	13	✓	BB 190089	**104**	**97**	**72**	**115**	**107**	**101**	**97**	**104**	**72**	**89**	**85**	**90**	**120**	**115**	**109**	**96**	**93**	**105**	**110**
F1			BB 190095	47%	32%	31 %	29%	28%	1.16	1.6	-0.54	-6.4	-1.6	-16	3.1	-3.1	11.8	2.0	-1.9	-0.3	0.4	1.2
BEYOND BEEF BB250034									49 %	32 %	41%	31%	32%	29%	36%	21%	42 %	38 %	38 %	36 %	37 %	33 %
CWBMBB 250037	4	✓	BB 200004	**120**	**81**	**75**	**127**	**99**	**127**	**81**	**119**	**75**	**76**	**73**	**93**	**105**	**121**	**112**	**91**	**94**	**109**	**109**
F1			BB 220014	48%	29%	28 %	25%	26%	-1.34	-4.8	-1.08	-4.5	-10.4	-33	1.2	-0.3	14.1	2.3	-5.4	-0.1	0.7	1.0
BEYOND BEEF BB250037									51 %	29 %	34%	28%	31%	25%	35%	18%	40 %	38 %	38 %	35 %	36 %	29 %
CWBMBB 250040		✓	BB 180258	**84**	**107**	**104**	**95**	**84**	**85**	**107**	**100**	**104**	**107**	**105**	**86**	**83**	**102**	**100**	**99**	**105**	**88**	**95**
F1			CWBFBB 170027	42%	25%	19 %	16%	18%	2.69	5.6	-0.37	11.1	11.2	13	5.3	3.5	6.2	0.8	0.1	1.6	-1.3	-1.2
BEYOND BEEF BB250040									45 %	25 %	28%	19%	21%	16%	24%	13%	34 %	34 %	34 %	29 %	33 %	28 %
CWBMBB 250042	14	✓	BB 190089	**104**	**97**	**72**	**116**	**102**	**101**	**97**	**104**	**72**	**87**	**84**	**90**	**113**	**115**	**113**	**95**	**98**	**100**	**106**
F1			BB 220105	49%	35%	33 %	30%	30%	1.17	1.8	-0.54	-5.9	-2.7	-17	2.9	-1.7	11.6	2.4	-2.8	0.5	-0.1	0.4
BEYOND BEEF BB250042									51 %	35 %	41%	33%	37%	30%	38%	22%	46 %	42 %	42 %	40 %	40 %	35 %
CWBMBB 250043	10	✓	BB 180275	**124**	**92**	**74**	**124**	**87**	**120**	**92**	**121**	**74**	**85**	**76**	**83**	**92**	**118**	**123**	**84**	**112**	**100**	**97**
F1			BB 210083	43%	27%	24 %	21%	26%	-0.72	-0.4	-1.18	-5.0	-4.4	-28	7.2	1.8	12.9	3.7	-10.3	2.6	-0.1	-1.0
BEYOND BEEF BB250043									46 %	27 %	31%	24%	26%	21%	33%	19%	42 %	38 %	38 %	36 %	36 %	28 %
CWBMBB 250044	7	✓	BB 190112	**93**	**120**	**77**	**102**	**95**	**91**	**120**	**106**	**77**	**105**	**98**	**88**	**102**	**124**	**99**	**100**	**88**	**129**	**124**
F1			BB 210097	45%	29%	23 %	19%	26%	2.13	11.0	-0.61	-3.5	9.8	4	4.2	0.1	15.7	0.7	1.1	-1.0	2.7	3.4
BEYOND BEEF BB250044									48 %	29 %	35%	23%	28%	19%	35%	18%	41 %	34 %	34 %	32 %	31 %	25 %
CWBMBB 250047	3	✓	BB 190089	**99**	**105**	**78**	**110**	**111**	**98**	**105**	**95**	**78**	**100**	**90**	**104**	**115**	**123**	**104**	**97**	**105**	**80**	**94**
F1			BB 210027	49%	28%	26 %	24%	26%	1.39	5.1	-0.21	-3.1	6.3	-8	-5.4	-2.4	14.9	1.2	-1.2	1.5	-2.0	-1.4
BEYOND BEEF BB250047									52 %	28 %	38%	26%	28%	24%	33%	18%	42 %	35 %	35 %	32 %	33 %	28 %
CWBMBB 250049	8	✓	BB 190102	**116**	**104**	**80**	**111**	**100**	**111**	**104**	**113**	**80**	**93**	**89**	**102**	**99**	**117**	**106**	**94**	**85**	**116**	**113**
F1			BB 170114	54%	37%	32 %	27%	34%	0.19	4.4	-0.86	-1.9	1.3	-9	-3.7	0.4	12.6	1.5	-3.4	-1.6	1.4	1.6
BEYOND BEEF BB250049									56 %	37 %	46%	32%	36%	27%	41%	26%	48 %	43 %	43 %	41 %	40 %	33 %
CWBMBB 250050	2	✓	BB 180258	**93**	**118**	**77**	**102**	**94**	**95**	**118**	**91**	**77**	**108**	**98**	**98**	**90**	**121**	**111**	**87**	**115**	**74**	**89**
F1			BB 210012	53%	35%	23 %	19%	26%	1.73	10.0	-0.03	-3.5	12.1	3	-1.8	1.9	14.3	2.2	-8.6	3.1	-2.6	-2.2
BEYOND BEEF BB250050									57 %	35 %	38%	23%	33%	19%	34%	17%	45 %	40 %	40 %	35 %	38 %	30 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 250052 F1 BEYOND BEEF BB250052	4		✓	BB 190089 BB 180268	**114** 49%	**98** 28%	**74** 27 %	**117** 24%	**92** 28%	**111** 0.14 51 %	**98** 2.0 28 %	**122** -1.20 42%	**74** -5.0 27%	**89** -1.1 28%	**83** -18 24%	**83** 6.8 36%	**100** 0.6 21%	**123** 15.2 43 %	**107** 1.7 35 %	**106** 5.0 35 %	**103** 1.3 33 %	**104** 0.3 34 %	**106** 0.5 29 %
CWBMBB 250058 PEN BEYOND BEEF BB250058	1			BB 180281 BB 210015	**119** 44%	**97** 19%	**83** 16 %	**110** 13%	**96** 22%	**126** -1.30 47 %	**97** 1.7 19 %	**123** -1.26 34%	**83** -0.2 16%	**91** 0.1 18%	**90** -9 13%	**93** 0.9 30%	**100** 0.5 14%	**135** 20.2 40 %	**113** 2.4 36 %	**97** -1.3 35 %	**102** 1.0 31 %	**110** 0.9 33 %	**103** 0.0 26 %
CWBMBB 250059 F1 BEYOND BEEF BB250059	4		✓	BB 190089 BB 220088	**98** 50%	**101** 31%	**74** 28 %	**119** 26%	**98** 28%	**96** 1.58 54 %	**101** 3.5 31 %	**100** -0.39 36%	**74** -5.2 28%	**93** 1.5 30%	**81** -21 26%	**90** 3.0 35%	**105** -0.5 20%	**122** 14.8 42 %	**109** 1.9 37 %	**92** -4.7 37 %	**102** 1.2 35 %	**91** -1.0 35 %	**102** -0.1 30 %
CWBMBB 250063 F1 BEYOND BEEF BB250063			✓	BB 200022 BB 190108	**116** 47%	**95** 29%	**82** 24 %	**110** 20%	**92** 24%	**114** -0.09 50 %	**95** 1.0 29 %	**96** -0.22 35%	**82** -0.6 24%	**87** -2.4 28%	**90** -8 20%	**86** 5.1 31%	**97** 1.0 16%	**115** 11.7 39 %	**98** 0.6 39 %	**107** 5.9 39 %	**86** -1.4 34 %	**112** 1.1 37 %	**110** 1.1 30 %
CWBMBB 250066 F1 BEYOND BEEF BB250066	4		✓	BB 180258 BB 220006	**125** 52%	**87** 30%	**75** 23 %	**123** 20%	**90** 26%	**123** -1.03 56 %	**87** -2.4 30 %	**112** -0.82 35%	**75** -4.7 23%	**81** -6.8 26%	**77** -26 20%	**90** 2.7 33%	**92** 1.9 18%	**120** 13.8 43 %	**113** 2.5 48 %	**92** -4.8 47 %	**106** 1.6 37 %	**92** -0.8 46 %	**97** -0.9 37 %
CWBMBB 250069 F1 BEYOND BEEF BB250069	3		✓	BB 180266 BB 190147	**106** 49%	**100** 34%	**72** 27 %	**113** 25%	**94** 28%	**102** 0.99 52 %	**100** 3.1 34 %	**103** -0.49 38%	**72** -6.3 27%	**93** 1.4 32%	**87** -12 25%	**83** 7.0 36%	**103** 0.0 20%	**124** 15.4 42 %	**101** 0.9 35 %	**90** -6.0 35 %	**92** -0.4 33 %	**106** 0.4 33 %	**117** 2.3 28 %
CWBMBB 250071 F1 BEYOND BEEF BB250071	2		✓	BB 190089 BB 170043	**114** 48%	**84** 27%	**76** 26 %	**124** 24%	**98** 26%	**110** 0.28 50 %	**84** -3.4 27 %	**102** -0.47 41%	**76** -3.9 26%	**79** -8.1 27%	**76** -27 24%	**92** 2.0 33%	**104** -0.2 19%	**120** 13.9 41 %	**103** 1.2 37 %	**96** -1.9 37 %	**97** 0.3 33 %	**81** -1.9 35 %	**99** -0.6 29 %
CWBMBB 250075 F1 BEYOND BEEF BB250075	4		✓	BB 180266 BB 190107	**108** 52%	**115** 36%	**77** 26 %	**99** 21%	**83** 29%	**103** 0.96 55 %	**115** 9.2 36 %	**110** -0.77 41%	**77** -3.4 26%	**105** 9.9 32%	**101** 8 21%	**82** 7.5 38%	**84** 3.1 20%	**131** 18.4 46 %	**103** 1.2 39 %	**110** 7.5 39 %	**99** 0.6 36 %	**114** 1.2 34 %	**108** 0.8 28 %
CWBMBB 250077 F1 BEYOND BEEF BB250077	15		✓	BB 190112 BB 190142	**76** 47%	**133** 34%	**82** 26 %	**88** 20%	**94** 30%	**79** 3.24 48 %	**133** 16.2 34 %	**92** -0.10 43%	**82** -0.6 26%	**119** 19.4 31%	**112** 24 20%	**92** 1.9 38%	**96** 1.0 21%	**125** 16.0 45 %	**96** 0.3 39 %	**115** 11.3 39 %	**95** 0.1 37 %	**116** 1.4 35 %	**107** 0.6 29 %
CWBMBB 250093 F1 BEYOND BEEF BB250093	6		✓	BB 190102 BB 180297	**102** 51%	**106** 30%	**78** 24 %	**108** 19%	**94** 27%	**100** 1.28 53 %	**106** 5.4 30 %	**102** -0.48 41%	**78** -3.1 24%	**95** 3.1 32%	**92** -5 19%	**91** 2.1 35%	**98** 1.0 19%	**117** 12.3 45 %	**118** 3.1 38 %	**98** -0.5 38 %	**100** 0.7 35 %	**98** -0.3 34 %	**92** -1.7 27 %
CWBMBB 250094 F1 BEYOND BEEF BB250094	4		✓	BB 180258 BB 170090	**117** 51%	**94** 33%	**73** 26 %	**122** 21%	**93** 27%	**112** 0.11 54 %	**94** 0.7 33 %	**112** -0.82 41%	**73** -5.6 26%	**87** -2.7 32%	**78** -26 21%	**96** -0.8 35%	**91** 2.0 19%	**120** 13.7 48 %	**103** 1.2 45 %	**83** -11.3 44 %	**104** 1.3 40 %	**87** -1.4 41 %	**107** 0.6 33 %
CWBMBB 250096 F1 BEYOND BEEF BB250096	4		✓	BB 180258 BB 190149	**112** 51%	**96** 35%	**71** 30 %	**119** 26%	**83** 30%	**107** 0.56 54 %	**96** 1.2 35 %	**106** -0.60 41%	**71** -6.7 30%	**87** -2.9 34%	**81** -21 26%	**74** 12.5 38%	**92** 2.0 21%	**127** 16.6 47 %	**120** 3.4 45 %	**99** 0.3 45 %	**104** 1.4 40 %	**99** -0.2 42 %	**98** -0.8 36 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Parentage Genomic	DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 250097	4		✓	BB 190089	**118**	**91**	**73**	**125**	**91**	**113**	**91**	**112**	**73**	**83**	**75**	**83**	**99**	**120**	**111**	**93**	**104**	**95**	**104**
F1				BB 180257	49%	28%	27 %	24%	28%	0.00	-0.9	-0.84	-5.6	-5.2	-30	6.8	0.7	13.8	2.3	-4.3	1.4	-0.5	0.1
BEYOND BEEF BB250097										51 %	28 %	42%	27%	28%	24%	35%	21%	43 %	35 %	35 %	33 %	34 %	29 %
CWBMBB 250099	6		✓	BB 180275	**121**	**92**	**72**	**120**	**99**	**117**	**92**	**121**	**72**	**82**	**80**	**90**	**107**	**116**	**130**	**89**	**104**	**112**	**99**
F1				BB 190159	44%	31%	29 %	26%	30%	-0.42	-0.5	-1.18	-6.3	-6.0	-22	3.2	-0.7	12.2	4.6	-6.8	1.5	1.0	-0.7
BEYOND BEEF BB250099										45 %	31 %	40%	29%	34%	26%	37%	22%	45 %	41 %	41 %	38 %	38 %	32 %
CWBMBB 250100	2		✓	BB 190089	**123**	**85**	**76**	**127**	**98**	**119**	**85**	**120**	**76**	**79**	**73**	**90**	**106**	**120**	**114**	**85**	**98**	**91**	**102**
F1				BB 180288	48%	27%	26 %	23%	27%	-0.58	-3.1	-1.13	-3.8	-8.5	-33	3.2	-0.5	13.6	2.6	-9.5	0.5	-0.9	-0.2
BEYOND BEEF BB250100										50 %	27 %	42%	26%	27%	23%	34%	20%	42 %	34 %	34 %	31 %	33 %	28 %
CWBMBB 250106	1		✓	BB 190089	**99**	**96**	**87**	**111**	**95**	**96**	**96**	**106**	**87**	**92**	**89**	**90**	**100**	**111**	**104**	**91**	**98**	**88**	**101**
F1				BB 200050	45%	28%	27 %	25%	24%	1.62	1.3	-0.61	2.0	0.8	-10	2.9	0.5	9.7	1.3	-5.4	0.4	-1.3	-0.3
BEYOND BEEF BB250106										47 %	28 %	38%	27%	28%	25%	29%	18%	41 %	36 %	36 %	34 %	33 %	28 %
CWBMBB 250107			✓	BB 200022	**113**	**94**	**80**	**112**	**93**	**110**	**94**	**98**	**80**	**87**	**88**	**85**	**100**	**116**	**100**	**108**	**89**	**115**	**110**
F1				BB 190114	45%	29%	24 %	20%	23%	0.23	0.6	-0.31	-1.8	-3.0	-10	5.8	0.5	12.3	0.8	6.1	-0.9	1.4	1.0
BEYOND BEEF BB250107										49 %	29 %	32%	24%	28%	20%	31%	15%	39 %	39 %	39 %	34 %	37 %	30 %
CWBMBB 250111			✓	BB 200022	**112**	**68**	**80**	**132**	**83**	**135**	**68**	**112**	**80**	**66**	**68**	**82**	**88**	**114**	**108**	**89**	**104**	**101**	**108**
F1				BB 180263	46%	24%	23 %	20%	23%	-2.14	-9.9	-0.84	-2.1	-17.7	-39	7.5	3.2	11.2	1.9	-7.2	1.4	0.0	0.8
BEYOND BEEF BB250111										49 %	24 %	35%	23%	25%	20%	30%	16%	39 %	36 %	36 %	31 %	35 %	28 %
CWBMBB 250120	3		✓	BB 180266	**110**	**97**	**71**	**115**	**85**	**106**	**97**	**105**	**71**	**91**	**85**	**75**	**95**	**126**	**111**	**93**	**106**	**102**	**108**
F1				BB 190145	49%	34%	27 %	25%	28%	0.69	1.8	-0.58	-6.4	-0.1	-15	11.4	1.5	16.3	2.2	-4.2	1.7	0.1	0.8
BEYOND BEEF BB250120										52 %	34 %	38%	27%	32%	25%	36%	20%	42 %	35 %	35 %	33 %	33 %	28 %
CWBMBB 250125			✓	BB 200007	**111**	**82**	**92**	**121**	**97**	**109**	**82**	**99**	**92**	**80**	**79**	**99**	**97**	**113**	**121**	**89**	**88**	**116**	**101**
F1				BB 170117	42%	34%	32 %	29%	29%	0.40	-4.4	-0.33	4.4	-7.4	-23	-2.0	1.1	10.8	3.4	-6.9	-1.0	1.5	-0.2
BEYOND BEEF BB250125										43 %	34 %	38%	32%	36%	29%	35%	23%	42 %	38 %	38 %	37 %	36 %	29 %
CWBMBB 250129	3		✓	BB 190102	**118**	**101**	**79**	**108**	**81**	**116**	**101**	**125**	**79**	**91**	**92**	**85**	**80**	**119**	**102**	**100**	**99**	**119**	**116**
F1				BB 180267	47%	29%	22 %	17%	27%	-0.30	3.3	-1.34	-2.3	0.3	-6	5.7	4.0	13.3	1.0	0.8	0.6	1.7	2.1
BEYOND BEEF BB250129										49 %	29 %	37%	22%	28%	17%	36%	18%	44 %	32 %	32 %	30 %	29 %	24 %
CWBMBB 250130	3		✓	BB 180275	**108**	**94**	**86**	**110**	**96**	**105**	**94**	**116**	**86**	**90**	**90**	**90**	**102**	**111**	**123**	**100**	**106**	**106**	**93**
F1				BB 210071	37%	28%	27 %	25%	24%	0.78	0.7	-0.98	1.3	-0.6	-7	2.8	0.2	9.8	3.7	1.0	1.7	0.5	-1.6
BEYOND BEEF BB250130										38 %	28 %	31%	27%	29%	25%	31%	18%	41 %	36 %	36 %	34 %	34 %	30 %
CWBMBB 250131	2		✓	BB 200022	**113**	**86**	**84**	**122**	**89**	**114**	**86**	**83**	**84**	**82**	**78**	**89**	**93**	**120**	**111**	**87**	**95**	**95**	**102**
F1				BB 170007	50%	29%	26 %	22%	26%	-0.12	-2.5	0.24	0.4	-6.1	-25	3.7	2.2	14.0	2.3	-8.1	0.1	-0.6	-0.1
BEYOND BEEF BB250131										53 %	29 %	39%	26%	32%	22%	33%	18%	44 %	43 %	43 %	38 %	41 %	32 %
CWBMBB 250137			✓	BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**85**	**106**	**102**	**96**	**97**	**109**	**105**
F1				CWBFBB 220135	28%	12%	11 %	8 %	13%	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	7.9	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF BB250137										30 %	12 %	20%	11%	11%	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 250139	20	✓	BB 190050		**122**	**105**	**74**	**116**	**98**	**118**	**105**	**121**	**74**	**95**	**84**	**89**	**106**	**124**	**98**	**95**	**95**	**150**	**143**
F1			BB 190046		44%	31%	30 %	27%	30%	-0.50	5.1	-1.17	-5.1	3.2	-17	3.3	-0.5	15.3	0.5	-2.9	0.0	4.7	6.4
BEYOND BEEF BB250139										44 %	31 %	43%	30%	36%	27%	38%	22%	46 %	38 %	38 %	36 %	34 %	25 %
CWBMBB 250146		✓	BB 200022		**122**	**77**	**85**	**127**	**97**	**122**	**77**	**92**	**85**	**74**	**73**	**96**	**100**	**123**	**117**	**96**	**89**	**116**	**105**
F1			BB 170079		47%	24%	22 %	19%	23%	-0.94	-6.3	-0.09	1.0	-11.9	-33	-0.4	0.6	15.1	2.9	-1.9	-0.9	1.4	0.4
BEYOND BEEF BB250146										50 %	24 %	37%	22%	28%	19%	30%	16%	39 %	38 %	37 %	32 %	35 %	28 %
CWBMBB 250148	4	✓	BB 180258		**92**	**119**	**75**	**104**	**88**	**90**	**119**	**105**	**75**	**108**	**96**	**83**	**92**	**120**	**100**	**96**	**89**	**110**	**115**
F1			BB 190106		52%	35%	26 %	20%	28%	2.23	10.6	-0.58	-4.3	11.7	1	7.0	1.8	13.7	0.8	-2.2	-0.9	0.9	2.0
BEYOND BEEF BB250148										55 %	35 %	42%	26%	32%	20%	37%	20%	47 %	45 %	44 %	40 %	41 %	34 %
CWBMBB 250150		✓	BB 200022		**114**	**95**	**86**	**110**	**94**	**111**	**95**	**96**	**86**	**87**	**90**	**90**	**99**	**117**	**106**	**100**	**95**	**99**	**101**
F1			BB 190162		47%	29%	24 %	20%	24%	0.12	1.0	-0.23	1.2	-2.7	-8	3.1	0.8	12.4	1.5	0.6	0.0	-0.2	-0.3
BEYOND BEEF BB250150										50 %	29 %	35%	24%	28%	20%	31%	16%	39 %	39 %	39 %	34 %	37 %	30 %
CWBMBB 250154	1	✓	BB 190089		**113**	**94**	**80**	**117**	**89**	**109**	**94**	**99**	**80**	**86**	**83**	**85**	**95**	**120**	**106**	**94**	**107**	**79**	**94**
F1			BB 170073		48%	29%	29 %	27%	27%	0.32	0.4	-0.36	-2.1	-3.6	-17	6.1	1.7	13.9	1.6	-3.8	1.8	-2.1	-1.3
BEYOND BEEF BB250154										49 %	29 %	42%	29%	30%	27%	34%	20%	42 %	37 %	37 %	33 %	36 %	30 %
CWBMBB 250157	3	✓	BB 180258		**111**	**97**	**70**	**115**	**88**	**105**	**97**	**108**	**70**	**88**	**85**	**78**	**96**	**118**	**111**	**88**	**98**	**96**	**107**
F1			BB 190144		47%	32%	27 %	25%	27%	0.72	1.8	-0.70	-7.1	-2.2	-16	9.8	1.0	13.1	2.2	-7.4	0.5	-0.5	0.7
BEYOND BEEF BB250157										50 %	32 %	36%	27%	30%	25%	35%	19%	44 %	41 %	41 %	36 %	40 %	34 %
CWBMBB 250161	8	✓	BB 180281		**110**	**96**	**79**	**112**	**90**	**131**	**96**	**133**	**79**	**87**	**88**	**87**	**93**	**132**	**111**	**101**	**98**	**130**	**117**
F1			BB 220130		44%	23%	18 %	14%	24%	-1.76	1.4	-1.63	-2.6	-2.7	-11	4.5	1.7	18.9	2.2	1.7	0.4	2.7	2.2
BEYOND BEEF BB250161										47 %	23 %	31%	18%	20%	14%	32%	15%	40 %	36 %	36 %	32 %	35 %	28 %
CWBMBB 250178	3	✓	BB 190112		**100**	**115**	**79**	**101**	**84**	**99**	**115**	**98**	**79**	**102**	**99**	**84**	**85**	**124**	**102**	**101**	**92**	**110**	**109**
F1			BB 170008		45%	33%	26 %	20%	29%	1.32	8.9	-0.32	-2.4	7.9	5	6.3	3.1	15.5	1.0	1.4	-0.4	0.8	1.0
BEYOND BEEF BB250178										46 %	33 %	41%	26%	34%	20%	37%	21%	46 %	40 %	40 %	38 %	35 %	26 %
CWBMBB 250182	3	✓	BB 190112		**111**	**110**	**77**	**105**	**93**	**106**	**110**	**106**	**77**	**99**	**95**	**87**	**98**	**124**	**114**	**98**	**104**	**108**	**101**
F1			BB 180324		43%	29%	23 %	19%	26%	0.65	6.9	-0.61	-3.4	6.0	-1	4.4	0.9	15.6	2.6	-0.7	1.5	0.7	-0.3
BEYOND BEEF BB250182										44 %	29 %	38%	23%	30%	19%	35%	17%	43 %	35 %	35 %	33 %	32 %	25 %
CWBMBB 250183	3	✓	BB 180266		**101**	**117**	**76**	**100**	**90**	**99**	**117**	**103**	**76**	**109**	**100**	**87**	**93**	**125**	**99**	**91**	**110**	**85**	**101**
F1			BB 210011		51%	37%	24 %	19%	26%	1.34	9.8	-0.48	-4.1	12.8	6	4.4	1.5	16.1	0.7	-5.9	2.3	-1.6	-0.4
BEYOND BEEF BB250183										56 %	37 %	34%	24%	34%	19%	35%	16%	44 %	34 %	34 %	32 %	30 %	23 %
CWBMBB 250200	4	✓	BB 190089		**97**	**108**	**74**	**112**	**94**	**94**	**108**	**105**	**74**	**97**	**88**	**85**	**101**	**122**	**116**	**109**	**101**	**105**	**96**
F1			BB 220090		49%	29%	27 %	24%	26%	1.77	6.0	-0.59	-4.9	4.0	-10	6.1	0.2	14.5	2.8	6.8	0.9	0.4	-1.1
BEYOND BEEF BB250200										53 %	29 %	35%	27%	30%	24%	35%	18%	42 %	37 %	37 %	34 %	35 %	31 %
CWBMBB 253034		✓	BB 200007		**103**	**87**	**107**	**104**	**93**	**101**	**87**	**99**	**107**	**90**	**96**	**94**	**94**	**103**	**105**	**99**	**93**	**109**	**102**
F1			BB 220127		35%	25%	23 %	21%	20%	1.15	-2.1	-0.36	12.6	-0.4	0	0.6	1.7	6.7	1.4	-0.2	-0.3	0.8	-0.2
BEYOND BEEF BB253034										37 %	25 %	26%	23%	26%	21%	26%	15%	34 %	34 %	34 %	32 %	32 %	21 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMBB 254008	3		✓	BB 200004	**119**	**88**	**92**	**116**	**94**	**113**	**88**	**111**	**92**	**87**	**84**	**92**	**97**	**113**	**105**	**98**	**101**	**103**	**103**
F1				BB 220302	39%	26%	25 %	23%	22%	0.00	-2.0	-0.78	4.5	-3.0	-16	1.6	1.1	11.0	1.4	-0.9	0.9	0.2	0.0
BEYOND BEEF BB254008										41 %	26 %	30%	25%	28%	23%	27%	16%	37 %	34 %	34 %	32 %	32 %	26 %
CWBMBB 254017	1			BB 200033	**105**	**98**	**90**	**108**	**93**	**103**	**98**	**97**	**90**	**95**	**92**	**100**	**90**	**122**	**109**	**101**	**108**	**92**	**92**
PEN				BB 223015	41%	28%	25 %	19%	19%	0.91	1.9	-0.26	3.3	3.2	-6	-2.7	2.5	14.5	1.9	1.4	1.9	-0.9	-1.7
BEYOND BEEF BB254017										43 %	28 %	31%	25%	24%	19%	25%	13%	36 %	29 %	29 %	27 %	23 %	17 %
CWBMBB 254018			✓	BB 200033	**118**	**93**	**91**	**107**	**105**	**123**	**93**	**83**	**91**	**94**	**93**	**108**	**103**	**115**	**111**	**99**	**111**	**90**	**86**
F1				BB 223020	58%	28%	24 %	17%	20%	-1.05	-0.1	0.24	3.9	2.5	-4	-7.4	-0.1	11.5	2.2	0.3	2.4	-1.0	-2.7
BEYOND BEEF BB254018										64 %	28 %	34%	24%	24%	17%	29%	11%	35 %	26 %	26 %	24 %	18 %	11 %
CWBMBB 254019	1		✓	BB 200022	**121**	**85**	**93**	**113**	**95**	**116**	**85**	**103**	**93**	**85**	**87**	**93**	**98**	**110**	**110**	**93**	**95**	**96**	**98**
F1				BB 223034	55%	22%	21 %	19%	17%	-0.31	-3.1	-0.48	4.8	-4.0	-12	1.2	1.0	9.6	2.0	-3.8	0.0	-0.5	-0.8
BEYOND BEEF BB254019										62 %	22 %	29%	21%	24%	19%	22%	12%	34 %	35 %	34 %	29 %	33 %	27 %
CWBMBB 254025	26		✓	BB 180281	**121**	**94**	**92**	**107**	**78**	**122**	**94**	**131**	**92**	**92**	**93**	**80**	**79**	**123**	**99**	**99**	**102**	**122**	**120**
F1				BB 220300	53%	19%	14 %	11%	18%	-0.88	0.6	-1.55	4.7	0.6	-4	8.8	4.2	15.1	0.7	0.4	1.1	2.0	2.8
BEYOND BEEF BB254025										59 %	19 %	30%	14%	14%	11%	24%	13%	36 %	33 %	32 %	28 %	32 %	25 %
CWBMBB 254032	6		✓	BB 180289	**119**	**94**	**93**	**107**	**83**	**114**	**94**	**116**	**93**	**91**	**93**	**85**	**84**	**132**	**110**	**103**	**108**	**106**	**100**
F1				BB 233004	32%	19%	17 %	15%	17%	-0.13	0.5	-0.97	5.0	0.4	-4	5.9	3.6	19.1	2.1	2.7	1.9	0.4	-0.5
BEYOND BEEF BB254032										34 %	19 %	22%	17%	18%	15%	21%	13%	33 %	22 %	23 %	22 %	23 %	18 %
CWBMDXB 256759			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16759										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256763			✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16763										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256766			✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16766										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256770			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16770										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256771			✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16771										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256772			✓	WAP 150006	**97**	**84**	**111**	**108**	**90**	**97**	**84**	**95**	**111**	**90**	**92**	**87**	**94**	**82**	**94**	**133**	**103**	**113**	**93**
F1					39%	22%	22 %	9 %	18%	1.53	-3.5	-0.20	14.7	-0.8	-5	4.7	1.6	-2.7	0.0	24.3	1.2	1.2	-1.6
BEYOND BEEF DXB16772										42 %	22 %	28%	22%	23%	9 %	27%	10%	42 %	37 %	36 %	34 %	23 %	16 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256773			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16773										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256774			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16774										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256775			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16775										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256780			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16780										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256781			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16781										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256782			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16782										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256783			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16783										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256788			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16788										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256790			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16790										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256791			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16791										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256794			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16794										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256796			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16796										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256798			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16798										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256799			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16799										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256801			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16801										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256803			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16803										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256804			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16804										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256807			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16807										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256810			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16810										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256813			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16813										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256814			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16814										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256828			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16828										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256835			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16835										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256840			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16840										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256842			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16842										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256850			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16850										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256855			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16855										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256861			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16861										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256866			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16866										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256876			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16876										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256877			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16877										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256879			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16879										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256880			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16880										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256881			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16881										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256882			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16882										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256884			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16884										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256885			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16885										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256890			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16890										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256891			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16891										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256894			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16894										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256895			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16895										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256896			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16896										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256899			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16899										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256910			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16910										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256912			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16912										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256915			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16915										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256928			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16928										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256932			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16932										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256935			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16935										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256936			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16936										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256937			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16937										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256939			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16939										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256945			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16945										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256954			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16954										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256956			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16956										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256957			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16957										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256959			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16959										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256960			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16960										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256961			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16961										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256964			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16964										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 256965			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16965										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256967			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16967										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256968			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16968										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256969			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16969										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256972			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16972										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256973			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16973										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256974			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16974										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 256982			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16982										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256986			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16986										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256994			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16994										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 256996			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16996										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257001			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17001										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257002			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17002										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257008			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17008										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257009			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17009										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257010			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17010										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257014			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17014										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257015			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17015										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257018			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17018										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257019			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17019										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257021			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17021										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257028			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17028										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257037			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17037										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257039			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17039										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257042			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17042										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257045			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17045										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257047			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17047										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257048			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17048										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257049			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17049										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257051			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17051										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257052			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17052										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257053			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17053										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257054			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17054										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257055			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17055										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257072			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17072										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257073			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17073										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257075			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17075										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257079			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17079										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257081			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17081										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257083			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17083										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257084			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17084										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257088			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17088										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257089			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17089										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257090			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17090										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257092			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17092										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257093			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17093										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257095			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17095										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257097			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17097										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257098			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17098										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257101			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17101										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257104			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17104										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257105			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17105										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257107			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17107										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257109			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17109										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257114			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17114										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257116			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17116										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257117			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17117										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257120			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17120										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257121			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17121										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257123			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17123										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 257125		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17125									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257127		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17127									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257130		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17130									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257133		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17133									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257134		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17134									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257135		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17135									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257136		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17136									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257137		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17137									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257139		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17139									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257140		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17140									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257141		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17141									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257144		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17144									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257148			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17148										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257149			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17149										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257155			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17155										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257158			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17158										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257162			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17162										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257170			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17170										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257173			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17173										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257174			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17174										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257177			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17177										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257178			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17178										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257179			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17179										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257182			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17182										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 257191		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17191									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257205		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17205									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257217		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17217									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257220		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17220									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257222		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17222									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257224		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17224									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257225		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17225									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257227		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17227									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257229		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17229									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257231		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17231									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257239		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17239									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257241		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17241									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257249			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17249										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257255			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17255										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257258			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17258										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257260			✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17260										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257277			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17277										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257278			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17278										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257279			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17279										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257280			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17280										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257282			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17282										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257283			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17283										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257284			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17284										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257285			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17285										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 257286		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17286									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257287		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17287									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257288		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17288									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257290		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17290									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257292		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17292									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257294		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17294									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257295		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17295									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 257314		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17314									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257316		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17316									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257788		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17788									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257789		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17789									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257791		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17791									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 257792			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17792										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257793			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17793										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257795			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17795										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257796			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17796										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 257797			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17797										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258068			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18068										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258069			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18069										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258070			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18070										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258071			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18071										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258072			✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18072										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258073			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18073										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258074			✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18074										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 258075		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18075									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258076		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18076									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258077		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18077									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258078		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18078									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258079		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18079									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258080		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18080									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258081		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18081									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258083		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18083									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258084		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18084									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258085		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18085									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258086		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18086									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258128		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18128									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 258129		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18129									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258134		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18134									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258136		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18136									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258137		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18137									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258138		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18138									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258139		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18139									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258140		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18140									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258141		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18141									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258142		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18142									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258149		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18149									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258152		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18152									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258153		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18153									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CWBMDXB 258157			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18157										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258161			✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1					27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18161										28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258163			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18163										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258165			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18165										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258166			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18166										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258168			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18168										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258169			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18169										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258170			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18170										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258171			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18171										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258172			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18172										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258173			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18173										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258174			✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1					25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18174										26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 258175		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18175									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258176		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18176									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258177		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18177									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258178		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18178									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258179		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18179									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258181		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18181									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258182		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18182									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258183		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18183									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258184		✔	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**94**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27%	17%	14 %	12%	16%	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB18184									28 %	17 %	22%	14%	18%	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBMDXB 258185		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18185									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258186		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18186									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258187		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25%	22%	21 %	19%	14%	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18187									26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Bulls

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID / Name	%Inbreeding	Genomic	Parentage DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBMDXB 258188		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1									1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18188				25%	22%	21 %	19%	14%	26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258190		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1									1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18190				25%	22%	21 %	19%	14%	26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258191		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1									1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18191				25%	22%	21 %	19%	14%	26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBMDXB 258192		✔	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1									1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB18192				25%	22%	21 %	19%	14%	26 %	22 %	23%	21%	24%	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage Genomic DNA	Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFBB 170087	8		2142A	**87**	**126**	**93**	**91**	**137**	**93**	**126**	**77**	**93**	**127**	**109**	**128**	**142**	**114**	**92**	**110**	**104**	**100**	**98**
FB			V7202U	82 %	80 %	79 %	79 %	80 %	1.93	13.5	0.49	5.1	25.2	19	-19.1	-7.1	11.2	-0.2	8.1	1.4	-0.1	-0.7
BEYOND BEEF BB170087									82 %	80 %	81 %	79 %	80 %	79%	81%	79%	83 %	81 %	81 %	80 %	80 %	79 %
CWBFBB 170150	6		FB2998	**96**	**131**	**89**	**83**	**124**	**101**	**131**	**78**	**89**	**127**	**117**	**112**	**131**	**125**	**88**	**98**	**110**	**70**	**88**
FB			AF7868	83 %	81 %	81 %	81 %	82 %	1.18	15.3	0.45	2.8	25.6	30	-9.6	-5.2	16.0	-0.7	-0.4	2.3	-2.9	-2.3
BEYOND BEEF BB170150									83 %	81 %	82 %	81 %	81 %	81%	83%	81%	85 %	82 %	82 %	81 %	81 %	81 %
CWBFBB 190014	1		AF1208	**112**	**129**	**90**	**84**	**141**	**109**	**129**	**98**	**90**	**127**	**116**	**132**	**145**	**123**	**84**	**90**	**112**	**85**	**107**
F1			EAF80400	77 %	76 %	76 %	76 %	77 %	0.35	14.6	-0.29	3.3	25.2	30	-21.4	-7.6	15.1	-1.2	-6.1	2.6	-1.6	0.7
BEYOND BEEF BB190014 (ET)									77 %	76 %	77 %	76 %	76 %	76%	78%	76%	79 %	77 %	77 %	76 %	76 %	76 %
CWBFBB 190024	14		FB2998	**96**	**130**	**85**	**85**	**126**	**100**	**130**	**82**	**85**	**124**	**115**	**121**	**129**	**101**	**98**	**90**	**94**	**88**	**96**
FB			1219Z	85 %	83 %	83 %	83 %	83 %	1.28	14.8	0.30	1.0	23.4	28	-15.1	-4.7	5.4	0.5	-6.2	-0.1	-1.2	-1.0
BEYOND BEEF BB190024 (ET)									85 %	83 %	85 %	83 %	83 %	83%	84%	82%	86 %	84 %	84 %	83 %	83 %	83 %
CWBFBB 200046	5		BB 170165	**83**	**132**	**90**	**88**	**142**	**89**	**132**	**80**	**90**	**128**	**112**	**138**	**142**	**120**	**80**	**95**	**110**	**79**	**103**
FB			BB 170042	61 %	23 %	21 %	19 %	25 %	2.29	15.8	0.38	3.5	26.3	23	-24.8	-7.0	13.7	-1.7	-2.6	2.4	-2.1	0.1
BEYOND BEEF BB200046									67 %	23 %	40 %	21 %	26 %	19%	34%	16%	46 %	38 %	38 %	33 %	36 %	24 %
CWBFBB 200062	4		BB 170165	**124**	**127**	**89**	**80**	**133**	**120**	**127**	**96**	**89**	**124**	**120**	**134**	**130**	**123**	**84**	**97**	**109**	**81**	**104**
FB			BB 170186	61 %	15 %	12 %	11 %	28 %	-0.75	13.7	-0.24	2.8	23.0	35	-22.4	-5.0	15.0	-1.3	-1.5	2.2	-1.9	0.1
BEYOND BEEF BB200062									67 %	15 %	39 %	12 %	19 %	11%	42%	14%	50 %	34 %	34 %	29 %	29 %	15 %
CWBFDXB 202831			BB 170070	**80**	**120**	**113**	**79**	**109**	**84**	**120**	**88**	**113**	**122**	**121**	**113**	**106**	**90**	**86**	**101**	**104**	**90**	**98**
F1				25 %	12 %	9 %	10 %	16 %	2.77	10.8	0.07	15.8	21.8	36	-10.2	-0.6	1.0	-0.9	1.8	1.4	-1.1	-0.8
DXB02831									26 %	12 %	23 %	9 %	15 %	10%	22%	9%	36 %	34 %	34 %	30 %	22 %	12 %
CWBFDXB 204377			BB 170107	**78**	**126**	**114**	**72**	**110**	**81**	**126**	**94**	**114**	**128**	**128**	**117**	**105**	**97**	**90**	**127**	**109**	**114**	**98**
F1				22 %	10 %	8 %	7 %	12 %	3.08	13.4	-0.14	16.0	26.3	46	-12.7	-0.3	3.8	-0.4	19.5	2.2	1.2	-0.7
DXB04377									23 %	10 %	17 %	8 %	12 %	7 %	17%	6%	33 %	32 %	31 %	27 %	11 %	8 %
CWBFDXB 204483			BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**113**	**95**	**87**	**118**	**98**	**105**	**98**
F1				26 %	18 %	17 %	16 %	16 %	2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB04483									26 %	18 %	25 %	17 %	22 %	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBFDXB 204533			BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04533									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 204535			BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04535									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 204581			BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB04581									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 204753 F1 DXB04753		☑	BB 170173	**82** 23 %	**114** 12 %			**118** 12 %	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19 %		**118** 19.1 18 %		**120** -14.3 16%	**116** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBFDXB 204842 F1 DXB04842		☑	BB 170061 CWBFLI15088	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFBB 210008 F2 BEYOND BEEF BB210008		☑ ☑	BB 150113 CWBFBB 180011	**73** 44 %	**129** 45 %	**110** 22 %	**69** 14 %	**108** 20 %	**77** 3.43 47 %	**129** 14.7 45 %	**91** -0.06 33 %	**110** 14.2 22 %	**127** 25.3 44 %	**131** 51 14%	**112** -10.0 33%	**105** -0.5 7%	**90** 0.9 42 %	**89** -0.5 32 %	**108** 6.7 31 %	**111** 2.5 28 %	**85** -1.5 25 %	**87** -2.6 15 %
CWBFBB 210014 5 FB BEYOND BEEF BB210014		☑ ☑	BB 150113 BB 170152	**85** 64 %	**148** 46 %	**85** 24 %	**66** 16 %	**129** 30 %	**87** 2.50 69 %	**149** 22.6 46 %	**93** -0.11 43 %	**85** 0.9 24 %	**144** 37.0 46 %	**134** 55 16%	**139** -25.4 48%	**121** -3.4 12%	**117** 12.5 55 %	**92** -0.2 37 %	**107** 5.5 37 %	**127** 5.0 33 %	**78** -2.2 28 %	**86** -2.7 17 %
CWBFDXB 214805 F1 DXB04805		☑	BB 170173 CWBFBL1633	**82** 23 %	**114** 12 %			**118** 12 %	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19 %		**118** 19.1 18 %		**120** -14.3 16%	**116** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBFDXB 214858 F1 DXB04858		☑	BB 170019 CWBFBL16122	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214880 F1 DXB04880		☑	BB 170019 CWBFBO 181139	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214881 F1 DXB04881		☑	BB 170019 CWBFBO 187273	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214887 F1 DXB04887		☑	BB 170019 CWBFBO 187979	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214896 F1 DXB04896		☑	BB 170019 CWBFBL1709	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214905 F1 DXB04905		☑	BB 170019 CWBFSE 188178	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214907 F1 DXB04907		☑	BB 170019 CWBFBO 187599	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 214908 F1 DXB04908		☑	BB 170019 CWBFBO 187568	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214924 F1 DXB04924		☑	BB 170019 CWBFBO 187270	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214925 F1 DXB04925		☑	BB 170019 CWBFBO 187515	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214927 F1 DXB04927		☑	BB 170019	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214931 F1 DXB04931		☑	BB 170019 CWBFBO 151437	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214963 F1 DXB04963		☑	BB 170019 CWBFBU7993	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214965 F1 DXB04965		☑	BB 170019 CWBFBU4989	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 214967 F1 DXB04967		☑	BB 170019 CWBFBU5827	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215007 F1 DXB05007		☑	BB 170019 CWBFBO15024	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215015 F1 DXB05015		☑	BB 170019 CWBFBO13151	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215016 F1 DXB05016		☑	BB 170019 CWBFBO 187268	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215026 F1 DXB05026		☑	BB 170019 CWBFBO 187250	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215034 F1 DXB05034		☑	BB 170019 CWBFBO 187821	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215045 F1 DXB05045		☑	BB 170019 CWBFBL1773	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215099 F1 DXB05099		☑	BB 170173 CWBFBL15226	**82** 23 %	**114** 12 %			**118** 12 %	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19 %		**118** 19.1 18 %		**120** -14.3 16%	**116** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBFDXB 215112 F1 DXB05112		☑	BB 170019 CWBFBO11580	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215115 F1 DXB05115		☑	BB 170019 CWBFBO 187233	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215116 F1 DXB05116		☑	BB 170019 CWBFBO 182436	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215117 F1 DXB05117		☑	BB 170107 CWBFBO14156	**78** 22 %	**126** 10 %	**114** 8 %	**72** 7 %	**110** 12 %	**81** 3.08 23 %	**126** 13.4 10 %	**94** -0.14 17 %	**114** 16.0 8 %	**128** 26.3 12 %	**128** 46 7 %	**117** -12.7 17%	**105** -0.3 6%	**97** 3.8 33 %	**90** -0.4 32 %	**127** 19.5 31 %	**109** 2.2 27 %	**114** 1.2 11 %	**98** -0.7 8 %
CWBFDXB 215122 F1 DXB05122		☑	BB 170019 CWBFBO 187900	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215128 F1 DXB05128		☑	BB 170107 CWBFBO13892	**78** 22 %	**126** 10 %	**114** 8 %	**72** 7 %	**110** 12 %	**81** 3.08 23 %	**126** 13.4 10 %	**94** -0.14 17 %	**114** 16.0 8 %	**128** 26.3 12 %	**128** 46 7 %	**117** -12.7 17%	**105** -0.3 6%	**97** 3.8 33 %	**90** -0.4 32 %	**127** 19.5 31 %	**109** 2.2 27 %	**114** 1.2 11 %	**98** -0.7 8 %
CWBFDXB 215137 F1 DXB05137		☑	BB 170021 CWBFBL1439	**80** 28 %	**125** 18 %	**110** 16 %	**79** 17 %	**117** 14 %	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26 %	**110** 14.0 16 %	**128** 26.0 26 %	**121** 36 17%	**120** -14.3 22%	**114** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBFDXB 215138 F1 DXB05138		☑	BB 170173 CWBFBL1774	**82** 23 %	**114** 12 %			**118** 12 %	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19 %		**118** 19.1 18 %		**120** -14.3 16%	**116** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBFDXB 215141 F1 DXB05141		☑	BB 170019 CWBFBO 182190	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215178 F1 DXB05178		☑	BB 170019 CWBFBO 183510	**79** 30 %	**121** 20 %	**109** 18 %	**76** 20 %	**115** 14 %	**82** 2.96 31 %	**121** 11.4 20 %	**91** -0.05 26 %	**109** 13.7 18 %	**122** 21.7 24 %	**124** 41 20%	**121** -14.8 22%	**109** -1.1 7%	**93** 2.4 40 %	**98** 0.6 41 %	**104** 3.5 41 %	**120** 3.8 38 %	**95** -0.6 27 %	**89** -2.2 20 %
CWBFDXB 215179 F1 DXB05179		☑	BB 170021 CWBFBL11168	**80** 28 %	**125** 18 %	**110** 16 %	**79** 17 %	**117** 14 %	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26 %	**110** 14.0 16 %	**128** 26.0 26 %	**121** 36 17%	**120** -14.3 22%	**114** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBFDXB 215181 F1 DXB05181		☑	BB 170021 CWBFBL18135	**80** 28 %	**125** 18 %	**110** 16 %	**79** 17 %	**117** 14 %	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26 %	**110** 14.0 16 %	**128** 26.0 26 %	**121** 36 17%	**120** -14.3 22%	**114** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBFDXB 215228 F1 DXB05228		☑	BB 170070 CWBFWO15446	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215236 F1 DXB05236		☑	BB 170070 CWBFWO17363	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215237 F1 DXB05237		☑	BB 170115 CWBFBL15186	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215239 F1 DXB05239		☑	BB 170159 CWBFLA16653	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215240 F1 DXB05240		☑	BB 170115 CWBFLA12735	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215241 F1 DXB05241		☑	BB 170159 CWBFLA17160	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215247 F1 DXB05247		☑	BB 170159 CWBFLA16588	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215251 F1 DXB05251		☑	BB 170159 CWBFLA13385	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215255 F1 DXB05255		☑	BB 170115 CWBFBL14173	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215257 F1 DXB05257		☑	BB 170115 CWBFBL1760	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215271 F1 DXB05271		☑	BB 170115 CWBFLA12463	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215277 F1 DXB05277		☑	BB 170159 CWBFLA17145	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215285 F1 DXB05285		☑	BB 170159 CWBFLA17065	**84** 23 %	**118** 14 %	**113** 12 %	**77** 10 %	**107** 13 %	**88** 2.42 24 %	**118** 10.2 14 %	**88** 0.06 20 %	**113** 15.8 12 %	**121** 20.9 16 %	**123** 40 10%	**107** -7.1 19%	**106** -0.6 7%	**89** 0.4 34 %	**84** -1.2 29 %	**93** -3.8 29 %	**102** 1.1 25 %	**81** -1.9 17 %	**100** -0.4 12 %
CWBFDXB 215290 F1 DXB05290		☑	BB 170061 CWBFLI15175	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215329 F1 DXB05329		☑	BB 170070 CWBFWO13286	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215391 F1 DXB05391		☑	BB 170021 CWBFWO16013	**80** 28 %	**125** 18 %	**110** 16 %	**79** 17 %	**117** 14 %	**83** 2.90 28 %	**125** 13.0 18 %	**91** -0.06 26 %	**110** 14.0 16 %	**128** 26.0 26 %	**121** 36 17%	**120** -14.3 22%	**114** -2.0 7%	**94** 2.4 37 %	**92** -0.2 33 %	**104** 3.9 33 %	**100** 0.8 30 %	**95** -0.6 23 %	**96** -1.2 17 %
CWBFDXB 215396 F1 DXB05396		☑	BB 170115 CWBFBL1823	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215399 F1 DXB05399		☑	BB 170115 CWBFBL15249	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215404 F1 DXB05404		☑	BB 170061 CWBFLI15017	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215409 F1 DXB05409		☑	BB 170061 CWBFLI15822	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215425 F1 DXB05425		☑	BB 170115 CWBFBL1687	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215426 F1 DXB05426		☑	BB 170115 CWBFBL1729	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215427 F1 DXB05427		☑	BB 170070 CWBFBL1638	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215429 F1 DXB05429		☑	BB 170115 CWBFBL17217	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215430 F1 DXB05430		☑	BB 170115 CWBFBL1765	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**90** 1.0 34 %	**89** -0.5 22 %	**115** 11.1 22 %	**103** 1.2 19 %	**97** -0.4 12 %	**94** -1.5 8 %
CWBFDXB 215441 F1 DXB05441		☑	BB 170070 CWBFBL1457	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215442 F1 DXB05442		☑	BB 170070 CWBFBL13166	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215443 F1 DXB05443		☑	BB 170070 CWBFBL1366	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215451 F1 DXB05451		☑	BB 170109 CWBFLI11157	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**95** 3.1 29 %	**92** -0.2 24 %	**112** 9.1 23 %	**101** 0.9 20 %	**96** -0.4 12 %	**93** -1.6 8 %
CWBFDXB 215464 F1 DXB05464		☑	BB 170070 CWBFBL15295	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215469 F1 DXB05469		☑	BB 170070 CWBFBL17124	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215471 F1 DXB05471		☑	BB 170070 CWBFBL1698	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215472 F1 DXB05472		☑	BB 170070 CWBFBL1741	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215473 F1 DXB05473		☑	BB 170070 CWBFBL1696	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215474 F1 DXB05474		☑	BB 170070 CWBFBL13227	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215478 F1 DXB05478		☑	BB 170061 CWBFLI13141	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215480 F1 DXB05480		☑	BB 170034 CWBFLI13167	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 215481 F1 DXB05481		☑	BB 170061 CWBFLI11220	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215483 F1 DXB05483		☑	BB 170034 CWBFLI18033	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 215486 F1 DXB05486		☑	BB 170034 CWBFLI15345	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 215488 F1 DXB05488		☑	BB 150116 CWBFLI13174	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 215489 F1 DXB05489		☑	BB 170061 CWBFLI17002	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215491 F1 DXB05491		☑	BB 170061 CWBFLI12117	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215499 F1 DXB05499		☑	BB 150116 CWBFLI18174	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 215504 F1 DXB05504		☑	BB 170070 CWBFRR15259	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215508 F1 DXB05508		☑	BB 170070 CWBFRR14226	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215511 F1 DXB05511		☑	BB 170070 CWBFBL1217	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215514 F1 DXB05514		☑	BB 170070 CWBFBL16193	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215516 F1 DXB05516		☑	BB 170070	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215517 F1 DXB05517		☑	BB 170070 CWBFRR17243	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215522 F1 DXB05522		☑	BB 170070	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215533 F1 DXB05533		☑	BB 170070 CWBFRR17246	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215535 F1 DXB05535		☑	BB 170070 CWBFRR17129	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215536 F1 DXB05536		☑	BB 170070 CWBFRR15421	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215539 F1 DXB05539		☑	BB 170070 CWBFRR15254	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215548 F1 DXB05548		☑	BB 150114 CWBFRR17384	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215551 F1 DXB05551		☑	BB 150114 CWBFRR15443	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215553 F1 DXB05553		☑	BB 170070 CWBFRR15235	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215570 F1 DXB05570		☑	BB 150114 CWBFRR15214	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215582 F1 DXB05582		☑	BB 150114 CWBFRR15328	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215583 F1 DXB05583		☑	BB 150114 CWBFRR18153	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215634 F1 DXB05634		☑	BB 170034 CWBFLI15112	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 215635 F1 DXB05635		☑	BB 170109 CWBFLI18077	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**95** 3.1 29 %	**92** -0.2 24 %	**112** 9.1 23 %	**101** 0.9 20 %	**96** -0.4 12 %	**93** -1.6 8 %
CWBFDXB 215637 F1 DXB05637		☑	BB 170034 CWBFLI16801	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 215638 F1 DXB05638		☑	BB 170109 CWBFLI16901	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**95** 3.1 29 %	**92** -0.2 24 %	**112** 9.1 23 %	**101** 0.9 20 %	**96** -0.4 12 %	**93** -1.6 8 %
CWBFDXB 215647 F1 DXB05647		☑	BB 170061 CWBFLI15309	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 215648 F1 DXB05648		☑	BB 170100 CWBFLI18401	**79** 23 %	**119** 6 %	**115** 5 %		**108** 12 %	**83** 2.88 24 %	**119** 10.5 6 %	**88** 0.06 21 %	**115** 16.5 5 %	**122** 21.8 11 %		**113** -10.4 17%	**104** -0.2 7%	**97** 3.8 32 %	**91** -0.3 34 %	**109** 6.9 34 %	**104** 1.4 30 %	**94** -0.7 22 %	**94** -1.4 9 %
CWBFDXB 215678 F1 DXB05678		☑	BB 150115 CWBFCM18070	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215679 F1 DXB05679		☑	BB 150115 CWBFCM18117	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215768 F1 DXB05768		☑	BB 150115 CWBFCM12125	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215770 F1 DXB05770		☑	BB 150115 CWBFCM12195	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215772 F1 DXB05772		☑	BB 150115 CWBFCM13228	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215774 F1 DXB05774		☑	BB 150115 CWBFCM18042	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215776 F1 DXB05776		☑	BB 150115 CWBFCM18028	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215777 F1 DXB05777		☑	BB 150115 CWBFCM17081	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215779 F1 DXB05779		☑	BB 150115 CWBFCM13298	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215780 F1 DXB05780		☑	BB 150115 CWBFCM17439	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215783 F1 DXB05783		☑	BB 150115	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215803 F1 DXB05803		☑	BB 150114 CWBFLA7138	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215805 F1 DXB05805		☑	BB 150114 CWBFLA8046	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215823 F1 DXB05823		☑	BB 180027 CWBFMO21442	**77** 27 %	**124** 18 %	**117** 17 %	**70** 16 %	**110** 14 %	**81** 3.05 27 %	**124** 12.5 18 %	**88** 0.07 25 %	**117** 17.5 17 %	**124** 23.4 21 %	**130** 49 16%	**110** -8.7 21%	**109** -1.1 8%	**96** 3.4 30 %	**89** -0.6 28 %	**118** 13.2 28 %	**101** 1.0 26 %	**100** -0.1 22 %	**93** -1.6 13 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215824 F1 DXB05824		☑	BB 180070 CWBFMO21443	**82** 16 %	**107** 11 %	**116** 10 %	**89** 10 %	**108** 8 %	**87** 2.46 16 %	**107** 5.6 11 %	**82** 0.31 15 %	**116** 17.4 10 %	**113** 15.6 17 %	**111** 22 10%	**107** -6.8 12%	**107** -0.8 5%	**87** -0.6 22 %	**96** 0.3 14 %	**102** 2.4 14 %	**99** 0.6 14 %	**92** -0.8 13 %	**91** -1.9 11 %
CWBFDXB 215825 F1 DXB05825		☑	BB 180317 CWBFMO21440	**77** 27 %	**119** 13 %	**113** 11 %	**79** 11 %	**106** 16 %	**82** 2.95 28 %	**119** 10.6 13 %	**85** 0.17 25 %	**113** 15.7 11 %	**121** 21.3 16 %	**121** 37 11%	**108** -7.5 23%	**104** -0.3 10%	**87** -0.3 30 %	**94** 0.1 21 %	**109** 7.0 21 %	**95** 0.0 19 %	**97** -0.4 19 %	**92** -1.7 13 %
CWBFDXB 215868 F1 DXB05868		☑	BB 150115 CWBFCM15096	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215879 F1 DXB05879		☑	BB 150115 CWBFCM17357	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215893 F1 DXB05893		☑	BB 150115 CWBFBO17608	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 215909 F1 DXB05909		☑	BB 150128 CWBFLE17335	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 215918 F1 DXB05918		☑	BB 150114	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215923 F1 DXB05923		☑	BB 150114 CWBFLA6193	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215928 F1 DXB05928		☑	BB 150114 CWBFLA6195	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215934 F1 DXB05934		☑	BB 150114 CWBFLA7244	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215935 F1 DXB05935		☑	BB 150114 CWBFLA1030	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 215961 F1 DXB05961		☑	BB 180003 CWBFMO21572	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.3 32 %	**88** -0.7 31 %	**116** 12.0 31 %	**107** 1.8 27 %	**106** 0.5 29 %	**99** -0.7 13 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 215965 F1 DXB05965		☑	BB 180319 CWBFMO21451	**84** 21 %	**117** 9 %	**115** 5 %		**111** 10 %	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16 %	**115** 16.5 5 %	**121** 21.0 13 %		**112** -10.0 14%	**109** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %
CWBFDXB 215968 F1 DXB05968		☑	BB 180319 CWBFMO21495	**84** 21 %	**117** 9 %	**115** 5 %		**111** 10 %	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16 %	**115** 16.5 5 %	**121** 21.0 13 %		**112** -10.0 14%	**109** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %
CWBFDXB 215972 F1 DXB05972		☑	BB 180027 CWBFMO21554	**77** 27 %	**124** 18 %	**117** 17 %	**70** 16 %	**110** 14 %	**81** 3.05 27 %	**124** 12.5 18 %	**88** 0.07 25 %	**117** 17.5 17 %	**124** 23.4 21 %	**130** 49 16%	**110** -8.7 21%	**109** -1.1 8%	**96** 3.4 30 %	**89** -0.6 28 %	**118** 13.2 28 %	**101** 1.0 26 %	**100** -0.1 22 %	**93** -1.6 13 %
CWBFDXB 215977 F1 DXB05977		☑	BB 180034 CWBFMO21570	**82** 26 %	**117** 14 %	**114** 12 %	**78** 10 %	**109** 14 %	**86** 2.55 26 %	**117** 10.0 14 %	**86** 0.14 24 %	**114** 16.0 12 %	**120** 20.3 16 %	**122** 37 10%	**110** -8.8 20%	**107** -0.8 8%	**96** 3.6 29 %	**89** -0.6 21 %	**103** 2.6 21 %	**99** 0.6 18 %	**92** -0.9 19 %	**99** -0.7 13 %
CWBFDXB 215978 F1 DXB05978		☑	BB 180317	**77** 27 %	**119** 13 %	**113** 11 %	**79** 11 %	**106** 16 %	**82** 2.95 28 %	**119** 10.6 13 %	**85** 0.17 25 %	**113** 15.7 11 %	**121** 21.3 16 %	**121** 37 11%	**108** -7.5 23%	**104** -0.3 10%	**87** -0.3 30 %	**94** 0.1 21 %	**109** 7.0 21 %	**95** 0.0 19 %	**97** -0.4 19 %	**92** -1.7 13 %
CWBFDXB 215980 F1 DXB05980		☑	BB 150115 CWBFRR13322	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216030 F1 DXB06030		☑	BB 150115 CWBFCM11166	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216060 F1 DXB06060		☑	BB 180003 CWBFMO19359	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.3 32 %	**88** -0.7 31 %	**116** 12.0 31 %	**107** 1.8 27 %	**106** 0.5 29 %	**99** -0.7 13 %
CWBFDXB 216069 F1 DXB06069		☑	BB 180034 CWBFMO19050	**82** 26 %	**117** 14 %	**114** 12 %	**78** 10 %	**109** 14 %	**86** 2.55 26 %	**117** 10.0 14 %	**86** 0.14 24 %	**114** 16.0 12 %	**120** 20.3 16 %	**122** 37 10%	**110** -8.8 20%	**107** -0.8 8%	**96** 3.6 29 %	**89** -0.6 21 %	**103** 2.6 21 %	**99** 0.6 18 %	**92** -0.9 19 %	**99** -0.7 13 %
CWBFDXB 216076 F1 DXB06076		☑	BB 180048 CWBFMO19200	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %
CWBFDXB 216084 F1 DXB06084		☑	BB 180048 CWBFMO19257	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %
CWBFDXB 216087 F1 DXB06087		☑	BB 180048 CWBFMO19133	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216094 F1 DXB06094		☑	BB 150114 CWBFLA7091	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 216097 F1 DXB06097		☑	BB 150114 CWBFLA6132	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 216098 F1 DXB06098		☑	BB 150114 CWBFLA5259	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 216099 F1 DXB06099		☑	BB 150114 CWBFLA8089	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 216100 F1 DXB06100		☑	BB 150114 CWBFLA6135	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**93** 2.1 40 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFDXB 216112 F1 DXB06112		☑	BB 150115 CWBFCM13057	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216117 F1 DXB06117		☑	BB 150115 CWBFCM17015	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216119 F1 DXB06119		☑	BB 180043 CWBFMO19333	**85** 16 %	**106** 13 %	**115** 10 %	**90** 12 %	**111** 9 %	**90** 2.16 17 %	**106** 5.3 13 %	**80** 0.38 14 %	**115** 16.8 10 %	**112** 14.7 14 %	**110** 21 12%	**110** -8.7 13%	**110** -1.3 5%	**90** 0.8 27 %	**98** 0.5 25 %	**96** -2.3 24 %	**93** -0.4 21 %	**98** -0.2 22 %	**97** -1.0 11 %
CWBFDXB 216120 F1 DXB06120		☑	BB 180003 CWBFMO19251	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.3 32 %	**88** -0.7 31 %	**116** 12.0 31 %	**107** 1.8 27 %	**106** 0.5 29 %	**99** -0.7 13 %
CWBFDXB 216123 F1 DXB06123		☑	BB 180043 CWBFMO19210	**85** 16 %	**106** 13 %	**115** 10 %	**90** 12 %	**111** 9 %	**90** 2.16 17 %	**106** 5.3 13 %	**80** 0.38 14 %	**115** 16.8 10 %	**112** 14.7 14 %	**110** 21 12%	**110** -8.7 13%	**110** -1.3 5%	**90** 0.8 27 %	**98** 0.5 25 %	**96** -2.3 24 %	**93** -0.4 21 %	**98** -0.2 22 %	**97** -1.0 11 %
CWBFDXB 216130 F1 DXB06130		☑	BB 180084 CWBFMO19042	**85** 24 %	**126** 16 %	**111** 11 %	**70** 11 %	**111** 12 %	**86** 2.57 25 %	**126** 13.4 16 %	**97** -0.26 21 %	**111** 14.5 11 %	**125** 24.3 16 %	**130** 48 11%	**114** -11.2 18%	**108** -1.0 7%	**94** 2.5 28 %	**91** -0.4 22 %	**114** 10.5 22 %	**108** 2.0 20 %	**85** -1.5 19 %	**86** -2.7 12 %
CWBFDXB 216133 F1 DXB06133		☑	BB 180319 CWBFMO19192	**84** 21 %	**117** 9 %	**115** 5 %		**111** 10 %	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16 %	**115** 16.5 5 %	**121** 21.0 13 %		**112** -10.0 14%	**109** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216136 F1 DXB06136		☑	BB 180048 CWBFMO19347	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.8 28 %	**105** 4.4 27 %	**96** 0.2 24 %	**93** -0.7 25 %	**107** 0.6 6 %
CWBFDXB 216139 F1 DXB06139		☑	BB 180049 CWBFMO19246	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216142 F1 DXB06142		☑	BB 180073 CWBFMO19416	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216152 F1 DXB06152		☑	BB 180050 CWBFMO19099	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.2 32 %	**92** -0.3 30 %	**103** 3.0 29 %	**109** 2.1 26 %	**90** -1.1 27 %	**92** -1.7 13 %
CWBFDXB 216186 F1 DXB06186		☑	BB 150115 CWBFRR18089	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216187 F1 DXB06187		☑	BB 150115 CWBFRR17013	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216188 F1 DXB06188		☑	BB 150115 CWBFRR17330	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216189 F1 DXB06189		☑	BB 150115 CWBFRR16208	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216192 F1 DXB06192		☑	BB 150115 CWBFRR17284	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216194 F1 DXB06194		☑	BB 150115 CWBFRR12323	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216206 F1 DXB06206		☑	BB 150128 CWBFLE6	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216207 F1 DXB06207		☑	BB 150128 CWBFLE1653	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216208 F1 DXB06208		☑	BB 150128 CWBFLE17237	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216293 F1 DXB06293		☑	BB 150115	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216294 F1 DXB06294		☑	BB 180050 CWBFMO19601	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.2 32 %	**92** -0.3 30 %	**103** 3.0 29 %	**109** 2.1 26 %	**90** -1.1 27 %	**92** -1.7 13 %
CWBFDXB 216407 F1 DXB06407		☑	BB 150115 CWBFCM16032	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216416 F1 DXB06416		☑	BB 180042 CWBFMO19118	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**90** 0.9 24 %	**101** 0.9 21 %	**100** 0.7 20 %	**100** 0.9 18 %	**92** -0.8 20 %	**88** -2.4 11 %
CWBFDXB 216418 F1 DXB06418		☑	BB 180319 CWBFMO19587	**84** 21 %	**117** 9 %	**115** 5 %		**111** 10 %	**87** 2.52 22 %	**117** 9.9 9 %	**92** -0.09 16 %	**115** 16.5 5 %	**121** 21.0 13 %		**112** -10.0 14%	**109** -1.1 5%	**90** 1.1 26 %	**85** -1.1 16 %	**108** 6.7 16 %	**104** 1.4 13 %	**100** -0.1 14 %	**102** -0.1 10 %
CWBFDXB 216432 F1 DXB06432		☑	BB 180315 CWBFMO19453	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**92** 1.9 26 %	**90** -0.4 19 %	**113** 9.7 19 %	**103** 1.3 17 %	**96** -0.5 12 %	**93** -1.6 8 %
CWBFDXB 216438 F1 DXB06438		☑	BB 180042 CWBFMO19477	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**90** 0.9 24 %	**101** 0.9 21 %	**100** 0.7 20 %	**100** 0.9 18 %	**92** -0.8 20 %	**88** -2.4 11 %
CWBFDXB 216452 F1 DXB06452		☑	BB 150115 CWBFAV7325	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216461 F1 DXB06461		☑	BB 150116 CWBFCM13039	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216540 F1 DXB06540		☑	BB 180073 CWBFMO19564	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216543 F1 DXB06543		☑	BB 180034 CWBFMO19139	**82** 26 %	**117** 14 %	**114** 12 %	**78** 10 %	**109** 14 %	**86** 2.55 26 %	**117** 10.0 14 %	**86** 0.14 24 %	**114** 16.0 12 %	**120** 20.3 16 %	**122** 37 10%	**110** -8.8 20%	**107** -0.8 8%	**96** 3.6 29 %	**89** -0.6 21 %	**103** 2.6 21 %	**99** 0.6 18 %	**92** -0.9 19 %	**99** -0.7 13 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216544 F1 DXB06544		☑	BB 180073 CWBFMO19425	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216548 F1 DXB06548		☑	BB 180042 CWBFMO19046	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**90** 0.9 24 %	**101** 0.9 21 %	**100** 0.7 20 %	**100** 0.9 18 %	**92** -0.8 20 %	**88** -2.4 11 %
CWBFDXB 216567 F1 DXB06567		☑	BB 150115 CWBFAV786	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFDXB 216576 F1 DXB06576		☑	BB 150128 CWBFLE15103	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216581 F1 DXB06581		☑	BB 150128 CWBFLE17190	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216586 F1 DXB06586		☑	BB 150128 CWBFLE5236	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216592 F1 DXB06592		☑	BB 150128 CWBFLE4609	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**90** 1.1 40 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFDXB 216601 F1 DXB06601		☑	BB 150116 CWBFCM17005	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216608 F1 DXB06608		☑	BB 150116 CWBFCM17053	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216611 F1 DXB06611		☑	BB 180008 CWBFMO18390	**87** 23 %	**116** 13 %	**114** 13 %	**81** 11 %	**114** 12 %	**89** 2.32 23 %	**116** 9.3 13 %	**93** -0.13 22 %	**114** 16.0 13 %	**118** 19.1 14 %	**119** 33 11%	**119** -14.0 18%	**109** -1.1 7%	**100** 5.4 29 %	**97** 0.5 19 %	**106** 4.9 19 %	**105** 1.6 17 %	**100** -0.1 18 %	**93** -1.6 12 %
CWBFDXB 216626 F1 DXB06626		☑	BB 180073 CWBFMO17365	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216630 F1 DXB06630		☑	BB 180049 CWBFMO19044	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216634 F1 DXB06634		☑	BB 180049 CWBFMO18530	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216638 F1 DXB06638		☑	BB 170070 CWBFLI15094	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 216639 F1 DXB06639		☑	BB 170070 CWBFLI18125	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 216642 F1 DXB06642		☑	BB 170034 CWBFLI13067	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 216644 F1 DXB06644		☑	BB 170070 CWBFLI14018	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 216647 F1 DXB06647		☑	BB 170034 CWBFLI231	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 216648 F1 DXB06648		☑	BB 170061 CWBFLI16194	**80** 27 %	**120** 14 %	**113** 12 %	**77** 13 %	**103** 16 %	**84** 2.82 28 %	**120** 11.0 14 %	**89** 0.04 25 %	**113** 15.4 12 %	**122** 21.5 16 %	**123** 39 13%	**105** -5.6 23%	**101** 0.3 10%	**97** 3.8 32 %	**90** -0.5 22 %	**111** 8.7 22 %	**97** 0.3 20 %	**98** -0.3 17 %	**95** -1.3 13 %
CWBFDXB 216695 F1 DXB06695		☑	BB 150116 CWBFCM15377	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216711 F1 DXB06711		☑	BB 180043 CWBFMO18517	**85** 16 %	**106** 13 %	**115** 10 %	**90** 12 %	**111** 9 %	**90** 2.16 17 %	**106** 5.3 13 %	**80** 0.38 14 %	**115** 16.8 10 %	**112** 14.7 14 %	**110** 21 12%	**110** -8.7 13%	**110** -1.3 5%	**90** 0.8 27 %	**98** 0.5 25 %	**96** -2.3 24 %	**93** -0.4 21 %	**98** -0.2 22 %	**97** -1.0 11 %
CWBFDXB 216712 F1 DXB06712		☑	BB 180050 CWBFMO18111	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.2 32 %	**92** -0.3 30 %	**103** 3.0 29 %	**109** 2.1 26 %	**90** -1.1 27 %	**92** -1.7 13 %
CWBFDXB 216720 F1 DXB06720		☑	BB 180037 CWBFMO18434	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.9 31 %	**100** 0.8 30 %	**97** 0.3 26 %	**93** -0.8 29 %	**109** 0.9 6 %
CWBFDXB 216723 F1 DXB06723		☑	BB 180042 CWBFMO19526	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**90** 0.9 24 %	**101** 0.9 21 %	**100** 0.7 20 %	**100** 0.9 18 %	**92** -0.8 20 %	**88** -2.4 11 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216725 F1 DXB06725		☑	BB 180073 CWBFMO17367	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216768 F1 DXB06768		☑	BB 150116 CWBFCM17306	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216780 F1 DXB06780		☑	BB 180049 CWBFMO18538	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216783 F1 DXB06783		☑	BB 180041 CWBFMO11285	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**90** 1.0 22 %	**97** 0.4 15 %	**101** 1.2 15 %	**100** 0.7 14 %	**92** -0.8 14 %	**91** -1.9 11 %
CWBFDXB 216784 F1 DXB06784		☑	BB 180037 CWBFMO18069	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.9 31 %	**100** 0.8 30 %	**97** 0.3 26 %	**93** -0.8 29 %	**109** 0.9 6 %
CWBFDXB 216855 F1 DXB06855		☑	BB 180073	**84** 16 %	**103** 11 %	**117** 10 %	**91** 10 %	**107** 9 %	**89** 2.28 16 %	**103** 4.2 11 %	**79** 0.39 15 %	**117** 17.6 10 %	**110** 13.3 17 %	**109** 19 10%	**106** -6.6 13%	**107** -0.7 5%	**89** 0.5 25 %	**101** 1.0 25 %	**91** -5.7 24 %	**103** 1.2 21 %	**87** -1.3 24 %	**89** -2.2 11 %
CWBFDXB 216861 F1 DXB06861		☑	BB 180003 CWBFMO12293	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**95** 3.3 32 %	**88** -0.7 31 %	**116** 12.0 31 %	**107** 1.8 27 %	**106** 0.5 29 %	**99** -0.7 13 %
CWBFDXB 216865 F1 DXB06865		☑	BB 180049 CWBFMO14473	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216902 F1 DXB06902		☑	BB 180049 CWBFCM18032	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216903 F1 DXB06903		☑	BB 180037 CWBFMO17403	**78** 23 %	**119** 13 %	**116** 5 %		**116** 12 %	**82** 2.95 23 %	**119** 10.6 13 %	**89** 0.04 21 %	**116** 17.2 5 %	**122** 22.2 18 %		**119** -13.7 17%	**113** -1.8 8%	**92** 1.8 32 %	**79** -1.9 31 %	**100** 0.8 30 %	**97** 0.3 26 %	**93** -0.8 29 %	**109** 0.9 6 %
CWBFDXB 216917 F1 DXB06917		☑	BB 180049 CWBFMO17447	**86** 26 %	**122** 18 %	**111** 13 %	**74** 12 %	**116** 14 %	**86** 2.57 26 %	**122** 11.9 18 %	**98** -0.32 24 %	**111** 14.8 13 %	**123** 22.5 19 %	**126** 44 12%	**120** -14.8 21%	**112** -1.6 8%	**98** 4.4 33 %	**92** -0.2 30 %	**104** 3.3 29 %	**109** 2.1 26 %	**94** -0.7 27 %	**94** -1.4 13 %
CWBFDXB 216921 F1 DXB06921		☑	BB 180034 CWBFMO17173	**82** 26 %	**117** 14 %	**114** 12 %	**78** 10 %	**109** 14 %	**86** 2.55 26 %	**117** 10.0 14 %	**86** 0.14 24 %	**114** 16.0 12 %	**120** 20.3 16 %	**122** 37 10%	**110** -8.8 20%	**107** -0.8 8%	**96** 3.6 29 %	**89** -0.6 21 %	**103** 2.6 21 %	**99** 0.6 18 %	**92** -0.9 19 %	**99** -0.7 13 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 216924 F1 DXB06924		☑	BB 180034	**82** 26 %	**117** 14 %	**114** 12 %	**78** 10 %	**109** 14 %	**86** 2.55 26 %	**117** 10.0 14 %	**86** 0.14 24 %	**114** 16.0 12 %	**120** 20.3 16 %	**122** 37 10%	**110** -8.8 20%	**107** -0.8 8%	**96** 3.6 29 %	**89** -0.6 21 %	**103** 2.6 21 %	**99** 0.6 18 %	**92** -0.9 19 %	**99** -0.7 13 %
CWBFDXB 216930 F1 DXB06930		☑	BB 150116 CWBFLI17196	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFDXB 216933 F1 DXB06933		☑	BB 170070 CWBFLI16154	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 216935 F1 DXB06935		☑	BB 150116 CWBFLI17154	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**97** 3.8 43 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFBB 220010 FB BEYOND BEEF BB220010	25	☑ ☑	BB 190115 BB 190119	**80** 62 %	**131** 11 %	**90** 8 %	**88** 6 %	**141** 20 %	**86** 2.57 69 %	**131** 15.4 11 %	**80** 0.36 35 %	**90** 3.3 8 %	**127** 25.6 16 %	**112** 23 6 %	**139** -25.8 28%	**141** -6.8 13%	**118** 13.1 41 %	**76** -2.2 36 %	**67** -22.4 36 %	**109** 2.1 27 %	**65** -3.5 33 %	**109** 1.0 26 %
CWBFBB 220048 FB BEYOND BEEF BB220048	4	☑ ☑	BB 200009 BB 180045	**96** 63 %	**133** 22 %	**91** 19 %	**77** 18 %	**139** 24 %	**97** 1.53 69 %	**133** 16.3 22 %	**91** -0.04 41 %	**91** 4.2 19 %	**128** 25.9 26 %	**123** 39 18%	**134** -22.8 34%	**140** -6.7 15%	**128** 17.3 43 %	**94** 0.0 35 %	**104** 3.5 34 %	**111** 2.4 31 %	**85** -1.5 28 %	**90** -2.1 19 %
CWBFBB 220068 F2 BEYOND BEEF BB220068		☑ ☑	BB 170177 CWBFBB 190014	**86** 34 %	**120** 10 %	**114** 9 %	**75** 10 %	**105** 12 %	**88** 2.37 38 %	**120** 10.9 10 %	**92** -0.08 20 %	**114** 15.9 9 %	**122** 21.8 10 %	**125** 42 10%	**108** -7.7 19%	**103** 0.0 6%	**100** 5.1 36 %	**97** 0.4 41 %	**130** 21.7 41 %	**102** 1.1 38 %	**106** 0.5 11 %	**87** -2.5 8 %
CWBFBB 220093 FB BEYOND BEEF BB220093		☑ ☑	BB 190115 CWBFBB 170087	**83** 38 %	**114** 8 %	**116** 5 %		**110** 12 %	**86** 2.62 43 %	**114** 8.7 8 %	**90** -0.02 20 %	**116** 17.4 5 %	**118** 19.2 11 %		**114** -10.8 17%	**106** -0.6 7%	**96** 3.5 30 %	**73** -2.6 30 %	**84** -10.6 30 %	**97** 0.4 21 %	**83** -1.7 29 %	**112** 1.5 23 %
CWBFBB 220144 FB BEYOND BEEF BB220144	15	☑ ☑	BB 190115 BB 170186	**124** 62 %	**122** 10 %	**92** 7 %	**84** 6 %	**132** 20 %	**120** -0.71 69 %	**122** 11.8 10 %	**95** -0.20 37 %	**92** 4.7 7 %	**120** 20.7 16 %	**116** 30 6 %	**136** -23.7 28%	**128** -4.5 13%	**123** 14.9 42 %	**75** -2.4 37 %	**77** -15.2 37 %	**103** 1.2 28 %	**78** -2.2 32 %	**115** 1.9 24 %
CWBFBB 220304 FB BEYOND BEEF BB220304		☑ ☑	BB 170002 CWBFBB 170150	**74** 36 %	**122** 15 %	**116** 16 %	**74** 15 %	**110** 16 %	**78** 3.41 39 %	**122** 11.8 15 %	**91** -0.07 24 %	**116** 17.1 16 %	**124** 22.9 19 %	**126** 44 15%	**107** -6.9 23%	**111** -1.4 8%	**106** 7.8 35 %	**110** 2.0 36 %	**110** 8.1 36 %	**98** 0.5 32 %	**94** -0.6 28 %	**77** -4.2 21 %
CWBFDXB 229510 F1 DXB09510		☑	BB 170034 CWBFLI16910	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %
CWBFDXB 229513 F1 DXB09513		☑	BB 170034 CWBFLI16105	**84** 26 %	**112** 18 %	**116** 17 %	**86** 16 %	**115** 16 %	**88** 2.44 26 %	**112** 7.9 18 %	**89** 0.03 25 %	**116** 17.0 17 %	**117** 18.1 22 %	**114** 27 16%	**115** -11.9 22%	**113** -1.8 10%	**95** 3.0 32 %	**87** -0.9 30 %	**118** 13.2 30 %	**98** 0.4 28 %	**105** 0.4 27 %	**98** -0.8 19 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 229724 F1 DXB09724		☑	BB 170109 CWBFLI11017	**82** 20 %	**119** 11 %	**114** 7 %	**78** 6 %	**111** 10 %	**85** 2.68 21 %	**119** 10.6 11 %	**91** -0.04 17 %	**114** 16.2 7 %	**122** 21.7 12 %	**122** 38 6 %	**111** -9.4 15%	**109** -1.2 6%	**95** 3.1 29 %	**92** -0.2 24 %	**112** 9.1 23 %	**101** 0.9 20 %	**96** -0.4 12 %	**93** -1.6 8 %
CWBFBB 230133 F2 BEYOND BEEF BB23-0133		☑ ☑	BB 190015 CWBFBB 200056	**68** 36 %	**122** 12 %	**115** 9 %	**81** 10 %	**116** 15 %	**74** 3.73 40 %	**122** 11.9 12 %	**86** 0.15 22 %	**115** 16.6 9 %	**124** 23.4 15 %	**119** 34 10%	**117** -12.5 21%	**115** -2.2 9%	**97** 4.0 33 %	**83** -1.4 18 %	**105** 4.3 18 %	**92** -0.5 16 %	**105** 0.4 16 %	**106** 0.6 12 %
CWBFBB 240020 12 FB BEYOND BEEF BB240020	12	☑ ☑	BB 170177 BB 170075	**114** 62 %	**132** 17 %	**87** 15 %	**77** 14 %	**132** 22 %	**112** 0.08 68 %	**132** 16.0 17 %	**94** -0.15 39 %	**87** 1.8 15 %	**127** 25.5 18 %	**123** 40 14%	**132** -21.2 32%	**131** -5.1 13%	**121** 14.4 48 %	**100** 0.8 48 %	**116** 12.1 48 %	**112** 2.7 43 %	**92** -0.9 24 %	**87** -2.5 17 %
CWBFBB 240022 20 FB BEYOND BEEF BB240022	20	☑ ☑	BB 170177 BB 170068	**94** 61 %	**130** 17 %	**89** 15 %	**84** 17 %	**114** 23 %	**97** 1.49 67 %	**130** 15.0 17 %	**82** 0.29 36 %	**89** 2.6 15 %	**126** 24.4 19 %	**116** 30 17%	**109** -8.2 33%	**117** -2.6 13%	**124** 15.5 48 %	**101** 0.9 47 %	**128** 20.9 47 %	**103** 1.2 43 %	**97** -0.4 20 %	**80** -3.6 15 %
CWBFBB 240027 15 FB BEYOND BEEF BB240027	15	☑ ☑	BB 190115 BB 170186	**96** 62 %	**133** 10 %	**91** 7 %	**84** 6 %	**132** 20 %	**97** 1.53 69 %	**133** 16.0 10 %	**92** -0.10 37 %	**91** 4.2 7 %	**129** 26.7 16 %	**116** 30 6 %	**136** -23.7 28%	**128** -4.5 13%	**123** 14.9 42 %	**75** -2.4 37 %	**77** -15.2 37 %	**103** 1.2 28 %	**78** -2.2 32 %	**115** 1.9 24 %
CWBFBB 240029 6 FB BEYOND BEEF BB240029	6	☑ ☑	BB 170177 BB 150117	**103** 63 %	**141** 23 %	**84** 17 %	**69** 20 %	**138** 21 %	**100** 1.19 69 %	**141** 19.3 23 %	**101** -0.42 42 %	**84** 0.2 17 %	**132** 28.7 27 %	**131** 50 20%	**139** -25.7 32%	**134** -5.7 10%	**118** 13.0 50 %	**99** 0.7 50 %	**118** 13.5 49 %	**116** 3.3 45 %	**83** -1.7 28 %	**76** -4.3 19 %
CWBFBB 240049 F2 BEYOND BEEF BB240049		☑ ☑	BB 180022 CWBFBB 190014	**88** 28 %	**116** 13 %	**114** 13 %	**82** 11 %	**116** 12 %	**90** 2.21 29 %	**116** 9.2 13 %	**93** -0.12 22 %	**114** 16.1 13 %	**118** 19.0 14 %	**118** 33 11%	**122** -15.5 18%	**111** -1.5 7%	**111** 9.9 29 %	**90** -0.5 19 %	**104** 3.4 19 %	**103** 1.2 17 %	**103** 0.2 18 %	**101** -0.3 14 %
CWBFBB 240122 4 FB BEYOND BEEF BB240122	4	☑ ☑	BB 170177 BB 210056	**96** 61 %	**137** 15 %	**86** 12 %	**78** 13 %	**133** 20 %	**96** 1.58 68 %	**137** 17.8 15 %	**94** -0.15 33 %	**86** 1.2 12 %	**130** 27.6 18 %	**122** 38 13%	**134** -22.7 30%	**131** -5.1 9%	**120** 13.7 45 %	**101** 0.9 46 %	**121** 15.4 46 %	**113** 2.7 42 %	**92** -0.9 20 %	**80** -3.6 14 %
CWBFBB 240160 3 FB BEYOND BEEF BB240160	3	☑ ☑	BB 170002 BB 190063	**86** 60 %	**140** 20 %	**90** 18 %	**74** 16 %	**133** 22 %	**91** 2.07 66 %	**140** 18.9 20 %	**79** 0.38 36 %	**90** 3.6 18 %	**134** 30.3 24 %	**126** 43 16%	**123** -16.3 32%	**138** -6.4 13%	**124** 15.3 44 %	**117** 2.9 40 %	**107** 5.6 39 %	**116** 3.3 35 %	**83** -1.8 32 %	**69** -5.4 24 %
CWBFDXB 246527 F1 BEYOND BEEF DXB16527		☑	BB 170177	**86** 34 %	**120** 10 %	**114** 9 %	**75** 10 %	**105** 12 %	**88** 2.37 38 %	**120** 10.9 10 %	**92** -0.08 20 %	**114** 15.9 9 %	**122** 21.8 10 %	**125** 42 10%	**108** -7.7 19%	**103** 0.0 6%	**100** 5.1 36 %	**97** 0.4 41 %	**130** 21.7 41 %	**102** 1.1 38 %	**106** 0.5 11 %	**87** -2.5 8 %
CWBFBB 250006 3 F1 BEYOND BEEF BB250006	3	☑	BB 190115 BB 220030	**95** 49 %	**128** 13 %	**92** 11 %	**87** 10 %	**134** 18 %	**97** 1.50 55 %	**128** 14.1 13 %	**87** 0.11 27 %	**92** 4.4 11 %	**125** 23.9 16 %	**113** 25 10%	**133** -22.1 27%	**133** -5.4 10%	**118** 13.0 39 %	**79** -1.8 39 %	**90** -6.3 38 %	**104** 1.5 31 %	**80** -2.0 31 %	**104** 0.2 25 %
CWBFBB 250027 F1 BEYOND BEEF BB250027		☑	BB 190166 BB 180278	**112** 34 %	**116** 22 %	**79** 17 %	**100** 14 %	**114** 22 %	**108** 0.48 35 %	**116** 9.5 22 %	**104** -0.52 30 %	**79** -2.4 17 %	**110** 13.7 24 %	**100** 6 14%	**110** -8.9 29%	**116** -2.4 14%	**114** 11.0 42 %	**111** 2.2 28 %	**96** -2.0 28 %	**111** 2.5 26 %	**99** -0.2 26 %	**98** -0.8 20 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFBB 250035 F1 BEYOND BEEF BB250035	15	☑	BB 200009 BB 170103	**77** 51 %	**135** 15 %	**94** 16 %	**82** 14 %	**135** 24 %	**85** 2.73 53 %	**135** 17.1 15 %	**74** 0.58 42 %	**94** 5.7 16 %	**130** 27.5 20 %	**118** 32 14%	**129** -19.6 32%	**138** -6.3 15%	**137** 21.1 40 %	**94** 0.0 29 %	**107** 5.4 28 %	**102** 1.0 25 %	**84** -1.6 24 %	**89** -2.2 18 %
CWBFBB 250036 F1 BEYOND BEEF BB250036	10	☑	BB 190004 BB 170178	**95** 37 %	**127** 17 %	**91** 9 %	**87** 7 %	**147** 20 %	**99** 1.37 37 %	**127** 13.8 17 %	**81** 0.33 36 %	**91** 4.2 9 %	**125** 23.8 22 %	**113** 24 7 %	**141** -26.4 27%	**150** -8.5 13%	**119** 13.4 40 %	**89** -0.6 28 %	**107** 5.6 28 %	**107** 1.8 25 %	**87** -1.3 19 %	**96** -1.1 10 %
CWBFBB 250045 F1 BEYOND BEEF BB250045	11	☑	BB 190164 BB 190128	**95** 35 %	**125** 12 %	**90** 7 %	**92** 5 %	**126** 18 %	**98** 1.44 36 %	**125** 13.1 12 %	**86** 0.13 32 %	**90** 3.3 7 %	**123** 22.2 18 %	**108** 18 5 %	**121** -15.3 26%	**128** -4.6 10%	**117** 12.7 40 %	**89** -0.6 25 %	**100** 0.7 25 %	**108** 2.0 21 %	**101** 0.0 20 %	**105** 0.3 14 %
CWBFBB 250046 F1 BEYOND BEEF BB250046	7	☑	BB 180022 BB 200067	**109** 42 %	**130** 16 %	**88** 15 %	**84** 13 %	**142** 19 %	**107** 0.52 45 %	**130** 15.2 16 %	**97** -0.26 32 %	**88** 2.1 15 %	**126** 24.5 18 %	**116** 29 13%	**143** -28.1 27%	**138** -6.4 11%	**132** 19.0 39 %	**90** -0.5 25 %	**97** -1.4 25 %	**115** 3.1 22 %	**92** -0.8 23 %	**102** -0.1 16 %
CWBFBB 250053 F1 BEYOND BEEF BB250053	2	☑	BB 200009 BB 190119	**75** 48 %	**135** 14 %	**92** 16 %	**84** 14 %	**139** 23 %	**83** 2.89 51 %	**135** 16.9 14 %	**74** 0.61 38 %	**92** 4.5 16 %	**130** 27.5 20 %	**116** 30 14%	**131** -20.8 32%	**142** -7.2 14%	**128** 17.0 41 %	**92** -0.2 32 %	**93** -3.8 31 %	**110** 2.3 27 %	**74** -2.5 25 %	**91** -1.9 19 %
CWBFBB 250055 F1 BEYOND BEEF BB250055	6	☑	BB 200028 BB 170040	**88** 50 %	**122** 22 %	**89** 20 %	**94** 19 %	**131** 26 %	**93** 1.94 52 %	**122** 11.9 22 %	**82** 0.29 40 %	**89** 2.8 20 %	**118** 19.2 28 %	**106** 14 19%	**122** -15.5 36%	**136** -6.0 16%	**120** 13.6 43 %	**89** -0.6 33 %	**92** -5.2 33 %	**96** 0.2 28 %	**74** -2.6 31 %	**93** -1.6 25 %
CWBFBB 250072 F1 BEYOND BEEF BB250072	5	☑	BB 180022 BB 190122	**115** 39 %	**125** 18 %	**88** 16 %	**90** 15 %	**125** 22 %	**110** 0.24 40 %	**125** 13.0 18 %	**102** -0.48 34 %	**88** 2.2 16 %	**120** 20.6 22 %	**110** 21 15%	**129** -19.6 31%	**122** -3.4 12%	**132** 19.1 42 %	**95** 0.1 27 %	**96** -2.0 27 %	**103** 1.3 24 %	**99** -0.2 25 %	**100** -0.5 19 %
CWBFBB 250074 F1 BEYOND BEEF BB250074	28	☑	BB 200009 BB 220029	**69** 49 %	**139** 15 %	**95** 18 %	**77** 16 %	**127** 20 %	**78** 3.37 53 %	**139** 18.7 15 %	**75** 0.56 32 %	**95** 6.2 18 %	**134** 30.3 20 %	**123** 39 16%	**117** -12.9 31%	**132** -5.3 10%	**131** 18.7 36 %	**95** 0.1 29 %	**112** 9.0 29 %	**109** 2.2 26 %	**82** -1.8 22 %	**86** -2.8 17 %
CWBFBB 250078 F1 BEYOND BEEF BB250078	6	☑	BB 200028 BB 210093	**80** 49 %	**130** 17 %	**91** 16 %	**87** 15 %	**127** 22 %	**85** 2.67 54 %	**130** 15.0 17 %	**82** 0.29 32 %	**91** 3.9 16 %	**126** 24.5 22 %	**113** 25 15%	**116** -12.3 33%	**133** -5.5 12%	**127** 16.8 40 %	**104** 1.3 30 %	**98** -0.7 30 %	**99** 0.6 26 %	**87** -1.3 25 %	**86** -2.8 19 %
CWBFBB 250090 F1 BEYOND BEEF BB250090	15	☑	BB 200028 BB 170075	**94** 51 %	**131** 19 %	**86** 15 %	**86** 15 %	**136** 26 %	**96** 1.61 53 %	**131** 15.5 19 %	**87** 0.12 42 %	**86** 1.4 15 %	**126** 24.6 22 %	**114** 26 15%	**133** -22.2 36%	**135** -5.9 15%	**118** 13.1 44 %	**93** -0.1 32 %	**88** -7.9 31 %	**107** 1.9 26 %	**75** -2.5 28 %	**95** -1.2 21 %
CWBFBB 250091 F1 BEYOND BEEF BB250091	4	☑	BB 200009 BB 180047	**90** 51 %	**136** 22 %	**92** 19 %	**76** 18 %	**139** 25 %	**93** 1.88 53 %	**136** 17.3 22 %	**86** 0.15 43 %	**92** 4.4 19 %	**130** 27.4 26 %	**124** 40 18%	**133** -21.9 35%	**141** -6.9 15%	**125** 15.9 43 %	**96** 0.3 36 %	**105** 4.7 36 %	**114** 3.0 32 %	**78** -2.2 31 %	**83** -3.2 21 %
CWBFBB 250098 F1 BEYOND BEEF BB250098	5	☑	BB 170177 BB 190049	**108** 46 %	**134** 25 %	**86** 15 %	**75** 14 %	**141** 21 %	**105** 0.71 49 %	**134** 16.6 25 %	**100** -0.39 36 %	**86** 1.1 15 %	**128** 26.4 26 %	**125** 42 14%	**141** -26.5 30%	**139** -6.6 12%	**119** 13.4 47 %	**104** 1.3 49 %	**121** 15.8 48 %	**115** 3.1 44 %	**80** -2.0 24 %	**71** -5.0 16 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFBB 250102 F1 BEYOND BEEF BB250102	5	☑	BB 180022 / BB 170076	**104** 42 %	**131** 18 %	**87** 16 %	**83** 15 %	**142** 22 %	**105** 0.74 43 %	**131** 15.4 18 %	**88** 0.06 39 %	**87** 1.8 16 %	**126** 24.7 21 %	**117** 30 15%	**145** -29.0 31%	**137** -6.2 14%	**126** 16.5 43 %	**94** 0.0 29 %	**90** -6.6 29 %	**116** 3.3 26 %	**82** -1.8 26 %	**96** -1.1 19 %
CWBFBB 250103 F1 BEYOND BEEF BB250103	27	☑	BB 180022 / BB 150102	**106** 46 %	**122** 26 %	**89** 25 %	**94** 22 %	**144** 24 %	**105** 0.73 47 %	**122** 11.6 26 %	**94** -0.15 43 %	**89** 3.1 25 %	**117** 18.6 28 %	**106** 15 22%	**149** -31.5 33%	**137** -6.2 15%	**146** 25.0 47 %	**99** 0.7 32 %	**91** -5.5 33 %	**112** 2.6 31 %	**94** -0.7 31 %	**96** -1.2 25 %
CWBFBB 250113 F1 BEYOND BEEF BB250113	18	☑	BB 200028 / BB 170096	**84** 51 %	**129** 19 %	**87** 14 %	**93** 15 %	**129** 25 %	**90** 2.18 53 %	**129** 14.6 19 %	**77** 0.47 41 %	**87** 2.0 14 %	**125** 24.0 22 %	**107** 17 15%	**126** -18.2 35%	**129** -4.8 15%	**120** 13.8 44 %	**94** 0.1 31 %	**88** -7.8 30 %	**107** 1.9 26 %	**85** -1.6 26 %	**97** -1.0 20 %
CWBFBB 250114 F1 BEYOND BEEF BB250114	6	☑	BB 200028 / BB 170170	**87** 50 %	**126** 22 %	**90** 20 %	**95** 19 %	**136** 26 %	**92** 2.00 52 %	**126** 13.2 22 %	**81** 0.32 41 %	**90** 3.3 20 %	**122** 22.0 28 %	**105** 13 19%	**131** -21.2 36%	**137** -6.2 16%	**117** 12.4 43 %	**90** -0.4 32 %	**97** -1.3 32 %	**102** 1.1 29 %	**83** -1.7 29 %	**94** -1.5 24 %
CWBFBB 250118 F1 BEYOND BEEF BB250118	12	☑	BB 190004 / BB 220008	**103** 31 %	**131** 14 %	**88** 10 %	**81** 9 %	**133** 17 %	**104** 0.87 32 %	**131** 15.2 14 %	**89** 0.02 25 %	**88** 2.3 10 %	**126** 24.9 16 %	**119** 33 9 %	**129** -19.5 26%	**135** -5.7 8%	**123** 15.2 38 %	**98** 0.6 30 %	**117** 12.8 30 %	**113** 2.8 27 %	**87** -1.3 17 %	**83** -3.1 12 %
CWBFBB 250119 F1 BEYOND BEEF BB250119	12	☑	BB 190004 / BB 220008	**103** 31 %	**131** 14 %	**88** 10 %	**81** 9 %	**133** 17 %	**104** 0.87 32 %	**131** 15.2 14 %	**89** 0.02 25 %	**88** 2.3 10 %	**126** 24.9 16 %	**119** 33 9 %	**129** -19.5 26%	**135** -5.7 8%	**123** 15.2 38 %	**98** 0.6 30 %	**117** 12.8 30 %	**113** 2.8 27 %	**87** -1.3 17 %	**83** -3.1 12 %
CWBFBB 250126 F1 BEYOND BEEF BB250126	8	☑	BB 170177 / BB 180001	**114** 47 %	**133** 16 %	**88** 16 %	**79** 15 %	**139** 22 %	**110** 0.24 49 %	**133** 16.2 16 %	**101** -0.42 38 %	**88** 2.5 16 %	**128** 25.9 18 %	**121** 37 15%	**140** -26.1 30%	**135** -5.9 13%	**131** 18.5 46 %	**104** 1.3 44 %	**121** 15.9 44 %	**116** 3.3 41 %	**99** -0.2 19 %	**83** -3.1 14 %
CWBFBB 250127 F1 BEYOND BEEF BB250127	6	☑	BB 200028 / BB 200040	**92** 51 %	**129** 22 %	**87** 12 %	**88** 12 %	**125** 22 %	**95** 1.74 55 %	**129** 14.7 22 %	**85** 0.18 36 %	**87** 1.6 12 %	**124** 23.1 25 %	**112** 23 12%	**120** -14.6 32%	**127** -4.4 13%	**127** 16.9 39 %	**92** -0.2 24 %	**95** -2.9 24 %	**106** 1.8 21 %	**79** -2.1 19 %	**93** -1.5 14 %
CWBFBB 250128 F1 BEYOND BEEF BB250128	9	☑	BB 180022 / BB 170185	**113** 43 %	**123** 23 %	**90** 21 %	**91** 19 %	**149** 23 %	**111** 0.20 44 %	**123** 12.3 23 %	**97** -0.26 41 %	**90** 3.2 21 %	**121** 20.9 26 %	**109** 19 19%	**149** -31.2 31%	**148** -8.2 15%	**134** 19.6 43 %	**94** 0.0 33 %	**97** -1.1 33 %	**110** 2.3 30 %	**103** 0.1 31 %	**103** 0.0 25 %
CWBFBB 250136 F1 BEYOND BEEF BB250136	8	☑	BB 200028 / BB 180032	**87** 47 %	**133** 18 %	**85** 14 %	**86** 14 %	**127** 24 %	**89** 2.27 50 %	**133** 16.0 18 %	**89** 0.01 37 %	**85** 0.6 14 %	**126** 24.8 22 %	**114** 27 14%	**126** -17.8 34%	**126** -4.1 13%	**122** 14.4 41 %	**100** 0.9 26 %	**95** -3.1 26 %	**115** 3.2 23 %	**73** -2.7 23 %	**83** -3.2 17 %
CWBFBB 250147 F1 BEYOND BEEF BB250147	6	☑	BB 190011 / BB 180076	**96** 41 %	**131** 21 %	**89** 18 %	**86** 17 %	**132** 24 %	**98** 1.42 42 %	**131** 15.6 21 %	**89** 0.04 38 %	**89** 2.9 18 %	**126** 24.6 24 %	**114** 26 17%	**131** -20.9 33%	**130** -5.0 15%	**123** 15.2 42 %	**90** -0.4 28 %	**99** 0.3 28 %	**99** 0.7 26 %	**86** -1.5 25 %	**95** -1.3 19 %
CWBFBB 250151 F1 BEYOND BEEF BB250151	5	☑	BB 180022 / BB 210067	**99** 43 %	**132** 17 %	**88** 15 %	**84** 14 %	**139** 20 %	**99** 1.37 45 %	**132** 16.0 17 %	**95** -0.19 34 %	**88** 2.3 15 %	**128** 25.7 20 %	**116** 29 14%	**144** -28.7 28%	**133** -5.5 12%	**131** 18.3 40 %	**91** -0.4 25 %	**100** 0.9 25 %	**116** 3.2 23 %	**99** -0.2 22 %	**104** 0.1 16 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFBB 250153	7	☑	BB 200028	**86**	**133**	**88**	**87**	**140**	**88**	**133**	**92**	**88**	**127**	**113**	**136**	**140**	**127**	**106**	**96**	**106**	**80**	**81**
F1			BB 210086	50 %	16 %	15 %	14 %	23 %	2.37 54 %	16.2 16 %	-0.07 35 %	2.5 15 %	25.6 20 %	25 14%	-23.7 33%	-6.8 13%	16.6 40 %	1.5 28 %	-2.2 28 %	1.7 25 %	-2.0 24 %	-3.5 18 %
BEYOND BEEF BB250153																						
CWBFBB 250165	5	☑	BB 190011	**111**	**122**	**89**	**91**	**138**	**107**	**122**	**102**	**89**	**118**	**109**	**130**	**141**	**118**	**83**	**102**	**94**	**92**	**103**
F1			BB 170051	41 %	22 %	20 %	19 %	24 %	0.54 42 %	11.8 22 %	-0.44 38 %	3.1 20 %	19.3 28 %	20 19%	-20.5 33%	-7.0 16%	13.1 43 %	-1.4 30 %	2.0 30 %	-0.1 28 %	-0.8 27 %	0.1 23 %
BEYOND BEEF BB250165																						
CWBFBB 250168	7	☑	BB 200028	**88**	**129**	**87**	**90**	**139**	**91**	**129**	**86**	**87**	**125**	**110**	**135**	**139**	**117**	**96**	**96**	**108**	**79**	**89**
F1			BB 210046	50 %	17 %	12 %	13 %	24 %	2.10 54 %	14.7 17 %	0.15 36 %	1.8 12 %	23.7 21 %	20 13%	-23.2 34%	-6.6 13%	12.6 41 %	0.3 29 %	-2.2 28 %	2.1 25 %	-2.1 24 %	-2.2 17 %
BEYOND BEEF BB250168																						
CWBFBB 250176	8	☑	BB 170177	**99**	**136**	**87**	**79**	**124**	**100**	**136**	**88**	**87**	**130**	**121**	**119**	**127**	**122**	**101**	**121**	**106**	**91**	**81**
F1			BB 210033	47 %	15 %	13 %	14 %	22 %	1.19 51 %	17.5 15 %	0.07 32 %	2.1 13 %	27.6 18 %	37 14%	-13.9 32%	-4.3 12%	14.8 46 %	0.9 46 %	15.8 45 %	1.7 41 %	-0.9 20 %	-3.5 15 %
BEYOND BEEF BB250176																						
CWBFBB 250177	17	☑	BB 200028	**80**	**135**	**88**	**88**	**141**	**86**	**135**	**81**	**88**	**130**	**112**	**138**	**142**	**110**	**86**	**96**	**94**	**89**	**101**
F1			BB 190021	50 %	18 %	14 %	15 %	26 %	2.61 52 %	17.0 18 %	0.34 40 %	2.4 14 %	27.5 22 %	23 15%	-25.1 36%	-7.0 15%	9.7 43 %	-1.0 27 %	-2.0 27 %	-0.2 24 %	-1.2 24 %	-0.2 18 %
BEYOND BEEF BB250177																						
CWBFBB 250180	7	☑	BB 200028	**76**	**135**	**87**	**86**	**129**	**81**	**135**	**86**	**87**	**129**	**114**	**124**	**131**	**124**	**108**	**96**	**109**	**75**	**77**
F1			BB 220138	48 %	16 %	14 %	14 %	22 %	3.04 53 %	17.0 16 %	0.14 31 %	1.8 14 %	26.5 20 %	27 14%	-16.9 33%	-5.2 11%	15.5 39 %	1.8 28 %	-1.7 28 %	2.1 25 %	-2.4 24 %	-4.1 18 %
BEYOND BEEF BB250180																						
CWBFBB 250187	8	☑	BB 200009	**93**	**131**	**91**	**81**	**134**	**96**	**131**	**87**	**91**	**126**	**119**	**125**	**138**	**129**	**94**	**100**	**108**	**72**	**84**
F1			BB 220074	50 %	15 %	16 %	15 %	22 %	1.64 54 %	15.4 15 %	0.10 33 %	4.0 16 %	24.4 20 %	33 15%	-17.5 32%	-6.3 11%	17.7 37 %	0.0 28 %	1.1 28 %	2.1 24 %	-2.8 23 %	-3.0 17 %
BEYOND BEEF BB250187																						
CWBFBB 250188	9	☑	BB 170177	**91**	**132**	**89**	**81**	**122**	**97**	**132**	**74**	**89**	**128**	**119**	**120**	**123**	**114**	**101**	**127**	**105**	**97**	**81**
F1			BB 190023	46 %	17 %	15 %	15 %	23 %	1.55 49 %	15.7 17 %	0.60 36 %	2.8 15 %	25.7 19 %	34 15%	-14.3 32%	-3.6 14%	11.0 48 %	0.9 46 %	20.2 45 %	1.5 41 %	-0.4 20 %	-3.5 15 %
BEYOND BEEF BB250188																						
CWBFDXB 256811		☑	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59 36 %	11.7 16 %	-0.34 21 %	14.6 12 %	21.7 21 %	44 12%	-11.8 19%	-0.9 6%	-1.5 30 %	0.5 23 %	5.4 23 %	2.3 21 %	-2.5 18 %	-4.4 14 %
BEYOND BEEF DXB16811																						
CWBFDXB 256812		☑	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59 36 %	11.7 16 %	-0.34 21 %	14.6 12 %	21.7 21 %	44 12%	-11.8 19%	-0.9 6%	-1.5 30 %	0.5 23 %	5.4 23 %	2.3 21 %	-2.5 18 %	-4.4 14 %
BEYOND BEEF DXB16812																						
CWBFDXB 256815		☑	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59 36 %	11.7 16 %	-0.34 21 %	14.6 12 %	21.7 21 %	44 12%	-11.8 19%	-0.9 6%	-1.5 30 %	0.5 23 %	5.4 23 %	2.3 21 %	-2.5 18 %	-4.4 14 %
BEYOND BEEF DXB16815																						
CWBFDXB 256816		☑	PB 197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59 36 %	11.7 16 %	-0.34 21 %	14.6 12 %	21.7 21 %	44 12%	-11.8 19%	-0.9 6%	-1.5 30 %	0.5 23 %	5.4 23 %	2.3 21 %	-2.5 18 %	-4.4 14 %
BEYOND BEEF DXB16816																						

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 256818 F1 BEYOND BEEF DXB16818		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256820 F1 BEYOND BEEF DXB16820		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256823 F1 BEYOND BEEF DXB16823		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256827 F1 BEYOND BEEF DXB16827		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256829 F1 BEYOND BEEF DXB16829		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256848 F1 BEYOND BEEF DXB16848		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256854 F1 BEYOND BEEF DXB16854		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256862 F1 BEYOND BEEF DXB16862		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256863 F1 BEYOND BEEF DXB16863		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256869 F1 BEYOND BEEF DXB16869		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256870 F1 BEYOND BEEF DXB16870		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256902 F1 BEYOND BEEF DXB16902		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 256905 F1 BEYOND BEEF DXB16905		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256907 F1 BEYOND BEEF DXB16907		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256913 F1 BEYOND BEEF DXB16913		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256919 F1 BEYOND BEEF DXB16919		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256922 F1 BEYOND BEEF DXB16922		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256929 F1 BEYOND BEEF DXB16929		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256930 F1 BEYOND BEEF DXB16930		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256933 F1 BEYOND BEEF DXB16933		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256940 F1 BEYOND BEEF DXB16940		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256977 F1 BEYOND BEEF DXB16977		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 256980 F1 BEYOND BEEF DXB16980		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257061 F1 BEYOND BEEF DXB17061		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 257067 F1 BEYOND BEEF DXB17067		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257068 F1 BEYOND BEEF DXB17068		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257069 F1 BEYOND BEEF DXB17069		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257071 F1 BEYOND BEEF DXB17071		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257110 F1 BEYOND BEEF DXB17110		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257165 F1 BEYOND BEEF DXB17165		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257166 F1 BEYOND BEEF DXB17166		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257167 F1 BEYOND BEEF DXB17167		☑	BB 180069	**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**87** -0.3 25 %	**100** 0.8 18 %	**99** 0.4 18 %	**102** 1.0 16 %	**92** -0.9 17 %	**89** -2.2 11 %
CWBFDXB 257180 F1 BEYOND BEEF DXB17180		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257186 F1 BEYOND BEEF DXB17186		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257187 F1 BEYOND BEEF DXB17187		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %
CWBFDXB 257190 F1 BEYOND BEEF DXB17190		☑	PB 197853	**86** 33 %	**122** 16 %	**111** 12 %	**73** 12 %	**112** 12 %	**86** 2.59 36 %	**122** 11.7 16 %	**99** -0.34 21 %	**111** 14.6 12 %	**122** 21.7 21 %	**127** 44 12%	**115** -11.8 19%	**108** -0.9 6%	**84** -1.5 30 %	**98** 0.5 23 %	**107** 5.4 23 %	**110** 2.3 21 %	**75** -2.5 18 %	**76** -4.4 14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFDXB 257198		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17198									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257199		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17199									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257208		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17208									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257247		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17247									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257256		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17256									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257262		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17262									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257270		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17270									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257273		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17273									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257275		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17275									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
CWBFDXB 257800		☑ PB	197853	**86**	**122**	**111**	**73**	**112**	**86**	**122**	**99**	**111**	**122**	**127**	**115**	**108**	**84**	**98**	**107**	**110**	**75**	**76**
F1				33 %	16 %	12 %	12 %	12 %	2.59	11.7	-0.34	14.6	21.7	44	-11.8	-0.9	-1.5	0.5	5.4	2.3	-2.5	-4.4
BEYOND BEEF DXB17800									36 %	16 %	21 %	12 %	21 %	12%	19%	6%	30 %	23 %	23 %	21 %	18 %	14 %
JAPANESE BLACK																						
CWBFBB 140060			BB 110010	**111**	**87**	**101**	**112**	**96**	**111**	**87**	**89**	**101**	**91**	**88**	**98**	**95**	**111**	**90**	**91**	**82**	**115**	**124**
F1			BB 090002	57 %	29 %	25 %	16 %	32 %	0.16	-2.3	0.02	9.1	-0.2	-12	-1.9	1.5	10.0	-0.5	-5.3	-2.0	1.4	3.3
BEYOND BEEF BB 140060									63 %	29 %	34 %	25 %	27 %	16%	42%	23%	52 %	31 %	31 %	29 %	23 %	17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 150061 F1 BEYOND BEEF bb150061		☑	BB 120023 BB 090030	**117** 59 %	**78** 38 %	**103** 22 %	**110** 15 %	**84** 36 %	**131** -1.76 65 %	**78** -5.8 38 %	**108** -0.70 38 %	**103** 10.2 22 %	**85** -3.9 38 %	**90** -8 15%	**66** 17.0 45%	**98** 0.9 26%	**114** 11.2 54 %	**95** 0.1 28 %	**93** -4.2 28 %	**93** -0.4 27 %	**113** 1.1 24 %	**117** 2.2 17 %
CWBFBB 150083 F1 BEYOND BEEF bb150083		☑	BB 120016 BB 090037	**98** 60 %	**83** 58 %	**99** 36 %	**114** 15 %	**99** 33 %	**100** 1.22 65 %	**83** -3.7 58 %	**85** 0.19 42 %	**99** 8.3 36 %	**87** -3.0 46 %	**86** -13 15%	**93** 0.9 43%	**104** -0.2 23%	**107** 8.0 59 %	**89** -0.7 42 %	**93** -4.0 41 %	**102** 1.1 39 %	**108** 0.7 25 %	**120** 2.6 19 %
CWBFBB 150145 F1 BEYOND BEEF BB150145			BB 110008 BB110	**102** 58 %	**84** 57 %	**93** 33 %	**118** 18 %	**81** 32 %	**103** 0.90 64 %	**84** -3.6 57 %	**88** 0.07 37 %	**93** 5.3 33 %	**87** -2.9 58 %	**82** -19 18%	**67** 16.6 46%	**92** 1.9 19%	**121** 14.2 55 %	**96** 0.2 32 %	**88** -7.9 32 %	**94** -0.2 30 %	**112** 1.0 24 %	**118** 2.3 18 %
CWBFBB 150148 F1 BEYOND BEEF bb150148			BB 110008	**103** 41 %	**92** 36 %	**104** 25 %	**103** 18 %	**90** 27 %	**99** 1.32 43 %	**92** -0.1 36 %	**111** -0.81 33 %	**104** 10.8 25 %	**91** 0.3 31 %	**97** 2 18%	**90** 2.8 35%	**91** 2.2 19%	**115** 11.8 52 %	**88** -0.7 32 %	**94** -3.2 32 %	**90** -0.8 30 %	**115** 1.3 24 %	**120** 2.7 18 %
CWBFBB 160040 F1 BEYOND BEEF BB16040			BB 120023 BB534	**114** 60 %	**77** 38 %	**103** 22 %	**110** 15 %	**101** 35 %	**134** -2.03 66 %	**77** -6.2 38 %	**110** -0.77 38 %	**103** 10.2 22 %	**84** -4.6 38 %	**90** -8 15%	**100** -3.0 45%	**103** 0.0 25%	**118** 13.0 54 %	**95** 0.1 28 %	**93** -4.2 28 %	**93** -0.4 27 %	**113** 1.1 24 %	**117** 2.2 17 %
CWBFBB 160042 F1 BEYOND BEEF BB16042			BB 110002 BB535	**111** 62 %	**84** 45 %	**94** 28 %	**110** 15 %	**119** 38 %	**133** -1.93 67 %	**84** -3.6 45 %	**123** -1.26 45 %	**94** 5.3 28 %	**86** -3.4 44 %	**90** -9 15%	**120** -14.3 49%	**118** -2.7 28%	**116** 11.9 56 %	**91** -0.3 31 %	**88** -7.7 31 %	**102** 1.1 28 %	**111** 0.9 21 %	**120** 2.7 15 %
CWBFBB 160045 F1 BEYOND BEEF BB16045			BB 110004 BB536	**103** 59 %	**103** 36 %	**96** 24 %	**103** 18 %	**84** 36 %	**105** 0.79 65 %	**103** 4.3 36 %	**85** 0.17 35 %	**96** 6.6 24 %	**101** 7.2 32 %	**97** 2 18%	**81** 8.4 45%	**89** 2.5 26%	**110** 9.7 54 %	**89** -0.6 30 %	**91** -5.8 30 %	**102** 1.1 28 %	**108** 0.7 23 %	**118** 2.4 17 %
CWBFBB 160046 F1 BEYOND BEEF BB16046			BB 140001 BB537	**122** 60 %	**90** 35 %	**99** 23 %	**107** 18 %	**100** 35 %	**123** -0.97 66 %	**90** -1.0 35 %	**93** -0.14 38 %	**99** 8.0 23 %	**93** 1.6 28 %	**93** -3 18%	**89** 3.4 45%	**108** -1.0 25%	**105** 7.2 58 %	**109** 2.0 48 %	**74** -17.7 48 %	**98** 0.5 47 %	**78** -2.2 27 %	**96** -1.1 17 %
CWBFBB 160096 F1 BEYOND BEEF BB16096			BB 120027 BB95	**119** 60 %	**102** 37 %	**99** 26 %	**103** 16 %	**105** 38 %	**114** -0.15 66 %	**102** 3.6 37 %	**101** -0.42 39 %	**99** 8.2 26 %	**101** 7.2 31 %	**97** 2 16%	**103** -4.5 48%	**107** -0.7 27%	**110** 9.3 56 %	**98** 0.5 32 %	**90** -6.1 32 %	**82** -2.1 30 %	**116** 1.4 27 %	**117** 2.2 20 %
CWBFBB 160131 F1 BEYOND BEEF BB16131			BB 120028 BB613	**79** 62 %	**95** 39 %	**102** 27 %	**117** 16 %	**86** 37 %	**87** 2.46 67 %	**95** 1.0 39 %	**72** 0.68 41 %	**102** 10.0 27 %	**94** 2.5 32 %	**83** -18 16%	**83** 6.8 48%	**89** 2.5 26%	**110** 9.6 56 %	**97** 0.4 33 %	**78** -15.0 33 %	**88** -1.1 30 %	**106** 0.4 24 %	**118** 2.4 17 %
CWBFBB 160138 F1 BEYOND BEEF BB16138			BB 110008 BB88	**59** 59 %	**104** 36 %	**95** 25 %	**114** 18 %	**108** 35 %	**70** 4.11 65 %	**104** 4.6 36 %	**68** 0.80 37 %	**95** 6.3 25 %	**102** 7.6 31 %	**86** -14 18%	**105** -6.1 46%	**110** -1.3 24%	**122** 14.6 55 %	**96** 0.2 32 %	**88** -7.9 32 %	**94** -0.2 30 %	**112** 1.0 24 %	**118** 2.3 18 %
CWBFBB 160162 F1 BEYOND BEEF BB16162			CWBMKI 140012 BB449	**87** 50 %	**114** 52 %	**114** 22 %		**96** 24 %	**99** 1.30 58 %	**114** 8.4 52 %	**46** 1.65 17 %	**114** 16.2 22 %	**124** 23.3 28 %		**77** 10.6 34%	**109** -1.1 13%	**104** 7.0 39 %					

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 160165 F1 BEYOND BEEF BB16165			BB 120027 BB906	**123** 60 %	**121** 58 %	**102** 34 %	**88** 16 %	**92** 36 %	**116** -0.37 66 %	**121** 11.3 58 %	**110** -0.76 39 %	**102** 9.9 34 %	**118** 19.3 43 %	**112** 23 16%	**84** 6.4 48%	**98** 0.8 25%	**110** 9.4 54 %	**98** 0.5 32 %	**90** -6.1 32 %	**82** -2.1 30 %	**116** 1.4 27 %	**117** 2.2 20 %
CWBFBB 160170 F1 BEYOND BEEF BB16170			BB 120027 BB926	**114** 60 %	**112** 58 %	**101** 34 %	**98** 16 %	**107** 38 %	**110** 0.23 66 %	**112** 7.6 58 %	**101** -0.43 39 %	**101** 9.2 34 %	**109** 12.9 43 %	**102** 10 16%	**99** -2.0 48%	**113** -1.9 27%	**111** 10.0 54 %	**98** 0.5 32 %	**90** -6.1 32 %	**82** -2.1 30 %	**116** 1.4 27 %	**117** 2.2 20 %
CWBFBB 160208 FB BEYOND BEEF BB160208	2	GT ☑☑☑	OVE 080002 BB 120019	**118** 90 %	**68** 89 %	**76** 88 %	**142** 87 %	**106** 88 %	**128** -1.47 90 %	**68** -9.8 89 %	**117** -1.03 89 %	**76** -3.9 88 %	**67** -17.0 89 %	**58** -54 87%	**112** -9.8 88%	**104** -0.2 87%	**114** 11.2 90 %	**93** -0.2 89 %	**69** -21.0 89 %	**96** 0.1 89 %	**108** 0.6 88 %	**131** 4.4 88 %
CWBFBB 160394 F1 BEYOND BEEF BB160394		☑	BB 110008 BB863	**112** 41 %	**88** 36 %	**95** 25 %	**114** 18 %	**89** 34 %	**111** 0.21 43 %	**88** -2.0 36 %	**94** -0.17 33 %	**95** 6.0 25 %	**88** -2.0 31 %	**86** -14 18%	**78** 10.1 46%	**98** 0.8 22%	**118** 13.1 54 %	**96** 0.2 32 %	**88** -7.9 32 %	**94** -0.2 30 %	**112** 1.0 24 %	**118** 2.3 18 %
CWBFBB 170005 FB BEYOND BEEF BB170005	1	GT ☑☐☑	A3001 BB 110005	**118** 86 %	**96** 85 %	**72** 85 %	**115** 84 %	**97** 85 %	**128** -1.44 86 %	**96** 1.4 85 %	**120** -1.13 86 %	**72** -6.1 85 %	**93** 1.7 86 %	**85** -16 84%	**91** 2.5 86%	**102** 0.1 84%	**133** 19.2 87 %	**112** 2.3 86 %	**94** -3.6 86 %	**93** -0.3 85 %	**97** -0.4 85 %	**98** -0.8 84 %
CWBFBB 170006 FB BEYOND BEEF BB170006	3	GT ☑☐☑	A3001 BB 120024	**121** 86 %	**94** 85 %	**73** 84 %	**117** 84 %	**100** 84 %	**117** -0.45 86 %	**94** 0.6 85 %	**123** -1.24 85 %	**73** -5.7 84 %	**87** -2.5 86 %	**83** -18 84%	**97** -0.9 85%	**103** 0.0 84%	**125** 16.0 87 %	**113** 2.4 86 %	**90** -6.3 86 %	**84** -1.7 85 %	**117** 1.5 85 %	**115** 1.9 84 %
CWBFBB 170026 FB BEYOND BEEF BB170026	6	GT ☑☑☑	KI 140008 BA 130879	**104** 89 %	**112** 87 %	**71** 87 %	**104** 86 %	**109** 87 %	**100** 1.27 89 %	**112** 7.8 87 %	**109** -0.74 88 %	**71** -6.6 87 %	**107** 11.2 88 %	**96** 0 86%	**114** -11.0 88%	**107** -0.7 86%	**119** 13.1 90 %	**93** 0.0 89 %	**67** -22.5 89 %	**122** 4.2 88 %	**71** -2.8 88 %	**108** 0.9 87 %
CWBFBB 170027 FB BEYOND BEEF BB170027	6	GT ☑☑☑	KI 140008 BA 130879	**110** 90 %	**109** 88 %	**77** 88 %	**109** 88 %	**122** 88 %	**105** 0.75 90 %	**109** 6.5 88 %	**111** -0.78 89 %	**77** -3.7 88 %	**104** 9.3 88 %	**91** -6 88%	**125** -17.1 89%	**119** -3.0 87%	**118** 12.7 90 %	**79** -1.9 89 %	**59** -28.0 89 %	**105** 1.5 89 %	**73** -2.7 89 %	**124** 3.3 88 %
CWBFBB 170038 FB BEYOND BEEF BB170038		GT ☐☐☑	CWBMBA 130891 BB 120022	**111** 86 %	**64** 85 %	**79** 85 %	**134** 84 %	**69** 85 %	**135** -2.19 86 %	**64** -11.6 85 %	**105** -0.57 86 %	**79** -2.6 85 %	**60** -21.4 85 %	**66** -42 84%	**75** 11.9 86%	**70** 6.0 84%	**133** 19.2 86 %	**106** 1.5 85 %	**86** -8.8 85 %	**95** 0.0 85 %	**96** -0.5 85 %	**107** 0.6 85 %
CWBFBB 170041 FB BEYOND BEEF BB170041	2	GT ☑☑☑	KI 140018 KI 140016	**112** 89 %	**104** 87 %	**69** 87 %	**109** 87 %	**94** 87 %	**109** 0.40 89 %	**104** 4.4 87 %	**100** -0.40 88 %	**69** -7.7 87 %	**94** 2.5 88 %	**91** -7 87%	**86** 5.3 88%	**102** 0.1 86%	**102** 5.9 90 %	**112** 2.3 88 %	**94** -3.6 88 %	**73** -3.4 88 %	**84** -1.6 87 %	**98** -0.7 87 %
CWBFBB 170044 FB BEYOND BEEF BB170044		GT ☐☐☑	CWBMBA 130891 BB 120017	**123** 84 %	**80** 83 %	**89** 83 %	**124** 83 %	**92** 84 %	**123** -1.02 84 %	**80** -5.0 83 %	**98** -0.32 84 %	**89** 2.9 83 %	**76** -10.4 84 %	**76** -27 83%	**92** 1.6 84%	**95** 1.5 83%	**120** 13.7 85 %	**85** -1.1 84 %	**84** -10.6 84 %	**90** -0.7 84 %	**113** 1.2 84 %	**136** 5.2 83 %
CWBFBB 170047 FB BEYOND BEEF BB170047		GT ☐☐☑	CWBMBA 130891 BB 120022	**119** 86 %	**78** 85 %	**88** 85 %	**124** 85 %	**91** 86 %	**125** -1.24 86 %	**78** -5.9 85 %	**93** -0.10 86 %	**88** 2.1 85 %	**73** -12.7 85 %	**76** -28 85%	**93** 1.2 86%	**91** 2.1 85%	**134** 19.9 87 %	**114** 2.6 86 %	**103** 2.9 86 %	**93** -0.4 85 %	**103** 0.2 85 %	**95** -1.2 85 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 170071 FB BEYOND BEEF BB170071			CWBMBA 130891 BB 120021	**121** 85 %	**83** 84 %	**84** 83 %	**122** 83 %	**94** 84 %	**124** -1.07 85 %	**83** -3.9 84 %	**95** -0.21 84 %	**84** 0.0 83 %	**78** -8.9 84 %	**78** -25 83%	**97** -1.1 85%	**94** 1.7 83%	**126** 16.3 86 %	**105** 1.4 85 %	**93** -4.1 85 %	**94** -0.2 84 %	**105** 0.3 84 %	**109** 1.0 83 %
CWBFBB 170272 F1 BEYOND BEEF BB170272			BB 120023	**109** 42 %	**89** 38 %	**112** 22 %	**99** 15 %	**91** 26 %	**105** 0.70 44 %	**89** -1.6 38 %	**117** -1.00 34 %	**112** 15.1 22 %	**93** 1.7 38 %	**101** 8 15%	**91** 2.5 34%	**92** 2.0 19%	**130** 18.1 50 %	**87** -0.8 28 %	**100** 0.5 28 %	**89** -1.0 27 %	**116** 1.4 24 %	**120** 2.6 17 %
CWBFBB 170411 F2 BEYOND BEEF BB170411			BB 150133 CWBFBB 150049	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**114** 11.3 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 170428 F2 BEYOND BEEF BB170428			BB 150133 CWBFBB 130006	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**113** 10.8 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 170439 F2 BEYOND BEEF BB170439			BB 150133 CWBFBB 140060	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**114** 11.3 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 170497 F1 BEYOND BEEF BB170497			BB 120028	**97** 46 %	**92** 39 %	**111** 27 %	**106** 16 %	**98** 30 %	**95** 1.71 48 %	**92** -0.3 39 %	**101** -0.42 38 %	**111** 14.6 27 %	**91** 0.2 32 %	**94** -3 16%	**102** -4.3 39%	**95** 1.5 22%	**106** 7.7 54 %	**90** -0.5 33 %	**84** -10.3 33 %	**84** -1.7 30 %	**108** 0.7 24 %	**120** 2.8 17 %
CWBFBB 180011 F1 BEYOND BEEF BB180011 (ET)			KSOFC0007	**121** 79 %	**107** 78 %	**90** 78 %	**101** 78 %	**120** 78 %	**116** -0.29 79 %	**107** 5.7 78 %	**102** -0.46 78 %	**90** 3.6 78 %	**103** 8.4 78 %	**99** 5 78%	**114** -10.8 78%	**124** -3.9 77%	**99** 4.6 79 %	**89** -0.6 78 %	**90** -6.2 78 %	**91** -0.6 78 %	**114** 1.2 78 %	**128** 3.9 77 %
CWBFBB 180014 F1 BEYOND BEEF BB180014 (ET)			BB 110011	**106** 39 %	**97** 32 %	**104** 24 %	**98** 18 %	**112** 35 %	**101** 1.09 41 %	**97** 1.8 32 %	**108** -0.69 29 %	**104** 11.1 24 %	**97** 4.0 29 %	**102** 9 18%	**113** -10.2 44%	**111** -1.4 26%	**113** 10.6 50 %	**88** -0.7 37 %	**95** -2.5 36 %	**87** -1.2 34 %	**116** 1.5 24 %	**121** 2.9 18 %
CWBFBB 180081 F1 BEYOND BEEF BB180081 (ET)			BB 110011 BB55	**124** 77 %	**110** 76 %	**95** 75 %	**98** 75 %	**139** 76 %	**118** -0.51 77 %	**110** 6.8 76 %	**104** -0.53 76 %	**95** 6.2 75 %	**107** 11.2 76 %	**102** 9 75%	**130** -20.1 77%	**142** -7.1 75%	**122** 14.5 80 %	**85** -1.1 77 %	**104** 3.6 77 %	**97** 0.4 76 %	**119** 1.7 76 %	**125** 3.5 75 %
CWBFBB 180113 F2 BEYOND BEEF BB180113			BB 150133 CWBFBB 160163	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**116** 11.9 49 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 180132 F2 BEYOND BEEF BB180132			BB 150107 CWBFBB 160031	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**93** 2.1 52 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFBB 180133 F2 BEYOND BEEF BB180133			BB 150133 CWBFBB 160024	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 180138 F2 BEYOND BEEF BB180138		☑	BB 150107 ☑ CWBFBB 160026	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**93** 2.1 52 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFBB 180149 F2 BEYOND BEEF BB180149		☑	BB 150133 ☑ CWBFBB 160025	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 180152 F2 BEYOND BEEF BB180152		☑	BB 150132 ☑ CWBFBB 160002	**96** 30 %	**102** 19 %	**116** 14 %	**88** 8 %	**105** 15 %	**95** 1.76 32 %	**102** 3.9 19 %	**103** -0.48 22 %	**116** 17.3 14 %	**105** 9.8 20 %	**112** 23 8 %	**107** -7.1 20%	**104** -0.2 10%	**93** 2.3 48 %	**66** -3.5 36 %	**109** 7.1 35 %	**89** -0.9 32 %	**107** 0.5 23 %	**126** 3.6 13 %
CWBFBB 180158 F3 BEYOND BEEF BB180158			BB 150107 CWBFBB 160086	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**93** 2.0 50 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFBB 180162 F2 BEYOND BEEF BB180162		☑	BB 150133 ☑ CWBFBB 160081	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 180169 F2 BEYOND BEEF BB180169		☑	BB 150160 ☑ CWBFBB 160006	**84** 32 %	**117** 25 %	**112** 19 %	**79** 20 %	**118** 17 %	**84** 2.74 33 %	**117** 9.9 25 %	**101** -0.41 27 %	**112** 14.9 19 %	**118** 19.0 34 %	**121** 36 20%	**121** -15.0 24%	**115** -2.2 10%	**97** 4.1 50 %	**92** -0.2 29 %	**104** 3.6 29 %	**97** 0.3 27 %	**85** -1.5 27 %	**87** -2.5 21 %
CWBFBB 180170 F2 BEYOND BEEF BB180170		☑	BB 150128 ☑ CWBFBB 160004	**79** 35 %	**116** 27 %	**112** 19 %	**83** 20 %	**118** 18 %	**80** 3.17 37 %	**116** 9.3 27 %	**100** -0.39 27 %	**112** 15.2 19 %	**118** 18.7 28 %	**117** 31 20%	**121** -15.3 25%	**114** -2.0 10%	**96** 3.6 50 %	**91** -0.3 36 %	**100** 0.8 35 %	**95** 0.1 33 %	**93** -0.8 35 %	**94** -1.4 21 %
CWBFBB 180171 F2 BEYOND BEEF BB180171		☑	BB 150107 ☑ CWBFBB 160020	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**93** 2.1 52 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFBB 180172 F2 BEYOND BEEF BB180172		☑	BB 150133 ☑ CWBFBB 160013	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 180174 F2 BEYOND BEEF BB180174		☑	BB 150133 ☑ CWBFBB 160135	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 50 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 180175 F2 BEYOND BEEF BB180175		☑	BB 150128 ☑ BB 160010	**95** 61 %	**105** 40 %	**93** 25 %	**103** 21 %	**126** 33 %	**95** 1.73 67 %	**105** 4.9 40 %	**98** -0.30 36 %	**93** 5.0 25 %	**106** 10.5 37 %	**97** 2 21%	**127** -18.3 45%	**124** -3.8 21%	**107** 8.2 56 %	**96** 0.3 38 %	**90** -6.3 38 %	**95** 0.0 35 %	**96** -0.5 37 %	**102** -0.2 23 %
CWBFBB 180189 F2 BEYOND BEEF BB180189		☑	BB 150114 ☑ BB 140037	**114** 64 %	**107** 36 %	**94** 25 %	**98** 21 %	**133** 35 %	**111** 0.16 69 %	**107** 5.5 36 %	**98** -0.32 45 %	**94** 5.5 25 %	**105** 9.6 36 %	**102** 10 21%	**131** -20.8 46%	**133** -5.5 24%	**108** 8.7 57 %	**101** 1.0 45 %	**107** 5.8 45 %	**89** -0.9 41 %	**95** -0.5 43 %	**89** -2.2 23 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 180192 F2 BEYOND BEEF BB180192		☑	☑ BB 150116 ☑ CWBFBB 150032	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**101** 5.4 52 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFBB 180194 F2 BEYOND BEEF BB180194		☑	☑ BB 150115 ☑ CWBFBB 140059	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**88** -0.1 50 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFBB 180205 F2 BEYOND BEEF BB180205		☑	☑ BB 150115 ☑ BB 150002	**105** 61 %	**121** 29 %	**88** 19 %	**88** 17 %	**122** 33 %	**101** 1.09 66 %	**121** 11.3 29 %	**103** -0.51 41 %	**88** 2.3 19 %	**113** 15.8 30 %	**112** 24 17%	**123** -16.1 45%	**120** -3.2 21%	**103** 6.4 58 %	**100** 0.8 45 %	**105** 4.4 44 %	**110** 2.4 41 %	**83** -1.7 40 %	**85** -2.8 18 %
CWBFBB 180207 F2 BEYOND BEEF BB180207		☑	☑ BB 150114 ☑ CWBFBB 150049	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**98** 4.3 50 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFBB 180209 F2 BEYOND BEEF BB180209		☑	☑ BB 150114 ☑ CWBFBB 150043	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**98** 4.3 50 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFBB 180210 F2 BEYOND BEEF BB180210		☑	☑ BB 150114 ☑ CWBFBB 150028	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**98** 4.3 50 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFBB 180211 F1 BEYOND BEEF BB180211		☑	☑ BB 140001	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**92** 1.7 54 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFBB 180212 2 F2 BEYOND BEEF BB180212		☑	☑ BB 140001 ☑ BB 140018	**110** 64 %	**102** 46 %	**84** 29 %	**109** 19 %	**113** 38 %	**107** 0.59 69 %	**102** 3.7 46 %	**117** -1.01 45 %	**84** 0.0 29 %	**97** 4.5 43 %	**91** -7 19%	**121** -14.8 50%	**107** -0.8 25%	**104** 6.7 60 %	**105** 1.5 51 %	**68** -21.8 51 %	**99** 0.6 49 %	**84** -1.7 29 %	**108** 0.7 18 %
CWBFBB 180214 F2 BEYOND BEEF BB180214		☑	☑ BB 150146 ☑ CWBFBB 140031	**84** 30 %	**123** 19 %	**112** 18 %	**75** 16 %	**118** 16 %	**84** 2.74 31 %	**123** 12.1 19 %	**100** -0.38 26 %	**112** 14.8 18 %	**124** 23.5 34 %	**125** 41 16%	**123** -16.0 23%	**114** -2.0 10%	**99** 4.6 43 %	**87** -0.8 26 %	**100** 0.7 26 %	**98** 0.4 25 %	**101** 0.0 25 %	**103** 0.1 21 %
CWBFBB 180217 F2 BEYOND BEEF BB180217		☑	☑ BB 150113 ☑ CWBFBB 150019	**73** 44 %	**129** 45 %	**110** 22 %	**69** 14 %	**108** 20 %	**77** 3.43 47 %	**129** 14.7 45 %	**91** -0.06 33 %	**110** 14.2 22 %	**127** 25.3 44 %	**131** 51 14%	**112** -10.0 33%	**105** -0.5 7%	**96** 3.5 52 %	**89** -0.5 32 %	**108** 6.7 31 %	**111** 2.5 28 %	**85** -1.5 25 %	**87** -2.6 15 %
CWBFBB 180221 F2 BEYOND BEEF BB180221		☑	☑ BB 150115 ☑ CWBFBB 150010	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**88** 0.1 52 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFBB 180225 F2 BEYOND BEEF BB180225		☑	☑ BB 150146 ☑ CWBFBB 140033	**84** 30 %	**123** 19 %	**112** 18 %	**75** 16 %	**118** 16 %	**84** 2.74 31 %	**123** 12.1 19 %	**100** -0.38 26 %	**112** 14.8 18 %	**124** 23.5 34 %	**125** 41 16%	**123** -16.0 23%	**114** -2.0 10%	**99** 4.9 45 %	**87** -0.8 26 %	**100** 0.7 26 %	**98** 0.4 25 %	**101** 0.0 25 %	**103** 0.1 21 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 180228 F2 BEYOND BEEF BB180228			BB 150116 CWBFBB 130003	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**101** 5.4 52 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFBB 180229 F2 BEYOND BEEF BB180229			BB 150116 CWBFBB 130008	**62** 44 %	**133** 38 %	**109** 17 %	**68** 18 %	**119** 20 %	**63** 4.87 47 %	**133** 16.3 38 %	**100** -0.38 34 %	**109** 13.4 17 %	**130** 27.5 40 %	**132** 52 18%	**129** -19.6 33%	**111** -1.5 6%	**100** 5.3 50 %	**102** 1.1 43 %	**122** 16.3 43 %	**123** 4.3 40 %	**88** -1.3 35 %	**72** -5.0 18 %
CWBFBB 180234 F2 BEYOND BEEF BB180234			BB 150114 CWBFBB 150065	**87** 38 %	**113** 22 %	**112** 19 %	**82** 20 %	**118** 20 %	**87** 2.49 40 %	**113** 8.2 22 %	**101** -0.42 30 %	**112** 15.2 19 %	**115** 16.9 28 %	**118** 32 20%	**120** -14.7 28%	**115** -2.2 11%	**98** 4.2 48 %	**96** 0.3 38 %	**107** 5.9 37 %	**96** 0.1 34 %	**91** -1.0 37 %	**86** -2.7 21 %
CWBFBB 180235 F2 BEYOND BEEF BB180235			BB 150146 CWBFBB 150083	**84** 30 %	**123** 19 %	**112** 18 %	**75** 16 %	**118** 16 %	**84** 2.74 31 %	**123** 12.1 19 %	**100** -0.38 26 %	**112** 14.8 18 %	**124** 23.5 34 %	**125** 41 16%	**123** -16.0 23%	**114** -2.0 10%	**99** 4.9 45 %	**87** -0.8 26 %	**100** 0.7 26 %	**98** 0.4 25 %	**101** 0.0 25 %	**103** 0.1 21 %
CWBFBB 180253 5 FB BEYOND BEEF BB180253 (ET)		GT	A3001 ADBFL0014	**120** 88 %	**96** 87 %	**61** 86 %	**116** 86 %	**97** 86 %	**118** -0.54 88 %	**96** 1.3 87 %	**130** -1.52 87 %	**61** -12.1 86 %	**88** -2.2 87 %	**84** -16 86%	**95** 0.3 87%	**100** 0.5 86%	**107** 8.1 88 %	**137** 5.5 87 %	**63** -25.7 87 %	**92** -0.5 87 %	**91** -0.9 87 %	**95** -1.3 87 %
CWBFBB 190051 FB BEYOND BEEF BB190051 (ET)		GT	SMOFF0126 CWBFBB 110007	**120** 86 %	**110** 85 %	**72** 85 %	**110** 85 %	**100** 86 %	**113** -0.06 86 %	**110** 6.8 85 %	**111** -0.78 86 %	**72** -6.3 85 %	**101** 7.4 86 %	**90** -8 85%	**92** 2.0 86%	**108** -0.9 85%	**112** 10.2 86 %	**94** 0.0 86 %	**101** 1.7 86 %	**91** -0.7 86 %	**154** 5.1 85 %	**145** 6.6 85 %
CWBFBB 190086 FB BEYOND BEEF BB190086 (ET)		GT	SMOFF0154 CWBFBB 160208	**116** 87 %	**82** 86 %	**72** 86 %	**123** 86 %	**115** 86 %	**111** 0.17 87 %	**82** -4.4 86 %	**113** -0.88 86 %	**72** -5.9 86 %	**79** -8.3 86 %	**77** -27 86%	**109** -8.2 86%	**119** -2.9 85%	**106** 7.6 87 %	**125** 3.9 86 %	**102** 2.5 87 %	**102** 1.1 86 %	**110** 0.8 86 %	**98** -0.8 86 %
CWBFBB 190090 FB BEYOND BEEF BB190090 (ET)		GT	SMOFF0154 CWBFBB 110007	**112** 86 %	**93** 86 %	**69** 86 %	**111** 85 %	**102** 86 %	**109** 0.36 86 %	**93** 0.3 86 %	**100** -0.38 86 %	**69** -7.6 86 %	**84** -4.5 86 %	**89** -10 85%	**89** 3.8 86%	**113** -1.9 85%	**109** 9.2 86 %	**114** 2.6 86 %	**97** -1.2 86 %	**76** -2.9 86 %	**118** 1.6 86 %	**114** 1.8 86 %
CWBFBB 190205 F3 BEYOND BEEF BB190205			BB 150133 CWBFBB 170425	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**105** 7.5 48 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 190215 F2 BEYOND BEEF BB190215			BB 150109 CWBFBB 160086	**81** 43 %	**131** 44 %	**110** 21 %	**67** 14 %	**112** 19 %	**84** 2.82 46 %	**131** 15.6 44 %	**91** -0.06 30 %	**110** 13.9 21 %	**128** 25.8 44 %	**133** 53 14%	**117** -13.0 31%	**107** -0.8 7%	**94** 2.5 50 %	**94** 0.1 34 %	**112** 9.0 33 %	**108** 2.1 30 %	**85** -1.5 23 %	**83** -3.2 15 %
CWBFBB 190216 F2 BEYOND BEEF BB190216			BB 150115 BB 160023	**81** 60 %	**129** 37 %	**89** 22 %	**87** 17 %	**113** 32 %	**86** 2.64 66 %	**129** 14.5 37 %	**86** 0.14 35 %	**89** 3.1 22 %	**120** 20.5 30 %	**113** 26 17%	**105** -5.9 45%	**119** -2.9 20%	**100** 5.1 56 %	**100** 0.8 45 %	**105** 4.4 44 %	**110** 2.4 41 %	**83** -1.7 40 %	**85** -2.8 18 %
CWBFBB 190219 F2 BEYOND BEEF BB190219			BB 160205 CWBFBB 140025	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.9 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 190222 F2 BEYOND BEEF BB190222		☑	BB 150115 CWBFBB 160031	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**89** 0.5 50 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFBB 190223 F2 BEYOND BEEF BB190223		☑	BB 160205 CWBFB1019	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.9 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190225 F2 BEYOND BEEF BB190225		☑	BB 170004 CWBFBB 160170	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**98** 4.5 47 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %
CWBFBB 190227 4 F2 BEYOND BEEF BB190227		☑	BB 150132 BB 150002	**118** 60 %	**88** 26 %	**94** 19 %	**108** 12 %	**127** 32 %	**129** -1.57 66 %	**88** -2.1 26 %	**114** -0.91 38 %	**94** 5.4 19 %	**86** -3.2 25 %	**92** -6 12%	**122** -15.8 43%	**130** -4.9 21%	**109** 9.2 53 %	**72** -2.8 39 %	**96** -1.8 39 %	**89** -0.9 35 %	**110** 0.8 26 %	**134** 4.9 16 %
CWBFBB 190228 F2 BEYOND BEEF BB190228		☑	BB 160205 CWBFBB 150012	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.9 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190238 F2 BEYOND BEEF BB190238		☑	BB 170004 CWBFBB 140060	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**97** 4.1 47 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %
CWBFBB 190244 F2 BEYOND BEEF BB190244		☑	BB 160205 CWBFBB 150042	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.9 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190252 F1 BEYOND BEEF BB190252		☑	BB 150132	**96** 30 %	**102** 19 %	**116** 14 %	**88** 8 %	**105** 15 %	**95** 1.76 32 %	**102** 3.9 19 %	**103** -0.48 22 %	**116** 17.3 14 %	**105** 9.8 20 %	**112** 23 8 %	**107** -7.1 20%	**104** -0.2 10%	**94** 2.8 46 %	**66** -3.5 36 %	**109** 7.1 35 %	**89** -0.9 32 %	**107** 0.5 23 %	**126** 3.6 13 %
CWBFBB 190266 F2 BEYOND BEEF BB190266		☑	BB 160205 CWBFBB 140045	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.9 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190273 F2 BEYOND BEEF BB190273		☑	BB 150113 CWBFBB 160017	**73** 44 %	**129** 45 %	**110** 22 %	**69** 14 %	**108** 20 %	**77** 3.43 47 %	**129** 14.7 45 %	**91** -0.06 33 %	**110** 14.2 22 %	**127** 25.3 44 %	**131** 51 14%	**112** -10.0 33%	**105** -0.5 7%	**97** 3.9 50 %	**89** -0.5 32 %	**108** 6.7 31 %	**111** 2.5 28 %	**85** -1.5 25 %	**87** -2.6 15 %
CWBFBB 190275 F2 BEYOND BEEF BB190275		☑	CWBMKI 140012 BB 140037	**104** 59 %	**92** 29 %	**103** 16 %	**110** 8 %	**109** 18 %	**113** -0.04 65 %	**92** -0.1 29 %	**56** 1.27 34 %	**103** 10.1 16 %	**100** 6.5 22 %	**90** -8 8 %	**101** -3.2 23%	**114** -2.1 12%	**97** 4.0 42 %	**105** 1.4 25 %	**100** 0.5 25 %	**95** -0.1 22 %	**105** 0.4 22 %	**99** -0.6 9 %
CWBFBB 190288 F2 BEYOND BEEF BB190288		☑	BB 150133 CWBFBB 150049	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**105** 7.2 48 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 190290 F2 BEYOND BEEF BB190290		☑	BB 150115 ☑ CWBFBB 160021	**80** 34 %	**129** 23 %	**111** 15 %	**68** 14 %	**111** 16 %	**82** 2.95 36 %	**129** 14.5 23 %	**94** -0.14 26 %	**111** 14.5 15 %	**126** 24.9 24 %	**132** 53 14%	**115** -11.8 25%	**107** -0.7 8%	**79** -3.9 43 %	**94** 0.1 42 %	**118** 13.4 41 %	**110** 2.4 38 %	**80** -2.0 38 %	**77** -4.1 16 %
CWBFBB 190303 F2 BEYOND BEEF BB190303		☑	BB 160205 ☑ CWBFBB 150084	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.6 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190305 F3 BEYOND BEEF BB190305		☑	BB 170004 ☑ CWBFBB 170411	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**97** 4.0 47 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %
CWBFBB 190309 F2 BEYOND BEEF BB190309		☑	BB 170004 ☑ CWBFBB 150083	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**97** 4.1 47 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %
CWBFBB 190313 F2 BEYOND BEEF BB190313		☑	BB 160205 ☑ CWBFBB 150011	**105** 30 %	**91** 27 %	**109** 25 %	**104** 17 %	**95** 20 %	**100** 1.21 30 %	**91** -0.8 27 %	**108** -0.68 29 %	**109** 13.6 25 %	**94** 2.1 28 %	**96** 1 17%	**100** -3.1 26%	**93** 1.8 14%	**106** 7.6 45 %	**85** -1.0 29 %	**98** -0.3 29 %	**90** -0.8 28 %	**106** 0.5 24 %	**116** 2.1 19 %
CWBFBB 190314 F2 BEYOND BEEF BB190314		☑	BB 170004 ☑ CWBFBB 150145	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**97** 4.1 47 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %
CWBFBB 183032 F1 BEYOND BEEF BB183032		☑	BB 110008	**103** 41 %	**92** 36 %	**104** 25 %	**103** 18 %	**90** 27 %	**99** 1.32 43 %	**92** -0.1 36 %	**111** -0.81 33 %	**104** 10.8 25 %	**91** 0.3 31 %	**97** 2 18%	**90** 2.8 35%	**91** 2.2 19%	**110** 9.4 48 %	**88** -0.7 32 %	**94** -3.2 32 %	**90** -0.8 30 %	**115** 1.3 24 %	**120** 2.7 18 %
CWBFBB 183046 F1 BEYOND BEEF BB183046		☑	BB 120028	**97** 46 %	**92** 39 %	**111** 27 %	**106** 16 %	**98** 30 %	**95** 1.71 48 %	**92** -0.3 39 %	**101** -0.42 38 %	**111** 14.6 27 %	**91** 0.2 32 %	**94** -3 16%	**102** -4.3 39%	**95** 1.5 22%	**98** 4.3 50 %	**90** -0.5 33 %	**84** -10.3 33 %	**84** -1.7 30 %	**108** 0.7 24 %	**120** 2.8 17 %
CWBFBB 183066 F1 BEYOND BEEF BB183066		☑	BB 120028	**97** 46 %	**92** 39 %	**111** 27 %	**106** 16 %	**98** 30 %	**95** 1.71 48 %	**92** -0.3 39 %	**101** -0.42 38 %	**111** 14.6 27 %	**91** 0.2 32 %	**94** -3 16%	**102** -4.3 39%	**95** 1.5 22%	**98** 4.2 48 %	**90** -0.5 33 %	**84** -10.3 33 %	**84** -1.7 30 %	**108** 0.7 24 %	**120** 2.8 17 %
CWBFBB 200056 F1 BEYOND BEEF BB200056		☑	CWBMBB 190039 ☑ BB 190021	**85** 52 %	**118** 12 %	**96** 9 %	**98** 10 %	**136** 30 %	**97** 1.49 57 %	**118** 10.1 12 %	**54** 1.34 32 %	**96** 6.6 9 %	**122** 21.6 15 %	**102** 9 10%	**127** -18.5 39%	**142** -7.0 20%	**111** 10.1 41 %	**95** 0.2 18 %	**95** -3.0 18 %	**98** 0.5 16 %	**99** -0.2 16 %	**102** -0.2 12 %
CWBFBB 200061 PBD BEYOND BEEF BB200061		☑	BB 170165 ☑ BB 170114	**109** 63 %	**97** 31 %	**81** 28 %	**105** 25 %	**134** 36 %	**138** -2.46 68 %	**97** 1.9 31 %	**109** -0.72 43 %	**81** -1.1 28 %	**94** 1.9 32 %	**95** -1 25%	**133** -22.1 46%	**134** -5.6 26%	**115** 11.7 54 %	**96** 0.3 42 %	**77** -15.7 42 %	**98** 0.4 39 %	**85** -1.5 40 %	**109** 1.0 29 %
CWBFBB 200179 F2 BEYOND BEEF BB200179		☑	BB 150133 ☑ CWBFBB 150145	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**107** 8.1 47 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 200180 F2 BEYOND BEEF BB200180		☑	BB 150133 ☑ CWBFBB 150083	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**107** 8.1 47 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 200184 F3 BEYOND BEEF BB200184		☑	BB 150133 ☑ CWBFBB 170425	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**106** 8.0 46 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 200185 F2 BEYOND BEEF BB200185		☑	BB 150133 ☑ CWBFBB 160138	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**107** 8.1 47 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 200186 F2 BEYOND BEEF BB200186	4		BB 150133 BB 130036	**115** 61 %	**95** 34 %	**83** 27 %	**109** 18 %	**113** 24 %	**130** -1.67 67 %	**95** 0.9 34 %	**121** -1.17 38 %	**83** 0.0 27 %	**93** 1.4 37 %	**91** -7 18%	**112** -10.1 31%	**113** -1.8 18%	**108** 8.8 50 %	**91** -0.3 40 %	**91** -5.6 39 %	**92** -0.4 35 %	**126** 2.4 34 %	**129** 4.1 21 %
CWBFBB 200189 F2 BEYOND BEEF BB200189		☑	BB 170002 ☑ CWBFBB 160165	**74** 36 %	**122** 15 %	**116** 16 %	**74** 15 %	**110** 16 %	**78** 3.41 39 %	**122** 11.8 15 %	**91** -0.07 24 %	**116** 17.1 16 %	**124** 22.9 19 %	**126** 44 15%	**107** -6.9 23%	**111** -1.4 8%	**111** 9.8 40 %	**110** 2.0 36 %	**110** 8.1 36 %	**98** 0.5 32 %	**94** -0.6 28 %	**77** -4.2 21 %
CWBFBB 200190 F2 BEYOND BEEF BB200190		☑	BB 150133 ☑ CWBFBB 170272	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**107** 8.1 47 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 200321 F3 BEYOND BEEF BB200321		☑	BB 180075 ☑ CWBFBB 180171	**93** 28 %	**100** 22 %	**119** 21 %	**92** 18 %	**95** 18 %	**94** 1.86 28 %	**100** 3.0 22 %	**95** -0.20 26 %	**119** 18.7 21 %	**105** 9.8 24 %	**108** 18 18%	**102** -4.2 23%	**92** 2.0 12%	**112** 10.3 45 %	**91** -0.3 35 %	**97** -1.3 34 %	**77** -2.8 31 %	**123** 2.1 33 %	**117** 2.3 16 %
CWBFDXB 201589 F1 DXB01589		☑	AL 160002 CWBFGR13321	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %
CWBFDXB 201604 F1 DXB01604		☑	AL 160002	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %
CWBFDXB 201617 F1 DXB01617		☑	AL 160002	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %
CWBFDXB 201622 F1 DXB01622		☑	AL 160002	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %
CWBFDXB 201624 F1 DXB01624		☑	AL 160002	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 201656 F1 DXB01656		☑	BB 140001 CWBFBR3426	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201657 F1 DXB01657		☑	BB 140001 CWBFBR8130	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201658 F1 DXB01658		☑	BB 140001 CWBFBR6695	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201661 F1 DXB01661		☑	AL 160002 CWBFGR15360	**92** 30 %	**92** 23 %	**108** 22 %	**103** 10 %	**89** 18 %	**92** 2.04 30 %	**92** -0.3 23 %	**98** -0.32 28 %	**108** 12.8 22 %	**96** 3.7 23 %	**97** 2 10%	**90** 2.8 25%	**89** 2.5 11%	**87** -0.6 40 %	**101** 0.9 40 %	**92** -5.1 39 %	**151** 8.7 36 %	**76** -2.4 25 %	**83** -3.2 19 %
CWBFDXB 201692 F1 DXB01692		☑	BB 140001 CWBFLI14120	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201695 F1 DXB01695		☑	BB 140001 CWBFLI219	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201697 F1 DXB01697		☑	BB 140001 CWBFLI15122	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201698 F1 DXB01698		☑	BB 140001 CWBFLI13049	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 201854 F1 DXB01854		☑	KI 140010	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 202011 F1 DXB02011		☑	BB 170127	**103** 31 %	**95** 28 %	**110** 27 %	**99** 23 %	**92** 24 %	**99** 1.30 31 %	**95** 0.9 28 %	**111** -0.78 30 %	**110** 14.3 27 %	**96** 3.3 30 %	**101** 7 23%	**99** -2.1 28%	**89** 2.4 21%	**97** 3.9 36 %	**93** -0.1 34 %	**98** -0.5 34 %	**101** 0.9 33 %	**111** 0.9 28 %	**112** 1.4 24 %
CWBFDXB 202167 F1 DXB02167		☑	BB 170032	**94** 27 %	**101** 23 %	**109** 19 %	**95** 13 %	**96** 18 %	**93** 1.95 28 %	**101** 3.4 23 %	**101** -0.44 25 %	**109** 13.3 19 %	**102** 8.1 22 %	**105** 13 13%	**102** -4.1 23%	**93** 1.8 12%	**94** 2.6 36 %	**87** -0.9 36 %	**91** -5.7 35 %	**84** -1.7 33 %	**97** -0.3 25 %	**113** 1.6 18 %
CWBFDXB 202210 F1 DXB202210		☑	BB 170004	**91** 34 %	**98** 21 %	**110** 17 %	**98** 12 %	**95** 18 %	**89** 2.26 36 %	**98** 2.0 21 %	**103** -0.49 26 %	**110** 14.0 17 %	**100** 6.7 28 %	**102** 9 12%	**99** -2.2 23%	**93** 1.7 12%	**92** 1.8 38 %	**87** -0.9 38 %	**94** -3.7 37 %	**86** -1.4 35 %	**107** 0.6 24 %	**118** 2.4 14 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 202229		☑	BB 140001	**107**	**98**	**108**	**96**	**95**	**103**	**98**	**105**	**108**	**99**	**104**	**98**	**93**	**86**	**102**	**80**	**94**	**81**	**98**
F1				43 %	35 %	23 %	18 %	26 %	0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
DXB02229									45 %	35 %	34 %	23 %	28 %	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %
CWBFDXB 202461		☑	BB 170032	**94**	**101**	**109**	**95**	**96**	**93**	**101**	**101**	**109**	**102**	**105**	**102**	**93**	**94**	**87**	**91**	**84**	**97**	**113**
F1				27 %	23 %	19 %	13 %	18 %	1.95	3.4	-0.44	13.3	8.1	13	-4.1	1.8	2.6	-0.9	-5.7	-1.7	-0.3	1.6
DXB02461									28 %	23 %	25 %	19 %	22 %	13%	23%	12%	36 %	36 %	35 %	33 %	25 %	18 %
CWBFDXB 202507		☑	BB 170140	**82**	**101**	**122**	**88**	**91**	**84**	**101**	**98**	**122**	**106**	**112**	**99**	**85**	**84**	**91**	**98**	**92**	**115**	**111**
F1				27 %	25 %	24 %	22 %	22 %	2.82	3.3	-0.30	20.7	10.5	24	-2.5	3.2	-1.6	-0.4	-0.9	-0.5	1.3	1.3
DXB02507									27 %	25 %	27 %	24 %	24 %	22%	25%	19%	33 %	31 %	31 %	29 %	28 %	25 %
CWBFDXB 202598		☑	BB 170063	**87**	**100**	**116**	**95**	**96**	**92**	**100**	**82**	**116**	**105**	**105**	**96**	**96**	**87**	**103**	**79**	**94**	**105**	**107**
F1				20 %	12 %	11 %	8 %	12 %	2.06	2.7	0.30	17.2	9.6	13	-0.3	1.1	-0.4	1.2	-13.9	-0.2	0.4	0.6
DXB02598									20 %	12 %	20 %	11 %	17 %	8 %	16%	9%	34 %	36 %	35 %	32 %	16 %	11 %
CWBFDXB 202813		☑	BB 140001	**107**	**98**	**108**	**96**	**95**	**103**	**98**	**105**	**108**	**99**	**104**	**98**	**93**	**86**	**102**	**80**	**94**	**81**	**98**
F1				43 %	35 %	23 %	18 %	26 %	0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
DXB02813									45 %	35 %	34 %	23 %	28 %	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %
CWBFDXB 202836		☑	BB 170030	**93**	**106**	**107**	**91**	**99**	**91**	**106**	**105**	**107**	**108**	**109**	**105**	**96**	**89**	**85**	**72**	**111**	**73**	**107**
F1				29 %	23 %	20 %	16 %	20 %	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.3	-1.2	-19.0	2.5	-2.7	0.7
DXB02836									30 %	23 %	26 %	20 %	23 %	16%	25%	15%	38 %	38 %	37 %	35 %	26 %	21 %
CWBFDXB 202851		☑	BB 170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**95**	**94**	**92**	**92**	**94**	**110**	**116**
F1				39 %	28 %	26 %	23 %	26 %	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
DXB02851									40 %	28 %	37 %	26 %	28 %	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %
CWBFDXB 202866		☑	BB 170179	**104**	**93**	**108**	**102**	**87**	**100**	**93**	**106**	**108**	**93**	**98**	**94**	**84**	**100**	**105**	**93**	**100**	**108**	**103**
F1				32 %	28 %	27 %	24 %	26 %	1.25	0.2	-0.61	12.8	1.7	4	0.6	3.5	5.2	1.4	-4.3	0.8	0.6	-0.1
DXB02866									32 %	28 %	31 %	27 %	30 %	24%	30%	22%	35 %	32 %	32 %	31 %	29 %	25 %
CWBFDXB 202867		☑	BB 170095	**89**	**102**	**109**	**96**	**95**	**88**	**102**	**102**	**109**	**103**	**104**	**99**	**93**	**90**	**83**	**98**	**87**	**104**	**116**
F1				29 %	22 %	20 %	13 %	18 %	2.42	3.6	-0.47	13.4	8.5	13	-2.5	1.8	0.7	-1.3	-0.5	-1.2	0.3	2.1
DXB02867									29 %	22 %	27 %	20 %	24 %	13%	24%	12%	34 %	33 %	33 %	31 %	25 %	18 %
CWBFDXB 202870		☑	BB 170085	**89**	**102**	**109**	**96**	**95**	**88**	**102**	**102**	**109**	**103**	**104**	**99**	**93**	**89**	**77**	**97**	**78**	**108**	**125**
F1				29 %	22 %	20 %	13 %	18 %	2.42	3.6	-0.47	13.4	8.5	13	-2.5	1.8	0.4	-2.2	-1.1	-2.7	0.6	3.4
DXB02870									29 %	22 %	27 %	20 %	24 %	13%	24%	12%	36 %	37 %	36 %	34 %	25 %	18 %
CWBFDXB 202909		☑	BB 170085	**89**	**102**	**109**	**96**	**95**	**88**	**102**	**102**	**109**	**103**	**104**	**99**	**93**	**89**	**77**	**97**	**78**	**108**	**125**
F1				29 %	22 %	20 %	13 %	18 %	2.42	3.6	-0.47	13.4	8.5	13	-2.5	1.8	0.4	-2.2	-1.1	-2.7	0.6	3.4
DXB02909									29 %	22 %	27 %	20 %	24 %	13%	24%	12%	36 %	37 %	36 %	34 %	25 %	18 %
CWBFDXB 203307		☑	BB 140001	**107**	**98**	**108**	**96**	**95**	**103**	**98**	**105**	**108**	**99**	**104**	**98**	**93**	**86**	**102**	**80**	**94**	**81**	**98**
F1				43 %	35 %	23 %	18 %	26 %	0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
DXB03307									45 %	35 %	34 %	23 %	28 %	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 203382 F1 DXB03382		☑	BB 170029	**96** 27 %	**97** 23 %	**107** 20 %	**98** 14 %	**96** 18 %	**94** 1.84 28 %	**97** 1.8 23 %	**104** -0.54 25 %	**107** 12.2 20 %	**100** 6.3 24 %	**102** 10 14%	**102** -4.2 23%	**92** 1.9 12%	**86** -0.6 34 %	**83** -1.4 32 %	**89** -7.3 32 %	**94** -0.1 30 %	**84** -1.7 25 %	**109** 1.0 19 %
CWBFDXB 204414 F1 DXB04414		☑	BB 170022	**96** 26 %	**100** 23 %	**107** 19 %	**95** 14 %	**95** 17 %	**93** 1.90 27 %	**100** 3.1 23 %	**106** -0.59 24 %	**107** 12.2 19 %	**101** 7.1 22 %	**105** 13 14%	**100** -2.9 22%	**93** 1.8 12%	**88** 0.1 36 %	**82** -1.5 37 %	**84** -10.5 36 %	**83** -1.8 34 %	**102** 0.0 24 %	**124** 3.4 18 %
CWBFDXB 204442 F1 DXB04442		☑	BB 170022	**96** 26 %	**100** 23 %	**107** 19 %	**95** 14 %	**95** 17 %	**93** 1.90 27 %	**100** 3.1 23 %	**106** -0.59 24 %	**107** 12.2 19 %	**101** 7.1 22 %	**105** 13 14%	**100** -2.9 22%	**93** 1.8 12%	**88** 0.1 36 %	**82** -1.5 37 %	**84** -10.5 36 %	**83** -1.8 34 %	**102** 0.0 24 %	**124** 3.4 18 %
CWBFDXB 204444 F1 DXB04444		☑	BB 170022	**96** 26 %	**100** 23 %	**107** 19 %	**95** 14 %	**95** 17 %	**93** 1.90 27 %	**100** 3.1 23 %	**106** -0.59 24 %	**107** 12.2 19 %	**101** 7.1 22 %	**105** 13 14%	**100** -2.9 22%	**93** 1.8 12%	**88** 0.1 36 %	**82** -1.5 37 %	**84** -10.5 36 %	**83** -1.8 34 %	**102** 0.0 24 %	**124** 3.4 18 %
CWBFDXB 204459 F1 DXB04459		☑	BB 170161	**98** 35 %	**92** 28 %	**104** 26 %	**105** 24 %	**87** 24 %	**95** 1.74 37 %	**92** -0.2 28 %	**107** -0.65 29 %	**104** 10.9 26 %	**93** 1.5 27 %	**95** -1 24%	**93** 1.3 28%	**85** 3.3 20%	**95** 2.9 38 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %
CWBFDXB 204518 F1 DXB04518		☑	BB 170022	**96** 26 %	**100** 23 %	**107** 19 %	**95** 14 %	**95** 17 %	**93** 1.90 27 %	**100** 3.1 23 %	**106** -0.59 24 %	**107** 12.2 19 %	**101** 7.1 22 %	**105** 13 14%	**100** -2.9 22%	**93** 1.8 12%	**88** 0.1 36 %	**82** -1.5 37 %	**84** -10.5 36 %	**83** -1.8 34 %	**102** 0.0 24 %	**124** 3.4 18 %
CWBFDXB 204521 F1 DXB04521		☑	BB 170022	**96** 26 %	**100** 23 %	**107** 19 %	**95** 14 %	**95** 17 %	**93** 1.90 27 %	**100** 3.1 23 %	**106** -0.59 24 %	**107** 12.2 19 %	**101** 7.1 22 %	**105** 13 14%	**100** -2.9 22%	**93** 1.8 12%	**88** 0.1 36 %	**82** -1.5 37 %	**84** -10.5 36 %	**83** -1.8 34 %	**102** 0.0 24 %	**124** 3.4 18 %
CWBFDXB 204701 F1 DXB04701		☑	BB 170161	**98** 35 %	**92** 28 %	**104** 26 %	**105** 24 %	**87** 24 %	**95** 1.74 37 %	**92** -0.2 28 %	**107** -0.65 29 %	**104** 10.9 26 %	**93** 1.5 27 %	**95** -1 24%	**93** 1.3 28%	**85** 3.3 20%	**95** 2.9 38 %	**98** 0.6 38 %	**76** -16.1 38 %	**93** -0.2 36 %	**88** -1.2 32 %	**107** 0.6 25 %
CWBFDXB 204830 F1 DXB04830		☑	BB 170122 CWBFLI167	**104** 31 %	**96** 28 %	**108** 26 %	**100** 23 %	**95** 25 %	**100** 1.27 31 %	**96** 1.3 28 %	**107** -0.64 30 %	**108** 13.1 26 %	**97** 4.2 28 %	**100** 7 23%	**100** -2.8 29%	**92** 2.0 21%	**90** 1.0 38 %	**91** -0.4 37 %	**92** -5.1 36 %	**105** 1.6 35 %	**103** 0.2 30 %	**112** 1.4 25 %
CWBFBB 210019 3 PEN BEYOND BEEF BB210019			BB 170002 BB 170178	**86** 48 %	**130** 19 %	**93** 17 %	**83** 15 %	**145** 23 %	**91** 2.10 50 %	**130** 15.0 19 %	**82** 0.31 39 %	**93** 5.1 17 %	**127** 25.0 27 %	**117** 30 15%	**136** -23.9 32%	**150** -8.6 14%	**127** 16.6 45 %	**108** 1.8 42 %	**104** 3.9 41 %	**102** 1.0 37 %	**86** -1.5 32 %	**80** -3.7 22 %
CWBFBB 210021 F2 BEYOND BEEF BB210021		☑ ☑	BB 190112 CWBFBB 180081	**80** 33 %	**118** 25 %	**110** 18 %	**82** 13 %	**86** 20 %	**81** 3.06 35 %	**118** 10.1 25 %	**98** -0.31 27 %	**110** 13.9 18 %	**113** 15.6 24 %	**118** 33 13%	**90** 3.1 27%	**85** 3.2 14%	**106** 7.9 41 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
CWBFBB 210025 5 PBD BEYOND BEEF BB210025		☑ ☑	BB 190041 BB 170132	**114** 62 %	**96** 35 %	**78** 33 %	**125** 30 %	**107** 34 %	**109** 0.38 66 %	**96** 1.5 35 %	**113** -0.88 46 %	**78** -2.9 33 %	**87** -2.9 39 %	**75** -29 30%	**105** -5.7 40%	**110** -1.2 27%	**122** 14.6 46 %	**118** 3.1 41 %	**76** -16.1 41 %	**88** -1.1 39 %	**138** 3.5 38 %	**128** 4.1 31 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 210065 FB BEYOND BEEF BB210065	4	☑	☑ SMOFF0154 ☑ BB 180288	**100** 67 %	**70** 43 %	**72** 41 %	**127** 39 %	**104** 38 %	**140** -2.63 70 %	**70** -9.1 43 %	**131** -1.56 55 %	**72** -6.2 41 %	**65** -18.1 44 %	**73** -32 39%	**93** 1.4 49%	**114** -2.0 28%	**112** 10.2 53 %	**128** 4.4 48 %	**84** -10.4 48 %	**94** -0.1 46 %	**105** 0.4 47 %	**103** 0.0 43 %
CWBFBB 210073 FB BEYOND BEEF BB210073	1	☑	☑ SMOFF0154 ☑ BB 170048	**102** 67 %	**90** 43 %	**74** 42 %	**118** 38 %	**109** 38 %	**99** 1.35 70 %	**90** -1.2 43 %	**104** -0.54 55 %	**74** -5.1 42 %	**81** -6.9 46 %	**82** -20 38%	**101** -3.3 49%	**116** -2.3 28%	**118** 12.9 54 %	**118** 3.1 51 %	**96** -2.0 50 %	**90** -0.8 48 %	**115** 1.3 48 %	**111** 1.3 43 %
CWBFBB 210098 FB BEYOND BEEF BB210098	11	☑	☑ BB 180264 ☑ BB 180270	**118** 63 %	**95** 31 %	**75** 26 %	**123** 22 %	**87** 30 %	**112** 0.02 69 %	**95** 1.0 31 %	**112** -0.83 41 %	**75** -4.3 26 %	**88** -2.4 29 %	**77** -26 22%	**83** 7.1 38%	**93** 1.8 21%	**123** 14.9 46 %	**126** 4.1 41 %	**89** -7.1 41 %	**112** 2.6 36 %	**97** -0.4 39 %	**92** -1.8 32 %
CWBFBB 210102 PBD BEYOND BEEF BB210102		☑	☑ BB 170107 ☑ BB 170114	**112** 58 %	**116** 29 %	**81** 27 %	**101** 24 %	**127** 34 %	**107** 0.58 63 %	**116** 9.5 29 %	**108** -0.69 40 %	**81** -1.3 27 %	**110** 13.5 30 %	**99** 5 24%	**132** -21.2 46%	**123** -3.7 23%	**115** 11.7 51 %	**104** 1.4 45 %	**100** 0.7 45 %	**103** 1.3 42 %	**113** 1.1 33 %	**107** 0.6 28 %
CWBFBB 210155 F2 BEYOND BEEF BB210155		☑	☑ BB 190089 ☑ CWBFBB 160042	**78** 38 %	**104** 24 %	**105** 23 %	**95** 22 %	**94** 20 %	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29 %	**105** 11.5 23 %	**104** 9.3 24 %	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**101** 5.7 41 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
CWBFBB 210156 F2 BEYOND BEEF BB210156		☑	☑ BB 190089 ☑ CWBFBB 160040	**78** 38 %	**104** 24 %	**105** 23 %	**95** 22 %	**94** 20 %	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29 %	**105** 11.5 23 %	**104** 9.3 24 %	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**98** 4.2 33 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
CWBFBB 210157 F2 BEYOND BEEF BB210157		☑	☑ BB 190111 ☑ CWBFBB 150145	**79** 29 %	**118** 25 %	**110** 18 %	**82** 13 %	**87** 20 %	**81** 3.12 30 %	**118** 10.3 25 %	**99** -0.34 27 %	**110** 13.8 18 %	**113** 15.8 24 %	**118** 33 13%	**91** 2.2 25%	**86** 3.1 14%	**104** 7.0 41 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
CWBFBB 210158 F1 BEYOND BEEF BB 210158		☑	☑ BB 190089	**78** 38 %	**104** 24 %	**105** 23 %	**95** 22 %	**94** 20 %	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29 %	**105** 11.5 23 %	**104** 9.3 24 %	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**98** 4.2 33 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
CWBFBB 210161 F3 BEYOND BEEF BB210161		☑	☑ BB 190111 ☑ CWBFBB 170411	**79** 29 %	**118** 25 %	**110** 18 %	**82** 13 %	**87** 20 %	**81** 3.12 30 %	**118** 10.3 25 %	**99** -0.34 27 %	**110** 13.8 18 %	**113** 15.8 24 %	**118** 33 13%	**91** 2.2 25%	**86** 3.1 14%	**101** 5.5 33 %	**91** -0.4 29 %	**111** 8.8 28 %	**92** -0.4 27 %	**114** 1.2 25 %	**107** 0.7 20 %
CWBFBB 210166 F2 BEYOND BEEF BB210166		☑	☑ BB 150133 ☑ CWBFBB 160046	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 46 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 210168 F1 BEYOND BEEF BB210168		☑	☑ BB 150133 ☑ CWBFBB 150061	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 46 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 210170 F3 BEYOND BEEF BB210170		☑	☑ BB 150133 ☑ CWBFBB 170439	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 210202 F3 BEYOND BEEF BB210202		☑	BB 180300 CWBFBB 180212	**95** 27 %	**108** 21 %	**105** 21 %	**93** 20 %	**89** 18 %	**92** 2.05 27 %	**108** 6.2 21 %	**111** -0.79 26 %	**105** 11.5 21 %	**109** 12.9 22 %	**107** 16 20%	**92** 1.7 23%	**88** 2.6 13%	**98** 4.4 40 %	**86** -1.0 24 %	**119** 13.9 24 %	**105** 1.5 23 %	**124** 2.2 21 %	**117** 2.3 16 %
CWBFBB 210203 F3 BEYOND BEEF BB210203		☑	BB 170002 CWBFBB 180194	**74** 36 %	**122** 15 %	**116** 16 %	**74** 15 %	**110** 16 %	**78** 3.41 39 %	**122** 11.8 15 %	**91** -0.07 24 %	**116** 17.1 16 %	**124** 22.9 19 %	**126** 44 15%	**107** -6.9 23%	**111** -1.4 8%	**106** 7.8 35 %	**110** 2.0 36 %	**110** 8.1 36 %	**98** 0.5 32 %	**94** -0.6 28 %	**77** -4.2 21 %
CWBFBB 210204 F3 BEYOND BEEF BB210204		☑	BB 170002 CWBFBB 180209	**74** 36 %	**122** 15 %	**116** 16 %	**74** 15 %	**110** 16 %	**78** 3.41 39 %	**122** 11.8 15 %	**91** -0.07 24 %	**116** 17.1 16 %	**124** 22.9 19 %	**126** 44 15%	**107** -6.9 23%	**111** -1.4 8%	**106** 7.8 35 %	**110** 2.0 36 %	**110** 8.1 36 %	**98** 0.5 32 %	**94** -0.6 28 %	**77** -4.2 21 %
CWBFBB 210205 F3 BEYOND BEEF BB210205		☑	BB 170164 BB 180203	**106** 63 %	**87** 31 %	**94** 28 %	**105** 25 %	**116** 34 %	**136** -2.28 68 %	**87** -2.5 31 %	**126** -1.37 42 %	**94** 5.5 28 %	**85** -3.8 32 %	**95** 0 25%	**122** -15.7 45%	**112** -1.6 22%	**100** 5.3 53 %	**111** 2.2 50 %	**86** -9.1 49 %	**96** 0.2 47 %	**97** -0.3 49 %	**94** -1.4 31 %
CWBFBB 210212 F3 BEYOND BEEF BB210212		☑	BB 170002 CWBFBB 180189	**74** 36 %	**122** 15 %	**116** 16 %	**74** 15 %	**110** 16 %	**78** 3.41 39 %	**122** 11.8 15 %	**91** -0.07 24 %	**116** 17.1 16 %	**124** 22.9 19 %	**126** 44 15%	**107** -6.9 23%	**111** -1.4 8%	**106** 7.8 35 %	**110** 2.0 36 %	**110** 8.1 36 %	**98** 0.5 32 %	**94** -0.6 28 %	**77** -4.2 21 %
CWBFBB 210220 F3 BEYOND BEEF BB210220		☑	BB 180264 CWBFBB 180132	**100** 36 %	**99** 19 %	**106** 18 %	**99** 16 %	**87** 20 %	**96** 1.64 40 %	**99** 2.4 19 %	**110** -0.76 23 %	**106** 12.0 18 %	**99** 5.7 20 %	**101** 7 16%	**89** 3.5 27%	**88** 2.7 13%	**104** 7.0 38 %	**110** 2.0 32 %	**99** 0.3 32 %	**102** 1.1 27 %	**106** 0.5 31 %	**96** -1.2 27 %
CWBFBB 210223 F3 BEYOND BEEF BB210223		☑	BB 180264 CWBFBB 180217	**100** 36 %	**99** 19 %	**106** 18 %	**99** 16 %	**87** 20 %	**96** 1.64 40 %	**99** 2.4 19 %	**110** -0.76 23 %	**106** 12.0 18 %	**99** 5.7 20 %	**101** 7 16%	**89** 3.5 27%	**88** 2.7 13%	**104** 6.9 38 %	**110** 2.0 32 %	**99** 0.3 32 %	**102** 1.1 27 %	**106** 0.5 31 %	**96** -1.2 27 %
CWBFBB 210228 F2 BEYOND BEEF BB210228		☑	BB 170089 CWBFBB 180195	**81** 36 %	**120** 14 %	**113** 9 %	**80** 10 %	**104** 16 %	**84** 2.80 39 %	**120** 11.0 14 %	**93** -0.12 22 %	**113** 15.8 9 %	**122** 22.1 15 %	**120** 36 10%	**106** -6.2 22%	**102** 0.1 9%	**107** 8.4 38 %	**88** -0.7 20 %	**102** 1.9 20 %	**103** 1.2 18 %	**94** -0.6 16 %	**99** -0.6 12 %
CWBFBB 210229 F3 BEYOND BEEF BB210229		☑	BB 150133 CWBFBB 180214	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**104** 7.0 44 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 210233 F3 BEYOND BEEF BB 210233		☑	BB 190089 CWBFBB 180225	**78** 38 %	**104** 24 %	**105** 23 %	**95** 22 %	**94** 20 %	**81** 3.11 40 %	**104** 4.6 24 %	**94** -0.17 29 %	**105** 11.5 23 %	**104** 9.3 24 %	**105** 13 22%	**90** 2.7 25%	**98** 0.9 15%	**101** 5.6 41 %	**97** 0.5 30 %	**110** 7.7 30 %	**97** 0.4 28 %	**97** -0.4 29 %	**98** -0.7 26 %
CWBFDXB 214844 F1 DXB04844		☑	BB 170147 CWBFWH25236	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 214877 F1 DXB04877		☑	BB 170147 CWBFBO 187341	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 214951		☑	BB 170122	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**92**	**90**	**91**	**92**	**105**	**103**	**112**
F1			CWBFLI16312	31 %	28 %	26 %	23 %	25 %	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.0	-0.4	-5.1	1.6	0.2	1.4
DXB04951									31 %	28 %	30 %	26 %	28 %	23%	29%	21%	38 %	37 %	36 %	35 %	30 %	25 %
CWBFDXB 215104		☑	BB 110011	**106**	**97**	**104**	**98**	**100**	**101**	**97**	**108**	**104**	**97**	**102**	**103**	**98**	**97**	**88**	**95**	**87**	**116**	**121**
F1			CWBFWO16358	39 %	32 %	24 %	18 %	26 %	1.09	1.8	-0.69	11.1	4.0	9	-4.7	0.8	4.1	-0.7	-2.5	-1.2	1.5	2.9
DXB05104									41 %	32 %	29 %	24 %	29 %	18%	32%	19%	40 %	37 %	36 %	34 %	24 %	18 %
CWBFDXB 215109		☑	BB 110011	**106**	**97**	**104**	**98**	**100**	**101**	**97**	**108**	**104**	**97**	**102**	**103**	**98**	**97**	**88**	**95**	**87**	**116**	**121**
F1			CWBFWO12062	39 %	32 %	24 %	18 %	26 %	1.09	1.8	-0.69	11.1	4.0	9	-4.7	0.8	4.1	-0.7	-2.5	-1.2	1.5	2.9
DXB05109									41 %	32 %	29 %	24 %	29 %	18%	32%	19%	40 %	37 %	36 %	34 %	24 %	18 %
CWBFDXB 215149		☑	BB 170122	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**92**	**90**	**91**	**92**	**105**	**103**	**112**
F1			CWBFLI16914	31 %	28 %	26 %	23 %	25 %	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.0	-0.4	-5.1	1.6	0.2	1.4
DXB05149									31 %	28 %	30 %	26 %	28 %	23%	29%	21%	38 %	37 %	36 %	35 %	30 %	25 %
CWBFDXB 215166		☑	BB 110011	**106**	**97**	**104**	**98**	**100**	**101**	**97**	**108**	**104**	**97**	**102**	**103**	**98**	**97**	**88**	**95**	**87**	**116**	**121**
F1			CWBFWO16233	39 %	32 %	24 %	18 %	26 %	1.09	1.8	-0.69	11.1	4.0	9	-4.7	0.8	4.1	-0.7	-2.5	-1.2	1.5	2.9
DXB05166									41 %	32 %	29 %	24 %	29 %	18%	32%	19%	40 %	37 %	36 %	34 %	24 %	18 %
CWBFDXB 215221		☑	BB 170024	**101**	**98**	**109**	**94**	**98**	**97**	**98**	**107**	**109**	**100**	**106**	**104**	**94**	**88**	**88**	**92**	**97**	**98**	**110**
F1				28 %	24 %	20 %	19 %	17 %	1.49	2.1	-0.64	13.6	6.6	14	-5.4	1.6	0.2	-0.7	-5.0	0.3	-0.3	1.1
DXB05221									29 %	24 %	26 %	20 %	22 %	19%	23%	11%	35 %	32 %	32 %	30 %	24 %	18 %
CWBFDXB 215289		☑	BB 170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1			CWBFLI14709	27 %	22 %	22 %	12 %	16 %	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB05289									27 %	22 %	27 %	22 %	21 %	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBFDXB 215291		☑	BB 170122	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**92**	**90**	**91**	**92**	**105**	**103**	**112**
F1			CWBFLI16022	31 %	28 %	26 %	23 %	25 %	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.0	-0.4	-5.1	1.6	0.2	1.4
DXB05291									31 %	28 %	30 %	26 %	28 %	23%	29%	21%	38 %	37 %	36 %	35 %	30 %	25 %
CWBFDXB 215292		☑	BB 170122	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**92**	**90**	**91**	**92**	**105**	**103**	**112**
F1			CWBFLI6174	31 %	28 %	26 %	23 %	25 %	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.0	-0.4	-5.1	1.6	0.2	1.4
DXB05292									31 %	28 %	30 %	26 %	28 %	23%	29%	21%	38 %	37 %	36 %	35 %	30 %	25 %
CWBFDXB 215301		☑	BB 170015	**90**	**100**	**108**	**99**	**94**	**89**	**100**	**102**	**108**	**102**	**101**	**96**	**94**	**91**	**106**	**92**	**82**	**121**	**111**
F1			CWBFLI15150	27 %	22 %	22 %	12 %	16 %	2.33	2.9	-0.47	12.7	7.5	8	-0.6	1.6	1.5	1.5	-4.5	-1.9	1.9	1.3
DXB05301									27 %	22 %	27 %	22 %	21 %	12%	21%	10%	37 %	38 %	38 %	34 %	28 %	12 %
CWBFDXB 215307		☑	BB 170130	**104**	**96**	**108**	**100**	**95**	**100**	**96**	**107**	**108**	**97**	**100**	**100**	**92**	**91**	**99**	**94**	**95**	**108**	**108**
F1			CWBFLI236	31 %	28 %	26 %	23 %	25 %	1.27	1.3	-0.64	13.1	4.2	7	-2.8	2.0	1.5	0.6	-3.4	0.0	0.7	0.7
DXB05307									31 %	28 %	30 %	26 %	28 %	23%	29%	21%	36 %	36 %	36 %	34 %	30 %	25 %
CWBFDXB 215316		☑	BB 170024	**101**	**98**	**109**	**94**	**98**	**97**	**98**	**107**	**109**	**100**	**106**	**104**	**94**	**88**	**88**	**92**	**97**	**98**	**110**
F1			CWBFWO18284	28 %	24 %	20 %	19 %	17 %	1.49	2.1	-0.64	13.6	6.6	14	-5.4	1.6	0.2	-0.7	-5.0	0.3	-0.3	1.1
DXB05316									29 %	24 %	26 %	20 %	22 %	19%	23%	11%	35 %	32 %	32 %	30 %	24 %	18 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215321 F1 DXB05321		☑	BB 170024 CWBFWO16288	**101** 28 %	**98** 24 %	**109** 20 %	**94** 19 %	**98** 17 %	**97** 1.49 29 %	**98** 2.1 24 %	**107** -0.64 26 %	**109** 13.6 20 %	**100** 6.6 22 %	**106** 14 19%	**104** -5.4 23%	**94** 1.6 11%	**88** 0.2 35 %	**88** -0.7 32 %	**92** -5.0 32 %	**97** 0.3 30 %	**98** -0.3 24 %	**110** 1.1 18 %
CWBFDXB 215418 F1 DXB05418		☑	BB 170130 CWBFLI14055	**104** 31 %	**96** 28 %	**108** 26 %	**100** 23 %	**95** 25 %	**100** 1.27 31 %	**96** 1.3 28 %	**107** -0.64 30 %	**108** 13.1 26 %	**97** 4.2 28 %	**100** 7 23%	**100** -2.8 29%	**92** 2.0 21%	**91** 1.5 36 %	**99** 0.6 36 %	**94** -3.4 36 %	**95** 0.0 34 %	**108** 0.7 30 %	**108** 0.7 25 %
CWBFDXB 215436 F1 DXB05436		☑	KI 140010 CWBFBO18912	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215437 F1 DXB05437		☑	KI 140010 CWBFBO19345	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215439 F1 DXB05439		☑	KI 140010 CWBFBO14300	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215440 F1 DXB05440		☑	KI 140010 CWBFBO14300	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215460 F1 DXB05460		☑	KI 140010 CWBFBO18686	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215463 F1 DXB05463		☑	KI 140010 CWBFBO14298	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215502 F1 DXB05502		☑	KI 140010 CWBFRR17258	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215506 F1 DXB05506		☑	KI 140010 CWBFRR17040	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215507 F1 DXB05507		☑	BB 170070	**80** 25 %	**120** 12 %	**113** 9 %	**79** 10 %	**109** 16 %	**84** 2.77 26 %	**120** 10.8 12 %	**88** 0.07 23 %	**113** 15.8 9 %	**122** 21.8 15 %	**121** 36 10%	**113** -10.2 22%	**106** -0.6 9%	**90** 1.0 36 %	**86** -0.9 34 %	**101** 1.8 34 %	**104** 1.4 30 %	**90** -1.1 22 %	**98** -0.8 12 %
CWBFDXB 215523 F1 DXB05523		☑	BB 140001 CWBFSD13852	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215524 F1 DXB05524		☑	BB 140001 CWBFSD13945	**107** 43 %	**98** 35 %	**108** 23 %	**96** 18 %	**95** 26 %	**103** 0.97 45 %	**98** 2.2 35 %	**105** -0.57 34 %	**108** 12.8 23 %	**99** 5.9 28 %	**104** 12 18%	**98** -1.9 34%	**93** 1.7 17%	**86** -0.9 46 %	**102** 1.0 48 %	**80** -13.0 48 %	**94** -0.1 47 %	**81** -1.9 27 %	**98** -0.7 17 %
CWBFDXB 215528 F1 DXB05528		☑	KI 140010 CWBFBO16149	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215529 F1 DXB05529		☑	KI 140010 CWBFBO15784	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215555 F1 DXB05555		☑	KI 140010 CWBFBO10034	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215558 F1 DXB05558		☑	KI 140010 CWBFBO16191	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215559 F1 DXB05559		☑	KI 140010 CWBFBO13150	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215574 F1 DXB05574		☑	KI 140010 CWBFBO14677	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215576 F1 DXB05576		☑	KI 140010 CWBFBO13212	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215578 F1 DXB05578		☑	KI 140010 CWBFBO13215	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215579 F1 DXB05579		☑	KI 140010 CWBFBO14680	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215589 F1 DXB05589		☑	KI 140010 CWBFBO1203	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215590 F1 DXB05590		☑	KI 140010 CWBFBO12071	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215591 F1 DXB05591		☑	KI 140010 CWBFBO18188	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215592 F1 DXB05592		☑	KI 140010 CWBFBO1208	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215593 F1 DXB05593		☑	KI 140010 CWBFBO16584	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215596 F1 DXB05596		☑	KI 140010 CWBFBO13214	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215597 F1 DXB05597		☑	KI 140010 CWBFBO10349	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215598 F1 DXB05598		☑	KI 140010 CWBFBO15662	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215619 F1 DXB05619		☑	KI 140010 CWBFBO1057	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215622 F1 DXB05622		☑	KI 140010 CWBFBO14639	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215623 F1 DXB05623		☑	KI 140010 CWBFBO91027	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215624 F1 DXB05624		☑	KI 140010 CWBFBO13441	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215625 F1 DXB05625		☑	KI 140010 CWBFBO12152	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215626 F1 DXB05626		☑	KI 140010 CWBFBO15669	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215628		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO14838	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05628									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215653		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO1243	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05653									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215654		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO108	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05654									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215669		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFWO16360	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05669									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215672		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO18365	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05672									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215681		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO15537	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05681									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215683		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO15683	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05683									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215690		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO16589	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05690									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215694		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO10019	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05694									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215696		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO16523	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05696									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215699		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO1700	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05699									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215700		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO12004	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05700									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215704		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO12758	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05704									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215705		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO14173	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05705									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215706		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO81296	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05706									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215708		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFBO14217	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05708									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215719		☑	BB 180030	**102**	**96**	**107**	**97**	**92**	**98**	**96**	**111**	**107**	**98**	**103**	**97**	**90**	**93**	**98**	**89**	**93**	**105**	**110**
F1			CWBFWO16057	30 %	24 %	23 %	18 %	22 %	1.41	1.3	-0.80	12.3	5.0	10	-1.0	2.4	2.2	0.6	-7.0	-0.3	0.4	1.1
DXB05719									30 %	24 %	29 %	23 %	26 %	18%	27%	16%	33 %	29 %	29 %	28 %	26 %	20 %
CWBFDXB 215723		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO19072	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05723									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215735		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFWO16244	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05735									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215748		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO13236	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05748									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215749		☑	BB 180030	**102**	**96**	**107**	**97**	**92**	**98**	**96**	**111**	**107**	**98**	**103**	**97**	**90**	**93**	**98**	**89**	**93**	**105**	**110**
F1			CWBFWO19262	30 %	24 %	23 %	18 %	22 %	1.41	1.3	-0.80	12.3	5.0	10	-1.0	2.4	2.2	0.6	-7.0	-0.3	0.4	1.1
DXB05749									30 %	24 %	29 %	23 %	26 %	18%	27%	16%	33 %	29 %	29 %	28 %	26 %	20 %
CWBFDXB 215751		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO13284	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05751									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215755		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO17068	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05755									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215761		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFWO18526	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05761									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215773 F1 DXB05773		☑	BB 170164 CWBFCM18102	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 215784 F1 DXB05784		☑	KI 140010 CWBFBO6057	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215785 F1 DXB05785		☑	KI 140010 CWBFBO16282	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215787 F1 DXB05787		☑	BB 150107 CWBFBO15494	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 215788 F1 DXB05788		☑	BB 150107 CWBFBO19554	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 215809 F1 DXB05809		☑	KI 140010 CWBFLE6052	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215813 F1 DXB05813		☑	KI 140010 CWBFLE4215	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215814 F1 DXB05814		☑	KI 140010 CWBFLE18107	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 215833 F1 DXB05833		☑	BB 170164 CWBFWO12148	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 215837 F1 DXB05837		☑	BB 170164 CWBFWO13038	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 215841 F1 DXB05841		☑	BB 180078 CWBFWO20209	**87** 29 %	**103** 24 %	**112** 20 %	**94** 15 %	**87** 18 %	**88** 2.39 30 %	**103** 4.2 24 %	**97** -0.27 27 %	**112** 14.9 20 %	**106** 10.3 24 %	**106** 15 15%	**90** 3.2 24%	**86** 3.1 13%	**92** 2.0 33 %	**97** 0.4 31 %	**101** 1.5 30 %	**90** -0.8 28 %	**103** 0.2 27 %	**103** 0.1 17 %
CWBFDXB 215842 F1 DXB05842		☑	BB 170164 CWBFWO16301	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215854		☑	BB 180015	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**92**	**92**	**88**	**99**	**80**	**125**	**121**
F1			CWBFWO14242	28 %	22 %	21 %	18 %	18 %	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.6	-0.7	0.2	-2.4	2.3	2.8
DXB05854									28 %	22 %	26 %	21 %	24 %	18%	23%	12%	33 %	32 %	31 %	29 %	30 %	16 %
CWBFDXB 215855		☑	BB 180328	**89**	**93**	**111**	**100**	**92**	**93**	**93**	**85**	**111**	**99**	**100**	**92**	**92**	**85**	**94**	**93**	**97**	**91**	**102**
F1			CWBFWO19051	17 %	13 %	11 %	10 %	10 %	1.93	0.1	0.19	14.7	5.8	6	1.5	2.0	-1.2	0.1	-4.5	0.3	-0.9	-0.1
DXB05855									17 %	13 %	15 %	11 %	11 %	10%	13%	6%	25 %	24 %	24 %	21 %	22 %	10 %
CWBFDXB 215873		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17364	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05873									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215876		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18342	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB05876									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 215889		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO17268	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05889									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215890		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO19597	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05890									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215891		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO16237	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05891									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215895		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO16002	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05895									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215896		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFBO15766	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB05896									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 215900		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFLE15108	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05900									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215902		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFLE6039	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05902									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 215906		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFLE17312	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB05906									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 215911 F1 DXB05911		☑	BB 150107 CWBFBO15861	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 215917 F1 DXB05917		☑	BB 150107 CWBFBO16665	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 215939 F1 DXB05939		☑	KI 140010 CWBFLE15252	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 216012 F1 DXB06012		☑	BB 170164 CWBFWO15447	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216032 F1 DXB06032		☑	BB 170164 CWBFCM14010	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216038 F1 DXB06038		☑	BB 170164 CWBFCM17088	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216049 F1 DXB06049		☑	KI 140010 CWBFLE17358	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 216067 F1 DXB06067		☑	KI 140010 CWBFMO21594	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 216088 F1 DXB06088		☑	BB 150107 CWBFMO21590	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216105 F1 DXB06105		☑	KI 140010 CWBFLE6070	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 216107 F1 DXB06107		☑	KI 140010	**87** 39 %	**98** 34 %	**108** 26 %	**97** 20 %	**91** 25 %	**88** 2.43 40 %	**98** 2.2 34 %	**98** -0.30 35 %	**108** 12.8 26 %	**102** 7.5 36 %	**103** 10 20%	**96** -0.7 32%	**88** 2.7 18%	**87** -0.6 46 %	**89** -0.7 48 %	**88** -7.6 48 %	**87** -1.2 47 %	**93** -0.7 41 %	**111** 1.3 21 %
CWBFDXB 216126 F1 DXB06126		☑	BB 150107 CWBFMO17640	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216143		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17359	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06143									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216144		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO15294	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06144									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216146		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO15191	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06146									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216153		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFSA4663	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06153									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 216160		☑	BB 180078	**87**	**103**	**112**	**94**	**87**	**88**	**103**	**97**	**112**	**106**	**106**	**90**	**86**	**92**	**97**	**101**	**90**	**103**	**103**
F1			CWBFWO18049	29 %	24 %	20 %	15 %	18 %	2.39	4.2	-0.27	14.9	10.3	15	3.2	3.1	2.0	0.4	1.5	-0.8	0.2	0.1
DXB06160									30 %	24 %	27 %	20 %	24 %	15%	24%	13%	33 %	31 %	30 %	28 %	27 %	17 %
CWBFDXB 216173		☑	BB 180328	**89**	**93**	**111**	**100**	**92**	**93**	**93**	**85**	**111**	**99**	**100**	**92**	**92**	**85**	**94**	**93**	**97**	**91**	**102**
F1			CWBFWO19138	17 %	13 %	11 %	10 %	10 %	1.93	0.1	0.19	14.7	5.8	6	1.5	2.0	-1.2	0.1	-4.5	0.3	-0.9	-0.1
DXB06173									17 %	13 %	15 %	11 %	11 %	10%	13%	6%	25 %	24 %	24 %	21 %	22 %	10 %
CWBFDXB 216216		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17122	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06216									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216222		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18124	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06222									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216225		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM19169	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06225									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216226		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM16092	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06226									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216230		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17335	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06230									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216231		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17430	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06231									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216234		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM16299	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06234									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216244		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFMO18260	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06244									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 216249		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06249									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216260		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFMO16578	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06260									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 216261		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18301	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06261									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216278		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1				41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06278									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216279		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM14093	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06279									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216289		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18058	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06289									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216296		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16003	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06296									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216301		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16017	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06301									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216303		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18130	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06303									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216306		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO12139	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06306									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216308		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO10266	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06308									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216309		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18562	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06309									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216312		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17146	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06312									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216318		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18093	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06318									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216351		☑	BB 180075	**93**	**100**	**119**	**92**	**95**	**94**	**100**	**95**	**119**	**105**	**108**	**102**	**92**	**92**	**91**	**97**	**77**	**123**	**117**
F1			CWBFWO16414	28 %	22 %	21 %	18 %	18 %	1.86	3.0	-0.20	18.7	9.8	18	-4.2	2.0	1.7	-0.3	-1.3	-2.8	2.1	2.3
DXB06351									28 %	22 %	26 %	21 %	24 %	18%	23%	12%	35 %	35 %	34 %	31 %	33 %	16 %
CWBFDXB 216382		☑	BB 180328	**89**	**93**	**111**	**100**	**92**	**93**	**93**	**85**	**111**	**99**	**100**	**92**	**92**	**85**	**94**	**93**	**97**	**91**	**102**
F1			CWBFWO19050	17 %	13 %	11 %	10 %	10 %	1.93	0.1	0.19	14.7	5.8	6	1.5	2.0	-1.2	0.1	-4.5	0.3	-0.9	-0.1
DXB06382									17 %	13 %	15 %	11 %	11 %	10%	13%	6%	25 %	24 %	24 %	21 %	22 %	10 %
CWBFDXB 216386		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO18380	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06386									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216390		☑	KI 140010	**87**	**98**	**108**	**97**	**91**	**88**	**98**	**98**	**108**	**102**	**103**	**96**	**88**	**87**	**89**	**88**	**87**	**93**	**111**
F1			CWBFWO16071	39 %	34 %	26 %	20 %	25 %	2.43	2.2	-0.30	12.8	7.5	10	-0.7	2.7	-0.6	-0.7	-7.6	-1.2	-0.7	1.3
DXB06390									40 %	34 %	35 %	26 %	36 %	20%	32%	18%	46 %	48 %	48 %	47 %	41 %	21 %
CWBFDXB 216400		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM16156	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06400									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216408		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18012	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06408									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216415		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18157	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06415									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216419		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO14591	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06419									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216423		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18414	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06423									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216426		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16074	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06426									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216428		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17166	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06428									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216430		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16659	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06430									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216433		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO12124	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06433									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216436		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO16085	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06436									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216437		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17015	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06437									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216439		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18292	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06439									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216445		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17171	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06445									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216446		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO24131	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06446									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216448		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO11609	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06448									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216450		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFAB703	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06450									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216451		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFAV711	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06451									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216458		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM17327	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06458									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216462		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM18326	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06462									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216465		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16475	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06465									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216466		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFCM18419	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06466									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216467		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFCM7315	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06467									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216473		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFCM16075	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06473									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216475		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFCM19387	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06475									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216478		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFCM18217	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06478									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216479		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFCM18081	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06479									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216498		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFMO18136	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06498									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216536		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16179	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06536									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216538		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17128	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06538									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216541		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO16069	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06541									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216545		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO15494	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06545									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216552		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO18437	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06552									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216553		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO18224	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06553									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216554		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06554									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216555		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO16580	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06555									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216561		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO17473	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06561									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216562		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO18226	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06562									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216565		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO17119	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06565									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216571		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06571									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216609		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFCM15221	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06609									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216615		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO15186	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06615									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216627		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO15482	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06627									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216629		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFMO 160871	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06629									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216632		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO13050	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06632									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216653		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFLA13346	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06653									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216656		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1			CWBFLA14800	40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06656									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216684		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO19214	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06684									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %
CWBFDXB 216691		☑	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**85**	**95**	**98**	**76**	**93**	**88**	**107**
F1			CWBFSA7130	35 %	28 %	26 %	24 %	24 %	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB06691									37 %	28 %	29 %	26 %	27 %	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBFDXB 216692		☑	BB 170161	**98**	**92**	**104**	**105**	**87**	**95**	**92**	**107**	**104**	**93**	**95**	**93**	**85**	**95**	**98**	**76**	**93**	**88**	**107**
F1			CWBFSA9102	35 %	28 %	26 %	24 %	24 %	1.74	-0.2	-0.65	10.9	1.5	-1	1.3	3.3	2.9	0.6	-16.1	-0.2	-1.2	0.6
DXB06692									37 %	28 %	29 %	26 %	27 %	24%	28%	20%	38 %	38 %	38 %	36 %	32 %	25 %
CWBFDXB 216709		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1			CWBFMO13567	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB06709									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 216728		☑	BB 150107	**95**	**119**	**113**	**80**	**103**	**95**	**119**	**96**	**113**	**119**	**120**	**99**	**106**	**86**	**74**	**106**	**89**	**108**	**121**
F1				40 %	28 %	16 %	11 %	18 %	1.71	10.6	-0.25	15.6	19.9	34	-2.4	-0.6	-0.7	-2.4	5.3	-1.0	0.6	2.8
DXB06728									44 %	28 %	25 %	16 %	21 %	11%	24%	11%	42 %	45 %	44 %	42 %	44 %	14 %
CWBFDXB 216735		☑	BB 170164	**108**	**93**	**108**	**100**	**95**	**104**	**93**	**107**	**108**	**94**	**100**	**101**	**92**	**89**	**105**	**89**	**95**	**105**	**102**
F1			CWBFWO17186	41 %	29 %	26 %	23 %	26 %	0.87	0.2	-0.66	12.8	2.2	6	-3.7	1.9	0.3	1.4	-7.0	0.0	0.4	-0.2
DXB06735									44 %	29 %	31 %	26 %	29 %	23%	31%	21%	42 %	46 %	46 %	44 %	45 %	29 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216737 F1 DXB06737		☑	BB 170164 CWBFWO18371	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216738 F1 DXB06738		☑	BB 170164 CWBFWO19257	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216744 F1 DXB06744		☑	BB 170164 CWBFWO19253	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216745 F1 DXB06745		☑	BB 170164 CWBFWO18464	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216749 F1 DXB06749		☑	BB 180078 CWBFWO19094	**87** 29 %	**103** 24 %	**112** 20 %	**94** 15 %	**87** 18 %	**88** 2.39 30 %	**103** 4.2 24 %	**97** -0.27 27 %	**112** 14.9 20 %	**106** 10.3 24 %	**106** 15 15%	**90** 3.2 24%	**86** 3.1 13%	**92** 2.0 33 %	**97** 0.4 31 %	**101** 1.5 30 %	**90** -0.8 28 %	**103** 0.2 27 %	**103** 0.1 17 %
CWBFDXB 216756 F1 DXB06756		☑	BB 170164 CWBFWO17098	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216757 F1 DXB06757		☑	BB 170164 CWBFWO18042	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216761 F1 DXB06761		☑	BB 170147 CWBFCM15424	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216781 F1 DXB06781		☑	BB 170147 CWBFMO14319	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216793 F1 DXB06793		☑	BB 170164 CWBFFE17221	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216794 F1 DXB06794		☑	BB 170164 CWBFFE17744	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216800 F1 DXB06800		☑	BB 150107 CWBFLA12314	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216808 F1 DXB06808		☑	BB 150107 CWBFLA15813	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216812 F1 DXB06812		☑	BB 150107 CWBFLA15609	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216813 F1 DXB06813		☑	BB 150107 CWBFLA70025	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216816 F1 DXB06816		☑	BB 150107 CWBFLA18396	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216818 F1 DXB06818		☑	BB 150107 CWBFLA17383	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216822 F1 DXB06822		☑	BB 150107 CWBFLA18420	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216825 F1 DXB06825		☑	BB 170147 CWBFRR12298	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216831 F1 DXB06831		☑	BB 170164 CWBFWO16422	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216850 F1 DXB06850		☑	BB 170164 CWBFCM14224	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216852 F1 DXB06852		☑	BB 170147 CWBFCM12222	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216875 F1 DXB06875		☑	BB 170147 CWBFOU15132	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216876 F1 DXB06876		☑	BB 170147 CWBFOU15337	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216877 F1 DXB06877		☑	BB 150107 CWBFLA17846	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216878 F1 DXB06878		☑	BB 150107 CWBFLA13753	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216883 F1 DXB06883		☑	BB 150107 CWBFLA17433	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216890 F1 DXB06890		☑	BB 150107 CWBFLA16452	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216898 F1 DXB06898		☑	BB 170147 CWBFCM16141	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216940 F1 DXB06940		☑	BB 170164 CWBFWH17428	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFDXB 216955 F1 DXB06955		☑	BB 170147 CWBFWH17242	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216964 F1 DXB06964		☑	BB 170147 CWBFOU17101	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFDXB 216969 F1 DXB06969		☑	BB 150107 CWBFLA12467	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216970 F1 DXB06970		☑	BB 150107	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216971 F1 DXB06971		☑	BB 150107 CWBFLA17782	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216972 F1 DXB06972		☑	BB 150107 CWBFLA18306	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 216973 F1 DXB06973		☑	BB 150107 CWBFLA15744	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 216975 F1 DXB06975		☑	BB 150107 CWBFLA15131	**95** 40 %	**119** 28 %	**113** 16 %	**80** 11 %	**103** 18 %	**95** 1.71 44 %	**119** 10.6 28 %	**96** -0.25 25 %	**113** 15.6 16 %	**119** 19.9 21 %	**120** 34 11%	**99** -2.4 24%	**106** -0.6 11%	**86** -0.7 42 %	**74** -2.4 45 %	**106** 5.3 44 %	**89** -1.0 42 %	**108** 0.6 44 %	**121** 2.8 14 %
CWBFDXB 218078 F1 DXB08078		☑	BB 170147	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**91** 1.2 42 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFBB 220013 F1 BEYOND BEEF BB220013		☑	BB 200015	**88** 59 %	**103** 24 %	**99** 26 %	**106** 32 %	**112** 19 %	**99** 1.33 66 %	**103** 4.1 24 %	**58** 1.19 31 %	**99** 8.1 26 %	**108** 11.8 21 %	**94** -3 32%	**107** -7.0 27%	**114** -2.1 11%	**103** 6.4 31 %	**96** 0.3 26 %	**93** -4.0 26 %	**102** 1.0 25 %	**103** 0.2 23 %	**109** 1.0 17 %
CWBFBB 220017 F1 BEYOND BEEF BB220017		☑	BB 190185	**106** 55 %	**79** 25 %	**89** 24 %	**125** 22 %	**105** 22 %	**133** -1.93 61 %	**79** -5.7 25 %	**77** 0.49 30 %	**89** 2.8 24 %	**85** -4.3 24 %	**75** -30 22%	**100** -3.1 24%	**109** -1.1 19%	**92** 1.8 29 %	**113** 2.5 24 %	**79** -14.3 25 %	**107** 1.8 25 %	**101** 0.0 25 %	**101** -0.3 23 %
CWBFBB 220023 F1 BEYOND BEEF BB220023		☑	BB 180288	**116** 56 %	**85** 12 %	**92** 11 %	**127** 8 %	**101** 18 %	**116** -0.36 62 %	**85** -3.1 12 %	**83** 0.26 31 %	**92** 4.3 11 %	**89** -1.3 11 %	**73** -32 8 %	**93** 1.2 23%	**107** -0.8 13%	**101** 5.4 27 %	**116** 2.8 15 %	**75** -16.6 15 %	**102** 1.1 14 %	**95** -0.6 15 %	**99** -0.6 12 %
CWBFBB 220038 F1 BEYOND BEEF BB220038		☑	BB 200008	**87** 57 %	**94** 24 %	**92** 23 %	**120** 21 %	**98** 22 %	**99** 1.31 64 %	**94** 0.4 24 %	**49** 1.54 32 %	**92** 4.2 23 %	**99** 6.0 26 %	**80** -23 21%	**89** 3.4 28%	**105** -0.4 16%	**98** 4.3 30 %	**100** 0.7 27 %	**96** -1.7 27 %	**106** 1.7 26 %	**97** -0.4 24 %	**103** 0.0 18 %
CWBFBB 220041 F1 BEYOND BEEF BB220041		☑	BB 190104	**88** 57 %	**109** 24 %	**94** 18 %	**105** 13 %	**102** 22 %	**96** 1.58 63 %	**109** 6.6 24 %	**65** 0.91 32 %	**94** 5.6 18 %	**108** 11.9 24 %	**95** -1 13%	**97** -0.9 28%	**106** -0.6 15%	**105** 7.5 33 %	**112** 2.3 29 %	**98** -0.4 29 %	**90** -0.8 27 %	**121** 1.9 25 %	**104** 0.2 20 %
CWBFBB 220058 PEN BEYOND BEEF BB 220058			BB 170126	**117** 34 %	**90** 28 %	**95** 27 %	**117** 23 %	**107** 26 %	**122** -0.87 34 %	**90** -1.2 28 %	**74** 0.61 34 %	**95** 5.9 27 %	**93** 1.6 30 %	**83** -18 23%	**101** -3.4 31%	**113** -1.8 22%	**97** 3.7 34 %	**109** 2.0 30 %	**72** -19.2 30 %	**101** 0.9 29 %	**102** 0.1 28 %	**110** 1.0 24 %
CWBFBB 220064 F1 BEYOND BEEF BB220064		☑	BB 190142	**70** 57 %	**116** 24 %	**93** 18 %	**101** 15 %	**105** 22 %	**84** 2.77 63 %	**116** 9.3 24 %	**53** 1.40 33 %	**93** 5.3 18 %	**117** 18.4 20 %	**99** 5 15%	**96** -0.4 27%	**112** -1.6 16%	**101** 5.5 31 %	**105** 1.4 26 %	**103** 3.1 26 %	**104** 1.4 25 %	**102** 0.1 24 %	**96** -1.2 20 %
CWBFBB 220102 F2 BEYOND BEEF BB220102		☑ ☑	BB 180275 CWBFBB 200321	**100** 28 %	**100** 19 %	**105** 18 %	**99** 16 %	**89** 18 %	**96** 1.63 30 %	**100** 2.9 19 %	**110** -0.77 22 %	**105** 11.6 18 %	**100** 6.4 20 %	**101** 8 16%	**90** 2.8 22%	**89** 2.5 13%	**101** 5.5 31 %	**109** 2.0 28 %	**103** 2.7 28 %	**106** 1.7 26 %	**104** 0.3 26 %	**94** -1.5 22 %
CWBFBB 220135 F1 BEYOND BEEF BB220135		☑	BB 200027	**85** 56 %	**91** 21 %	**93** 20 %	**123** 18 %	**109** 27 %	**97** 1.55 63 %	**91** -0.6 21 %	**54** 1.33 31 %	**93** 4.8 20 %	**96** 3.3 24 %	**77** -27 18%	**97** -0.8 41%	**117** -2.6 13%	**105** 7.5 35 %	**111** 2.2 25 %	**85** -9.5 25 %	**96** 0.1 24 %	**106** 0.5 22 %	**106** 0.4 17 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 220201 F2 BEYOND BEEF BB220201		☑	☑ BB 170177 ☑ CWBFBB 200056	**86** 34 %	**120** 10 %	**114** 9 %	**75** 10 %	**105** 12 %	**88** 2.37 38 %	**120** 10.9 10 %	**92** -0.08 20 %	**114** 15.9 9 %	**122** 21.8 10 %	**125** 42 10%	**108** -7.7 19%	**103** 0.0 6%	**100** 5.1 36 %	**97** 0.4 41 %	**130** 21.7 41 %	**102** 1.1 38 %	**106** 0.5 11 %	**87** -2.5 8 %
CWBFBB 222001 F2 BEYOND BEEF BB222001		☑	☑ BB 150133 ☑ CWBFBB 150061	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222002 F1 BEYOND BEEF BB222002		☑	☑ BB 150133	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222004 F2 BEYOND BEEF BB222004		☑	☑ BB 150133 ☑ CWBFBB 140060	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**103** 6.7 42 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222006 F2 BEYOND BEEF BB222006		☑	☑ BB 150133 ☑ CWBFBB 170497	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222007 F2 BEYOND BEEF BB222007		☑	☑ BB 150133 ☑ CWBFBB 150145	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222008 F2 BEYOND BEEF BB222008		☑	☑ BB 150133 ☑ CWBFBB 160042	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222009 F1 BEYOND BEEF BB222009		☑	☑ BB 190113	**103** 56 %	**106** 24 %	**95** 18 %	**102** 13 %	**114** 22 %	**109** 0.39 61 %	**106** 5.2 24 %	**69** 0.78 35 %	**95** 6.0 18 %	**105** 9.6 24 %	**98** 4 13%	**105** -6.0 29%	**120** -3.2 16%	**105** 7.4 33 %	**107** 1.7 29 %	**108** 6.7 29 %	**89** -0.9 27 %	**127** 2.5 25 %	**108** 0.7 20 %
CWBFBB 222011 F2 BEYOND BEEF BB222011		☑	☑ BB 150133 ☑ CWBFBB 160046	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222012 F2 BEYOND BEEF BB222012		☑	☑ BB 150133 ☑ CWBFBB 160045	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 222013 F2 BEYOND BEEF BB222013		☑	☑ BB 150133 ☑ CWBFBB 160040	**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFBB 223011 F3 BEYOND BEEF BB223011		☑	☑ BB 180258 ☑ CWBFBB 180225	**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 223012 F3 BEYOND BEEF BB223012		☑ BB 180258 ☑ CWBFBB 190222		**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
CWBFBB 223014 F2 BEYOND BEEF BB223014		☑ BB 180258 ☑ BB 180203		**110** 63 %	**105** 27 %	**90** 21 %	**99** 19 %	**101** 22 %	**107** 0.60 69 %	**105** 5.0 27 %	**117** -1.03 40 %	**90** 3.6 21 %	**102** 8.0 25 %	**101** 7 19%	**101** -3.7 29%	**102** 0.2 14%	**112** 10.3 43 %	**106** 1.5 39 %	**96** -2.0 39 %	**106** 1.8 34 %	**80** -2.0 38 %	**88** -2.4 30 %
CWBFBB 223021 F3 BEYOND BEEF BB223021		☑ BB 180258 ☑ CWBFBB 180172		**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
CWBFBB 223024 F3 BEYOND BEEF BB223024		☑ BB 180100 ☑ CWBFBB 180162		**97** 24 %	**107** 19 %	**101** 16 %	**93** 13 %	**95** 16 %	**94** 1.78 25 %	**107** 5.6 19 %	**115** -0.93 22 %	**101** 9.3 16 %	**106** 10.9 20 %	**107** 17 13%	**97** -1.2 20%	**93** 1.7 13%	**99** 4.8 31 %	**114** 2.6 25 %	**86** -9.4 24 %	**96** 0.2 22 %	**95** -0.6 23 %	**94** -1.4 19 %
CWBFBB 223035 2 F3 BEYOND BEEF BB223035		☑ BB 180258 ☑ BB 190226		**106** 61 %	**98** 28 %	**89** 22 %	**110** 18 %	**89** 21 %	**102** 1.07 67 %	**98** 2.3 28 %	**112** -0.83 37 %	**89** 3.0 22 %	**96** 3.4 26 %	**90** -8 18%	**90** 3.2 27%	**90** 2.4 15%	**113** 10.6 42 %	**100** 0.9 37 %	**92** -5.2 37 %	**104** 1.3 32 %	**88** -1.2 35 %	**103** 0.0 29 %
CWBFBB 223040 F3 BEYOND BEEF BB223040		☑ BB 180258 ☑ CWBFBB 180152		**84** 42 %	**107** 25 %	**104** 19 %	**95** 16 %	**84** 18 %	**85** 2.69 45 %	**107** 5.6 25 %	**100** -0.37 28 %	**104** 11.1 19 %	**107** 11.2 21 %	**105** 13 16%	**86** 5.3 24%	**84** 3.5 13%	**102** 6.2 34 %	**100** 0.8 34 %	**99** 0.1 34 %	**105** 1.6 29 %	**88** -1.3 33 %	**95** -1.2 28 %
CWBFBB 223049 F3 BEYOND BEEF BB223049		☑ BB 150133 ☑ CWBFBB 170439		**90** 32 %	**113** 13 %	**109** 12 %	**89** 9 %	**108** 14 %	**89** 2.25 34 %	**113** 8.0 13 %	**99** -0.35 22 %	**109** 13.5 12 %	**112** 14.9 18 %	**111** 22 9 %	**107** -7.1 19%	**108** -1.0 10%	**100** 5.2 39 %	**88** -0.7 36 %	**103** 3.2 36 %	**88** -1.1 32 %	**124** 2.2 32 %	**120** 2.7 19 %
CWBFDXB 228290 F1 DXB08290		☑ BB 180280		**91** 20 %	**102** 16 %	**112** 14 %	**93** 13 %	**86** 14 %	**90** 2.15 20 %	**102** 3.7 16 %	**101** -0.43 19 %	**112** 15.0 14 %	**104** 9.1 17 %	**107** 16 13%	**91** 2.2 17%	**83** 3.6 11%	**95** 3.0 27 %	**103** 1.2 16 %	**104** 3.9 17 %	**107** 1.8 16 %	**100** -0.1 17 %	**94** -1.5 13 %
CWBFDXB 228545 F1 DXB08545		☑ BB 180281		**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFDXB 228577 F1 DXB08577		☑ BB 180280		**91** 20 %	**102** 16 %	**112** 14 %	**93** 13 %	**86** 14 %	**90** 2.15 20 %	**102** 3.7 16 %	**101** -0.43 19 %	**112** 15.0 14 %	**104** 9.1 17 %	**107** 16 13%	**91** 2.2 17%	**83** 3.6 11%	**95** 3.0 27 %	**103** 1.2 16 %	**104** 3.9 17 %	**107** 1.8 16 %	**100** -0.1 17 %	**94** -1.5 13 %
CWBFDXB 228584 F1 DXB08584		☑ BB 180280		**91** 20 %	**102** 16 %	**112** 14 %	**93** 13 %	**86** 14 %	**90** 2.15 20 %	**102** 3.7 16 %	**101** -0.43 19 %	**112** 15.0 14 %	**104** 9.1 17 %	**107** 16 13%	**91** 2.2 17%	**83** 3.6 11%	**95** 3.0 27 %	**103** 1.2 16 %	**104** 3.9 17 %	**107** 1.8 16 %	**100** -0.1 17 %	**94** -1.5 13 %
CWBFDXB 228627 F1 DXB08627		☑ BB 180281		**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 228688		☑	BB 180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08688									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 228799		☑	BB 170177	**86**	**120**	**114**	**75**	**105**	**88**	**120**	**92**	**114**	**122**	**125**	**108**	**103**	**100**	**97**	**130**	**102**	**106**	**87**
F1				34 %	10 %	9 %	10 %	12 %	2.37	10.9	-0.08	15.9	21.8	42	-7.7	0.0	5.1	0.4	21.7	1.1	0.5	-2.5
DXB08799									38 %	10 %	20 %	9 %	10 %	10%	19%	6%	36 %	41 %	41 %	38 %	11 %	8 %
CWBFDXB 228834		☑	BB 180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08834									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 228844		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08844									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 228856		☑	BB 180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08856									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 228873		☑	BB 180100	**97**	**107**	**101**	**93**	**95**	**94**	**107**	**115**	**101**	**106**	**107**	**97**	**93**	**99**	**114**	**86**	**96**	**95**	**94**
F1				24 %	19 %	16 %	13 %	16 %	1.78	5.6	-0.93	9.3	10.9	17	-1.2	1.7	4.8	2.6	-9.4	0.2	-0.6	-1.4
DXB08873									25 %	19 %	22 %	16 %	20 %	13%	20%	13%	31 %	25 %	24 %	22 %	23 %	19 %
CWBFDXB 228876		☑	BB 180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08876									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 228884		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08884									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 228896		☑	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08896									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 228903		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08903									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 228952		☑	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB08952									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 228969		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB08969									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 228978		☑ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB08978									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 229042		☑ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB09042									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 229082		☑ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB09082									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 229097		☑ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB09097									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 229124		☑ BB	180040	**85**	**117**	**113**	**82**	**113**	**86**	**117**	**99**	**113**	**119**	**118**	**118**	**109**	**106**	**90**	**104**	**107**	**94**	**97**
F1				31 %	14 %	12 %	12 %	12 %	2.60	9.7	-0.35	15.5	19.6	32	-13.1	-1.2	7.9	-0.5	3.4	1.8	-0.6	-1.0
DXB09124									34 %	14 %	20 %	12 %	18 %	12%	17%	7%	30 %	23 %	22 %	20 %	20 %	16 %
CWBFDXB 229188		☑ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB09188									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 229189		☑ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB09189									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 229190		☑ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB09190									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 229192		☑ BB	180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F1				30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
DXB09192									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFDXB 229202		☑ BB	180280	**91**	**102**	**112**	**93**	**86**	**90**	**102**	**101**	**112**	**104**	**107**	**91**	**83**	**95**	**103**	**104**	**107**	**100**	**94**
F1				20 %	16 %	14 %	13 %	14 %	2.15	3.7	-0.43	15.0	9.1	16	2.2	3.6	3.0	1.2	3.9	1.8	-0.1	-1.5
DXB09202									20 %	16 %	19 %	14 %	17 %	13%	17%	11%	27 %	16 %	17 %	16 %	17 %	13 %
CWBFDXB 229246		☑ BB	170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09246									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 229383		☑ BB	180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09383									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 229384		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09384									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229388		☑	BB 180040	**85**	**117**	**113**	**82**	**113**	**86**	**117**	**99**	**113**	**119**	**118**	**118**	**109**	**106**	**90**	**104**	**107**	**94**	**97**
F1				31 %	14 %	12 %	12 %	12 %	2.60	9.7	-0.35	15.5	19.6	32	-13.1	-1.2	7.9	-0.5	3.4	1.8	-0.6	-1.0
DXB09388									34 %	14 %	20 %	12 %	18 %	12%	17%	7%	30 %	23 %	22 %	20 %	20 %	16 %
CWBFDXB 229411			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09411									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 229417		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09417									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 229434		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09434									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 229435		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09435									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229439		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09439									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229441		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09441									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229443		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09443									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229448		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09448									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229456		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09456									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229479		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09479									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 229481		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09481									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229486		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09486									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229496		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09496									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229504		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F1				36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
DXB09504									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFDXB 229523		☑	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**113**	**95**	**87**	**118**	**98**	**105**	**98**
F1				26 %	18 %	17 %	16 %	16 %	2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09523									26 %	18 %	25 %	17 %	22 %	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBFDXB 229541		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09541									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229549		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09549									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229550		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB09550									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229552		☑	SWK 190060	**82**	**106**	**106**	**91**	**100**	**81**	**106**	**112**	**106**	**107**	**109**	**98**	**101**	**92**	**112**	**110**	**107**	**109**	**94**
F1				44 %	44 %	27 %	21 %	22 %	3.04	5.4	-0.82	11.8	11.0	19	-1.7	0.3	1.9	2.3	8.2	1.9	0.7	-1.4
DXB9552									47 %	44 %	33 %	27 %	39 %	21%	30%	15%	36 %	35 %	36 %	33 %	35 %	30 %
CWBFDXB 229557		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09557									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229574		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1				28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09574									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229575		☑	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**84**	**108**	**92**	**98**	**101**	**97**	**107**
F1				40 %	27 %	19 %	16 %	19 %	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
DXB09575									44 %	27 %	26 %	19 %	22 %	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 229576		☑	BB 180275	**100**	**100**	**105**	**99**	**89**	**96**	**100**	**110**	**105**	**100**	**101**	**90**	**89**	**101**	**109**	**103**	**106**	**104**	**94**
F1			CWBFWO17193	28 %	19 %	18 %	16 %	18 %	1.63	2.9	-0.77	11.6	6.4	8	2.8	2.5	5.5	2.0	2.7	1.7	0.3	-1.5
DXB09576									30 %	19 %	22 %	18 %	20 %	16%	22%	13%	31 %	28 %	28 %	26 %	26 %	22 %
CWBFDXB 229577		☑	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**84**	**108**	**92**	**98**	**101**	**97**	**107**
F1			CWBFWO16202	40 %	27 %	19 %	16 %	19 %	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
DXB09577									44 %	27 %	26 %	19 %	22 %	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBFDXB 229580		☑	BB 180266	**93**	**105**	**106**	**93**	**84**	**91**	**105**	**104**	**106**	**107**	**107**	**86**	**84**	**108**	**92**	**98**	**101**	**97**	**107**
F1				40 %	27 %	19 %	16 %	19 %	2.09	5.0	-0.53	11.7	11.3	17	5.4	3.5	8.4	-0.3	-0.5	0.9	-0.4	0.6
DXB09580									44 %	27 %	26 %	19 %	22 %	16%	25%	13%	32 %	27 %	27 %	25 %	24 %	20 %
CWBFDXB 229585		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09585									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229586		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09586									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229587		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09587									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229588		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09588									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229589		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09589									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229590		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09590									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229592		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09592									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229593		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09593									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229594		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09594									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 229595		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09595									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229597		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09597									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229598		☑	BB 170173	**82**	**114**			**118**	**85**	**114**	**90**		**118**		**120**	**116**	**94**	**83**	**86**	**105**	**89**	**109**
F1				23 %	12 %			12 %	2.70	8.5	0.01		19.1		-14.3	-2.5	2.6	-1.3	-8.8	1.6	-1.1	1.0
DXB09598									24 %	12 %	19 %		18 %		16%	7%	36 %	37 %	37 %	33 %	15 %	7 %
CWBFDXB 229602		☑	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**109**	**95**	**92**	**112**	**101**	**96**	**93**
F1				20 %	11 %	7 %	6 %	10 %	2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09602									21 %	11 %	17 %	7 %	12 %	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBFDXB 229603		☑	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**109**	**95**	**92**	**112**	**101**	**96**	**93**
F1				20 %	11 %	7 %	6 %	10 %	2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09603									21 %	11 %	17 %	7 %	12 %	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBFDXB 229607		☑	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**113**	**95**	**87**	**118**	**98**	**105**	**98**
F1				26 %	18 %	17 %	16 %	16 %	2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09607									26 %	18 %	25 %	17 %	22 %	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBFDXB 229610		☑	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**109**	**95**	**92**	**112**	**101**	**96**	**93**
F1				20 %	11 %	7 %	6 %	10 %	2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09610									21 %	11 %	17 %	7 %	12 %	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBFDXB 229615		☑	BB 170100	**79**	**119**	**115**		**108**	**83**	**119**	**88**	**115**	**122**		**113**	**104**	**97**	**91**	**109**	**104**	**94**	**94**
F1				23 %	6 %	5 %		12 %	2.88	10.5	0.06	16.5	21.8		-10.4	-0.2	3.8	-0.3	6.9	1.4	-0.7	-1.4
DXB09615									24 %	6 %	21 %	5 %	11 %		17%	7%	32 %	34 %	34 %	30 %	22 %	9 %
CWBFDXB 229618		☑	BB 170109	**82**	**119**	**114**	**78**	**111**	**85**	**119**	**91**	**114**	**122**	**122**	**111**	**109**	**95**	**92**	**112**	**101**	**96**	**93**
F1				20 %	11 %	7 %	6 %	10 %	2.68	10.6	-0.04	16.2	21.7	38	-9.4	-1.2	3.1	-0.2	9.1	0.9	-0.4	-1.6
DXB09618									21 %	11 %	17 %	7 %	12 %	6 %	15%	6%	29 %	24 %	23 %	20 %	12 %	8 %
CWBFDXB 229621		☑	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**113**	**95**	**87**	**118**	**98**	**105**	**98**
F1				26 %	18 %	17 %	16 %	16 %	2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09621									26 %	18 %	25 %	17 %	22 %	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBFDXB 229623		☑	BB 170034	**84**	**112**	**116**	**86**	**115**	**88**	**112**	**89**	**116**	**117**	**114**	**115**	**113**	**95**	**87**	**118**	**98**	**105**	**98**
F1				26 %	18 %	17 %	16 %	16 %	2.44	7.9	0.03	17.0	18.1	27	-11.9	-1.8	3.0	-0.9	13.2	0.4	0.4	-0.8
DXB09623									26 %	18 %	25 %	17 %	22 %	16%	22%	10%	32 %	30 %	30 %	28 %	27 %	19 %
CWBFDXB 229624		☑	BB 170165	**89**	**117**	**113**	**77**	**110**	**90**	**117**	**92**	**113**	**120**	**123**	**111**	**109**	**95**	**82**	**103**	**104**	**86**	**101**
F1				34 %	14 %	12 %	10 %	15 %	2.16	9.9	-0.08	15.6	20.3	40	-9.2	-1.1	3.1	-1.5	3.1	1.4	-1.4	-0.3
DXB09624									37 %	14 %	22 %	12 %	16 %	10%	22%	8%	34 %	27 %	26 %	23 %	25 %	12 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 229625 F1 DXB09625		☑ BB 180300		**95** 27 %	**108** 21 %	**105** 21 %	**93** 20 %	**89** 18 %	**92** 2.05 27 %	**108** 6.2 21 %	**111** -0.79 26 %	**105** 11.5 21 %	**109** 12.9 22 %	**107** 16 20%	**92** 1.7 23%	**88** 2.6 13%	**91** 1.3 32 %	**86** -1.0 24 %	**119** 13.9 24 %	**105** 1.5 23 %	**124** 2.2 21 %	**117** 2.3 16 %
CWBFDXB 229627 F1 DXB09627		☑ BB 180022		**88** 28 %	**116** 13 %	**114** 13 %	**82** 11 %	**116** 12 %	**90** 2.21 29 %	**116** 9.2 13 %	**93** -0.12 22 %	**114** 16.1 13 %	**118** 19.0 14 %	**118** 33 11%	**122** -15.5 18%	**111** -1.5 7%	**111** 9.9 29 %	**90** -0.5 19 %	**104** 3.4 19 %	**103** 1.2 17 %	**103** 0.2 18 %	**101** -0.3 14 %
CWBFDXB 229628 F1 DXB09628		☑ BB 180022		**88** 28 %	**116** 13 %	**114** 13 %	**82** 11 %	**116** 12 %	**90** 2.21 29 %	**116** 9.2 13 %	**93** -0.12 22 %	**114** 16.1 13 %	**118** 19.0 14 %	**118** 33 11%	**122** -15.5 18%	**111** -1.5 7%	**111** 9.9 29 %	**90** -0.5 19 %	**104** 3.4 19 %	**103** 1.2 17 %	**103** 0.2 18 %	**101** -0.3 14 %
CWBFDXB 229656 F1 DXB09656		☑ BB 180069		**83** 16 %	**105** 11 %	**116** 10 %	**90** 10 %	**108** 8 %	**89** 2.33 16 %	**105** 5.1 11 %	**80** 0.35 15 %	**116** 17.5 10 %	**112** 14.9 14 %	**110** 21 10%	**107** -6.9 12%	**107** -0.8 5%	**87** -0.3 25 %	**100** 0.8 18 %	**99** 0.4 18 %	**102** 1.0 16 %	**92** -0.9 17 %	**89** -2.2 11 %
CWBFDXB 229674 F1 DXB09674		☑ BB 180275		**100** 28 %	**100** 19 %	**105** 18 %	**99** 16 %	**89** 18 %	**96** 1.63 30 %	**100** 2.9 19 %	**110** -0.77 22 %	**105** 11.6 18 %	**100** 6.4 20 %	**101** 8 16%	**90** 2.8 22%	**89** 2.5 13%	**101** 5.5 31 %	**109** 2.0 28 %	**103** 2.7 28 %	**106** 1.7 26 %	**104** 0.3 26 %	**94** -1.5 22 %
CWBFDXB 229680 F1 DXB09680		☑ BB 170173		**82** 23 %	**114** 12 %			**118** 12 %	**85** 2.70 24 %	**114** 8.5 12 %	**90** 0.01 19 %		**118** 19.1 18 %		**120** -14.3 16%	**116** -2.5 7%	**94** 2.6 36 %	**83** -1.3 37 %	**86** -8.8 37 %	**105** 1.6 33 %	**89** -1.1 15 %	**109** 1.0 7 %
CWBFBB 230040 9 FB BEYOND BEEF BB23-0040		☑ BB 180289 ☑ BB 180263		**122** 58 %	**83** 22 %	**76** 20 %	**125** 17 %	**77** 24 %	**123** -1.04 64 %	**83** -3.8 22 %	**123** -1.26 33 %	**76** -3.7 20 %	**77** -9.7 22 %	**75** -29 17%	**81** 8.5 30%	**78** 4.5 17%	**124** 15.5 40 %	**118** 3.1 23 %	**89** -7.1 24 %	**115** 3.1 23 %	**100** -0.1 24 %	**100** -0.4 19 %
CWBFBB 230050 F1 BEYOND BEEF BB23-0050		☑ BB 180281		**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**107** 8.1 32 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 230052 F1 BEYOND BEEF BB23-0052		☑ BB 170089		**81** 36 %	**120** 14 %	**113** 9 %	**80** 10 %	**104** 16 %	**84** 2.80 39 %	**120** 11.0 14 %	**93** -0.12 22 %	**113** 15.8 9 %	**122** 22.1 15 %	**120** 36 10%	**106** -6.2 22%	**102** 0.1 9%	**105** 7.5 32 %	**88** -0.7 20 %	**102** 1.9 20 %	**103** 1.2 18 %	**94** -0.6 16 %	**99** -0.6 12 %
CWBFBB 230110 F2 BEYOND BEEF BB23-0110		☑ BB 190102 ☑ CWBFBB 180074		**79** 40 %	**115** 25 %	**112** 18 %	**82** 13 %	**86** 20 %	**80** 3.13 43 %	**115** 9.2 25 %	**98** -0.30 28 %	**112** 15.2 18 %	**113** 15.3 24 %	**118** 31 13%	**91** 2.3 26%	**83** 3.5 14%	**102** 5.9 37 %	**92** -0.3 28 %	**121** 15.4 28 %	**91** -0.6 26 %	**117** 1.5 24 %	**105** 0.3 20 %
CWBFBB 232001 F2 BEYOND BEEF BB232001		☑ BB 180287 ☑ CWBFBB 160165		**102** 23 %	**97** 12 %	**109** 11 %	**99** 8 %	**87** 13 %	**99** 1.29 24 %	**97** 1.7 12 %	**117** -1.02 20 %	**109** 13.6 11 %	**98** 5.2 11 %	**101** 8 8 %	**91** 2.5 17%	**86** 3.0 9%	**110** 9.3 30 %	**102** 1.0 15 %	**94** -3.6 15 %	**97** 0.4 14 %	**104** 0.3 15 %	**104** 0.1 12 %
CWBFBB 232009 F2 BEYOND BEEF F2 23-0009		☑ BB 190053 ☑ CWBFBB 160138		**91** 32 %	**103** 21 %	**101** 20 %	**98** 20 %	**91** 18 %	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27 %	**101** 9.3 20 %	**105** 9.8 22 %	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**103** 6.7 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 232010 F2 BEYOND BEEF F2 23-0010		☑	BB 190053 CWBFBB 140060	**91** 32 %	**103** 21 %	**101** 20 %	**98** 20 %	**91** 18 %	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27 %	**101** 9.3 20 %	**105** 9.8 22 %	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**103** 6.7 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
CWBFBB 232011 F2 BEYOND BEEF F2 23-0011		☑	BB 180281 CWBFBB 150061	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.8 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 232019 F2 BEYOND BEEF F2 23-0019		☑	BB 180262 CWBFBB 160170	**103** 28 %	**98** 12 %	**110** 11 %	**98** 8 %	**86** 13 %	**100** 1.20 30 %	**98** 2.0 12 %	**117** -1.03 20 %	**110** 14.0 11 %	**99** 5.8 11 %	**102** 9 8 %	**90** 2.8 17%	**84** 3.4 9%	**108** 8.6 31 %	**102** 1.0 15 %	**96** -1.8 15 %	**97** 0.3 14 %	**109** 0.7 15 %	**105** 0.4 12 %
CWBFBB 233003 F3 BEYOND BEEF F3 23-0003		☑	BB 180281 CWBFBB 190238	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.8 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 233005 F3 BEYOND BEEF F3 23-0005		☑	BB 200004 CWBFBB 180171	**102** 37 %	**91** 24 %	**109** 23 %	**103** 21 %	**93** 20 %	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27 %	**109** 13.4 23 %	**94** 2.4 26 %	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.4 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBFBB 233006 F3 BEYOND BEEF F3 23-0006		☑	BB 190053 CWBFBB 180235	**91** 32 %	**103** 21 %	**101** 20 %	**98** 20 %	**91** 18 %	**90** 2.23 33 %	**103** 4.0 21 %	**102** -0.46 27 %	**101** 9.3 20 %	**105** 9.8 22 %	**102** 10 20%	**91** 2.3 23%	**92** 2.0 14%	**103** 6.4 35 %	**99** 0.6 26 %	**95** -2.7 26 %	**97** 0.3 25 %	**114** 1.3 24 %	**115** 1.9 18 %
CWBFBB 233007 F3 BEYOND BEEF F3 23-0007		☑	BB 180281 CWBFBB 180138	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.5 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 233008 F3 BEYOND BEEF F3 23-0008		☑	BB 200004 CWBFBB 170411	**102** 37 %	**91** 24 %	**109** 23 %	**103** 21 %	**93** 20 %	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27 %	**109** 13.4 23 %	**94** 2.4 26 %	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.4 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBFBB 233009 F3 BEYOND BEEF F3 23-0009		☑	BB 180281 CWBFBB 190227	**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.5 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 233011 PBD BEYOND BEEF BB233011		☑	BB 180287 CWBFBB 190305	**102** 23 %	**97** 12 %	**109** 11 %	**99** 8 %	**87** 13 %	**99** 1.29 24 %	**97** 1.7 12 %	**117** -1.02 20 %	**109** 13.6 11 %	**98** 5.2 11 %	**101** 8 8 %	**91** 2.5 17%	**86** 3.0 9%	**110** 9.3 30 %	**102** 1.0 15 %	**94** -3.6 15 %	**97** 0.4 14 %	**104** 0.3 15 %	**104** 0.1 12 %
CWBFBB 233012 F3 BEYOND BEEF F3 23-0012		☑	BB 170147 CWBFBB 180180	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**92** 1.9 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFBB 233015 F3 BEYOND BEEF F3 23-0015		☑	BB 170147 CWBFBB 170428	**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**92** 1.9 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %

CWB Cows

Inbreeding >6% is high | <75 | 75 - 125 | >125 | Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 233016			BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**108**	**102**	**96**	**97**	**109**	**105**
F2			CWBFBB 180211	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.6	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0016									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 233017			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**100**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 180172	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	5.4	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF F3 23-0017									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	34 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 233018			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**108**	**94**	**104**	**99**	**117**	**114**
F3			CWBFBB 180207	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.5	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F3 23-0018									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBFBB 233023			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**93**	**88**	**105**	**99**	**102**	**107**
F3			CWBFBB 190220	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	2.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F3 23-0023									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %
CWBFBB 233025	2		BB 200004	**124**	**84**	**98**	**110**	**103**	**125**	**84**	**111**	**98**	**85**	**90**	**101**	**104**	**103**	**81**	**101**	**90**	**110**	**124**
F3			BB 190224	60 %	26 %	24 %	22 %	22 %	-1.15	-3.6	-0.81	7.4	-4.4	-9	-3.4	-0.3	6.7	-1.6	1.2	-0.8	0.9	3.4
BEYOND BEEF F3 23-0025									66 %	26 %	36 %	24 %	28 %	22%	27%	16%	42 %	38 %	38 %	34 %	34 %	26 %
CWBFBB 233026			BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**107**	**102**	**96**	**97**	**109**	**105**
F3			CWBFBB 190288	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.3	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0026									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 233028			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**108**	**94**	**104**	**99**	**117**	**114**
F3			CWBFBB 200173	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.8	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F3 23-0028									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBFBB 233040			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**108**	**94**	**104**	**99**	**117**	**114**
F3			CWBFBB 190257	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.8	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F3 23-0040									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %
CWBFBB 233044			BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**107**	**102**	**96**	**97**	**109**	**105**
F3			CWBFBB 190215	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.3	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0044									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 233050			BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**107**	**102**	**96**	**97**	**109**	**105**
F3			CWBFBB 180209	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	8.3	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF F3 23-0050									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	31 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 233051			BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**92**	**88**	**105**	**99**	**102**	**107**
F3			CWBFBB 180175	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.9	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF F3 23-0051									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	44 %	45 %	45 %	43 %	45 %	28 %
CWBFBB 233059			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**108**	**94**	**104**	**99**	**117**	**114**
F3			CWBFBB 190219	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.8	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF F3 23-0059									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	34 %	29 %	29 %	25 %	29 %	23 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 233060 F3 BEYOND BEEF F3 23-0060		☑ BB 170147 ☑ CWBFBB 180210		**92** 36 %	**100** 28 %	**110** 26 %	**96** 23 %	**98** 26 %	**91** 2.10 38 %	**100** 2.9 28 %	**101** -0.41 30 %	**110** 13.8 26 %	**102** 8.1 28 %	**104** 12 23%	**106** -6.6 30%	**93** 1.7 21%	**92** 1.9 44 %	**88** -0.7 45 %	**105** 4.0 45 %	**99** 0.7 43 %	**102** 0.1 45 %	**107** 0.7 28 %
CWBFBB 233062 F3 BEYOND BEEF F3 23-0062		☑ BB 180281 ☑ CWBFBB 190260		**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.8 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 233069 F1 BEYOND BEEF F3 23-0069		☑ BB 180287		**102** 23 %	**97** 12 %	**109** 11 %	**99** 8 %	**87** 13 %	**99** 1.29 24 %	**97** 1.7 12 %	**117** -1.02 20 %	**109** 13.6 11 %	**98** 5.2 11 %	**101** 8 8 %	**91** 2.5 17%	**86** 3.0 9%	**108** 8.5 28 %	**102** 1.0 15 %	**94** -3.6 15 %	**97** 0.4 14 %	**104** 0.3 15 %	**104** 0.1 12 %
CWBFBB 233070 F3 BEYOND BEEF F3 23-0070		☑ BB 200004 ☑ CWBFBB 180113		**102** 37 %	**91** 24 %	**109** 23 %	**103** 21 %	**93** 20 %	**100** 1.26 39 %	**91** -0.6 24 %	**102** -0.46 27 %	**109** 13.4 23 %	**94** 2.4 26 %	**97** 2 21%	**94** 0.7 25%	**93** 1.8 15%	**100** 5.4 34 %	**93** -0.1 31 %	**103** 2.9 31 %	**94** -0.1 29 %	**104** 0.3 29 %	**107** 0.6 23 %
CWBFBB 233072 F3 BEYOND BEEF F3 23-0072		☑ BB 180281 ☑ CWBFBB 190222		**108** 30 %	**98** 17 %	**108** 13 %	**96** 10 %	**81** 16 %	**106** 0.66 32 %	**98** 2.1 17 %	**119** -1.10 24 %	**108** 12.9 13 %	**99** 5.8 13 %	**104** 12 10%	**84** 6.2 21%	**80** 4.1 11%	**108** 8.5 34 %	**94** 0.1 29 %	**104** 3.6 29 %	**99** 0.6 25 %	**117** 1.5 29 %	**114** 1.7 23 %
CWBFBB 233073 1 F3 BEYOND BEEF F3 23-0073	1	☑ BB 180281 ☑ BB 180143		**115** 55 %	**100** 44 %	**95** 23 %	**99** 11 %	**89** 18 %	**128** -1.49 61 %	**100** 2.9 44 %	**126** -1.36 30 %	**95** 6.0 23 %	**98** 4.8 17 %	**101** 7 11%	**86** 5.2 24%	**93** 1.8 12%	**113** 10.9 43 %	**89** -0.5 37 %	**101** 1.2 37 %	**97** 0.3 33 %	**117** 1.6 36 %	**124** 3.3 24 %
CWBFBB 240018 4 FB BEYOND BEEF BB240018	4	☑ BB 170164 ☑ BB 210020		**126** 64 %	**95** 33 %	**79** 28 %	**114** 25 %	**102** 30 %	**123** -0.98 70 %	**95** 0.8 33 %	**112** -0.83 39 %	**79** -2.6 28 %	**85** -4.4 32 %	**86** -14 25%	**105** -5.6 38%	**101** 0.3 23%	**111** 10.1 48 %	**112** 2.3 49 %	**83** -11.4 49 %	**91** -0.6 47 %	**110** 0.9 47 %	**109** 1.0 31 %
CWBFBB 240034 13 FB BEYOND BEEF BB240034	13	☑ BB 180266 ☑ BB 210038		**105** 60 %	**104** 30 %	**88** 21 %	**103** 18 %	**83** 21 %	**101** 1.16 67 %	**104** 4.6 30 %	**108** -0.69 33 %	**88** 2.6 21 %	**102** 7.8 25 %	**97** 1 18%	**82** 7.5 27%	**85** 3.2 15%	**123** 15.0 39 %	**99** 0.7 32 %	**91** -5.5 32 %	**107** 1.8 29 %	**88** -1.2 29 %	**104** 0.2 24 %
CWBFBB 240051 PEN BEYOND BEEF BB240051		BB 190120		**109** 54 %	**106** 10 %	**95** 8 %	**96** 7 %	**123** 14 %	**126** -1.32 61 %	**106** 5.4 10 %	**62** 1.06 26 %	**95** 6.3 8 %	**112** 15.0 12 %	**104** 12 7 %	**116** -12.0 21%	**127** -4.3 7%	**99** 4.8 26 %	**104** 1.2 14 %	**94** -3.2 14 %	**117** 3.4 13 %	**91** -1.0 11 %	**92** -1.8 8 %
CWBFBB 240053 4 FB BEYOND BEEF BB240053	4	☑ BB 180258 ☑ BB 200005		**124** 65 %	**82** 35 %	**75** 30 %	**132** 27 %	**90** 29 %	**118** -0.55 71 %	**82** -4.4 35 %	**103** -0.48 43 %	**75** -4.4 30 %	**76** -10.1 34 %	**68** -39 27%	**81** 8.0 37%	**97** 1.0 21%	**119** 13.2 46 %	**121** 3.4 44 %	**82** -11.8 44 %	**103** 1.3 39 %	**96** -0.5 41 %	**100** -0.4 34 %
CWBFBB 240054 7 FB BEYOND BEEF BB240054	7	☑ BB 180258 ☑ BB 210051		**118** 65 %	**95** 34 %	**70** 28 %	**119** 26 %	**93** 28 %	**113** -0.06 71 %	**95** 0.8 34 %	**116** -1.00 41 %	**70** -6.9 28 %	**87** -3.0 32 %	**81** -20 26%	**85** 5.8 37%	**100** 0.6 20%	**120** 13.6 46 %	**123** 3.7 43 %	**90** -6.5 42 %	**113** 2.8 38 %	**86** -1.4 41 %	**92** -1.7 35 %
CWBFBB 240060 2 PBD BEYOND BEEF BB240060	2	☑ BB 190100 ☑ BB 200053		**61** 60 %	**133** 27 %	**90** 20 %	**84** 18 %	**103** 23 %	**64** 4.76 67 %	**133** 16.4 27 %	**97** -0.27 33 %	**90** 3.6 20 %	**123** 22.3 24 %	**116** 29 18%	**107** -7.0 30%	**100** 0.5 16%	**117** 12.5 40 %	**97** 0.4 32 %	**100** 0.6 32 %	**99** 0.6 30 %	**92** -0.8 28 %	**96** -1.1 23 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Parentage: Genomic DNA / Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																					
CWBFBB 240066 FB BEYOND BEEF BB240066	1	BB 190100 / BB 180324	**105** 54 %	**108** 26 %	**91** 20 %	**95** 17 %	**95** 22 %	**102** 1.06 59 %	**108** 6.3 26 %	**103** -0.51 33 %	**91** 3.8 20 %	**104** 9.2 25 %	**105** 13 17%	**91** 2.1 29%	**98** 0.9 14%	**118** 13.1 39 %	**112** 2.3 30 %	**111** 8.3 30 %	**104** 1.4 28 %	**108** 0.6 27 %	**93** -1.6 23 %
CWBFBB 240071 F3 BEYOND BEEF BB240071		BB 190102 / CWBFBB 210021	**79** 40 %	**115** 25 %	**112** 18 %	**82** 13 %	**86** 20 %	**80** 3.13 43 %	**115** 9.2 25 %	**98** -0.30 28 %	**112** 15.2 18 %	**113** 15.3 24 %	**118** 31 13%	**91** 2.3 26%	**83** 3.5 14%	**98** 4.5 34 %	**92** -0.3 28 %	**121** 15.4 28 %	**91** -0.6 26 %	**117** 1.5 24 %	**105** 0.3 20 %
CWBFBB 240072 FB BEYOND BEEF BB240072	5	BB 170164 / BB 190159	**123** 65 %	**85** 38 %	**74** 35 %	**121** 31 %	**105** 35 %	**124** -1.06 70 %	**85** -3.0 38 %	**118** -1.06 45 %	**74** -5.2 35 %	**77** -9.9 40 %	**79** -24 31%	**101** -3.3 43%	**110** -1.3 27%	**105** 7.1 54 %	**125** 4.0 55 %	**76** -16.5 54 %	**93** -0.2 52 %	**113** 1.1 53 %	**107** 0.6 37 %
CWBFBB 240078 FB BEYOND BEEF BB240078	3	BB 190102 / BB 180260	**115** 64 %	**104** 29 %	**78** 22 %	**110** 17 %	**93** 28 %	**113** -0.02 69 %	**104** 4.5 29 %	**126** -1.34 43 %	**78** -2.8 22 %	**94** 1.9 28 %	**90** -7 17%	**91** 2.6 36%	**96** 1.3 20%	**123** 15.2 44 %	**104** 1.4 33 %	**109** 7.4 33 %	**101** 1.0 31 %	**114** 1.3 30 %	**108** 0.8 25 %
CWBFBB 240080 FB BEYOND BEEF BB240080	1	BB 200022 / BB 180270	**116** 64 %	**84** 31 %	**80** 27 %	**127** 24 %	**90** 26 %	**114** -0.15 70 %	**84** -3.4 31 %	**92** -0.08 40 %	**80** -1.6 27 %	**80** -7.3 30 %	**73** -32 24%	**85** 6.0 33%	**96** 1.3 18%	**119** 13.2 42 %	**111** 2.2 41 %	**97** -1.5 41 %	**103** 1.2 36 %	**92** -0.9 38 %	**97** -0.9 31 %
CWBFBB 240084 F2 BEYOND BEEF BB240084		BB 170164 / CWBFBB 180014	**108** 41 %	**93** 29 %	**108** 26 %	**100** 23 %	**95** 26 %	**104** 0.87 44 %	**93** 0.2 29 %	**107** -0.66 31 %	**108** 12.8 26 %	**94** 2.2 29 %	**100** 6 23%	**101** -3.7 31%	**92** 1.9 21%	**89** 0.3 42 %	**105** 1.4 46 %	**89** -7.0 46 %	**95** 0.0 44 %	**105** 0.4 45 %	**102** -0.2 29 %
CWBFBB 240090 FB BEYOND BEEF BB240090	13	BB 190100 / BB 190127	**95** 61 %	**126** 32 %	**96** 22 %	**78** 17 %	**85** 26 %	**93** 1.96 67 %	**126** 13.3 32 %	**104** -0.55 37 %	**96** 6.6 22 %	**115** 16.6 28 %	**122** 38 17%	**86** 5.3 34%	**86** 3.0 18%	**118** 12.9 43 %	**95** 0.2 36 %	**122** 16.2 36 %	**86** -1.3 34 %	**124** 2.2 32 %	**107** 0.7 26 %
CWBFBB 240092 FB BEYOND BEEF BB240092	4	BB 180266 / BB 170090	**124** 63 %	**93** 35 %	**74** 26 %	**120** 21 %	**93** 28 %	**118** -0.54 69 %	**93** 0.0 35 %	**116** -0.98 40 %	**74** -4.9 26 %	**87** -2.7 34 %	**80** -22 21%	**96** -0.6 36%	**92** 2.0 19%	**125** 16.0 46 %	**95** 0.1 39 %	**82** -11.8 39 %	**99** 0.7 37 %	**96** -0.5 34 %	**118** 2.4 26 %
CWBFBB 240093 FB BEYOND BEEF BB240093	4	BB 180266 / BB 190107	**112** 64 %	**114** 36 %	**77** 26 %	**99** 21 %	**83** 29 %	**107** 0.60 70 %	**114** 8.5 36 %	**111** -0.79 41 %	**77** -3.3 26 %	**104** 8.9 32 %	**101** 8 21%	**82** 7.5 38%	**86** 3.1 20%	**131** 18.4 46 %	**103** 1.2 39 %	**110** 7.5 39 %	**99** 0.6 36 %	**114** 1.2 34 %	**108** 0.8 28 %
CWBFBB 240103 FB BEYOND BEEF BB240103	7	BB 180266 / BB 170033	**120** 65 %	**103** 36 %	**73** 28 %	**111** 23 %	**96** 30 %	**116** -0.28 71 %	**103** 4.3 36 %	**117** -1.04 44 %	**73** -5.4 28 %	**98** 5.1 32 %	**89** -9 23%	**96** -0.3 37%	**98** 0.8 22%	**125** 16.0 47 %	**96** 0.3 40 %	**64** -24.9 40 %	**109** 2.1 38 %	**71** -2.9 36 %	**111** 1.3 29 %
CWBFBB 240136 FB BEYOND BEEF BB240136	3	BB 190102 / BB 180251	**106** 64 %	**115** 31 %	**73** 24 %	**99** 19 %	**94** 28 %	**104** 0.84 69 %	**115** 8.9 31 %	**119** -1.09 43 %	**73** -5.4 24 %	**104** 8.9 31 %	**101** 8 19%	**94** 0.7 36%	**96** 1.2 20%	**118** 12.8 45 %	**111** 2.3 36 %	**104** 3.4 36 %	**97** 0.3 34 %	**111** 1.0 33 %	**104** 0.1 27 %
CWBFBB 240165 FB BEYOND BEEF BB240165	13	BB 200007 / BB 200018	**99** 60 %	**81** 31 %	**92** 30 %	**121** 28 %	**95** 26 %	**100** 1.19 66 %	**81** -4.5 31 %	**89** 0.02 38 %	**92** 4.5 30 %	**83** -5.5 33 %	**79** -23 28%	**83** 6.7 34%	**104** -0.3 18%	**117** 12.7 39 %	**103** 1.2 37 %	**96** -2.2 37 %	**100** 0.8 35 %	**100** -0.1 33 %	**104** 0.1 24 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 240201		☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**88**	**94**	**95**	**111**	**93**	**110**	**101**
F2		☑	CWBFBB 140060	28 %	20 %	19 %	18 %	16 %	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240201									30 %	20 %	21 %	19 %	22 %	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBFBB 240207		☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F2		☑	CWBFBB 170272	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240207									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBFBB 240209		☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F2		☑	CWBFBB 160096	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240209									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBFBB 240211		☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F2		☑	CWBFBB 160162	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240211									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBFBB 240217		☑	BB 180262	**103**	**98**	**110**	**98**	**86**	**100**	**98**	**117**	**110**	**99**	**102**	**90**	**84**	**106**	**102**	**96**	**97**	**109**	**105**
F2		☑	CWBFBB 183046	28 %	12 %	11 %	8 %	13 %	1.20	2.0	-1.03	14.0	5.8	9	2.8	3.4	7.9	1.0	-1.8	0.3	0.7	0.4
BEYOND BEEF BB240217									30 %	12 %	20 %	11 %	11 %	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 240218		☑	BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F2		☑	CWBFBB 183032	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240218									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBFBB 240221		☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**88**	**94**	**95**	**111**	**93**	**110**	**101**
F2		☑	CWBFBB 160138	28 %	20 %	19 %	18 %	16 %	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240221									30 %	20 %	21 %	19 %	22 %	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %
CWBFBB 240222		☑	BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F3		☑	CWBFBB 180210	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240222									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFBB 240223		☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3		☑	CWBFBB 190219	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240223									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240227		☑	BB 170147	**92**	**100**	**110**	**96**	**98**	**91**	**100**	**101**	**110**	**102**	**104**	**106**	**93**	**91**	**88**	**105**	**99**	**102**	**107**
F2		☑	CWBFBB 160046	36 %	28 %	26 %	23 %	26 %	2.10	2.9	-0.41	13.8	8.1	12	-6.6	1.7	1.2	-0.7	4.0	0.7	0.1	0.7
BEYOND BEEF BB240227									38 %	28 %	30 %	26 %	28 %	23%	30%	21%	42 %	45 %	45 %	43 %	45 %	28 %
CWBFBB 240230		☑	BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F2		☑	CWBFBB 160170	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240230									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240302		☑	BB 200007	**81**	**94**	**123**	**91**	**88**	**84**	**94**	**92**	**123**	**101**	**109**	**90**	**88**	**94**	**95**	**111**	**93**	**110**	**101**
F3		☑	CWBFBB 190238	28 %	20 %	19 %	18 %	16 %	2.79	0.6	-0.09	21.0	7.2	20	2.9	2.7	2.8	0.2	8.4	-0.4	0.9	-0.3
BEYOND BEEF BB240302									30 %	20 %	21 %	19 %	22 %	18%	21%	10%	26 %	25 %	25 %	23 %	23 %	15 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 240308			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 180133	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240308									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240312			BB 220044	**95**	**94**	**106**	**106**	**104**	**103**	**94**	**63**	**106**	**103**	**94**	**100**	**106**	**88**	**101**	**96**	**104**	**99**	**99**
F1				18 %	14 %	13 %	12 %	13 %	0.91	0.6	1.01	12.1	8.2	-3	-3.0	-0.6	0.1	1.0	-2.4	1.4	-0.2	-0.6
BEYOND BEEF BB240312									19 %	14 %	15 %	13 %	14 %	12%	15%	11%	23 %	23 %	22 %	21 %	22 %	14 %
CWBFBB 240332			BB 180287	**102**	**97**	**109**	**99**	**87**	**99**	**97**	**117**	**109**	**98**	**101**	**91**	**86**	**108**	**102**	**94**	**97**	**104**	**104**
F2			CWBFBB 160040	23 %	12 %	11 %	8 %	13 %	1.29	1.7	-1.02	13.6	5.2	8	2.5	3.0	8.5	1.0	-3.6	0.4	0.3	0.1
BEYOND BEEF BB240332									24 %	12 %	20 %	11 %	11 %	8 %	17%	9%	28 %	15 %	15 %	14 %	15 %	12 %
CWBFBB 240335			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 180225	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240335									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240352			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 170439	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240352									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240365			BB 180281	**108**	**98**	**108**	**96**	**81**	**106**	**98**	**119**	**108**	**99**	**104**	**84**	**80**	**107**	**94**	**104**	**99**	**117**	**114**
F3			CWBFBB 200185	30 %	17 %	13 %	10 %	16 %	0.66	2.1	-1.10	12.9	5.8	12	6.2	4.1	8.1	0.1	3.6	0.6	1.5	1.7
BEYOND BEEF BB240365									32 %	17 %	24 %	13 %	13 %	10%	21%	11%	32 %	29 %	29 %	25 %	29 %	23 %
CWBFBB 240369			BB 200004	**102**	**91**	**109**	**103**	**93**	**100**	**91**	**102**	**109**	**94**	**97**	**94**	**93**	**99**	**93**	**103**	**94**	**104**	**107**
F3			CWBFBB 190220	37 %	24 %	23 %	21 %	20 %	1.26	-0.6	-0.46	13.4	2.4	2	0.7	1.8	4.9	-0.1	2.9	-0.1	0.3	0.6
BEYOND BEEF BB240369									39 %	24 %	27 %	23 %	26 %	21%	25%	15%	32 %	31 %	31 %	29 %	29 %	23 %
CWBFBB 240373			BB 190112	**80**	**118**	**110**	**82**	**86**	**81**	**118**	**98**	**110**	**113**	**118**	**90**	**85**	**103**	**91**	**111**	**92**	**114**	**107**
F3			CWBFBB 180172	33 %	25 %	18 %	13 %	20 %	3.06	10.1	-0.31	13.9	15.6	33	3.1	3.2	6.6	-0.4	8.8	-0.4	1.2	0.7
BEYOND BEEF BB240373									35 %	25 %	27 %	18 %	24 %	13%	27%	14%	33 %	29 %	28 %	27 %	25 %	20 %
CWBFBB 250004	3		BB 190112	**103**	**115**	**80**	**100**	**95**	**101**	**115**	**102**	**80**	**104**	**100**	**91**	**98**	**131**	**101**	**97**	**98**	**88**	**97**
F1			BB 170020	48 %	35 %	26 %	20 %	28 %	1.18	8.8	-0.44	-1.9	9.3	6	2.2	0.8	18.4	0.9	-1.7	0.4	-1.3	-0.9
BEYOND BEEF BB250004									49 %	35 %	44 %	26 %	32 %	20%	37%	20%	46 %	40 %	40 %	38 %	36 %	28 %
CWBFBB 250015	2		BB 180266	**112**	**100**	**75**	**117**	**94**	**109**	**100**	**119**	**75**	**94**	**83**	**89**	**99**	**132**	**105**	**80**	**94**	**119**	**124**
F1			BB 170012	52 %	35 %	29 %	20 %	27 %	0.39	2.9	-1.09	-4.8	2.2	-18	3.4	0.6	19.0	1.5	-13.4	-0.1	1.7	3.4
BEYOND BEEF BB250015									54 %	35 %	42 %	29 %	30 %	20%	35%	19%	46 %	36 %	36 %	33 %	30 %	23 %
CWBFBB 250016	9		BB 180266	**122**	**100**	**79**	**115**	**89**	**116**	**100**	**113**	**79**	**93**	**85**	**85**	**93**	**124**	**100**	**74**	**101**	**91**	**115**
F1			BB 180038	53 %	35 %	25 %	20 %	28 %	-0.32	2.7	-0.89	-2.3	1.2	-15	6.0	1.8	15.5	0.8	-17.3	1.0	-0.9	1.9
BEYOND BEEF BB250016									56 %	35 %	42 %	25 %	31 %	20%	36%	20%	46 %	40 %	40 %	38 %	32 %	24 %
CWBFBB 250017	25		BB 180258	**90**	**107**	**87**	**106**	**83**	**90**	**107**	**99**	**87**	**103**	**94**	**82**	**85**	**118**	**108**	**92**	**111**	**79**	**93**
F1			BB 210085	48 %	28 %	21 %	18 %	21 %	2.19	5.8	-0.35	2.1	8.6	-2	7.4	3.2	12.7	1.8	-5.0	2.5	-2.1	-1.6
BEYOND BEEF BB250017									51 %	28 %	35 %	21 %	24 %	18%	27%	15%	40 %	38 %	38 %	32 %	37 %	31 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 250021 F1 BEYOND BEEF BB250021		☑	BB 200022 BB 170197	**117** 51 %	**74** 34 %	**81** 33 %	**133** 30 %	**88** 32 %	**127** -1.36 54 %	**74** -7.6 34 %	**91** -0.06 40 %	**81** -1.5 33 %	**70** -14.8 37 %	**67** -41 30%	**93** 1.4 38%	**86** 3.0 25%	**118** 12.7 44 %	**118** 3.1 44 %	**95** -2.6 44 %	**107** 1.9 40 %	**103** 0.2 42 %	**95** -1.2 35 %
CWBFBB 250023 F1 BEYOND BEEF BB250023	27	☑	BB 190087 BB 160203	**92** 51 %	**93** 35 %	**76** 34 %	**122** 31 %	**106** 30 %	**94** 1.81 52 %	**93** 0.3 35 %	**90** -0.02 46 %	**76** -4.2 34 %	**93** 1.2 34 %	**78** -25 31%	**97** -0.9 37%	**113** -1.8 23%	**113** 10.8 47 %	**92** -0.2 40 %	**90** -6.4 40 %	**111** 2.5 38 %	**69** -3.1 38 %	**97** -0.9 31 %
CWBFBB 250032 F1 BEYOND BEEF BB250032	8	☑	BB 190102 BB 170166	**115** 52 %	**106** 37 %	**83** 32 %	**108** 27 %	**91** 34 %	**111** 0.20 54 %	**106** 5.3 37 %	**114** -0.92 43 %	**83** -0.1 32 %	**96** 3.3 36 %	**92** -5 27%	**92** 1.8 41%	**93** 1.8 26%	**116** 12.3 48 %	**108** 1.8 42 %	**95** -2.4 42 %	**91** -0.5 41 %	**121** 1.9 39 %	**113** 1.6 32 %
CWBFBB 250041 F1 BEYOND BEEF BB250041	3	☑	BB 180258 BB 190105	**95** 49 %	**119** 32 %	**76** 23 %	**101** 19 %	**82** 26 %	**93** 1.92 52 %	**119** 10.6 32 %	**103** -0.48 37 %	**76** -4.2 23 %	**107** 11.3 26 %	**99** 5 19%	**84** 6.6 34%	**84** 3.3 18%	**121** 14.3 44 %	**109** 2.0 42 %	**104** 3.3 42 %	**97** 0.4 37 %	**103** 0.2 40 %	**99** -0.6 34 %
CWBFBB 250048 F1 BEYOND BEEF BB250048	4	☑	BB 190094 BB 180251	**99** 40 %	**103** 28 %	**80** 25 %	**100** 23 %	**102** 26 %	**98** 1.44 40 %	**103** 4.1 28 %	**119** -1.11 39 %	**80** -1.7 25 %	**98** 5.2 30 %	**100** 6 23%	**96** -0.6 33%	**106** -0.6 20%	**114** 11.4 40 %	**118** 3.1 32 %	**94** -3.5 32 %	**99** 0.6 31 %	**103** 0.2 31 %	**99** -0.6 27 %
CWBFBB 250056 F1 BEYOND BEEF BB250056	4	☑	BB 180258 BB 190042	**115** 53 %	**99** 33 %	**74** 28 %	**122** 25 %	**87** 29 %	**109** 0.38 55 %	**99** 2.5 33 %	**109** -0.72 43 %	**74** -5.2 28 %	**90** -0.7 33 %	**78** -25 25%	**83** 7.3 37%	**93** 1.7 21%	**126** 16.4 47 %	**111** 2.1 44 %	**92** -4.8 43 %	**107** 1.8 38 %	**108** 0.7 41 %	**112** 1.5 33 %
CWBFBB 250057 F1 BEYOND BEEF BB250057	3	☑	BB 180281 BB 190104	**119** 45 %	**106** 29 %	**81** 22 %	**106** 16 %	**85** 27 %	**117** -0.42 46 %	**106** 5.4 29 %	**126** -1.38 40 %	**81** -1.2 22 %	**95** 3.0 27 %	**94** -2 16%	**87** 4.5 35%	**87** 2.9 19%	**134** 19.6 46 %	**107** 1.7 41 %	**102** 2.5 41 %	**88** -1.1 37 %	**137** 3.5 38 %	**122** 3.1 30 %
CWBFBB 250064 F1 BEYOND BEEF BB250064	1	☑	BB 200007 BB 220133	**108** 39 %	**91** 24 %	**89** 23 %	**114** 21 %	**92** 22 %	**104** 0.88 42 %	**91** -0.6 24 %	**107** -0.66 27 %	**89** 2.7 23 %	**89** -1.5 26 %	**86** -14 21%	**88** 4.2 30%	**96** 1.3 13%	**116** 12.2 35 %	**121** 3.4 32 %	**97** -1.4 32 %	**101** 1.0 29 %	**108** 0.7 30 %	**95** -1.2 22 %
CWBFBB 250067 F1 BEYOND BEEF BB250067	7	☑	BB 180281 BB 170184	**107** 47 %	**79** 32 %	**74** 30 %	**129** 26 %	**82** 32 %	**136** -2.25 48 %	**79** -5.5 32 %	**125** -1.32 44 %	**74** -5.2 30 %	**72** -12.9 32 %	**71** -35 26%	**85** 6.0 39%	**83** 3.7 25%	**125** 15.8 47 %	**112** 2.4 42 %	**85** -10.0 42 %	**106** 1.8 39 %	**114** 1.3 41 %	**113** 1.6 34 %
CWBFBB 250068 F1 BEYOND BEEF BB250068	1	☑	BB 200022 BB 180270	**119** 51 %	**79** 31 %	**81** 27 %	**127** 24 %	**90** 26 %	**125** -1.20 54 %	**79** -5.4 31 %	**93** -0.13 40 %	**81** -1.4 27 %	**76** -10.1 30 %	**73** -32 24%	**85** 6.0 33%	**96** 1.3 18%	**119** 13.2 42 %	**111** 2.2 41 %	**97** -1.5 41 %	**103** 1.2 36 %	**92** -0.9 38 %	**97** -0.9 31 %
CWBFBB 250070 F1 BEYOND BEEF BB250070	2	☑	BB 190102 BB 170052	**115** 47 %	**98** 28 %	**81** 21 %	**110** 16 %	**84** 25 %	**109** 0.35 49 %	**98** 2.2 28 %	**110** -0.75 37 %	**81** -1.6 21 %	**91** -0.2 26 %	**90** -9 16%	**89** 3.8 33%	**83** 3.6 17%	**126** 16.3 43 %	**104** 1.3 35 %	**107** 5.5 35 %	**102** 1.0 32 %	**95** -0.6 31 %	**98** -0.8 25 %
CWBFBB 250073 F1 BEYOND BEEF BB250073	6	☑	BB 180275 BB 200017	**122** 46 %	**79** 31 %	**74** 29 %	**131** 27 %	**100** 29 %	**125** -1.23 48 %	**79** -5.4 31 %	**114** -0.91 40 %	**74** -4.9 29 %	**73** -12.3 33 %	**69** -38 27%	**96** -0.8 36%	**103** 0.0 22%	**122** 14.4 43 %	**126** 4.1 40 %	**92** -5.1 40 %	**105** 1.6 37 %	**112** 1.0 37 %	**99** -0.7 30 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 250076	4	☑	BB 180259	**117**	**90**	**76**	**119**	**94**	**112**	**90**	**115**	**76**	**82**	**81**	**89**	**99**	**124**	**117**	**92**	**102**	**115**	**109**
F1			BB 190101	45 %	29 %	27 %	24 %	27 %	0.02	-1.2	-0.96	-4.3	-6.5	-21	3.8	0.6	15.7	2.9	-4.7	1.1	1.4	1.0
BEYOND BEEF BB250076									46 %	29 %	39 %	27 %	32 %	24%	34%	20%	43 %	34 %	34 %	33 %	32 %	27 %
CWBFBB 250079	7	☑	BB 180266	**124**	**92**	**72**	**116**	**92**	**122**	**92**	**121**	**72**	**86**	**84**	**85**	**100**	**125**	**114**	**89**	**109**	**96**	**104**
F1			BB 210051	53 %	35 %	28 %	26 %	28 %	-0.94	-0.4	-1.17	-6.2	-3.6	-17	5.9	0.6	15.8	2.6	-7.0	2.1	-0.5	0.1
BEYOND BEEF BB250079									57 %	35 %	39 %	28 %	32 %	26%	37%	20%	44 %	37 %	37 %	35 %	34 %	30 %
CWBFBB 250081	5	☑	BB 180266	**112**	**107**	**70**	**112**	**79**	**112**	**107**	**131**	**70**	**102**	**88**	**80**	**81**	**127**	**92**	**103**	**117**	**113**	**123**
F1			BB 180296	50 %	34 %	28 %	26 %	28 %	0.03	5.9	-1.56	-7.2	7.5	-12	8.8	3.9	16.6	-0.2	2.9	3.3	1.2	3.2
BEYOND BEEF BB250081									53 %	34 %	40 %	28 %	32 %	26%	36%	20%	45 %	36 %	36 %	34 %	32 %	25 %
CWBFBB 250085	7	☑	BB 200045	**120**	**71**	**82**	**127**	**92**	**127**	**71**	**112**	**82**	**71**	**73**	**87**	**97**	**127**	**111**	**96**	**104**	**98**	**100**
F1			BB 220050	39 %	24 %	23 %	21 %	22 %	-1.43	-8.8	-0.85	-0.6	-13.8	-32	4.8	1.0	16.7	2.2	-1.8	1.5	-0.3	-0.5
BEYOND BEEF BB250085									41 %	24 %	31 %	23 %	26 %	21%	31%	14%	35 %	30 %	30 %	28 %	26 %	20 %
CWBFBB 250086	6	☑	BB 180258	**108**	**96**	**67**	**119**	**96**	**103**	**96**	**108**	**67**	**88**	**81**	**89**	**103**	**118**	**124**	**88**	**109**	**77**	**88**
F1			BB 210062	54 %	34 %	29 %	26 %	28 %	0.90	1.4	-0.68	-8.6	-2.0	-21	3.7	0.0	13.1	3.8	-7.6	2.2	-2.3	-2.4
BEYOND BEEF BB250086									57 %	34 %	41 %	29 %	32 %	26%	37%	20%	46 %	43 %	43 %	38 %	41 %	36 %
CWBFBB 250087	7	☑	BB 180258	**113**	**105**	**72**	**113**	**97**	**108**	**105**	**113**	**72**	**98**	**87**	**96**	**98**	**120**	**105**	**64**	**113**	**62**	**99**
F1			BB 170033	55 %	34 %	28 %	23 %	29 %	0.43	5.1	-0.87	-6.1	5.2	-13	-0.5	0.8	13.7	1.4	-24.4	2.8	-3.8	-0.6
BEYOND BEEF BB250087									57 %	34 %	45 %	28 %	31 %	23%	36%	22%	48 %	45 %	45 %	41 %	42 %	34 %
CWBFBB 250088	15	☑	BB 190089	**103**	**96**	**70**	**117**	**111**	**99**	**96**	**106**	**70**	**87**	**83**	**96**	**122**	**112**	**115**	**103**	**96**	**108**	**105**
F1			BB 210032	51 %	33 %	33 %	30 %	30 %	1.32	1.5	-0.62	-7.1	-2.4	-19	-0.6	-3.5	10.5	2.7	2.9	0.2	0.6	0.3
BEYOND BEEF BB250088									54 %	33 %	41 %	33 %	34 %	30%	38%	21%	45 %	40 %	40 %	38 %	38 %	33 %
CWBFBB 250101	8	☑	BB 180258	**101**	**107**	**76**	**112**	**82**	**100**	**107**	**95**	**76**	**99**	**88**	**80**	**87**	**127**	**93**	**89**	**110**	**82**	**106**
F1			BB 180087	53 %	36 %	31 %	27 %	31 %	1.20	5.8	-0.21	-3.9	5.4	-10	9.0	2.9	16.6	-0.1	-6.8	2.3	-1.8	0.5
BEYOND BEEF BB250101									56 %	36 %	43 %	31 %	34 %	27%	38%	24%	48 %	45 %	45 %	40 %	42 %	34 %
CWBFBB 250104	1	☑	BB 200022	**124**	**81**	**79**	**122**	**97**	**124**	**81**	**104**	**79**	**78**	**78**	**91**	**103**	**122**	**108**	**95**	**95**	**102**	**108**
F1			BB 220040	49 %	27 %	24 %	22 %	22 %	-1.11	-4.7	-0.55	-2.4	-9.1	-25	2.2	0.0	14.6	1.8	-2.8	0.0	0.1	0.7
BEYOND BEEF BB250104									54 %	27 %	30 %	24 %	27 %	22%	30%	14%	38 %	37 %	37 %	32 %	35 %	29 %
CWBFBB 250108	2	☑	BB 180258	**109**	**93**	**78**	**120**	**84**	**108**	**93**	**93**	**78**	**89**	**80**	**71**	**95**	**127**	**109**	**97**	**103**	**93**	**99**
F1			BB 210068	53 %	33 %	28 %	25 %	27 %	0.48	0.3	-0.14	-3.1	-1.5	-22	13.7	1.4	16.6	1.9	-1.7	1.3	-0.8	-0.6
BEYOND BEEF BB250108									57 %	33 %	39 %	28 %	32 %	25%	36%	18%	45 %	43 %	43 %	38 %	40 %	32 %
CWBFBB 250109	1	☑	BB 190089	**110**	**91**	**78**	**125**	**107**	**107**	**91**	**101**	**78**	**82**	**75**	**99**	**112**	**119**	**122**	**84**	**96**	**101**	**102**
F1			BB 170132	51 %	36 %	35 %	32 %	34 %	0.60	-0.9	-0.43	-3.2	-6.0	-29	-2.4	-1.7	13.2	3.6	-10.6	0.1	0.0	-0.2
BEYOND BEEF BB250109									53 %	36 %	45 %	35 %	38 %	32%	40%	27%	47 %	43 %	43 %	41 %	42 %	36 %
CWBFBB 250110	1	☑	BB 200045	**121**	**78**	**81**	**127**	**98**	**127**	**78**	**113**	**81**	**74**	**73**	**96**	**101**	**123**	**109**	**75**	**100**	**99**	**112**
F1			BB 170126	43 %	35 %	34 %	30 %	32 %	-1.39	-5.9	-0.86	-1.4	-11.7	-32	-0.5	0.4	15.1	2.0	-16.9	0.7	-0.2	1.4
BEYOND BEEF BB250110									43 %	35 %	42 %	34 %	38 %	30%	38%	25%	44 %	39 %	39 %	38 %	36 %	29 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 250116 F1 BEYOND BEEF BB250116	9	☑	BB 180289 / BB 210055	**119** 44 %	**82** 30 %	**74** 29 %	**122** 26 %	**90** 28 %	**127** -1.38 47 %	**82** -4.3 30 %	**118** -1.04 34 %	**74** -5.3 29 %	**75** -11.2 31 %	**78** -25 26%	**84** 6.6 35%	**97** 1.0 21%	**124** 15.6 41 %	**123** 3.7 32 %	**98** -0.6 33 %	**100** 0.7 32 %	**104** 0.2 32 %	**96** -1.0 28 %
CWBFBB 250117 F1 BEYOND BEEF BB250117	3	☑	BB 190102 / BB 180260	**115** 52 %	**104** 29 %	**78** 22 %	**110** 17 %	**93** 28 %	**113** -0.05 54 %	**104** 4.4 29 %	**126** -1.34 43 %	**78** -2.8 22 %	**93** 1.8 28 %	**90** -7 17%	**91** 2.6 36%	**96** 1.3 20%	**123** 15.2 44 %	**104** 1.4 33 %	**109** 7.4 33 %	**101** 1.0 31 %	**114** 1.3 30 %	**108** 0.8 25 %
CWBFBB 250121 F1 BEYOND BEEF BB250121	1	☑	BB 190089 / BB 200053	**90** 51 %	**111** 30 %	**73** 28 %	**108** 27 %	**109** 27 %	**90** 2.18 54 %	**111** 7.2 30 %	**98** -0.32 39 %	**73** -5.5 28 %	**101** 6.9 30 %	**92** -5 27%	**104** -5.0 34%	**113** -1.8 20%	**117** 12.6 43 %	**105** 1.5 39 %	**85** -9.5 38 %	**105** 1.5 36 %	**76** -2.4 36 %	**95** -1.2 30 %
CWBFBB 250135 F1 BEYOND BEEF BB250135	1	☑	BB 180275 / BB 170003	**109** 42 %	**100** 26 %	**80** 26 %	**115** 22 %	**91** 26 %	**107** 0.55 43 %	**100** 3.0 26 %	**96** -0.24 39 %	**80** -1.8 26 %	**94** 2.4 30 %	**85** -15 22%	**84** 6.6 34%	**98** 1.0 19%	**123** 15.2 44 %	**112** 2.3 37 %	**95** -2.6 37 %	**101** 1.0 34 %	**108** 0.7 31 %	**103** -0.1 25 %
CWBFBB 250138 F1 BEYOND BEEF BB250138	4	☑	BB 180262 / BB 220003	**123** 41 %	**91** 27 %	**77** 25 %	**119** 22 %	**92** 26 %	**120** -0.74 43 %	**91** -0.8 27 %	**127** -1.40 35 %	**77** -3.4 25 %	**82** -6.2 30 %	**81** -21 22%	**88** 4.3 34%	**97** 1.0 18%	**124** 15.5 43 %	**117** 3.0 33 %	**81** -12.4 33 %	**97** 0.4 31 %	**112** 1.0 31 %	**113** 1.5 26 %
CWBFBB 250141 F1 BEYOND BEEF BB250141	6	☑	BB 180275 / BB 200068	**119** 42 %	**101** 25 %	**74** 23 %	**115** 21 %	**100** 25 %	**115** -0.18 45 %	**101** 3.5 25 %	**118** -1.05 32 %	**74** -4.8 23 %	**93** 1.7 25 %	**85** -16 21%	**97** -1.1 32%	**103** -0.1 18%	**121** 14.2 41 %	**118** 3.1 36 %	**77** -15.2 36 %	**111** 2.5 33 %	**88** -1.3 32 %	**96** -1.0 27 %
CWBFBB 250142 F1 BEYOND BEEF BB250142	4	☑	BB 180262 / BB 220110	**121** 42 %	**85** 27 %	**76** 25 %	**123** 22 %	**89** 26 %	**123** -1.02 43 %	**85** -3.0 27 %	**128** -1.43 36 %	**76** -4.1 25 %	**77** -9.5 30 %	**77** -26 22%	**83** 6.9 34%	**95** 1.5 18%	**126** 16.4 43 %	**121** 3.4 33 %	**91** -5.6 33 %	**96** 0.2 31 %	**118** 1.6 30 %	**109** 1.0 26 %
CWBFBB 250143 F1 BEYOND BEEF BB250143	4	☑	BB 180266 / BB 200005	**127** 54 %	**82** 36 %	**76** 30 %	**129** 27 %	**89** 29 %	**122** -0.88 57 %	**82** -4.5 36 %	**106** -0.63 41 %	**76** -3.8 30 %	**78** -9.3 34 %	**71** -35 27%	**81** 8.1 37%	**97** 1.1 21%	**124** 15.4 44 %	**112** 2.3 38 %	**81** -12.3 38 %	**99** 0.6 36 %	**105** 0.4 35 %	**112** 1.4 28 %
CWBFBB 250144 F1 BEYOND BEEF BB250144	4	☑	BB 190102 / BB 170048	**106** 50 %	**104** 29 %	**87** 22 %	**106** 15 %	**94** 26 %	**104** 0.88 52 %	**104** 4.5 29 %	**99** -0.35 42 %	**87** 1.7 22 %	**94** 2.0 30 %	**94** -3 15%	**98** -1.9 34%	**93** 1.7 19%	**127** 16.6 44 %	**98** 0.5 35 %	**108** 6.5 35 %	**87** -1.2 33 %	**121** 1.9 31 %	**116** 2.1 24 %
CWBFBB 250152 F1 BEYOND BEEF BB250152	5	☑	BB 180258 / BB 200018	**110** 55 %	**91** 35 %	**74** 30 %	**125** 26 %	**91** 28 %	**107** 0.51 58 %	**91** -0.7 35 %	**97** -0.29 42 %	**74** -5.3 30 %	**87** -3.0 32 %	**75** -30 26%	**79** 9.1 36%	**100** 0.5 20%	**125** 16.0 46 %	**108** 1.8 44 %	**84** -10.5 44 %	**113** 2.7 39 %	**77** -2.2 41 %	**98** -0.8 33 %
CWBFBB 250159 F1 BEYOND BEEF BB250159		☑	BB 200022 / BB 170168	**110** 53 %	**72** 34 %	**83** 32 %	**132** 29 %	**100** 32 %	**134** -2.02 55 %	**72** -8.3 34 %	**94** -0.16 43 %	**83** -0.3 32 %	**69** -15.5 36 %	**68** -40 29%	**97** -1.3 38%	**102** 0.1 25%	**116** 11.8 45 %	**111** 2.2 45 %	**87** -8.5 45 %	**96** 0.1 41 %	**98** -0.3 43 %	**104** 0.1 36 %
CWBFBB 250160 F1 BEYOND BEEF BB250160	5	☑	BB 190112 / BB 170046	**115** 45 %	**101** 28 %	**84** 21 %	**110** 16 %	**87** 28 %	**111** 0.20 46 %	**101** 3.5 28 %	**104** -0.52 42 %	**84** 0.1 21 %	**90** -0.8 30 %	**90** -8 16%	**87** 4.6 36%	**90** 2.4 19%	**132** 18.8 43 %	**103** 1.1 33 %	**100** 1.0 33 %	**92** -0.4 32 %	**113** 1.2 29 %	**110** 1.2 23 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 250164	**4**	☑	BB 190112	**105**	**111**	**84**	**102**	**84**	**101**	**111**	**106**	**84**	**101**	**98**	**88**	**83**	**126**	**108**	**102**	**108**	**103**	**98**
F1			BB 180276	44 %	29 %	23 %	18 %	25 %	1.11	7.5	-0.62	0.0	6.9	3	4.1	3.6	16.4	1.9	2.0	1.9	0.2	-0.8
BEYOND BEEF BB250164									45 %	29 %	40 %	23 %	29 %	18%	32%	18%	43 %	35 %	35 %	33 %	33 %	26 %
CWBFBB 250184	**5**	☑	BB 190102	**90**	**116**	**90**	**97**	**89**	**93**	**116**	**87**	**90**	**107**	**103**	**81**	**96**	**131**	**92**	**122**	**85**	**122**	**111**
F1			BB 170001	53 %	31 %	26 %	21 %	28 %	1.89	9.5	0.11	3.6	11.5	11	8.3	1.2	18.5	-0.2	16.2	-1.5	2.0	1.3
BEYOND BEEF BB250184									55 %	31 %	44 %	26 %	33 %	21%	37%	20%	46 %	38 %	37 %	35 %	30 %	24 %
CWBFBB 250185		☑	BB 200022	**107**	**85**	**95**	**114**	**95**	**107**	**85**	**91**	**95**	**85**	**86**	**90**	**99**	**110**	**101**	**106**	**96**	**97**	**100**
F1			BB 220126	42 %	23 %	23 %	21 %	18 %	0.56	-3.3	-0.06	5.9	-4.3	-14	3.2	0.6	9.5	1.0	4.7	0.1	-0.4	-0.5
BEYOND BEEF BB250185									46 %	23 %	26 %	23 %	24 %	21%	23%	13%	35 %	36 %	35 %	30 %	34 %	28 %
CWBFBB 250186		☑	BB 180258	**106**	**105**	**84**	**110**	**104**	**104**	**105**	**97**	**84**	**102**	**90**	**106**	**104**	**126**	**100**	**83**	**99**	**96**	**112**
F1			BB 200044	50 %	31 %	26 %	23 %	24 %	0.83	5.1	-0.26	0.1	8.1	-8	-6.3	-0.2	16.2	0.8	-11.5	0.7	-0.5	1.4
BEYOND BEEF BB250186									53 %	31 %	40 %	26 %	27 %	23%	31%	16%	44 %	40 %	40 %	35 %	38 %	31 %
CWBFBB 250197	**2**	☑	BB 180266	**107**	**117**	**77**	**99**	**95**	**104**	**117**	**104**	**77**	**109**	**101**	**91**	**99**	**130**	**99**	**88**	**107**	**90**	**105**
F1			BB 210028	50 %	31 %	23 %	20 %	25 %	0.89	9.9	-0.52	-3.6	12.9	8	2.5	0.6	18.1	0.6	-7.6	1.9	-1.0	0.3
BEYOND BEEF BB250197									55 %	31 %	33 %	23 %	28 %	20%	34%	16%	42 %	33 %	33 %	31 %	29 %	24 %
CWBFBB 250199	**4**	☑	BB 190112	**98**	**117**	**83**	**97**	**82**	**96**	**117**	**102**	**83**	**105**	**103**	**85**	**82**	**129**	**113**	**105**	**106**	**107**	**95**
F1			BB 180252	43 %	29 %	23 %	18 %	27 %	1.62	9.9	-0.46	-0.2	10.1	10	5.7	3.7	17.6	2.5	4.2	1.7	0.6	-1.2
BEYOND BEEF BB250199									44 %	29 %	38 %	23 %	29 %	18%	35%	19%	43 %	33 %	33 %	32 %	30 %	24 %
CWBFBB 254001		☑	BB 180259	**107**	**95**	**102**	**104**	**90**	**107**	**95**	**88**	**102**	**98**	**96**	**91**	**91**	**112**	**110**	**98**	**115**	**94**	**90**
F1			BB 223001	25 %	16 %	14 %	13 %	14 %	0.53	1.0	0.05	9.9	5.0	0	2.3	2.2	10.5	2.0	-0.4	3.0	-0.6	-2.1
BEYOND BEEF BB254001									26 %	16 %	19 %	14 %	17 %	13%	17%	11%	30 %	16 %	17 %	16 %	17 %	13 %
CWBFBB 254002	**2**	☑	BB 190050	**104**	**107**	**90**	**105**	**89**	**99**	**107**	**109**	**90**	**102**	**95**	**88**	**91**	**114**	**97**	**92**	**103**	**113**	**120**
F1			BB 223061	36 %	26 %	23 %	21 %	22 %	1.31	5.8	-0.73	3.2	7.8	-1	4.2	2.2	11.3	0.4	-5.2	1.2	1.2	2.7
BEYOND BEEF BB254002									37 %	26 %	32 %	23 %	28 %	21%	28%	16%	38 %	32 %	32 %	30 %	30 %	23 %
CWBFBB 254004	**8**	☑	BB 180258	**107**	**102**	**89**	**106**	**81**	**103**	**102**	**113**	**89**	**99**	**94**	**82**	**83**	**119**	**105**	**94**	**108**	**93**	**102**
F1			BB 223004	44 %	26 %	20 %	17 %	20 %	0.95	3.8	-0.86	2.9	5.5	-3	7.8	3.5	13.2	1.4	-3.2	2.0	-0.8	-0.2
BEYOND BEEF BB254004									47 %	26 %	30 %	20 %	22 %	17%	26%	15%	40 %	37 %	37 %	32 %	36 %	30 %
CWBFBB 254006	**2**	☑	BB 200004	**119**	**82**	**88**	**120**	**94**	**129**	**82**	**111**	**88**	**83**	**80**	**91**	**98**	**115**	**101**	**95**	**99**	**108**	**112**
F1			BB 223016	46 %	26 %	24 %	22 %	24 %	-1.58	-4.2	-0.80	2.6	-5.7	-22	2.4	0.9	11.8	0.9	-2.7	0.6	0.7	1.4
BEYOND BEEF BB254006									50 %	26 %	32 %	24 %	26 %	22%	31%	16%	38 %	34 %	34 %	32 %	32 %	26 %
CWBFBB 254012	**6**	☑	BB 180262	**123**	**95**	**87**	**113**	**86**	**122**	**95**	**125**	**87**	**91**	**87**	**82**	**91**	**123**	**111**	**89**	**100**	**111**	**108**
F1			BB 210227	41 %	17 %	14 %	12 %	20 %	-0.89	1.1	-1.34	2.0	0.0	-12	7.7	2.1	15.0	2.2	-6.8	0.8	0.9	0.9
BEYOND BEEF BB254012									45 %	17 %	27 %	14 %	16 %	12%	27%	12%	37 %	25 %	25 %	22 %	25 %	19 %
CWBFBB 254013	**3**	☑	BB 190150	**114**	**89**	**89**	**111**	**92**	**109**	**89**	**113**	**89**	**84**	**89**	**88**	**96**	**116**	**121**	**100**	**100**	**113**	**98**
F1			BB 210213	38 %	26 %	25 %	22 %	24 %	0.37	-1.6	-0.86	2.7	-4.7	-9	4.3	1.3	11.8	3.4	1.1	0.8	1.1	-0.8
BEYOND BEEF BB254013									39 %	26 %	32 %	25 %	30 %	22%	31%	17%	39 %	36 %	36 %	32 %	34 %	29 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFBB 254016	**2**	☑	BB 200033 BB 223053	**120**	**93**	**92**	**109**	**91**	**114**	**93**	**107**	**92**	**92**	**91**	**99**	**87**	**123**	**106**	**103**	**104**	**106**	**101**
F1				38 %	27 %	24 %	18 %	18 %	-0.11	0.2	-0.63	4.2	0.5	-6	-2.2	2.8	14.9	1.6	3.2	1.5	0.5	-0.2
BEYOND BEEF BB254016									40 %	27 %	30 %	24 %	22 %	18%	25%	12%	36 %	28 %	28 %	26 %	21 %	15 %
CWBFBB 254023	**2**	☑	BB 200004 BB 223007	**119**	**89**	**93**	**114**	**90**	**113**	**89**	**113**	**93**	**88**	**86**	**89**	**92**	**116**	**98**	**98**	**97**	**110**	**113**
F1				56 %	26 %	24 %	22 %	22 %	-0.06	-1.6	-0.86	5.1	-2.2	-14	3.3	1.9	11.9	0.5	-0.4	0.3	0.8	1.6
BEYOND BEEF BB254023									62 %	26 %	33 %	24 %	26 %	22%	27%	16%	38 %	34 %	34 %	32 %	32 %	26 %
CWBFDXB 256765		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16765									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256767		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16767									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256768		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16768									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256769		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16769									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256779		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16779									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256784		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16784									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256785		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16785									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256789		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16789									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256792		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16792									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256793		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16793									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 256795 F1 BEYOND BEEF DXB16795		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256797 F1 BEYOND BEEF DXB16797		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256800 F1 BEYOND BEEF DXB16800		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256802 F1 BEYOND BEEF DXB16802		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256808 F1 BEYOND BEEF DXB16808		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256809 F1 BEYOND BEEF DXB16809		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256831 F1 BEYOND BEEF DXB16831		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256832 F1 BEYOND BEEF DXB16832		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256833 F1 BEYOND BEEF DXB16833		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256839 F1 BEYOND BEEF DXB16839		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256841 F1 BEYOND BEEF DXB16841		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256849 F1 BEYOND BEEF DXB16849		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 256856		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16856									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256865		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16865									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256868		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16868									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256875		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16875									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 256878		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16878									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 256886		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16886									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 256917		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16917									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 256918		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16918									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256941		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16941									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256942		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16942									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256943		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16943									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 256946		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB16946									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 256958 F1 BEYOND BEEF DXB16958		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256966 F1 BEYOND BEEF DXB16966		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256970 F1 BEYOND BEEF DXB16970		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256971 F1 BEYOND BEEF DXB16971		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256975 F1 BEYOND BEEF DXB16975		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 256976 F1 BEYOND BEEF DXB16976		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256984 F1 BEYOND BEEF DXB16984		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256988 F1 BEYOND BEEF DXB16988		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256990 F1 BEYOND BEEF DXB16990		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256991 F1 BEYOND BEEF DXB16991		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256995 F1 BEYOND BEEF DXB16995		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %
CWBFDXB 256997 F1 BEYOND BEEF DXB16997		☑	PB 220033	**99** 25 %	**94** 22 %	**112** 21 %	**96** 19 %	**87** 14 %	**99** 1.34 26 %	**94** 0.5 22 %	**96** -0.22 23 %	**112** 15.0 21 %	**99** 5.8 24 %	**104** 12 19%	**91** 2.6 19%	**85** 3.2 8%	**101** 5.6 26 %	**104** 1.3 21 %	**106** 4.8 21 %	**98** 0.5 19 %	**114** 1.2 20 %	**101** -0.3 17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 256998		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16998									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 256999		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB16999									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257000		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17000									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257006		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17006									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257007		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17007									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257011		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17011									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257013		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17013									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257016		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17016									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257017		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17017									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257020		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17020									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257022		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17022									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257023		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17023									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257025 F1 BEYOND BEEF DXB17025		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257029 F1 BEYOND BEEF DXB17029		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257030 F1 BEYOND BEEF DXB17030		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257031 F1 BEYOND BEEF DXB17031		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257032 F1 BEYOND BEEF DXB17032		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257033 F1 BEYOND BEEF DXB17033		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257034 F1 BEYOND BEEF DXB17034		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257036 F1 BEYOND BEEF DXB17036		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257038 F1 BEYOND BEEF DXB17038		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257041 F1 BEYOND BEEF DXB17041		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257043 F1 BEYOND BEEF DXB17043		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %
CWBFDXB 257044 F1 BEYOND BEEF DXB17044		☑	ALS 170004	**83** 27 %	**108** 17 %	**109** 14 %	**91** 12 %	**98** 16 %	**84** 2.78 28 %	**108** 6.1 17 %	**99** -0.33 22 %	**109** 13.5 14 %	**111** 13.8 18 %	**109** 19 12%	**104** -5.0 21%	**95** 1.5 10%	**90** 0.8 37 %	**93** 0.0 36 %	**117** 12.8 35 %	**106** 1.7 32 %	**101** 0.0 32 %	**95** -1.3 26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257050		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17050									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257056		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17056									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257074		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17074									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257076		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17076									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257077		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17077									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257078		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17078									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257080		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17080									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257082		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17082									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257085		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17085									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257086		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17086									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257087		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17087									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257091		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17091									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257094		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17094									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257100		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17100									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257103		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17103									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257111		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17111									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257113		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17113									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257115		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17115									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257118		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17118									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257122		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17122									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257124		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17124									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257126		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17126									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257128		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17128									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257129		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17129									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257131		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17131									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257132		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17132									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257138		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17138									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257145		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17145									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257146		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17146									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257150		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17150									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257151		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17151									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257152		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17152									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257153		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17153									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257154		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17154									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257157		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17157									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257159		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17159									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257181		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17181									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257184		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17184									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257194		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17194									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257215		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17215									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257216		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17216									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257218		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17218									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257221		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17221									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257223		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17223									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257228		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17228									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257235		✓	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17235									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257236		✓	BB 170124	**103**	**95**	**110**	**99**	**92**	**99**	**95**	**111**	**110**	**96**	**101**	**99**	**89**	**97**	**94**	**91**	**94**	**110**	**114**
F1				31 %	28 %	27 %	23 %	24 %	1.30	0.9	-0.78	14.3	3.3	7	-2.1	2.4	3.9	0.1	-5.4	-0.1	0.8	1.7
BEYOND BEEF DXB17236									31 %	28 %	30 %	27 %	30 %	23%	28%	21%	34 %	30 %	30 %	29 %	28 %	24 %
CWBFDXB 257237		✓	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17237									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %

CWB Cows

Inbreeding >6% is high

<75 | 75 - 125 | >125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID / Name	%Inbreeding	Genomic DNA	Parentage: Sire ID / Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFDXB 257238		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17238									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257240		☑	BB 170167	**103**	**98**	**105**	**100**	**96**	**100**	**98**	**106**	**105**	**98**	**100**	**100**	**95**	**94**	**92**	**92**	**94**	**110**	**116**
F1				39 %	28 %	26 %	23 %	26 %	1.26	2.1	-0.61	11.6	4.9	6	-3.1	1.5	2.7	-0.2	-5.2	-0.2	0.8	2.1
BEYOND BEEF DXB17240									40 %	28 %	37 %	26 %	28 %	23%	30%	21%	41 %	40 %	40 %	38 %	36 %	30 %
CWBFDXB 257242		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17242									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257276		☑	ALS 170004	**83**	**108**	**109**	**91**	**98**	**84**	**108**	**99**	**109**	**111**	**109**	**104**	**95**	**90**	**93**	**117**	**106**	**101**	**95**
F1				27 %	17 %	14 %	12 %	16 %	2.78	6.1	-0.33	13.5	13.8	19	-5.0	1.5	0.8	0.0	12.8	1.7	0.0	-1.3
BEYOND BEEF DXB17276									28 %	17 %	22 %	14 %	18 %	12%	21%	10%	37 %	36 %	35 %	32 %	32 %	26 %
CWBFDXB 257296		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17296									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257297		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17297									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257298		☑	BB 180083	**98**	**97**	**97**	**100**	**93**	**95**	**97**	**107**	**97**	**96**	**100**	**91**	**95**	**90**	**91**	**93**	**93**	**118**	**124**
F1				24 %	25 %	24 %	22 %	22 %	1.77	1.7	-0.65	7.1	3.3	7	2.4	1.4	1.1	-0.3	-4.3	-0.3	1.6	3.4
BEYOND BEEF DXB17298									24 %	25 %	23 %	24 %	24 %	22%	24%	19%	31 %	31 %	31 %	29 %	31 %	26 %
CWBFDXB 257304		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17304									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %
CWBFDXB 257305		☑	PB 220033	**99**	**94**	**112**	**96**	**87**	**99**	**94**	**96**	**112**	**99**	**104**	**91**	**85**	**101**	**104**	**106**	**98**	**114**	**101**
F1				25 %	22 %	21 %	19 %	14 %	1.34	0.5	-0.22	15.0	5.8	12	2.6	3.2	5.6	1.3	4.8	0.5	1.2	-0.3
BEYOND BEEF DXB17305									26 %	22 %	23 %	21 %	24 %	19%	19%	8%	26 %	21 %	21 %	19 %	20 %	17 %