



BOERBOK GENETIC REPORT

21 September 2026



MNR. P.A. PIETER FOUCHE

FDM : 1713



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.43	-0.55	-0.37	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.08	-0.04	-0.09	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.29	-0.32	-0.28	-0.06	-0.03	-0.07
Post-wean Weight	-0.28	-0.35	-0.24	0.50	0.58	0.45
Number Lambs Weaned	1.11	0.89	1.21	-0.36	-0.55	-0.26
Total Weight Weaned	0.16	-0.06	0.26	-0.31	-0.37	-0.27
Age at First Lambing	-2.51	-2.15	-2.68	-0.30	-0.22	-0.35
Inter-lambing Period	1.25	1.40	1.18	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	102	101	103	101	100	101
Reproduction Index	105	104	105	102	101	102
Inbreeding						
Inbreeding (%)	3.82	3.53	3.95	5.54	5.93	5.34
Number of Animals						
Number of Animals	333	106	227	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	94.9	93.5	95.5
Weaning Weight Maternal	98.8	99.7	98.3
Weaning Weight Comb	95.3	94.8	95.5
Post-wean Weight	93.8	93.3	94.1
Number Lambs Weaned	108.6	107.6	109.1
Total Weight Weaned	103.5	102.2	104.0
Age First Lambing	102.9	102.5	103.1
Interlambing Period	98.4	98.0	98.6
Selection Indices			
Logix Merit Index	102.5	101.2	103.0
Ewe Index	104.5	104.2	104.7
Growth Index	93.7	93.0	94.0
Inbreeding			
Inbreeding (%)	3.82	3.53	3.95
Number of Animals			
Number of Animals	333	106	227

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2013 - 2026	4.14	0.15
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	332	100
Known Dams	332	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 156




Sires

Number: 28



Young Ewes

Number: 109



Young Rams


Number: 106




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2017							7	2.50			29	-17.77	27	2.60				
2018							8	1.64			21	-7.98	14	2.99				
2019							11	-0.13			27	4.32	19	1.33				
2020							22	2.19			32	-3.02	24	-0.60				
2021							16	-0.40			35	2.13	21	2.77				
2022	53	-0.08	-0.54	-0.58	52	0.17	9	1.18	53	104	23	-3.92	13	2.59	53	99	53	103
2023							5	2.70			16	-4.59	3	1.80				
2024	62	-0.03	-0.07	-0.09					62	109	23	-0.24			62	108	62	108
2025	61	-0.49	-0.03	-0.28					61	102	1	-7.75			61	104	61	101

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
						Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded				
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
116	21	0023	116	19	0167	2.15	95	109	-1.80	0.28	-0.62	-2.07	1.10	-0.86	10.85	-4.61		4				
	92623974		116	17	0186				78	80	43	108	5	109	48	98	67	86	23	115		
1658	22	0140	1610	18	0117	2.71	103	106	-0.10	-0.14	-0.19	0.01	0.90	0.30	6.36	-5.81		3				
	97568554		1658	20	0240				43	99	24	97	9	108	28	104	60	92	25	118		
1658	22	0410	1658	21	0279	5.58	98	100	-0.61	-0.14	-0.45	-0.22	0.30	-0.57	-2.41	2.49		4				
	97647440		1658	20	0178				18	93	12	97	7	105	13	99	43	103	16	95		
116	23	0087	762	20	0799	2.43	99	98	-0.12	-0.15	-0.20	0.23	-0.50	-0.56	-7.41	5.23		3				
	99956344		116	21	0070				72	98	36	97	14	97	15	101	45	99	47	109		
1713	23	0093	116	20	0203	2.24	112	108	0.40	-0.36	-0.16	0.86	2.70	1.66	-9.09	0.93		4				
	99046013		1713	18	0012				46	104	37	92	12	116	35	112	43	111	21	99		
1658	23	0272	1658	21	0279	11.11	96	99	-0.97	-0.10	-0.59	-0.70	0.30	-0.90	-3.84	5.07		3				
	98275597		1658	20	0135				54	89	21	98	7	105	30	97	44	105	18	88		
1713	24	0016	116	21	0023	2.87	94	100	-0.98	0.15	-0.34	-1.04	0.10	-0.76	12.14	-0.05		3				
	99048886		1713	19	0079				45	89	33	105	9	104	32	98	43	84	19	102		
1713	24	0063	116	21	0023	5.80	99	107	-0.98	0.27	-0.22	-0.60	0.60	-0.34	7.08	-2.57		4				
	100068915		1713	21	0084				57	89	35	108	13	106	38	101	43	91	17	109		
1713	24	0121	1384	22	0439	2.49	95	95	-0.63	-0.37	-0.68	-0.46	-0.40	-1.24	-8.95	6.18		3				
	101245215		1713	21	0080				41	93	24	92	9	102	27	95	37	111	18	85		
1713	24	0148	1384	21	0430	2.67	107	109	-0.46	-0.15	-0.38	-0.53	2.40	0.83	-7.39	1.33		1				
	107880932		1713	22	0049				28	95	20	97	6	115	20	107	40	109	16	98		
1713	25	0001	1384	22	0439	2.50	97	97	-0.30	-0.30	-0.45	-0.54	0.00	-0.60	-0.55	2.00		7				
	108644063		1713	19	0025				41	96	29	93	9	103	29	99	38	101	20	96		
1713	25	0003	1384	22	0439	2.50	100	100	-0.22	-0.07	-0.19	-0.19	0.10	-0.24	-2.87	3.15		2				
	108644089		1713	21	0126				40	97	26	99	9	104	27	101	38	103	19	93		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
									Dir	Mat							Comb	Dir	Mat	Comb	Dir	Mat
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713	25	0004	1384	22	0439	2.50	100	100	-0.22	-0.07	-0.19	-0.19	0.10	-0.24	-2.87	3.15	2					
	108644	0097	1713	21	0126				40	97	26	99	97	16	94	9		104	27	101	38	103
1713	25	0005	1384	21	0430	2.66	101	102	-0.50	-0.18	-0.42	-0.70	0.90	-0.13	-7.75	3.95	3					
	107880	0957	1713	21	0043				20	94	22	96	93	16	91	8		108	18	102	44	110
1713	25	0008	1384	21	0430	2.66	101	102	-0.50	-0.18	-0.42	-0.70	0.90	-0.13	-7.75	3.95	3					
	108644	1113	1713	21	0043				20	94	22	96	93	16	91	8		108	18	102	44	110
1713	25	0012	116	23	0087	2.98	107	104	0.34	-0.20	-0.03	0.16	1.20	0.86	-8.68	3.18	98	1				
	108693	706	1713	22	0103				57	104	32	96	100	30	97	9			109	36	108	31
1713	25	0013	116	23	0087	2.98	108	104	0.44	-0.22	0.00	0.29	1.20	0.93	-8.68	3.18	98	1				
	108693	714	1713	22	0103				57	105	32	95	100	30	98	9			109	36	108	31
1713	25	0024	116	23	0087	2.82	102	101	-0.09	-0.01	-0.05	0.25	0.60	0.26	0.45	2.86	101	2				
	108907	163	1351	23	0094				53	99	27	101	99	7	97	7			106	32	104	32
1713	25	0027	116	21	0023	5.80	100	107	-0.84	0.25	-0.18	-0.42	0.60	-0.24	7.08	-2.57	106	4				
	108907	197	1713	21	0084				57	90	35	107	97	20	93	13			106	38	101	43
1713	25	0028	116	21	0023	5.80	98	108	-1.18	0.31	-0.28	-0.87	0.60	-0.51	7.08	-2.57	106	4				
	108907	205	1713	21	0084				57	87	35	109	96	20	90	13			106	38	100	43
1713	25	0029	116	21	0023	5.64	99	105	-0.94	-0.05	-0.52	-0.68	0.40	-0.75	-7.06	1.31	91	3				
	108907	213	1713	22	0106				58	89	33	100	91	28	91	11			105	38	98	42
1713	25	0031	116	21	0023	2.32	117	125	-0.18	0.71	0.62	0.28	2.80	2.20	-4.10	-3.20	114	5				
	108907	239	1713	20	0064				58	98	37	119	111	17	98	15			117	40	115	44
1713	25	0032	116	21	0023	5.65	98	109	-1.52	0.23	-0.53	-1.37	0.20	-1.16	-9.58	1.47	97	3				
	108907	247	1713	21	0131				56	83	34	107	91	19	87	13			104	38	96	43
1713	25	0034	1384	22	0439	2.52	123	131	0.03	1.16	1.17	1.17	3.20	3.11	-8.09	-0.52	129	6				
	108907	262	1713	20	0061				57	100	33	130	121	20	103	15			119	38	121	38
1713	25	0035	116	23	0087	1.84	97	101	-0.96	-0.15	-0.63	-0.83	0.60	-0.75	-5.56	3.83	108	2				
	108907	270	1212	22	0006				54	89	29	97	89	7	90	8			106	34	98	27

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

- Indices ≥ 124
- Above breed average
- Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights								EBV - Fertility																	
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight				Post-Wean		Number Weaned	TWW		AFL		ILP		Dam											
									Dir	Mat		Comb				Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded								
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index														
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15																		
1713	25	0038	1384	22	0439	2.52	118	120	0.50	0.61	0.86	1.40	2.10	2.37	-6.86	-0.62	15	113	38	116	37	109	18	104	115	6							
1713	25	0039	1384	22	0439	2.52	110	125	-1.29	0.96	0.32	-0.98	2.10	0.93	-6.86	-0.62	15	113	38	108	37	109	18	104	115	6							
1713	25	0041	1384	22	0439	2.49	92	96	-0.96	-0.30	-0.78	-1.01	-0.50	-1.56	0.48	1.63	14	101	37	94	37	99	18	97	100	4							
1713	25	0043	116	23	0087	2.84	107	105	0.44	-0.01	0.22	0.82	0.40	0.68	-6.03	1.79	8	105	32	106	33	107	19	97	109	3							
1713	25	0045	116	21	0023	5.93	81	95	-2.81	-0.51	-1.91	-3.23	0.10	-3.26	8.59	-2.85	8	104	38	84	43	89	18	110	95	4							
1713	25	0047	1384	22	0439	2.50	103	103	-0.05	0.02	-0.01	-0.15	0.90	0.50	-0.12	2.37	14	108	38	105	38	100	20	95	113	3							
1713	25	0048	1384	22	0439	2.50	102	104	-0.22	0.05	-0.06	-0.37	0.90	0.37	-0.12	2.37	14	108	38	105	38	100	20	95	113	3							
1713	25	0049	1658	23	0272	2.13	103	107	-0.87	-0.09	-0.52	-0.02	1.80	0.13	0.06	-0.40	7	112	32	103	34	100	14	103	99	1							
1713	25	0050	1658	23	0272	2.74	101	104	-0.61	-0.05	-0.36	-0.32	1.00	-0.06	-2.27	2.00	5	108	28	102	26	103	14	96	102	2							
1713	25	0051	116	23	0087	2.72	100	103	-0.54	-0.10	-0.37	-0.28	0.60	-0.28	-4.23	2.37	52	94	27	98	94	7	94	7	106	32	101	27	105	17	95	105	3
1713	25	0053	116	23	0087	2.47	97	103	-1.16	-0.15	-0.73	-1.03	0.60	-0.95	-5.05	2.06	52	87	26	97	88	7	89	7	106	32	97	32	106	17	96	99	3
1713	25	0054	116	21	0023	4.57	106	102	-0.05	-0.45	-0.47	1.27	2.20	0.82	0.50	0.18	60	99	37	90	92	29	104	12	114	40	107	43	99	17	101	114	3
1713	25	0055	116	21	0023	4.57	104	103	-0.41	-0.38	-0.59	0.78	2.20	0.53	0.50	0.18	60	95	37	91	90	29	101	12	114	40	106	43	99	17	101	114	3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat							Comb	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1713	25	0057	1658	23	0272	2.13	99	103	-1.11	-0.30	-0.85	-0.88	1.70	-0.38	-2.75	1.22								
	108914219		1713	23	0106				51	87	27	93	86	22	90	16	99	98	2					
1713	25	0058	116	23	0087	2.74	93	103	-1.89	-0.12	-1.07	-1.96	0.60	-1.65	-3.78	1.64								
	108914227		1351	22	0084				54	79	29	98	82	7	83	17	97	104	2					
1713	25	0062	1384	22	0439	2.50	99	99	-0.40	-0.12	-0.32	-0.50	0.10	-0.46	-7.44	6.08								
	108951880		1713	20	0090				56	95	35	98	95	17	92	19	85	108	5					
1713	25	0063	1384	22	0439	2.50	97	100	-0.74	-0.05	-0.42	-0.96	0.10	-0.74	-7.44	6.08								
	108951898		1713	20	0090				56	91	35	99	93	17	89	19	85	108	5					
1713	25	0064	1384	22	0439	2.38	102	97	0.35	-0.48	-0.30	0.42	0.70	0.30	-1.00	2.05								
	108951906		1713	22	0032				58	104	33	89	95	29	98	18	96	94	2					
1713	25	0070	1384	22	0439	2.50	105	103	0.18	0.08	0.17	0.12	0.10	0.32	-12.78	7.50								
	108951963		1713	20	0094				55	102	32	103	103	15	96	20	81	100	5					
1713	25	0076	1384	22	0439	2.50	105	105	0.01	0.19	0.20	-0.14	0.10	0.26	-14.86	7.35								
	108952029		1713	21	0114				56	100	34	106	104	15	95	20	82	109	4					
1713	25	0080	1658	23	0272	2.16	92	94	-0.69	-0.12	-0.46	-0.85	-0.90	-1.34	4.77	2.52								
	109185199		1713	19	0066				47	92	29	98	92	18	90	17	95	100	6					
1713	25	0081	1658	23	0272	2.16	86	91	-1.27	-0.41	-1.05	-1.26	-0.50	-1.98	15.38	-1.57								
	109339333		1713	21	0024				50	85	29	91	82	19	87	35	80	16	106	105	4			
1713	26	0003	116	21	0023	2.44	99	108	-1.30	0.09	-0.56	-1.33	1.40	-0.37	4.75	-2.47								
	111603981		1351	22	0035				39	85	23	103	91	5	87	36	94	16	109	82	3			
1713	26	0006	116	23	0087	2.82	109	109	0.01	-0.06	-0.05	0.45	1.70	0.97	-11.62	3.16								
	111604013		1713	22	0025				46	100	28	99	99	29	99	12	111	31	108	35	115	18	93	2
1713	26	0007	116	23	0087	2.82	109	109	0.01	-0.06	-0.05	0.45	1.70	0.97	-11.62	3.16								
	111604021		1713	22	0025				46	100	28	99	99	29	99	12	111	31	108	35	115	18	93	2
1713	26	0008	1658	23	0272	2.22	110	115	-0.53	0.38	0.12	0.27	2.30	1.24	-3.03	-0.09								
	111604039		1713	24	0050				40	94	22	110	102	16	97	9	114	26	110	32	104	12	102	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lamb				
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713	26	0010	1658	23	0272	2.09	98	103	-1.00	0.02	-0.48	-0.85	0.70	-0.56	-2.13	3.47						
		111604054	1713	24	0006				35	89	20	101	6	107	23	99	34	103	13	92	1	
1713	26	0012	116	21	0023	2.72	99	108	-1.28	0.12	-0.52	-1.31	1.40	-0.32	4.66	-2.14						
		111604070	1351	22	0118				39	85	23	104	5	110	24	101	36	94	16	108	2	
1713	26	0014	116	21	0023	2.61	98	106	-1.22	0.21	-0.40	-1.22	1.00	-0.41	4.15	0.30						
		111604096	1028	22	0026				39	86	22	106	5	108	24	100	39	95	17	101	2	
1713	26	0015	116	21	0023	2.88	93	99	-1.08	-0.21	-0.75	-1.73	0.50	-0.99	10.77	-2.99						
		111604104	1713	19	0025				44	88	33	96	9	106	32	97	44	86	20	110	93	7
1713	26	0016	116	21	0023	2.88	93	99	-1.08	-0.21	-0.75	-1.73	0.50	-0.99	10.77	-2.99						
		111604112	1713	19	0025				44	88	33	96	9	106	32	97	44	86	20	110	93	7
1713	26	0018	116	23	0087	2.90	101	96	0.13	-0.54	-0.48	0.38	0.60	-0.05	-6.19	3.76						
		111604138	1713	23	0096				43	101	26	87	10	106	29	102	35	108	17	92	1	
1713	26	0019	1658	23	0272	2.22	113	115	-0.14	0.33	0.27	0.78	2.30	1.58	-6.74	1.24						
		111604146	1713	24	0106				39	98	21	109	7	114	25	112	32	108	12	98	1	
1713	26	0020	116	23	0087	3.07	104	104	0.00	0.05	0.05	0.39	0.40	0.28	-6.84	3.58						
		111604153	1713	23	0111				39	100	24	102	9	105	26	104	30	109	17	92	1	
1713	26	0021	116	23	0087	2.82	108	106	0.17	-0.15	-0.07	0.83	1.40	0.86	-7.26	2.22						
		111604161	1713	23	0088				42	102	25	97	10	110	28	108	34	109	17	96	1	
1713	26	0022	116	23	0087	2.90	101	100	-0.19	-0.19	-0.28	0.65	-0.10	-0.44	-10.06	4.91						
		112600077	1713	22	0033				44	98	26	96	10	103	29	100	32	113	19	88	2	
1713	26	0024	1658	23	0272	2.24	107	110	-0.18	0.35	0.26	0.44	1.20	0.89	-2.41	1.76						
		112432844	1713	24	0075				37	98	21	110	9	109	24	108	32	103	13	97	1	
1713	26	0025	1658	23	0272	2.24	107	110	-0.18	0.35	0.26	0.44	1.20	0.89	-2.41	1.76						
		112432851	1713	24	0075				37	98	21	110	9	109	24	108	32	103	13	97	1	
1713	26	0026	116	23	0087	2.66	100	93	0.33	-0.55	-0.39	0.76	0.00	-0.23	-1.69	3.06						
		112432869	1713	22	0070				46	103	27	87	11	103	31	101	35	102	19	93	2	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
 Above breed average
 Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
									Dir	Mat	Comb										
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded		
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1713	26	0032	116	23	0087	2.98	104	100	0.04	-0.46	-0.44	0.31	1.20	0.30	-9.39	4.39					
	112432927		1713	23	0091				43	100	26	89	9	109	29	104	34	112	17	90	1
1713	26	0033	116	21	0023	5.64	98	107	-1.10	0.13	-0.42	-1.47	0.80	-0.49	1.14	-1.01	107	3			
	113303044		1713	22	0058				49	87	34	104	13	107	35	100	42	98	18	105	
1713	26	0036	1713	24	0148	6.50	105	108	-0.60	-0.13	-0.43	-0.51	1.80	0.35	-6.87	0.94					
	113303077		1384	23	0055				15	93	11	98	5	112	11	105	29	109	14	99	2
1713	26	0038	116	23	0087	2.85	103	101	-0.05	-0.23	-0.25	0.38	0.60	0.09	-4.68	2.58					
	113303093		1713	24	0034				38	99	21	95	8	106	25	103	26	106	16	95	1
1713	26	0039	116	21	0023	5.80	98	108	-1.19	0.31	-0.28	-0.88	0.60	-0.52	7.08	-2.57	106	4			
	113303101		1713	21	0084				47	86	34	109	13	106	34	100	43	91	17	109	
1713	26	0045	1713	24	0148	6.08	108	112	-0.23	0.09	-0.03	-0.23	1.80	0.94	-6.02	-0.16	109	3			
	113683445		1384	23	0068				21	97	19	103	5	112	16	108	30	107	15	102	
1713	26	0047	116	21	0023	5.93	91	97	-1.42	-0.28	-0.99	-1.65	0.10	-1.64	2.37	1.19					
	113303168		1713	21	0080				44	84	29	94	8	104	30	93	43	97	18	99	3
1713	26	0050	116	21	0023	5.64	99	105	-1.02	-0.03	-0.55	-0.79	0.40	-0.82	-7.06	1.31	91	3			
	113303192		1713	22	0106				48	88	32	100	11	105	33	98	42	109	18	98	
1713	26	0051	116	21	0023	5.64	99	105	-1.02	-0.03	-0.55	-0.79	0.40	-0.82	-7.06	1.31	91	3			
	113303200		1713	22	0106				48	88	32	100	11	105	33	98	42	109	18	98	
1713	26	0058	1658	23	0272	2.39	106	109	-0.57	0.20	-0.09	-0.31	1.00	0.23	-15.08	5.75					
	113303275		1713	24	0138				34	93	18	106	6	108	21	104	30	119	13	86	1
1713	26	0059	1713	24	0148	6.36	117	124	-0.20	0.60	0.49	0.20	3.30	2.37	-4.67	-2.64	115	6			
	113303283		1713	20	0005				30	97	30	116	15	119	27	116	33	106	15	109	
1713	26	0060	1713	24	0148	6.36	117	124	-0.20	0.60	0.49	0.20	3.30	2.37	-4.67	-2.64	115	6			
	113303291		1713	20	0005				30	97	30	116	15	119	27	116	33	106	15	109	
1713	26	0061	1713	24	0148	6.97	105	105	-0.11	-0.27	-0.32	0.43	2.10	0.88	4.52	-2.21					
	113303309		1713	24	0047				32	99	21	94	7	113	22	108	32	94	11	108	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded				
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713	26	0063	1658	23	0272	2.73	97	100	-1.08	-0.35	-0.89	-0.77	1.00	-0.83	-1.99	1.56						
	113303325		1351	22	0084				32	88	22	92	5	108	21	98	14	98	104	2		
1713	26	0064	1658	23	0272	2.73	97	100	-1.08	-0.35	-0.89	-0.77	1.00	-0.83	-1.99	1.56						
	113303333		1351	22	0084				32	88	22	92	5	108	21	98	14	98	104	2		
1713	26	0066	116	23	0087	2.82	100	102	-0.44	-0.01	-0.23	-0.20	0.60	-0.09	1.04	1.99						
	113303341		1351	23	0123				38	95	24	101	7	106	25	102	32	98	18	96	99	2
1713	26	0067	116	23	0087	2.82	100	102	-0.44	-0.01	-0.23	-0.20	0.60	-0.09	1.04	1.99						
	113303358		1351	23	0123				38	95	24	101	7	106	25	102	32	98	18	96	99	2
1713	26	0071	116	23	0087	3.06	99	98	-0.06	0.01	-0.01	0.02	-0.20	-0.16	2.71	2.93						
	113303390		1713	21	0010				43	99	32	101	17	102	31	102	36	96	21	94	91	5
1713	26	0072	116	23	0087	3.06	99	98	-0.06	0.01	-0.01	0.02	-0.20	-0.16	2.71	2.93						
	113303408		1713	21	0010				43	99	32	101	17	102	31	102	36	96	21	94	91	5
1713	26	0075	1658	23	0272	2.71	96	100	-1.09	-0.36	-0.90	-0.78	1.00	-0.85	-2.11	2.07						
	113303432		1212	22	0883				29	88	17	92	5	108	18	98	22	102	9	96	97	2
1713	26	0077	1658	23	0272	5.71	100	103	-0.57	0.06	-0.22	-0.24	0.20	-0.39	-0.88	1.40						
	113425631		1332	23	0114				30	93	19	102	5	104	20	100	25	101	13	98	105	3
1713	26	0078	1658	23	0272	5.71	100	103	-0.57	0.06	-0.22	-0.24	0.20	-0.39	-0.88	1.40						
	113425649		1332	23	0114				30	93	19	102	5	104	20	100	25	101	13	98	105	3
1713	26	0081	116	23	0087	3.06	102	101	-0.19	-0.07	-0.17	0.16	0.20	-0.14	-13.37	8.04						
	113303473		1713	20	0020				43	98	32	99	21	104	32	102	38	117	21	80	100	5
1713	26	0085	116	23	0087	2.58	94	93	-0.12	-0.17	-0.22	-0.19	-1.30	-1.06	2.98	2.60						
	113425664		1713	19	0066				43	98	32	97	19	97	32	96	36	96	20	95	100	6
1713	26	0087	1658	23	0272	2.81	99	103	-0.82	0.07	-0.34	-0.63	1.00	-0.15	2.23	2.78						
	113425680		1351	23	0094				30	91	19	103	5	108	20	102	31	97	14	94	101	2
1713	26	0097	116	21	0023	5.93	86	92	-1.77	-0.71	-1.60	-1.84	0.10	-2.42	8.59	-2.85						
	113425789		1713	21	0101				48	80	35	83	21	104	34	89	43	89	18	110	95	4

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight			Post-Wean	Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb							Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1713	26	0098	116	21	0023	5.93	86	92	-1.77	-0.71	-1.60	-1.84	0.10	-2.42	8.59	-2.85									
	113425797		1713	21	0101				48	80	35	83	73	21	84	8	104	34	89	43	89	18	110	95	4
1713	26	0102	1713	24	0148	4.51	107	113	-0.65	0.30	-0.03	-0.39	2.00	0.85	0.00	-0.90									
	113425839		1713	24	0023				26	92	19	108	100	7	113	19	107	32	100	12	104			1	
1713	26	0103	1713	24	0148	4.51	107	113	-0.65	0.30	-0.03	-0.39	2.00	0.85	0.00	-0.90									
	113425847		1713	24	0023				26	92	19	108	100	7	113	19	107	32	100	12	104			1	
1713	26	0105	116	23	0087	2.98	104	100	0.01	-0.50	-0.49	0.29	1.20	0.23	-8.84	3.63									
	113425862		1713	23	0090				43	100	29	88	92	9	109	30	104	32	111	19	92	99	2		
1713	26	0107	1658	23	0272	2.71	99	103	-0.89	-0.09	-0.54	-0.64	1.00	-0.38	-2.44	2.29									
	113425888		1351	22	0109				30	90	19	98	91	5	91	5	108	20	100	26	103	14	96	105	3
1713	26	0108	1658	23	0272	2.71	99	103	-0.89	-0.09	-0.54	-0.64	1.00	-0.38	-2.44	2.29									
	113425896		1351	22	0109				30	90	19	98	91	5	91	5	108	20	100	26	103	14	96	105	3
1713	26	0109	116	21	0023	5.93	94	98	-0.97	-0.18	-0.67	-0.60	0.10	-1.09	3.31	0.84									
	113425904		1713	22	0109				47	89	29	96	89	28	92	8	104	31	96	42	96	18	100		2
1713	26	0112	1658	23	0272	2.24	111	117	-0.55	0.40	0.13	-0.43	1.70	0.88	-22.35	6.29									
	113425938		1713	17	0062				34	94	26	111	103	10	111	25	108	37	128	18	85			8	
1713	26	0116	1713	24	0148	2.95	100	104	-0.70	-0.11	-0.46	-1.07	1.40	0.03	4.42	-1.36									
	113425979		1713	24	0010				26	92	17	98	92	16	89	5	110	18	103	32	94	12	106		1
1713	26	0117	1713	24	0148	7.16	106	107	-0.33	-0.23	-0.39	0.05	2.10	0.71	-0.45	-1.18									
	113425987		1713	24	0059				32	96	21	95	94	23	96	8	113	22	107	32	100	12	105		1
1713	26	0119	116	23	0087	2.82	108	106	0.17	-0.15	-0.07	0.83	1.40	0.86	-7.41	2.27									
	113425995		1713	23	0089				42	102	25	97	99	22	101	10	110	28	108	32	109	17	96		1
1713	26	0124	116	23	0087	3.06	97	95	-0.20	-0.28	-0.37	-0.34	-0.20	-0.59	-5.26	6.01									
	113426043		1713	20	0090				45	98	34	94	94	18	93	11	102	33	99	36	106	20	85	108	5
1713	26	0125	116	23	0087	2.68	98	101	-0.52	-0.04	-0.30	-0.60	0.10	-0.50	0.60	1.87									
	113426050		1713	23	0109				42	94	24	100	95	10	92	9	104	27	100	34	99	17	97		1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
Comp no.								Dir	Mat	Comb							
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI Times Lamed	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1713	26	0127	116	21	0023	4.57	100	103	-0.65	-0.21	-0.54	-0.62	1.40	-0.02	3.16	-0.57	1
		113426076	1713	23	0099				45 92	29 96	91	23 92	7 110	30 102	40 96	16 103	
1713	26	0129	116	21	0023	4.57	97	99	-0.51	-0.33	-0.58	-0.49	0.80	-0.35	8.30	-2.12	1
		113426092	1713	24	0095				48 94	30 93	90	22 92	8 107	32 101	43 89	15 108	
1713	26	0133	1713	24	0092	2.55	110	110	0.31	0.17	0.33	0.91	1.30	1.26	-7.29	2.17	1
		113733364	1713	24	0118				35 103	22 105	106	16 102	7 110	24 110	25 109	12 96	
Ram Flock Average: Number of rams in the flock: 106						101	104	-0.55	-0.04	-0.32	-0.35	0.89	-0.06	-2.15	1.40		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean		Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Times	
							Dir	Mat	Comb	EBV			EBV	EBV	EBV	EBV	EBV	EBV	EPI	Lambd
							Acc	Index	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1713 17 0032 82917949	116 16 0002 1713 13 0445	2.24	109	112	-0.62 38 93	0.01 44 101	-0.30 95	-1.12 35 88	2.60 10 116	0.95 34 108	-18.46 53 123	5.99 30 85	93	5						
1713 17 0057 82919622	116 16 0002 1713 13 0180	2.24	122	130	-0.25 32 97	0.84 36 122	0.72 113	0.01 28 96	2.80 11 117	2.27 29 116	-27.64 58 135	4.26 31 90	7							
1713 17 0062 82919630	116 16 0002 1713 13 0180	2.24	123	129	-0.12 43 98	0.90 47 124	0.84 115	-0.16 28 95	3.20 19 119	2.70 39 118	-40.87 60 136	7.50 32 81	8							
1713 19 0004 86459351	116 16 0037 1713 17 0082	2.24	98	95	0.15 52 101	-0.32 58 93	-0.25 96	-1.74 36 84	0.10 16 104	-0.11 46 102	-3.98 56 105	5.85 30 86	100	7						
1713 19 0025 86459435	116 16 0037 1713 17 0010	2.24	90	89	-0.37 43 96	-0.70 49 83	-0.88 85	-1.39 39 87	-0.20 17 102	-1.19 39 96	10.68 57 86	-1.36 33 106	93	7						
1713 19 0051 86470861	116 16 0002 1713 13 0298	2.24	114	121	-0.55 36 94	0.52 42 114	0.25 105	-0.03 34 95	2.60 10 116	1.53 32 111	-11.14 53 114	0.34 29 101	93	5						
1713 19 0066 86491131	116 16 0037 1713 13 0099	2.23	89	89	-0.11 46 98	-0.19 52 96	-0.24 96	-0.61 34 92	-2.10 26 94	-1.56 44 94	13.37 55 83	-0.02 29 102	100	6						
1713 19 0083 86491230	116 16 0037 1713 13 0177	2.23	95	94	-0.12 39 98	-0.25 44 95	-0.31 95	-0.75 34 91	-0.30 16 102	-0.55 36 99	9.65 52 88	0.20 28 101	86	5						
1713 20 0005 91262576	116 18 0031 1713 17 0012	2.56	127	139	0.05 52 100	1.34 56 135	1.37 124	0.93 22 102	4.10 29 123	3.85 48 125	-1.94 54 102	-6.61 27 120	115	6						
1713 20 0020 91629428	116 16 0037 1713 18 0072	2.24	105	103	-0.27 47 97	0.01 52 101	-0.13 98	0.08 40 96	0.90 19 108	0.28 42 104	-19.33 59 124	10.85 31 72	100	5						
1713 20 0030 91629402	116 18 0031 1713 17 0010	2.56	115	124	-0.33 39 96	0.55 45 115	0.39 107	-0.06 33 95	3.10 16 118	2.08 36 115	1.33 54 98	-6.11 28 119	94	3						
1713 20 0042 91629188	116 18 0031 1713 17 0036	2.56	129	139	0.15 46 101	1.72 51 136	1.80 131	1.63 32 106	4.20 26 123	4.39 43 128	-1.58 55 102	-6.22 26 119	97	6						
1713 20 0061 91629600	116 18 0031 1713 17 0091	2.56	134	146	-0.19 59 98	2.30 55 136	2.21 136	1.40 38 105	6.30 29 133	5.90 51 137	-4.40 56 105	-6.40 26 120	129	6						
1713 20 0064 91629543	116 18 0031 1713 17 0062	2.56	133	144	0.12 53 101	1.39 57 136	1.45 125	0.88 32 101	4.50 30 125	4.21 49 127	-19.06 56 124	-1.79 28 107	114	5						
1713 20 0065 91629287	116 18 0031 1713 17 0062	2.56	130	141	0.13 47 101	1.44 53 136	1.50 126	0.98 23 102	3.70 18 121	3.78 43 124	-17.79 55 122	-2.05 27 108	104	6						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713 20 0069 91629220	116 18 0031 1713 17 0033	2.56	116	123	-0.49 51 94	0.34 57 109	0.09 102	-0.21 34 94	3.70 17 121	2.07 45 115	-5.50 44 107	-3.69 26 112	143	4							
1713 20 0090 91629881	116 16 0037 1713 18 0050	2.24	95	92	-0.28 53 97	-0.41 58 91	-0.55 91	-0.92 33 90	0.10 16 104	-0.62 46 99	-3.10 55 104	6.78 31 83	108	5							
1713 20 0094 91629980	116 16 0037 1713 17 0006	2.24	103	102	0.16 47 102	0.13 53 104	0.21 104	-0.66 29 91	0.10 17 104	0.35 42 105	-13.77 57 117	9.64 31 75	100	5							
1713 21 0010 93138105	116 16 0037 1713 17 0081	2.24	98	99	0.01 46 100	0.17 53 105	0.18 103	-0.19 31 94	0.00 16 103	0.18 42 104	12.82 55 84	0.63 31 100	91	5							
1713 21 0022 92246271	116 19 0159 1713 19 0114	5.23	83	85	-0.97 52 89	-0.84 54 80	-1.33 77	-1.38 40 87	-1.20 26 98	-2.54 47 88	12.75 54 84	-2.10 27 108	100	4							
1713 21 0024 92246198	116 19 0159 1713 19 0112	5.23	81	84	-1.04 52 88	-0.83 51 80	-1.34 77	-1.10 38 88	-1.20 15 98	-2.58 43 88	34.59 54 64	-8.21 25 125	105	4							
1713 21 0036 92246552	116 16 0037 1713 17 0003	2.24	102	102	0.01 52 100	-0.05 57 99	-0.05 100	-0.76 29 91	1.70 26 111	0.98 48 108	11.54 57 85	-0.63 31 104	113	3							
1713 21 0043 92463405	116 16 0037 1713 17 0044	2.24	97	97	-0.24 40 97	-0.34 44 92	-0.46 92	-0.84 33 90	0.10 16 104	-0.52 36 100	-2.02 58 102	2.31 31 96	3								
1713 21 0048 92463769	116 16 0037 1713 18 0009	2.24	98	97	-0.12 37 98	-0.22 40 95	-0.29 95	-0.85 29 90	0.10 16 104	-0.29 33 101	-1.56 55 102	4.36 27 90	1								
1713 21 0049 92463488	116 16 0037 1713 17 0062	2.24	102	102	0.02 50 100	-0.04 56 100	-0.03 100	-0.74 29 91	0.40 27 105	0.21 47 104	-3.70 58 105	3.10 32 93	104	4							
1713 21 0058 92463322	116 16 0037 1713 17 0033	2.24	89	86	-0.62 50 93	-0.99 52 76	-1.30 78	-1.52 31 86	0.20 16 104	-1.49 43 94	5.07 57 93	1.81 32 97	105	2							
1713 21 0066 93138147	116 19 0159 1713 19 0101	5.23	83	82	-1.01 41 88	-0.80 36 81	-1.30 78	-1.09 38 89	-1.20 15 98	-2.53 33 88	3.66 53 95	5.98 26 85	2								
1713 21 0080 92463629	116 19 0159 1713 19 0032	5.23	86	85	-1.03 42 88	-0.84 38 80	-1.36 77	-1.24 40 88	-1.00 16 99	-2.48 34 88	-6.11 53 108	7.00 27 83	3								
1713 21 0084 92465467	116 19 0159 1713 20 0034	3.82	101	107	-0.58 51 93	0.35 53 110	0.06 101	0.31 39 98	0.10 27 104	-0.17 46 102	3.30 53 96	-0.53 26 103	106	4							
1713 21 0101 92466143	116 19 0159 1713 19 0016	5.23	78	79	-1.74 55 80	-1.71 56 64	-2.58 64	-1.62 40 85	-1.00 16 99	-4.05 46 79	6.32 53 92	-1.08 27 105	95	4							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility													
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed				
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15					
1713 21 0103 92466028	116 19 0159 1713 18 0007	5.23	88	89	-0.78 42 91	-0.36 38 92	-0.75 88	-0.60 40 92	-1.30 16 97	-1.91 34 91	3.22 52 96	4.53 26 89	2													
1713 21 0113 92465483	116 16 0037 1713 17 0006	2.24	103	101	-0.06 50 99	-0.15 56 97	-0.18 97	-0.81 29 90	0.00 26 103	-0.21 47 101	-25.20 59 132	11.97 32 69	102 4													
1713 21 0114 92466085	116 16 0037 1713 17 0006	2.24	106	106	0.26 53 103	0.27 58 108	0.40 107	-0.59 29 92	0.10 17 104	0.59 47 106	-17.94 58 123	9.33 32 76	109 4													
1713 21 0126 92465962	116 16 0037 1713 19 0051	2.24	96	96	-0.22 38 97	-0.25 42 94	-0.36 94	-0.69 31 91	0.10 16 104	-0.41 34 100	6.05 56 92	0.93 30 99	2													
1713 21 0131 92466820	116 19 0159 1713 20 0043	2.37	103	108	-0.86 48 90	0.11 48 104	-0.32 95	-0.16 37 95	-0.70 26 100	-1.16 43 96	-30.01 52 136	7.56 25 81	97 3													
1212 22 0006 100367168	1212 20 0007 1212 19 0381	8.65	99	102	-1.10 33 87	-0.29 39 93	-0.84 86	-0.95 5 89	1.60 5 111	-0.43 28 100	-3.71 27 105	2.42 21 95	108 2													
1713 22 0012 94326691	116 20 0203 1713 17 0027	2.24	107	109	-0.08 58 99	-0.08 41 99	-0.12 98	-1.64 57 85	2.80 11 117	1.52 41 111	1.92 48 97	-1.40 26 106	2													
1713 22 0021 94326733	116 20 0203 1713 20 0069	2.30	106	103	-0.40 62 95	-0.90 53 78	-1.10 81	-0.48 57 93	3.70 19 121	0.92 49 108	-2.91 47 104	-1.93 20 107	90 1													
1713 22 0025 94336153	116 20 0203 1713 20 0064	2.30	119	119	0.13 59 101	0.03 43 102	0.10 102	0.66 57 100	3.90 18 122	2.50 43 117	-15.82 51 120	1.09 25 99	2													
1028 22 0026 98367055	1028 19 0565 1028 21 0009	33.15	101	103	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-2.56 40 103	5.22 26 88	2													
1713 22 0032 94336112	116 20 0203 1713 20 0057	1.99	97	91	0.18 63 102	-0.91 55 78	-0.82 86	-0.47 57 93	1.20 26 109	-0.01 51 103	9.79 52 87	-1.26 26 105	94 2													
1713 22 0033 94336054	116 19 0159 1713 17 0043	2.33	103	101	-0.26 52 97	-0.23 37 95	-0.37 94	1.06 53 103	0.20 14 104	-0.38 37 100	-12.71 43 116	4.58 27 89	2													
1351 22 0035 97355366	1351 20 0066 1351 14 0103	27.00	102	107	-0.81 13 91	-0.10 16 98	-0.50 92	-0.58 5 92	1.60 5 111	0.05 11 103	-1.35 28 102	-0.32 22 103	82 3													
1713 22 0045 94645090	116 20 0203 1713 17 0081	2.24	117	102	1.51 56 117	-0.49 39 88	0.26 105	3.90 57 121	2.80 11 117	2.70 39 118	-0.18 52 100	1.16 21 99	1													
1713 22 0049 94644598	116 20 0203 1713 20 0030	2.30	109	110	-0.17 56 98	-0.30 39 93	-0.38 94	-0.49 57 92	3.10 13 118	1.40 40 111	-1.30 44 101	-2.94 20 110	1													

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713 22 0058 94645132	116 19 0159 1713 18 0064	2.33	102	105	-0.40 59 95	-0.02 53 100	-0.21 97	-0.87 55 90	0.50 25 106	-0.11 49 102	-8.57 51 111	2.59 27 95	107	3							
1713 22 0070 95589123	116 20 0203 1713 19 0066	2.07	100	89	0.77 58 108	-0.96 41 77	-0.57 90	1.28 57 104	0.50 16 106	0.11 42 103	4.03 51 95	0.89 26 99	2								
1713 22 0073 95588802	116 19 0159 1713 18 0008	5.23	75	85	-1.97 59 78	-0.52 51 88	-1.51 74	-3.38 56 74	-2.80 26 90	-4.18 48 78	9.31 52 88	-0.26 27 103	98	3							
1713 22 0078 95589222	116 20 0203 1713 20 0020	2.07	115	96	1.32 64 115	-1.11 56 73	-0.45 93	4.08 58 122	3.30 24 119	2.19 52 115	-9.85 53 112	4.97 26 88	114	3							
1351 22 0081 97460315	1351 20 0066 1351 17 0043	2.89	104	110	-0.67 25 92	0.08 32 103	-0.25 96	-0.49 5 92	1.60 5 111	0.37 22 105	-0.71 26 101	-1.08 21 105	102	2							
1351 22 0084 97355382	1351 20 0066 1351 19 0041	2.88	97	101	-1.19 33 86	-0.59 40 86	-1.18 80	-0.84 5 90	1.60 5 111	-0.82 28 98	-0.15 28 100	-1.95 22 107	104	2							
1713 22 0085 95588703	116 20 0203 1713 19 0079	2.07	91	83	-0.26 59 97	-1.04 47 75	-1.17 80	-0.33 58 94	0.40 19 105	-1.06 45 96	3.15 52 96	5.78 26 86	92	2							
1713 22 0089 95588786	116 20 0203 1713 20 0050	1.99	94	85	0.26 57 103	-1.04 40 75	-0.91 85	-1.47 57 86	0.70 15 107	-0.36 41 100	1.22 52 98	5.18 26 88	2								
1926 22 0103 95206785	1384 19 0179 1926 16 0014	2.86	104	109	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-1.31 15 101	-0.82 18 104	2								
1713 22 0103 95589685	116 20 0203 1713 20 0106	2.24	113	111	0.29 60 103	-0.16 49 97	-0.02 100	-0.58 58 92	2.90 11 117	1.87 44 113	-9.95 40 112	1.14 17 99	98	1							
1713 22 0106 95589321	116 19 0159 1713 17 0070	2.33	103	101	-0.25 57 97	-0.35 47 92	-0.47 92	0.49 56 99	-0.40 21 102	-0.84 45 98	-24.97 52 132	7.24 27 82	91	3							
1713 22 0109 95589461	116 19 0159 1713 19 0029	5.23	94	88	-0.15 54 98	-0.64 39 85	-0.71 88	0.87 55 101	-1.00 16 99	-1.39 39 95	-4.24 52 105	6.28 28 85	2								
1351 22 0109 97355408	1351 20 0066 1351 20 0106	2.87	102	107	-0.80 25 91	-0.09 32 99	-0.49 92	-0.58 5 92	1.60 5 111	0.07 22 103	-1.04 26 101	-0.49 21 103	105	3							
1351 22 0118 97462097	1351 20 0066 1351 20 0058	2.87	102	107	-0.77 12 91	-0.04 15 100	-0.42 93	-0.55 5 92	1.60 5 111	0.16 10 103	-1.53 26 102	0.34 21 101	2								
1384 23 0053 98982622	1384 21 0489 1384 21 0331	5.74	100	104	-1.04 23 88	-0.38 30 91	-0.90 85	-0.75 5 91	1.60 5 111	-0.46 20 100	-2.68 44 103	-1.11 22 105	99	3							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1384 23 0055 98982465	1384 21 0489 1384 21 0014	2.73	103	107	-0.75 9 91	-0.10 10 98	-0.47 92	-0.49 5 92	1.20 5 109	-0.13 8 102	-6.35 43 108	0.55 23 100	2									
1384 23 0063 98982481	1384 21 0430 1384 21 0259	5.77	103	107	-0.76 6 91	-0.02 5 100	-0.40 94	-0.58 5 92	1.60 5 111		-5.68 39 107	2.14 15 96	1									
1384 23 0068 98624299	1384 21 0181 1384 21 0476	4.23	110	114	-0.01 30 100	0.33 31 109	0.33 106	0.07 5 96	1.30 5 110	1.11 24 109	-4.64 46 106	-1.64 27 106	109 3									
1713 23 0077 97312060	116 20 0203 1713 19 0004	2.07	103	94	0.63 54 107	-0.87 51 79	-0.55 91	0.11 44 96	1.60 13 111	0.72 43 107	-3.84 44 105	3.38 21 93	102 1									
1351 23 0087 97462014	1658 19 0025 1351 21 0005	27.17	101	111	-1.06 21 88	0.08 12 103	-0.45 93	-0.98 5 89	1.60 5 111	-0.02 13 102	8.91 45 88	-6.64 23 120	88 1									
1713 23 0088 99046039	116 20 0203 1713 20 0031	2.30	117	113	0.46 45 105	-0.16 35 97	0.07 101	1.43 42 105	3.30 13 119	2.28 34 116	-7.11 49 109	-0.79 20 104	1									
1713 23 0089 99046211	116 20 0203 1713 20 0031	2.30	117	113	0.46 45 105	-0.16 35 97	0.07 101	1.43 42 105	3.30 13 119	2.28 34 116	-7.41 44 109	-0.69 20 104	1									
1713 23 0090 99046070	116 20 0203 1713 17 0032	2.24	108	102	0.13 49 101	-0.84 45 80	-0.78 87	0.34 44 98	2.90 11 117	1.03 39 109	-10.27 43 113	2.03 26 96	99 2									
1713 23 0091 99045999	116 20 0203 1713 17 0032	2.24	108	102	0.19 46 102	-0.77 38 82	-0.67 89	0.38 44 98	2.90 11 117	1.16 35 109	-11.38 49 114	3.55 21 92	1									
1713 23 0092 99045932	116 20 0203 1713 22 0051	2.17	103	96	0.22 50 102	-0.85 36 79	-0.74 88	0.88 49 101	1.60 12 111	0.33 36 104	-2.45 48 103	0.29 19 101	1									
1351 23 0094 99943045	1351 22 0015 1351 21 0069	2.89	102	106	-0.67 26 92	0.25 32 107	-0.09 99	-0.57 5 92	1.60 5 111	0.54 22 106	8.30 44 89	0.49 22 101	101 2									
1713 23 0094 99045890	116 20 0203 1713 18 0012	2.24	112	108	0.40 46 104	-0.36 37 92	-0.16 98	0.86 44 101	2.70 12 116	1.66 35 112	-8.93 50 111	0.87 21 100	1									
1713 23 0096 99050627	116 20 0203 1713 21 0043	2.07	103	94	0.38 47 104	-0.94 37 77	-0.75 87	0.53 44 99	1.60 13 111	0.40 35 105	-4.96 51 106	2.30 21 96	1									
1713 23 0097 99046096	116 20 0203 1713 20 0047	2.30	114	112	0.17 49 102	-0.25 44 95	-0.17 98	1.91 43 108	3.30 13 119	1.90 39 114	3.97 51 95	-5.87 20 118	99 1									
1713 23 0099 99046112	116 20 0203 1713 19 0029	2.07	105	96	0.49 47 105	-0.70 38 83	-0.46 92	0.84 44 101	1.70 13 111	0.81 36 107	-4.53 45 106	3.47 22 92	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1713 23 0103 99045858	116 20 0203 1713 17 0070	2.24	116	111	0.51 53 105	-0.35 51 92	-0.10 99	0.80 45 101	2.60 12 116	1.72 43 113	-26.87 51 134	6.01 26 85	108	2						
1713 23 0106 99045791	116 20 0203 1713 20 0030	2.30	109	104	0.13 49 101	-0.76 45 82	-0.70 88	0.77 44 101	3.10 13 118	1.23 39 110	-1.66 50 102	-2.63 25 109	98	2						
1713 23 0107 99050437	116 21 0111 1713 21 0103	6.40	96	96	-0.36 32 96	-0.20 22 96	-0.38 94	-0.15 21 95	-0.40 8 102	-0.80 23 98	4.00 34 95	1.51 17 98		0						
1713 23 0109 99045817	116 21 0023 1713 19 0021	2.88	96	103	-0.93 43 89	0.08 30 103	-0.39 94	-1.43 15 86	0.70 9 107	-0.43 30 100	8.60 49 89	-1.49 19 106		1						
1713 23 0111 99045957	1713 21 0068 1713 19 0051	5.37	109	110	0.11 31 101	0.24 31 107	0.29 105	0.55 23 99	1.30 11 110	1.13 26 109	-6.27 38 108	1.93 20 97		1						
1332 23 0114 98698624	1509 21 0117 1332 18 0309	2.80	104	108	-0.16 26 98	0.22 31 106	0.14 103	0.23 7 97	0.20 7 104	0.18 24 104	2.08 25 97	-2.27 19 108	105	3						
1713 23 0115 99050577	116 21 0023 1713 21 0012	2.88	97	103	-0.91 43 89	0.20 30 106	-0.25 96	-1.14 16 88	0.60 8 106	-0.35 30 101	8.95 49 88	-0.08 19 102		1						
1713 23 0120 99048191	116 21 0023 1713 19 0032	2.88	93	99	-1.12 44 87	-0.22 32 95	-0.78 87	-1.68 19 85	0.60 8 106	-0.98 31 97	5.14 44 93	0.45 19 101		0						
1713 23 0121 99048217	116 21 0023 1713 19 0032	2.88	93	99	-1.12 44 87	-0.22 32 95	-0.78 87	-1.68 19 85	0.60 8 106	-0.98 31 97	5.14 44 93	0.45 19 101		0						
1351 23 0123 99943094	1351 22 0015 1351 21 0012	2.90	101	106	-0.77 27 91	0.13 32 104	-0.26 96	-0.63 5 92	1.60 5 111	0.32 23 104	9.50 44 88	-1.25 22 105	99	2						
1351 23 0124 99943102	1351 22 0015 1351 21 0012	2.90	101	107	-0.77 27 91	0.12 32 104	-0.27 96	-0.63 5 92	1.60 5 111	0.30 23 104	11.79 44 85	-4.21 22 114	100	2						
1713 24 0002 99050585	1713 21 0068 1713 22 0024	6.06	114	107	0.98 38 111	-0.08 30 99	0.41 107	2.15 32 110	1.90 13 112	2.04 29 114	-2.13 38 103	0.90 17 99		0						
1713 24 0006 99048456	116 21 0023 1713 20 0020	2.88	99	106	-1.03 45 88	0.15 34 104	-0.37 94	-0.99 21 89	1.00 10 108	-0.29 33 101	-0.42 51 100	1.86 19 97		1						
1713 24 0009 99048472	116 21 0023 1713 19 0060	2.87	92	99	-0.95 43 89	-0.06 29 99	-0.53 91	-1.62 14 85	0.40 8 105	-0.77 30 98	19.42 50 75	-5.10 18 116		1						
1713 24 0010 99048332	116 21 0023 1713 19 0060	2.87	93	100	-0.95 43 89	-0.06 29 99	-0.53 91	-1.62 14 85	0.40 8 105	-0.77 30 98	16.22 51 79	-4.05 18 113		1						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
						EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1713 24 0019 99048928	1713 21 0068 1713 22 0031	6.06		114	111	0.60 39 107	0.13 31 104	0.43 108	1.61 32 106	2.40 13 115	2.17 30 115	-1.49 47 102	0.25 17 101	1					
1713 24 0022 100070192	1713 21 0068 1713 17 0057	5.37		115	115	0.27 30 103	0.40 29 111	0.53 109	0.57 21 99	1.40 11 110	1.50 25 111	-21.56 48 127	6.20 21 85	1					
1713 24 0023 99048985	116 21 0023 1713 20 0034	2.61		106	117	-0.84 44 90	0.75 32 120	0.33 106	-0.25 17 94	1.60 12 111	0.88 32 108	7.39 51 90	-3.12 18 111	1					
1713 24 0029 99049009	116 21 0023 1713 19 0058	2.87		93	99	-1.05 42 88	-0.11 28 98	-0.63 89	-1.49 14 86	0.40 8 105	-0.92 29 97	9.18 51 88	-0.24 18 103	1					
1713 24 0034 107790081	776 22 0378 1351 22 0109	2.80		106	104	0.02 24 100	-0.31 22 93	-0.30 95	0.52 7 99	1.70 5 111	0.73 19 107	-1.95 24 102	-0.07 17 102	1					
1713 24 0037 100068626	116 21 0023 1713 22 0058	5.64		98	108	-1.19 59 86	0.15 35 105	-0.45 93	-1.60 28 85	0.80 13 107	-0.56 39 99	1.14 42 98	-1.01 18 105	0					
1713 24 0040 100068956	1713 22 0030 1713 21 0101	2.98		101	99	-0.45 59 95	-0.76 38 82	-0.98 83	0.68 35 100	1.90 12 112	-0.07 40 102	2.41 39 97	-2.42 17 109	0					
1713 24 0047 100069053	1713 22 0030 1713 21 0024	2.22		104	100	0.25 58 102	-0.39 37 91	-0.26 96	1.39 34 105	1.70 12 111	0.88 39 108	16.44 49 79	-5.74 16 118	1					
1713 24 0050 100068899	1713 22 0030 1713 20 0005	10.03		124	132	-0.08 58 99	0.87 39 123	0.83 115	1.24 31 104	4.40 17 124	3.43 41 122	-2.22 47 103	-5.24 17 116	1					
1713 24 0059 100069616	1713 22 0030 1713 21 0022	2.98		104	104	-0.19 58 98	-0.30 38 93	-0.40 93	0.63 35 100	1.80 16 112	0.59 41 106	6.49 49 92	-3.69 17 112	1					
1713 24 0073 100069111	1713 22 0030 1713 20 0057	2.15		105	100	0.57 58 106	-0.41 39 91	-0.12 98	1.08 34 103	1.70 17 111	1.18 41 109	12.12 51 84	-3.39 19 111	1					
1713 24 0075 100069152	1713 21 0068 1713 20 0042	10.03		119	121	0.61 50 107	0.81 36 121	1.11 120	1.58 22 106	2.10 16 113	2.68 37 118	-0.98 47 101	-1.56 19 106	1					
1713 24 0077 100069178	116 21 0023 1713 22 0126	4.57		97	100	-0.87 59 90	-0.43 35 90	-0.87 85	-1.38 29 87	1.50 10 111	-0.40 38 100	2.87 43 96	-0.49 16 103	0					
1713 24 0082 100069038	116 20 0203 1713 19 0004	2.07		102	93	0.51 59 105	-0.92 43 78	-0.66 89	-0.01 44 96	1.60 13 111	0.55 42 106	-2.89 53 103	2.75 21 94	1					
1713 24 0083 100068774	116 20 0203 1713 19 0004	2.07		104	92	0.94 59 110	-1.00 43 76	-0.54 91	0.56 44 99	1.60 13 111	0.89 42 108	-3.84 44 105	3.38 21 93	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Mat	Post-Wean		Number		TWW		AFL		ILP		Times	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Lambd
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1713 24 0087 100069319	1713 22 0030 1713 21 0113	3.74		117	109	1.08 58 112	-0.12 38 98	0.42 108	2.00 32 109	2.30 16 114	2.34 41 116	-10.58 51 113	3.41 19 93	1									
1713 24 0090 100068873	1713 22 0030 1713 20 0064	10.03		128	133	0.32 59 103	0.82 39 121	0.98 117	1.71 33 107	4.60 17 125	3.90 42 125	-8.63 50 111	-3.56 17 112	1									
1713 24 0091 100069715	1713 21 0068 1713 20 0049	14.57		112	108	1.09 48 112	0.30 33 108	0.84 115	1.73 19 107	1.00 13 108	1.98 34 114	4.82 49 94	-0.59 19 104	1									
1713 24 0095 100070150	116 20 0203 1713 19 0066	2.07		100	89	0.79 58 109	-0.93 41 77	-0.54 91	1.09 44 103	0.50 16 106	0.15 42 103	5.75 53 93	0.37 21 101	1									
1713 24 0100 100069939	116 21 0023 1713 22 0032	4.72		97	99	-0.61 59 93	-0.35 36 92	-0.66 89	-1.01 29 89	1.20 13 109	-0.25 40 101	11.64 52 85	-3.51 17 112	1									
1713 24 0106 100070093	1713 22 0030 1713 20 0065	10.03		129	131	0.69 57 108	0.77 37 120	1.12 120	2.26 31 110	4.20 12 123	3.99 39 126	-9.65 47 112	-2.58 17 109	1									
1713 24 0114 108644022	1384 22 0439 1384 23 0068	5.83		107	110	-0.12 38 98	0.22 22 106	0.16 103	0.19 6 97	0.70 5 107	0.52 24 106	-8.21 34 110	1.86 18 97	0									
1713 24 0118 101244978	1384 22 0439 1332 23 0114	2.94		104	106	-0.20 37 98	0.17 22 105	0.07 102	0.27 6 97	0.20 5 104	0.09 24 103	-4.85 28 106	1.55 15 98	1									
1713 24 0123 101245074	1384 22 0439 1713 22 0109	2.49		99	96	-0.19 44 98	-0.27 25 94	-0.36 94	0.59 28 100	-0.40 9 102	-0.70 29 99	-8.01 36 110	5.83 18 86	0									
1713 24 0129 101245090	1384 22 0439 1713 22 0012	2.37		106	107	-0.16 46 98	0.02 26 101	-0.06 99	-0.67 29 91	1.50 7 111	0.76 29 107	-4.93 35 106	1.99 17 96	0									
1713 24 0130 101245033	1384 22 0439 1713 22 0089	2.38		99	95	0.01 45 100	-0.46 25 89	-0.46 92	-0.58 29 92	0.40 8 105	-0.21 29 101	-5.29 36 107	5.28 18 87	0									
1713 24 0134 101245058	1384 22 0439 1384 23 0055	2.87		103	106	-0.49 35 94	0.00 16 101	-0.24 96	-0.09 6 95	0.70 5 107	-0.06 21 102	-9.07 33 111	2.96 16 94	0									
1713 24 0136 101245173	1384 22 0439 1713 22 0025	2.38		113	113	-0.05 46 99	0.07 26 103	0.05 101	0.48 29 99	2.00 10 113	1.22 30 110	-23.39 48 130	6.38 17 84	1									
1713 24 0138 108644030	1384 22 0439 1713 17 0062	2.49		115	119	-0.18 41 98	0.51 28 114	0.42 108	0.07 15 96	1.60 10 111	1.29 29 110	-26.33 39 133	6.44 20 84	1									
1713 24 0146 107880916	1384 21 0430 1713 19 0051	2.69		109	114	-0.65 18 92	0.26 21 107	-0.07 99	-0.30 17 94	2.10 5 113	0.86 16 108	-12.31 42 115	2.96 19 94	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713 25 0002 108644071	1384 22 0439 1713 19 0025	2.50	97	97	-0.30 41 96	-0.30 29 93	-0.45 93	-0.54 20 92	0.00 9 103	-0.60 29 99	-0.55 38 101	2.00 20 96	0								
1713 25 0006 108644105	1384 21 0430 1713 21 0043	2.66	101	102	-0.50 20 94	-0.18 22 96	-0.42 93	-0.70 16 91	0.90 8 108	-0.13 18 102	-7.75 44 110	3.95 20 91	1								
1713 25 0014 108693722	116 23 0087 1509 23 0114	2.63	102	105	-0.39 53 95	0.01 28 101	-0.19 97	-0.15 7 95	0.50 7 106	-0.08 33 102	-4.77 26 106	1.68 14 97	0								
1713 25 0015 108693730	116 23 0087 1509 23 0114	2.63	103	104	-0.20 53 97	-0.03 28 100	-0.13 98	0.09 7 96	0.50 7 106	0.07 33 103	-4.77 26 106	1.68 14 97	0								
1713 25 0018 108693763	116 23 0087 1713 23 0077	2.90	103	95	0.68 56 107	-0.59 33 86	-0.25 96	0.73 23 100	0.60 10 106	0.45 37 105	-5.63 32 107	4.30 17 90	0								
1713 25 0019 108693771	116 23 0087 1713 23 0077	2.90	100	97	0.01 56 100	-0.46 33 89	-0.45 93	-0.16 23 95	0.60 10 106	-0.09 37 102	-5.63 32 107	4.30 17 90	0								
1713 25 0025 108907171	116 23 0087 1351 23 0123	2.82	100	102	-0.37 53 96	-0.02 27 100	-0.21 97	-0.10 7 95	0.60 7 106	-0.03 32 102	1.04 32 98	1.99 18 96	0								
1713 25 0030 108907221	116 21 0023 1713 20 0064	2.32	117	125	-0.18 58 98	0.71 37 119	0.62 111	0.28 17 98	2.80 15 117	2.21 40 115	-4.10 44 105	-3.20 18 111	0								
1713 25 0033 108907254	1384 22 0439 1332 23 0114	2.94	105	106	0.00 52 100	0.13 25 104	0.13 103	0.53 6 99	0.20 5 104	0.25 31 104	-4.85 28 106	1.55 15 98	0								
1713 25 0036 108907288	116 23 0087 1212 22 0006	1.84	100	100	-0.39 54 95	-0.26 29 94	-0.46 92	-0.07 7 95	0.60 8 106	-0.29 34 101	-5.56 27 107	3.83 17 91	0								
1713 25 0037 108914037	116 23 0087 1351 23 0124	2.82	100	103	-0.40 53 95	-0.02 27 100	-0.23 96	-0.14 7 95	0.60 7 106	-0.07 32 102	2.19 32 97	0.51 18 101	0								
1713 25 0040 108914060	1658 23 0272 1713 22 0058	2.20	102	101	-0.12 53 98	-0.17 30 97	-0.23 96	-0.04 28 95	0.40 13 105	-0.05 35 102	-6.20 34 108	3.83 16 91	0								
1713 25 0042 108914086	1384 22 0439 1713 21 0022	2.49	94	95	-0.63 56 93	-0.36 33 92	-0.68 89	-0.57 21 92	-0.50 14 101	-1.29 37 95	0.48 37 99	1.63 18 97	0								
1713 25 0044 108914094	1384 22 0439 1713 19 0004	2.50	102	99	0.29 56 103	-0.17 34 97	-0.03 100	-0.27 19 94	0.10 9 104	0.18 37 104	-7.88 38 110	5.61 19 86	0								
1713 25 0046 108914110	116 21 0023 1713 21 0101	5.93	82	94	-2.48 58 72	-0.57 37 86	-1.81 69	-2.79 21 77	0.10 8 104	-2.99 38 85	8.59 43 89	-2.85 18 110	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1713 25 0056 108914201	116 21 0023 1713 20 0069	2.32			104	117	-1.44 57 84	0.37 37 110	-0.35 94	-1.53 18 86	2.40 9 115	0.37 38 105	2.68 40 96	-4.15 17 113	0				
1713 25 0059 108914235	116 23 0087 1351 22 0084	2.74			100	99	-0.36 54 96	-0.42 29 90	-0.61 90	0.09 7 96	0.60 7 106	-0.43 34 100	-3.78 27 105	1.64 17 97	0				
1713 25 0060 108914243	116 23 0087 1212 22 0883	2.71			94	101	-1.55 51 82	-0.20 25 96	-0.98 84	-1.49 7 86	0.60 7 106	-1.39 31 95	-3.90 23 105	2.14 14 96	0				
1713 25 0065 108951914	1384 22 0439 1713 22 0032	2.38			100	98	-0.06 58 99	-0.39 33 91	-0.42 93	-0.13 29 95	0.70 14 107	-0.03 38 102	-1.00 36 101	2.05 18 96	0				
1713 25 0066 108951922	116 21 0023 1713 20 0065	2.32			115	124	-0.43 57 95	0.78 36 120	0.57 110	0.01 12 96	2.40 9 115	1.79 38 113	-3.47 43 104	-3.33 18 111	0				
1713 25 0067 108951930	116 21 0023 1713 20 0065	2.32			112	126	-0.92 57 89	0.88 36 123	0.42 108	-0.66 12 91	2.40 9 115	1.39 38 111	-3.47 43 104	-3.33 18 111	0				
1713 25 0068 108951948	116 21 0023 1713 22 0073	5.93			86	96	-1.64 58 81	-0.17 35 97	-0.99 83	-2.40 28 80	-0.80 13 100	-2.29 39 89	10.08 42 87	-2.44 18 109	0				
1713 25 0069 108951955	1658 23 0272 1713 21 0010	2.16			98	98	-0.28 51 97	0.00 30 101	-0.15 98	-0.18 16 95	0.10 9 104	-0.23 33 101	4.49 35 94	2.85 18 94	0				
1713 25 0071 108951971	1384 22 0439 1713 20 0094	2.50			105	102	0.24 55 102	0.06 32 102	0.19 104	0.20 15 97	0.10 9 104	0.37 36 105	-12.78 38 116	7.50 20 81	0				
1713 25 0072 108951989	116 23 0087 1713 23 0103	2.98			107	105	-0.08 56 99	-0.19 33 96	-0.23 96	0.15 24 97	1.10 10 109	0.39 37 105	-17.14 35 122	5.62 19 86	0				
1713 25 0073 108951997	116 23 0087 1713 23 0103	2.98			111	103	0.82 56 109	-0.37 33 92	0.04 101	1.35 24 105	1.10 10 109	1.11 37 109	-17.14 35 122	5.62 19 86	0				
1713 25 0074 108952003	116 21 0023 1713 21 0049	2.88			103	103	0.09 57 101	-0.08 37 99	-0.03 100	-0.09 15 95	0.80 14 107	0.50 39 105	3.58 44 95	-0.76 20 104	0				
1713 25 0075 108952011	1384 22 0439 1713 21 0113	2.50			101	104	-0.60 55 93	0.07 33 103	-0.23 96	-0.86 15 90	0.10 14 104	-0.48 37 100	-18.49 39 123	8.67 20 78	0				
1713 25 0077 108952037	1384 22 0439 1713 21 0114	2.50			106	104	0.31 56 103	0.13 34 104	0.28 105	0.25 15 97	0.10 9 104	0.50 37 105	-14.86 38 119	7.35 20 82	0				
1713 25 0078 108952045	1658 23 0272 1713 23 0090	2.10			101	101	-0.61 51 93	-0.44 27 90	-0.74 88	-0.44 22 93	1.60 7 111	-0.09 32 102	-7.05 31 109	3.55 16 92	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1713 25 0082 109339341	1658 23 0272 1713 21 0024	2.16	89	89	-0.59 50	93	-0.55 29	87	-0.84 86	-0.35 19	93	-0.50 8	-1.44 32	94	15.38 35	80	-1.57 16	106	0	
1713 25 0083 110327822	116 21 0023 1713 17 0062	2.28	111	122	-0.96 44	89	0.59 32	116	0.11 102	-1.12 15	88	2.10 10	0.89 32	108	-15.01 45	119	1.45 19	98	0	
1713 25 0084 110327830	116 21 0023 1713 17 0062	2.28	111	122	-0.96 44	89	0.59 32	116	0.11 102	-1.12 15	88	2.10 10	0.89 32	108	-15.01 45	119	1.45 19	98	0	
1713 25 0085 111222816	1658 23 0272 1713 24 0022	2.21	105	107	-0.35 31	96	0.15 18	104	-0.03 100	-0.07 11	95	0.80 7	0.27 20	104	-12.70 33	116	5.64 14	86	0	
1713 25 0086 111222824	1658 23 0272 1713 24 0022	2.21	105	107	-0.35 31	96	0.15 18	104	-0.03 100	-0.07 11	95	0.80 7	0.27 20	104	-12.70 33	116	5.64 14	86	0	
1713 26 0002 111603973	116 21 0023 1351 22 0035	2.44	99	108	-1.30 39	85	0.09 23	103	-0.56 91	-1.33 5	87	1.40 5	-0.37 24	100	4.75 36	94	-2.47 16	109	0	
1713 26 0004 111603999	116 23 0087 1713 23 0094	2.98	106	103	0.14 43	101	-0.26 26	94	-0.18 97	0.55 23	99	1.10 9	0.55 29	106	-8.17 34	110	3.05 17	94	0	
1713 26 0005 111604005	116 23 0087 1713 23 0094	2.98	106	103	0.14 43	101	-0.26 26	94	-0.18 97	0.55 23	99	1.10 9	0.55 29	106	-8.17 34	110	3.05 17	94	0	
1713 26 0009 111604047	116 21 0023 1926 22 0103	2.73	100	109	-1.24 39	86	0.18 21	105	-0.44 93	-1.28 5	87	1.40 5	-0.22 24	101	4.77 34	94	-2.71 14	109	0	
1713 26 0011 111604062	1658 23 0272 1713 24 0006	2.09	98	103	-1.00 35	89	0.02 20	101	-0.48 92	-0.85 11	90	0.70 6	-0.56 23	99	-2.13 34	103	3.47 13	92	0	
1713 26 0013 111604088	116 21 0023 1351 22 0118	2.72	99	108	-1.28 39	85	0.12 23	104	-0.52 91	-1.31 5	87	1.40 5	-0.32 24	101	4.66 36	94	-2.14 16	108	0	
1713 26 0017 111604120	116 23 0087 1713 22 0012	2.98	103	104	-0.10 46	99	-0.11 28	98	-0.16 98	-0.70 29	91	1.20 9	0.51 31	106	-2.74 34	103	1.92 19	97	0	
1713 26 0023 112432836	116 23 0087 1713 24 0009	2.44	96	99	-0.53 42	94	-0.10 23	98	-0.37 94	-0.69 10	91	0.00 8	-0.64 27	99	6.00 34	92	0.06 16	102	0	
1713 26 0027 112432877	116 23 0087 1713 22 0070	2.66	100	93	0.33 46	103	-0.55 27	87	-0.39 94	0.76 29	101	0.00 11	-0.23 31	101	-1.69 35	102	3.06 19	93	0	
1713 26 0028 112432885	116 23 0087 1713 23 0092	2.82	101	97	0.05 44	100	-0.50 25	88	-0.47 92	0.56 25	99	0.60 10	-0.09 29	102	-4.93 34	106	2.76 16	94	0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	Lambded	
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV		
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36		-0.31		-0.30		0.15				
1713 26 0029 112432893	116 21 0023 1713 20 0042	2.32	113	127	-0.83 45 90	1.00 33 126	0.59 111	-0.22 17 94		2.70 13 116	1.80 33 113	4.63 43 94	-5.42 17 117		0									
1713 26 0030 112432901	116 21 0023 1713 19 0051	2.28	104	115	-1.18 43 87	0.40 30 111	-0.19 97	-1.05 18 89		1.80 5 112	0.31 29 104	-0.14 43 100	-2.14 18 108		0									
1713 26 0031 112432919	116 21 0023 1713 19 0051	2.28	104	115	-1.18 43 87	0.40 30 111	-0.19 97	-1.05 18 89		1.80 5 112	0.31 29 104	-0.14 43 100	-2.14 18 108		0									
1713 26 0034 113303051	116 21 0023 1713 22 0058	5.64	98	107	-1.10 49 87	0.13 34 104	-0.42 93	-1.47 28 86		0.80 13 107	-0.49 35 100	1.14 42 98	-1.01 18 105		0									
1713 26 0035 113303069	116 21 0023 1713 22 0058	5.64	98	107	-1.10 49 87	0.13 34 104	-0.42 93	-1.47 28 86		0.80 13 107	-0.49 35 100	1.14 42 98	-1.01 18 105		0									
1713 26 0037 113303085	1713 24 0148 1384 23 0055	6.50	105	108	-0.60 15 93	-0.13 11 98	-0.43 93	-0.51 14 92		1.80 5 112	0.35 11 105	-6.87 29 109	0.94 14 99		0									
1713 26 0040 113303119	116 21 0023 1713 21 0084	5.80	98	108	-1.19 47 86	0.31 34 109	-0.28 96	-0.88 20 90		0.60 13 106	-0.52 34 100	7.08 43 91	-2.57 17 109		0									
1713 26 0041 113303127	1713 24 0148 1384 23 0063	15.60	105	108	-0.61 15 93	-0.09 10 99	-0.39 94	-0.55 14 92		2.00 5 113	0.51 10 105	-6.54 28 108	1.73 11 97		0									
1713 26 0042 113303135	1713 24 0148 1384 23 0063	15.60	105	108	-0.61 15 93	-0.09 10 99	-0.39 94	-0.55 14 92		2.00 5 113	0.51 10 105	-6.54 28 108	1.73 11 97		0									
1713 26 0044 113303150	116 21 0023 1713 21 0022	5.93	89	97	-1.39 47 84	-0.28 34 94	-0.97 84	-1.73 21 84		0.00 13 103	-1.67 34 93	11.80 43 85	-3.36 18 111		0									
1713 26 0046 113683437	1713 24 0148 1384 23 0068	6.08	108	112	-0.23 21 97	0.09 19 103	-0.03 100	-0.23 14 94		1.80 5 112	0.94 16 108	-6.02 30 107	-0.16 15 102		0									
1713 26 0048 113303176	116 21 0023 1713 22 0073	5.93	85	97	-1.89 49 79	-0.12 33 98	-1.07 82	-2.72 28 78		-0.80 13 100	-2.49 35 88	10.08 42 87	-2.44 18 109		0									
1713 26 0049 113303184	116 21 0023 1713 22 0073	5.93	85	97	-1.89 49 79	-0.12 33 98	-1.07 82	-2.72 28 78		-0.80 13 100	-2.49 35 88	10.08 42 87	-2.44 18 109		0									
1713 26 0052 113303218	1658 23 0272 1351 23 0124	2.82	99	103	-0.87 30 90	0.01 19 101	-0.43 93	-0.67 5 91		1.00 5 108	-0.27 20 101	3.98 31 95	0.43 14 101		0									
1713 26 0053 113303226	1658 23 0272 1351 23 0124	2.82	99	103	-0.87 30 90	0.01 19 101	-0.43 93	-0.67 5 91		1.00 5 108	-0.27 20 101	3.98 31 95	0.43 14 101		0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							EBV Acc	Index	EBV Acc	Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype	
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1713 26 0054 113303234	1713 24 0148 1713 24 0136	7.03	110	111	-0.25 27 97	-0.04 17 100	-0.17 97	-0.02 20 96	2.20 6 114	1.02 18 108	-15.39 31 119	3.85 12 91	0								
1713 26 0055 113303242	1713 24 0148 1713 24 0136	7.03	110	111	-0.25 27 97	-0.04 17 100	-0.17 97	-0.02 20 96	2.20 6 114	1.02 18 108	-15.39 31 119	3.85 12 91	0								
1713 26 0056 113303259	116 23 0087 1713 22 0078	2.90	107	97	0.60 48 106	-0.63 34 85	-0.33 95	2.16 30 110	1.40 14 110	0.81 35 107	-8.63 35 111	5.10 19 88	0								
1713 26 0057 113303267	116 23 0087 1713 22 0078	2.90	107	97	0.60 48 106	-0.63 34 85	-0.33 95	2.16 30 110	1.40 14 110	0.81 35 107	-8.63 35 111	5.10 19 88	0								
1713 26 0062 113303317	1713 24 0148 1713 24 0047	6.97	105	105	-0.11 32 99	-0.27 21 94	-0.32 95	0.43 22 98	2.10 7 113	0.88 22 108	4.52 32 94	-2.21 11 108	0								
1713 26 0065 113683379	1658 23 0272 1351 22 0084	2.73	97	100	-1.08 32 88	-0.35 22 92	-0.89 85	-0.77 5 91	1.00 5 108	-0.83 21 98	-1.99 26 102	1.56 14 98	0								
1713 26 0068 113303366	116 23 0087 1713 19 0004	3.06	98	96	0.02 44 100	-0.23 34 95	-0.23 96	-0.75 19 91	-0.20 11 102	-0.34 33 101	-5.70 36 107	5.54 20 87	0								
1713 26 0069 113303374	116 21 0023 1713 22 0089	4.72	94	97	-0.77 48 91	-0.38 29 91	-0.76 87	-1.77 29 84	0.90 8 108	-0.61 31 99	6.03 42 92	0.29 17 101	0								
1713 26 0070 113303382	116 21 0023 1713 22 0089	4.72	94	97	-0.77 48 91	-0.38 29 91	-0.76 87	-1.77 29 84	0.90 8 108	-0.61 31 99	6.03 42 92	0.29 17 101	0								
1713 26 0073 113303416	1658 23 0272 1351 22 0081	2.74	100	104	-0.82 30 91	-0.01 19 101	-0.42 93	-0.60 5 92	1.00 5 108	-0.23 20 101	-2.27 26 103	2.00 14 96	0								
1713 26 0074 113303424	1658 23 0272 1351 22 0081	2.74	100	104	-0.82 30 91	-0.01 19 101	-0.42 93	-0.60 5 92	1.00 5 108	-0.23 20 101	-2.27 26 103	2.00 14 96	0								
1713 26 0076 113303440	1658 23 0272 1212 22 0883	2.71	96	100	-1.09 29 88	-0.36 17 92	-0.90 85	-0.78 5 91	1.00 5 108	-0.85 18 98	-2.11 22 102	2.07 9 96	0								
1713 26 0079 113303457	116 21 0023 1713 21 0024	5.93	87	95	-1.42 47 84	-0.27 33 94	-0.98 83	-1.59 19 85	-0.10 8 103	-1.75 33 92	22.72 43 71	-6.41 17 120	0								
1713 26 0080 113303465	116 21 0023 1713 21 0024	5.93	87	95	-1.42 47 84	-0.27 33 94	-0.98 83	-1.59 19 85	-0.10 8 103	-1.75 33 92	22.72 43 71	-6.41 17 120	0								
1713 26 0082 113303481	116 23 0087 1713 20 0020	3.06	102	101	-0.19 43 98	-0.07 32 99	-0.17 97	0.16 21 97	0.20 12 104	-0.14 32 102	-13.37 38 117	8.04 21 80	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1713 26 0083 113425656	116 21 0023 1713 21 0103	5.93			92	99	-1.29 44 85	-0.04 29 100	-0.68 89	-1.34 20 87	-0.10 8 103	-1.39 30 95	7.04 42 91	-0.04 17 102	0					
1713 26 0086 113425672	1713 24 0148 1384 23 0053	7.20			103	107	-0.75 18 91	-0.27 18 94	-0.64 89	-0.64 14 91	2.00 5 113	0.18 15 104	-5.04 29 106	0.11 14 102	0					
1713 26 0088 113425698	1658 23 0272 1351 23 0094	2.81			99	103	-0.82 30 91	0.07 19 103	-0.34 95	-0.63 5 92	1.00 5 108	-0.15 20 102	2.23 31 97	2.78 14 94	0					
1713 26 0089 113425706	1658 23 0272 1713 24 0029	2.09			94	99	-1.01 34 88	-0.11 18 98	-0.61 90	-1.10 8 88	0.30 5 105	-0.94 21 97	2.67 34 96	2.42 13 95	0					
1713 26 0090 113425714	1658 23 0272 1713 24 0029	2.09			94	99	-1.01 34 88	-0.11 18 98	-0.61 90	-1.10 8 88	0.30 5 105	-0.94 21 97	2.67 34 96	2.42 13 95	0					
1713 26 0091 113425722	116 21 0023 1713 24 0082	4.57			99	101	-0.64 49 93	-0.32 30 93	-0.64 89	-1.04 23 89	1.40 7 110	-0.12 32 102	3.98 43 95	-0.93 16 104	0					
1713 26 0092 113425730	1658 23 0272 1713 25 0006	3.35			98	101	-0.73 29 92	-0.14 15 97	-0.51 92	-0.70 9 91	0.60 5 106	-0.51 18 100	-5.80 31 107	4.51 13 89	0					
1713 26 0093 113425748	116 23 0087 1713 21 0049	3.06			101	100	-0.05 44 99	-0.09 33 98	-0.12 98	-0.25 16 94	0.00 15 103	-0.14 33 102	-5.56 37 107	4.16 21 90	0					
1713 26 0095 113425763	1658 23 0272 1212 22 0006	7.61			97	101	-1.04 32 88	-0.20 22 96	-0.72 88	-0.83 5 90	0.90 5 108	-0.69 21 99	-3.78 26 105	3.75 14 92	0					
1713 26 0096 113425771	116 23 0087 1713 23 0106	2.82			104	101	0.01 43 100	-0.45 29 89	-0.45 93	0.50 23 99	1.30 10 110	0.33 30 104	-4.53 34 106	1.30 18 98	0					
1713 26 0099 113425805	116 21 0023 1713 21 0101	5.93			86	92	-1.77 48 80	-0.71 35 83	-1.60 73	-1.84 21 84	0.10 8 104	-2.42 34 89	8.59 43 89	-2.85 18 110	0					
1713 26 0100 113425813	1658 23 0272 1713 23 0103	2.10			106	105	-0.23 38 97	-0.23 27 95	-0.34 94	0.05 23 96	1.50 7 111	0.44 27 105	-15.35 34 119	5.54 16 87	0					
1713 26 0101 113425821	1658 23 0272 1713 23 0103	2.10			106	105	-0.23 38 97	-0.23 27 95	-0.34 94	0.05 23 96	1.50 7 111	0.44 27 105	-15.35 34 119	5.54 16 87	0					
1713 26 0104 113425854	1713 24 0148 1713 20 0061	6.36			124	134	-0.32 33 96	1.07 29 128	0.91 116	0.43 24 99	4.30 15 124	3.33 27 122	-5.90 34 107	-2.54 15 109	0					
1713 26 0110 113425912	116 21 0023 1713 22 0109	5.93			94	98	-0.97 47 89	-0.18 29 96	-0.67 89	-0.60 28 92	0.10 8 104	-1.09 31 96	3.31 42 96	0.84 18 100	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	Times EPI Lamberd				
							Dir	Mat				EBV	EBV	EBV	EBV		Acc	Index	Acc	Index	Acc
							Acc	Index	Acc	Index	EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1713 26 0113 113425946	1658 23 0272 1713 17 0062	2.24		111	117	-0.55 34 94	0.40 26 111	0.13 103	-0.43 14 93	1.70 10 111	0.88 25 108	-22.35 37 128	6.29 18 85	0							
1713 26 0114 113425953	1713 24 0148 1713 24 0073	6.95		106	104	0.06 32 100	-0.28 22 94	-0.25 96	0.27 22 97	2.00 9 113	0.97 23 108	2.37 32 97	-1.03 12 105	0							
1713 26 0115 113425961	1713 24 0148 1713 23 0115	3.33		102	106	-0.69 26 92	0.03 18 101	-0.32 95	-0.84 16 90	1.50 5 111	0.24 18 104	0.78 32 99	0.62 12 100	0							
1713 26 0118 113683387	1713 24 0148 1713 24 0059	7.16		106	107	-0.33 32 96	-0.23 21 95	-0.39 94	0.05 23 96	2.10 8 113	0.71 22 107	-0.45 32 100	-1.18 12 105	0							
1713 26 0120 113426001	116 23 0087 1713 23 0089	2.82		108	106	0.17 42 102	-0.15 25 97	-0.07 99	0.83 22 101	1.40 10 110	0.86 28 108	-7.41 32 109	2.27 17 96	0							
1713 26 0121 113426019	116 23 0087 1713 23 0089	2.82		108	106	0.17 42 102	-0.15 25 97	-0.07 99	0.83 22 101	1.40 10 110	0.86 28 108	-7.41 32 109	2.27 17 96	0							
1713 26 0122 113426027	1713 24 0148 1713 20 0065	6.36		119	126	-0.17 27 98	0.64 28 117	0.56 110	0.23 18 97	3.10 9 118	2.34 23 116	-12.59 34 116	-0.36 16 103	0							
1713 26 0123 113426035	1713 24 0148 1713 20 0065	6.36		119	126	-0.17 27 98	0.64 28 117	0.56 110	0.23 18 97	3.10 9 118	2.34 23 116	-12.59 34 116	-0.36 16 103	0							
1713 26 0126 113426068	116 23 0087 1713 23 0109	2.68		98	101	-0.52 42 94	-0.04 24 100	-0.30 95	-0.60 10 92	0.10 9 104	-0.50 27 100	0.60 34 99	1.87 17 97	0							
1713 26 0128 113426084	1713 24 0148 1713 24 0019	7.94		111	110	0.07 24 101	-0.01 18 101	0.03 101	0.54 22 99	2.40 7 115	1.50 18 111	-4.44 31 105	0.79 12 100	0							
1713 26 0130 113426100	116 21 0023 1713 24 0095	4.57		97	99	-0.51 48 94	-0.33 30 93	-0.58 90	-0.49 22 92	0.80 8 107	-0.35 32 101	8.30 43 89	-2.12 15 108	0							
1713 26 0131 113730873	1713 24 0148 1713 24 0087	7.35		112	109	0.31 32 103	-0.14 22 97	0.02 101	0.74 21 101	2.40 9 115	1.62 23 112	-8.99 32 111	2.37 12 95	0							
1713 26 0132 113730881	116 23 0087 1713 22 0085	2.66		95	90	-0.19 46 98	-0.59 30 86	-0.69 88	-0.05 30 95	-0.10 12 103	-0.84 32 98	-2.13 35 103	5.50 19 87	0							
1713 26 0137 113730907	1658 23 0272 1713 17 0057	2.24		109	114	-0.61 32 93	0.37 21 110	0.07 101	-0.35 14 93	1.50 6 111	0.66 22 106	-15.74 36 120	4.67 18 89	0							
1713 26 0138 113730915	116 23 0087 1713 20 0094	3.06		101	100	0.02 43 100	-0.01 32 101	0.00 100	-0.21 16 94	-0.20 11 102	-0.11 31 102	-10.59 37 113	7.43 21 81	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights					EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI		Times Lambd
							EBV Acc	Index	EBV Acc	Index		EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1713 26 0139 113730923	1658 23 0272 1713 21 0113	2.16		99	100	-0.52 37	94	-0.13 30	98	-0.39 94	-0.76 15	91	0.10 14	104	-0.59 29	99	-14.52 37	118	8.52 18	78	0			
	Ewe flock average: Total ewes in flock: 226			103	105	-0.37	-0.09	-0.28	-0.24	1.21	0.26	-2.68	1.18											

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
			Progeny Number	Herds	Progeny Number	Herds			Dir	Mat	Comb							EBV	EBV	EBV	EBV	EBV	EBV	EPI Times	
										Acc Index	Acc Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambbed								
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1	116 16 0002 84210749	2.25	116 13 0140 116 14 0165		14	1	125	133	-0.05 60	99	1.09 66	128	1.06 119	-0.22 50	94	3.50 20	120	3.13 53	121	-33.11 81	136	6.04 48	85	1	
2	116 16 0037 77859403	1.80	116 14 0140 116 10 0150		27	1	79	70	0.12 67	101	-1.03 73	75	-0.97 84	-1.34 51	87	-2.30 31	93	-2.29 61	89	18.90 83	76	4.44 48	90	2	
3	116 18 0031 83058966	2.89	116 16 0144 116 15 0187		13	1	129	140	0.07 55	101	1.60 59	136	1.63 128	1.93 36	108	4.30 29	124	4.25 51	127	3.25 66	96	-9.32 33	128	4	
4	1610 18 0117 82719907	2.89	1590 15 0038 1610 15 0311	44	1	1	1	108	104	1.00 83	111	-0.18 46	96	0.32 106	1.09 17	103	0.10 17	104	0.87 54	108	0.41 79	99	-3.90 44	113	1
5	1658 19 0025 90038324	2.90																		13.31 75	83	-8.33 39	125		
6	116 19 0159 91130443	2.21	116 18 0057 116 16 0025	18	1	11	1	79	82	-1.63 73	81	-0.97 59	77	-1.78 70	-1.18 71	88	-2.20 26	93	-3.92 57	80	2.30 67	97	1.44 34	98	3
7	116 19 0167 89911424	2.39	116 18 0057 116 17 0169		3	1	97	103	-0.90 49	90	0.07 34	102	-0.38 94	-0.83 18	90	0.40 7	105	-0.59 34	99	7.23 68	91	-1.78 32	107	4	
8	1384 19 0179 92505049	2.80	1384 18 0123 1384 17 0015				104	110	-0.68 5	92	0.06 5	102	-0.28 96	-0.50 5	92	1.60 5	111			-1.97 30	102	-1.15 17	105	1	
9	1028 19 0565 93139806	2.75	1028 17 0205 1028 18 0589				100	103	-0.64 15	93	0.15 13	105	-0.17 97	-0.35 8	93	0.60 8	106	-0.12 13	102	-4.97 63	106	6.14 34	85	4	
10	1212 20 0007 98969603	1.68	1658 17 0079 1212 15 0245		1	1	101	106	-0.91 19	90	-0.19 21	96	-0.65 89	-0.70 5	91	1.60 5	111	-0.14 16	102	-1.49 28	102	-0.58 16	104	1	
11	1351 20 0066 94072444	2.87	- - - 1351 14 0103		3	1	101	105	-0.86 24	90	-0.16 30	97	-0.58 90	-0.62 5	92	1.60 5	111	-0.05 21	102	-2.29 52	103	0.94 29	99	2	
12	116 20 0203 92343425	18.14	116 19 0049 116 19 0021	45	1	11	1	109	92	1.01 84	111	-1.55 61	64	-1.04 82	1.89 81	108	3.20 20	119	1.38 60	111	-3.70 68	105	0.91 30	99	1
13	762 20 0799 90545138	3.76	762 19 0382 430 17 0007	2	1	1	1	97	82	1.05 70	112	-0.70 52	83	-0.18 97	2.07 25	109	-2.50 29	92	-1.15 54	96	-18.96 79	16.87 47	64	5	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index		Weaning		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds				Dir	Mat							
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
										Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:									100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15
14	116 21 0023 92623974	2.15	116 19 0167 116 17 0186	30	1	4	1	95	109	-1.80 78	0.28 43	-0.62 90	-2.07 10	1.10 5	-0.86 48	10.85 67	-4.61 23	4
15	1713 21 0068 92463561	2.29	116 16 0037 1713 20 0011	3	1			105	100	0.78 50	-0.05 45	0.34 106	1.13 31	0.10 20	0.79 41	-1.40 55	3.52 27	87
16	116 21 0111 94727765	2.62	116 19 0167 116 16 0104	5	1			103	103	0.05 49	-0.04 23	-0.01 100	0.30 11	0.60 5	0.37 29	4.77 43	-1.51 21	4
17	1509 21 0117 97702542	2.80	1563 20 0084 1509 18 0102			1	1	99	99	0.17 27	0.14 25	0.23 104	0.83 13	-1.20 13	-0.41 23	1.33 49	2.31 20	4
18	1384 21 0181 94869476	2.68	1610 18 0117 1384 18 0045			1	1	110	112	0.27 43	0.09 27	0.22 104	0.37 8	0.90 8	0.90 29	-9.39 81	-1.76 39	2
19	1658 21 0279 97595789	2.02	1563 20 0084 1658 20 0153					95	94	-0.39 35	-0.18 23	-0.37 94	0.23 13	-1.10 13	-1.23 25	-3.35 73	5.11 23	4
20	1384 21 0430 98981699	2.76	1384 19 0031 1384 20 0531					104	107	-0.75 9	-0.01 9	-0.39 94	-0.57 5	1.60 5	0.20 7	-13.49 66	5.59 24	2
21	1384 21 0489 98981715	2.79	1384 19 0031 1384 20 0528			1	1	103	106	-0.89 14	-0.19 16	-0.63 89	-0.67 5	1.60 5	-0.12 12	-15.70 54	5.61 26	2
22	1351 22 0015 97614010	2.88	1351 20 0066 1351 15 0077			3	1	99	103	-0.67 22	0.08 28	-0.25 96	-0.49 5	1.60 5	0.38 19	14.83 45	-2.07 20	2
23	1713 22 0030 94336013	2.30	116 20 0203 1713 20 0061	29	1			126	122	0.93 81	0.17 49	0.64 111	3.08 57	4.70 18	3.92 54	-1.51 56	-3.77 20	129
24	776 22 0378 100555747	2.92	776 19 0103 776 17 0500					110	101	0.85 41	-0.54 30	-0.11 98	1.62 15	1.80 9	1.39 29	-2.86 40	0.34 25	1
25	1384 22 0439 98982689	2.98	1384 21 0186 1384 21 0437	18	1			104	105	-0.23 70	0.11 31	-0.01 100	0.31 11	0.10 8	-0.06 41	-11.78 51	5.37 24	1
26	116 23 0087 99956344	2.43	762 20 0799 116 21 0070	19	1			99	98	-0.12 72	-0.15 36	-0.20 97	0.23 14	-0.50 15	-0.56 45	-7.41 47	5.23 27	3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
Above breed average
Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index							Comb EBV Index
											EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb		
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
27	1658 23 0272 98275597	11.11	1658 21 0279 1658 20 0135	9	1		96	99	-0.97 54	-0.10 21	-0.59 90	-0.70 7	0.30 7	-0.90 30	-3.84 44	5.07 18	3
28	1713 24 0092 100070176	3.74	1713 22 0030 1713 21 0114				117	113	0.82 59	0.18 39	0.59 110	1.55 32	2.40 12	2.44 40	-9.73 40	2.78 19	109 4
29	1713 24 0148 107880932	2.67	1384 21 0430 1713 22 0049				107	109	-0.46 28	-0.15 20	-0.38 94	-0.53 29	2.40 6	0.83 20	-7.39 40	1.33 16	1
		Sire Flock Average: Number of sires used in the flock: 29					104	104	-0.17	-0.08	-0.16	0.21	0.94	0.31	-2.66	1.39	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir	Mat							Comb	
			EBV Acc Index	EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb				
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1	1713 25 0034 108907262	2.52	384 22 0439 713 20 0061	123	131	0.03 57	1.16 100	1.17 33	1.17 121	1.17 20	3.20 15	3.11 119	-8.09 38	-0.52 121	129 6	
2	1713 25 0038 108914045	2.52	384 22 0439 713 20 0005	118	120	0.50 56	0.61 105	0.86 34	1.40 116	1.40 115	2.10 15	2.37 113	-6.86 38	-0.62 121	115 6	
3	1713 26 0060 113303291	6.36	713 24 0148 713 20 0005	117	124	-0.20 30	0.60 97	0.49 30	0.20 116	0.20 109	3.30 15	2.37 119	-4.67 27	-2.64 116	115 6	
4	1713 26 0059 113303283	6.36	713 24 0148 713 20 0005	117	124	-0.20 30	0.60 97	0.49 30	0.20 116	0.20 109	3.30 15	2.37 119	-4.67 27	-2.64 116	115 6	
5	1713 25 0031 108907239	2.32	116 21 0023 713 20 0064	117	125	-0.18 58	0.71 98	0.62 37	0.28 119	0.28 111	2.80 15	2.20 117	-4.10 40	-3.20 115	114 5	
6	1713 26 0019 111604146	2.22	658 23 0272 713 24 0106	113	115	-0.14 39	0.33 98	0.27 21	0.78 109	0.78 105	2.30 7	1.58 114	-6.74 25	1.24 112	1	
7	1713 23 0093 99046013	2.24	116 20 0203 713 18 0012	112	108	0.40 46	-0.36 104	-0.16 37	0.86 92	0.86 98	2.70 12	1.66 116	-9.09 35	0.93 112	96 4	
8	1713 26 0112 113425938	2.24	658 23 0272 713 17 0062	111	117	-0.55 34	0.40 94	0.13 26	-0.43 111	-0.43 103	1.70 10	0.88 111	-22.35 25	6.29 108	8	
9	1713 26 0133 113733364	2.55	713 24 0092 713 24 0118	110	110	0.31 35	0.17 103	0.33 22	0.91 105	0.91 106	1.30 7	1.26 110	-7.29 24	2.17 109	1	
10	1713 26 0008 111604039	2.22	658 23 0272 713 24 0050	110	115	-0.53 40	0.38 94	0.12 22	0.27 110	0.27 102	2.30 9	1.24 114	-3.03 26	-0.09 110	1	
11	1713 25 0039 108914052	2.52	384 22 0439 713 20 0005	110	125	-1.29 56	0.96 85	0.32 34	-0.98 125	-0.98 106	2.10 15	0.93 113	-6.86 38	-0.62 108	115 6	
12	1713 26 0007 111604021	2.82	116 23 0087 713 22 0025	109	109	0.01 46	-0.06 100	-0.05 28	0.45 99	0.45 99	1.70 12	0.97 111	-11.62 31	3.16 108	2	
13	1713 26 0006 111604013	2.82	116 23 0087 713 22 0025	109	109	0.01 46	-0.06 100	-0.05 28	0.45 99	0.45 99	1.70 12	0.97 111	-11.62 31	3.16 108	2	
14	1713 26 0045 113683445	6.08	713 24 0148 384 23 0068	108	112	-0.23 21	0.09 97	-0.03 19	-0.23 103	-0.23 100	1.80 5	0.94 112	-6.02 16	-0.16 108	109 3	
15	1713 26 0119 113425995	2.82	116 23 0087 713 23 0089	108	106	0.17 42	-0.15 102	-0.07 25	0.83 97	0.83 99	1.40 10	0.86 110	-7.41 28	2.27 108	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 1713 26 0021 111604161	2.82	116 23 0087 713 23 0088			108	106	0.17 42 102	-0.15 25 97	-0.07 99	0.83 22 101	1.40 10 110	0.86 28 108	-7.26 34 109	2.22 17 96	1
17 1713 25 0013 108693714	2.98	116 23 0087 713 22 0103			108	104	0.44 57 105	-0.22 32 95	0.00 100	0.29 30 98	1.20 9 109	0.93 36 108	-8.68 31 111	3.18 16 93	98 1
18 1713 26 0025 112432851	2.24	658 23 0272 713 24 0075			107	110	-0.18 37 98	0.35 21 110	0.26 105	0.44 12 99	1.20 9 109	0.89 24 108	-2.41 32 103	1.76 13 97	1
19 1713 26 0024 112432844	2.24	658 23 0272 713 24 0075			107	110	-0.18 37 98	0.35 21 110	0.26 105	0.44 12 99	1.20 9 109	0.89 24 108	-2.41 32 103	1.76 13 97	1
20 1713 25 0012 108693706	2.98	116 23 0087 713 22 0103			107	104	0.34 57 104	-0.20 32 96	-0.03 100	0.16 30 97	1.20 9 109	0.86 36 108	-8.68 31 111	3.18 16 93	98 1
21 1713 25 0043 108934522	2.84	116 23 0087 384 23 0068			107	105	0.44 53 105	-0.01 26 101	0.22 104	0.82 7 101	0.40 8 105	0.68 32 106	-6.03 33 107	1.79 19 97	109 3
22 1713 24 0148 107880932	2.67	384 21 0430 713 22 0049			107	109	-0.46 28 95	-0.15 20 97	-0.38 94	-0.53 29 92	2.40 6 115	0.83 20 107	-7.39 40 109	1.33 16 98	1
23 1713 26 0102 113425839	4.51	713 24 0148 713 24 0023			107	113	-0.65 26 92	0.30 19 108	-0.03 100	-0.39 17 93	2.00 7 113	0.85 19 107	0.00 32 100	-0.90 12 104	1
24 1713 26 0103 113425847	4.51	713 24 0148 713 24 0023			107	113	-0.65 26 92	0.30 19 108	-0.03 100	-0.39 17 93	2.00 7 113	0.85 19 107	0.00 32 100	-0.90 12 104	1
25 1713 25 0054 108914185	4.57	116 21 0023 713 22 0078			106	102	-0.05 60 99	-0.45 37 90	-0.47 92	1.27 29 104	2.20 12 114	0.82 40 107	0.50 43 99	0.18 17 101	114 3
26 1713 26 0117 113425987	7.16	713 24 0148 713 24 0059			106	107	-0.33 32 96	-0.23 21 95	-0.39 94	0.05 23 96	2.10 8 113	0.71 22 107	-0.45 32 100	-1.18 12 105	1
27 1713 26 0058 113303275	2.39	658 23 0272 713 24 0138			106	109	-0.57 34 93	0.20 18 106	-0.09 99	-0.31 8 94	1.00 6 108	0.23 21 104	-15.08 30 119	5.75 13 86	1
28 1713 26 0061 113303309	6.97	713 24 0148 713 24 0047			105	105	-0.11 32 99	-0.27 21 94	-0.32 95	0.43 22 98	2.10 7 113	0.88 22 108	4.52 32 94	-2.21 11 108	1
29 1713 25 0076 108952029	2.50	384 22 0439 713 21 0114			105	105	0.01 56 100	0.19 34 106	0.20 104	-0.14 15 95	0.10 9 104	0.26 37 104	-14.86 38 119	7.35 20 82	109 4
30 1713 26 0036 113303077	6.50	713 24 0148 384 23 0055			105	108	-0.60 15 93	-0.13 11 98	-0.43 93	-0.51 14 92	1.80 5 112	0.35 11 105	-6.87 29 109	0.94 14 99	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
31	1713 25 0070 108951963	2.50	384 22 0439 713 20 0094		105	103	0.18 55	0.08 102	0.17 103	0.12 15	0.10 9	0.32 36	-12.78 116	7.50 20	100	5
32	1713 25 0055 108914193	4.57	116 21 0023 713 22 0078		104	103	-0.41 60	-0.38 95	-0.59 90	0.78 29	2.20 12	0.53 40	0.50 106	0.18 17	114	3
33	1713 26 0020 111604153	3.07	116 23 0087 713 23 0111		104	104	0.00 39	0.05 100	0.05 101	0.39 13	0.40 9	0.28 26	-6.84 104	3.58 17		1
34	1713 26 0032 112432927	2.98	116 23 0087 713 23 0091		104	100	0.04 43	-0.46 100	-0.44 93	0.31 23	1.20 9	0.30 29	-9.39 104	4.39 17		1
35	1713 26 0105 113425862	2.98	116 23 0087 713 23 0090		104	100	0.01 43	-0.50 100	-0.49 92	0.29 23	1.20 9	0.23 30	-8.84 104	3.63 19	99	2
36	1658 22 0140 97568554	2.71	610 18 0117 658 20 0240		103	106	-0.10 43	-0.14 99	-0.19 97	0.01 8	0.90 9	0.30 28	6.36 104	-5.81 25		3
37	1713 25 0047 108914128	2.50	384 22 0439 713 21 0036		103	103	-0.05 56	0.02 34	-0.01 101	-0.15 15	0.90 14	0.50 38	-0.12 105	2.37 20	113	3
38	1713 26 0038 113303093	2.85	116 23 0087 713 24 0034		103	101	-0.05 38	-0.23 99	-0.25 96	0.38 8	0.60 8	0.09 25	-4.68 106	2.58 16		1
39	1713 25 0049 108914144	2.13	658 23 0272 713 23 0097		103	107	-0.87 51	-0.09 90	-0.52 91	-0.02 22	1.80 7	0.13 32	0.06 100	-0.40 14	99	1
40	1713 25 0048 108914136	2.50	384 22 0439 713 21 0036		102	104	-0.22 56	0.05 97	-0.06 102	-0.37 15	0.90 14	0.37 38	-0.12 105	2.37 20	113	3
41	1713 25 0064 108951906	2.38	384 22 0439 713 22 0032		102	97	0.35 58	-0.48 104	-0.30 95	0.42 29	0.70 14	0.30 38	-1.00 104	2.05 18	94	2
42	1713 26 0081 113303473	3.06	116 23 0087 713 20 0020		102	101	-0.19 43	-0.07 98	-0.17 97	0.16 21	0.20 12	-0.14 32	-13.37 102	8.04 21	100	5
43	1713 25 0024 108907163	2.82	116 23 0087 351 23 0094		102	101	-0.09 53	-0.01 99	-0.05 101	0.25 7	0.60 7	0.26 32	0.45 104	2.86 17	101	2
44	1713 26 0022 112600077	2.90	116 23 0087 713 22 0033		101	100	-0.19 44	-0.19 98	-0.28 95	0.65 27	-0.10 10	-0.44 29	-10.06 100	4.91 19		2
45	1713 26 0018 111604138	2.90	116 23 0087 713 23 0096		101	96	0.13 43	-0.54 101	-0.48 92	0.38 23	0.60 10	-0.05 29	-6.19 102	3.76 17		1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								EBV	EBV
			Herds	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	EPI	Times Lamb
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
46	1713 25 0050 109180927	2.74	658 23 0272 351 22 0081		101	104	-0.61 48	-0.05 22 100	-0.36 94	-0.32 5 94	1.00 5 108	-0.06 28 102	-2.27 26 103	2.00 14 96	102 2		
47	1713 25 0008 108644113	2.66	384 21 0430 713 21 0043		101	102	-0.50 20	-0.18 22 96	-0.42 93	-0.70 16 91	0.90 8 108	-0.13 18 102	-7.75 44 110	3.95 20 91	3		
48	1713 25 0005 107880957	2.66	384 21 0430 713 21 0043		101	102	-0.50 20	-0.18 22 96	-0.42 93	-0.70 16 91	0.90 8 108	-0.13 18 102	-7.75 44 110	3.95 20 91	3		
49	1713 25 0051 108914151	2.72	116 23 0087 351 22 0109		100	103	-0.54 52	-0.10 27 98	-0.37 94	-0.28 7 94	0.60 7 106	-0.28 32 101	-4.23 27 105	2.37 17 95	105 3		
50	1713 26 0066 113303341	2.82	116 23 0087 351 23 0123		100	102	-0.44 38	-0.01 24 101	-0.23 96	-0.20 7 94	0.60 7 106	-0.09 25 102	1.04 32 98	1.99 18 96	99 2		
51	1713 26 0067 113303358	2.82	116 23 0087 351 23 0123		100	102	-0.44 38	-0.01 24 101	-0.23 96	-0.20 7 94	0.60 7 106	-0.09 25 102	1.04 32 98	1.99 18 96	99 2		
52	1713 25 0004 108644097	2.50	384 22 0439 713 21 0126		100	100	-0.22 40	-0.07 26 99	-0.19 97	-0.19 16 94	0.10 9 104	-0.24 27 101	-2.87 38 103	3.15 19 93	2		
53	1713 26 0127 113426076	4.57	116 21 0023 713 23 0099		100	103	-0.65 45	-0.21 29 96	-0.54 91	-0.62 23 92	1.40 7 110	-0.02 30 102	3.16 40 96	-0.57 16 103	1		
54	1713 25 0003 108644089	2.50	384 22 0439 713 21 0126		100	100	-0.22 40	-0.07 26 99	-0.19 97	-0.19 16 94	0.10 9 104	-0.24 27 101	-2.87 38 103	3.15 19 93	2		
55	1713 26 0116 113425979	2.95	713 24 0148 713 24 0010		100	104	-0.70 26	-0.11 17 98	-0.46 92	-1.07 16 89	1.40 5 110	0.03 18 103	4.42 32 94	-1.36 12 106	1		
56	1713 25 0027 108907197	5.80	116 21 0023 713 21 0084		100	107	-0.84 57	0.25 35 107	-0.18 97	-0.42 20 93	0.60 13 106	-0.24 38 101	7.08 43 91	-2.57 17 109	106 4		
57	1713 26 0026 112432869	2.66	116 23 0087 713 22 0070		100	93	0.33 46	-0.55 27 87	-0.39 94	0.76 29 101	0.00 11 103	-0.23 31 101	-1.69 35 102	3.06 19 93	2		
58	1713 26 0077 113425631	5.71	658 23 0272 332 23 0114		100	103	-0.57 30	0.06 19 102	-0.22 96	-0.24 5 94	0.20 5 104	-0.39 20 100	-0.88 25 101	1.40 13 98	105 3		
59	1713 26 0078 113425649	5.71	658 23 0272 332 23 0114		100	103	-0.57 30	0.06 19 102	-0.22 96	-0.24 5 94	0.20 5 104	-0.39 20 100	-0.88 25 101	1.40 13 98	105 3		
60	1713 25 0029 108907213	5.64	116 21 0023 713 22 0106		99	105	-0.94 58	-0.05 33 100	-0.52 91	-0.68 28 91	0.40 11 105	-0.75 38 98	-7.06 42 109	1.31 18 98	91 3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Herds	Progeny Number Weaned			Herds	Dir EBV Acc Index							Mat EBV Acc Index
										EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61	116 23 0087 99956344	2.43	762 20 0799 116 21 0070	19	1	99	98	-0.12 72	-0.15 36	-0.20 97	0.23 14	-0.50 15	-0.56 45	-7.41 47	5.23 27	3
62	1713 26 0107 113425888	2.71	658 23 0272 351 22 0109			99	103	-0.89 30	-0.09 19	-0.54 98	-0.64 5	1.00 5	-0.38 20	-2.44 26	2.29 14	105 3
63	1713 26 0108 113425896	2.71	658 23 0272 351 22 0109			99	103	-0.89 30	-0.09 19	-0.54 98	-0.64 5	1.00 5	-0.38 20	-2.44 26	2.29 14	105 3
64	1713 25 0057 108914219	2.13	658 23 0272 713 23 0106			99	103	-1.11 51	-0.30 27	-0.85 93	-0.88 22	1.70 7	-0.38 32	-2.75 34	1.22 16	98 2
65	1713 24 0063 100068915	5.80	116 21 0023 713 21 0084			99	107	-0.98 57	0.27 35	-0.22 108	-0.60 20	0.60 13	-0.34 38	7.08 43	-2.57 17	106 4
66	1713 26 0050 113303192	5.64	116 21 0023 713 22 0106			99	105	-1.02 48	-0.03 32	-0.55 100	-0.79 28	0.40 11	-0.82 33	-7.06 42	1.31 18	91 3
67	1713 26 0051 113303200	5.64	116 21 0023 713 22 0106			99	105	-1.02 48	-0.03 32	-0.55 100	-0.79 28	0.40 11	-0.82 33	-7.06 42	1.31 18	91 3
68	1713 26 0072 113303408	3.06	116 23 0087 713 21 0010			99	98	-0.06 43	0.01 32	-0.01 100	0.02 17	-0.20 11	-0.16 31	2.71 36	2.93 21	91 5
69	1713 26 0071 113303390	3.06	116 23 0087 713 21 0010			99	98	-0.06 43	0.01 32	-0.01 100	0.02 17	-0.20 11	-0.16 31	2.71 36	2.93 21	91 5
70	1713 26 0087 113425680	2.81	658 23 0272 351 23 0094			99	103	-0.82 30	0.07 19	-0.34 103	-0.63 5	1.00 5	-0.15 20	2.23 31	2.78 14	101 2
71	1713 26 0012 111604070	2.72	116 21 0023 351 22 0118			99	108	-1.28 39	0.12 23	-0.52 104	-1.31 5	1.40 5	-0.32 24	4.66 36	-2.14 16	2
72	1713 25 0062 108951880	2.50	384 22 0439 713 20 0090			99	99	-0.40 56	-0.12 35	-0.32 98	-0.50 17	0.10 9	-0.46 37	-7.44 37	6.08 19	108 5
73	1713 26 0003 111603981	2.44	116 21 0023 351 22 0035			99	108	-1.30 39	0.09 23	-0.56 103	-1.33 5	1.40 5	-0.37 24	4.75 36	-2.47 16	82 3
74	1658 22 0410 97647440	5.58	658 21 0279 658 20 0178			98	100	-0.61 18	-0.14 12	-0.45 97	-0.22 7	0.30 7	-0.57 13	-2.41 43	2.49 16	4
75	1713 26 0033 113303044	5.64	116 21 0023 713 22 0058			98	107	-1.10 49	0.13 34	-0.42 104	-1.47 28	0.80 13	-0.49 35	1.14 42	-1.01 18	107 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76	1713 25 0028 108907205	5.80	116 21 0023 713 21 0084		98	108	-1.18 57	0.31 35	-0.28 96	-0.87 20	0.60 13	-0.51 38	7.08 43	-2.57 17	106 4
77	1713 26 0039 113303101	5.80	116 21 0023 713 21 0084		98	108	-1.19 47	0.31 34	-0.28 96	-0.88 20	0.60 13	-0.52 34	7.08 43	-2.57 17	106 4
78	1713 25 0032 108907247	5.65	116 21 0023 713 21 0131		98	109	-1.52 56	0.23 34	-0.53 91	-1.37 19	0.20 13	-1.16 38	-9.58 43	1.47 17	97 3
79	1713 26 0125 113426050	2.68	116 23 0087 713 23 0109		98	101	-0.52 42	-0.04 24	-0.30 95	-0.60 10	0.10 9	-0.50 27	0.60 34	1.87 17	1
80	1713 26 0014 111604096	2.61	116 21 0023 028 22 0026		98	106	-1.22 39	0.21 22	-0.40 93	-1.22 5	1.00 5	-0.41 24	4.15 39	0.30 17	2
81	1713 26 0010 111604054	2.09	658 23 0272 713 24 0006		98	103	-1.00 35	0.02 20	-0.48 92	-0.85 11	0.70 6	-0.56 23	-2.13 34	3.47 13	1
82	1713 25 0035 108907270	1.84	116 23 0087 212 22 0006		97	101	-0.96 54	-0.15 29	-0.63 89	-0.83 7	0.60 8	-0.75 34	-5.56 27	3.83 17	108 2
83	1713 26 0129 113426092	4.57	116 21 0023 713 24 0095		97	99	-0.51 48	-0.33 30	-0.58 90	-0.49 22	0.80 8	-0.35 32	8.30 43	-2.12 15	1
84	1713 25 0001 108644063	2.50	384 22 0439 713 19 0025		97	97	-0.30 41	-0.30 29	-0.45 93	-0.54 20	0.00 9	-0.60 29	-0.55 38	2.00 20	93 7
85	1713 25 0063 108951898	2.50	384 22 0439 713 20 0090		97	100	-0.74 56	-0.05 35	-0.42 93	-0.96 17	0.10 9	-0.74 37	-7.44 37	6.08 19	108 5
86	1713 26 0124 113426043	3.06	116 23 0087 713 20 0090		97	95	-0.20 45	-0.28 34	-0.37 94	-0.34 18	-0.20 11	-0.59 33	-5.26 36	6.01 20	108 5
87	1713 25 0053 108914177	2.47	116 23 0087 384 23 0053		97	103	-1.16 52	-0.15 26	-0.73 88	-1.03 7	0.60 7	-0.95 32	-5.05 32	2.06 17	99 3
88	1713 26 0064 113303333	2.73	658 23 0272 351 22 0084		97	100	-1.08 32	-0.35 22	-0.89 85	-0.77 5	1.00 5	-0.83 21	-1.99 26	1.56 14	104 2
89	1713 26 0063 113303325	2.73	658 23 0272 351 22 0084		97	100	-1.08 32	-0.35 22	-0.89 85	-0.77 5	1.00 5	-0.83 21	-1.99 26	1.56 14	104 2
90	1713 26 0075 113303432	2.71	658 23 0272 212 22 0883		96	100	-1.09 29	-0.36 17	-0.90 85	-0.78 5	1.00 5	-0.85 18	-2.11 22	2.07 9	97 2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL		ILP	Dam
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir		Mat				Comb			
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index						
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
91	1658 23 0272 98275597	11.11	658 21 0279 658 20 0135	9	1		96	99	-0.97 54 89	-0.10 21 98	-0.59 90	-0.70 7 91	0.30 7 105	-0.90 30 97	-3.84 44 105	5.07 18 88	3	
92	1713 24 0121 101245215	2.49	384 22 0439 713 21 0080				95	95	-0.63 41 93	-0.37 24 92	-0.68 89	-0.46 21 93	-0.40 9 102	-1.24 27 95	-8.95 37 111	6.18 18 85	3	
93	116 21 0023 92623974	2.15	116 19 0167 116 17 0186	30	1	4 1	95	109	-1.80 78 80	0.28 43 108	-0.62 90	-2.07 10 82	1.10 5 109	-0.86 48 98	10.85 67 86	-4.61 23 115	4	
94	1713 26 0109 113425904	5.93	116 21 0023 713 22 0109				94	98	-0.97 47 89	-0.18 29 96	-0.67 89	-0.60 28 92	0.10 8 104	-1.09 31 96	3.31 42 96	0.84 18 100	2	
95	1713 26 0085 113425664	2.58	116 23 0087 713 19 0066				94	93	-0.12 43 98	-0.17 32 97	-0.22 96	-0.19 19 94	-1.30 15 97	-1.06 32 96	2.98 36 96	2.60 20 95	100 6	
96	1713 24 0016 99048886	2.87	116 21 0023 713 19 0079				94	100	-0.98 45 89	0.15 33 105	-0.34 95	-1.04 21 89	0.10 9 104	-0.76 32 98	12.14 43 84	-0.05 19 102	109 3	
97	1713 26 0016 111604112	2.88	116 21 0023 713 19 0025				93	99	-1.08 44 88	-0.21 33 96	-0.75 87	-1.73 20 84	0.50 9 106	-0.99 32 97	10.77 44 86	-2.99 20 110	93 7	
98	1713 26 0015 111604104	2.88	116 21 0023 713 19 0025				93	99	-1.08 44 88	-0.21 33 96	-0.75 87	-1.73 20 84	0.50 9 106	-0.99 32 97	10.77 44 86	-2.99 20 110	93 7	
99	1713 25 0058 108914227	2.74	116 23 0087 351 22 0084				93	103	-1.89 54 79	-0.12 29 98	-1.07 82	-1.96 7 83	0.60 7 106	-1.65 34 93	-3.78 27 105	1.64 17 97	104 2	
100	1713 25 0041 108914078	2.49	384 22 0439 713 21 0022				92	96	-0.96 56 89	-0.30 33 93	-0.78 87	-1.01 21 89	-0.50 14 101	-1.56 37 94	0.48 37 99	1.63 18 97	100 4	
101	1713 25 0080 109185199	2.16	658 23 0272 713 19 0066				92	94	-0.69 47 92	-0.12 29 98	-0.46 92	-0.85 18 90	-0.90 13 99	-1.34 32 95	4.77 35 94	2.52 17 95	100 6	
102	1713 26 0047 113303168	5.93	116 21 0023 713 21 0080				91	97	-1.42 44 84	-0.28 29 94	-0.99 83	-1.65 20 85	0.10 8 104	-1.64 30 93	2.37 43 97	1.19 18 99	3	
103	1713 25 0081 109339333	2.16	658 23 0272 713 21 0024				86	91	-1.27 50 85	-0.41 29 91	-1.05 82	-1.26 19 87	-0.50 8 101	-1.98 32 91	15.38 35 80	-1.57 16 106	105 4	
104	1713 26 0097 113425789	5.93	116 21 0023 713 21 0101				86	92	-1.77 48 80	-0.71 35 83	-1.60 73	-1.84 21 84	0.10 8 104	-2.42 34 89	8.59 43 89	-2.85 18 110	95 4	
105	1713 26 0098 113425797	5.93	116 21 0023 713 21 0101				86	92	-1.77 48 80	-0.71 35 83	-1.60 73	-1.84 21 84	0.10 8 104	-2.42 34 89	8.59 43 89	-2.85 18 110	95 4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Progeny Number			Dir	Mat							
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb	
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
106	1713 25 0045 108914102	5.93	116 21 0023 713 21 0101		81	95	-2.81	-0.51	-1.91	-3.23	0.10	-3.26	8.59	-2.85	95 4
							58 68	37 88	67	21 74	8 104	38 84	43 89	18 110	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1 1713 20 0061 91629600	2.56	116 18 0031 1713 17 0091	134	146	-0.19 59 98	2.30 55 136	2.21 136	1.40 38 105	6.30 29 133	5.90 51 137	-4.40 56 105	-6.40 26 120	129	6
2 1713 20 0064 91629543	2.56	116 18 0031 1713 17 0062	133	144	0.12 53 101	1.39 57 136	1.45 125	0.88 32 101	4.50 30 125	4.21 49 127	-19.06 56 124	-1.79 28 107	114	5
3 1713 20 0065 91629287	2.56	116 18 0031 1713 17 0062	130	141	0.13 47 101	1.44 53 136	1.50 126	0.98 23 102	3.70 18 121	3.78 43 124	-17.79 55 122	-2.05 27 108	104	6
4 1713 20 0042 91629188	2.56	116 18 0031 1713 17 0036	129	139	0.15 46 101	1.72 51 136	1.80 131	1.63 32 106	4.20 26 123	4.39 43 128	-1.58 55 102	-6.22 26 119	97	6
5 1713 24 0106 100070093	10.03	1713 22 0030 1713 20 0065	129	131	0.69 57 108	0.77 37 120	1.12 120	2.26 31 110	4.20 12 123	3.99 39 126	-9.65 47 112	-2.58 17 109		1
6 1713 24 0090 100068873	10.03	1713 22 0030 1713 20 0064	128	133	0.32 59 103	0.82 39 121	0.98 117	1.71 33 107	4.60 17 125	3.90 42 125	-8.63 50 111	-3.56 17 112		1
7 1713 20 0005 91262576	2.56	116 18 0031 1713 17 0012	127	139	0.05 52 100	1.34 56 135	1.37 124	0.93 22 102	4.10 29 123	3.85 48 125	-1.94 54 102	-6.61 27 120	115	6
8 1713 24 0050 100068899	10.03	1713 22 0030 1713 20 0005	124	132	-0.08 58 99	0.87 39 123	0.83 115	1.24 31 104	4.40 17 124	3.43 41 122	-2.22 47 103	-5.24 17 116		1
9 1713 26 0104 113425854	6.36	1713 24 0148 1713 20 0061	124	134	-0.32 33 96	1.07 29 128	0.91 116	0.43 24 99	4.30 15 124	3.33 27 122	-5.90 34 107	-2.54 15 109		0
10 1713 17 0062 82919630	2.24	116 16 0002 1713 13 0180	123	129	-0.12 43 98	0.90 47 124	0.84 115	-0.16 28 95	3.20 19 119	2.70 39 118	-40.87 60 136	7.50 32 81		8
11 1713 17 0057 82919622	2.24	116 16 0002 1713 13 0180	122	130	-0.25 32 97	0.84 36 122	0.72 113	0.01 28 96	2.80 11 117	2.27 29 116	-27.64 58 135	4.26 31 90		7
12 1713 22 0025 94336153	2.30	116 20 0203 1713 20 0064	119	119	0.13 59 101	0.03 43 102	0.10 102	0.66 57 100	3.90 18 122	2.50 43 117	-15.82 51 120	1.09 25 99		2
13 1713 26 0123 113426035	6.36	1713 24 0148 1713 20 0065	119	126	-0.17 27 98	0.64 28 117	0.56 110	0.23 18 97	3.10 9 118	2.34 23 116	-12.59 34 116	-0.36 16 103		0
14 1713 26 0122 113426027	6.36	1713 24 0148 1713 20 0065	119	126	-0.17 27 98	0.64 28 117	0.56 110	0.23 18 97	3.10 9 118	2.34 23 116	-12.59 34 116	-0.36 16 103		0
15 1713 24 0075 100069152	10.03	1713 21 0068 1713 20 0042	119	121	0.61 50 107	0.81 36 121	1.11 120	1.58 22 106	2.10 16 113	2.68 37 118	-0.98 47 101	-1.56 19 106		1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 1713 22 0045 94645090	2.24	116 20 0203 1713 17 0081	117	102	1.51 56	-0.49 39	0.26 105	3.90 121	2.80 11	2.70 39	-0.18 52	1.16 21	1
17 1713 25 0030 108907221	2.32	116 21 0023 1713 20 0064	117	125	-0.18 58	0.71 37	0.62 111	0.28 17	2.80 15	2.21 40	-4.10 44	-3.20 18	0
18 1713 24 0087 100069319	3.74	1713 22 0030 1713 21 0113	117	109	1.08 58	-0.12 38	0.42 108	2.00 109	2.30 16	2.34 41	-10.58 51	3.41 19	1
19 1713 23 0089 99046211	2.30	116 20 0203 1713 20 0031	117	113	0.46 45	-0.16 35	0.07 101	1.43 105	3.30 13	2.28 34	-7.41 44	-0.69 20	1
20 1713 23 0088 99046039	2.30	116 20 0203 1713 20 0031	117	113	0.46 45	-0.16 35	0.07 101	1.43 105	3.30 13	2.28 34	-7.11 49	-0.79 20	1
21 1713 23 0103 99045858	2.24	116 20 0203 1713 17 0070	116	111	0.51 53	-0.35 51	-0.10 99	0.80 101	2.60 12	1.72 43	-26.87 51	6.01 26	108 2
22 1713 20 0069 91629220	2.56	116 18 0031 1713 17 0033	116	123	-0.49 51	0.34 57	0.09 102	-0.21 34	3.70 17	2.07 45	-5.50 44	-3.69 26	143 4
23 1713 22 0078 95589222	2.07	116 20 0203 1713 20 0020	115	96	1.32 64	-1.11 56	-0.45 93	4.08 122	3.30 24	2.19 52	-9.85 53	4.97 26	114 3
24 1713 20 0030 91629402	2.56	116 18 0031 1713 17 0010	115	124	-0.33 39	0.55 45	0.39 107	-0.06 33	3.10 16	2.08 36	1.33 54	-6.11 28	94 3
25 1713 24 0138 108644030	2.49	1384 22 0439 1713 17 0062	115	119	-0.18 41	0.51 28	0.42 108	0.07 15	1.60 10	1.29 29	-26.33 39	6.44 20	1
26 1713 24 0022 100070192	5.37	1713 21 0068 1713 17 0057	115	115	0.27 30	0.40 29	0.53 109	0.57 21	1.40 11	1.50 25	-21.56 48	6.20 21	1
27 1713 25 0066 108951922	2.32	116 21 0023 1713 20 0065	115	124	-0.43 57	0.78 36	0.57 110	0.01 12	2.40 9	1.79 38	-3.47 43	-3.33 18	0
28 1713 24 0019 99048928	6.06	1713 21 0068 1713 22 0031	114	111	0.60 39	0.13 31	0.43 108	1.61 32	2.40 13	2.17 30	-1.49 47	0.25 17	1
29 1713 24 0002 99050585	6.06	1713 21 0068 1713 22 0024	114	107	0.98 38	-0.08 30	0.41 107	2.15 32	1.90 13	2.04 29	-2.13 38	0.90 17	0
30 1713 19 0051 86470861	2.24	116 16 0002 1713 13 0298	114	121	-0.55 36	0.52 42	0.25 105	-0.03 34	2.60 10	1.53 32	-11.14 53	0.34 29	93 5

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1713 23 0097 99046096	2.30	116 20 0203 1713 20 0047	114	112	0.17 49	-0.25 44 95	-0.17 98	1.91 43 108	3.30 13 119	1.90 39 114	3.97 51 95	-5.87 20 118	99 1
32 1713 24 0136 101245173	2.38	1384 22 0439 1713 22 0025	113	113	-0.05 46	0.07 26 103	0.05 101	0.48 29 99	2.00 10 113	1.22 30 110	-23.39 48 130	6.38 17 84	1
33 1713 26 0029 112432893	2.32	116 21 0023 1713 20 0042	113	127	-0.83 45 90	1.00 33 126	0.59 111	-0.22 17 94	2.70 13 116	1.80 33 113	4.63 43 94	-5.42 17 117	0
34 1713 22 0103 95589685	2.24	116 20 0203 1713 20 0106	113	111	0.29 60	-0.16 49 97	-0.02 100	-0.58 58 92	2.90 11 117	1.87 44 113	-9.95 40 112	1.14 17 99	98 1
35 1713 23 0094 99045890	2.24	116 20 0203 1713 18 0012	112	108	0.40 46	-0.36 37 92	-0.16 98	0.86 44 101	2.70 12 116	1.66 35 112	-8.93 50 111	0.87 21 100	1
36 1713 25 0067 108951930	2.32	116 21 0023 1713 20 0065	112	126	-0.92 57	0.88 36 123	0.42 108	-0.66 12 91	2.40 9 115	1.39 38 111	-3.47 43 104	-3.33 18 111	0
37 1713 24 0091 100069715	14.57	1713 21 0068 1713 20 0049	112	108	1.09 48	0.30 33 108	0.84 115	1.73 19 107	1.00 13 108	1.98 34 114	4.82 49 94	-0.59 19 104	1
38 1713 26 0131 113730873	7.35	1713 24 0148 1713 24 0087	112	109	0.31 32	-0.14 22 97	0.02 101	0.74 21 101	2.40 9 115	1.62 23 112	-8.99 32 111	2.37 12 95	0
39 1713 26 0113 113425946	2.24	1658 23 0272 1713 17 0062	111	117	-0.55 34	0.40 26 111	0.13 103	-0.43 14 93	1.70 10 111	0.88 25 108	-22.35 37 128	6.29 18 85	0
40 1713 25 0073 108951997	2.98	116 23 0087 1713 23 0103	111	103	0.82 56	-0.37 33 92	0.04 101	1.35 24 105	1.10 10 109	1.11 37 109	-17.14 35 122	5.62 19 86	0
41 1713 26 0128 113426084	7.94	1713 24 0148 1713 24 0019	111	110	0.07 24	-0.01 18 101	0.03 101	0.54 22 99	2.40 7 115	1.50 18 111	-4.44 31 105	0.79 12 100	0
42 1713 25 0084 110327830	2.28	116 21 0023 1713 17 0062	111	122	-0.96 44	0.59 32 116	0.11 102	-1.12 15 88	2.10 10 113	0.89 32 108	-15.01 45 119	1.45 19 98	0
43 1713 25 0083 110327822	2.28	116 21 0023 1713 17 0062	111	122	-0.96 44	0.59 32 116	0.11 102	-1.12 15 88	2.10 10 113	0.89 32 108	-15.01 45 119	1.45 19 98	0
44 1713 26 0055 113303242	7.03	1713 24 0148 1713 24 0136	110	111	-0.25 27	-0.04 17 100	-0.17 97	-0.02 20 96	2.20 6 114	1.02 18 108	-15.39 31 119	3.85 12 91	0
45 1713 26 0054 113303234	7.03	1713 24 0148 1713 24 0136	110	111	-0.25 27	-0.04 17 100	-0.17 97	-0.02 20 96	2.20 6 114	1.02 18 108	-15.39 31 119	3.85 12 91	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
46 1384 23 0068 98624299	4.23	1384 21 0181 1384 21 0476	110	114	-0.01 30	0.33 100	0.33 109	0.07 5	1.30 5	1.11 110	-4.64 106	-1.64 106	109	3
47 1713 23 0111 99045957	5.37	1713 21 0068 1713 19 0051	109	110	0.11 31	0.24 101	0.29 107	0.55 23	1.30 11	1.13 110	-6.27 108	1.93 97		1
48 1713 22 0049 94644598	2.30	116 20 0203 1713 20 0030	109	110	-0.17 56	-0.30 98	-0.38 93	-0.49 57	3.10 13	1.40 111	-1.30 101	-2.94 110		1
49 1713 24 0146 107880916	2.69	1384 21 0430 1713 19 0051	109	114	-0.65 18	0.26 92	-0.07 107	-0.30 17	2.10 5	0.86 113	-12.31 115	2.96 94		0
50 1713 17 0032 82917949	2.24	116 16 0002 1713 13 0445	109	112	-0.62 38	0.01 93	-0.30 101	-1.12 35	2.60 10	0.95 116	-18.46 123	5.99 85	93	5
51 1713 23 0106 99045791	2.30	116 20 0203 1713 20 0030	109	104	0.13 49	-0.76 101	-0.70 82	0.77 44	3.10 13	1.23 110	-1.66 102	-2.63 109	98	2
52 1713 26 0137 113730907	2.24	1658 23 0272 1713 17 0057	109	114	-0.61 32	0.37 93	0.07 110	-0.35 14	1.50 6	0.66 111	-15.74 120	4.67 89		0
53 1713 23 0091 99045999	2.24	116 20 0203 1713 17 0032	108	102	0.19 46	-0.77 102	-0.67 89	0.38 44	2.90 11	1.16 117	-11.38 114	3.55 92		1
54 1713 26 0046 113683437	6.08	1713 24 0148 1384 23 0068	108	112	-0.23 21	0.09 97	-0.03 103	-0.23 14	1.80 5	0.94 112	-6.02 108	-0.16 107		0
55 1713 26 0120 113426001	2.82	116 23 0087 1713 23 0089	108	106	0.17 42	-0.15 102	-0.07 99	0.83 22	1.40 10	0.86 110	-7.41 109	2.27 96		0
56 1713 23 0090 99046070	2.24	116 20 0203 1713 17 0032	108	102	0.13 49	-0.84 101	-0.78 80	0.34 44	2.90 11	1.03 117	-10.27 113	2.03 96	99	2
57 1713 26 0121 113426019	2.82	116 23 0087 1713 23 0089	108	106	0.17 42	-0.15 102	-0.07 99	0.83 22	1.40 10	0.86 110	-7.41 109	2.27 96		0
58 1713 26 0056 113303259	2.90	116 23 0087 1713 22 0078	107	97	0.60 48	-0.63 106	-0.33 95	2.16 30	1.40 14	0.81 110	-8.63 111	5.10 88		0
59 1713 26 0057 113303267	2.90	116 23 0087 1713 22 0078	107	97	0.60 48	-0.63 106	-0.33 95	2.16 30	1.40 14	0.81 110	-8.63 111	5.10 88		0
60 1713 22 0012 94326691	2.24	116 20 0203 1713 17 0027	107	109	-0.08 58	-0.08 99	-0.12 98	-1.64 57	2.80 11	1.52 111	1.92 97	-1.40 106		2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 1713 24 0114 108644022	5.83	1384 22 0439 1384 23 0068	107	110	-0.12 38	0.22 22	0.16 106	0.19 6	0.70 5	0.52 24	-8.21 34	1.86 110	18 97
62 1713 25 0072 108951989	2.98	116 23 0087 1713 23 0103	107	105	-0.08 56	-0.19 33	-0.23 96	0.15 24	1.10 10	0.39 37	-17.14 35	5.62 122	19 86
63 1713 21 0114 92466085	2.24	116 16 0037 1713 17 0006	106	106	0.26 53	0.27 58	0.40 108	-0.59 29	0.10 17	0.59 47	-17.94 58	9.33 32	109 76
64 1713 24 0023 99048985	2.61	116 21 0023 1713 20 0034	106	117	-0.84 44	0.75 32	0.33 120	-0.25 17	1.60 12	0.88 32	7.39 51	-3.12 18	111
65 1713 25 0077 108952037	2.50	1384 22 0439 1713 21 0114	106	104	0.31 56	0.13 34	0.28 104	0.25 15	0.10 9	0.50 37	-14.86 38	7.35 119	20 82
66 1713 26 0100 113425813	2.10	1658 23 0272 1713 23 0103	106	105	-0.23 38	-0.23 27	-0.34 95	0.05 23	1.50 7	0.44 27	-15.35 34	5.54 119	16 87
67 1713 26 0101 113425821	2.10	1658 23 0272 1713 23 0103	106	105	-0.23 38	-0.23 27	-0.34 95	0.05 23	1.50 7	0.44 27	-15.35 34	5.54 119	16 87
68 1713 24 0034 107790081	2.80	776 22 0378 1351 22 0109	106	104	0.02 24	-0.31 22	-0.30 93	0.52 7	1.70 5	0.73 19	-1.95 24	-0.07 102	17 102
69 1713 22 0021 94326733	2.30	116 20 0203 1713 20 0069	106	103	-0.40 62	-0.90 53	-1.10 78	-0.48 57	3.70 19	0.92 49	-2.91 47	-1.93 104	20 107
70 1713 26 0005 111604005	2.98	116 23 0087 1713 23 0094	106	103	0.14 43	-0.26 26	-0.18 94	0.55 23	1.10 9	0.55 29	-8.17 34	3.05 110	17 94
71 1713 26 0004 111603999	2.98	116 23 0087 1713 23 0094	106	103	0.14 43	-0.26 26	-0.18 94	0.55 23	1.10 9	0.55 29	-8.17 34	3.05 110	17 94
72 1713 26 0114 113425953	6.95	1713 24 0148 1713 24 0073	106	104	0.06 32	-0.28 22	-0.25 94	0.27 22	2.00 9	0.97 23	2.37 32	-1.03 97	12 105
73 1713 26 0118 113683387	7.16	1713 24 0148 1713 24 0059	106	107	-0.33 32	-0.23 21	-0.39 95	0.05 23	2.10 8	0.71 22	-0.45 32	-1.18 100	12 105
74 1713 24 0129 101245090	2.37	1384 22 0439 1713 22 0012	106	107	-0.16 46	0.02 26	-0.06 101	-0.67 29	1.50 7	0.76 29	-4.93 35	1.99 106	17 96
75 1713 26 0062 113303317	6.97	1713 24 0148 1713 24 0047	105	105	-0.11 32	-0.27 21	-0.32 94	0.43 22	2.10 7	0.88 22	4.52 32	-2.21 94	11 108

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76 1713 25 0085 111222816	2.21	1658 23 0272 1713 24 0022	105	107	-0.35 31 96	0.15 18 104	-0.03 100	-0.07 11 95	0.80 7 107	0.27 20 104	-12.70 33 116	5.64 14 86	0	
77 1713 24 0073 100069111	2.15	1713 22 0030 1713 20 0057	105	100	0.57 58 106	-0.41 39 91	-0.12 98	1.08 34 103	1.70 17 111	1.18 41 109	12.12 51 84	-3.39 19 111	1	
78 1713 25 0086 111222824	2.21	1658 23 0272 1713 24 0022	105	107	-0.35 31 96	0.15 18 104	-0.03 100	-0.07 11 95	0.80 7 107	0.27 20 104	-12.70 33 116	5.64 14 86	0	
79 1713 26 0042 113303135	15.60	1713 24 0148 1384 23 0063	105	108	-0.61 15 93	-0.09 10 99	-0.39 94	-0.55 14 92	2.00 5 113	0.51 10 105	-6.54 28 108	1.73 11 97	0	
80 1713 26 0041 113303127	15.60	1713 24 0148 1384 23 0063	105	108	-0.61 15 93	-0.09 10 99	-0.39 94	-0.55 14 92	2.00 5 113	0.51 10 105	-6.54 28 108	1.73 11 97	0	
81 1713 23 0099 99046112	2.07	116 20 0203 1713 19 0029	105	96	0.49 47 105	-0.70 38 83	-0.46 92	0.84 44 101	1.70 13 111	0.81 36 107	-4.53 45 106	3.47 22 92	1	
82 1713 20 0020 91629428	2.24	116 16 0037 1713 18 0072	105	103	-0.27 47 97	0.01 52 101	-0.13 98	0.08 40 96	0.90 19 108	0.28 42 104	-19.33 59 124	10.85 31 72	100	5
83 1713 25 0071 108951971	2.50	1384 22 0439 1713 20 0094	105	102	0.24 55 102	0.06 32 102	0.19 104	0.20 15 97	0.10 9 104	0.37 36 105	-12.78 38 116	7.50 20 81	0	
84 1713 26 0037 113303085	6.50	1713 24 0148 1384 23 0055	105	108	-0.60 15 93	-0.13 11 98	-0.43 93	-0.51 14 92	1.80 5 112	0.35 11 105	-6.87 29 109	0.94 14 99	0	
85 1713 25 0033 108907254	2.94	1384 22 0439 1332 23 0114	105	106	0.00 52 100	0.13 25 104	0.13 103	0.53 6 99	0.20 5 104	0.25 31 104	-4.85 28 106	1.55 15 98	0	
86 1713 24 0083 100068774	2.07	116 20 0203 1713 19 0004	104	92	0.94 59 110	-1.00 43 76	-0.54 91	0.56 44 99	1.60 13 111	0.89 42 108	-3.84 44 105	3.38 21 93	0	
87 1713 26 0030 112432901	2.28	116 21 0023 1713 19 0051	104	115	-1.18 43 87	0.40 30 111	-0.19 97	-1.05 18 89	1.80 5 112	0.31 29 104	-0.14 43 100	-2.14 18 108	0	
88 1713 24 0059 100069616	2.98	1713 22 0030 1713 21 0022	104	104	-0.19 58 98	-0.30 38 93	-0.40 93	0.63 35 100	1.80 16 112	0.59 41 106	6.49 49 92	-3.69 17 112	1	
89 1713 26 0031 112432919	2.28	116 21 0023 1713 19 0051	104	115	-1.18 43 87	0.40 30 111	-0.19 97	-1.05 18 89	1.80 5 112	0.31 29 104	-0.14 43 100	-2.14 18 108	0	
90 1351 22 0081 97460315	2.89	1351 20 0066 1351 17 0043	104	110	-0.67 25 92	0.08 32 103	-0.25 96	-0.49 5 92	1.60 5 111	0.37 22 105	-0.71 26 101	-1.08 21 105	102	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91 1926 22 0103 95206785	2.86	1384 19 0179 1926 16 0014	104	109	-0.68 5	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-1.31 15 101	-0.82 18 104	2
92 1713 26 0096 113425771	2.82	116 23 0087 1713 23 0106	104	101	0.01 43	-0.45 29 89	-0.45 93	0.50 23 99	1.30 10 110	0.33 30 104	-4.53 34 106	1.30 18 98	0
93 1713 25 0056 108914201	2.32	116 21 0023 1713 20 0069	104	117	-1.44 57	0.37 37 110	-0.35 94	-1.53 18 86	2.40 9 115	0.37 38 105	2.68 40 96	-4.15 17 113	0
94 1713 24 0118 101244978	2.94	1384 22 0439 1332 23 0114	104	106	-0.20 37	0.17 22 105	0.07 102	0.27 6 97	0.20 5 104	0.09 24 103	-4.85 28 106	1.55 15 98	1
95 1713 24 0047 100069053	2.22	1713 22 0030 1713 21 0024	104	100	0.25 58	-0.39 37 91	-0.26 96	1.39 34 105	1.70 12 111	0.88 39 108	16.44 49 79	-5.74 16 118	1
96 1332 23 0114 98698624	2.80	1509 21 0117 1332 18 0309	104	108	-0.16 26	0.22 31 106	0.14 103	0.23 7 97	0.20 7 104	0.18 24 104	2.08 25 97	-2.27 19 108	105 3
97 1713 26 0017 111604120	2.98	116 23 0087 1713 22 0012	103	104	-0.10 46	-0.11 28 98	-0.16 98	-0.70 29 91	1.20 9 109	0.51 31 106	-2.74 34 103	1.92 19 97	0
98 1713 25 0018 108693763	2.90	116 23 0087 1713 23 0077	103	95	0.68 56	-0.59 33 86	-0.25 96	0.73 23 100	0.60 10 106	0.45 37 105	-5.63 32 107	4.30 17 90	0
99 1713 23 0077 97312060	2.07	116 20 0203 1713 19 0004	103	94	0.63 54	-0.87 51 79	-0.55 91	0.11 44 96	1.60 13 111	0.72 43 107	-3.84 44 105	3.38 21 93	102 1
100 1713 20 0094 91629980	2.24	116 16 0037 1713 17 0006	103	102	0.16 47	0.13 53 104	0.21 104	-0.66 29 91	0.10 17 104	0.35 42 105	-13.77 57 117	9.64 31 75	100 5
101 1713 23 0092 99045932	2.17	116 20 0203 1713 22 0051	103	96	0.22 50	-0.85 36 79	-0.74 88	0.88 49 101	1.60 12 111	0.33 36 104	-2.45 48 103	0.29 19 101	1
102 1384 23 0063 98982481	5.77	1384 21 0430 1384 21 0259	103	107	-0.76 6	-0.02 5 100	-0.40 94	-0.58 5 92	1.60 5 111		-5.68 39 107	2.14 15 96	1
103 1713 26 0086 113425672	7.20	1713 24 0148 1384 23 0053	103	107	-0.75 18	-0.27 18 94	-0.64 89	-0.64 14 91	2.00 5 113	0.18 15 104	-5.04 29 106	0.11 14 102	0
104 1713 24 0134 101245058	2.87	1384 22 0439 1384 23 0055	103	106	-0.49 35	0.00 16 101	-0.24 96	-0.09 6 95	0.70 5 107	-0.06 21 102	-9.07 33 111	2.96 16 94	0
105 1713 25 0074 108952003	2.88	116 21 0023 1713 21 0049	103	103	0.09 57	-0.08 37 99	-0.03 100	-0.09 15 95	0.80 14 107	0.50 39 105	3.58 44 95	-0.76 20 104	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
106 1713 23 0096 99050627	2.07	116 20 0203 1713 21 0043	103	94	0.38 47 104	-0.94 37 77	-0.75 87	0.53 44 99	1.60 13 111	0.40 35 105	-4.96 51 106	2.30 21 96	1
107 1713 25 0015 108693730	2.63	116 23 0087 1509 23 0114	103	104	-0.20 53 97	-0.03 28 100	-0.13 98	0.09 7 96	0.50 7 106	0.07 33 103	-4.77 26 106	1.68 14 97	0
108 1713 22 0033 94336054	2.33	116 19 0159 1713 17 0043	103	101	-0.26 52 97	-0.23 37 95	-0.37 94	1.06 53 103	0.20 14 104	-0.38 37 100	-12.71 43 116	4.58 27 89	2
109 1713 21 0113 92465483	2.24	116 16 0037 1713 17 0006	103	101	-0.06 50 99	-0.15 56 97	-0.18 97	-0.81 29 90	0.00 26 103	-0.21 47 101	-25.20 59 132	11.97 32 69	102 4
110 1713 22 0106 95589321	2.33	116 19 0159 1713 17 0070	103	101	-0.25 57 97	-0.35 47 92	-0.47 92	0.49 56 99	-0.40 21 102	-0.84 45 98	-24.97 52 132	7.24 27 82	91 3
111 1384 23 0055 98982465	2.73	1384 21 0489 1384 21 0014	103	107	-0.75 9 91	-0.10 10 98	-0.47 92	-0.49 5 92	1.20 5 109	-0.13 8 102	-6.35 43 108	0.55 23 100	2
112 1713 21 0131 92466820	2.37	116 19 0159 1713 20 0043	103	108	-0.86 48 90	0.11 48 104	-0.32 95	-0.16 37 95	-0.70 26 100	-1.16 43 96	-30.01 52 136	7.56 25 81	97 3
113 1351 22 0118 97462097	2.87	1351 20 0066 1351 20 0058	102	107	-0.77 12 91	-0.04 15 100	-0.42 93	-0.55 5 92	1.60 5 111	0.16 10 103	-1.53 26 102	0.34 21 101	2
114 1713 24 0082 100069038	2.07	116 20 0203 1713 19 0004	102	93	0.51 59 105	-0.92 43 78	-0.66 89	-0.01 44 96	1.60 13 111	0.55 42 106	-2.89 53 103	2.75 21 94	1
115 1713 25 0014 108693722	2.63	116 23 0087 1509 23 0114	102	105	-0.39 53 95	0.01 28 101	-0.19 97	-0.15 7 95	0.50 7 106	-0.08 33 102	-4.77 26 106	1.68 14 97	0
116 1351 22 0109 97355408	2.87	1351 20 0066 1351 20 0106	102	107	-0.80 25 91	-0.09 32 99	-0.49 92	-0.58 5 92	1.60 5 111	0.07 22 103	-1.04 26 101	-0.49 21 103	105 3
117 1713 22 0058 94645132	2.33	116 19 0159 1713 18 0064	102	105	-0.40 59 95	-0.02 53 100	-0.21 97	-0.87 55 90	0.50 25 106	-0.11 49 102	-8.57 51 111	2.59 27 95	107 3
118 1713 25 0044 108914094	2.50	1384 22 0439 1713 19 0004	102	99	0.29 56 103	-0.17 34 97	-0.03 100	-0.27 19 94	0.10 9 104	0.18 37 104	-7.88 38 110	5.61 19 86	0
119 1713 21 0036 92246552	2.24	116 16 0037 1713 17 0003	102	102	0.01 52 100	-0.05 57 99	-0.05 100	-0.76 29 91	1.70 26 111	0.98 48 108	11.54 57 85	-0.63 31 104	113 3
120 1351 22 0035 97355366	27.00	1351 20 0066 1351 14 0103	102	107	-0.81 13 91	-0.10 16 98	-0.50 92	-0.58 5 92	1.60 5 111	0.05 11 103	-1.35 28 102	-0.32 22 103	82 3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd		
					Dir	Mat									EBV	EBV
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
121	1713 26 0082 113303481	3.06	116 23 0087 1713 20 0020	102	101	-0.19 43	-0.07 98	-0.17 32	0.16 99	0.20 12	-0.14 32	-13.37 102	8.04 38	21	80	0
122	1713 21 0049 92463488	2.24	116 16 0037 1713 17 0062	102	102	0.02 50	-0.04 100	-0.03 56	-0.74 100	0.40 27	0.21 47	-3.70 104	3.10 58	32	93	104 4
123	1713 26 0115 113425961	3.33	1713 24 0148 1713 23 0115	102	106	-0.69 26	0.03 92	-0.32 18	-0.84 101	1.50 5	0.24 18	0.78 104	0.62 32	12	100	0
124	1351 23 0094 99943045	2.89	1351 22 0015 1351 21 0069	102	106	-0.67 26	0.25 92	-0.09 32	-0.57 107	1.60 5	0.54 111	8.30 22	0.49 106	22	101	101 2
125	1713 25 0040 108914060	2.20	1658 23 0272 1713 22 0058	102	101	-0.12 53	-0.17 98	-0.23 30	-0.04 97	0.40 13	-0.05 35	-6.20 102	3.83 34	16	91	0
126	1713 26 0028 112432885	2.82	116 23 0087 1713 23 0092	101	97	0.05 44	-0.50 100	-0.47 25	0.56 88	0.60 10	-0.09 29	-4.93 102	2.76 34	16	94	0
127	1713 21 0084 92465467	3.82	116 19 0159 1713 20 0034	101	107	-0.58 51	0.35 93	0.06 53	0.31 110	0.10 27	-0.17 46	3.30 102	-0.53 53	26	103	106 4
128	1713 25 0075 108952011	2.50	1384 22 0439 1713 21 0113	101	104	-0.60 55	0.07 93	-0.23 33	-0.86 103	0.10 14	-0.48 37	-18.49 100	8.67 39	20	78	0
129	1713 26 0138 113730915	3.06	116 23 0087 1713 20 0094	101	100	0.02 43	-0.01 100	0.00 32	-0.21 101	-0.20 11	-0.11 31	-10.59 102	7.43 37	21	81	0
130	1713 24 0040 100068956	2.98	1713 22 0030 1713 21 0101	101	99	-0.45 59	-0.76 95	-0.98 38	0.68 82	1.90 12	-0.07 40	2.41 102	-2.42 39	17	109	0
131	1713 25 0078 108952045	2.10	1658 23 0272 1713 23 0090	101	101	-0.61 51	-0.44 93	-0.74 27	-0.44 90	1.60 7	-0.09 32	-7.05 102	3.55 31	16	92	0
132	1351 23 0087 97462014	27.17	1658 19 0025 1351 21 0005	101	111	-1.06 21	0.08 88	-0.45 12	-0.98 103	1.60 5	-0.02 13	8.91 102	-6.64 45	23	120	88 1
133	1713 25 0006 108644105	2.66	1384 21 0430 1713 21 0043	101	102	-0.50 20	-0.18 94	-0.42 22	-0.70 96	0.90 8	-0.13 18	-7.75 102	3.95 44	20	91	1
134	1351 23 0124 99943102	2.90	1351 22 0015 1351 21 0012	101	107	-0.77 27	0.12 91	-0.27 32	-0.63 104	1.60 5	0.30 111	11.79 23	-4.21 104	22	114	100 2
135	1713 26 0093 113425748	3.06	116 23 0087 1713 21 0049	101	100	-0.05 44	-0.09 99	-0.12 33	-0.25 98	0.00 15	-0.14 103	-5.56 37	4.16 102	21	90	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI	Times Lambd
					Dir Acc	EBV Index				Mat Acc	EBV Index	Acc	EBV Index	Acc	EBV Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
136 1028 22 0026 98367055	33.15	1028 19 0565 1028 21 0009	101	103	-0.64 9 93	0.13 7 104	-0.19 97	-0.38 5 93	0.90 5 108	0.03 7 103	-2.56 40 103	5.22 26 88		2			
137 1351 23 0123 99943094	2.90	1351 22 0015 1351 21 0012	101	106	-0.77 27 91	0.13 32 104	-0.26 96	-0.63 5 92	1.60 5 111	0.32 23 104	9.50 44 88	-1.25 22 105		99	2		
138 1713 25 0037 108914037	2.82	116 23 0087 1351 23 0124	100	103	-0.40 53 95	-0.02 27 100	-0.23 96	-0.14 7 95	0.60 7 106	-0.07 32 102	2.19 32 97	0.51 18 101		0			
139 1713 25 0025 108907171	2.82	116 23 0087 1351 23 0123	100	102	-0.37 53 96	-0.02 27 100	-0.21 97	-0.10 7 95	0.60 7 106	-0.03 32 102	1.04 32 98	1.99 18 96		0			
140 1713 25 0019 108693771	2.90	116 23 0087 1713 23 0077	100	97	0.01 56 100	-0.46 33 89	-0.45 93	-0.16 23 95	0.60 10 106	-0.09 37 102	-5.63 32 107	4.30 17 90		0			
141 1713 25 0065 108951914	2.38	1384 22 0439 1713 22 0032	100	98	-0.06 58 99	-0.39 33 91	-0.42 93	-0.13 29 95	0.70 14 107	-0.03 38 102	-1.00 36 101	2.05 18 96		0			
142 1713 26 0073 113303416	2.74	1658 23 0272 1351 22 0081	100	104	-0.82 30 91	-0.01 19 101	-0.42 93	-0.60 5 92	1.00 5 108	-0.23 20 101	-2.27 26 103	2.00 14 96		0			
143 1713 26 0074 113303424	2.74	1658 23 0272 1351 22 0081	100	104	-0.82 30 91	-0.01 19 101	-0.42 93	-0.60 5 92	1.00 5 108	-0.23 20 101	-2.27 26 103	2.00 14 96		0			
144 1713 25 0036 108907288	1.84	116 23 0087 1212 22 0006	100	100	-0.39 54 95	-0.26 29 94	-0.46 92	-0.07 7 95	0.60 8 106	-0.29 34 101	-5.56 27 107	3.83 17 91		0			
145 1713 22 0070 95589123	2.07	116 20 0203 1713 19 0066	100	89	0.77 58 108	-0.96 41 77	-0.57 90	1.28 57 104	0.50 16 106	0.11 42 103	4.03 51 95	0.89 26 99		2			
146 1384 23 0053 98982622	5.74	1384 21 0489 1384 21 0331	100	104	-1.04 23 88	-0.38 30 91	-0.90 85	-0.75 5 91	1.60 5 111	-0.46 20 100	-2.68 44 103	-1.11 22 105		99	3		
147 1713 24 0095 100070150	2.07	116 20 0203 1713 19 0066	100	89	0.79 58 109	-0.93 41 77	-0.54 91	1.09 44 103	0.50 16 106	0.15 42 103	5.75 53 93	0.37 21 101		1			
148 1713 26 0027 112432877	2.66	116 23 0087 1713 22 0070	100	93	0.33 46 103	-0.55 27 87	-0.39 94	0.76 29 101	0.00 11 103	-0.23 31 101	-1.69 35 102	3.06 19 93		0			
149 1713 25 0059 108914235	2.74	116 23 0087 1351 22 0084	100	99	-0.36 54 96	-0.42 29 90	-0.61 90	0.09 7 96	0.60 7 106	-0.43 34 100	-3.78 27 105	1.64 17 97		0			
150 1713 26 0009 111604047	2.73	116 21 0023 1926 22 0103	100	109	-1.24 39 86	0.18 21 105	-0.44 93	-1.28 5 87	1.40 5 110	-0.22 24 101	4.77 34 94	-2.71 14 109		0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
151 1713 24 0006 99048456	2.88	116 21 0023 1713 20 0020	99	106	-1.03 45 88	0.15 34 104	-0.37 94	-0.99 21 89	1.00 10 108	-0.29 33 101	-0.42 51 100	1.86 19 97	1
152 1713 26 0139 113730923	2.16	1658 23 0272 1713 21 0113	99	100	-0.52 37 94	-0.13 30 98	-0.39 94	-0.76 15 91	0.10 14 104	-0.59 29 99	-14.52 37 118	8.52 18 78	0
153 1713 26 0088 113425698	2.81	1658 23 0272 1351 23 0094	99	103	-0.82 30 91	0.07 19 103	-0.34 95	-0.63 5 92	1.00 5 108	-0.15 20 102	2.23 31 97	2.78 14 94	0
154 1713 26 0013 111604088	2.72	116 21 0023 1351 22 0118	99	108	-1.28 39 85	0.12 23 104	-0.52 91	-1.31 5 87	1.40 5 110	-0.32 24 101	4.66 36 94	-2.14 16 108	0
155 1713 24 0123 101245074	2.49	1384 22 0439 1713 22 0109	99	96	-0.19 44 98	-0.27 25 94	-0.36 94	0.59 28 100	-0.40 9 102	-0.70 29 99	-8.01 36 110	5.83 18 86	0
156 1713 26 0091 113425722	4.57	116 21 0023 1713 24 0082	99	101	-0.64 49 93	-0.32 30 93	-0.64 89	-1.04 23 89	1.40 7 110	-0.12 32 102	3.98 43 95	-0.93 16 104	0
157 1212 22 0006 100367168	8.65	1212 20 0007 1212 19 0381	99	102	-1.10 33 87	-0.29 39 93	-0.84 86	-0.95 5 89	1.60 5 111	-0.43 28 100	-3.71 27 105	2.42 21 95	108 2
158 1713 24 0130 101245033	2.38	1384 22 0439 1713 22 0089	99	95	0.01 45 100	-0.46 25 89	-0.46 92	-0.58 29 92	0.40 8 105	-0.21 29 101	-5.29 36 107	5.28 18 87	0
159 1713 26 0002 111603973	2.44	116 21 0023 1351 22 0035	99	108	-1.30 39 85	0.09 23 103	-0.56 91	-1.33 5 87	1.40 5 110	-0.37 24 100	4.75 36 94	-2.47 16 109	0
160 1713 26 0052 113303218	2.82	1658 23 0272 1351 23 0124	99	103	-0.87 30 90	0.01 19 101	-0.43 93	-0.67 5 91	1.00 5 108	-0.27 20 101	3.98 31 95	0.43 14 101	0
161 1713 26 0053 113303226	2.82	1658 23 0272 1351 23 0124	99	103	-0.87 30 90	0.01 19 101	-0.43 93	-0.67 5 91	1.00 5 108	-0.27 20 101	3.98 31 95	0.43 14 101	0
162 1713 26 0035 113303069	5.64	116 21 0023 1713 22 0058	98	107	-1.10 49 87	0.13 34 104	-0.42 93	-1.47 28 86	0.80 13 107	-0.49 35 100	1.14 42 98	-1.01 18 105	0
163 1713 26 0092 113425730	3.35	1658 23 0272 1713 25 0006	98	101	-0.73 29 92	-0.14 15 97	-0.51 92	-0.70 9 91	0.60 5 106	-0.51 18 100	-5.80 31 107	4.51 13 89	0
164 1713 26 0034 113303051	5.64	116 21 0023 1713 22 0058	98	107	-1.10 49 87	0.13 34 104	-0.42 93	-1.47 28 86	0.80 13 107	-0.49 35 100	1.14 42 98	-1.01 18 105	0
165 1713 26 0068 113303366	3.06	116 23 0087 1713 19 0004	98	96	0.02 44 100	-0.23 34 95	-0.23 96	-0.75 19 91	-0.20 11 102	-0.34 33 101	-5.70 36 107	5.54 20 87	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
166 1713 21 0010 93138105	2.24	116 16 0037 1713 17 0081	98	99	0.01 46	0.17 53	0.18 103	-0.19 31	0.00 16	0.18 42	12.82 55	0.63 31	91	5
167 1713 26 0040 113303119	5.80	116 21 0023 1713 21 0084	98	108	-1.19 47	0.31 34	-0.28 96	-0.88 20	0.60 13	-0.52 34	7.08 43	-2.57 17		0
168 1713 24 0037 100068626	5.64	116 21 0023 1713 22 0058	98	108	-1.19 59	0.15 35	-0.45 93	-1.60 28	0.80 13	-0.56 39	1.14 42	-1.01 18		0
169 1713 25 0069 108951955	2.16	1658 23 0272 1713 21 0010	98	98	-0.28 51	0.00 30	-0.15 98	-0.18 16	0.10 9	-0.23 33	4.49 35	2.85 18		0
170 1713 26 0126 113426068	2.68	116 23 0087 1713 23 0109	98	101	-0.52 42	-0.04 24	-0.30 95	-0.60 10	0.10 9	-0.50 27	0.60 34	1.87 17		0
171 1713 21 0048 92463769	2.24	116 16 0037 1713 18 0009	98	97	-0.12 37	-0.22 40	-0.29 95	-0.85 29	0.10 16	-0.29 33	-1.56 55	4.36 27		1
172 1713 26 0011 111604062	2.09	1658 23 0272 1713 24 0006	98	103	-1.00 35	0.02 20	-0.48 92	-0.85 11	0.70 6	-0.56 23	-2.13 34	3.47 13		0
173 1713 19 0004 86459351	2.24	116 16 0037 1713 17 0082	98	95	0.15 52	-0.32 58	-0.25 96	-1.74 36	0.10 16	-0.11 46	-3.98 56	5.85 30	100	7
174 1713 21 0043 92463405	2.24	116 16 0037 1713 17 0044	97	97	-0.24 40	-0.34 44	-0.46 92	-0.84 33	0.10 16	-0.52 36	-2.02 58	2.31 31		3
175 1713 26 0130 113426100	4.57	116 21 0023 1713 24 0095	97	99	-0.51 48	-0.33 30	-0.58 90	-0.49 22	0.80 8	-0.35 32	8.30 43	-2.12 15		0
176 1713 25 0002 108644071	2.50	1384 22 0439 1713 19 0025	97	97	-0.30 41	-0.30 29	-0.45 93	-0.54 20	0.00 9	-0.60 29	-0.55 38	2.00 20		0
177 1351 22 0084 97355382	2.88	1351 20 0066 1351 19 0041	97	101	-1.19 33	-0.59 40	-1.18 80	-0.84 5	1.60 5	-0.82 28	-0.15 28	-1.95 22	104	2
178 1713 26 0095 113425763	7.61	1658 23 0272 1212 22 0006	97	101	-1.04 32	-0.20 22	-0.72 88	-0.83 5	0.90 5	-0.69 21	-3.78 26	3.75 14		0
179 1713 24 0077 100069178	4.57	116 21 0023 1713 22 0126	97	100	-0.87 59	-0.43 35	-0.87 85	-1.38 29	1.50 10	-0.40 38	2.87 43	-0.49 16		0
180 1713 22 0032 94336112	1.99	116 20 0203 1713 20 0057	97	91	0.18 63	-0.91 55	-0.82 86	-0.47 57	1.20 26	-0.01 51	9.79 52	-1.26 26	94	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro-duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd	
					Dir	Mat									EBV
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
181	1713 24 0100 100069939	4.72	116 21 0023 1713 22 0032	97	99	-0.61 59 93	-0.35 36 92	-0.66 89	-1.01 29 89	1.20 13 109	-0.25 40 101	11.64 52 85	-3.51 17 112	1	
182	1713 26 0065 113683379	2.73	1658 23 0272 1351 22 0084	97	100	-1.08 32 88	-0.35 22 92	-0.89 85	-0.77 5 91	1.00 5 108	-0.83 21 98	-1.99 26 102	1.56 14 98	0	
183	1713 23 0115 99050577	2.88	116 21 0023 1713 21 0012	97	103	-0.91 43 89	0.20 30 106	-0.25 96	-1.14 16 88	0.60 8 106	-0.35 30 101	8.95 49 88	-0.08 19 102	1	
184	1713 23 0109 99045817	2.88	116 21 0023 1713 19 0021	96	103	-0.93 43 89	0.08 30 103	-0.39 94	-1.43 15 86	0.70 9 107	-0.43 30 100	8.60 49 89	-1.49 19 106	1	
185	1713 26 0076 113303440	2.71	1658 23 0272 1212 22 0883	96	100	-1.09 29 88	-0.36 17 92	-0.90 85	-0.78 5 91	1.00 5 108	-0.85 18 98	-2.11 22 102	2.07 9 96	0	
186	1713 21 0126 92465962	2.24	116 16 0037 1713 19 0051	96	96	-0.22 38 97	-0.25 42 94	-0.36 94	-0.69 31 91	0.10 16 104	-0.41 34 100	6.05 56 92	0.93 30 99	2	
187	1713 26 0023 112432836	2.44	116 23 0087 1713 24 0009	96	99	-0.53 42 94	-0.10 23 98	-0.37 94	-0.69 10 91	0.00 8 103	-0.64 27 99	6.00 34 92	0.06 16 102	0	
188	1713 23 0107 99050437	6.40	116 21 0111 1713 21 0103	96	96	-0.36 32 96	-0.20 22 96	-0.38 94	-0.15 21 95	-0.40 8 102	-0.80 23 98	4.00 34 95	1.51 17 98	0	
189	1713 20 0090 91629881	2.24	116 16 0037 1713 18 0050	95	92	-0.28 53 97	-0.41 58 91	-0.55 91	-0.92 33 90	0.10 16 104	-0.62 46 99	-3.10 55 104	6.78 31 83	108 5	
190	1713 26 0132 113730881	2.66	116 23 0087 1713 22 0085	95	90	-0.19 46 98	-0.59 30 86	-0.69 88	-0.05 30 95	-0.10 12 103	-0.84 32 98	-2.13 35 103	5.50 19 87	0	
191	1713 19 0083 86491230	2.23	116 16 0037 1713 13 0177	95	94	-0.12 39 98	-0.25 44 95	-0.31 95	-0.75 34 91	-0.30 16 102	-0.55 36 99	9.65 52 88	0.20 28 101	86 5	
192	1713 26 0110 113425912	5.93	116 21 0023 1713 22 0109	94	98	-0.97 47 89	-0.18 29 96	-0.67 89	-0.60 28 92	0.10 8 104	-1.09 31 96	3.31 42 96	0.84 18 100	0	
193	1713 26 0070 113303382	4.72	116 21 0023 1713 22 0089	94	97	-0.77 48 91	-0.38 29 91	-0.76 87	-1.77 29 84	0.90 8 108	-0.61 31 99	6.03 42 92	0.29 17 101	0	
194	1713 26 0069 113303374	4.72	116 21 0023 1713 22 0089	94	97	-0.77 48 91	-0.38 29 91	-0.76 87	-1.77 29 84	0.90 8 108	-0.61 31 99	6.03 42 92	0.29 17 101	0	
195	1713 26 0089 113425706	2.09	1658 23 0272 1713 24 0029	94	99	-1.01 34 88	-0.11 18 98	-0.61 90	-1.10 8 88	0.30 5 105	-0.94 21 97	2.67 34 96	2.42 13 95	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
					Dir		Mat		Comb EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index				
					Acc	Index	Acc	Index													
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
196	1713 26 0090 113425714	2.09	1658 23 0272 1713 24 0029	94	99	-1.01 34	-0.11 88	-0.61 18	-1.10 98	-0.61 90	-1.10 8	0.30 5	-0.94 105	2.67 21	2.42 97	34 34	2.42 96	13 13	95 95		0
197	1713 25 0060 108914243	2.71	116 23 0087 1212 22 0883	94	101	-1.55 51	-0.20 82	-0.98 25	-1.49 96	-0.98 84	-1.49 7	0.60 7	-1.39 106	-3.90 31	2.14 95	23 23	2.14 105	14 14	96 96		0
198	1713 22 0089 95588786	1.99	116 20 0203 1713 20 0050	94	85	0.26 57	-1.04 103	-0.91 40	-1.47 75	-0.91 85	-1.47 57	0.70 15	-0.36 107	1.22 41	5.18 100	52 52	1.22 98	26 26	88 88		2
199	1713 22 0109 95589461	5.23	116 19 0159 1713 19 0029	94	88	-0.15 54	-0.64 98	-0.71 39	0.87 85	-0.71 88	0.87 55	-1.00 16	-1.39 99	-4.24 39	6.28 95	52 52	-4.24 105	28 28	85 85		2
200	1713 25 0042 108914086	2.49	1384 22 0439 1713 21 0022	94	95	-0.63 56	-0.36 93	-0.68 33	-0.57 92	-0.68 89	-0.57 21	-0.50 14	-1.29 101	0.48 37	1.63 95	37 37	0.48 99	18 18	97 97		0
201	1713 23 0120 99048191	2.88	116 21 0023 1713 19 0032	93	99	-1.12 44	-0.22 87	-0.78 32	-1.68 95	-0.78 87	-1.68 19	0.60 8	-0.98 106	5.14 31	0.45 97	44 44	5.14 93	19 19	101 101		0
202	1713 23 0121 99048217	2.88	116 21 0023 1713 19 0032	93	99	-1.12 44	-0.22 87	-0.78 32	-1.68 95	-0.78 87	-1.68 19	0.60 8	-0.98 106	5.14 31	0.45 97	44 44	5.14 93	19 19	101 101		0
203	1713 24 0029 99049009	2.87	116 21 0023 1713 19 0058	93	99	-1.05 42	-0.11 88	-0.63 28	-1.49 98	-0.63 89	-1.49 14	0.40 8	-0.92 105	9.18 29	-0.24 97	51 51	9.18 88	18 18	103 103		1
204	1713 24 0010 99048332	2.87	116 21 0023 1713 19 0060	93	100	-0.95 43	-0.06 89	-0.53 29	-1.62 99	-0.53 91	-1.62 14	0.40 8	-0.77 105	16.22 30	-4.05 98	51 51	16.22 79	18 18	113 113		1
205	1713 24 0009 99048472	2.87	116 21 0023 1713 19 0060	92	99	-0.95 43	-0.06 89	-0.53 29	-1.62 99	-0.53 91	-1.62 14	0.40 8	-0.77 105	19.42 30	-5.10 98	50 50	19.42 75	18 18	116 116		1
206	1713 26 0083 113425656	5.93	116 21 0023 1713 21 0103	92	99	-1.29 44	-0.04 85	-0.68 29	-1.34 100	-0.68 89	-1.34 20	-0.10 8	-1.39 103	7.04 30	-0.04 95	42 42	7.04 91	17 17	102 102		0
207	1713 22 0085 95588703	2.07	116 20 0203 1713 19 0079	91	83	-0.26 59	-1.04 97	-1.17 47	-0.33 75	-1.17 80	-0.33 58	0.40 19	-1.06 105	3.15 45	5.78 96	52 52	3.15 96	26 26	86 86	92	2
208	1713 19 0025 86459435	2.24	116 16 0037 1713 17 0010	90	89	-0.37 43	-0.70 96	-0.88 49	-1.39 83	-0.88 85	-1.39 39	-0.20 17	-1.19 102	10.68 39	-1.36 96	57 57	10.68 86	33 33	106 106	93	7
209	1713 26 0044 113303150	5.93	116 21 0023 1713 21 0022	89	97	-1.39 47	-0.28 84	-0.97 34	-1.73 94	-0.97 84	-1.73 21	0.00 13	-1.67 103	11.80 34	-3.36 93	43 43	11.80 85	18 18	111 111		0
210	1713 25 0082 109339341	2.16	1658 23 0272 1713 21 0024	89	89	-0.59 50	-0.55 93	-0.84 29	-0.35 87	-0.84 86	-0.35 19	-0.50 8	-1.44 101	15.38 32	-1.57 94	35 35	15.38 80	16 16	106 106		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
					Dir EBV Acc	Index	Mat EBV Acc	Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc			Index
Active Breed Average:			100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
211	1713 19 0066 86491131	2.23	116 16 0037 1713 13 0099	89	89	-0.11 46	98	-0.19 52	96	-0.24 96	-0.61 34	92	-2.10 26	-1.56 44	94	13.37 55	83	-0.02 29	102	100	6
212	1713 21 0058 92463322	2.24	116 16 0037 1713 17 0033	89	86	-0.62 50	93	-0.99 52	76	-1.30 78	-1.52 31	86	0.20 16	-1.49 43	94	5.07 57	93	1.81 32	97	105	2
213	1713 21 0103 92466028	5.23	116 19 0159 1713 18 0007	88	89	-0.78 42	91	-0.36 38	92	-0.75 88	-0.60 40	92	-1.30 16	-1.91 34	91	3.22 52	96	4.53 26	89		2
214	1713 26 0079 113303457	5.93	116 21 0023 1713 21 0024	87	95	-1.42 47	84	-0.27 33	94	-0.98 83	-1.59 19	85	-0.10 8	-1.75 33	92	22.72 43	71	-6.41 17	120		0
215	1713 26 0080 113303465	5.93	116 21 0023 1713 21 0024	87	95	-1.42 47	84	-0.27 33	94	-0.98 83	-1.59 19	85	-0.10 8	-1.75 33	92	22.72 43	71	-6.41 17	120		0
216	1713 21 0080 92463629	5.23	116 19 0159 1713 19 0032	86	85	-1.03 42	88	-0.84 38	80	-1.36 77	-1.24 40	88	-1.00 16	-2.48 34	88	-6.11 53	108	7.00 27	83		3
217	1713 25 0068 108951948	5.93	116 21 0023 1713 22 0073	86	96	-1.64 58	81	-0.17 35	97	-0.99 83	-2.40 28	80	-0.80 13	-2.29 39	89	10.08 42	87	-2.44 18	109		0
218	1713 26 0099 113425805	5.93	116 21 0023 1713 21 0101	86	92	-1.77 48	80	-0.71 35	83	-1.60 73	-1.84 21	84	0.10 8	-2.42 34	89	8.59 43	89	-2.85 18	110		0
219	1713 26 0049 113303184	5.93	116 21 0023 1713 22 0073	85	97	-1.89 49	79	-0.12 33	98	-1.07 82	-2.72 28	78	-0.80 13	-2.49 35	88	10.08 42	87	-2.44 18	109		0
220	1713 26 0048 113303176	5.93	116 21 0023 1713 22 0073	85	97	-1.89 49	79	-0.12 33	98	-1.07 82	-2.72 28	78	-0.80 13	-2.49 35	88	10.08 42	87	-2.44 18	109		0
221	1713 21 0066 93138147	5.23	116 19 0159 1713 19 0101	83	82	-1.01 41	88	-0.80 36	81	-1.30 78	-1.09 38	89	-1.20 15	-2.53 33	88	3.66 53	95	5.98 26	85		2
222	1713 21 0022 92246271	5.23	116 19 0159 1713 19 0114	83	85	-0.97 52	89	-0.84 54	80	-1.33 77	-1.38 40	87	-1.20 26	-2.54 47	88	12.75 54	84	-2.10 27	108	100	4
223	1713 25 0046 108914110	5.93	116 21 0023 1713 21 0101	82	94	-2.48 58	72	-0.57 37	86	-1.81 69	-2.79 21	77	0.10 8	-2.99 38	85	8.59 43	89	-2.85 18	110		0
224	1713 21 0024 92246198	5.23	116 19 0159 1713 19 0112	81	84	-1.04 52	88	-0.83 51	80	-1.34 77	-1.10 38	88	-1.20 15	-2.58 43	88	34.59 54	64	-8.21 25	125	105	4
225	1713 21 0101 92466143	5.23	116 19 0159 1713 19 0016	78	79	-1.74 55	80	-1.71 56	64	-2.58 64	-1.62 40	85	-1.00 16	-4.05 46	79	6.32 53	92	-1.08 27	105	95	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir	Mat								
					Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
226 1713 22 0073 95588802	5.23	116 19 0159 1713 18 0008	75	85	-1.97 59 78	-0.52 51 88	-1.51 74	-3.38 56 74	-2.80 26 90	-4.18 48 78	9.31 52 88	-0.26 27 103	98	3