



DOHNE MERINO GENETIC REPORT



20 September 2026

JEFFREY FRANCIS FITCH TRUST

FDM : MF



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{\text{dier}} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 436


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Geen / None	0

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.

* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months

Number : 3



Dams of lambs born in the last 36 months

Number : 95



Lambs born in the last 36 months

Number : 134



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	0.07	0.18	0.01	0.54	0.66	0.47
Weaning Weight Mat	0.12	0.14	0.11	0.01	0.00	0.01
Body Weight	0.46	0.73	0.31	0.56	0.96	0.41
Clean Fleece Weight	-0.02	-0.02	-0.02	0.03	0.06	0.02
Fibre Diameter	0.04	-0.03	0.07	-0.14	-0.22	-0.12
Staple Length	-0.52	-0.35	-0.61	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-11.02	-12.64	-10.06	1.48	2.04	1.17
Interlambing Period	-2.81	-3.14	-2.61	0.36	0.44	0.31
Lambs Weaned	-0.42	-0.30	-0.48	0.46	0.56	0.39
Total Weight Weaned	-0.06	-0.06	-0.06	0.27	0.32	0.24
Selection Indices						
General Merit Index	-0.63	0.98	-1.15	2.81	4.45	2.23
SIP	100.8	100.5	100.8	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	3.03	3.39	2.84	3.00	3.13	2.92
Number of Animals						
Number of Animals	436	152	284	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	95.6	96.6	95.0
Weaning Weight Mat	102.3	102.8	102.1
Body Weight	99.3	101.1	98.4
Clean Fleece Weight	96.9	96.8	96.9
Fibre Diameter	102.8	101.8	103.3
Staple Length	97.3	97.8	97.1
Breeding Value Indices for Fertility			
Age First Lambing	114.1	115.9	113.0
Interlambing Period	110.6	111.7	109.9
Lambs Weaned	96.7	97.1	96.5
Total Weight Weaned	96.1	96.0	96.1
Selectopn Indices			
General Merit Index	94.3	97.0	93.4
SIP	100.8	100.5	100.8
Inbreeding			
Inbreeding (%)	3.03	3.39	2.84
Number of Animals			
Number of Animals	436	152	284

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2016																23	0.62				
2017																31	0.28				
2018																17	0.47				
2019																21	0.33				
2020																24	0.54				
2021	116	-0.29	0.17	99	-0.16	98	-0.04	98	0.22	98	-2.75	29	-5.93	25	-2.53	29	-0.65	29	-0.10	98	-1.78
2022	123	-0.11	0.10	81	0.46	80	-0.02	80	0.24	80	-1.06	34	-7.25	27	-1.66	32	-1.07	32	-0.03	80	-0.88
2023	130	-0.10	0.06	65	0.34	65	-0.03	65	0.15	65	-0.71	16	-10.05			14	-1.26	14	-0.17	65	-1.63
2024	132	0.28	-0.06	59	0.85	59	0.07	59	-0.08	59	1.59									59	1.37
2025	113	0.36	0.35																		

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	378	87
Known Dams	378	87

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2016 - 2025	4.21	0.27
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambded		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV Acc	Index								EBV Acc	Index	
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CR 18 0151 81631772	0.83	SD 14 0745 CR 16 0180	109	1	67	1	110	-7.69	83	0.07 95 96	-0.14 75 97	-0.62 93 93	-0.02 92 97	0.03 95 103	-1.37 94 95	-6.81 58 73	-1.80 58 75	115	5	3	
CR 18 0175 81631707	0.83	SD 14 0745 CR 16 0145	85	1	58	1	108	1.74	98	0.95 94 104	-0.37 73 92	2.57 92 113	0.17 91 109	-0.25 95 98	7.79 93 119	-8.99 57 64	-1.75 57 76	89	2	7	
CR 19 0288 84027028	0.78	VM 16 0816 CR 17 0003	126	1	74	1	107	6.34	106	1.19 96 106	0.29 79 106	3.45 93 119	-0.13 92 90	0.07 96 103	-2.54 94 92	4.42 59 115	0.77 58 106	150	6	7	
CR 21 0391 92992197	4.73	CR 20 0103 CR 18 0252	63	1	28	1	111	7.05	107	1.53 92 109	-0.64 55 86	1.24 87 104	0.43 85 124	-1.07 91 86	10.48 88 126	-5.27 42 78	-1.59 42 78	82	2	1	
CR 23 0214 96877857	2.34	CR 21 0402 CR 19 0252	54	2	7	1	116	15.17	120	1.72 91 111	0.21 54 104	2.50 77 112	0.18 74 109	-1.75 84 75	-2.31 79 93	2.95 39 109	0.51 39 103	169	6	1	
MF 22 0135 95075560	1.87	CR 19 0288 MF 18 0438	44	1			104	4.72	103	1.11 89 105	0.40 53 108	2.76 66 114	-0.15 64 89	0.00 75 102	-3.44 69 90	3.35 30 111	0.67 30 105	122	4	9	
MF 23 0175 98244650	2.16	CR 19 0288 MF 21 0074	42	1			109	3.95	102	0.40 89 99	0.86 54 118	2.63 68 113	-0.08 66 93	0.43 76 109	0.53 71 100	1.26 36 103	0.64 36 104	105	3	3	
Rams with Progeny Average :							109	4.5	103	0.99	0.09	2.08	0.06	-0.36	1.31	-1.30	-0.37				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
					EBV		Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MF 24 0304 107263899	2.00	CR 21 0391	MF 20 0025	21	96	-2.21	92	0.04 64	-0.11 38	-0.81 64	-0.01 61	-0.44 74	-3.22 67	-2.41 21	-0.69 21	105	4
MF 24 0312 107263964	2.00	CR 21 0391	MF 20 0115	12	100	0.94	97	-0.21 66	-0.57 40	-2.01 62	0.25 60	-0.73 72	2.74 65	-2.41 21	-0.69 21	121	4
MF 24 0320 107264053	5.93	CR 21 0391	MF 21 0072	3	110	8.42	109	1.75 67	-0.11 40	1.76 67	0.52 64	0.23 75	4.26 69	-3.32 29	-0.54 29	95	2
MF 24 0321 107264046	5.93	CR 21 0391	MF 21 0065	8	104	3.55	101	0.51 68	0.10 43	-0.25 67	0.26 65	-0.37 75	3.25 69	-2.49 30	-0.44 30	109	3
MF 24 0324 107263972	3.79	CR 21 0391	MF 21 0009	11	100	0.58	96	0.74 67	-0.35 41	-0.66 66	0.18 64	-0.83 75	4.88 69	-4.48 28	-1.22 28	101	3
MF 24 0325 107264095	2.33	CR 21 0391	MF 21 0111	13	99	1.00	97	1.22 68	-0.35 42	0.61 67	0.22 64	0.42 75	11.41 69	-2.45 29	-0.60 29	104	3
MF 24 0326 107264087	2.33	CR 21 0391	MF 21 0107	6	104	5.10	104	1.25 69	0.18 43	1.89 67	-0.03 65	-0.92 75	2.76 69	-0.04 29	-0.28 29	114	3
MF 24 0331 107264327	5.93	CR 21 0391	MF 22 0042	1	113	10.01	112	1.71 67	-0.24 41	1.52 67	0.46 64	-0.52 76	1.63 69	-3.03 29	-0.51 29	105	2
MF 24 0334 107271827	1.89	CR 19 0288	MF 19 0093	20	97	-0.03	95	-0.01 67	0.03 49	0.40 65	-0.11 62	0.26 74	-0.36 67	2.43 29	0.49 29	116	5
MF 24 0337 107271587	1.87	CR 19 0288	MF 18 0110	18	98	0.63	96	0.29 68	0.28 51	1.96 66	-0.18 64	0.45 75	-1.34 69	2.32 30	0.48 29	122	4
MF 24 0341 107271769	1.89	CR 19 0288	MF 19 0026	4	108	7.88	108	1.14 67	0.29 50	2.72 65	-0.09 63	-0.82 74	-1.77 68	2.33 30	0.47 29	121	5
MF 24 0347 107264210	5.95	CR 21 0391	MF 22 0008	2	111	9.70	111	1.45 68	-0.02 41	2.87 67	0.15 64	-1.16 75	1.81 69	-1.66 29	-0.46 29	106	2
MF 24 0349 107271363	1.75	CR 18 0151	MF 17 0510	23	92	-4.39	88	0.06 68	0.37 50	-0.26 65	-0.26 63	-0.78 74	-5.35 67	-3.71 30	-0.77 30	140	5
MF 24 0361 107271272	1.78	CR 18 0151	MF 16 0308	24	92	-4.13	89	-0.68 65	0.03 47	-0.89 65	-0.18 62	-0.77 74	-2.50 67	-2.93 30	-0.74 30	94	4
MF 24 0370 107271314	1.78	CR 18 0151	MF 16 0333	25	90	-5.94	86	-0.62 65	0.11 46	-1.64 64	-0.13 61	-0.43 73	-6.36 66	-3.18 29	-0.80 29	102	4



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
						EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MF 24 0373 107264467	2.33	CR 21 0391	MF 22 0106	19	98	-0.34	95	0.80 67	-0.19 39	1.91 67	0.17 64	1.10 76	7.58 69	-1.68 27	-0.66 27	92	1
MF 24 0382 107271561	1.87	CR 19 0288	MF 18 0107	15	99	1.34	98	0.67 67	0.76 50	2.86 66	-0.15 64	0.82 74	-2.25 68	2.27 30	0.52 29	131	5
MF 24 0399 107264269	5.35	CR 21 0391	MF 22 0015	10	103	4.19	102	0.51 68	-0.16 41	0.73 66	0.32 64	-0.30 75	13.26 69	-3.31 28	-0.93 28	113	2
MF 24 0406 107271884	2.00	CR 18 0175	MF 20 0040	9	103	3.71	101	1.40 66	0.34 46	3.37 64	0.01 61	-0.16 73	3.71 66	-4.27 28	-0.77 28	126	4
MF 24 0407 107271850	2.00	CR 18 0175	MF 20 0005	22	95	-2.21	92	0.20 66	0.08 47	1.56 65	-0.10 62	0.16 73	1.76 67	-4.27 28	-0.77 28	126	4
MF 24 0410 107271892	2.00	CR 18 0175	MF 20 0127	16	98	-0.29	95	0.26 64	-0.25 44	0.10 63	0.09 60	-0.19 72	0.42 65	-4.27 28	-0.77 28	96	4
MF 24 0412 107271934	3.13	CR 18 0175	MF 21 0067	5	108	6.98	107	1.10 68	0.18 48	3.19 68	0.22 66	-0.07 76	4.70 70	-5.03 36	-0.60 35	104	3
MF 24 0425 107271330	1.75	CR 18 0151	MF 17 0501	26	84	-10.23	79	-0.33 65	0.45 47	-0.84 65	-0.03 63	1.62 74	-0.52 68	-3.54 30	-0.77 30	104	4
MF 24 0440 107264525	4.85	CR 21 0391	MF 22 0138	14	99	0.27	96	0.01 67	-0.13 40	0.55 67	0.21 64	-0.04 75	4.48 69	-5.02 28	-1.20 28	102	2
MF 24 0448 107264442	2.34	CR 21 0391	MF 22 0095	17	98	-0.12	95	1.06 67	-0.07 41	0.99 67	0.04 64	0.14 76	2.02 69	-1.72 28	-0.57 28	104	2
MF 24 0460 107264061	2.33	CR 21 0391	MF 21 0105	7	104	4.41	103	0.85 69	-0.51 43	0.57 67	0.23 64	-0.33 76	5.16 69	0.24 29	-0.42 29	106	3
Young rams (with known parents) average :					100	1.49	98	0.58	0.01	0.85	0.08	-0.14	2.01	-2.14	-0.51		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
MF 21 0009 92535483	1.78	CR 16 0400 MF 16 0302	101	4	3	102	-6.00	86	-0.70 69	0.07 88	-1.75 65	-0.02 63	-0.03 75	-0.57 97	-3.68 38	-0.84 87	101	3	21	
MF 21 0011 92535509	1.78	CR 16 0400 MF 16 0329	95	3	2	112	0.81	97	0.03 67	-0.38 95	-0.79 92	0.26 61	-0.21 74	-2.34 93	-2.29 34	-0.80 87	92	2	1	
MF 21 0019 92536788	1.78	CR 16 0400 MF 16 0308	94	4	4	106	1.75	98	-0.38 70	0.08 61	-0.92 102	0.15 64	-0.66 76	-2.84 91	-1.40 37	-0.44 92	106	3	7	
MF 21 0028 92535681	1.78	CR 16 0400 MF 16 0305	91	2	3	94	-5.84	86	-0.61 68	1.09 58	-0.82 123	-0.20 62	-0.04 74	-6.00 83	-3.47 37	-0.48 91	104	3	42	
MF 21 0029 92535707	1.78	CR 16 0400 MF 16 0324	86	2	5	98	-4.82	87	-1.08 70	0.27 62	-1.90 106	-0.07 60	0.11 72	0.21 99	1.47 37	-0.08 96	111	3	29	
MF 21 0056 92535806	1.75	CR 18 0311 MF 17 0559	108	4	3 1	96	-2.30	92	-0.99 71	-0.35 63	-1.25 93	0.24 65	1.21 76	-0.84 97	-1.88 43	0.06 98	99	3	39	
MF 21 0063 92535889	1.75	CR 18 0311 MF 17 0552	113	5	3	102	4.64	103	0.03 71	0.11 62	0.70 102	0.14 63	0.32 74	-3.87 89	1.63 40	0.62 104	96	2	19	
MF 21 0065 92535905	1.75	CR 18 0311 MF 17 0507	103	3	4	98	2.51	100	0.39 72	0.96 64	0.39 120	0.06 68	0.48 78	-2.20 93	0.30 43	0.71 105	109	3	34	
MF 21 0067 92535921	1.75	CR 18 0311 MF 17 0509	96	4	3 1	105	6.91	107	1.05 70	0.71 63	2.13 115	0.21 66	0.56 77	-3.42 90	-1.07 43	0.55 103	104	3	10	
MF 21 0072 92535988	1.75	CR 18 0311 MF 17 0501	104	4	2	101	2.99	100	0.67 68	0.99 58	1.06 121	0.29 65	1.48 76	0.70 101	-1.37 40	0.51 103	95	2	22	
MF 21 0074 92536028	1.75	CR 18 0311 MF 17 0510	140	5	3	99	1.99	99	0.17 74	1.10 63	0.53 123	0.02 66	0.33 77	-1.27 95	-1.89 42	0.50 103	105	3	27	
MF 21 0105 92536143	1.87	CR 19 0288 MF 18 0101	103	3	5	103	2.46	99	-0.26 73	-0.28 66	0.20 94	0.03 66	0.31 77	2.20 104	5.75 40	0.75 106	106	3	15	
MF 21 0107 92536168	1.87	CR 19 0288 MF 18 0438	122	4	5	108	7.84	108	1.34 74	0.68 66	3.52 114	-0.23 67	-0.53 78	-3.32 90	5.19 40	1.03 109	114	3	3	
MF 21 0111 92536200	1.87	CR 19 0288 MF 18 0422	119	5	3	94	-4.31	88	-0.07 71	0.27 62	0.69 106	-0.18 64	1.19 75	3.05 107	0.37 40	0.40 102	104	3	43	
MF 21 0114 92536226	1.87	CR 19 0288 MF 18 0425	139	5	4	104	0.67	96	0.67 73	0.04 65	1.12 101	-0.13 63	0.27 74	0.56 100	3.28 40	0.46 102	103	3	14	
MF 21 0116 92536242	1.87	CR 19 0288 MF 18 0114	95	2	3	102	-2.57	91	-0.44 70	-0.11 61	-0.25 98	-0.23 63	-0.28 74	-7.40 68	1.01 40	0.07 98	98	3	18	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded		
			EPI	Times lambded															EBV
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
MF 21 0117 92536267	1.75	CR 19 0288 MF 17 0542	108	4	3	99	1.30	98	-0.25 71 93	0.81 62 117	1.08 68 103	-0.10 65 92	0.36 76 108	-1.33 70 95	1.31 40 103	0.61 40 104	104	3	28
MF 21 0122 92536309	1.87	CR 19 0288 MF 18 0106	122	5	4 1	100	3.48	101	1.25 73 107	1.02 65 121	2.89 70 115	-0.08 67 93	0.99 78 118	-2.09 72 93	3.68 40 112	0.95 40 108	112	3	23
MF 21 0125 92536341	1.87	CR 19 0288 MF 18 0105	145	5	3	108	-0.16	95	-0.33 72 92	-0.39 63 92	0.18 67 98	-0.04 64 96	-0.22 75 99	3.36 69 108	1.11 40 103	-0.23 40 94	93	3	4
MF 21 0157 92536424	1.89	CR 18 0151 MF 19 0017	97	3	2	95	-7.52	83	-0.62 68 89	0.34 58 107	-1.16 67 89	-0.13 64 90	0.20 75 105	-6.30 69 82	-3.44 37 85	-0.86 37 86	93	2	40
MF 21 0164 92536507	1.89	CR 18 0151 MF 19 0013	118	4	3 1	100	-5.94	86	-0.43 71 91	-0.06 62 99	-0.83 68 91	-0.18 65 87	-0.13 76 100	1.78 70 103	-1.71 38 92	-0.66 37 89	97	3	25
MF 21 0167 92536549	1.89	CR 18 0151 MF 19 0058	86	2	3	99	-6.79	84	-1.53 68 81	-0.84 59 82	-2.36 66 81	0.03 64 100	0.12 75 104	-3.09 69 91	-1.57 37 92	-0.89 36 86	93	3	26
MF 21 0170 92536580	1.89	CR 18 0151 MF 19 0023	107	5	3	90	-9.40	80	-0.66 70 89	0.27 61 106	0.13 69 97	-0.09 67 93	1.40 77 124	-8.71 72 76	-2.59 40 89	-0.96 39 85	100	3	47
MF 21 0172 92536606	1.89	CR 18 0151 MF 19 0018	87	1	2	97	-10.33	78	-1.02 66 85	-0.17 54 96	-1.57 63 86	-0.21 61 85	-0.30 72 98	-1.25 66 95	-7.10 39 72	-1.60 39 77	91	3	35
MF 21 0174 92536622	1.89	CR 18 0151 MF 19 0081	88	1	3	107	-3.29	90	-0.09 67 94	-0.18 58 96	-1.14 65 89	-0.06 63 94	-0.78 74 90	-2.23 68 93	-4.42 39 82	-0.94 39 85	99	3	5
MF 22 0007 95072880	1.78	CR 18 0311 MF 16 0338	92	2	2	106	6.33	106	1.48 68 109	0.66 58 114	2.68 65 114	-0.09 62 93	-0.02 74 102	-6.68 67 81	1.42 39 104	0.85 39 107	102	2	4
MF 22 0008 95072906	1.78	CR 18 0311 MF 16 0338	92	2	3	109	6.93	107	0.98 69 104	0.44 61 109	1.99 67 109	-0.07 64 94	-0.63 75 92	-6.30 69 82	1.96 40 106	0.67 40 105	106	2	1
MF 22 0009 95072922	1.89	CR 19 0288 MF 19 0017	97	3	3	100	1.82	98	0.26 70 97	-0.11 61 98	1.32 67 105	0.01 64 99	0.63 75 112	-1.14 69 96	4.00 37 113	0.45 37 102	104	2	26
MF 22 0010 95072948	1.75	CR 18 0311 MF 17 0505	110	4	2	108	3.88	102	0.50 70 100	-0.03 60 99	0.16 67 97	0.23 64 112	0.28 75 107	-1.10 69 96	-1.10 40 94	0.25 40 100	101	2	2
MF 22 0011 95072963	1.75	CR 18 0311 MF 17 0505	110	4	1	104	3.82	102	0.59 68 101	0.32 56 107	1.31 65 105	0.09 62 103	0.29 74 107	-8.51 67 76	-0.66 38 96	0.33 37 101	93	2	7
MF 22 0013 95072989	1.75	CR 18 0175 MF 17 0542	108	4	3	101	0.31	96	0.07 70 96	-0.23 61 95	0.35 67 99	0.40 65 123	1.32 76 123	8.74 70 122	-2.85 37 88	-0.56 37 90	107	2	19
MF 22 0015 95073003	2.00	CR 18 0151 MF 20 0052	103	3	3	91	-2.77	91	0.26 70 97	0.39 61 108	0.28 65 98	0.10 63 104	1.11 74 119	5.40 68 113	-1.34 37 93	-0.27 36 94	113	2	41

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

- Indices in top 10%
- Above breed average
- Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100			0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MF 22 0020 95073045	2.00	CR 18 0151 MF 20 0081	87	1	2	97	-5.15	87	-0.37 67	-0.10 55	-0.81 63	-0.10 61	-0.13 72	-4.66 65	-3.73 37	-0.82 36	102	2	38	
MF 22 0024 95073102	1.75	CR 18 0175 MF 17 0535	91	3	2	103	-0.96	94	-0.61 67	-0.53 56	-0.26 64	0.08 61	-0.38 73	2.97 66	-4.73 36	-0.91 36	101	2	11	
MF 22 0025 95073128	1.78	CR 18 0311 MF 16 0325	91	3	2	99	1.50	98	0.44 68	0.43 57	0.54 65	-0.03 62	0.35 74	-2.68 67	1.68 37	0.61 37	97	1	32	
MF 22 0031 95073201	1.75	CR 18 0175 MF 17 0558	103	3	1	98	-3.80	89	-0.14 67	-0.75 53	-0.19 66	0.23 63	1.07 75	2.56 68	-4.10 33	-0.94 33	91	1	34	
MF 22 0033 95073243	1.75	CR 18 0175 MF 17 0559	108	4	2	102	-3.26	90	-0.61 70	-0.65 58	-1.04 65	0.12 63	-0.04 74	8.75 68	-5.16 37	-1.03 37	100	2	14	
MF 22 0042 95073326	1.75	CR 18 0311 MF 17 0507	103	3	2	100	4.84	103	1.25 69	0.75 59	1.69 67	0.23 65	1.07 76	-3.73 70	-0.78 40	0.58 40	105	2	24	
MF 22 0050 95073425	1.75	CR 18 0175 MF 17 0567	127	5	2	100	-2.08	92	-0.25 70	0.17 58	0.29 65	0.18 62	0.68 74	5.71 67	-4.73 36	-0.87 36	101	2	20	
MF 22 0059 95073466	1.89	CR 19 0288 MF 19 0030	103	4	1	99	-0.93	94	-0.40 68	0.11 55	-0.54 64	-0.14 62	-0.05 73	-2.54 67	2.34 33	0.49 33	93	2	30	
MF 22 0062 95073508	1.78	CR 18 0311 MF 16 0326	113	5	2	98	0.22	96	0.40 69	-0.03 59	0.67 64	0.16 61	1.23 73	-2.22 66	-0.91 40	0.23 40	100	2	33	
MF 22 0066 95073540	2.00	CR 18 0151 MF 20 0072	87	1	3	103	-2.69	91	0.59 67	-0.19 58	0.56 63	-0.11 61	-0.16 72	-7.92 66	-1.11 37	-0.74 36	105	2	12	
MF 22 0073 95073565	1.87	CR 18 0175 MF 18 0108	91	2	1	104	-0.80	94	-0.27 66	-0.04 51	0.24 64	0.07 61	-0.15 73	4.14 66	-4.86 33	-0.83 33	91	2	9	
MF 22 0074 95073581	1.75	CR 18 0311 MF 17 0506	99	3	2	98	-0.29	95	0.52 69	0.63 59	0.37 65	-0.12 63	0.21 74	-8.42 68	-1.26 40	0.42 40	105	2	35	
MF 22 0075 95073607	1.75	CR 18 0311 MF 17 0506	99	3	2	100	-1.31	93	-0.33 69	0.03 59	-0.82 65	-0.08 63	-0.07 74	-7.31 68	-1.15 40	0.26 40	100	2	27	
MF 22 0076 95073623	1.89	CR 19 0288 MF 19 0013	118	4	1	99	2.51	100	0.95 69	0.36 56	2.61 66	-0.18 64	0.35 75	-2.77 69	2.80 34	0.59 34	94	1	28	
MF 22 0094 95073789	1.78	CR 18 0311 MF 16 0327	87	3	1	107	4.48	103	0.79 66	0.06 53	0.73 64	0.09 61	-0.27 73	-1.72 66	-1.52 38	0.22 38	93	2	3	
MF 22 0095 95073805	1.89	CR 19 0288 MF 19 0023	107	5	2	97	-0.55	94	0.96 69	0.22 59	1.92 68	-0.14 65	0.89 76	-6.24 70	1.84 37	0.44 37	104	2	36	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										EBV Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MF 22 0096 95073821	1.75	CR 18 0311 MF 17 0509	96	4	2			101	2.97	100	-0.15 68	0.71 94	0.72 101	0.09 65	0.41 76	-5.53 84	-1.19 40	0.48 103	104	2	17
MF 22 0106 95073920	1.87	CR 19 0288 MF 18 0114	95	2	1			95	-2.81	91	0.61 67	-0.01 101	1.56 106	-0.15 65	1.17 76	-2.74 92	1.91 34	0.27 100	92	1	39
MF 22 0107 95073946	1.87	CR 19 0288 MF 18 0114	95	2	1			100	-1.58	93	0.12 67	-0.11 96	0.48 100	-0.26 65	-0.20 76	-5.86 83	1.92 34	0.24 100	92	1	23
MF 22 0110 95073961	1.87	CR 18 0175 MF 18 0105	145	5	2			104	-1.47	93	-0.04 71	-0.49 95	0.33 90	0.11 64	-0.07 75	7.29 69	-5.05 37	-1.18 83	99	2	8
MF 22 0111 95073987	1.75	CR 18 0175 MF 17 0547	86	2	2			99	-1.64	93	0.15 67	-0.28 96	0.16 97	0.14 61	0.46 73	6.25 115	-4.80 36	-0.73 88	103	2	29
MF 22 0120 95074068	1.78	CR 18 0311 MF 16 0302	101	4	2			102	1.46	98	0.93 68	0.66 104	1.42 106	0.01 64	0.70 75	0.09 99	-1.44 40	0.37 101	104	2	16
MF 22 0126 95074126	1.89	CR 19 0288 MF 19 0079	85	3	2			100	1.30	98	0.17 67	0.40 97	1.12 104	-0.15 62	-0.07 73	-2.70 92	1.61 37	0.40 102	102	2	21
MF 22 0138 95074225	1.75	CR 18 0175 MF 17 0551	110	4	2			106	0.05	95	0.12 69	0.04 96	0.54 100	0.09 65	-0.14 76	0.77 101	-4.76 36	-0.81 87	102	2	6
MF 22 0141 95074241	1.89	CR 19 0288 MF 19 0008	82	2	2			101	4.39	103	1.25 66	1.23 107	3.23 117	-0.27 61	-0.26 72	-2.58 92	1.50 37	0.61 104	106	2	18
MF 23 0104 98242613	1.87	CR 18 0311 MF 18 0107	131	5	1			104	3.82	102	1.30 68	0.97 107	1.96 109	0.10 63	0.83 74	-4.49 87	-0.80 37	0.52 103	105	1	8
MF 23 0105 98242639	2.16	CR 19 0288 MF 21 0056	99	3	1			106	1.21	97	-0.17 70	-0.49 93	0.55 100	0.17 66	1.02 76	3.40 108	0.98 39	0.31 101	98	1	2
MF 23 0110 98242670	1.87	CR 18 0175 MF 18 0101	103	3	1			104	2.22	99	0.82 68	0.22 103	1.42 106	0.20 62	0.41 74	4.69 111	-3.58 33	-0.54 90	106	1	7
MF 23 0120 98242795	1.75	CR 18 0151 MF 17 0542	108	4	1			98	-2.50	91	0.89 68	0.13 103	0.93 102	0.11 63	0.93 74	5.98 114	-3.42 34	-0.73 88	101	1	23
MF 23 0126 98242878	1.87	CR 18 0175 MF 18 0110	122	4	1			103	-0.24	95	0.11 69	-0.25 96	0.76 101	0.02 64	-0.26 75	5.31 113	-4.61 33	-0.80 87	101	1	13
MF 23 0135 98242951	2.16	CR 19 0288 MF 21 0067	104	3	2			110	6.44	106	1.19 71	0.18 106	3.31 118	0.19 66	1.34 76	-0.38 98	3.17 39	0.75 106	107	1	1
MF 23 0138 98242993	1.75	CR 18 0151 MF 17 0505	110	4	1			95	-6.29	85	-0.70 68	-0.41 88	-1.16 89	-0.01 62	0.26 74	0.73 101	-3.72 34	-0.99 85	98	1	26

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP		GM	Weaning Weight			Body Weight	SVG	VD	SL	Lammers gespeen		EPI Times lambded	Rank	
					EBV	Index		Acc	Index	Acc					Index	Acc			Index
		Active Breed Average :			100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
MF 23 0145 98243090	1.87	CR 18 0175 MF 18 0103	126 5	1	104	1.14	97	0.48 69	-0.20 99	1.18 65	104	0.10 62	-0.03 73	3.75 67	109	-4.64 33	-0.74 88	102 1	10
MF 23 0153 98243157	3.50	CR 19 0288 MF 21 0030	93 1	1	103	0.22	96	-0.11 69	0.03 94	0.71 68	101	-0.20 65	-0.50 76	-10.64 70	71	1.90 36	0.09 98	99 1	12
MF 23 0171 98243355	1.89	CR 18 0175 MF 19 0026	121 5	1	104	1.24	97	-0.10 68	-0.04 94	0.32 65	98	-0.07 63	-1.29 74	1.71 68	103	-4.60 33	-0.82 87	100 1	9
MF 23 0188 98243454	26.13	CR 19 0288 MF 21 0122	112 3	2	106	2.74	100	0.61 72	0.36 101	2.58 69	113	-0.13 66	0.80 76	-0.71 71	97	5.52 38	0.91 108	106 1	4
MF 23 0196 98243553	2.13	CR 19 0288 MF 21 0164	97 3	1	100	-1.05	94	0.21 70	0.36 97	1.25 68	104	-0.22 66	0.00 76	0.13 70	99	1.01 38	0.07 98	103 1	20
MF 23 0213 98243652	1.87	CR 18 0175 MF 18 0417	122 5	1	103	-0.61	94	0.26 68	-0.06 97	0.35 65	99	0.11 63	0.11 74	1.99 68	104	-4.62 33	-0.77 88	102 1	14
MF 23 0221 98243736	2.00	CR 18 0311 MF 20 0065	113 4	1	103	1.53	98	0.23 66	0.11 97	0.36 64	99	-0.09 61	-0.18 73	-9.14 66	75	-0.29 37	0.43 102	98 1	11
Ewes with progeny average :					101.3	-0.1	95	0.16	0.16	0.54	0.00	0.27	-1.21	-0.91	-0.07				

Young Ewes



*Inbreeding in red is high

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW		FD		SL	NLW		TWW					
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index		
						EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
		Active Breed Average :			100.7	2.8	100		0.54		0.01		0.56	0.03	-0.14	0.50		0.46		0.27				
MF 22 0083 95073680	1.78	CR 18 0311 MF 16 0305	91	2	102	3.01	100	1.25 64	0.47 107	48	110	1.56 64	106	-0.02 61	0.29 73	-7.93 66	78	-0.74 34	0.46 102	34	15			
MF 23 0112 98242712	1.89	CR 18 0175 MF 19 0059	109	4	99	-2.78	91	0.00 67	-0.71 95	48	85	0.20 65	98	-0.01 63	0.11 74	3.28 68	107	-4.27 28	-0.77 82	28	21			
MF 23 0121 98242811	1.75	CR 18 0151 MF 17 0558	103	3	96	-4.71	88	-0.45 66	-0.27 91	47	94	-1.88 66	84	0.10 64	0.06 75	-4.97 68	86	-3.12 29	-0.85 87	29	25			
MF 23 0245 98243991	1.87	CR 18 0311 MF 18 0106	122	5	106	4.38	103	1.27 66	0.71 107	50	115	1.57 66	107	0.00 63	0.12 74	-4.30 68	87	0.12 34	0.58 104	34	3			
MF 24 0301 107263881	2.00	CR 21 0391 MF 20 0022	103	3	106	4.72	103	1.02 64	-0.05 105	38	99	0.77 63	101	0.21 60	-0.71 73	0.03 65	99	-2.41 21	-0.69 89	21	7			
MF 24 0302 107264186	5.29	CR 21 0391 MF 21 0170	100	3	97	-1.82	92	0.71 68	-0.11 102	41	98	0.90 67	102	0.09 65	0.10 76	-1.63 69	94	-3.93 29	-1.28 84	29	24			
MF 24 0307 107264129	2.33	CR 21 0391 MF 21 0122	112	3	105	5.78	105	1.04 68	0.15 105	43	103	2.18 67	110	0.26 65	0.23 76	6.24 70	115	-0.80 29	-0.32 95	29	11			
MF 24 0314 107263980	3.79	CR 21 0391 MF 21 0019	106	3	110	7.68	108	1.87 68	-0.37 113	41	92	1.51 67	106	0.32 64	-1.03 76	6.58 69	116	-3.34 28	-1.02 86	28	3			
MF 24 0319 107263923	2.00	CR 21 0391 MF 20 0065	113	4	103	2.87	100	0.62 65	-0.24 101	39	95	0.29 63	98	0.02 60	-1.24 73	-1.42 65	95	-2.41 21	-0.69 89	21	13			
MF 24 0323 107264038	5.93	CR 21 0391 MF 21 0065	109	3	111	8.36	109	1.25 68	-0.06 107	43	99	1.17 67	104	0.39 65	-0.47 76	7.67 69	119	-2.49 30	-0.44 89	30	2			
MF 24 0327 107264079	2.33	CR 21 0391 MF 21 0107	114	3	114	11.49	114	2.16 69	-0.15 115	43	97	3.31 67	118	0.17 65	-1.16 75	2.12 69	104	-0.04 29	-0.28 98	29	1			
MF 24 0336 107271793	1.89	CR 19 0288 MF 19 0059	109	4	94	-2.17	92	-0.32 67	-0.21 92	50	95	0.82 65	102	-0.18 63	0.71 74	1.74 68	103	2.43 29	0.49 107	29	27			
MF 24 0338 107271595	1.87	CR 19 0288 MF 18 0110	122	4	99	0.98	97	0.49 68	0.12 100	51	102	1.51 67	106	-0.10 64	0.49 75	-0.21 69	98	2.32 30	0.48 107	29	18			
MF 24 0344 107271629	1.87	CR 19 0288 MF 18 0422	119	5	94	-2.49	91	0.71 68	-0.07 102	50	98	1.75 65	108	-0.16 63	1.29 74	-1.32 67	95	1.75 30	0.46 105	30	29			
MF 24 0345 107271710	1.89	CR 19 0288 MF 19 0007	98	4	91	-4.28	88	-0.71 65	-0.03 88	48	99	0.06 65	97	-0.29 62	0.49 74	-3.70 67	89	2.43 29	0.49 107	29	30			
MF 24 0354 107271371	1.75	CR 18 0151 MF 17 0514	89	4	91	-5.50	86	-0.43 64	-0.32 91	45	93	-0.95 64	90	0.04 61	0.53 73	-2.17 66	93	-3.18 29	-0.80 86	29	31			



Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index	
							EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56	0.03		-0.14		0.50	0.46		0.27				
MF 24 0355 107271405	1.75	CR 18 0151 MF 17 0542	108	4	95	-2.77	91	0.39 66	99	0.00 49	100	66	0.15 63	0.67 74	-2.60 113	68	92	-3.17 31	-0.72 86	31	88		25	
MF 24 0357 107271843	1.89	CR 19 0288 MF 19 0099	107	4	105	5.71	105	-0.27 67	92	-0.16 49	97	66	-0.08 64	-1.27 74	-4.08 83	68	88	2.43 29	0.49 107	29	103		9	
MF 24 0368 107264228	2.34	CR 21 0391 MF 22 0009	104	2	103	3.20	101	0.55 68	100	-0.23 41	95	67	0.14 64	-0.33 75	6.26 97	69	115	-0.64 28	-0.57 96	28	90		14	
MF 24 0371 107271728	1.89	CR 19 0288 MF 19 0013	118	4	97	0.08	96	0.07 68	96	0.26 51	105	66	-0.15 64	0.35 74	2.48 108	68	105	2.89 30	0.55 109	30	103		21	
MF 24 0375 107264509	5.95	CR 21 0391 MF 22 0120	104	2	105	3.77	102	1.44 67	109	0.07 41	101	67	0.23 64	0.36 75	6.97 117	69	117	-3.36 29	-0.61 86	29	89		12	
MF 24 0381 107271447	1.75	CR 18 0151 MF 17 0552	113	5	94	-2.91	91	-0.48 67	90	-0.23 49	95	65	0.00 63	-0.25 74	1.37 98	68	102	-2.54 30	-0.73 89	30	88		28	
MF 24 0389 107271389	1.75	CR 18 0151 MF 17 0516	109	5	82	-11.95	76	-0.79 66	88	-0.21 47	95	65	-0.14 63	1.25 74	-0.96 122	68	96	-3.18 29	-0.80 86	29	87		33	
MF 24 0402 107271900	3.29	CR 18 0175 MF 21 0011	92	2	100	0.85	97	0.78 67	102	-0.29 46	94	67	0.11 65	-0.57 76	0.49 93	70	100	-5.64 33	-1.28 77	33	81		16	
MF 24 0403 107271876	2.00	CR 18 0175 MF 20 0033	123	4	98	-0.52	95	0.53 66	100	-0.10 47	98	64	-0.09 61	-0.39 73	-2.20 96	66	93	-4.27 28	-0.77 82	28	87		20	
MF 24 0408 107264251	4.85	CR 21 0391 MF 22 0013	107	2	106	4.70	103	1.15 68	106	-0.52 41	89	67	0.48 64	0.30 76	12.02 107	69	130	-4.06 28	-1.08 83	28	84		8	
MF 24 0409 107271611	1.87	CR 19 0288 MF 18 0417	122	5	95	-2.05	92	0.25 67	97	0.42 50	109	66	-0.14 63	0.69 74	-6.23 113	68	82	2.32 30	0.49 107	29	103		26	
MF 24 0411 107271942	3.13	CR 18 0175 MF 21 0074	105	3	105	4.30	102	1.08 69	105	0.18 49	104	68	0.20 66	-0.13 76	7.87 100	70	119	-5.44 35	-0.63 78	35	89		10	
MF 24 0415 107271454	1.75	CR 18 0151 MF 17 0559	108	4	87	-8.57	81	-0.56 67	90	-0.32 49	93	65	0.04 63	1.08 74	2.72 119	68	106	-3.80 31	-0.95 84	30	85		32	
MF 24 0417 107264236	5.93	CR 21 0391 MF 22 0010	101	2	106	5.03	104	1.24 67	107	-0.27 41	94	67	0.29 64	-0.26 75	4.32 98	69	110	-3.18 29	-0.67 86	29	89		5	
MF 24 0423 107271538	1.87	CR 19 0288 MF 18 0105	145	5	102	2.95	100	0.95 68	104	0.21 52	104	67	-0.05 64	0.19 75	-1.34 105	69	95	1.91 31	0.21 106	31	99		15	
MF 24 0438 107271546	1.87	CR 19 0288 MF 18 0106	122	5	97	0.65	96	0.04 67	95	0.57 50	112	66	-0.20 64	-0.09 75	-4.51 101	68	87	2.85 30	0.64 109	30	105		22	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW			
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03	-0.14		0.50		0.46		0.27			
MF 24 0439 107271553	1.87	CR 19 0288 MF 18 0106	122	5	97	0.69	97	0.59 67	100	0.71 50	115	1.44 66	106	-0.29 64	80	-0.13 75	100	-4.74 68	86	2.85 30	109	0.64 30	105	23
MF 24 0441 107264475	2.33	CR 21 0391 MF 22 0107	92	1	100	0.75	97	0.24 67	97	-0.20 39	96	0.43 67	99	-0.03 64	96	-0.77 76	90	0.17 69	99	-1.67 27	92	-0.68 27	89	17
MF 24 0446 107271439	1.75	CR 18 0151 MF 17 0551	110	4	99	0.08	96	0.09 66	96	-0.01 47	100	-0.63 66	92	0.16 63	108	-0.38 74	96	1.25 68	102	-3.34 30	86	-0.81 30	87	19
MF 24 0447 107264459	5.93	CR 21 0391 MF 22 0096	104	2	106	4.89	103	1.07 67	105	0.08 41	102	1.57 67	107	0.22 64	111	-0.20 76	99	-0.12 69	98	-3.23 29	86	-0.56 29	90	6
MF 24 0456 107264111	2.27	CR 21 0391 MF 21 0117	104	3	109	7.45	108	1.79 68	112	-0.08 42	98	2.26 67	111	0.25 64	114	-0.38 76	96	8.65 69	121	-1.98 29	91	-0.49 29	91	4
Young Ewes (with known parents) average :					100.2	1.1	97	0.56		-0.03		0.80		0.05	-0.01		0.75		-1.40		-0.34			