

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MR M.F. LAMUGIO

AV24 DE JULHO 2761

ALTO MAE

MAPUTO

MOZAMBIQUE



Kennel Number: 697562



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	116	123	110
Movement (Mv)	109	110	108
Temperament (Tmp)	111	110	113
Coat (Ct)	111	122	101
General Appearance	108	103	113
Head & Face (H&F)	104	109	99
Front Quarter (FQ)	110	109	111
Centre (C)	110	107	113
Hind Quarter (HQ)	113	111	115
Final Score (FS)	112	113	110
Hip Health (HH)	100	107	94
Elbow Health (ELM)	92	88	96

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	6	49007	3	25141	3	23857	6	3371	6	6287
Average Inbreeding	8.85	8.49	9.60	8.46	8.11	8.53	8.71	8.01	8.44	8.00
Number inbred	6	48727	3	24990	3	23728	6	24990	6	23728
Number >6.25% Inbr.	6	30600	3	15537	3	15058	4	15537	5	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	Sire	Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
AFRIKA HULK	MES RUBENSTEIN		8.17	117	74	137	112	112	123	99	102	104	96	109	108	20	4	5			1
	2020 AFRIKA RUSTIQUE			15	29	42	56	37	68	56	68	57	59	60	64			5			1
LAMUGIO SIMBA	AFRIKA HULK		10.46	108	83	123	114	111	122	95	113	111	108	116	117	3	1				
	2022 DE TAU HAILEY DIMPS			5	5	9	40	6	58	39	57	41	43	46	52						
EBS THANOS	BRIEL THE GHOST		10.17	97	108	110	105	108	120	116	112	111	118	109	116						
	2025 COLOS PIPPA			5	5	5	35	5	49	34	48	36	38	40	45						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
WOR EVEREST	2020	SA SUPERIOR GRIZZLY	7.17	98	90	94	119	114	130	109	91	107	110	112	109	25	5	6			
		CDH PHILA		5	5	13	49	18	67	49	66	50	53	56	61						
BODINGTON BOERBOEL COCOA	2023	BODINGTON BOERBOEL BLACK SAM	7.50	93	98	126	108	111	80	113	101	109	111	117	108	1	1	1			
		BODINGTON BOERBOEL ROSALIE		5	5	23	47	15	64	46	63	48	50	53	58						
LAMUGIO CANDELA	2024	JOSMOT SPYKE	9.65	90	100	109	97	112	93	115	105	117	120	116	113						
		BODINGTON BOERBOEL COCOA		5	5	5	39	5	58	38	57	40	43	46	52						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information		Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	
SA SUPERIOR GRIZZLY	2016	SA SUPERIOR VOO DOO	19.35	89	87	102	119	122	137	120	101	123	128	111	119	21	2	9		8
		SA SUPERIOR PEPSI		5	5	5	56	21	72	54	71	57	59	62	67		7			2
MES RUBENSTEIN	2016	GROENBERG BBD RAMBO	4.08	111	59	133	122	134	109	99	101	114	104	128	116	314	52	101	21	83
		MES LIZE		58	67	73	86	71	92	86	92	87	88	89	90		83		20	11
BRIEL THE GHOST	2020	WIESENHOF MENEER	4.99	91	107	114	103	96	129	107	107	104	108	96	107	93	16	21		14
		ALESSANDRO BELLA		5	5	26	65	36	80	63	79	66	68	71	76		13			4
BODINGTON BOERBOEL BLACK SAM	2020	KAMMO BBD SAMWELL	6.30	92	89	116	109	117	61	113	99	102	117	123	108	14	2	6		3
		BODINGTON BOERBOEL BLACK ROSE		11	31	33	57	32	73	56	72	58	60	62	67		5			1
AFRIKA HULK	2020	MES RUBENSTEIN	8.17	117	74	137	112	112	123	99	102	104	96	109	108	20	4	5		1
		AFRIKA RUSTIQUE		15	29	42	56	37	68	56	68	57	59	60	64		5			1
JOSMOT SPYKE	2021	MES HITLER BLAKE	9.37	86	103	92	87	118	114	116	120	131	133	116	125	56	12	15		4
		JOSMOT KOOLKAT 2		5	5	22	55	28	72	54	71	56	59	61	66		11			3

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels		Hips	Elbows	
CDH PHILA	2018	MIDDELPOS BBD JOCK 1	11.98	107	94	93	115	108	124	98	84	95	97	113	101	20	2	9			7
		CDH ELLA		5	5	44	59	36	73	59	72	60	62	64	68						
AFRIKA RUSTIQUE	2019	AFRIKA DANTOR	6.10	123	88	140	109	97	113	103	110	100	93	94	103	24	3	6	1	1	4
		AFRIKA GEMMA		23	37	59	61	36	75	60	75	62	64	66	71						
DE TAU HAILEY DIMPS	2020	MARVILLOSO UNDERTAKER	8.00	99	92	109	111	114	106	113	123	123	119	110	121	3	1	1			1
		HEAVY WEIGHTS MOLLY		5	5	17	46	16	64	46	63	47	50	53	58						
BODINGTON BOERBOEL ROSALIE	2020	SPITSVUUR BBD NOXTERRA SAHIB	8.50	95	106	150	96	99	122	100	100	113	102	103	105	27	2	9	2	2	3
		BODINGTON BOERBOEL CHARDONNAY		5	5	39	57	26	74	56	73	58	61	63	69						
COLOS PIPPA	2022	COLOS MAXIMUS	8.54	102	109	106	107	120	111	125	118	118	129	122	125	14	2	1			
		COLOS ANNABELLA		5	5	34	49	17	67	47	66	50	52	55	61						
BODINGTON BOERBOEL COCOA	2023	BODINGTON BOERBOEL BLACK SAM	7.50	93	98	126	108	111	80	113	101	109	111	117	108	1	1	1			
		BODINGTON BOERBOEL ROSALIE		5	5	23	47	15	64	46	63	48	50	53	58						

