



BOERBOK GENETIC REPORT

21 September 2026



SKINNER (PTY) LTD

FDM : 1633



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.24	-0.18	-0.27	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.11	-0.16	-0.09	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.23	-0.26	-0.22	-0.06	-0.03	-0.07
Post-wean Weight	0.12	0.24	0.07	0.50	0.58	0.45
Number Lambs Weaned	0.16	-0.25	0.36	-0.36	-0.55	-0.26
Total Weight Weaned	-0.26	-0.50	-0.14	-0.31	-0.37	-0.27
Age at First Lambing	-2.72	-3.67	-2.25	-0.30	-0.22	-0.35
Inter-lambing Period	1.54	2.47	1.07	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	101	99	101	101	100	101
Reproduction Index	101	99	102	102	101	102
Inbreeding						
Inbreeding (%)	3.47	3.93	3.29	5.54	5.93	5.34
Number of Animals						
Number of Animals	595	167	428	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	97.0	97.7	96.7
Weaning Weight Maternal	98.0	96.7	98.6
Weaning Weight Comb	96.3	95.9	96.5
Post-wean Weight	96.4	97.2	96.1
Number Lambs Weaned	104.2	102.2	105.1
Total Weight Weaned	101.0	99.7	101.7
Age First Lambing	103.2	104.4	102.6
Interlambing Period	97.6	95.1	98.9
Selection Indices			
Logix Merit Index	100.6	99.5	101.1
Ewe Index	101.2	99.3	102.2
Growth Index	96.1	96.7	95.9
Inbreeding			
Inbreeding (%)	3.47	3.93	3.29
Number of Animals			
Number of Animals	595	167	428

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2016 - 2026	3.01	0.04
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	476	80
Known Dams	473	79

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 142




Sires

Number: 30




Young Ewes

Number: 182









Young Rams

Number: 167




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW	AFL		ILP		RI	LMI				
	EBV					Number	EBV		Number	EBV	Number	EBV						
	Number	Dir	Mat	Comb														
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2016						1	1.60										
2017						4	1.60										
2018						24	1.60										
2019						25	1.60										
2020						17	1.60										
2021						5	1.60										
2022	100	-0.19	-0.14	-0.24				100	105	37	0.29	24	1.05	100	103	100	103
2023	27	-0.69	-0.08	-0.42				27	99	27	-1.28	3	3.24	27	102	27	99
2024										8	-3.56						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb														
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index								
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1509	20	0051	430	18	0081	2.92	104	108	-0.10	0.01	-0.04	-0.02	0.40	0.15	2.85	-5.63									
	96162763		1509	17	0032				48	99	21	101	100	9	96	9	105	29	103	57	96	20	117	4	
106	20	0171	106	16	0016	34.99	86	86	-0.83	-0.29	-0.70	-0.42	-2.90	-2.86	-9.39	9.86									
	94943008		106	18	0122				67	90	40	94	88	12	93	11	90	44	86	59	112	29	75	4	
1658	20	0204	1658	20	0059	2.87	102	106	-0.81	-0.06	-0.46	-0.62	1.70	0.15	-1.67	0.76									
	93059673		1658	18	0284				6	91	6	99	92	5	92	5	111	5	103	23	102	12	100	1	
762	22	0227	762	19	0382	10.65	100	76	2.20	-1.05	0.05	3.81	-2.30	-0.23	-7.11	9.84									
	96007570		762	18	0120				76	124	57	74	101	27	121	34	93	59	101	57	109	41	75	94	4
106	22	0902	106	19	0282	13.54	96	100	-0.33	0.03	-0.13	-0.02	-2.20	-1.62	-7.50	0.97									
	99092314		106	19	9144				33	96	34	102	98	15	96	9	93	28	93	53	109	28	99	4	
1805	24	0072	1509	21	0164	2.74	103	108	-0.75	0.01	-0.37	-0.61	1.50	0.16	-3.68	0.13									
	107445769		1805	23	0310				9	91	10	101	94	5	92	5	111	8	103	30	104	13	102	2	
1256	24	0139	762	20	0260	4.10	91	93	-0.25	-0.04	-0.16	0.13	-2.70	-1.91	3.89	0.35									
	110490596		1256	20	0089				32	97	31	100	98	21	97	19	91	29	92	41	95	25	101	3	
1633	24	0610	1509	20	0051	2.71	104	105	-0.05	-0.15	-0.17	0.16	1.00	0.40	1.77	-2.17									
	99194045		1633	22	0330				35	99	16	97	97	7	97	5	108	21	105	36	98	13	108	1	
1633	24	0614	106	20	0171	3.40	89	94	-1.39	-0.22	-0.91	-1.32	-0.90	-2.15	-1.03	3.93									
	99224248		1633	22	0317				42	84	26	95	85	9	87	6	99	28	90	37	101	19	91	2	
1633	24	0630	1509	20	0051	2.74	105	112	-0.46	0.24	0.01	-0.50	0.80	0.26	-2.39	-2.38									
	99224487		1633	22	0344				36	95	17	107	101	5	92	5	107	22	104	35	103	14	108	2	
1633	24	0639	106	20	0171	2.80	97	100	-0.61	0.07	-0.24	-0.36	-0.60	-0.91	-4.89	4.46									
	99274920		1633	18	0010				35	93	25	103	96	6	93	5	101	24	97	30	106	15	90	98	2
1633	24	0675	1633	21	0036	2.87	105	111	-0.61	0.20	-0.10	-0.40	1.50	0.50	-0.92	-1.58									
	99395139		1633	20	0168				10	93	11	106	99	5	93	5	111	9	105	19	101	6	106	2	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

- Indices ≥ 124
- Above breed average
- Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat	Comb							
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded		
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
1633	24	0693	1384	21	0481	2.90	103	108	-0.68	0.07	-0.27	-0.50	1.60		2.05	-1.06	3	
	100093749		1351	19	0044				5	92	5	103	5	111	33	97	12	105
1633	24	0704	1384	21	0481	2.80	104	109	-0.68	0.07	-0.27	-0.50	1.60		-0.65	-0.73	4	
	100093681		1351	18	0081				5	92	5	103	5	111	34	101	13	104
1633	24	0717	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	4	
	100483312		1633	21	0289				24	95	10	102	5	108	14	98	10	111
1633	24	0722	106	20	0171	2.92	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46	3	
	100482918		1633	17	0001				33	91	20	98	5	101	22	96	30	106
1633	24	0725	106	22	0902	3.27	96	103	-0.99	-0.08	-0.58	-0.91	-0.50	-1.38	-6.14	0.82	3	
	100482934		1633	22	0323				29	89	22	99	6	101	21	95	34	108
1633	24	0740	106	20	0171	2.80	96	99	-0.66	0.02	-0.31	-0.39	-0.60	-1.00	-3.17	3.81	96	3
	100483130		1633	18	0062				35	92	25	101	5	101	24	97	32	104
1633	24	0747	106	22	0902	2.80	100	105	-0.51	0.05	-0.21	-0.26	-0.30	-0.64	-3.94	0.01	105	6
	100483254		1633	18	0041				25	94	28	102	5	102	22	99	26	105
1633	24	0748	106	22	0902	2.80	100	105	-0.51	0.05	-0.21	-0.26	-0.30	-0.64	-3.94	0.01	105	6
	100483270		1633	18	0041				25	94	28	102	5	102	22	99	26	105
1633	24	0751	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	1	
	100904812		1633	21	0245				24	95	10	102	5	108	14	104	28	98
1633	24	0756	106	20	0171	2.56	97	95	-0.31	-0.28	-0.44	0.09	-0.60	-0.95	-7.99	6.63	4	
	100602283		1633	22	0316				42	96	24	94	6	101	27	97	36	110
1633	24	0758	106	22	0902	2.66	99	106	-0.80	0.14	-0.26	-0.72	-0.50	-0.96	-7.77	0.80	2	
	100602325		1633	22	0358				31	91	22	104	5	101	22	97	34	110
1633	24	0775	106	20	0171	3.03	96	100	-0.71	-0.01	-0.36	-0.38	-0.80	-1.20	-4.33	3.13	2	
	100602341		1633	22	0414				35	92	23	101	6	100	24	96	35	105
1633	24	0777	106	20	0171	2.90	95	97	-0.76	-0.12	-0.51	-0.46	-0.60	-1.25	-3.14	3.96	96	3
	100602663		1633	19	0140				35	91	25	98	6	101	24	95	31	104

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1633	24	0780	1509	20	0051	2.70	105	105	-0.03	-0.15	-0.17	0.19	1.00	0.42	-1.38	-1.25	1				
	100483239		1633	22	0426				31	99	15	97	5	108	19	105	35	102	13	105	
1633	24	0783	106	22	0902	2.80	100	104	-0.55	-0.01	-0.28	-0.29	-0.30	-0.74	-4.26	-0.47	96	3			
	101265130		1633	18	0051				20	94	22	101	5	102	17	98	28	105	14	103	
1633	24	0785	106	22	0902	2.90	100	105	-0.50	0.06	-0.20	-0.26	-0.30	-0.63	-3.94	0.01	1				
	100904838		1633	19	0136				16	94	17	102	5	102	14	99	26	105	14	102	
1633	24	0796	106	22	0902	2.80	101	106	-0.45	0.12	-0.11	-0.22	-0.30	-0.52	-4.02	0.04	105	4			
	100602820		1633	18	0038				23	95	25	104	5	102	20	100	27	105	14	102	
1633	24	0798	106	22	0902	3.27	97	104	-0.99	-0.08	-0.58	-0.90	-0.50	-1.37	-11.78	2.29	2				
	100857416		1633	22	0334				29	89	22	99	6	101	21	95	35	115	18	96	
1633	24	0799	106	22	0902	3.27	97	104	-0.99	-0.08	-0.58	-0.90	-0.50	-1.37	-11.78	2.29	2				
	100857432		1633	22	0334				29	89	22	99	6	101	21	95	35	115	18	96	
1633	24	0804	106	22	0902	2.90	104	109	-0.25	0.38	0.26	-0.08	-0.30	-0.04	-3.61	-0.10	99	5			
	100857499		1633	19	0054				23	97	25	110	5	102	20	102	28	104	14	102	
1633	24	0806	106	22	0902	2.52	102	99	0.19	-0.20	-0.10	0.65	-0.30	-0.19	-5.95	3.39	2				
	100857515		1633	22	0351				32	102	22	96	5	102	22	101	35	107	18	93	
1633	24	0807	106	22	0902	2.52	102	99	0.19	-0.20	-0.10	0.65	-0.30	-0.19	-5.95	3.39	2				
	100857531		1633	22	0351				32	102	22	96	5	102	22	101	35	107	18	93	
1633	24	0812	106	22	0902	2.87	103	108	-0.29	0.33	0.18	-0.11	-0.30	-0.15	-3.17	0.34	94	3			
	100857614		1633	20	0198				20	96	22	109	5	102	17	102	28	104	14	101	
1633	24	0817	106	20	0171	2.80	96	99	-0.69	-0.03	-0.37	-0.41	-0.60	-1.07	-6.18	4.89	99	4			
	100857655		1633	18	0058				35	92	25	100	5	101	24	96	31	108	15	88	
1633	24	0819	106	20	0171	2.80	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46	2				
	100857697		1633	18	0244				33	91	20	98	5	101	22	96	30	106	15	90	
1633	24	0820	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	3				
	100857713		1633	21	0207				24	95	10	102	5	108	14	104	28	98	10	111	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat							Comb	Acc
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1633	24	0829	1509	20	0051	2.87	106	111	-0.23	0.24	0.13	-0.15	1.00	0.61	1.74	-3.45	99	4
	100857093		1633	20	0147				26	97	18	107	5	108	18	106	10	111
1633	24	0840	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46	15	90
	100856897		1633	21	0265				33	91	20	98	6	101	22	96	30	106
1633	24	0846	106	20	0171	2.92	96	98	-0.72	-0.07	-0.43	-0.44	-0.60	-1.15	-4.89	4.46	15	90
	100857135		1633	17	0025				37	92	28	99	6	101	26	96	30	106
1633	24	0848	106	20	0171	2.92	96	98	-0.72	-0.07	-0.43	-0.44	-0.60	-1.15	-4.89	4.46	15	90
	100857010		1633	17	0025				37	92	28	99	6	101	26	96	30	106
1633	24	0851	1509	20	0051	2.90	107	112	-0.20	0.28	0.19	-0.13	1.00	0.69	1.24	-3.29	100	3
	100857150		1633	19	0048				26	98	18	108	5	108	18	107	10	111
1633	24	0852	1509	20	0051	2.90	107	112	-0.20	0.28	0.19	-0.13	1.00	0.69	1.24	-3.29	100	3
	100857051		1633	19	0048				26	98	18	108	5	108	18	107	10	111
1633	24	0855	106	20	0171	2.90	90	92	-1.10	-0.55	-1.10	-0.69	-0.60	-2.01	-4.89	4.46	104	5
	100857275		1633	19	0141				37	87	28	87	6	101	26	91	15	90
1633	24	0884	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46		2
	106774284		1633	21	0277				33	91	20	98	6	101	22	96	30	106
1633	24	0886	106	20	0171	2.87	95	98	-0.75	-0.10	-0.48	-0.45	-0.60	-1.21	-4.56	4.13	97	5
	106679061		1633	20	0192				37	91	28	98	6	101	26	96	15	91
1633	24	0890	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46		3
	106774318		1633	21	0253				33	91	20	98	6	101	22	96	15	90
1633	24	0897	106	20	0171	2.87	93	95	-0.91	-0.31	-0.77	-0.56	-0.60	-1.59	-4.89	4.46	97	4
	106774342		1633	20	0015				35	90	25	93	6	101	24	93	15	90
1633	25	0900	762	22	0227	2.90	103	94	0.80	-0.44	-0.04	1.68	-0.30	0.18	-4.42	4.65	94	3
	107697278		1633	19	0117				40	109	32	90	14	102	32	104	21	89
1633	25	0902	762	22	0227	2.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45		2
	107697294		1633	20	0175				38	108	29	89	14	102	30	103	20	90

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility												
Animal ID Comp no.		Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam									
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index														
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15											
1633	25	0904	762	22	0227	2.90	102	92	0.69	-0.58	-0.23	1.61	-0.30	-0.07	-5.38	4.82									
	107835613		1633	19	0057				41	107	34	86	96	14	106	17	102	33	102	30	107	20	89	103	3
1633	25	0906	762	22	0227	3.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	107835654								38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		
1633	25	0910	762	22	0227	3.50	102	93	0.91	-0.51	-0.05	1.78	-0.70	-0.02	-3.68	3.52									
	107787905		1633	23	0600				40	110	29	88	99	14	107	17	100	30	102	35	104	21	92		1
1633	25	0911	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46									
	107839060		1633	21	0278				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90		2
1633	25	0913	106	20	0171	2.87	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46									
	107820201		1633	20	0186				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90		4
1633	25	0921	106	20	0171	2.90	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46									
	107870388		1633	19	0001				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90		1
1633	25	0926	762	22	0227	2.79	104	94	0.88	-0.51	-0.07	1.82	-0.30	0.19	-7.25	4.40									
	112490990		1633	23	0640				39	110	29	88	99	14	108	17	102	30	104	35	109	21	90		2
1633	25	0927	762	22	0227	2.79	104	94	0.88	-0.51	-0.07	1.82	-0.30	0.19	-7.25	4.40									
	112491071		1633	23	0640				39	110	29	88	99	14	108	17	102	30	104	35	109	21	90		2
1633	25	0928	762	22	0227	5.46	98	88	0.77	-0.52	-0.13	1.71	-1.50	-0.65	-6.27	7.20									
	109475350		1633	23	0559				42	108	31	88	98	14	107	17	96	32	99	37	108	22	82		1
1633	25	0929	1509	20	0051	27.13	104	109	-0.24	0.02	-0.10	-0.14	0.70	0.20	0.72	-4.62									
	109475343		1633	23	0604				27	97	11	101	99	5	95	5	107	16	104	36	99	12	115		1
1633	25	0930	762	22	0227	3.47	103	93	0.94	-0.47	0.01	1.80	-0.70	0.05	-4.88	3.92									
	109475368		1633	23	0620				40	110	30	89	100	14	107	17	100	31	103	36	106	21	91		1
1633	25	0935	762	22	0227	2.55	101	93	0.57	-0.43	-0.15	1.33	-0.60	-0.22	-9.52	6.70									
	109590331		1633	22	0405				42	106	31	90	98	14	104	17	101	32	101	32	112	21	83		1
1633	25	0944	106	20	0171	2.79	95	98	-0.73	-0.08	-0.45	-0.44	-0.60	-1.17	-4.89	4.46									
	109562116		1633	21	0218				35	92	25	99	93	6	93	5	101	24	96	30	106	15	90	98	3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambd						
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1633	25	0946	106	20	0171	2.56	96	94	-0.38	-0.29	-0.48	0.01	-0.60	-1.02	-7.57	7.25		2						
	109590299		1633	22	0338				42	96	24	94	92	8	96	6	101	27	97	33	109	18	82	
1633	25	0951	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46		2						
	109726067		1633	21	0232				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90	
1633	25	0956	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29		3						
	109562173		1633	21	0254				24	95	10	102	98	5	94	5	108	14	104	28	98	10	111	
1633	25	0959	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46		4						
	109562207		1633	21	0289				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90	
1633	25	0965	106	20	0171	2.51	97	94	-0.19	-0.26	-0.35	0.24	-0.60	-0.81	-3.27	4.98		3						
	109562249		1633	22	0329				42	98	24	94	94	8	97	6	101	27	98	37	104	18	88	
1633	25	0966	106	20	0171	2.51	97	94	-0.19	-0.26	-0.35	0.24	-0.60	-0.81	-3.27	4.98		3						
	109562231		1633	22	0329				42	98	24	94	94	8	97	6	101	27	98	37	104	18	88	
1633	25	0967	106	20	0171	2.87	97	100	-0.60	0.09	-0.21	-0.35	-0.60	-0.87	-2.42	3.56		6						
	109562256		1633	20	0194				35	93	25	103	97	6	93	5	101	24	98	31	103	15	92	93
1633	25	0971	106	22	0902	2.87	100	105	-0.50	0.06	-0.20	-0.26	-0.30	-0.63	-3.94	0.01		3						
	109583542		1633	20	0182				16	94	17	102	97	7	94	5	102	14	99	26	105	14	102	
1633	25	0974	762	22	0227	2.90	98	88	0.45	-0.89	-0.67	1.45	-0.30	-0.63	-3.69	3.93		6						
	109562272		1633	19	0003				40	105	32	78	89	14	105	17	102	32	99	29	105	21	91	94
1633	25	0976	762	22	0227	2.87	105	96	0.98	-0.22	0.27	1.80	-0.30	0.58	-2.97	4.78		3						
	109562298		1633	20	0198				40	111	32	95	105	14	107	17	102	32	106	30	104	21	89	94
1633	25	0980	1509	20	0051	2.90	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29		4						
	109562314		1633	19	0138				24	95	10	102	98	5	94	5	108	14	104	28	98	10	111	
1633	25	0982	1509	20	0051	2.89	100	107	-0.88	-0.10	-0.54	-0.91	0.80	-0.49	-0.96	-2.48		3						
	109562330		1633	22	0323				34	90	17	98	91	8	90	6	107	21	100	36	101	15	109	
1633	25	0984	762	22	0227	2.71	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.74	4.45		2						
	111179909		1633	22	0311				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1633	25	0986	762	22	0227	2.90	101	91	0.67	-0.61	-0.27	1.60	-0.30	-0.12	-3.74	4.45						
	109562348		1633	19	0104				41	107	34	86	17	102	33	102	29	105	20	90	97	4
1633	25	0988	762	22	0227	2.90	101	91	0.67	-0.61	-0.27	1.60	-0.30	-0.12	-3.74	4.45						
	109562363		1633	19	0104				41	107	34	86	17	102	33	102	29	105	20	90	97	4
1633	25	0993	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46						
	109583617		1633	21	0285				33	91	20	98	5	101	22	96	30	106	15	90		3
1633	25	0997	762	22	0227	5.51	96	85	0.52	-0.69	-0.44	1.47	-1.50	-1.08	-6.00	7.15						
	109590075		1633	23	0464				46	106	33	83	17	96	34	96	32	107	22	82		1
1633	25	1001	1509	20	0051	2.85	104	110	-0.38	0.04	-0.15	-0.25	1.00	0.26	2.72	-5.46						
	109725879		1384	21	0072				24	95	10	102	5	108	14	104	29	96	13	117		3
1633	25	1007	106	20	0171	2.80	98	101	-0.55	0.15	-0.13	-0.32	-0.60	-0.77	-5.02	4.50						
	109583567		1633	18	0044				35	94	25	104	5	101	24	98	31	106	15	90	99	4
1633	25	1008	106	20	0171	2.80	98	101	-0.55	0.15	-0.13	-0.32	-0.60	-0.77	-5.02	4.50						
	109583575		1633	18	0044				35	94	25	104	5	101	24	98	31	106	15	90	99	4
1633	25	1012	106	20	0171	2.90	92	94	-0.96	-0.38	-0.86	-0.60	-0.60	-1.70	-4.89	4.46						
	109590174		1633	19	0021				38	89	30	91	5	101	27	93	30	106	15	90	104	4
1633	25	1031	1509	20	0051	2.71	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29						
	110093184		1633	22	0034				24	95	10	102	5	108	14	104	28	98	10	111		1
1633	25	1036	1509	20	0051	2.74	105	112	-0.46	0.24	0.01	-0.50	0.80	0.26	-2.39	-2.38						
	109583674		1633	22	0344				36	95	17	107	5	107	22	104	35	103	14	108		2
1633	25	1046	762	22	0227	2.87	103	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-5.08	4.55						
	109590216		1633	20	0095				38	108	29	89	17	102	30	103	30	106	21	89		3
1633	25	1049	106	22	0902	2.74	95	99	-0.53	-0.28	-0.54	-0.18	-0.40	-1.04	8.25	-4.19						
	109590232		1633	22	0319				32	94	22	94	5	102	22	97	34	89	17	113		2
1633	25	1052	106	22	0902	2.71	100	105	-0.50	0.06	-0.20	-0.26	-0.30	-0.63	-3.94	0.01						
	109590240		1633	22	0340				16	94	17	102	5	102	14	99	26	105	14	102		1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
Comp no.									Dir	Mat							Comb	EBV Index				
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lamed			
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1633	25	1054	106	20	0171	2.87	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46						
	109590117		1633	20	0163				33	91	20	98	5	101	22	96	30	106	15	90	3	
1633	25	1061	106	22	0902	2.71	100	105	-0.50	0.06	-0.20	-0.26	-0.30	-0.63	-3.94	0.01						
	109647651		1633	22	0412				16	94	17	102	5	102	14	99	26	105	14	102	1	
1633	25	1066	1509	20	0051	2.69	102	109	-0.71	0.04	-0.31	-0.73	0.80	-0.19	-2.97	-2.56						
	109647768		1633	22	0361				35	92	16	102	5	107	21	101	35	104	14	109	2	
1633	25	1077	106	22	0902	2.71	100	105	-0.50	0.06	-0.20	-0.26	-0.30	-0.63	-3.94	0.01						
	109647727		1633	22	0392				16	94	17	102	5	102	14	99	26	105	14	102	1	
1633	25	1081	106	22	0902	2.90	96	99	-0.83	-0.36	-0.77	-0.47	-0.30	-1.36	-3.94	0.01						
	109647701		1633	19	0030				20	90	22	92	5	102	17	95	26	105	14	102	94	4
1633	25	1090	1509	20	0051	2.87	104	109	-0.38	0.05	-0.15	-0.25	1.00	0.26	1.56	-3.62						
	109725929		1633	20	0192				29	95	22	102	5	108	21	104	30	98	11	112	97	5
1633	25	1092	106	22	0902	7.95	96	100	-0.51	0.01	-0.25	-0.21	-1.40	-1.34	-6.74	2.89						
	109725903		1633	23	0643				25	94	22	101	5	97	19	95	35	108	16	94		1
1633	25	1101	106	22	0902	2.80	101	106	-0.44	0.14	-0.08	-0.21	-0.30	-0.48	-5.24	0.44						
	109726018		1633	18	0058				20	95	22	104	5	102	17	100	28	106	14	101	99	4
1633	25	1102	106	22	0902	2.80	101	106	-0.44	0.14	-0.08	-0.21	-0.30	-0.48	-5.24	0.44						
	109726000		1633	18	0058				20	95	22	104	5	102	17	100	28	106	14	101	99	4
1633	25	1103	106	20	0171	35.18	91	92	-0.79	-0.20	-0.59	-0.44	-1.70	-2.01	-7.62	7.92						
	109726059		1633	23	0573				37	91	23	96	6	95	24	91	37	110	18	80		2
1633	25	1107	106	22	0902	2.80	100	105	-0.51	0.05	-0.21	-0.26	-0.30	-0.64	-3.94	0.01						
	109725861		1633	18	0041				25	94	28	102	5	102	22	99	26	105	14	102	105	6
1633	25	1110	762	22	0227	2.45	104	89	1.42	-0.73	-0.02	2.51	-0.40	0.45	-7.51	7.04						
	109726026		1633	22	0365				47	116	32	82	17	102	34	105	36	109	23	83		3
1633	25	1113	762	22	0227	3.46	102	92	0.91	-0.51	-0.05	1.78	-0.70	-0.02	-1.55	2.82						
	109741405		1633	23	0509				40	110	29	88	17	100	30	102	37	102	21	94		1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

- Indices ≥ 124
- Above breed average
- Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility					
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat	Comb								
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded		
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1633	25	1118	1509	20	0051	2.71	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	1		
	109741	1462	1633	22	0321				24	95	10	102	5	108	14	104	10	111	
1633	25	1122	1509	20	0051	2.71	100	105	-0.71	-0.24	-0.60	-0.61	1.00	-0.35	-0.77	-2.20	2		
	110028	644	1633	22	0325				35	92	16	95	5	108	21	101	15	108	
1633	25	1123	762	22	0227	2.93	102	93	0.64	-0.58	-0.26	1.49	-0.50	-0.24	-10.81	6.32	1		
	109741	1447	1633	23	0715				41	107	30	86	17	101	31	101	21	85	
1633	25	1131	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46	3		
	109873	166	1633	21	0207				33	91	20	98	5	101	22	96	15	90	
1633	25	1140	1509	20	0051	2.84	104	109	-0.51	-0.05	-0.31	-0.42	0.90	-0.02	-5.67	-1.47	1		
	109741	1488	1633	23	0714				28	94	13	100	5	108	17	102	12	106	
1633	25	1141	1509	20	0051	2.84	104	109	-0.51	-0.05	-0.31	-0.42	0.90	-0.02	-5.67	-1.47	1		
	109741	1470	1633	23	0714				28	94	13	100	5	108	17	102	12	106	
1633	25	1142	762	22	0227	2.90	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45	3		
	109741	1504	1633	19	0137				38	108	29	89	17	102	30	103	20	90	
1633	25	1143	762	22	0227	2.90	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45	3		
	109741	1496	1633	19	0137				38	108	29	89	17	102	30	103	20	90	
1633	25	1155	762	22	0227	2.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.74	4.45	3		
	109873	125	1633	20	0167				38	108	29	89	17	102	30	103	20	90	
1633	25	1157	762	22	0227	3.04	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45	1		
	109873	133	1633	23	0691				38	108	29	89	17	102	30	103	20	90	
1633	25	1162	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	3		
	109873	190	1633	21	0279				24	95	10	102	5	108	14	104	10	111	
1633	25	1164	1509	20	0051	2.79	104	109	-0.38	0.04	-0.15	-0.25	1.00	0.26	1.24	-3.29	3		
	109873	224	1633	21	0231				24	95	10	102	5	108	14	104	10	111	
1633	25	1169	1509	20	0051	2.88	105	111	-0.27	0.20	0.07	-0.16	0.90	0.47	2.05	-3.96	1		
	109873	232	1633	23	0579				25	97	14	106	5	108	16	105	11	113	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
Comp no.								Dir	Mat							
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI Times Lambd
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1633 25 1177 110078920	1509 20 0051 1633 23 0510				27.12	103	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	5.07 36 93	-5.46 11 117	1
1633 25 1181 110754629	1509 20 0051 1633 23 0707				2.77	106	107	0.23 28 102	-0.01 12 101	0.10 102	0.52 5 99	1.00 5 108	0.82 17 107	5.28 34 93	-4.23 11 114	1
1633 25 1182 110754611	1509 20 0051 1633 23 0707				2.77	106	107	0.23 28 102	-0.01 12 101	0.10 102	0.52 5 99	1.00 5 108	0.82 17 107	5.28 34 93	-4.23 11 114	1
1633 25 1188 110754561	106 20 0171 1633 23 0538				35.18	90	92	-0.75 38 91	-0.16 24 97	-0.53 91	-0.42 7 93	-1.70 6 95	-1.93 25 91	-0.94 37 101	5.12 16 88	1
1633 25 1190 110754587	106 20 0171 1633 22 0352				2.55	94	95	-0.71 42 92	-0.34 24 92	-0.69 88	-0.38 8 93	-0.60 6 101	-1.40 27 94	-7.62 37 109	5.85 18 86	2
1633 25 1194 110823119	106 20 0171 1633 23 0725				3.58	95	97	-0.61 35 93	-0.12 21 98	-0.43 93	-0.34 6 93	-0.90 6 99	-1.27 23 95	-1.65 36 102	2.49 15 95	1
1633 25 1196 111008272	106 20 0171 1633 22 0346				2.71	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	1
1633 25 1197 111008298	106 20 0171 1633 22 0353				2.71	98	94	0.25 43 103	-0.17 24 97	-0.05 100	0.77 6 101	-0.70 5 100	-0.34 27 101	3.08 33 96	3.22 17 93	3
1633 25 1201 111008306	106 20 0171 1633 20 0015				2.87	93	95	-0.91 35 90	-0.31 25 93	-0.77 87	-0.56 6 92	-0.60 5 101	-1.59 24 93	-4.89 30 106	4.46 15 90	97 4
1633 25 1202 111008413	106 20 0171 1298 21 0433				3.12	97	95	-0.12 36 98	-0.19 23 96	-0.25 96	0.60 10 100	-0.80 7 100	-0.79 24 98	-2.31 38 103	4.48 19 90	3
1633 25 1203 111008405	106 20 0171 1298 21 0433				3.12	97	95	-0.12 36 98	-0.19 23 96	-0.25 96	0.60 10 100	-0.80 7 100	-0.79 24 98	-2.31 38 103	4.48 19 90	3
1633 25 1205 111008322	106 20 0171 1633 18 0007				2.80	95	98	-0.75 35 91	-0.11 25 98	-0.49 92	-0.46 6 93	-0.60 5 101	-1.22 24 95	-5.54 31 107	4.45 15 90	94 5
1633 25 1207 111008348	106 20 0171 1633 23 0717				3.04	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility													
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam									
									Dir	Mat	Comb															
																	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1633	25	1208	106	20	0171	2.87	97	100	-0.60	0.09	-0.21	-0.35	-0.60	-0.86	-4.38	4.29										
	111058665		1633	20	0147				35	93	25	103	97	6	93	5	101	24	98	32	105	15	90	99	4	
1633	25	1209	106	20	0171	2.90	98	100	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-18.26	8.49										
	111058624		1633	19	0036				33	91	20	98	92	6	93	5	101	22	96	31	123	15	79		4	
1633	25	1212	106	20	0171	2.90	98	101	-0.56	0.14	-0.15	-0.33	-0.60	-0.79	-4.89	4.46										
	111058657		1633	19	0048				35	93	25	104	98	6	94	5	101	24	98	30	106	15	90	100	3	
1633	25	1213	106	20	0171	2.90	98	101	-0.56	0.14	-0.15	-0.33	-0.60	-0.79	-4.89	4.46										
	111058640		1633	19	0048				35	93	25	104	98	6	94	5	101	24	98	30	106	15	90	100	3	
1633	26	0102	1256	24	0139	2.79	99	103	-0.35	0.00	-0.18	-0.03	-0.50	-0.65	-1.75	-0.34										
	112886650		1633	23	0640				17	96	15	101	97	10	96	10	101	15	99	29	102	14	103		2	
1633	26	0103	1256	24	0139	2.79	99	103	-0.35	0.00	-0.18	-0.03	-0.50	-0.65	-1.75	-0.34										
	112886643		1633	23	0640				17	96	15	101	97	10	96	10	101	15	99	29	102	14	103		2	
1633	26	0109	1256	24	0139	2.87	99	102	-0.49	-0.01	-0.25	-0.20	-0.50	-0.79	-4.45	1.74										
	112886684		1805	20	0010				22	94	24	101	96	10	94	10	101	20	98	22	105	12	97	100	7	
1633	26	0110	1256	24	0139	2.87	99	102	-0.49	-0.01	-0.25	-0.20	-0.50	-0.79	-4.45	1.74										
	112886676		1805	20	0010				22	94	24	101	96	10	94	10	101	20	98	22	105	12	97	100	7	
1633	26	0117	1805	24	0072	2.76	105	110	-0.51	0.10	-0.15	-0.39	1.30	0.38	-1.22	-1.58										
	113325039		1633	23	0735				17	94	14	103	98	5	93	5	110	12	105	21	101	8	106		1	
1633	26	0118	1805	24	0072	2.79	104	109	-0.71	0.05	-0.31	-0.55	1.60		-2.03	-0.41										
	113325005		1633	21	0289				5	92	5	102	95	5	92	5	111			15	102	7	103		4	
1633	26	0124	1256	24	0139	3.96	96	96	-0.03	-0.12	-0.13	0.39	-1.50	-1.05	-0.96	1.85										
	113984678		1633	24	0805				22	99	19	98	98	11	98	10	96	18	97	31	101	15	97		1	
1633	26	0140	106	20	0171	2.68	98	101	-0.97	-0.09	-0.58	-0.81	-0.80	-1.54	-28.67	11.95										
	114094386		1633	22	0376				38	89	22	99	90	6	90	6	100	24	94	36	136	18	69		3	
1633	26	0143	106	20	0171	2.87	97	100	-0.60	0.09	-0.21	-0.35	-0.60	-0.87	-2.42	3.56										
	114094295		1633	20	0194				35	93	25	103	97	6	93	5	101	24	98	31	103	15	92	93	6	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility												
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb														
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded						
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1633	26	0144	106	20	0171	2.87	97	100	-0.60	0.09	-0.21	-0.35	-0.60	-0.87	-2.42	3.56									
	114094220		1633	20	0194				35	93	25	103	97	6	93	5	101	24	98	31	103	15	92	93	6
1633	26	0145	106	20	0171	2.56	97	95	-0.31	-0.28	-0.44	0.09	-0.60	-0.95	-7.99	6.63									
	114094402		1633	22	0316				42	96	24	94	93	8	96	6	101	27	97	36	110	18	84		4
1633	26	0147	106	20	0171	2.51	96	95	-0.39	-0.29	-0.49	0.00	-0.60	-1.04	-6.13	5.53									
	114094238		1633	22	0441				38	95	22	94	92	8	96	6	101	24	97	36	108	18	87		3
1633	26	0150	106	20	0171	2.79	95	98	-0.75	-0.11	-0.48	-0.46	-0.60	-1.22	-4.89	4.46									
	114094360		1633	21	0246				33	91	20	98	92	6	93	5	101	22	96	30	106	15	90		2
1633	26	0152	762	22	0227	2.79	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	114094196		1633	21	0281				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		3
1633	26	0153	762	22	0227	2.79	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	114094378		1633	21	0281				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		3
1633	26	0154	762	22	0227	2.45	105	89	1.60	-0.60	0.20	2.67	-0.40	0.76	-6.85	8.40									
	114094410		1633	22	0378				46	118	31	86	104	15	113	17	102	34	107	36	109	23	79		2
1633	26	0158	762	22	0227	2.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	114102445		1633	20	0091				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		1
1633	26	0159	762	22	0227	2.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	114102452		1633	20	0091				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		1
1633	26	0160	106	20	0171	2.90	96	99	-0.68	-0.02	-0.36	-0.41	-0.60	-1.06	-2.52	3.28									
	114094345		1633	19	0103				37	92	28	100	94	6	93	5	101	26	96	33	103	15	93	102	5
1633	26	0161	762	22	0227	2.71	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.74	4.45									
	114094261		1633	22	0311				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		2
1633	26	0166	762	22	0227	2.79	102	93	0.75	-0.51	-0.13	1.65	-0.30	0.06	-3.75	4.45									
	114094279		1633	21	0213				40	108	32	88	98	14	106	17	102	32	103	29	105	20	90	97	3
1633	26	0168	762	22	0227	2.87	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45									
	114094394		1633	20	0163				38	108	29	89	99	14	107	17	102	30	103	29	105	20	90		3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
Comp no.								Dir	Mat							
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI Times Lambded
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1633 26 0170	762 22 0227	1633 22 0338	2.49	103	89	1.14	-0.67	-0.10	2.13	-0.40	0.23	-6.43	7.25			2
114094329						46 113	31 84	99	15 110	17 102	34 104	32 108	23 82			
1633 26 0173	106 20 0171	1633 22 0301	2.74	97	93	0.20	-0.11	-0.01	0.68	-0.70	-0.33	6.25	4.02			3
114127632						43 102	25 98	100	6 100	5 100	27 101	36 92	17 91			
1633 26 0175	106 20 0171	1633 22 0351	2.51	97	92	-0.05	-0.36	-0.39	0.45	-0.60	-0.77	-6.89	7.83			2
114127657						43 99	25 92	94	8 99	6 101	28 98	38 109	18 80			
1633 26 0176	106 20 0171	1384 21 0123	2.71	96	99	-0.75	-0.11	-0.49	-0.46	-0.60	-1.22	-4.74	3.22			3
114127772						33 91	20 98	92	6 93	5 101	22 95	33 106	18 93			
1633 26 0179	762 22 0227	776 22 0490	2.80	104	89	1.41	-0.80	-0.10	2.77	-0.50	0.31	-4.38	4.17			3
114127731						43 116	32 81	99	17 114	18 101	33 104	34 105	25 90			
1633 26 0182	762 22 0227	1633 22 0339	2.71	102	93	0.76	-0.49	-0.11	1.66	-0.30	0.10	-3.75	4.45			2
114127707						38 108	29 89	99	14 107	17 102	30 103	29 105	20 90			
1633 26 0183	762 22 0227	1633 23 0572	5.51	98	88	0.76	-0.54	-0.16	1.70	-1.50	-0.68	-4.74	6.54			1
114127673						42 108	32 87	98	14 107	17 96	32 99	35 106	22 84			
1633 26 0184	762 22 0227	1633 23 0573	5.49	97	86	0.73	-0.58	-0.22	1.68	-1.50	-0.75	-6.48	7.91			2
114127749						42 108	30 86	97	14 107	17 96	32 98	36 108	23 80			
1633 26 0185	762 22 0227	1633 23 0580	3.07	104	95	0.87	-0.33	0.11	1.76	-0.40	0.31	-3.59	3.99			1
114127699						39 110	30 93	102	14 107	17 102	30 104	33 104	21 91			
1633 26 0186	762 22 0227	1633 23 0580	3.07	104	95	0.87	-0.33	0.11	1.76	-0.40	0.31	-3.59	3.99			1
114127681						39 110	30 93	102	14 107	17 102	30 104	33 104	21 91			
1633 26 0187	762 22 0227	1658 21 0063	3.47	102	92	0.82	-0.50	-0.09	1.67	-0.70	-0.10	-4.24	4.00			4
114127780						38 109	29 88	99	14 107	17 100	30 102	33 105	23 91			
Ram Flock Average:						99	99	-0.18	-0.16	-0.26	0.24	-0.25	-0.50	-3.67	2.47	
Number of rams in the flock: 166																

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat		Acc	EBV Index		Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index
							EBV Acc	EBV Index	EBV Acc			EBV Index								
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1658 21 0063 93076669	1509 20 0066 1658 18 0291	2.80	103	109	-0.56 9 93	0.05 7 102	-0.23 96	-0.48 5 93	1.00 5 108	0.09 7 103	-1.37 31 102	-1.84 23 107	4							
1384 21 0072 93059749	1658 18 0008 826 19 0214	2.90	105	112	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		2.59 15 97	-5.29 17 116	3							
1384 21 0123 93060044	1384 20 0049 1384 19 0218	2.90	105	111	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-0.09 31 100	-3.41 20 111	3							
1298 21 0244 93281392	1298 20 0365 1298 14 0239	4.69	95	89	-0.09 33 99	-0.76 29 82	-0.80 87	0.95 17 102	-0.30 15 102	-1.03 27 97	-0.01 35 100	3.40 22 93	0							
1298 21 0433 96815642	1298 19 0308 1298 18 0502	2.64	108	104	0.59 27 106	-0.09 22 99	0.21 104	1.61 16 106	1.30 9 110	1.29 21 110	4.77 46 94	-0.90 24 104	3							
1298 22 0083 97642243	430 20 0068 1398 18 0006	1.88	114	113	0.43 22 105	0.21 17 106	0.43 108	1.30 14 104	1.80 6 112	1.73 16 113	-8.31 42 110	1.03 26 99	2							
1298 22 0271 96381355	430 20 0138 1398 16 0057	2.62	114	117	0.62 29 107	0.51 25 114	0.82 115	1.28 15 104	0.40 7 105	1.38 22 111	-3.03 47 104	-4.82 25 115	1							
1633 22 0301 94768553	116 20 0073 1633 20 0193	2.87	107	99	1.22 55 113	0.07 29 103	0.68 112	1.78 5 107	1.40 5 110	2.13 33 115	21.90 42 72	-1.82 18 107	3							
1633 22 0302 94768561	116 20 0073 1633 20 0193	2.87	108	102	1.11 55 112	0.10 29 103	0.65 112	1.63 5 106	1.40 5 110	2.04 33 114	18.17 41 77	-2.74 12 109	1							
1633 22 0303 94768470	116 20 0073 1633 20 0194	2.87	108	102	1.10 54 112	-0.08 26 99	0.47 108	1.70 5 107	1.40 5 110	1.86 31 113	20.12 41 74	-5.54 18 117	3							
1633 22 0305 94768579	116 20 0073 1633 20 0189	2.87	104	102	0.47 57 105	-0.11 32 98	0.12 102	0.93 5 102	1.40 5 110	1.19 34 109	18.10 41 77	-4.99 18 116	2							
1633 22 0308 94768488	116 20 0073 1633 20 0198	2.87	110	101	1.35 54 115	-0.04 26 100	0.63 111	1.99 5 109	1.40 5 110	2.14 31 115	15.04 42 81	-1.87 19 107	2							
1633 22 0316 94768462	116 20 0182 1633 19 0117	2.90	107	103	0.20 52 102	-0.27 25 94	-0.17 97	0.60 11 100	1.60 5 111	0.90 30 108	-6.58 42 108	3.40 21 93	4							
1633 22 0317 94624236	970 20 0070 1633 18 0019	2.80	92	103	-1.96 51 78	-0.14 32 97	-1.12 81	-2.21 12 81	1.20 7 109	-1.38 34 95	7.33 44 91	-2.01 23 107	2							
1633 22 0319 94768736	116 20 0073 1633 19 0032	2.90	94	97	-0.72 55 92	-0.59 29 86	-0.95 84	-0.34 5 93	1.40 5 110	-0.46 33 100	24.00 42 69	-9.35 19 128	2							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1633 22 0322 94624202	970 20 0070 1633 17 0093	2.92	89	102	-2.41 49 73	-0.31 28 93	-1.51 74	-2.69 12 78	1.20 7 109	-2.00 31 91	3.07 43 96	-1.66 17 106	1								
1633 22 0323 94768629	970 20 0070 1633 18 0007	2.80	96	105	-1.66 49 81	-0.20 28 96	-1.03 83	-1.80 12 84	1.20 7 109	-1.14 31 96	-4.77 43 106	0.67 23 100	3								
1633 22 0325 94624277	116 20 0182 1633 19 0003	2.90	97	101	-1.32 52 85	-0.49 25 89	-1.15 81	-1.21 11 88	1.60 5 111	-0.85 30 98	-4.39 29 105	1.22 21 99	2								
1633 22 0329 94624269	116 20 0182 1633 18 0062	2.80	107	102	0.46 52 105	-0.23 25 95	0.00 100	0.89 11 102	1.60 5 111	1.18 30 109	2.86 44 96	0.10 21 102	3								
1633 22 0330 94624335	116 20 0182 1633 19 0140	2.90	104	101	-0.01 52 100	-0.30 25 93	-0.31 95	0.34 11 98	1.60 5 111	0.65 30 106	0.69 43 99	1.30 15 98	1								
1633 22 0333 94624285	116 20 0182 1633 19 0022	2.90	109	104	0.32 52 103	-0.25 25 94	-0.09 99	0.73 11 100	1.60 5 111	1.02 30 108	-17.86 43 123	7.96 21 80	3								
1633 22 0334 94768645	970 20 0070 1633 18 0011	2.80	98	107	-1.64 49 81	-0.20 28 96	-1.02 83	-1.78 12 84	1.20 7 109	-1.12 31 96	-16.05 46 120	3.62 22 92	2								
1633 22 0338 93547511	116 20 0182 1633 19 0026	2.90	105	101	0.08 52 101	-0.29 25 94	-0.25 96	0.44 11 99	1.60 5 111	0.75 30 107	-5.75 29 107	4.65 20 89	2								
1633 22 0343 94234101	116 20 0216 1633 16 0046	2.61	99	109	-1.48 51 83	0.06 24 102	-0.68 89	-1.62 5 85	1.20 5 109	-0.70 30 99	-3.67 41 104	-0.98 12 105	1								
1633 22 0344 94292315	116 20 0216 1633 19 0060	2.90	106	115	-0.82 53 91	0.47 27 113	0.06 101	-0.99 5 89	1.20 5 109	0.37 31 105	-7.63 41 110	0.87 20 100	2								
1633 22 0351 94234226	116 20 0182 1633 18 0019	2.80	107	98	0.72 54 108	-0.43 30 90	-0.07 99	1.31 11 104	1.60 5 111	1.25 33 110	-4.39 46 105	5.81 22 86	2								
1633 22 0352 95670048	116 20 0182 1633 20 0184	2.87	102	103	-0.58 52 93	-0.38 25 91	-0.68 89	-0.34 11 93	1.60 5 111	-0.01 30 103	-5.84 43 107	1.84 21 97	2								
1633 22 0353 94234267	116 20 0073 1633 18 0004	2.80	110	102	1.32 54 115	-0.05 26 100	0.61 111	1.96 5 109	1.40 5 110	2.11 31 115	15.55 30 80	-3.42 18 111	3								
1633 22 0355 94218310	116 20 0182 1633 19 0057	2.90	106	102	0.02 53 100	-0.39 28 91	-0.38 94	0.42 11 98	1.60 5 111	0.59 32 106	-9.46 41 112	3.90 15 91	1								
1633 22 0356 94218187	116 20 0073 1633 18 0024	2.80	110	103	1.11 54 112	-0.08 26 99	0.47 109	1.71 5 107	1.40 5 110	1.87 31 113	6.95 39 91	-0.45 11 103	1								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1633 22 0357 94292273	116 20 0216 1633 19 0103	2.90	103	108	-0.63 53 93	0.11 27 104	-0.20 97	-0.58 5 92	1.20 5 109	0.21 31 104	1.71 40 98	-1.42 13 106	1									
1633 22 0358 94292331	116 20 0216 1633 19 0103	2.90	102	112	-1.26 53 86	0.24 27 107	-0.39 94	-1.43 5 86	1.20 5 109	-0.30 31 101	-8.03 43 110	0.64 20 100	2									
1633 22 0361 94234366	116 20 0216 1633 18 0051	2.80	101	111	-1.33 51 85	0.08 24 103	-0.58 90	-1.44 5 86	1.20 5 109	-0.52 30 100	-8.79 41 111	0.51 20 101	2									
1633 22 0364 94246923	116 20 0182 1633 18 0047	2.80	102	105	-0.55 53 94	-0.18 28 96	-0.45 93	-0.39 11 93	1.60 5 111	0.24 32 104	0.33 44 99	-0.10 15 102	1									
1633 22 0365 94246949	116 20 0182 1633 18 0047	2.80	109	101	0.64 53 107	-0.41 28 91	-0.09 99	1.20 11 104	1.60 5 111	1.19 32 109	-7.91 44 110	4.24 21 90	3									
1633 22 0366 94247145	116 20 0073 1633 18 0040	2.80	111	102	1.50 54 117	-0.02 26 100	0.73 113	2.17 5 110	1.40 5 110	2.32 31 116	13.04 26 83	-1.84 11 107	1									
1633 22 0369 94247046	116 20 0073 1633 19 0015	2.90	112	102	1.70 54 119	0.01 26 101	0.86 115	2.41 5 111	1.40 5 110	2.54 31 117	16.81 42 78	-2.82 11 110	1									
1633 22 0372 94247061	116 20 0073 1633 20 0186	2.87	105	101	0.44 41 105	-0.18 19 96	0.04 101	0.92 5 102	1.40 5 110	1.10 23 109	12.72 26 84	-2.85 11 110	0									
1633 22 0376 94247087	116 20 0216 1633 19 0036	2.90	103	107	-1.12 36 87	0.11 16 104	-0.45 93	-1.20 5 88	1.20 5 109	-0.29 21 101	-47.95 42 136	14.03 20 64	3									
1633 22 0378 94247228	116 20 0182 1633 18 0028	2.80	111	101	1.00 52 111	-0.15 25 97	0.35 106	1.54 11 106	1.60 5 111	1.81 30 113	-6.59 43 108	6.95 21 83	2									
1633 22 0405 95385332	116 20 0216 1633 19 0022	2.90	103	110	-1.06 37 88	0.19 22 106	-0.34 95	-1.16 5 88	1.20 5 109	-0.15 23 102	-11.93 28 115	3.55 13 92	1									
1633 22 0414 95385415	970 17 0057 1633 20 0192	2.87	106	113	-0.59 21 93	0.27 23 108	-0.03 100	-0.34 7 93	1.30 5 110	0.46 18 105	0.73 37 99	-3.60 20 112	2									
1633 22 0426 95385639	116 20 0182 1633 20 0201	2.87	105	102	0.04 39 100	-0.31 22 93	-0.29 95	0.40 11 98	1.60 5 111	0.69 24 107	-5.60 41 107	3.14 15 93	1									
1633 22 0441 95385571	116 20 0182 1633 18 0012	2.80	106	103	0.05 37 100	-0.29 17 94	-0.27 96	0.41 11 98	1.60 5 111	0.72 21 107	-2.86 41 103	1.20 21 99	3									
776 22 0490 97597504	776 21 0236 776 HC 0231	5.78	108	101	0.62 39 107	-0.56 30 87	-0.24 96	1.72 20 107	1.30 14 110	0.85 30 107	-1.65 36 102	-1.49 30 106	3									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed			
							Dir		Mat		Comb													
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
554 23 0152 101219152	554 21 0113 1298 20 0499	8.24	117	117	0.80 40 109	0.45 34 112	0.85 115	1.82 18 108	1.80 9 112	2.32 31 116	4.69 41 94	-6.10 27 119	0											
1633 23 0464 97170377	106 20 0171 1633 19 0021	2.90	91	95	-1.17 52 87	-0.34 31 92	-0.92 85	-0.87 6 90	-0.60 5 101	-1.86 33 92	-4.89 30 106	4.46 15 90	1											
1633 23 0509 97304570	1509 20 0051 1633 21 0267	2.79	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	4.02 45 95	-4.20 10 113	1											
1633 23 0510 97304612	1509 20 0051 1633 21 0267	2.79	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	7.30 45 91	-5.28 10 116	1											
1633 23 0524 97278725	106 20 0171 1633 19 0022	2.90	96	99	-0.69 35 92	-0.03 25 100	-0.37 94	-0.41 6 93	-0.60 5 101	-1.07 24 96	-8.00 40 110	5.75 15 86	1											
1633 23 0538 97278261	106 20 0171 1633 20 0173	2.87	94	97	-0.68 35 92	-0.02 25 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 24 96	7.51 45 90	0.38 15 101	1											
1633 23 0559 97278485	106 20 0171 1633 18 0062	2.80	97	100	-0.66 35 92	0.02 25 101	-0.31 95	-0.39 6 93	-0.60 5 101	-1.00 24 97	-5.43 46 107	4.55 15 89	1											
1633 23 0571 97279467	106 20 0171 1633 20 0095	2.87	96	99	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-8.90 45 111	4.76 20 89	2											
1633 23 0572 97278683	106 20 0171 1633 19 0103	2.90	96	99	-0.68 37 92	-0.02 28 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 26 96	-2.38 41 103	3.24 15 93	1											
1633 23 0573 97278667	106 20 0171 1633 20 0160	2.87	95	97	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-5.85 45 107	5.99 20 85	2											
1633 23 0579 97246243	1633 21 0036 1633 20 0147	2.87	107	114	-0.45 15 95	0.40 19 111	0.18 103	-0.30 5 94	1.50 5 111	0.85 14 107	1.24 40 98	-2.29 6 108	1											
1633 23 0580 97246227	1633 21 0036 1633 20 0147	2.87	107	114	-0.45 15 95	0.40 19 111	0.18 103	-0.30 5 94	1.50 5 111	0.85 14 107	-0.06 33 100	-1.86 6 107	1											
1633 23 0583 97304935	1509 20 0051 1633 21 0019	2.79	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	6.66 45 91	-5.07 10 116	1											
1633 23 0592 97247241	1633 21 0036 1633 21 0284	2.79	106	112	-0.61 10 93	0.20 11 106	-0.10 99	-0.40 5 93	1.50 5 111	0.50 9 105	-2.39 40 103	-1.09 6 105	1											
1633 23 0600 97410617	1509 20 0051 1633 20 0168	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	-0.25 38 100	-2.80 10 110	1											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 23 0604 97353031	1509 20 0051 1384 21 0123	2.79	105	110	-0.39 24 95	0.04 10 102	-0.16 98	-0.26 5 94	1.00 5 108	0.25 14 104	-1.41 46 102	-3.61 14 112	1						
1633 23 0614 97410633	1509 20 0051 1633 20 0149	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.22 46 98	-3.28 10 111	1						
1633 23 0615 97410658	1509 20 0051 1633 20 0149	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	-1.27 46 101	-2.46 10 109	1						
1633 23 0620 97353197	1509 20 0051 1633 18 0058	2.80	105	110	-0.32 26 96	0.12 18 104	-0.04 100	-0.21 5 94	1.00 5 108	0.40 18 105	-2.65 44 103	-2.01 10 107	1						
1633 23 0640 97353452	1332 21 0215 1633 21 0255	2.79	107	112	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-7.38 39 109	-1.03 14 105	2						
1633 23 0643 97353643	106 20 0171 1633 19 0031	2.90	96	99	-0.68 37 92	-0.02 28 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 26 96	-5.99 45 107	4.82 15 89	1						
1633 23 0679 98017734	1509 20 0051 1633 22 0308	2.78	107	105	0.63 36 107	-0.02 17 100	0.29 105	0.99 5 102	0.90 5 108	1.15 22 109	8.67 43 89	-3.66 14 112	1						
1633 23 0681 98017817	1509 20 0051 1633 22 0302	2.78	106	105	0.51 37 105	0.05 18 102	0.30 106	0.81 5 101	0.90 5 108	1.10 22 109	10.51 35 86	-4.19 12 113	0						
1633 23 0683 98017874	106 20 0171 1633 21 0285	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0						
1633 23 0685 98017916	1509 20 0051 1633 22 0323	2.89	100	107	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.96 36 101	-2.48 15 109	0						
1633 23 0686 98017890	1509 20 0051 1633 22 0323	2.89	100	106	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.68 43 101	-2.57 15 109	1						
1633 23 0689 98017957	1509 20 0051 1633 18 0244	2.80	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 23 0693 98136500	106 20 0171 1633 20 0189	2.87	96	99	-0.70 39 92	-0.05 31 100	-0.40 93	-0.43 6 93	-0.60 5 101	-1.11 28 96	-3.10 31 104	3.74 15 92	0						
1633 23 0696 98136476	1509 20 0051 1633 20 0197	2.87	106	111	-0.23 30 97	0.23 24 107	0.12 102	-0.15 5 95	1.00 5 108	0.60 22 106	1.24 28 98	-3.29 10 111	0						
1633 23 0697 98136450	1509 20 0051 1633 20 0197	2.87	106	111	-0.23 30 97	0.23 24 107	0.12 102	-0.15 5 95	1.00 5 108	0.60 22 106	1.24 28 98	-3.29 10 111	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 23 0698 98136435	1509 20 0051 1633 20 0197	2.87			106	111	-0.23 30 97	0.23 24 107	0.12 102	-0.15 5 95	1.00 5 108	0.60 22 106	1.24 28 98	-3.29 10 111	0				
1633 23 0701 98137920	106 20 0171 1633 21 0213	2.79			95	98	-0.77 35 91	-0.13 25 98	-0.51 92	-0.47 6 93	-0.60 5 101	-1.25 24 95	-4.89 30 106	4.46 15 90	0				
1633 23 0702 98137904	106 20 0171 1633 21 0213	2.79			95	98	-0.77 35 91	-0.13 25 98	-0.51 92	-0.47 6 93	-0.60 5 101	-1.25 24 95	-4.89 30 106	4.46 15 90	0				
1633 23 0707 98138423	1332 21 0215 1633 22 0353	2.79			108	106	0.56 31 106	-0.03 14 100	0.25 105	1.05 5 103	1.50 5 111	1.43 18 111	7.72 38 90	-2.82 10 110	1				
1633 23 0711 98138506	1509 20 0051 1633 22 0305	2.78			104	105	0.19 37 102	-0.06 19 99	0.04 101	0.46 5 99	0.90 5 108	0.67 23 106	10.48 35 87	-5.31 14 117	0				
1633 23 0713 98138597	1509 20 0051 1633 18 0051	2.80			104	108	-0.43 26 95	-0.02 18 100	-0.24 96	-0.29 5 94	1.00 5 108	0.15 18 103	0.92 30 99	-3.76 11 112	0				
1633 23 0714 98139165	1332 21 0215 1633 22 0334	2.79			103	109	-0.92 28 89	-0.11 14 98	-0.57 91	-0.83 6 90	1.40 5 110	-0.19 17 101	-14.18 41 118	2.70 11 94	1				
1633 23 0715 98139140	1332 21 0215 1633 22 0334	2.79			104	109	-0.92 28 89	-0.11 14 98	-0.57 91	-0.83 6 90	1.40 5 110	-0.19 17 101	-14.50 41 118	2.81 11 94	1				
1633 23 0721 98153463	1509 20 0051 1633 17 0001	2.92			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0				
1633 23 0724 98153505	1509 20 0051 1633 21 0280	2.79			104	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	2.86 30 96	-3.82 10 112	0				
1633 23 0725 98153521	1509 20 0051 1633 21 0280	2.79			103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	6.09 42 92	-4.88 10 115	1				
1633 23 0735 98153646	1509 20 0051 1633 18 0002	2.80			106	111	-0.26 32 97	0.20 26 106	0.07 101	-0.17 5 95	1.00 5 108	0.54 23 106	1.24 28 98	-3.29 10 111	1				
1633 24 0603 99180036	1509 20 0051 1298 22 0083	2.65			109	111	0.17 26 102	0.11 13 104	0.19 104	0.64 8 100	1.10 5 109	0.94 16 108	-2.73 35 103	-2.30 17 108	0				
1633 24 0637 99274805	106 20 0171 1384 21 0123	2.71			96	99	-0.75 33 91	-0.11 20 98	-0.49 92	-0.46 6 93	-0.60 5 101	-1.22 22 95	-4.74 33 106	3.22 18 93	0				
1633 24 0646 99274789	106 20 0171 1633 18 0005	2.80			93	95	-0.94 39 89	-0.34 31 92	-0.81 86	-0.58 6 92	-0.60 5 101	-1.64 28 93	-4.89 30 106	4.46 15 90	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1633 24 0650 99274961	1509 20 0051 1633 22 0361	2.69			102	109	-0.71 35 92	0.04 16 102	-0.31 95	-0.73 5 91	0.80 5 107	-0.19 21 101	-2.97 35 104	-2.56 14 109	0							
1633 24 0671 99395154	1633 21 0036 1633 20 0194	2.87			107	114	-0.45 15 95	0.40 19 111	0.17 103	-0.30 5 94	1.50 5 111	0.85 14 107	2.04 19 97	-2.64 7 109	0							
1633 24 0672 99395238	1633 21 0036 1633 20 0194	2.87			107	114	-0.45 15 95	0.40 19 111	0.17 103	-0.30 5 94	1.50 5 111	0.85 14 107	2.04 19 97	-2.64 7 109	0							
1633 24 0684 99395394	1633 21 0036 1633 21 0283	2.79			105	111	-0.61 10 93	0.20 11 106	-0.10 99	-0.40 5 93	1.50 5 111	0.50 9 105	-0.42 17 100	-1.74 6 107	0							
1633 24 0692 100093541	1384 21 0481 1351 18 0090	2.80			104	108	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-7.18 34 109	3.04 12 94	0							
1633 24 0698 100093665	1384 21 0481 1351 18 0100	2.80			104	109	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-1.66 31 102	0.17 12 101	0							
1633 24 0709 100857879	106 22 0902 776 22 0490	2.85			102	100	0.15 25 101	-0.26 23 94	-0.19 97	0.85 12 101	-0.50 9 101	-0.42 21 100	-4.58 32 106	-0.27 20 103	0							
1633 24 0715 100489319	106 22 0902 1633 20 0095	2.87			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.28 28 107	0.11 14 102	0							
1633 24 0716 100483072	106 22 0902 1633 20 0095	2.87			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.28 28 107	0.11 14 102	0							
1633 24 0720 106693146	106 20 0171 1633 19 0138	2.90			95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0							
1633 24 0727 101413748	106 22 0902 1298 21 0433	3.28			102	102	0.13 21 101	-0.03 20 100	0.04 101	0.80 11 101	-0.40 7 102	-0.14 17 102	-1.37 35 102	0.03 18 102	0							
1633 24 0731 100482991	1509 20 0051 1633 21 0293	2.79			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
1633 24 0732 100482975	1509 20 0051 1633 21 0293	2.79			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
1633 24 0735 100483031	1509 20 0051 1633 20 0186	2.87			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
1633 24 0753 100904853	1332 21 0215 1633 20 0163	2.79			106	110	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-3.34 17 104	-0.57 5 103	1							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1633 24 0764 100602507	1509 20 0051 1633 21 0218	2.79	104	109	-0.36 26 96	0.07 18 103	-0.12 98	-0.24 5 94	1.00 5 108	0.30 18 104	1.24 28 98	-3.29 10 111	0									
1633 24 0766 100825538	1332 21 0215 1633 22 0441	2.79	107	107	-0.08 23 99	-0.15 9 97	-0.19 97	0.27 5 97	1.60 5 111	0.73 13 107	-4.58 27 106	0.51 11 101	0									
1633 24 0770 100602564	106 20 0171 1633 18 0024	2.80	98	101	-0.59 35 93	0.09 25 103	-0.20 97	-0.35 6 93	-0.60 5 101	-0.86 24 98	-6.81 31 108	5.26 15 87	0									
1633 24 0776 100483171	1509 20 0051 1633 18 0013	2.80	102	107	-0.50 26 94	-0.11 18 98	-0.36 94	-0.33 5 94	1.00 5 108	-0.01 18 103	1.24 28 98	-3.29 10 111	1									
1633 24 0778 100602424	1332 21 0215 1633 21 0279	2.79	106	110	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-3.34 17 104	-0.57 5 103	0									
1633 24 0779 100602440	1332 21 0215 1633 21 0279	2.79	106	110	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-3.34 17 104	-0.57 5 103	0									
1633 24 0787 100602705	106 22 0902 1633 20 0172	2.87	101	105	-0.46 20 95	0.11 22 104	-0.12 98	-0.23 7 94	-0.30 5 102	-0.54 17 99	-3.94 26 105	0.01 14 102	0									
1633 24 0790 100857390	1509 20 0051 1633 22 0303	2.78	106	105	0.50 36 105	-0.04 17 100	0.21 104	0.84 5 101	0.90 5 108	1.00 22 108	11.49 35 85	-5.59 14 117	0									
1633 24 0802 100857457	106 22 0902 1633 19 0054	2.90	104	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-3.61 28 104	-0.10 14 102	0									
1633 24 0803 100857473	106 22 0902 1633 19 0054	2.90	103	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-2.94 42 104	-0.32 14 103	1									
1633 24 0805 100857556	106 22 0902 1633 22 0351	2.52	102	99	0.19 32 102	-0.20 22 96	-0.10 99	0.65 9 100	-0.30 5 102	-0.19 22 101	-5.81 46 107	3.34 18 93	1									
1633 24 0808 100857572	106 22 0902 1633 20 0197	2.87	102	107	-0.35 25 96	0.25 27 107	0.07 102	-0.15 7 95	-0.30 5 102	-0.28 21 101	-3.94 26 105	0.01 14 102	0									
1633 24 0813 100857630	106 22 0902 1633 20 0198	2.87	103	108	-0.29 20 96	0.33 22 109	0.18 103	-0.11 7 95	-0.30 5 102	-0.15 17 102	-3.17 28 104	0.34 14 101	0									
1633 24 0824 100857796	106 22 0902 1633 22 0308	2.73	103	101	0.51 32 105	-0.01 21 101	0.25 105	0.99 8 102	-0.40 5 102	0.26 22 104	3.77 34 95	-0.45 17 103	0									
1633 24 0830 100857119	1509 20 0051 1633 20 0147	2.87	106	111	-0.23 26 97	0.24 18 107	0.13 103	-0.15 5 95	1.00 5 108	0.61 18 106	1.74 31 98	-3.45 10 111	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
							Dir	Mat	Comb										
							Acc	Index	Acc	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 24 0832 100856855	106 22 0902 1633 22 0378	2.52	103	101	0.34 31 104	-0.06 21 99	0.11 102	0.76 9 101	-0.30 5 102	0.10 21 103	-7.04 34 109	3.96 18 91	0						
1633 24 0833 101413466	106 22 0902 1633 21 0019	2.79	100	104	-0.50 16 94	0.06 17 102	-0.20 97	-0.25 7 94	-0.30 5 102	-0.63 14 99	-2.16 29 103	-0.57 14 103	0						
1633 24 0834 101413607	106 22 0902 1633 21 0019	2.79	100	104	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-2.25 42 103	-0.55 14 103	1						
1633 24 0842 100857176	106 20 0171 1633 18 0044	2.80	98	101	-0.55 35 94	0.15 25 104	-0.13 98	-0.32 6 94	-0.60 5 101	-0.77 24 98	-5.27 43 107	4.59 15 89	1						
1633 24 0843 100856939	106 20 0171 1633 18 0044	2.80	98	101	-0.55 35 94	0.15 25 104	-0.13 98	-0.32 6 94	-0.60 5 101	-0.77 24 98	-5.02 31 106	4.50 15 90	0						
1633 24 0847 100856996	106 20 0171 1633 17 0025	2.92	96	98	-0.72 37 92	-0.07 28 99	-0.43 93	-0.44 6 93	-0.60 5 101	-1.15 26 96	-4.89 30 106	4.46 15 90	0						
1633 24 0854 100857259	1509 20 0051 1633 20 0149	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	0.03 44 100	-2.89 10 110	1						
1633 24 0856 100856830	106 20 0171 1633 19 0141	2.90	90	92	-1.10 37 87	-0.55 28 87	-1.10 81	-0.69 6 91	-0.60 5 101	-2.01 26 91	-4.89 30 106	4.46 15 90	0						
1633 24 0857 106600539	1509 20 0051 1805 20 0132	2.87	104	109	-0.38 29 95	0.04 11 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 17 104	1.24 28 98	-3.29 10 111	0						
1633 24 0874 106677685	106 22 0902 1805 20 0010	2.87	101	105	-0.53 23 94	0.03 25 102	-0.24 96	-0.27 7 94	-0.30 5 102	-0.68 20 99	-10.14 28 113	2.05 14 96	1						
1633 24 0880 106677800	106 22 0902 1633 21 0247	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 24 0881 106678295	106 22 0902 1633 19 0022	2.90	102	106	-0.44 20 95	0.14 22 104	-0.09 99	-0.21 7 94	-0.30 5 102	-0.49 17 100	-8.04 29 110	1.62 14 97	0						
1633 24 0882 106678303	106 22 0902 1633 19 0022	2.90	102	106	-0.44 20 95	0.14 22 104	-0.09 99	-0.21 7 94	-0.30 5 102	-0.49 17 100	-8.04 29 110	1.62 14 97	0						
1633 24 0883 106774292	106 20 0171 1633 21 0277	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0						
1633 24 0887 106679152	106 20 0171 1633 21 0287	2.79	95	98	-0.76 35 91	-0.12 25 98	-0.50 92	-0.46 6 93	-0.60 5 101	-1.24 24 95	-4.89 30 106	4.46 15 90	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat	Comb								EPI	Lambd
							EBV	EBV	EBV	EBV		EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1633 24 0891 106774300	106 20 0171 1633 21 0253	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					
1633 24 0892 106774326	106 20 0171 1633 21 0260	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					
1633 24 0894 106774334	106 22 0902 1633 22 0305	2.73	100	101	0.07 33 100	-0.04 23 100	-0.01 100	0.46 8 99	-0.40 5 102	-0.21 23 101	5.30 34 93	-2.01 17 107	0					
1633 25 0901 107697286	762 22 0227 1633 19 0117	2.90	103	94	0.80 40 109	-0.44 32 90	-0.04 100	1.68 14 107	-0.30 17 102	0.18 32 104	-4.42 30 105	4.65 21 89	0					
1633 25 0903 107697302	762 22 0227 1633 20 0175	2.87	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0					
1633 25 0905 107835621	762 22 0227 1633 19 0057	2.90	102	92	0.69 41 107	-0.58 34 86	-0.23 96	1.61 14 106	-0.30 17 102	-0.07 33 102	-5.38 30 107	4.82 20 89	0					
1633 25 0907 107835662	762 22 0227	3.87	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0					
1633 25 0908 107835639	762 22 0227 1633 22 0366	2.65	106	89	1.85 47 120	-0.54 31 87	0.39 107	2.99 14 115	-0.50 17 101	1.01 34 108	2.97 31 96	4.00 21 91	0					
1633 25 0909 107835647	762 22 0227 1633 22 0366	2.65	106	89	1.85 47 120	-0.54 31 87	0.39 107	2.99 14 115	-0.50 17 101	1.01 34 108	2.97 31 96	4.00 21 91	0					
1633 25 0912 107839078	106 20 0171 1633 21 0278	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					
1633 25 0914 107820193	106 20 0171 1633 20 0186	2.87	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					
1633 25 0915 107820227	106 20 0171 776 22 0490	2.96	97	94	-0.10 39 99	-0.42 25 90	-0.47 92	0.65 12 100	-0.80 9 100	-1.00 27 97	-5.52 35 107	4.18 21 90	0					
1633 25 0916 107820219	106 20 0171 776 22 0490	2.96	97	94	-0.10 39 99	-0.42 25 90	-0.47 92	0.65 12 100	-0.80 9 100	-1.00 27 97	-5.52 35 107	4.18 21 90	0					
1633 25 0917 107820235	106 20 0171 1633 23 0524	35.20	91	93	-0.76 38 91	-0.16 24 97	-0.54 91	-0.42 7 93	-1.70 6 95	-1.94 25 91	-8.70 36 111	7.80 16 80	0					
1633 25 0918 107839144	106 20 0171 1633 21 0259	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1633 25 0919 107839128	106 20 0171 1633 20 0027	2.87	92	93	-1.00 37 88	-0.43 28 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.80 26 92	-4.89 30 106	4.46 15 90	0							
1633 25 0924 109184101	762 22 0227 1633 23 0571	5.49	98	88	0.73 42 108	-0.58 30 86	-0.22 97	1.68 14 107	-1.50 17 96	-0.75 32 98	-8.01 36 110	7.30 23 82	0							
1633 25 0925 109184119	762 22 0227 1633 23 0571	5.49	98	88	0.73 42 108	-0.58 30 86	-0.22 97	1.68 14 107	-1.50 17 96	-0.75 32 98	-8.01 36 110	7.30 23 82	0							
1633 25 0931 109647776	1509 20 0051 1633 22 0355	2.71	105	105	-0.04 36 99	-0.19 17 96	-0.21 97	0.20 7 97	1.00 5 108	0.37 22 105	-3.30 35 104	-0.87 13 104	0							
1633 25 0932 109590307	1509 20 0051 1633 23 0673	3.04	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
1633 25 0933 109590315	1509 20 0051 1633 23 0673	3.04	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
1633 25 0934 109590323	762 22 0227 1633 22 0405	2.55	101	93	0.57 42 106	-0.43 31 90	-0.15 98	1.33 14 104	-0.60 17 101	-0.22 32 101	-9.52 32 112	6.70 21 83	0							
1633 25 0936 109590349	762 22 0227 1633 22 0405	2.55	101	93	0.57 42 106	-0.43 31 90	-0.15 98	1.33 14 104	-0.60 17 101	-0.22 32 101	-9.52 32 112	6.70 21 83	0							
1633 25 0938 109475384	762 22 0227 1633 20 0197	2.87	104	96	0.91 42 110	-0.29 36 93	0.16 103	1.76 14 107	-0.30 17 102	0.44 34 105	-3.75 29 105	4.45 20 90	0							
1633 25 0939 109475392	762 22 0227 1805 20 0010	2.87	103	93	0.74 41 108	-0.52 34 88	-0.15 98	1.64 14 106	-0.30 17 102	0.05 33 103	-9.95 30 112	6.49 20 84	0							
1633 25 0940 109475400	762 22 0227 1805 20 0010	2.87	103	93	0.74 41 108	-0.52 34 88	-0.15 98	1.64 14 106	-0.30 17 102	0.05 33 103	-9.95 30 112	6.49 20 84	0							
1633 25 0945 109590281	106 20 0171 1633 22 0338	2.56	96	94	-0.38 42 96	-0.29 24 94	-0.48 92	0.01 8 96	-0.60 6 101	-1.02 27 97	-7.57 33 109	7.25 18 82	0							
1633 25 0947 109475418	106 22 0902 1633 22 0316	2.57	102	102	-0.06 31 99	-0.12 21 98	-0.15 98	0.29 9 98	-0.30 5 102	-0.36 21 100	-7.04 34 109	2.18 18 96	0							
1633 25 0948 109475426	106 20 0171 1633 21 0247	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0							
1633 25 0949 109562124	1633 23 0644 1633 23 0615	2.83	105	109	-0.41 14 95	0.04 6 102	-0.17 97	-0.22 5 94	1.30 5 110	0.41 8 105	-2.31 24 103	-1.52 5 106	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb									
	Acc	Index	Acc				Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1633 25 0950 109562132	1633 23 0644 1633 23 0615	2.83	105	109	-0.41 14 95	0.04 6 102	-0.17 97	-0.22 5 94	1.30 5 110	0.41 8 105	-2.31 24 103	-1.52 5 106	0					
1633 25 0952 109590273	762 22 0227 1633 22 0389	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0					
1633 25 0953 109590265	762 22 0227 1633 22 0389	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0					
1633 25 0954 109562157	762 22 0227 1633 22 0303	2.68	104	89	1.65 47 118	-0.57 31 87	0.26 105	2.76 14 114	-0.50 17 101	0.78 34 107	6.50 35 92	2.15 22 96	0					
1633 25 0955 109562140	762 22 0227 1633 22 0303	2.68	104	89	1.65 47 118	-0.57 31 87	0.26 105	2.76 14 114	-0.50 17 101	0.78 34 107	6.50 35 92	2.15 22 96	0					
1633 25 0957 109562181	1509 20 0051 1633 21 0254	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0					
1633 25 0963 109562223	106 22 0902 1633 21 0220	2.79	98	102	-0.66 20 92	-0.15 22 97	-0.48 92	-0.36 7 93	-0.30 5 102	-0.98 17 97	-3.94 26 105	0.01 14 102	0					
1633 25 0964 109562215	106 22 0902 1633 21 0220	2.79	98	102	-0.66 20 92	-0.15 22 97	-0.48 92	-0.36 7 93	-0.30 5 102	-0.98 17 97	-3.94 26 105	0.01 14 102	0					
1633 25 0968 109562264	106 20 0171 1633 20 0194	2.87	97	100	-0.60 35 93	0.09 25 103	-0.21 97	-0.35 6 93	-0.60 5 101	-0.87 24 98	-2.42 31 103	3.56 15 92	0					
1633 25 0970 109590356	106 20 0171 - - -	3.87	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0					
1633 25 0973 109583559	106 22 0902 1351 20 0075	2.87	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0					
1633 25 0975 109562280	762 22 0227 1633 19 0003	2.90	98	88	0.45 40 105	-0.89 32 78	-0.67 89	1.45 14 105	-0.30 17 102	-0.63 32 99	-3.69 29 105	3.93 21 91	0					
1633 25 0977 109590372	1509 20 0051 1633 22 0383	2.71	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0					
1633 25 0978 109590364	1509 20 0051 1633 22 0383	2.71	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0					
1633 25 0981 109562306	1509 20 0051 1633 19 0138	2.90	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1633 25 0983 109562322	1509 20 0051 1633 22 0323	2.89	100	107	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.96 36 101	-2.48 15 109	0							
1633 25 0985 111179917	762 22 0227 1633 22 0311	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.74 29 105	4.45 20 90	0							
1633 25 0987 109562355	762 22 0227 1633 19 0104	2.90	101	91	0.67 41 107	-0.61 34 86	-0.27 96	1.60 14 106	-0.30 17 102	-0.12 33 102	-3.74 29 105	4.45 20 90	0							
1633 25 0989 109583633	106 20 0171 1633 23 0592	2.89	96	99	-0.72 34 92	-0.04 21 100	-0.40 93	-0.41 6 93	-0.70 6 100	-1.18 23 96	-5.89 36 107	4.38 15 90	0							
1633 25 0994 109583625	106 20 0171 1633 21 0285	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0							
1633 25 0998 109590083	762 22 0227 1633 23 0464	5.51	96	85	0.52 46 106	-0.69 33 83	-0.44 93	1.47 14 105	-1.50 17 96	-1.08 34 96	-6.00 32 107	7.15 22 82	0							
1633 25 1002 109725937	1509 20 0051 1384 21 0072	2.85	104	110	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	2.72 29 96	-5.46 13 117	0							
1633 25 1005 109647743	762 22 0227 1633 22 0411	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0							
1633 25 1006 109647719	762 22 0227 1633 22 0411	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0							
1633 25 1009 109583583	106 20 0171 1633 20 0160	2.87	95	97	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-5.21 31 106	4.97 15 88	0							
1633 25 1010 109583609	106 20 0171 1633 20 0172	2.87	96	99	-0.71 35 92	-0.05 25 99	-0.41 93	-0.43 6 93	-0.60 5 101	-1.12 24 96	-4.89 30 106	4.46 15 90	0							
1633 25 1011 109583591	106 20 0171 1633 20 0172	2.87	96	99	-0.71 35 92	-0.05 25 99	-0.41 93	-0.43 6 93	-0.60 5 101	-1.12 24 96	-4.89 30 106	4.46 15 90	0							
1633 25 1013 109590166	106 20 0171 1633 19 0021	2.90	92	94	-0.96 38 89	-0.38 30 91	-0.86 86	-0.60 6 92	-0.60 5 101	-1.70 27 93	-4.89 30 106	4.46 15 90	0							
1633 25 1014 109590208	1509 20 0051 1633 22 0301	2.78	106	104	0.56 37 106	0.04 18 102	0.32 106	0.88 5 101	0.90 5 108	1.14 22 109	12.38 35 84	-3.73 14 112	0							
1633 25 1015 109590141	1509 20 0051 1633 18 0013	2.80	102	107	-0.50 26 94	-0.11 18 98	-0.36 94	-0.33 5 94	1.00 5 108	-0.01 18 103	1.24 28 98	-3.29 10 111	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							EBV	Mat	EBV	EBV		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1633 25 1016 109590158	1509 20 0051 1633 18 0013	2.80	102	107	-0.50 26 94	-0.11 18 98	-0.36 94	-0.33 5 94	1.00 5 108	-0.01 18 103	1.24 28 98	-3.29 10 111	0									
1633 25 1019 109590182	762 22 0227 1633 19 0026	2.90	102	93	0.77 40 108	-0.48 32 89	-0.09 99	1.66 14 107	-0.30 17 102	0.11 32 103	-4.14 29 105	5.07 21 88	0									
1633 25 1020 109590190	762 22 0227 1633 19 0026	2.90	102	93	0.77 40 108	-0.48 32 89	-0.09 99	1.66 14 107	-0.30 17 102	0.11 32 103	-4.14 29 105	5.07 21 88	0									
1633 25 1026 109583641	106 20 0171 1633 22 0414	3.03	96	100	-0.71 35 92	-0.01 23 101	-0.36 94	-0.38 7 93	-0.80 6 100	-1.20 24 96	-4.33 35 105	3.13 18 93	0									
1633 25 1030 109590091	106 20 0171 1633 22 0356	2.71	98	95	0.14 43 101	-0.18 24 96	-0.12 98	0.64 6 100	-0.70 5 100	-0.47 27 100	-1.22 36 101	4.70 16 89	0									
1633 25 1032 110093192	1509 20 0051 1633 22 0034	2.71	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0									
1633 25 1037 109583682	1509 20 0051 1633 22 0344	2.74	105	112	-0.46 36 95	0.24 17 107	0.01 101	-0.50 5 92	0.80 5 107	0.26 22 104	-2.39 35 103	-2.38 14 108	0									
1633 25 1040 109647677	106 20 0171 1633 22 0339	2.71	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0									
1633 25 1041 109647693	106 20 0171 1633 22 0339	2.71	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0									
1633 25 1042 109583666	1509 20 0051 1633 20 0149	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	0.49 32 99	-3.04 10 110	0									
1633 25 1043 109583658	1509 20 0051 1633 20 0149	2.87	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	0.49 32 99	-3.04 10 110	0									
1633 25 1047 109590224	762 22 0227 1633 20 0095	2.87	103	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-5.08 30 106	4.55 21 89	0									
1633 25 1053 109590257	106 22 0902 1633 22 0340	2.71	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0									
1633 25 1055 109590109	106 20 0171 1633 20 0163	2.87	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0									
1633 25 1056 109590125	1509 20 0051 1633 22 0320	2.71	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir EBV Acc	Mat EBV Index	Comb EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 25 1057 109590133	1509 20 0051 1633 22 0320	2.71	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 25 1062 109647644	106 22 0902 1633 22 0412	2.71	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1065 109647586	1509 20 0051 1633 21 0246	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 25 1067 109647610	1509 20 0051 1633 22 0361	2.69	102	109	-0.71 35 92	0.04 16 102	-0.31 95	-0.73 5 91	0.80 5 107	-0.19 21 101	-2.97 35 104	-2.56 14 109	0						
1633 25 1069 109647750	762 22 0227 1633 23 0492	3.04	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0						
1633 25 1070 109647594	106 22 0902 1633 19 0141	2.90	95	99	-0.85 23 90	-0.39 26 91	-0.81 86	-0.49 7 92	-0.30 5 102	-1.42 20 94	-3.94 26 105	0.01 14 102	0						
1633 25 1071 109647628	106 22 0902 1633 21 0248	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1074 109647636	106 22 0902 1633 21 0260	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1075 109698373	106 22 0902 1633 21 0260	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1082 109647669	106 22 0902 1633 19 0030	2.90	96	99	-0.83 20 90	-0.36 22 92	-0.77 87	-0.47 7 93	-0.30 5 102	-1.36 17 95	-3.94 26 105	0.01 14 102	0						
1633 25 1085 109647735	1509 20 0051 1633 22 0376	2.74	107	112	-0.61 30 93	0.06 13 102	-0.25 96	-0.61 5 92	0.80 5 107	-0.07 18 102	-22.55 35 128	4.20 14 90	0						
1633 25 1086 109647602	1509 20 0051 1633 22 0376	2.74	107	112	-0.61 30 93	0.06 13 102	-0.25 96	-0.61 5 92	0.80 5 107	-0.07 18 102	-22.55 35 128	4.20 14 90	0						
1633 25 1089 109647685	1509 20 0051 1633 22 0441	2.67	105	106	-0.02 30 99	-0.14 13 97	-0.16 98	0.20 7 97	1.00 5 108	0.43 18 105	0.00 35 100	-2.22 15 108	0						
1633 25 1091 109725911	1509 20 0051 1633 20 0192	2.87	104	109	-0.38 29 95	0.05 22 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 21 104	1.56 30 98	-3.62 11 112	0						
1633 25 1093 109725986	106 22 0902 1633 23 0643	7.95	96	100	-0.51 25 94	0.01 22 101	-0.25 96	-0.21 8 94	-1.40 5 97	-1.34 19 95	-6.74 35 108	2.89 16 94	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 25 1094 109725994	762 22 0227 1633 20 0171	2.87	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.74 29 105	4.45 20 90	0						
1633 25 1099 109725895	106 22 0902 1658 21 0063	3.39	100	104	-0.45 17 95	0.04 17 102	-0.18 97	-0.25 8 94	-0.60 5 101	-0.76 14 98	-4.43 31 105	-0.44 18 103	0						
1633 25 1100 109725887	106 22 0902 1658 21 0063	3.39	100	104	-0.45 17 95	0.04 17 102	-0.18 97	-0.25 8 94	-0.60 5 101	-0.76 14 98	-4.43 31 105	-0.44 18 103	0						
1633 25 1104 109725960	106 20 0171 1633 18 0040	2.80	98	102	-0.50 35 94	0.21 25 106	-0.04 100	-0.29 6 94	-0.60 5 101	-0.65 24 99	-4.78 30 106	4.79 15 89	0						
1633 25 1105 109725945	106 22 0902 1633 21 0288	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1106 109725978	106 22 0902 1633 21 0288	2.79	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1108 109726042	106 22 0902 1633 18 0041	2.80	100	105	-0.51 25 94	0.05 28 102	-0.21 97	-0.26 7 94	-0.30 5 102	-0.64 22 99	-3.94 26 105	0.01 14 102	0						
1633 25 1111 109726034	762 22 0227 1633 22 0365	2.45	104	89	1.42 47 116	-0.73 32 82	-0.02 100	2.51 15 112	-0.40 17 102	0.45 34 105	-7.51 36 109	7.04 23 83	0						
1633 25 1112 109741397	762 22 0227 1633 23 0509	3.46	102	92	0.91 40 110	-0.51 29 88	-0.05 99	1.78 14 107	-0.70 17 100	-0.02 30 102	-1.55 37 102	2.82 21 94	0						
1633 25 1119 109741439	1509 20 0051 1633 21 0283	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 25 1120 109725952	106 22 0902 1633 19 0054	2.90	104	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-3.61 28 104	-0.10 14 102	0						
1633 25 1124 109741454	762 22 0227 1633 23 0715	2.93	102	93	0.64 41 107	-0.58 30 86	-0.26 96	1.49 14 105	-0.50 17 101	-0.24 31 101	-10.81 35 114	6.32 21 85	0						
1633 25 1133 109741413	762 22 0227 1633 19 0103	2.90	103	94	0.83 41 109	-0.40 34 91	0.01 101	1.70 14 107	-0.30 17 102	0.25 33 104	-1.38 32 102	3.27 21 93	0						
1633 25 1134 109741421	762 22 0227 1633 19 0103	2.90	103	94	0.83 41 109	-0.40 34 91	0.01 101	1.70 14 107	-0.30 17 102	0.25 33 104	-1.38 32 102	3.27 21 93	0						
1633 25 1144 109873083	106 22 0902 1633 22 0317	3.27	94	101	-1.15 30 87	-0.06 23 99	-0.63 90	-1.11 10 88	-0.50 6 101	-1.50 22 94	-0.09 34 100	-0.52 18 103	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 25 1145 109873075	106 22 0902 1633 22 0317	3.27	94	101	-1.15 30 87	-0.06 23 99	-0.63 90	-1.11 10 88	-0.50 6 101	-1.50 22 94	-0.09 34 100	-0.52 18 103	0						
1633 25 1146 109875021	106 22 0902 1633 20 0181	2.87	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1147 109875039	106 22 0902 1633 20 0181	2.87	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0						
1633 25 1151 109873109	106 22 0902 1633 21 0255	2.79	101	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.29 28 107	-0.14 14 102	0						
1633 25 1152 109873091	106 22 0902 1633 21 0255	2.79	101	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.29 28 107	-0.14 14 102	0						
1633 25 1156 109873158	762 22 0227 1633 20 0167	2.87	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.74 29 105	4.45 20 90	0						
1633 25 1158 109873141	762 22 0227 1633 23 0691	3.04	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0						
1633 25 1159 109873117	1509 20 0051 1633 23 0614	27.16	104	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	2.04 36 97	-4.46 11 114	0						
1633 25 1160 109873174	106 22 0902 1633 22 0358	2.66	99	106	-0.80 31 91	0.14 22 104	-0.26 96	-0.72 8 91	-0.50 5 101	-0.96 22 97	-7.77 34 110	0.80 17 100	0						
1633 25 1161 109873182	106 22 0902 1633 22 0358	2.66	99	106	-0.80 31 91	0.14 22 104	-0.26 96	-0.72 8 91	-0.50 5 101	-0.96 22 97	-7.77 34 110	0.80 17 100	0						
1633 25 1163 109873208	1509 20 0051 1633 21 0279	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 25 1165 109873216	1509 20 0051 1633 21 0231	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0						
1633 25 1170 109873240	1509 20 0051 1633 23 0579	2.88	105	111	-0.27 25 97	0.20 14 106	0.07 101	-0.16 5 95	0.90 5 108	0.47 16 105	2.05 35 97	-3.96 11 113	0						
1633 25 1175 111179925	1509 20 0051 1633 23 0583	27.12	103	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	4.76 36 94	-5.35 11 117	0						
1633 25 1176 111179933	1509 20 0051 1633 23 0583	27.12	103	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	4.76 36 94	-5.35 11 117	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
								Dir	Mat	Comb										
								EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100		-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 25 1180 110754603	1509 20 0051 1633 23 0679	27.12	105	106		0.27 30 103	-0.01 13 101	0.13 103	0.49 5 99	0.60 5 106	0.62 18 106	5.76 36 92	-4.65 12 115			0				
1633 25 1184 110754538	106 20 0171 1633 23 0686	3.88	93	96		-0.85 38 90	-0.19 22 96	-0.62 90	-0.66 7 91	-1.00 6 99	-1.64 24 93	-5.04 37 106	3.64 16 92			0				
1633 25 1186 110754546	106 20 0171 1805 20 0132	2.87	95	98		-0.75 37 91	-0.11 21 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 23 96	-4.89 30 106	4.46 15 90			0				
1633 25 1187 110754553	106 20 0171 1805 20 0132	2.87	95	98		-0.75 37 91	-0.11 21 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 23 96	-4.89 30 106	4.46 15 90			0				
1633 25 1189 110754579	106 20 0171 1633 23 0538	35.18	90	92		-0.75 38 91	-0.16 24 97	-0.53 91	-0.42 7 93	-1.70 6 95	-1.93 25 91	-0.94 37 101	5.12 16 88			0				
1633 25 1191 110754595	106 20 0171 1633 21 0238	2.79	95	98		-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90			0				
1633 25 1192 110823101	106 20 0171 1633 22 0357	2.68	95	97		-0.73 42 92	-0.09 24 99	-0.45 93	-0.50 6 92	-0.80 6 100	-1.29 27 95	-3.85 36 105	4.22 16 90			0				
1633 25 1193 110823093	106 20 0171 1633 22 0357	2.68	95	97		-0.73 42 92	-0.09 24 99	-0.45 93	-0.50 6 92	-0.80 6 100	-1.29 27 95	-3.85 36 105	4.22 16 90			0				
1633 25 1195 110823127	106 20 0171 1633 22 0394	2.71	95	98		-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90			0				
1633 25 1198 111008280	106 20 0171 1633 22 0353	2.71	98	94		0.25 43 103	-0.17 24 97	-0.05 100	0.77 6 101	-0.70 5 100	-0.34 27 101	3.08 33 96	3.22 17 93			0				
1633 25 1204 111008314	106 20 0171 1351 18 0090	2.80	96	98		-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-10.40 32 113	7.34 15 82			0				
1633 25 1206 111008330	106 20 0171 1633 18 0007	2.80	95	98		-0.75 35 91	-0.11 25 98	-0.49 92	-0.46 6 93	-0.60 5 101	-1.22 24 95	-5.54 31 107	4.45 15 90			0				
1633 25 1210 111058632	106 20 0171 1633 19 0036	2.90	98	100		-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-18.26 31 123	8.49 15 79			0				
1633 26 0100 112924923	1256 24 0139 1633 24 0776	3.18	97	100		-0.38 21 96	-0.07 18 99	-0.26 96	-0.10 11 95	-0.80 10 100	-0.93 17 97	2.56 25 97	-1.47 13 106			0				
1633 26 0101 112924931	1256 24 0139 1633 24 0776	3.18	97	100		-0.38 21 96	-0.07 18 99	-0.26 96	-0.10 11 95	-0.80 10 100	-0.93 17 97	2.56 25 97	-1.47 13 106			0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc
	Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1633 26 0106 112886668	1256 24 0139 1633 24 0753	2.83	99	102	-0.35 17 96	0.00 15 101	-0.18 97	-0.03 10 96	-0.50 10 101	-0.65 15 99	0.27 22 99	-0.11 13 102	0						
1633 26 0115 113325047	1805 24 0072 1633 19 0003	2.87	100	104	-1.03 12 88	-0.36 15 92	-0.88 85	-0.77 5 91	1.60 5 111	-0.43 11 100	-1.98 15 102	-0.93 8 104	0						
1633 26 0116 113324974	1805 24 0072 1633 23 0571	2.66	100	104	-0.75 17 91	-0.05 11 100	-0.42 93	-0.53 5 92	0.40 5 105	-0.56 11 99	-6.29 27 108	2.44 12 95	0						
1633 26 0119 113325013	1805 24 0072 1633 21 0289	2.79	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0						
1633 26 0120 113324990	1805 24 0072 1633 20 0171	2.85	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0						
1633 26 0121 113324982	1805 24 0072 1633 20 0171	2.85	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0						
1633 26 0122 113325021	1805 24 0072 1412 17 0003	2.88	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0						
1633 26 0126 114127798	1256 24 0139 1633 24 0874	4.18	96	99	-0.39 20 95	-0.01 20 101	-0.20 97	-0.07 11 95	-1.50 10 96	-1.29 18 95	-3.13 25 104	1.20 14 99	0						
1633 26 0127 113984694	1256 24 0139 1633 24 0842	4.25	95	97	-0.40 24 95	0.06 20 102	-0.15 98	-0.10 11 95	-1.60 10 96	-1.31 19 95	-0.69 30 101	2.47 14 95	0						
1633 26 0128 113984686	1256 24 0139 1633 24 0842	4.25	95	97	-0.40 24 95	0.06 20 102	-0.15 98	-0.10 11 95	-1.60 10 96	-1.31 19 95	-0.69 30 101	2.47 14 95	0						
1633 26 0129 114020407	1256 24 0139 1633 24 0834	4.14	95	99	-0.38 18 96	0.01 17 101	-0.18 97	-0.07 11 95	-1.50 10 96	-1.27 16 95	0.82 30 99	-0.10 14 102	0						
1633 26 0130 114020399	1256 24 0139 1633 24 0834	4.14	95	99	-0.38 18 96	0.01 17 101	-0.18 97	-0.07 11 95	-1.50 10 96	-1.27 16 95	0.82 30 99	-0.10 14 102	0						
1633 26 0131 114020423	1256 24 0139 1633 20 0181	2.87	98	101	-0.46 16 95	0.02 15 101	-0.21 97	-0.18 10 94	-0.50 10 101	-0.74 14 98	1.75 21 98	-0.30 12 103	0						
1633 26 0132 114020415	1256 24 0139 1633 20 0181	2.87	98	101	-0.46 16 95	0.02 15 101	-0.21 97	-0.18 10 94	-0.50 10 101	-0.74 14 98	1.75 21 98	-0.30 12 103	0						
1633 26 0133 114020449	1256 24 0139 1633 24 0854	3.21	98	101	-0.32 20 96	0.00 16 101	-0.16 98	-0.06 11 95	-0.80 10 100	-0.80 16 98	1.96 30 97	-1.27 13 105	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1633 26 0134 114020431	1256 24 0139 1633 24 0854	3.21	98	101	-0.32 20 96	0.00 16 101	-0.16 98	-0.06 11 95	-0.80 10 100	-0.80 16 98	1.96 30 97	-1.27 13 105	0						
1633 26 0135 114020456	1256 24 0139 1633 24 0803	4.20	97	101	-0.25 20 97	0.17 20 105	0.05 101	0.02 11 96	-1.50 10 96	-0.97 18 97	0.47 29 99	0.01 14 102	0						
1633 26 0136 114020464	1256 24 0139 1633 24 0803	4.20	97	101	-0.25 20 97	0.17 20 105	0.05 101	0.02 11 96	-1.50 10 96	-0.97 18 97	0.47 29 99	0.01 14 102	0						
1633 26 0141 114094287	106 20 0171 1633 22 0376	2.68	98	101	-0.97 38 89	-0.09 22 99	-0.58 90	-0.81 6 90	-0.80 6 100	-1.54 24 94	-28.67 36 136	11.95 18 69	0						
1633 26 0142 114094204	106 20 0171 1298 22 0083	2.55	100	100	-0.20 35 98	-0.04 22 100	-0.14 98	0.44 9 99	-0.50 6 101	-0.54 23 99	-8.85 36 111	5.44 20 87	0						
1633 26 0146 114094162	106 20 0171 1633 22 0316	2.56	97	95	-0.31 42 96	-0.28 24 94	-0.44 93	0.09 8 96	-0.60 6 101	-0.95 27 97	-7.99 36 110	6.63 18 84	0						
1633 26 0148 114094311	106 20 0171 1633 22 0441	2.51	96	95	-0.39 38 95	-0.29 22 94	-0.49 92	0.00 8 96	-0.60 6 101	-1.04 24 97	-6.13 36 108	5.53 18 87	0						
1633 26 0151 114094253	106 20 0171 1633 21 0246	2.79	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0						
1633 26 0155 114094212	762 22 0227 1633 22 0378	2.45	105	89	1.60 46 118	-0.60 31 86	0.20 104	2.67 15 113	-0.40 17 102	0.76 34 107	-6.85 36 109	8.40 23 79	0						
1633 26 0156 114094337	106 20 0171 1633 22 0333	2.56	98	95	-0.26 42 97	-0.27 24 94	-0.40 93	0.15 8 97	-0.60 6 101	-0.89 27 97	-13.63 37 117	8.91 18 77	0						
1633 26 0162 114094170	762 22 0227 1633 22 0311	2.71	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.74 29 105	4.45 20 90	0						
1633 26 0167 114094188	762 22 0227 1633 21 0213	2.79	102	93	0.75 40 108	-0.51 32 88	-0.13 98	1.65 14 106	-0.30 17 102	0.06 32 103	-3.75 29 105	4.45 20 90	0						
1633 26 0169 114094303	762 22 0227 1633 20 0163	2.87	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0						
1633 26 0171 114094352	106 20 0171 1633 19 0042	2.90	92	93	-1.00 35 89	-0.43 25 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.79 24 92	-4.89 30 106	4.46 15 90	0						
1633 26 0172 114094246	106 20 0171 1633 19 0042	2.90	92	93	-1.00 35 89	-0.43 25 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.79 24 92	-4.89 30 106	4.46 15 90	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Acc	EBV Index		EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index		
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31	-0.30	0.15					
1633 26 0174 114127640	106 1633	20 22	0171 0301	2.74	97	93	0.20 43		-0.11 25		-0.01 100	0.68 6		-0.70 5	-0.33 27	6.25 36	4.02 17		0			
1633 26 0177 114127756	106 1633	20 21	0171 0288	2.79	95	98	-0.75 33		-0.11 20		-0.48 92	-0.46 6		-0.60 5	-1.22 22	-4.89 30	4.46 15		0			
1633 26 0178 114127764	106 1384	20 21	0171 0123	2.71	96	99	-0.75 33		-0.11 20		-0.49 92	-0.46 6		-0.60 5	-1.22 22	-4.74 33	3.22 18		0			
1633 26 0180 114127723	762 776	22 22	0227 0490	2.80	104	89	1.41 43		-0.80 32		-0.10 99	2.77 17		-0.50 18	0.31 33	-4.38 34	4.17 25		0			
1633 26 0181 114127665	762 1633	22 22	0227 0329	2.45	103	89	1.33 46		-0.64 31		0.02 101	2.35 15		-0.40 17	0.45 34	-2.13 36	4.97 23		0			
1633 26 0190 114127715	106 1633	20 21	0171 0253	2.79	95	98	-0.75 33		-0.11 20		-0.48 92	-0.46 6		-0.60 5	-1.22 22	-4.89 30	4.46 15		0			
1633 26 0192 114593817	762 1633	22 22	0227 0365	2.45	104	89	1.42 47		-0.73 32		-0.02 100	2.51 15		-0.40 17	0.45 34	-7.51 36	7.04 23		0			
1633 26 0194 114593825	762 1633	22 18	0227 0041	2.80	102	93	0.76 42		-0.50 36		-0.12 98	1.65 14		-0.30 17	0.08 34	-3.74 29	4.45 20		0			
1633 26 0195 114593833	762 1633	22 18	0227 0041	2.80	102	93	0.76 42		-0.50 36		-0.12 98	1.65 14		-0.30 17	0.08 34	-3.74 29	4.45 20		0			
1633 26 0202 114593890	762 1633	22 19	0227 0138	2.90	102	93	0.76 38		-0.49 29		-0.11 99	1.66 14		-0.30 17	0.10 30	-3.74 29	4.45 20		0			
	Ewe flock average: Total ewes in flock: 310				101	102	-0.27		-0.09		-0.22	0.07		0.36	-0.14	-2.25	1.07					

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds			Dir	Mat	Comb						
			y		Weaned	Herds			Acc Index	Acc Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambbed
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1	106 16 0016 82028127	9.10	1298 10 0440 106 14 0061		9	1	87	81	-0.39 66 95	-0.66 61 84	-0.85 86	0.31 21 98	-2.90 18 90	-2.78 53 86	-13.49 79 117	12.51 46 67	1
2	970 17 0057 79445532	1.98	970 15 0158 970 14 0058				107	116	-0.51 27 94	0.45 26 112	0.20 104	-0.19 13 94	0.90 8 108	0.49 22 105	-0.10 41 100	-4.28 26 114	9
3	1658 18 0008 83357343	2.80													1.69 29 98	-4.21 13 114	
4	430 18 0081 82925561	3.76	762 15 0229 430 14 0123				100	107	-0.22 36 97	-0.04 30 100	-0.14 98	-0.43 18 93	-0.90 18 99	-0.79 30 98	-0.19 62 100	-6.85 40 121	6
5	106 19 0282 91053264	8.41	762 15 0121 106 16 0063		10	1	97	101	-0.14 58 98	-0.05 61 100	-0.12 98	0.17 28 97	-2.30 15 93	-1.57 49 93	-7.74 81 110	-0.75 47 104	4
6	1298 19 0308 91950683	2.10	16 4 60 DL 1298 11 0201				110	102	1.04 49 111	0.04 41 102	0.56 110	2.39 30 111	0.60 17 106	1.43 39 111	1.08 58 98	2.14 42 96	2
7	762 19 0382 86288982	5.95	762 16 0414 762 17 0284	79	1	61 3	78	56	1.16 94 113	-1.33 89 67	-0.75 87	2.16 48 110	-4.90 56 80	-3.11 83 85	7.30 90 91	20.34 70 64	72 3
8	1384 20 0049 92394592	2.80	1384 18 0068 1384 13 0083				104	110	-0.68 5 92	0.07 5 102	-0.28 96	-0.50 5 92	1.60 5 111		3.10 52 96	-3.76 25 112	2
9	1509 20 0051 96162763	2.92	430 18 0081 1509 17 0032	6	1		104	108	-0.10 48 99	0.01 21 101	-0.04 100	-0.02 9 96	0.40 9 105	0.15 29 103	2.85 57 96	-5.63 20 117	4
10	1658 20 0059 90197807	2.86	1658 18 0224 770 17 0248				100	104	-0.95 11 89	-0.19 13 96	-0.67 89	-0.75 5 91	1.70 5 111	-0.13 9 102	-2.96 45 104	2.46 24 95	1
11	1509 20 0066 93075604	2.92	430 18 0081 1509 17 0104				103	111	-0.45 18 95	0.02 15 101	-0.20 97	-0.46 9 93	0.40 9 105	-0.18 15 102	1.64 60 98	-7.69 32 123	1
12	430 20 0068 88577762	9.82	430 19 0008 430 16 0116				121	120	1.26 39 114	0.61 32 116	1.24 122	2.72 27 114	1.50 10 111	2.77 30 119	0.65 50 99	-5.49 34 117	3
13	970 20 0070 89455943	1.89	970 18 0010 970 16 0027	9	1		86	98	-2.62 63 70	-0.48 42 89	-1.78 70	-3.09 24 75	0.70 14 107	-2.67 44 87	-5.22 55 106	2.36 33 95	4

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
14	116 20 0073 92234863	2.61	116 18 0212 116 16 0039	43	1		105	93	1.55 82 117	-0.43 38 90	0.34 106	2.33 5 111	1.20 5 109	1.84 47 113	25.82 52 67	-4.75 22 115	4
15	430 20 0138 90635905	12.19	430 18 0050 430 15 0025		1 1		118	123	0.71 53 108	0.80 45 121	1.16 120	1.74 29 107	0.40 13 105	1.75 41 113	-8.50 64 111	-4.83 42 115	5
16	106 20 0171 94943008	34.99	106 16 0016 106 18 0122	14	1		86	86	-0.83 67 90	-0.29 40 94	-0.70 88	-0.42 12 93	-2.90 11 90	-2.86 44 86	-9.39 59 112	9.86 29 75	4
17	116 20 0182 91250464	5.88	116 19 0049 116 19 0046	26	1		107	95	0.77 74 108	-0.66 34 84	-0.28 96	1.32 22 104	1.50 6 111	1.01 43 108	-8.74 58 111	6.53 30 84	3
18	116 20 0216 91252304	1.78	116 19 0039 116 16 0008	21	1		99	109	-1.57 71 82	0.15 32 105	-0.64 89	-1.90 8 83	0.70 6 107	-1.00 41 97	-15.28 51 119	4.81 25 89	8
19	762 20 0260 86887742	9.02	762 18 0157 762 15 0299				86	83	0.28 59 103	-0.35 57 92	-0.21 97	0.65 37 100	-4.40 35 83	-2.71 53 87	9.55 64 88	-0.38 42 103	124 9
20	1298 20 0365 91059196	2.82	1298 18 0082 1298 14 0154				91	84	0.05 47 100	-0.68 35 84	-0.65 89	1.24 15 104	-1.70 9 95	-1.65 34 93	4.31 47 94	3.95 25 91	5
21	1633 21 0036 96987334	2.80	970 17 0057 1633 18 0038				106	113	-0.54 21 94	0.33 23 109	0.06 101	-0.31 7 94	1.30 5 110	0.57 18 106	-0.47 34 100	-2.53 13 109	105 4
22	554 21 0113 93203826	2.20	1318 19 0108 554 17 0092		10 1		114	120	0.37 66 104	0.86 56 122	1.05 118	1.09 22 103	1.40 9 110	2.07 49 115	7.99 62 90	-5.51 33 117	5
23	1509 21 0164 97742779	2.79	1509 21 0013 1509 20 0081		1 1		105	112	-0.60 17 93	0.09 19 103	-0.22 97	-0.47 5 93	1.30 5 110	0.27 14 104	-2.56 44 103	-3.66 15 112	3
24	1332 21 0215 95265799	2.79		2 1			108	110	-0.21 28 97	-0.01 8 100	-0.12 98	0.13 5 97	1.60 5 111	0.74 14 107	-6.31 33 108	-0.19 7 102	
25	776 21 0236 93348431	3.31	776 19 0103 776 16 0305	6 1			112	103	1.05 61 111	-0.40 40 91	0.12 102	2.04 18 109	1.70 17 111	1.67 43 112	-4.49 47 106	1.11 32 99	7
26	1384 21 0481 94074044	2.79	1384 19 0031 1384 20 0123				104	108	-0.69 5 92	0.06 6 102	-0.29 95	-0.50 5 92	1.60 5 111		-2.94 63 104	1.27 23 98	2

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambed
			Progen y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
27	762 22 0227 96007570	10.65	762 19 0382 762 18 0120	15	2	100	76	2.20 76 124	-1.05 57 74	0.05 101	3.81 27 121	-2.30 34 93	-0.23 59 101	-7.11 57 109	9.84 41 75	94 4	
28	106 22 0902 99092314	13.54	106 19 0282 106 19 9144			96	100	-0.33 33 96	0.03 34 102	-0.13 98	-0.02 15 96	-2.20 9 93	-1.62 28 93	-7.50 53 109	0.97 28 99	4	
29	1633 23 0644 97410799	2.79	1332 21 0215 1633 20 0182			106	110	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-3.34 17 104	-0.57 5 103	3	
30	1805 24 0072 107445769	2.74	1509 21 0164 1805 23 0310			103	108	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.68 30 104	0.13 13 102	2	
31	1256 24 0139 110490596	4.10	762 20 0260 1256 20 0089			91	93	-0.25 32 97	-0.04 31 100	-0.16 98	0.13 21 97	-2.70 19 91	-1.91 29 92	3.89 41 95	0.35 25 101	3	
			Sire Flock Average: Number of sires used in the flock: 31				101	101	-0.06	-0.10	-0.13	0.41	-0.12	-0.24	-1.29	0.57	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW		AFL	ILP		Dam	
			Progeny Number	Progeny Number			Dir	Mat	Comb		EBV	EBV	EBV	EBV	EBV		EBV
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI		Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
1	1633 24 0852 100857051	2.90	509 20 0051 633 19 0048		107	112	-0.20 26 98	0.28 18 108	0.19 104	-0.13 5 95	1.00 5 108	0.69 18 107	1.24 28 98	-3.29 10 111	100	3	
2	1633 24 0851 100857150	2.90	509 20 0051 633 19 0048		107	112	-0.20 26 98	0.28 18 108	0.19 104	-0.13 5 95	1.00 5 108	0.69 18 107	1.24 28 98	-3.29 10 111	100	3	
3	1633 25 1181 110754629	2.77	509 20 0051 633 23 0707		106	107	0.23 28 102	-0.01 12 101	0.10 102	0.52 5 99	1.00 5 108	0.82 17 107	5.28 34 93	-4.23 11 114		1	
4	1633 25 1182 110754611	2.77	509 20 0051 633 23 0707		106	107	0.23 28 102	-0.01 12 101	0.10 102	0.52 5 99	1.00 5 108	0.82 17 107	5.28 34 93	-4.23 11 114		1	
5	1633 24 0829 100857093	2.87	509 20 0051 633 20 0147		106	111	-0.23 26 97	0.24 18 107	0.13 103	-0.15 5 95	1.00 5 108	0.61 18 106	1.74 31 98	-3.45 10 111	99	4	
6	1633 25 1169 109873232	2.88	509 20 0051 633 23 0579		105	111	-0.27 25 97	0.20 14 106	0.07 101	-0.16 5 95	0.90 5 108	0.47 16 105	2.05 35 97	-3.96 11 113		1	
7	1633 26 0154 114094410	2.45	762 22 0227 633 22 0378		105	89	1.60 46 118	-0.60 31 86	0.20 104	2.67 15 113	-0.40 17 102	0.76 34 107	-6.85 36 109	8.40 23 79		2	
8	1633 24 0675 99395139	2.87	633 21 0036 633 20 0168		105	111	-0.61 10 93	0.20 11 106	-0.10 99	-0.40 5 93	1.50 5 111	0.50 9 105	-0.92 19 101	-1.58 6 106		2	
9	1633 24 0630 99224487	2.74	509 20 0051 633 22 0344		105	112	-0.46 36 95	0.24 17 107	0.01 101	-0.50 5 92	0.80 5 107	0.26 22 104	-2.39 35 103	-2.38 14 108		2	
10	1633 25 1036 109583674	2.74	509 20 0051 633 22 0344		105	112	-0.46 36 95	0.24 17 107	0.01 101	-0.50 5 92	0.80 5 107	0.26 22 104	-2.39 35 103	-2.38 14 108		2	
11	1633 24 0780 100483239	2.70	509 20 0051 633 22 0426		105	105	-0.03 31 99	-0.15 15 97	-0.17 97	0.19 7 97	1.00 5 108	0.42 19 105	-1.38 35 102	-1.25 13 105		1	
12	1633 25 0976 109562298	2.87	762 22 0227 633 20 0198		105	96	0.98 40 111	-0.22 32 95	0.27 105	1.80 14 107	-0.30 17 102	0.58 32 106	-2.97 30 104	4.78 21 89	94	3	
13	1633 26 0117 113325039	2.76	805 24 0072 633 23 0735		105	110	-0.51 17 94	0.10 14 103	-0.15 98	-0.39 5 93	1.30 5 110	0.38 12 105	-1.22 21 101	-1.58 8 106		1	
14	1633 25 0929 109475343	27.13	509 20 0051 633 23 0604		104	109	-0.24 27 97	0.02 11 101	-0.10 99	-0.14 5 95	0.70 5 107	0.20 16 104	0.72 36 99	-4.62 12 115		1	
15	1633 25 1001 109725879	2.85	509 20 0051 384 21 0072		104	110	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	2.72 29 96	-5.46 13 117		3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam EPI Times Lamb
			Progeny Number Weaned	Herds	Progeny Number Weaned			Herds	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index		Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index		
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
16	1633 25 1110 109726026	2.45	762 22 0227 633 22 0365			104	89	1.42 47 116	-0.73 32 82	-0.02 100	2.51 15 112	-0.40 17 102	0.45 34 105	-7.51 36 109	7.04 23 83			3	
17	1633 25 1164 109873224	2.79	509 20 0051 633 21 0231			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			3	
18	1633 25 0926 112490990	2.79	762 22 0227 633 23 0640			104	94	0.88 39 110	-0.51 29 88	-0.07 99	1.82 14 108	-0.30 17 102	0.19 30 104	-7.25 35 109	4.40 21 90			2	
19	1509 20 0051 96162763	2.92	430 18 0081 509 17 0032	6	1	104	108	-0.10 48 99	0.01 21 101	-0.04 100	-0.02 9 96	0.40 9 105	0.15 29 103	2.85 57 96	-5.63 20 117			4	
20	1633 25 0980 109562314	2.90	509 20 0051 633 19 0138			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			4	
21	1633 25 0927 112491071	2.79	762 22 0227 633 23 0640			104	94	0.88 39 110	-0.51 29 88	-0.07 99	1.82 14 108	-0.30 17 102	0.19 30 104	-7.25 35 109	4.40 21 90			2	
22	1633 24 0751 100904812	2.79	509 20 0051 633 21 0245			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			1	
23	1633 25 1118 109741462	2.71	509 20 0051 633 22 0321			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			1	
24	1633 24 0717 100483312	2.79	509 20 0051 633 21 0289			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			4	
25	1633 25 1162 109873190	2.79	509 20 0051 633 21 0279			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			3	
26	1633 24 0820 100857713	2.79	509 20 0051 633 21 0207			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			3	
27	1633 24 0610 99194045	2.71	509 20 0051 633 22 0330			104	105	-0.05 35 99	-0.15 16 97	-0.17 97	0.16 7 97	1.00 5 108	0.40 21 105	1.77 36 98	-2.17 13 108			1	
28	1633 26 0179 114127731	2.80	762 22 0227 776 22 0490			104	89	1.41 43 116	-0.80 32 81	-0.10 99	2.77 17 114	-0.50 18 101	0.31 33 104	-4.38 34 105	4.17 25 90			3	
29	1633 25 1090 109725929	2.87	509 20 0051 633 20 0192			104	109	-0.38 29 95	0.05 22 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 21 104	1.56 30 98	-3.62 11 112		97	5	
30	1633 25 1031 110093184	2.71	509 20 0051 633 22 0034			104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111			1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							Comb	
			EBV Acc Index	EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
31	1633 25 0956 109562173	2.79	509 20 0051 633 21 0254		104	109	-0.38 24	0.04 10	-0.15 98	-0.25 5	1.00 5	0.26 14	1.24 28	-3.29 10	3	
32	1633 24 0704 100093681	2.80	384 21 0481 351 18 0081		104	109	-0.68 5	0.07 5	-0.27 96	-0.50 5	1.60 5		-0.65 34	-0.73 13	4	
33	1633 26 0118 113325005	2.79	805 24 0072 633 21 0289		104	109	-0.71 5	0.05 5	-0.31 95	-0.55 5	1.60 5		-2.03 15	-0.41 7	4	
34	1633 25 1140 109741488	2.84	509 20 0051 633 23 0714		104	109	-0.51 28	-0.05 13	-0.31 95	-0.42 5	0.90 5	-0.02 17	-5.67 35	-1.47 12	1	
35	1633 26 0186 114127681	3.07	762 22 0227 633 23 0580		104	95	0.87 39	-0.33 30	0.11 102	1.76 14	-0.40 17	0.31 30	-3.59 33	3.99 21	1	
36	1633 26 0185 114127699	3.07	762 22 0227 633 23 0580		104	95	0.87 39	-0.33 30	0.11 102	1.76 14	-0.40 17	0.31 30	-3.59 33	3.99 21	1	
37	1633 25 1141 109741470	2.84	509 20 0051 633 23 0714		104	109	-0.51 28	-0.05 13	-0.31 95	-0.42 5	0.90 5	-0.02 17	-5.67 35	-1.47 12	1	
38	1633 24 0804 100857499	2.90	106 22 0902 633 19 0054		104	109	-0.25 23	0.38 25	0.26 105	-0.08 7	-0.30 5	-0.04 20	-3.61 28	-0.10 14	99 5	
39	1633 25 1177 110078920	27.12	509 20 0051 633 23 0510		103	108	-0.24 27	0.02 11	-0.10 99	-0.13 5	0.70 5	0.20 16	5.07 36	-5.46 11	1	
40	1805 24 0072 107445769	2.74	509 21 0164 805 23 0310		103	108	-0.75 9	0.01 10	-0.37 94	-0.61 5	1.50 5	0.16 8	-3.68 30	0.13 13	2	
41	1633 24 0693 100093749	2.90	384 21 0481 351 19 0044		103	108	-0.68 5	0.07 5	-0.27 96	-0.50 5	1.60 5		2.05 33	-1.06 12	3	
42	1633 25 0900 107697278	2.90	762 22 0227 633 19 0117		103	94	0.80 40	-0.44 32	-0.04 100	1.68 14	-0.30 17	0.18 32	-4.42 30	4.65 21	94 3	
43	1633 25 0930 109475368	3.47	762 22 0227 633 23 0620		103	93	0.94 40	-0.47 30	0.01 100	1.80 14	-0.70 17	0.05 31	-4.88 36	3.92 21	1	
44	1633 26 0170 114094329	2.49	762 22 0227 633 22 0338		103	89	1.14 46	-0.67 31	-0.10 99	2.13 15	-0.40 17	0.23 34	-6.43 32	7.25 23	2	
45	1633 25 1046 109590216	2.87	762 22 0227 633 20 0095		103	93	0.76 38	-0.49 29	-0.11 99	1.66 14	-0.30 17	0.10 30	-5.08 30	4.55 21	3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Progeny Number	Progeny Number			Dir	Mat								EBV	EBV	EBV
			Weaned	Herds			Weaned	Herds	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	1633 24 0812 100857614	2.87	106 22 0902 633 20 0198		103	108	-0.29 20	0.33 22	0.18 109	-0.11 7	95	-0.30 5	-0.15 17	-3.17 28	0.34 14	94 3		
47	1633 25 1066 109647768	2.69	509 20 0051 633 22 0361		102	109	-0.71 35	0.04 16	-0.31 102	-0.73 5	91	0.80 5	-0.19 21	-2.97 35	-2.56 14	2		
48	1633 25 0906 107835654	3.87	762 22 0227		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20			
49	1633 25 1157 109873133	3.04	762 22 0227 633 23 0691		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	1		
50	1633 26 0159 114102452	2.87	762 22 0227 633 20 0091		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	1		
51	1633 26 0153 114094378	2.79	762 22 0227 633 21 0281		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	3		
52	1633 26 0182 114127707	2.71	762 22 0227 633 22 0339		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	2		
53	1633 25 0902 107697294	2.87	762 22 0227 633 20 0175		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	2		
54	1633 25 1155 109873125	2.87	762 22 0227 633 20 0167		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.74 29	4.45 20	3		
55	1633 25 1143 109741496	2.90	762 22 0227 633 19 0137		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	3		
56	1633 26 0158 114102445	2.87	762 22 0227 633 20 0091		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	1		
57	1633 25 1142 109741504	2.90	762 22 0227 633 19 0137		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	3		
58	1633 26 0168 114094394	2.87	762 22 0227 633 20 0163		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	3		
59	1633 26 0152 114094196	2.79	762 22 0227 633 21 0281		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.75 29	4.45 20	3		
60	1633 26 0161 114094261	2.71	762 22 0227 633 22 0311		102	93	0.76 38	-0.49 29	-0.11 89	1.66 14	107	-0.30 17	0.10 30	-3.74 29	4.45 20	2		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Weaned	Herds	Acc	Index	Acc	Index	Acc	Index	Acc	Index
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61	1633 25 0984 111179909	2.71	762 22 0227 633 22 0311		102	93	0.76 38	-0.49 29	-0.11 99	1.66 14	-0.30 17	0.10 30	-3.74 29	4.45 20	2	
62	1658 20 0204 93059673	2.87	658 20 0059 658 18 0284		102	106	-0.81 6	-0.06 6	-0.46 92	-0.62 5	1.70 5	0.15 5	-1.67 23	0.76 12	1	
63	1633 25 0910 107787905	3.50	762 22 0227 633 23 0600		102	93	0.91 40	-0.51 29	-0.05 99	1.78 14	-0.70 17	-0.02 30	-3.68 35	3.52 21	1	
64	1633 26 0166 114094279	2.79	762 22 0227 633 21 0213		102	93	0.75 40	-0.51 32	-0.13 98	1.65 14	-0.30 17	0.06 32	-3.75 29	4.45 20	97 3	
65	1633 25 1123 109741447	2.93	762 22 0227 633 23 0715		102	93	0.64 41	-0.58 30	-0.26 96	1.49 14	-0.50 17	-0.24 31	-10.81 35	6.32 21	1	
66	1633 24 0806 100857515	2.52	106 22 0902 633 22 0351		102	99	0.19 32	-0.20 22	-0.10 99	0.65 9	-0.30 5	-0.19 22	-5.95 35	3.39 18	2	
67	1633 24 0807 100857531	2.52	106 22 0902 633 22 0351		102	99	0.19 32	-0.20 22	-0.10 99	0.65 9	-0.30 5	-0.19 22	-5.95 35	3.39 18	2	
68	1633 25 1113 109741405	3.46	762 22 0227 633 23 0509		102	92	0.91 40	-0.51 29	-0.05 99	1.78 14	-0.70 17	-0.02 30	-1.55 37	2.82 21	1	
69	1633 26 0187 114127780	3.47	762 22 0227 658 21 0063		102	92	0.82 38	-0.50 29	-0.09 99	1.67 14	-0.70 17	-0.10 30	-4.24 33	4.00 23	4	
70	1633 25 0904 107835613	2.90	762 22 0227 633 19 0057		102	92	0.69 41	-0.58 34	-0.23 96	1.61 14	-0.30 17	-0.07 33	-5.38 30	4.82 20	103 3	
71	1633 25 0935 109590331	2.55	762 22 0227 633 22 0405		101	93	0.57 42	-0.43 31	-0.15 98	1.33 14	-0.60 17	-0.22 32	-9.52 32	6.70 21	1	
72	1633 25 1102 109726000	2.80	106 22 0902 633 18 0058		101	106	-0.44 20	0.14 22	-0.08 99	-0.21 7	-0.30 5	-0.48 17	-5.24 28	0.44 14	99 4	
73	1633 25 1101 109726018	2.80	106 22 0902 633 18 0058		101	106	-0.44 20	0.14 22	-0.08 99	-0.21 7	-0.30 5	-0.48 17	-5.24 28	0.44 14	99 4	
74	1633 25 0986 109562348	2.90	762 22 0227 633 19 0104		101	91	0.67 41	-0.61 34	-0.27 96	1.60 14	-0.30 17	-0.12 33	-3.74 29	4.45 20	97 4	
75	1633 25 0988 109562363	2.90	762 22 0227 633 19 0104		101	91	0.67 41	-0.61 34	-0.27 96	1.60 14	-0.30 17	-0.12 33	-3.74 29	4.45 20	97 4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Herds	Progeny Number Weaned			Progeny Herds	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index						Post-Wean EBV Acc Index
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76	1633 24 0796 100602820	2.80	106 22 0902 633 18 0038			101	106	-0.45 23 95	0.12 25 104	-0.11 98	-0.22 7 94	-0.30 5 102	-0.52 20 100	-4.02 27 105	0.04 14 102	105 4	
77	1633 25 1122 110028644	2.71	509 20 0051 633 22 0325			100	105	-0.71 35 92	-0.24 16 95	-0.60 90	-0.61 7 92	1.00 5 108	-0.35 21 101	-0.77 32 101	-2.20 15 108	2	
78	762 22 0227 96007570	10.65	762 19 0382 762 18 0120	15	2	100	76	2.20 76 124	-1.05 57 74	0.05 101	3.81 27 121	-2.30 34 93	-0.23 59 101	-7.11 57 109	9.84 41 75	94 4	
79	1633 25 1077 109647727	2.71	106 22 0902 633 22 0392			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	1	
80	1633 24 0785 100904838	2.90	106 22 0902 633 19 0136			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	1	
81	1633 25 0971 109583542	2.87	106 22 0902 633 20 0182			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	3	
82	1633 25 1061 109647651	2.71	106 22 0902 633 22 0412			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	1	
83	1633 25 1052 109590240	2.71	106 22 0902 633 22 0340			100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	1	
84	1633 25 1107 109725861	2.80	106 22 0902 633 18 0041			100	105	-0.51 25 94	0.05 28 102	-0.21 97	-0.26 7 94	-0.30 5 102	-0.64 22 99	-3.94 26 105	0.01 14 102	105 6	
85	1633 24 0747 100483254	2.80	106 22 0902 633 18 0041			100	105	-0.51 25 94	0.05 28 102	-0.21 97	-0.26 7 94	-0.30 5 102	-0.64 22 99	-3.94 26 105	0.01 14 102	105 6	
86	1633 24 0748 100483270	2.80	106 22 0902 633 18 0041			100	105	-0.51 25 94	0.05 28 102	-0.21 97	-0.26 7 94	-0.30 5 102	-0.64 22 99	-3.94 26 105	0.01 14 102	105 6	
87	1633 25 0982 109562330	2.89	509 20 0051 633 22 0323			100	107	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.96 36 101	-2.48 15 109	3	
88	1633 24 0783 101265130	2.80	106 22 0902 633 18 0051			100	104	-0.55 20 94	-0.01 22 101	-0.28 96	-0.29 7 94	-0.30 5 102	-0.74 17 98	-4.26 28 105	-0.47 14 103	96 3	
89	1633 26 0103 112886643	2.79	256 24 0139 633 23 0640			99	103	-0.35 17 96	0.00 15 101	-0.18 97	-0.03 10 96	-0.50 10 101	-0.65 15 99	-1.75 29 102	-0.34 14 103	2	
90	1633 26 0102 112886650	2.79	256 24 0139 633 23 0640			99	103	-0.35 17 96	0.00 15 101	-0.18 97	-0.03 10 96	-0.50 10 101	-0.65 15 99	-1.75 29 102	-0.34 14 103	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
			Herds	Herds											
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91	1633 24 0758 100602325	2.66	106 22 0902 633 22 0358		99	106	-0.80 31 91	0.14 22 104	-0.26 96	-0.72 8 91	-0.50 5 101	-0.96 22 97	-7.77 34 110	0.80 17 100	2
92	1633 26 0109 112886684	2.87	256 24 0139 805 20 0010		99	102	-0.49 22 94	-0.01 24 101	-0.25 96	-0.20 10 94	-0.50 10 101	-0.79 20 98	-4.45 22 105	1.74 12 97	100 7
93	1633 26 0110 112886676	2.87	256 24 0139 805 20 0010		99	102	-0.49 22 94	-0.01 24 101	-0.25 96	-0.20 10 94	-0.50 10 101	-0.79 20 98	-4.45 22 105	1.74 12 97	100 7
94	1633 25 1197 111008298	2.71	106 20 0171 633 22 0353		98	94	0.25 43 103	-0.17 24 97	-0.05 100	0.77 6 101	-0.70 5 100	-0.34 27 101	3.08 33 96	3.22 17 93	3
95	1633 25 0928 109475350	5.46	762 22 0227 633 23 0559		98	88	0.77 42 108	-0.52 31 88	-0.13 98	1.71 14 107	-1.50 17 96	-0.65 32 99	-6.27 37 108	7.20 22 82	1
96	1633 25 0974 109562272	2.90	762 22 0227 633 19 0003		98	88	0.45 40 105	-0.89 32 78	-0.67 89	1.45 14 105	-0.30 17 102	-0.63 32 99	-3.69 29 105	3.93 21 91	94 6
97	1633 25 1007 109583567	2.80	106 20 0171 633 18 0044		98	101	-0.55 35 94	0.15 25 104	-0.13 98	-0.32 6 94	-0.60 5 101	-0.77 24 98	-5.02 31 106	4.50 15 90	99 4
98	1633 25 1209 111058624	2.90	106 20 0171 633 19 0036		98	100	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-18.26 31 123	8.49 15 79	4
99	1633 26 0183 114127673	5.51	762 22 0227 633 23 0572		98	88	0.76 42 108	-0.54 32 87	-0.16 98	1.70 14 107	-1.50 17 96	-0.68 32 99	-4.74 35 106	6.54 22 84	1
100	1633 25 1008 109583575	2.80	106 20 0171 633 18 0044		98	101	-0.55 35 94	0.15 25 104	-0.13 98	-0.32 6 94	-0.60 5 101	-0.77 24 98	-5.02 31 106	4.50 15 90	99 4
101	1633 25 1212 111058657	2.90	106 20 0171 633 19 0048		98	101	-0.56 35 93	0.14 25 104	-0.15 98	-0.33 6 94	-0.60 5 101	-0.79 24 98	-4.89 30 106	4.46 15 90	100 3
102	1633 25 1213 111058640	2.90	106 20 0171 633 19 0048		98	101	-0.56 35 93	0.14 25 104	-0.15 98	-0.33 6 94	-0.60 5 101	-0.79 24 98	-4.89 30 106	4.46 15 90	100 3
103	1633 26 0140 114094386	2.68	106 20 0171 633 22 0376		98	101	-0.97 38 89	-0.09 22 99	-0.58 90	-0.81 6 90	-0.80 6 100	-1.54 24 94	-28.67 36 136	11.95 18 69	3
104	1633 26 0184 114127749	5.49	762 22 0227 633 23 0573		97	86	0.73 42 108	-0.58 30 86	-0.22 97	1.68 14 107	-1.50 17 96	-0.75 32 98	-6.48 36 108	7.91 23 80	2
105	1633 25 1208 111058665	2.87	106 20 0171 633 20 0147		97	100	-0.60 35 93	0.09 25 103	-0.21 97	-0.35 6 93	-0.60 5 101	-0.86 24 98	-4.38 32 105	4.29 15 90	99 4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Acc EBV Index					
			Herds	Herds											
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
106	1633 25 1202 111008413	3.12	106 20 0171 298 21 0433		97	95	-0.12 36	-0.19 23	-0.25 96	0.60 10 100	-0.80 7 100	-0.79 24 98	-2.31 38 103	4.48 19 90	3
107	1633 25 1203 111008405	3.12	106 20 0171 298 21 0433		97	95	-0.12 36	-0.19 23	-0.25 96	0.60 10 100	-0.80 7 100	-0.79 24 98	-2.31 38 103	4.48 19 90	3
108	1633 24 0799 100857432	3.27	106 22 0902 633 22 0334		97	104	-0.99 29	-0.08 22	-0.58 90	-0.90 10 90	-0.50 6 101	-1.37 21 95	-11.78 35 115	2.29 18 96	2
109	1633 24 0798 100857416	3.27	106 22 0902 633 22 0334		97	104	-0.99 29	-0.08 22	-0.58 90	-0.90 10 90	-0.50 6 101	-1.37 21 95	-11.78 35 115	2.29 18 96	2
110	1633 24 0639 99274920	2.80	106 20 0171 633 18 0010		97	100	-0.61 35	0.07 25	-0.24 96	-0.36 6 93	-0.60 5 101	-0.91 24 97	-4.89 30 106	4.46 15 90	98 2
111	1633 26 0173 114127632	2.74	106 20 0171 633 22 0301		97	93	0.20 43	-0.11 25	-0.01 100	0.68 6 100	-0.70 5 100	-0.33 27 101	6.25 36 92	4.02 17 91	3
112	1633 26 0144 114094220	2.87	106 20 0171 633 20 0194		97	100	-0.60 35	0.09 25	-0.21 97	-0.35 6 93	-0.60 5 101	-0.87 24 98	-2.42 31 103	3.56 15 92	93 6
113	1633 25 0967 109562256	2.87	106 20 0171 633 20 0194		97	100	-0.60 35	0.09 25	-0.21 97	-0.35 6 93	-0.60 5 101	-0.87 24 98	-2.42 31 103	3.56 15 92	93 6
114	1633 26 0143 114094295	2.87	106 20 0171 633 20 0194		97	100	-0.60 35	0.09 25	-0.21 97	-0.35 6 93	-0.60 5 101	-0.87 24 98	-2.42 31 103	3.56 15 92	93 6
115	1633 26 0175 114127657	2.51	106 20 0171 633 22 0351		97	92	-0.05 43	-0.36 25	-0.39 94	0.45 8 99	-0.60 6 101	-0.77 28 98	-6.89 38 109	7.83 18 80	2
116	1633 25 0965 109562249	2.51	106 20 0171 633 22 0329		97	94	-0.19 42	-0.26 24	-0.35 94	0.24 8 97	-0.60 6 101	-0.81 27 98	-3.27 37 104	4.98 18 88	3
117	1633 25 0966 109562231	2.51	106 20 0171 633 22 0329		97	94	-0.19 42	-0.26 24	-0.35 94	0.24 8 97	-0.60 6 101	-0.81 27 98	-3.27 37 104	4.98 18 88	3
118	1633 26 0145 114094402	2.56	106 20 0171 633 22 0316		97	95	-0.31 42	-0.28 24	-0.44 93	0.09 8 96	-0.60 6 101	-0.95 27 97	-7.99 36 110	6.63 18 84	4
119	1633 24 0756 100602283	2.56	106 20 0171 633 22 0316		97	95	-0.31 42	-0.28 24	-0.44 93	0.09 8 96	-0.60 6 101	-0.95 27 97	-7.99 36 110	6.63 18 84	4
120	1633 26 0124 113984678	3.96	256 24 0139 633 24 0805		96	96	-0.03 22	-0.12 19	-0.13 98	0.39 11 98	-1.50 10 96	-1.05 18 97	-0.96 31 101	1.85 15 97	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Herds	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
121	1633 24 0740 100483130	2.80	106 20 0171 633 18 0062		96	99	-0.66 35	0.02 25 92	-0.31 95	-0.39 6 93	-0.60 5 101	-1.00 24 97	-3.17 32 104	3.81 15 91	96	3
122	1633 24 0817 100857655	2.80	106 20 0171 633 18 0058		96	99	-0.69 35 92	-0.03 25 100	-0.37 94	-0.41 6 93	-0.60 5 101	-1.07 24 96	-6.18 31 108	4.89 15 88	99	4
123	106 22 0902 99092314	13.54	106 19 0282 106 19 9144		96	100	-0.33 33 96	0.03 34 102	-0.13 98	-0.02 15 96	-2.20 9 93	-1.62 28 93	-7.50 53 109	0.97 28 99		4
124	1633 25 1092 109725903	7.95	106 22 0902 633 23 0643		96	100	-0.51 25 94	0.01 22 101	-0.25 96	-0.21 8 94	-1.40 5 97	-1.34 19 95	-6.74 35 108	2.89 16 94		1
125	1633 26 0147 114094238	2.51	106 20 0171 633 22 0441		96	95	-0.39 38 95	-0.29 22 94	-0.49 92	0.00 8 96	-0.60 6 101	-1.04 24 97	-6.13 36 108	5.53 18 87		3
126	1633 24 0725 100482934	3.27	106 22 0902 633 22 0323		96	103	-0.99 29 89	-0.08 22 99	-0.58 90	-0.91 10 90	-0.50 6 101	-1.38 21 95	-6.14 34 108	0.82 18 100		3
127	1633 25 0946 109590299	2.56	106 20 0171 633 22 0338		96	94	-0.38 42 96	-0.29 24 94	-0.48 92	0.01 8 96	-0.60 6 101	-1.02 27 97	-7.57 33 109	7.25 18 82		2
128	1633 24 0775 100602341	3.03	106 20 0171 633 22 0414		96	100	-0.71 35 92	-0.01 23 101	-0.36 94	-0.38 7 93	-0.80 6 100	-1.20 24 96	-4.33 35 105	3.13 18 93		2
129	1633 26 0160 114094345	2.90	106 20 0171 633 19 0103		96	99	-0.68 37 92	-0.02 28 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 26 96	-2.52 33 103	3.28 15 93	102	5
130	1633 25 0997 109590075	5.51	762 22 0227 633 23 0464		96	85	0.52 46 106	-0.69 33 83	-0.44 93	1.47 14 105	-1.50 17 96	-1.08 34 96	-6.00 32 107	7.15 22 82		1
131	1633 25 1081 109647701	2.90	106 22 0902 633 19 0030		96	99	-0.83 20 90	-0.36 22 92	-0.77 87	-0.47 7 93	-0.30 5 102	-1.36 17 95	-3.94 26 105	0.01 14 102	94	4
132	1633 24 0848 100857010	2.92	106 20 0171 633 17 0025		96	98	-0.72 37 92	-0.07 28 99	-0.43 93	-0.44 6 93	-0.60 5 101	-1.15 26 96	-4.89 30 106	4.46 15 90	106	3
133	1633 24 0846 100857135	2.92	106 20 0171 633 17 0025		96	98	-0.72 37 92	-0.07 28 99	-0.43 93	-0.44 6 93	-0.60 5 101	-1.15 26 96	-4.89 30 106	4.46 15 90	106	3
134	1633 26 0176 114127772	2.71	106 20 0171 384 21 0123		96	99	-0.75 33 91	-0.11 20 98	-0.49 92	-0.46 6 93	-0.60 5 101	-1.22 22 95	-4.74 33 106	3.22 18 93		3
135	1633 25 0944 109562116	2.79	106 20 0171 633 21 0218		95	98	-0.73 35 92	-0.08 25 99	-0.45 93	-0.44 6 93	-0.60 5 101	-1.17 24 96	-4.89 30 106	4.46 15 90	98	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Weaned	Herds	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
136	1633 25 1205 111008322	2.80	106 20 0171 633 18 0007		95	98	-0.75 35	-0.11 25	-0.49 92	-0.46 6	-0.60 5	-1.22 24	-5.54 31	4.45 15	94	5
137	1633 25 1049 109590232	2.74	106 22 0902 633 22 0319		95	99	-0.53 32	-0.28 22	-0.54 91	-0.18 8	-0.40 5	-1.04 22	8.25 34	-4.19 17		2
138	1633 24 0886 106679061	2.87	106 20 0171 633 20 0192		95	98	-0.75 37	-0.10 28	-0.48 92	-0.45 6	-0.60 5	-1.21 26	-4.56 31	4.13 15	97	5
139	1633 25 0911 107839060	2.79	106 20 0171 633 21 0278		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		2
140	1633 25 0921 107870388	2.90	106 20 0171 633 19 0001		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		1
141	1633 24 0884 106774284	2.79	106 20 0171 633 21 0277		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		2
142	1633 24 0890 106774318	2.79	106 20 0171 633 21 0253		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		3
143	1633 25 0993 109583617	2.79	106 20 0171 633 21 0285		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		3
144	1633 25 0959 109562207	2.79	106 20 0171 633 21 0289		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		4
145	1633 24 0722 100482918	2.92	106 20 0171 633 17 0001		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		3
146	1633 24 0840 100856897	2.79	106 20 0171 633 21 0265		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		2
147	1633 25 1131 109873166	2.79	106 20 0171 633 21 0207		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		3
148	1633 26 0150 114094360	2.79	106 20 0171 633 21 0246		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		2
149	1633 25 1196 111008272	2.71	106 20 0171 633 22 0346		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		1
150	1633 25 1054 109590117	2.87	106 20 0171 633 20 0163		95	98	-0.75 33	-0.11 20	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 15		3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Herds			Progeny Number Weaned	Progeny Number Herds	Dir EBV Acc Index	Mat EBV Acc Index		Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
151	1633 25 0951 109726067	2.79	106 20 0171 633 21 0232		95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90				2
152	1633 25 1207 111008348	3.04	106 20 0171 633 23 0717		95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90				1
153	1633 24 0819 100857697	2.80	106 20 0171 633 18 0244		95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90				2
154	1633 25 0913 107820201	2.87	106 20 0171 633 20 0186		95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90				4
155	1633 24 0777 100602663	2.90	106 20 0171 633 19 0140		95	97	-0.76 35 91	-0.12 25 98	-0.51 92	-0.46 6 93	-0.60 5 101	-1.25 24 95	-3.14 31 104	3.96 15 91	96	3		
156	1633 25 1194 110823119	3.58	106 20 0171 633 23 0725		95	97	-0.61 35 93	-0.12 21 98	-0.43 93	-0.34 6 93	-0.90 6 99	-1.27 23 95	-1.65 36 102	2.49 15 95				1
157	1633 25 1190 110754587	2.55	106 20 0171 633 22 0352		94	95	-0.71 42 92	-0.34 24 92	-0.69 88	-0.38 8 93	-0.60 6 101	-1.40 27 94	-7.62 37 109	5.85 18 86				2
158	1633 25 1201 111008306	2.87	106 20 0171 633 20 0015		93	95	-0.91 35 90	-0.31 25 93	-0.77 87	-0.56 6 92	-0.60 5 101	-1.59 24 93	-4.89 30 106	4.46 15 90	97	4		
159	1633 24 0897 106774342	2.87	106 20 0171 633 20 0015		93	95	-0.91 35 90	-0.31 25 93	-0.77 87	-0.56 6 92	-0.60 5 101	-1.59 24 93	-4.89 30 106	4.46 15 90	97	4		
160	1633 25 1012 109590174	2.90	106 20 0171 633 19 0021		92	94	-0.96 38 89	-0.38 30 91	-0.86 86	-0.60 6 92	-0.60 5 101	-1.70 27 93	-4.89 30 106	4.46 15 90	104	4		
161	1256 24 0139 110490596	4.10	762 20 0260 256 20 0089		91	93	-0.25 32 97	-0.04 31 100	-0.16 98	0.13 21 97	-2.70 19 91	-1.91 29 92	3.89 41 95	0.35 25 101				3
162	1633 25 1103 109726059	35.18	106 20 0171 633 23 0573		91	92	-0.79 37 91	-0.20 23 96	-0.59 90	-0.44 7 93	-1.70 6 95	-2.01 24 91	-7.62 37 110	7.92 18 80				2
163	1633 24 0855 100857275	2.90	106 20 0171 633 19 0141		90	92	-1.10 37 87	-0.55 28 87	-1.10 81	-0.69 6 91	-0.60 5 101	-2.01 26 91	-4.89 30 106	4.46 15 90	104	5		
164	1633 25 1188 110754561	35.18	106 20 0171 633 23 0538		90	92	-0.75 38 91	-0.16 24 97	-0.53 91	-0.42 7 93	-1.70 6 95	-1.93 25 91	-0.94 37 101	5.12 16 88				1
165	1633 24 0614 99224248	3.40	106 20 0171 633 22 0317		89	94	-1.39 42 84	-0.22 26 95	-0.91 85	-1.32 9 87	-0.90 6 99	-2.15 28 90	-1.03 37 101	3.93 19 91				2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir	Mat	Comb							
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index						
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
166	106 20 0171 94943008	34.99	106 16 0016 106 18 0122	14	1		86	86	-0.83 67	-0.29 90	-0.70 88	-0.42 12	-2.90 11	-2.86 44	-9.39 59	9.86 29	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight			Post-Wean			Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
							Dir	Mat		Comb												
							Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Phenotype		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1	554 23 0152 101219152	8.24	554 21 0113 1298 20 0499	117	117	0.80 40	0.45 34	0.85 115	1.82 18	1.80 9	2.32 31	4.69 41	-6.10 27	0								
2	1298 22 0083 97642243	1.88	430 20 0068 1398 18 0006	114	113	0.43 22	0.21 17	0.43 108	1.30 14	1.80 6	1.73 16	-8.31 42	1.03 26	2								
3	1298 22 0271 96381355	2.62	430 20 0138 1398 16 0057	114	117	0.62 29	0.51 25	0.82 115	1.28 15	0.40 7	1.38 22	-3.03 47	-4.82 25	1								
4	1633 22 0369 94247046	2.90	116 20 0073 1633 19 0015	112	102	1.70 54	0.01 26	0.86 115	2.41 5	1.40 5	2.54 31	16.81 42	-2.82 11	1								
5	1633 22 0366 94247145	2.80	116 20 0073 1633 18 0040	111	102	1.50 54	-0.02 26	0.73 113	2.17 5	1.40 5	2.32 31	13.04 26	-1.84 11	1								
6	1633 22 0378 94247228	2.80	116 20 0182 1633 18 0028	111	101	1.00 52	-0.15 25	0.35 106	1.54 11	1.60 5	1.81 30	-6.59 43	6.95 21	2								
7	1633 22 0353 94234267	2.80	116 20 0073 1633 18 0004	110	102	1.32 54	-0.05 26	0.61 111	1.96 5	1.40 5	2.11 31	15.55 30	-3.42 18	3								
8	1633 22 0356 94218187	2.80	116 20 0073 1633 18 0024	110	103	1.11 54	-0.08 26	0.47 109	1.71 5	1.40 5	1.87 31	6.95 39	-0.45 11	1								
9	1633 22 0308 94768488	2.87	116 20 0073 1633 20 0198	110	101	1.35 54	-0.04 26	0.63 111	1.99 5	1.40 5	2.14 31	15.04 42	-1.87 19	2								
10	1633 22 0333 94624285	2.90	116 20 0182 1633 19 0022	109	104	0.32 52	-0.25 25	-0.09 99	0.73 11	1.60 5	1.02 30	-17.86 43	7.96 21	3								
11	1633 24 0603 99180036	2.65	1509 20 0051 1298 22 0083	109	111	0.17 26	0.11 13	0.19 104	0.64 8	1.10 5	0.94 16	-2.73 35	-2.30 17	0								
12	1633 22 0365 94246949	2.80	116 20 0182 1633 18 0047	109	101	0.64 53	-0.41 28	-0.09 99	1.20 11	1.60 5	1.19 32	-7.91 44	4.24 21	3								
13	1633 22 0302 94768561	2.87	116 20 0073 1633 20 0193	108	102	1.11 55	0.10 29	0.65 112	1.63 5	1.40 5	2.04 33	18.17 41	-2.74 12	1								
14	1633 23 0707 98138423	2.79	1332 21 0215 1633 22 0353	108	106	0.56 31	-0.03 14	0.25 105	1.05 5	1.50 5	1.43 18	7.72 38	-2.82 10	1								
15	1298 21 0433 96815642	2.64	1298 19 0308 1298 18 0502	108	104	0.59 27	-0.09 22	0.21 104	1.61 16	1.30 9	1.29 21	4.77 46	-0.90 24	3								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	EBV Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
16 1633 22 0303 94768470	2.87	116 20 0073 1633 20 0194	108	102	1.10 54 112	-0.08 26 99	0.47 108	1.70 5 107	1.40 5 110	1.86 31 113	20.12 41 74	-5.54 18 117		3
17 776 22 0490 97597504	5.78	776 21 0236 776 HC 0231	108	101	0.62 39 107	-0.56 30 87	-0.24 96	1.72 20 107	1.30 14 110	0.85 30 107	-1.65 36 102	-1.49 30 106		3
18 1633 22 0301 94768553	2.87	116 20 0073 1633 20 0193	107	99	1.22 55 113	0.07 29 103	0.68 112	1.78 5 107	1.40 5 110	2.13 33 115	21.90 42 72	-1.82 18 107		3
19 1633 23 0640 97353452	2.79	1332 21 0215 1633 21 0255	107	112	-0.44 14 95	0.03 5 102	-0.19 97	-0.18 5 95	1.60 5 111	0.55 7 106	-7.38 39 109	-1.03 14 105		2
20 1633 22 0351 94234226	2.80	116 20 0182 1633 18 0019	107	98	0.72 54 108	-0.43 30 90	-0.07 99	1.31 11 104	1.60 5 111	1.25 33 110	-4.39 46 105	5.81 22 86		2
21 1633 23 0580 97246227	2.87	1633 21 0036 1633 20 0147	107	114	-0.45 15 95	0.40 19 111	0.18 103	-0.30 5 94	1.50 5 111	0.85 14 107	-0.06 33 100	-1.86 6 107		1
22 1633 23 0579 97246243	2.87	1633 21 0036 1633 20 0147	107	114	-0.45 15 95	0.40 19 111	0.18 103	-0.30 5 94	1.50 5 111	0.85 14 107	1.24 40 98	-2.29 6 108		1
23 1633 22 0329 94624269	2.80	116 20 0182 1633 18 0062	107	102	0.46 52 105	-0.23 25 95	0.00 100	0.89 11 102	1.60 5 111	1.18 30 109	2.86 44 96	0.10 21 102		3
24 1633 23 0679 98017734	2.78	1509 20 0051 1633 22 0308	107	105	0.63 36 107	-0.02 17 100	0.29 105	0.99 5 102	0.90 5 108	1.15 22 109	8.67 43 89	-3.66 14 112		1
25 1633 24 0672 99395238	2.87	1633 21 0036 1633 20 0194	107	114	-0.45 15 95	0.40 19 111	0.17 103	-0.30 5 94	1.50 5 111	0.85 14 107	2.04 19 97	-2.64 7 109		0
26 1633 24 0671 99395154	2.87	1633 21 0036 1633 20 0194	107	114	-0.45 15 95	0.40 19 111	0.17 103	-0.30 5 94	1.50 5 111	0.85 14 107	2.04 19 97	-2.64 7 109		0
27 1633 22 0316 94768462	2.90	116 20 0182 1633 19 0117	107	103	0.20 52 102	-0.27 25 94	-0.17 97	0.60 11 100	1.60 5 111	0.90 30 108	-6.58 42 108	3.40 21 93		4
28 1633 25 1085 109647735	2.74	1509 20 0051 1633 22 0376	107	112	-0.61 30 93	0.06 13 102	-0.25 96	-0.61 5 92	0.80 5 107	-0.07 18 102	-22.55 35 128	4.20 14 90		0
29 1633 24 0766 100825538	2.79	1332 21 0215 1633 22 0441	107	107	-0.08 23 99	-0.15 9 97	-0.19 97	0.27 5 97	1.60 5 111	0.73 13 107	-4.58 27 106	0.51 11 101		0
30 1633 25 1086 109647602	2.74	1509 20 0051 1633 22 0376	107	112	-0.61 30 93	0.06 13 102	-0.25 96	-0.61 5 92	0.80 5 107	-0.07 18 102	-22.55 35 128	4.20 14 90		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1633 23 0681 98017817	2.78	1509 20 0051 1633 22 0302	106	105	0.51 37	0.05 18	0.30 106	0.81 5	0.90 5	1.10 108	10.51 35	-4.19 12	0
32 1633 23 0698 98136435	2.87	1509 20 0051 1633 20 0197	106	111	-0.23 30	0.23 24	0.12 107	-0.15 5	1.00 5	0.60 108	1.24 28	-3.29 10	0
33 1633 23 0696 98136476	2.87	1509 20 0051 1633 20 0197	106	111	-0.23 30	0.23 24	0.12 107	-0.15 5	1.00 5	0.60 108	1.24 28	-3.29 10	0
34 1633 23 0697 98136450	2.87	1509 20 0051 1633 20 0197	106	111	-0.23 30	0.23 24	0.12 107	-0.15 5	1.00 5	0.60 108	1.24 28	-3.29 10	0
35 1633 24 0790 100857390	2.78	1509 20 0051 1633 22 0303	106	105	0.50 36	-0.04 17	0.21 104	0.84 5	0.90 5	1.00 108	11.49 35	-5.59 14	0
36 1633 24 0830 100857119	2.87	1509 20 0051 1633 20 0147	106	111	-0.23 26	0.24 18	0.13 103	-0.15 5	1.00 5	0.61 108	1.74 31	-3.45 10	0
37 1633 24 0779 100602440	2.79	1332 21 0215 1633 21 0279	106	110	-0.44 14	0.03 5	-0.19 102	-0.18 5	1.60 5	0.55 7	-3.34 17	-0.57 104	0
38 1633 24 0753 100904853	2.79	1332 21 0215 1633 20 0163	106	110	-0.44 14	0.03 5	-0.19 102	-0.18 5	1.60 5	0.55 7	-3.34 17	-0.57 104	1
39 1633 24 0778 100602424	2.79	1332 21 0215 1633 21 0279	106	110	-0.44 14	0.03 5	-0.19 102	-0.18 5	1.60 5	0.55 7	-3.34 17	-0.57 104	0
40 1633 22 0344 94292315	2.90	116 20 0216 1633 19 0060	106	115	-0.82 53	0.47 27	0.06 101	-0.99 5	1.20 5	0.37 109	-7.63 41	0.87 20	2
41 1633 22 0355 94218310	2.90	116 20 0182 1633 19 0057	106	102	0.02 53	-0.39 28	-0.38 94	0.42 11	1.60 5	0.59 32	-9.46 41	3.90 15	1
42 1633 25 0909 107835647	2.65	762 22 0227 1633 22 0366	106	89	1.85 47	-0.54 31	0.39 107	2.99 14	-0.50 17	1.01 34	2.97 31	4.00 21	0
43 1633 23 0735 98153646	2.80	1509 20 0051 1633 18 0002	106	111	-0.26 32	0.20 26	0.07 101	-0.17 5	1.00 5	0.54 108	1.24 28	-3.29 10	1
44 1633 25 1014 109590208	2.78	1509 20 0051 1633 22 0301	106	104	0.56 37	0.04 18	0.32 106	0.88 5	0.90 5	1.14 108	12.38 35	-3.73 14	0
45 1633 25 0908 107835639	2.65	762 22 0227 1633 22 0366	106	89	1.85 47	-0.54 31	0.39 107	2.99 14	-0.50 17	1.01 34	2.97 31	4.00 21	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 1633 23 0592 97247241	2.79	1633 21 0036 1633 21 0284	106	112	-0.61 10 93	0.20 11 106	-0.10 99	-0.40 5 93	1.50 5 111	0.50 9 105	-2.39 40 103	-1.09 6 105	1
47 1633 22 0414 95385415	2.87	970 17 0057 1633 20 0192	106	113	-0.59 21 93	0.27 23 108	-0.03 100	-0.34 7 93	1.30 5 110	0.46 18 105	0.73 37 99	-3.60 20 112	2
48 1633 22 0441 95385571	2.80	116 20 0182 1633 18 0012	106	103	0.05 37 100	-0.29 17 94	-0.27 96	0.41 11 98	1.60 5 111	0.72 21 107	-2.86 41 103	1.20 21 99	3
49 1633 22 0426 95385639	2.87	116 20 0182 1633 20 0201	105	102	0.04 39 100	-0.31 22 93	-0.29 95	0.40 11 98	1.60 5 111	0.69 24 107	-5.60 41 107	3.14 15 93	1
50 1633 23 0620 97353197	2.80	1509 20 0051 1633 18 0058	105	110	-0.32 26 96	0.12 18 104	-0.04 100	-0.21 5 94	1.00 5 108	0.40 18 105	-2.65 44 103	-2.01 10 107	1
51 1633 25 1170 109873240	2.88	1509 20 0051 1633 23 0579	105	111	-0.27 25 97	0.20 14 106	0.07 101	-0.16 5 95	0.90 5 108	0.47 16 105	2.05 35 97	-3.96 11 113	0
52 1633 26 0155 114094212	2.45	762 22 0227 1633 22 0378	105	89	1.60 46 118	-0.60 31 86	0.20 104	2.67 15 113	-0.40 17 102	0.76 34 107	-6.85 36 109	8.40 23 79	0
53 1633 25 1180 110754603	27.12	1509 20 0051 1633 23 0679	105	106	0.27 30 103	-0.01 13 101	0.13 103	0.49 5 99	0.60 5 106	0.62 18 106	5.76 36 92	-4.65 12 115	0
54 1633 22 0338 93547511	2.90	116 20 0182 1633 19 0026	105	101	0.08 52 101	-0.29 25 94	-0.25 96	0.44 11 99	1.60 5 111	0.75 30 107	-5.75 29 107	4.65 20 89	2
55 1633 24 0684 99395394	2.79	1633 21 0036 1633 21 0283	105	111	-0.61 10 93	0.20 11 106	-0.10 99	-0.40 5 93	1.50 5 111	0.50 9 105	-0.42 17 100	-1.74 6 107	0
56 1633 25 0949 109562124	2.83	1633 23 0644 1633 23 0615	105	109	-0.41 14 95	0.04 6 102	-0.17 97	-0.22 5 94	1.30 5 110	0.41 8 105	-2.31 24 103	-1.52 5 106	0
57 1633 25 0950 109562132	2.83	1633 23 0644 1633 23 0615	105	109	-0.41 14 95	0.04 6 102	-0.17 97	-0.22 5 94	1.30 5 110	0.41 8 105	-2.31 24 103	-1.52 5 106	0
58 1633 23 0604 97353031	2.79	1509 20 0051 1384 21 0123	105	110	-0.39 24 95	0.04 10 102	-0.16 98	-0.26 5 94	1.00 5 108	0.25 14 104	-1.41 46 102	-3.61 14 112	1
59 1384 21 0123 93060044	2.90	1384 20 0049 1384 19 0218	105	111	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-0.09 31 100	-3.41 20 111	3
60 1633 25 1037 109583682	2.74	1509 20 0051 1633 22 0344	105	112	-0.46 36 95	0.24 17 107	0.01 101	-0.50 5 92	0.80 5 107	0.26 22 104	-2.39 35 103	-2.38 14 108	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI Times Lambd
					Dir EBV Acc	Index	Mat EBV Acc	Index		Comb EBV Index	EBV Acc	Index	Acc	EBV Index	Acc	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
61	1633 25 0931 109647776	2.71	1509 20 0051 1633 22 0355	105	105	-0.04 36	-0.19 99	-0.21 17	0.20 96	-0.21 97	0.20 7	1.00 5	0.37 108	-3.30 22	-0.87 105	0
62	1384 21 0072 93059749	2.90	1658 18 0008 826 19 0214	105	112	-0.67 5	0.08 92	-0.26 5	-0.49 103	-0.26 96	-0.49 5	1.60 5		2.59 15	-5.29 17	3
63	1633 25 1089 109647685	2.67	1509 20 0051 1633 22 0441	105	106	-0.02 30	-0.14 99	-0.16 13	0.20 97	-0.16 98	0.20 7	1.00 5	0.43 108	0.00 18	-2.22 105	0
64	1633 22 0372 94247061	2.87	116 20 0073 1633 20 0186	105	101	0.44 41	-0.18 105	-0.18 19	0.92 96	0.04 101	0.92 5	1.40 5	1.10 110	12.72 23	-2.85 109	0
65	1633 25 1002 109725937	2.85	1509 20 0051 1384 21 0072	104	110	-0.38 24	0.04 95	-0.15 10	-0.25 102	-0.15 98	-0.25 5	1.00 5	0.26 108	2.72 14	-5.46 104	0
66	1633 23 0615 97410658	2.87	1509 20 0051 1633 20 0149	104	109	-0.38 24	0.04 95	-0.15 10	-0.25 102	-0.15 98	-0.25 5	1.00 5	0.26 108	-1.27 14	-2.46 101	1
67	1633 24 0692 100093541	2.80	1384 21 0481 1351 18 0090	104	108	-0.68 5	0.07 92	-0.27 5	-0.50 103	-0.27 96	-0.50 5	1.60 5		-7.18 34	3.04 109	0
68	1633 22 0305 94768579	2.87	116 20 0073 1633 20 0189	104	102	0.47 57	-0.11 105	0.12 32	0.93 98	0.12 102	0.93 5	1.40 5	1.19 110	18.10 41	-4.99 77	2
69	1633 26 0192 114593817	2.45	762 22 0227 1633 22 0365	104	89	1.42 47	-0.73 116	-0.73 32	2.51 82	-0.02 100	2.51 15	-0.40 17	0.45 102	-7.51 36	7.04 109	0
70	1633 25 1111 109726034	2.45	762 22 0227 1633 22 0365	104	89	1.42 47	-0.73 116	-0.73 32	2.51 82	-0.02 100	2.51 15	-0.40 17	0.45 102	-7.51 36	7.04 109	0
71	1633 25 0938 109475384	2.87	762 22 0227 1633 20 0197	104	96	0.91 42	-0.29 110	-0.29 36	1.76 93	0.16 103	1.76 14	-0.30 17	0.44 102	-3.75 29	4.45 105	0
72	1633 24 0764 100602507	2.79	1509 20 0051 1633 21 0218	104	109	-0.36 26	0.07 96	-0.12 18	-0.24 103	-0.12 98	-0.24 5	1.00 5	0.30 108	1.24 28	-3.29 98	0
73	1633 23 0600 97410617	2.87	1509 20 0051 1633 20 0168	104	109	-0.38 24	0.04 95	-0.15 10	-0.25 102	-0.15 98	-0.25 5	1.00 5	0.26 108	-0.25 38	-2.80 100	1
74	1633 23 0711 98138506	2.78	1509 20 0051 1633 22 0305	104	105	0.19 37	-0.06 102	-0.06 19	0.46 99	0.04 101	0.46 5	0.90 5	0.67 108	10.48 23	-5.31 106	0
75	1633 24 0854 100857259	2.87	1509 20 0051 1633 20 0149	104	109	-0.38 24	0.04 95	-0.15 10	-0.25 102	-0.15 98	-0.25 5	1.00 5	0.26 108	0.03 44	-2.89 100	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir	Mat								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76	1633 25 1042 109583666	2.87	1509 20 0051 1633 20 0149	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	0.49 32 99	-3.04 10 110	0
77	1633 25 1043 109583658	2.87	1509 20 0051 1633 20 0149	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	0.49 32 99	-3.04 10 110	0
78	1633 24 0732 100482975	2.79	1509 20 0051 1633 21 0293	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
79	1633 25 1159 109873117	27.16	1509 20 0051 1633 23 0614	104	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	2.04 36 97	-4.46 11 114	0
80	1633 25 1032 110093192	2.71	1509 20 0051 1633 22 0034	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
81	1633 25 0957 109562181	2.79	1509 20 0051 1633 21 0254	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
82	1633 25 1091 109725911	2.87	1509 20 0051 1633 20 0192	104	109	-0.38 29 95	0.05 22 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 21 104	1.56 30 98	-3.62 11 112	0
83	1633 25 1056 109590125	2.71	1509 20 0051 1633 22 0320	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
84	1633 25 0932 109590307	3.04	1509 20 0051 1633 23 0673	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
85	1633 23 0614 97410633	2.87	1509 20 0051 1633 20 0149	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.22 46 98	-3.28 10 111	1
86	1633 25 0978 109590364	2.71	1509 20 0051 1633 22 0383	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
87	1633 25 1119 109741439	2.79	1509 20 0051 1633 21 0283	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
88	1633 22 0330 94624335	2.90	116 20 0182 1633 19 0140	104	101	-0.01 52 100	-0.30 25 93	-0.31 95	0.34 11 98	1.60 5 111	0.65 30 106	0.69 43 99	1.30 15 98	1
89	1633 25 1065 109647586	2.79	1509 20 0051 1633 21 0246	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0
90	1633 25 1165 109873216	2.79	1509 20 0051 1633 21 0231	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0

Ewe Selection List: LMI

Inbreeding in red is high

Indices ≥ 124
Above breed average
Indices ≤ 76

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
91	1633 25 1163 109873208	2.79	1509 20 0051 1633 21 0279	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
92	1633 26 0180 114127723	2.80	762 22 0227 776 22 0490	104	89	1.41 43 116	-0.80 32 81	-0.10 99	2.77 17 114	-0.50 18 101	0.31 33 104	-4.38 34 105	4.17 25 90	0			
93	1633 24 0857 106600539	2.87	1509 20 0051 1805 20 0132	104	109	-0.38 29 95	0.04 11 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 17 104	1.24 28 98	-3.29 10 111	0			
94	1633 23 0721 98153463	2.92	1509 20 0051 1633 17 0001	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
95	1633 24 0735 100483031	2.87	1509 20 0051 1633 20 0186	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
96	1633 25 0955 109562140	2.68	762 22 0227 1633 22 0303	104	89	1.65 47 118	-0.57 31 87	0.26 105	2.76 14 114	-0.50 17 101	0.78 34 107	6.50 35 92	2.15 22 96	0			
97	1633 25 0981 109562306	2.90	1509 20 0051 1633 19 0138	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
98	1633 25 0954 109562157	2.68	762 22 0227 1633 22 0303	104	89	1.65 47 118	-0.57 31 87	0.26 105	2.76 14 114	-0.50 17 101	0.78 34 107	6.50 35 92	2.15 22 96	0			
99	1633 25 1057 109590133	2.71	1509 20 0051 1633 22 0320	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
100	1633 24 0731 100482991	2.79	1509 20 0051 1633 21 0293	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
101	1633 23 0689 98017957	2.80	1509 20 0051 1633 18 0244	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
102	1633 25 0933 109590315	3.04	1509 20 0051 1633 23 0673	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
103	1633 25 0977 109590372	2.71	1509 20 0051 1633 22 0383	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0			
104	1633 26 0119 113325013	2.79	1805 24 0072 1633 21 0289	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0			
105	1633 26 0121 113324982	2.85	1805 24 0072 1633 20 0171	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106 1633 26 0122 113325021	2.88	1805 24 0072 1412 17 0003	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103		0
107 1633 26 0120 113324990	2.85	1805 24 0072 1633 20 0171	104	109	-0.71 5 92	0.05 5 102	-0.31 95	-0.55 5 92	1.60 5 111		-2.03 15 102	-0.41 7 103		0
108 1633 24 0698 100093665	2.80	1384 21 0481 1351 18 0100	104	109	-0.68 5 92	0.07 5 103	-0.27 96	-0.50 5 92	1.60 5 111		-1.66 31 102	0.17 12 101		0
109 1633 23 0724 98153505	2.79	1509 20 0051 1633 21 0280	104	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	2.86 30 96	-3.82 10 112		0
110 1633 25 1120 109725952	2.90	106 22 0902 1633 19 0054	104	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-3.61 28 104	-0.10 14 102		0
111 1633 23 0715 98139140	2.79	1332 21 0215 1633 22 0334	104	109	-0.92 28 89	-0.11 14 98	-0.57 91	-0.83 6 90	1.40 5 110	-0.19 17 101	-14.50 41 118	2.81 11 94		1
112 1633 23 0713 98138597	2.80	1509 20 0051 1633 18 0051	104	108	-0.43 26 95	-0.02 18 100	-0.24 96	-0.29 5 94	1.00 5 108	0.15 18 103	0.92 30 99	-3.76 11 112		0
113 1633 24 0802 100857457	2.90	106 22 0902 1633 19 0054	104	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-3.61 28 104	-0.10 14 102		0
114 1633 24 0832 100856855	2.52	106 22 0902 1633 22 0378	103	101	0.34 31 104	-0.06 21 99	0.11 102	0.76 9 101	-0.30 5 102	0.10 21 103	-7.04 34 109	3.96 18 91		0
115 1633 25 1175 111179925	27.12	1509 20 0051 1633 23 0583	103	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	4.76 36 94	-5.35 11 117		0
116 1633 26 0181 114127665	2.45	762 22 0227 1633 22 0329	103	89	1.33 46 115	-0.64 31 85	0.02 101	2.35 15 111	-0.40 17 102	0.45 34 105	-2.13 36 103	4.97 23 88		0
117 1633 23 0714 98139165	2.79	1332 21 0215 1633 22 0334	103	109	-0.92 28 89	-0.11 14 98	-0.57 91	-0.83 6 90	1.40 5 110	-0.19 17 101	-14.18 41 118	2.70 11 94		1
118 1633 25 1176 111179933	27.12	1509 20 0051 1633 23 0583	103	108	-0.24 27 97	0.02 11 101	-0.10 99	-0.13 5 95	0.70 5 107	0.20 16 104	4.76 36 94	-5.35 11 117		0
119 1633 23 0509 97304570	2.79	1509 20 0051 1633 21 0267	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	4.02 45 95	-4.20 10 113		1
120 1633 24 0803 100857473	2.90	106 22 0902 1633 19 0054	103	109	-0.25 23 97	0.38 25 110	0.26 105	-0.08 7 95	-0.30 5 102	-0.04 20 102	-2.94 42 104	-0.32 14 103		1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Times Lambd Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
121 1658 21 0063 93076669	2.80	1509 20 0066 1658 18 0291	103	109	-0.56 9 93	0.05 7 102	-0.23 96	-0.48 5 93	1.00 5 108	0.09 7 103	-1.37 31 102	-1.84 23 107	4
122 1633 22 0376 94247087	2.90	116 20 0216 1633 19 0036	103	107	-1.12 36 87	0.11 16 104	-0.45 93	-1.20 5 88	1.20 5 109	-0.29 21 101	-47.95 42 136	14.03 20 64	3
123 1633 23 0725 98153521	2.79	1509 20 0051 1633 21 0280	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	6.09 42 92	-4.88 10 115	1
124 1633 25 0940 109475400	2.87	762 22 0227 1805 20 0010	103	93	0.74 41 108	-0.52 34 88	-0.15 98	1.64 14 106	-0.30 17 102	0.05 33 103	-9.95 30 112	6.49 20 84	0
125 1633 25 0939 109475392	2.87	762 22 0227 1805 20 0010	103	93	0.74 41 108	-0.52 34 88	-0.15 98	1.64 14 106	-0.30 17 102	0.05 33 103	-9.95 30 112	6.49 20 84	0
126 1633 22 0405 95385332	2.90	116 20 0216 1633 19 0022	103	110	-1.06 37 88	0.19 22 106	-0.34 95	-1.16 5 88	1.20 5 109	-0.15 23 102	-11.93 28 115	3.55 13 92	1
127 1633 24 0824 100857796	2.73	106 22 0902 1633 22 0308	103	101	0.51 32 105	-0.01 21 101	0.25 105	0.99 8 102	-0.40 5 102	0.26 22 104	3.77 34 95	-0.45 17 103	0
128 1633 25 1133 109741413	2.90	762 22 0227 1633 19 0103	103	94	0.83 41 109	-0.40 34 91	0.01 101	1.70 14 107	-0.30 17 102	0.25 33 104	-1.38 32 102	3.27 21 93	0
129 1633 25 1134 109741421	2.90	762 22 0227 1633 19 0103	103	94	0.83 41 109	-0.40 34 91	0.01 101	1.70 14 107	-0.30 17 102	0.25 33 104	-1.38 32 102	3.27 21 93	0
130 1633 25 0901 107697286	2.90	762 22 0227 1633 19 0117	103	94	0.80 40 109	-0.44 32 90	-0.04 100	1.68 14 107	-0.30 17 102	0.18 32 104	-4.42 30 105	4.65 21 89	0
131 1633 23 0583 97304935	2.79	1509 20 0051 1633 21 0019	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	6.66 45 91	-5.07 10 116	1
132 1633 23 0510 97304612	2.79	1509 20 0051 1633 21 0267	103	108	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	7.30 45 91	-5.28 10 116	1
133 1633 22 0357 94292273	2.90	116 20 0216 1633 19 0103	103	108	-0.63 53 93	0.11 27 104	-0.20 97	-0.58 5 92	1.20 5 109	0.21 31 104	1.71 40 98	-1.42 13 106	1
134 1633 25 1047 109590224	2.87	762 22 0227 1633 20 0095	103	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-5.08 30 106	4.55 21 89	0
135 1633 24 0813 100857630	2.87	106 22 0902 1633 20 0198	103	108	-0.29 20 96	0.33 22 109	0.18 103	-0.11 7 95	-0.30 5 102	-0.15 17 102	-3.17 28 104	0.34 14 101	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI Phenotype	Times Lambd	
					Dir EBV Acc Index	Mat EBV Acc Index				Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
136	1633 25 1067 109647610	2.69	1509 20 0051 1633 22 0361	102	109	-0.71 35	0.04 16	-0.31 95	-0.73 5	0.80 5	-0.19 107	-2.97 104	-2.56 109			0		
137	1633 24 0650 99274961	2.69	1509 20 0051 1633 22 0361	102	109	-0.71 35	0.04 16	-0.31 95	-0.73 5	0.80 5	-0.19 107	-2.97 104	-2.56 109			0		
138	1633 24 0727 101413748	3.28	106 22 0902 1298 21 0433	102	102	0.13 21	-0.03 101	0.04 101	0.80 11	-0.40 7	-0.14 102	-1.37 102	0.03 18			0		
139	1633 22 0364 94246923	2.80	116 20 0182 1633 18 0047	102	105	-0.55 53	-0.18 28	-0.45 93	-0.39 11	1.60 5	0.24 32	0.33 99	-0.10 15			1		
140	1633 26 0169 114094303	2.87	762 22 0227 1633 20 0163	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.75 105	4.45 20			0		
141	1633 25 1016 109590158	2.80	1509 20 0051 1633 18 0013	102	107	-0.50 26	-0.11 94	-0.36 94	-0.33 5	1.00 5	-0.01 103	1.24 28	-3.29 10			0		
142	1633 25 1005 109647743	2.71	762 22 0227 1633 22 0411	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.75 105	4.45 20			0		
143	1633 25 0907 107835662	3.87	762 22 0227	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.75 105	4.45 20			0		
144	1633 24 0776 100483171	2.80	1509 20 0051 1633 18 0013	102	107	-0.50 26	-0.11 94	-0.36 94	-0.33 5	1.00 5	-0.01 103	1.24 28	-3.29 10			1		
145	1633 25 0953 109590265	2.71	762 22 0227 1633 22 0389	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.75 105	4.45 20			0		
146	1633 25 0985 111179917	2.71	762 22 0227 1633 22 0311	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.74 105	4.45 20			0		
147	1633 26 0162 114094170	2.71	762 22 0227 1633 22 0311	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.74 105	4.45 20			0		
148	1633 25 1094 109725994	2.87	762 22 0227 1633 20 0171	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.74 105	4.45 20			0		
149	1633 25 0903 107697302	2.87	762 22 0227 1633 20 0175	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.75 105	4.45 20			0		
150	1633 26 0202 114593890	2.90	762 22 0227 1633 19 0138	102	93	0.76 38	-0.49 108	-0.11 99	1.66 14	-0.30 17	0.10 103	-3.74 105	4.45 20			0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
151 1633 25 1069 109647750	3.04	762 22 0227 1633 23 0492	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0
152 1633 25 1006 109647719	2.71	762 22 0227 1633 22 0411	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0
153 1633 25 1156 109873158	2.87	762 22 0227 1633 20 0167	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.74 29 105	4.45 20 90	0
154 1633 25 1158 109873141	3.04	762 22 0227 1633 23 0691	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0
155 1633 25 1015 109590141	2.80	1509 20 0051 1633 18 0013	102	107	-0.50 26 94	-0.11 18 98	-0.36 94	-0.33 5 94	1.00 5 108	-0.01 18 103	1.24 28 98	-3.29 10 111	0
156 1633 25 0952 109590273	2.71	762 22 0227 1633 22 0389	102	93	0.76 38 108	-0.49 29 89	-0.11 99	1.66 14 107	-0.30 17 102	0.10 30 103	-3.75 29 105	4.45 20 90	0
157 1633 24 0808 100857572	2.87	106 22 0902 1633 20 0197	102	107	-0.35 25 96	0.25 27 107	0.07 102	-0.15 7 95	-0.30 5 102	-0.28 21 101	-3.94 26 105	0.01 14 102	0
158 1633 26 0195 114593833	2.80	762 22 0227 1633 18 0041	102	93	0.76 42 108	-0.50 36 88	-0.12 98	1.65 14 107	-0.30 17 102	0.08 34 103	-3.74 29 105	4.45 20 90	0
159 1633 25 1020 109590190	2.90	762 22 0227 1633 19 0026	102	93	0.77 40 108	-0.48 32 89	-0.09 99	1.66 14 107	-0.30 17 102	0.11 32 103	-4.14 29 105	5.07 21 88	0
160 1633 26 0194 114593825	2.80	762 22 0227 1633 18 0041	102	93	0.76 42 108	-0.50 36 88	-0.12 98	1.65 14 107	-0.30 17 102	0.08 34 103	-3.74 29 105	4.45 20 90	0
161 1633 25 1019 109590182	2.90	762 22 0227 1633 19 0026	102	93	0.77 40 108	-0.48 32 89	-0.09 99	1.66 14 107	-0.30 17 102	0.11 32 103	-4.14 29 105	5.07 21 88	0
162 1633 26 0167 114094188	2.79	762 22 0227 1633 21 0213	102	93	0.75 40 108	-0.51 32 88	-0.13 98	1.65 14 106	-0.30 17 102	0.06 32 103	-3.75 29 105	4.45 20 90	0
163 1633 22 0358 94292331	2.90	116 20 0216 1633 19 0103	102	112	-1.26 53 86	0.24 27 107	-0.39 94	-1.43 5 86	1.20 5 109	-0.30 31 101	-8.03 43 110	0.64 20 100	2
164 1633 22 0352 95670048	2.87	116 20 0182 1633 20 0184	102	103	-0.58 52 93	-0.38 25 91	-0.68 89	-0.34 11 93	1.60 5 111	-0.01 30 103	-5.84 43 107	1.84 21 97	2
165 1633 24 0709 100857879	2.85	106 22 0902 776 22 0490	102	100	0.15 25 101	-0.26 23 94	-0.19 97	0.85 12 101	-0.50 9 101	-0.42 21 100	-4.58 32 106	-0.27 20 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir		Mat		Comb				Acc		Acc		Acc			
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
166	1633 25 1124 109741454	2.93	762 22 0227 1633 23 0715	102	93	0.64 41 107		-0.58 30 86		-0.26 96		1.49 14 105		-0.50 17 101		-0.24 31 101		-10.81 35 114		6.32 21 85		0
167	1633 25 1112 109741397	3.46	762 22 0227 1633 23 0509	102	92	0.91 40 110		-0.51 29 88		-0.05 99		1.78 14 107		-0.70 17 100		-0.02 30 102		-1.55 37 102		2.82 21 94		0
168	1633 24 0805 100857556	2.52	106 22 0902 1633 22 0351	102	99	0.19 32 102		-0.20 22 96		-0.10 99		0.65 9 100		-0.30 5 102		-0.19 22 101		-5.81 46 107		3.34 18 93		1
169	1633 25 0905 107835621	2.90	762 22 0227 1633 19 0057	102	92	0.69 41 107		-0.58 34 86		-0.23 96		1.61 14 106		-0.30 17 102		-0.07 33 102		-5.38 30 107		4.82 20 89		0
170	1633 25 0947 109475418	2.57	106 22 0902 1633 22 0316	102	102	-0.06 31 99		-0.12 21 98		-0.15 98		0.29 9 98		-0.30 5 102		-0.36 21 100		-7.04 34 109		2.18 18 96		0
171	1633 24 0881 106678295	2.90	106 22 0902 1633 19 0022	102	106	-0.44 20 95		0.14 22 104		-0.09 99		-0.21 7 94		-0.30 5 102		-0.49 17 100		-8.04 29 110		1.62 14 97		0
172	1633 24 0882 106678303	2.90	106 22 0902 1633 19 0022	102	106	-0.44 20 95		0.14 22 104		-0.09 99		-0.21 7 94		-0.30 5 102		-0.49 17 100		-8.04 29 110		1.62 14 97		0
173	1633 25 0936 109590349	2.55	762 22 0227 1633 22 0405	101	93	0.57 42 106		-0.43 31 90		-0.15 98		1.33 14 104		-0.60 17 101		-0.22 32 101		-9.52 32 112		6.70 21 83		0
174	1633 25 0934 109590323	2.55	762 22 0227 1633 22 0405	101	93	0.57 42 106		-0.43 31 90		-0.15 98		1.33 14 104		-0.60 17 101		-0.22 32 101		-9.52 32 112		6.70 21 83		0
175	1633 25 0987 109562355	2.90	762 22 0227 1633 19 0104	101	91	0.67 41 107		-0.61 34 86		-0.27 96		1.60 14 106		-0.30 17 102		-0.12 33 102		-3.74 29 105		4.45 20 90		0
176	1633 22 0361 94234366	2.80	116 20 0216 1633 18 0051	101	111	-1.33 51 85		0.08 24 103		-0.58 90		-1.44 5 86		1.20 5 109		-0.52 30 100		-8.79 41 111		0.51 20 101		2
177	1633 24 0874 106677685	2.87	106 22 0902 1805 20 0010	101	105	-0.53 23 94		0.03 25 102		-0.24 96		-0.27 7 94		-0.30 5 102		-0.68 20 99		-10.14 28 113		2.05 14 96		1
178	1633 25 1151 109873109	2.79	106 22 0902 1633 21 0255	101	105	-0.50 16 94		0.06 17 102		-0.20 97		-0.26 7 94		-0.30 5 102		-0.63 14 99		-5.29 28 107		-0.14 14 102		0
179	1633 25 1152 109873091	2.79	106 22 0902 1633 21 0255	101	105	-0.50 16 94		0.06 17 102		-0.20 97		-0.26 7 94		-0.30 5 102		-0.63 14 99		-5.29 28 107		-0.14 14 102		0
180	1633 24 0787 100602705	2.87	106 22 0902 1633 20 0172	101	105	-0.46 20 95		0.11 22 104		-0.12 98		-0.23 7 94		-0.30 5 102		-0.54 17 99		-3.94 26 105		0.01 14 102		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
181	1633 24 0715 100489319	2.87	106 22 0902 1633 20 0095	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.28 28 107	0.11 14 102	0
182	1633 24 0716 100483072	2.87	106 22 0902 1633 20 0095	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-5.28 28 107	0.11 14 102	0
183	1633 24 0894 106774334	2.73	106 22 0902 1633 22 0305	100	101	0.07 33 100	-0.04 23 100	-0.01 100	0.46 8 99	-0.40 5 102	-0.21 23 101	5.30 34 93	-2.01 17 107	0
184	1633 26 0142 114094204	2.55	106 20 0171 1298 22 0083	100	100	-0.20 35 98	-0.04 22 100	-0.14 98	0.44 9 99	-0.50 6 101	-0.54 23 99	-8.85 36 111	5.44 20 87	0
185	1633 25 1053 109590257	2.71	106 22 0902 1633 22 0340	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
186	1633 25 1062 109647644	2.71	106 22 0902 1633 22 0412	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
187	1633 25 1105 109725945	2.79	106 22 0902 1633 21 0288	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
188	1633 25 0973 109583559	2.87	106 22 0902 1351 20 0075	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
189	1633 25 1074 109647636	2.79	106 22 0902 1633 21 0260	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
190	1633 25 1075 109698373	2.79	106 22 0902 1633 21 0260	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
191	1633 25 1106 109725978	2.79	106 22 0902 1633 21 0288	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
192	1633 25 1147 109875039	2.87	106 22 0902 1633 20 0181	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
193	1633 25 1146 109875021	2.87	106 22 0902 1633 20 0181	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
194	1633 24 0880 106677800	2.79	106 22 0902 1633 21 0247	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0
195	1633 25 1071 109647628	2.79	106 22 0902 1633 21 0248	100	105	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-3.94 26 105	0.01 14 102	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
196 1633 25 1108 109726042	2.80	106 22 0902 1633 18 0041	100	105	-0.51 25 94	0.05 28 102	-0.21 97	-0.26 7 94	-0.30 5 102	-0.64 22 99	-3.94 26 105	0.01 14 102	0
197 1633 25 0983 109562322	2.89	1509 20 0051 1633 22 0323	100	107	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.96 36 101	-2.48 15 109	0
198 1633 23 0685 98017916	2.89	1509 20 0051 1633 22 0323	100	107	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.96 36 101	-2.48 15 109	0
199 1633 23 0686 98017890	2.89	1509 20 0051 1633 22 0323	100	106	-0.88 34 90	-0.10 17 98	-0.54 91	-0.91 8 90	0.80 6 107	-0.49 21 100	-0.68 43 101	-2.57 15 109	1
200 1633 24 0834 101413607	2.79	106 22 0902 1633 21 0019	100	104	-0.50 16 94	0.06 17 102	-0.20 97	-0.26 7 94	-0.30 5 102	-0.63 14 99	-2.25 42 103	-0.55 14 103	1
201 1633 25 1099 109725895	3.39	106 22 0902 1658 21 0063	100	104	-0.45 17 95	0.04 17 102	-0.18 97	-0.25 8 94	-0.60 5 101	-0.76 14 98	-4.43 31 105	-0.44 18 103	0
202 1633 25 1100 109725887	3.39	106 22 0902 1658 21 0063	100	104	-0.45 17 95	0.04 17 102	-0.18 97	-0.25 8 94	-0.60 5 101	-0.76 14 98	-4.43 31 105	-0.44 18 103	0
203 1633 24 0833 101413466	2.79	106 22 0902 1633 21 0019	100	104	-0.50 16 94	0.06 17 102	-0.20 97	-0.25 7 94	-0.30 5 102	-0.63 14 99	-2.16 29 103	-0.57 14 103	0
204 1633 26 0116 113324974	2.66	1805 24 0072 1633 23 0571	100	104	-0.75 17 91	-0.05 11 100	-0.42 93	-0.53 5 92	0.40 5 105	-0.56 11 99	-6.29 27 108	2.44 12 95	0
205 1633 26 0115 113325047	2.87	1805 24 0072 1633 19 0003	100	104	-1.03 12 88	-0.36 15 92	-0.88 85	-0.77 5 91	1.60 5 111	-0.43 11 100	-1.98 15 102	-0.93 8 104	0
206 1633 25 1160 109873174	2.66	106 22 0902 1633 22 0358	99	106	-0.80 31 91	0.14 22 104	-0.26 96	-0.72 8 91	-0.50 5 101	-0.96 22 97	-7.77 34 110	0.80 17 100	0
207 1633 25 1161 109873182	2.66	106 22 0902 1633 22 0358	99	106	-0.80 31 91	0.14 22 104	-0.26 96	-0.72 8 91	-0.50 5 101	-0.96 22 97	-7.77 34 110	0.80 17 100	0
208 1633 22 0343 94234101	2.61	116 20 0216 1633 16 0046	99	109	-1.48 51 83	0.06 24 102	-0.68 89	-1.62 5 85	1.20 5 109	-0.70 30 99	-3.67 41 104	-0.98 12 105	1
209 1633 26 0106 112886668	2.83	1256 24 0139 1633 24 0753	99	102	-0.35 17 96	0.00 15 101	-0.18 97	-0.03 10 96	-0.50 10 101	-0.65 15 99	0.27 22 99	-0.11 13 102	0
210 1633 25 1104 109725960	2.80	106 20 0171 1633 18 0040	98	102	-0.50 35 94	0.21 25 106	-0.04 100	-0.29 6 94	-0.60 5 101	-0.65 24 99	-4.78 30 106	4.79 15 89	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
					Dir EBV Acc	Index	Mat EBV Acc	Index	Comb EBV Index	EBV Acc		Index	Acc	Index	Acc	Index	Acc			Index	Phenotype	
Active Breed Average:			100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15			
211	1633 22 0334 94768645	2.80	970 20 0070 1633 18 0011	98	107	-1.64 49 81		-0.20 28 96		-1.02 83		-1.78 12 84		1.20 7 109		-1.12 31 96		-16.05 46 120		3.62 22 92		2
212	1633 25 1030 109590091	2.71	106 20 0171 1633 22 0356	98	95	0.14 43 101		-0.18 24 96		-0.12 98		0.64 6 100		-0.70 5 100		-0.47 27 100		-1.22 36 101		4.70 16 89		0
213	1633 25 1198 111008280	2.71	106 20 0171 1633 22 0353	98	94	0.25 43 103		-0.17 24 97		-0.05 100		0.77 6 101		-0.70 5 100		-0.34 27 101		3.08 33 96		3.22 17 93		0
214	1633 25 0924 109184101	5.49	762 22 0227 1633 23 0571	98	88	0.73 42 108		-0.58 30 86		-0.22 97		1.68 14 107		-1.50 17 96		-0.75 32 98		-8.01 36 110		7.30 23 82		0
215	1633 25 0925 109184119	5.49	762 22 0227 1633 23 0571	98	88	0.73 42 108		-0.58 30 86		-0.22 97		1.68 14 107		-1.50 17 96		-0.75 32 98		-8.01 36 110		7.30 23 82		0
216	1633 25 0975 109562280	2.90	762 22 0227 1633 19 0003	98	88	0.45 40 105		-0.89 32 78		-0.67 89		1.45 14 105		-0.30 17 102		-0.63 32 99		-3.69 29 105		3.93 21 91		0
217	1633 24 0842 100857176	2.80	106 20 0171 1633 18 0044	98	101	-0.55 35 94		0.15 25 104		-0.13 98		-0.32 6 94		-0.60 5 101		-0.77 24 98		-5.27 43 107		4.59 15 89		1
218	1633 24 0843 100856939	2.80	106 20 0171 1633 18 0044	98	101	-0.55 35 94		0.15 25 104		-0.13 98		-0.32 6 94		-0.60 5 101		-0.77 24 98		-5.02 31 106		4.50 15 90		0
219	1633 26 0134 114020431	3.21	1256 24 0139 1633 24 0854	98	101	-0.32 20 96		0.00 16 101		-0.16 98		-0.06 11 95		-0.80 10 100		-0.80 16 98		1.96 30 97		-1.27 13 105		0
220	1633 25 1210 111058632	2.90	106 20 0171 1633 19 0036	98	100	-0.75 33 91		-0.11 20 98		-0.48 92		-0.46 6 93		-0.60 5 101		-1.22 22 96		-18.26 31 123		8.49 15 79		0
221	1633 25 0964 109562215	2.79	106 22 0902 1633 21 0220	98	102	-0.66 20 92		-0.15 22 97		-0.48 92		-0.36 7 93		-0.30 5 102		-0.98 17 97		-3.94 26 105		0.01 14 102		0
222	1633 26 0133 114020449	3.21	1256 24 0139 1633 24 0854	98	101	-0.32 20 96		0.00 16 101		-0.16 98		-0.06 11 95		-0.80 10 100		-0.80 16 98		1.96 30 97		-1.27 13 105		0
223	1633 25 0963 109562223	2.79	106 22 0902 1633 21 0220	98	102	-0.66 20 92		-0.15 22 97		-0.48 92		-0.36 7 93		-0.30 5 102		-0.98 17 97		-3.94 26 105		0.01 14 102		0
224	1633 26 0156 114094337	2.56	106 20 0171 1633 22 0333	98	95	-0.26 42 97		-0.27 24 94		-0.40 93		0.15 8 97		-0.60 6 101		-0.89 27 97		-13.63 37 117		8.91 18 77		0
225	1633 26 0141 114094287	2.68	106 20 0171 1633 22 0376	98	101	-0.97 38 89		-0.09 22 99		-0.58 90		-0.81 6 90		-0.80 6 100		-1.54 24 94		-28.67 36 136		11.95 18 69		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
226 1633 26 0132 114020415	2.87	1256 24 0139 1633 20 0181	98	101	-0.46 16 95	0.02 15 101	-0.21 97	-0.18 10 94	-0.50 10 101	-0.74 14 98	1.75 21 98	-0.30 12 103	0
227 1633 26 0131 114020423	2.87	1256 24 0139 1633 20 0181	98	101	-0.46 16 95	0.02 15 101	-0.21 97	-0.18 10 94	-0.50 10 101	-0.74 14 98	1.75 21 98	-0.30 12 103	0
228 1633 24 0770 100602564	2.80	106 20 0171 1633 18 0024	98	101	-0.59 35 93	0.09 25 103	-0.20 97	-0.35 6 93	-0.60 5 101	-0.86 24 98	-6.81 31 108	5.26 15 87	0
229 1633 26 0136 114020464	4.20	1256 24 0139 1633 24 0803	97	101	-0.25 20 97	0.17 20 105	0.05 101	0.02 11 96	-1.50 10 96	-0.97 18 97	0.47 29 99	0.01 14 102	0
230 1633 26 0135 114020456	4.20	1256 24 0139 1633 24 0803	97	101	-0.25 20 97	0.17 20 105	0.05 101	0.02 11 96	-1.50 10 96	-0.97 18 97	0.47 29 99	0.01 14 102	0
231 1633 26 0100 112924923	3.18	1256 24 0139 1633 24 0776	97	100	-0.38 21 96	-0.07 18 99	-0.26 96	-0.10 11 95	-0.80 10 100	-0.93 17 97	2.56 25 97	-1.47 13 106	0
232 1633 26 0174 114127640	2.74	106 20 0171 1633 22 0301	97	93	0.20 43 102	-0.11 25 98	-0.01 100	0.68 6 100	-0.70 5 100	-0.33 27 101	6.25 36 92	4.02 17 91	0
233 1633 25 0916 107820219	2.96	106 20 0171 776 22 0490	97	94	-0.10 39 99	-0.42 25 90	-0.47 92	0.65 12 100	-0.80 9 100	-1.00 27 97	-5.52 35 107	4.18 21 90	0
234 1633 26 0101 112924931	3.18	1256 24 0139 1633 24 0776	97	100	-0.38 21 96	-0.07 18 99	-0.26 96	-0.10 11 95	-0.80 10 100	-0.93 17 97	2.56 25 97	-1.47 13 106	0
235 1633 25 0915 107820227	2.96	106 20 0171 776 22 0490	97	94	-0.10 39 99	-0.42 25 90	-0.47 92	0.65 12 100	-0.80 9 100	-1.00 27 97	-5.52 35 107	4.18 21 90	0
236 1633 25 0968 109562264	2.87	106 20 0171 1633 20 0194	97	100	-0.60 35 93	0.09 25 103	-0.21 97	-0.35 6 93	-0.60 5 101	-0.87 24 98	-2.42 31 103	3.56 15 92	0
237 1633 22 0325 94624277	2.90	116 20 0182 1633 19 0003	97	101	-1.32 52 85	-0.49 25 89	-1.15 81	-1.21 11 88	1.60 5 111	-0.85 30 98	-4.39 29 105	1.22 21 99	2
238 1633 26 0146 114094162	2.56	106 20 0171 1633 22 0316	97	95	-0.31 42 96	-0.28 24 94	-0.44 93	0.09 8 96	-0.60 6 101	-0.95 27 97	-7.99 36 110	6.63 18 84	0
239 1633 23 0559 97278485	2.80	106 20 0171 1633 18 0062	97	100	-0.66 35 92	0.02 25 101	-0.31 95	-0.39 6 93	-0.60 5 101	-1.00 24 97	-5.43 46 107	4.55 15 89	1
240 1633 23 0524 97278725	2.90	106 20 0171 1633 19 0022	96	99	-0.69 35 92	-0.03 25 100	-0.37 94	-0.41 6 93	-0.60 5 101	-1.07 24 96	-8.00 40 110	5.75 15 86	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
								Dir		Mat		Comb		Acc		Acc		Acc		Acc			
							Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:						100	100			-0.06	-0.02	-0.06	0.50			-0.36	-0.31	-0.30	0.15				
241	1633 23 0571 97279467	2.87	106 20 0171 1633 20 0095	96	99	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-8.90 45 111	4.76 20 89			2							
242	1633 23 0643 97353643	2.90	106 20 0171 1633 19 0031	96	99	-0.68 37 92	-0.02 28 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 26 96	-5.99 45 107	4.82 15 89			1							
243	1633 25 1093 109725986	7.95	106 22 0902 1633 23 0643	96	100	-0.51 25 94	0.01 22 101	-0.25 96	-0.21 8 94	-1.40 5 97	-1.34 19 95	-6.74 35 108	2.89 16 94			0							
244	1633 26 0126 114127798	4.18	1256 24 0139 1633 24 0874	96	99	-0.39 20 95	-0.01 20 101	-0.20 97	-0.07 11 95	-1.50 10 96	-1.29 18 95	-3.13 25 104	1.20 14 99			0							
245	1633 26 0148 114094311	2.51	106 20 0171 1633 22 0441	96	95	-0.39 38 95	-0.29 22 94	-0.49 92	0.00 8 96	-0.60 6 101	-1.04 24 97	-6.13 36 108	5.53 18 87			0							
246	1633 25 1026 109583641	3.03	106 20 0171 1633 22 0414	96	100	-0.71 35 92	-0.01 23 101	-0.36 94	-0.38 7 93	-0.80 6 100	-1.20 24 96	-4.33 35 105	3.13 18 93			0							
247	1633 25 0945 109590281	2.56	106 20 0171 1633 22 0338	96	94	-0.38 42 96	-0.29 24 94	-0.48 92	0.01 8 96	-0.60 6 101	-1.02 27 97	-7.57 33 109	7.25 18 82			0							
248	1633 25 0989 109583633	2.89	106 20 0171 1633 23 0592	96	99	-0.72 34 92	-0.04 21 100	-0.40 93	-0.41 6 93	-0.70 6 100	-1.18 23 96	-5.89 36 107	4.38 15 90			0							
249	1633 22 0323 94768629	2.80	970 20 0070 1633 18 0007	96	105	-1.66 49 81	-0.20 28 96	-1.03 83	-1.80 12 84	1.20 7 109	-1.14 31 96	-4.77 43 106	0.67 23 100			3							
250	1633 23 0572 97278683	2.90	106 20 0171 1633 19 0103	96	99	-0.68 37 92	-0.02 28 100	-0.36 94	-0.41 6 93	-0.60 5 101	-1.06 26 96	-2.38 41 103	3.24 15 93			1							
251	1633 25 1204 111008314	2.80	106 20 0171 1351 18 0090	96	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-10.40 32 113	7.34 15 82			0							
252	1633 25 1010 109583609	2.87	106 20 0171 1633 20 0172	96	99	-0.71 35 92	-0.05 25 99	-0.41 93	-0.43 6 93	-0.60 5 101	-1.12 24 96	-4.89 30 106	4.46 15 90			0							
253	1633 25 0998 109590083	5.51	762 22 0227 1633 23 0464	96	85	0.52 46 106	-0.69 33 83	-0.44 93	1.47 14 105	-1.50 17 96	-1.08 34 96	-6.00 32 107	7.15 22 82			0							
254	1633 25 1011 109583591	2.87	106 20 0171 1633 20 0172	96	99	-0.71 35 92	-0.05 25 99	-0.41 93	-0.43 6 93	-0.60 5 101	-1.12 24 96	-4.89 30 106	4.46 15 90			0							
255	1633 26 0178 114127764	2.71	106 20 0171 1384 21 0123	96	99	-0.75 33 91	-0.11 20 98	-0.49 92	-0.46 6 93	-0.60 5 101	-1.22 22 95	-4.74 33 106	3.22 18 93			0							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
							Dir	Mat				Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
256	1633 25 1082 109647669	2.90	106 22 0902 1633 19 0030	96	99	-0.83 20	-0.36 90	-0.77 22	-0.47 92	-0.77 87	-0.47 7	-0.30 5	-1.36 17	-3.94 26	0.01 14	102	0		
257	1633 24 0847 100856996	2.92	106 20 0171 1633 17 0025	96	98	-0.72 37	-0.07 92	-0.43 28	-0.44 99	-0.43 93	-0.44 6	-0.60 5	-1.15 26	-4.89 30	4.46 106	15	90	0	
258	1633 24 0637 99274805	2.71	106 20 0171 1384 21 0123	96	99	-0.75 33	-0.11 91	-0.49 20	-0.46 98	-0.49 92	-0.46 6	-0.60 5	-1.22 22	-4.74 33	3.22 106	18	93	0	
259	1633 23 0693 98136500	2.87	106 20 0171 1633 20 0189	96	99	-0.70 39	-0.05 92	-0.40 31	-0.43 100	-0.40 93	-0.43 6	-0.60 5	-1.11 28	-3.10 31	3.74 104	15	92	0	
260	1633 26 0130 114020399	4.14	1256 24 0139 1633 24 0834	95	99	-0.38 18	0.01 96	-0.18 17	-0.07 101	-0.18 97	-0.07 11	-1.50 10	-1.27 16	0.82 30	-0.10 99	-0.10 14	102	0	
261	1633 26 0129 114020407	4.14	1256 24 0139 1633 24 0834	95	99	-0.38 18	0.01 96	-0.18 17	-0.07 101	-0.18 97	-0.07 11	-1.50 10	-1.27 16	0.82 30	-0.10 99	-0.10 14	102	0	
262	1633 25 1206 111008330	2.80	106 20 0171 1633 18 0007	95	98	-0.75 35	-0.11 91	-0.49 25	-0.46 98	-0.49 92	-0.46 6	-0.60 5	-1.22 24	-5.54 31	4.45 107	15	90	0	
263	1633 25 1070 109647594	2.90	106 22 0902 1633 19 0141	95	99	-0.85 23	-0.39 90	-0.81 26	-0.49 91	-0.81 86	-0.49 7	-0.30 5	-1.42 20	-3.94 26	0.01 105	0.01 14	102	0	
264	1633 25 0912 107839078	2.79	106 20 0171 1633 21 0278	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	
265	1633 25 1187 110754553	2.87	106 20 0171 1805 20 0132	95	98	-0.75 37	-0.11 91	-0.48 21	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 23	-4.89 30	4.46 106	15	90	0	
266	1633 25 1041 109647693	2.71	106 20 0171 1633 22 0339	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	
267	1633 24 0891 106774300	2.79	106 20 0171 1633 21 0253	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	
268	1633 24 0720 106693146	2.90	106 20 0171 1633 19 0138	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	
269	1633 25 0948 109475426	2.79	106 20 0171 1633 21 0247	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	
270	1633 25 1191 110754595	2.79	106 20 0171 1633 21 0238	95	98	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.48 92	-0.46 6	-0.60 5	-1.22 22	-4.89 30	4.46 106	15	90	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI Times Lambled
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
271 1633 26 0190 114127715	2.79	106 20 0171 1633 21 0253	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
272 1633 25 0918 107839144	2.79	106 20 0171 1633 21 0259	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
273 1633 24 0892 106774326	2.79	106 20 0171 1633 21 0260	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
274 1633 25 1195 110823127	2.71	106 20 0171 1633 22 0394	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
275 1633 25 1055 109590109	2.87	106 20 0171 1633 20 0163	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
276 1633 25 1186 110754546	2.87	106 20 0171 1805 20 0132	95	98	-0.75 37 91	-0.11 21 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 23 96	-4.89 30 106	4.46 15 90	0
277 1633 25 0914 107820193	2.87	106 20 0171 1633 20 0186	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
278 1633 23 0683 98017874	2.79	106 20 0171 1633 21 0285	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
279 1633 26 0177 114127756	2.79	106 20 0171 1633 21 0288	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
280 1633 24 0883 106774292	2.79	106 20 0171 1633 21 0277	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
281 1633 25 1040 109647677	2.71	106 20 0171 1633 22 0339	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
282 1633 25 0994 109583625	2.79	106 20 0171 1633 21 0285	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
283 1633 26 0151 114094253	2.79	106 20 0171 1633 21 0246	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
284 1633 25 0970 109590356	3.87	106 20 0171 - - -	95	98	-0.75 33 91	-0.11 20 98	-0.48 92	-0.46 6 93	-0.60 5 101	-1.22 22 96	-4.89 30 106	4.46 15 90	0
285 1633 24 0887 106679152	2.79	106 20 0171 1633 21 0287	95	98	-0.76 35 91	-0.12 25 98	-0.50 92	-0.46 6 93	-0.60 5 101	-1.24 24 95	-4.89 30 106	4.46 15 90	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
286	1633 25 1009 109583583	2.87	106 20 0171 1633 20 0160	95	97	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.60 5	-1.22 101	-5.21 31	4.97 106	15	88		0
287	1298 21 0244 93281392	4.69	1298 20 0365 1298 14 0239	95	89	-0.09 33	-0.76 99	-0.80 29	0.95 82	-0.30 15	-1.03 102	-0.01 35	3.40 100	22	93		0
288	1633 23 0702 98137904	2.79	106 20 0171 1633 21 0213	95	98	-0.77 35	-0.13 91	-0.51 25	-0.47 98	-0.60 5	-1.25 101	-4.89 30	4.46 106	15	90		0
289	1633 23 0701 98137920	2.79	106 20 0171 1633 21 0213	95	98	-0.77 35	-0.13 91	-0.51 25	-0.47 98	-0.60 5	-1.25 101	-4.89 30	4.46 106	15	90		0
290	1633 23 0573 97278667	2.87	106 20 0171 1633 20 0160	95	97	-0.75 33	-0.11 91	-0.48 20	-0.46 98	-0.60 5	-1.22 101	-5.85 45	5.99 107	20	85		2
291	1633 26 0127 113984694	4.25	1256 24 0139 1633 24 0842	95	97	-0.40 24	0.06 95	-0.15 20	-0.10 102	-1.60 10	-1.31 96	-0.69 19	2.47 101	14	95		0
292	1633 26 0128 113984686	4.25	1256 24 0139 1633 24 0842	95	97	-0.40 24	0.06 95	-0.15 20	-0.10 102	-1.60 10	-1.31 96	-0.69 30	2.47 101	14	95		0
293	1633 25 1193 110823093	2.68	106 20 0171 1633 22 0357	95	97	-0.73 42	-0.09 92	-0.45 24	-0.50 99	-0.80 6	-1.29 100	-3.85 27	4.22 105	16	90		0
294	1633 25 1192 110823101	2.68	106 20 0171 1633 22 0357	95	97	-0.73 42	-0.09 92	-0.45 24	-0.50 99	-0.80 6	-1.29 100	-3.85 36	4.22 105	16	90		0
295	1633 22 0319 94768736	2.90	116 20 0073 1633 19 0032	94	97	-0.72 55	-0.59 92	-0.95 29	-0.34 86	1.40 5	-0.46 110	24.00 33	-9.35 69	19	128		2
296	1633 25 1144 109873083	3.27	106 22 0902 1633 22 0317	94	101	-1.15 30	-0.06 87	-0.63 23	-1.11 99	-0.50 6	-1.50 101	-0.09 34	-0.52 100	18	103		0
297	1633 25 1145 109873075	3.27	106 22 0902 1633 22 0317	94	101	-1.15 30	-0.06 87	-0.63 23	-1.11 99	-0.50 6	-1.50 101	-0.09 34	-0.52 100	18	103		0
298	1633 23 0538 97278261	2.87	106 20 0171 1633 20 0173	94	97	-0.68 35	-0.02 92	-0.36 25	-0.41 100	-0.60 5	-1.06 101	7.51 45	0.38 90	15	101		1
299	1633 25 1184 110754538	3.88	106 20 0171 1633 23 0686	93	96	-0.85 38	-0.19 90	-0.62 22	-0.66 96	-1.00 6	-1.64 99	-5.04 37	3.64 106	16	92		0
300	1633 24 0646 99274789	2.80	106 20 0171 1633 18 0005	93	95	-0.94 39	-0.34 89	-0.81 31	-0.58 92	-0.60 5	-1.64 101	-4.89 28	4.46 93	15	90		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights					EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight			Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambred	
					Dir	Mat	Comb							Acc	Index	Acc			Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
301	1633 25 1013 109590166	2.90	106 20 0171 1633 19 0021	92	94	-0.96 38 89	-0.38 30 91	-0.86 86	-0.60 6 92	-0.60 5 101	-1.70 27 93	-4.89 30 106	4.46 15 90	0					
302	1633 26 0172 114094246	2.90	106 20 0171 1633 19 0042	92	93	-1.00 35 89	-0.43 25 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.79 24 92	-4.89 30 106	4.46 15 90	0					
303	1633 25 0919 107839128	2.87	106 20 0171 1633 20 0027	92	93	-1.00 37 88	-0.43 28 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.80 26 92	-4.89 30 106	4.46 15 90	0					
304	1633 26 0171 114094352	2.90	106 20 0171 1633 19 0042	92	93	-1.00 35 89	-0.43 25 90	-0.93 84	-0.63 6 92	-0.60 5 101	-1.79 24 92	-4.89 30 106	4.46 15 90	0					
305	1633 22 0317 94624236	2.80	970 20 0070 1633 18 0019	92	103	-1.96 51 78	-0.14 32 97	-1.12 81	-2.21 12 81	1.20 7 109	-1.38 34 95	7.33 44 91	-2.01 23 107	2					
306	1633 25 0917 107820235	35.20	106 20 0171 1633 23 0524	91	93	-0.76 38 91	-0.16 24 97	-0.54 91	-0.42 7 93	-1.70 6 95	-1.94 25 91	-8.70 36 111	7.80 16 80	0					
307	1633 23 0464 97170377	2.90	106 20 0171 1633 19 0021	91	95	-1.17 52 87	-0.34 31 92	-0.92 85	-0.87 6 90	-0.60 5 101	-1.86 33 92	-4.89 30 106	4.46 15 90	1					
308	1633 24 0856 100856830	2.90	106 20 0171 1633 19 0141	90	92	-1.10 37 87	-0.55 28 87	-1.10 81	-0.69 6 91	-0.60 5 101	-2.01 26 91	-4.89 30 106	4.46 15 90	0					
309	1633 25 1189 110754579	35.18	106 20 0171 1633 23 0538	90	92	-0.75 38 91	-0.16 24 97	-0.53 91	-0.42 7 93	-1.70 6 95	-1.93 25 91	-0.94 37 101	5.12 16 88	0					
310	1633 22 0322 94624202	2.92	970 20 0070 1633 17 0093	89	102	-2.41 49 73	-0.31 28 93	-1.51 74	-2.69 12 78	1.20 7 109	-2.00 31 91	3.07 43 96	-1.66 17 106	1					