

ANGUS

GENOMIC BREEDING VALUE REPORT

September 2026



MISTBELT AGROCHEMICALS

Herd Number: 709755

E-mail: mistbelt@iafrica.com



EBVs, EBVi's and GEBVs


EBVi (Breeding Value Index): Genetic potential relative to the average (100) of the live animals in the breed. Roughly 50% of the animals have values between 90 and 110. Values above 100 tend to be in the more favourable direction.

EBV (Breeding Value): Genetic potential relative to the average of the animals born in the base year (1990), expressed in the unit of measurement.

GEBV (Genomic Breeding Value) Interpreted like the EBVi. (GEBV = EBV + Genomic information)

LOGIX Selection values combine different breeding values in a logical way. For example, Heifer Fertility (how early a heifer starts calving), Cow Fertility (how regular she calves) and Longevity (retention within the family) are combined to form the Fertility Value.

LOGIX Cow Value



Selection Values

LOGIX Cow Value



Selecting for:

- fertile,
- low maintenance,
- easy calving cows
- with heavy weaners

LOGIX Growth Value



Select for efficient growers on veld and in feedlot, as measured in Phase C and D Growth Tests.

LOGIX Production Value



80% LOGIX Cow Value +
20% LOGIX Growth Value

LOGIX Carcass Value



Select for more meat on the carcass as measured from end weight in Phase C and D Growth Tests and RTU scanning.

How to use the Cow Value

Selection values should be compatible with your selection goal.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value and Fertility Value average to high
- A safe choice, as animals are profitable in most

GROWERS

(GOOD ENVIRONMENT)


- Calf Growth / Growth Value > 120
 - Cow Value and Fertility Value average to high
- Growers are usually heavier at birth (lower Calving Ease Value), and maturity (lower Maintenance Value).

LOW- MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value >110
 - Cow Value and Fertility Value average to high
- Lighter cows have a lower maintenance.

Interpretation of EBVi and Selection Values




Examples

Type of Animal	Cow Value	Calving Ease V	Calf Growth V	Milk Value	Maint. Value	Fertility Value
Average	Med-High	Avg	Avg	Avg	Avg	Med-High
Grower	Med-High		High			Med-High
Low Maintenance	Med-High				High	Med-High

	EBVi	Description / Measurement	Goal	High Value	Low Value
Selection Values	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High	Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light	Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less	More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low	High
	Cow Value	Combination of calving ease, calf growth, milk, maintenance and fertility values (Rand-value)	Profitable cows	Loss	Profit
	Growth Value	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss	Profit
	Production Value	Combination of Cow- and Growth Values (Rand-value)	Profitable animals	Loss	Profit
	Carcass Value	Meat on carcass (Weight and RTU EBVs)	Meat on carcass	Less	More
Birth	Cow weight - birth	Cow weight at birth of calves	Mature cow weight	Light	Heavy
	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy	Light
	Cow-Calf birth	EBV Birth dir / EBV Mature cow weight	Average	Low	High
Wean	Cow Weight wean	Cow weight at weaning of calves	Mature cow weight	Light	Heavy
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light	Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor	Good
	Cow-Calf Wean	EBV Wean dir / EBV Mature cow weight	High cow-calf ratio	Low	High
Growth & Adaptation	Post-Wean weight	12- and 18mnth weights	Post-wean growth	Low	High
	Ave. Daily Gain	Average daily gain in growth test (Phase C and D)	Good growth	Poor	Good
	Veld Growth	ADG on veld (Phase B)	Good adaptation	Poor	Good
	Feed Conversion Ratio	100g feed intake / g weight gain	Feed Efficiency	Poor	Good
	Final Test Weight	Final weight in growth test (Phase C and D)	Heavy Carcasses	Light	Heavy
	Skin Thickness	Measured in growth tests	Thicker skin	Thick	Thin
Fertility	Scrotal Circumference	Scrotal circumference in growth test	Fertile bulls	Less	More
	Heifer Fertility	Age at first calving	Fertile heifers	Less	More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less	More
	Longevity	Retention of progeny	Acceptable progeny	Poor	Good
Frame	Height	Shoulder / Hip height in growth test	Average height	Short	Tall
	Length	Length in growth test	Longer (more meat)	Short	Long
	Length:Height	EBV Length / EBV Height	Longer, not higher	<1	>1
Carcass	Eye Muscle Area	RTU Eye muscle area	Bigger steaks	Small	Big
	Fat	RTU P8 Backfat Thickness	Carcass quality	Thin	Thick
	Marbling	RTU % Marbling	Juicy meat	Low	High
	Dressing%	Carcass weight / Live weight	High dressing %	Low	High

Herd and Breed Averages



Genomic Breeding Values (GEBVs):

Brth:	Birth weight	Scr:	Scrotal circumf.
Wn:	Weaning weight	HF:	Heifer Fertility
B.m:	Birth maternal	CF:	Cow Fertility
Mlk:	Milk	LL:	Longevity
12m:	2 mo weight	Fr:	Frame
MW:	Mature weight	Ln:	Length
ADG:	Average Daily Gain	Dr%:	Dressing%
FCR:	Feed Conversion Ratio	Mar:	Marbling

Selection Values:

CEV:	Calving Ease Value
CGV:	Calf Growth Value
MkV:	Milk Value
MnV:	Maintenance Value
FV:	Fertility Value
CV:	Cow Value
GV:	Growth Value
PV:	Production Value
CCV:	Carcass Value

	Trait	EBV Herd	EBVi Herd	EBV Breed
Prewean Growth	Birth Weight	1.12	105	1.64
	Wean Weight	25.0	83	33.6
	Birth Mat.	0.83	87	0.30
	Milk (Wn.Mat.)	1.6	84	6.6
Postwean Growth	12m weight	55	89	65.1
	Mature Weight	72	106	65
	ADG	194	94	217
	FCR	-86	92	-100
Fertility	Scrotal Circumf.	15.6	89	20.5
	Heifer Fertility	2.0	87	-4.3
	Cow Fertility	-1.3	93	-2.2
	Longevity	29.6	94	32.7
Frame	Frame score	-2	77	0
	Length	31	77	49
Carcass	Dressing%	0.68	100	0.69
	Marbling	0.68	100	0.71

Selection Value	Ave. Herd
Calving Ease	95
Calf Growth	83
Milk	84
Maintenance	96
Fertility	88
Cow Value	69
Growth Value	91
Production Value	69
Carcass Value	86

- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease:	Smaller calf at birth - easier calving
Calf growth:	Heavier calves at wean due to growth potential of the calf
Milk:	Cows with more milk and better mothering ability
Maintenance:	Animals with low maintenance requirements (lower mature weight).
Fertility:	Cows/daughters that calve earlier and/or more regularly.

Genetic Windows

Bulls on the farm

Bulls born in 2015 and earlier

Total:

130
120
110
100
90
80
70

130
120
110
100
90
80
70

Cow Herd

Cows born in 2015 and earlier

Total:

Cows older than 6 years

Cows born in 2015 and earlier

Total:

Sires of young animals

Sires of animals 3 years and younger

Total:

130
120
110
100
90
80
70

130
120
110
100
90
80
70

Bull calves

Bulls born in 2015

Total:

130
120
110
100
90
80
70

130
120
110
100
90
80
70


Heifer calves

Heifers born in 2015

Total:

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance				Fertility				Cow Value
	Birth Weight		Dir	Mat	Weaning Weight	Calf Growth	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Maintenance	Heifer Fert.	Cow Fert.		Longevity	Fertility			
	Number	EBV			Number		EBV		Number		EBV	Number	EBV	Number		EBV	Number	
2023	7	1.89	0.77	90														

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						Cow Value		
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility			
	Number	Dir EBV			Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV			Number	EBV
2016	6114	1.53	0.31	101	4059	29.5	92	4059	4.96	95	1835	65.3	539	63	103	1017	-3.1	827	-1.9	6446	23.5	93	88	
2017	6172	1.52	0.34	101	4081	29.9	93	4081	5.26	96	1814	65.3	632	62	103	1075	-3.5	965	-1.9	6390	23.6	94	90	
2018	6114	1.52	0.32	101	4332	30.9	95	4332	5.32	96	1932	66.9	618	62	103	1061	-3.7	948	-2.1	6300	24.8	96	92	
2019	5856	1.56	0.29	101	4093	31.4	96	4093	5.74	97	1785	67.3	755	63	103	1135	-3.4	1036	-1.9	6019	25.4	96	94	
2020	5733	1.56	0.32	100	4114	31.8	96	4114	6.28	99	1789	69.0	830	65	101	1154	-3.6	1058	-2.0	5815	26.6	97	95	
2021	5977	1.58	0.33	100	4408	32.4	98	4408	6.24	99	1881	70.5	729	64	101	1085	-3.7	959	-2.1	5385	27.4	99	96	
2022	5930	1.65	0.30	100	4462	32.7	98	4462	6.17	98	1963	70.8	603	61	102	1077	-4.3	479	-2.4	2697	28.5	102	98	
2023	6401	1.59	0.34	100	4712	33.1	99	4712	6.64	100	2072	72.6	163	65	100	650	-4.3	76	-2.5			103	99	
2024	6631	1.59	0.32	100	4760	33.8	100	4760	6.91	101	1702	74.4	4	62	98	103	-3.8					102	101	
2025	6430	1.60	0.32	100	3874	34.2	101	3874	6.99	101	263	75.9			97								102	
2026	2506	1.62	0.31	100	26	36.2	105	26	7.18	102													107	

Genetic Trends for Growth Test and Carcass Traits



Herd

Birth Year	Growth												Frame						Carcass						Selection Values			
	FCR			ADG			Veld Growth			Scrotum			Height			Length			EMA			Fat		Marbling		Carcass Value	Growth Value	Prod Value
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	RTU Number	EBV	EBVi	EBV	EBVi	EBV	EBVi			
2023																												

Breed

Birth Year	Growth												Frame						Carcass						Selection Values			
	FCR			ADG			Veld Growth			Scrotum			Height			Length			RTU Number	EMA		Fat		Marbling		Cracss Value	Growth Value	Prod Value
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	EBV	EBVi	EBV	EBVi						
2017	11	-114	108	370	205	97	1308	69	97	401	19.6	98	377	0	100	372	47	97	201	2.56	98	1.23	95	0.67	100	93	95	93
2018	18	-103	102	401	210	98	1357	69	97	406	19.6	98	402	0	100	402	48	99	158	2.60	98	1.35	96	0.52	98	98	96	96
2019	11	-104	102	439	222	101	1236	73	99	455	20.7	101	439	0	102	439	50	101	308	2.70	99	1.43	97	0.70	100	100	100	97
2020	8	-117	110	566	228	103	1098	77	100	486	20.9	101	562	0	103	562	51	103	445	3.10	103	1.71	99	0.82	101	103	101	99
2021				612	230	103	1134	78	100	543	21.9	103	612	0	104	612	52	104	383	3.20	104	1.57	98	0.98	103	104	102	102
2022	7	-121	112	552	226	102	1305	79	101	509	21.5	102	552	0	103	552	51	103	391	3.23	105	1.81	100	0.83	101	105	101	102
2023	12	-117	110	733	237	105	1303	80	101	690	22.4	104	772	0	103	771	53	105	541	3.50	107	1.90	101	1.19	106	107	104	104
2024	17	-113	108	670	232	104	987	82	101	641	22.8	105	724	0	104	724	53	105	582	3.49	107	1.85	100	0.87	102	106	103	105
2025				50	247	108	190	78	100	50	20.5	100	50	0	104	50	55	107	50	3.35	106	2.31	104	1.38	108	111	107	108
2026																												

Percentile Table for Bulls (based on live animals)

%	Calf weight			Growth & efficiency				Fertility				Frame	
	Birth weight	Weaning weight	Milk (WW.Mat.)	Post wean	Mature weight	ADG	Kleiber	Scrotal circum.	Heifer Fertility	Cow Fertility	Longevity	Frame Score	Length
Mean	1.62	34.2	6.8	71.8	67	220	86	20.9	-4.0	-2.2	32.9	0	50
Top	-6.07	62.5	22.5	125.1	132	562	248	58.0	-24.0	-8.2	48.2	5	102
1	-1.52	50.7	15.5	103.1	107	367	164	38.4	-16.8	-5.9	44.5	3	77
2	-1.02	48.4	14.3	98.4	101	335	148	36.1	-15.2	-5.4	43.5	2	73
3	-0.70	46.9	13.7	96.3	97	320	141	34.2	-14.3	-5.1	42.6	2	71
4	-0.45	45.6	13.3	94.3	94	312	135	32.9	-13.4	-4.9	42.0	2	68
5	-0.28	45.0	12.9	93.0	92	304	131	32.0	-12.7	-4.7	41.6	2	68
6	-0.14	44.6	12.5	92.1	91	297	128	31.0	-12.1	-4.5	41.3	2	66
7	-0.05	44.0	12.2	91.0	89	292	125	30.2	-11.6	-4.4	41.0	2	65
8	0.04	43.5	11.9	90.2	88	287	123	29.5	-11.2	-4.3	40.8	1	64
9	0.15	43.1	11.7	89.2	87	284	121	28.9	-10.9	-4.2	40.5	1	64
10	0.23	42.6	11.4	88.4	86	281	120	28.4	-10.6	-4.1	40.3	1	63
20	0.73	39.7	9.7	82.5	79	258	106	25.0	-8.3	-3.4	38.5	1	58
30	1.08	37.4	8.5	78.6	74	243	98	23.1	-6.6	-3.0	37.1	1	54
40	1.37	35.6	7.6	75.2	70	230	91	21.5	-5.3	-2.6	35.8	0	51
50	1.63	34.1	6.7	71.9	66	218	85	20.3	-4.0	-2.2	34.5	0	49
60	1.89	32.4	5.9	68.6	62	207	79	19.2	-2.7	-1.8	33.2	0	47
70	2.18	30.7	5.0	65.1	58	195	72	17.9	-1.3	-1.5	31.7	0	44
80	2.52	28.8	4.0	60.8	54	180	63	16.4	0.2	-1.0	29.6	-1	41
90	3.05	26.2	2.5	55.2	48	159	52	14.4	2.8	-0.2	23.9	-1	38
91	3.12	25.9	2.2	54.4	47	156	50	14.0	3.1	-0.1	21.0	-1	37
92	3.20	25.4	2.0	53.6	46	153	48	13.6	3.5	0.0	18.2	-1	36
93	3.29	25.0	1.8	52.4	45	150	47	13.2	4.0	0.2	15.3	-1	36
94	3.41	24.6	1.5	51.3	43	147	45	12.8	4.4	0.3	13.9	-2	35
95	3.51	23.9	1.1	50.1	42	143	43	12.3	5.0	0.4	12.7	-2	34
96	3.65	23.2	0.8	48.6	41	138	40	11.7	5.6	0.6	11.9	-2	33
97	3.86	22.5	0.3	47.1	39	133	37	10.7	6.4	0.9	10.8	-2	32
98	4.14	21.2	-0.3	44.7	36	126	31	9.5	7.4	1.1	9.6	-2	30
99	4.65	19.3	-1.1	41.7	32	114	24	7.2	9.4	1.6	8.2	-2	27
Bottom	7.01	7.7	-9.0	17.1	6	29	-41	-8.4	17.1	5.0	-0.1	-5	11

Percentile Table for Cows (based on live animals)

%	Calf weight			Growth & efficiency				Fertility				Frame	
	Birth weight	Weaning weight	Milk (WW.Mat.)	Post wean	Mature weight	ADG	Kleiber	Scrotal circum.	Heifer Fertility	Cow Fertility	Longevity	Frame Score	Length
Mean	1.64	33.4	6.6	69.6	65	216	86	20.3	-4.4	-2.3	32.6	0	49
Top	-4.71	58.5	26.5	124.3	153	539	248	49.4	-32.2	-11.0	51.0	5	110
1	-1.74	48.9	16.9	100.4	108	344	153	35.4	-19.7	-6.5	44.3	2	74
2	-1.25	47.1	15.8	96.3	101	324	143	33.4	-18.2	-6.0	43.0	2	71
3	-0.93	45.7	14.9	94.1	98	312	137	32.0	-16.8	-5.7	42.2	2	69
4	-0.71	44.8	14.1	92.1	95	304	133	31.0	-15.7	-5.4	41.7	2	67
5	-0.50	44.0	13.6	90.5	93	297	129	30.0	-15.1	-5.2	41.2	2	66
6	-0.31	43.3	13.1	89.2	91	291	126	29.3	-14.4	-5.0	40.9	2	65
7	-0.19	42.8	12.8	88.1	89	287	123	28.8	-13.8	-4.8	40.6	1	64
8	-0.08	42.3	12.5	87.3	88	283	121	28.2	-13.3	-4.7	40.3	1	63
9	0.02	41.9	12.2	86.4	87	280	119	27.8	-12.8	-4.6	40.0	1	63
10	0.11	41.5	11.9	85.7	86	277	118	27.4	-12.4	-4.5	39.8	1	62
20	0.74	38.7	9.9	80.3	78	255	106	24.5	-9.5	-3.7	37.8	1	57
30	1.11	36.7	8.5	76.5	73	239	98	22.8	-7.4	-3.1	36.3	0	54
40	1.41	35.0	7.5	73.1	69	227	91	21.4	-5.9	-2.7	35.0	0	51
50	1.69	33.4	6.6	69.8	65	214	85	20.1	-4.4	-2.3	33.7	0	48
60	1.97	31.8	5.6	66.5	61	203	79	18.9	-3.0	-1.9	32.2	0	46
70	2.26	30.0	4.6	63.1	56	191	72	17.5	-1.4	-1.4	30.7	-1	43
80	2.60	28.0	3.4	59.0	51	177	64	16.0	0.6	-0.8	28.6	-1	40
90	3.12	25.1	1.4	53.0	44	156	53	13.6	3.5	0.1	25.0	-1	36
91	3.19	24.6	1.2	52.2	43	153	52	13.3	4.0	0.2	24.3	-1	35
92	3.27	24.1	0.8	51.3	42	150	50	12.9	4.5	0.3	23.5	-1	35
93	3.36	23.7	0.5	50.4	40	146	48	12.5	4.9	0.5	22.3	-1	34
94	3.46	23.2	0.0	49.2	39	143	46	12.1	5.6	0.6	20.5	-2	33
95	3.57	22.5	-0.4	47.9	37	139	44	11.5	6.1	0.8	17.9	-2	32
96	3.72	21.7	-1.0	46.0	35	133	41	10.8	6.8	1.1	14.8	-2	31
97	3.88	20.8	-1.7	44.4	32	128	37	10.0	7.7	1.4	12.2	-2	30
98	4.14	19.6	-2.8	41.7	29	120	32	8.7	9.1	1.8	10.3	-2	28
99	4.53	17.3	-4.4	37.8	24	108	25	7.1	11.1	2.4	8.5	-2	25
Bottom	7.99	4.6	-18.7	6.3	-17	29	-23	-19.9	22.6	5.8	-3.9	-4	9

Sires

Bull			Selection Values										Birth			Wean					Grwth & Adaptation					Fertility				Frame		Carcass				Progeny	
Index EBV Acc	Genomic	Sire ID Dam ID	Calv. Ease V	Calf Growth V	Milk Value	Maint. V	Fertility V	Cow Value	Growth Value	Prod. Value	Carcass V	Cow wt brth	Birth wt	Cow-Calf birth	Cow wt wean	Wean wt	Wean mat	Comb. mat	Cow-Calf wn	12m wt	ADG	Veld growth	FCR	Skin Thickn	Scrotum	Heifer Fert	Cow Fert.	Longevity	Frame score	Length	EMA	Fat	Marbling	Dress %	Nr measured		
																																			Birth	Wean	
ID	Comp.nr																																			Grwth Test	Dght&clv (Weaned)
WO 160008	WB	130316	102	77	90	103	82	68	103	71	99	94	116	96	97	77	90	86	76	82	104	90	100	107	94	80	84	96	80	84	119	97	108	117	31	31	
Red	LKS	120111	77	86	60	64	48	62	30	56	42	58	0.17	-1.0	58	22	3.7	9.8	68	48	231	49	-100	0.85	17.8	5.2	-0.1	31	-2	36	4.63	1.46	1.36	1.01	4	4	
WO160008												41	90	71	64	86	60	70	69	42	28	18	33	46	43	28	73	45	41	40	43	40	42				

Breeding Values and Accuracies: Bulls

Inbreeding in red is high

Value <80 Value >120

Breeding values with an accuracy < 5% are not printed

Animal				Selection Value											Birth			Wean					Growth & Adaptation					Fertility				Frame		Carcass			
ID	% Inbreeding	Genomic Parentage	Index EBV Acc	Calv. Ease V	Calf Growth V	Milk Value	Maint. V	Fertility V	Cow Value	Growth Value	Prod. Value	Carcass V	Cow wt -brth	Birth wt	Cow-Calf birth	Cow wt -wean	Wean wt	Wean mat	Comb mat	Cow-Calf wn	12m wt	ADG	Veld growth	FCR	Skin Thickn	Scrotum	Heifer Fert	Cow Fert.	Longevity	Frame score	Length	EMA	Fat	Marbling	Dress %		
			Sire ID Dam ID																																		
WO 200031		WO 160008		95	83	84	96	88	69	91	69	86	103	105	96	106	83	84	84	74	89	94	90	92	103	89	87	93	94	77	77	101	92	100	100		
Red	5	WO 170013		58	65	45	46	33	46	20	41	26	70	1.12	-1.0	69	25	1.6	9	60	55	194	47	-86	0.7	15.6	2.0	-1.3	29.6	-2	31	2.92	0.81	0.68	0.68		
ROOBOB													24	69	53	46	65	45		52	44	27	18	13	21	29	30	19	49	28	26	25	27	25	26		

Breeding Values and Accuracies: Cows & Heifers

Value <80 Value >120

Breeding values with an accuracy < 5% are not printed

ID	Animal		Selection Values										Birth		Wean		Growth & Adaptability			Fertility		Frame		Carcass											
	% Inbreeding	Genomic Parentage	Index EBV Acc	Calv. Ease V	Calf Growth V	Milk Value	Maint. V	Fertility V	Cow Value	Growth Value	Prod. Value	Carcass V	Cow wt -brth	Birth wt	Cow-Calf birth	Cow wt -wean	Wean dir	Wean mat	Comb mat	Cow-Calf wn	12m wt	ADG	Veld growth	FCR	Skin Thickn	Scrotum	Heifer Fert	Cow Fert.	Longevity	Frame score	Length	EMA	Fat	Marbling	Dress %

Selection List on Cow Value

Bulls 2 years and older

ID Name Sorted on ID			Sire ID	Dam ID	% Inbreeding	Horned / Polled	Myostatin n1821 F94L		Genomic test	Calving Ease Value Acc	Calf Growth Value Acc	Milk Value Acc	Maint. Value Acc	Fertility Value Acc	Cow Value Acc	Growth Value Acc	Prod Value Acc		
										★★★									
1	WO 200031	ROOBOB	WO 160008	WO 170013	5.2					9558	8365	8445	9646	8833	6946	9120	6941	8626	

