



BOERBOK GENETIC REPORT

21 September 2026



MISS O.T. ONNEILA THELMA PUDI

FDM : 2090



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	0.49	0.57	0.43	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.00	0.01	0.00	-0.02	-0.03	-0.02
Weaning Weight Combined	0.25	0.29	0.22	-0.06	-0.03	-0.07
Post-wean Weight	1.40	1.52	1.32	0.50	0.58	0.45
Number Lambs Weaned	1.08	1.02	1.12	-0.36	-0.55	-0.26
Total Weight Weaned	1.14	1.19	1.10	-0.31	-0.37	-0.27
Age at First Lambing	1.02	0.84	1.16	-0.30	-0.22	-0.35
Inter-lambing Period	-2.87	-3.09	-2.70	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	110	110	109	101	100	101
Reproduction Index	108	108	108	102	101	102
Inbreeding						
Inbreeding (%)	6.09	6.09	6.09	5.54	5.93	5.34
Number of Animals						
Number of Animals	210	91	119	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	105.2	106.1	104.5
Weaning Weight Maternal	100.8	100.9	100.8
Weaning Weight Comb	104.6	105.3	104.0
Post-wean Weight	104.8	105.6	104.3
Number Lambs Weaned	108.5	108.2	108.7
Total Weight Weaned	109.1	109.4	108.9
Age First Lambing	98.6	98.7	98.5
Interlambing Period	109.8	110.4	109.3
Selection Indices			
Logix Merit Index	109.5	110.0	109.2
Ewe Index	108.1	108.2	107.9
Growth Index	105.3	106.1	104.7
Inbreeding			
Inbreeding (%)	6.09	6.09	6.09
Number of Animals			
Number of Animals	210	91	119

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2020 - 2025	5.67	-0.13
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	209	100
Known Dams	209	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 76




Sires

Number: 20




Young Ewes

Number: 27









Young Rams

Number: 90




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2023											2	0.67						
2024											9	4.18						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
									Dir	Mat	Comb										
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded			
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1298	21	0418	430	20	0085	3.30			-0.12	-0.08	-0.14	0.90	1.00	0.40	2.22	-2.86		5			
	93337	129	1298	19	0232		105	106	29	98	26	99	13	108	24	105	44	97	24	110	
776	22	0076	430	19	0102	3.31			-0.11	-0.01	-0.07	0.57	1.50	0.78	1.12	-3.72					5
	97739	262	776	18	0278		107	110	38	99	31	100	11	111	29	107	42	98	27	112	
1829	22	0145	1673	18	0066	3.16			-0.12	0.06	0.00	0.15	0.30	0.12	-3.94	4.58					4
	97570	469	1673	19	0103		102	102	21	98	21	102	10	105	18	103	40	105	24	89	
1692	22	0221	1692	20	0232	2.87			-0.67	0.08	-0.26	-0.49	1.60		-0.22	0.37					3
	97664	411	1692	20	0249		103	108	5	92	5	103	5	111	31	100	7	101			
776	22	0375	1298	19	0122	2.06			1.35	-0.19	0.49	2.83	1.30	1.94	0.60	-0.94					1
	97597	314	776	20	0023		114	104	31	115	28	96	11	110	25	114	38	99	25	104	
776	22	0473	1298	19	0122	2.00			-0.03	-0.14	-0.15	0.78	1.90	0.98	7.26	-4.06					5
	97597	249	776	18	0278		106	107	37	99	34	97	14	112	31	108	45	91	30	113	
2090	23	0004	1298	21	0418	2.35			-0.12	-0.33	-0.39	0.65	1.40	0.40	3.79	-3.75					3
	99084	667	776	22	0259		104	104	22	98	18	93	8	110	17	105	28	95	17	112	
2090	23	0005	1298	21	0418	4.79			0.15	-0.01	0.06	1.06	1.20	0.85	2.48	-1.90					3
	99084	683	776	22	0173		107	107	20	101	18	100	8	109	16	108	28	97	18	107	
2090	23	0007	1298	21	0418	6.29			-0.12	0.09	0.04	0.79	1.10	0.64	-5.22	-0.62					2
	99084	758	776	22	0325		108	110	21	98	19	103	7	109	17	106	33	106	18	104	
2090	23	0010	1298	21	0418	2.96			0.33	-0.37	-0.21	1.34	1.50	0.85	1.01	-2.28					2
	99084	840	776	22	0311		107	104	28	103	22	92	9	111	21	108	35	99	20	108	
430	23	0014	430	21	0209	8.52			1.63	0.29	1.10	3.01	0.10	1.98	-3.79	-5.54					3
	96304	449	430	21	0010		118	114	35	118	29	108	11	104	27	114	44	105	31	117	
2090	23	0021	1298	21	0418	2.90			0.37	-0.31	-0.13	1.26	1.40	0.90	-0.53	-1.21					3
	99085	979	776	22	0247		107	104	25	104	20	93	8	110	19	108	33	100	19	105	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2090	23	0025	1298	21	0418	4.50	108	105	0.34	-0.16	0.01	1.36	1.40	1.02	2.04	-1.85				1	
	99086019		776	22	0099				23	104	21	97	9	110	19	108	31	97	19	107	
2090	23	0028	1298	21	0418	6.23	107	111	-0.04	0.20	0.18	0.84	1.10	0.82	5.78	-4.93				3	
	99086043		776	22	0238				20	99	17	106	7	109	16	107	32	92	18	115	
2090	23	0031	1298	21	0418	6.23	107	110	-0.04	0.20	0.18	0.84	1.10	0.82	4.87	-3.98				3	
	99086068		776	22	0217				20	99	17	106	7	109	16	107	32	94	18	113	
2090	24	0008	776	21	0729	9.24	109	107	0.40	-0.21	-0.01	1.21	1.60	1.15	-1.05	-2.09				3	
	99086142		776	22	0394				32	104	27	95	8	111	25	109	39	101	22	108	
2090	24	0009	776	21	0729	9.24	109	107	0.40	-0.21	-0.01	1.21	1.60	1.15	-1.05	-2.09				3	
	99086159		776	22	0394				32	104	27	95	8	111	25	109	39	101	22	108	
2090	24	0010	776	21	0729	12.37	109	114	-0.20	0.23	0.13	0.40	1.40	0.87	-2.69	-2.93				3	
	99086167		776	22	0530				25	97	23	107	7	110	20	108	39	103	18	110	
2090	24	0011	776	21	0729	12.37	109	114	-0.20	0.23	0.13	0.40	1.40	0.87	-2.69	-2.93				3	
	99086175		776	22	0530				25	97	23	107	7	110	20	108	39	103	18	110	
2090	24	0015	776	21	0729	14.02	109	113	-0.26	0.18	0.05	0.46	1.50	0.82	-4.20	-2.13				3	
	99086217		776	22	0573				25	97	23	105	6	111	20	107	39	105	19	108	
2090	24	0023	776	22	0375	14.68	111	106	0.88	-0.07	0.37	2.03	1.30	1.59	0.04	-0.54				3	
	113782759		776	22	0210				21	110	19	99	7	110	17	112	30	100	19	103	
2090	24	0029	776	22	0375	2.89	111	102	1.10	-0.36	0.19	2.22	1.50	1.64	-1.53	0.39				2	
	113782767		776	22	0342				26	112	20	92	7	111	19	112	28	102	19	101	
2090	24	0031	776	22	0375	2.88	107	106	0.47	0.10	0.34	1.25	0.20	0.69	0.67	-1.65				3	
	113782742		1889	22	0011				27	105	28	103	8	104	23	107	31	99	17	106	
2090	24	0035	776	22	0375	2.95	111	103	1.10	-0.36	0.19	2.22	1.50	1.64	1.54	-1.38				3	
	113782668		776	22	0249				26	112	20	92	7	111	19	112	31	98	19	106	
2090	24	0036	776	22	0375	14.31	113	106	1.10	-0.09	0.46	2.43	1.30	1.79	-0.68	-0.44				3	
	113769129		776	22	0148				24	112	21	98	9	110	19	113	31	101	20	103	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam		
Comp no.									Dir	Mat	Comb			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI	Times Lambded
									Acc	Index	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2090	24	0037	776	22	0375	14.31	113	106	1.10	-0.09	0.46	2.43	1.30	1.79	-0.68	-0.44	3					
	113778344	776	22	0148			24	112	21	98	108	14	112	9	110	19					113	31
2090	24	0039	776	22	0473	7.63	104	101	0.19	-0.42	-0.32	1.06	1.10	0.44	6.88	-3.74	3					
	113778351	776	22	0448			32	102	29	90	95	21	103	14	109	27					105	35
2090	24	0041	776	22	0473	4.49	109	111	0.01	0.17	0.17	0.78	1.60	1.14	4.22	-4.11	3					
	113769111	776	22	0256			24	100	21	105	103	12	101	8	111	19					109	33
2090	24	0042	776	22	0473	4.49	109	111	0.01	0.17	0.17	0.78	1.60	1.14	4.22	-4.11	3					
	113778443	776	22	0256			24	100	21	105	103	12	101	8	111	19					109	33
2090	24	0045	776	22	0473	9.58	108	104	0.37	-0.40	-0.22	1.28	1.90	1.11	3.53	-2.88	2					
	113778336	776	22	0311			30	104	25	91	97	13	104	10	112	23					109	35
2090	24	0047	776	22	0473	6.77	108	104	0.41	-0.34	-0.13	1.20	1.80	1.16	1.99	-1.82	3					
	113778492	776	22	0247			28	104	23	92	98	12	104	8	112	21					109	34
2090	24	0049	776	22	0473	4.60	108	109	0.15	0.02	0.10	0.90	1.50	1.07	1.71	-2.46	1					
	113778450	776	22	0047			23	101	20	101	102	12	102	8	111	18					109	28
2090	24	0051	776	22	0473	4.49	111	113	0.09	0.28	0.32	0.84	1.60	1.33	0.62	-2.84	1					
	113778484	776	22	0230			24	101	22	108	106	12	101	8	111	20					110	33
2090	24	0058	776	22	0473	6.77	109	105	0.44	-0.26	-0.04	1.31	1.80	1.26	2.20	-1.86	1					
	113778385	776	22	0286			29	105	25	94	100	14	104	8	112	23					110	30
2090	24	0067	776	22	0473	14.94	108	104	0.36	-0.26	-0.08	1.42	1.70	1.12	2.94	-1.83	3					
	113778294	776	22	0512			24	104	22	94	99	13	105	9	111	20					109	34
2090	24	0071	776	22	0473	11.27	108	102	0.59	-0.50	-0.21	1.47	1.90	1.23	3.42	-2.68	3					
	113777411	776	22	0394			30	106	25	88	97	13	105	9	112	23					110	32
2090	24	0072	776	22	0473	11.27	108	102	0.59	-0.50	-0.21	1.47	1.90	1.23	3.42	-2.68	3					
	113778419	776	22	0394			30	106	25	88	97	13	105	9	112	23					110	32
2090	24	0073	776	22	0473	3.25	104	105	0.07	-0.05	-0.01	0.80	0.40	0.27	3.79	-3.32	2					
	113777577	1484	20	0023			26	101	25	100	100	14	101	11	105	22					104	28

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2090	24	0074	776	22	0473	3.25	104	105	0.07	-0.05	-0.01	0.80	0.40	0.27	3.79	-3.32					2
		113778393	1484	20	0023				26	101	25	100	11	105	22	104	28	95	19	111	
2090	24	0076	776	22	0473	4.44	108	111	0.01	0.17	0.17	0.78	1.60	1.14	8.29	-5.53					3
		113778302	776	22	0238				24	100	21	105	8	111	19	109	33	89	20	117	
2090	24	0078	776	22	0473	7.37	106	107	-0.18	-0.19	-0.28	0.42	1.80	0.71	-1.14	-1.22					3
		113778377	776	22	0353				22	98	20	96	8	112	18	107	31	101	19	105	
2090	24	0083	776	22	0473	7.36	105	104	-0.07	-0.36	-0.39	0.59	1.80	0.65	6.31	-4.35					3
		113777478	776	22	0259				25	99	21	92	9	112	20	106	29	92	19	114	
2090	24	0084	776	22	0473	14.73	108	107	0.19	-0.04	0.05	1.00	1.60	1.11	4.99	-2.50					3
		113777445	776	22	0173				23	102	21	100	8	111	19	109	29	93	20	109	
2090	24	0085	776	22	0473	4.60	107	108	0.15	0.02	0.10	0.90	1.50	1.07	7.84	-4.91					3
		113777395	776	22	0301				23	101	20	101	8	111	18	109	32	90	20	115	
2090	24	0086	776	22	0473	4.60	107	108	0.15	0.02	0.10	0.90	1.50	1.07	7.84	-4.91					3
		113778328	776	22	0301				23	101	20	101	8	111	18	109	32	90	20	115	
2090	24	0088	776	22	0473	7.87	107	108	-0.07	-0.11	-0.15	0.72	1.70	0.83	0.27	-2.72					3
		113778401	776	22	0573				23	99	20	98	8	111	18	107	32	99	19	109	
2090	24	0109	776	22	0473	4.18	107	111	0.03	0.19	0.21	0.80	1.60	1.18	12.98	-6.86					1
		113778369	776	22	0226				24	100	22	106	8	111	20	109	33	83	19	121	
2090	25	0002	430	23	0014	7.69	116	109	1.53	-0.05	0.72	2.85	0.80	1.97	-0.70	-4.00					3
		113822845	776	22	0446				25	117	21	100	8	107	20	114	34	101	22	113	
2090	25	0003	430	23	0014	7.69	116	109	1.53	-0.05	0.72	2.85	0.80	1.97	-0.70	-4.00					3
		113822894	776	22	0446				25	117	21	100	8	107	20	114	34	101	22	113	
2090	25	0006	430	23	0014	7.19	114	112	1.02	0.17	0.68	2.12	0.80	1.67	-2.53	-3.34					2
		113822696	776	22	0158				22	111	19	105	7	107	17	112	32	103	20	111	
2090	25	0013	430	23	0014	3.16	114	108	1.24	-0.13	0.50	2.31	1.00	1.72	-0.66	-3.68					3
		113822720	776	22	0249				27	114	21	98	7	108	20	113	33	101	21	112	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility								
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded					
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2090	25	0015	430	23	0014	6.40	116	116	0.88	0.42	0.86	2.05	0.60	1.66	-7.41	-2.81	3					
		113822704	776	22	0552				26	110	22	111	115	14	109	9		106	21	112	35	109
2090	25	0021	430	23	0014	7.29	115	112	1.07	0.16	0.70	2.24	0.80	1.71	-5.37	-2.91	1					
		113822688	2090	24	0013				22	112	19	105	112	12	110	7		107	17	112	33	107
2090	25	0023	430	23	0014	6.64	116	117	0.75	0.39	0.76	1.84	0.70	1.56	-12.16	-1.18	1					
		113822852	2090	24	0019				23	108	19	111	114	12	108	7		107	18	112	33	115
2090	25	0028	430	23	0014	6.84	115	115	0.84	0.38	0.80	1.90	0.70	1.64	-1.30	-4.85	3					
		113822803	776	22	0256				23	109	19	110	114	13	108	6		107	18	112	33	101
2090	25	0036	430	23	0014	7.19	114	111	1.02	0.17	0.68	2.12	0.80	1.67	-2.16	-2.84	3					
		113822761	776	22	0210				22	111	19	105	112	12	110	7		107	17	112	32	103
2090	25	0037	430	23	0014	3.42	114	106	1.42	-0.29	0.42	2.59	1.00	1.73	-2.10	-3.42	3					
		113822712	776	22	0394				29	116	23	94	108	13	113	8		108	22	113	32	102
2090	25	0042	430	23	0014	6.70	116	114	1.04	0.32	0.85	2.10	0.50	1.67	-10.02	-0.75	3					
		113822829	776	22	0348				25	111	22	109	115	13	109	6		106	19	112	32	113
2090	25	0044	430	23	0014	2.64	111	108	0.76	-0.14	0.24	1.71	0.90	1.15	0.78	-5.09	3					
		113822811	776	22	0259				24	108	19	97	104	11	107	8		108	18	109	28	99
2090	25	0045	430	23	0014	3.12	112	110	0.66	0.02	0.35	1.53	0.90	1.22	-6.66	-1.96	3					
		113822753	776	22	0353				21	107	18	101	106	11	106	7		108	17	110	31	108
2090	25	0049	430	23	0014	3.16	114	108	1.24	-0.13	0.50	2.31	1.00	1.72	-3.53	-2.55	3					
		113822837	776	22	0247				27	114	21	98	109	12	111	7		108	20	113	33	104
2090	25	0054	430	23	0014	4.63	114	113	0.81	0.16	0.56	1.78	0.80	1.45	-3.74	-4.26	3					
		113822779	776	22	0530				22	109	18	105	110	12	107	7		107	17	111	31	105
2090	25	0055	430	23	0014	4.63	114	113	0.81	0.16	0.56	1.78	0.80	1.45	-3.74	-4.26	3					
		113822951	776	22	0530				22	109	18	105	110	12	107	7		107	17	111	31	105
2090	25	0062	430	23	0014	6.80	114	110	1.40	0.17	0.87	2.68	0.90	2.11	14.54	-9.03	3					
		113833057	776	22	0374				24	115	21	105	115	13	113	8		108	19	115	34	81

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility								
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded					
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2090	25	0063	430	23	0014	6.80	114	110	1.40	0.17	0.87	2.68	0.90	2.11	14.54	-9.03	3					
		113888051	776	22	0374				24	115	21	105	115	13	113	8		108	19	115	34	81
2090	25	0064	430	23	0014	3.11	114	107	1.24	-0.13	0.50	2.31	1.00	1.72	-3.72	-1.91	2					
		113833024	776	22	0342				27	114	21	98	109	12	111	7		108	20	113	30	105
2090	25	0065	430	23	0014	6.79	114	115	0.84	0.38	0.80	1.90	0.70	1.64	2.77	-6.27	3					
		113833008	776	22	0238				23	109	19	110	114	13	108	6		107	18	112	33	96
2090	25	0073	430	23	0014	3.41	110	109	0.90	0.16	0.62	1.92	-0.50	0.77	-1.74	-4.05	2					
		113833065	1484	20	0023				25	110	23	105	111	14	108	10		101	21	107	28	102
2090	25	0075	430	23	0014	7.49	114	108	1.19	-0.05	0.54	2.54	0.80	1.62	-2.58	-2.56	3					
		113833099	776	22	0512				23	113	20	99	110	13	112	8		107	18	112	34	103
2090	25	0076	430	23	0014	7.49	114	108	1.19	-0.05	0.54	2.54	0.80	1.62	-2.58	-2.56	3					
		113888044	776	22	0512				23	113	20	99	110	13	112	8		107	18	112	34	103
2090	25	0077	430	23	0014	7.35	112	112	0.78	0.22	0.61	1.94	0.60	1.36	4.54	-6.37	1					
		113833081	2090	24	0006				21	108	18	106	111	12	108	7		106	17	110	32	94
2090	25	0079	430	23	0014	7.19	114	111	0.91	0.16	0.61	2.08	0.80	1.54	-1.15	-3.88	1					
		113833016	2090	24	0004				22	110	19	105	111	12	109	7		107	17	111	33	101
2090	25	0081	430	23	0014	2.94	110	111	0.61	0.34	0.65	1.34	-0.30	0.77	-1.52	-3.95	102	3				
		113854459	1889	22	0011				28	107	28	109	111	11	104	8			102	23	107	33
2090	25	0082	430	23	0014	2.94	110	111	0.61	0.34	0.65	1.34	-0.30	0.77	-1.52	-3.95	102	3				
		113888010	1889	22	0011				28	107	28	109	111	11	104	8			102	23	107	33
2090	25	0084	430	23	0014	7.35	111	111	0.78	0.22	0.61	1.94	0.60	1.36	6.82	-7.12	1					
		113854426	2090	24	0005				21	108	18	106	111	12	108	7		106	17	110	32	91
2090	25	0085	430	23	0014	7.35	111	111	0.78	0.22	0.61	1.94	0.60	1.36	6.82	-7.12	1					
		113888028	2090	24	0005				21	108	18	106	111	12	108	7		106	17	110	32	91
2090	25	0086	430	23	0014	3.16	116	109	1.24	-0.13	0.50	2.31	1.00	1.72	-13.76	1.19	3					
		113854434	776	22	0306				27	114	21	98	109	12	111	7		108	20	113	33	117

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2090	25	0088	430	23	0014	5.32	109	104	1.02	-0.21	0.31	2.18	0.20	0.94	1.35	-4.47	3				
		113854467	776	22	0448				31	111	27	96	14	104	26	108	35	98	26	114	
2090	25	0089	430	23	0014	5.32	109	104	1.02	-0.21	0.31	2.18	0.20	0.94	1.35	-4.47	3				
		113888069	776	22	0448				31	111	27	96	14	104	26	108	35	98	26	114	
2090	25	0090	430	23	0014	3.04	104	104	0.25	-0.13	0.00	1.10	-0.30	-0.06	-1.69	-3.00	99 3				
		113854442	1889	22	0009				28	103	28	98	8	102	23	102	32	102	19	110	
2090	25	0091	430	23	0014	3.04	104	104	0.25	-0.13	0.00	1.10	-0.30	-0.06	-1.69	-3.00	99 3				
		113888036	1889	22	0009				28	103	28	98	8	102	23	102	32	102	19	110	
2090	25	0092	430	23	0014	5.03	114	112	0.76	0.10	0.48	1.84	0.90	1.40	-5.25	-3.46	3				
		113906028	776	22	0573				21	108	18	103	7	108	17	111	32	106	20	111	
2090	25	0094	430	23	0014	6.10	111	109	0.82	0.08	0.49	1.91	0.50	1.20	4.40	-6.02	1				
		113906051	2090	24	0014				24	109	21	103	9	106	19	110	33	94	20	118	
2090	25	0096	430	23	0014	6.84	112	111	1.01	0.26	0.77	2.16	0.80	1.75	13.26	-9.04	1				
		113906036	2090	24	0017				22	111	19	107	7	107	17	113	33	83	19	127	
2090	25	0098	430	23	0014	6.79	114	114	0.84	0.38	0.80	1.90	0.70	1.64	1.86	-5.32	3				
		113906044	776	22	0217				23	109	19	110	6	107	18	112	33	97	21	117	
2090	25	0099	430	23	0014	6.79	114	114	0.84	0.38	0.80	1.90	0.70	1.64	1.86	-5.32	3				
		113906176	776	22	0217				23	109	19	110	6	107	18	112	33	97	21	117	
2090	25	0110	430	23	0014	7.84	112	113	0.79	0.34	0.74	1.92	0.50	1.44	10.01	-8.58	3				
		113906069	776	22	0351				26	109	21	109	8	106	20	111	35	87	22	126	
2090	25	0118	1829	22	0145	2.41	106	100	0.46	-0.11	0.12	0.95	1.00	0.95	-4.39	6.42	2				
		113906119	776	22	0284				24	105	20	98	7	108	19	108	32	105	19	84	
2090	25	0119	1829	22	0145	2.41	106	100	0.46	-0.11	0.12	0.95	1.00	0.95	-4.39	6.42	2				
		113906127	776	22	0284				24	105	20	98	7	108	19	108	32	105	19	84	
2090	25	0122	1829	22	0145	3.07	104	105	-0.01	0.05	0.05	0.55	0.70	0.47	0.69	0.14	1				
		113906135	2090	24	0001				15	100	13	102	6	107	12	105	25	99	15	102	

Ram Flock Average: Number of rams in the flock: 90	110	108	0.57	0.01	0.29	1.52	1.02	1.19	0.84	-3.09
--	------------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean		Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat	Comb	Acc			Index	Acc	Index	Acc	Index	Acc	Index	Acc
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1484 20 0023 90131418	1484 19 0007 1484 18 0023	8.36	101	103	0.18 37 102	0.04 36 102	0.13 103	0.83 21 101	-1.20 16 98	-0.51 32 100	0.32 35 99	-2.57 24 109	2							
1673 20 0055 90959701	762 18 0307 1673 17 0065	4.28	87	100	-0.96 47 89	0.29 37 108	-0.19 97	-0.69 39 91	-2.60 21 91	-2.23 37 90	40.21 53 64	-12.29 34 136	4							
776 21 0279 96818083	776 18 0226 776 18 0252	17.77	97	96	-0.89 46 90	-0.72 36 83	-1.16 80	-0.70 20 91	1.70 13 111	-0.59 35 99	-1.06 42 101	1.86 27 97	0							
1889 22 0009 96456082	1889 20 6213 1889 18 0015	2.80	90	94	-1.13 43 87	-0.54 48 87	-1.10 81	-0.82 11 90	-0.80 12 100	-2.15 38 90	0.40 47 99	-0.47 21 103	99 3							
1889 22 0011 96456116	1889 20 6213 1889 16 0053	2.61	101	108	-0.41 43 95	0.39 48 111	0.19 104	-0.33 11 94	-0.80 12 100	-0.50 38 100	0.75 48 99	-2.36 21 108	102 3							
776 22 0047 96817838	430 19 0102 627 17 0286	2.92	110	110	0.33 28 103	0.18 21 105	0.34 106	1.02 13 102	1.00 6 108	1.11 20 109	-3.85 31 105	-0.86 20 104	1							
776 22 0148 96817994	1298 19 0122 627 19 0034	2.15	112	107	0.85 36 109	0.00 32 101	0.43 108	2.03 22 109	1.30 15 110	1.64 30 112	-1.96 48 102	0.05 30 102	3							
776 22 0158 96817986	1298 19 0122 776 18 0940	2.80	110	109	0.41 27 104	0.05 26 102	0.26 105	1.22 16 104	1.40 10 110	1.30 23 110	-1.28 46 101	-1.15 26 105	2							
776 22 0173 96818067	1298 19 0122 776 17 0817	2.92	109	107	0.41 27 104	0.05 26 102	0.26 105	1.22 16 104	1.40 10 110	1.30 23 110	2.73 36 96	-0.94 26 105	3							
776 22 0210 96818075	1298 19 0122 627 18 0385	2.80	110	108	0.41 27 104	0.05 26 102	0.26 105	1.22 16 104	1.40 10 110	1.30 23 110	-0.52 47 100	-0.14 28 102	3							
776 22 0217 96817887	430 20 0078 776 18 0935	2.80	109	114	0.04 29 100	0.47 23 113	0.50 109	0.79 16 101	1.20 7 109	1.24 22 110	7.52 48 90	-5.11 27 116	3							
776 22 0225 96817937	430 20 0078 627 14 0363	2.29	112	116	0.08 31 101	0.52 28 114	0.57 110	0.81 16 101	1.20 7 109	1.33 24 110	-0.88 51 101	-3.05 27 110	3							
776 22 0226 96817804	430 20 0078 627 14 0363	2.29	108	114	0.08 31 101	0.52 28 114	0.57 110	0.81 16 101	1.20 7 109	1.33 24 110	18.70 48 76	-9.66 23 129	1							
776 22 0230 96817911	430 20 0078 627 17 0215	2.92	114	120	0.21 31 102	0.69 28 118	0.79 114	0.90 16 102	1.20 7 109	1.62 24 112	-6.01 47 107	-1.62 22 106	1							
776 22 0234 96817960	430 19 0102 776 18 0905	2.80	112	112	0.33 28 103	0.18 21 105	0.34 106	1.02 13 102	1.00 6 108	1.11 20 109	-12.62 44 116	2.03 20 96	1							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
776 22 0238 96818026	430 20 0078 776 18 0938	2.80	109	115	0.04 29 100	0.47 23 113	0.50 109	0.79 16 101	1.20 7 109	1.24 22 110	9.33 48 88	-7.00 27 121	3							
776 22 0247 96817895	776 19 0103 776 17 0888	2.92	110	101	0.85 41 109	-0.54 30 87	-0.11 98	1.62 15 106	1.80 9 112	1.39 29 111	-3.28 50 104	0.43 29 101	3							
776 22 0249 96817978	776 19 0103 776 17 0805	2.92	109	101	0.85 41 109	-0.54 30 87	-0.11 98	1.62 15 106	1.80 9 112	1.39 29 111	2.47 50 97	-1.82 29 107	3							
776 22 0256 96818042	430 20 0078 776 17 0851	2.92	111	116	0.04 29 100	0.47 23 113	0.50 109	0.79 16 101	1.20 7 109	1.24 22 110	1.18 49 98	-4.16 27 113	3							
776 22 0259 96818091	776 19 0089 776 13 0026	3.17	103	102	-0.12 34 98	-0.57 26 86	-0.63 89	0.41 12 98	1.70 10 111	0.33 25 104	5.36 35 93	-4.63 25 115	3							
776 22 0284 96817879	776 19 0103 627 16 0372	2.61	110	98	1.05 43 111	-0.28 33 94	0.24 104	1.75 15 107	1.80 9 112	1.84 31 113	-4.83 50 106	8.26 29 79	2							
776 22 0286 96817861	776 19 0103 627 17 0217	2.92	111	103	0.90 44 110	-0.39 36 91	0.07 101	1.85 19 108	1.80 9 112	1.60 33 112	-2.86 40 103	0.34 25 101	1							
776 22 0301 96818034	430 19 0102 627 17 0135	2.92	108	110	0.33 28 103	0.18 21 105	0.34 106	1.02 13 102	1.00 6 108	1.11 20 109	8.43 45 89	-5.76 25 118	3							
776 22 0306 96817820	776 19 0103 776 17 0390	2.92	113	103	0.85 41 109	-0.54 30 87	-0.11 98	1.62 15 106	1.80 9 112	1.39 29 111	-23.72 50 130	7.92 29 80	3							
776 22 0311 96817952	776 19 0103 776 17 0130	11.46	109	101	0.76 48 108	-0.66 35 84	-0.28 96	1.79 18 107	2.00 13 113	1.30 35 110	-0.20 54 100	-1.70 33 107	2							
776 22 0312 96817929	776 19 0103 776 17 0130	11.46	108	100	0.76 48 108	-0.66 35 84	-0.28 96	1.79 18 107	2.00 13 113	1.30 35 110	6.98 54 91	-4.26 33 114	2							
776 22 0325 96817853	430 20 0078 627 17 0289	2.92	111	114	-0.12 31 98	0.27 28 108	0.21 104	0.68 16 100	1.20 7 109	0.87 24 108	-12.67 48 116	1.63 27 97	2							
776 22 0342 96818018	776 19 0103 627 18 0171	2.80	109	100	0.85 41 109	-0.54 30 87	-0.11 98	1.62 15 106	1.80 9 112	1.39 29 111	-3.65 40 104	1.73 28 97	2							
776 22 0348 96818059	430 19 0102 627 14 0007	2.29	114	113	0.45 35 105	0.36 32 110	0.59 110	1.19 18 103	0.90 7 108	1.35 27 110	-16.25 45 120	4.04 26 91	3							
776 22 0351 97597512	430 20 0078 776 16 0206	6.00	105	111	-0.05 38 99	0.40 31 111	0.38 107	0.83 21 101	0.90 13 108	0.89 30 108	23.80 55 70	-11.62 31 134	3							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility													
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed		
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype			
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
776 22 0353 96817903	776 19 0089 627 18 0188		2.80		106	107	-0.32 23 96		-0.25 20 95		-0.41 93		0.05 11 96		1.70 9 111		0.45 19 105		-9.53 43 112		1.62 23 97		3
776 22 0374 97597413	1298 19 0122 776 20 0096		2.08		111	107	1.17 33 113		0.05 29 102		0.63 111		2.36 17 111		1.60 13 111		2.17 27 115		32.87 51 64		-12.52 30 136		3
776 22 0394 97597462	776 19 0103 776 19 0090		18.42		110	98	1.20 47 113		-0.86 36 79		-0.26 96		2.16 18 110		1.90 13 112		1.48 35 111		-0.41 46 100		-1.30 34 106		3
776 22 0446 97597520	1298 19 0122 776 20 0158		2.10		113	103	1.43 36 116		-0.38 32 91		0.34 106		2.68 19 113		1.40 12 110		1.89 29 114		2.38 53 97		-2.46 32 109		3
776 22 0448 97597439	430 10 0119 776 18 0227		7.51		101	95	0.41 51 104		-0.70 46 83		-0.49 92		1.35 37 105		0.30 25 105		-0.11 43 102		6.50 54 92		-3.41 41 111		3
776 22 0512 97597488	1298 19 0122 776 17 0063		2.07		109	101	0.75 30 108		-0.39 29 91		-0.02 100		2.06 17 109		1.40 11 110		1.20 25 110		-1.37 51 102		0.41 30 101		3
776 22 0530 97597454	776 21 0592 776 21 0348		6.11		109	111	-0.01 26 100		0.03 21 101		0.02 101		0.55 13 99		1.40 9 110		0.86 20 108		-3.69 44 105		-2.98 24 110		3
776 22 0552 97597470	430 20 0078 776 16 0229		2.30		114	118	0.13 39 101		0.55 32 115		0.61 111		1.08 19 103		1.10 15 109		1.34 31 110		-11.02 55 114		-0.09 32 102		3
776 22 0573 97597421	776 21 0592 776 18 0170		6.95		109	110	-0.12 25 98		-0.09 22 99		-0.15 98		0.67 13 100		1.60 8 111		0.75 20 107		-6.71 46 108		-1.38 25 106		3
2090 23 0009 99084816	1298 21 0418 776 22 0306		2.90		109	105	0.37 25 104		-0.31 20 93		-0.13 98		1.26 11 104		1.40 8 110		0.90 19 108		-10.75 33 113		2.53 19 95		0
2090 23 0012 99084899	1298 21 0418 776 22 0225		5.97		108	111	-0.02 21 100		0.22 19 106		0.21 104		0.85 12 101		1.10 7 109		0.87 17 108		0.19 41 100		-2.80 18 110		1
2090 23 0013 99084923	1298 21 0418 776 22 0225		5.97		108	111	-0.02 21 100		0.22 19 106		0.21 104		0.85 12 101		1.10 7 109		0.87 17 108		1.15 41 98		-3.11 18 110		1
2090 23 0018 99084980	1298 21 0418 776 22 0353		2.85		106	106	-0.22 18 97		-0.17 16 97		-0.27 96		0.48 10 99		1.40 8 110		0.46 15 105		-3.65 31 104		-0.62 17 104		0
2090 24 0001 99086076	1298 21 0418 776 22 0301		6.46		107	108	0.11 20 101		0.05 17 102		0.10 102		0.96 11 102		1.00 7 108		0.76 16 107		5.33 31 93		-4.31 18 114		1
2090 24 0002 99086084	776 21 0729 776 22 0512		5.38		109	109	0.18 27 102		0.02 25 101		0.11 102		1.16 13 103		1.40 7 110		1.04 22 109		-1.53 40 102		-1.24 21 105		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility						
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2090 24 0004 99086100	776 776	21 22	0729 0512	5.38	109	108	0.18 27	0.02 25	0.11 102	1.16 13	1.40 7	1.04 22	1.49 49	-2.23 21	98 108		1		
2090 24 0005 99086118	1298 776	21 22	0418 0351	6.82	104	108	-0.08 24	0.16 20	0.12 102	0.86 14	1.00 9	0.68 19	17.43 46	-8.69 20	126 108		1		
2090 24 0006 99086126	1298 776	21 22	0418 0351	6.82	105	109	-0.08 24	0.16 20	0.12 102	0.86 14	1.00 9	0.68 19	12.87 46	-7.19 20	122 108		1		
2090 24 0007 99086134	1298 776	21 22	0418 0351	6.82	105	109	-0.08 24	0.16 20	0.12 102	0.86 14	1.00 9	0.68 19	13.01 35	-7.24 20	122 108		0		
2090 24 0012 99086183	776 776	21 22	0729 0446	7.48	111	109	0.52 28	0.03 26	0.29 105	1.47 13	1.40 8	1.39 23	0.35 41	-2.67 21	109 109		0		
2090 24 0013 99086191	776 776	21 22	0729 0446	7.48	112	110	0.52 28	0.03 26	0.29 105	1.47 13	1.40 8	1.39 23	-6.95 50	-0.27 21	103 109		1		
2090 24 0014 99086209	776 776	21 22	0729 0448	10.61	103	104	0.01 34	-0.13 31	-0.13 98	0.80 21	0.80 13	0.36 28	12.59 50	-6.49 25	120 107		1		
2090 24 0016 99086225	776 776	21 22	0729 0573	14.02	111	115	-0.26 25	0.18 23	0.05 101	0.46 11	1.50 6	0.82 20	-14.94 48	1.40 19	98 119		1		
2090 24 0017 99086373	776 776	21 22	0729 0374	4.02	107	109	0.38 28	0.24 25	0.44 108	1.30 13	1.50 8	1.53 22	30.32 49	-12.54 21	136 107		1		
2090 24 0018 99086381	776 776	21 22	0729 0552	15.22	111	117	-0.14 29	0.49 26	0.43 108	0.67 14	1.20 9	1.08 23	-6.35 42	-1.49 21	106 108		0		
2090 24 0019 99086399	776 776	21 22	0729 0552	15.22	114	119	-0.14 29	0.49 26	0.43 108	0.67 14	1.20 9	1.08 23	-20.52 50	3.17 21	93 126		1		
2090 24 0022 113782684	776 776	22 22	0375 0210	14.68	111	106	0.88 21	-0.07 19	0.37 107	2.03 12	1.30 7	1.59 17	0.04 30	-0.54 19	103 100		0		
2090 24 0025 113782700	776 776	22 22	0375 0234	4.52	113	108	0.84 21	-0.01 17	0.41 107	1.93 11	1.10 6	1.50 16	-6.01 29	0.55 16	100 107		0		
2090 24 0026 113782734	776 776	22 22	0375 0234	4.52	113	108	0.84 21	-0.01 17	0.41 107	1.93 11	1.10 6	1.50 16	-6.01 29	0.55 16	100 107		0		
2090 24 0027 113782718	776 776	22 22	0375 0342	2.89	111	102	1.10 26	-0.36 20	0.19 104	2.22 12	1.50 7	1.64 19	-1.53 28	0.39 19	101 102		0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2090 24 0028 113782726	776 776	22 22	0375 0342	2.89	111	102	1.10 26 112	-0.36 20 92	0.19 104	2.22 12 110	1.50 7 111	1.64 19 112	-1.53 28 102	0.39 19 101	0				
2090 24 0030 113782692	776 1889	22 22	0375 0011	2.88	107	106	0.47 27 105	0.10 28 103	0.34 106	1.25 11 104	0.20 8 104	0.69 23 107	0.67 31 99	-1.65 17 106	0				
2090 24 0032 113769145	776 776	22 22	0375 0306	2.95	113	104	1.10 26 112	-0.36 20 92	0.19 104	2.22 12 110	1.50 7 111	1.64 19 112	-11.56 31 115	3.49 19 92	0				
2090 24 0033 113778310	776 776	22 22	0375 0306	2.95	113	104	1.10 26 112	-0.36 20 92	0.19 104	2.22 12 110	1.50 7 111	1.64 19 112	-11.56 31 115	3.49 19 92	0				
2090 24 0034 113769186	776 776	22 22	0375 0249	2.95	111	103	1.10 26 112	-0.36 20 92	0.19 104	2.22 12 110	1.50 7 111	1.64 19 112	1.54 31 98	-1.38 19 106	0				
2090 24 0038 113769178	776 776	22 22	0473 0448	7.63	104	101	0.19 32 102	-0.42 29 90	-0.32 95	1.06 21 103	1.10 14 109	0.44 27 105	6.88 35 91	-3.74 25 112	0				
2090 24 0044 113769137	776 776	22 22	0473 0311	9.58	108	104	0.37 30 104	-0.40 25 91	-0.22 97	1.28 13 104	1.90 10 112	1.11 23 109	3.53 35 95	-2.88 22 110	0				
2090 24 0046 113769202	776 776	22 22	0473 0247	6.77	108	104	0.41 28 104	-0.34 23 92	-0.13 98	1.20 12 104	1.80 8 112	1.16 21 109	1.99 34 97	-1.82 21 107	0				
2090 24 0048 113777569	776 776	22 22	0473 0047	4.60	108	109	0.15 23 101	0.02 20 101	0.10 102	0.90 12 102	1.50 8 111	1.07 18 109	1.71 28 98	-2.46 18 109	0				
2090 24 0050 113777551	776 776	22 22	0473 0230	4.49	111	113	0.09 24 101	0.28 22 108	0.32 106	0.84 12 101	1.60 8 111	1.33 20 110	0.62 33 99	-2.84 19 110	0				
2090 24 0052 113769160	776 776	22 22	0473 0552	4.34	110	112	0.05 27 100	0.21 23 106	0.23 104	0.93 14 102	1.50 10 111	1.16 22 109	-1.88 36 102	-2.08 22 108	0				
2090 24 0053 113778427	776 776	22 22	0473 0552	4.34	110	112	0.05 27 100	0.21 23 106	0.23 104	0.93 14 102	1.50 10 111	1.16 22 109	-1.88 36 102	-2.08 22 108	0				
2090 24 0055 113769194	776 776	22 22	0473 0217	4.44	108	110	0.01 24 100	0.17 21 105	0.17 103	0.78 12 101	1.60 8 111	1.14 19 109	7.39 33 90	-4.58 20 115	0				
2090 24 0056 113778286	776 776	22 22	0473 0217	4.44	108	110	0.01 24 100	0.17 21 105	0.17 103	0.78 12 101	1.60 8 111	1.14 19 109	7.39 33 90	-4.58 20 115	0				
2090 24 0057 113777585	776 776	22 22	0473 0286	6.77	109	105	0.44 29 105	-0.26 25 94	-0.04 100	1.31 14 104	1.80 8 112	1.26 23 110	2.20 30 97	-1.86 20 107	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2090 24 0059 113769152	776 776	22 22	0473 0312	9.58	107	103	0.37 30	-0.40 25	-0.22 97	1.28 13	104	1.90 10	1.11 23	7.12 35	-4.16 22	113	0		
2090 24 0060 113777544	776 1673	22 20	0473 0055	3.21	95	100	-0.50 30	0.08 25	-0.17 97	0.04 22	96	-0.40 12	-0.66 24	23.73 35	-8.18 23	124	0		
2090 24 0061 113777536	776 776	22 22	0473 0158	14.67	108	108	0.19 23	-0.04 21	0.05 101	1.00 12	102	1.60 8	1.11 19	2.99 32	-2.61 20	109	0		
2090 24 0063 113777510	776 776	22 22	0473 0348	4.28	110	110	0.21 25	0.11 23	0.22 104	0.98 13	102	1.40 8	1.16 20	-4.50 32	-0.01 20	102	0		
2090 24 0064 113777460	776 776	22 22	0473 0530	7.35	108	109	-0.02 23	-0.06 20	-0.07 99	0.66 12	100	1.60 8	0.89 18	1.78 32	-3.52 19	112	0		
2090 24 0065 113777452	776 776	22 22	0473 0225	4.18	109	112	0.03 24	0.19 22	0.21 104	0.80 12	101	1.60 8	1.18 20	3.19 34	-3.56 20	112	0		
2090 24 0066 113777429	776 776	22 22	0473 0512	14.94	108	104	0.36 24	-0.26 22	-0.08 99	1.42 13	105	1.70 9	1.12 20	2.94 34	-1.83 21	107	0		
2090 24 0068 113777494	776 776	22 22	0473 0374	14.48	108	106	0.57 25	-0.04 22	0.24 105	1.57 13	106	1.80 9	1.61 20	20.06 34	-8.29 21	125	0		
2090 24 0069 113778435	776 776	22 22	0473 0374	14.48	108	106	0.57 25	-0.04 22	0.24 105	1.57 13	106	1.80 9	1.61 20	20.06 34	-8.29 21	125	0		
2090 24 0075 113777486	776 776	22 22	0473 0238	4.44	108	111	0.01 24	0.17 21	0.17 103	0.78 12	101	1.60 8	1.14 19	8.29 33	-5.53 20	117	0		
2090 24 0077 113777403	776 776	22 22	0473 0353	7.37	106	107	-0.18 22	-0.19 20	-0.28 96	0.42 11	98	1.80 8	0.71 18	-1.14 31	-1.22 19	105	0		
2090 24 0079 113777387	776 776	22 22	0473 0446	18.61	110	105	0.70 26	-0.26 23	0.10 102	1.73 13	107	1.60 9	1.40 21	4.82 35	-3.26 22	111	0		
2090 24 0080 113778468	776 776	22 22	0473 0446	18.61	110	105	0.70 26	-0.26 23	0.10 102	1.73 13	107	1.60 9	1.40 21	4.82 35	-3.26 22	111	0		
2090 24 0082 113777502	776 776	22 22	0473 0351	7.57	106	109	-0.04 27	0.13 23	0.11 102	0.80 14	101	1.40 9	0.93 21	15.53 36	-7.84 22	124	0		
2090 24 0087 113777379	776 776	22 22	0473 0573	7.87	107	108	-0.07 23	-0.11 20	-0.15 98	0.72 11	100	1.70 8	0.83 18	0.27 32	-2.72 19	109	0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2090 24 0089 113777437	776 1889	22 22	0473 0009	2.89	98	100	-0.58 28 93	-0.34 29 92	-0.63 90	-0.02 11 96	0.50 9 106	-0.62 24 99	3.83 33 95	-2.27 18 108	0						
2090 24 0090 113778476	776 1889	22 22	0473 0009	2.89	98	100	-0.58 28 93	-0.34 29 92	-0.63 90	-0.02 11 96	0.50 9 106	-0.62 24 99	3.83 33 95	-2.27 18 108	0						
2090 24 0103 113777528	776 776	22 22	0473 0325	4.49	109	110	-0.08 24 99	0.07 22 102	0.03 101	0.73 12 100	1.60 8 111	0.95 20 108	-2.71 33 103	-1.22 20 105	0						
2090 25 0004 113888333	430 776	23 22	0014 0446	7.69	116	109	1.53 25 117	-0.05 21 100	0.72 113	2.85 13 114	0.80 8 107	1.97 20 114	-0.70 34 101	-4.00 22 113	0						
2090 25 0005 113906101	430 776	23 22	0014 0446	7.69	116	109	1.53 25 117	-0.05 21 100	0.72 113	2.85 13 114	0.80 8 107	1.97 20 114	-0.70 34 101	-4.00 22 113	0						
2090 25 0007 113822928	430 776	23 22	0014 0158	7.19	114	112	1.02 22 111	0.17 19 105	0.68 112	2.12 12 110	0.80 7 107	1.67 17 112	-2.53 32 103	-3.34 20 111	0						
2090 25 0008 113833040	430 776	23 22	0014 0158	7.19	114	112	1.02 22 111	0.17 19 105	0.68 112	2.12 12 110	0.80 7 107	1.67 17 112	-2.53 32 103	-3.34 20 111	0						
2090 25 0014 113822910	430 776	23 22	0014 0249	3.16	114	108	1.24 27 114	-0.13 21 98	0.50 109	2.31 12 111	1.00 7 108	1.72 20 113	-0.66 33 101	-3.68 21 112	0						
2090 25 0016 113822936	430 776	23 22	0014 0552	6.40	116	116	0.88 26 110	0.42 22 111	0.86 115	2.05 14 109	0.60 9 106	1.66 21 112	-7.41 35 109	-2.81 22 110	0						
2090 25 0022 113822969	430 2090	23 24	0014 0013	7.29	115	112	1.07 22 112	0.16 19 105	0.70 112	2.24 12 110	0.80 7 107	1.71 17 112	-5.37 33 107	-2.91 19 110	0						
2090 25 0029 113822902	430 776	23 22	0014 0256	6.84	115	115	0.84 23 109	0.38 19 110	0.80 114	1.90 13 108	0.70 6 107	1.64 18 112	-1.30 33 101	-4.85 21 115	0						
2090 25 0043 113822886	430 776	23 22	0014 0348	6.70	116	114	1.04 25 111	0.32 22 109	0.85 115	2.10 13 109	0.50 6 106	1.67 19 112	-10.02 32 113	-0.75 20 104	0						
2090 25 0047 113822795	430 776	23 22	0014 0148	6.82	115	111	1.24 25 114	0.14 22 104	0.77 114	2.52 15 112	0.70 9 107	1.81 20 113	-2.88 33 103	-2.74 22 109	0						
2090 25 0048 113822977	430 776	23 22	0014 0148	6.82	115	111	1.24 25 114	0.14 22 104	0.77 114	2.52 15 112	0.70 9 107	1.81 20 113	-2.88 33 103	-2.74 22 109	0						
2090 25 0050 113822944	430 776	23 22	0014 0247	3.16	114	108	1.24 27 114	-0.13 21 98	0.50 109	2.31 12 111	1.00 7 108	1.72 20 113	-3.53 33 104	-2.55 21 109	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	Lambled
							EBV Acc	Index	EBV Acc	Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
2090 25 0056 113822746	430 2090	23 24	0014 0016	5.96	115	114	0.69 21	0.23 107	0.57 19	1.73 107	11 11	1.73 107	0.80 6	1.40 107	17 17	1.40 111	-9.36 33	-2.07 112	18 18	108 108	0	
2090 25 0057 113822738	430 776	23 22	0014 0225	6.54	115	115	0.86 23	0.41 109	0.83 20	1.91 111	13 11	1.91 108	0.70 6	1.68 107	18 18	1.68 112	-2.34 34	-4.29 103	21 21	114 114	0	
2090 25 0058 113822670	430 2090	23 23	0014 0012	6.70	113	113	0.81 20	0.25 109	0.66 17	1.93 107	11 11	1.93 108	0.60 7	1.42 106	16 16	1.42 111	-1.80 30	-4.17 102	18 18	113 113	0	
2090 25 0060 113822787	430 776	23 22	0014 0301	7.01	113	112	0.98 22	0.23 111	0.72 18	2.01 107	12 12	2.01 109	0.60 6	1.57 106	17 17	1.57 112	2.32 31	-5.65 97	20 20	117 117	0	
2090 25 0066 113833073	430 776	23 22	0014 0173	7.25	114	111	1.02 22	0.17 111	0.68 19	2.12 105	12 12	2.12 110	0.80 7	1.67 107	17 17	1.67 112	-0.53 28	-3.24 100	20 20	111 111	0	
2090 25 0068 113888093	430 776	23 22	0014 0173	7.25	114	111	1.02 22	0.17 111	0.68 19	2.12 105	12 12	2.12 110	0.80 7	1.67 107	17 17	1.67 112	-0.53 28	-3.24 100	20 20	111 111	0	
2090 25 0071 113833032	430 2090	23 23	0014 0013	6.70	113	113	0.81 20	0.25 109	0.66 17	1.93 107	11 11	1.93 108	0.60 7	1.42 106	16 16	1.42 111	-1.32 30	-4.33 101	18 18	114 114	0	
2090 25 0072 113888002	430 2090	23 23	0014 0013	6.70	113	113	0.81 20	0.25 109	0.66 17	1.93 107	11 11	1.93 108	0.60 7	1.42 106	16 16	1.42 111	-1.32 30	-4.33 101	18 18	114 114	0	
2090 25 0074 113888085	430 1484	23 20	0014 0023	3.41	110	109	0.90 25	0.16 110	0.62 23	1.92 105	14 14	1.92 108	-0.50 10	0.77 21	0.77 107	-1.74 28	-4.05 102	20 20	113 113	0		
2090 25 0078 113832992	430 1673	23 20	0014 0055	2.90	101	104	0.34 29	0.29 104	0.46 24	1.16 108	22 22	1.16 103	-1.20 12	-0.10 23	-0.10 102	18.21 34	-8.91 77	23 23	126 126	0		
2090 25 0087 113888077	430 776	23 22	0014 0306	3.16	116	109	1.24 27	-0.13 114	0.50 21	2.31 98	12 12	2.31 111	1.00 7	1.72 108	1.72 20	-13.76 113	1.19 33	99 117	21 21	99 99	0	
2090 25 0093 113906150	430 776	23 22	0014 0573	5.03	114	112	0.76 21	0.10 108	0.48 18	1.84 103	11 11	1.84 108	0.90 7	1.40 108	1.40 17	-5.25 111	-3.46 32	111 106	20 20	111 111	0	
2090 25 0095 113906168	430 2090	23 24	0014 0014	6.10	111	109	0.82 24	0.08 109	0.49 21	1.91 103	14 14	1.91 108	0.50 9	1.20 106	1.20 19	4.40 110	-6.02 33	118 94	20 20	118 118	0	
2090 25 0097 113906143	430 2090	23 24	0014 0017	6.84	112	111	1.01 22	0.26 111	0.77 19	2.16 107	12 12	2.16 110	0.80 7	1.75 107	1.75 17	13.26 113	-9.04 33	127 83	19 19	127 127	0	
	Ewe flock average: Total ewes in flock: 119				109	108	0.43	0.00	0.22	1.32	1.12	1.10	1.16	-2.70								

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr				% In-breedin g	Sire ID Dam ID		1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
							Progeny y	Number Herds	Progeny Number Weaned	Number Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
					Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	430 10 0119 67253138	1.38	LM 08 0229 970 10 0106	13	1	7	5		106	95	1.50 87 117	-0.54 80 87	0.21 104	3.12 69 116	-1.00 46 99	0.36 75 105	4.70 88 94	-4.44 68 114	1			
2	1673 18 0066 82518853	4.58	762 12 0611 1673 15 0006						101	97	0.29 38 103	-0.13 38 98	0.02 101	0.40 21 98	-0.60 20 101	-0.19 34 101	-6.44 65 108	5.92 41 86	8			
3	776 18 0226 89360143	3.46	776 17 0045 776 NZ 0031	22	2	4	2		85	92	-2.51 78 72	-0.72 58 83	-1.98 66	-3.01 34 76	1.50 20 111	-2.34 57 89	-3.81 67 105	7.24 40 82	6			
4	762 18 0307 82047531	5.40	762 16 0414 762 14 0440	59	4	8	3		74	84	-1.43 90 84	0.25 70 107	-0.46 92	-1.12 78 88	-4.80 39 81	-4.05 71 79	29.09 78 64	-2.61 55 109	113	6		
5	1484 19 0007 86545142	2.17	762 14 0056 1484 16 0054			3	2		91	95	-0.38 63 96	0.01 56 101	-0.18 97	0.54 40 99	-3.70 30 86	-2.59 53 88	-1.83 52 102	-0.22 39 103	3			
6	776 19 0089 89806467	10.37	776 17 0045 776 15 0049						105	102	0.03 46 100	-0.58 40 86	-0.56 91	0.60 22 100	1.80 17 112	0.54 37 106	-1.17 54 101	-1.42 34 106	1			
7	430 19 0102 89871818	5.00	430 18 0050 430 15 0099	1	1				116	112	1.34 57 115	0.27 43 108	0.94 117	2.53 26 112	0.40 12 105	1.85 41 113	-7.31 63 109	-0.77 41 104	5			
8	776 19 0103 89806152	5.98	776 17 0045 776 16 0057	24	2	6	1		116	93	2.37 83 126	-1.15 60 72	0.04 101	3.72 29 120	2.00 19 113	2.42 59 117	-5.33 79 107	1.63 51 97	5			
9	1298 19 0122 91601302	2.13	16 4 60 DL 1298 15 0179			5	1		114	106	1.49 54 116	0.03 51 102	0.77 114	2.94 31 115	1.20 20 109	2.24 45 116	4.95 71 94	-1.46 48 106	2			
10	430 20 0078 88576848	3.72	430 18 0050 430 16 0111						118	122	0.76 58 108	0.87 47 123	1.25 122	2.07 32 109	0.80 14 107	2.11 44 115	2.93 74 96	-7.09 45 121	5			
11	430 20 0085 88578745	2.59	430 18 0050 430 14 0123						112	115	0.53 45 106	0.49 39 113	0.76 113	1.34 25 104	0.30 12 105	1.21 35 110	-0.55 52 101	-4.15 37 113	6			
12	1692 20 0232 93560035	2.87															-0.41 60 100	1.79 14 97				
13	1889 20 6213 92865302	6.45	762 17 0129 762 17 0089	4	1	18	2		86	93	-0.83 64 90	-0.18 65 96	-0.59 90	-0.63 22 92	-3.30 25 88	-2.99 55 85	6.27 65 92	-3.73 36 112	1			

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambded	
			Progen y	Number Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
14	430 21 0209 95713319	2.04	16 4 60 DL 430 13 0048	2	1	2	1	122	115	1.87 55 121	0.05 43 102	0.99 117	3.46 30 118	1.20 16 109	2.64 41 118	-4.92 74 106	-5.84 50 118	5
15	1298 21 0418 93337129	3.30	430 20 0085 1298 19 0232					105	106	-0.12 29 98	-0.08 26 99	-0.14 98	0.90 18 102	1.00 13 108	0.40 24 105	2.22 44 97	-2.86 24 110	5
16	776 21 0592 94852043	3.46	430 20 0078 776 18 0227					108	109	0.05 39 100	0.01 33 101	0.03 101	0.82 20 101	1.20 12 109	0.77 30 107	-1.16 52 101	-2.69 30 109	4
17	776 21 0729 98994056	3.81	430 20 0078 776 19 0125			4	1	109	116	-0.40 44 95	0.44 41 112	0.24 104	0.25 19 97	1.30 10 110	0.82 35 107	-1.69 63 102	-2.89 28 110	4
18	1829 22 0145 97570469	3.16	1673 18 0066 1673 19 0103					102	102	-0.12 21 98	0.06 21 102	0.00 100	0.15 12 97	0.30 10 105	0.12 18 103	-3.94 40 105	4.58 24 89	4
19	776 22 0375 97597314	2.06	1298 19 0122 776 20 0023					114	104	1.35 31 115	-0.19 28 96	0.49 109	2.83 18 114	1.30 11 110	1.94 25 114	0.60 38 99	-0.94 25 104	1
20	776 22 0473 97597249	2.00	1298 19 0122 776 18 0278					106	107	-0.03 37 99	-0.14 34 97	-0.15 98	0.78 19 101	1.90 14 112	0.98 31 108	7.26 45 91	-4.06 30 113	5
21	430 23 0014 96304449	8.52	430 21 0209 430 21 0010					118	114	1.63 35 118	0.29 29 108	1.10 119	3.01 19 115	0.10 11 104	1.98 27 114	-3.79 44 105	-5.54 31 117	3
			Sire Flock Average: Number of sires used in the flock: 21						105	104	0.37	-0.05	0.14	1.23	0.15	0.41	0.75	-1.41

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP	Dam	
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir	Mat				Comb	EBV			EBV
			Acc Index	Acc Index			EBV Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Times Lamb			
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	430 23 0014 96304449	8.52	430 21 0209 430 21 0010		118	114	1.63 35	0.29 118	1.10 119	3.01 19	0.10 11	1.98 27	-3.79 104	-5.54 31	3	
2	2090 25 0023 113822852	6.64	430 23 0014 2090 24 0019		116	117	0.75 23	0.39 108	0.76 114	1.84 12	0.70 7	1.56 18	-12.16 112	-1.18 105	1	
3	2090 25 0015 113822704	6.40	430 23 0014 776 22 0552		116	116	0.88 26	0.42 110	0.86 115	2.05 14	0.60 9	1.66 21	-7.41 109	-2.81 110	3	
4	2090 25 0042 113822829	6.70	430 23 0014 776 22 0348		116	114	1.04 25	0.32 111	0.85 115	2.10 13	0.50 6	1.67 19	-10.02 112	-0.75 104	3	
5	2090 25 0086 113854434	3.16	430 23 0014 776 22 0306		116	109	1.24 27	-0.13 114	0.50 109	2.31 12	1.00 7	1.72 20	-13.76 113	1.19 99	3	
6	2090 25 0003 113822894	7.69	430 23 0014 776 22 0446		116	109	1.53 25	-0.05 117	0.72 113	2.85 13	0.80 8	1.97 20	-0.70 114	-4.00 101	3	
7	2090 25 0002 113822845	7.69	430 23 0014 776 22 0446		116	109	1.53 25	-0.05 117	0.72 113	2.85 13	0.80 8	1.97 20	-0.70 114	-4.00 101	3	
8	2090 25 0021 113822688	7.29	430 23 0014 2090 24 0013		115	112	1.07 22	0.16 105	0.70 112	2.24 12	0.80 7	1.71 17	-5.37 112	-2.91 110	1	
9	2090 25 0028 113822803	6.84	430 23 0014 776 22 0256		115	115	0.84 23	0.38 110	0.80 114	1.90 13	0.70 6	1.64 18	-1.30 112	-4.85 101	3	
10	2090 25 0006 113822696	7.19	430 23 0014 776 22 0158		114	112	1.02 22	0.17 105	0.68 112	2.12 12	0.80 7	1.67 17	-2.53 112	-3.34 103	2	
11	2090 25 0049 113822837	3.16	430 23 0014 776 22 0247		114	108	1.24 27	-0.13 114	0.50 109	2.31 12	1.00 7	1.72 20	-3.53 113	-2.55 109	3	
12	2090 25 0036 113822761	7.19	430 23 0014 776 22 0210		114	111	1.02 22	0.17 105	0.68 112	2.12 12	0.80 7	1.67 17	-2.16 112	-2.84 110	3	
13	2090 25 0037 113822712	3.42	430 23 0014 776 22 0394		114	106	1.42 29	-0.29 94	0.42 108	2.59 13	1.00 8	1.73 22	-2.10 113	-3.42 102	3	
14	2090 25 0064 113833024	3.11	430 23 0014 776 22 0342		114	107	1.24 27	-0.13 114	0.50 109	2.31 12	1.00 7	1.72 20	-3.72 113	-1.91 105	2	
15	2090 25 0065 113833008	6.79	430 23 0014 776 22 0238		114	115	0.84 23	0.38 110	0.80 114	1.90 13	0.70 6	1.64 18	2.77 112	-6.27 96	3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		Dam		
			Progeny Number	Progeny Number			Dir	Mat	Comb				EBV	EBV	EBV	EBV		EBV	EBV
			Weaned	Herds															
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
16	2090 25 0076 113888044	7.49	430 23 0014 776 22 0512		114	108	1.19 23 113	-0.05 20 99	0.54 110	2.54 13 112	0.80 8 107	1.62 18 112	-2.58 34 103	-2.56 22 109			3		
17	2090 25 0099 113906176	6.79	430 23 0014 776 22 0217		114	114	0.84 23 109	0.38 19 110	0.80 114	1.90 13 108	0.70 6 107	1.64 18 112	1.86 33 97	-5.32 21 117			3		
18	2090 25 0062 113833057	6.80	430 23 0014 776 22 0374		114	110	1.40 24 115	0.17 21 105	0.87 115	2.68 13 113	0.90 8 108	2.11 19 115	14.54 34 81	-9.03 22 127			3		
19	2090 25 0075 113833099	7.49	430 23 0014 776 22 0512		114	108	1.19 23 113	-0.05 20 99	0.54 110	2.54 13 112	0.80 8 107	1.62 18 112	-2.58 34 103	-2.56 22 109			3		
20	2090 25 0098 113906044	6.79	430 23 0014 776 22 0217		114	114	0.84 23 109	0.38 19 110	0.80 114	1.90 13 108	0.70 6 107	1.64 18 112	1.86 33 97	-5.32 21 117			3		
21	2090 25 0063 113888051	6.80	430 23 0014 776 22 0374		114	110	1.40 24 115	0.17 21 105	0.87 115	2.68 13 113	0.90 8 108	2.11 19 115	14.54 34 81	-9.03 22 127			3		
22	2090 25 0055 113822951	4.63	430 23 0014 776 22 0530		114	113	0.81 22 109	0.16 18 105	0.56 110	1.78 12 107	0.80 7 107	1.45 17 111	-3.74 31 105	-4.26 20 114			3		
23	2090 25 0054 113822779	4.63	430 23 0014 776 22 0530		114	113	0.81 22 109	0.16 18 105	0.56 110	1.78 12 107	0.80 7 107	1.45 17 111	-3.74 31 105	-4.26 20 114			3		
24	2090 25 0013 113822720	3.16	430 23 0014 776 22 0249		114	108	1.24 27 114	-0.13 21 98	0.50 109	2.31 12 111	1.00 7 108	1.72 20 113	-0.66 33 101	-3.68 21 112			3		
25	776 22 0375 97597314	2.06	298 19 0122 776 20 0023		114	104	1.35 31 115	-0.19 28 96	0.49 109	2.83 18 114	1.30 11 110	1.94 25 114	0.60 38 99	-0.94 25 104			1		
26	2090 25 0092 113906028	5.03	430 23 0014 776 22 0573		114	112	0.76 21 108	0.10 18 103	0.48 109	1.84 11 108	0.90 7 108	1.40 17 111	-5.25 32 106	-3.46 20 111			3		
27	2090 25 0079 113833016	7.19	430 23 0014 2090 24 0004		114	111	0.91 22 110	0.16 19 105	0.61 111	2.08 12 109	0.80 7 107	1.54 17 111	-1.15 33 101	-3.88 19 113			1		
28	2090 24 0036 113769129	14.31	776 22 0375 776 22 0148		113	106	1.10 24 112	-0.09 21 98	0.46 108	2.43 14 112	1.30 9 110	1.79 19 113	-0.68 31 101	-0.44 20 103			3		
29	2090 24 0037 113778344	14.31	776 22 0375 776 22 0148		113	106	1.10 24 112	-0.09 21 98	0.46 108	2.43 14 112	1.30 9 110	1.79 19 113	-0.68 31 101	-0.44 20 103			3		
30	2090 25 0096 113906036	6.84	430 23 0014 2090 24 0017		112	111	1.01 22 111	0.26 19 107	0.77 114	2.16 12 110	0.80 7 107	1.75 17 113	13.26 33 83	-9.04 19 127			1		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights						EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean	Number Weaned	TWW	AFL		ILP		Dam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Progeny Number	Progeny Number			Dir	Mat	Comb		EBV			EBV	EBV	EBV	EBV		EBV	EBV	EPI	Times Lamb																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Weaned Herds	Weaned Herds																			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam
			Progeny Number	Progeny Number			Dir	Mat	Comb									
			Weaned Herds	Weaned Herds														
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	2090 24 0009 99086159	9.24	776 21 0729 776 22 0394		109	107	0.40 32 104	-0.21 27 95	-0.01 100	1.21 13 104	1.60 8 111	1.15 25 109	-1.05 39 101	-2.09 22 108				3
47	2090 25 0088 113854467	5.32	430 23 0014 776 22 0448		109	104	1.02 31 111	-0.21 27 96	0.31 106	2.18 21 110	0.20 14 104	0.94 26 108	1.35 35 98	-4.47 26 114				3
48	2090 25 0089 113888069	5.32	430 23 0014 776 22 0448		109	104	1.02 31 111	-0.21 27 96	0.31 106	2.18 21 110	0.20 14 104	0.94 26 108	1.35 35 98	-4.47 26 114				3
49	2090 24 0010 99086167	12.37	776 21 0729 776 22 0530		109	114	-0.20 25 97	0.23 23 107	0.13 103	0.40 11 98	1.40 7 110	0.87 20 108	-2.69 39 103	-2.93 18 110				3
50	2090 24 0011 99086175	12.37	776 21 0729 776 22 0530		109	114	-0.20 25 97	0.23 23 107	0.13 103	0.40 11 98	1.40 7 110	0.87 20 108	-2.69 39 103	-2.93 18 110				3
51	2090 24 0015 99086217	14.02	776 21 0729 776 22 0573		109	113	-0.26 25 97	0.18 23 105	0.05 101	0.46 11 99	1.50 6 111	0.82 20 107	-4.20 39 105	-2.13 19 108				3
52	2090 24 0042 113778443	4.49	776 22 0473 776 22 0256		109	111	0.01 24 100	0.17 21 105	0.17 103	0.78 12 101	1.60 8 111	1.14 19 109	4.22 33 94	-4.11 20 113				3
53	2090 24 0041 113769111	4.49	776 22 0473 776 22 0256		109	111	0.01 24 100	0.17 21 105	0.17 103	0.78 12 101	1.60 8 111	1.14 19 109	4.22 33 94	-4.11 20 113				3
54	2090 24 0058 113778385	6.77	776 22 0473 776 22 0286		109	105	0.44 29 105	-0.26 25 94	-0.04 100	1.31 14 104	1.80 8 112	1.26 23 110	2.20 30 97	-1.86 20 107				1
55	2090 24 0049 113778450	4.60	776 22 0473 776 22 0047		108	109	0.15 23 101	0.02 20 101	0.10 102	0.90 12 102	1.50 8 111	1.07 18 109	1.71 28 98	-2.46 18 109				1
56	2090 24 0071 113777411	11.27	776 22 0473 776 22 0394		108	102	0.59 30 106	-0.50 25 88	-0.21 97	1.47 13 105	1.90 9 112	1.23 23 110	3.42 32 95	-2.68 23 109				3
57	2090 24 0072 113778419	11.27	776 22 0473 776 22 0394		108	102	0.59 30 106	-0.50 25 88	-0.21 97	1.47 13 105	1.90 9 112	1.23 23 110	3.42 32 95	-2.68 23 109				3
58	2090 24 0076 113778302	4.44	776 22 0473 776 22 0238		108	111	0.01 24 100	0.17 21 105	0.17 103	0.78 12 101	1.60 8 111	1.14 19 109	8.29 33 89	-5.53 20 117				3
59	2090 24 0047 113778492	6.77	776 22 0473 776 22 0247		108	104	0.41 28 104	-0.34 23 92	-0.13 98	1.20 12 104	1.80 8 112	1.16 21 109	1.99 34 97	-1.82 21 107				3
60	2090 23 0025 99086019	4.50	298 21 0418 776 22 0099		108	105	0.34 23 104	-0.16 21 97	0.01 101	1.36 13 105	1.40 9 110	1.02 19 108	2.04 31 97	-1.85 19 107				1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 2090 23 0007 99084758	6.29	298 21 0418 776 22 0325			108	110	-0.12 21 98	0.09 19 103	0.04 101	0.79 12 101	1.10 7 109	0.64 17 106	-5.22 33 106	-0.62 18 104	2
62 2090 24 0067 113778294	14.94	776 22 0473 776 22 0512			108	104	0.36 24 104	-0.26 22 94	-0.08 99	1.42 13 105	1.70 9 111	1.12 20 109	2.94 34 96	-1.83 21 107	3
63 2090 24 0045 113778336	9.58	776 22 0473 776 22 0311			108	104	0.37 30 104	-0.40 25 91	-0.22 97	1.28 13 104	1.90 10 112	1.11 23 109	3.53 35 95	-2.88 22 110	2
64 2090 24 0084 113777445	14.73	776 22 0473 776 22 0173			108	107	0.19 23 102	-0.04 21 100	0.05 101	1.00 12 102	1.60 8 111	1.11 19 109	4.99 29 93	-2.50 20 109	3
65 2090 24 0109 113778369	4.18	776 22 0473 776 22 0226			107	111	0.03 24 100	0.19 22 106	0.21 104	0.80 12 101	1.60 8 111	1.18 20 109	12.98 33 83	-6.86 19 121	1
66 2090 24 0085 113777395	4.60	776 22 0473 776 22 0301			107	108	0.15 23 101	0.02 20 101	0.10 102	0.90 12 102	1.50 8 111	1.07 18 109	7.84 32 90	-4.91 20 115	3
67 2090 23 0021 99085979	2.90	298 21 0418 776 22 0247			107	104	0.37 25 104	-0.31 20 93	-0.13 98	1.26 11 104	1.40 8 110	0.90 19 108	-0.53 33 100	-1.21 19 105	3
68 2090 24 0088 113778401	7.87	776 22 0473 776 22 0573			107	108	-0.07 23 99	-0.11 20 98	-0.15 98	0.72 11 100	1.70 8 111	0.83 18 107	0.27 32 99	-2.72 19 109	3
69 2090 24 0086 113778328	4.60	776 22 0473 776 22 0301			107	108	0.15 23 101	0.02 20 101	0.10 102	0.90 12 102	1.50 8 111	1.07 18 109	7.84 32 90	-4.91 20 115	3
70 776 22 0076 97739262	3.31	430 19 0102 776 18 0278			107	110	-0.11 38 99	-0.01 31 100	-0.07 99	0.57 17 99	1.50 11 111	0.78 29 107	1.12 42 98	-3.72 27 112	5
71 2090 23 0028 99086043	6.23	298 21 0418 776 22 0238			107	111	-0.04 20 99	0.20 17 106	0.18 103	0.84 12 101	1.10 7 109	0.82 16 107	5.78 32 92	-4.93 18 115	3
72 2090 23 0010 99084840	2.96	298 21 0418 776 22 0311			107	104	0.33 28 103	-0.37 22 92	-0.21 97	1.34 13 104	1.50 9 111	0.85 21 108	1.01 35 99	-2.28 20 108	2
73 2090 23 0031 99086068	6.23	298 21 0418 776 22 0217			107	110	-0.04 20 99	0.20 17 106	0.18 103	0.84 12 101	1.10 7 109	0.82 16 107	4.87 32 94	-3.98 18 113	3
74 2090 23 0005 99084683	4.79	298 21 0418 776 22 0173			107	107	0.15 20 101	-0.01 18 100	0.06 101	1.06 12 103	1.20 8 109	0.85 16 108	2.48 28 97	-1.90 18 107	3
75 2090 24 0031 113782742	2.88	776 22 0375 889 22 0011			107	106	0.47 27 105	0.10 28 103	0.34 106	1.25 11 104	0.20 8 104	0.69 23 107	0.67 31 99	-1.65 17 106	102 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat	Comb							
			Weaned Herds	Weaned Herds												EBV Acc Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76	776 22 0473 97597249	2.00	298 19 0122 776 18 0278		106	107	-0.03 37 99	-0.14 34 97	-0.15 98	0.78 19 101	1.90 14 112	0.98 31 108	7.26 45 91	-4.06 30 113	5	
77	2090 24 0078 113778377	7.37	776 22 0473 776 22 0353		106	107	-0.18 22 98	-0.19 20 96	-0.28 96	0.42 11 98	1.80 8 112	0.71 18 107	-1.14 31 101	-1.22 19 105	3	
78	2090 25 0119 113906127	2.41	829 22 0145 776 22 0284		106	100	0.46 24 105	-0.11 20 98	0.12 102	0.95 9 102	1.00 7 108	0.95 19 108	-4.39 32 105	6.42 19 84	2	
79	2090 25 0118 113906119	2.41	829 22 0145 776 22 0284		106	100	0.46 24 105	-0.11 20 98	0.12 102	0.95 9 102	1.00 7 108	0.95 19 108	-4.39 32 105	6.42 19 84	2	
80	1298 21 0418 93337129	3.30	430 20 0085 298 19 0232		105	106	-0.12 29 98	-0.08 26 99	-0.14 98	0.90 18 102	1.00 13 108	0.40 24 105	2.22 44 97	-2.86 24 110	5	
81	2090 24 0083 113777478	7.36	776 22 0473 776 22 0259		105	104	-0.07 25 99	-0.36 21 92	-0.39 94	0.59 11 100	1.80 9 112	0.65 20 106	6.31 29 92	-4.35 19 114	3	
82	2090 25 0122 113906135	3.07	829 22 0145 2090 24 0001		104	105	-0.01 15 100	0.05 13 102	0.05 101	0.55 8 99	0.70 6 107	0.47 12 105	0.69 25 99	0.14 15 102	1	
83	2090 25 0091 113888036	3.04	430 23 0014 889 22 0009		104	104	0.25 28 103	-0.13 28 98	0.00 100	1.10 11 103	-0.30 8 102	-0.06 23 102	-1.69 32 102	-3.00 19 110	99 3	
84	2090 25 0090 113854442	3.04	430 23 0014 889 22 0009		104	104	0.25 28 103	-0.13 28 98	0.00 100	1.10 11 103	-0.30 8 102	-0.06 23 102	-1.69 32 102	-3.00 19 110	99 3	
85	2090 23 0004 99084667	2.35	298 21 0418 776 22 0259		104	104	-0.12 22 98	-0.33 18 93	-0.39 94	0.65 11 100	1.40 8 110	0.40 17 105	3.79 28 95	-3.75 17 112	3	
86	2090 24 0074 113778393	3.25	776 22 0473 484 20 0023		104	105	0.07 26 101	-0.05 25 100	-0.01 100	0.80 14 101	0.40 11 105	0.27 22 104	3.79 28 95	-3.32 19 111	2	
87	2090 24 0073 113777577	3.25	776 22 0473 484 20 0023		104	105	0.07 26 101	-0.05 25 100	-0.01 100	0.80 14 101	0.40 11 105	0.27 22 104	3.79 28 95	-3.32 19 111	2	
88	2090 24 0039 113778351	7.63	776 22 0473 776 22 0448		104	101	0.19 32 102	-0.42 29 90	-0.32 95	1.06 21 103	1.10 14 109	0.44 27 105	6.88 35 91	-3.74 25 112	3	
89	1692 22 0221 97664411	2.87	692 20 0232 692 20 0249		103	108	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-0.22 31 100	0.37 7 101	3	
90	1829 22 0145 97570469	3.16	673 18 0066 673 19 0103		102	102	-0.12 21 98	0.06 21 102	0.00 100	0.15 12 97	0.30 10 105	0.12 18 103	-3.94 40 105	4.58 24 89	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1 2090 25 0016 113822936	6.40	430 23 0014 776 22 0552	116	116	0.88 26 110	0.42 22 111	0.86 115	2.05 14 109	0.60 9 106	1.66 21 112	-7.41 35 109	-2.81 22 110		0
2 2090 25 0043 113822886	6.70	430 23 0014 776 22 0348	116	114	1.04 25 111	0.32 22 109	0.85 115	2.10 13 109	0.50 6 106	1.67 19 112	-10.02 32 113	-0.75 20 104		0
3 2090 25 0087 113888077	3.16	430 23 0014 776 22 0306	116	109	1.24 27 114	-0.13 21 98	0.50 109	2.31 12 111	1.00 7 108	1.72 20 113	-13.76 33 117	1.19 21 99		0
4 2090 25 0005 113906101	7.69	430 23 0014 776 22 0446	116	109	1.53 25 117	-0.05 21 100	0.72 113	2.85 13 114	0.80 8 107	1.97 20 114	-0.70 34 101	-4.00 22 113		0
5 2090 25 0004 113888333	7.69	430 23 0014 776 22 0446	116	109	1.53 25 117	-0.05 21 100	0.72 113	2.85 13 114	0.80 8 107	1.97 20 114	-0.70 34 101	-4.00 22 113		0
6 2090 25 0022 113822969	7.29	430 23 0014 2090 24 0013	115	112	1.07 22 112	0.16 19 105	0.70 112	2.24 12 110	0.80 7 107	1.71 17 112	-5.37 33 107	-2.91 19 110		0
7 2090 25 0047 113822795	6.82	430 23 0014 776 22 0148	115	111	1.24 25 114	0.14 22 104	0.77 114	2.52 15 112	0.70 9 107	1.81 20 113	-2.88 33 103	-2.74 22 109		0
8 2090 25 0048 113822977	6.82	430 23 0014 776 22 0148	115	111	1.24 25 114	0.14 22 104	0.77 114	2.52 15 112	0.70 9 107	1.81 20 113	-2.88 33 103	-2.74 22 109		0
9 2090 25 0057 113822738	6.54	430 23 0014 776 22 0225	115	115	0.86 23 109	0.41 20 111	0.83 115	1.91 13 108	0.70 6 107	1.68 18 112	-2.34 34 103	-4.29 21 114		0
10 2090 25 0029 113822902	6.84	430 23 0014 776 22 0256	115	115	0.84 23 109	0.38 19 110	0.80 114	1.90 13 108	0.70 6 107	1.64 18 112	-1.30 33 101	-4.85 21 115		0
11 2090 25 0056 113822746	5.96	430 23 0014 2090 24 0016	115	114	0.69 21 107	0.23 19 107	0.57 110	1.73 11 107	0.80 6 107	1.40 17 111	-9.36 33 112	-2.07 18 108		0
12 776 22 0230 96817911	2.92	430 20 0078 627 17 0215	114	120	0.21 31 102	0.69 28 118	0.79 114	0.90 16 102	1.20 7 109	1.62 24 112	-6.01 47 107	-1.62 22 106		1
13 2090 25 0007 113822928	7.19	430 23 0014 776 22 0158	114	112	1.02 22 111	0.17 19 105	0.68 112	2.12 12 110	0.80 7 107	1.67 17 112	-2.53 32 103	-3.34 20 111		0
14 2090 25 0008 113833040	7.19	430 23 0014 776 22 0158	114	112	1.02 22 111	0.17 19 105	0.68 112	2.12 12 110	0.80 7 107	1.67 17 112	-2.53 32 103	-3.34 20 111		0
15 2090 25 0050 113822944	3.16	430 23 0014 776 22 0247	114	108	1.24 27 114	-0.13 21 98	0.50 109	2.31 12 111	1.00 7 108	1.72 20 113	-3.53 33 104	-2.55 21 109		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Index	Acc	Index	Acc	Index	Acc			Index	Phenotype	
Active Breed Average:			100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
16	776 22 0552 97597470	2.30	430 20 0078 776 16 0229	114	118	0.13 39	0.55 101	0.61 32	1.08 115	0.61 111	1.08 19	1.10 15	1.34 109	31	110	-11.02 55	114	32	102	3
17	2090 24 0019 99086399	15.22	776 21 0729 776 22 0552	114	119	-0.14 29	0.49 98	0.43 26	0.67 113	0.43 108	0.67 14	1.20 9	1.08 109	23	109	-20.52 50	126	3.17 21	93	1
18	2090 25 0014 113822910	3.16	430 23 0014 776 22 0249	114	108	1.24 27	-0.13 114	-0.13 21	0.50 98	0.50 109	2.31 12	1.00 7	1.72 108	20	113	-0.66 33	101	-3.68 21	112	0
19	776 22 0348 96818059	2.29	430 19 0102 627 14 0007	114	113	0.45 35	0.36 105	0.36 32	0.59 110	0.59 110	1.19 18	0.90 7	1.35 108	27	110	-16.25 45	120	4.04 26	91	3
20	2090 25 0093 113906150	5.03	430 23 0014 776 22 0573	114	112	0.76 21	0.10 108	0.10 18	0.48 103	0.48 109	1.84 11	0.90 7	1.40 108	17	111	-5.25 32	106	-3.46 20	111	0
21	2090 25 0068 113888093	7.25	430 23 0014 776 22 0173	114	111	1.02 22	0.17 111	0.17 19	0.68 105	0.68 112	2.12 12	0.80 7	1.67 107	17	112	-0.53 28	100	-3.24 20	111	0
22	2090 25 0066 113833073	7.25	430 23 0014 776 22 0173	114	111	1.02 22	0.17 111	0.17 19	0.68 105	0.68 112	2.12 12	0.80 7	1.67 107	17	112	-0.53 28	100	-3.24 20	111	0
23	2090 25 0058 113822670	6.70	430 23 0014 2090 23 0012	113	113	0.81 20	0.25 109	0.25 17	0.66 107	0.66 112	1.93 11	0.60 7	1.42 106	16	111	-1.80 30	102	-4.17 18	113	0
24	776 22 0306 96817820	2.92	776 19 0103 776 17 0390	113	103	0.85 41	-0.54 109	-0.54 30	-0.11 87	-0.11 98	1.62 15	1.80 9	1.39 112	29	111	-23.72 50	130	7.92 29	80	3
25	2090 24 0032 113769145	2.95	776 22 0375 776 22 0306	113	104	1.10 26	-0.36 112	-0.36 20	0.19 92	0.19 104	2.22 12	1.50 7	1.64 111	19	112	-11.56 31	115	3.49 19	92	0
26	2090 25 0060 113822787	7.01	430 23 0014 776 22 0301	113	112	0.98 22	0.23 111	0.23 18	0.72 107	0.72 113	2.01 12	0.60 6	1.57 106	17	112	2.32 31	97	-5.65 20	117	0
27	2090 24 0033 113778310	2.95	776 22 0375 776 22 0306	113	104	1.10 26	-0.36 112	-0.36 20	0.19 92	0.19 104	2.22 12	1.50 7	1.64 111	19	112	-11.56 31	115	3.49 19	92	0
28	2090 25 0072 113888002	6.70	430 23 0014 2090 23 0013	113	113	0.81 20	0.25 109	0.25 17	0.66 107	0.66 112	1.93 11	0.60 7	1.42 106	16	111	-1.32 30	101	-4.33 18	114	0
29	2090 25 0071 113833032	6.70	430 23 0014 2090 23 0013	113	113	0.81 20	0.25 109	0.25 17	0.66 107	0.66 112	1.93 11	0.60 7	1.42 106	16	111	-1.32 30	101	-4.33 18	114	0
30	776 22 0446 97597520	2.10	1298 19 0122 776 20 0158	113	103	1.43 36	-0.38 116	-0.38 32	0.34 91	0.34 106	2.68 19	1.40 12	1.89 110	29	114	2.38 53	97	-2.46 32	109	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Index	Acc	Index	Acc	Index	Acc			Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
31	2090 24 0026 113782734	4.52	776 22 0375 776 22 0234	113	108	0.84 21	-0.01 109	0.41 17	1.93 101	0.41 107	1.93 11	1.10 6	1.50 109	-6.01 29	0.55 107	16	100	0
32	2090 24 0025 113782700	4.52	776 22 0375 776 22 0234	113	108	0.84 21	-0.01 109	0.41 17	1.93 101	0.41 107	1.93 11	1.10 6	1.50 109	-6.01 29	0.55 107	16	100	0
33	2090 25 0097 113906143	6.84	430 23 0014 2090 24 0017	112	111	1.01 22	0.26 111	0.77 19	2.16 107	0.77 114	2.16 12	0.80 7	1.75 107	13.26 33	-9.04 83	19	127	0
34	2090 24 0013 99086191	7.48	776 21 0729 776 22 0446	112	110	0.52 28	0.03 106	0.29 26	1.47 102	0.29 105	1.47 13	1.40 8	1.39 110	-6.95 50	-0.27 109	21	103	1
35	776 22 0148 96817994	2.15	1298 19 0122 627 19 0034	112	107	0.85 36	0.00 109	0.43 32	2.03 101	0.43 108	2.03 22	1.30 15	1.64 110	-1.96 48	0.05 102	30	102	3
36	776 22 0225 96817937	2.29	430 20 0078 627 14 0363	112	116	0.08 31	0.52 101	0.57 28	0.81 114	0.57 110	0.81 16	1.20 7	1.33 109	-0.88 51	-3.05 101	27	110	3
37	776 22 0234 96817960	2.80	430 19 0102 776 18 0905	112	112	0.33 28	0.18 103	0.34 21	1.02 105	0.34 106	1.02 13	1.00 6	1.11 108	-12.62 44	2.03 116	20	96	1
38	2090 24 0027 113782718	2.89	776 22 0375 776 22 0342	111	102	1.10 26	-0.36 112	0.19 20	2.22 92	0.19 104	2.22 12	1.50 7	1.64 111	-1.53 28	0.39 102	19	101	0
39	2090 24 0028 113782726	2.89	776 22 0375 776 22 0342	111	102	1.10 26	-0.36 112	0.19 20	2.22 92	0.19 104	2.22 12	1.50 7	1.64 111	-1.53 28	0.39 102	19	101	0
40	2090 24 0022 113782684	14.68	776 22 0375 776 22 0210	111	106	0.88 21	-0.07 110	0.37 19	2.03 99	0.37 107	2.03 12	1.30 7	1.59 110	0.04 30	-0.54 100	19	103	0
41	2090 24 0018 99086381	15.22	776 21 0729 776 22 0552	111	117	-0.14 29	0.49 98	0.43 26	0.67 113	0.43 108	0.67 14	1.20 9	1.08 109	-6.35 42	-1.49 108	21	106	0
42	776 22 0286 96817861	2.92	776 19 0103 627 17 0217	111	103	0.90 44	-0.39 110	0.07 36	1.85 91	0.07 101	1.85 19	1.80 9	1.60 112	-2.86 40	0.34 103	25	101	1
43	2090 24 0034 113769186	2.95	776 22 0375 776 22 0249	111	103	1.10 26	-0.36 112	0.19 20	2.22 92	0.19 104	2.22 12	1.50 7	1.64 111	1.54 31	-1.38 98	19	106	0
44	2090 24 0012 99086183	7.48	776 21 0729 776 22 0446	111	109	0.52 28	0.03 106	0.29 26	1.47 102	0.29 105	1.47 13	1.40 8	1.39 110	0.35 41	-2.67 99	21	109	0
45	776 22 0256 96818042	2.92	430 20 0078 776 17 0851	111	116	0.04 29	0.47 100	0.50 23	0.79 113	0.50 109	0.79 16	1.20 7	1.24 109	1.18 49	-4.16 98	27	113	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 2090 24 0016 99086225	14.02	776 21 0729 776 22 0573	111	115	-0.26 25	0.18 97 23 105	0.05 101	0.46 11 99	1.50 6 111	0.82 20 107	-14.94 48 119	1.40 19 98	1
47 776 22 0325 96817853	2.92	430 20 0078 627 17 0289	111	114	-0.12 31	0.27 98 28 108	0.21 104	0.68 16 100	1.20 7 109	0.87 24 108	-12.67 48 116	1.63 27 97	2
48 776 22 0374 97597413	2.08	1298 19 0122 776 20 0096	111	107	1.17 33	0.05 113 29 102	0.63 111	2.36 17 111	1.60 13 111	2.17 27 115	32.87 51 64	-12.52 30 136	3
49 2090 24 0050 113777551	4.49	776 22 0473 776 22 0230	111	113	0.09 24	0.28 101 22 108	0.32 106	0.84 12 101	1.60 8 111	1.33 20 110	0.62 33 99	-2.84 19 110	0
50 2090 25 0095 113906168	6.10	430 23 0014 2090 24 0014	111	109	0.82 24	0.08 109 21 103	0.49 109	1.91 14 108	0.50 9 106	1.20 19 110	4.40 33 94	-6.02 20 118	0
51 2090 24 0052 113769160	4.34	776 22 0473 776 22 0552	110	112	0.05 27	0.21 100 23 106	0.23 104	0.93 14 102	1.50 10 111	1.16 22 109	-1.88 36 102	-2.08 22 108	0
52 2090 24 0053 113778427	4.34	776 22 0473 776 22 0552	110	112	0.05 27	0.21 100 23 106	0.23 104	0.93 14 102	1.50 10 111	1.16 22 109	-1.88 36 102	-2.08 22 108	0
53 776 22 0158 96817986	2.80	1298 19 0122 776 18 0940	110	109	0.41 27	0.05 104 26 102	0.26 105	1.22 16 104	1.40 10 110	1.30 23 110	-1.28 46 101	-1.15 26 105	2
54 776 22 0047 96817838	2.92	430 19 0102 627 17 0286	110	110	0.33 28	0.18 103 21 105	0.34 106	1.02 13 102	1.00 6 108	1.11 20 109	-3.85 31 105	-0.86 20 104	1
55 2090 24 0063 113777510	4.28	776 22 0473 776 22 0348	110	110	0.21 25	0.11 102 23 104	0.22 104	0.98 13 102	1.40 8 110	1.16 20 109	-4.50 32 106	-0.01 20 102	0
56 776 22 0394 97597462	18.42	776 19 0103 776 19 0090	110	98	1.20 47	-0.86 113 36 79	-0.26 96	2.16 18 110	1.90 13 112	1.48 35 111	-0.41 46 100	-1.30 34 106	3
57 2090 25 0074 113888085	3.41	430 23 0014 1484 20 0023	110	109	0.90 25	0.16 110 23 105	0.62 111	1.92 14 108	-0.50 10 101	0.77 21 107	-1.74 28 102	-4.05 20 113	0
58 776 22 0247 96817895	2.92	776 19 0103 776 17 0888	110	101	0.85 41	-0.54 109 30 87	-0.11 98	1.62 15 106	1.80 9 112	1.39 29 111	-3.28 50 104	0.43 29 101	3
59 776 22 0284 96817879	2.61	776 19 0103 627 16 0372	110	98	1.05 43	-0.28 111 33 94	0.24 104	1.75 15 107	1.80 9 112	1.84 31 113	-4.83 50 106	8.26 29 79	2
60 776 22 0210 96818075	2.80	1298 19 0122 627 18 0385	110	108	0.41 27	0.05 104 26 102	0.26 105	1.22 16 104	1.40 10 110	1.30 23 110	-0.52 47 100	-0.14 28 102	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight			Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
					Dir Acc	EBV Index	Mat Acc	EBV Index	Comb EBV Index	EBV Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
61	2090 24 0080 113778468	18.61	776 22 0473 776 22 0446	110	105	0.70 26	-0.26 108	0.10 23	1.73 94	0.10 102	1.73 13	1.60 9	1.40 111	21	4.82 35	-3.26 94	22	111	0	
62	2090 24 0079 113777387	18.61	776 22 0473 776 22 0446	110	105	0.70 26	-0.26 108	0.10 23	1.73 94	0.10 102	1.73 13	1.60 9	1.40 111	21	4.82 35	-3.26 94	22	111	0	
63	776 22 0342 96818018	2.80	776 19 0103 627 18 0171	109	100	0.85 41	-0.54 109	-0.11 30	1.62 87	-0.11 98	1.62 15	1.80 9	1.39 112	29	-3.65 40	1.73 104	28	97	2	
64	776 22 0238 96818026	2.80	430 20 0078 776 18 0938	109	115	0.04 29	0.47 100	0.50 23	0.79 113	0.50 109	0.79 16	1.20 7	1.24 109	22	9.33 48	-7.00 88	27	121	3	
65	776 22 0311 96817952	11.46	776 19 0103 776 17 0130	109	101	0.76 48	-0.66 108	-0.28 35	1.79 84	-0.28 96	1.79 18	2.00 13	1.30 113	35	-0.20 54	-1.70 100	33	107	2	
66	776 22 0217 96817887	2.80	430 20 0078 776 18 0935	109	114	0.04 29	0.47 100	0.50 23	0.79 113	0.50 109	0.79 16	1.20 7	1.24 109	22	7.52 48	-5.11 90	27	116	3	
67	2090 24 0065 113777452	4.18	776 22 0473 776 22 0225	109	112	0.03 24	0.19 100	0.21 22	0.80 106	0.21 104	0.80 12	1.60 8	1.18 111	20	3.19 34	-3.56 96	20	112	0	
68	2090 23 0009 99084816	2.90	1298 21 0418 776 22 0306	109	105	0.37 25	-0.31 104	-0.13 20	1.26 93	-0.13 98	1.26 11	1.40 8	0.90 110	19	-10.75 33	2.53 113	19	95	0	
69	2090 24 0002 99086084	5.38	776 21 0729 776 22 0512	109	109	0.18 27	0.02 102	0.11 25	1.16 101	0.11 102	1.16 13	1.40 7	1.04 110	22	-1.53 40	-1.24 102	21	105	0	
70	776 22 0530 97597454	6.11	776 21 0592 776 21 0348	109	111	-0.01 26	0.03 100	0.02 21	0.55 101	0.02 101	0.55 13	1.40 9	0.86 110	20	-3.69 44	-2.98 105	24	110	3	
71	776 22 0512 97597488	2.07	1298 19 0122 776 17 0063	109	101	0.75 30	-0.39 108	-0.02 29	2.06 91	-0.02 100	2.06 17	1.40 11	1.20 110	25	-1.37 51	0.41 102	30	101	3	
72	776 22 0249 96817978	2.92	776 19 0103 776 17 0805	109	101	0.85 41	-0.54 109	-0.11 30	1.62 87	-0.11 98	1.62 15	1.80 9	1.39 112	29	2.47 50	-1.82 97	29	107	3	
73	776 22 0573 97597421	6.95	776 21 0592 776 18 0170	109	110	-0.12 25	-0.09 98	-0.15 22	0.67 99	-0.15 98	0.67 13	1.60 8	0.75 111	20	-6.71 46	-1.38 108	25	106	3	
74	776 22 0173 96818067	2.92	1298 19 0122 776 17 0817	109	107	0.41 27	0.05 104	0.26 26	1.22 102	0.26 105	1.22 16	1.40 10	1.30 110	23	2.73 36	-0.94 96	26	105	3	
75	2090 24 0103 113777528	4.49	776 22 0473 776 22 0325	109	110	-0.08 24	0.07 99	0.03 22	0.73 102	0.03 101	0.73 12	1.60 8	0.95 111	20	-2.71 33	-1.22 103	20	105	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Index	EBV Acc	EBV Index	EBV Acc			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
76	2090 24 0057 113777585	6.77	776 22 0473 776 22 0286	109	105	0.44 29	-0.26 105	-0.04 100	1.31 14	104	1.80 8	1.26 23	2.20 30	-1.86 20	107	0
77	2090 24 0004 99086100	5.38	776 21 0729 776 22 0512	109	108	0.18 27	0.02 102	0.11 102	1.16 13	103	1.40 7	1.04 22	1.49 49	-2.23 21	108	1
78	2090 24 0048 113777569	4.60	776 22 0473 776 22 0047	108	109	0.15 23	0.02 101	0.10 102	0.90 12	102	1.50 8	1.07 18	1.71 28	-2.46 18	109	0
79	2090 23 0012 99084899	5.97	1298 21 0418 776 22 0225	108	111	-0.02 21	0.22 100	0.21 104	0.85 12	101	1.10 7	0.87 17	0.19 41	-2.80 18	110	1
80	2090 23 0013 99084923	5.97	1298 21 0418 776 22 0225	108	111	-0.02 21	0.22 100	0.21 104	0.85 12	101	1.10 7	0.87 17	1.15 41	-3.11 18	110	1
81	2090 24 0061 113777536	14.67	776 22 0473 776 22 0158	108	108	0.19 23	-0.04 102	0.05 101	1.00 12	102	1.60 8	1.11 19	2.99 32	-2.61 20	109	0
82	2090 24 0075 113777486	4.44	776 22 0473 776 22 0238	108	111	0.01 24	0.17 100	0.17 103	0.78 12	101	1.60 8	1.14 19	8.29 33	-5.53 20	117	0
83	776 22 0301 96818034	2.92	430 19 0102 627 17 0135	108	110	0.33 28	0.18 103	0.34 106	1.02 13	102	1.00 6	1.11 20	8.43 45	-5.76 25	118	3
84	2090 24 0046 113769202	6.77	776 22 0473 776 22 0247	108	104	0.41 28	-0.34 104	-0.13 98	1.20 12	104	1.80 8	1.16 21	1.99 34	-1.82 21	107	0
85	2090 24 0055 113769194	4.44	776 22 0473 776 22 0217	108	110	0.01 24	0.17 100	0.17 103	0.78 12	101	1.60 8	1.14 19	7.39 33	-4.58 20	115	0
86	776 22 0312 96817929	11.46	776 19 0103 776 17 0130	108	100	0.76 48	-0.66 108	-0.28 96	1.79 18	107	2.00 13	1.30 35	6.98 54	-4.26 33	114	2
87	2090 24 0056 113778286	4.44	776 22 0473 776 22 0217	108	110	0.01 24	0.17 100	0.17 103	0.78 12	101	1.60 8	1.14 19	7.39 33	-4.58 20	115	0
88	776 22 0226 96817804	2.29	430 20 0078 627 14 0363	108	114	0.08 31	0.52 101	0.57 110	0.81 16	101	1.20 7	1.33 24	18.70 48	-9.66 23	129	1
89	2090 24 0068 113777494	14.48	776 22 0473 776 22 0374	108	106	0.57 25	-0.04 106	0.24 105	1.57 13	106	1.80 9	1.61 20	20.06 34	-8.29 21	125	0
90	2090 24 0069 113778435	14.48	776 22 0473 776 22 0374	108	106	0.57 25	-0.04 106	0.24 105	1.57 13	106	1.80 9	1.61 20	20.06 34	-8.29 21	125	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI Times Lambd	
					Dir Acc	Mat EBV Index				Acc	EBV Index	Acc	EBV Index	Acc	EBV Index		Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
91	2090 24 0066 113777429	14.94	776 22 0473 776 22 0512	108	104	0.36 24	-0.26 104	-0.08 99	1.42 13	105	1.70 9	1.12 20	2.94 34	-1.83 21	107	0	
92	2090 24 0044 113769137	9.58	776 22 0473 776 22 0311	108	104	0.37 30	-0.40 104	-0.22 97	1.28 13	104	1.90 10	1.11 23	3.53 35	-2.88 22	110	0	
93	2090 24 0064 113777460	7.35	776 22 0473 776 22 0530	108	109	-0.02 23	-0.06 100	-0.07 99	0.66 12	100	1.60 8	0.89 18	1.78 32	-3.52 19	112	0	
94	2090 24 0087 113777379	7.87	776 22 0473 776 22 0573	107	108	-0.07 23	-0.11 99	-0.15 98	0.72 11	100	1.70 8	0.83 18	0.27 32	-2.72 19	109	0	
95	2090 24 0059 113769152	9.58	776 22 0473 776 22 0312	107	103	0.37 30	-0.40 104	-0.22 97	1.28 13	104	1.90 10	1.11 23	7.12 35	-4.16 22	113	0	
96	2090 24 0017 99086373	4.02	776 21 0729 776 22 0374	107	109	0.38 28	0.24 107	0.44 108	1.30 13	104	1.50 8	1.53 22	30.32 49	-12.54 64	136	1	
97	2090 24 0030 113782692	2.88	776 22 0375 1889 22 0011	107	106	0.47 27	0.10 105	0.34 106	1.25 11	104	0.20 8	0.69 23	0.67 31	-1.65 17	106	0	
98	2090 24 0001 99086076	6.46	1298 21 0418 776 22 0301	107	108	0.11 20	0.05 101	0.10 102	0.96 11	102	1.00 7	0.76 16	5.33 31	-4.31 18	114	1	
99	2090 24 0077 113777403	7.37	776 22 0473 776 22 0353	106	107	-0.18 22	-0.19 98	-0.28 96	0.42 11	98	1.80 8	0.71 18	-1.14 31	-1.22 19	105	0	
100	776 22 0353 96817903	2.80	776 19 0089 627 18 0188	106	107	-0.32 23	-0.25 96	-0.41 93	0.05 11	96	1.70 9	0.45 19	-9.53 43	1.62 23	97	3	
101	2090 23 0018 99084980	2.85	1298 21 0418 776 22 0353	106	106	-0.22 18	-0.17 97	-0.27 96	0.48 10	99	1.40 8	0.46 15	-3.65 31	-0.62 17	104	0	
102	2090 24 0082 113777502	7.57	776 22 0473 776 22 0351	106	109	-0.04 27	0.13 104	0.11 102	0.80 14	101	1.40 9	0.93 21	15.53 36	-7.84 22	124	0	
103	2090 24 0006 99086126	6.82	1298 21 0418 776 22 0351	105	109	-0.08 24	0.16 105	0.12 102	0.86 14	101	1.00 9	0.68 19	12.87 46	-7.19 20	122	1	
104	2090 24 0007 99086134	6.82	1298 21 0418 776 22 0351	105	109	-0.08 24	0.16 105	0.12 102	0.86 14	101	1.00 9	0.68 19	13.01 35	-7.24 20	122	0	
105	776 22 0351 97597512	6.00	430 20 0078 776 16 0206	105	111	-0.05 38	0.40 111	0.38 107	0.83 21	101	0.90 13	0.89 30	23.80 55	-11.62 31	134	3	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106	2090 24 0005 99086118	6.82	1298 21 0418 776 22 0351	104	108	-0.08 24 99	0.16 20 105	0.12 102	0.86 14 101	1.00 9 108	0.68 19 106	17.43 46 78	-8.69 20 126	1
107	2090 24 0038 113769178	7.63	776 22 0473 776 22 0448	104	101	0.19 32 102	-0.42 29 90	-0.32 95	1.06 21 103	1.10 14 109	0.44 27 105	6.88 35 91	-3.74 25 112	0
108	776 22 0259 96818091	3.17	776 19 0089 776 13 0026	103	102	-0.12 34 98	-0.57 26 86	-0.63 89	0.41 12 98	1.70 10 111	0.33 25 104	5.36 35 93	-4.63 25 115	3
109	2090 24 0014 99086209	10.61	776 21 0729 776 22 0448	103	104	0.01 34 100	-0.13 31 98	-0.13 98	0.80 21 101	0.80 13 107	0.36 28 105	12.59 50 84	-6.49 25 120	1
110	1484 20 0023 90131418	8.36	1484 19 0007 1484 18 0023	101	103	0.18 37 102	0.04 36 102	0.13 103	0.83 21 101	-1.20 16 98	-0.51 32 100	0.32 35 99	-2.57 24 109	2
111	2090 25 0078 113832992	2.90	430 23 0014 1673 20 0055	101	104	0.34 29 104	0.29 24 108	0.46 108	1.16 22 103	-1.20 12 98	-0.10 23 102	18.21 34 77	-8.91 23 126	0
112	1889 22 0011 96456116	2.61	1889 20 6213 1889 16 0053	101	108	-0.41 43 95	0.39 48 111	0.19 104	-0.33 11 94	-0.80 12 100	-0.50 38 100	0.75 48 99	-2.36 21 108	102 3
113	776 22 0448 97597439	7.51	430 10 0119 776 18 0227	101	95	0.41 51 104	-0.70 46 83	-0.49 92	1.35 37 105	0.30 25 105	-0.11 43 102	6.50 54 92	-3.41 41 111	3
114	2090 24 0089 113777437	2.89	776 22 0473 1889 22 0009	98	100	-0.58 28 93	-0.34 29 92	-0.63 90	-0.02 11 96	0.50 9 106	-0.62 24 99	3.83 33 95	-2.27 18 108	0
115	2090 24 0090 113778476	2.89	776 22 0473 1889 22 0009	98	100	-0.58 28 93	-0.34 29 92	-0.63 90	-0.02 11 96	0.50 9 106	-0.62 24 99	3.83 33 95	-2.27 18 108	0
116	776 21 0279 96818083	17.77	776 18 0226 776 18 0252	97	96	-0.89 46 90	-0.72 36 83	-1.16 80	-0.70 20 91	1.70 13 111	-0.59 35 99	-1.06 42 101	1.86 27 97	0
117	2090 24 0060 113777544	3.21	776 22 0473 1673 20 0055	95	100	-0.50 30 94	0.08 25 103	-0.17 97	0.04 22 96	-0.40 12 102	-0.66 24 99	23.73 35 70	-8.18 23 124	0
118	1889 22 0009 96456082	2.80	1889 20 6213 1889 18 0015	90	94	-1.13 43 87	-0.54 48 87	-1.10 81	-0.82 11 90	-0.80 12 100	-2.15 38 90	0.40 47 99	-0.47 21 103	99 3
119	1673 20 0055 90959701	4.28	762 18 0307 1673 17 0065	87	100	-0.96 47 89	0.29 37 108	-0.19 97	-0.69 39 91	-2.60 21 91	-2.23 37 90	40.21 53 64	-12.29 34 136	4