



BOERBOK GENETIC REPORT

21 September 2026



DRILL RITE STUD

FDM : 2124



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.09	-0.08	-0.10	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.13	-0.12	-0.13	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.18	-0.16	-0.18	-0.06	-0.03	-0.07
Post-wean Weight	0.68	0.74	0.64	0.50	0.58	0.45
Number Lambs Weaned	0.28	0.37	0.23	-0.36	-0.55	-0.26
Total Weight Weaned	-0.05	0.03	-0.09	-0.31	-0.37	-0.27
Age at First Lambing	-7.70	-9.31	-6.76	-0.30	-0.22	-0.35
Inter-lambing Period	2.72	3.03	2.53	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	103	104	102	101	100	101
Reproduction Index	102	103	101	102	101	102
Inbreeding						
Inbreeding (%)	3.31	3.20	3.36	5.54	5.93	5.34
Number of Animals						
Number of Animals	513	181	332	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	98.7	98.8	98.6
Weaning Weight Maternal	97.5	97.7	97.4
Weaning Weight Comb	97.2	97.5	97.1
Post-wean Weight	100.1	100.5	99.8
Number Lambs Weaned	104.7	105.1	104.5
Total Weight Weaned	102.2	102.7	102.0
Age First Lambing	108.1	109.8	107.1
Interlambing Period	94.4	93.6	94.9
Selection Indices			
Logix Merit Index	102.9	103.7	102.3
Ewe Index	101.6	102.7	100.9
Growth Index	99.2	99.6	99.0
Inbreeding			
Inbreeding (%)	3.31	3.20	3.36
Number of Animals			
Number of Animals	513	181	332

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2009 - 2025	3.23	0.12
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	429	84
Known Dams	457	89

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 196



Sires

Number: 53




Young Ewes

Number: 145



Young Rams


Number: 181




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2015							1	1.60										
2018							4	1.50										
2020							6	1.55										
2021							8	1.69										
2022							18	1.53										
2023	87	-0.60	-0.02	-0.32			24	-0.44	87	96	28	0.10	10	1.62	87	102	87	97
2024	183	0.18	-0.33	-0.24			16	-1.92	182	99	24	4.04			182	96	182	98
2025	150	0.07	-0.16	-0.13					149	105					149	104	149	108

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Comp no.			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
								Dir	Mat							
							Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
IMPA 19 1020 107471195	18 0 69 - - -	2.90	101	109	-1.27 32 86	0.17 12 105	-0.47 92	-1.04 7 89	1.70 5 111	-0.08 17 102	-4.36 14 105	2.15 7 96				
762 21 0482 93656502	762 19 0449 762 18 0281	7.93	85	101	-1.60 89 82	-0.02 65 100	-0.82 86	-1.94 25 83	-3.50 36 87	-3.72 68 81	4.27 60 94	-9.70 33 129	106	5		
IMPA 21 1635 107471179	- - - 19 0 87 8DJL	2.79	102	110	-1.10 30 87	0.16 9 105	-0.39 94	-1.06 5 89	1.60 5 111	0.02 15 103	-0.38 5 100	-0.94 5 105	1			
IMPA 21 2951 99273294	19 0 86 8DJL - - -	2.79	105	102	-0.09 86 99	-0.24 44 95	-0.29 95	0.48 7 99	1.70 5 111	0.69 50 107	-0.10 29 100	1.64 12 97				
2124 22 0046 99581761	17 0 67 4DL 1520 14 0076	2.34	96	111	-2.29 67 74	0.32 30 109	-0.83 86	-2.57 5 79	1.80 5 112	-0.89 38 97	-3.27 16 104	2.09 8 96	1			
2124 23 0083 99572083	762 19 1002 1520 16 0016	2.61	95	96	-0.79 59 91	-0.17 48 97	-0.57 91	-0.73 30 91	0.00 24 103	-0.96 47 97	-0.97 44 101	4.85 31 89	89	6		
2124 23 0093 99572224	762 19 1002 1610 20 0158	3.42	102	103	0.15 79 101	0.50 55 113	0.57 110	0.17 33 97	-0.80 26 100	0.17 58 104	-2.86 46 103	6.33 34 84	114	3		
2124 23 0107 99529786	762 21 0482 2124 22 0005	2.71	95	106	-0.98 59 89	0.04 42 102	-0.45 93	-1.03 13 89	-0.90 18 99	-1.48 43 94	1.94 30 97	-5.32 17 117	98	3		
2124 23 0120 99510455	762 21 0482 1563 21 0154	10.93	87	96	-0.78 62 91	-0.11 44 98	-0.50 92	-1.02 19 89	-3.70 20 86	-3.11 45 85	4.27 37 94	-6.47 23 120	101	3		
2124 23 0136 99571861	762 17 0222 1162 19 0016	1.58	107	88	2.63 63 129	-0.61 50 85	0.71 113	4.08 24 122	-2.20 24 93	0.70 49 107	1.36 44 98	0.54 24 100	131	4		
2124 23 0148 99529885	2124 22 0046 2124 22 0077	2.71	95	113	-2.49 52 72	0.40 29 111	-0.85 86	-2.89 5 77	1.70 5 111	-1.07 31 96	-1.82 8 102	0.57 5 100	93	2		
2124 23 0156 99529901	2124 22 0046 2124 21 0112	2.79	103	114	-1.16 61 87	0.46 27 112	-0.13 98	-1.25 5 87	1.70 5 111	0.31 34 104	-1.83 8 102	0.57 5 100	92	1		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb									
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2124	23	0159	762	21	0482	2.72	98	105	-0.46	0.01	-0.22	-0.10	-1.20	-1.17	2.12	-5.67	110	3		
	99510570		1688	21	0058				60	95	42	101	20	98	44	96	34	97	21	118
2124	23	0163	762	21	0482	3.50	88	103	-1.81	0.11	-0.80	-2.03	-1.90	-2.85	-0.90	-2.76	96	2		
	99510596		1610	20	0175				62	79	44	104	21	94	46	86	38	101	23	110
2124	23	0175	2124	22	0046	2.90	95	110	-2.15	0.16	-0.92	-2.89	1.70	-0.97	-1.82	0.57	237	5		
	99530123		1967	19	0060				56	76	32	105	5	111	34	97	8	102	5	100
1967	23	0185	762	20	0184	2.90	96	104	-0.57	0.08	-0.20	-0.62	-1.40	-1.32	3.32	-4.72	143	5		
	98902489		1967	19	0212				53	93	44	103	21	97	42	95	39	96	26	115
IMPA	23	1963	-	-	-	3.04	103	105	-0.41	-0.09	-0.30	-0.14	1.50	0.39	-1.90	1.48	2			
	107471013		20	1	0DJL				31	95	11	98	5	111	17	105	9	102	5	98
2124	24	0003	762	17	0222	2.79	93	87	0.14	-0.79	-0.72	0.94	-1.30	-1.43	5.94	-1.17	102	2		
	107578494		2124	21	0022				59	101	46	81	22	97	45	94	40	92	22	105
2124	24	0014	762	17	0222	2.79	99	91	0.80	-0.53	-0.13	1.66	-1.30	-0.51	3.99	-0.16	123	3		
	107492316		2124	21	0169				60	109	47	87	22	97	46	100	40	95	22	102
2124	24	0019	762	17	0222	7.20	88	76	1.36	-0.88	-0.20	2.39	-5.10	-2.58	4.86	0.01	138	4		
	107492357		762	20	0061				66	115	53	79	29	79	52	88	49	94	31	102
2124	24	0020	762	17	0222	7.20	87	77	1.13	-0.83	-0.27	2.09	-5.10	-2.76	4.86	0.01	138	4		
	107492365		762	20	0061				66	112	53	80	29	79	52	87	49	94	31	102
2124	24	0022	762	17	0222	2.05	92	86	0.69	-0.64	-0.29	0.97	-2.00	-1.15	17.92	-4.98	105	3		
	107491789		1755	20	0018				66	108	51	85	25	94	51	96	46	77	23	116
2124	24	0046	762	17	0222	2.79	98	91	0.68	-0.51	-0.17	1.49	-1.30	-0.61	3.99	-0.15	110	2		
	107492019		2124	21	0125				61	107	48	88	22	97	47	99	40	95	22	102
2124	24	0048	762	17	0222	3.69	104	94	1.75	-0.09	0.79	2.67	-2.20	0.34	2.10	1.32	114	3		
	107492035		1610	20	0158				64	119	50	99	25	93	50	105	43	97	26	98
2124	24	0049	762	17	0222	3.69	100	96	0.81	0.10	0.50	1.40	-2.20	-0.42	2.10	1.32	114	3		
	107492043		1610	20	0158				64	109	50	103	25	93	50	100	43	97	26	98

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam					
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15											
2124	24	0054	762	17	0222	2.89	97	90	0.79	-0.52	-0.13	1.64	-1.40	-0.57	10.88	-3.04									
	107492092		1584	15	0039				64	109	50	88	98	23	106	23	97	49	99	43	86	23	110	159	9
2124	24	0070	762	21	0482	2.79	97	110	-1.11	0.40	-0.16	-1.36	-0.90	-1.25	1.94	-5.32									
	107486243		2124	21	0083				60	87	43	111	98	13	87	18	99	44	95	30	97	17	117	115	4
2124	24	0071	762	21	0482	2.79	98	110	-0.96	0.37	-0.11	-1.15	-0.90	-1.12	1.94	-5.32									
	107486250		2124	21	0083				60	89	43	110	99	13	88	18	99	44	96	30	97	17	117	115	4
2124	24	0074	762	21	0482	2.51	93	111	-2.00	0.32	-0.68	-2.43	-0.30	-1.86	1.35	-5.24									
	107486284		1624	19	0133				66	77	47	109	89	13	80	20	102	48	92	33	98	20	116	100	6
2124	24	0081	762	21	0482	2.14	95	109	-1.09	0.29	-0.25	-1.41	-1.00	-1.40	8.15	-8.30									
	107486359		1755	20	0039				65	88	46	108	96	35	86	20	99	47	94	39	89	18	125	119	3
2124	24	0091	762	21	0482	2.80	91	108	-1.97	0.19	-0.79	-2.33	-0.90	-2.32	1.94	-5.32									
	107486458		1610	18	0026				58	78	35	106	87	13	80	18	99	40	89	30	97	17	117	100	3
2124	24	0092	762	21	0482	2.80	96	105	-0.86	-0.03	-0.46	-0.85	-0.90	-1.43	1.94	-5.32									
	107486466		1610	18	0026				58	90	35	100	92	13	90	18	99	40	94	30	97	17	117	100	3
2124	24	0094	21	2	95	1	2.56	106	102	0.19	-0.42	-0.32	0.91	1.60	0.74	0.77	-0.76								
	107486482		2124	23	0010				58	102	34	90	95	7	102	6	111	37	107	20	99	11	104	103	2
2124	24	0101	21	2	95	1	2.71	104	105	-0.32	-0.16	-0.32	0.11	1.70	0.54	-0.24	0.35								
	107486524		2124	22	0172				55	96	29	97	95	5	96	5	111	33	106	15	100	6	101	97	2
2124	24	0105	762	17	0222	2.71	96	92	0.27	-0.45	-0.32	0.95	-1.30	-0.97	4.70	-0.39									
	107492811		2124	22	0018				62	103	49	90	95	23	102	22	97	48	97	40	94	22	103	112	3
2124	24	0113	762	17	0222	2.71	98	91	0.74	-0.51	-0.14	1.57	-1.30	-0.55	3.99	-0.16									
	107492654		2124	22	0005				61	108	48	88	98	23	106	22	97	47	99	40	95	22	102	98	3
2124	24	0118	762	17	0222	2.71	102	92	1.38	-0.48	0.22	2.35	-1.30	0.13	3.99	-0.16									
	107492159		2124	22	0076				58	115	44	89	104	23	111	22	97	44	103	40	95	22	102	90	1
2124	24	0121	762	17	0222	4.18	92	80	0.59	-1.28	-0.98	1.77	-1.30	-1.47	4.29	0.71									
	107492183		1765	18	0071				62	106	47	69	83	24	107	23	97	47	94	43	94	24	100	151	6

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded						
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
2124	24	0125	762	17	0222	2.71	95	85	0.72	-0.98	-0.62	1.76	-1.30	-1.04	3.99	-0.16								
	107492225		2124	22	0042				61	108	48	76	22	97	47	97	40	95	22	102	100	3		
2124	24	0126	762	17	0222	3.08	100	90	1.33	-0.53	0.14	2.31	-1.70	-0.22	7.33	-2.17								
	107492233		1757	19	0067				62	115	49	88	23	95	48	101	45	91	26	108	115	4		
2124	24	0134	21	2	95	1	2.64	111	105	0.89	-0.13	0.32	1.65	1.50	1.66	1.61	-0.74							
	107486656		1797	20	0734				60	110	34	98	6	107	8	111	38	112	19	98	13	104	94	1
2124	24	0141	21	2	95	1	2.77	110	109	0.33	0.10	0.27	0.35	1.70	1.45	-4.85	1.70							
	107486706		1815	20	0124				58	103	32	103	11	98	5	111	35	111	18	106	12	97	97	4
2124	24	0144	21	2	95	1	2.65	102	99	-0.34	-0.65	-0.82	0.35	2.20	0.33	-0.72	1.27							
	107486730		1765	18	0130				59	96	34	84	8	98	11	114	38	104	19	101	11	98	96	3
2124	24	0148	762	17	0222	2.80	95	91	0.18	-0.48	-0.39	0.86	-1.30	-1.08	3.99	-0.16								
	107492399		2124	18	0034				60	102	47	89	23	97	46	96	40	95	22	102	93	2		
2124	24	0156	762	17	0222	2.71	102	88	1.60	-0.72	0.08	2.74	-1.30	0.09	3.99	-0.16								
	107492472		2124	22	0077				60	118	47	83	23	97	46	103	40	95	22	102	93	2		
2124	24	0161	762	17	0222	2.51	102	89	1.51	-0.59	0.16	2.82	-1.70	-0.11	4.16	-0.50								
	107492522		1688	21	0058				62	117	48	86	23	95	48	102	43	95	26	103	110	3		
2124	24	0170	21	2	95	1	2.80	111	108	0.62	0.06	0.37	1.18	1.70	1.70	-0.24	0.35							
	107486813		2124	18	0022				60	107	36	102	5	103	5	111	37	112	15	100	6	101	121	4
2124	24	0179	21	2	95	1	2.77	108	105	0.74	-0.01	0.37	1.27	0.40	0.98	0.92	-1.84							
	107484263		2124	23	0090				58	108	32	101	7	104	9	105	37	108	21	99	10	107	93	1
2124	24	0190	21	2	95	1	2.67	100	100	-0.38	-0.20	-0.39	-0.06	0.80	-0.10	-0.89	2.53							
	107484370		2124	23	0064				49	95	31	96	15	95	12	107	34	102	31	101	17	95	1	
2124	24	0191	21	2	95	1	2.67	100	100	-0.38	-0.20	-0.39	-0.06	0.80	-0.10	-0.89	2.53							
	107484388		2124	23	0064				49	95	31	96	15	95	12	107	34	102	31	101	17	95	1	
2124	24	0193	21	2	95	1	3.04	107	108	-0.14	0.06	-0.01	0.24	1.70	0.94	-0.24	0.35							
	107484404		2124	23	0016				57	98	33	102	5	97	5	111	35	108	15	100	6	101	102	2

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Dam	Number Weaned	TWW		AFL		ILP
Comp no.								Dir	Mat	Comb			Acc	Index	Acc	Index	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
2124	24	0194	21 2	95	1	2.54	99	96	-0.23	-0.27	-0.39	0.21	0.50	-0.20	0.96	4.02	
		107484412	2124	23	0081				53	97	35	94	13	106	37	101	94
2124	24	0199	21 2	95	1	2.67	99	100	-0.52	-0.39	-0.64	-0.18	0.80	-0.42	1.50	-0.65	
		107484461	2124	23	0030				60	94	37	91	5	107	38	100	103
2124	24	0205	23 1	96	3DJL	3.20	108	106	0.10	-0.10	-0.04	1.04	1.60	0.97	-1.56	0.55	
		107492993	22 1	81	8DL				45	101	19	98	5	111	25	108	5
2124	24	0209	21 2	95	1	2.50	105	101	0.23	-0.38	-0.27	0.65	1.50	0.75	0.50	0.78	
		107493033	2124	23	0019				46	102	26	91	6	111	29	107	13
2124	24	0210	21 1	63	5DJL	2.71	100	107	-1.09	-0.10	-0.65	-0.93	1.60	-0.23	-0.71	-1.00	
		107484529	2124	22	0066				48	88	28	98	5	111	29	101	5
2124	24	0211	21 1	63	5DJL	2.71	99	108	-1.47	-0.03	-0.76	-1.43	1.60	-0.53	-0.71	-1.00	
		107484537	2124	22	0066				48	83	28	100	5	111	29	99	9
2124	24	0216	762	21	0482	2.87	85	104	-2.57	-0.02	-1.30	-2.98	-1.10	-3.25	1.62	-4.49	
		107484545	2124	20	0239				61	71	45	100	18	98	45	84	17
2124	24	0225	21 2	95	1	2.83	104	106	-0.48	-0.21	-0.45	-0.08	1.70	0.32	-0.58	-1.20	
		107492639	2124	20	0255				45	94	28	96	5	111	28	104	7
2124	24	0231	2124	23	0093	2.80	101	104	-0.37	0.15	-0.04	-0.23	0.40	0.02	-1.62	2.70	
		107492894	2124	18	0043				41	96	31	105	13	105	31	103	17
2124	24	0235	21 2	95	1	2.77	103	104	-0.52	-0.26	-0.52	-0.10	1.70	0.24	-0.42	-0.19	
		107492241	2124	15	0812				46	94	28	94	5	111	29	104	6
2124	24	0240	2124	23	0093	2.71	98	101	-0.54	-0.07	-0.34	-0.35	0.10	-0.55	-2.54	2.80	
		107492944	2124	22	0091				45	94	37	99	14	104	35	99	17
2124	24	0242	21 2	95	1	2.80	107	109	-0.22	0.13	0.02	0.10	1.70	0.93	-0.24	0.35	
		107492969	1751	18	0169				47	97	31	104	5	111	30	108	6
2124	24	0244	21 2	95	1	2.49	98	94	-0.19	-0.82	-0.91	0.38	0.90	-0.47	3.53	-1.27	
		107492258	1563	20	0368				49	98	34	80	10	108	34	100	17

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb							Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
2124	25	0002	21 2	95	1	2.60	106	108	-0.31	0.01	-0.15	0.04	1.70	0.72	-0.15	-0.64	95	8				
112021100			1520	13	0014			48	96	33	101	98	5	96	5	111			32	107	17	100
2124	25	0004	2124	23	0093	2.87	108	112	0.11	0.77	0.83	0.09	0.40	1.12	-1.62	2.70	114	4				
111872024			2124	20	0166			45	101	36	120	115	17	96	13	105			34	109	23	102
2124	25	0005	21 2	95	1	2.61	107	109	-0.01	0.43	0.42	0.25	0.80	0.89	-2.31	2.35	91	4				
111881462			1610	20	0044			51	100	35	112	108	15	97	11	107			36	108	28	103
2124	25	0008	21 2	95	1	2.70	105	106	-0.25	-0.03	-0.15	-0.20	1.70	0.75	-0.21	0.47	102	6				
111881496			1967	16	0047			47	97	31	100	98	17	94	5	111			30	107	15	100
2124	25	0012	21 2	95	1	2.83	104	104	-0.28	-0.20	-0.33	0.18	1.70	0.55	-0.24	0.35	100	3				
111881348			1610	20	0243			55	97	30	96	95	5	97	5	111			33	106	15	100
2124	25	0013	21 2	95	1	2.83	107	110	-0.21	0.20	0.09	0.08	1.70	1.01	-0.24	0.35	96	2				
111881892			2124	20	0144			46	97	29	106	102	5	96	5	111			29	108	15	100
2124	25	0014	21 2	95	1	2.83	107	106	0.08	-0.02	0.02	0.53	1.70	1.08	-0.61	0.85	100	2				
111881900			1815	20	0260			53	101	27	100	101	5	99	5	111			31	109	17	101
2124	25	0017	1162	22	0084	2.22	114	105	0.67	-0.21	0.12	2.66	0.90	1.00	-33.07	10.65	105	2				
111881934			2124	23	0086			64	107	47	95	102	45	113	18	108			47	108	36	136
2124	25	0018	1162	22	0084	2.87	116	107	0.59	-0.35	-0.05	2.73	1.80	1.32	-32.91	9.24	106	2				
111881280			2124	20	0251			60	106	42	92	99	43	114	11	112			42	110	25	136
2124	25	0021	1162	22	0084	2.22	116	107	0.86	-0.06	0.37	2.95	1.00	1.39	-35.31	10.89	98	2				
111881314			1610	20	0159			63	109	46	99	107	45	115	15	108			45	111	32	136
2124	25	0026	1162	22	0084	2.50	112	105	0.32	-0.27	-0.11	2.25	1.00	0.66	-33.17	10.14		2				
111881835			2124	23	0065			55	103	45	94	99	45	110	16	108			42	106	37	136
2124	25	0027	1162	22	0084	2.50	117	102	1.46	-0.49	0.24	3.77	1.00	1.57	-33.17	10.14	2					
111881843			2124	23	0065			62	116	46	89	104	45	120	16	108			45	112	37	136
2124	25	0029	1162	22	0084	2.71	112	106	0.15	-0.37	-0.29	2.18	1.60	0.75	-32.42	9.29	101	3				
111881868			2124	22	0006			52	101	43	92	95	43	110	12	111			39	107	28	136

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility					
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat	Comb							
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EPI Times Lambded	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
2124 25 0030 111881876	1162 22 0084 2124 22 0006	2.71	113	106	0.28 61 103	-0.39 44 91	-0.25 96	2.35 43 111	1.60 12 111	0.85 43 107	-32.42 28 136	9.29 6 76	101	3				
2124 25 0031 111881884	1162 22 0084 2124 22 0006	2.71	110	108	-0.46 61 95	-0.25 44 95	-0.47 92	1.37 43 105	1.60 12 111	0.26 43 104	-32.42 28 136	9.29 6 76	101	3				
2124 25 0032 111881363	1162 22 0084 2124 23 0010	2.52	114	105	0.42 62 105	-0.55 44 87	-0.33 95	2.65 43 113	1.70 12 111	0.90 44 108	-31.90 28 136	8.13 11 80	103	2				
2124 25 0036 111881991	1162 22 0084 2124 22 0063	2.71	107	108	-0.94 60 89	-0.28 44 94	-0.75 87	0.78 43 101	1.80 11 112	-0.14 43 102	-32.96 25 136	9.10 6 77	93	2				
2124 25 0037 111882007	1162 22 0084 2124 22 0063	2.71	113	105	0.24 60 102	-0.51 44 88	-0.40 94	2.35 43 111	1.80 11 112	0.80 43 107	-32.96 25 136	9.10 6 77	93	2				
2124 25 0038 111882015	1162 22 0084 2124 22 0001	2.71	111	103	0.07 63 100	-0.60 46 86	-0.57 91	2.18 43 110	1.80 11 112	0.54 44 106	-32.91 25 136	9.24 6 76	106	3				
2124 25 0040 111881389	1162 22 0084 1610 20 0175	2.38	111	101	0.45 63 105	-0.38 47 91	-0.16 98	2.62 45 113	0.80 16 107	0.54 46 106	-35.76 34 136	11.81 17 69	96	2				
2124 25 0043 111881413	1162 22 0084 2124 22 0043	2.71	114	107	0.21 52 102	-0.29 43 94	-0.18 97	2.22 43 110	1.80 11 112	1.01 39 108	-32.91 25 136	9.24 6 76	98	2				
2124 25 0046 112272901	1162 22 0084 1967 19 0005	2.90	120	108	1.17 63 113	-0.36 45 92	0.22 104	2.96 47 115	2.10 12 113	2.07 44 115	-31.43 26 136	8.58 7 78	127	5				
2124 25 0051 111882262	1162 22 0084 2124 22 0327	2.71	115	109	0.34 55 104	-0.13 45 98	0.04 101	2.31 43 111	1.60 12 111	1.16 41 109	-33.73 26 136	9.17 6 77	106	3				
2124 25 0055 111881959	1162 22 0084 2124 21 0036	2.79	126	121	1.09 51 112	0.83 42 122	1.37 124	2.81 43 114	2.10 12 113	3.18 39 121	-32.62 28 136	11.08 6 71	98	2				
2124 25 0057 112234539	2124 23 0093 2124 23 0123	5.86	91	99	-1.55 59 82	-0.14 39 97	-0.91 85	-1.63 18 85	-0.30 18 102	-1.86 42 92	-0.92 33 101	1.73 20 97	91	1				
2124 25 0060 111882049	1162 22 0084 1765 18 0055	2.48	110	99	0.09 52 101	-0.79 43 81	-0.74 88	2.34 43 111	2.10 14 113	0.57 40 106	-35.72 31 136	11.73 12 70	93	4				

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb														
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
2124	25	0062	2124	23	0156	2.66	98	102	-0.52	0.01	-0.25	-0.24	0.00	-0.51	1.88	0.45									
	111872032		2124	23	0142				55	94	32	101	96	11	94	13	103	36	100	25	97	11	101	90	1
2124	25	0064	2124	23	0093	6.25	101	100	0.17	0.32	0.41	0.67	-1.50	-0.41	-6.00	5.84									
	112020896		1967	23	0164				47	102	35	109	107	26	100	15	96	35	100	28	107	19	86	100	1
2124	25	0068	2124	23	0093	11.07	96	94	0.07	0.03	0.07	0.26	-1.40	-0.74	0.85	5.16									
	111872073		762	23	0277				51	101	39	102	101	20	97	20	97	39	98	35	99	23	88	90	1
2124	25	0069	2124	23	0093	11.07	96	94	0.07	0.03	0.07	0.26	-1.40	-0.74	0.85	5.16									
	111872081		762	23	0277				51	101	39	102	101	20	97	20	97	39	98	35	99	23	88	90	1
2124	25	0070	2124	23	0093	11.07	95	95	-0.09	0.06	0.02	0.05	-1.40	-0.86	0.85	5.16									
	111872099		762	23	0277				60	99	40	102	101	20	96	20	97	43	98	35	99	23	88	90	1
2124	25	0072	-	-	-	3.87	95	99	-0.52	0.11	-0.15	-0.29	-1.10	-1.07	5.56	-0.25									
	111881504		762	23	0268				33	94	28	104	98	12	94	15	98	27	96	28	93	17	103	91	1
2124	25	0075	-	-	-	3.87	87	98	-1.93	-0.01	-0.97	-2.13	-0.50	-2.23	4.88	1.20									
	111881538		762	23	0483				50	78	31	101	84	13	82	15	101	35	90	26	94	18	99	103	1
2124	25	0077	21	2	95	2.68	105	100	0.68	-0.05	0.29	1.56	-0.30	0.45	-2.69	2.72									
	112272893		1967	23	1				60	107	34	100	105	21	106	7	102	38	105	21	103	11	94	95	1
2124	25	0080	1162	22	0084	2.79	117	107	0.74	-0.34	0.03	2.90	1.80	1.47	-32.91	9.24									
	111881744		2124	21	0113				62	108	45	92	101	43	115	11	112	44	111	25	136	6	76	104	3
2124	25	0082	1162	22	0084	2.47	116	110	0.44	-0.12	0.10	2.48	1.60	1.28	-31.06	8.16									
	111881769		1797	20	0734				54	105	43	98	102	43	112	14	111	41	110	28	136	13	79	94	1
2124	25	0089	1162	22	0084	2.92	109	103	-0.33	-0.66	-0.83	1.97	1.80	0.09	-32.91	9.01									
	111881652		1967	17	0119				64	96	46	84	86	46	109	11	112	45	103	26	136	6	77	126	5
2124	25	0092	1162	22	0084	2.71	114	108	0.23	-0.27	-0.16	2.23	1.80	1.04	-32.20	9.01									
	111881686		2124	22	0018				55	102	45	94	98	43	110	11	112	41	109	26	136	6	77	112	3
2124	25	0098	1162	22	0084	2.58	116	106	0.89	-0.29	0.16	2.96	1.40	1.44	-35.22	9.35									
	111881553		1815	19	0076				62	110	45	94	103	43	115	11	110	44	111	30	136	12	76	108	5

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights					EBV - Fertility										
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded			
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2124	25	0101	1162	22	0084	2.19	115	102	0.85	-0.42	0.00	3.44	1.20	1.15	-34.73	11.13						
	11881587		1610	20	0093				63	109	46	90	14	109	45	109	33	136	15	71	97	2
2124	25	0102	1162	22	0084	2.19	117	101	1.38	-0.53	0.16	4.15	1.20	1.58	-34.73	11.13						
	11881595		1610	20	0093				63	115	46	88	14	109	45	112	33	136	15	71	97	2
2124	25	0103	1162	22	0084	2.10	108	102	-0.15	-0.52	-0.60	1.81	0.80	-0.19	-32.06	8.62						
	11881603		1520	19	0350				63	98	46	88	12	107	45	101	31	136	11	78	107	3
2124	25	0106	1162	22	0084	2.43	116	110	0.55	-0.20	0.08	2.61	1.40	1.19	-29.57	7.23						
	11881629		1757	19	0067				62	106	45	96	11	110	44	109	32	136	15	82	115	4
2124	25	0107	1162	22	0084	2.43	121	107	1.69	-0.43	0.42	4.14	1.40	2.11	-29.57	7.23						
	11881371		1757	19	0067				62	119	45	90	11	110	44	115	32	136	15	82	115	4
2124	25	0112	-	-	-	3.87	106	112	-0.67	0.25	-0.08	-0.08	1.60	0.54	-4.17	0.61						
	11882338		1967	18	0110				17	92	20	107	5	111	14	106	8	105	5	100	84	4
2124	25	0116	2124	23	0093	1.93	102	109	-0.41	0.64	0.43	-0.41	-0.50	-0.08	-4.25	3.39						
	11872123		1162	19	0016				58	95	40	117	16	101	41	102	31	105	19	93	131	4
2124	25	0117	2124	23	0093	1.93	108	105	0.90	0.38	0.83	1.34	-0.50	0.98	-4.25	3.39						
	11872131		1162	19	0016				58	110	40	110	16	101	41	108	31	105	19	93	131	4
2124	25	0118	2124	23	0093	2.79	102	107	-0.50	0.37	0.12	-0.50	0.40	0.11	-1.62	2.70						
	11872149		2124	21	0169				55	94	36	110	13	105	38	103	23	102	17	94	123	3
2124	25	0119	2124	23	0093	2.90	106	106	0.24	0.37	0.48	0.42	0.30	0.78	-1.00	3.15						
	11872156		1610	19	0510				58	102	39	110	14	105	41	107	25	101	17	93	110	3
2124	25	0120	2124	23	0093	2.90	104	107	-0.17	0.45	0.36	-0.11	0.30	0.46	-1.00	3.15						
	11872164		1610	19	0510				58	98	39	112	14	105	41	105	25	101	17	93	110	3
2124	25	0121	2124	23	0093	2.90	104	107	-0.02	0.42	0.41	0.08	0.30	0.58	-1.00	3.15						
	11872172		1610	19	0510				58	100	39	111	14	105	41	106	25	101	17	93	110	3
2124	25	0122	-	-	-	3.87	100	104	-0.96	-0.29	-0.77	-0.69	1.60	-0.29	-0.38	-0.94						
	11882346		2124	22	0042				22	89	25	94	5	111	18	101	5	100	5	105	100	3

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam							
Comp no.								Dir	Mat							Comb						
								Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded			
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
2124	25	0125	2124	23	0043	2.80	102	105	-0.10	0.22	0.17	-0.25	0.50	0.42	6.29	-0.46	121	4				
		111882379	2124	18	0022				54	99	39	106	103	22	94	13			106	39	105	25
2124	25	0126	2124	23	0043	3.67	86	94	-1.47	-0.24	-0.98	-1.73	-1.00	-2.31	6.62	0.37	94	1				
		111882387	2124	24	0015				55	83	38	95	84	25	84	19	99	40	89	36	91	19
2124	25	0127	2124	23	0043	3.67	92	91	-0.26	-0.48	-0.61	-0.11	-1.00	-1.34	6.62	0.37	94	1				
		111882395	2124	24	0015				44	97	37	89	90	25	95	19	99	36	95	36	91	19
2124	25	0129	-	-	-	3.87	87	106	-2.66	-0.02	-1.35	-3.01	-0.10	-2.74	-0.60	-2.98	93	1				
		111882502	2124	24	0089				48	70	26	100	77	6	76	12	103	31	87	22	101	8
2124	25	0130	1162	22	0084	2.11	104	97	-0.26	-0.44	-0.57	1.69	0.30	-0.52	-33.38	13.46	102	1				
		112020904	2124	23	0053				64	97	48	90	91	46	107	19	105	47	100	35	136	18
2124	25	0131	2124	23	0093	4.04	110	106	1.16	0.70	1.28	1.45	-0.40	1.62	0.20	5.13	103	1				
		111872180	2124	24	0035				60	113	40	118	122	20	105	19	102	43	112	35	100	20
2124	25	0132	2124	23	0093	4.04	118	101	3.01	0.33	1.84	3.91	-0.40	3.10	0.20	5.13	103	1				
		111872198	2124	24	0035				60	133	40	109	132	20	121	19	102	43	121	35	100	20
2124	25	0134	1162	22	0084	2.11	103	98	-0.43	-0.40	-0.62	1.47	0.30	-0.66	-33.38	13.46	102	1				
		112020920	2124	23	0053				64	95	48	91	90	46	105	19	105	47	99	35	136	18
2124	25	0136	2124	23	0093	5.26	96	107	-1.09	0.43	-0.11	-1.41	-0.60	-1.01	1.65	-0.70	99	1				
		111872206	2124	24	0080				60	88	40	112	98	24	86	18	101	43	97	34	98	19
2124	25	0137	2124	23	0093	5.26	98	106	-0.75	0.37	-0.01	-0.95	-0.60	-0.74	1.65	-0.70	99	1				
		111872214	2124	24	0080				60	91	40	110	100	24	89	18	101	43	98	34	98	19
2124	25	0138	2124	23	0093	4.98	97	93	0.46	0.14	0.36	1.19	-2.30	-0.79	-1.60	6.51	99	1				
		111872222	2124	24	0056				60	105	41	104	107	21	103	19	93	43	98	35	102	22
2124	25	0142	2124	23	0043	5.07	92	97	-0.71	-0.14	-0.49	-0.93	-1.10	-1.51	7.07	-2.04	95	1				
		111882544	2124	24	0086				55	92	37	97	92	23	90	18	98	40	94	34	91	18
2124	25	0143	-	-	-	3.87	100	96	0.23	-0.44	-0.32	0.89	-0.10	-0.26	1.37	0.11	95	1				
		111882072	2124	24	0011				49	102	30	90	95	11	101	13	103	33	101	26	98	12

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat								Comb	Dir	Mat	Comb	Dir	Mat
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
2124	25	0147	-	-	-	3.87		105	108	0.02	0.08	0.09	0.28	0.10	0.16	-0.44	-3.24						
	111882106		2124	23	0113					49	100	27	103	12	104	32	104	20	100	8	111	91	1
2124	25	0151	1162	22	0084	2.71		109	108	-0.66	-0.25	-0.58	1.12	1.80	0.17	-32.91	9.24					101	3
	111882148		2124	22	0075					62	92	45	95	11	112	44	104	25	136	6	76		
2124	25	0153	1162	22	0084	2.13		113	99	0.97	-0.35	0.13	3.28	0.70	1.04	-35.27	14.24					98	2
	111882163		2124	23	0050					62	111	46	92	18	107	46	109	37	136	19	64		
2124	25	0154	1162	22	0084	2.13		108	102	-0.04	-0.15	-0.17	1.93	0.70	0.23	-35.27	14.24					98	2
	111882171		2124	23	0050					62	99	46	97	18	107	46	104	37	136	19	64		
2124	25	0155	-	-	-	3.87		87	95	-1.65	-0.46	-1.29	-1.54	-0.50	-2.41	3.78	-1.59					93	1
	111882189		2124	24	0063					49	81	29	89	14	101	33	89	28	95	14	106		
2124	25	0156	-	-	-	3.87		95	96	-0.34	-0.23	-0.40	0.18	-1.30	-1.35	0.98	0.47					95	1
	111882197		2124	24	0031					50	96	30	95	15	97	34	95	28	99	14	101		
2124	25	0157	-	-	-	3.87		100	98	0.14	-0.43	-0.36	0.68	0.20	-0.17	3.68	-1.86					101	1
	111882205		2124	24	0062					50	101	30	90	14	104	34	102	28	95	14	107		
2124	25	0159	1162	22	0084	2.71		115	108	0.30	-0.21	-0.06	2.36	1.80	1.17	-33.22	9.78						1
	111935318		22 0	06	6					60	103	42	95	11	112	42	109	25	136	6	75		
2124	25	0160	1162	22	0084	2.71		117	107	0.80	-0.31	0.09	3.02	1.80	1.57	-33.22	9.78						1
	111935326		22 0	06	6					60	109	42	93	11	112	42	112	25	136	6	75		
2124	25	0161	1162	22	0084	2.53		107	102	-0.18	-0.62	-0.71	1.74	0.90	-0.26	-30.37	7.75					104	2
	111882221		2124	23	0032					62	98	46	85	12	108	44	101	34	136	13	81		
2124	25	0162	1162	22	0084	2.53		112	99	0.84	-0.82	-0.40	3.10	0.90	0.56	-30.37	7.75					104	2
	111882403		2124	23	0032					62	109	46	80	12	108	44	106	34	136	13	81		
2124	25	0164	1162	22	0084	2.87		121	104	1.62	-0.44	0.37	4.05	1.70	2.21	-35.49	10.08					144	3
	111882429		2124	20	0237					61	118	44	90	12	111	43	115	27	136	6	74		
2124	25	0166	1162	22	0084	2.58		116	111	0.10	-0.14	-0.09	2.01	2.40	1.40	-33.51	9.33					100	6
	111882445		1624	19	0133					67	101	50	97	14	115	48	111	28	136	12	76		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility												
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight				Post-Wean	Number Weaned	TWW		AFL		ILP		Dam				
									Dir	Mat		Comb			Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15											
2124	25	0169	1162	22	0084	2.21	119	108	1.48	-0.06	0.68	3.56	0.50	1.72	-33.22	8.02									
	111882478		2124	23	0071				62	116	45	99	112	44	119	13	106	44	113	35	136	15	80	103	2
2124	25	0173	1162	22	0084	3.04	114	110	0.11	-0.10	-0.05	2.01	1.80	1.09	-32.91	9.24									
	111880910		2124	23	0017				60	101	43	98	100	43	109	11	112	42	109	25	136	6	76	102	2
2124	25	0175	1162	22	0084	2.79	117	112	0.48	0.05	0.28	2.40	1.80	1.60	-32.91	9.24									
	111880936		2124	21	0083				54	105	44	102	105	43	111	11	112	40	112	25	136	6	76	115	4
2124	25	0176	1162	22	0084	2.65	113	107	0.16	-0.35	-0.27	2.19	1.80	0.89	-32.91	9.24									
	111880944		1520	16	0166				51	102	42	92	96	43	110	11	112	38	108	25	136	6	76	99	3
2124	25	0177	-	-	-	3.87	100	107	-0.77	0.03	-0.35	-0.68	0.40	-0.50	1.85	-3.49									
	111880951		2124	23	0102				30	91	22	102	94	6	91	9	105	22	100	20	97	8	112		1
2124	25	0182	1162	22	0084	2.10	113	95	1.94	-0.36	0.60	4.67	-1.10	0.91	-36.03	15.69									
	111881009		2124	23	0088				64	121	47	92	111	45	126	18	98	47	108	37	136	19	64	101	2
2124	25	0184	1162	22	0084	2.53	111	101	0.48	-0.66	-0.43	2.58	0.90	0.36	-31.17	8.24									
	111881025		2124	23	0030				63	105	46	84	93	43	113	12	108	45	105	34	136	13	79	103	2
2124	25	0186	1162	22	0084	2.23	111	102	0.30	-0.29	-0.13	2.24	1.00	0.62	-33.11	12.58									
	111881041		2124	23	0028				55	103	45	94	98	45	110	16	108	42	106	36	136	18	67	99	2
2124	25	0187	1162	22	0084	2.23	114	100	1.03	-0.43	0.09	3.20	1.00	1.20	-33.11	12.58									
	111881058		2124	23	0028				63	111	46	90	102	45	117	16	108	46	110	36	136	18	67	99	2
2124	25	0189	2124	23	0156	2.47	97	96	0.03	-0.15	-0.14	0.61	-1.20	-0.85	1.44	1.52									
	111872248		2124	24	0033				56	100	33	97	98	13	100	15	98	38	98	28	98	14	98	95	1
2124	25	0190	2124	23	0156	2.65	102	103	-0.16	0.00	-0.08	0.21	0.20	-0.04	-2.23	1.45									
	111872255		2124	24	0016				43	98	28	101	99	11	97	11	104	30	102	24	103	11	98		1
2124	25	0191	2124	23	0156	2.65	102	103	-0.16	0.00	-0.08	0.21	0.20	-0.04	-2.23	1.45									
	111872263		2124	24	0016				43	98	28	101	99	11	97	11	104	30	102	24	103	11	98		1
2124	25	0199	2124	23	0156	2.47	98	100	-0.28	-0.05	-0.19	0.13	-0.40	-0.57	1.64	0.83									
	111872321		2124	24	0002				43	97	28	100	97	14	97	13	102	30	99	27	98	14	100		1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.		Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
							Dir	Mat								Comb	Dir
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
2124	25	0200	-	-	3.87	97	92	0.49	-0.43	-0.18	1.15	-1.70	-0.96	3.65	-0.98	1	
	11881	1090	2124	24	0021			33	105	26	90	14	95	26	97	15	105
2124	25	0201	-	-	3.87	91	97	-0.81	-0.09	-0.50	-0.71	-2.10	-2.16	0.49	-0.77	138	4
	11881	1108	762	20	0061			53	91	35	99	19	94	38	90	21	104
2124	25	0202	2124	23	0093	97	103	-0.64	0.24	-0.08	-0.69	-1.00	-0.99	0.90	-0.02		1
	11872	339	2124	24	0085			49	93	34	107	16	99	36	97	32	99
2124	25	0204	-	-	3.87			-1.90	0.02	-0.93	-2.00					100	1
	11881	1116	1610	20	0111			44	78	19	101						
2124	25	0206	1162	22	0084		111	-0.16	-0.31	-0.40	1.78	1.80	0.61	-33.70	9.78	93	2
	11881	1132	2124	23	0170		107	62	98	43	93	11	112	43	106	25	136
2124	25	0211	1162	22	0084	8.38	116	0.28	0.13	0.27	2.27	1.60	1.37	-35.69	10.93	91	4
	11881	1157	1610	19	0003		111	60	103	43	104	11	111	42	111	28	136
2124	25	0213	1162	22	0084	2.07	98	-0.35	-0.47	-0.65	2.03	-2.10	-2.08	-27.20	10.42	100	1
	11881	1173	762	23	0443		93	61	96	44	89	17	94	44	91	33	134
2124	25	0218	1162	22	0084	2.87	121	1.01	0.12	0.62	3.04	1.80	2.21	-32.91	9.24	114	4
	11881	1223	2124	20	0166		113	60	111	44	104	11	112	43	115	25	136
2124	25	0220	1162	22	0084	2.80	119	1.00	-0.20	0.31	3.16	1.80	1.88	-32.91	9.24	98	6
	11881	1249	1751	18	0169		109	60	111	43	96	11	112	42	113	25	136
2124	25	0222	1162	22	0084	3.47	114	0.08	0.07	0.11	1.44	1.80	1.23	-37.52	10.59	97	4
	11881	1264	1815	20	0124		111	60	101	43	103	11	112	42	110	27	136
2124	25	0223	1162	22	0084	3.47	117	0.78	-0.07	0.32	2.38	1.80	1.79	-37.52	10.59	97	4
	11881	1272	1815	20	0124		109	60	109	43	99	11	112	42	113	27	136
2124	25	0224	2124	24	0066	2.84	102	-1.00	0.12	-0.38	-0.90	1.70	0.14	-1.10	-0.19	92	3
	11872	354	2124	18	0043		109	30	89	20	104	5	111	19	103	5	101
2124	25	0225	2124	23	0156	2.54	105	-0.85	0.36	-0.06	-0.82	1.70	0.53	-1.01	-1.18	95	8
	11872	362	1520	13	0014		114	37	90	28	110	5	111	26	106	9	101

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		Dam	
									Dir	Mat	Comb				Acc	Index	Acc	Index	Acc	Index
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
2124	25	0226	2124	23	0156	2.71	98	107	-1.44	-0.04	-0.76	-1.39	1.40	-0.64	-2.02	-0.08	101	3		
	111872370		2124	22	0091				51	84	30	100	87	5	87	5				
2124	25	0228	2124	24	0066	2.71	101	109	-1.15	0.04	-0.53	-1.06	1.70	-0.08	-1.43	-0.24	116	3		
	111872396		2124	22	0066				50	87	31	102	91	5	89	5				
2124	25	0229	2124	24	0066	2.71	101	109	-1.15	0.04	-0.53	-1.06	1.70	-0.08	-1.43	-0.24	116	3		
	111872404		2124	22	0066				50	87	31	102	91	5	89	5				
2124	25	0230	2124	24	0066	2.87	104	111	-0.89	0.26	-0.19	-0.83	1.70	0.39	-1.10	-0.19				2
	112020953		2124	20	0204				28	90	14	107	97	5	90	5				
2124	25	0233	2124	23	0156	2.58	103	109	-0.85	0.30	-0.13	-0.60	1.10	0.11	-1.76	1.23				1
	111935334		2124	23	0005				33	90	19	108	98	5	92	5				
2124	25	0235	2124	23	0156	2.83	103	110	-0.98	0.19	-0.30	-0.91	1.70	0.23	-1.10	-0.19	100	3		
	111872420		1610	20	0243				34	89	22	106	95	5	90	5				
2124	25	0236	2124	23	0156	2.83	101	111	-1.36	0.26	-0.42	-1.42	1.70	-0.08	-1.10	-0.19	100	3		
	111872438		1610	20	0243				47	85	24	107	93	5	86	5				
2124	25	0237	2124	23	0156	2.65	99	103	-0.59	-0.05	-0.35	-0.30	0.20	-0.52	0.54	-0.94				1
	111872446		2124	24	0029				42	93	26	100	94	11	94	11				
2124	25	0238	2124	23	0156	2.65	99	103	-0.59	-0.05	-0.35	-0.30	0.20	-0.52	0.54	-0.94				1
	111872453		2124	24	0029				42	93	26	100	94	11	94	11				
2124	25	0239	2124	23	0156	2.47	103	105	0.14	0.19	0.26	0.51	-0.30	0.15	-0.56	0.41				1
	111872461		2124	24	0018				43	101	28	106	105	14	99	12				
2124	25	0240	2124	23	0156	2.66	102	101	0.13	-0.03	0.03	0.58	0.10	0.16	1.53	0.88				1
	111872479		2124	23	0141				43	101	28	100	101	11	100	11				
2124	25	0241	2124	23	0156	3.66	99	107	-1.37	0.03	-0.66	-1.24	1.60	-0.38	-1.52	0.84				2
	111935342		22 0	20	6SBS				48	84	27	102	89	5	88	5				
2124	25	0244	2124	23	0156	2.59	110	115	0.02	0.75	0.76	0.11	0.90	1.31	-2.99	1.29	114	3		
	111872495		1610	20	0158				53	100	33	120	113	15	96	10				

Ram Flock Average: Number of rams in the flock: 181	104	103	-0.08	-0.12	-0.16	0.74	0.37	0.03	-9.31	3.03
---	------------	------------	--------------	--------------	--------------	-------------	-------------	-------------	--------------	-------------

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index
	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1584 16 0005 78835006	1146 12 0501 1584 13 0065	2.23	96	93	0.03 42 100	-0.58 31 86	-0.57 91	0.43 11 99	-0.60 20 101	-0.92 33 97	2.90 29 96	-0.54 22 103	6							
1502 17 0028 79217089	1150 13 9303 1502 15 0049	2.23	99	101	-0.74 55 91	-0.31 37 93	-0.68 89	-0.18 9 95	1.20 9 109	-0.33 37 101	-0.15 24 100	1.02 16 99	0							
1610 18 0024 90097635	1217 14 0206 776 15 0340	2.06	105	104	0.21 48 102	-0.02 41 100	0.08 102	0.89 26 102	0.30 25 105	0.37 40 105	-1.61 48 102	0.07 34 102	0							
1765 18 0055 86491875	1298 15 0446 - - -	2.80	98	95	-0.93 41 89	-0.93 48 78	-1.39 76	-0.26 14 94	2.30 16 114	-0.48 38 100	-5.99 36 107	4.04 21 91	93	4						
1765 18 0071 86491941	1298 15 0446 - - -	2.80	91	89	-1.23 55 86	-1.31 46 68	-1.92 67	-0.46 14 93	1.70 15 111	-1.51 42 94	0.23 34 100	0.78 19 100	151	6						
1765 18 0075 86491842	1298 15 0446 - - -	2.80	96	94	-1.04 46 88	-1.07 51 74	-1.59 73	-0.34 14 93	2.30 17 114	-0.73 41 98	0.32 35 99	-0.06 19 102	98	6						
1765 18 0130 86491800	1298 15 0446 - - -	2.80	99	97	-0.97 44 89	-0.98 49 76	-1.47 75	-0.29 14 94	2.80 21 117	-0.28 41 101	-1.33 25 102	0.89 18 99	96	3						
1398 18 0175 83482687	1398 15 0214 1398 14 0263	1.95	101	96	0.40 35 104	-0.54 41 87	-0.34 95	0.81 6 101	0.20 7 104	-0.02 31 102	1.63 48 98	-1.06 28 105	88	5						
1298 18 0312 86472529	1298 17 0130 - - -	2.80	97	99	-0.75 52 91	-0.41 52 91	-0.78 87	-0.36 5 93	0.50 5 106	-0.86 41 98	1.80 25 98	-0.95 16 105	174	7						
1298 18 0495 84217728	1298 12 0001 1298 15 0437	2.81	102	95	0.52 51 106	-0.26 44 94	0.00 100	0.84 7 101	0.00 7 103	0.26 38 104	-2.58 24 103	5.48 22 87	106	4						
1610 19 0003 83565267	1085 15 0028 1610 13 0005	2.23	112	117	0.02 38 100	0.80 42 121	0.81 114	0.36 16 98	1.20 5 109	1.53 32 111	-5.93 26 107	2.44 22 95	91	4						
1162 19 0016 94888039	1085 15 0028 1162 17 0054	1.85	107	112	0.03 53 100	0.58 55 115	0.60 111	0.35 16 98	-0.20 17 102	0.49 45 105	-5.63 40 107	0.44 19 101	131	4						
1757 19 0067 92597392	959 17 0072 1757 18 0010	2.57	108	110	0.29 49 103	0.18 52 105	0.33 106	0.68 10 100	0.90 7 108	1.01 40 108	6.30 41 92	-4.97 29 116	115	4						
1815 19 0076 92230127	959 17 0072 - - -	2.90	109	110	0.26 47 103	0.15 50 104	0.27 105	0.42 16 98	0.90 7 108	0.94 39 108	-5.00 33 106	-0.72 20 104	108	5						
1610 19 0133 83542472	1610 18 0055 1085 15 0401	2.80	104	111	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		3.89 29 95	-4.78 13 115	2							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded			
							Dir		Mat		Comb													
							Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
1624 19 0133 84052216	116 15 0154 1624 15 0057	2.89	110	116	-0.53 74 94	0.29 66 108	0.03 101	-0.42 6 93	2.90 18 117	1.50 58 111	-1.57 27 102	-0.77 22 104	100	6										
1520 19 0165 83471342	1590 16 0080 1520 15 0007	2.89	97	98	-0.02 34 99	0.31 38 109	0.30 106	1.20 19 104	-2.50 16 92	-1.21 31 96	-2.22 46 103	4.35 20 90	86	2										
1520 19 0350 85386944	554 15 0010 1520 16 0165	1.85	93	97	-0.93 54 89	-0.49 55 88	-0.96 84	-0.68 10 91	-0.40 10 102	-1.66 44 93	1.33 38 98	-2.18 20 108	107	3										
1520 19 0390 85387561	1590 16 0080 HOK 17 0017	5.26	89	92	-0.31 36 96	0.48 36 113	0.33 106	1.22 28 104	-5.10 22 79	-2.89 33 86	-8.53 41 111	8.52 27 78		0										
1755 20 0018 86404910	1695 18 0001 1755 17 0007	2.92	95	99	-0.13 69 98	-0.21 60 96	-0.28 96	-0.89 65 90	0.40 22 105	-0.10 55 102	27.49 48 64	-10.59 19 131	105	3										
1162 20 0032 92442813	1162 18 0111 1162 16 0074	8.63	109	110	-0.22 10 97	-0.01 8 101	-0.12 98	0.11 5 96	1.90 5 112	0.91 8 108	-10.31 15 113	1.99 8 96		0										
1755 20 0039 89390298	1695 18 0001 1755 19 0012	2.90	104	117	-0.97 70 89	0.69 63 118	0.20 104	-1.40 65 87	1.50 18 111	0.62 55 106	12.03 48 85	-6.90 20 121	119	3										
1610 20 0044 92109495	762 17 0448 1610 16 0365	2.61	109	116	0.06 53 100	1.09 55 128	1.12 120	0.02 30 96	-0.10 22 103	1.10 47 109	-4.51 48 106	3.05 26 94	91	4										
1610 20 0055 92110956	762 17 0019 1610 17 0077	5.04	101	97	0.23 56 102	-0.22 53 95	-0.11 98	0.93 17 102	0.10 17 104	0.07 46 103	5.56 43 93	0.44 26 101	99	4										
762 20 0061 86886348	762 18 0157 762 12 0298	5.73	86	80	0.77 70 108	-0.60 66 86	-0.22 97	1.38 37 105	-5.80 37 76	-3.31 61 83	1.36 57 98	-0.61 43 104	138	4										
1610 20 0093 92150598	762 17 0019 776 15 0318	3.17	109	99	1.07 57 112	-0.30 54 93	0.24 104	2.58 23 113	0.50 19 106	1.07 47 109	-4.01 42 105	2.83 27 94	97	2										
1610 20 0109 92108711	762 17 0448 1610 18 0136	2.14	103	110	-0.37 48 96	0.62 47 116	0.44 108	-0.23 31 94	-0.30 24 102	0.07 42 103	-5.03 39 106	3.20 28 93	93	1										
1815 20 0124 93526747	1695 18 0047 1815 17 0010	2.92	110	119	-0.41 41 95	0.67 42 118	0.47 108	-1.34 20 87	1.70 6 111	1.28 33 110	-9.61 22 112	1.75 20 97	97	4										
1610 20 0129 92109636	762 17 0448 1610 18 0061	2.41	98	98	-0.34 52 96	-0.04 52 100	-0.21 97	0.19 32 97	-0.60 24 101	-0.74 46 98	-5.71 41 107	5.06 32 88	99	2										
1610 20 0158 92107739	762 17 0448 1610 16 0365	2.61	111	120	0.15 61 101	1.25 58 132	1.33 123	0.07 30 96	0.00 21 103	1.40 51 111	-4.15 32 105	2.01 27 96	114	3										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility														
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed			
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15				
1610 20 0159 92107754	762 17 0448 1610 13 0024	2.23	106	112	-0.24 53 97	0.68 55 118	0.56 110	-0.17 30 95	0.10 21 104	0.50 46 105	-5.17 39 106	2.36 27 95	98	2											
1610 20 0175 92107994	762 17 0448 1610 19 0094	2.47	97	101	-0.84 56 90	0.00 57 101	-0.42 93	-0.52 31 92	-0.30 24 102	-1.02 49 97	-6.07 45 108	4.19 31 90	96	2											
1563 20 0183 90965641	762 17 0449 1590 18 0070	4.40	92	88	0.42 61 104	-0.20 62 96	0.01 100	1.39 26 105	-3.40 30 87	-1.83 54 92	-1.06 52 101	4.35 33 90	103	3											
1610 20 0229 92187178	762 17 0448 1610 19 0081	3.72	114	121	0.54 52 106	1.07 53 128	1.33 123	0.59 31 100	-0.40 23 102	1.36 46 110	-8.08 44 110	-0.69 31 104	105	3											
1563 20 0368 91907196	1590 18 0061 776 15 0328	3.12	91	85	-0.29 47 96	-1.39 51 66	-1.54 74	0.29 24 98	0.10 20 104	-1.62 42 93	7.17 52 91	-4.17 31 113	96	4											
1520 20 0416 91096743	1590 16 0080 1520 18 0593	27.22	99	98	0.66 47 107	0.89 53 123	1.22 121	2.28 22 111	-4.70 21 81	-1.27 43 95	-13.48 44 117	11.52 29 70	94	2											
1797 20 0734 92371228	762 18 0524 1797 15 0005	2.89	107	113	-0.23 49 97	0.40 47 111	0.29 105	0.02 10 96	1.30 17 110	0.95 41 108	3.33 26 96	-3.11 23 110	94	1											
IMPP 20 1200 107471039	18 4 47 DJL 14 9 56 3DJL	2.93	100	102	-0.73 23 92	-0.15 12 97	-0.52 91	-0.57 15 92	1.30 5 110	-0.10 14 102	-3.42 18 104	3.89 10 91		2											
1748 21 0022 94863313	762 19 0339 1748 18 0002	5.86	97	94	0.14 42 101	-0.30 41 93	-0.23 96	0.99 23 102	-1.70 16 95	-1.18 36 96	-8.48 34 111	4.91 24 88	91	2											
1610 21 0032 92109032	762 17 0448 1610 13 0006	2.23	105	111	-0.36 39 96	0.54 35 114	0.36 107	-0.25 30 94	0.10 21 104	0.24 33 104	-6.42 32 108	2.76 23 94		0											
1584 21 0059 91955195	1590 19 0150 762 16 0580	5.86	85	80	-0.23 53 97	-0.82 49 80	-0.93 84	0.78 16 101	-3.50 18 87	-3.15 43 84	1.76 40 98	1.88 29 97	93	2											
1563 21 0154 91961730	1590 19 0033 1590 19 0169	6.16	90	90	0.36 55 104	-0.27 56 94	-0.09 99	0.35 28 98	-4.00 20 85	-2.30 47 89	4.27 43 94	-3.23 32 111	101	3											
762 21 0492 93656593	762 19 1002 762 14 0319	4.86	92	89	-0.06 56 99	-0.01 55 101	-0.04 100	0.10 30 96	-2.60 29 91	-1.62 49 93	-6.22 48 108	10.53 37 73	93	2											
IMPA 22 0206 101806040	20 1 04 2DJL 19 0 02 1SBS	2.90	96	100	-1.28 37 85	-0.46 42 89	-1.10 81	-0.82 5 90	1.50 5 111	-0.84 31 98	-1.21 11 101	1.11 7 99		2											
762 22 1437 96031950	762 19 0382 762 18 0533	12.30	76	67	0.22 58 102	-1.22 55 70	-1.11 81	0.56 29 99	-5.00 35 80	-4.00 52 79	10.06 55 87	2.60 42 95		0											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded		
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype		
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
IMPA 22 1818 106594955	19 0 20 3	98 26	9DL 8DL	2.88	110	108	0.16 28 102		0.00 30 101		0.08 102 17 106		1.62		1.80 5 112		1.23 23 110		-1.23 11 101		-0.38 5 103		1
IMPA 22 1883 107586430	- 20 0	- 96	- 9	2.71	103	107	-0.87 32 90		-0.01 39 101		-0.44 93 5 93		-0.35		1.70 5 111		0.15 28 103		-1.09 5 101		0.22 5 101		2
IMPA 23 0012 112020854	- 19 0	- 01	- 2NLT	3.04	104	109	-0.67 5 92		0.08 5 103		-0.26 96 5 92		-0.49		1.60 5 111				-0.38 5 100		-0.94 5 105		1
2124 23 0005 99530966	1688 1688	20 21	0042 0058	8.93	101	105	-0.53 25 94		0.14 26 104		-0.13 98 7 96		0.05		0.40 10 105		-0.15 22 102		-1.69 21 102		1.88 15 97		1
2124 23 0010 99501256	776 1797	20 20	0028 0733	2.62	102	104	-0.48 48 94		-0.40 49 91		-0.64 89 12 96		0.06		1.60 12 111		0.08 40 103		1.64 26 98		-3.16 18 111		103 2
2124 23 0019 99530982	1765 1398	21 18	0148 0175	2.99	105	99	0.54 32 106		-0.52 30 88		-0.25 96 18 101		0.82		1.20 11 109		0.74 26 107		1.11 35 98		-0.08 22 102		1
2124 23 0028 99531048	762 1520	19 14	1002 0017	2.25	97	99	-0.50 54 94		0.07 55 103		-0.18 97 30 93		-0.47		0.00 24 103		-0.43 47 100		-0.77 53 101		5.73 34 86		99 2
2124 23 0030 99577223	1695 2124	22 20	0002 0239	2.87	95	96	-0.58 52 93		-0.60 56 86		-0.89 85 13 93		-0.36		0.00 9 103		-1.18 44 96		3.11 47 96		-2.94 24 110		103 2
2124 23 0032 99577249	1695 2124	22 20	0002 0239	2.87	93	95	-0.70 52 92		-0.75 55 82		-1.10 81 13 93		-0.43		0.00 9 103		-1.45 43 94		4.71 47 94		-3.93 24 113		104 2
2124 23 0048 99531147	762 1520	19 20	1002 0226	3.11	102	101	0.07 53 101		0.45 53 112		0.48 109 30 99		0.43		-0.70 25 100		0.10 47 103		-4.49 55 106		8.10 32 80		96 1
2124 23 0050 99531105	762 1520	19 20	1002 0226	3.11	99	97	-0.17 53 98		0.13 53 104		0.05 101 30 97		0.27		-0.50 28 101		-0.34 47 101		-5.10 55 106		9.06 35 77		98 2
2124 23 0051 99531121	762 1563	19 20	1002 0183	6.07	94	91	0.17 56 102		0.09 56 103		0.18 103 33 99		0.55		-2.50 28 92		-1.24 50 95		-1.59 57 102		7.59 35 81		93 1
2124 23 0056 99531220	1695 1610	22 20	0002 0044	3.32	101	105	0.01 41 100		0.20 45 106		0.21 104 19 96		0.06		-0.70 13 100		-0.21 36 101		4.13 50 95		-3.49 22 112		92 1
2124 23 0065 99530180	762 2124	19 20	1002 0255	2.87	100	104	-0.47 52 95		0.11 54 104		-0.12 98 30 93		-0.45		0.00 24 103		-0.36 46 101		-0.90 54 101		0.85 34 100		2
2124 23 0071 99571630	1695 1610	22 20	0002 0229	4.79	110	115	0.70 48 108		0.76 53 120		1.11 119 20 100		0.64		-0.90 14 99		0.91 42 108		-0.99 49 101		-3.38 28 111		103 2

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2124 23 0078 99985103	762 -	19 -	1002 -	3.04	97	98	-0.58 45	-0.03 41	-0.32 95	-0.53 30	0.00 24	-0.60 39	-0.97 44	4.85 31			1		
1967 23 0081 97441539	762 1967	20 19	1060 0211	2.90	101	101	0.37 53	0.36 47	0.54 110	1.21 41	-2.20 14	-0.60 42	-5.28 31	3.80 19	95	1			
1967 23 0082 97441547	762 1967	20 19	1060 0211	2.90	97	96	0.10 57	0.01 54	0.06 101	1.03 41	-2.20 14	-1.22 46	-5.48 31	4.14 24	106	2			
2124 23 0086 99572141	762 1520	19 13	1002 0014	2.23	101	106	-0.51 62	0.36 57	0.11 102	-0.62 30	0.00 28	-0.15 52	-0.69 51	1.88 34	105	2			
2124 23 0088 99572166	762 1520	19 20	1002 0416	5.54	93	89	0.51 63	0.36 57	0.62 111	1.40 32	-4.10 30	-1.59 53	-6.62 54	11.95 37	101	2			
2124 23 0100 99530446	762 2124	21 22	0482 0043	2.71	97	104	-0.62 59	-0.08 41	-0.39 94	-0.52 13	-0.90 18	-1.24 43	1.94 30	-5.32 17	0				
2124 23 0102 99529729	762 2124	21 22	0482 0018	2.71	95	105	-0.87 61	-0.01 44	-0.45 93	-0.87 13	-0.90 18	-1.42 45	4.09 39	-6.03 17	1				
2124 23 0113 99510414	762 2124	21 22	0482 0327	2.71	97	110	-0.97 62	0.42 50	-0.07 99	-1.19 13	-1.50 23	-1.45 48	-0.50 39	-5.54 17	91	1			
2124 23 0123 99510489	762 1765	21 18	0482 0055	4.75	90	89	-1.06 63	-1.20 52	-1.73 71	-0.52 14	0.10 24	-2.20 50	1.02 46	-2.87 20	91	1			
2124 23 0129 99571432	762 1520	17 19	0222 0165	4.25	95	84	1.11 59	-0.45 46	0.11 102	2.50 25	-3.40 24	-1.38 46	3.07 46	2.49 24	0				
2124 23 0141 99571515	762 1610	17 19	0222 0510	2.90	101	89	1.42 62	-0.52 49	0.20 104	2.42 23	-1.50 23	0.00 48	4.90 41	1.19 22	1				
2124 23 0160 99510588	762 1688	21 21	0482 0058	2.72	98	105	-0.50 60	0.02 42	-0.23 96	-0.16 14	-1.20 20	-1.20 44	2.12 34	-5.67 21	0				
1967 23 0164 98902281	762 1967	20 18	1060 0110	2.80	99	98	0.18 50	0.15 44	0.24 104	1.17 40	-2.20 14	-0.99 39	-9.14 31	5.36 19	100	1			
2124 23 0168 99510620	762 1610	21 20	0482 0044	3.61	98	110	-0.66 63	0.63 50	0.30 106	-0.87 19	-2.00 25	-1.23 49	-2.21 48	-2.53 21	90	1			
2124 23 0170 99530024	2124 2124	22 22	0046 0063	2.71	100	108	-1.34 57	0.00 44	-0.67 89	-1.26 5	1.70 5	-0.32 39	-1.96 8	0.13 5	93	2			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2124 23 0186 99571572	762 1967	20 19	0184 0212	2.90	97	103	-0.26 63	0.02 45	-0.11 99	-0.20 50	94	-1.40 21	-1.07 46	3.32 39	-4.72 26	96	115	0			
1967 23 0186 98902497	762 1967	20 19	0184 0212	2.90	96	104	-0.57 53	0.08 44	-0.20 97	-0.62 50	92	-1.40 21	-1.32 42	3.32 39	-4.72 26	96	115	0			
762 23 0268 98665805	762 762	21 21	0467 0014	11.93	86	89	-0.36 66	0.14 57	-0.04 100	-0.08 25	95	-3.80 31	-2.50 54	11.51 56	0.44 34	85	101	91	1		
762 23 0277 98665888	762 762	21 19	0467 0679	7.19	90	86	-0.01 66	-0.43 56	-0.44 93	0.34 21	98	-2.00 30	-1.65 54	4.56 54	3.98 32	94	91	90	1		
762 23 0443 100498484	762 762	21 18	0076 0193	15.15	73	75	-0.89 50	-0.49 47	-0.93 84	0.34 26	98	-6.10 26	-5.03 43	11.05 43	1.42 29	86	98	100	1		
762 23 0483 100498526	762 762	21 19	0467 0035	9.10	84	80	-0.32 61	-0.66 58	-0.82 86	0.06 26	96	-2.60 29	-2.54 52	10.15 52	3.35 36	87	93	103	1		
762 23 0689 98689490	762 762	21 17	0143 0264	7.65	78	80	-1.28 58	-0.99 54	-1.63 72	-1.42 22	86	-2.80 27	-3.95 49	0.31 48	2.61 32	99	95	97	1		
2124 24 0002 107483364	762 1610	17 20	0222 0129	3.65	93	86	0.60 62	-0.56 49	-0.26 96	1.51 28	106	-2.50 25	-1.46 48	5.10 53	1.09 28	93	99	1			
2124 24 0005 107483349	762 1748	17 21	0222 0022	18.72	95	82	1.17 52	-0.75 45	-0.16 98	2.37 25	111	-3.00 24	-1.38 43	-0.07 43	2.77 25	100	94	0			
2124 24 0010 107492274	762 2124	17 20	0222 0239	2.87	95	85	0.62 63	-0.86 51	-0.55 91	1.58 23	106	-1.50 23	-1.14 49	3.67 43	0.68 23	95	100	0			
2124 24 0011 107492282	762 2124	17 20	0222 0239	2.87	95	83	1.02 64	-0.92 55	-0.41 93	2.10 23	109	-1.90 27	-1.05 52	3.13 52	1.17 23	96	99	95	1		
2124 24 0015 107492985	762 2124	17 20	0222 0237	2.87	93	87	0.08 62	-0.85 53	-0.81 86	0.90 23	102	-1.50 26	-1.67 50	0.27 51	0.72 22	99	100	94	1		
2124 24 0016 107492324	762 2124	17 20	0222 0237	2.87	100	92	0.84 61	-0.46 48	-0.04 100	1.67 23	107	-1.40 23	-0.46 47	-2.62 47	2.33 22	103	96	1			
2124 24 0018 107492340	762 1610	17 20	0222 0229	4.45	103	95	1.44 62	-0.08 49	0.64 111	2.26 27	111	-2.30 25	-0.02 48	0.72 50	0.25 27	99	101	1			
2124 24 0021 107491771	762 762	17 20	0222 0061	7.20	89	75	1.65 66	-0.94 53	-0.11 98	2.78 29	114	-5.10 29	-2.34 52	7.68 56	-1.02 31	90	105	1			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2124 24 0023 107491839	762 17 0222 1755 20 0018	2.05	89	80	0.76 67 108 -1.01 56 76	-0.63 90	1.22 39 104	-2.50 29 92	-1.74 54 92	15.75 55 80	-4.47 23 114	93	1								
2124 24 0024 107491847	762 17 0222 1755 20 0018	2.05	98	83	1.90 66 121 -0.88 51 79	0.07 102	2.57 39 113	-2.00 25 94	-0.18 51 102	17.92 46 77	-4.98 23 116	0									
2124 24 0026 107491862	762 17 0222 2124 18 0014	2.80	99	91	0.82 50 109 -0.50 45 88	-0.09 99	1.66 23 107	-1.50 23 96	-0.58 42 99	3.27 41 96	-0.08 22 102	0									
2124 24 0027 107491870	762 17 0222 2124 18 0014	2.80	96	90	0.53 60 106 -0.54 51 87	-0.27 96	1.33 23 104	-2.00 27 94	-1.21 49 96	1.83 51 97	0.06 22 102	94	1								
2124 24 0029 107491896	762 17 0222 2124 20 0255	2.87	95	93	-0.02 58 100 -0.56 45 87	-0.57 91	0.64 23 100	-1.30 22 97	-1.36 45 95	2.91 48 96	-2.45 23 109	1									
2124 24 0031 107491912	762 17 0222 1563 20 0183	7.37	88	80	0.66 65 107 -0.67 56 84	-0.35 94	1.73 26 107	-4.20 30 84	-2.54 53 88	2.35 55 97	1.88 28 97	95	1								
2124 24 0033 107491920	762 17 0222 1563 20 0183	7.37	92	76	1.57 65 117 -0.83 56 80	-0.05 99	2.94 26 115	-4.20 30 84	-1.79 53 92	4.71 55 94	2.47 28 95	95	1								
2124 24 0034 107491946	762 17 0222 2124 21 0036	2.79	115	100	2.88 61 132 0.48 52 113	1.92 133	3.78 23 120	-1.30 27 97	2.58 50 117	5.91 51 92	3.10 22 93	96	1								
2124 24 0035 107491953	762 17 0222 2124 21 0036	2.79	122	107	3.00 63 133 0.73 55 119	2.23 136	3.83 23 121	0.00 27 103	3.74 52 124	3.25 51 96	3.93 22 91	103	1								
2124 24 0036 107491961	762 17 0222 1765 18 0075	4.18	98	89	0.49 64 105 -0.90 57 78	-0.66 89	1.48 24 105	-0.20 28 102	-0.54 53 99	3.09 52 96	0.24 24 101	101	1								
2124 24 0045 107492001	762 17 0222 2124 21 0022	2.79	92	88	0.14 59 101 -0.79 46 81	-0.72 88	0.95 23 102	-1.30 22 97	-1.43 45 94	9.84 46 87	-3.21 22 111	1									
2124 24 0051 107492068	762 17 0222 1520 16 0016	2.61	98	87	1.05 61 112 -0.81 48 81	-0.28 96	2.09 23 109	-1.30 22 97	-0.53 47 99	3.99 40 95	-0.16 22 102	0									
2124 24 0055 107492100	762 17 0222 1610 20 0055	7.91	99	83	1.84 63 120 -0.84 49 80	0.08 102	3.16 24 116	-2.10 24 94	-0.26 49 101	6.96 45 91	0.54 26 100	0									
2124 24 0056 107492118	762 17 0222 1520 20 0416	4.59	97	81	1.72 64 119 -0.42 57 90	0.44 108	3.48 25 119	-3.80 28 85	-0.98 53 97	-0.34 54 100	6.70 27 83	99	1								
2124 24 0058 107492696	762 17 0222 1751 19 0017	2.90	99	95	0.64 62 107 -0.16 52 97	0.16 103	1.29 23 104	-1.60 27 96	-0.48 50 100	5.42 50 93	-0.74 22 104	97	1								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded		
							Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15										
2124 24 0059 107492704	762 1751	17 19	0222 0017	2.90	96	89	0.61 61	107	-0.65 47	85	-0.34 94	1.47 23	105	-1.40 23	97	-0.88 47	97	4.47 41	94	-0.35 22	103	0		
2124 24 0061 107492712	762 1520	17 13	0222 0014	2.23	100	92	0.86 61	109	-0.48 48	89	-0.05 100	1.71 23	107	-1.30 23	97	-0.39 47	100	4.08 40	95	-1.15 23	105	0		
2124 24 0062 107492720	762 1563	17 20	0222 0368	4.80	94	88	0.23 64	102	-0.80 57	81	-0.69 89	0.88 26	101	-1.20 28	98	-1.29 53	95	7.75 55	90	-2.79 27	110	101 1		
2124 24 0063 107492738	762 1563	17 20	0222 0368	4.80	85	75	0.18 63	102	-1.56 53	64	-1.47 75	1.16 26	103	-2.60 28	91	-2.94 51	86	7.95 55	90	-2.24 27	108	93 1		
2124 24 0064 107492746	762 1751	17 18	0222 0169	2.80	99	94	0.66 60	107	-0.30 47	93	0.03 101	1.38 23	105	-1.30 22	97	-0.42 46	100	3.99 40	95	-0.16 22	102	0		
2124 24 0068 107492761	762 2124	21 22	0482 0066	2.71	93	102	-1.08 60	88	-0.25 43	95	-0.79 87	-1.03 13	89	-0.90 18	99	-1.87 44	92	1.61 31	98	-5.38 17	117	0		
2124 24 0069 107492779	762 2124	21 22	0482 0066	2.71	91	104	-1.55 60	82	-0.15 43	97	-0.93 84	-1.65 13	85	-0.90 18	99	-2.24 44	90	0.95 45	99	-5.50 17	117	1		
2124 24 0080 107486342	762 1755	21 20	0482 0039	2.14	94	110	-1.60 67	82	0.23 55	106	-0.58 90	-2.02 35	82	-0.40 25	102	-1.62 53	93	6.16 49	92	-7.74 18	123	99 1		
2124 24 0085 107486391	762 2124	21 22	0482 0006	2.71	92	104	-1.42 59	84	-0.01 42	101	-0.72 88	-1.56 13	85	-1.10 18	98	-2.10 43	90	4.66 45	94	-6.36 17	119	1		
2124 24 0086 107486409	762 2124	21 22	0482 0006	2.71	94	100	-0.70 61	92	-0.18 48	96	-0.53 91	-0.58 13	92	-1.50 23	96	-1.78 47	92	1.18 45	98	-4.11 17	113	95 1		
2124 24 0089 107486433	762 2124	21 22	0482 0091	2.71	85	94	-1.75 60	80	-0.69 48	83	-1.57 73	-1.66 13	85	-1.80 23	95	-3.52 47	82	-0.81 45	101	-5.02 17	116	93 1		
2124 24 0096 107486508	212 2124	95 23	1 0010	2.56	102	104	-0.61 58	93	-0.26 34	94	-0.56 91	-0.16 7	95	1.60 6	111	0.09 37	103	0.77 20	99	-0.76 11	104	0		
2124 24 0102 107492787	762 2124	17 20	0222 0251	2.87	96	92	0.23 60	102	-0.45 46	90	-0.34 95	0.90 23	102	-1.30 22	97	-1.00 46	97	3.99 40	95	-0.16 22	102	0		
2124 24 0103 107492795	762 2124	17 20	0222 0251	2.87	101	89	1.33 60	115	-0.67 46	84	0.00 100	2.38 23	111	-1.30 22	97	-0.11 46	102	3.99 40	95	-0.16 22	102	0		
2124 24 0108 107492845	762 2124	17 22	0222 0327	2.71	98	93	0.55 63	106	-0.35 50	92	-0.07 99	1.25 23	104	-1.50 23	96	-0.70 49	99	3.17 40	96	-0.23 22	103	0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2124 24 0109 107492852	762 17 0222 2124 22 0327	2.71	99	93	0.80 63 109	-0.40 50 91	0.01 100	1.59 23 106	-1.50 23 96	-0.49 49 100	3.17 40 96	-0.23 22 103	0						
2124 24 0119 107492167	762 17 0222 2124 22 0076	2.71	100	93	0.91 48 110	-0.38 43 91	0.07 102	1.73 23 107	-1.30 22 97	-0.25 40 101	3.99 40 95	-0.16 22 102	0						
2124 24 0122 107492191	762 17 0222 1765 18 0071	4.18	91	80	0.36 62 104	-1.23 47 70	-1.05 82	1.47 24 105	-1.30 23 97	-1.65 47 93	4.29 43 94	0.71 24 100	0						
2124 24 0131 107486623	21 2 95 1 1298 18 0312	2.74	101	101	-0.42 50 95	-0.32 34 93	-0.53 91	0.06 5 96	1.10 5 109	-0.08 33 102	0.85 19 99	0.34 10 101	0						
2124 24 0132 107486631	21 2 95 1 1584 16 0005	2.55	100	97	-0.03 48 99	-0.41 27 90	-0.43 93	0.46 6 99	0.50 10 106	-0.15 31 102	1.40 21 98	0.55 13 100	0						
2124 24 0133 107486649	21 2 95 1 1967 19 0212	2.84	100	107	-1.16 61 87	-0.03 35 100	-0.61 90	-1.01 20 89	1.50 5 111	-0.29 38 101	-0.35 17 100	-0.10 8 102	0						
2124 24 0135 107486664	21 2 95 1 1797 20 0734	2.64	104	109	-0.67 60 92	0.18 34 105	-0.15 98	-0.42 6 93	1.50 8 111	0.42 38 105	1.61 19 98	-0.74 13 104	0						
2124 24 0139 107486680	21 2 95 1 1815 22 0004	2.65	107	109	-0.16 58 98	0.09 32 103	0.01 101	-0.20 8 94	1.60 5 111	0.89 36 108	-3.44 21 104	0.39 11 101	0						
2124 24 0140 107486698	21 2 95 1 1967 18 0110	2.80	104	110	-0.91 59 90	0.20 32 106	-0.26 96	-0.31 13 94	1.70 5 111	0.31 35 104	-4.04 17 105	1.90 6 97	0						
2124 24 0142 107486714	21 2 95 1 1584 21 0059	2.50	94	92	-0.33 60 96	-0.50 35 88	-0.66 89	0.41 9 98	-0.90 9 99	-1.36 39 95	0.83 25 99	1.76 16 97	0						
2124 24 0143 107486722	21 2 95 1 1584 21 0059	2.50	93	92	-0.58 60 93	-0.45 35 90	-0.74 88	0.07 9 96	-0.90 9 99	-1.57 39 93	0.83 25 99	1.76 16 97	0						
2124 24 0145 107486748	21 2 95 1 1765 18 0130	2.65	100	100	-0.92 59 89	-0.54 34 87	-1.00 83	-0.43 8 93	2.20 11 114	-0.14 38 102	-0.72 19 101	1.27 11 98	0						
2124 24 0152 107492431	762 17 0222 1967 17 0119	2.92	94	85	0.38 54 104	-0.97 49 76	-0.78 87	1.59 28 106	-1.30 22 97	-1.37 45 95	3.99 41 95	-0.39 22 103	0						
2124 24 0157 107492480	762 17 0222 2124 22 0077	2.71	99	90	0.97 60 111	-0.60 47 86	-0.12 98	1.89 23 108	-1.30 22 97	-0.41 46 100	3.99 40 95	-0.16 22 102	0						
2124 24 0159 107492506	762 17 0222 1688 21 0058	2.51	95	93	0.17 62 102	-0.33 48 93	-0.24 96	1.04 23 102	-1.70 24 95	-1.18 48 96	4.16 43 95	-0.50 26 103	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2124 24 0162 107492530	762 17 0222 2124 22 0035	2.71	97	88	0.70 61 108	-0.71 48 83	-0.37 94	1.61 23 106	-1.40 23 97	-0.86 47 98	3.61 41 95	-0.30 22 103	0							
2124 24 0163 107492548	762 17 0222 2124 22 0035	2.71	100	87	1.35 61 115	-0.84 48 80	-0.17 97	2.49 23 112	-1.40 23 97	-0.33 47 101	3.61 41 95	-0.30 22 103	0							
2124 24 0173 107486847	21 2 95 1 1688 21 0053	2.63	106	107	-0.36 59 96	-0.23 34 95	-0.41 93	0.24 5 97	2.30 9 114	0.79 38 107	0.36 18 99	-1.10 11 105	0							
2124 24 0174 107486854	21 2 95 1 1688 21 0053	2.63	105	107	-0.51 59 94	-0.20 34 96	-0.46 93	0.04 5 96	2.30 9 114	0.67 38 106	0.36 18 99	-1.10 11 105	0							
2124 24 0176 107486870	21 2 95 1 2124 23 0065	2.67	102	103	-0.28 50 97	-0.06 35 99	-0.20 97	0.01 15 96	0.80 12 107	0.14 35 103	-0.50 31 100	1.24 18 98	0							
2124 24 0181 107484289	21 2 95 1 2124 23 0071	2.51	111	107	1.02 59 111	0.12 36 104	0.63 111	1.52 11 106	0.40 7 105	1.38 38 111	-0.55 29 101	-0.87 15 104	0							
2124 24 0184 107484313	21 2 95 1 2124 23 0025	3.04	105	111	-0.68 59 92	0.27 35 108	-0.07 99	-0.54 5 92	1.70 5 111	0.61 36 106	-0.24 15 100	0.35 6 101	0							
2124 24 0185 107484321	21 2 95 1 2124 23 0025	3.04	109	108	0.31 59 103	0.08 35 103	0.23 104	0.79 5 101	1.70 5 111	1.41 36 111	-0.24 15 100	0.35 6 101	0							
2124 24 0195 107484420	21 2 95 1 2124 23 0081	2.54	97	97	-0.62 61 93	-0.20 36 96	-0.50 92	-0.31 16 94	0.50 13 106	-0.51 40 100	0.96 31 99	4.02 18 91	0							
2124 24 0196 107484438	21 2 95 1 2124 23 0017	3.04	106	107	-0.16 57 98	0.03 33 102	-0.05 100	0.22 5 97	1.70 5 111	0.90 35 108	-0.24 15 100	0.35 6 101	0							
2124 24 0197 107484446	21 2 95 1 2124 23 0060	2.50	96	93	0.03 52 100	-0.30 34 93	-0.29 95	0.45 18 99	-1.00 15 99	-0.88 37 97	-0.25 33 100	3.38 20 93	0							
2124 24 0198 107484453	21 2 95 1 2124 23 0060	2.50	96	93	0.03 52 100	-0.30 34 93	-0.29 95	0.45 18 99	-1.00 15 99	-0.88 37 97	-0.25 33 100	3.38 20 93	0							
2124 24 0201 107578478	21 2 95 1 2124 23 0028	2.56	97	102	-1.03 60 88	0.06 37 102	-0.46 93	-0.99 15 89	0.80 12 107	-0.49 40 100	-0.44 30 100	3.69 18 92	0							
2124 24 0202 107578486	21 2 95 1 2124 23 0028	2.56	102	100	-0.11 60 99	-0.12 37 98	-0.18 97	0.25 15 97	0.80 12 107	0.25 40 104	-0.44 30 100	3.69 18 92	0							
2124 24 0203 107484487	21 2 95 1 2124 23 0088	2.50	94	98	-0.77 61 91	0.25 37 107	-0.13 98	-0.38 16 93	-1.20 15 98	-1.24 41 95	-3.36 31 104	6.80 19 83	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2124 24 0204 107586448	23 1 96 22 1 88	3DJL 3DJL	3.46	104	106	-0.49 46	-0.08 23	-0.32 95	-0.04 5		1.60 5	0.39 27	-1.49 5	0.85 5	0				
2124 24 0206 107484495	21 2 95 1967 23	1 0082	2.68	99	100	-0.46 61	-0.03 36	-0.26 96	0.14 21		-0.30 7	-0.67 39	-2.79 21	2.89 14	0				
2124 24 0207 107484503	21 2 95 1967 23	1 0082	2.68	101	99	0.06 61	-0.13 36	-0.10 99	0.83 21		-0.30 7	-0.25 39	-2.79 21	2.89 14	0				
2124 24 0208 107484511	21 2 95 2124 23	1 0032	2.67	95	101	-1.26 60	-0.32 37	-0.96 84	-1.14 7		0.80 5	-1.11 38	2.30 28	-1.14 13	0				
2124 24 0212 107492563	21 2 95 2124 23	1 0056	2.56	102	105	-0.32 57	0.04 33	-0.13 98	-0.12 10		0.50 7	0.01 36	2.02 29	-0.93 13	0				
2124 24 0215 107492571	2124 22	0170	3.31			0.37 41	0.13 18	0.32 106	0.78 5						0				
2124 24 0217 107484552	762 21 2124 20	0482 0239	2.87	93	99	-0.84 61	-0.36 45	-0.78 87	-0.68 13		-1.10 18	-1.86 45	1.62 34	-4.49 17	0				
2124 24 0218 107484560	762 21 2124 21	0482 0083	2.79	99	109	-0.68 60	0.32 43	-0.02 100	-0.78 13		-0.90 18	-0.91 44	1.94 30	-5.32 17	0				
2124 24 0220 107492589	21 2 95 1624 19	1 0133	2.66	107	109	-0.47 65	0.06 41	-0.18 97	-0.19 5		2.30 9	0.96 43	-0.84 20	0.44 12	0				
2124 24 0221 107492597	21 2 95 1624 19	1 0133	2.66	108	109	-0.18 65	0.00 41	-0.09 99	0.20 5		2.30 9	1.20 43	-0.84 20	0.44 12	0				
2124 24 0223 107492613	21 2 95 762 20	1 0061	2.50	95	91	0.34 63	-0.42 41	-0.25 96	0.92 19		-2.10 19	-1.35 44	0.63 32	0.52 22	0				
2124 24 0227 107491797	21 2 95 2124 20	1 0255	2.83	104	106	-0.48 45	-0.21 28	-0.45 93	-0.08 5		1.70 5	0.32 28	-0.58 21	-1.20 7	0				
2124 24 0229 107491813	21 2 95 1610 20	1 0229	2.51	109	112	0.22 50	0.41 34	0.53 109	0.54 16		0.70 11	1.06 35	-4.09 26	0.47 17	0				
2124 24 0230 107491821	21 2 95 1610 20	1 0229	2.51	109	112	0.22 50	0.41 34	0.53 109	0.54 16		0.70 11	1.06 35	-4.09 26	0.47 17	0				
2124 24 0232 107493025	2124 23 2124 18	0093 0043	2.80	101	104	-0.37 41	0.15 31	-0.04 100	-0.23 17		0.40 13	0.02 31	-1.62 23	2.70 17	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
	Acc	Index	Acc				Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
2124 24 0234 107492910	2124 23 0093 2124 20 0204	2.87	103	106	-0.26 39 97	0.29 27 108	0.16 103	-0.16 17 95	0.40 13 105	0.27 28 104	-1.62 23 102	2.70 17 94	0									
2124 24 0237 107484594	2124 23 0093 1610 20 0055	4.57	101	100	0.19 48 102	0.14 38 104	0.23 104	0.55 19 99	-0.40 16 102	0.09 37 103	1.35 31 98	3.39 21 93	0									
2124 24 0239 107492936	2124 23 0093 2124 22 0006	2.71	101	104	-0.33 45 96	0.20 37 106	0.04 101	-0.20 17 94	0.20 14 104	0.00 35 103	-1.13 26 101	2.74 17 94	0									
2124 24 0241 107492951	2124 23 0093 2124 22 0091	2.71	98	101	-0.54 45 94	-0.07 37 99	-0.34 95	-0.35 17 93	0.10 14 104	-0.55 35 99	-2.54 25 103	2.80 17 94	0									
2124 24 0243 107492977	21 2 95 1 1751 18 0169	2.80	107	109	-0.22 47 97	0.13 31 104	0.02 101	0.10 5 96	1.70 5 111	0.93 30 108	-0.24 15 100	0.35 6 101	0									
2124 24 0245 107492266	21 2 95 1 1563 20 0368	2.49	98	94	-0.19 49 98	-0.82 34 80	-0.91 85	0.38 13 98	0.90 10 108	-0.47 34 100	3.53 30 95	-1.27 17 105	0									
2124 25 0001 111872016	2124 23 0093 2124 23 0170	2.49	102	105	-0.42 57 95	0.21 36 106	0.00 100	-0.32 17 94	0.50 13 106	0.09 39 103	-2.41 24 103	3.23 17 93	0									
2124 25 0006 111881470	21 2 95 1 1610 20 0044	2.61	111	107	0.78 59 108	0.27 36 108	0.66 112	1.31 15 104	0.80 11 107	1.53 39 111	-2.31 28 103	2.35 14 95	0									
2124 25 0007 111881488	21 2 95 1 1610 19 0003	2.55	108	110	-0.04 47 99	0.28 30 108	0.26 105	0.42 9 98	1.50 5 111	1.14 30 109	-3.02 20 104	2.04 13 96	0									
2124 25 0010 111882288	21 2 95 1 1751 19 0017	2.84	103	104	-0.36 56 96	-0.20 33 96	-0.38 94	0.07 5 96	1.60 5 111	0.40 35 105	0.24 17 100	0.16 6 101	0									
2124 25 0011 111881330	21 2 95 1 1751 19 0017	2.84	101	105	-0.91 56 90	-0.09 33 98	-0.55 91	-0.66 5 91	1.60 5 111	-0.04 35 102	0.24 17 100	0.16 6 101	0									
2124 25 0015 111881918	21 2 95 1 1815 20 0260	2.83	106	107	-0.28 44 97	0.05 25 102	-0.08 99	0.06 5 96	1.70 5 111	0.80 27 107	-0.61 17 101	0.85 7 100	0									
2124 25 0016 111881926	1162 22 0084 2124 23 0086	2.22	113	105	0.59 64 106	-0.20 47 96	0.10 102	2.55 45 112	0.90 18 108	0.94 47 108	-33.07 36 136	10.65 18 73	0									
2124 25 0019 111881298	1162 22 0084 2124 20 0251	2.87	111	110	-0.49 60 94	-0.14 42 97	-0.38 94	1.28 43 104	1.80 11 112	0.46 42 105	-32.91 25 136	9.24 6 76	0									
2124 25 0020 111881306	1162 22 0084 2124 20 0251	2.87	116	107	0.56 60 106	-0.34 42 92	-0.06 99	2.68 43 113	1.80 11 112	1.30 42 110	-32.91 25 136	9.24 6 76	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2124 25 0022 111881322	1162 22 0084 1610 20 0159	2.22	112	109	-0.01 63 100	0.11 46 104	0.10 102	1.79 45 107	1.00 15 108	0.70 45 107	-35.31 32 136	10.89 15 72	0							
2124 25 0023 111881355	1162 22 0084 1610 20 0159	2.22	114	108	0.43 55 105	0.02 45 101	0.24 104	2.39 45 111	1.00 15 108	1.05 42 109	-35.31 32 136	10.89 15 72	0							
2124 25 0025 111881827	1162 22 0084 1563 21 0154	2.09	112	97	1.65 63 118	-0.64 46 85	0.19 104	3.87 45 121	-1.00 15 99	0.42 45 105	-30.59 33 136	8.10 17 80	0							
2124 25 0028 111881850	1162 22 0084 2124 23 0065	2.50	110	106	-0.12 62 98	-0.18 46 96	-0.24 96	1.66 45 107	1.00 16 108	0.30 45 104	-33.17 37 136	10.14 18 74	0							
2124 25 0033 111881454	1162 22 0084 2124 23 0010	2.52	110	107	-0.40 62 95	-0.38 44 91	-0.58 90	1.55 43 106	1.70 12 111	0.24 44 104	-31.90 28 136	8.13 11 80	0							
2124 25 0034 111881975	1162 22 0084 1755 20 0039	3.78	116	113	0.31 66 103	-0.03 49 100	0.13 103	2.10 54 109	1.70 14 111	1.31 47 110	-26.71 35 134	6.26 11 85	0							
2124 25 0035 111881983	1162 22 0084 1755 20 0039	3.78	118	112	0.59 66 106	-0.08 49 99	0.22 104	2.47 54 112	1.70 14 111	1.53 47 111	-26.71 35 134	6.26 11 85	0							
2124 25 0039 111882023	1162 22 0084 2124 22 0001	2.71	111	103	-0.01 63 100	-0.59 46 86	-0.59 90	2.09 43 109	1.80 11 112	0.49 44 105	-32.91 25 136	9.24 6 76	0							
2124 25 0041 111881397	1162 22 0084 1610 20 0175	2.38	106	104	-0.58 63 93	-0.18 47 96	-0.47 92	1.25 45 104	0.80 16 107	-0.28 46 101	-35.76 34 136	11.81 17 69	0							
2124 25 0042 111881405	1162 22 0084 1610 19 0133	2.85	115	109	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-30.78 29 136	7.32 9 82	0							
2124 25 0044 111881421	1162 22 0084 2124 22 0043	2.71	114	107	0.26 61 103	-0.30 44 93	-0.17 97	2.28 43 111	1.80 11 112	1.04 43 109	-32.91 25 136	9.24 6 76	0							
2124 25 0045 111882064	1162 22 0084 2124 22 0043	2.71	110	110	-0.62 61 93	-0.12 44 98	-0.43 93	1.11 43 103	1.80 11 112	0.34 43 105	-32.91 25 136	9.24 6 76	0							
2124 25 0047 112272919	1162 22 0084 1967 19 0005	2.90	115	110	0.19 63 102	-0.17 45 97	-0.08 99	1.65 47 107	2.10 12 113	1.28 44 110	-31.43 26 136	8.58 7 78	0							
2124 25 0048 111882239	1162 22 0084 2124 22 0005	2.71	113	109	-0.13 61 98	-0.17 44 97	-0.23 96	1.74 43 107	1.80 11 112	0.78 43 107	-32.91 25 136	9.24 6 76	0							
2124 25 0050 111882254	1162 22 0084 2124 22 0327	2.71	119	107	1.22 63 113	-0.31 46 93	0.30 106	3.48 43 119	1.60 12 111	1.87 45 113	-33.73 26 136	9.17 6 77	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility						
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2124 25 0052 111881439	1162 22 0084 2124 22 0327	2.71		118	108	0.89 63 110	-0.24 46 95	0.20 104	3.04 43 116	1.60 12 111	1.61 45 112	-33.73 26 136	9.17 6 77	0					
2124 25 0053 111881447	1162 22 0084 2124 22 0072	2.71		116	110	0.34 49 104	-0.13 39 98	0.04 101	2.31 43 111	1.80 11 112	1.29 36 110	-32.91 25 136	9.24 6 76	0					
2124 25 0054 111881942	1162 22 0084 2124 22 0072	2.71		117	109	0.73 58 108	-0.21 40 96	0.16 103	2.83 43 114	1.80 11 112	1.60 40 112	-32.91 25 136	9.24 6 76	0					
2124 25 0056 111881967	1162 22 0084 1563 20 0183	2.11		108	97	0.70 64 108	-0.41 48 91	-0.06 99	3.07 45 116	-0.70 19 100	-0.13 47 102	-33.25 36 136	11.89 17 69	0					
2124 25 0058 112234547	2124 23 0093 2124 23 0123	5.86		94	97	-0.90 59 90	-0.26 39 94	-0.72 88	-0.77 18 91	-0.30 18 102	-1.35 42 95	-0.92 33 101	1.73 20 97	0					
2124 25 0059 111882031	- - - 2124 23 0144	3.87		105	109	-0.31 29 96	-0.02 18 100	-0.17 97	0.32 10 98	1.10 5 109	0.33 19 104	-0.57 20 101	-3.05 8 110	0					
2124 25 0061 111882056	1162 22 0084 1765 18 0055	2.48		110	99	0.09 52 101	-0.79 43 81	-0.74 88	2.34 43 111	2.10 14 113	0.57 40 106	-35.72 31 136	11.73 12 70	0					
2124 25 0063 111872040	2124 23 0156 2124 23 0142	2.66		100	101	-0.11 44 99	-0.07 30 99	-0.13 98	0.31 11 98	0.00 13 103	-0.18 31 102	1.88 25 97	0.45 11 101	0					
2124 25 0065 112020888	2124 23 0093 1967 23 0164	6.25		101	100	0.32 57 103	0.29 37 108	0.45 108	0.88 26 101	-1.50 15 96	-0.29 40 101	-6.00 28 107	5.84 19 86	0					
2124 25 0067 111872065	2124 23 0093 2124 23 0168	11.73		101	106	0.01 59 100	0.51 38 114	0.52 109	0.01 19 96	-1.40 18 97	-0.32 41 101	-2.54 33 103	1.90 20 97	0					
2124 25 0071 112020870	1162 22 0084 1398 18 0175	2.63		115	100	1.27 60 114	-0.69 42 83	-0.06 99	3.57 43 119	1.00 11 108	1.18 42 109	-31.91 34 136	9.19 15 77	0					
2124 25 0073 111881512	- - - 762 23 0268	3.87		101	96	0.76 51 108	-0.14 30 97	0.24 104	1.42 12 105	-1.10 15 98	-0.04 35 102	5.56 28 93	-0.25 17 103	0					
2124 25 0074 111881520	- - - 2124 23 0152	3.87		100	106	-0.61 48 93	-0.05 26 100	-0.35 94	-0.44 6 93	0.20 11 104	-0.54 31 99	0.21 22 100	-3.35 8 111	0					
2124 25 0076 111881546	- - - 762 23 0483	3.87		93	95	-0.65 50 92	-0.26 31 94	-0.58 90	-0.43 13 93	-0.50 15 101	-1.21 35 96	4.88 26 94	1.20 18 99	0					
2124 25 0081 111881751	1162 22 0084 2124 21 0113	2.79		112	109	-0.24 62 97	-0.15 45 97	-0.27 96	1.60 43 106	1.80 11 112	0.70 44 107	-32.91 25 136	9.24 6 76	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2124 25 0083 111881777	1162 1797	22 20	0084 0734	2.47	116	110	0.44 54	-0.12 43	0.10 102	2.48 43	1.60 14	1.28 41	-31.06 28	8.16 13			0			
2124 25 0084 111881785	1162 1797	22 20	0084 0734	2.47	116	110	0.44 54	-0.12 43	0.10 102	2.48 43	1.60 14	1.28 41	-31.06 28	8.16 13			0			
2124 25 0086 111881801	1162 2124	22 22	0084 0076	2.71	116	110	0.36 49	-0.10 39	0.08 102	2.32 43	1.80 11	1.34 36	-32.91 25	9.24 6			0			
2124 25 0087 111881637	1162 1584	22 21	0084 0059	2.08	104	94	0.44 55	-0.73 43	-0.51 92	2.86 43	-0.80 14	-0.77 41	-31.84 32	10.65 16			0			
2124 25 0088 111881645	1162 1584	22 21	0084 0059	2.08	104	94	0.44 55	-0.73 43	-0.51 92	2.86 43	-0.80 14	-0.77 41	-31.84 32	10.65 16			0			
2124 25 0090 111881660	1162 1967	22 17	0084 0119	2.92	109	102	-0.17 55	-0.69 45	-0.78 87	2.18 46	1.80 11	0.22 41	-32.91 26	9.01 6			0			
2124 25 0091 111881678	1162 1967	22 17	0084 0119	2.92	109	102	-0.17 55	-0.69 45	-0.78 87	2.18 46	1.80 11	0.22 41	-32.91 26	9.01 6			0			
2124 25 0093 111881694	1162 2124	22 22	0084 0018	2.71	115	108	0.31 63	-0.29 46	-0.13 98	2.34 43	1.80 11	1.10 44	-32.20 26	9.01 6			0			
2124 25 0094 111881702	1162 2124	22 22	0084 0018	2.71	116	107	0.62 63	-0.35 46	-0.04 100	2.76 43	1.80 11	1.35 44	-32.20 26	9.01 6			0			
2124 25 0095 111881710	1162 1298	22 18	0084 0312	2.66	110	103	0.18 55	-0.53 44	-0.44 93	2.29 43	1.20 11	0.38 41	-31.82 28	9.24 10			0			
2124 25 0096 111881728	1162 1298	22 18	0084 0312	2.66	111	103	0.24 63	-0.54 45	-0.42 93	2.38 43	1.20 11	0.42 44	-31.82 28	9.24 10			0			
2124 25 0099 111881561	1162 1815	22 19	0084 0076	2.58	110	110	-0.50 62	-0.01 45	-0.27 96	1.10 43	1.40 11	0.32 44	-35.22 30	9.35 12			0			
2124 25 0100 111881579	1162 1815	22 19	0084 0076	2.58	118	106	1.13 62	-0.34 45	0.23 104	3.27 43	1.40 11	1.63 44	-35.22 30	9.35 12			0			
2124 25 0105 111881611	1162 1520	22 19	0084 0350	2.10	110	101	0.31 63	-0.61 46	-0.46 93	2.43 43	0.80 12	0.18 45	-32.06 31	8.62 11			0			
2124 25 0108 111882296	1162 1757	22 19	0084 0067	2.43	113	111	-0.01 62	-0.09 45	-0.09 99	1.87 43	1.40 11	0.74 44	-29.57 32	7.23 15			0			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
2124 25 0109 111882304	-	-	-	3.87	91	94	-0.98 29 89	-0.46 27 89	-0.95 84	-0.95 11 89			-0.60 14 101	-1.79 25 92	-0.04 24 100	0.83 16 100					0	
2124 25 0110 111882312	-	-	-	3.87	88	96	-1.59 49 82	-0.34 29 92	-1.13 81	-1.77 11 84			-0.60 14 101	-2.28 33 89	-0.04 24 100	0.83 16 100					0	
2124 25 0111 111882320	1162 1765	22 18	0084 0071	2.48	103	100	-0.97 64 89	-0.79 44 81	-1.28 78	1.02 43 102			1.80 13 112	-0.69 45 99	-32.61 30 136	10.10 11 74					0	
2124 25 0113 111935276	2124 2124	23 21	0093 0125	2.79	105	105	0.20 57 102	0.24 38 107	0.34 106	0.44 17 99			0.40 13 105	0.68 40 106	-1.62 23 102	2.70 17 94					0	
2124 25 0114 111935284	2124 2124	23 21	0093 0125	2.79	101	108	-0.69 57 92	0.41 38 111	0.07 102	-0.75 17 91			0.40 13 105	-0.04 40 102	-1.62 23 102	2.70 17 94					0	
2124 25 0115 111935292	2124 2124	23 21	0093 0125	2.79	105	105	0.09 57 101	0.26 38 107	0.30 106	0.29 17 98			0.40 13 105	0.59 40 106	-1.62 23 102	2.70 17 94					0	
2124 25 0123 111882353	-	-	-	3.87	96	106	-1.71 46 81	-0.14 27 97	-1.00 83	-1.69 5 85			1.60 5 111	-0.89 28 97	-0.38 5 100	-0.94 5 105					0	
2124 25 0124 111882361	-	-	-	3.87	96	107	-1.88 46 79	-0.11 27 98	-1.05 82	-1.92 5 83			1.60 5 111	-1.03 28 97	-0.38 5 100	-0.94 5 105					0	
2124 25 0128 111882494	-	-	-	3.87	98	100	-0.41 48 95	-0.17 28 97	-0.37 94	-0.03 11 95			-0.20 13 102	-0.69 32 99	0.72 25 99	-0.44 11 103					0	
2124 25 0133 112020912	1162 2124	22 23	0084 0053	2.11	110	94	1.07 64 112	-0.70 48 83	-0.17 98	3.48 46 118			0.30 19 105	0.55 47 106	-33.38 35 136	13.46 18 64					0	
2124 25 0139 111872230	2124 2124	23 24	0093 0056	4.98	99	92	0.96 60 110	0.04 41 102	0.51 109	1.86 21 108			-2.30 19 93	-0.39 43 100	-1.60 35 102	6.51 22 84					0	
2124 25 0140 111882528	1162 2124	22 20	0084 0239	2.87	109	103	-0.15 63 98	-0.54 47 87	-0.61 90	1.89 43 108			1.60 12 111	0.27 45 104	-33.23 29 136	10.07 8 74					0	
2124 25 0141 111882536	1162 2124	22 20	0084 0239	2.87	110	102	-0.01 55 100	-0.57 46 87	-0.57 91	2.08 43 109			1.60 12 111	0.39 42 105	-33.23 29 136	10.07 8 74					0	
2124 25 0144 111882080	-	-	-	3.87	91	98	-1.14 50 87	-0.23 30 95	-0.80 87	-1.22 20 88			-0.40 14 102	-1.61 34 93	7.69 27 90	-2.70 12 109					0	
2124 25 0145 111935300	1162 22 1	22 88	0084 3DJL	2.54	112	107	-0.17 60 98	-0.27 42 94	-0.35 94	1.91 43 108			1.80 11 112	0.64 42 106	-33.27 25 136	9.82 6 75					0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
2124 25 0146 111882098	2124 23 0043 2124 24 0069	5.07	91	99	-1.07 43 88	-0.13 33 97	-0.67 89	-1.38 23 87	-0.80 16 100	-1.68 33 93	6.96 33 91	-2.74 18 109	0									
2124 25 0148 111882114	- - - 2124 23 0113	3.87	101	110	-0.82 31 91	0.25 25 107	-0.16 98	-0.84 6 90	0.10 12 104	-0.51 24 100	-0.44 20 100	-3.24 8 111	0									
2124 25 0149 111882122	- - - 2124 24 0036	3.87	101	99	0.02 50 100	-0.44 30 90	-0.42 93	0.65 12 100	0.70 14 107	0.01 34 103	1.36 26 98	-0.35 12 103	0									
2124 25 0150 111882130	- - - 2124 24 0036	3.87	104	97	0.51 50 105	-0.53 30 87	-0.28 96	1.29 12 104	0.70 14 107	0.39 34 105	1.36 26 98	-0.35 12 103	0									
2124 25 0152 111882155	1162 22 0084 2124 22 0075	2.71	111	107	-0.25 62 97	-0.33 45 92	-0.46 93	1.67 43 107	1.80 11 112	0.50 44 105	-32.91 25 136	9.24 6 76	0									
2124 25 0158 111882213	- - - 2124 24 0062	3.87	103	97	0.61 50 107	-0.52 30 88	-0.22 97	1.30 13 104	0.20 14 104	0.20 34 104	3.68 28 95	-1.86 14 107	0									
2124 25 0163 111882411	1162 22 0084 2124 23 0032	2.53	109	101	0.15 62 101	-0.68 46 84	-0.61 90	2.18 43 110	0.90 12 108	0.00 44 103	-30.37 34 136	7.75 13 81	0									
2124 25 0165 111882437	1162 22 0084 2124 20 0237	2.87	114	108	0.28 61 103	-0.17 44 97	-0.03 100	2.25 43 110	1.70 12 111	1.13 43 109	-35.49 27 136	10.08 6 74	0									
2124 25 0167 111882452	1162 22 0084 1624 19 0133	2.58	118	110	0.60 67 106	-0.24 50 95	0.06 101	2.67 43 113	2.40 14 115	1.80 48 113	-33.51 28 136	9.33 12 76	0									
2124 25 0168 111882460	1162 22 0084 1624 19 0133	2.58	115	111	-0.08 67 99	-0.10 50 98	-0.15 98	1.76 43 107	2.40 14 115	1.25 48 110	-33.51 28 136	9.33 12 76	0									
2124 25 0170 111882486	1162 22 0084 2124 23 0071	2.21	116	110	0.80 62 109	0.08 45 103	0.48 109	2.66 44 113	0.50 13 106	1.18 44 109	-33.22 35 136	8.02 15 80	0									
2124 25 0171 112020938	1162 22 0084 19 0 02 3DJLK	2.90	114	108	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-32.91 25 136	9.24 6 76	0									
2124 25 0172 112020946	1162 22 0084 19 0 02 3DJLK	2.90	114	108	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-32.91 25 136	9.24 6 76	0									
2124 25 0174 111880928	1162 22 0084 2124 23 0017	3.04	118	108	0.78 60 109	-0.23 43 95	0.16 103	2.91 43 115	1.80 11 112	1.63 42 112	-32.91 25 136	9.24 6 76	0									
2124 25 0178 111880969	- - - 2124 23 0102	3.87	100	107	-0.77 30 91	0.03 22 102	-0.35 94	-0.68 6 91	0.40 9 105	-0.50 22 100	1.85 20 97	-3.49 8 112	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2124 25 0179 111880977	1162 22 0084 1967 23 0082	2.50	110	100	0.64 64 107	-0.33 46 93	-0.01 100	3.04 47 116	-0.10 13 103	0.26 45 104	-35.46 29 136	11.78 14 69	0								
2124 25 0180 111880985	1162 22 0084 2124 23 0025	3.04	115	112	-0.04 62 99	0.06 45 102	0.04 101	1.75 43 107	1.80 11 112	1.10 44 109	-32.91 25 136	9.24 6 76	0								
2124 25 0181 111880993	1162 22 0084 2124 23 0025	3.04	119	109	0.98 62 111	-0.14 45 97	0.35 106	3.11 43 116	1.80 11 112	1.92 44 114	-32.91 25 136	9.24 6 76	0								
2124 25 0183 111881017	1162 22 0084 2124 23 0088	2.10	108	98	0.81 57 109	-0.14 46 97	0.26 105	3.17 45 116	-1.10 18 98	0.01 44 103	-36.03 37 136	15.69 19 64	0								
2124 25 0185 111881033	1162 22 0084 2124 23 0030	2.53	110	102	0.30 63 103	-0.63 46 85	-0.48 92	2.34 43 111	0.90 12 108	0.21 45 104	-31.17 34 136	8.24 13 79	0								
2124 25 0188 111881066	1162 22 0084 2124 23 0078	2.58	110	102	0.27 53 103	-0.33 41 92	-0.20 97	2.21 45 110	1.00 16 108	0.53 40 106	-33.21 33 136	12.14 17 68	0								
2124 25 0192 111872271	2124 23 0156 2124 24 0045	2.63	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0								
2124 25 0193 111872289	2124 23 0156 2124 24 0045	2.63	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0								
2124 25 0194 111872297	2124 23 0156 2124 24 0045	2.63	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0								
2124 25 0195 111872305	2124 23 0043 2124 24 0034	3.63	103	97	1.14 44 113	0.18 37 105	0.75 113	1.34 25 104	-1.00 19 99	0.72 36 107	9.44 36 88	1.57 19 98	0								
2124 25 0196 111872313	2124 23 0043 2124 24 0034	3.63	105	96	1.53 55 117	0.11 38 103	0.87 115	1.86 25 108	-1.00 19 99	1.04 40 109	9.44 36 88	1.57 19 98	0								
2124 25 0197 111881074	- - - 2124 23 0016	3.87	110	109	0.40 45 104	0.06 25 102	0.26 105	0.85 5 101	1.60 5 111	1.41 27 111	-0.38 5 100	-0.94 5 105	0								
2124 25 0198 111881082	- - - 2124 23 0016	3.87	103	113	-1.03 45 88	0.34 25 109	-0.18 97	-1.05 5 89	1.60 5 111	0.27 27 104	-0.38 5 100	-0.94 5 105	0								
2124 25 0203 111872347	2124 23 0093 2124 24 0085	5.43	97	103	-0.64 49 93	0.24 34 107	-0.08 99	-0.69 18 91	-1.00 16 99	-0.99 36 97	0.90 32 99	-0.02 19 102	0								
2124 25 0205 111881124	- - - 1584 15 0039	3.87	103	109	-0.64 29 93	0.12 29 104	-0.21 97	-0.47 5 93	1.60 5 111	0.43 23 105	6.51 16 92	-3.82 6 112	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2124 25 0207 111881140	1162 22 0084 2124 23 0170	2.51		111	106	-0.11 56 98	-0.32 42 93	-0.38 94	1.84 43 108	1.80 11 112	0.64 40 106	-33.70 25 136	9.78 6 75	0						
2124 25 0212 111881165	1162 22 0084 1610 19 0003	8.38		117	110	0.56 51 106	0.08 42 103	0.36 107	2.65 43 113	1.60 11 111	1.60 38 112	-35.69 28 136	10.93 12 72	0						
2124 25 0214 111881181	1162 22 0084 762 23 0443	2.07		100	92	0.11 54 101	-0.56 43 87	-0.51 92	2.64 44 113	-2.10 17 94	-1.71 41 93	-27.20 33 134	10.42 16 73	0						
2124 25 0215 111881199	1162 22 0084 1967 19 0211	2.90		116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76	0						
2124 25 0216 111881207	1162 22 0084 1967 19 0211	2.90		116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76	0						
2124 25 0217 111881215	1162 22 0084 1967 19 0211	2.90		116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76	0						
2124 25 0219 111881231	1162 22 0084 1610 20 0044	2.39		116	110	0.59 55 106	0.23 45 106	0.52 109	2.48 45 112	0.90 15 108	1.35 42 110	-34.98 34 136	11.24 14 71	0						
2124 25 0221 111881256	1162 22 0084 1610 20 0229	2.22		118	112	0.82 54 109	0.21 45 106	0.62 111	2.77 45 114	0.80 16 107	1.51 42 111	-36.76 33 136	9.37 17 76	0						
2124 25 0227 111872388	2124 23 0156 2124 22 0091	2.71		99	106	-1.20 37 86	-0.09 28 99	-0.69 89	-1.06 5 89	1.40 5 110	-0.44 26 100	-2.02 10 102	-0.08 5 102	0						
2124 25 0231 112020961	2124 24 0066 2124 20 0204	2.87		104	111	-0.89 28 90	0.26 14 107	-0.19 97	-0.83 5 90	1.70 5 111	0.39 16 105	-1.10 5 101	-0.19 5 102	0						
2124 25 0232 111872412	2124 23 0156 2124 21 0050	2.79		105	113	-0.84 34 90	0.37 23 110	-0.05 99	-0.82 5 90	1.70 5 111	0.55 22 106	-1.10 5 101	-0.19 5 102	0						
2124 25 0234 112020862	2124 23 0156 23 0 01 2	2.94		104	112	-0.92 30 89	0.27 13 108	-0.19 97	-0.87 5 90	1.70 5 111	0.37 17 105	-1.11 5 101	-0.19 5 102	0						
2124 25 0242 111935359	2124 23 0156 22 0 20 6SBS	3.66		100	107	-1.22 35 86	0.00 25 101	-0.61 90	-1.04 5 89	1.60 5 111	-0.26 23 101	-1.52 7 102	0.84 5 100	0						
2124 25 0243 111872487	2124 23 0156 1610 20 0129	2.47		101	106	-0.75 40 91	0.21 29 106	-0.17 97	-0.53 16 92	0.60 12 106	-0.18 29 102	-3.77 21 105	2.82 16 94	0						
2124 25 0245 112188032	2124 23 0093 2124 22 0172	2.71		102	105	-0.31 42 96	0.23 32 107	0.07 102	-0.19 17 94	0.40 13 105	0.16 31 103	-1.62 23 102	2.70 17 94	0						

	Ewe flock average: Total ewes in flock: 285	102	101	-0.10	-0.13	-0.18	0.64	0.23	-0.09	-6.76	2.53
--	--	-----	-----	-------	-------	-------	------	------	-------	-------	------

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Herds	Progeny Number	Herds			Dir	Mat	Comb								
																		EBV	EBV
									Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	EPI Times Lamed		
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	1298 12 0001 70356258	2.26	1298 09 0520 1298 08 6070	54	1	2	1	108	99	0.90 85 110	-0.31 46 93	0.14 103	1.55 9 106	1.40 8 110	1.43 52 111	-3.08 40 104	4.83 26 89	1	
2	1146 12 0501 70379011	6.40	LM 07 0011 1146 08 0133	35	1	2	1	89	79	0.73 85 108	-1.25 63 70	-0.88 85	1.36 21 105	-2.90 40 90	-2.26 66 89	8.60 58 89	-4.36 36 114	84 5	
3	1150 13 9303 75161596	2.23		16	1	3	2	104	102	-0.27 70 97	-0.59 46 86	-0.72 88	0.49 14 99	2.40 13 115	0.58 48 106	3.83 37 95	-3.13 21 111		
4	1217 14 0206 74109158	2.04	776 CG 0061 1217 12 0135	29	1	5	3	101	106	-0.73 84 92	0.33 70 109	-0.04 100	-0.33 37 93	0.10 44 104	-0.34 69 101	-11.53 80 114	6.95 56 83	109 4	
5	554 15 0010 76694751	1.72	1318 11 0984 554 12 0034			3	1	100	109	-1.21 46 86	0.05 45 102	-0.56 91	-0.63 14 92	1.70 12 111	-0.15 38 102	9.32 63 88	-5.33 31 117	4	
6	1085 15 0028 79054797	2.23	1085 13 0012 1085 10 0284			3	3	115	119	0.24 49 102	0.92 46 124	1.04 118	0.91 32 102	0.80 11 107	1.64 39 112	-11.30 53 114	3.10 30 93	2	
7	116 15 0154 77991651	2.23	116 13 0140 493 07 0016	185	1	11	1	114	124	-0.46 95 95	0.91 73 124	0.68 112	-0.63 13 92	2.60 19 116	2.01 69 114	-3.76 55 105	-0.55 26 103	1	
8	1398 15 0214 83475749	4.48	1398 14 0071 1398 13 0303			1	1	98	99	0.09 25 101	-0.24 26 95	-0.19 97	0.26 8 97	-1.40 8 97	-0.99 21 97	1.61 69 98	-3.68 38 112	2	
9	1298 15 0446 79033148	4.44	762 10 0007 1298 11 0376			10	1	93	86	-0.88 54 90	-1.54 56 64	-1.98 66	0.17 28 97	1.70 29 111	-1.40 49 94	-2.29 51 103	2.72 36 94	6	
10	1590 16 0080 78788833	5.79	762 11 0591 762 13 0594			5	2	90	86	0.61 53 107	0.52 55 114	0.83 115	2.88 39 115	-6.60 32 72	-2.83 49 86	-10.00 66 113	11.59 40 70	4	
11	762 17 0019 80894306	5.20	762 15 0538 762 10 0156	35	1	8	2	105	94	0.81 85 109	-0.59 67 86	-0.18 97	2.69 28 113	0.10 29 104	0.28 65 104	-9.02 68 111	5.74 39 86	105 5	
12	959 17 0072 80501034	2.11	776 14 0184 1370 13 0037			2	2	110	107	0.84 43 109	-0.07 45 99	0.35 106	1.49 20 105	0.10 14 104	0.82 37 107	-6.24 59 108	-1.60 40 106	4	
13	1298 17 0130 91265959	2.92	1298 11 0269			1	1	95	95	-0.36 31 96	-0.30 28 93	-0.48 92	0.09 10 96	-0.70 10 100	-1.08 25 96	0.48 37 99	2.08 22 96	4	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Weaned			Herds	Dir	Mat	Comb						
			y						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lambbed	
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
14	762 17 0222 80894090	6.50	762 15 0616 762 10 0018	130	3	23	2	92	71	2.21 94	-1.21 81	-0.10 99	3.75 45	-4.30 44	-1.57 77	8.36 79	0.63 45	68 9
15	762 17 0448 81009276	4.41	762 15 0272 762 13 0236	1	1	8	1	105	112	-0.04 77	1.00 71	0.98 117	-0.01 59	-1.50 42	0.06 67	-6.94 60	3.90 45	110 6
16	762 17 0449 81009284	4.41	762 15 0272 762 13 0236	39	1	10	2	97	87	1.54 87	0.12 74	0.89 116	2.68 49	-4.80 48	-1.22 73	-6.95 73	9.05 50	110 6
17	IMPA 17 0674 92018845	9.32	16 0 43 9DL 16 0 50 5DL(A)					98	105	-1.54 38	0.00 19	-0.77 87	-1.45 9	1.90 5	-0.39 22	-6.01 32	5.56 16	1
18	1695 18 0001 83169508	24.13	1162 14 0037 1695 14 0194	58	1	13	1	96	107	-0.96 88	-0.03 70	-0.51 92	-4.28 88	0.50 31	-0.69 68	-4.00 62	-1.98 26	6
19	1695 18 0047 92197748	2.92	1162 14 0037 1695 17 0007	1	1	2	1	107	117	-0.83 45	0.40 37	-0.02 100	-2.65 41	1.80 12	0.65 34	-17.95 45	4.35 24	6
20	1610 18 0055 82720368	2.80														6.03 21	-4.27 7	114
21	1590 18 0061 86287497	4.29	1590 16 0020 1590 14 0030			2	1	91	93	-0.31 56	-0.74 52	-0.90 85	-0.67 34	-0.40 25	-1.29 47	20.38 71	-10.26 41	3
22	1162 18 0111 90659657	2.61	1162 16 0119 1162 16 0017					108	111	-0.38 10	0.02 8	-0.17 97	-0.10 5	1.90 5	0.78 8	-8.30 25	0.99 12	3
23	762 18 0157 82046301	5.82	762 16 0414 762 14 0063	220	1	40	1	84	79	0.61 97	-0.23 90	0.08 102	1.02 70	-5.60 63	-2.97 86	7.74 92	2.94 72	82 4
24	762 18 0524 82067141	6.96	762 13 0337 762 16 0411	23	1	7	2	105	109	-0.22 80	0.18 62	0.07 102	0.25 19	1.00 34	0.56 62	6.37 51	-4.13 35	85 8
25	IMPA 18 0690 99578262	2.40	16 0 43 9DL HOK 14 0088					102	108	-1.23 26	0.13 18	-0.49 92	-0.76 13	1.70 5	-0.08 18	-8.34 28	5.24 14	4
26	IMPA 18 447 91775130	2.80	16 0 43 9DL					101	104	-0.76 35	-0.04 16	-0.42 93	-1.24 28	1.70 5	0.22 20	-2.49 27	3.88 11	91

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Weaned			Herds	Dir	Mat	Comb						
			Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15
27	1590 19 0033 89802235	8.35	762 18 0157 762 15 0242	2	1	1	1	83	77	0.41 61 104	-0.66 56 84	-0.46 92	1.04 46 103	-5.50 33 77	-3.55 53 82	-3.27 72 104	4.79 46 89	99 6
28	1590 19 0150 86288412	4.53	1590 18 0061 1590 16 0049	9	1	7	1	90	79	0.73 65 108	-1.06 55 74	-0.70 88	1.93 24 108	-2.70 22 91	-1.96 51 91	11.44 61 85	-2.79 36 110	5
29	762 19 0339 86281706	6.62	762 17 0222 762 17 0201	2	1	5	2	100	88	1.12 69 112	-0.44 57 90	0.12 102	2.33 42 111	-2.60 26 91	-0.88 54 97	-15.85 64 120	10.20 31 74	85 4
30	762 19 0382 86288982	5.95	762 16 0414 762 17 0284	79	1	61	3	78	56	1.16 94 113	-1.33 89 67	-0.75 87	2.16 48 110	-4.90 56 80	-3.11 83 85	7.30 90 91	20.34 70 64	72 3
31	762 19 0449 86281557	10.31	762 18 0157 762 17 0122	7	1	8	1	76	79	-0.43 78 95	-0.74 70 82	-0.95 84	0.38 38 98	-6.70 41 72	-5.19 66 73	6.92 68 91	-6.27 47 119	87 7
32	IMPA 19 0868 94212263	4.11	1600 12 SBS 18-0 42 0DJL	20	1			100	98	-0.56 72 93	-0.35 33 92	-0.63 89	0.04 14 96	1.70 5 111	0.11 41 103	0.18 59 100	4.23 25 90	2
33	IMPA 19 0989 91332338	2.90		2	1	3	1			0.39 35 104	-0.32 18 93	-0.12 98	2.92 33 115	1.80 9 112	1.15 22 109	-1.98 19 102		
34	762 19 1002 86225661	4.89	762 18 0157 762 13 0028	29	5	31	8	89	87	-0.48 90 94	-0.13 82 98	-0.37 94	-0.56 60 92	-1.60 48 96	-1.57 77 93	-1.57 87 102	10.65 62 73	100 8
35	776 20 0028 90381054	6.58	776 17 0045 776 17 0200			1	1	104	103	-0.23 47 97	-0.57 43 87	-0.68 89	0.44 21 99	1.80 17 112	0.29 39 104	0.17 45 100	-3.60 32 112	2
36	1688 20 0042 89250930	2.89	HOK 16 0205 1162 15 0017					97	99	-0.73 17 92	0.03 15 102	-0.33 95	-0.28 7 94	-0.10 6 103	-0.76 14 98	-3.36 24 104	5.40 16 87	3
37	762 20 0184 87041471	9.39	762 18 0157 762 18 0329	137	2	7	1	90	100	-0.33 94 96	0.26 72 107	0.10 102	-0.65 91 91	-4.20 42 84	-2.59 74 88	7.23 77 91	-7.61 50 123	91 2
38	IMPP 20 1042 101806032	3.24	17 0 63 5DL 11 8 14 4DJL			1	1	96	100	-1.37 25 84	-0.33 25 92	-1.02 83	-0.81 9 90	1.40 6 110	-0.87 21 98	-2.03 22 102	3.15 14 93	1
39	762 20 1060 90575150	9.51	762 19 0080 762 19 0401	63	1	3	1	89	81	0.93 88 110	-0.25 61 95	0.22 104	1.95 77 108	-6.00 28 75	-2.92 64 86	-10.31 59 113	8.56 38 78	77 5

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progen y	Number Herds	Progeny Weaned	Number Herds			Mat		Comb							
									Dir EBV Acc Index	EBV Acc Index								EBV Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
40	762 21 0076 93539922	9.37	762 19 0064 762 17 0160	7	1	3	1	79	83	-0.80 68 91	-0.14 57 97	-0.54 91	0.25 34 97	-5.40 35 78	-4.18 56 78	6.70 62 91	1.35 39 98	85 3
41	762 21 0143 93602373	7.14	762 19 0382 762 18 0657	94	1	25	1	84	72	-0.21 92 97	-1.34 78 67	-1.44 75	0.87 26 101	-1.70 43 95	-2.57 75 88	-2.73 77 103	10.30 51 74	3
42	1765 21 0148 93544401	1.89	776 19 0103 170 16 0123					109	101	0.68 54 107	-0.50 43 88	-0.16 98	0.84 35 101	2.30 21 114	1.56 42 112	0.59 51 99	0.90 34 99	106 8
43	762 21 0467 93656387	7.30	762 19 1002 762 17 0284	150	2	38	1	96	96	-0.23 95 97	0.36 82 110	0.25 105	-0.59 34 92	-0.90 42 99	-0.41 78 100	1.20 85 98	9.26 55 76	72 3
44	762 21 0482 93656502	7.93	762 19 0449 762 18 0281	66	1	8	1	85	101	-1.60 89 82	-0.02 65 100	-0.82 86	-1.94 25 83	-3.50 36 87	-3.72 68 81	4.27 60 94	-9.70 33 129	106 5
45	IMPA 21 1635 107471179	2.79	- - - 19 0 87 8DJL	2	1			102	110	-1.10 30 87	0.16 9 105	-0.39 94	-1.06 5 89	1.60 5 111	0.02 15 103	-0.38 5 100	-0.94 5 105	1
46	IMPA 21 2951 99273294	2.79	19 0 86 8DJL - - -	57	1			105	102	-0.09 86 99	-0.24 44 95	-0.29 95	0.48 7 99	1.70 5 111	0.69 50 107	-0.10 29 100	1.64 12 97	
47	1695 22 0002 95745469	3.36	1695 20 0100 1695 18 0050			7	3	96	98	0.14 52 101	-0.47 52 89	-0.41 93	0.20 25 97	-1.40 16 97	-1.18 44 96	8.93 65 88	-8.77 35 126	7
48	2124 22 0046 99581761	2.34	17 0 67 4DL 1520 14 0076	15	1	1	1	96	111	-2.29 67 74	0.32 30 109	-0.83 86	-2.57 5 79	1.80 5 112	-0.89 38 97	-3.27 16 104	2.09 8 96	1
49	1162 22 0084 98539125	5.41	1162 19 0105 1162 19 0036	213	3	9	1	117	99	1.11 96 112	-0.64 72 85	-0.09 99	4.94 85 128	1.90 22 112	1.61 70 112	-65.44 50 136	19.42 12 64	2
50	2124 23 0043 99530842	2.25	762 19 1002 1755 20 0018	4	1			91	94	-0.60 63 93	-0.11 52 98	-0.41 93	-1.11 44 88	-0.60 26 101	-1.07 50 96	12.96 50 83	0.03 32 102	105 3
51	2124 23 0093 99572224	3.42	762 19 1002 1610 20 0158	21	1			102	103	0.15 79 101	0.50 55 113	0.57 110	0.17 33 97	-0.80 26 100	0.17 58 104	-2.86 46 103	6.33 34 84	114 3
52	2124 23 0156 99529901	2.79	2124 22 0046 2124 21 0112	6	1			103	114	-1.16 61 87	0.46 27 112	-0.13 98	-1.25 5 87	1.70 5 111	0.31 34 104	-1.83 8 102	0.57 5 100	92 1

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progen y	Number Herds	Progeny Weaned	Herds			Dir	Mat	Comb						
									EBV Acc	EBV Index	EBV Index	EBV Acc					
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
53	IMPA 23 1963 107471013	3.04	- - - 20 1 20 0DJL	2	1		103	105	-0.41 31 95	-0.09 11 98	-0.30 95	-0.14 8 95	1.50 5 111	0.39 17 105	-1.90 9 102	1.48 5 98	2
54	2124 24 0066 107508616	2.87	2124 22 0046 2124 20 0144	2	1		104	113	-1.10 56 87	0.43 28 112	-0.12 98	-1.16 5 88	1.70 5 111	0.35 33 105	-1.82 8 102	0.57 5 100	96 2
		Sire Flock Average: Number of sires used in the flock: 54					97	97	-0.16	-0.18	-0.26	0.30	-0.65	-0.74	-1.78	2.19	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat							Comb	
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb			
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	2124 25 0055 111881959	2.79	162 22 0084 124 21 0036		126	121	1.09 51	0.83 112	1.37 124	2.81 43	2.10 12	3.18 113	-32.62 28	11.08 136	98 2	
2	2124 25 0107 111881371	2.43	162 22 0084 757 19 0067		121	107	1.69 62	-0.43 119	0.42 108	4.14 43	1.40 11	2.11 110	-29.57 32	7.23 136	115 4	
3	2124 25 0218 111881223	2.87	162 22 0084 124 20 0166		121	113	1.01 60	0.12 111	0.62 104	3.04 43	1.80 11	2.21 112	-32.91 25	9.24 136	114 4	
4	2124 25 0164 111882429	2.87	162 22 0084 124 20 0237		121	104	1.62 61	-0.44 118	0.37 107	4.05 43	1.70 12	2.21 111	-35.49 27	10.08 136	144 3	
5	2124 25 0046 112272901	2.90	162 22 0084 967 19 0005		120	108	1.17 63	-0.36 113	0.22 104	2.96 47	2.10 12	2.07 113	-31.43 26	8.58 136	127 5	
6	2124 25 0169 111882478	2.21	162 22 0084 124 23 0071		119	108	1.48 62	-0.06 116	0.68 112	3.56 44	0.50 13	1.72 106	-33.22 35	8.02 136	103 2	
7	2124 25 0220 111881249	2.80	162 22 0084 751 18 0169		119	109	1.00 60	-0.20 111	0.31 106	3.16 43	1.80 11	1.88 112	-32.91 25	9.24 136	98 6	
8	2124 25 0132 111872198	4.04	124 23 0093 124 24 0035		118	101	3.01 60	0.33 133	1.84 132	3.91 20	-0.40 19	3.10 102	0.20 43	5.13 121	103 1	
9	2124 25 0175 111880936	2.79	162 22 0084 124 21 0083		117	112	0.48 54	0.05 105	0.28 105	2.40 43	1.80 11	1.60 112	-32.91 25	9.24 136	115 4	
10	2124 25 0223 111881272	3.47	162 22 0084 815 20 0124		117	109	0.78 60	-0.07 109	0.32 106	2.38 44	1.80 11	1.79 112	-37.52 27	10.59 136	97 4	
11	2124 25 0027 111881843	2.50	162 22 0084 124 23 0065		117	102	1.46 62	-0.49 116	0.24 104	3.77 45	1.00 16	1.57 108	-33.17 37	10.14 136	2	
12	2124 25 0102 111881595	2.19	162 22 0084 610 20 0093		117	101	1.38 63	-0.53 115	0.16 103	4.15 44	1.20 14	1.58 109	-34.73 33	11.13 136	97 2	
13	2124 25 0160 111935326	2.71	162 22 0084 22 0 06 6		117	107	0.80 60	-0.31 109	0.09 102	3.02 43	1.80 11	1.57 112	-33.22 25	9.78 136	1	
14	2124 25 0080 111881744	2.79	162 22 0084 124 21 0113		117	107	0.74 62	-0.34 108	0.03 101	2.90 43	1.80 11	1.47 112	-32.91 25	9.24 136	104 3	
15	2124 25 0098 111881553	2.58	162 22 0084 815 19 0076		116	106	0.89 62	-0.29 110	0.16 103	2.96 43	1.40 11	1.44 110	-35.22 30	9.35 136	108 5	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
			Progeny Number	Progeny Number			Dir	Mat	Comb										
			Weaned Herds	Weaned Herds												EBV	EBV	EBV	EBV
							Acc	Index	Index	Acc	Index	Acc	Index	Acc	EPI	Times Lamb			
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
16	2124 25 0082 111881769	2.47	162 22 0084 797 20 0734		116	110	0.44 54	-0.12 105	0.10 43	2.48 98	102	43	112	1.60 14	1.28 111	-31.06 28	8.16 13	94	1
17	2124 25 0106 111881629	2.43	162 22 0084 757 19 0067		116	110	0.55 62	-0.20 106	0.08 45	2.61 96	102	43	113	1.40 11	1.19 110	-29.57 32	7.23 15	115	4
18	2124 25 0021 111881314	2.22	162 22 0084 610 20 0159		116	107	0.86 63	-0.06 109	0.37 46	2.95 99	107	45	115	1.00 15	1.39 108	-35.31 32	10.89 15	98	2
19	2124 25 0211 111881157	8.38	162 22 0084 610 19 0003		116	111	0.28 60	0.13 103	0.27 43	2.27 104	105	43	111	1.60 11	1.37 111	-35.69 28	10.93 12	91	4
20	2124 25 0166 111882445	2.58	162 22 0084 624 19 0133		116	111	0.10 67	-0.14 101	-0.09 50	2.01 97	99	43	109	2.40 14	1.40 115	-33.51 28	9.33 12	100	6
21	2124 25 0018 111881280	2.87	162 22 0084 124 20 0251		116	107	0.59 60	-0.35 106	-0.05 42	2.73 92	99	43	114	1.80 11	1.32 112	-32.91 25	9.24 6	106	2
22	2124 25 0051 111882262	2.71	162 22 0084 124 22 0327		115	109	0.34 55	-0.13 104	0.04 45	2.31 98	101	43	111	1.60 12	1.16 111	-33.73 26	9.17 6	106	3
23	2124 25 0159 111935318	2.71	162 22 0084 22 0 06 6		115	108	0.30 60	-0.21 103	-0.06 42	2.36 95	99	43	111	1.80 11	1.17 112	-33.22 25	9.78 6		1
24	2124 25 0101 111881587	2.19	162 22 0084 610 20 0093		115	102	0.85 63	-0.42 109	0.00 46	3.44 90	100	44	118	1.20 14	1.15 109	-34.73 33	11.13 15	97	2
25	2124 25 0173 111880910	3.04	162 22 0084 124 23 0017		114	110	0.11 60	-0.10 101	-0.05 43	2.01 98	100	43	109	1.80 11	1.09 112	-32.91 25	9.24 6	102	2
26	2124 25 0092 111881686	2.71	162 22 0084 124 22 0018		114	108	0.23 55	-0.27 102	-0.16 45	2.23 94	98	43	110	1.80 11	1.04 112	-32.20 26	9.01 6	112	3
27	2124 25 0222 111881264	3.47	162 22 0084 815 20 0124		114	111	0.08 60	0.07 101	0.11 43	1.44 103	102	44	105	1.80 11	1.23 112	-37.52 27	10.59 11	97	4
28	2124 25 0187 111881058	2.23	162 22 0084 124 23 0028		114	100	1.03 63	-0.43 111	0.09 46	3.20 90	102	45	117	1.00 16	1.20 108	-33.11 36	12.58 18	99	2
29	2124 25 0043 111881413	2.71	162 22 0084 124 22 0043		114	107	0.21 52	-0.29 102	-0.18 43	2.22 94	97	43	110	1.80 11	1.01 112	-32.91 25	9.24 6	98	2
30	2124 25 0032 111881363	2.52	162 22 0084 124 23 0010		114	105	0.42 62	-0.55 105	-0.33 44	2.65 87	95	43	113	1.70 12	0.90 111	-31.90 28	8.13 11	103	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Progeny Number			Dir	Mat							
			Weaned	Herds			Herds	EBV	EBV	Acc	Acc	Index	Index	Acc	Acc
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31	2124 25 0017 111881934	2.22	162 22 0084 124 23 0086		114	105	0.67 64	-0.21 47	0.12 102	2.66 45	0.90 18	1.00 47	-33.07 36	10.65 18	105 2
32	2124 25 0182 111881009	2.10	162 22 0084 124 23 0088		113	95	1.94 64	-0.36 47	0.60 111	4.67 45	-1.10 18	0.91 47	-36.03 37	15.69 19	101 2
33	2124 25 0176 111880944	2.65	162 22 0084 520 16 0166		113	107	0.16 51	-0.35 42	-0.27 96	2.19 43	1.80 11	0.89 38	-32.91 25	9.24 6	99 3
34	2124 25 0030 111881876	2.71	162 22 0084 124 22 0006		113	106	0.28 61	-0.39 44	-0.25 96	2.35 43	1.60 12	0.85 43	-32.42 28	9.29 6	101 3
35	2124 25 0153 111882163	2.13	162 22 0084 124 23 0050		113	99	0.97 62	-0.35 46	0.13 103	3.28 45	0.70 18	1.04 46	-35.27 37	14.24 19	98 2
36	2124 25 0037 111882007	2.71	162 22 0084 124 22 0063		113	105	0.24 60	-0.51 44	-0.40 94	2.35 43	1.80 11	0.80 43	-32.96 25	9.10 6	93 2
37	2124 25 0029 111881868	2.71	162 22 0084 124 22 0006		112	106	0.15 52	-0.37 43	-0.29 95	2.18 43	1.60 12	0.75 39	-32.42 28	9.29 6	101 3
38	2124 25 0162 111882403	2.53	162 22 0084 124 23 0032		112	99	0.84 62	-0.82 46	-0.40 93	3.10 43	0.90 12	0.56 44	-30.37 34	7.75 13	104 2
39	2124 25 0026 111881835	2.50	162 22 0084 124 23 0065		112	105	0.32 55	-0.27 45	-0.11 99	2.25 45	1.00 16	0.66 42	-33.17 37	10.14 18	2
40	2124 25 0206 111881132	2.51	162 22 0084 124 23 0170		111	107	-0.16 62	-0.31 43	-0.40 94	1.78 43	1.80 11	0.61 43	-33.70 25	9.78 6	93 2
41	2124 24 0170 107486813	2.80	21 2 95 1 124 18 0022		111	108	0.62 60	0.06 36	0.37 107	1.18 5	1.70 5	1.70 37	-0.24 15	0.35 6	121 4
42	2124 25 0038 111882015	2.71	162 22 0084 124 22 0001		111	103	0.07 63	-0.60 46	-0.57 91	2.18 43	1.80 11	0.54 44	-32.91 25	9.24 6	106 3
43	2124 24 0134 107486656	2.64	21 2 95 1 797 20 0734		111	105	0.89 60	-0.13 34	0.32 106	1.65 6	1.50 8	1.66 38	1.61 19	-0.74 13	94 1
44	2124 25 0040 111881389	2.38	162 22 0084 610 20 0175		111	101	0.45 63	-0.38 47	-0.16 98	2.62 45	0.80 16	0.54 46	-35.76 34	11.81 17	96 2
45	2124 25 0184 111881025	2.53	162 22 0084 124 23 0030		111	101	0.48 63	-0.66 46	-0.43 93	2.58 43	0.90 12	0.36 45	-31.17 34	8.24 13	103 2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 2124 25 0186 111881041	2.23	162 22 0084 124 23 0028			111	102	0.30 55 103	-0.29 45 94	-0.13 98	2.24 45 110	1.00 16 108	0.62 42 106	-33.11 36 136	12.58 18 67	99 2
47 2124 24 0141 107486706	2.77	21 2 95 1 815 20 0124			110	109	0.33 58 103	0.10 32 103	0.27 105	0.35 11 98	1.70 5 111	1.45 35 111	-4.85 18 106	1.70 12 97	97 4
48 2124 25 0244 111872495	2.59	124 23 0156 610 20 0158			110	115	0.02 53 100	0.75 33 120	0.76 113	0.11 15 96	0.90 10 108	1.31 35 110	-2.99 17 104	1.29 14 98	114 3
49 2124 25 0060 111882049	2.48	162 22 0084 765 18 0055			110	99	0.09 52 101	-0.79 43 81	-0.74 88	2.34 43 111	2.10 14 113	0.57 40 106	-35.72 31 136	11.73 12 70	93 4
50 2124 25 0131 111872180	4.04	124 23 0093 124 24 0035			110	106	1.16 60 113	0.70 40 118	1.28 122	1.45 20 105	-0.40 19 102	1.62 43 112	0.20 35 100	5.13 20 88	103 1
51 2124 25 0031 111881884	2.71	162 22 0084 124 22 0006			110	108	-0.46 61 95	-0.25 44 95	-0.47 92	1.37 43 105	1.60 12 111	0.26 43 104	-32.42 28 136	9.29 6 76	101 3
52 2124 25 0151 111882148	2.71	162 22 0084 124 22 0075			109	108	-0.66 62 92	-0.25 45 95	-0.58 90	1.12 43 103	1.80 11 112	0.17 44 104	-32.91 25 136	9.24 6 76	101 3
53 2124 25 0089 111881652	2.92	162 22 0084 967 17 0119			109	103	-0.33 64 96	-0.66 46 84	-0.83 86	1.97 46 109	1.80 11 112	0.09 45 103	-32.91 26 136	9.01 6 77	126 5
54 2124 25 0117 111872131	1.93	124 23 0093 162 19 0016			108	105	0.90 58 110	0.38 40 110	0.83 115	1.34 18 104	-0.50 16 101	0.98 41 108	-4.25 31 105	3.39 19 93	131 4
55 2124 25 0004 111872024	2.87	124 23 0093 124 20 0166			108	112	0.11 45 101	0.77 36 120	0.83 115	0.09 17 96	0.40 13 105	1.12 34 109	-1.62 23 102	2.70 17 94	114 4
56 2124 24 0179 107484263	2.77	21 2 95 1 124 23 0090			108	105	0.74 58 108	-0.01 32 101	0.37 107	1.27 7 104	0.40 9 105	0.98 37 108	0.92 21 99	-1.84 10 107	93 1
57 2124 25 0154 111882171	2.13	162 22 0084 124 23 0050			108	102	-0.04 62 99	-0.15 46 97	-0.17 97	1.93 45 108	0.70 18 107	0.23 46 104	-35.27 37 136	14.24 19 64	98 2
58 2124 24 0205 107492993	3.20	23 1 96 3DJL 22 1 81 8DL			108	106	0.10 45 101	-0.10 19 98	-0.04 100	1.04 9 103	1.60 5 111	0.97 25 108	-1.56 7 102	0.55 5 100	1
59 2124 25 0103 111881603	2.10	162 22 0084 520 19 0350			108	102	-0.15 63 98	-0.52 46 88	-0.60 90	1.81 43 108	0.80 12 107	-0.19 45 101	-32.06 31 136	8.62 11 78	107 3
60 2124 25 0014 111881900	2.83	21 2 95 1 815 20 0260			107	106	0.08 53 101	-0.02 27 100	0.02 101	0.53 5 99	1.70 5 111	1.08 31 109	-0.61 17 101	0.85 7 100	100 2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 2124 25 0161 111882221	2.53	162 22 0084 1124 23 0032			107	102	-0.18 62 98	-0.62 46 85	-0.71 88	1.74 43 107	0.90 12 108	-0.26 44 101	-30.37 34 136	7.75 13 81	104 2
62 2124 25 0036 111881991	2.71	162 22 0084 1124 22 0063			107	108	-0.94 60 89	-0.28 44 94	-0.75 87	0.78 43 101	1.80 11 112	-0.14 43 102	-32.96 25 136	9.10 6 77	93 2
63 2124 25 0013 111881892	2.83	21 2 95 1 1124 20 0144			107	110	-0.21 46 97	0.20 29 106	0.09 102	0.08 5 96	1.70 5 111	1.01 29 108	-0.24 15 100	0.35 6 101	96 2
64 2124 23 0136 99571861	1.58	762 17 0222 162 19 0016			107	88	2.63 63 129	-0.61 50 85	0.71 113	4.08 24 122	-2.20 24 93	0.70 49 107	1.36 44 98	0.54 24 100	131 4
65 2124 25 0005 111881462	2.61	21 2 95 1 610 20 0044			107	109	-0.01 51 100	0.43 35 112	0.42 108	0.25 15 97	0.80 11 107	0.89 36 108	-2.31 28 103	2.35 14 95	91 4
66 2124 24 0242 107492969	2.80	21 2 95 1 751 18 0169			107	109	-0.22 47 97	0.13 31 104	0.02 101	0.10 5 96	1.70 5 111	0.93 30 108	-0.24 15 100	0.35 6 101	98 6
67 2124 24 0193 107484404	3.04	21 2 95 1 1124 23 0016			107	108	-0.14 57 98	0.06 33 102	-0.01 100	0.24 5 97	1.70 5 111	0.94 35 108	-0.24 15 100	0.35 6 101	102 2
68 2124 25 0112 111882338	3.87	- - - 967 18 0110			106	112	-0.67 17 92	0.25 20 107	-0.08 99	-0.08 12 95	1.60 5 111	0.54 14 106	-4.17 8 105	0.61 5 100	84 4
69 2124 25 0002 112021100	2.60	21 2 95 1 520 13 0014			106	108	-0.31 48 96	0.01 33 101	-0.15 98	0.04 5 96	1.70 5 111	0.72 32 107	-0.15 17 100	-0.64 7 104	95 8
70 2124 24 0094 107486482	2.56	21 2 95 1 1124 23 0010			106	102	0.19 58 102	-0.42 34 90	-0.32 95	0.91 7 102	1.60 6 111	0.74 37 107	0.77 20 99	-0.76 11 104	103 2
71 2124 25 0119 111872156	2.90	1124 23 0093 610 19 0510			106	106	0.24 58 102	0.37 39 110	0.48 109	0.42 17 98	0.30 14 105	0.78 41 107	-1.00 25 101	3.15 17 93	110 3
72 2124 25 0225 111872362	2.54	1124 23 0156 520 13 0014			105	114	-0.85 37 90	0.36 28 110	-0.06 99	-0.82 5 90	1.70 5 111	0.53 26 106	-1.01 9 101	-1.18 5 105	95 8
73 2124 25 0077 112272893	2.68	21 2 95 1 967 23 0081			105	100	0.68 60 107	-0.05 34 100	0.29 105	1.56 21 106	-0.30 7 102	0.45 38 105	-2.69 21 103	2.72 11 94	95 1
74 2124 25 0008 111881496	2.70	21 2 95 1 967 16 0047			105	106	-0.25 47 97	-0.03 31 100	-0.15 98	-0.20 17 94	1.70 5 111	0.75 30 107	-0.21 15 100	0.47 6 101	102 6
75 2124 24 0209 107493033	2.50	21 2 95 1 1124 23 0019			105	101	0.23 46 102	-0.38 26 91	-0.27 96	0.65 10 100	1.50 6 111	0.75 29 107	0.50 23 99	0.78 13 100	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76 2124 25 0147 111882106	3.87	- - - 124 23 0113			105	108	0.02 49 100	0.08 27 103	0.09 102	0.28 6 98	0.10 12 104	0.16 32 104	-0.44 20 100	-3.24 8 111	91 1
77 MPA 21 2951 99273294	2.79	19 0 86 3DJL - - -	57	1	105	102	-0.09 86 99	-0.24 44 95	-0.29 95	0.48 7 99	1.70 5 111	0.69 50 107	-0.10 29 100	1.64 12 97	
78 2124 25 0121 111872172	2.90	124 23 0093 610 19 0510			104	107	-0.02 58 100	0.42 39 111	0.41 107	0.08 17 96	0.30 14 105	0.58 41 106	-1.00 25 101	3.15 17 93	110 3
79 2124 24 0048 107492035	3.69	762 17 0222 610 20 0158			104	94	1.75 64 119	-0.09 50 99	0.79 114	2.67 27 113	-2.20 25 93	0.34 50 105	2.10 43 97	1.32 26 98	114 3
80 2124 25 0012 111881348	2.83	21 2 95 1 610 20 0243			104	104	-0.28 55 97	-0.20 30 96	-0.33 95	0.18 5 97	1.70 5 111	0.55 33 106	-0.24 15 100	0.35 6 101	100 3
81 2124 24 0101 107486524	2.71	21 2 95 1 124 22 0172			104	105	-0.32 55 96	-0.16 29 97	-0.32 95	0.11 5 96	1.70 5 111	0.54 33 106	-0.24 15 100	0.35 6 101	97 2
82 2124 25 0230 112020953	2.87	124 24 0066 124 20 0204			104	111	-0.89 28 90	0.26 14 107	-0.19 97	-0.83 5 90	1.70 5 111	0.39 16 105	-1.10 5 101	-0.19 5 102	2
83 2124 25 0120 111872164	2.90	124 23 0093 610 19 0510			104	107	-0.17 58 98	0.45 39 112	0.36 107	-0.11 17 95	0.30 14 105	0.46 41 105	-1.00 25 101	3.15 17 93	110 3
84 2124 24 0225 107492639	2.83	21 2 95 1 124 20 0255			104	106	-0.48 45 94	-0.21 28 96	-0.45 93	-0.08 5 95	1.70 5 111	0.32 28 104	-0.58 21 101	-1.20 7 105	91 3
85 2124 25 0130 112020904	2.11	162 22 0084 124 23 0053			104	97	-0.26 64 97	-0.44 48 90	-0.57 91	1.69 46 107	0.30 19 105	-0.52 47 100	-33.38 35 136	13.46 18 64	102 1
86 MPA 23 1963 107471013	3.04	- - - 20 1 20 3DJL	2	1	103	105	-0.41 31 95	-0.09 11 98	-0.30 95	-0.14 8 95	1.50 5 111	0.39 17 105	-1.90 9 102	1.48 5 98	2
87 2124 23 0156 99529901	2.79	124 22 0046 124 21 0112	6	1	103	114	-1.16 61 87	0.46 27 112	-0.13 98	-1.25 5 87	1.70 5 111	0.31 34 104	-1.83 8 102	0.57 5 100	92 1
88 2124 25 0239 111872461	2.47	124 23 0156 124 24 0018			103	105	0.14 43 101	0.19 28 106	0.26 105	0.51 14 99	-0.30 12 102	0.15 30 103	-0.56 25 101	0.41 14 101	1
89 2124 25 0134 112020920	2.11	162 22 0084 124 23 0053			103	98	-0.43 64 95	-0.40 48 91	-0.62 90	1.47 46 105	0.30 19 105	-0.66 47 99	-33.38 35 136	13.46 18 64	102 1
90 2124 25 0235 111872420	2.83	124 23 0156 610 20 0243			103	110	-0.98 34 89	0.19 22 106	-0.30 95	-0.91 5 90	1.70 5 111	0.23 22 104	-1.10 5 101	-0.19 5 102	100 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
91	2124 24 0235 107492241	2.77	21 2 95 1 124 15 0812				103	104	-0.52 46 94	-0.26 28 94	-0.52 91	-0.10 5 95	1.70 5 111	0.24 29 104	-0.42 15 100	-0.19 6 102	93 2	
92	2124 25 0233 111935334	2.58	124 23 0156 124 23 0005				103	109	-0.85 33 90	0.30 19 108	-0.13 98	-0.60 5 92	1.10 5 109	0.11 21 103	-1.76 11 102	1.23 8 99	1	
93	2124 25 0224 111872354	2.84	124 24 0066 124 18 0043				102	109	-1.00 30 89	0.12 20 104	-0.38 94	-0.90 5 90	1.70 5 111	0.14 19 103	-1.10 5 101	-0.19 5 102	92 3	
94	2124 24 0144 107486730	2.65	21 2 95 1 765 18 0130				102	99	-0.34 59 96	-0.65 34 84	-0.82 86	0.35 8 98	2.20 11 114	0.33 38 104	-0.72 19 101	1.27 11 98	96 3	
95	2124 24 0118 107492159	2.71	762 17 0222 124 22 0076				102	92	1.38 58 115	-0.48 44 89	0.22 104	2.35 23 111	-1.30 22 97	0.13 44 103	3.99 40 95	-0.16 22 102	90 1	
96	2124 25 0116 111872123	1.93	124 23 0093 162 19 0016				102	109	-0.41 58 95	0.64 40 117	0.43 108	-0.41 18 93	-0.50 16 101	-0.08 41 102	-4.25 31 105	3.39 19 93	131 4	
97	2124 25 0125 111882379	2.80	124 23 0043 124 18 0022				102	105	-0.10 54 99	0.22 39 106	0.17 103	-0.25 22 94	0.50 13 106	0.42 39 105	6.29 25 92	-0.46 16 103	121 4	
98	2124 25 0240 111872479	2.66	124 23 0156 124 23 0141				102	101	0.13 43 101	-0.03 28 100	0.03 101	0.58 11 100	0.10 11 104	0.16 30 103	1.53 21 98	0.88 11 99	1	
99	2124 24 0156 107492472	2.71	762 17 0222 124 22 0077				102	88	1.60 60 118	-0.72 47 83	0.08 102	2.74 23 114	-1.30 22 97	0.09 46 103	3.99 40 95	-0.16 22 102	93 2	
100	MPA 21 1635 107471179	2.79	- - - 19 0 87 3DJL	2	1		102	110	-1.10 30 87	0.16 9 105	-0.39 94	-1.06 5 89	1.60 5 111	0.02 15 103	-0.38 5 100	-0.94 5 105	1	
101	2124 25 0191 111872263	2.65	124 23 0156 124 24 0016				102	103	-0.16 43 98	0.00 28 101	-0.08 99	0.21 11 97	0.20 11 104	-0.04 30 102	-2.23 24 103	1.45 11 98	1	
102	2124 25 0190 111872255	2.65	124 23 0156 124 24 0016				102	103	-0.16 43 98	0.00 28 101	-0.08 99	0.21 11 97	0.20 11 104	-0.04 30 102	-2.23 24 103	1.45 11 98	1	
103	2124 23 0093 99572224	3.42	762 19 1002 610 20 0158	21	1		102	103	0.15 79 101	0.50 55 113	0.57 110	0.17 33 97	-0.80 26 100	0.17 58 104	-2.86 46 103	6.33 34 84	114 3	
104	2124 25 0118 111872149	2.79	124 23 0093 124 21 0169				102	107	-0.50 55 94	0.37 36 110	0.12 102	-0.50 17 92	0.40 13 105	0.11 38 103	-1.62 23 102	2.70 17 94	123 3	
105	2124 24 0161 107492522	2.51	762 17 0222 688 21 0058				102	89	1.51 62 117	-0.59 48 86	0.16 103	2.82 23 114	-1.70 24 95	-0.11 48 102	4.16 43 95	-0.50 26 103	110 3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
106 MPA 19 1020 107471195	2.90	18 0 69 - - -	2	1	101	109	-1.27 32 86	0.17 12 105	-0.47 92	-1.04 7 89	1.70 5 111	-0.08 17 102	-4.36 14 105	2.15 7 96	
107 2124 24 0231 107492894	2.80	124 23 0093 124 18 0043			101	104	-0.37 41 96	0.15 31 105	-0.04 100	-0.23 17 94	0.40 13 105	0.02 31 103	-1.62 23 102	2.70 17 94	92 3
108 2124 25 0236 111872438	2.83	124 23 0156 610 20 0243			101	111	-1.36 47 85	0.26 24 107	-0.42 93	-1.42 5 86	1.70 5 111	-0.08 27 102	-1.10 5 101	-0.19 5 102	100 3
109 2124 25 0229 111872404	2.71	124 24 0066 124 22 0066			101	109	-1.15 50 87	0.04 31 102	-0.53 91	-1.06 5 89	1.70 5 111	-0.08 31 102	-1.43 10 102	-0.24 5 103	116 3
110 2124 25 0228 111872396	2.71	124 24 0066 124 22 0066			101	109	-1.15 50 87	0.04 31 102	-0.53 91	-1.06 5 89	1.70 5 111	-0.08 31 102	-1.43 10 102	-0.24 5 103	116 3
111 2124 25 0064 112020896	6.25	124 23 0093 967 23 0164			101	100	0.17 47 102	0.32 35 109	0.41 107	0.67 26 100	-1.50 15 96	-0.41 35 100	-6.00 28 107	5.84 19 86	100 1
112 2124 24 0210 107484529	2.71	21 1 63 5DJL 124 22 0066			100	107	-1.09 48 88	-0.10 28 98	-0.65 89	-0.93 5 90	1.60 5 111	-0.23 29 101	-0.71 9 101	-1.00 5 105	116 3
113 2124 24 0126 107492233	3.08	762 17 0222 757 19 0067			100	90	1.33 62 115	-0.53 49 88	0.14 103	2.31 23 111	-1.70 23 95	-0.22 48 101	7.33 45 91	-2.17 26 108	115 4
114 2124 25 0157 111882205	3.87	- - - 124 24 0062			100	98	0.14 50 101	-0.43 30 90	-0.36 94	0.68 13 100	0.20 14 104	-0.17 34 102	3.68 28 95	-1.86 14 107	101 1
115 2124 24 0190 107484370	2.67	21 2 95 1 124 23 0064			100	100	-0.38 49 95	-0.20 31 96	-0.39 94	-0.06 15 95	0.80 12 107	-0.10 34 102	-0.89 31 101	2.53 17 95	1
116 2124 24 0191 107484388	2.67	21 2 95 1 124 23 0064			100	100	-0.38 49 95	-0.20 31 96	-0.39 94	-0.06 15 95	0.80 12 107	-0.10 34 102	-0.89 31 101	2.53 17 95	1
117 2124 25 0143 111882072	3.87	- - - 124 24 0011			100	96	0.23 49 102	-0.44 30 90	-0.32 95	0.89 11 101	-0.10 13 103	-0.26 33 101	1.37 26 98	0.11 12 102	95 1
118 2124 24 0049 107492043	3.69	762 17 0222 610 20 0158			100	96	0.81 64 109	0.10 50 103	0.50 109	1.40 27 105	-2.20 25 93	-0.42 50 100	2.10 43 97	1.32 26 98	114 3
119 2124 25 0122 111882346	3.87	- - - 124 22 0042			100	104	-0.96 22 89	-0.29 25 94	-0.77 87	-0.69 5 91	1.60 5 111	-0.29 18 101	-0.38 5 100	-0.94 5 105	100 3
120 2124 25 0177 111880951	3.87	- - - 124 23 0102			100	107	-0.77 30 91	0.03 22 102	-0.35 94	-0.68 6 91	0.40 9 105	-0.50 22 100	1.85 20 97	-3.49 8 112	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat							Comb
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb	
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
121	2124 25 0241 111935342	3.66	124 23 0156 22 0 20 iSBS		99	107	-1.37 48 84	0.03 27 102	-0.66 89	-1.24 5 88	1.60 5 111	-0.38 29 100	-1.52 7 102	0.84 5 100	2
122	2124 25 0238 111872453	2.65	124 23 0156 124 24 0029		99	103	-0.59 42 93	-0.05 26 100	-0.35 94	-0.30 11 94	0.20 11 104	-0.52 29 100	0.54 24 99	-0.94 12 105	1
123	2124 25 0237 111872446	2.65	124 23 0156 124 24 0029		99	103	-0.59 42 93	-0.05 26 100	-0.35 94	-0.30 11 94	0.20 11 104	-0.52 29 100	0.54 24 99	-0.94 12 105	1
124	2124 24 0211 107484537	2.71	21 1 63 5DJL 124 22 0066		99	108	-1.47 48 83	-0.03 28 100	-0.76 87	-1.43 5 86	1.60 5 111	-0.53 29 99	-0.71 9 101	-1.00 5 105	116 3
125	2124 24 0199 107484461	2.67	21 2 95 1 124 23 0030		99	100	-0.52 60 94	-0.39 37 91	-0.64 89	-0.18 7 94	0.80 5 107	-0.42 38 100	1.50 28 98	-0.65 13 104	103 2
126	2124 24 0014 107492316	2.79	762 17 0222 124 21 0169		99	91	0.80 60 109	-0.53 47 87	-0.13 98	1.66 23 107	-1.30 22 97	-0.51 46 100	3.99 40 95	-0.16 22 102	123 3
127	2124 24 0194 107484412	2.54	21 2 95 1 124 23 0081		99	96	-0.23 53 97	-0.27 35 94	-0.39 94	0.21 16 97	0.50 13 106	-0.20 37 101	0.96 31 99	4.02 18 91	94 1
128	2124 24 0240 107492944	2.71	124 23 0093 124 22 0091		98	101	-0.54 45 94	-0.07 37 99	-0.34 95	-0.35 17 93	0.10 14 104	-0.55 35 99	-2.54 25 103	2.80 17 94	101 3
129	2124 25 0062 111872032	2.66	124 23 0156 124 23 0142		98	102	-0.52 55 94	0.01 32 101	-0.25 96	-0.24 11 94	0.00 13 103	-0.51 36 100	1.88 25 97	0.45 11 101	90 1
130	2124 24 0113 107492654	2.71	762 17 0222 124 22 0005		98	91	0.74 61 108	-0.51 48 88	-0.14 98	1.57 23 106	-1.30 22 97	-0.55 47 99	3.99 40 95	-0.16 22 102	98 3
131	2124 25 0226 111872370	2.71	124 23 0156 124 22 0091		98	107	-1.44 51 84	-0.04 30 100	-0.76 87	-1.39 5 87	1.40 5 110	-0.64 32 99	-2.02 10 102	-0.08 5 102	101 3
132	2124 25 0199 111872321	2.47	124 23 0156 124 24 0002		98	100	-0.28 43 97	-0.05 28 100	-0.19 97	0.13 14 97	-0.40 13 102	-0.57 30 99	1.64 27 98	0.83 14 100	1
133	2124 24 0046 107492019	2.79	762 17 0222 124 21 0125		98	91	0.68 61 107	-0.51 48 88	-0.17 98	1.49 23 105	-1.30 22 97	-0.61 47 99	3.99 40 95	-0.15 22 102	110 2
134	2124 24 0244 107492258	2.49	21 2 95 1 563 20 0368		98	94	-0.19 49 98	-0.82 34 80	-0.91 85	0.38 13 98	0.90 10 108	-0.47 34 100	3.53 30 95	-1.27 17 105	96 4
135	2124 25 0137 111872214	5.26	124 23 0093 124 24 0080		98	106	-0.75 60 91	0.37 40 110	-0.01 100	-0.95 24 89	-0.60 18 101	-0.74 43 98	1.65 34 98	-0.70 19 104	99 1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir		Mat							Comb	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index							
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
136	2124 23 0159 99510570	2.72	762 21 0482 688 21 0058				98	105	-0.46 60	0.01 42	-0.22 97	-0.10 14	-1.20 20	-1.17 44	2.12 34	-5.67 21	110 3		
137	2124 24 0071 107486250	2.79	762 21 0482 1124 21 0083				98	110	-0.96 60	0.37 43	-0.11 99	-1.15 13	-0.90 18	-1.12 44	1.94 30	-5.32 17	115 4		
138	2124 25 0213 111881173	2.07	162 22 0084 762 23 0443				98	93	-0.35 61	-0.47 44	-0.65 89	2.03 44	-2.10 17	-2.08 44	-27.20 33	10.42 16	100 1		
139	2124 24 0054 107492092	2.89	762 17 0222 584 15 0039				97	90	0.79 64	-0.52 50	-0.13 98	1.64 23	-1.40 23	-0.57 49	10.88 43	-3.04 23	159 9		
140	2124 25 0138 111872222	4.98	1124 23 0093 1124 24 0056				97	93	0.46 60	0.14 41	0.36 107	1.19 21	-2.30 19	-0.79 43	-1.60 35	6.51 22	99 1		
141	2124 24 0070 107486243	2.79	762 21 0482 1124 21 0083				97	110	-1.11 60	0.40 43	-0.16 98	-1.36 13	-0.90 18	-1.25 44	1.94 30	-5.32 17	115 4		
142	2124 25 0189 111872248	2.47	1124 23 0156 1124 24 0033				97	96	0.03 56	-0.15 33	-0.14 98	0.61 13	-1.20 15	-0.85 38	1.44 28	1.52 14	95 1		
143	2124 25 0202 111872339	5.43	1124 23 0093 1124 24 0085				97	103	-0.64 49	0.24 34	-0.08 99	-0.69 18	-1.00 16	-0.99 36	0.90 32	-0.02 19	1		
144	2124 25 0200 111881090	3.87	- - - 1124 24 0021				97	92	0.49 33	-0.43 26	-0.18 97	1.15 15	-1.70 14	-0.96 26	3.65 28	-0.98 15	1		
145	2124 25 0136 111872206	5.26	1124 23 0093 1124 24 0080				96	107	-1.09 60	0.43 40	-0.11 98	-1.41 24	-0.60 18	-1.01 43	1.65 34	-0.70 19	99 1		
146	2124 22 0046 99581761	2.34	17 0 67 4DL 520 14 0076	15	1	1	96	111	-2.29 67	0.32 30	-0.83 86	-2.57 5	1.80 5	-0.89 38	-3.27 16	2.09 8	1		
147	2124 25 0069 111872081	11.07	1124 23 0093 762 23 0277				96	94	0.07 51	0.03 39	0.07 101	0.26 20	-1.40 20	-0.74 39	0.85 35	5.16 23	90 1		
148	2124 25 0068 111872073	11.07	1124 23 0093 762 23 0277				96	94	0.07 51	0.03 39	0.07 101	0.26 20	-1.40 20	-0.74 39	0.85 35	5.16 23	90 1		
149	1967 23 0185 98902489	2.90	762 20 0184 967 19 0212				96	104	-0.57 53	0.08 44	-0.20 97	-0.62 50	-1.40 21	-1.32 42	3.32 39	-4.72 26	143 5		
150	2124 24 0105 107492811	2.71	762 17 0222 1124 22 0018				96	92	0.27 62	-0.45 49	-0.32 95	0.95 23	-1.30 22	-0.97 48	4.70 40	-0.39 22	112 3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
151 2124 24 0092 107486466	2.80	762 21 0482 610 18 0026			96	105	-0.86 58 90	-0.03 35 100	-0.46 92	-0.85 13 90	-0.90 18 99	-1.43 40 94	1.94 30 97	-5.32 17 117	100 3
152 2124 23 0107 99529786	2.71	762 21 0482 124 22 0005			95	106	-0.98 59 89	0.04 42 102	-0.45 93	-1.03 13 89	-0.90 18 99	-1.48 43 94	1.94 30 97	-5.32 17 117	98 3
153 2124 25 0070 111872099	11.07	124 23 0093 762 23 0277			95	95	-0.09 60 99	0.06 40 102	0.02 101	0.05 20 96	-1.40 20 97	-0.86 43 98	0.85 35 99	5.16 23 88	90 1
154 2124 24 0125 107492225	2.71	762 17 0222 124 22 0042			95	85	0.72 61 108	-0.98 48 76	-0.62 90	1.76 23 107	-1.30 22 97	-1.04 47 97	3.99 40 95	-0.16 22 102	100 3
155 2124 23 0148 99529885	2.71	124 22 0046 124 22 0077			95	113	-2.49 52 72	0.40 29 111	-0.85 86	-2.89 5 77	1.70 5 111	-1.07 31 96	-1.82 8 102	0.57 5 100	93 2
156 2124 23 0175 99530123	2.90	124 22 0046 967 19 0060			95	110	-2.15 56 76	0.16 32 105	-0.92 85	-2.89 20 77	1.70 5 111	-0.97 34 97	-1.82 8 102	0.57 5 100	237 5
157 2124 24 0081 107486359	2.14	762 21 0482 755 20 0039			95	109	-1.09 65 88	0.29 46 108	-0.25 96	-1.41 35 86	-1.00 20 99	-1.40 47 94	8.15 39 89	-8.30 18 125	119 3
158 2124 24 0148 107492399	2.80	762 17 0222 124 18 0034			95	91	0.18 60 102	-0.48 47 89	-0.39 94	0.86 23 101	-1.30 22 97	-1.08 46 96	3.99 40 95	-0.16 22 102	93 2
159 2124 25 0072 111881504	3.87	- - - 762 23 0268			95	99	-0.52 33 94	0.11 28 104	-0.15 98	-0.29 12 94	-1.10 15 98	-1.07 27 96	5.56 28 93	-0.25 17 103	91 1
160 2124 25 0156 111882197	3.87	- - - 124 24 0031			95	96	-0.34 50 96	-0.23 30 95	-0.40 93	0.18 13 97	-1.30 15 97	-1.35 34 95	0.98 28 99	0.47 14 101	95 1
161 2124 23 0083 99572083	2.61	762 19 1002 520 16 0016			95	96	-0.79 59 91	-0.17 48 97	-0.57 91	-0.73 30 91	0.00 24 103	-0.96 47 97	-0.97 44 101	4.85 31 89	89 6
162 2124 24 0074 107486284	2.51	762 21 0482 624 19 0133			93	111	-2.00 66 77	0.32 47 109	-0.68 89	-2.43 13 80	-0.30 20 102	-1.86 48 92	1.35 33 98	-5.24 20 116	100 6
163 2124 24 0003 107578494	2.79	762 17 0222 124 21 0022			93	87	0.14 59 101	-0.79 46 81	-0.72 88	0.94 23 102	-1.30 22 97	-1.43 45 94	5.94 40 92	-1.17 22 105	102 2
164 2124 24 0121 107492183	4.18	762 17 0222 765 18 0071			92	80	0.59 62 106	-1.28 47 69	-0.98 83	1.77 24 107	-1.30 23 97	-1.47 47 94	4.29 43 94	0.71 24 100	151 6
165 2124 24 0022 107491789	2.05	762 17 0222 755 20 0018			92	86	0.69 66 108	-0.64 51 85	-0.29 95	0.97 39 102	-2.00 25 94	-1.15 51 96	17.92 46 77	-4.98 23 116	105 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index							
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
166	2124 25 0127 111882395	3.67	124 23 0043 124 24 0015					92	91	-0.26 44 97	-0.48 37 89	-0.61 90	-0.11 25 95	-1.00 19 99	-1.34 36 95	6.62 36 91	0.37 19 101	94 1	
167	2124 25 0142 111882544	5.07	124 23 0043 124 24 0086					92	97	-0.71 55 92	-0.14 37 97	-0.49 92	-0.93 23 90	-1.10 18 98	-1.51 40 94	7.07 34 91	-2.04 18 108	95 1	
168	2124 25 0057 112234539	5.86	124 23 0093 124 23 0123					91	99	-1.55 59 82	-0.14 39 97	-0.91 85	-1.63 18 85	-0.30 18 102	-1.86 42 92	-0.92 33 101	1.73 20 97	91 1	
169	2124 25 0201 111881108	3.87	- - - 762 20 0061					91	97	-0.81 53 91	-0.09 35 99	-0.50 92	-0.71 18 91	-2.10 19 94	-2.16 38 90	0.49 28 99	-0.77 21 104	138 4	
170	2124 24 0091 107486458	2.80	762 21 0482 610 18 0026					91	108	-1.97 58 78	0.19 35 106	-0.79 87	-2.33 13 80	-0.90 18 99	-2.32 40 89	1.94 30 97	-5.32 17 117	100 3	
171	2124 24 0019 107492357	7.20	762 17 0222 762 20 0061					88	76	1.36 66 115	-0.88 53 79	-0.20 97	2.39 29 111	-5.10 29 79	-2.58 52 88	4.86 49 94	0.01 31 102	138 4	
172	2124 23 0163 99510596	3.50	762 21 0482 610 20 0175					88	103	-1.81 62 79	0.11 44 104	-0.80 87	-2.03 20 82	-1.90 21 94	-2.85 46 86	-0.90 38 101	-2.76 23 110	96 2	
173	2124 25 0155 111882189	3.87	- - - 124 24 0063					87	95	-1.65 49 81	-0.46 29 89	-1.29 78	-1.54 13 86	-0.50 14 101	-2.41 33 89	3.78 28 95	-1.59 14 106	93 1	
174	2124 25 0129 111882502	3.87	- - - 124 24 0089					87	106	-2.66 48 70	-0.02 26 100	-1.35 77	-3.01 6 76	-0.10 12 103	-2.74 31 87	-0.60 22 101	-2.98 8 110	93 1	
175	2124 24 0020 107492365	7.20	762 17 0222 762 20 0061					87	77	1.13 66 112	-0.83 53 80	-0.27 96	2.09 29 109	-5.10 29 79	-2.76 52 87	4.86 49 94	0.01 31 102	138 4	
176	2124 25 0075 111881538	3.87	- - - 762 23 0483					87	98	-1.93 50 78	-0.01 31 101	-0.97 84	-2.13 13 82	-0.50 15 101	-2.23 35 90	4.88 26 94	1.20 18 99	103 1	
177	2124 23 0120 99510455	10.93	762 21 0482 563 21 0154					87	96	-0.78 62 91	-0.11 44 98	-0.50 92	-1.02 19 89	-3.70 20 86	-3.11 45 85	4.27 37 94	-6.47 23 120	101 3	
178	2124 25 0126 111882387	3.67	124 23 0043 124 24 0015					86	94	-1.47 55 83	-0.24 38 95	-0.98 84	-1.73 25 84	-1.00 19 99	-2.31 40 89	6.62 36 91	0.37 19 101	94 1	
179	2124 24 0216 107484545	2.87	762 21 0482 124 20 0239					85	104	-2.57 61 71	-0.02 45 100	-1.30 78	-2.98 13 76	-1.10 18 98	-3.25 45 84	1.62 34 98	-4.49 17 114	117 4	
180	762 21 0482 93656502	7.93	762 19 0449 762 18 0281	66	1	8	1	85	101	-1.60 89 82	-0.02 65 100	-0.82 86	-1.94 25 83	-3.50 36 87	-3.72 68 81	4.27 60 94	-9.70 33 129	106 5	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Progeny Number			Dir	Mat							
			Weaned	Herds			Weaned	Herds	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15
181	2124 25 0204 111881116	3.87	- - - 610 20 0111					-1.90 44 78	0.02 19 101	-0.93 84	-2.00 5 83				100 1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambec
					Dir Acc	EBV Index	Mat Acc	EBV Index	Comb EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1	2124 24 0035 107491953	2.79	762 17 0222 2124 21 0036	122	107	3.00 63 133	0.73 55 119	2.23 136	3.83 23 121	0.00 27 103	3.74 52 124	3.25 51 96	3.93 22 91	103	1			
2	2124 25 0181 111880993	3.04	1162 22 0084 2124 23 0025	119	109	0.98 62 111	-0.14 45 97	0.35 106	3.11 43 116	1.80 11 112	1.92 44 114	-32.91 25 136	9.24 6 76	0				
3	2124 25 0050 111882254	2.71	1162 22 0084 2124 22 0327	119	107	1.22 63 113	-0.31 46 93	0.30 106	3.48 43 119	1.60 12 111	1.87 45 113	-33.73 26 136	9.17 6 77	0				
4	2124 25 0167 111882452	2.58	1162 22 0084 1624 19 0133	118	110	0.60 67 106	-0.24 50 95	0.06 101	2.67 43 113	2.40 14 115	1.80 48 113	-33.51 28 136	9.33 12 76	0				
5	2124 25 0052 111881439	2.71	1162 22 0084 2124 22 0327	118	108	0.89 63 110	-0.24 46 95	0.20 104	3.04 43 116	1.60 12 111	1.61 45 112	-33.73 26 136	9.17 6 77	0				
6	2124 25 0100 111881579	2.58	1162 22 0084 1815 19 0076	118	106	1.13 62 112	-0.34 45 92	0.23 104	3.27 43 117	1.40 11 110	1.63 44 112	-35.22 30 136	9.35 12 76	0				
7	2124 25 0221 111881256	2.22	1162 22 0084 1610 20 0229	118	112	0.82 54 109	0.21 45 106	0.62 111	2.77 45 114	0.80 16 107	1.51 42 111	-36.76 33 136	9.37 17 76	0				
8	2124 25 0174 111880928	3.04	1162 22 0084 2124 23 0017	118	108	0.78 60 109	-0.23 43 95	0.16 103	2.91 43 115	1.80 11 112	1.63 42 112	-32.91 25 136	9.24 6 76	0				
9	2124 25 0035 111881983	3.78	1162 22 0084 1755 20 0039	118	112	0.59 66 106	-0.08 49 99	0.22 104	2.47 54 112	1.70 14 111	1.53 47 111	-26.71 35 134	6.26 11 85	0				
10	2124 25 0054 111881942	2.71	1162 22 0084 2124 22 0072	117	109	0.73 58 108	-0.21 40 96	0.16 103	2.83 43 114	1.80 11 112	1.60 40 112	-32.91 25 136	9.24 6 76	0				
11	2124 25 0212 111881165	8.38	1162 22 0084 1610 19 0003	117	110	0.56 51 106	0.08 42 103	0.36 107	2.65 43 113	1.60 11 111	1.60 38 112	-35.69 28 136	10.93 12 72	0				
12	2124 25 0034 111881975	3.78	1162 22 0084 1755 20 0039	116	113	0.31 66 103	-0.03 49 100	0.13 103	2.10 54 109	1.70 14 111	1.31 47 110	-26.71 35 134	6.26 11 85	0				
13	2124 25 0170 111882486	2.21	1162 22 0084 2124 23 0071	116	110	0.80 62 109	0.08 45 103	0.48 109	2.66 44 113	0.50 13 106	1.18 44 109	-33.22 35 136	8.02 15 80	0				
14	2124 25 0217 111881215	2.90	1162 22 0084 1967 19 0211	116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76	0				
15	2124 25 0216 111881207	2.90	1162 22 0084 1967 19 0211	116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76	0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
16 2124 25 0215 111881199	2.90	1162 22 0084 1967 19 0211	116	111	0.30 53 103	-0.05 44 100	0.10 102	2.60 44 113	1.80 11 112	1.33 40 110	-32.84 26 136	9.23 7 76		0
17 2124 25 0084 111881785	2.47	1162 22 0084 1797 20 0734	116	110	0.44 54 105	-0.12 43 98	0.10 102	2.48 43 112	1.60 14 111	1.28 41 110	-31.06 28 136	8.16 13 79		0
18 2124 25 0083 111881777	2.47	1162 22 0084 1797 20 0734	116	110	0.44 54 105	-0.12 43 98	0.10 102	2.48 43 112	1.60 14 111	1.28 41 110	-31.06 28 136	8.16 13 79		0
19 2124 25 0094 111881702	2.71	1162 22 0084 2124 22 0018	116	107	0.62 63 107	-0.35 46 92	-0.04 100	2.76 43 114	1.80 11 112	1.35 44 110	-32.20 26 136	9.01 6 77		0
20 2124 25 0086 111881801	2.71	1162 22 0084 2124 22 0076	116	110	0.36 49 104	-0.10 39 98	0.08 102	2.32 43 111	1.80 11 112	1.34 36 110	-32.91 25 136	9.24 6 76		0
21 2124 25 0219 111881231	2.39	1162 22 0084 1610 20 0044	116	110	0.59 55 106	0.23 45 106	0.52 109	2.48 45 112	0.90 15 108	1.35 42 110	-34.98 34 136	11.24 14 71		0
22 2124 25 0053 111881447	2.71	1162 22 0084 2124 22 0072	116	110	0.34 49 104	-0.13 39 98	0.04 101	2.31 43 111	1.80 11 112	1.29 36 110	-32.91 25 136	9.24 6 76		0
23 2124 25 0020 111881306	2.87	1162 22 0084 2124 20 0251	116	107	0.56 60 106	-0.34 42 92	-0.06 99	2.68 43 113	1.80 11 112	1.30 42 110	-32.91 25 136	9.24 6 76		0
24 2124 25 0047 112272919	2.90	1162 22 0084 1967 19 0005	115	110	0.19 63 102	-0.17 45 97	-0.08 99	1.65 47 107	2.10 12 113	1.28 44 110	-31.43 26 136	8.58 7 78		0
25 2124 25 0071 112020870	2.63	1162 22 0084 1398 18 0175	115	100	1.27 60 114	-0.69 42 83	-0.06 99	3.57 43 119	1.00 11 108	1.18 42 109	-31.91 34 136	9.19 15 77		0
26 2124 24 0034 107491946	2.79	762 17 0222 2124 21 0036	115	100	2.88 61 132	0.48 52 113	1.92 133	3.78 23 120	-1.30 27 97	2.58 50 117	5.91 51 92	3.10 22 93	96	1
27 2124 25 0168 111882460	2.58	1162 22 0084 1624 19 0133	115	111	-0.08 67 99	-0.10 50 98	-0.15 98	1.76 43 107	2.40 14 115	1.25 48 110	-33.51 28 136	9.33 12 76		0
28 2124 25 0042 111881405	2.85	1162 22 0084 1610 19 0133	115	109	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-30.78 29 136	7.32 9 82		0
29 2124 25 0180 111880985	3.04	1162 22 0084 2124 23 0025	115	112	-0.04 62 99	0.06 45 102	0.04 101	1.75 43 107	1.80 11 112	1.10 44 109	-32.91 25 136	9.24 6 76		0
30 2124 25 0093 111881694	2.71	1162 22 0084 2124 22 0018	115	108	0.31 63 103	-0.29 46 94	-0.13 98	2.34 43 111	1.80 11 112	1.10 44 109	-32.20 26 136	9.01 6 77		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI
Computer nr		Dam ID			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 2124 25 0165 111882437	2.87	1162 22 0084 2124 20 0237	114	108	0.28 61 103	-0.17 44 97	-0.03 100	2.25 43 110	1.70 12 111	1.13 43 109	-35.49 27 136	10.08 6 74	0
32 2124 25 0044 111881421	2.71	1162 22 0084 2124 22 0043	114	107	0.26 61 103	-0.30 44 93	-0.17 97	2.28 43 111	1.80 11 112	1.04 43 109	-32.91 25 136	9.24 6 76	0
33 2124 25 0023 111881355	2.22	1162 22 0084 1610 20 0159	114	108	0.43 55 105	0.02 45 101	0.24 104	2.39 45 111	1.00 15 108	1.05 42 109	-35.31 32 136	10.89 15 72	0
34 2124 25 0171 112020938	2.90	1162 22 0084 19 0 02 IDJL	114	108	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-32.91 25 136	9.24 6 76	0
35 2124 25 0172 112020946	2.90	1162 22 0084 19 0 02 IDJL	114	108	0.22 48 102	-0.28 36 94	-0.17 97	2.23 43 110	1.80 11 112	1.02 35 108	-32.91 25 136	9.24 6 76	0
36 1610 20 0229 92187178	3.72	762 17 0448 1610 19 0081	114	121	0.54 52 106	1.07 53 128	1.33 123	0.59 31 100	-0.40 23 102	1.36 46 110	-8.08 44 110	-0.69 31 104	105 3
37 2124 25 0108 111882296	2.43	1162 22 0084 1757 19 0067	113	111	-0.01 62 100	-0.09 45 99	-0.09 99	1.87 43 108	1.40 11 110	0.74 44 107	-29.57 32 136	7.23 15 82	0
38 2124 25 0016 111881926	2.22	1162 22 0084 2124 23 0086	113	105	0.59 64 106	-0.20 47 96	0.10 102	2.55 45 112	0.90 18 108	0.94 47 108	-33.07 36 136	10.65 18 73	0
39 2124 25 0048 111882239	2.71	1162 22 0084 2124 22 0005	113	109	-0.13 61 98	-0.17 44 97	-0.23 96	1.74 43 107	1.80 11 112	0.78 43 107	-32.91 25 136	9.24 6 76	0
40 2124 25 0025 111881827	2.09	1162 22 0084 1563 21 0154	112	97	1.65 63 118	-0.64 46 85	0.19 104	3.87 45 121	-1.00 15 99	0.42 45 105	-30.59 33 136	8.10 17 80	0
41 1610 19 0003 83565267	2.23	1085 15 0028 1610 13 0005	112	117	0.02 38 100	0.80 42 121	0.81 114	0.36 16 98	1.20 5 109	1.53 32 111	-5.93 26 107	2.44 22 95	91 4
42 2124 25 0081 111881751	2.79	1162 22 0084 2124 21 0113	112	109	-0.24 62 97	-0.15 45 97	-0.27 96	1.60 43 106	1.80 11 112	0.70 44 107	-32.91 25 136	9.24 6 76	0
43 2124 25 0022 111881322	2.22	1162 22 0084 1610 20 0159	112	109	-0.01 63 100	0.11 46 104	0.10 102	1.79 45 107	1.00 15 108	0.70 45 107	-35.31 32 136	10.89 15 72	0
44 2124 25 0145 111935300	2.54	1162 22 0084 22 1 88 3DJL	112	107	-0.17 60 98	-0.27 42 94	-0.35 94	1.91 43 108	1.80 11 112	0.64 42 106	-33.27 25 136	9.82 6 75	0
45 2124 25 0207 111881140	2.51	1162 22 0084 2124 23 0170	111	106	-0.11 56 98	-0.32 42 93	-0.38 94	1.84 43 108	1.80 11 112	0.64 40 106	-33.70 25 136	9.78 6 75	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
46 1610 20 0158 92107739	2.61	762 17 0448 1610 16 0365	111	120	0.15 61 101	1.25 58 132	1.33 123	0.07 30 96	0.00 21 103	1.40 51 111	-4.15 32 105	2.01 27 96	114	3
47 2124 25 0152 111882155	2.71	1162 22 0084 2124 22 0075	111	107	-0.25 62 97	-0.33 45 92	-0.46 93	1.67 43 107	1.80 11 112	0.50 44 105	-32.91 25 136	9.24 6 76		0
48 2124 25 0096 111881728	2.66	1162 22 0084 1298 18 0312	111	103	0.24 63 102	-0.54 45 87	-0.42 93	2.38 43 111	1.20 11 109	0.42 44 105	-31.82 28 136	9.24 10 76		0
49 2124 25 0019 111881298	2.87	1162 22 0084 2124 20 0251	111	110	-0.49 60 94	-0.14 42 97	-0.38 94	1.28 43 104	1.80 11 112	0.46 42 105	-32.91 25 136	9.24 6 76		0
50 2124 25 0039 111882023	2.71	1162 22 0084 2124 22 0001	111	103	-0.01 63 100	-0.59 46 86	-0.59 90	2.09 43 109	1.80 11 112	0.49 44 105	-32.91 25 136	9.24 6 76		0
51 2124 25 0006 111881470	2.61	21 2 95 1 1610 20 0044	111	107	0.78 59 108	0.27 36 108	0.66 112	1.31 15 104	0.80 11 107	1.53 39 111	-2.31 28 103	2.35 14 95		0
52 2124 24 0181 107484289	2.51	21 2 95 1 2124 23 0071	111	107	1.02 59 111	0.12 36 104	0.63 111	1.52 11 106	0.40 7 105	1.38 38 111	-0.55 29 101	-0.87 15 104		0
53 2124 25 0095 111881710	2.66	1162 22 0084 1298 18 0312	110	103	0.18 55 102	-0.53 44 88	-0.44 93	2.29 43 111	1.20 11 109	0.38 41 105	-31.82 28 136	9.24 10 76		0
54 1815 20 0124 93526747	2.92	1695 18 0047 1815 17 0010	110	119	-0.41 41 95	0.67 42 118	0.47 108	-1.34 20 87	1.70 6 111	1.28 33 110	-9.61 22 112	1.75 20 97	97	4
55 2124 25 0188 111881066	2.58	1162 22 0084 2124 23 0078	110	102	0.27 53 103	-0.33 41 92	-0.20 97	2.21 45 110	1.00 16 108	0.53 40 106	-33.21 33 136	12.14 17 68		0
56 1624 19 0133 84052216	2.89	116 15 0154 1624 15 0057	110	116	-0.53 74 94	0.29 66 108	0.03 101	-0.42 6 93	2.90 18 117	1.50 58 111	-1.57 27 102	-0.77 22 104	100	6
57 2124 25 0197 111881074	3.87	- - - 2124 23 0016	110	109	0.40 45 104	0.06 25 102	0.26 105	0.85 5 101	1.60 5 111	1.41 27 111	-0.38 5 100	-0.94 5 105		0
58 IMPA 22 1818 106594955	2.88	19 0 98 9DL 20 3 26 8DL	110	108	0.16 28 102	0.00 30 101	0.08 102	1.62 17 106	1.80 5 112	1.23 23 110	-1.23 11 101	-0.38 5 103		1
59 2124 25 0133 112020912	2.11	1162 22 0084 2124 23 0053	110	94	1.07 64 112	-0.70 48 83	-0.17 98	3.48 46 118	0.30 19 105	0.55 47 106	-33.38 35 136	13.46 18 64		0
60 2124 25 0045 111882064	2.71	1162 22 0084 2124 22 0043	110	110	-0.62 61 93	-0.12 44 98	-0.43 93	1.11 43 103	1.80 11 112	0.34 43 105	-32.91 25 136	9.24 6 76		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambded
Computer nr		Dam ID			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
61 2124 25 0099 111881561	2.58	1162 22 0084 1815 19 0076	110	110	-0.50 62 94	-0.01 45 100	-0.27 96	1.10 43 103	1.40 11 110	0.32 44 104	-35.22 30 136	9.35 12 76		0
62 2124 25 0033 111881454	2.52	1162 22 0084 2124 23 0010	110	107	-0.40 62 95	-0.38 44 91	-0.58 90	1.55 43 106	1.70 12 111	0.24 44 104	-31.90 28 136	8.13 11 80		0
63 2124 25 0141 111882536	2.87	1162 22 0084 2124 20 0239	110	102	-0.01 55 100	-0.57 46 87	-0.57 91	2.08 43 109	1.60 12 111	0.39 42 105	-33.23 29 136	10.07 8 74		0
64 2124 23 0071 99571630	4.79	1695 22 0002 1610 20 0229	110	115	0.70 48 108	0.76 53 120	1.11 119	0.64 20 100	-0.90 14 99	0.91 42 108	-0.99 49 101	-3.38 28 111	103	2
65 2124 25 0061 111882056	2.48	1162 22 0084 1765 18 0055	110	99	0.09 52 101	-0.79 43 81	-0.74 88	2.34 43 111	2.10 14 113	0.57 40 106	-35.72 31 136	11.73 12 70		0
66 2124 25 0185 111881033	2.53	1162 22 0084 2124 23 0030	110	102	0.30 63 103	-0.63 46 85	-0.48 92	2.34 43 111	0.90 12 108	0.21 45 104	-31.17 34 136	8.24 13 79		0
67 2124 25 0179 111880977	2.50	1162 22 0084 1967 23 0082	110	100	0.64 64 107	-0.33 46 93	-0.01 100	3.04 47 116	-0.10 13 103	0.26 45 104	-35.46 29 136	11.78 14 69		0
68 2124 25 0028 111881850	2.50	1162 22 0084 2124 23 0065	110	106	-0.12 62 98	-0.18 46 96	-0.24 96	1.66 45 107	1.00 16 108	0.30 45 104	-33.17 37 136	10.14 18 74		0
69 2124 25 0105 111881611	2.10	1162 22 0084 1520 19 0350	110	101	0.31 63 103	-0.61 46 85	-0.46 93	2.43 43 112	0.80 12 107	0.18 45 104	-32.06 31 136	8.62 11 78		0
70 2124 25 0090 111881660	2.92	1162 22 0084 1967 17 0119	109	102	-0.17 55 98	-0.69 45 83	-0.78 87	2.18 46 110	1.80 11 112	0.22 41 104	-32.91 26 136	9.01 6 77		0
71 2124 25 0091 111881678	2.92	1162 22 0084 1967 17 0119	109	102	-0.17 55 98	-0.69 45 83	-0.78 87	2.18 46 110	1.80 11 112	0.22 41 104	-32.91 26 136	9.01 6 77		0
72 2124 24 0185 107484321	3.04	21 2 95 1 2124 23 0025	109	108	0.31 59 103	0.08 35 103	0.23 104	0.79 5 101	1.70 5 111	1.41 36 111	-0.24 15 100	0.35 6 101		0
73 2124 24 0229 107491813	2.51	21 2 95 1 1610 20 0229	109	112	0.22 50 102	0.41 34 111	0.53 109	0.54 16 99	0.70 11 107	1.06 35 109	-4.09 26 105	0.47 17 101		0
74 2124 24 0230 107491821	2.51	21 2 95 1 1610 20 0229	109	112	0.22 50 102	0.41 34 111	0.53 109	0.54 16 99	0.70 11 107	1.06 35 109	-4.09 26 105	0.47 17 101		0
75 1610 20 0044 92109495	2.61	762 17 0448 1610 16 0365	109	116	0.06 53 100	1.09 55 128	1.12 120	0.02 30 96	-0.10 22 103	1.10 47 109	-4.51 48 106	3.05 26 94	91	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc						
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76	2124 25 0140 111882528	2.87	1162 22 0084 2124 20 0239	109	103	-0.15 63 98	-0.54 47 87	-0.61 90	1.89 43 108	1.60 12 111	0.27 45 104	-33.23 29 136	10.07 8 74	0
77	1610 20 0093 92150598	3.17	762 17 0019 776 15 0318	109	99	1.07 57 112	-0.30 54 93	0.24 104	2.58 23 113	0.50 19 106	1.07 47 109	-4.01 42 105	2.83 27 94	97 2
78	1162 20 0032 92442813	8.63	1162 18 0111 1162 16 0074	109	110	-0.22 10 97	-0.01 8 101	-0.12 98	0.11 5 96	1.90 5 112	0.91 8 108	-10.31 15 113	1.99 8 96	0
79	1815 19 0076 92230127	2.90	959 17 0072 - - -	109	110	0.26 47 103	0.15 50 104	0.27 105	0.42 16 98	0.90 7 108	0.94 39 108	-5.00 33 106	-0.72 20 104	108 5
80	2124 25 0163 111882411	2.53	1162 22 0084 2124 23 0032	109	101	0.15 62 101	-0.68 46 84	-0.61 90	2.18 43 110	0.90 12 108	0.00 44 103	-30.37 34 136	7.75 13 81	0
81	2124 25 0007 111881488	2.55	21 2 95 1 1610 19 0003	108	110	-0.04 47 99	0.28 30 108	0.26 105	0.42 9 98	1.50 5 111	1.14 30 109	-3.02 20 104	2.04 13 96	0
82	2124 25 0183 111881017	2.10	1162 22 0084 2124 23 0088	108	98	0.81 57 109	-0.14 46 97	0.26 105	3.17 45 116	-1.10 18 98	0.01 44 103	-36.03 37 136	15.69 19 64	0
83	2124 24 0221 107492597	2.66	21 2 95 1 1624 19 0133	108	109	-0.18 65 98	0.00 41 101	-0.09 99	0.20 5 97	2.30 9 114	1.20 43 109	-0.84 20 101	0.44 12 101	0
84	1757 19 0067 92597392	2.57	959 17 0072 1757 18 0010	108	110	0.29 49 103	0.18 52 105	0.33 106	0.68 10 100	0.90 7 108	1.01 40 108	6.30 41 92	-4.97 29 116	115 4
85	2124 25 0056 111881967	2.11	1162 22 0084 1563 20 0183	108	97	0.70 64 108	-0.41 48 91	-0.06 99	3.07 45 116	-0.70 19 100	-0.13 47 102	-33.25 36 136	11.89 17 69	0
86	1797 20 0734 92371228	2.89	762 18 0524 1797 15 0005	107	113	-0.23 49 97	0.40 47 111	0.29 105	0.02 10 96	1.30 17 110	0.95 41 108	3.33 26 96	-3.11 23 110	94 1
87	1162 19 0016 94888039	1.85	1085 15 0028 1162 17 0054	107	112	0.03 53 100	0.58 55 115	0.60 111	0.35 16 98	-0.20 17 102	0.49 45 105	-5.63 40 107	0.44 19 101	131 4
88	2124 24 0139 107486680	2.65	21 2 95 1 1815 22 0004	107	109	-0.16 58 98	0.09 32 103	0.01 101	-0.20 8 94	1.60 5 111	0.89 36 108	-3.44 21 104	0.39 11 101	0
89	2124 24 0243 107492977	2.80	21 2 95 1 1751 18 0169	107	109	-0.22 47 97	0.13 31 104	0.02 101	0.10 5 96	1.70 5 111	0.93 30 108	-0.24 15 100	0.35 6 101	0
90	2124 24 0220 107492589	2.66	21 2 95 1 1624 19 0133	107	109	-0.47 65 94	0.06 41 102	-0.18 97	-0.19 5 94	2.30 9 114	0.96 43 108	-0.84 20 101	0.44 12 101	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91 2124 24 0196 107484438	3.04	21 2 95 1 2124 23 0017	106	107	-0.16 57 98	0.03 33 102	-0.05 100	0.22 5 97	1.70 5 111	0.90 35 108	-0.24 15 100	0.35 6 101	0
92 1610 20 0159 92107754	2.23	762 17 0448 1610 13 0024	106	112	-0.24 53 97	0.68 55 118	0.56 110	-0.17 30 95	0.10 21 104	0.50 46 105	-5.17 39 106	2.36 27 95	98 2
93 2124 25 0041 111881397	2.38	1162 22 0084 1610 20 0175	106	104	-0.58 63 93	-0.18 47 96	-0.47 92	1.25 45 104	0.80 16 107	-0.28 46 101	-35.76 34 136	11.81 17 69	0
94 2124 24 0173 107486847	2.63	21 2 95 1 1688 21 0053	106	107	-0.36 59 96	-0.23 34 95	-0.41 93	0.24 5 97	2.30 9 114	0.79 38 107	0.36 18 99	-1.10 11 105	0
95 2124 25 0015 111881918	2.83	21 2 95 1 1815 20 0260	106	107	-0.28 44 97	0.05 25 102	-0.08 99	0.06 5 96	1.70 5 111	0.80 27 107	-0.61 17 101	0.85 7 100	0
96 2124 24 0174 107486854	2.63	21 2 95 1 1688 21 0053	105	107	-0.51 59 94	-0.20 34 96	-0.46 93	0.04 5 96	2.30 9 114	0.67 38 106	0.36 18 99	-1.10 11 105	0
97 2124 25 0059 111882031	3.87	- - - 2124 23 0144	105	109	-0.31 29 96	-0.02 18 100	-0.17 97	0.32 10 98	1.10 5 109	0.33 19 104	-0.57 20 101	-3.05 8 110	0
98 2124 25 0113 111935276	2.79	2124 23 0093 2124 21 0125	105	105	0.20 57 102	0.24 38 107	0.34 106	0.44 17 99	0.40 13 105	0.68 40 106	-1.62 23 102	2.70 17 94	0
99 1610 18 0024 90097635	2.06	1217 14 0206 776 15 0340	105	104	0.21 48 102	-0.02 41 100	0.08 102	0.89 26 102	0.30 25 105	0.37 40 105	-1.61 48 102	0.07 34 102	0
100 2124 25 0232 111872412	2.79	2124 23 0156 2124 21 0050	105	113	-0.84 34 90	0.37 23 110	-0.05 99	-0.82 5 90	1.70 5 111	0.55 22 106	-1.10 5 101	-0.19 5 102	0
101 2124 23 0019 99530982	2.99	1765 21 0148 1398 18 0175	105	99	0.54 32 106	-0.52 30 88	-0.25 96	0.82 18 101	1.20 11 109	0.74 26 107	1.11 35 98	-0.08 22 102	1
102 2124 25 0196 111872313	3.63	2124 23 0043 2124 24 0034	105	96	1.53 55 117	0.11 38 103	0.87 115	1.86 25 108	-1.00 19 99	1.04 40 109	9.44 36 88	1.57 19 98	0
103 2124 25 0115 111935292	2.79	2124 23 0093 2124 21 0125	105	105	0.09 57 101	0.26 38 107	0.30 106	0.29 17 98	0.40 13 105	0.59 40 106	-1.62 23 102	2.70 17 94	0
104 1610 21 0032 92109032	2.23	762 17 0448 1610 13 0006	105	111	-0.36 39 96	0.54 35 114	0.36 107	-0.25 30 94	0.10 21 104	0.24 33 104	-6.42 32 108	2.76 23 94	0
105 2124 24 0184 107484313	3.04	21 2 95 1 2124 23 0025	105	111	-0.68 59 92	0.27 35 108	-0.07 99	-0.54 5 92	1.70 5 111	0.61 36 106	-0.24 15 100	0.35 6 101	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
					Dir		Mat		Comb EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index		
					Acc	Index	Acc	Index											Acc	Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
106	2124 25 0087 111881637	2.08	1162 22 0084 1584 21 0059	104	94	0.44 55	-0.73 43	-0.51 83	2.86 92	43	114	-0.80 14	-0.77 41	-31.84 32	10.65 16	73	0			
107	2124 25 0088 111881645	2.08	1162 22 0084 1584 21 0059	104	94	0.44 55	-0.73 43	-0.51 83	2.86 92	43	114	-0.80 14	-0.77 41	-31.84 32	10.65 16	73	0			
108	1610 19 0133 83542472	2.80	1610 18 0055 1085 15 0401	104	111	-0.67 5	0.08 5	-0.26 103	-0.49 96	5	92	1.60 5		3.89 29	-4.78 13	115	2			
109	2124 24 0140 107486698	2.80	21 2 95 1 1967 18 0110	104	110	-0.91 59	0.20 32	-0.26 106	-0.31 96	13	94	1.70 5	0.31 35	-4.04 17	1.90 6	97	0			
110	IMPA 23 0012 112020854	3.04	- - - 19 0 01 2NLT	104	109	-0.67 5	0.08 5	-0.26 103	-0.49 96	5	92	1.60 5		-0.38 5	-0.94 100	105	1			
111	2124 25 0231 112020961	2.87	2124 24 0066 2124 20 0204	104	111	-0.89 28	0.26 14	-0.19 107	-0.83 97	5	90	1.70 5	0.39 16	-1.10 5	-0.19 101	102	0			
112	2124 25 0234 112020862	2.94	2124 23 0156 23 0 01 2	104	112	-0.92 30	0.27 13	-0.19 108	-0.87 97	5	90	1.70 5	0.37 17	-1.11 5	-0.19 101	102	0			
113	1755 20 0039 89390298	2.90	1695 18 0001 1755 19 0012	104	117	-0.97 70	0.69 63	0.20 118	-1.40 104	65	87	1.50 18	0.62 55	12.03 48	-6.90 20	121	119	3		
114	2124 24 0227 107491797	2.83	21 2 95 1 2124 20 0255	104	106	-0.48 45	-0.21 28	-0.45 96	-0.08 93	5	95	1.70 5	0.32 28	-0.58 21	-1.20 101	105	0			
115	2124 24 0204 107586448	3.46	23 1 96 3DJL 22 1 88 3DJL	104	106	-0.49 46	-0.08 23	-0.32 99	-0.04 95	5	95	1.60 5	0.39 27	-1.49 5	0.85 102	100	0			
116	2124 24 0135 107486664	2.64	21 2 95 1 1797 20 0734	104	109	-0.67 60	0.18 34	-0.15 105	-0.42 98	6	93	1.50 8	0.42 38	1.61 19	-0.74 13	104	0			
117	2124 25 0150 111882130	3.87	- - - 2124 24 0036	104	97	0.51 50	-0.53 30	-0.28 87	1.29 96	12	104	0.70 14	0.39 34	1.36 26	-0.35 12	103	0			
118	1610 20 0109 92108711	2.14	762 17 0448 1610 18 0136	103	110	-0.37 48	0.62 47	0.44 116	-0.23 108	31	94	-0.30 24	0.07 42	-5.03 39	3.20 28	93	93	1		
119	2124 25 0198 111881082	3.87	- - - 2124 23 0016	103	113	-1.03 45	0.34 25	-0.18 109	-1.05 97	5	89	1.60 5	0.27 27	-0.38 5	-0.94 100	105	0			
120	2124 25 0111 111882320	2.48	1162 22 0084 1765 18 0071	103	100	-0.97 64	-0.79 44	-1.28 81	1.02 78	43	102	1.80 13	-0.69 45	-32.61 30	10.10 11	74	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
121 2124 25 0205 111881124	3.87	- - - 1584 15 0039	103	109	-0.64 29 93	0.12 29 104	-0.21 97	-0.47 5 93	1.60 5 111	0.43 23 105	6.51 16 92	-3.82 6 112	0
122 2124 25 0010 111882288	2.84	21 2 95 1 1751 19 0017	103	104	-0.36 56 96	-0.20 33 96	-0.38 94	0.07 5 96	1.60 5 111	0.40 35 105	0.24 17 100	0.16 6 101	0
123 2124 24 0018 107492340	4.45	762 17 0222 1610 20 0229	103	95	1.44 62 116	-0.08 49 99	0.64 111	2.26 27 111	-2.30 25 93	-0.02 48 102	0.72 50 99	0.25 27 101	1
124 2124 25 0195 111872305	3.63	2124 23 0043 2124 24 0034	103	97	1.14 44 113	0.18 37 105	0.75 113	1.34 25 104	-1.00 19 99	0.72 36 107	9.44 36 88	1.57 19 98	0
125 2124 24 0234 107492910	2.87	2124 23 0093 2124 20 0204	103	106	-0.26 39 97	0.29 27 108	0.16 103	-0.16 17 95	0.40 13 105	0.27 28 104	-1.62 23 102	2.70 17 94	0
126 IMPA 22 1883 107586430	2.71	- - - 20 0 96 9	103	107	-0.87 32 90	-0.01 39 101	-0.44 93	-0.35 5 93	1.70 5 111	0.15 28 103	-1.09 5 101	0.22 5 101	2
127 2124 25 0158 111882213	3.87	- - - 2124 24 0062	103	97	0.61 50 107	-0.52 30 88	-0.22 97	1.30 13 104	0.20 14 104	0.20 34 104	3.68 28 95	-1.86 14 107	0
128 2124 23 0010 99501256	2.62	776 20 0028 1797 20 0733	102	104	-0.48 48 94	-0.40 49 91	-0.64 89	0.06 12 96	1.60 12 111	0.08 40 103	1.64 26 98	-3.16 18 111	103 2
129 2124 25 0245 112188032	2.71	2124 23 0093 2124 22 0172	102	105	-0.31 42 96	0.23 32 107	0.07 102	-0.19 17 94	0.40 13 105	0.16 31 103	-1.62 23 102	2.70 17 94	0
130 2124 24 0176 107486870	2.67	21 2 95 1 2124 23 0065	102	103	-0.28 50 97	-0.06 35 99	-0.20 97	0.01 15 96	0.80 12 107	0.14 35 103	-0.50 31 100	1.24 18 98	0
131 2124 25 0001 111872016	2.49	2124 23 0093 2124 23 0170	102	105	-0.42 57 95	0.21 36 106	0.00 100	-0.32 17 94	0.50 13 106	0.09 39 103	-2.41 24 103	3.23 17 93	0
132 2124 24 0096 107486508	2.56	21 2 95 1 2124 23 0010	102	104	-0.61 58 93	-0.26 34 94	-0.56 91	-0.16 7 95	1.60 6 111	0.09 37 103	0.77 20 99	-0.76 11 104	0
133 1298 18 0495 84217728	2.81	1298 12 0001 1298 15 0437	102	95	0.52 51 106	-0.26 44 94	0.00 100	0.84 7 101	0.00 7 103	0.26 38 104	-2.58 24 103	5.48 22 87	106 4
134 2124 24 0202 107578486	2.56	21 2 95 1 2124 23 0028	102	100	-0.11 60 99	-0.12 37 98	-0.18 97	0.25 15 97	0.80 12 107	0.25 40 104	-0.44 30 100	3.69 18 92	0
135 2124 24 0212 107492563	2.56	21 2 95 1 2124 23 0056	102	105	-0.32 57 96	0.04 33 102	-0.13 98	-0.12 10 95	0.50 7 106	0.01 36 103	2.02 29 97	-0.93 13 104	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro-duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lamberd
					Dir	Mat				Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
136 2124 23 0048 99531147	3.11	762 19 1002 1520 20 0226	102	101	0.07 53 101	0.45 53 112	0.48 109	0.43 30 99	-0.70 25 100	0.10 47 103	-4.49 55 106	8.10 32 80		96	1		
137 2124 25 0149 111882122	3.87	- - - 2124 24 0036	101	99	0.02 50 100	-0.44 30 90	-0.42 93	0.65 12 100	0.70 14 107	0.01 34 103	1.36 26 98	-0.35 12 103				0	
138 1398 18 0175 83482687	1.95	1398 15 0214 1398 14 0263	101	96	0.40 35 104	-0.54 41 87	-0.34 95	0.81 6 101	0.20 7 104	-0.02 31 102	1.63 48 98	-1.06 28 105		88	5		
139 2124 23 0056 99531220	3.32	1695 22 0002 1610 20 0044	101	105	0.01 41 100	0.20 45 106	0.21 104	0.06 19 96	-0.70 13 100	-0.21 36 101	4.13 50 95	-3.49 22 112		92	1		
140 2124 24 0232 107493025	2.80	2124 23 0093 2124 18 0043	101	104	-0.37 41 96	0.15 31 105	-0.04 100	-0.23 17 94	0.40 13 105	0.02 31 103	-1.62 23 102	2.70 17 94				0	
141 2124 23 0005 99530966	8.93	1688 20 0042 1688 21 0058	101	105	-0.53 25 94	0.14 26 104	-0.13 98	0.05 7 96	0.40 10 105	-0.15 22 102	-1.69 21 102	1.88 15 97				1	
142 2124 25 0067 111872065	11.73	2124 23 0093 2124 23 0168	101	106	0.01 59 100	0.51 38 114	0.52 109	0.01 19 96	-1.40 18 97	-0.32 41 101	-2.54 33 103	1.90 20 97				0	
143 2124 25 0065 112020888	6.25	2124 23 0093 1967 23 0164	101	100	0.32 57 103	0.29 37 108	0.45 108	0.88 26 101	-1.50 15 96	-0.29 40 101	-6.00 28 107	5.84 19 86				0	
144 2124 24 0239 107492936	2.71	2124 23 0093 2124 22 0006	101	104	-0.33 45 96	0.20 37 106	0.04 101	-0.20 17 94	0.20 14 104	0.00 35 103	-1.13 26 101	2.74 17 94				0	
145 2124 24 0237 107484594	4.57	2124 23 0093 1610 20 0055	101	100	0.19 48 102	0.14 38 104	0.23 104	0.55 19 99	-0.40 16 102	0.09 37 103	1.35 31 98	3.39 21 93				0	
146 2124 25 0114 111935284	2.79	2124 23 0093 2124 21 0125	101	108	-0.69 57 92	0.41 38 111	0.07 102	-0.75 17 91	0.40 13 105	-0.04 40 102	-1.62 23 102	2.70 17 94				0	
147 2124 25 0243 111872487	2.47	2124 23 0156 1610 20 0129	101	106	-0.75 40 91	0.21 29 106	-0.17 97	-0.53 16 92	0.60 12 106	-0.18 29 102	-3.77 21 105	2.82 16 94				0	
148 2124 24 0207 107484503	2.68	21 2 95 1 1967 23 0082	101	99	0.06 61 100	-0.13 36 98	-0.10 99	0.83 21 101	-0.30 7 102	-0.25 39 101	-2.79 21 103	2.89 14 94				0	
149 2124 25 0073 111881512	3.87	- - - 762 23 0268	101	96	0.76 51 108	-0.14 30 97	0.24 104	1.42 12 105	-1.10 15 98	-0.04 35 102	5.56 28 93	-0.25 17 103				0	
150 2124 23 0141 99571515	2.90	762 17 0222 1610 19 0510	101	89	1.42 62 116	-0.52 49 88	0.20 104	2.42 23 112	-1.50 23 96	0.00 48 103	4.90 41 94	1.19 22 99				1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd	
					Dir EBV Acc Index	Mat EBV Acc Index									EBV Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
151	1967 23 0081 97441539	2.90	762 20 1060 1967 19 0211	101	101	0.37 53	0.36 47	0.54 110	1.21 41	-2.20 14	-0.60 93	-5.28 31	3.80 19	95	1
152	2124 24 0103 107492795	2.87	762 17 0222 2124 20 0251	101	89	1.33 60	-0.67 46	0.00 100	2.38 23	-1.30 22	-0.11 97	3.99 46	-0.16 102		0
153	2124 25 0011 111881330	2.84	21 2 95 1 1751 19 0017	101	105	-0.91 56	-0.09 33	-0.55 91	-0.66 5	1.60 5	-0.04 111	0.24 35	0.16 102		0
154	2124 25 0148 111882114	3.87	- - - 2124 23 0113	101	110	-0.82 31	0.25 25	-0.16 98	-0.84 6	0.10 12	-0.51 104	-0.44 24	-3.24 100		0
155	2124 23 0086 99572141	2.23	762 19 1002 1520 13 0014	101	106	-0.51 62	0.36 57	0.11 102	-0.62 30	0.00 28	-0.15 103	-0.69 52	1.88 34	105	2
156	1610 20 0055 92110956	5.04	762 17 0019 1610 17 0077	101	97	0.23 56	-0.22 53	-0.11 98	0.93 17	0.10 17	0.07 104	5.56 46	0.44 103	99	4
157	2124 24 0131 107486623	2.74	21 2 95 1 1298 18 0312	101	101	-0.42 50	-0.32 34	-0.53 91	0.06 5	1.10 5	-0.08 109	0.85 33	0.34 102		0
158	2124 25 0063 111872040	2.66	2124 23 0156 2124 23 0142	100	101	-0.11 44	-0.07 30	-0.13 98	0.31 11	0.00 13	-0.18 103	1.88 31	0.45 102		0
159	2124 25 0074 111881520	3.87	- - - 2124 23 0152	100	106	-0.61 48	-0.05 26	-0.35 94	-0.44 6	0.20 11	-0.54 104	0.21 31	-3.35 99		0
160	2124 24 0132 107486631	2.55	21 2 95 1 1584 16 0005	100	97	-0.03 48	-0.41 27	-0.43 93	0.46 6	0.50 10	-0.15 106	1.40 31	0.55 102		0
161	2124 24 0016 107492324	2.87	762 17 0222 2124 20 0237	100	92	0.84 61	-0.46 48	-0.04 100	1.67 23	-1.40 23	-0.46 97	-2.62 47	2.33 100		1
162	2124 24 0119 107492167	2.71	762 17 0222 2124 22 0076	100	93	0.91 48	-0.38 43	0.07 102	1.73 23	-1.30 22	-0.25 97	3.99 40	-0.16 101		0
163	IMPP 20 1200 107471039	2.93	18 4 47 DJL 14 9 56 3DJL	100	102	-0.73 23	-0.15 12	-0.52 91	-0.57 15	1.30 5	-0.10 110	-3.42 18	3.89 104		2
164	2124 25 0242 111935359	3.66	2124 23 0156 22 0 20 3SBS	100	107	-1.22 35	0.00 25	-0.61 90	-1.04 5	1.60 5	-0.26 111	-1.52 23	0.84 101		0
165	2124 24 0163 107492548	2.71	762 17 0222 2124 22 0035	100	87	1.35 61	-0.84 48	-0.17 97	2.49 23	-1.40 23	-0.33 97	3.61 41	-0.30 101		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Computer nr		Dam ID			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
166 2124 23 0170 99530024	2.71	2124 22 0046 2124 22 0063	100	108	-1.34 57 85	0.00 44 101	-0.67 89	-1.26 5 87	1.70 5 111	-0.32 39 101	-1.96 8 102	0.13 5 102	93	2
167 2124 23 0065 99530180	2.87	762 19 1002 2124 20 0255	100	104	-0.47 52 95	0.11 54 104	-0.12 98	-0.45 30 93	0.00 24 103	-0.36 46 101	-0.90 54 101	0.85 34 100		2
168 2124 25 0178 111880969	3.87	- - - 2124 23 0102	100	107	-0.77 30 91	0.03 22 102	-0.35 94	-0.68 6 91	0.40 9 105	-0.50 22 100	1.85 20 97	-3.49 8 112		0
169 2124 24 0133 107486649	2.84	21 2 95 1 1967 19 0212	100	107	-1.16 61 87	-0.03 35 100	-0.61 90	-1.01 20 89	1.50 5 111	-0.29 38 101	-0.35 17 100	-0.10 8 102		0
170 2124 25 0214 111881181	2.07	1162 22 0084 762 23 0443	100	92	0.11 54 101	-0.56 43 87	-0.51 92	2.64 44 113	-2.10 17 94	-1.71 41 93	-27.20 33 134	10.42 16 73		0
171 2124 24 0145 107486748	2.65	21 2 95 1 1765 18 0130	100	100	-0.92 59 89	-0.54 34 87	-1.00 83	-0.43 8 93	2.20 11 114	-0.14 38 102	-0.72 19 101	1.27 11 98		0
172 2124 24 0061 107492712	2.23	762 17 0222 1520 13 0014	100	92	0.86 61 109	-0.48 48 89	-0.05 100	1.71 23 107	-1.30 23 97	-0.39 47 100	4.08 40 95	-1.15 23 105		0
173 2124 25 0139 111872230	4.98	2124 23 0093 2124 24 0056	99	92	0.96 60 110	0.04 41 102	0.51 109	1.86 21 108	-2.30 19 93	-0.39 43 100	-1.60 35 102	6.51 22 84		0
174 2124 24 0055 107492100	7.91	762 17 0222 1610 20 0055	99	83	1.84 63 120	-0.84 49 80	0.08 102	3.16 24 116	-2.10 24 94	-0.26 49 101	6.96 45 91	0.54 26 100		0
175 2124 25 0227 111872388	2.71	2124 23 0156 2124 22 0091	99	106	-1.20 37 86	-0.09 28 99	-0.69 89	-1.06 5 89	1.40 5 110	-0.44 26 100	-2.02 10 102	-0.08 5 102		0
176 1502 17 0028 79217089	2.23	1150 13 9303 1502 15 0049	99	101	-0.74 55 91	-0.31 37 93	-0.68 89	-0.18 9 95	1.20 9 109	-0.33 37 101	-0.15 24 100	1.02 16 99		0
177 2124 24 0157 107492480	2.71	762 17 0222 2124 22 0077	99	90	0.97 60 111	-0.60 47 86	-0.12 98	1.89 23 108	-1.30 22 97	-0.41 46 100	3.99 40 95	-0.16 22 102		0
178 1520 20 0416 91096743	27.22	1590 16 0080 1520 18 0593	99	98	0.66 47 107	0.89 53 123	1.22 121	2.28 22 111	-4.70 21 81	-1.27 43 95	-13.48 44 117	11.52 29 70	94	2
179 2124 24 0109 107492852	2.71	762 17 0222 2124 22 0327	99	93	0.80 63 109	-0.40 50 91	0.01 100	1.59 23 106	-1.50 23 96	-0.49 49 100	3.17 40 96	-0.23 22 103		0
180 1967 23 0164 98902281	2.80	762 20 1060 1967 18 0110	99	98	0.18 50 102	0.15 44 105	0.24 104	1.17 40 103	-2.20 14 93	-0.99 39 97	-9.14 31 111	5.36 19 87	100	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	Acc	Index	Acc	Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
181 2124 24 0064 107492746	2.80	762 17 0222 1751 18 0169	99	94	0.66 60 107	-0.30 47 93	0.03 101	1.38 23 105	-1.30 22 97	-0.42 46 100	3.99 40 95	-0.16 22 102	0
182 2124 24 0218 107484560	2.79	762 21 0482 2124 21 0083	99	109	-0.68 60 92	0.32 43 109	-0.02 100	-0.78 13 91	-0.90 18 99	-0.91 44 97	1.94 30 97	-5.32 17 117	0
183 2124 24 0058 107492696	2.90	762 17 0222 1751 19 0017	99	95	0.64 62 107	-0.16 52 97	0.16 103	1.29 23 104	-1.60 27 96	-0.48 50 100	5.42 50 93	-0.74 22 104	97 1
184 1765 18 0130 86491800	2.80	1298 15 0446 - - -	99	97	-0.97 44 89	-0.98 49 76	-1.47 75	-0.29 14 94	2.80 21 117	-0.28 41 101	-1.33 25 102	0.89 18 99	96 3
185 2124 23 0050 99531105	3.11	762 19 1002 1520 20 0226	99	97	-0.17 53 98	0.13 53 104	0.05 101	0.27 30 97	-0.50 28 101	-0.34 47 101	-5.10 55 106	9.06 35 77	98 2
186 2124 24 0206 107484495	2.68	21 2 95 1 1967 23 0082	99	100	-0.46 61 95	-0.03 36 100	-0.26 96	0.14 21 97	-0.30 7 102	-0.67 39 99	-2.79 21 103	2.89 14 94	0
187 2124 24 0026 107491862	2.80	762 17 0222 2124 18 0014	99	91	0.82 50 109	-0.50 45 88	-0.09 99	1.66 23 107	-1.50 23 96	-0.58 42 99	3.27 41 96	-0.08 22 102	0
188 2124 24 0241 107492951	2.71	2124 23 0093 2124 22 0091	98	101	-0.54 45 94	-0.07 37 99	-0.34 95	-0.35 17 93	0.10 14 104	-0.55 35 99	-2.54 25 103	2.80 17 94	0
189 2124 24 0051 107492068	2.61	762 17 0222 1520 16 0016	98	87	1.05 61 112	-0.81 48 81	-0.28 96	2.09 23 109	-1.30 22 97	-0.53 47 99	3.99 40 95	-0.16 22 102	0
190 1610 20 0129 92109636	2.41	762 17 0448 1610 18 0061	98	98	-0.34 52 96	-0.04 52 100	-0.21 97	0.19 32 97	-0.60 24 101	-0.74 46 98	-5.71 41 107	5.06 32 88	99 2
191 2124 25 0192 111872271	2.63	2124 23 0156 2124 24 0045	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0
192 2124 25 0193 111872289	2.63	2124 23 0156 2124 24 0045	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0
193 2124 23 0168 99510620	3.61	762 21 0482 1610 20 0044	98	110	-0.66 63 92	0.63 50 117	0.30 106	-0.87 19 90	-2.00 25 94	-1.23 49 95	-2.21 48 103	-2.53 21 109	90 1
194 2124 25 0194 111872297	2.63	2124 23 0156 2124 24 0045	98	101	-0.51 42 94	-0.17 26 97	-0.42 93	-0.15 11 95	0.20 11 104	-0.56 29 99	4.01 23 95	-1.32 11 106	0
195 2124 25 0128 111882494	3.87	- - - 2124 24 0027	98	100	-0.41 48 95	-0.17 28 97	-0.37 94	-0.03 11 95	-0.20 13 102	-0.69 32 99	0.72 25 99	-0.44 11 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
					Dir		Mat		Comb EBV Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
					Acc	Index	Acc	Index											Acc	Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
196	1765 18 0055 86491875	2.80	1298 15 0446 - - -	98	95	-0.93 41	-0.93 89	-1.39 76	-0.26 14	94	2.30 16	-0.48 114	-5.99 38	107	4.04 21	91	93	4		
197	2124 24 0108 107492845	2.71	762 17 0222 2124 22 0327	98	93	0.55 63	-0.35 106	-0.07 99	1.25 23	104	-1.50 23	-0.70 96	3.17 49	99	-0.23 22	103	0			
198	2124 24 0245 107492266	2.49	21 2 95 1 1563 20 0368	98	94	-0.19 49	-0.82 98	-0.91 85	0.38 13	98	0.90 10	-0.47 108	3.53 34	100	-1.27 17	105	0			
199	2124 24 0024 107491847	2.05	762 17 0222 1755 20 0018	98	83	1.90 66	-0.88 121	0.07 102	2.57 39	113	-2.00 25	-0.18 94	17.92 51	102	-4.98 23	116	0			
200	2124 24 0036 107491961	4.18	762 17 0222 1765 18 0075	98	89	0.49 64	-0.90 105	-0.66 89	1.48 24	105	-0.20 28	-0.54 102	3.09 53	99	0.24 24	101	101	1		
201	2124 23 0160 99510588	2.72	762 21 0482 1688 21 0058	98	105	-0.50 60	0.02 94	-0.23 96	-0.16 14	95	-1.20 20	-1.20 98	2.12 44	96	-5.67 34	118	0			
202	2124 23 0186 99571572	2.90	762 20 0184 1967 19 0212	97	103	-0.26 63	0.02 97	-0.11 99	-0.20 50	94	-1.40 21	-1.07 97	3.32 46	96	-4.72 26	115	0			
203	2124 24 0201 107578478	2.56	21 2 95 1 2124 23 0028	97	102	-1.03 60	0.06 88	-0.46 93	-0.99 15	89	0.80 12	-0.49 107	-0.44 40	100	3.69 30	92	0			
204	2124 23 0028 99531048	2.25	762 19 1002 1520 14 0017	97	99	-0.50 54	0.07 94	-0.18 97	-0.47 30	93	0.00 24	-0.43 103	-0.77 53	101	5.73 34	86	99	2		
205	1748 21 0022 94863313	5.86	762 19 0339 1748 18 0002	97	94	0.14 42	-0.30 101	-0.23 96	0.99 23	102	-1.70 16	-1.18 95	-8.48 36	111	4.91 24	88	91	2		
206	1967 23 0082 97441547	2.90	762 20 1060 1967 19 0211	97	96	0.10 57	0.01 101	0.06 101	1.03 41	102	-2.20 14	-1.22 93	-5.48 46	107	4.14 31	91	106	2		
207	2124 23 0113 99510414	2.71	762 21 0482 2124 22 0327	97	110	-0.97 62	0.42 89	-0.07 99	-1.19 13	88	-1.50 23	-1.45 96	-0.50 48	100	-5.54 39	117	91	1		
208	2124 23 0100 99530446	2.71	762 21 0482 2124 22 0043	97	104	-0.62 59	-0.08 93	-0.39 94	-0.52 13	92	-0.90 18	-1.24 99	1.94 43	95	-5.32 17	117	0			
209	1610 20 0175 92107994	2.47	762 17 0448 1610 19 0094	97	101	-0.84 56	0.00 90	-0.42 93	-0.52 31	92	-0.30 24	-1.02 102	-6.07 49	108	4.19 45	90	96	2		
210	2124 24 0195 107484420	2.54	21 2 95 1 2124 23 0081	97	97	-0.62 61	-0.20 93	-0.50 92	-0.31 16	94	0.50 13	-0.51 106	0.96 40	99	4.02 31	91	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd		
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		Index	Acc	Index	Acc	Index	Acc			Index	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
211	2124 24 0056 107492118	4.59	762 17 0222 1520 20 0416	97	81	1.72 64	-0.42 119	57	90	0.44 108	3.48 25	119	-3.80 28	-0.98 53	-0.34 54	6.70 27	83	99	1
212	2124 24 0162 107492530	2.71	762 17 0222 2124 22 0035	97	88	0.70 61	-0.71 108	48	83	-0.37 94	1.61 23	106	-1.40 23	-0.86 47	3.61 41	-0.30 22	103		0
213	2124 25 0203 111872347	5.43	2124 23 0093 2124 24 0085	97	103	-0.64 49	0.24 93	34	107	-0.08 99	-0.69 18	91	-1.00 16	-0.99 36	0.90 32	-0.02 19	102		0
214	1520 19 0165 83471342	2.89	1590 16 0080 1520 15 0007	97	98	-0.02 34	0.31 99	38	109	0.30 106	1.20 19	104	-2.50 16	-1.21 31	-2.22 46	4.35 20	90	86	2
215	2124 23 0078 99985103	3.04	762 19 1002 - - -	97	98	-0.58 45	-0.03 93	41	100	-0.32 95	-0.53 30	92	0.00 24	-0.60 39	-0.97 44	4.85 31	89		1
216	1298 18 0312 86472529	2.80	1298 17 0130 - - -	97	99	-0.75 52	-0.41 91	52	91	-0.78 87	-0.36 5	93	0.50 5	-0.86 41	1.80 25	-0.95 16	105	174	7
217	2124 25 0123 111882353	3.87	- - - 2124 22 0042	96	106	-1.71 46	-0.14 81	27	97	-1.00 83	-1.69 5	85	1.60 5	-0.89 28	-0.38 5	-0.94 5	105		0
218	2124 24 0059 107492704	2.90	762 17 0222 1751 19 0017	96	89	0.61 61	-0.65 107	47	85	-0.34 94	1.47 23	105	-1.40 23	-0.88 47	4.47 41	-0.35 22	103		0
219	IMPA 22 0206 101806040	2.90	20 1 04 2DJL 19 0 02 1SBS	96	100	-1.28 37	-0.46 85	42	89	-1.10 81	-0.82 5	90	1.50 5	-0.84 31	-1.21 11	1.11 7	99		2
220	2124 24 0197 107484446	2.50	21 2 95 1 2124 23 0060	96	93	0.03 52	-0.30 100	34	93	-0.29 95	0.45 18	99	-1.00 15	-0.88 37	-0.25 33	3.38 20	93		0
221	2124 24 0198 107484453	2.50	21 2 95 1 2124 23 0060	96	93	0.03 52	-0.30 100	34	93	-0.29 95	0.45 18	99	-1.00 15	-0.88 37	-0.25 33	3.38 20	93		0
222	1765 18 0075 86491842	2.80	1298 15 0446 - - -	96	94	-1.04 46	-1.07 51	74		-1.59 73	-0.34 14	93	2.30 17	-0.73 41	0.32 35	-0.06 19	102	98	6
223	1584 16 0005 78835006	2.23	1146 12 0501 1584 13 0065	96	93	0.03 42	-0.58 100	31	86	-0.57 91	0.43 11	99	-0.60 20	-0.92 33	2.90 29	-0.54 22	103		6
224	1967 23 0186 98902497	2.90	762 20 0184 1967 19 0212	96	104	-0.57 53	0.08 93	44	103	-0.20 97	-0.62 50	92	-1.40 21	-1.32 42	3.32 39	-4.72 26	115		0
225	2124 24 0102 107492787	2.87	762 17 0222 2124 20 0251	96	92	0.23 60	-0.45 102	46	90	-0.34 95	0.90 23	102	-1.30 22	-1.00 46	3.99 40	-0.16 22	102		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					EPI Times	
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times	Lambled
Computer nr		Dam ID			EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
226 2124 25 0124 111882361	3.87	- - - 2124 22 0042	96	107	-1.88 46 79	-0.11 27 98	-1.05 82	-1.92 5 83	1.60 5 111	-1.03 28 97	-0.38 5 100	-0.94 5 105		0	
227 2124 24 0027 107491870	2.80	762 17 0222 2124 18 0014	96	90	0.53 60 106	-0.54 51 87	-0.27 96	1.33 23 104	-2.00 27 94	-1.21 49 96	1.83 51 97	0.06 22 102	94	1	
228 2124 24 0011 107492282	2.87	762 17 0222 2124 20 0239	95	83	1.02 64 111	-0.92 55 78	-0.41 93	2.10 23 109	-1.90 27 94	-1.05 52 97	3.13 52 96	1.17 23 99	95	1	
229 2124 24 0159 107492506	2.51	762 17 0222 1688 21 0058	95	93	0.17 62 102	-0.33 48 93	-0.24 96	1.04 23 102	-1.70 24 95	-1.18 48 96	4.16 43 95	-0.50 26 103		0	
230 2124 23 0102 99529729	2.71	762 21 0482 2124 22 0018	95	105	-0.87 61 90	-0.01 44 101	-0.45 93	-0.87 13 90	-0.90 18 99	-1.42 45 94	4.09 39 95	-6.03 17 119		1	
231 1755 20 0018 86404910	2.92	1695 18 0001 1755 17 0007	95	99	-0.13 69 98	-0.21 60 96	-0.28 96	-0.89 65 90	0.40 22 105	-0.10 55 102	27.49 48 64	-10.59 19 131	105	3	
232 2124 24 0029 107491896	2.87	762 17 0222 2124 20 0255	95	93	-0.02 58 100	-0.56 45 87	-0.57 91	0.64 23 100	-1.30 22 97	-1.36 45 95	2.91 48 96	-2.45 23 109		1	
233 2124 23 0030 99577223	2.87	1695 22 0002 2124 20 0239	95	96	-0.58 52 93	-0.60 56 86	-0.89 85	-0.36 13 93	0.00 9 103	-1.18 44 96	3.11 47 96	-2.94 24 110	103	2	
234 2124 24 0223 107492613	2.50	21 2 95 1 762 20 0061	95	91	0.34 63 104	-0.42 41 90	-0.25 96	0.92 19 102	-2.10 19 94	-1.35 44 95	0.63 32 99	0.52 22 100		0	
235 2124 24 0005 107483349	18.72	762 17 0222 1748 21 0022	95	82	1.17 52 113	-0.75 45 82	-0.16 98	2.37 25 111	-3.00 24 89	-1.38 43 95	-0.07 43 100	2.77 25 94		0	
236 2124 24 0208 107484511	2.67	21 2 95 1 2124 23 0032	95	101	-1.26 60 86	-0.32 37 93	-0.96 84	-1.14 7 88	0.80 5 107	-1.11 38 96	2.30 28 97	-1.14 13 105		0	
237 2124 24 0010 107492274	2.87	762 17 0222 2124 20 0239	95	85	0.62 63 107	-0.86 51 79	-0.55 91	1.58 23 106	-1.50 23 96	-1.14 49 96	3.67 43 95	0.68 23 100		0	
238 2124 23 0129 99571432	4.25	762 17 0222 1520 19 0165	95	84	1.11 59 112	-0.45 46 90	0.11 102	2.50 25 112	-3.40 24 87	-1.38 46 95	3.07 46 96	2.49 24 95		0	
239 2124 24 0203 107484487	2.50	21 2 95 1 2124 23 0088	94	98	-0.77 61 91	0.25 37 107	-0.13 98	-0.38 16 93	-1.20 15 98	-1.24 41 95	-3.36 31 104	6.80 19 83		0	
240 2124 24 0080 107486342	2.14	762 21 0482 1755 20 0039	94	110	-1.60 67 82	0.23 55 106	-0.58 90	-2.02 35 82	-0.40 25 102	-1.62 53 93	6.16 49 92	-7.74 18 123	99	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
					Dir		Mat		Comb EBV Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
					Acc	Index	Acc	Index											Acc	Index
Active Breed Average:			100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
241	2124 24 0152 107492431	2.92	762 17 0222 1967 17 0119	94	85	0.38 54	-0.97 104	-0.78 49	1.59 76	-0.78 87	1.59 28	106	-1.30 22	-1.37 45	3.99 41	-0.39 22	103		0	
242	2124 25 0058 112234547	5.86	2124 23 0093 2124 23 0123	94	97	-0.90 59	-0.26 90	-0.72 39	-0.77 94	-0.72 88	-0.77 18	91	-0.30 18	-1.35 42	-0.92 33	1.73 20	97		0	
243	2124 24 0142 107486714	2.50	21 2 95 1 1584 21 0059	94	92	-0.33 60	-0.50 96	-0.66 35	0.41 88	-0.66 89	0.41 9	98	-0.90 9	-1.36 39	0.83 25	1.76 16	97		0	
244	2124 24 0086 107486409	2.71	762 21 0482 2124 22 0006	94	100	-0.70 61	-0.18 92	-0.53 48	-0.58 96	-0.53 91	-0.58 13	92	-1.50 23	-1.78 47	1.18 45	-4.11 17	113	95	1	
245	2124 23 0051 99531121	6.07	762 19 1002 1563 20 0183	94	91	0.17 56	0.09 102	0.18 56	0.55 103	0.18 103	0.55 33	99	-2.50 28	-1.24 50	-1.59 57	7.59 35	81	93	1	
246	2124 24 0062 107492720	4.80	762 17 0222 1563 20 0368	94	88	0.23 64	-0.80 102	-0.69 57	0.88 81	-0.69 89	0.88 26	101	-1.20 28	-1.29 53	7.75 55	-2.79 27	110	101	1	
247	2124 24 0068 107492761	2.71	762 21 0482 2124 22 0066	93	102	-1.08 60	-0.25 88	-0.79 43	-1.03 95	-0.79 87	-1.03 13	89	-0.90 18	-1.87 44	1.61 31	-5.38 17	117		0	
248	2124 23 0088 99572166	5.54	762 19 1002 1520 20 0416	93	89	0.51 63	0.36 105	0.62 57	1.40 110	0.62 111	1.40 32	105	-4.10 30	-1.59 53	-6.62 54	11.95 37	69	101	2	
249	2124 23 0032 99577249	2.87	1695 22 0002 2124 20 0239	93	95	-0.70 52	-0.75 92	-1.10 55	-0.43 82	-1.10 81	-0.43 13	93	0.00 9	-1.45 43	4.71 47	-3.93 24	113	104	2	
250	2124 24 0217 107484552	2.87	762 21 0482 2124 20 0239	93	99	-0.84 61	-0.36 90	-0.78 45	-0.68 92	-0.78 87	-0.68 13	91	-1.10 18	-1.86 45	1.62 34	-4.49 17	114		0	
251	2124 25 0076 111881546	3.87	- - - 762 23 0483	93	95	-0.65 50	-0.26 92	-0.58 31	-0.43 94	-0.58 90	-0.43 13	93	-0.50 15	-1.21 35	4.88 26	1.20 18	99		0	
252	2124 24 0002 107483364	3.65	762 17 0222 1610 20 0129	93	86	0.60 62	-0.56 106	-0.26 49	1.51 87	-0.26 96	1.51 28	106	-2.50 25	-1.46 48	5.10 53	1.09 28	99		1	
253	1520 19 0350 85386944	1.85	554 15 0010 1520 16 0165	93	97	-0.93 54	-0.49 89	-0.96 55	-0.68 88	-0.96 84	-0.68 10	91	-0.40 10	-1.66 44	1.33 38	-2.18 20	108	107	3	
254	2124 24 0015 107492985	2.87	762 17 0222 2124 20 0237	93	87	0.08 62	-0.85 101	-0.81 53	0.90 80	-0.81 86	0.90 23	102	-1.50 26	-1.67 50	0.27 51	0.72 22	100	94	1	
255	2124 24 0143 107486722	2.50	21 2 95 1 1584 21 0059	93	92	-0.58 60	-0.45 93	-0.74 35	0.07 90	-0.74 88	0.07 9	96	-0.90 9	-1.57 39	0.83 25	1.76 16	97		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambded
Computer nr		Dam ID			Dir	Mat	Comb		EBV	EBV	EBV	EBV	Phenotype	
					Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
256	1563 20 0183 90965641	4.40	762 17 0449 1590 18 0070	92	88	0.42	-0.20	0.01	1.39	-3.40	-1.83	-1.06	4.35	103 3
					61 104	62 96	100	26 105	30 87	54 92	52 101	33 90		
257	2124 24 0045 107492001	2.79	762 17 0222 2124 21 0022	92	88	0.14	-0.79	-0.72	0.95	-1.30	-1.43	9.84	-3.21	1
					59 101	46 81	88	23 102	22 97	45 94	46 87	22 111		
258	2124 24 0033 107491920	7.37	762 17 0222 1563 20 0183	92	76	1.57	-0.83	-0.05	2.94	-4.20	-1.79	4.71	2.47	95 1
					65 117	56 80	99	26 115	30 84	53 92	55 94	28 95		
259	2124 24 0085 107486391	2.71	762 21 0482 2124 22 0006	92	104	-1.42	-0.01	-0.72	-1.56	-1.10	-2.10	4.66	-6.36	1
					59 84	42 101	88	13 85	18 98	43 90	45 94	17 119		
260	762 21 0492 93656593	4.86	762 19 1002 762 14 0319	92	89	-0.06	-0.01	-0.04	0.10	-2.60	-1.62	-6.22	10.53	93 2
					56 99	55 101	100	30 96	29 91	49 93	48 108	37 73		
261	1765 18 0071 86491941	2.80	1298 15 0446 - - -	91	89	-1.23	-1.31	-1.92	-0.46	1.70	-1.51	0.23	0.78	151 6
					55 86	46 68	67	14 93	15 111	42 94	34 100	19 100		
262	2124 24 0069 107492779	2.71	762 21 0482 2124 22 0066	91	104	-1.55	-0.15	-0.93	-1.65	-0.90	-2.24	0.95	-5.50	1
					60 82	43 97	84	13 85	18 99	44 90	45 99	17 117		
263	2124 24 0122 107492191	4.18	762 17 0222 1765 18 0071	91	80	0.36	-1.23	-1.05	1.47	-1.30	-1.65	4.29	0.71	0
					62 104	47 70	82	24 105	23 97	47 93	43 94	24 100		
264	1563 20 0368 91907196	3.12	1590 18 0061 776 15 0328	91	85	-0.29	-1.39	-1.54	0.29	0.10	-1.62	7.17	-4.17	96 4
					47 96	51 66	74	24 98	20 104	42 93	52 91	31 113		
265	2124 25 0144 111882080	3.87	- - - 2124 24 0023	91	98	-1.14	-0.23	-0.80	-1.22	-0.40	-1.61	7.69	-2.70	0
					50 87	30 95	87	20 88	14 102	34 93	27 90	12 109		
266	2124 25 0109 111882304	3.87	- - - 762 23 0689	91	94	-0.98	-0.46	-0.95	-0.95	-0.60	-1.79	-0.04	0.83	0
					29 89	27 89	84	11 89	14 101	25 92	24 100	16 100		
267	2124 25 0146 111882098	5.07	2124 23 0043 2124 24 0069	91	99	-1.07	-0.13	-0.67	-1.38	-0.80	-1.68	6.96	-2.74	0
					43 88	33 97	89	23 87	16 100	33 93	33 91	18 109		
268	1563 21 0154 91961730	6.16	1590 19 0033 1590 19 0169	90	90	0.36	-0.27	-0.09	0.35	-4.00	-2.30	4.27	-3.23	101 3
					55 104	56 94	99	28 98	20 85	47 89	43 94	32 111		
269	762 23 0277 98665888	7.19	762 21 0467 762 19 0679	90	86	-0.01	-0.43	-0.44	0.34	-2.00	-1.65	4.56	3.98	90 1
					66 100	56 90	93	21 98	30 94	54 93	54 94	32 91		
270	2124 23 0123 99510489	4.75	762 21 0482 1765 18 0055	90	89	-1.06	-1.20	-1.73	-0.52	0.10	-2.20	1.02	-2.87	91 1
					63 88	52 71	71	14 92	24 104	50 90	46 99	20 110		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
271	1520 19 0390 85387561	5.26	1590 16 0080 HOK 17 0017	89	92	-0.31 36	0.48 113	0.33 106	1.22 28	104	-5.10 22	-2.89 33	-8.53 41	8.52 78		93	0
272	2124 24 0023 107491839	2.05	762 17 0222 1755 20 0018	89	80	0.76 67	-1.01 56	-0.63 90	1.22 39	104	-2.50 29	-1.74 54	15.75 55	-4.47 23	114		1
273	2124 24 0021 107491771	7.20	762 17 0222 762 20 0061	89	75	1.65 66	-0.94 53	-0.11 98	2.78 29	114	-5.10 29	-2.34 52	7.68 56	-1.02 31	105		1
274	2124 25 0110 111882312	3.87	- - - 762 23 0689	88	96	-1.59 49	-0.34 29	-1.13 81	-1.77 11	84	-0.60 14	-2.28 33	-0.04 24	0.83 100	100		0
275	2124 24 0031 107491912	7.37	762 17 0222 1563 20 0183	88	80	0.66 65	-0.67 56	-0.35 94	1.73 26	107	-4.20 30	-2.54 53	2.35 55	1.88 28	97	95	1
276	762 23 0268 98665805	11.93	762 21 0467 762 21 0014	86	89	-0.36 66	0.14 57	-0.04 100	-0.08 25	95	-3.80 31	-2.50 54	11.51 56	0.44 34	101	91	1
277	762 20 0061 86886348	5.73	762 18 0157 762 12 0298	86	80	0.77 70	-0.60 66	-0.22 97	1.38 37	105	-5.80 37	-3.31 61	1.36 57	-0.61 43	104	138	4
278	2124 24 0063 107492738	4.80	762 17 0222 1563 20 0368	85	75	0.18 63	-1.56 53	-1.47 75	1.16 26	103	-2.60 28	-2.94 51	7.95 55	-2.24 27	108	93	1
279	1584 21 0059 91955195	5.86	1590 19 0150 762 16 0580	85	80	-0.23 53	-0.82 49	-0.93 84	0.78 16	101	-3.50 18	-3.15 43	1.76 40	1.88 29	97	93	2
280	2124 24 0089 107486433	2.71	762 21 0482 2124 22 0091	85	94	-1.75 60	-0.69 48	-1.57 73	-1.66 13	85	-1.80 23	-3.52 47	-0.81 45	-5.02 17	116	93	1
281	762 23 0483 100498526	9.10	762 21 0467 762 19 0035	84	80	-0.32 61	-0.66 58	-0.82 86	0.06 26	96	-2.60 29	-2.54 52	10.15 52	3.35 36	93	103	1
282	762 23 0689 98689490	7.65	762 21 0143 762 17 0264	78	80	-1.28 58	-0.99 54	-1.63 72	-1.42 22	86	-2.80 27	-3.95 49	0.31 48	2.61 32	95	97	1
283	762 22 1437 96031950	12.30	762 19 0382 762 18 0533	76	67	0.22 58	-1.22 55	-1.11 81	0.56 29	99	-5.00 35	-4.00 52	10.06 55	2.60 42	95		0
284	762 23 0443 100498484	15.15	762 21 0076 762 18 0193	73	75	-0.89 50	-0.49 47	-0.93 84	0.34 26	98	-6.10 26	-5.03 43	11.05 43	1.42 29	98	100	1
285	2124 24 0215 107492571	3.31	2124 22 0170			0.37 41	0.13 18	0.32 106	0.78 5	101							0