

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MR M. ALALIBO

NO3 ELDER EDWIN AVENUE
OFF ADA GEORGE ROAD, RIVERS STATE
PORTHARCOURT
NIGERIA



Kennel Number: 717471



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	94	96	90
Movement (Mv)	104	106	100
Temperament (Tmp)	107	109	103
Coat (Ct)	96	100	88
General Appearance	100	101	98
Head & Face (H&F)	102	105	98
Front Quarter (FQ)	105	108	97
Centre (C)	106	109	101
Hind Quarter (HQ)	104	106	98
Final Score (FS)	104	107	97
Hip Health (HH)	103	108	93
Elbow Health (ELM)	96	100	88

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	6	49007	4	25141	2	23857	6	3371	5	6287
Average Inbreeding	7.02	8.49	7.91	8.46	5.23	8.53	7.36	8.01	7.58	8.00
Number inbred	6	48727	4	24990	2	23728	6	24990	5	23728
Number >6.25% Inbr.	3	30600	3	15537		15058	4	15537	2	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
DSIR3 LANCELOT		LIONS GATE WINSTON	5.13	101	96	88	119	110	100	98	97	107	107	107	105						
	2020	TOPBRED XENA		5	5	12	36	8	50	35	49	36	38	41	45						
ANIA CASPIAN NAMIBIA		MIDDELPOS BBD APOLLO III	11.01	124	113	99	107	110	123	100	118	118	116	116	120	14	2	3			
	2021	GIANTS OF AFRICA ZENA		5	5	19	36	9	47	33	46	36	38	40	43			2			
DSIR3 EZEMUO		AOB TANGO 1	9.03	102	91		93	110	70	107	97	103	103	95	96	6	1	2			
	2021	CARADE INTL KITANA		5	5		34	5	49	32	48	34	37	39	44			2			
INCREDIBLE MADE ARES		ANIA CASPIAN NAMIBIA	6.46	107	100	92	104	105	109	98	108	107	108	108	109						
	2023	IWINOSA ATHENA		5	5	5	11	5	26	7	26	12	15	17	22						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
IWINOSA ATHENA		VERSTER MCGREGOR	4.67	91	87	86	102	100	94	95	98	95	100	99	98	11	2	3			
	2021	ZADER INFINITY		5	5	7	22	5	39	21	38	23	25	28	33			3			
INCREDIBLE MADE BAMBI		DSIR3 EZEMUO	5.80	96	89	95	98	105	82	101	98	99	101	97	97						
	2024	IWINOSA ATHENA		5	5	5	9	5	27	7	26	11	14	17	22						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health	Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips Elbows	with litters
LIONS GATE WINSTON		MES ASKAM	5.11	93	96	76	107	104	78	99	105	109	110	96	102	12 4	5 5		1
	2016	LIONS GATE LYLA		5	17	34	49	32	60	48	59	49	51	53	56				
VERSTER MCGREGOR		GIANTS OF AFRICA MUSTANG	4.86	100	100	93	104	101	69	95	100	97	113	107	101	9 2			2
	2018	GIANTS OF AFRICA ELEANOR		5	5	12	37	5	55	36	54	38	40	43	49				
MIDDELPOS BBD APOLLO III		MIDDELPOS BBD GAMKA	6.87	126	130	95	99	109	125	93	123	123	117	117	123	97 13	18 17		9
	2019	DELATRO X' SASKIA		5	17	36	58	36	70	56	69	58	60	62	66				
AOB TANGO 1		LANDRE ZEUS	7.26	106	102	100	94	99	81	105	99	100	102	87	94	11 2	5 5		3
	2020	ANIA CASPIAN BLAZE		5	5	22	46	15	65	45	64	47	50	53	59				
ANIA CASPIAN NAMIBIA		MIDDELPOS BBD APOLLO III	11.01	124	113	99	107	110	123	100	118	118	116	116	120	14 2	3 2		
	2021	GIANTS OF AFRICA ZENA		5	5	19	36	9	47	33	46	36	38	40	43				
DSIR3 EZEMUO		AOB TANGO 1	9.03	102	91		93	110	70	107	97	103	103	95	96	6 1	2 2		
	2021	CARADE INTL KITANA		5	5		34	5	49	32	48	34	37	39	44				

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels		Hips	Elbows	
ZADER INFINITY	2015	SEBOGA BEN VON HOUT	4.58	81	75	80	100	100	118	95	95	93	86	91	94	15	1				3
		ZADER GABRIELLA		5	5	17	41	7	61	40	60	42	45	48	54						1
GIANTS OF AFRICA ZENA	2017	AFRIKA RAMBOMAX	11.09	121	97	104	109	109	98	111	110	112	115	112	113	11	1	4			4
		GIANTS OF AFRICA MARIAAN		14	28	43	50	32	61	49	60	51	52	54	57						1
TOPBRED XENA	2018	MIDDELPOS BBD APOLLO 1	5.70	109	96	101	119	112	104	97	83	100	101	115	101	4	1	3			1
		AJOKE SAVUUTI		5	5	31	49	27	65	49	64	50	52	55	60						1
CARADE INTL KITANA	2019	MES RUBENSTEIN	11.86	99	79	109	103	124	76	110	101	111	107	106	105	8	2	3			3
		STEPHANO DONATELLA		5	5	34	48	27	58	46	57	48	50	52	55						1
IWINOSA ATHENA	2021	VERSTER MCGREGOR	4.67	91	87	86	102	100	94	95	98	95	100	99	98	11	2	3			
		ZADER INFINITY		5	5	7	22	5	39	21	38	23	25	28	33						

