

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MS M. DAMJANOVIC

ROBERT-BOSCH STR 2
32547 BAD OEYNHAUSEN
NORDRHEID -WESTFALEN
GERMANY



Kennel Number: 720407



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	92	92	92
Movement (Mv)	94	87	96
Temperament (Tmp)	98	86	101
Coat (Ct)	103	97	105
General Appearance	100	81	105
Head & Face (H&F)	97	87	100
Front Quarter (FQ)	101	91	104
Centre (C)	101	91	103
Hind Quarter (HQ)	96	86	98
Final Score (FS)	98	85	101
Hip Health (HH)	110	103	112
Elbow Health (ELM)	113	125	110

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding



Inbreeding Levels

	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	5	49007	1	25141	4	23857	4	3371	3	6287
Average Inbreeding	5.70	8.49	3.49	8.46	6.25	8.53	4.34	8.01	6.22	8.00
Number inbred	5	48727	1	24990	4	23728	4	24990	3	23728
Number >6.25% Inbr.	1	30600		15537	1	15058		15537	1	15058

Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
AKIRA LEONIDAS 300		300 BBG BOB	3.49	103	125	92	87	86	97	81	87	91	91	86	85	11	1				
	2024	AKIRA YARA		25	40		18	5	36	18	35	19	22	25	30						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information

Inbreed

Health

Fertility

General

Appearance

Progeny :

Appraisal

Health

Progeny with litters

Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Movement	Temperament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Progeny Litters	Progeny Progeny Kennels	Hips Elbows	Progeny with litters
ISENLOH MISS SANSA	2022	ISENLOH JABBA ISENLOH GLAMOUR GIRL GEORGIA	12.45	117 5	106 5	92 5	98 25	106 5	110 45	113 25	101 44	107 27	107 29	105 33	106 39	18	2		
QUEENSIZING AMAZING SAPHIRA	2025	GROOTE HEIDE OLLIVER ISENLOH MISS SANSA	5.24	112 5	102 6	93 5	100 19	107 5	103 36	114 18	110 35	112 20	108 23	97 25	107 30				
QUEENSIZING BONITA	2025	AKIRA LEONIDAS 300 ISENLOH MISS SANSA	3.65	110 5	115 12	92 5	92 5	96 5	104 7	97 5	94 5	99 5	99 5	95 5	95 5				
QUEENSIZING BOCHUMILA	2025	AKIRA LEONIDAS 300 ISENLOH MISS SANSA	3.65	110 5	115 12	92 5	92 5	96 5	104 7	97 5	94 5	99 5	99 5	95 5	95 5				

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	with litters	
ISENLOH JABBA		ISENLOH DASH	5.59	122	117	93	99	98	112	104	98	104	107	104	103	5	1	2	1	1	
	2020	ANGEL MICHAEL`S SANNA		19	37	10	34	5	49	34	48	35	37	39	44						
300 BBG BOB		IMMERMOED XINT	2.61	101	118	99	82	85	94	84	87	88	88	85	83	1	1	1	1	1	
	2020	AKIRA CONGO-MASAI BINTOU		7	21	5	9	5	23	8	22	10	13	15	19						
GROOTE HEIDE OLLIVER		DELATRO X`WINSLO	5.65	108	98	95	103	109	95	114	119	117	108	90	109	56	9	1			
	2021	GROOTE HEIDE ESMEE (BELLA)		20	41	10	46	18	64	46	63	47	50	52	58						
AKIRA LEONIDAS 300		300 BBG BOB	3.49	103	125	92	87	86	97	81	87	91	91	86	85	11	1				
	2024	AKIRA YARA		25	40	5	18	5	36	18	35	19	22	25	30						

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
ISENLOH GLAMOUR GIRL GEORGIA	2018	KLEIN SANDFONTEIN HUEY	3.95	111	96	98	96	112	111	115	105	112	110	107	109	5	1	2		1	1
		RAINBOWGLADE SAPHIR		35	49	31	49	30	62	48	61	49	51	53	57			2			1
AKIRA YARA	2022	SARABI CANDYMAN KING	2.26	100	107	86	93	88	97	86	87	91	91	86	86	1		1	1	1	1
		300 BBG MALU		5	19	5	5	5	20	5	19	5	6	10	15			1			1
ISENLOH MISS SANSA	2022	ISENLOH JABBA	12.45	117	106	92	98	106	110	113	101	107	107	105	106	18	2				
		ISENLOH GLAMOUR GIRL GEORGIA		5	5	5	25	5	45	25	44	27	29	33	39						

