



MEATMASTER GENETIC REPORT

21 September 2026



YIELD AGRI INVESTMENT

FDM : YM



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Meatmaster breed, namely the Growth Index, Reproduction Index and the Logix Merit Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production while not reaching very large adult weights. Very large animals require more feed to meet their maintenance requirements, which makes them more expensive to keep and more likely to struggle during difficult times. Since large animals in a breeding flock are unfavourable, a penalty is placed on Post-Wean Weight EBV (indicated by the negative value) in the index. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, give multiple lambs and has lower maintenance requirements. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The **LMI** is constructed as follows :

$$(0.33 * \text{Wean Dir}) + (0.17 * \text{Wean Mat}) - (0.10 * \text{Post-wean}) + (0.25 * \text{N_Lambs_Weaned}) + (0.10 * \text{AFL}) + (0.05 * \text{ILP})$$

Schematically the LMI can be explained as follows :



Growth Index (GI)

The Growth Index indicates growth potential up to weaning and is a combination of Wean Direct, Wean Maternal and Post-Wean breeding values. The Growth Index is useful to indicate an animal's advantage in crossbreeding systems. The GI is constructed as follows :

$$GI = 0.54 \text{ Wean Dir} + 0.26 \text{ Wean Mat} + 0.2 \text{ Post-Wean}$$


Reproduction Index (RI)

This index includes the EBVs of the components of Total Weight Weaned (Weaning Direct and Maternal and Number of Lambs Weaned), as well as Age at First Lambing and Interlambing Period. This is especially an important index to consider in the development of a dam line.

The **RI** is constructed as follows :

$$(0.15 * \text{AFL}) + (0.05 * \text{ILP}) + (0.35 * \text{N_Lambs_Weaned}) + (0.10 * \text{Wean Dir}) + (0.35 * \text{Wean Mat})$$

Schematically it can be explained as follows :



Meatmaster

Genetic Averages of Animals

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	0.09	0.41	-0.07	-0.08	0.05	-0.14
Weaning Weight Maternal	-0.03	-0.02	-0.04	-0.03	0.00	-0.05
Weaning Weight Comb	0.01	0.18	-0.07	-0.07	0.02	-0.12
Post-wean Weight	-0.06	0.37	-0.27	-0.49	-0.30	-0.59
Number Lambs Weaned	-0.41	0.45	-0.82	0.59	0.70	0.53
Total Weight Weaned	-0.19	0.66	-0.60	0.24	0.47	0.13
Age at First Lambing	-2.65	-2.99	-2.43	-0.13	-0.01	-0.20
Interlambing Period	-0.77	-1.05	-0.58	-0.36	-0.56	-0.25
Selection Indices						
Logix Merit Index	98	98	98	95	96	95
Reproduction Index	99	99	98	97	97	97
Growth Index	96	98	95	94	95	94
Inbreeding						
Inbreeding (%)	3.26	3.40	3.21	4.09	4.45	3.92
Number of Animals						
Number of Animals	2035	609	1426	33272	10479	22715

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	95.6	98.6	94.2
Weaning Weight Maternal	97.2	97.4	97.1
Weaning Weight Comb	95.8	97.6	94.9
Post-wean Weight	97.3	99.7	96.2
Number Lambs Weaned	94.3	97.6	92.7
Total Weight Weaned	93.0	96.9	91.1
Age First Lambing	108.5	109.3	108.0
Interlambing Period	97.3	97.7	97.0
Selection Indices			
Logix Merit Index	98.1	98.4	97.9
Reproduction Index	98.6	98.9	98.4
Growth Index	95.9	98.3	94.7
Inbreeding			
Inbreeding (%)	3.26	3.40	3.21
Number of Animals			
Number of Animals	2035	609	1426

** Averages of all active animals in the flock.

Inbreeding

Notes

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2018 - 2026	3.10	-0.02
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding




Pedigree Information

	Number	%
Known Sires	1456	72
Known Dams	1484	73

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Weaning Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Interlambing Period
RI: Reproduction Index
GI: Growth Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the active ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 765




Sires

Number: 160




Young Ewes

Number: 645



Young Rams


Number: 608




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned







Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	2551	-0.74	-0.62	-0.99	1364	-2.24	940	0.52	2551	89	1204	3.43	935	-0.91	2551	86	2551	86
2014	2768	-0.70	-0.54	-0.89	1344	-2.17	1129	0.21	2768	89	1363	3.25	1019	0.48	2768	86	2768	86
2015	3224	-0.51	-0.38	-0.63	1476	-1.56	1066	0.16	3224	91	1297	2.63	880	-0.26	3224	89	3224	89
2016	2994	-0.40	-0.43	-0.63	1674	-1.28	1252	-0.47	2994	92	1656	2.50	1234	1.07	2994	89	2994	89
2017	2937	-0.20	-0.41	-0.51	1491	-0.92	1326	-0.57	2937	92	1935	2.36	1440	1.11	2937	89	2937	89
2018	3790	-0.09	-0.23	-0.28	2173	-0.88	1417	-0.41	3790	94	1822	2.15	1212	0.70	3790	92	3790	92
2019	4281	-0.05	-0.12	-0.15	1997	-0.44	1217	-0.58	4281	94	1668	1.81	1280	0.50	4281	93	4281	92
2020	3443	-0.08	-0.10	-0.14	2062	-0.41	1878	-1.38	3443	94	2008	1.21	1538	-0.31	3443	94	3443	93
2021	4483	0.00	0.00	0.00	2120	0.00	1584	0.03	4483	96	2151	0.00	1550	0.00	4483	97	4483	96
2022	5249	0.03	-0.06	-0.05	2476	-0.11	2167	-1.03	5249	95	2259	0.05	1542	-1.27	5249	95	5249	95
2023	6336	0.27	-0.11	0.02	2328	0.31	2097	-0.74	6336	94	2276	0.62	1289	-0.97	6336	93	6336	94
2024	7264	0.27	-0.09	0.05	2650	0.61	1115	0.20	7264	95	1853	0.69	489	0.59	7264	95	7264	95
2025	6535	0.34	0.01	0.18	2250	1.00	83	1.28	6535	98	440	-0.86	5	-5.27	6535	98	6535	98

Genetic Trends of Flock

Birth year	Weaning Weight				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2020																		
2021																		
2022																		
2023																		
2024																		
2025	396	-0.07	0.02	-0.02														

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.08	1.11	-3.81	-2.07	-1.47	-1.22	-1.02	-0.88	-0.77	-0.56	-0.33	-0.02	0.35	0.57	0.84	1.53	2.08	3.01	5.79
Weaning Weight Maternal	-0.03	0.59	-2.90	-1.41	-0.94	-0.74	-0.52	-0.43	-0.34	-0.21	-0.06	0.09	0.26	0.36	0.46	0.71	0.97	1.48	3.08
Weaning Weight Combined	-0.07	0.96	-4.28	-2.07	-1.42	-1.12	-0.82	-0.72	-0.62	-0.41	-0.20	-0.01	0.29	0.48	0.68	1.28	1.75	2.51	4.75
Post-Wean Weight	-0.49	1.82	-7.24	-3.96	-2.92	-2.39	-1.96	-1.75	-1.56	-1.26	-0.90	-0.40	0.23	0.63	0.99	2.08	2.97	4.61	9.11
Number of Lambs Weaned	0.59	2.70	-9.30	-5.00	-4.10	-2.70	-1.50	-1.10	-0.80	-0.10	0.50	1.10	1.70	2.10	2.50	4.00	5.40	8.10	17.60
Total Weight Weaned	0.24	2.28	-8.32	-4.63	-3.11	-2.30	-1.48	-1.26	-0.95	-0.46	-0.07	0.41	1.05	1.48	1.95	3.39	4.58	6.60	10.90
Age at First Lambing	-0.13	-4.88	30.68	12.31	7.93	5.91	3.62	2.87	2.15	0.99	-0.13	-1.31	-2.45	-3.14	-3.93	-5.96	-8.28	-11.88	-26.31
Interlambing Period	-0.36	-7.80	56.43	20.90	13.49	9.89	5.76	4.17	2.82	0.71	-1.22	-2.97	-4.62	-5.29	-6.17	-9.00	-11.90	-17.94	-35.86
Growth Index	94	10	59	74	81	84	87	88	89	90	92	95	98	100	103	109	114	123	141
Reproduction Index	97	10	52	74	81	85	89	90	91	94	96	99	101	103	105	110	115	124	153
Logix Merit Index	95	11	55	75	80	83	87	88	89	91	94	96	99	101	103	110	115	124	146

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.05	1.12	-3.70	-1.86	-1.32	-1.17	-0.92	-0.78	-0.68	-0.49	-0.22	0.12	0.52	0.76	1.03	1.67	2.20	3.05	5.79
Weaning Weight Maternal	0.00	0.55	-2.00	-1.22	-0.86	-0.67	-0.46	-0.37	-0.30	-0.17	-0.02	0.12	0.28	0.37	0.46	0.71	0.94	1.42	2.44
Weaning Weight Combined	0.02	0.93	-2.67	-1.76	-1.22	-0.98	-0.76	-0.65	-0.54	-0.35	-0.13	0.07	0.40	0.58	0.79	1.36	1.80	2.52	4.44
Post-Wean Weight	-0.30	1.81	-6.14	-3.60	-2.58	-2.14	-1.79	-1.60	-1.43	-1.14	-0.74	-0.25	0.47	0.81	1.25	2.34	3.16	4.66	9.11
Number of Lambs Weaned	0.70	2.46	-8.50	-4.50	-3.00	-2.30	-1.30	-1.00	-0.60	0.00	0.60	1.10	1.70	2.00	2.40	3.90	5.20	7.60	13.40
Total Weight Weaned	0.47	2.19	-6.35	-3.73	-2.54	-1.94	-1.31	-0.98	-0.72	-0.30	0.04	0.53	1.20	1.64	2.18	3.63	4.77	6.44	10.85
Age at First Lambing	0.00	-4.46	19.12	10.97	7.38	5.62	3.48	2.80	2.12	1.10	0.05	-1.15	-2.17	-2.75	-3.49	-5.46	-7.11	-10.68	-23.87
Interlambing Period	-0.56	-6.99	35.22	18.74	12.10	8.64	4.90	3.41	2.27	0.39	-1.25	-2.92	-4.48	-5.29	-5.96	-8.41	-10.77	-15.75	-30.26
Growth Index	95	10	66	78	83	85	87	88	89	91	93	96	100	102	104	110	115	123	141
Reproduction Index	97	10	55	76	83	86	89	90	92	94	96	99	101	103	105	111	115	124	153
Logix Merit Index	96	10	66	77	82	84	87	88	89	92	94	97	100	102	104	111	116	123	142

All Active Ewes

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.14	1.10	-3.81	-2.13	-1.52	-1.27	-1.04	-0.92	-0.81	-0.60	-0.38	-0.08	0.27	0.47	0.74	1.45	2.01	3.00	5.63
Weaning Weight Maternal	-0.05	0.61	-2.90	-1.50	-0.98	-0.77	-0.55	-0.45	-0.37	-0.23	-0.08	0.07	0.25	0.35	0.45	0.71	0.98	1.51	3.08
Weaning Weight Combined	-0.12	0.97	-4.28	-2.21	-1.51	-1.18	-0.86	-0.76	-0.65	-0.44	-0.22	-0.05	0.23	0.42	0.62	1.22	1.71	2.51	4.75
Post-Wean Weight	-0.58	1.82	-7.24	-4.11	-3.02	-2.52	-2.05	-1.84	-1.63	-1.31	-0.97	-0.48	0.11	0.51	0.85	1.96	2.83	4.57	9.10
Number of Lambs Weaned	0.53	2.81	-9.30	-5.20	-4.20	-3.10	-1.70	-1.30	-0.90	-0.10	0.50	1.00	1.70	2.10	2.50	4.10	5.40	8.30	17.60
Total Weight Weaned	0.13	2.31	-8.32	-4.85	-3.35	-2.50	-1.63	-1.37	-1.08	-0.55	-0.14	0.35	0.96	1.38	1.83	3.26	4.48	6.66	10.90
Age at First Lambing	-0.20	-5.08	30.68	12.91	8.19	6.05	3.68	2.88	2.16	0.96	-0.22	-1.41	-2.65	-3.29	-4.14	-6.34	-8.76	-12.31	-26.31
Interlambing Period	-0.25	-8.19	56.43	21.86	14.10	10.50	6.28	4.57	3.18	0.83	-1.20	-3.01	-4.71	-5.29	-6.32	-9.36	-12.40	-19.14	-35.86
Growth Index	94	10	59	73	80	83	86	87	88	90	92	94	97	100	102	108	114	123	141
Reproduction Index	97	11	52	73	80	84	88	90	91	94	96	98	101	103	105	110	115	124	148
Logix Merit Index	95	11	55	74	79	83	86	88	89	91	93	96	99	101	103	109	115	124	146

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EBV Acc Index		EPI Times Lambd						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
JW 19 0105 84426816	JW JW	17 14	0665 0279	1.73	90	85	103	-1.85 95	0.70 83	-0.22 93	-2.88 91	82	-0.90 67	-1.69 84	-10.00 64	9.94 80	10
CC 21 0515 92604917	CC CC	19 18	0576 0627	5.51	116	113	110	2.39 95	0.03 74	1.22 109	3.09 92	115	4.80 61	5.29 79	3.46 63	-2.05 53	162 9
DM 22 0081 94920071	JW SS	18 15	0879 4150	2.42	118	97	107	1.77 93	-1.70 55	-0.81 87	0.08 72	98	7.50 35	4.57 65	-17.47 46	5.13 88	83 11
CC 22 0120 93923902	CC CC	19 19	0576 0260	4.78	125	123	116	3.53 93	0.12 70	1.89 116	5.48 87	128	4.50 58	6.35 76	-1.75 56	-6.15 48	108 5
CCS22 0159 94633559	JW CCS	21 20	0080 0371	3.97	95	94	85	1.14 94	-1.73 56	-1.16 83	0.39 77	100	2.40 38	0.85 66	-2.56 49	3.24 44	137 7
CC 22 0408 95156659	CC CC	21 19	0188 0050	5.39	108	109	110	1.20 66	0.80 55	1.40 111	1.85 67	108	2.40 48	3.44 58	2.29 46	7.75 44	106 5
CC 22 0639 95157574	CC CC	20 21	0716 0640	5.73	104	112	97	2.29 60	-0.08 45	1.07 107	2.80 63	113	0.30 39	2.39 49	3.56 35	1.54 34	90 2
CC 23 0017 96793724	KI M	20 18	0260 0113	2.03	108	114	107	1.84 91	0.85 55	1.77 115	3.08 66	115	-0.30 41	2.51 66	0.33 49	-1.13 40	144 6
CC 23 0024 96793864	KI CC	20 19	0260 0056	2.82	114	132	102	5.07 66	0.40 54	2.93 127	7.37 67	136	-0.90 43	4.93 56	5.00 43	2.70 41	155 6
CC 23 0123 96795588	CC CC	19 21	0576 0518	5.16	116	111	124	0.83 64	1.43 53	1.84 115	2.26 66	110	3.90 48	4.60 56	-0.21 45	-2.73 45	87 2
CCS23 0163 97015911	JW CCS	21 22	0080 0012	6.45	110	100	101	1.49 65	-1.01 49	-0.26 93	0.68 59	101	5.00 37	3.48 52	-1.02 37	-8.17 37	161 6
JW 23 0268 97993943	JW JW	21 19	0285 0137	3.20	105	89	108	-0.55 38	-0.32 31	-0.59 89	-1.87 32	87	4.60 21	1.89 31	-9.19 28	0.13 31	6
FJD 23 0397 97742399	FJD FJD	21 21	0160 0039	2.55	94	88	104	-1.41 37	0.72 19	0.01 96	-2.27 15	85	-1.30 5	-1.48 22	-9.24 20	-4.16 19	107 2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam						
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd												
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
CCS23 0417 97306419	CCS	21	0335 0043	2.49	92	89	88	-0.03 64	95	-0.92 45	82	-0.93 86	-1.19 57	91	0.20 33	-0.83 50	90	-1.76 29	107	-12.68 33	116	104	3
CC 23 0460 98180441	CC	21	0483 0422	5.69	113	111	111	1.82 64	112	0.43 52	105	1.34 110	2.46 66	111	4.50 44	4.95 55	117	4.25 40	93	6.93 41	85	108	6
CC 23 0470 98181043	CC	21	0095 0542	6.10	117	106	112	1.67 67	110	-0.08 56	96	0.75 104	1.29 68	105	6.70 48	5.61 58	120	3.80 45	94	-4.43 42	103	141	6
FJD 23 0489 99049827	FJD	22	0203 0169	2.56	90	88	99	-1.34 33	82	0.52 5	107	-0.16 94	-2.22 5	85	-1.30 5	-1.61 14	87	-3.27 16	110	-6.16 7	106	114	4
CC 23 0589 98180730	CC	21	0483 0791	5.33	117	111	117	1.56 65	109	0.75 52	111	1.53 112	2.05 66	109	5.30 43	5.49 55	119	2.60 40	97	6.40 40	86	127	7
CC 23 0614 98182306	CC	21	0483 0373	4.93	118	112	118	1.66 67	110	0.68 52	110	1.51 112	2.46 65	111	5.60 43	5.70 56	120	0.65 38	101	9.15 37	82	125	6
CC 23 0615 98182314	CC	21	0483 0373	4.93	124	121	121	2.76 91	120	0.78 53	111	2.16 119	4.20 65	121	5.60 43	6.90 65	126	0.64 38	101	9.15 37	82	125	6
CC 23 0619 98182819	CC	22	0031 0050	5.80	103	114	96	2.48 66	118	0.03 53	98	1.27 109	3.47 67	117	0.50 45	2.81 56	107	8.19 44	84	1.81 42	93	106	5
CC 23 0693 98181407	CC	20	0456 0367	4.67	119	108	120	1.28 68	107	0.64 55	109	1.28 109	1.45 68	106	6.50 47	5.82 58	121	2.18 44	98	2.03 42	93	197	7
CC 23 0703 98181969	CC	22	0031 0155	6.31	113	118	107	2.75 65	120	0.38 53	104	1.76 115	4.08 67	120	2.20 45	4.45 56	114	4.39 44	93	1.71 41	93	98	3
CC 23 0788 98182066	CC	21	0188 0357	4.27	111	107	113	1.04 66	104	0.62 55	109	1.14 108	1.61 67	107	3.40 47	3.70 57	111	0.13 44	102	-0.19 43	96	127	4
YM 25 0004 111087128	CCS	22	0159 0052	2.55	98	103	94	1.20 59	106	-0.27 36	93	0.33 99	1.28 38	105	-0.90 19	0.40 41	96	-2.86 25	109	-2.17 22	100	108	2
YM 25 0007 111087300	CCS	22	0159 0066	2.55	80	82	79	-0.88 59	87	-1.28 36	76	-1.72 77	-1.97 38	87	-0.90 19	-2.70 41	82	-2.86 25	109	-2.17 22	100	101	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam		% In- breeding		Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index					EPI Times Lambd	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49		0.59	0.24	-0.13	-0.36		
YM 25 0010 111087011	CCS YM	22 20	0159 0022	2.59	92	95	89	0.49 59 99	-0.66 36 86	-0.42 91	0.14 38 99		-0.90 19 93	-0.71 41 91	-3.24 25 110	-2.44 22 100	105	2
YM 25 0011 111087425	CCS YM	22 21	0159 0040	2.55	87	89	83	-0.02 59 95	-1.05 36 80	-1.05 84	-0.70 38 94		-0.90 19 93	-1.60 41 87	-2.91 25 109	-2.07 22 99	103	2
YM 25 0013 112600713	CC CC	21 23	0188 0146	5.02	105	109	102	1.65 58 110	0.11 50 100	0.94 106	2.31 58 110		1.20 43 101	2.48 51 105	-1.37 42 106	6.85 39 85		1
YM 25 0015 111087573	CCS YM	22 20	0159 0039	2.59	94	97	92	0.56 59 100	-0.37 35 92	-0.09 95	0.36 38 100		-0.90 19 93	-0.35 41 92	-2.37 25 108	-2.97 22 101	107	2
YM 25 0018 112600739	CC CC	22 23	0031 0452	6.27	102	108	91	2.37 58 117	-0.78 48 84	0.41 100	2.58 58 112		1.20 40 101	2.31 50 105	4.99 41 91	-1.39 36 98		1
YM 25 0019 111087979	CCS YM	22 21	0159 0006	2.55	91	94	87	0.37 59 98	-0.74 36 85	-0.56 90	-0.05 38 97		-0.90 19 93	-0.91 41 90	-2.70 25 109	-2.31 22 100	110	2
YM 25 0021 111087474	CCS YM	22 21	0159 0004	2.55	102	107	97	1.71 59 111	-0.08 36 96	0.77 104	2.04 38 109		-0.90 19 93	1.08 41 99	-2.54 25 108	-2.68 22 100	109	2
OC 25 0023 109588145	JW OC	18 23	0894 0306	2.99	111	105	114	0.77 49 102	0.50 34 106	0.88 105	1.75 19 107		3.10 19 108	3.13 36 108	-5.34 22 115	-2.16 24 100	99	3
YM 25 0026 111087243	CC CC	22 24	0597 0040	7.31	104	106	105	0.97 63 104	0.46 41 106	0.94 106	1.80 56 108		1.60 32 102	2.39 47 105	2.00 32 98	1.73 28 93	101	3
YM 25 0029 111088027	CC CC	21 18	0025 0558	4.48	106	100	103	0.87 67 103	-0.26 55 93	0.18 98	0.87 61 103		3.20 48 108	2.53 58 106	2.12 45 98	-13.73 42 118	150	8
YM 25 0032 111087326	CC CC	21 18	0095 0372	3.99	109	97	107	0.60 67 100	-0.53 55 89	-0.23 93	0.33 60 100		7.00 48 123	4.27 58 114	1.54 44 99	1.17 42 94	141	8
YM 25 0043 111113437	LM CC	22 22	1507 0457	2.11	107	102	109	0.64 65 101	0.18 36 101	0.51 101	1.30 58 105		3.60 29 110	2.99 46 108	-3.85 29 111	4.74 30 89	113	4
YM 25 0045 111087250	LM CC	22 23	1507 0085	1.57	109	104	110	0.90 65 103	0.30 35 103	0.76 104	1.68 57 107		3.30 26 109	3.19 44 109	-0.12 28 103	-7.63 29 108	115	3

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 25 0048 111087284	LM CC	22 22	1507 0340	1.94	94	95	99	-0.21 65	0.00 34	-0.11 95	0.32 57	0.99	1.10 27	0.45 44	-3.90 28	8.62 29	112	4
YM 25 0074 111087169	LM CC	22 22	1507 0357	2.11	112	106	117	0.68 65	0.82 37	1.15 108	1.72 57	1.07	4.20 30	4.01 46	-0.22 30	-4.74 31	127	4
YM 25 0082 111087532	LM CC	22 22	1507 0506	2.08	103	104	109	0.35 65	1.00 35	1.17 108	0.93 57	1.03	-0.10 28	1.28 45	-3.04 29	0.27 29	120	4
DM 25 0085 107634875	DM DM	23 21	0026 0046	3.92	89	87	95	-1.09 62	-0.14 41	-0.69 88	-1.62 51	0.89	0.60 29	-0.87 46	-5.75 30	10.10 28	105	4
CRL 25 0086 110007689	CRL CRL	22 20	0123 0243	5.69	122	131	109	4.77 51	0.47 31	2.86 126	5.60 25	1.29	0.00 19	5.24 36	-2.49 28	4.04 32	122	6
YM 25 0101 111087623	CCS PMS	22 20	0246 0285	2.59	97	109	94	1.55 56	0.29 29	1.06 107	2.72 43	1.13	-2.80 15	0.15 36	0.39 15	-2.18 17	94	2
DM 25 0112 107679318	DM DM	23 22	0026 0103	6.49	100	102	100	0.90 63	-0.16 42	0.29 99	1.80 52	1.08	2.90 30	2.48 47	1.97 32	7.97 30	103	3
CCS 25 0114 108682758	CCS CCS	23 23	0305 0521	2.51	101	98	100	0.52 58	-0.22 34	0.04 96	0.55 44	1.01	0.80 23	0.78 41	-5.50 22	-6.22 20	96	2
YM 25 0125 111087144	LM CC	22 22	1507 0316	1.83	95	102	96	0.63 65	0.16 35	0.48 101	1.37 57	1.05	-1.10 28	0.13 45	0.02 29	-4.07 25	113	4
JW 25 0127 109926949	JW JW	23 22	0140 0397	2.56	87	87	90	-0.86 27	-0.31 20	-0.74 88	-1.57 20	0.89	-0.20 15	-1.29 22	-1.77 18	3.91 19	89	1
YM 25 0128 112600788	CC CC	22 23	0031 0118	6.47	95	111	84	2.40 59	-0.45 51	0.75 104	2.88 59	1.14	-3.00 42	0.15 52	6.06 42	-5.84 39	101	3
YM 25 0131 112600804	LM CC	22 23	1507 0087	1.44	108	109	110	1.17 57	0.78 34	1.36 110	2.33 56	1.11	1.60 25	2.91 41	1.70 29	-2.59 29	105	3
DM 25 0148 107790016	DM DM	23 22	0026 0050	3.00	101	91	107	-0.64 62	0.05 40	-0.27 93	-0.81 48	0.93	3.80 27	1.70 45	-5.28 28	3.43 26	148	4

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index					Post-Wean EBV Acc Index											
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
JW 25 0163 108913971	JW JW	23 21	0140 0289	11.04	99	84	100	-0.82 53 87	-0.88 33 83	-1.29 82	-2.33 27 85	6.00 21 119	1.90 38 103	-3.38 27 110	4.91 30 88	115	4		
JW 25 0183 108914011	JW JW	23 22	0140 0411	2.56	88	88	93	-0.97 50 86	-0.07 29 97	-0.56 90	-1.63 20 89	-0.20 15 95	-1.16 34 89	-1.77 18 107	3.91 19 90	110	2		
JW 25 0184 108914003	JW JW	23 22	0140 0415	2.56	91	92	95	-0.45 49 91	0.01 27 98	-0.21 93	-0.88 20 93	-0.20 15 95	-0.56 33 91	-1.77 18 107	3.91 19 90	104	2		
DM 25 0196 108813502	DM DM	22 23	0081 0031	5.19	103	89	103	-0.05 64 94	-0.80 42 84	-0.82 87	-1.52 49 89	4.20 29 112	1.68 47 102	-13.00 32 132	14.23 34 73	100	3		
YM 25 0207 111090833	CCS YM	22 20	0159 0166	2.59	91	95	87	0.52 59 100	-0.78 37 84	-0.52 90	0.15 38 99	-0.90 19 93	-0.79 41 90	-2.86 25 109	-2.17 22 100	117	2		
YM 25 0208 111091393	CCS YM	22 20	0159 0166	2.59	88	90	86	-0.11 59 94	-0.75 37 85	-0.80 87	-0.70 38 94	-0.90 19 93	-1.39 41 88	-2.86 25 109	-2.17 22 100	117	2		
YM 25 0210 112600861	- YM	- 21	- 0080	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		2		
DM 25 0220 109584961	JW DM	23 23	0085 0180	3.35	114	121	108	3.01 63 123	0.50 41 107	2.01 117	4.13 53 120	0.10 27 96	3.58 46 110	-5.37 34 115	14.88 32 72	109	3		
DM 25 0249 109712646	DM DM	23 21	0200 0025	3.37	86	98	86	0.37 60 98	0.11 42 100	0.29 99	0.10 47 98	-4.00 31 81	-1.92 46 85	0.52 28 101	5.00 33 88	104	5		
JW 25 0254 109926964	JW JW	23 20	0086 0280	2.57	93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	89	1		
YM 25 0261 111091336	CCS YM	22 20	0159 0030	2.59	80	81	79	-0.89 58 87	-1.31 34 75	-1.76 77	-2.01 38 87	-0.90 19 93	-2.74 40 81	-2.86 25 109	-2.17 22 100	96	1		
YM 25 0263 112500871	CC YM	23 22	0017 0078	2.56	102	109	105	0.96 48 104	1.03 35 116	1.51 112	1.81 33 108	-2.20 21 88	0.67 37 97	-1.41 25 106	-4.35 20 103	118	3		
YM 25 0264 112500889	CC YM	23 22	0017 0078	2.56	102	109	105	0.96 48 104	1.03 35 116	1.51 112	1.81 33 108	-2.20 21 88	0.67 37 97	-1.41 25 106	-4.35 20 103	118	3		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
JW 25 0268 109926998	JW JW	23 23	0086 0115	8.49	112	92	115	-0.27 49	-0.11 28	-0.24 93	-1.41 21	90	7.00 17	3.82 34	-6.13 24	1.59 25	94	3
DM 25 0283 109738393	DM DM	23 23	0200 0075	14.70	108	111	108	1.39 49	1.12 39	1.82 115	1.27 48	105	-1.20 31	1.79 41	-0.13 36	-3.70 38	102	86 3
JW 25 0295 109927038	JW JW	23 24	0220 0230	2.91	85	80	90	-1.60 53	-0.55 25	-1.35 81	-2.66 19	83	0.90 15	-1.61 33	-2.18 19	-2.55 19	100	96 2
JW 25 0303 109927020	JW JW	23 23	0086 0150	6.59	95	85	101	-1.21 46	-0.23 26	-0.84 87	-2.30 22	85	3.40 17	0.60 32	-5.21 22	7.11 24	85	100 2
YM 25 0311 111091369	CCS YM	22 20	0159 0191	2.59	84	86	83	-0.42 57	-1.02 32	-1.23 82	-1.24 38	91	-0.90 19	-1.98 39	-2.86 25	-2.17 22	100	93 1
YM 25 0320 112500939	CC YM	23 23	0017 0176	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	2
DM 25 0350 110338092	DM DM	23 23	0167 0161	16.53	86	80	90	-1.45 57	-0.76 43	-1.48 80	-3.11 55	81	1.90 31	-1.06 46	-3.52 31	10.22 31	80	98 4
DM 25 0351 110338100	DM DM	23 23	0167 0161	16.53	86	80	90	-1.45 57	-0.76 43	-1.48 80	-3.11 55	81	1.90 31	-1.06 46	-3.52 31	10.22 31	80	98 4
YM 25 0360 111091567	CC CC	23 22	0109 0390	8.35	95	101	92	0.86 62	-0.20 41	0.23 98	0.89 53	103	-0.10 34	0.60 47	4.36 31	-1.71 30	99	97 3
YM 25 0365 111092342	CC CC	21 22	0374 0395	7.12	108	90	114	-0.51 65	-0.38 50	-0.63 89	-0.39 59	96	8.90 41	4.45 54	-4.25 40	10.24 37	80	94 2
YM 25 0374 111092227	CC CC	21 22	0374 0313	6.52	102	103	102	0.98 65	0.09 50	0.58 102	1.18 58	104	2.30 41	2.45 54	0.95 39	10.49 37	79	125 4
YM 25 0380 111092839	CC CC	22 22	0392 0420	4.99	103	90	104	-0.23 65	-0.58 47	-0.69 88	-0.79 58	93	8.00 38	4.00 52	6.38 36	2.34 32	92	105 3
YM 25 0384 111092052	CCS YM	22 21	0159 0047	2.55	89	91	88	-0.18 58	-0.61 34	-0.70 88	-0.74 38	94	-0.90 19	-1.33 40	-2.67 25	-2.97 22	101	100 1

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Mat		Comb		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
								EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
YM 25 0432 111092078		CC CC	21 23	0374 0573	5.48	107	103	107	1.00 65	-0.08 49	0.42 100	1.72 58	107	3.90 41	3.25 53	-3.43 40	9.28 38	95	2						
YM 25 0434 111092128		CC CC	22 18	0392 0367	6.20	118	101	126	0.07 67	0.86 51	0.90 105	0.13 60	98	8.80 42	6.21 55	1.42 39	7.06 35	197	7						
YM 25 0448 111092136		CCS CCS	23 23	0305 0033	15.66	93	90	88	0.11 59	-0.95 36	-0.89 86	-0.77 41	93	0.20 26	-0.72 43	-1.50 24	-15.15 26	89	3						
YM 25 0452 111092748		CRL CRL	23 23	0157 0395	2.77	99	88	107	-1.17 46	0.47 22	-0.11 94	-2.62 12	83	1.80 8	0.38 28	-4.45 17	-4.25 21	99	2						
YM 25 0457 111092417		CCS YM	22 21	0159 0057	2.55	81	83	81	-0.86 58	-1.12 34	-1.55 79	-1.89 38	87	-0.90 19	-2.52 40	-2.86 25	-2.17 22	97	1						
YM 25 0459 111092326		CC CC	22 18	0392 0526	6.25	106	101	107	0.59 66	0.24 49	0.54 101	0.30 59	99	4.60 41	3.59 54	4.31 38	3.57 34	143	7						
YM 25 0465 111092557		CC CC	23 22	0902 0198	6.77	100	97	109	-0.51 64	0.83 40	0.57 102	0.10 55	98	1.90 34	1.45 48	-0.13 31	0.24 31	104	3						
YM 25 0469 111071841		CC YM	23 20	0017 0048	2.59	94	101	95	0.52 58	0.24 35	0.49 101	0.89 33	103	-2.20 21	-0.57 41	-1.41 25	-4.35 20	103	2						
YM 25 0470 111071858		CC YM	23 20	0017 0048	2.59	92	99	95	0.21 58	0.25 35	0.35 99	0.47 33	100	-2.20 21	-0.86 41	-1.41 25	-4.35 20	103	2						
YM 25 0472 111068037		CC YM	23 23	0017 0164	2.77	91	96	94	-0.11 56	0.25 31	0.20 98	0.04 33	98	-2.20 21	-1.18 38	-1.41 25	-4.35 20	93	1						
YM 25 0478 111067997		CC YM	23 23	0017 0136	2.77	80	84	87	-1.51 57	-0.17 33	-0.93 86	-2.05 33	86	-2.20 21	-3.01 39	-1.41 25	-4.35 20	93	2						
YM 25 0481 111071882		CC YM	23 20	0017 0199	2.59	90	96	91	0.08 58	-0.06 36	-0.02 96	0.18 33	99	-2.20 21	-1.29 41	-1.41 25	-4.35 20	107	2						
YM 25 0485 111071825		CC YM	23 22	0017 0056	2.56	97	104	97	0.77 57	0.42 33	0.80 104	1.31 33	105	-2.20 21	-0.13 39	-1.41 25	-4.35 20	97	2						

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI Times Lambd									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0486 111071932	CC YM	23 21	0017 0081	2.55	102	110	102	1.30 57	0.76 33	1.41 111	2.17 33	-2.20 21	0.74 39	-1.41 25	-4.35 20	100	2
YM 25 0487 111071890	CC YM	23 21	0017 0039	2.55	86	91	88	-0.50 57	-0.22 33	-0.46 91	-0.68 33	-2.20 21	-2.03 39	-1.41 25	-4.35 20	95	3
YM 25 0488 111071924	CC YM	23 21	0017 0039	2.55	82	86	87	-1.22 57	-0.18 33	-0.79 87	-1.66 33	-2.20 21	-2.72 39	-1.41 25	-4.35 20	95	3
YM 25 0490 111071908	CC YM	23 20	0017 0165	2.59	100	107	102	0.97 58	0.76 36	1.25 109	1.72 33	-2.20 21	0.41 41	-1.41 25	-4.35 20	112	2
YM 25 0491 111071734	CC YM	23 20	0017 0165	2.59	98	105	101	0.64 58	0.78 36	1.10 107	1.27 33	-2.20 21	0.09 41	-1.41 25	-4.35 20	112	2
YM 25 0494 111071684	CC YM	23 22	0017 0050	2.56	93	100	96	0.27 57	0.35 33	0.49 101	0.59 33	-2.20 21	-0.70 39	-1.41 25	-4.35 20	97	2
YM 25 0496 111068136	CC YM	23 23	0017 0118	2.77	93	99	95	0.16 57	0.33 33	0.41 100	0.44 33	-2.20 21	-0.83 39	-1.41 25	-4.35 20	95	2
YM 25 0500 111071700	CC YM	23 20	0017 0179	2.59	96	103	98	0.54 58	0.52 35	0.79 104	1.04 33	-2.20 21	-0.26 41	-1.41 25	-4.35 20	103	2
YM 25 0503 111071676	CC YM	23 20	0017 0227	2.59	100	108	101	1.16 58	0.65 35	1.23 109	1.94 33	-2.20 21	0.49 41	-1.48 25	-4.18 20	105	2
YM 25 0504 111071817	CC YM	23 21	0017 0031	2.55	82	85	89	-1.46 57	0.00 33	-0.73 88	-1.92 33	-2.20 21	-2.78 39	-1.41 25	-4.35 20	94	2
YM 25 0506 111067963	CC YM	23 23	0017 0107	2.77	94	100	96	0.36 57	0.36 33	0.54 101	0.72 33	-2.20 21	-0.61 39	-1.41 25	-4.35 20	96	1
YM 25 0521 111068078	CC YM	23 22	0017 0143	2.56	97	103	101	0.34 58	0.82 35	0.99 106	0.89 33	-2.20 21	-0.16 41	-1.41 25	-4.35 20	106	2
YM 25 0522 111068086	CC YM	23 22	0017 0143	2.56	101	109	102	1.15 58	0.78 35	1.35 110	1.97 33	-2.20 21	0.60 41	-1.41 25	-4.35 20	106	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 25 0528 112600887	- YM	- 22	- 0152	2.76	98	96	105	-0.37 10	0.22 14	0.04 96	1.02 5	1.02 103	0.50 5	0.15 9	-8.76 5	-5.16 5	99	2
YM 25 0529 112600697	- YM	- 22	- 0152	2.76	98	96	105	-0.37 10	0.22 14	0.04 96	1.02 5	1.02 103	0.50 5	0.15 9	-8.76 5	-5.16 5	99	2
YM 25 0532 111092102	CC CC	23 23	0902 0689	4.70	101	105	103	0.81 64	0.48 38	0.88 105	1.98 54	1.98 109	1.10 30	1.95 46	2.26 27	2.63 27	97	2
YM 25 0533 111092714	CC CC	23 23	0902 0689	4.70	100	104	103	0.57 64	0.49 38	0.78 104	1.67 54	1.67 107	1.10 30	1.72 46	2.26 27	2.63 27	97	2
YM 25 0535 111091963	CC CC	23 18	0902 0457	5.12	108	110	110	1.27 66	0.87 45	1.50 112	2.14 58	2.14 110	0.90 38	2.67 51	-0.86 32	4.14 32	187	7
YM 25 0538 111092763	CCS YM	22 22	0159 0070	2.56	90	93	86	0.28 57	-0.82 32	-0.68 88	-0.20 38	-0.20 97	-0.90 19	-1.07 39	-2.86 25	-2.17 22	89	1
YM 25 0539 111092433	CC CC	23 23	0902 0418	2.56	92	98	95	0.06 61	0.26 35	0.29 99	0.47 49	0.47 100	-1.70 24	-0.70 42	-0.54 26	-3.71 26	100	2
YM 25 0542 111092797	CC CC	23 23	0902 0529	5.15	104	115	99	2.26 64	0.40 39	1.53 112	3.75 55	3.75 118	-1.40 32	1.82 47	2.00 29	-1.76 28	110	3
YM 25 0543 111092656	CC CC	22 23	0392 0481	5.15	107	106	105	1.38 64	0.00 45	0.69 103	1.97 57	1.97 109	4.00 36	3.77 50	3.77 35	3.41 31	109	3
YM 25 0551 111092169	CC CC	23 23	0109 0367	2.02	90	100	86	0.76 59	-0.29 37	0.09 97	0.81 47	0.81 102	-1.10 25	-0.19 43	9.13 30	-7.72 28	135	3
YM 25 0558 111092276	CCS CCS	23 23	0199 0012	2.61	95	96	96	0.11 50	0.01 36	0.07 96	-0.40 41	-0.40 96	-1.00 26	-0.48 39	-3.56 24	-5.17 26	113	4
YM 25 0562 111092771	CCS CCS	23 23	0199 0194	17.94	94	95	95	0.02 60	-0.02 36	-0.01 96	-0.94 41	-0.94 93	-1.10 27	-0.66 43	-3.27 25	-0.96 24	95	2
YM 25 0563 111092037	CC CC	23 23	0902 0800	5.19	110	112	109	1.63 64	0.58 38	1.39 111	2.87 54	2.87 114	1.80 30	3.29 46	-0.58 28	0.97 27	120	3

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0574 111092730	JW EBS	18 24	0879 0012	8.18	112	91	110	0.27 57 97	-1.00 41 81	-0.87 86	-0.79 38 93	6.80 30 122	3.35 45 109	-12.34 37 131	-0.77 39 97	101 2	
YM 25 0582 112601034	- YM	- 19	- 0018	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	1	
YM 25 0590 111092573	CC YM	21 22	0515 0140	2.56	95	96	96	0.16 59 96	-0.12 43 96	-0.04 95	0.05 46 98	0.30 30 97	0.22 46 95	0.15 32 102	-4.81 26 104	108 2	
YM 25 0595 111092649	CC YM	21 23	0515 0140	2.77	105	108	102	1.45 58 108	0.25 42 102	0.97 106	1.96 46 109	0.30 30 97	1.87 45 103	0.15 32 102	-4.81 26 104	104 2	
YM 25 0596 111096103	CC YM	21 23	0515 0070	2.77	106	109	102	1.61 58 110	0.25 42 102	1.06 107	2.19 46 110	0.30 30 97	2.04 45 103	0.15 32 102	-4.81 26 104	105 2	
YM 25 0599 111096665	CC YM	21 23	0515 0154	2.77	90	90	92	-0.47 57 91	-0.35 40 92	-0.58 89	-0.90 46 93	0.30 30 97	-0.64 44 91	0.15 32 102	-4.81 26 104	93 1	
YM 25 0605 111096541	CC YM	21 20	0515 0033	2.59	107	110	106	1.56 58 109	0.55 42 107	1.33 110	2.24 46 110	0.30 30 97	2.29 45 104	0.15 32 102	-4.81 26 104	108 2	
YM 25 0610 111096202	CC YM	21 23	0515 0126	2.77	98	99	97	0.57 57 100	-0.04 40 97	0.25 98	0.65 46 101	0.30 30 97	0.71 44 97	0.15 32 102	-4.81 26 104	94 1	
YM 25 0613 111096459	RN RN	23 24	0002 0037	26.22	97	104	98	0.86 49 103	0.34 26 104	0.77 104	1.07 22 104	0.10 10 96	1.26 31 100	1.57 24 99	13.95 29 74	102 2	
YM 25 0614 111096236	CC YM	21 21	0515 0002	2.55	96	97	96	0.35 58 98	-0.13 42 96	0.05 96	0.31 46 99	0.30 30 97	0.40 45 96	0.15 32 102	-4.81 26 104	102 2	
YM 25 0617 111096509	CC YM	21 23	0515 0157	2.77	113	118	108	2.52 58 118	0.60 42 108	1.86 116	3.57 46 117	0.30 30 97	3.30 45 109	0.15 32 102	-4.81 26 104	108 2	
YM 25 0618 111096251	CC YM	21 22	0515 0064	2.56	102	104	100	1.06 58 105	0.11 41 100	0.64 103	1.38 46 105	0.30 30 97	1.35 45 100	0.15 32 102	-4.81 26 104	103 2	
YM 25 0619 111096269	CC YM	21 21	0515 0094	2.55	99	102	97	0.91 58 103	-0.13 42 96	0.33 99	1.08 46 104	0.30 30 97	0.97 45 98	0.15 32 102	-4.81 26 104	102 2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb	Post-Wean									
								EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 25 0620 111096400	CC YM	21 20	0515 0204	2.59	105	108	102	1.45 58 108	0.28 42 103	1.01 106	1.97 46 109	0.30 30 97	1.91 45 103	0.15 32 102	-4.81 26 104	101	1				
YM 25 0623 111096087	CC YM	21 21	0515 0061	2.55	97	98	95	0.53 59 100	-0.20 43 94	0.06 96	0.52 46 101	0.30 30 97	0.51 46 96	0.15 32 102	-4.81 26 104	108	2				
YM 25 0624 111096699	CC YM	21 21	0515 0061	2.55	97	99	95	0.68 59 101	-0.21 43 94	0.13 97	0.73 46 102	0.30 30 97	0.65 46 97	0.15 32 102	-4.81 26 104	108	2				
YM 25 0634 111096574	CC YM	21 20	0515 0104	2.59	100	103	99	0.95 60 104	0.04 45 99	0.51 101	1.19 46 104	0.30 30 97	1.16 47 99	0.15 32 102	-4.81 26 104	113	2				
YM 25 0635 111096723	CC YM	21 20	0515 0104	2.59	98	99	98	0.44 60 99	0.06 45 99	0.29 99	0.51 46 101	0.30 30 97	0.69 47 97	0.15 32 102	-4.81 26 104	113	2				
YM 25 0636 111096475	CC YM	21 21	0515 0075	2.55	102	105	100	1.16 57 106	0.14 40 100	0.72 103	1.53 46 106	0.30 30 97	1.48 44 101	0.15 32 102	-4.81 26 104	96	2				
YM 25 0637 111096038	CC YM	21 23	0515 0121	2.77	107	110	105	1.60 59 110	0.52 43 107	1.32 110	2.28 46 110	0.30 30 97	2.30 46 105	0.15 32 102	-4.81 26 104	292	2				
YM 25 0641 111096145	CC YM	21 20	0515 0150	2.59	99	100	100	0.47 58 99	0.19 40 101	0.42 100	0.60 46 101	0.30 30 97	0.84 45 98	0.15 32 102	-4.81 26 104	283	2				
YM 25 0642 111096152	CC YM	21 20	0515 0150	2.59	101	102	100	0.81 58 102	0.17 40 101	0.58 102	1.06 46 104	0.30 30 97	1.16 45 99	0.15 32 102	-4.81 26 104	283	2				
YM 25 0657 111096608	JW DM	23 24	0085 0102	3.71	118	115	114	2.37 63 117	0.29 39 103	1.48 112	3.56 54 117	3.60 27 110	4.82 45 116	-6.42 32 117	10.57 31 79	96	2				
YM 25 0663 112600903	- YM	- 24	- 0094	2.76	95	93	102	-0.56 10 90	0.01 14 98	-0.26 93	0.67 5 101	0.50 5 98	-0.24 9 93	-8.76 5 122	-5.16 5 104	99	2				
YM 25 0679 112372446	CRL YM	22 24	0232 0098	2.91	93	94	100	-0.63 18 89	0.67 20 110	0.36 100	-1.28 12 91	-1.90 10 89	-1.10 17 89	-4.30 17 112	-2.09 14 99	99	2				
YM 25 0706 111096111	CC CDN	23 23	0744 0001	2.77	93	93	96	-0.28 53 92	-0.12 33 96	-0.26 93	-0.39 33 96	0.70 21 99	0.02 38 94	-2.53 20 108	2.45 19 92	104	3				

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb										EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
YM 25 0714 111096095	JW DM	23 22	0085 0036	6.16	117	108	119	1.39 58	0.52 44	1.21 109	1.75 57	4.20 31	4.43 46	-9.59 36	11.52 35	117	4					
YM 25 0722 111096442	OC OC	23 23	0097 0306	2.60	107	98	115	-0.16 28	0.54 25	0.46 101	0.43 13	2.40 11	1.82 23	-11.91 19	2.17 21	99	3					
YM 25 0723 111096582	OC OC	23 23	0097 0306	2.60	107	98	115	-0.16 28	0.54 25	0.46 101	0.43 13	2.40 11	1.82 23	-11.91 19	2.17 21	99	3					
YM 25 0730 111067971	CC YM	23 24	0017 0035	2.91	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2					
YM 25 0734 111486833	CC CC	23 23	0017 0525	3.79	105	107	100	1.53 57	0.07 40	0.84 105	1.91 47	0.50 31	1.90 44	3.45 32	-16.12 29	104	3					
YM 25 0737 111071759	CC YM	23 20	0017 0174	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2					
YM 25 0738 111095998	CC YM	23 23	0615 0129	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	1					
YM 25 0742 111068128	CC YM	23 24	0017 0025	2.91	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1					
YM 25 0743 111068102	CC YM	23 24	0017 0025	2.91	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1					
YM 25 0744 112372396	CC YM	23 24	0614 0078	2.91	99	99	102	0.28 33	0.31 26	0.46 101	0.45 33	0.70 21	1.02 28	-1.26 19	0.79 18		1					
YM 25 0745 112372404	CC YM	23 24	0693 0070	2.91	100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21		1					
YM 25 0749 111071767	CC YM	23 20	0017 0040	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2					
YM 25 0755 111096871	CCS YM	22 20	0159 0131	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW	AFL	ILP	Dam			
								Dir	Mat	Comb	Post-Wean							EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 25 0756 111096384	CC CC	23 23	0615 0549	5.93	111	115	107	2.26 56	0.46 116	1.59 113	3.35 47	1.90 31	3.86 43	1.31 30	7.66 28	93	2		
YM 25 0757 111096004	CC CC	23 23	0615 0549	5.93	111	115	107	2.26 56	0.46 116	1.59 113	3.35 47	1.90 31	3.86 43	1.31 30	7.66 28	93	2		
YM 25 0765 111071957	CC YM	23 20	0017 0202	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2		
YM 25 0767 111096863	CC YM	23 24	0693 0009	2.91	100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21	85	1		
YM 25 0772 111113379	CCS YM	22 20	0159 0223	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2		
YM 25 0774 111113346	CCS YM	22 20	0159 0052	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2		
YM 25 0783 111293775	CCS YM	22 20	0159 0168	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	1		
YM 25 0784 111293759	CC YM	23 20	0017 0001	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1		
YM 25 0785 111293767	CC YM	23 22	0017 0062	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1		
YM 25 0789 111293684	CCS YM	22 20	0159 0172	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2		
YM 25 0798 111293700	CC YM	23 21	0017 0032	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2		
YM 25 0801 111293791	CC YM	23 21	0017 0021	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2		
YM 25 0803 111293783	CC YM	23 23	0017 0189	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI	Times Lambd								
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0804 111293858	CC YM	23 23	0017 0163	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0805 112600937	- YM	- 23	- 0165	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		2
YM 25 0806 112600945	- YM	- 23	- 0165	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		2
YM 25 0807 111293833	CC YM	23 23	0017 0131	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0809 111293866	CC YM	23 22	0017 0076	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0812 111293908	CC YM	23 23	0017 0178	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1
YM 25 0814 111293924	CC YM	23 21	0017 0005	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0818 111293932	CC YM	23 23	0615 0158	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2
YM 25 0820 111294153	CC YM	23 21	0017 0023	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0823 111294179	CC YM	23 22	0017 0066	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1
YM 25 0825 111294310	CC YM	23 21	0017 0077	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0826 111294302	CC YM	23 20	0017 0011	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 25 0827 111294195	CC YM	23 22	0017 0124	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	1

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index														
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0831 112601190	- YM	- 22	- 0137	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2
YM 25 0837 111294260	CC YM	23 22	0615 0005	2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95	85 1
YM 25 0841 111294450	CC YM	23 24	0017 0027	2.91	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85 2
YM 25 0842 111294526	CC YM	23 23	0615 0137	2.77	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95	85 2
YM 25 0844 111294591	CC YM	23 22	0615 0017	2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95	85 2
YM 25 0846 112500962	CC YM	23 21	0017 0007	2.55	91	97	93	0.10 46 96	0.10 31 100	0.16 97	0.27 33 99	-2.20 21 88	-1.12 34 89	-1.41 25 106	-4.35 20 103	93 3
YM 25 0847 111294559	CC YM	23 20	0017 0071	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85 1
YM 25 0855 111294567	CC YM	23 22	0017 0119	2.56	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85 2
YM 25 0859 111294542	CC YM	23 22	0615 0067	2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95	85 2
YM 25 0860 111305983	DM DM	23 22	0026 0012	7.95	117	113	115	1.99 55 113	0.46 40 106	1.45 111	2.90 52 114	4.40 32 113	5.08 44 117	-1.53 34 106	6.07 33 86	86 3
YM 25 0861 111305991	DM DM	23 22	0026 0012	7.95	117	113	115	1.99 55 113	0.46 40 106	1.45 111	2.90 52 114	4.40 32 113	5.08 44 117	-1.53 34 106	6.07 33 86	86 3
YM 25 0863 111305660	CC YM	23 22	0017 0020	2.56	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	2
YM 25 0864 112600952	- YM	- 23	- 0145	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 25 0875 111306007	DM DM	24 23	0035 0145	9.50	116	114	120	1.38 50	1.57 37	2.26 120	2.09 50	-0.40 28	2.70 40	-8.95 27	-0.40 30	91	4	
YM 25 0876 112500970	CC YM	23 24	0693 0064	2.91	100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21	2		
YM 25 0880 111305744	CC YM	23 20	0017 0116	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	1		
YM 25 0885 112600960	- YM	- 23	- 0076	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5				-8.76 5	-5.16 5	1
YM 25 0888 111305777	CCS YM	22 23	0159 0116	2.77	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	2		
YM 25 0891 111305678	CCS YM	22 20	0159 0088	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	1		
YM 25 0893 111305785	CCS YM	22 20	0159 0213	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	2		
YM 25 0894 111305710	CC YM	23 20	0017 0031	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	1		
YM 25 0897 112600978	- YM	- 23	- 0155	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5				-8.76 5	-5.16 5	2
YM 25 0899 112600994	- YM	- 22	- 0040	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5				-8.76 5	-5.16 5	2
YM 25 0900 112601000	- YM	- 22	- 0040	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5				-8.76 5	-5.16 5	2
YM 25 0903 111305850	CRL CRL	23 20	0051 0119	3.12	93	91	93	-0.22 29	-0.30 25	-0.41 91	-1.67 20	0.80 14	-0.04 24	0.67 25	1.50 28	6		
YM 25 0908 111305843	CC YM	23 20	0017 0079	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	1		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index							EBV Acc Index								
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0909 111305868	CC YM	23 20	0017 0079	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		1
YM 25 0910 112601075	- YM	- 20	- 0159	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		2
YM 25 0912 112601083	- YM	- 23	- 0104	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		1
YM 25 0915 111305900	CC YM	23 20	0017 0061	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		1
YM 25 0916 111305942	CC CC	23 24	0017 0217	4.98	90	97	87	0.56 56	-0.50 38	-0.22 93	0.60 46	-1.30 29	-0.72 43	1.02 32	-1.45 29	90	2
YM 25 0922 111305959	CRL CRL	23 20	0051 0144	12.25	102	97	103	0.31 35	0.07 30	0.22 98	-0.93 28	1.50 22	1.28 30	-5.07 30	5.64 32		5
YM 25 0923 111305918	CRL CRL	23 20	0051 0144	12.25	102	97	103	0.31 35	0.07 30	0.22 98	-0.93 28	1.50 22	1.28 30	-5.07 30	5.64 32		5
YM 25 0928 111306056	DVS DVS	22 24	2394 4100	5.76	119	111	116	1.81 46	0.51 35	1.41 111	1.94 35	5.60 29	5.68 38	5.58 24	-8.75 27		1
YM 25 0930 111306098	DVS DVS	22 24	2394 4134	5.52	121	117	118	2.32 46	0.81 36	1.97 117	2.78 36	5.50 29	6.42 38	7.33 23	-2.45 27		2
YM 25 0936 111306171	DVS DVS	22 24	2394 4167	5.12	114	105	114	1.00 46	0.38 37	0.88 105	0.98 39	6.20 30	5.10 39	4.83 25	-0.69 28		1
YM 25 0937 111306023	DVS DVS	22 24	2394 4167	5.12	114	105	114	1.00 46	0.38 37	0.88 105	0.98 39	6.20 30	5.10 39	4.83 25	-0.69 28		1
YM 25 0944 111306080	DVS DVS	22 24	2394 4072	5.55	111	111	106	1.93 45	0.34 35	1.31 110	2.07 37	3.10 29	4.13 37	8.00 24	-7.27 26		1
YM 25 0945 111306064	DVS DVS	22 24	2394 4072	5.55	111	111	106	1.93 45	0.34 35	1.31 110	2.07 37	3.10 29	4.13 37	8.00 24	-7.27 26		1

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index					Post-Wean EBV Acc Index									
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 25 0948 112601141	- JW	- 22	- 0185	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98			-8.76 5 122	-5.16 5 104	2
YM 25 0949 111375424	CCS PMS	22 20	0246 0333	2.59	91	103	90	0.83 46 102	0.02 29 98	0.44 100	1.64 43 107	-2.80 15 85	-0.83 32 90	0.39 15 102	-2.18 17 100	95	3
YM 25 0951 111306106	DVS DVS	22 24	2394 4163	6.15	124	111	122	1.83 46 112	0.52 37 107	1.44 111	2.13 40 109	8.30 31 128	7.33 39 128	5.93 26 89	-3.74 28 102	87	1
YM 25 0953 111306072	CC YM	23 20	0017 0206	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		2
YM 25 0956 111306197	CC YM	23 21	0017 0053	2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1
YM 25 0959 111306346	CC YM	23 22	0615 0045	2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		2
YM 25 0960 111306288	CC YM	23 21	0017 0050	2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1
YM 25 0962 111375432	PMS PMS	23 20	0009 0109	2.59	89	99	97	-0.40 47 91	1.19 34 119	0.99 106	-0.07 43 97	-4.20 19 80	-1.73 36 86	1.86 18 98	-6.50 16 107	104	7
YM 25 0963 111306221	CC YM	23 21	0017 0088	2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1
YM 25 0965 111306262	CC YM	23 21	0017 0015	2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1
YM 25 0968 111306379	CCS YM	23 21	0417 0041	2.55	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1
YM 25 0969 111306296	CCS YM	23 21	0417 0041	2.55	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1
YM 25 0971 111306338	CCS YM	23 24	0417 0024	2.91	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat	Comb	Post-Wean							
								EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 25 0979 111306312	CC YM	23 20	0615 0069	2.59	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		1		
YM 25 0980 111306544	CCS YM	23 22	0417 0026	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0981 111306502	CCS YM	23 22	0417 0026	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0984 111306510	CCS YM	23 22	0417 0054	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0985 111486890	CCS YM	23 20	0417 0070	2.59	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	94	1		
YM 25 0986 111306445	CCS YM	23 20	0417 0115	2.59	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0987 111306437	CCS YM	23 20	0417 0115	2.59	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0989 111306528	CCS YM	23 23	0417 0100	2.77	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112		1		
YM 25 0991 111306486	CC YM	23 23	0615 0056	2.77	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		1		
YM 25 0992 111306536	CC YM	23 23	0615 0088	2.77	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		1		
YM 25 0994 111394771	CC YM	23 20	0615 0035	2.59	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		2		
YM 25 0996 111394730	CC YM	23 21	0017 0060	2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1		
YM 25 0998 111394763	CC YM	23 22	0017 0121	2.56	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index														
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 25 0999 111394961	CCS YM	23 22	0417 0094	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1
YM 25 1000 111394995	CCS YM	23 22	0417 0094	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1
YM 25 1002 111394979	CCS YM	22 20	0159 0108	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100	1
YM 25 1005 111395026	CC YM	23 22	0615 0060	2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95	1
YM 25 1006 111394987	CCS YM	23 22	0417 0138	2.56	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1
YM 25 1007 111395018	DM DM	23 23	0039 0093	4.47	92	91	92	-0.19 55 93	-0.45 42 90	-0.54 90	-1.03 54 92	-1.10 31 92	-1.30 44 88	-7.51 33 120	0.67 30 95	86 2
YM 25 1017 112501002	CC YM	23 23	0017 0034	2.77	100	108	100	1.13 55 105	0.62 31 109	1.19 108	1.89 33 108	-2.20 21 88	0.43 38 96	-1.41 25 106	-4.35 20 103	100 1
YM 25 1022 112501010	CC YM	23 22	0615 0069	2.56	104	106	105	1.11 55 105	0.44 30 106	0.99 106	1.72 33 107	0.70 21 99	1.97 38 103	-1.26 19 105	0.79 18 95	100 1
YM 25 1023 112501028	CCS YM	22 20	0159 0140	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100	1
YM 25 1024 112501036	CC YM	23 22	0017 0008	2.56	96	103	98	0.63 55 101	0.48 31 106	0.79 104	1.15 33 104	-2.20 21 88	-0.21 38 93	-1.41 25 106	-4.35 20 103	100 1
YM 25 1028 112601166	CRL CRL	21 21	0540 0431	6.27	95	94	94	0.14 29 96	-0.32 24 92	-0.25 93	-0.90 21 93	0.20 16 97	-0.06 24 94	-2.85 25 109	2.67 29 92	4
NM 25 3392 108941469	OC NM	22 23	0360 2742	3.75	92	83	96	-1.06 33 85	-0.67 26 86	-1.20 83	-2.31 22 85	4.00 17 111	0.67 27 97	-2.58 28 108	11.53 29 78	4
NM 25 3636 111121133	OC NM	22 22	0360 1611	3.49	91	89	90	-0.15 52 93	-0.99 33 81	-1.07 84	-0.71 21 94	2.50 17 106	0.36 37 96	-3.54 25 111	17.11 26 69	115 2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
NM 25 3679 111120531	OC NM	22 24	0360 3081	3.07	87	81	92	-1.35 48	-0.70 28	-1.38 81	-2.64 21	2.40 17	-0.62 33	-3.43 26	10.64 26	93	1	
NM 25 3681 111121034	OC NM	22 24	0360 3143	3.38	92	87	95	-0.77 51	-0.52 31	-0.90 86	-1.56 20	2.50 16	0.22 35	-4.55 25	14.04 22	105	2	
YM 26 0002 111939849	DM DM	23 24	0039 0005	8.14	104	101	102	0.96 61	-0.10 42	0.39 100	0.44 53	0.50 30	1.17 47	-8.26 31	4.60 28	109	2	
YM 26 0003 111939856	LM DM	22 21	1507 0051	1.41	93	94	104	-0.98 61	0.89 32	0.40 100	-0.94 55	-0.80 23	-0.57 41	-4.50 26	6.19 27	102	4	
YM 26 0007 111939872	DM YM	22 20	0081 0164	2.59	96	87	94	-0.26 58	-1.06 33	-1.19 83	-1.64 36	1.70 18	-0.30 39	-10.31 23	-1.22 24	104	1	
YM 26 0008 111939914	JW YM	19 20	0105 0209	2.59	89	91	97	-1.03 58	0.53 46	0.01 96	-1.55 45	-2.50 34	-2.01 48	-6.58 32	1.19 34	97	2	
YM 26 0010 111940680	CC YM	23 23	0615 0030	2.77	102	103	103	0.75 56	0.33 30	0.71 103	1.19 33	0.70 21	1.50 38	-1.26 19	0.79 18	98	1	
YM 26 0013 111941183	DM YM	22 20	0081 0179	2.59	104	97	99	0.88 58	-0.77 35	-0.34 92	0.03 36	1.70 18	1.12 40	-10.31 23	-1.22 24	103	2	
YM 26 0016 111941266	CC YM	23 23	0615 0147	2.77	93	93	93	0.04 58	-0.46 34	-0.44 91	-0.11 33	0.70 21	0.00 40	-1.26 19	0.79 18	96	2	
YM 26 0017 111941241	CC YM	23 23	0615 0118	2.77	101	103	102	0.76 57	0.29 32	0.67 103	1.19 33	0.70 21	1.47 39	-1.26 19	0.79 18	95	2	
YM 26 0018 111941233	JW YM	19 23	0105 0172	2.77	85	86	95	-1.56 58	0.40 46	-0.38 92	-2.32 45	-2.50 34	-2.66 48	-6.58 32	1.19 34	98	2	
YM 26 0020 113610182	DM CC	22 20	0081 0584	0.77	116	107	109	1.88 58	-0.25 42	0.69 103	1.48 50	3.90 32	3.97 46	-4.03 33	-7.62 34	90	6	
YM 26 0021 113610117	DM CC	22 20	0081 0584	0.77	116	107	109	1.88 58	-0.25 42	0.69 103	1.48 50	3.90 32	3.97 46	-4.03 33	-7.62 34	90	6	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 26 0024 111942249	DM YM	22 21	0081 0029	2.55	107	100	102	1.12 58	-0.56 35	-0.01 96	0.45 36	1.70 18	1.58 40	-10.08 24	-1.59 24	105	2	
YM 26 0027 113610372	DM CC	22 18	0081 0558	0.79	119	98	114	1.07 61	-0.88 46	-0.34 92	0.27 53	8.00 36	5.00 49	-9.70 35	-1.93 36	150	8	
YM 26 0028 113610190	JW CC	19 24	0105 0095	1.18	103	92	110	-0.70 58	0.27 51	-0.08 95	-1.07 56	4.00 42	1.97 52	-5.38 40	5.67 41	97	2	
YM 26 0032 111942314	CC YM	23 23	0615 0122	2.77	111	115	109	2.15 58	0.64 34	1.71 114	3.23 33	0.70 21	3.21 40	-1.39 20	1.22 18	103	2	
YM 26 0033 111942330	JW YM	19 20	0105 0007	2.59	90	91	98	-1.03 58	0.60 46	0.08 97	-1.51 45	-2.50 34	-1.93 48	-6.58 32	1.19 34	101	2	
YM 26 0037 111942355	DM YM	22 22	0081 0128	2.56	98	90	93	0.30 57	-1.19 33	-1.04 85	-0.93 36	1.70 18	0.13 39	-10.31 23	-1.22 24	95	2	
YM 26 0040 111942397	JW YM	19 21	0105 0031	2.55	82	83	88	-1.49 58	-0.17 46	-0.92 86	-2.45 45	-2.50 34	-3.16 48	-6.58 32	1.19 34	94	2	
YM 26 0044 111942413	JW YM	19 21	0105 0044	2.55	84	84	94	-1.72 58	0.33 45	-0.53 90	-2.56 45	-2.50 34	-2.89 47	-6.58 32	1.19 34	97	2	
YM 26 0047 111942454	CC YM	23 23	0615 0078	2.77	103	104	103	0.85 56	0.36 30	0.79 104	1.34 33	0.70 21	1.64 38	-1.26 19	0.79 18	99	1	
YM 26 0048 111942421	DM YM	22 22	0081 0089	2.56	110	104	105	1.47 57	-0.33 33	0.41 100	1.03 36	1.70 18	2.17 39	-10.31 23	-1.22 24	99	2	
YM 26 0052 111942488	CC YM	23 20	0615 0227	2.59	108	110	107	1.49 58	0.62 34	1.36 110	2.31 33	0.70 21	2.53 40	-1.32 20	0.96 18	105	2	
YM 26 0061 112470331	JW CC	19 22	0105 0329	1.19	93	90	95	-0.35 65	-0.41 52	-0.59 89	-1.23 57	0.90 43	-0.22 55	-6.26 40	7.92 41	97	4	
YM 26 0065 112470463	CC CC	23 22	0017 0340	5.73	102	109	98	1.81 64	-0.08 42	0.83 105	2.80 47	0.20 33	1.85 48	-1.84 34	7.94 31	112	4	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 26 0067 112470489	CC YM	23 20	0017 0224	2.59	95	101	97	0.32 58	0.46 36	0.63 102	0.72 33	0.72 102	-2.20 21	-0.53 41	-1.41 25	-4.35 20	115	2
YM 26 0068 112470505	CC YM	23 23	0017 0159	2.77	105	113	106	1.46 57	1.06 33	1.79 115	2.51 33	2.51 112	-2.20 21	1.20 39	-1.41 25	-4.35 20	106	2
YM 26 0070 112470497	CC YM	23 22	0017 0105	2.56	97	104	99	0.72 57	0.53 33	0.89 105	1.29 33	1.29 105	-2.20 21	-0.07 39	-1.41 25	-4.35 20	99	2
YM 26 0074 112470653	CCS YM	22 22	0159 0009	2.56	89	92	87	0.14 49	-0.76 34	-0.69 88	-0.37 38	-0.37 96	-0.90 19	-1.16 36	-2.86 25	-2.17 22	102	3
YM 26 0083 112470737	DM YM	22 20	0081 0006	2.59	103	94	102	0.26 58	-0.39 35	-0.26 93	-0.66 36	-0.66 94	1.70 18	0.89 40	-10.31 23	-1.22 24	106	2
YM 26 0087 112470802	CC YM	23 20	0017 0057	2.59	97	104	98	0.71 57	0.45 35	0.80 104	1.24 33	1.24 105	-2.20 21	-0.16 40	-1.41 25	-4.35 20	109	2
YM 26 0094 112471826	CC YM	21 23	0515 0186	2.77	96	97	96	0.28 58	-0.07 42	0.07 96	0.24 46	0.24 99	0.30 30	0.39 45	0.15 32	-4.81 26	98	2
YM 26 0099 112471909	CC YM	23 23	0017 0166	2.77	101	108	104	0.96 57	0.93 35	1.41 111	1.77 33	1.77 108	-2.20 21	0.57 40	-1.41 25	-4.35 20	112	2
YM 26 0100 112471867	CC YM	23 23	0017 0166	2.77	103	111	104	1.36 57	0.91 35	1.60 113	2.32 33	2.32 111	-2.20 21	0.96 40	-1.41 25	-4.35 20	112	2
YM 26 0104 112471883	CC CC	21 23	0515 0157	5.48	108	103	102	1.46 66	-0.49 49	0.24 98	1.22 57	1.22 104	3.80 40	3.25 53	2.06 39	-8.41 36	113	3
YM 26 0110 112471941	CCS YM	22 22	0159 0084	2.56	79	80	77	-0.94 58	-1.45 36	-1.92 75	-2.12 38	-2.12 86	-0.90 19	-2.93 41	-2.86 25	-2.17 22	102	2
YM 26 0112 112471974	DM YM	22 21	0081 0052	2.55	110	103	106	1.31 58	-0.24 35	0.42 100	0.84 36	0.84 102	1.70 18	2.09 40	-10.31 23	-1.22 24	108	2
YM 26 0113 112472105	CCS CC	22 23	0159 0085	1.11	102	97	96	0.98 66	-0.98 43	-0.49 90	0.68 51	0.68 101	3.80 31	2.28 49	0.50 34	-6.12 32	115	3

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
								Dir EBV Acc Index	Mat EBV Acc Index					EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0114 112472097	CCS CC	22 23	0159 0085	1.11	107	103	97	1.86 66	-1.03 43	-0.10 95	1.86 51	3.80 31	3.11 49	0.50 34	-6.12 32			115	3		
YM 26 0115 112472113	CC CC	21 24	0515 0023	29.44	106	96	107	0.31 65	-0.22 48	-0.06 95	0.01 57	6.00 38	3.70 52	2.68 38	1.35 34			113	2		
YM 26 0116 112472063	CC CC	21 24	0515 0023	29.44	104	93	106	-0.10 65	-0.19 48	-0.24 93	-0.54 57	6.00 38	3.31 52	2.68 38	1.35 34			113	2		
YM 26 0119 112472139	CC YM	21 20	0515 0065	2.59	94	95	93	0.24 59	-0.34 43	-0.22 93	0.08 46	0.30 30	0.08 46	0.15 32	-4.81 26			104	2		
YM 26 0124 112472196	CC CC	21 19	0515 0484	5.23	119	119	113	2.79 66	0.39 51	1.79 115	3.99 59	4.30 42	5.77 55	5.60 41	-6.77 37			113	6		
YM 26 0126 112472154	CC CC	21 23	0515 0583	7.03	109	98	105	0.85 65	-0.60 48	-0.17 94	0.62 57	6.80 39	4.34 52	2.77 39	0.15 35			107	2		
YM 26 0128 112472204	CCS CC	22 24	0159 0168	1.13	100	93	96	0.47 65	-1.01 42	-0.78 87	-0.20 51	4.30 32	2.04 49	-2.93 34	5.23 32			116	2		
YM 26 0130 112472170	CCS YM	22 23	0159 0031	2.77	81	82	82	-1.07 58	-0.97 34	-1.51 80	-2.11 38	-0.90 19	-2.58 40	-2.86 25	-2.17 22			96	2		
YM 26 0133 112472238	CCS CC	22 24	0159 0163	1.13	100	101	95	1.19 64	-0.60 41	0.00 96	1.36 51	1.90 31	1.74 48	-1.48 33	6.43 32			111	2		
YM 26 0134 112472253	CC CC	23 23	0017 0083	15.08	108	108	105	1.51 65	0.24 42	1.00 106	2.10 47	2.30 31	3.14 48	2.84 34	-3.42 30			111	3		
YM 26 0135 112472212	CC CC	23 23	0017 0083	15.08	108	108	105	1.51 65	0.24 42	1.00 106	2.10 47	2.30 31	3.14 48	2.84 34	-3.42 30			111	3		
YM 26 0136 112472220	CC YM	21 21	0515 0035	2.55	98	99	97	0.56 57	-0.04 40	0.24 98	0.63 46	0.30 30	0.70 44	0.15 32	-4.81 26			100	1		
YM 26 0137 112472246	CC YM	21 20	0515 0072	2.59	94	95	94	0.16 58	-0.22 42	-0.14 94	0.01 46	0.30 30	0.12 45	0.15 32	-4.81 26			101	2		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam		% In- breeding		Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index					
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0144 112472329	CCS YM	22 20	0159 0119	2.59	97	101	92	1.09 59 105	-0.40 37 91	0.14 97	1.07 38 104	-0.90 19 93	0.15 41 95	-2.53 25 108	-2.78 22 101	121	2
YM 26 0146 112472386	CCS YM	22 20	0159 0125	2.59	83	86	80	-0.34 48 92	-1.28 31 76	-1.45 80	-1.24 38 91	-0.90 19 93	-2.16 35 84	-2.86 25 109	-2.17 22 100	92	2
YM 26 0149 112472279	DM DM	23 23	0039 0059	7.45	104	105	98	1.53 63 109	0.04 44 98	0.80 104	0.54 53 101	-0.70 31 93	1.15 48 99	-0.67 36 104	-6.91 33 107	135	4
YM 26 0152 112472378	CCS RN	22 23	0159 0022	1.13	91	87	88	-0.20 49 93	-1.14 30 78	-1.24 82	-1.37 39 90	1.90 20 103	-0.20 35 93	-2.56 31 108	2.39 30 92		1
YM 26 0154 112472295	CCS CRL	22 23	0159 0395	4.25	98	94	92	0.60 58 100	-0.96 36 81	-0.65 89	-0.43 40 95	2.20 21 104	0.97 41 98	-1.76 30 107	-1.29 31 98	99	2
YM 26 0167 112630165	JW YM	19 20	0105 0016	2.59	87	88	97	-1.36 59 82	0.56 46 108	-0.12 94	-1.98 45 87	-2.50 34 86	-2.30 48 83	-6.58 32 117	1.19 34 94	112	1
YM 26 0169 112630223	DM CC	22 23	0081 0118	0.77	105	97	99	0.98 65 104	-0.81 42 84	-0.32 92	-0.13 50 97	2.60 31 106	1.73 48 102	-7.03 34 118	-2.00 33 99	101	3
YM 26 0173 112630405	JW YM	19 24	0105 0048	2.91	79	78	89	-2.34 58 73	0.02 46 98	-1.15 83	-3.54 45 78	-2.50 34 86	-3.82 48 76	-6.58 32 117	1.19 34 94	99	1
YM 26 0174 112630397	JW YM	19 24	0105 0048	2.91	81	81	90	-1.91 58 77	-0.01 46 98	-0.96 85	-2.96 45 81	-2.50 34 86	-3.41 48 78	-6.58 32 117	1.19 34 94	99	1
YM 26 0175 112630454	DM YM	22 23	0081 0207	2.77	104	96	99	0.81 57 102	-0.74 31 85	-0.33 92	-0.04 36 97	1.70 18 102	1.09 38 99	-10.31 23 126	-1.22 24 98	98	1
YM 26 0176 112630421	CC YM	23 22	0615 0162	2.56	110	113	109	1.85 56 112	0.66 30 109	1.58 113	2.82 33 113	0.70 21 99	2.93 38 107	-1.26 19 105	0.79 18 95	99	1
YM 26 0178 112630447	JW CC	19 22	0105 0403	1.19	101	94	103	0.01 66 95	-0.20 52 94	-0.19 94	-0.41 56 95	2.80 42 107	1.49 55 101	-5.15 39 114	6.38 40 86	120	4
YM 26 0180 112630470	CC YM	22 21	0120 0084	2.55	104	107	101	1.36 56 107	0.07 38 99	0.76 104	2.17 44 110	0.10 29 96	1.50 43 101	-2.45 28 108	-6.86 24 107	98	1

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0181 112630629	CC YM	22 22	0120 0093	2.56	96	97	95	0.43 57 99	-0.31 40 92	-0.10 95	0.73 44 102	0.10 29 96	0.18 44 95	-2.45 28 108	-6.86 24 107	96 2	
YM 26 0182 112630504	CC YM	22 22	0120 0093	2.56	97	98	95	0.58 57 100	-0.32 40 92	-0.03 95	0.93 44 103	0.10 29 96	0.32 44 95	-2.45 28 108	-6.86 24 107	96 2	
YM 26 0185 112630553	CC YM	23 24	0615 0098	2.91	108	110	107	1.56 56 109	0.57 30 108	1.35 110	2.39 33 111	0.70 21 99	2.55 38 106	-1.26 19 105	0.79 18 95	99 2	
YM 26 0187 112630603	CC KERN	23 21	0615 0217	1.87	108	106	108	1.18 46 106	0.42 27 105	1.01 106	1.43 33 106	2.60 22 106	3.16 33 108	-0.60 23 104	6.33 23 86	1	
YM 26 0188 112630546	CC YM	23 21	0615 0034	2.55	103	105	106	0.75 57 102	0.59 33 108	0.97 106	1.30 33 105	0.70 21 99	1.76 39 102	-1.26 19 105	0.79 18 95	104 2	
YM 26 0192 112630611	JW YM	19 24	0105 0100	2.91	89	91	96	-0.92 58 86	0.42 46 105	-0.04 95	-1.44 45 90	-2.50 34 86	-2.00 48 85	-6.58 32 117	1.19 34 94	101 1	
YM 26 0194 112630520	JW YM	19 24	0105 0028	2.91	85	85	94	-1.61 58 80	0.37 46 104	-0.44 91	-2.39 45 85	-2.50 34 86	-2.74 48 81	-6.58 32 117	1.19 34 94	97 2	
YM 26 0195 112630579	CC YM	22 21	0120 0070	2.55	104	107	102	1.44 56 108	0.10 38 100	0.82 104	2.28 44 110	0.10 29 96	1.59 43 101	-2.45 28 108	-6.86 24 107	98 1	
YM 26 0198 112630744	DM SM	22 19	0081 0308	1.96	101	87	101	-0.36 58 92	-1.07 33 79	-1.25 82	-1.04 36 92	4.00 18 111	0.97 39 98	-13.08 24 132	-0.03 24 96	100 4	
YM 26 0199 112630728	DM SM	22 19	0081 0308	1.96	105	93	102	0.50 58 99	-1.11 33 79	-0.87 86	0.12 36 98	4.00 18 111	1.79 39 102	-13.08 24 132	-0.03 24 96	100 4	
YM 26 0205 112630660	DM YM	22 20	0081 0143	2.59	95	87	91	0.05 59 95	-1.36 36 74	-1.34 81	-1.34 36 90	1.70 18 102	-0.30 41 93	-10.31 23 126	-1.22 24 98	109 2	
YM 26 0207 112630777	CC YM	22 21	0120 0064	2.55	104	106	103	1.24 57 106	0.22 40 102	0.84 105	2.05 44 109	0.10 29 96	1.51 44 101	-2.45 28 108	-6.86 24 107	104 1	
YM 26 0210 112630769	CC YM	23 22	0615 0123	2.56	97	99	97	0.59 58 100	-0.19 34 95	0.10 97	0.75 33 102	0.70 21 99	0.82 40 98	-1.26 19 105	0.79 18 95	103 2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam		
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd								
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0211 112630736	CC YM	23 22	0615 0123	2.56	94	94	96	-0.05 58	-0.16 34	-0.19 94	-0.11 33	0.70 21	0.21 40	-1.26 19	0.79 18	103	2		
YM 26 0216 112630892	JW YM	19 22	0105 0134	2.56	87	88	94	-1.21 59	0.31 47	-0.30 92	-1.88 45	-2.50 34	-2.41 49	-6.58 32	1.19 34	105	2		
YM 26 0219 112630827	DM YM	22 20	0081 0005	2.59	100	91	98	0.03 57	-0.73 33	-0.71 88	-1.10 36	1.70 18	0.32 39	-10.31 23	-1.22 24	102	2		
YM 26 0220 112630850	CC CC	22 22	0120 0506	6.39	117	120	112	2.77 65	0.58 47	1.96 117	4.02 55	1.30 40	4.13 52	-2.02 37	-2.92 33	120	4		
YM 26 0221 112630918	JW YM	19 23	0105 0132	2.77	83	83	93	-1.84 58	0.26 46	-0.66 89	-2.75 45	-2.50 34	-3.08 48	-6.58 32	1.19 34	101	1		
YM 26 0222 112630884	JW YM	19 23	0105 0132	2.77	85	86	93	-1.41 58	0.24 46	-0.47 91	-2.17 45	-2.50 34	-2.67 48	-6.58 32	1.19 34	101	1		
YM 26 0228 112631049	JW YM	19 22	0105 0003	2.56	74	72	86	-3.00 57	-0.14 44	-1.64 78	-4.51 45	-2.50 34	-4.64 47	-6.58 32	1.19 34	95	1		
YM 26 0231 112630959	JW YM	19 23	0105 0201	2.77	81	81	91	-1.95 58	0.10 46	-0.88 86	-2.98 45	-2.50 34	-3.36 48	-6.58 32	1.19 34	100	1		
YM 26 0240 112631023	DM YM	22 20	0081 0082	2.59	104	96	100	0.78 58	-0.69 33	-0.30 92	-0.07 36	1.70 18	1.11 39	-10.31 23	-1.22 24	103	1		
YM 26 0243 112631155	DM YM	22 20	0081 0188	2.59	93	83	93	-0.79 59	-1.05 35	-1.45 80	-2.36 36	1.70 18	-0.82 40	-10.31 23	-1.22 24	121	2		
YM 26 0244 112631080	DM YM	22 20	0081 0188	2.59	96	86	94	-0.28 59	-1.08 35	-1.22 83	-1.68 36	1.70 18	-0.34 40	-10.31 23	-1.22 24	121	2		
YM 26 0247 112631098	CC YM	22 22	0120 0158	2.56	103	106	101	1.22 57	0.08 40	0.69 103	1.97 44	0.10 29	1.36 44	-2.45 28	-6.86 24	103	1		
YM 26 0248 112631122	CC YM	22 20	0120 0110	2.59	103	105	100	1.29 57	-0.03 40	0.61 102	2.02 44	0.10 29	1.32 44	-2.45 28	-6.86 24	103	1		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI Times Lambd									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0249 112631163	CC YM	22 20	0120 0110	2.59	101	103	100	0.94 57 103	-0.01 40 98	0.46 101	1.55 44 106	0.10 29 96	0.98 44 98	-2.45 28 108	-6.86 24 107	103	1
YM 26 0253 112631114	JW YM	19 22	0105 0148	2.56	89	91	97	-1.03 59 85	0.53 47 107	0.02 96	-1.54 45 89	-2.50 34 86	-2.00 49 85	-6.58 32 117	1.19 34 94	108	2
YM 26 0256 113610380	CC YM	23 22	0615 0163	2.56	98	99	101	0.24 57 97	0.21 32 102	0.33 99	0.43 33 100	0.70 21 99	0.87 39 98	-1.26 19 105	0.79 18 95	104	1
YM 26 0258 113610166	DM YM	22 20	0081 0138	2.59	100	92	96	0.38 58 98	-0.95 35 81	-0.76 88	-0.71 36 94	1.70 18 102	0.46 40 96	-10.31 23 126	-1.22 24 98	107	2
YM 26 0262 113610406	DM YM	22 22	0081 0036	2.56	98	90	94	0.15 47 96	-1.09 31 79	-1.01 85	-1.10 36 92	1.70 18 102	0.08 34 94	-10.31 23 126	-1.22 24 98	93	2
YM 26 0265 113610356	CC YM	23 24	0615 0008	2.91	107	110	107	1.48 56 108	0.55 30 107	1.29 110	2.27 33 110	0.70 21 99	2.45 38 105	-1.26 19 105	0.79 18 95	98	1
YM 26 0268 113610091	DM YM	22 22	0081 0077	2.56	108	102	102	1.39 57 108	-0.56 31 88	0.13 97	0.82 36 102	1.70 18 102	1.85 38 102	-10.31 23 126	-1.22 24 98	99	1
YM 26 0271 113610109	CC YM	22 20	0120 0042	2.59	109	113	105	2.14 57 115	0.27 40 103	1.35 110	3.31 44 116	0.10 29 96	2.48 44 105	-2.45 28 108	-6.86 24 107	104	1
YM 26 0274 113610315	DM YM	22 23	0081 0205	2.77	97	89	95	-0.06 57 94	-1.00 31 81	-1.03 85	-1.34 36 90	1.70 18 102	-0.03 38 94	-10.31 23 126	-1.22 24 98	97	1
YM 26 0276 113610125	DM YM	22 21	0081 0025	2.55	107	99	102	1.05 58 105	-0.52 33 89	0.01 96	0.37 36 100	1.70 18 102	1.55 39 101	-10.31 23 126	-1.22 24 98	105	1
YM 26 0277 113610299	DM YM	22 21	0081 0025	2.55	107	100	102	1.12 58 105	-0.52 33 89	0.04 96	0.46 36 100	1.70 18 102	1.61 39 101	-10.31 23 126	-1.22 24 98	105	1
YM 26 0278 113610414	DM YM	22 20	0081 0094	2.59	90	80	90	-1.01 57 86	-1.28 31 76	-1.78 77	-2.75 36 83	1.70 18 102	-1.26 38 88	-10.31 23 126	-1.22 24 98	95	1
YM 26 0280 113610067	JW YM	19 22	0105 0152	2.56	89	91	97	-0.96 57 86	0.48 44 106	0.00 96	-1.46 45 90	-2.50 34 86	-1.98 47 85	-6.58 32 117	1.19 34 94	99	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0284 113610513	DM YM	22 20	0081 0060	2.59	108	101	103	1.28 58	-0.49 33	0.15 97	0.70 36	1.70 18	1.81 39	-10.31 23	-1.22 24	105 1	
YM 26 0287 113610471	JW YM	19 22	0105 0053	2.56	79	78	88	-2.27 58	-0.05 46	-1.19 83	-3.47 45	-2.50 34	-3.82 48	-6.58 32	1.19 34	100 1	
YM 26 0292 113610455	DM YM	22 21	0081 0037	2.55	102	94	100	0.42 58	-0.61 33	-0.40 91	-0.52 36	1.70 18	0.83 39	-10.31 23	-1.22 24	104 1	
YM 26 0293 113610422	DM YM	22 21	0081 0037	2.55	107	100	101	1.28 58	-0.65 33	-0.01 96	0.63 36	1.70 18	1.65 39	-10.31 23	-1.22 24	104 1	
YM 26 0294 113610463	JW YM	19 20	0105 0020	2.59	91	93	99	-0.72 58	0.62 46	0.26 98	-1.08 45	-2.50 34	-1.60 48	-6.58 32	1.19 34	103 1	
YM 26 0295 113610521	JW YM	19 20	0105 0020	2.59	90	92	99	-0.94 58	0.64 46	0.17 97	-1.37 45	-2.50 34	-1.80 48	-6.58 32	1.19 34	103 1	
YM 26 0296 113610638	CC YM	22 20	0120 0137	2.59	99	101	99	0.63 57	-0.02 40	0.30 99	1.13 44	0.10 29	0.67 44	-2.45 28	-6.86 24	102 2	
YM 26 0297 113610554	CC YM	23 23	0615 0216	2.77	100	101	102	0.49 56	0.26 30	0.50 101	0.80 33	0.70 21	1.17 38	-1.26 19	0.79 18	97 1	
YM 26 0299 113610570	CC YM	22 23	0120 0210	2.77	101	103	99	0.93 56	-0.06 38	0.41 100	1.52 44	0.10 29	0.93 43	-2.45 28	-6.86 24	97 1	
YM 26 0301 113610588	DM YM	22 20	0081 0066	2.59	100	92	97	0.34 57	-0.88 31	-0.71 88	-0.74 36	1.70 18	0.49 38	-10.31 23	-1.22 24	97 1	
YM 26 0308 113610661	JW YM	19 22	0105 0153	2.56	81	80	92	-2.21 58	0.21 46	-0.90 86	-3.29 45	-2.50 34	-3.51 48	-6.58 32	1.19 34	101 1	
YM 26 0309 113610679	JW YM	19 22	0105 0153	2.56	85	87	93	-1.29 58	0.16 46	-0.49 90	-2.05 45	-2.50 34	-2.63 48	-6.58 32	1.19 34	101 1	
YM 26 0310 113610687	JW YM	19 23	0105 0204	2.77	84	85	93	-1.58 57	0.29 44	-0.50 90	-2.39 45	-2.50 34	-2.79 47	-6.53 33	1.17 34	97 2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index											
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0311 113610786	JW YM	19 20	0105 0123	2.59	89	91	96	-0.81 58 87	0.37 46 104	-0.04 95	-1.31 45 91	-2.50 34 86	-1.94 48 85	-6.58 32 117	1.19 34 94	101	2		
YM 26 0313 113610752	CC YM	23 23	0615 0180	2.77	105	107	105	1.14 58 105	0.48 34 106	1.05 107	1.78 33 108	0.70 21 99	2.05 40 103	-1.26 19 105	0.79 18 95	108	2		
YM 26 0316 113610760	JW YM	19 23	0105 0080	2.77	91	92	99	-0.98 58 86	0.71 46 110	0.22 98	-1.40 45 90	-2.50 34 86	-1.78 48 86	-6.58 32 117	1.19 34 94	103	2		
YM 26 0318 113610794	DM YM	22 20	0081 0073	2.59	92	82	91	-0.82 58 87	-1.18 35 77	-1.59 79	-2.45 36 84	1.70 18 102	-0.98 40 89	-10.31 23 126	-1.22 24 98	106	2		
YM 26 0320 113610828	CC YM	23 20	0615 0130	2.59	109	112	108	1.75 56 111	0.63 30 109	1.50 112	2.67 33 112	0.70 21 99	2.80 38 107	-1.26 19 105	0.79 18 95	99	1		
YM 26 0324 113610729	DM YM	22 23	0081 0206	2.77	102	94	98	0.44 58 99	-0.76 33 85	-0.54 90	-0.56 36 95	1.70 18 102	0.70 39 97	-10.31 23 126	-1.22 24 98	103	1		
YM 26 0329 113610893	CC CC	23 22	0615 0348	6.57	115	116	113	2.20 65 115	0.70 41 110	1.80 115	2.96 47 114	3.40 34 109	4.94 49 117	3.03 30 96	7.96 30 83	112	4		
YM 26 0332 113610869	JW CC	19 23	0105 0087	1.21	104	106	106	0.91 66 103	0.65 52 109	1.10 108	1.25 57 105	0.40 41 98	1.80 55 102	-1.41 40 106	2.27 41 93	105	3		
YM 26 0334 113610877	DM YM	22 23	0081 0008	2.77	96	88	94	-0.11 58 94	-1.10 35 79	-1.15 83	-1.45 36 90	1.70 18 102	-0.18 40 93	-10.31 23 126	-1.22 24 98	104	2		
YM 26 0337 113610901	DM YM	22 22	0081 0156	2.56	107	100	101	1.18 57 106	-0.63 31 87	-0.04 95	0.50 36 100	1.70 18 102	1.57 38 101	-10.31 23 126	-1.22 24 98	99	1		
YM 26 0338 113611016	CC YM	23 20	0615 0135	2.59	99	100	100	0.51 57 100	0.13 32 100	0.38 100	0.77 33 102	0.70 21 99	1.06 39 99	-1.26 19 105	0.79 18 95	101	1		
YM 26 0339 113610976	CC YM	23 20	0615 0135	2.59	98	98	100	0.23 57 97	0.14 32 100	0.26 98	0.40 33 100	0.70 21 99	0.79 39 98	-1.26 19 105	0.79 18 95	101	1		
YM 26 0340 113611008	JW YM	19 20	0105 0145	2.59	84	85	91	-1.38 58 82	0.01 46 98	-0.68 88	-2.23 45 85	-2.50 34 86	-2.87 48 81	-6.58 32 117	1.19 34 94	97	2		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
								Dir	Mat	Comb										EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
YM 26 0348 113611065	DM CC	22 22	0081 0527	0.77	121	104	118	1.47 66	-0.37 43	0.37 100	1.73 50	8.00 33	5.91 121	-7.05 35	2.74 92	99	4					
YM 26 0349 113611024	DM CC	22 22	0081 0527	0.77	121	104	118	1.47 66	-0.37 43	0.37 100	1.73 50	8.00 33	5.91 121	-7.05 35	2.74 92	99	4					
YM 26 0354 113611073	DM YM	22 23	0081 0209	2.77	101	93	97	0.41 57	-0.86 31	-0.65 89	-0.64 36	1.70 18	0.57 97	-10.31 23	-1.22 98	98	1					
YM 26 0360 113611099	CC YM	22 20	0120 0113	2.59	106	109	103	1.64 56	0.16 38	0.98 106	2.58 44	0.10 29	1.85 102	-2.45 28	-6.86 107	99	1					
YM 26 0361 113611164	JW YM	19 23	0105 0101	2.77	90	92	97	-0.87 57	0.50 44	0.07 96	-1.33 45	-2.50 34	-1.87 85	-6.58 32	1.19 94	98	1					
YM 26 0362 113611131	JW YM	19 23	0105 0190	2.77	80	79	90	-2.20 58	0.09 46	-1.01 85	-3.32 45	-2.50 34	-3.61 77	-6.58 32	1.19 94	97	2					
YM 26 0363 113611198	JW YM	19 20	0105 0205	2.59	88	88	97	-1.33 58	0.53 46	-0.13 94	-1.94 45	-2.50 34	-2.29 83	-6.58 32	1.19 94	103	2					
YM 26 0366 113611222	DM YM	22 21	0081 0043	2.55	105	98	101	0.90 58	-0.62 33	-0.17 94	0.13 36	1.70 18	1.30 100	-10.31 23	-1.22 98	104	1					
YM 26 0369 113611214	DM PDR	22 22	0081 0007	2.18	101	88	100	-0.11 58	-0.92 32	-0.97 85	-1.66 36	3.30 18	0.95 98	-11.00 27	2.31 92	95	3					
YM 26 0370 113611123	JW YM	19 23	0105 0203	2.77	95	98	101	-0.18 58	0.73 46	0.64 103	-0.30 45	-2.50 34	-0.95 90	-6.58 32	1.19 94	104	1					
YM 26 0371 113611263	JW YM	19 23	0105 0203	2.77	91	92	100	-0.97 58	0.77 46	0.29 99	-1.35 45	-2.50 34	-1.69 86	-6.58 32	1.19 94	104	1					
YM 26 0374 113611156	CC YM	22 21	0120 0101	2.55	96	97	93	0.61 57	-0.55 40	-0.24 93	0.89 44	0.10 29	0.13 95	-2.45 28	-6.86 107	96	2					
YM 26 0377 113611206	DM YM	22 22	0081 0146	2.56	103	95	100	0.54 49	-0.66 35	-0.39 91	-0.38 36	1.70 18	0.90 98	-10.31 23	-1.22 98	109	2					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index					Post-Wean EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index		EBV Acc Index	EPI Times Lambd						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0383 113611370	CC CC	21 23	0515 0749	6.36	105	96	101	0.79 65	-0.94 48	-0.54 90	0.69 57	6.50 39	3.76 52	-0.57 39	10.52 35	100	2				
YM 26 0387 113611289	DM YM	22 21	0081 0083	2.55	102	94	99	0.46 58	-0.68 35	-0.45 91	-0.50 36	1.70 18	0.81 40	-10.31 23	-1.22 24	108	2				
YM 26 0388 113611321	JW YM	19 21	0105 0009	2.55	82	82	92	-1.90 57	0.20 44	-0.75 88	-2.86 45	-2.50 34	-3.20 47	-6.58 32	1.19 34	96	2				
YM 26 0391 113611305	CC YM	23 21	0615 0087	2.55	106	108	106	1.34 56	0.51 30	1.18 108	2.06 33	0.70 21	2.27 38	-1.26 19	0.79 18	99	1				
YM 26 0395 113611339	CC YM	23 22	0017 0044	2.56	95	101	97	0.42 57	0.43 33	0.64 103	0.84 33	-2.20 21	-0.47 39	-1.41 25	-4.35 20	193	2				
YM 26 0398 113611453	CC YM	23 23	0017 0144	2.77	91	96	94	-0.18 57	0.30 33	0.21 98	-0.04 33	-2.20 21	-1.20 39	-1.41 25	-4.35 20	102	1				
YM 26 0400 113611487	CC YM	23 22	0017 0042	2.56	95	101	99	0.22 58	0.68 35	0.79 104	0.66 33	-2.20 21	-0.43 41	-1.41 25	-4.35 20	113	1				
YM 26 0401 113611446	CC YM	23 22	0017 0042	2.56	100	108	101	1.19 58	0.63 35	1.22 109	1.97 33	-2.20 21	0.50 41	-1.41 25	-4.35 20	113	1				
YM 26 0407 113611560	CCS YM	22 23	0159 0200	2.77	87	90	85	-0.04 57	-0.91 32	-0.94 86	-0.69 38	-0.90 19	-1.50 39	-2.86 25	-2.17 22	98	1				
YM 26 0409 113611586	CCS YM	22 22	0159 0068	2.56	79	80	79	-1.09 58	-1.25 36	-1.79 76	-2.26 38	-0.90 19	-2.88 41	-2.86 25	-2.17 22	104	2				
YM 26 0412 113611552	CC YM	23 22	0017 0083	2.56	94	101	95	0.46 57	0.25 33	0.48 101	0.81 33	-2.20 21	-0.61 39	-1.41 25	-4.35 20	107	2				
YM 26 0419 113611537	JW YM	19 20	0105 0024	2.59	85	86	94	-1.47 48	0.32 41	-0.41 91	-2.22 45	-2.50 34	-2.65 42	-6.58 32	1.19 34	2					
YM 26 0421 113611685	CC YM	22 23	0120 0212	2.77	105	109	103	1.59 56	0.14 38	0.93 106	2.50 44	0.10 29	1.79 43	-2.45 28	-6.86 24	99	1				

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0428 113611693	CC YM	23 23	0017 0017	2.77	88	93	90	-0.23 57 93	-0.10 33 96	-0.22 93	-0.28 33 96	-2.20 21 88	-1.65 39 86	-1.41 25 106	-4.35 20 103	93 2	
YM 26 0430 113611701	CCS YM	22 23	0159 0040	2.77	81	82	79	-0.75 58 88	-1.32 36 75	-1.70 77	-1.82 38 88	-0.90 19 93	-2.61 41 82	-2.86 25 109	-2.17 22 100	101 2	
YM 26 0431 113611677	CCS YM	22 23	0159 0040	2.77	83	86	79	-0.24 58 93	-1.35 36 74	-1.47 80	-1.13 38 92	-0.90 19 93	-2.12 41 84	-2.86 25 109	-2.17 22 100	101 2	
YM 26 0442 113611776	CC YM	21 23	0515 0006	2.77	97	99	97	0.48 58 99	-0.06 42 97	0.18 98	0.51 46 101	0.30 30 97	0.60 45 97	0.15 32 102	-4.81 26 104	100 2	
YM 26 0443 113611768	CC YM	23 22	0615 0057	2.56	104	106	104	1.10 57 105	0.37 33 104	0.92 106	1.68 33 107	0.70 21 99	1.89 39 103	-1.26 19 105	0.79 18 95	101 2	
YM 26 0450 113611727	CC YM	21 23	0515 0177	2.77	99	100	98	0.59 59 100	0.05 43 99	0.34 99	0.70 46 102	0.30 30 97	0.81 46 98	0.15 32 102	-4.81 26 104	107 2	
YM 26 0451 113611800	CC YM	23 23	0017 0081	2.77	82	86	87	-1.12 57 85	-0.17 33 95	-0.73 88	-1.52 33 89	-2.20 21 88	-2.61 39 82	-1.41 25 106	-4.35 20 103	95 2	
YM 26 0459 113611834	CC YM	23 22	0017 0049	2.56	97	103	99	0.53 57 100	0.60 33 108	0.87 105	1.05 33 104	-2.20 21 88	-0.19 39 93	-1.41 25 106	-4.35 20 103	100 2	
YM 26 0466 113611883	CC YM	23 22	0017 0114	2.56	87	92	89	-0.40 58 91	-0.15 35 95	-0.35 92	-0.52 33 95	-2.20 21 88	-1.87 41 85	-1.41 25 106	-4.35 20 103	102 2	
YM 26 0469 113611891	CC WS	21 19	0515 2068	4.18	106	96	105	0.37 63 98	-0.36 45 92	-0.18 94	0.02 52 98	5.70 35 118	3.43 50 110	2.04 36 98	-0.67 32 97	110 2	
YM 26 0480 113611966	CC YM	23 22	0017 0029	2.56	96	104	97	0.73 57 102	0.42 33 105	0.78 104	1.26 33 105	-2.20 21 88	-0.17 39 93	-1.41 25 106	-4.35 20 103	101 2	
YM 26 0482 113612071	CC YM	23 22	0017 0129	2.56	91	96	94	-0.15 57 93	0.25 33 102	0.18 98	-0.02 33 98	-2.20 21 88	-1.22 39 88	-1.41 25 106	-4.35 20 103	103 1	
YM 26 0489 113612055	CC YM	21 23	0515 0077	2.77	96	98	94	0.59 59 100	-0.34 43 92	-0.04 95	0.55 46 101	0.30 30 97	0.43 46 96	0.15 32 102	-4.81 26 104	103 2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0495 113612097	CC YM	23 20	0615 0032	2.59	105	107	105	1.19 56	0.46 30	1.06 107	1.84 33	108	0.70 21	2.07 38	-1.26 19	0.79 18	99	1			
YM 26 0496 113612063	CC YM	21 20	0515 0086	2.59	99	101	99	0.69 59	0.09 43	0.44 100	0.86 46	102	0.30 30	0.96 46	0.15 32	-4.81 26	110	2			
YM 26 0500 113612014	CC YM	21 20	0515 0100	2.59	86	85	89	-1.05 57	-0.52 40	-1.05 84	-1.77 46	88	0.30 30	-1.39 44	0.15 32	-4.81 26	96	1			
YM 26 0501 113612246	CCS YM	22 22	0159 0079	2.56	90	93	87	0.33 57	-0.80 32	-0.64 89	-0.14 38	97	-0.90 19	-1.02 39	-2.86 25	-2.17 22	99	1			
YM 26 0504 113612162	CC YM	21 20	0515 0176	2.59	100	101	99	0.68 59	0.14 43	0.47 101	0.86 46	102	0.30 30	0.99 46	0.15 32	-4.81 26	110	2			
YM 26 0505 113612170	CC YM	21 20	0515 0176	2.59	98	99	99	0.30 59	0.15 43	0.31 99	0.36 46	100	0.30 30	0.64 46	0.15 32	-4.81 26	110	2			
YM 26 0506 113612204	CC YM	21 22	0515 0065	2.56	96	97	98	0.14 58	0.09 42	0.16 97	0.10 46	98	0.30 30	0.40 45	0.15 32	-4.81 26	100	2			
YM 26 0508 113612238	CC YM	23 21	0017 0104	2.55	97	104	98	0.71 57	0.52 35	0.88 105	1.27 33	105	-2.20 21	-0.09 40	-1.41 25	-4.35 20	108	2			
YM 26 0509 113612220	CC YM	23 25	0614 0009	1.83	100	97	101	0.34 55	-0.11 34	0.06 96	0.25 38	99	2.30 23	1.61 40	-1.68 25	3.08 21	100	1			
YM 26 0512 113612147	CC YM	21 20	0515 0105	2.59	98	100	97	0.61 58	-0.03 42	0.28 99	0.70 46	102	0.30 30	0.76 45	0.15 32	-4.81 26	102	2			
YM 26 0516 113612196	CC YM	21 21	0515 0073	2.55	103	105	102	1.11 58	0.27 43	0.82 104	1.51 46	106	0.30 30	1.56 46	0.15 32	-4.81 26	109	2			
YM 26 0528 113612329	CCS YM	22 22	0159 0075	2.56	87	90	83	0.11 59	-1.08 36	-1.02 85	-0.55 38	95	-0.90 19	-1.51 41	-2.86 25	-2.17 22	115	2			
YM 26 0529 113612337	CC YM	23 23	0615 0022	2.77	105	108	105	1.26 58	0.48 34	1.11 108	1.94 33	108	0.70 21	2.15 40	-1.26 19	0.79 18	109	2			

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb										EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
YM 26 0530 113612287	CC YM	23 23	0615 0022	2.77	103	105	105	0.88 58 103	0.50 34 107	0.94 106	1.43 33 106	0.70 21 99	1.80 40 102	-1.26 19 105	0.79 18 95	109	2					
YM 26 0531 113612410	CC YM	21 21	0515 0103	2.55	101	103	101	0.85 58 103	0.22 42 102	0.64 103	1.13 46 104	0.30 30 97	1.24 45 100	0.15 32 102	-4.81 26 104	103	2					
YM 26 0538 113612469	CC YM	21 23	0515 0044	2.77	98	100	98	0.60 58 100	-0.01 42 98	0.29 99	0.70 46 102	0.30 30 97	0.77 45 97	0.15 32 102	-4.81 26 104	100	2					
YM 26 0541 113612402	CCS YM	22 23	0159 0074	2.77	92	95	88	0.54 58 100	-0.74 34 85	-0.47 91	0.18 38 99	-0.90 19 93	-0.74 40 91	-2.86 25 109	-2.17 22 100	109	2					
YM 26 0542 113612444	CCS NM	22 22	0159 1611	4.24	82	78	84	-1.49 61 81	-1.22 38 77	-1.96 75	-2.55 40 84	2.30 21 105	-1.33 43 88	-0.47 31 104	5.83 29 87	115	2					
YM 26 0543 113612436	CCS NM	22 22	0159 1611	4.24	87	85	85	-0.53 61 90	-1.27 38 76	-1.53 79	-1.26 40 91	2.30 21 105	-0.42 43 92	-0.47 31 104	5.83 29 87	115	2					
YM 26 0544 113612386	CCS NM	22 22	0159 1611	4.24	88	87	85	-0.23 61 93	-1.28 38 76	-1.40 81	-0.85 40 93	2.30 21 105	-0.13 43 93	-0.47 31 104	5.83 29 87	115	2					
YM 26 0547 113612535	CC YM	23 23	0017 0083	2.77	92	98	94	0.16 57 96	0.21 33 102	0.29 99	0.39 33 100	-2.20 21 88	-0.95 39 90	-1.41 25 106	-4.35 20 103	98	2					
YM 26 0550 113612568	CCS YM	22 20	0159 0182	2.59	90	93	86	0.27 57 97	-0.82 32 84	-0.69 88	-0.22 38 97	-0.90 19 93	-1.09 39 89	-2.86 25 109	-2.17 22 100	99	1					
YM 26 0553 113612550	CC YM	21 22	0515 0078	2.56	115	120	108	2.96 59 122	0.53 43 107	2.01 117	4.14 46 121	0.30 30 97	3.66 46 111	0.15 32 102	-4.81 26 104	118	3					
YM 26 0554 113612477	CC YM	21 20	0515 0165	2.59	105	108	103	1.38 60 108	0.34 44 104	1.03 107	1.91 46 108	0.30 30 97	1.91 47 103	0.15 32 102	-4.81 26 104	112	2					
YM 26 0555 113612493	CC YM	21 20	0515 0165	2.59	104	107	103	1.23 60 106	0.35 44 104	0.97 106	1.71 46 107	0.30 30 97	1.76 47 102	0.15 32 102	-4.81 26 104	112	2					
YM 26 0559 113612634	CCS YM	22 20	0159 0198	2.59	77	77	76	-1.27 59 83	-1.49 36 72	-2.13 73	-2.60 38 83	-0.90 19 93	-3.30 41 79	-3.22 25 110	-0.81 22 97	102	2					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0560 113612592	CCS YM	22 20	0159 0198	2.59	78	79	76	-1.05 59 85	-1.50 36 72	-2.03 74	-2.30 38 85	-0.90 19 93	-3.09 41 80	-3.22 25 110	-0.81 22 97	102 2	
YM 26 0568 113612626	CCS YM	22 22	0159 0024	2.56	94	98	88	1.01 58 104	-0.78 36 84	-0.27 93	0.81 38 102	-0.90 19 93	-0.31 41 93	-2.86 25 109	-2.17 22 100	108 2	
YM 26 0571 113612782	CCS BBB	22 23	0159 0114	3.12	94	93	89	0.50 59 99	-0.94 34 81	-0.70 88	-0.59 40 94	1.40 22 101	0.39 41 96	-1.72 29 106	4.77 28 89	99 1	
YM 26 0572 113612741	CCS YM	22 21	0159 0004	2.55	102	107	97	1.69 59 110	-0.08 36 96	0.76 104	2.02 38 109	-0.90 19 93	1.07 41 99	-2.54 25 108	-2.68 22 100	109 2	
YM 26 0575 113612691	CC YM	21 20	0515 0212	2.59	98	99	97	0.58 48 100	-0.09 40 96	0.20 98	0.63 46 101	0.30 30 97	0.67 41 97	0.15 32 102	-4.81 26 104	94 2	
YM 26 0582 113612865	CC YM	21 20	0515 0107	2.59	94	96	93	0.39 58 98	-0.42 42 91	-0.23 93	0.24 46 99	0.30 30 97	0.15 45 95	0.15 32 102	-4.81 26 104	97 2	
YM 26 0584 113612832	CCS YM	22 20	0159 0166	2.59	90	93	87	0.21 59 97	-0.76 37 85	-0.66 89	-0.27 38 96	-0.90 19 93	-1.09 41 89	-2.86 25 109	-2.17 22 100	117 2	
YM 26 0587 113612816	CCS YM	22 20	0159 0178	2.59	89	92	86	0.12 58 96	-0.80 36 84	-0.74 88	-0.41 38 95	-0.90 19 93	-1.22 41 88	-2.86 25 109	-2.17 22 100	108 2	
YM 26 0589 113612899	CCS JW	22 22	0159 0411	2.56	92	95	88	0.48 60 99	-0.68 35 86	-0.44 91	0.12 38 98	-0.90 19 93	-0.75 41 91	-2.86 25 109	-2.17 22 100	110 2	
YM 26 0590 113612857	CCS JW	22 22	0159 0411	2.56	93	97	89	0.78 60 102	-0.70 35 86	-0.31 92	0.52 38 101	-0.90 19 93	-0.46 41 92	-2.86 25 109	-2.17 22 100	110 2	
YM 26 0596 113612931	CCS YM	22 21	0159 0081	2.55	94	97	90	0.62 58 101	-0.52 34 89	-0.21 93	0.38 38 100	-0.90 19 93	-0.44 40 92	-2.86 25 109	-2.17 22 100	100 2	
YM 26 0601 113612980	CCS YM	22 22	0159 0022	2.56	97	101	91	1.24 56 106	-0.53 31 89	0.09 97	1.22 38 104	-0.90 19 93	0.17 38 95	-2.86 25 109	-2.17 22 100	100 1	
YM 26 0607 113767941	CC YM	22 22	0120 0161	2.56	107	110	103	1.75 56 111	0.19 38 101	1.06 107	2.74 44 113	0.10 29 96	2.00 43 103	-2.45 28 108	-6.86 24 107	100 1	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Mat		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam		
								EBV Acc Index		EBV Acc Index			EBV Acc Index			EBV Acc Index		EBV Acc Index		EPI	Times Lambd			
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49	0.59	0.24		-0.13		-0.36				
YM 26 0614 113768014	JW YM	19 21	0105 0033	2.55	87	89	95	-1.14 58	84	0.33 45	104	-0.24 93	-1.77 45	88	-2.50 34	86	-2.31 47	83	-6.58 32	117	1.19 34	94	100	2
YM 26 0616 113768048	JW YM	19 20	0105 0101	2.59	85	85	95	-1.79 58	78	0.48 46	106	-0.42 91	-2.60 45	83	-2.50 34	86	-2.81 48	81	-6.58 32	117	1.19 34	94	101	2
YM 26 0619 113768030	CCS YM	22 22	0159 0101	2.56	93	96	90	0.47 58	99	-0.52 36	89	-0.28 93	0.18 38	99	-0.90 19	93	-0.59 41	91	-2.86 25	109	-2.17 22	100	108	2
YM 26 0620 113768071	CC YM	23 24	0614 0403	3.45	110	112	110	1.61 53	110	0.68 32	110	1.49 112	2.48 37	111	1.70 24	102	3.31 38	109	-0.38 23	103	2.40 21	92	99	1
YM 26 0621 113768154	CC YM	23 20	0017 0047	2.59	97	104	96	0.94 57	103	0.30 33	103	0.77 104	1.49 33	106	-2.20 21	88	-0.08 39	94	-1.41 25	106	-4.35 20	103	99	2
YM 26 0622 113768105	CC YM	23 24	0693 0421	4.26	109	110	109	1.45 53	108	0.59 34	108	1.31 110	2.40 38	111	2.20 26	104	3.36 39	109	0.52 25	101	5.24 23	88	99	1
YM 26 0625 113768089	CCS CCS	22 21	0159 0098	5.63	95	94	91	0.41 57	99	-0.68 41	86	-0.47 91	-0.17 44	97	0.90 29	99	0.27 44	95	-0.90 32	105	-1.34 32	98	90	4
YM 26 0626 113768121	CC YM	22 20	0120 0219	2.59	108	112	104	2.08 59	114	0.18 42	101	1.22 109	3.19 44	115	0.10 29	96	2.32 46	105	-2.45 28	108	-6.86 24	107	115	2
YM 26 0627 113768188	CC YM	22 20	0120 0219	2.59	108	112	104	1.95 59	113	0.19 42	101	1.16 108	3.02 44	114	0.10 29	96	2.20 46	104	-2.45 28	108	-6.86 24	107	115	2
YM 26 0628 113768113	CC YM	23 21	0017 0049	2.55	101	109	101	1.30 56	107	0.67 31	110	1.33 110	2.14 33	110	-2.20 21	88	0.66 38	97	-1.41 25	106	-4.35 20	103	100	1
YM 26 0629 113768097	CC YM	22 23	0120 0096	2.77	100	103	96	1.15 57	105	-0.32 40	92	0.25 98	1.71 44	107	0.10 29	96	0.89 44	98	-2.45 28	108	-6.86 24	107	96	2
YM 26 0632 113768162	CC YM	23 22	0615 0074	2.56	102	103	104	0.71 57	101	0.44 32	105	0.79 104	1.17 33	104	0.70 21	99	1.57 39	101	-1.26 19	105	0.79 18	95	104	1
YM 26 0633 113768535	JW YM	19 24	0105 0097	2.91	74	72	86	-2.99 57	67	-0.13 44	96	-1.62 78	-4.49 45	73	-2.50 34	86	-4.62 47	73	-6.58 32	117	1.19 34	94	91	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI Times Lambd									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0640 113768576	CC PMS	23 20	0615 0345	2.59	95	97	94	0.47 59 99	-0.40 35 91	-0.16 94	0.46 35 100	0.70 21 99	0.49 41 96	-1.26 19 105	0.79 18 95	99	3
YM 26 0641 113768592	CC PMS	23 20	0615 0345	2.59	91	91	93	-0.35 59 92	-0.35 35 92	-0.53 90	-0.64 35 94	0.70 21 99	-0.28 41 93	-1.26 19 105	0.79 18 95	99	3
YM 26 0642 113768584	DM CC	22 22	0081 0313	0.76	107	101	98	1.69 65 110	-0.97 42 81	-0.13 94	0.60 49 101	3.50 31 109	2.82 48 107	-4.96 32 114	6.95 33 85	125	4
YM 26 0643 113768600	DM CC	22 22	0081 0313	0.76	110	104	99	2.13 65 115	-1.00 42 81	0.07 96	1.19 49 104	3.50 31 109	3.24 48 109	-4.96 32 114	6.95 33 85	125	4
YM 26 0645 113768543	JW YM	19 24	0105 0072	2.91	82	82	92	-1.97 58 77	0.25 45 102	-0.73 88	-2.94 45 82	-2.50 34 86	-3.22 47 79	-6.58 32 117	1.19 34 94	104	2
YM 26 0648 113769012	JW YM	19 20	0105 0104	2.59	88	90	95	-1.03 60 85	0.37 48 104	-0.15 94	-1.60 45 89	-2.50 34 86	-2.16 49 84	-6.58 32 117	1.18 34 94	113	2
YM 26 0650 113769095	CC YM	23 21	0615 0059	2.55	107	110	108	1.35 57 107	0.71 32 110	1.38 110	2.15 33 110	0.70 21 99	2.47 39 105	-1.26 19 105	0.79 18 95	106	1
YM 26 0651 113769020	CC YM	23 21	0615 0059	2.55	109	112	109	1.72 57 111	0.69 32 110	1.55 112	2.66 33 112	0.70 21 99	2.82 39 107	-1.26 19 105	0.79 18 95	106	1
YM 26 0652 113769103	CC YM	23 23	0615 0095	2.77	101	102	102	0.56 57 100	0.32 33 104	0.60 102	0.92 33 103	0.70 21 99	1.30 39 100	-1.26 19 105	0.79 18 95	100	2
YM 26 0654 113769079	CC CB	23 24	0615 0005	5.35	102	101	104	0.53 59 100	0.07 35 99	0.34 99	1.17 37 104	3.40 25 109	2.64 42 106	0.26 23 102	8.22 22 83	102	2
YM 26 0657 113769087	CC YM	23 23	0615 0140	2.77	106	108	107	1.17 57 106	0.64 33 109	1.23 109	1.89 33 108	0.70 21 99	2.23 39 104	-1.26 19 105	0.79 18 95	104	2
YM 26 0662 113769236	CC CC	23 23	0615 0481	7.91	121	121	116	2.91 64 122	0.57 41 108	2.03 117	4.52 47 123	4.50 33 113	6.19 48 122	2.96 30 96	3.14 29 91	109	3
YM 26 0665 113769251	DM CRL	22 22	0081 0074	4.75	110	92	106	0.46 61 99	-0.80 37 84	-0.57 90	-1.32 39 90	4.70 21 114	2.47 43 105	-11.14 31 128	-3.16 33 101	116	5

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 26 0666 113769483	CC CC	23 24	0615 0217	5.85	94	95	93	0.34 63	-0.50 37	-0.33 92	0.24 46	1.60 30	0.80 45	1.18 28	3.69 28	90	2	
YM 26 0667 113769442	CC CC	23 24	0615 0217	5.85	98	100	94	1.02 56	-0.53 37	-0.02 95	1.16 46	1.60 30	1.45 43	1.18 28	3.69 28	90	2	
YM 26 0668 113769293	DM YM	22 23	0081 0167	2.77	106	99	101	1.06 57	-0.66 31	-0.13 94	0.33 36	1.70 18	1.42 38	-10.31 23	-1.22 24	100	1	
YM 26 0670 113769343	JW CCS	19 24	0105 0136	1.43	87	79	100	-2.34 64	0.36 48	-0.81 87	-3.71 50	-0.20 39	-2.10 52	-9.90 36	5.93 39	96	2	
YM 26 0671 113769335	CC YM	23 22	0615 0063	2.56	111	115	110	1.95 57	0.80 33	1.78 115	3.02 33	0.70 21	3.18 39	-1.26 19	0.79 18	106	2	
YM 26 0674 113769475	JW YM	19 24	0105 0069	2.91	85	85	94	-1.57 57	0.29 44	-0.49 90	-2.38 45	-2.50 34	-2.78 47	-6.58 32	1.19 34	94	2	
YM 26 0676 113769418	DM DM	22 23	0081 0180	3.83	111	103	108	1.28 57	-0.11 41	0.53 101	0.44 47	2.10 28	2.43 44	-11.67 33	8.13 35	109	3	
YM 26 0678 113769459	JW YM	19 22	0105 0096	2.56	92	94	101	-0.78 59	0.80 47	0.41 100	-1.09 45	-2.50 34	-1.48 49	-6.58 32	1.19 34	111	2	
YM 26 0679 113769426	JW YM	19 22	0105 0096	2.56	94	96	101	-0.53 59	0.79 47	0.52 101	-0.75 45	-2.50 34	-1.24 49	-6.58 32	1.19 34	111	2	
YM 26 0683 113769392	CC CCS	23 24	0615 0089	1.70	117	115	113	2.34 57	0.44 37	1.62 113	3.32 41	3.70 28	5.01 43	0.06 24	2.04 26	123	2	
YM 26 0684 113769327	CC YM	23 22	0615 0016	2.56	102	104	104	0.73 58	0.47 34	0.83 105	1.22 33	0.70 21	1.62 40	-1.26 19	0.79 18	109	2	
YM 26 0685 113769400	CC YM	23 22	0615 0016	2.56	104	106	105	0.99 58	0.46 34	0.95 106	1.56 33	0.70 21	1.86 40	-1.26 19	0.79 18	109	2	
YM 26 0693 113775068	DM YM	22 20	0081 0014	2.59	101	92	97	0.40 58	-0.90 33	-0.70 88	-0.67 36	1.70 18	0.52 39	-10.31 23	-1.22 24	185	2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam		
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd								
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0694 113775035	JW YM	19 20	0105 0150	2.59	90	91	97	-0.91 59 86	0.49 44 106	0.04 96	-1.39 45 90	-2.50 34 86	-1.92 47 85	-6.58 32 117	1.19 34 94	283	2		
YM 26 0695 113775050	DM YM	22 23	0081 0142	2.77	95	86	94	-0.32 57 92	-1.07 31 79	-1.23 82	-1.72 36 88	1.70 18 102	-0.37 38 92	-10.31 23 126	-1.22 24 98	97	1		
YM 26 0697 113775084	CC YM	23 22	0615 0140	2.56	102	104	102	1.01 58 104	0.22 34 102	0.72 103	1.49 33 106	0.70 21 99	1.65 40 102	-1.26 19 105	0.79 18 95	108	2		
YM 26 0698 113775092	CC YM	23 23	0615 0010	2.77	103	105	105	0.83 58 102	0.52 34 107	0.94 106	1.37 33 105	0.70 21 99	1.77 40 102	-1.26 19 105	0.79 18 95	108	2		
YM 26 0699 113775100	CC YM	23 23	0615 0010	2.77	105	107	105	1.08 58 105	0.51 34 107	1.05 107	1.71 33 107	0.70 21 99	2.01 40 103	-1.26 19 105	0.79 18 95	108	2		
YM 26 0701 113775118	CC YM	23 21	0615 0061	2.55	100	102	101	0.67 49 101	0.18 34 101	0.51 101	1.01 33 103	0.70 21 99	1.26 37 100	-1.26 19 105	0.79 18 95	108	2		
YM 26 0704 113775217	DM YM	22 20	0081 0084	2.59	105	97	102	0.70 49 101	-0.49 33 89	-0.15 94	-0.10 36 97	1.70 18 102	1.22 36 100	-10.47 24 126	-0.82 24 97	101	2		
YM 26 0705 113775175	DM YM	22 20	0081 0084	2.59	105	97	102	0.70 49 101	-0.49 33 89	-0.15 94	-0.10 36 97	1.70 18 102	1.22 36 100	-10.47 24 126	-0.82 24 97	101	2		
YM 26 0706 113775290	CC YM	23 23	0615 0182	2.77	100	101	101	0.48 59 99	0.23 36 102	0.48 101	0.78 33 102	0.70 21 99	1.14 41 99	-1.26 19 105	0.79 18 95	111	2		
YM 26 0707 113775340	CC YM	23 23	0615 0182	2.77	100	101	101	0.48 59 99	0.23 36 102	0.48 101	0.78 33 102	0.70 21 99	1.14 41 99	-1.26 19 105	0.79 18 95	111	2		
YM 26 0709 113775191	DM NM	22 24	0081 3143	3.41	106	93	104	0.40 60 99	-0.84 36 83	-0.64 89	-0.61 37 94	4.80 18 114	2.44 41 105	-8.94 30 123	3.71 28 90	105	2		
YM 26 0710 113775209	CC YM	23 22	0615 0092	2.56	104	107	102	1.47 57 108	0.12 33 100	0.86 105	2.08 33 109	0.70 21 99	2.01 39 103	-1.26 19 105	0.79 18 95	98	2		
YM 26 0711 113775183	DM CC	22 23	0081 0529	0.77	110	107	100	2.33 65 116	-0.92 42 82	0.25 98	2.19 50 110	2.90 31 107	3.15 48 108	-5.13 33 114	-0.19 33 96	110	3		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI Times Lambd									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0717 113775159	DM JW	22 22	0081 0280	7.05	113	93	107	0.75 60	-1.22 35	-0.85 87	-0.73 39	7.10 23	3.79 42	-10.97 28	4.35 30	99	1
YM 26 0730 113775316	DM YM	22 22	0081 0064	2.56	102	94	99	0.48 57	-0.74 33	-0.50 90	-0.50 36	1.70 18	0.76 39	-10.31 23	-1.22 24	103	2
YM 26 0739 113775498	JW YM	19 20	0105 0203	2.59	89	90	99	-1.34 58	0.77 46	0.10 97	-1.86 45	-2.50 34	-2.07 48	-6.58 32	1.19 34	115	2
YM 26 0742 113775522	JW EBS	19 24	0105 0012	4.74	91	82	102	-1.93 62	0.08 49	-0.89 86	-2.75 48	2.50 38	-0.35 51	-7.55 37	12.14 40	101	2
YM 26 0745 113775480	DM JW	22 23	0081 0115	7.13	114	90	112	0.22 62	-1.01 37	-0.90 86	-1.34 40	8.60 23	4.37 43	-9.77 31	3.22 32	94	3
YM 26 0750 113775639	CC YM	22 23	0120 0069	2.77	99	100	98	0.67 56	-0.14 38	0.20 98	1.13 44	0.10 29	0.59 43	-2.45 28	-6.86 24	90	2
YM 26 0754 113775613	DM SM	22 21	0081 0167	1.72	108	93	106	0.34 61	-0.63 33	-0.46 91	-1.17 36	4.30 18	2.29 40	-10.69 26	2.94 29	100	3
YM 26 0758 113775506	CC YM	23 24	0615 0026	2.91	103	105	103	0.99 58	0.28 35	0.77 104	1.49 33	0.70 21	1.69 41	-1.26 19	0.79 18	308	2
YM 26 0767 113791966	CC YM	23 23	0615 0002	2.77	97	98	100	0.19 56	0.17 32	0.26 98	0.35 33	0.70 21	0.78 39	-1.26 19	0.79 18	100	2
YM 26 0772 113791982	CC CC	23 23	0615 0367	2.02	100	104	101	0.86 61	0.30 37	0.73 104	1.38 40	1.90 23	2.30 43	6.56 27	1.79 27	135	3
YM 26 0776 113792188	EBS EBS	24 24	0108 0112	6.17	104	88	105	-0.33 29	-0.76 25	-0.92 86	-1.28 19	5.70 20	2.33 25	-6.71 22	0.33 23		1
YM 26 0785 113792147	DM YM	22 22	0081 0023	2.56	104	96	101	0.63 49	-0.57 33	-0.25 93	-0.23 36	1.70 18	1.08 36	-10.31 23	-1.22 24	101	2
YM 26 0786 113792469	CC YM	23 23	0017 0156	2.77	94	100	96	0.31 46	0.33 31	0.48 101	0.64 33	-2.20 21	-0.69 34	-1.41 25	-4.35 20	97	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0788 113792477	YM	24	0200	2.91	97	94	104	-0.63 29 89	0.59 18 108	0.27 99	-1.16 16 91	-0.30 10 95	-0.22 20 93	-4.64 16 113	-3.39 10 102	1	
YM 26 0789 113792444	YM	24	0200	2.91	97	94	104	-0.63 29 89	0.59 18 108	0.27 99	-1.16 16 91	-0.30 10 95	-0.22 20 93	-4.64 16 113	-3.39 10 102	1	
YM 26 0798 113792550	CC YM	23 22	0017 0039	2.56	97	104	99	0.59 46 100	0.63 31 109	0.92 106	1.14 33 104	-2.20 21 88	-0.11 34 93	-1.41 25 106	-4.35 20 103	99 2	
YM 26 0801 113792592	CC YM	23 25	0693 0022	1.82	108	105	108	1.05 45 105	0.30 33 103	0.83 105	1.16 39 104	2.80 26 107	3.03 36 108	0.14 27 102	-0.84 24 97	1	
YM 26 0803 113792584	CC YM	23 20	0017 0017	2.59	92	98	94	0.18 46 96	0.19 31 101	0.28 99	0.41 33 100	-2.20 21 88	-0.96 34 90	-1.41 25 106	-4.35 20 103	97 2	
YM 26 0807 113792493	JW YM	19 25	0105 0016	3.39	93	93	97	-0.41 56 91	0.16 45 101	-0.05 95	-0.94 49 93	-0.90 35 93	-0.79 47 90	-5.69 36 115	2.68 36 92	1	
YM 26 0820 113792659	JW YM	23 21	0086 0054	2.55	93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	2	
YM 26 0822 113792683	JW YM	19 25	0105 0519	2.06	94	95	101	-0.47 55 91	0.63 44 109	0.40 100	-0.66 48 94	-1.50 35 90	-0.74 46 91	-5.72 36 115	3.00 35 91	1	
YM 26 0826 113792709	JW YM	23 23	0086 0051	2.77	93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	89 2	
YM 26 0831 113792873	CC YM	23 25	0693 0006	4.81	108	111	101	2.18 47 115	-0.12 37 96	0.97 106	2.59 45 112	2.50 31 106	3.56 39 110	5.18 32 91	-2.20 28 100	1	
YM 26 0843 113792865	JW YM	19 25	0105 0064	3.39	93	93	97	-0.40 56 91	0.15 45 101	-0.05 95	-0.93 49 93	-0.90 35 93	-0.79 47 90	-5.94 34 116	2.96 36 91	1	
YM 26 0845 113792964	CC YM	23 23	0017 0125	2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85 2	
YM 26 0848 114299944	JW NM	23 23	0086 2742	4.80	101	86	107	-1.14 24 84	-0.06 19 97	-0.62 89	-2.45 16 84	4.70 12 114	1.63 19 101	-3.33 26 110	-0.42 27 97	4	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index					Post-Wean EBV Acc Index									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0862 114299977	OC OC	24 21	0419 0359	1.98	78	85	80	-1.04 35	-0.44 29	-0.96 85	-2.30 28	85	-2.60 25	-3.04 30	1.51 27	3.70 29	5
YM 26 0883 114300304	DM YM	25 20	0112 0206	2.59	91	95	93	-0.10 31	-0.11 21	-0.16 94	0.12 26	98	-0.60 15	-0.56 23	-0.59 16	0.20 15	2
YM 26 0884 114300320	DM OC	25 23	0112 0306	2.67	108	105	113	0.68 35	0.63 29	0.97 106	2.11 26	109	2.70 16	2.93 28	-3.87 17	1.62 17	99 3
YM 26 0885 114300312	DM DM	25 22	0112 0043	10.29	101	96	102	0.29 46	-0.23 39	-0.09 95	0.02 43	98	4.10 28	2.52 39	0.15 29	12.90 30	99 3
YM 26 0891 114300478	CC YM	23 25	0614 0531	5.68	108	106	105	1.45 46	-0.08 34	0.65 103	1.90 43	108	4.20 27	3.89 37	0.82 27	9.79 23	1
YM 26 0893 114300445	CC YM	23 21	0017 0077	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85 2
YM 26 0895 114300494	CC YM	23 21	0017 0023	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85 2
YM 26 0896 114300452	CC YM	23 21	0017 0023	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85 2
YM 26 0903 114300544	CC YM	23 25	0693 0685	2.68	101	98	104	0.19 35	0.31 29	0.41 100	-0.11 35	97	2.20 24	1.82 30	0.14 26	4.05 23	1
YM 26 0904 114300536	CC YM	23 25	0693 0685	2.68	101	98	104	0.19 35	0.31 29	0.41 100	-0.11 35	97	2.20 24	1.82 30	0.14 26	4.05 23	1
YM 26 0907 114300569	DM YM	22 22	0081 0147	2.56	105	97	102	0.70 47	-0.49 31	-0.14 94	-0.09 36	97	1.70 18	1.24 34	-10.31 23	-1.22 24	95 2
YM 26 0912 114300585	CC YM	23 22	0615 0007	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	85 2
YM 26 0915 114441538	CC YM	23 20	0017 0202	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85 2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 26 0919 114441611	CC YM	23 22	0017 0067	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 26 0922 114441520	CC YM	23 23	0017 0163	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2
YM 26 0924 114441553	CC YM	23 24	0017 0019	2.91	96	102	98	0.48 46	0.51 31	0.75 104	0.95 33	0.95 103	-2.20 21	-0.33 34	-1.41 25	-4.35 20	94	2
YM 26 0927 114441587	CC YM	23 20	0615 0026	2.59	101	103	102	0.76 46	0.27 30	0.65 103	1.17 33	1.17 104	0.70 21	1.45 34	-1.26 19	0.79 18	94	2
YM 26 0930 114478464	CC YM	23 25	0614 0598	6.85	111	109	110	1.50 44	0.44 33	1.19 108	2.13 40	2.13 109	2.90 26	3.68 36	0.45 26	1.77 23	1	
YM 26 0935 114478407	CC YM	23 20	0615 0076	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	1.32 105	0.70 21	1.62 33	-1.26 19	0.79 18	85	2
YM 26 0940 114478449	CC YM	23 24	0017 0061	2.91	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	2	
YM 26 0948 114478514	CC YM	23 23	0615 0116	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	1.32 105	0.70 21	1.62 33	-1.26 19	0.79 18	2	
YM 26 0951 114478522	CC YM	23 21	0615 0032	2.55	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	1.32 105	0.70 21	1.62 33	-1.26 19	0.79 18	85	2
YM 26 0952 114478506	CC CC	23 24	0615 0011	5.58	113	108	109	1.81 56	-0.12 37	0.78 104	2.49 47	2.49 111	5.20 31	4.81 43	-0.06 28	7.01 27	1	
YM 26 0959 114488083	DM YM	22 23	0081 0174	2.77	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	-0.74 94	1.70 18	0.48 33	-10.31 23	-1.22 24	1	
YM 26 0960 114488174	CC YM	23 22	0017 0137	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	2	
YM 26 0963 114488158	DM YM	22 20	0081 0003	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	-0.74 94	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW		AFL		ILP		Dam	
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
YM 26 0965 114488133	CC YM	23 24	0615 0035	2.91	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
YM 26 0971 114488109	CC YM	23 23	0017 0150	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2			
YM 26 0974 114488299	CC YM	23 20	0017 0099	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	85	2			
YM 26 0975 114488240	DM YM	22 20	0081 0131	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2			
YM 26 0979 114488208	CC YM	23 25	0693 0475	4.19	108	105	109	0.90 41	0.60 32	1.06 107	1.25 38	2.20 26	2.83 34	0.36 27	-1.16 23			1		
YM 26 0980 114488281	DM YM	22 21	0081 0021	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2			
YM 26 0981 114488307	DM YM	22 21	0081 0021	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2			
YM 26 0985 114488356	CC YM	23 22	0615 0119	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
YM 26 0993 114488414	CC CC	23 24	0615 0221	8.97	110	112	107	1.97 56	0.26 36	1.25 109	2.83 47	3.00 30	4.03 42	1.12 29	8.31 29	88	2			
YM 26 0994 114488406	CC CC	23 24	0615 0221	8.97	110	112	107	1.97 56	0.26 36	1.25 109	2.83 47	3.00 30	4.03 42	1.12 29	8.31 29	88	2			
YM 26 0998 114488497	DM CCS	22 23	0081 0521	1.31	110	97	104	1.12 56	-1.02 36	-0.46 91	0.22 46	4.30 22	2.68 40	-11.88 27	-0.37 26	96	2			
YM 26 0999 114488422	DM CCS	22 23	0081 0521	1.31	110	97	104	1.12 56	-1.02 36	-0.46 91	0.22 46	4.30 22	2.68 40	-11.88 27	-0.37 26	96	2			
YM 26 1002 114488430	CC CC	23 22	0017 0576	3.93	110	107	111	1.21 57	0.33 41	0.93 106	1.82 48	4.10 33	4.00 45	-1.36 35	11.46 32	89	3			

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
YM 26 1003 114488448	DM YM	22 20	0081 0175	2.59	101	93	98	0.39 47	-0.82 31	-0.63 89	-0.65 36	1.70 18	0.59 34	-10.31 23	-1.22 24	94	2	
YM 26 1004 114488455	DM YM	22 20	0081 0175	2.59	101	93	98	0.39 47	-0.82 31	-0.63 89	-0.65 36	1.70 18	0.59 34	-10.31 23	-1.22 24	94	2	
YM 26 1009 114488521	CC YM	23 23	0615 0124	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	2		
YM 26 1011 114488513	CC YM	23 21	0615 0062	2.55	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	2		
YM 26 1012 114488547	CC YM	23 21	0615 0062	2.55	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	2		
YM 26 1014 114488935	DM YM	22 21	0081 0075	2.55	102	94	99	0.50 48	-0.71 31	-0.46 91	-0.46 36	1.70 18	0.81 35	-10.31 23	-1.22 24	96	2	
YM 26 1015 114488901	DM YM	22 21	0081 0075	2.55	102	94	99	0.50 48	-0.71 31	-0.46 91	-0.46 36	1.70 18	0.81 35	-10.31 23	-1.22 24	96	2	
YM 26 1021 114491871	CC YM	23 20	0615 0052	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2	
YM 26 1022 114491830	CC YM	23 20	0615 0052	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2	
YM 26 1024 114491798	CC YM	23 22	0615 0020	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	2		
YM 26 1025 114491723	DM YM	22 20	0081 0011	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
YM 26 1027 114491806	CC YM	23 20	0017 0054	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	1		
YM 26 1029 114491780	CC YM	23 21	0615 0005	2.55	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
	Dir	Mat	Comb					Post-Wean	EBV Acc Index								EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 1032 114491731	CC YM	23 21	0615 0007	2.55	99	100	99	0.57 46	0.07 30	0.35 99	0.82 33	0.70 21	1.05 34	-1.26 19	0.79 18	93 3	
YM 26 1036 114491822	CC RN	23 23	0615 0018	1.21	110	106	111	1.16 47	0.26 31	0.84 105	1.84 33	3.50 22	3.51 35	-4.92 27	11.33 26	91 3	
YM 26 1043 114491939	DM YM	22 20	0081 0172	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85 2	
YM 26 1047 114492085	DM YM	22 23	0081 0145	2.77	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	2	
YM 26 1056 114491947	CCS YM	23 25	0417 0477	2.24	94	96	93	0.25 39	-0.18 27	-0.05 95	-0.07 33	-1.00 20	-0.53 30	-1.57 21	-8.52 19	1	
YM 26 1060 114492002	CC YM	23 22	0615 0002	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85 2	
YM 26 1061 114492101	JW YM	19 25	0105 0427	1.38	92	91	100	-0.88 53	0.36 43	-0.08 95	-1.38 46	0.10 34	-0.47 45	-6.82 36	14.10 37	1	
YM 26 1062 114492044	DM OC	22 23	0081 0107	5.43	107	93	104	0.47 51	-0.79 31	-0.56 90	-0.76 38	3.40 20	1.72 36	-13.45 29	3.40 30	1	
YM 26 1067 114491848	DM YM	22 20	0081 0174	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85 2	
YM 26 1068 114491855	DM YM	22 20	0081 0174	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85 2	
Ram Flock Average: Number of rams in the flock: 608					98	98	99	0.41	-0.02	0.18	0.37	0.45	0.66	-2.99	-1.05		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
											EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 18 0341 82382284	CC 16 0164 CC 17 0177		4.03	128	125	134	2.27 77 116	2.10 77 134	3.23 130	4.61 77 123	5.60 67 117	7.72 75 129	2.94 58 96	9.47 59 81	190	9		
CC 18 0372 82382599	CC 16 0164 CC 14 0344		2.68	120	110	122	1.33 76 107	0.68 74 110	1.35 110	2.72 75 113	7.70 65 126	6.63 73 124	5.21 55 91	-2.49 56 100	141	8		
CC 18 0457 82383423	CC 16 0509 CC 16 0575		2.68	115	115	113	2.09 79 114	0.72 77 110	1.77 115	2.69 79 113	3.00 66 107	4.61 75 115	1.50 55 99	6.29 55 86	187	7		
CC 18 0526 82384082	CC 16 0164 CC 15 0388		3.85	106	97	114	-0.44 75 91	0.96 72 115	0.74 104	-1.11 74 92	4.60 63 114	3.28 71 109	6.34 54 88	-2.56 55 100	143	7		
CC 18 0548 82384280	CC 16 0164 CC 15 0105		3.40	120	99	130	-0.40 79 91	1.29 75 120	1.09 107	-1.11 79 92	9.50 66 132	6.59 74 124	5.39 59 90	-1.54 58 99	151	7		
CC 18 0558 82384389	CC 15 0431 CC 14 0325		2.21	117	98	119	0.37 77 98	-0.06 75 97	0.13 97	0.46 77 100	8.50 63 129	5.42 73 119	-1.92 53 107	-8.98 54 110	150	8		
CC 19 0484 86055423	CC 17 0528 CC 17 0479		3.44	118	119	115	2.45 73 117	0.80 70 112	2.02 117	3.87 73 119	3.70 59 110	5.47 69 119	7.74 53 85	-11.49 51 114	113	6		
WS 19 2068 85913457	CC 16 0461 WS 15 1214		0.58	98	83	101	-1.00 54 86	-0.78 52 84	-1.29 82	-2.17 49 86	6.50 35 121	2.12 49 104	0.62 35 101	0.72 36 95	110	2		
CRL 20 0046 89755482	JW 16 0456 CRL 17 0342		0.92	97	90	99	-0.48 51 90	-0.08 46 97	-0.32 92	-2.25 48 85	1.20 38 101	0.16 46 95	-3.47 50 110	-1.96 54 99		5		
KERN20 0075 91880690	KERN 18 0421 KERN 17 0092		1.05	83	89	84	-0.49 32 90	-0.32 29 92	-0.57 90	-1.86 27 87	-0.90 16 93	-1.35 27 88	2.58 31 97	28.54 42 64		4		
CRL 20 0119 91060418	CRL 18 0109 CRL 12 0017		0.93	81	81	82	-1.26 36 83	-0.67 41 86	-1.30 82	-3.29 27 80	-0.30 15 95	-2.11 33 84	6.04 39 89	-7.91 43 109		6		
CRL 20 0243 91519355	CRL 18 0456 CRL 18 0365		3.51	109	103	113	0.48 45 99	1.12 48 117	1.36 110	-0.56 29 95	0.90 24 99	2.14 41 104	-1.34 39 106	-2.79 46 101	122	6		
CRL 20 0348 91528406	JW 16 0456 CRL 17 0381		0.87	101	92	104	-0.31 53 92	0.14 51 100	-0.02 96	-2.09 48 86	1.20 38 101	0.55 49 96	-7.40 51 119	1.94 50 93	100	3		
CRL 20 0381 91533620	CRL 19 0037 CRL 19 0176		8.17	104	95	108	-0.19 39 93	0.34 42 104	0.24 98	-1.39 31 90	2.80 24 107	1.83 37 102	-2.13 37 107	-2.16 46 100	88	3		
CC 20 0398 90335621	CC 16 0164 CC 17 0427		2.90	115	120	122	1.51 72 109	2.02 71 133	2.77 125	4.31 74 121	0.70 63 99	3.95 70 112	2.75 57 96	-9.15 55 111	103	6		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	Phenotype	Lambled
				Index		n	EBV	EBV	Index	Index	EBV	EBV	EBV	EBV		
							Acc	Acc		Acc	Acc	Acc	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 20 0406 90335704	CC 19 0076 CC 16 0184		3.44	121	98	117	0.97 71 104	-0.55 69 88	-0.06 95	0.07 72 98	11.90 56 136	7.56 67 129	0.09 49 102	-1.79 42 99	112	4
CC 20 0575 90337155	CC 18 0393 CC 19 0711		5.48	91	104	83	1.52 65 109	-0.49 56 89	0.27 99	1.79 67 108	-4.50 48 79	-1.66 58 86	1.72 40 99	-19.01 41 126	82	4
CC 20 0584 90337239	CC 19 0145 CC 18 0511		5.83	112	117	110	1.99 70 113	1.20 64 119	2.20 119	2.87 71 114	0.30 54 97	3.37 64 109	9.42 48 81	-20.36 49 129	90	6
JJO 20 0696 94970324	- - - JJO 15 0180		2.59	106	98	113	-0.08 8 94	0.07 7 99	0.03 96	1.87 8 108	4.00 6 111	2.39 7 105	-9.60 8 124	-2.25 9 100		3
CC 21 0007 92022185	CC 19 0145 CC 17 0284		3.73	84	106	78	1.37 69 108	0.30 62 103	0.99 106	0.77 70 102	-7.60 53 67	-2.89 63 81	8.97 48 82	-12.43 43 116	89	3
OC 21 0014 91800193	OC 18 6900 OC 19 6747		2.13	87	95	90	-0.45 55 91	0.61 20 108	0.38 100	-0.92 6 93	-1.30 5 91	-0.63 29 91	18.07 32 64	-18.08 38 125		4
DM 21 0025 91651885	FJD 19 0034 DM 18 0101		1.74	61	81	59	-1.09 65 85	-1.03 63 80	-1.57 79	-2.58 61 83	-6.90 44 69	-6.26 59 65	5.35 26 90	8.35 39 83	104	5
KH 21 0042 93140671	OC 19 6548 OC 17 7057		1.73	103	108	104	1.26 56 106	0.71 54 110	1.33 110	1.58 40 106	0.00 17 96	1.96 46 103	0.66 30 101	8.13 39 83	100	5
DM 21 0046 92385848	JW 19 0105 DM 19 0486		2.13	73	73	83	-2.69 68 70	-0.26 64 93	-1.61 78	-4.54 64 73	-3.60 44 82	-5.11 61 70	-10.19 40 126	11.55 43 78	105	4
CC 21 0047 92022466	KI 19 0441 CC 17 0118		4.56	99	96	101	0.08 67 96	0.25 60 102	0.29 99	-0.80 68 93	0.20 50 97	0.45 60 96	-1.54 46 106	-6.07 47 106	88	3
CC 21 0051 92022482	CC 19 0866 CC 18 0041		5.37	119	106	112	1.89 68 112	-0.56 62 88	0.39 100	1.56 70 106	7.70 49 126	5.96 61 121	0.29 44 102	-0.58 37 97	99	4
DM 21 0051 92385897	JW 19 0105 CRL 20 0413		1.62	88	93	97	-0.83 64 87	0.83 59 112	0.41 100	-1.44 63 90	-3.20 44 84	-1.92 57 85	-5.22 40 114	12.17 43 77	102	4
EBS 21 0071 100909977	JW 18 0737 - - -		2.55	92	89	97	-0.78 33 88	-0.24 36 94	-0.64 89	-1.05 21 92	1.20 18 101	-0.31 31 93	-7.84 22 120	13.04 25 75	99	2
CCS 21 0098 93188803	CRL 16 0100 CCS 17 0169		1.48	94	95	98	-0.31 66 92	0.37 61 104	0.22 98	-0.74 43 94	-0.50 43 94	-0.24 59 93	0.76 41 101	-5.93 46 106	90	4
CC 21 0148 92023167	CC 19 0866 CC 18 0046		5.58	104	103	96	1.67 67 110	-0.72 60 85	0.12 97	1.21 69 104	3.10 50 108	2.82 60 107	1.29 44 100	7.33 45 84	89	2



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
Comp no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV				EBV	EBV	EBV	EBV	EBV	EBV		
								Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
SM 21 0167 93668887	SM 18 0519 SM 18 0693		1.74	94	85	103	-1.52 52 81	0.45 38 106	-0.31 92	-3.01 5 81	1.20 5 101	-0.35 35 92	-3.91 25 111	0.76 32 95	100	3						
CC 21 0186 92026483	CC 17 0390 CC 17 0568		3.83	77	90	66	0.50 67 99	-1.43 61 73	-1.19 83	-1.12 69 92	-4.10 52 80	-3.40 61 78	7.47 47 86	-10.51 50 113	93	2						
KERN21 0199 92205459	KERN 19 0409 KERN 17 0498		1.73	83	93	87	-0.38 16 91	0.10 16 100	-0.09 95	-0.90 15 93	-2.20 12 88	-1.60 15 87	1.64 30 99	15.93 33 71		3						
CC 21 0206 92025089	CC 17 0380 CC 18 0182		6.75	77	101	73	1.02 68 104	-0.42 63 91	0.09 97	1.55 70 106	-5.00 54 77	-2.40 63 83	7.59 50 85	13.86 51 74	94	2						
KERN21 0217 92206473	KERN 19 0406 KERN 17 0003		3.64	92	92	95	-0.40 16 91	0.06 16 99	-0.15 94	-1.35 14 90	-0.50 9 94	-0.65 14 91	-1.84 25 107	3.52 28 91		1						
TB 21 0223 107896771	JW 17 0656 JW 17 0721		4.44	106	99	111	0.21 44 97	0.28 47 103	0.39 100	0.17 31 99	2.60 25 106	2.05 41 103	-11.17 34 128	13.81 36 74	108	2						
CCS 21 0258 93208577	CCS 19 0285 CCS 18 0022		1.96	87	91	89	-0.39 63 91	-0.18 52 95	-0.38 92	-1.49 45 89	-2.20 38 88	-1.89 53 85	-3.23 37 110	1.89 41 93	86	3						
OC 21 0265 92635564	BEP 19 0193 OC 19 7018		6.01	104	94	108	-0.05 56 94	-0.15 43 95	-0.18 94	-0.63 28 94	3.30 23 109	1.78 43 102	-12.95 36 132	15.66 46 71	92	5						
JW 21 0289 93209476	JW 18 0879 JW 19 0309		7.93	108	84	106	-0.46 53 91	-1.22 53 77	-1.45 80	-2.31 37 85	8.20 29 127	3.25 47 109	-6.38 41 117	-5.59 46 105	115	4						
KERN21 0334 92416288	KERN 20 0188 KERN 19 0402		10.46	94	99	99	0.02 32 95	0.70 26 110	0.71 103	-0.22 19 97	0.30 16 97	0.89 26 98	5.41 30 90	10.71 41 79		2						
CC 21 0337 92603166	CC 19 0145 CC 17 0314		5.93	90	94	86	0.35 67 98	-0.53 58 89	-0.36 92	-0.83 69 93	0.00 49 96	-0.18 59 93	6.04 45 89	-1.89 41 99	88	1						
CC 21 0344 92603232	CC 19 0576 CC 17 0421		4.80	124	109	130	0.88 68 103	1.37 62 122	1.81 115	1.37 70 105	6.40 54 121	6.09 62 122	-2.14 52 107	-2.29 49 100	88	1						
OC 21 0359 92637669	OC 20 6745 OC 18 6758		1.74	72	72	82	-2.74 44 70	-0.50 26 89	-1.87 76	-4.47 17 73	-2.30 13 87	-4.62 30 73	-6.72 23 118	11.73 30 77		5						
CC 21 0384 92603638	CC 19 0576 CC 17 0427		3.44	120	114	126	1.19 71 106	1.39 68 122	1.99 117	3.31 72 116	5.00 59 115	5.59 67 120	1.86 52 98	-8.78 53 110	111	4						
CC 21 0422 92604016	CC 19 0145 CC 16 0408		4.86	99	103	100	0.61 72 100	0.70 68 110	1.01 107	0.45 72 100	-1.90 58 89	0.17 67 95	3.72 49 94	-17.47 50 124	136	6						



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CRL 21 0431 93829141	CRL 19 0110 CRL 18 0480		2.66	92	93	93	-0.11 31 94	-0.18 29 95	-0.23 93	-1.01 27 92	-0.40 21 94	-0.53 28 92	-3.87 35 111	7.86 44 84		4
CC 21 0518 92604941	CC 20 0171 CC 19 0560		4.71	95	110	95	1.20 64 106	0.79 53 112	1.39 111	2.36 66 111	-3.60 44 82	-0.17 55 93	2.92 41 96	0.01 42 96	87	2
CC 21 0567 92667419	CC 20 0026 CC 20 0495		4.45	83	101	77	1.18 63 106	-0.63 52 87	-0.04 95	1.47 65 106	-4.00 43 81	-1.85 54 85	3.20 40 95	8.77 33 82	88	1
CC 21 0573 92605468	CC 20 0183 CC 20 0345		4.80	86	102	76	1.61 65 110	-1.04 56 80	-0.23 93	1.80 67 108	-3.80 49 81	-1.71 58 86	2.40 48 97	-3.84 47 102	88	2
CC 21 0609 92605773	CC 19 0089 CC 20 0636		3.52	95	82	99	-1.16 66 84	-0.81 58 84	-1.39 81	-1.96 68 87	6.50 44 121	1.93 58 103	3.77 39 94	-3.94 37 102	90	1
KM 21 1984 94071008	KM 19 0101 KM 15 0664		1.20	87	81	90	-1.21 38 84	-0.80 44 84	-1.41 81	-2.72 26 83	0.80 22 99	-1.53 37 87	-8.90 32 123	12.03 35 77	145	1
CC 22 0004 94069416	- - - CC 17 0278		2.56	117	113	118	1.82 56 112	0.26 50 102	1.16 108	4.74 58 124	5.50 35 117	5.37 49 119	-2.71 29 109	-3.37 25 102	91	1
KERN22 0004 95395638	KERN 20 0313 KERN 18 0092		7.03	97	104	99	0.60 35 100	0.79 33 112	1.09 107	0.29 29 99	-1.00 18 92	0.79 30 98	6.40 38 88	-0.25 39 97		1
CC 22 0005 94069432	- - - CC 18 0535		2.56	115	107	113	1.57 53 109	-0.19 43 95	0.60 102	2.94 56 114	4.10 34 112	3.84 45 112	-8.78 26 122	-4.76 26 104	89	1
PDR 22 0007 95679296	SM 20 1950 SM 18 0773		1.73	86	85	92	-1.24 25 83	-0.18 33 95	-0.80 87	-2.39 7 85	-1.00 5 92	-2.02 23 85	-4.52 29 113	-0.51 31 97	95	3
DM 22 0012 93118693	JW 16 0456 CC 14 0344		0.79	130	127	123	3.55 69 128	0.93 62 114	2.71 125	4.60 69 123	4.10 51 112	6.94 62 126	-1.75 50 107	3.48 55 91	86	3
PDR 22 0025 95678959	SM 20 1950 SM 19 0277		1.93	94	88	100	-1.05 24 85	-0.08 32 96	-0.61 89	-1.29 5 91	0.60 5 98	-0.77 22 90	-7.44 21 119	-7.26 16 108	99	3
DM 22 0027 93729085	JW 16 0456 CRL 16 0078		3.91	86	92	80	0.42 66 99	-0.88 60 83	-0.67 89	-0.88 63 93	-2.60 48 86	-2.02 60 85	-1.47 52 106	2.74 57 92	88	2
PDR 22 0033 95679072	SM 20 1950 SM 19 0399		1.93	99	93	106	-0.67 9 89	0.21 10 102	-0.13 94	-0.17 5 97	1.30 5 101	0.32 7 95	-7.91 20 120	-7.90 19 109		2
DM 22 0036 94140027	JW 16 0456 JW 21 0256		3.40	122	101	132	-0.08 72 94	1.37 69 122	1.33 110	-0.76 71 94	4.90 53 115	4.23 66 113	-14.30 53 135	4.42 57 89	117	4



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam	EBV					Acc Index	EBV	Acc Index	EBV			Acc Index	EBV	Acc Index	EBV	Acc Index	EBV	Acc Index	EBV		Acc Index
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
DM 22 0043 94140092	JW BEP	16 19	0456 0466	3.98	101	90	103	-0.33 69	92	-0.30 66	93	-0.46 91	-1.76 69	88	5.30 47	2.55 63	106	-1.67 49	106	17.84 52	68	99	3
DM 22 0050 94276417	OC OC	21 17	0041 7119	1.73	99	85	107	-1.37 66	82	0.10 62	100	-0.59 89	-2.38 56	85	2.70 37	0.35 58	96	-9.26 31	124	-1.80 38	99	148	4
CC 22 0057 93923472	CC CC	20 20	0021 0177	4.32	105	102	108	0.65 65	101	0.21 54	102	0.54 101	1.58 67	106	4.20 45	3.38 56	109	2.04 42	98	4.25 35	89	89	1
CC 22 0063 93923522	CC CC	20 19	0116 0484	6.04	100	109	99	1.41 65	108	0.40 54	105	1.11 108	2.24 66	110	0.00 45	1.81 56	102	5.17 44	91	1.79 38	93	89	1
JW 22 0073 93318111	JW JW	19 14	0009 0279	10.26	82	90	83	-0.47 55	91	-0.37 50	91	-0.61 89	-0.91 53	93	-1.40 41	-1.68 50	86	3.76 45	94	8.17 51	83		3
KI 22 0074 93701720	KI KI	19 19	0499 0515	9.31	90	92	85	0.35 47	98	-1.04 35	80	-0.86 86	-0.06 34	97	1.00 27	-0.09 38	94	4.67 38	92	-10.25 43	113		4
CRL 22 0074 96077433	CRL CRL	19 20	0037 0249	8.68	102	91	105	-0.46 47	91	0.07 51	99	-0.16 94	-2.18 31	86	1.80 24	0.70 43	97	-4.80 42	113	-11.45 46	114	116	5
CC 22 0085 93923696	CC CC	20 18	0021 0589	6.11	98	109	102	0.89 63	103	1.20 49	119	1.65 113	1.85 65	108	-2.40 41	0.65 53	97	3.73 41	94	2.28 34	92		1
CC 22 0095 93923795	CC CC	19 17	0358 0118	5.92	104	103	98	1.38 68	108	-0.33 59	92	0.36 100	0.75 70	102	2.30 49	2.43 60	105	4.26 47	93	-4.42 43	103	89	1
DM 22 0103 95100475	JW CRL	19 16	0009 0062	10.24	97	106	92	1.53 71	109	-0.31 67	93	0.46 101	2.62 67	112	0.90 46	1.77 64	102	5.24 44	91	7.28 48	85	103	3
DM 22 0123 95572087	JW DM	19 21	0009 0025	3.78	60	87	59	-0.60 64	89	-0.76 55	85	-1.06 84	-1.30 63	91	-7.50 45	-5.86 56	67	7.62 37	85	27.08 47	64	87	2
CC 22 0135 94011863	CC CC	17 18	0756 0033	4.91	86	94	78	0.73 69	102	-1.07 64	79	-0.71 88	-0.14 70	97	-0.70 58	-0.77 65	90	7.77 52	85	-4.09 48	103	89	1
CC 22 0151 93924132	CC CC	20 16	0021 0037	3.90	106	98	114	-0.27 65	92	0.66 55	109	0.53 101	0.09 67	98	4.40 44	3.03 56	108	-3.12 42	110	9.92 35	80	89	1
CC 22 0155 93924173	CC CC	19 16	0358 0093	4.51	103	87	96	0.26 68	97	-1.54 58	71	-1.42 80	-1.79 70	88	7.00 48	2.91 60	107	-0.75 46	104	2.86 41	92	89	1
CC 22 0164 93924223	CC CC	20 18	0075 0304	6.11	94	86	93	-0.39 67	91	-1.20 59	77	-1.39 81	-1.15 69	91	4.80 51	1.30 60	100	-1.30 48	105	4.05 43	90	87	1





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times	
Comp no.	Sire	Dam					Dir	Mat								EBV	EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 22 0190 93924389	CC 20 0021 CC 16 0400	4.12	99	96	111	-0.84 65 87	0.94 56 114	0.52 101	-0.02 67 98	3.20 46 108	2.02 57 103	0.51 45 101	8.15 37 83	89	1		
CC 22 0193 94012267	CC 20 0093 CC 18 0642	4.75	105	113	98	2.39 65 117	0.03 56 98	1.23 109	3.11 66 115	0.40 45 98	2.66 57 106	2.75 40 96	4.90 41 88	92	2		
CC 22 0196 93924413	CC 20 0116 CC 19 0555	4.69	94	101	94	0.71 63 101	0.27 51 103	0.62 102	0.32 65 99	-1.50 42 90	0.08 54 94	1.20 42 100	8.99 36 82	90	1		
CC 22 0198 93924439	CC 19 0576 CC 18 0311	4.69	113	108	114	1.26 69 106	0.50 66 107	1.13 108	2.29 69 110	4.90 57 115	4.70 65 116	2.96 51 96	-1.52 53 99	104	3		
CC 22 0204 93924470	CC 19 0358 CC 16 0220	5.35	104	91	101	0.22 68 97	-0.81 60 84	-0.70 88	-0.99 69 92	7.30 47 124	3.79 60 111	6.17 45 89	-2.14 40 100	91	1		
CC 22 0212 94012382	CC 20 0093 CC 21 0117	5.81	92	93	92	0.15 64 96	-0.61 54 87	-0.54 90	0.00 66 98	1.40 45 101	0.38 56 96	-1.30 43 105	7.55 36 84	88	1		
CC 22 0225 94012606	CC 19 0145 CC 18 0394	6.17	84	98	79	0.62 66 101	-0.21 59 94	0.10 97	-0.47 69 95	-5.80 51 74	-3.07 60 80	2.38 48 97	-8.13 44 109	89	1		
JW 22 0280 94945276	JW 20 0007 JW 21 0030	5.56	103	85	105	-0.67 43 89	-0.72 43 85	-1.05 84	-2.08 28 86	6.60 29 121	2.57 40 106	-4.46 32 113	3.57 35 90	99	1		
TB 22 0300 107896789	TB 20 0101 - - -	2.56	86	92	89	-0.36 32 92	-0.42 33 91	-0.60 89	0.07 20 98	-0.50 15 94	-1.08 28 89	-2.86 20 109	10.23 19 80	100	2		
CC 22 0313 95153870	CC 20 0342 CC 20 0470	4.34	95	105	88	1.66 69 110	-0.25 64 94	0.58 102	1.17 68 104	-0.50 52 94	1.11 63 99	7.56 45 85	8.78 46 82	125	4		
CC 22 0316 95153938	CC 21 0025 CC 20 0395	3.63	86	101	80	1.11 69 105	-0.56 64 88	-0.01 96	1.45 68 106	-3.80 53 81	-1.73 63 86	3.83 49 94	-8.36 37 109	113	4		
CC 22 0323 95152435	CC 20 0342 CC 19 0446	5.14	101	114	97	2.07 64 114	0.66 55 109	1.69 114	2.28 67 110	-3.10 46 84	0.86 56 98	0.39 43 102	7.27 44 85	84	3		
CC 22 0329 95152591	CC 20 0075 CC 19 0711	4.97	91	87	86	-0.02 69 95	-1.46 63 72	-1.47 80	-1.16 69 91	2.70 54 106	0.14 63 95	-2.51 46 108	5.89 47 87	97	4		
CC 22 0332 95152658	CC 20 0075 CC 19 0785	4.97	109	109	105	1.74 66 111	0.12 57 100	0.99 106	2.13 68 109	1.90 50 103	3.00 59 108	-0.94 46 105	-1.74 47 99	82	3		
CC 22 0339 95153037	CC 21 0147 CC 20 0409	4.11	95	99	87	1.44 64 108	-1.20 53 77	-0.48 91	1.41 66 106	2.40 43 105	1.68 55 102	1.75 43 99	14.23 37 73	88	1		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	Phenotype	Lambd
				Index		n	EBV	EBV	Index	Index	EBV	EBV	Index	Index		
							Acc	Acc		Acc	Acc	Acc	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 22 0340	CC 20 0075	CC 20 0503	4.48	92	99	88	1.08	-0.97	-0.43	1.57	0.60	0.47	-4.01	17.02	112	4
95153052							69 105	64 81	91	69 106	52 98	63 96	47 112	47 69		
CC 22 0348	CC 20 0342	CC 19 0353	4.66	104	108	103	1.27	0.65	1.29	1.23	1.20	2.64	5.42	6.78	112	4
95153458							69 107	64 109	109	69 105	52 101	63 106	46 90	47 85		
CC 22 0357	CC 19 0576	CC 19 0476	5.19	123	113	123	1.80	0.71	1.61	2.95	6.80	6.59	3.35	-9.69	127	4
95155412							72 111	68 110	113	71 114	57 122	67 124	51 95	51 112		
CC 22 0361	CC 20 0075	CC 19 0067	3.88	102	93	97	0.58	-1.13	-0.84	0.11	6.30	3.23	3.45	0.17	88	1
95155495							67 100	59 78	87	69 98	51 120	60 109	49 95	44 96		
CC 22 0390	CC 21 0188	CC 21 0014	4.25	98	105	94	1.34	-0.09	0.58	1.68	0.30	1.43	2.93	6.44	97	3
95155818							68 107	62 96	102	69 107	51 97	62 101	45 96	47 86		
CC 22 0395	CC 20 0075	CC 20 0407	4.28	112	93	109	0.61	-1.28	-0.98	0.63	12.70	6.95	-2.84	8.28	94	2
95155917							69 100	64 76	85	69 101	50 136	63 126	48 109	46 83		
CC 22 0397	CC 21 0188	CC 21 0160	5.24	97	95	103	-0.32	0.40	0.24	-0.55	1.50	0.98	-1.05	7.68	88	1
95155958							66 92	59 105	98	69 95	50 102	60 98	50 105	45 84		
CC 22 0403	CC 21 0147	CC 19 0513	4.52	110	102	102	1.76	-1.10	-0.22	1.90	6.40	4.50	-0.29	2.81	120	4
95156071							70 111	64 79	93	67 108	50 121	63 115	43 103	44 92		
CC 22 0407	CC 21 0188	CC 18 0564	5.20	113	107	113	1.28	0.36	1.00	1.68	4.20	4.16	-1.07	0.98	95	3
95156634							70 107	64 104	106	69 107	52 112	64 113	48 105	48 95		
EBS 22 0408	- - -	- - -	2.56	101	94	108	-0.42	-0.10	-0.31	0.89	3.20	1.40	-11.13	4.22	2	
100911155	EBS 19 0008						13 91	12 96	92	11 103	9 108	12 100	12 128	14 89		
EBS 22 0413	CRL 20 0048	- - -	2.56	84	91	87	-0.42	-0.33	-0.54	-0.46	-1.90	-1.89	-2.87	7.61	2	
100911163							26 91	24 92	90	25 95	20 89	24 85	24 109	25 84		
CC 22 0417	CC 20 0342	CC 17 0444	3.32	99	109	98	1.27	0.86	1.49	0.98	-2.80	0.45	2.75	2.19	102	3
95156899							69 107	63 113	112	69 103	52 85	63 96	45 96	47 93		
CC 22 0420	CC 20 0075	CC 18 0511	4.11	106	89	106	-0.33	-0.77	-0.93	-0.93	11.30	5.68	10.48	-5.01	105	3
95156956							71 92	66 85	86	72 93	54 136	65 120	48 79	49 104		
CC 22 0435	CC 21 0147	CC 17 0638	5.18	119	102	122	0.69	0.43	0.77	0.56	8.70	6.33	-0.57	9.60	106	3
95156212							69 101	62 105	104	70 101	48 129	61 123	43 104	43 81		
CC 22 0457	CC 20 0075	CC 18 0457	5.22	109	100	107	1.03	-0.51	0.01	1.17	5.70	3.94	-3.91	9.26	113	4
95158192							72 104	67 89	96	71 104	56 118	66 112	49 111	50 81		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
							Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 22 0486 95159497	CC 20 0342 CC 21 0174	4.98	96	110	94	1.55 65 109	0.69 57 110	1.47 111	1.92 67 108	-3.80 47 81	-0.04 58 94	-0.56 43 104	15.29 45 72	92	2			
CC 22 0489 95159554	CC 21 0147 CC 17 0635	5.15	99	89	99	-0.14 68 94	-1.03 62 80	-1.10 84	-0.57 70 95	7.00 48 123	3.03 61 108	-1.22 45 105	18.20 46 67	96	2			
CC 22 0506 95159018	CC 21 0188 CC 20 0616	5.35	108	114	107	1.73 70 111	1.05 64 116	1.92 116	2.18 68 110	-1.80 53 89	1.70 64 102	-2.30 48 108	0.32 46 96	120	4			
CC 22 0527 95159430	CC 19 0576 CC 16 0381	4.27	125	116	128	1.80 71 111	0.94 67 114	1.84 115	4.23 70 121	8.50 57 129	7.84 66 130	3.38 53 95	0.35 53 96	99	4			
CC 22 0539 95152690	CC 20 0075 CC 19 0117	5.07	112	112	102	2.78 68 121	-0.94 61 82	0.45 101	4.23 70 121	5.90 51 119	5.39 61 119	3.45 49 95	3.62 45 90	88	1			
CC 22 0574 95153979	CC 21 0147 CC 18 0341	5.88	117	113	116	1.93 66 113	0.43 56 105	1.40 111	2.98 66 114	5.10 49 116	5.42 58 119	-2.99 45 109	15.37 46 72	79	4			
CC 22 0576 95154019	CC 20 0075 CC 16 0432	4.69	113	99	114	0.59 68 100	-0.20 61 94	0.09 97	0.55 69 101	8.50 51 129	5.49 61 119	-3.04 49 109	24.04 50 64	89	3			
CC 22 0593 95154753	CC 20 0716 CC 21 0372	6.89	89	100	86	0.80 62 102	-0.28 53 93	0.12 97	0.88 65 103	-2.00 43 88	-0.68 54 91	2.18 41 98	5.16 36 88	89	1			
CC 22 0601 95154092	CC 19 0576 M 16 0916	1.79	108	100	118	-0.26 64 92	1.00 58 115	0.87 105	0.55 65 101	3.40 45 109	2.78 57 107	-4.77 45 113	0.72 40 95	89	1			
CC 22 0610 95154258	CC 19 0576 CC 20 0717	6.51	132	116	139	1.51 67 109	1.45 61 123	2.21 119	3.19 69 115	8.20 52 127	7.88 61 130	-4.89 49 114	-2.64 45 100	89	1			
CC 22 0632 95157434	CC 20 0716 CC 21 0454	5.98	125	133	116	4.25 63 134	0.85 54 113	2.98 128	6.90 64 136	2.30 45 105	6.48 55 124	4.07 41 93	-5.96 41 106	89	2			
CC 22 0651 95157814	CC 20 0633 CC 21 0662	6.26	90	90	89	-0.17 62 93	-0.69 52 86	-0.78 87	-0.90 65 93	2.10 42 104	0.39 54 96	2.07 38 98	12.54 40 76	90	2			
JJO 22 0846 100249978	- 20 0330	2.56	101	100	109	-0.09 17 94	0.52 29 107	0.47 101	1.52 5 106	0.50 5 98	0.73 18 97	-8.76 5 122	-5.16 5 104	95	2			
GMD 22 1257 97416077	GMD 21 1398 KM 15 0403	1.30	88	81	90	-1.23 19 84	-0.78 17 84	-1.39 81	-2.69 18 83	3.30 14 109	-0.02 17 94	4.37 20 93	-4.43 23 103		0			
NM 22 1611 108605791	JW 20 0079 - - -	2.56	81	80	86	-1.49 46 81	-0.84 50 83	-1.59 79	-1.96 21 87	2.10 15 104	-1.07 40 89	1.63 40 99	8.43 38 83	115	2			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat			Weaned					Lamb
				Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CCS 23 0012 95718912	CCS 21 0335 CCS 18 0186	3.18		99	95	99	0.13 66 96	-0.27 56 93	-0.21 93	-0.12 48 97	0.10 38 96	-0.08 56 94	-6.84 35 118	-10.97 41 114	113	4
KH 23 0013 96470133	OC 20 7475 KH 21 0042	1.94		100	112	100	1.49 61 109	0.85 52 113	1.60 113	2.49 50 111	-0.30 25 95	2.16 49 104	9.59 37 81	3.97 43 90	100	3
RN 23 0018 99154957	LM 21 1134 LM 15 1325	1.03		95	91	100	-0.45 25 91	-0.26 31 93	-0.49 90	-0.52 12 95	1.40 8 101	0.13 23 95	-10.48 38 126	13.52 36 75	91	3
RN 23 0022 99155004	LM 21 1134 LM 15 1276	4.86		87	80	91	-1.52 28 81	-0.55 23 88	-1.31 82	-3.13 16 80	1.40 14 101	-1.24 23 88	-2.56 38 108	1.54 41 94		1
DM 23 0031 96764089	JW 19 0105 DM 21 0024	4.54		87	81	98	-1.98 69 77	0.11 63 100	-0.88 86	-3.27 66 80	0.90 47 99	-1.33 62 88	-8.52 44 122	23.34 47 64	100	3
CCS 23 0033 95719118	CCS 21 0335 CCS 20 0108	9.10		88	87	77	0.38 66 98	-1.85 52 66	-1.66 78	-1.31 47 91	-0.20 37 95	-1.58 54 87	1.70 35 99	-23.71 37 134	89	3
DM 23 0050 97083448	JW 16 0456 JW 16 0514	4.65		93	92	97	-0.50 68 90	0.22 61 102	-0.03 95	-1.80 66 88	-0.50 46 94	-0.57 60 91	-3.72 52 111	7.82 53 84	86	2
DM 23 0057 97083513	JW 16 0456 CRL 17 0362	1.73		91	89	98	-1.12 63 85	0.45 57 106	-0.11 94	-2.38 61 85	-2.00 42 88	-1.87 56 85	-5.10 49 114	-5.62 47 105	87	3
DM 23 0059 97083539	JW 16 0456 CRL 16 0028	0.79		111	112	111	1.38 67 108	1.46 61 123	2.15 119	0.41 63 100	-0.60 45 94	2.48 60 105	5.66 51 90	-13.13 55 117	135	4
CC 23 0083 96795026	KI 20 0260 CC 19 0804	2.16		109	105	103	1.58 70 109	-0.39 63 91	0.40 100	1.64 68 107	4.90 48 115	4.13 62 113	5.36 46 90	-5.70 44 105	111	3
CC 23 0085 96795067	KI 20 0260 CC 18 0558	1.99		116	110	109	2.13 70 114	-0.30 64 93	0.77 104	2.72 68 113	5.10 49 116	4.89 63 116	3.55 47 94	-15.47 47 121	115	3
CC 23 0087 96795109	KI 20 0260 CC 19 0042	2.65		115	122	108	3.07 69 123	0.62 63 109	2.16 119	4.56 68 123	1.70 48 102	4.71 62 116	7.19 48 86	-5.40 47 105	105	3
DM 23 0093 97139430	JW 19 0105 CRL 16 0062	4.37		92	91	100	-0.92 67 86	0.43 58 105	-0.03 95	-1.20 66 91	-1.30 43 91	-1.26 58 88	-8.03 42 121	2.03 48 93	86	2
PDR 23 0096 107435521	PDR 22 1004 SM 18 0773	2.56		94	89	101	-1.00 16 86	0.30 17 103	-0.20 94	-2.13 7 86	0.50 5 98	-0.40 14 92	-5.38 21 115	3.77 22 90		1
CC 23 0099 96795323	KI 20 0260 CC 18 0111	1.95		96	102	88	1.47 67 108	-0.76 59 85	-0.02 95	1.23 68 105	0.80 45 99	1.19 59 99	8.33 46 84	-11.43 42 114	92	3

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp no.	Sire	Dam					Dir	Mat								
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
OC 23 0107 96460001	BEP 19 0193 OC 20 6974		2.59	94	89	99	-0.84 40 87	0.11 30 100	-0.31 92	-1.60 23 89	-0.60 19 94	-1.09 31 89	-9.43 34 124	1.68 36 93		1
BBB 23 0114 108693912	CRL 20 0163 CRL 18 0477		2.61	92	90	94	-0.49 34 90	-0.14 37 95	-0.38 92	-2.04 25 87	0.40 20 98	-0.39 32 92	-0.88 30 105	6.29 34 86	99	1
JW 23 0115 97309306	JW 21 0115 JW 20 0090		15.73	112	89	116	-0.53 50 90	-0.37 51 92	-0.63 89	-1.67 37 89	9.70 30 133	4.93 46 117	-2.08 41 107	1.30 42 94	94	3
OC 23 0115 96460126	BEP 19 0193 OC 19 6575		4.77	97	82	101	-1.12 44 85	-0.71 35 86	-1.27 82	-2.66 27 83	3.70 24 110	0.39 36 96	-13.42 41 133	13.59 40 74		1
CC 23 0118 96783188	CC 21 0025 CC 18 0540		4.61	93	100	90	0.71 70 101	0.05 63 99	0.41 100	0.37 70 100	-2.40 51 87	-0.68 63 91	3.41 49 95	-9.12 46 111	101	3
PMS 23 0134 97648752	CC 20 0034 PMS 20 2077		2.59	84	95	91	-0.71 61 88	0.87 49 113	0.52 101	-1.24 49 91	-4.10 36 80	-2.30 51 83	6.05 34 89	-5.98 31 106		0
DM 23 0145 97439350	JW 21 0255 DM 22 0110		2.57	114	111	121	0.88 62 103	1.72 52 128	2.16 119	1.18 63 104	-1.50 39 90	1.70 53 102	-13.29 40 133	0.21 44 96	91	4
CC 23 0146 96783386	CC 20 0456 CC 20 0512		5.63	102	103	97	1.41 64 108	-0.50 50 89	0.21 98	1.72 66 107	2.40 42 105	2.35 54 105	0.34 43 102	4.39 38 89		1
CC 23 0148 96783402	CC 21 0025 CC 21 0736		7.31	94	100	95	0.39 64 98	0.25 50 102	0.44 100	0.50 66 100	-1.30 45 91	-0.14 54 93	2.62 44 97	-6.14 38 106	86	1
JW 23 0150 97362164	JW 21 0115 JW 22 0009		8.33	89	88	91	-0.52 47 90	-0.72 46 85	-0.98 85	-0.91 39 93	2.60 30 106	0.32 43 95	-0.24 38 103	12.33 40 76	100	2
CC 23 0157 96783477	CC 20 0075 CC 19 0198		5.10	102	96	94	0.96 70 104	-1.02 64 80	-0.54 90	-0.07 67 97	2.70 52 106	1.56 64 101	0.67 47 101	-14.78 48 120	113	3
DM 23 0161 97464994	JW 19 0105 DM 21 0009		2.93	87	76	93	-1.89 69 77	-0.71 64 86	-1.65 78	-4.01 68 76	4.10 46 112	-0.13 62 93	-0.09 43 103	10.26 48 80	98	4
CC 23 0170 96795802	CC 19 0576 CC 21 0040		3.75	115	110	121	0.93 65 103	1.32 56 121	1.79 115	1.60 67 107	2.80 50 107	3.93 58 112	-3.17 46 110	2.04 44 93		0
JW 23 0171 97503924	JW 21 0115 JW 21 0613		2.55	96	89	100	-0.71 38 88	-0.22 33 94	-0.57 90	-1.46 33 90	2.30 25 105	0.46 33 96	-3.50 33 110	-0.60 36 97		2
CC 23 0172 96783618	CC 20 0075 CC 21 0684		4.89	92	83	95	-0.99 64 86	-0.76 51 85	-1.26 82	-2.20 66 86	4.30 44 112	0.83 54 98	-1.96 41 107	11.54 41 78		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam	Dir					Mat	EBV			EBV	EBV	EBV	Acc	Acc	Acc	Acc	Phenotype		Lambd
								EBV	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
DM 23 0175 97603856	JW DM	19 19	0105 0619	2.13	85	86	93	-1.45 64	0.19 55	-0.53 90	-2.16 62	87 86	-2.40 37	-2.70 54	-6.06 36	-0.34 97	90	1			
CC 23 0176 96783642	CC CC	20 21	0075 0032	3.72	107	98	104	0.91 66	-0.73 55	-0.28 93	1.06 67	104	6.40 48	4.02 58	1.21 44	0.88 95		0			
DM 23 0180 97648802	JW DM	16 19	0456 1734	2.13	102	109	107	0.80 64	1.47 61	1.87 116	0.81 60	102	-3.30 44	0.29 58	-5.86 47	11.14 78	109	3			
CC 23 0194 96783766	CC CC	21 22	0095 0024	5.05	112	99	112	0.62 65	-0.04 52	0.27 99	0.36 67	100	6.30 44	4.36 55	-0.99 43	0.88 95		0			
CCS 23 0194 97016182	CCS CCS	22 19	0088 0230	3.19	94	91	95	-0.25 66	-0.33 56	-0.46 91	-1.49 46	90	-0.20 41	-0.70 56	-6.28 36	-2.56 37	95	2			
CC 23 0198 96783808	CC CC	21 17	0025 0104	5.74	96	103	89	1.50 67	-0.65 54	0.10 97	1.65 68	107	1.20 47	1.57 57	9.05 44	-6.01 41		0			
CC 23 0202 96783824	CC CC	21 22	0095 0051	4.92	105	96	106	0.35 65	-0.35 52	-0.18 94	0.49 67	100	5.90 43	3.54 55	0.41 41	5.34 88		0			
CC 23 0220 96796008	CC CC	21 22	0114 0214	4.60	105	112	104	1.73 60	0.59 49	1.45 111	2.74 61	113	-0.10 40	2.26 51	-2.32 38	11.50 78	90	2			
CC 23 0225 96784020	CC CC	20 21	0075 0604	10.03	103	98	99	0.92 65	-0.88 53	-0.43 91	1.00 67	103	4.30 46	2.61 56	-2.05 43	0.94 95		0			
OC 23 0306 98021124	- OC	- 21	- 0351	2.77	115	109	125	0.46 32	1.41 40	1.64 113	2.41 8	111	2.40 8	3.31 30	-9.71 14	-4.72 16	99	3			
CC 23 0367 106718901	OC CC	20 19	7475 0925	2.36	81	94	81	-0.10 53	-0.22 51	-0.27 93	-0.16 47	97	-1.80 18	-1.40 44	12.47 39	-5.57 40	135	3			
CC 23 0371 106719016	KI CC	20 19	0260 0913	2.13	91	99	85	0.91 49	-0.59 46	-0.14 94	0.90 49	103	-2.00 30	-0.88 43	1.92 40	-10.61 31	93	1			
CC 23 0395 106719065	OC CC	20 19	7475 0918	2.36	82	93	82	-0.14 47	-0.34 42	-0.41 91	-0.11 47	97	-1.80 18	-1.56 38	8.86 39	-7.40 32	93	1			
CRL 23 0395 108019308	CRL CRL	19 20	0284 0368	8.97	97	89	99	-0.57 39	-0.15 44	-0.44 91	-2.11 23	86	1.90 16	0.42 36	-0.96 34	-5.83 42	99	2			
CC 23 0418 106719040	KI CC	20 19	0260 0916	2.13	91	100	85	0.98 53	-0.57 52	-0.07 95	1.11 49	104	-2.20 31	-0.90 48	2.15 41	-9.41 39	100	2			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.	Sire	Dam	Dir EBV					Mat EBV	EBV				EBV	EBV	EBV	Acc Index			
										Phenotype									
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 23 0452 98180367	CC 20 0456 CC 20 0406	4.86		107	96	104	0.65 65	-0.60 52	-0.28 93	-0.23 66	6.10 44	3.71 55	1.27 44	-0.23 37	1				
CC 23 0476 98184294	CC 21 0309 CC 20 0559	6.46		102	102	96	1.20 67	-0.43 54	0.17 98	1.02 67	3.30 42	2.75 56	10.24 41	-11.63 33	92	1			
CC 23 0477 98181639	CC 20 0456 CC 20 0011	4.61		87	95	82	0.38 66	-0.53 56	-0.34 92	-0.32 66	-2.20 49	-1.47 58	5.44 47	-10.47 46	85	3			
CCS 23 0478 98331739	CCS 22 0213 CCS 19 0230	1.87		95	89	92	-0.06 64	-0.78 45	-0.81 87	-1.99 61	0.20 35	-0.72 50	-6.50 28	-7.86 30	0				
CC 23 0481 98182124	CC 20 0456 CC 21 0454	5.05		116	119	110	2.81 68	0.38 62	1.78 115	4.50 68	3.40 51	5.23 62	5.27 46	-2.88 46	109	3			
CCS 23 0521 98883796	CCS 22 0213 CCS 19 0237	1.65		101	97	100	0.47 61	-0.35 47	-0.12 94	0.35 57	1.10 28	0.78 48	-6.29 29	-5.86 19	96	2			
CC 23 0525 98184195	CC 21 0309 CC 20 0536	6.24		101	100	92	1.23 69	-0.71 58	-0.10 95	0.75 66	1.30 46	1.30 59	6.57 41	-31.11 42	104	3			
CCS 23 0526 98883838	CCS 22 0213 KERN 19 0204	1.26		98	106	90	1.85 63	-0.38 41	0.55 102	1.63 61	-1.10 21	0.82 45	1.97 25	3.70 29	0				
CC 23 0529 98181670	CC 22 0031 CC 20 0200	5.67		103	119	91	3.16 69	-0.16 63	1.42 111	4.68 69	-1.60 52	2.04 63	7.22 48	-5.51 46	110	3			
CC 23 0544 98181126	CC 20 0456 CC 21 0507	4.27		100	97	98	0.52 65	-0.38 55	-0.12 94	0.07 66	2.50 46	1.64 57	-1.59 46	7.21 40	92	1			
CC 23 0552 98181720	CC 20 0456 CC 21 0560	5.05		104	104	102	1.13 64	-0.05 52	0.52 101	1.61 66	3.00 44	2.88 55	3.96 42	-2.27 40	0				
CC 23 0573 98182777	CC 20 0075 CC 22 0438	4.26		102	102	97	1.25 68	-0.57 61	0.06 96	1.64 68	2.60 50	2.24 61	-1.20 47	6.36 47	95	2			
CC 23 0583 98183338	CC 21 0095 CC 21 0318	5.24		108	94	102	0.86 69	-1.30 62	-0.87 86	0.21 67	8.70 48	4.78 61	2.08 45	2.34 44	107	2			
CC 23 0593 98181209	CC 21 0483 CC 20 0438	4.84		110	113	107	2.09 65	0.16 56	1.20 109	3.49 67	5.10 46	5.31 57	9.80 45	5.69 39	92	1			
CC 23 0613 98182298	CC 21 0483 CC 21 0591	5.69		117	118	111	2.84 65	0.19 55	1.61 113	4.31 67	5.00 44	6.03 56	3.06 43	10.83 38	93	1			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.	Sire	Dam					Dir	Mat	Comb			EBV	EBV	EBV	EBV			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 23 0689 98181365	CC 21 0483 CC 20 0692		6.67	110	118	102	2.98 67 122	-0.15 60 95	1.34 110	4.80 67 124	3.30 47 109	4.81 60 116	7.74 43 85	3.26 43 91	97	2		
CC 23 0749 98181480	CC 20 0075 CC 22 0489		4.65	97	84	93	-0.16 68 93	-1.93 61 64	-2.01 74	-0.84 68 93	8.20 48 127	2.83 61 107	-4.59 46 113	23.08 46 64	100	2		
CC 23 0800 98182504	CC 21 0374 CC 22 0362		5.79	116	112	112	2.07 69 114	0.18 62 101	1.22 109	3.15 67 115	4.90 48 115	5.19 61 118	2.07 44 98	-0.05 43 96	120	3		
CC 23 0849 98183940	CC 20 0735 CC 21 0640		7.01	88	94	83	0.59 65 100	-1.20 55 77	-0.90 86	0.59 65 101	0.90 44 99	-0.07 56 94	1.03 42 100	9.63 41 81	96	2		
NM 23 2742 97737647	JW 20 0079 NM 22 2599		28.16	96	84	101	-1.22 31 84	-0.31 29 92	-0.92 86	-2.34 24 85	5.10 17 116	1.53 27 101	3.54 46 95	-2.73 48 100		4		
CB 24 0005 109344879	CC 20 0542 - - -		2.91	80	80	87	-1.69 43 79	-0.63 46 87	-1.48 80	-1.84 35 88	1.20 28 101	-1.60 41 87	-0.13 26 103	7.30 26 84	102	2		
DM 24 0005 98675804	JW 21 0255 DM 22 0017		5.43	111	104	119	0.29 65 98	1.20 57 119	1.34 110	0.26 63 99	1.90 41 103	2.63 56 106	-9.53 37 124	9.88 42 80	109	2		
CCS 24 0010 99100679	CCS 22 0202 CCS 19 0200		2.07	87	92	91	-0.58 60 89	0.07 40 99	-0.22 93	-0.85 34 93	-1.90 28 89	-1.66 45 86	-1.92 23 107	3.68 27 90		0		
CC 24 0011 99793382	CC 20 0075 CC 19 0867		4.30	102	96	97	0.85 65 103	-1.02 53 80	-0.59 89	0.78 67 102	4.80 45 114	2.71 56 106	-0.77 41 104	4.87 40 88		1		
EBS 24 0011 101806842	ROS 20 0111 EBS 21 0117		2.04	85	77	91	-1.88 43 77	-0.76 34 85	-1.70 77	-3.26 18 80	2.90 26 107	-0.90 36 90	-1.83 32 107	4.62 31 89	85	1		
EBS 24 0012 101806768	JW 18 0831 EBS 21 0073		5.54	96	83	102	-1.27 53 83	-0.59 53 88	-1.23 83	-1.64 34 89	5.90 34 119	1.68 49 102	-5.09 38 114	14.33 43 73	101	2		
EBS 24 0015 101806701	ROS 20 0111 EBS 21 0179		2.46	85	77	91	-1.88 43 77	-0.76 34 85	-1.70 77	-3.26 18 80	2.90 26 107	-0.90 36 90	-1.96 29 107	7.66 31 84		0		
CC 24 0023 99761801	CC 21 0515 CC 19 0804		6.13	105	92	105	-0.06 69 94	-0.55 60 88	-0.57 90	-0.77 67 93	7.30 46 124	3.78 60 111	1.89 43 98	4.75 42 89	113	2		
CB 24 0026 109345553	CB 21 0001 - - -		2.91	79	94	78	0.16 30 96	-0.61 29 87	-0.54 90	0.68 30 101	-2.70 27 86	-2.08 29 84	3.68 24 94	12.10 23 77		1		
RN 24 0027 100483718	RN 23 0002 RN 21 0001		1.81	91	93	94	-0.20 32 93	-0.17 22 95	-0.27 93	-0.21 24 97	1.20 13 101	0.36 24 96	-0.59 25 104	14.87 27 72		0		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lambd
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
PBM 24 0030 108050741	CC 21 0188 CC 22 0094		5.82		105	105	102	1.28 59 107	0.15 52 101	0.79 104	1.28 59 105	1.70 44 102	2.45 53 105	1.37 43 99	1.54 41 94		0
FJD 24 0034 99640179	FJD 20 0979 FJD 21 0276		2.55		90	87	100	-1.48 39 81	0.52 5 107	-0.22 93	-2.41 5 84	-1.30 5 91	-1.74 17 86	-5.60 30 115	-4.32 10 103		1
RN 24 0037 100483635	RN 23 0002 RN 22 0002		1.75		94	98	98	0.02 41 95	0.45 41 106	0.46 101	-0.11 22 97	-0.70 13 93	0.05 35 94	-0.29 25 103	6.20 36 86	102	2
LMS 24 0037 107485872	LMS 21 0010 LMS 20 0124		2.59		85	90	89	-0.76 24 88	-0.01 27 98	-0.39 92	-1.26 15 91	-2.30 14 87	-2.14 23 84	0.12 16 102	-7.44 16 108		0
PBM 24 0040 100453984	CCS 22 0112 CCS 23 0246		1.43		96	94	91	0.71 45 101	-0.97 33 81	-0.62 89	-0.19 36 97	0.70 22 99	0.16 35 95	-5.47 22 115	0.79 26 95		0
CC 24 0040 99762197	CC 21 0515 CC 22 0521		5.08		116	115	110	2.46 67 118	0.30 56 103	1.53 112	3.38 65 116	3.60 43 110	4.91 57 117	2.84 43 96	0.59 42 95	101	3
CC 24 0067 99762098	CC 21 0188 CC 18 0449		5.16		101	96	107	-0.29 66 92	0.53 56 107	0.39 100	-0.42 68 95	2.90 48 107	1.98 58 103	-1.00 45 105	10.22 44 80		0
CCS 24 0077 99784373	CCS 22 0335 CCS 21 0299		17.24		96	84	95	-0.68 58 89	-1.03 40 80	-1.37 81	-2.12 40 86	3.80 31 111	0.57 45 97	-3.42 26 110	-6.86 28 107		0
CCS 24 0086 99885386	CCS 23 0239 CCS 19 0234		26.43		106	104	106	0.96 57 104	0.24 40 102	0.72 103	1.66 37 107	1.00 18 100	1.80 41 102	-4.45 16 113	-5.59 16 105		0
CCS 24 0089 99916959	CCS 22 0246 CCS 20 0029		1.93		111	110	106	1.93 67 113	0.11 52 100	1.08 107	2.45 51 111	1.90 38 103	3.18 55 109	-0.52 28 104	-5.07 36 104	123	2
CC 24 0095 99793226	CC 20 0075 CC 21 0203		4.37		115	98	117	0.44 67 99	-0.16 58 95	0.06 96	0.75 68 102	8.80 49 130	5.56 59 120	-0.75 46 104	1.41 48 94	97	2
DM 24 0102 99748311	KI 19 0148 DM 22 0036		1.13		118	108	122	1.00 65 104	0.97 55 115	1.47 111	1.66 64 107	3.80 43 111	4.25 56 113	-7.95 42 121	2.50 48 92	96	2
EBS 24 0112 101807204	ROS 20 0098 EBS 20 0050		2.59		104	91	103	0.05 43 95	-0.73 37 85	-0.70 88	-0.75 19 94	4.70 30 114	2.14 38 104	-7.04 26 118	1.15 29 94		1
CC 24 0116 99763393	CC 21 0515 CC 22 0458		5.40		102	102	99	1.00 67 104	-0.07 56 97	0.43 100	1.00 66 103	1.50 44 102	1.83 57 102	2.86 43 96	-4.99 42 104	110	2
CCS 24 0136 100022987	CCS 22 0337 CCS 20 0147		9.37		91	82	99	-1.68 62 79	-0.05 48 97	-0.89 86	-2.99 43 81	0.40 39 98	-1.48 51 87	-9.80 31 125	1.91 37 93	96	2

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index		Phenotype
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 24 0161 99762460		CC 21 0188 CC 21 0491	5.00	97	109	95	1.44 65	0.61 54	1.33 110	1.55 67	-3.10 48	0.19 57	2.08 47	4.10 42	88	1					
CC 24 0163 99762486		CC 21 0188 CC 22 0051	5.40	103	107	105	1.00 67	0.55 60	1.05 107	1.99 67	1.30 49	2.33 60	-0.40 46	9.62 46	111	2					
CC 24 0168 99762536		CC 21 0188 CC 22 0413	5.00	109	96	109	0.42 69	-0.32 63	-0.12 94	0.05 67	6.30 50	3.87 62	-3.30 47	7.22 47	116	2					
PMS 24 0170 100154129		CC 22 0120 PMS 21 0011	2.55	106	111	99	2.23 59	-0.31 48	0.81 104	3.56 58	0.20 30	2.04 48	-2.22 29	-8.54 25	98	1					
CCS 24 0172 100074210		CCS 18 0219 CCS 21 008D	2.55	93	96	97	-0.10 59	0.26 48	0.21 98	-0.23 35	-2.40 35	-1.28 49	-6.97 31	-1.16 33		0					
CRL 24 0175 108019290		CRL 21 0540 CRL 17 0385	4.19	87	88	85	-0.41 38	-0.62 42	-0.83 87	-2.03 18	-0.20 13	-1.15 34	1.75 26	2.50 38	98	2					
CC 24 0179 99762619		CC 22 0031 CC 23 0121	5.46	114	121	104	3.29 59	0.07 52	1.72 114	5.12 59	2.40 45	4.80 53	4.81 46	2.16 40	88	1					
CRL 24 0190 108050311		CRL 23 0182 CRL 21 0663	7.65	100	95	101	0.07 37	0.12 43	0.15 97	-1.13 21	1.20 16	0.91 34	-3.14 27	2.24 31	104	2					
CC 24 0197 99762882		CC 21 0374 CC 21 0074	6.34	104	97	104	0.35 66	-0.10 52	0.08 97	0.05 67	4.30 47	2.84 56	1.31 44	3.48 45	80	2					
CC 24 0201 99762924		CC 21 0374 CC 20 0327	6.15	99	101	101	0.58 65	0.07 51	0.37 100	1.23 67	2.50 43	2.16 55	0.45 41	14.08 37		0					
CCS 24 0205 100113901		CCS 18 0219 CCS 22 0190	5.21	85	87	86	-0.56 62	-0.69 48	-0.97 85	-1.77 39	-1.60 38	-2.21 51	-6.50 34	6.09 37		1					
CC 24 0206 99763054		CC 21 0374 CC 21 0462	5.52	95	94	97	-0.01 64	-0.23 49	-0.23 93	-0.23 67	1.80 41	0.84 53	-1.73 38	12.11 36		0					
CC 24 0217 99793267		CC 20 0735 CC 23 0126	6.76	71	80	66	-0.72 64	-1.84 52	-2.20 72	-1.88 65	-2.40 42	-4.00 54	1.71 42	-1.77 42	90	2					
CC 24 0221 99763245		CC 21 0374 CC 21 0618	5.34	97	103	93	1.18 65	-0.26 50	0.33 99	1.47 67	0.40 43	1.16 54	1.60 44	7.48 44	88	2					
CCS 24 0240 100274919		CCS 22 0287 CCS 23 0103	5.18	106	93	105	0.26 62	-0.80 38	-0.68 88	-0.13 46	6.80 26	3.53 44	-4.08 31	6.90 29		0					

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp no.	Sire	Dam					Dir	Mat								
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
FJD 24 0250 106974793	FJD 22 0777 FJD 20 0127		2.56	92	89	100	-1.21 5 84	0.51 5 107	-0.10 95	-2.05 5 86	-1.30 5 91		-5.31 5 115	-5.33 5 105		1
FJD 24 0251 106974801	FJD 22 0819 FJD 22 0112		2.56	92	89	100	-1.21 5 84	0.51 5 107	-0.10 95	-2.05 5 86	-1.30 5 91		-5.43 6 115	-5.98 7 106		0
CCS 24 0299 107130569	CCS 21 0335 CCS 21 0279		9.21	94	89	85	0.45 66 99	-1.64 52 69	-1.42 80	-0.76 60 94	1.60 39 102	-0.23 54 93	-2.44 30 108	-16.99 34 123	98	1
CCS 24 0300 107130577	CCS 21 0335 CCS 21 0279		9.21	90	81	88	-0.88 65 87	-1.30 47 75	-1.74 77	-2.65 60 83	1.60 36 102	-1.22 51 88	-3.86 30 111	-14.30 34 119		1
CCS 24 0315 107193567	CCS 23 0199 CC 19 0791		1.65	98	95	102	-0.22 61 93	0.41 42 105	0.30 99	-1.12 61 92	1.00 33 100	0.79 47 98	0.26 30 102	2.02 29 93		0
YM 24 0403 111723730	CC 23 0017 YM 21 0045		2.55	98	105	101	0.67 48 101	0.72 38 110	1.06 107	1.30 33 105	-2.20 21 88	0.07 38 94	-1.41 25 106	-4.35 20 103	99	1
CRL 24 0410 108019258	CRL 22 0123 CRL 20 0539		7.60	107	106	104	1.42 31 108	0.20 26 101	0.91 105	1.23 26 104	0.40 19 98	1.86 26 103	-4.34 29 112	-0.35 32 97		1
YM 24 0414 111723771	CC 23 0017 - - -		2.91	91	102	93	0.51 45 100	0.28 27 103	0.53 101	1.70 33 107	-2.10 21 88	-0.48 33 92	-1.13 25 105	8.45 20 83		0
YM 24 0415 111723789	CC 23 0017 - - -		2.91	91	102	93	0.51 45 100	0.28 27 103	0.53 101	1.70 33 107	-2.10 21 88	-0.48 33 92	-1.13 25 105	8.45 20 83		0
YM 24 0416 111723763	CC 23 0017 - - -		2.91	91	102	93	0.51 45 100	0.28 27 103	0.53 101	1.70 33 107	-2.10 21 88	-0.48 33 92	-1.13 25 105	8.45 20 83		0
YM 24 0421 111723755	CC 23 0017 - - -		2.91	94	106	97	0.79 48 102	0.58 38 108	0.98 106	2.21 33 110	-2.10 21 88	0.11 38 94	-1.13 25 105	8.45 20 83	99	1
NM 24 3072 101726941	JW 20 0079 NM 21 0607		2.55	87	81	91	-1.48 34 81	-0.56 37 88	-1.29 82	-2.63 21 83	2.00 15 104	-0.83 31 90	1.12 40 100	-4.31 38 103	97	1
NM 24 3081 100906130	JW 20 0079 NM 17 0578		1.73	88	83	93	-1.33 33 83	-0.40 37 91	-1.07 84	-2.37 21 85	2.00 15 104	-0.54 30 92	1.84 42 98	-4.52 38 103	93	1
NM 24 3131 100906411	NM 22 1737 NM 23 2716		15.55	89	85	94	-1.20 29 84	-0.39 35 91	-0.99 85	-1.78 15 88	2.10 11 104	-0.33 27 92	-0.12 39 103	0.29 30 96	116	1
NM 24 3143 100907393	NM 22 1737 NM 23 2650		15.45	93	90	99	-0.83 40 87	0.01 46 98	-0.41 91	-1.11 15 92	2.10 11 104	0.44 36 96	-0.41 38 103	2.29 28 92	105	2



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat								EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
DVS 24 4072 99640674	DVS 21 1347 DVS 20 0090		3.60	102	113	96	2.20 64 115	0.38 47 104	1.48 112	2.65 48 112	-1.30 37 91	1.79 51 102	8.44 33 83	-6.52 34 107	87	1
DVS 24 4100 99640955	DVS 21 1222 DVS 22 2368		5.54	118	114	115	1.96 64 113	0.71 48 110	1.69 114	2.39 42 111	3.60 38 110	4.83 52 116	3.61 35 94	-9.49 36 111	87	1
DVS 24 4134 99942203	DVS 21 1222 DVS 21 1402		3.48	122	125	119	2.97 65 122	1.32 49 121	2.80 126	4.06 46 120	3.40 40 109	6.32 53 123	7.10 30 86	3.11 37 91	87	2
DVS 24 4156 99942427	CC 19 0205 DVS 22 2087		3.22	107	104	105	1.23 65 106	-0.02 51 98	0.60 102	1.46 56 106	4.30 42 112	3.79 54 111	5.48 34 90	-0.77 39 97		0
DVS 24 4163 99942492	CC 19 0205 DVS 22 2122		3.21	128	114	127	1.99 66 113	0.74 53 111	1.74 114	2.76 56 113	9.10 44 131	8.19 56 132	4.31 39 93	0.54 41 95	87	1
DVS 24 4167 99942534	CC 19 0205 DVS 22 2308		3.14	107	100	111	0.33 65 98	0.46 52 106	0.63 102	0.46 53 100	4.80 43 114	3.67 55 111	2.10 37 98	6.63 39 86	87	1
DVS 24 4240 101429785	DVS 20 0109 DVS 21 1136		9.43	102	106	94	1.89 66 112	-0.45 53 90	0.50 101	1.35 55 105	-0.20 45 95	1.32 56 100	0.18 35 102	-4.52 40 103	90	1
YM 25 0001 111087466	CCS 22 0159 YM 20 0006		2.59	99	105	92	1.66 59 110	-0.50 36 89	0.34 99	1.82 38 108	-0.90 19 93	0.63 41 97	-2.86 25 109	-2.17 22 100		0
YM 25 0002 111087268	CCS 22 0159 YM 20 0006		2.59	94	98	91	0.70 59 101	-0.45 36 90	-0.10 95	0.52 38 101	-0.90 19 93	-0.29 41 93	-2.86 25 109	-2.17 22 100		0
YM 25 0003 112600705	CC 21 0374 CC 22 0323		6.64	106	109	106	1.36 57 107	0.53 47 107	1.21 109	1.97 58 109	1.00 40 100	2.49 49 105	-2.64 39 109	9.74 37 81		0
YM 25 0005 111087367	CC 21 0188 CC 20 0584		4.67	112	117	109	2.23 66 115	0.95 54 114	2.06 118	3.27 59 116	0.10 46 96	3.24 57 109	3.17 44 95	-5.52 42 105		0
YM 25 0006 111087276	CC 22 0031 CC 23 0099		6.34	98	113	83	3.08 65 123	-0.87 50 83	0.67 103	3.72 58 118	-1.40 40 91	1.37 53 100	8.18 45 84	-6.44 37 106		1
YM 25 0008 111087565	CCS 22 0159 YM 21 0066		2.55	83	85	80	-0.36 59 91	-1.31 36 75	-1.49 80	-1.28 38 91	-0.90 19 93	-2.21 41 84	-2.86 25 109	-2.17 22 100		0
YM 25 0009 111087318	CCS 22 0159 YM 20 0022		2.59	90	92	85	0.31 60 98	-0.98 43 81	-0.82 87	-0.22 38 96	-0.90 19 93	-1.20 44 88	-4.00 32 112	-3.00 22 101	100	1
YM 25 0012 111087359	CCS 22 0159 YM 21 0040		2.55	86	88	83	-0.16 59 93	-1.04 36 80	-1.12 84	-0.89 38 93	-0.90 19 93	-1.74 41 86	-3.01 25 109	-1.87 22 99		1



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.	Sire	Dam	Dir					Mat	EBV								
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13
YM 25 0014 112600721	CC	21	0188	5.02	105	109	102	1.65 58	0.11 110	0.94 106	2.31 110	1.20 43	2.48 105	-1.37 42	6.85 85		0
YM 25 0016 111087581	CCS	22	0159	2.59	96	101	92	1.04 59	-0.39 91	0.13 97	1.01 103	-0.90 19	0.11 94	-1.38 32	-4.59 103		1
YM 25 0017 111087052	CCS	22	0159	2.55	82	82	81	-0.86 57	-1.16 78	-1.59 79	-1.90 87	-0.90 19	-2.56 39	-4.51 32	1.11 94		1
YM 25 0020 111087987	CCS	22	0159	2.55	89	92	87	0.16 59	-0.73 85	-0.65 89	-0.33 96	-0.90 19	-1.10 41	-2.40 32	-2.59 100		1
YM 25 0022 111087235	CCS	22	0159	2.55	98	101	96	0.83 59	-0.04 97	0.38 100	0.86 102	-0.90 19	0.25 95	-1.89 32	-3.71 102		1
OC 25 0024 109587303	JW	18	0894	2.99	111	106	114	0.93 49	0.49 106	0.95 106	1.96 109	3.10 19	3.28 109	-5.34 22	-2.16 100		0
YM 25 0027 111088019	CC	22	0597	7.31	105	107	105	1.21 63	0.44 106	1.05 107	2.11 109	1.60 32	2.61 106	2.00 32	1.73 93		0
YM 25 0028 111087458	CC	21	0374	6.46	97	89	100	-0.52 65	-0.49 89	-0.75 88	-0.87 93	3.90 42	1.33 54	-4.09 40	9.05 82		0
YM 25 0031 111087482	CC	21	0025	4.81	105	107	100	1.68 66	-0.07 97	0.78 104	1.96 109	1.10 44	2.28 104	2.54 44	-8.75 110		0
YM 25 0033 111087441	CC	21	0095	3.99	106	93	106	0.08 67	-0.50 89	-0.46 91	-0.36 96	7.00 48	3.78 111	1.54 44	1.17 94		0
YM 25 0034 111088035	CC	21	0025	6.50	90	98	84	0.78 58	-0.49 89	-0.10 95	0.35 100	-2.10 43	-0.97 51	5.80 43	-14.47 119		0
CRL 25 0036 109756288	CRL	23	0157	2.77	91	85	98	-1.45 44	0.21 102	-0.52 90	-3.13 80	0.70 7	-0.82 27	-0.96 19	-5.29 105		0
YM 25 0036 111087375	CC	21	0374	6.71	108	104	105	1.31 65	-0.17 95	0.48 101	1.70 107	3.20 40	3.06 108	0.45 38	-9.46 111		0
YM 25 0037 111087201	CC	21	0374	7.28	114	104	110	1.53 65	-0.49 89	0.27 99	1.98 109	6.90 40	5.18 118	-1.80 39	7.27 85		0
YM 25 0038 111087771	CC	21	0374	5.29	113	107	110	1.56 66	-0.02 98	0.77 104	2.25 110	5.00 40	4.55 115	-0.15 40	3.25 91		0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 25 0041 111087383		CC	22 0392	6.02	107	99	104	0.88 64 103	-0.52 45 89	-0.08 95	0.59 56 101	6.00 35 119	3.96 50 112	2.08 34 98	7.22 29 85		0		
YM 25 0042 111087391		CC	23 0902	5.59	101	104	103	0.81 63 102	0.46 36 106	0.87 105	1.41 54 105	0.10 29 96	1.33 45 100	-0.18 27 103	-1.50 27 99		0		
YM 25 0046 111087789		CC	23 0902	4.37	105	101	108	0.50 64 99	0.34 39 104	0.59 102	0.91 54 103	2.50 31 106	2.34 47 105	-3.26 29 110	4.61 29 89		0		
YM 25 0047 111087847		CC	23 0902	4.11	100	104	105	0.38 63 98	0.80 38 112	0.99 106	1.33 54 105	0.00 31 96	1.18 46 99	-1.81 28 107	5.80 28 87		0		
YM 25 0049 111087151		LM	22 1507	2.41	106	101	107	0.69 65 101	-0.09 34 96	0.25 98	1.23 56 105	4.00 26 111	2.99 44 108	-2.04 27 107	1.52 28 94		0		
CRL 25 0052 109756304		CRL	23 0157	2.77	103	93	109	-0.58 47 90	0.56 26 108	0.28 99	-1.92 24 87	1.40 19 101	0.83 32 98	-6.87 25 118	-0.81 27 97		1		
YM 25 0055 111087698		LM	22 1507	1.58	109	104	118	0.05 65 95	1.17 37 118	1.20 109	1.46 58 106	3.30 30 109	3.20 46 109	-0.96 31 105	-4.28 31 103		0		
YM 25 0056 111087599		LM	22 1507	2.25	101	96	102	0.15 65 96	-0.05 35 97	0.03 96	0.06 56 98	2.10 27 104	1.36 45 100	-1.56 28 106	-7.28 29 108		0		
YM 25 0057 111087680		CC	23 0109	7.24	106	98	110	0.01 65 95	0.49 46 106	0.50 101	-0.49 57 95	4.50 40 113	3.20 52 109	5.59 37 90	-5.70 35 105		0		
YM 25 0063 111087037		CCS	22 0159	2.59	90	92	91	-0.24 59 93	-0.33 37 92	-0.45 91	-0.72 38 94	-0.90 19 93	-1.11 41 89	-2.53 25 108	-2.78 22 101		0		
YM 25 0064 111087508		CCS	22 0159	2.59	97	101	92	1.05 59 105	-0.40 37 91	0.13 97	1.01 38 103	-0.90 19 93	0.11 41 94	-1.88 25 107	-4.02 22 103		1		
YM 25 0067 111087094		LM	22 1507	2.25	110	101	117	0.14 65 96	0.67 34 109	0.74 104	0.55 57 101	5.10 25 116	3.87 44 112	-2.18 27 107	4.91 27 88		0		
YM 25 0084 111087607		CC	22 0392	4.42	110	100	109	0.86 63 103	-0.31 44 93	0.12 97	0.99 57 103	6.80 36 122	4.63 49 115	0.76 35 101	5.55 31 87		0		
DM 25 0086 107634883		DM	23 0026	3.92	90	88	95	-0.86 62 87	-0.15 41 95	-0.58 89	-1.30 51 91	0.60 29 98	-0.65 46 91	-4.70 33 113	8.77 28 82		1		
YM 25 0089 111087904		LM	22 1507	2.28	110	107	114	0.89 63 103	0.67 31 109	1.11 108	1.94 56 108	3.30 26 109	3.54 42 110	-3.75 31 111	8.05 28 83		1		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd				
Comp no.	Sire	Dam	Dir					Mat	Comb	EBV			EBV	EBV	EBV	Acc				Acc	Acc	Acc	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
YM 25 0096 111088126	LM CC	22 21	1507 0422	2.02	101	102	106	0.18 65	0.80 36	0.89 105	0.60 58	-0.20 30	0.86 46	-0.03 29	-8.63 30		0						
DM 25 0111 107679300	DM DM	23 22	0026 0103	6.49	103	106	101	1.39 63	-0.18 42	0.51 101	2.46 52	2.90 30	2.95 47	2.15 35	6.96 30		1						
YM 25 0130 112600796	LM CC	22 22	1507 0348	2.46	102	102	107	0.27 57	0.79 34	0.93 106	0.67 57	1.30 27	1.84 41	0.82 28	3.50 29		0						
YM 25 0132 112600812	LM CC	22 22	1507 0527	1.63	113	106	120	0.54 58	0.93 36	1.20 109	2.17 57	5.00 29	4.47 43	-0.20 31	0.29 31		0						
DM 25 0149 107790024	DM DM	23 22	0026 0050	3.00	105	97	108	0.10 62	0.01 40	0.06 96	0.18 48	3.80 27	2.40 45	-5.28 28	3.43 26		0						
YM 25 0155 112600820	- YM	- 20	- 0024	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0						
YM 25 0184 111091682	CRL CRL	23 24	0051 0175	6.43	97	96	95	0.47 48	-0.29 26	-0.06 95	-0.68 18	0.80 13	0.66 31	-1.47 21	6.70 26		0						
YM 25 0193 112600853	JW YM	19 23	0133 0204	2.77	83	85	87	-1.14 25	-0.25 25	-0.82 87	-2.17 22	-2.40 15	-2.83 23	-3.42 25	-3.24 17		1						
DM 25 0197 108813510	DM DM	22 23	0081 0031	5.19	106	94	104	0.56 64	-0.83 42	-0.55 90	-0.70 49	4.20 29	2.25 47	-13.00 32	14.23 34		0						
YM 25 0211 112600879	- YM	- 21	- 0080	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0						
YM 25 0212 111091484	CCS YM	22 20	0159 0141	2.59	86	88	84	-0.21 57	-0.96 32	-1.07 84	-0.93 38	-0.90 19	-1.71 39	-2.86 25	-2.17 22		1						
DM 25 0214 109584938	JW DM	23 23	0085 0059	2.85	119	122	110	3.37 64	0.49 41	2.18 119	4.01 54	1.40 28	4.70 47	0.39 35	2.75 34		0						
YM 25 0216 112600838	XAN YM	23 24	0066 0107	2.91	90	88	96	-1.08 12	0.18 11	-0.37 92	-1.87 11	-1.10 9	-1.57 11	-4.54 12	-3.44 13		0						
JW 25 0216 109926980	JW JW	23 20	0140 0277	2.59	87	87	90	-0.86 27	-0.31 20	-0.74 88	-1.57 20	-0.20 15	-1.29 22	-1.77 18	3.92 19		1						
DM 25 0221 109584979	JW DM	23 23	0085 0180	3.35	114	121	107	3.05 63	0.50 41	2.03 117	4.17 53	0.10 27	3.61 46	-3.61 34	11.53 32		1						



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			Acc
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0225 112600747		JW YM	16 21	0519 0017	2.55	85	92	86	-0.26 31 92	-0.30 31 93	-0.43 91	-0.25 27 96	-2.40 21 87	-2.00 29 85	-1.73 24 106	1.38 26 94		1		
YM 25 0226 112600770		KM YM	21 21	0671 0009	2.55	85	83	89	-1.19 21 84	-0.47 22 90	-1.07 84	-2.39 17 85	-0.90 12 93	-2.20 19 84	-5.02 19 114	0.07 21 96		0		
YM 25 0234 112372412		CC YM	22 21	0386 0048	2.55	96	102	94	0.81 45 102	0.08 32 99	0.49 101	1.25 44 105	-1.80 24 89	-0.19 35 93	0.17 23 102	-8.74 20 110		0		
YM 25 0248 111091641		CC YM	22 20	0386 0208	2.59	95	101	93	0.74 44 102	0.01 28 98	0.38 100	1.13 44 104	-1.80 24 89	-0.34 33 92	0.17 23 102	-8.74 20 110		0		
YM 25 0260 112600846		XAN TB	23 22	0066 0300	5.25	92	90	97	-0.71 20 88	-0.01 20 98	-0.36 92	-1.05 15 92	0.70 12 99	-0.30 18 93	-4.00 25 112	5.35 16 88		1		
YM 25 0265 112500897		CC YM	23 22	0017 0078	2.56	102	109	105	0.96 48 104	1.03 35 116	1.51 112	1.81 33 108	-2.20 21 88	0.67 37 97	-1.41 25 106	-4.35 20 103		0		
YM 25 0268 112500905		CC YM	23 20	0017 0192	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0		
YM 25 0278 111090908		CC CC	23 22	0109 0417	5.26	97	105	94	1.22 62 106	0.26 41 102	0.87 105	1.07 53 104	-1.60 34 90	0.52 47 96	4.27 31 93	-3.84 30 102		0		
CRL 25 0278 110030053		CRL CRL	23 20	0051 0381	10.33	106	100	106	0.67 46 101	0.18 26 101	0.52 101	-0.24 22 96	2.30 17 105	2.24 32 104	-3.41 25 110	4.37 29 89		0		
YM 25 0291 112500913		CC YM	23 20	0017 0152	2.59	95	101	97	0.42 48 99	0.45 35 106	0.66 103	0.85 33 102	-2.20 21 88	-0.45 37 92	-1.41 25 106	-4.35 20 103		0		
YM 25 0305 111090916		CCS YM	22 20	0159 0219	2.59	90	93	87	0.19 51 97	-0.71 37 86	-0.61 89	-0.28 38 96	-0.90 19 93	-1.06 38 89	-2.86 25 109	-2.17 22 100		0		
YM 25 0306 111090924		CCS YM	22 20	0159 0219	2.59	88	90	87	-0.15 59 93	-0.69 37 86	-0.76 87	-0.74 38 94	-0.90 19 93	-1.38 41 88	-2.86 25 109	-2.17 22 100		0		
DM 25 0308 110265196		DM DM	24 22	0035 0123	4.80	88	102	89	0.63 50 101	0.33 38 104	0.65 103	0.85 50 102	-3.40 30 83	-1.08 41 89	1.50 26 99	13.04 31 75		0		
YM 25 0312 111091518		CCS YM	22 20	0159 0191	2.59	86	89	83	-0.11 48 94	-1.04 31 80	-1.10 84	-0.83 38 93	-0.90 19 93	-1.69 35 86	-2.86 25 109	-2.17 22 100		0		
YM 25 0319 112500921		CC YM	23 20	0017 0152	2.59	95	101	97	0.42 48 99	0.45 35 106	0.66 103	0.85 33 102	-2.20 21 88	-0.45 37 92	-1.41 25 106	-4.35 20 103		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lamb
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0321 112500947	CC 23 0017 YM 23 0176		2.77		94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0329 111090981	CCS 22 0159 YM 20 0037		2.59		85	86	84	-0.55 60 90	-0.90 36 82	-1.17 83	-1.37 38 90	-0.90 19 93	-1.99 41 85	-2.86 25 109	-2.17 22 100		0
YM 25 0331 112372420	PMS 23 0009 YM 23 0033		2.77		84	94	91	-0.79 44 88	0.73 29 110	0.33 99	-0.72 41 94	-4.40 18 79	-2.71 32 82	1.67 17 99	-6.00 16 106		0
CRL 25 0348 110030095	CRL 21 0540 CRL 22 0074		9.59		102	96	100	0.40 51 99	-0.22 32 94	-0.02 96	-0.90 22 93	1.30 17 101	0.97 36 98	-3.31 27 110	-6.99 30 107		0
YM 25 0366 111091955	CC 21 0374 CC 22 0395		7.12		110	93	114	-0.13 65 94	-0.40 50 91	-0.46 91	0.13 59 98	8.90 41 130	4.82 54 116	-4.25 40 112	10.24 37 80		0
YM 25 0386 111092359	CCS 22 0159 YM 21 0047		2.55		96	101	89	1.24 58 106	-0.69 34 86	-0.07 95	1.16 38 104	-0.90 19 93	0.01 40 94	-2.29 31 108	-4.58 22 103		1
YM 25 0400 112372123	CC 23 0017 YM 22 0083		2.56		93	99	95	0.24 48 97	0.26 33 102	0.38 100	0.52 33 101	-2.20 21 88	-0.82 36 90	-1.41 25 106	-4.35 20 103		1
YM 25 0402 112372180	CC 23 0017 YM 22 0045		2.56		94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1
YM 25 0407 111723748	CC 23 0017 YM 21 0056		2.55		94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0408 112372164	CC 23 0017 YM 23 0074		2.77		96	103	99	0.53 48 100	0.57 33 108	0.84 105	1.04 33 103	-2.20 21 88	-0.22 36 93	-1.41 25 106	-4.35 20 103		0
YM 25 0427 111087292	RN 23 0002 RN 23 0018		4.37		95	96	98	0.08 47 96	0.02 23 98	0.06 96	0.13 20 98	1.10 8 100	0.76 29 97	-3.63 32 111	18.25 29 67		1
YM 25 0435 111092086	CC 22 0392 CC 18 0367		6.20		120	104	126	0.47 67 99	0.84 51 112	1.08 107	0.68 60 101	8.80 42 130	6.59 55 124	1.42 39 99	7.06 35 85		0
YM 25 0449 111092193	CCS 22 0159 YM 22 0019		2.56		92	95	89	0.38 58 98	-0.63 34 87	-0.44 91	0.01 38 98	-0.90 19 93	-0.79 40 90	-3.55 31 111	-0.83 22 97		1
YM 25 0453 111092722	CCS 22 0159 YM 20 0198		2.59		80	82	77	-0.69 59 88	-1.52 36 71	-1.87 76	-1.82 38 88	-0.90 19 93	-2.76 41 81	-3.95 31 111	1.90 22 93		1
YM 25 0454 111091880	CCS 22 0159 YM 20 0086		2.59		91	94	87	0.46 59 99	-0.81 36 84	-0.57 90	0.05 38 98	-0.90 19 93	-0.88 41 90	-2.86 25 109	-2.17 22 100		0





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	EBV	Lamb
				Index		n	EBV	EBV	Index	Index	EBV	EBV	Index	Index	Phenotype	
							Acc	Acc		Acc	Acc	Acc	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0455 111092862	CCS 22 0159 YM 20 0086		2.59	89	91	86	0.06 59 95	-0.78 36 84	-0.76 88	-0.50 38 95	-0.90 19 93	-1.27 41 88	-2.86 25 109	-2.17 22 100		0
YM 25 0458 111092508	CCS 22 0159 YM 21 0057		2.55	85	88	82	-0.13 58 94	-1.16 34 78	-1.23 82	-0.91 38 93	-0.90 19 93	-1.83 40 86	-2.86 25 109	-2.17 22 100		0
YM 25 0460 111092201	CC 22 0392 CC 18 0526		6.25	103	96	107	-0.13 66 94	0.28 49 103	0.22 98	-0.67 59 94	4.60 41 114	2.91 54 107	4.31 38 93	3.57 34 90		0
YM 25 0467 111071809	CC 23 0017 YM 22 0128		2.56	86	91	92	-0.76 57 88	0.14 33 100	-0.24 93	-0.90 33 93	-2.20 21 88	-1.94 39 85	-1.41 25 106	-4.35 20 103		0
YM 25 0471 112600754	- - - YM 22 0004		2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		0
YM 25 0473 111071981	CC 23 0017 YM 21 0013		2.55	94	100	96	0.31 56 98	0.38 31 104	0.53 101	0.66 33 101	-2.20 21 88	-0.64 38 91	-1.41 25 106	-4.35 20 103		0
YM 25 0475 112372149	CC 23 0017 YM 23 0143		2.77	96	103	99	0.53 47 100	0.57 31 108	0.83 105	1.04 33 103	-2.20 21 88	-0.22 35 93	-1.46 29 106	-4.34 20 103		1
YM 25 0476 112372156	CC 23 0017 YM 23 0143		2.77	96	103	99	0.53 47 100	0.57 31 108	0.83 105	1.04 33 103	-2.20 21 88	-0.22 35 93	-1.41 25 106	-4.35 20 103		0
YM 25 0477 112372131	CC 23 0017 YM 23 0143		2.77	96	103	99	0.53 47 100	0.57 31 108	0.83 105	1.04 33 103	-2.20 21 88	-0.22 35 93	-1.37 29 106	-4.37 20 103		1
YM 25 0479 111071916	CC 23 0017 YM 21 0022		2.55	87	93	90	-0.30 57 92	-0.14 33 96	-0.29 93	-0.38 33 96	-2.20 21 88	-1.75 39 86	-2.65 32 109	-1.94 20 99		1
YM 25 0480 111486882	CC 23 0017 YM 21 0022		2.55	88	94	90	-0.13 48 94	-0.15 33 95	-0.21 93	-0.15 33 97	-2.20 21 88	-1.60 36 87	-1.83 25 107	-3.55 20 102		0
YM 25 0482 111071726	CC 23 0017 YM 20 0199		2.59	86	91	90	-0.65 58 89	-0.02 36 98	-0.34 92	-0.81 33 93	-2.20 21 88	-1.99 41 85	-1.41 25 106	-4.35 20 103		0
YM 25 0484 111067989	CC 23 0017 YM 23 0153		2.77	98	106	99	0.90 56 103	0.56 31 108	1.01 106	1.55 33 106	-2.20 21 88	0.14 38 95	-1.41 25 106	-4.35 20 103		0
YM 25 0493 111068110	CC 23 0017 YM 23 0185		2.77	98	106	99	0.90 56 103	0.55 31 108	1.01 106	1.54 33 106	-2.20 21 88	0.14 38 95	-1.41 25 106	-4.35 20 103		0
YM 25 0495 111290987	CC 23 0017 YM 23 0147		2.77	82	86	85	-1.02 58 85	-0.39 35 91	-0.90 86	-1.47 33 90	-2.20 21 88	-2.73 41 81	-1.41 25 106	-4.35 20 103		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			Acc
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0497 111068011		CC 23 0017 YM 23 0122		2.77	96	102	100	0.34 58 98	0.74 35 111	0.91 105	0.85 33 102	-2.20 21 88	-0.24 41 93	-1.83 32 107	-3.06 20 101		1			
YM 25 0498 111068060		CC 23 0017 YM 23 0122		2.77	98	105	101	0.68 58 101	0.73 35 110	1.07 107	1.31 33 105	-2.20 21 88	0.09 41 94	-1.55 25 106	-3.92 20 102		0			
YM 25 0499 111068003		CC 23 0017 YM 23 0147		2.77	79	83	85	-1.41 58 82	-0.37 35 91	-1.08 84	-2.00 33 87	-2.20 21 88	-3.10 41 80	-1.41 25 106	-4.35 20 103		0			
YM 25 0502 111071940		CC 23 0017 YM 20 0227		2.59	96	102	100	0.29 58 98	0.70 35 110	0.84 105	0.77 33 102	-2.20 21 88	-0.33 41 92	-1.62 32 106	-3.84 20 102		1			
YM 25 0507 111068052		CC 23 0017 YM 23 0107		2.77	93	100	96	0.23 57 97	0.36 33 104	0.48 101	0.55 33 101	-2.20 21 88	-0.73 39 91	-1.41 25 106	-4.35 20 103		0			
YM 25 0511 111072013		CC 23 0017 YM 21 0029		2.55	99	106	101	0.79 58 102	0.73 35 111	1.13 108	1.46 33 106	-2.20 21 88	0.20 41 95	-1.18 25 105	-4.72 20 104		0			
YM 25 0512 111071833		CC 23 0017 YM 21 0029		2.55	99	106	101	0.81 58 102	0.73 35 111	1.13 108	1.49 33 106	-2.20 21 88	0.22 41 95	-0.71 32 104	-5.45 20 105		1			
YM 25 0514 111071783		CC 23 0017 YM 20 0209		2.59	98	105	100	0.78 57 102	0.60 33 108	0.99 106	1.40 33 105	-2.20 21 88	0.07 39 94	-1.41 25 106	-4.35 20 103		0			
YM 25 0515 112600762		- - - JJO 20 0696		2.76	108	99	116	-0.02 5 95	0.11 5 100	0.10 97	2.45 5 111	4.60 5 114		-11.98 5 130	-2.50 5 100		0			
YM 25 0516 111071874		CC 23 0017 YM 21 0100		2.55	91	97	93	0.06 58 95	0.10 35 100	0.14 97	0.21 33 99	-2.20 21 88	-1.15 41 89	-1.52 33 106	-3.78 20 102		1			
YM 25 0517 111071692		CC 23 0017 YM 21 0100		2.55	91	97	93	0.10 58 96	0.10 35 100	0.15 97	0.26 33 99	-2.20 21 88	-1.12 41 89	-1.45 33 106	-3.87 20 102		1			
YM 25 0519 111068029		CC 23 0017 YM 23 0191		2.77	98	106	99	0.91 56 103	0.56 31 108	1.02 107	1.56 33 106	-2.20 21 88	0.15 38 95	-1.43 32 106	-3.94 20 102		1			
YM 25 0531 111092425		CC 22 0392 CC 23 0849		5.46	99	100	93	1.25 64 106	-0.84 43 83	-0.22 93	1.34 56 105	2.80 34 107	2.09 49 104	1.00 38 100	10.43 29 79		1			
YM 25 0536 111092755		CC 23 0902 CC 18 0457		5.12	107	109	109	1.07 66 105	0.88 45 113	1.41 111	1.88 58 108	0.90 38 99	2.49 51 105	-0.86 32 104	4.14 32 90		0			
YM 25 0564 111092334		CC 23 0902 CC 23 0800		5.19	108	109	109	1.28 64 107	0.59 38 108	1.23 109	2.39 54 111	1.80 30 103	2.95 46 107	-0.58 28 104	0.97 27 95		0			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir	Wean Weight	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI
Comp no.	Sire	Dam						EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
								Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 25 0579 112601018	-	-	-	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	0
YM 25 0580 112601026	JW	18	0879	4.48	99	86	97	-0.30 42 92	-1.13 37 78	-1.28 82	-1.67 36 89	2.90 26 107	0.31 36 95	-11.23 33 128	-4.13 35 103	0
YM 25 0584 112601042	DM	24	0003	8.14	96	99	97	0.44 50 99	0.11 40 100	0.33 99	0.44 50 100	0.40 30 98	0.79 42 98	0.91 35 100	8.60 35 82	0
YM 25 0589 111092532	CRL	23	0051	8.32	103	105	100	1.32 47 107	0.14 23 100	0.80 104	1.11 18 104	-0.40 14 94	1.22 30 100	-4.05 19 112	6.27 21 86	0
YM 25 0592 111092599	CC	21	0515	2.77	101	103	99	0.98 57 104	0.08 40 99	0.58 102	1.26 46 105	0.30 30 97	1.25 44 100	0.19 36 102	-3.87 26 102	1
YM 25 0593 111092607	CC	21	0515	2.56	103	106	102	1.16 58 106	0.26 42 102	0.85 105	1.58 46 106	0.30 30 97	1.61 45 101	0.15 32 102	-4.81 26 104	0
YM 25 0594 111092466	CC	21	0515	2.56	104	106	102	1.28 58 107	0.26 42 102	0.90 105	1.74 46 107	0.30 30 97	1.72 45 102	0.15 32 102	-4.81 26 104	0
YM 25 0597 111096012	CC	21	0515	2.77	104	107	102	1.39 57 108	0.21 40 101	0.90 105	1.86 46 108	0.30 30 97	1.77 44 102	0.01 36 103	-5.28 26 105	1
YM 25 0598 111096657	CC	21	0515	2.59	104	107	101	1.34 57 107	0.19 40 101	0.86 105	1.80 46 108	0.30 30 97	1.72 44 102	0.26 36 102	-5.61 26 105	1
YM 25 0601 111096129	CC	21	0515	2.55	103	106	101	1.26 57 106	0.17 40 101	0.79 104	1.67 46 107	0.30 30 97	1.60 44 101	0.15 32 102	-4.81 26 104	0
YM 25 0602 111096293	CC	21	0515	2.77	100	102	98	0.97 58 104	-0.05 42 97	0.44 100	1.18 46 104	0.30 30 97	1.10 45 99	0.15 32 102	-4.81 26 104	0
YM 25 0607 111096020	CC	21	0515	2.56	103	105	102	1.12 58 105	0.28 42 103	0.85 105	1.53 46 106	0.30 30 97	1.59 45 101	0.15 32 102	-4.81 26 104	0
YM 25 0608 111096301	CC	21	0515	2.56	104	107	102	1.39 58 108	0.27 42 103	0.97 106	1.89 46 108	0.30 30 97	1.84 45 102	0.15 32 102	-4.81 26 104	0
YM 25 0609 111096590	CC	21	0515	2.56	95	96	95	0.19 57 97	-0.15 40 95	-0.06 95	0.08 46 98	0.30 30 97	0.22 44 95	0.15 32 102	-4.81 26 104	0
YM 25 0611 111096210	CC	21	0515	2.77	90	90	92	-0.52 58 90	-0.30 42 93	-0.56 90	-0.95 46 92	0.30 30 97	-0.64 45 91	0.15 32 102	-4.81 26 104	0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat								
								Acc Index	Acc Index	EBV Index	Acc Index						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0615 111096467	CC 21 0515 YM 22 0001	2.56	99	101	98	0.75 58 102	-0.03 42 97	0.34 99	0.90 46 103	0.30 30 97	0.90 45 98	0.15 32 102	-4.81 26 104		0		
YM 25 0621 111096046	CC 21 0515 YM 20 0204	2.59	103	106	102	1.12 58 105	0.30 42 103	0.86 105	1.54 46 106	0.30 30 97	1.60 45 101	0.15 32 102	-4.81 26 104		0		
YM 25 0622 111096673	CC 21 0515 YM 21 0069	2.55	104	107	103	1.34 58 107	0.33 42 104	1.00 106	1.84 46 108	0.30 30 97	1.84 45 102	0.15 32 102	-4.81 26 104		0		
YM 25 0625 111096137	CC 21 0515 YM 20 0084	2.59	108	111	104	1.91 58 112	0.32 42 103	1.28 109	2.62 46 112	0.30 30 97	2.41 45 105	0.00 32 103	-4.41 26 103		0		
YM 25 0626 111096277	CC 21 0515 YM 20 0084	2.59	102	104	103	0.89 58 103	0.37 42 104	0.82 104	1.25 46 105	0.30 30 97	1.45 45 101	-0.30 36 103	-3.61 26 102		1		
YM 25 0628 111096756	CC 21 0515 YM 23 0182	2.77	97	98	96	0.46 60 99	-0.15 44 95	0.08 97	0.46 46 100	0.30 30 97	0.49 47 96	0.15 32 102	-4.81 26 104		0		
YM 25 0629 111096517	CC 21 0515 YM 23 0182	2.77	98	100	96	0.75 60 102	-0.17 44 95	0.21 98	0.84 46 102	0.30 30 97	0.77 47 97	0.15 32 102	-4.81 26 104		0		
YM 25 0630 111096434	CC 21 0515 YM 23 0002	2.77	96	98	95	0.46 58 99	-0.23 41 94	0.00 96	0.41 46 100	0.30 30 97	0.40 45 96	0.15 32 102	-4.81 26 104		0		
YM 25 0633 111096640	CC 21 0515 YM 23 0151	2.77	99	101	98	0.72 57 101	0.01 40 98	0.37 100	0.87 46 103	0.30 30 97	0.91 44 98	0.15 32 102	-4.81 26 104		0		
YM 25 0639 111096178	CC 22 0386 YM 23 0050	2.77	90	95	89	0.17 56 96	-0.29 34 93	-0.21 93	0.23 44 99	-1.80 24 89	-1.20 40 88	0.17 23 102	-8.74 20 110		0		
YM 25 0643 111096244	CC 21 0515 YM 20 0150	2.59	103	105	101	1.19 58 106	0.15 40 101	0.75 104	1.57 46 106	0.30 30 97	1.52 45 101	0.15 32 102	-4.81 26 104		0		
YM 25 0644 111096368	CC 21 0515 YM 20 0092	2.59	95	95	96	0.06 59 95	-0.11 43 96	-0.09 95	-0.09 46 97	0.30 30 97	0.12 46 95	0.15 32 102	-4.81 26 104		0		
YM 25 0647 112600895	JW 19 0133 YM 23 0217	2.77	83	86	88	-1.11 23 85	-0.22 21 94	-0.77 87	-2.11 22 86	-2.40 15 87	-2.76 20 81	-3.56 16 111	-3.20 17 101		0		
YM 25 0669 112372461	WS 20 2415 YM 24 0096	2.91	82	87	87	-1.00 14 86	-0.11 12 96	-0.61 89	-1.84 14 88	-2.10 8 88	-2.37 12 83	-1.30 19 105	5.90 20 87		0		
YM 25 0675 112372198	CP 19 0120 YM 24 0097	2.91	86	82	93	-1.68 10 79	0.00 14 98	-0.84 87	-2.90 5 82	-1.30 5 91	-2.46 9 83	-5.46 5 115	-5.29 5 105		0		





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.	Sire	Dam	Dir					Mat	EBV				EBV	EBV	EBV	EBV			EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 25 0684 112372263	WS YM	20 24	2415 0099	2.91	84	88	88	-0.91 17 86	-0.01 19 98	-0.47 91	-1.67 14 89	-2.10 8 88	-2.18 16 84	-1.68 28 106	6.01 20 87		1		
YM 25 0685 112372297	WS YM	20 24	2415 0099	2.91	84	88	89	-0.91 17 86	-0.01 19 98	-0.47 91	-1.67 14 89	-2.10 8 88	-2.18 16 84	-1.90 28 107	6.08 20 86		1		
YM 25 0705 111096376	CC CDN	23 23	0744 0001	2.77	89	86	95	-1.22 53 84	-0.08 33 97	-0.69 88	-1.66 33 89	0.70 21 99	-0.87 38 90	-2.53 20 108	2.45 19 92		0		
YM 25 0708 112600911	- YM	- 20	- 0139	2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		0		
YM 25 0711 112600929	- YM	- 22	- 0009	2.76	97	95	104	-0.40 13 91	0.18 19 101	-0.03 95	0.95 5 103	0.50 5 98	0.07 12 94	-8.76 5 122	-5.16 5 104		0		
YM 25 0713 111096285	JW DM	23 22	0085 0036	6.16	117	108	119	1.39 58 108	0.52 44 107	1.21 109	1.75 57 107	4.20 31 112	4.43 46 114	-9.59 36 124	11.52 35 78		0		
YM 25 0715 111096525	JW EBS	18 24	0879 0011	4.20	103	83	103	-0.75 44 88	-1.05 36 80	-1.42 80	-2.56 35 84	5.30 27 116	1.38 37 100	-10.71 35 127	-5.62 36 105		0		
YM 25 0721 111290979	CC CC	23 24	0017 0087	4.97	111	111	111	1.51 56 109	0.81 38 112	1.57 112	2.38 47 111	1.20 31 101	3.04 43 108	-0.38 33 103	-4.11 29 103		0		
YM 25 0728 111096772	DM DM	23 23	0167 0057	3.37	88	86	92	-1.06 56 85	-0.18 40 95	-0.71 88	-2.29 53 85	-1.10 29 92	-1.90 44 85	-6.02 33 116	2.28 31 92		0		
YM 25 0733 111071999	CC YM	23 20	0017 0114	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0		
YM 25 0735 111486841	CC CC	23 23	0017 0525	3.79	105	107	100	1.53 57 109	0.07 40 99	0.84 105	1.91 47 108	0.50 31 98	1.90 44 103	3.45 32 95	-16.12 29 122		0		
YM 25 0736 111071742	CC YM	23 20	0017 0174	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0		
YM 25 0739 111096780	CC YM	23 23	0615 0129	2.77	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0		
YM 25 0740 112372214	CC YM	23 24	0615 0016	2.91	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0		
YM 25 0746 111096855	CCS YM	22 24	0159 0044	2.91	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.	Sire	Dam	Dir					Mat	EBV								
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13
YM 25 0747 111071791	CC YM	23 20	0017 0215	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0748 111071866	CC YM	23 20	0017 0215	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0750 111071775	CC YM	23 20	0017 0090	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0751 111071718	CC YM	23 20	0017 0015	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0752 111096830	CC YM	23 24	0693 0010	2.91	100	98	103	0.09 34 96	0.29 28 103	0.34 99	-0.06 34 97	1.20 24 101	1.10 29 99	-0.49 22 104	-2.77 21 101		0
YM 25 0753 111096764	CC YM	23 24	0614 0007	2.91	99	99	102	0.28 33 97	0.31 26 103	0.46 101	0.45 33 100	0.70 21 99	1.02 28 99	-1.26 19 105	0.79 18 95		0
YM 25 0761 111096848	CC CC	23 24	0615 0179	8.00	119	121	113	3.03 54 123	0.42 37 105	1.94 116	4.66 44 123	4.00 31 111	5.85 42 121	2.73 30 96	5.65 27 87		0
YM 25 0762 112372206	CC YM	23 24	0614 0082	2.91	99	99	102	0.28 33 97	0.31 26 103	0.46 101	0.45 33 100	0.70 21 99	1.02 28 99	-1.26 19 105	0.79 18 95		0
YM 25 0763 111110748	CCS YM	22 20	0159 0029	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0
YM 25 0764 111096905	CCS YM	22 20	0159 0029	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0
YM 25 0766 111072005	CC YM	23 20	0017 0076	2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0771 111096228	CCS YM	22 20	0159 0223	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0
YM 25 0773 111096814	CCS YM	22 20	0159 0052	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0
YM 25 0775 111096897	CCS YM	22 20	0159 0111	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0
YM 25 0776 111068094	CC YM	23 24	0017 0011	2.91	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lamberd		
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV				EBV	EBV
								Acc Index	Acc Index	Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
YM 25 0777 111068045		CC	23	0017	2.91	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0778 111071973		CC	23	0017	2.59	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0779 112372172		CC	23	0017	2.77	92	98	94	0.17 48	96	0.18 33	101	0.26 99	0.39 33	100	-2.20 21	-0.97 36	89	-1.41 25	-4.35 20	103	0
YM 25 0786 111293718		CCS	22	0159	1.11	100	103	94	1.43 56	108	-0.57 37	88	0.15 97	1.56 49	106	1.10 28	1.52 42	101	-2.44 31	7.37 30	84	0
YM 25 0787 111293809		CCS	22	0159	1.11	100	103	94	1.43 56	108	-0.57 37	88	0.15 97	1.56 49	106	1.10 28	1.52 42	101	-2.44 31	7.37 30	84	0
YM 25 0788 111293692		CCS	22	0159	2.59	88	90	85	0.02 47	95	-0.89 28	82	-0.88 86	-0.59 38	94	-0.90 19	-1.41 33	87	-2.86 25	-2.17 22	100	0
YM 25 0792 111293726		CC	23	0017	2.59	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0793 111293734		CC	23	0017	2.77	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0794 111293668		CC	23	0017	2.77	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0799 111486908		CC	23	0017	2.91	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0800 111293742		CC	23	0017	2.55	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0802 111293676		CC	23	0017	2.77	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0808 111293874		CC	23	0017	2.56	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0810 111293882		CC	23	0017	2.77	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0
YM 25 0811 111293890		CC	23	0017	2.77	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	-4.35 20	103	0





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lamb
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0813 111293841	CC 23 0017 YM 21 0005			2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0817 111293916	CC 23 0615 YM 23 0158			2.77	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 25 0819 111294278	CC 23 0017 YM 21 0023			2.55	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0821 111294252	CC 23 0017 YM 20 0099			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0822 111294211	CC 23 0017 YM 20 0099			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0830 112601182	- - - YM 22 0137			2.76	96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		0
YM 25 0832 111294203	CC 23 0017 YM 20 0053			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0833 111294229	CC 23 0017 YM 22 0044			2.56	95	101	97	0.40 48 99	0.43 33 105	0.63 102	0.81 33 102	-2.20 21 88	-0.49 36 92	-1.41 25 106	-4.35 20 103		0
YM 25 0834 111294294	CC 23 0017 YM 23 0184			2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0835 111294237	CC 23 0615 YM 22 0007			2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 25 0838 111294575	CC 23 0017 YM 20 0195			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0839 111294443	CC 23 0017 YM 20 0195			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0840 111294534	CC 23 0017 YM 24 0027			2.91	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 25 0843 111294583	CC 23 0615 YM 22 0002			2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 25 0845 112500954	CC 23 0017 YM 21 0007			2.55	91	97	93	0.10 46 96	0.10 31 100	0.16 97	0.27 33 99	-2.20 21 88	-1.12 34 89	-1.41 25 106	-4.35 20 103		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam	Dir					Mat	Comb	EBV			EBV	EBV	EBV	EBV			EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 25 0849 111294476	CC YM	23 23	0017 0183	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0850 111294518	CC YM	23 22	0017 0095	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0851 111294617	CC YM	23 22	0017 0095	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0852 111294625	CC YM	23 20	0615 0222	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0		
YM 25 0853 111294492	CC YM	23 20	0615 0222	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0		
YM 25 0854 111294468	CC YM	23 22	0017 0119	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0865 111305728	CC YM	23 23	0017 0146	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0866 111305769	CC YM	23 23	0017 0124	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0874 111306015	DM DM	24 23	0035 0145	9.50	116	114	120	1.38 50	1.57 37	2.26 120	2.09 50	-0.40 28	2.70 40	-8.95 27	-0.40 30		0		
YM 25 0889 111305751	CC YM	23 20	0017 0058	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0890 111305702	CCS YM	22 20	0159 0121	2.59	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		0		
YM 25 0895 111305819	CC YM	23 23	0017 0016	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0896 111305835	CC YM	23 23	0017 0175	2.77	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0		
YM 25 0898 112600986	- YM	- 23	- 0133	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0		
YM 25 0901 112601059	- YM	- 20	- 0055	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times	
Comp no.	Sire	Dam	Dir					Mat	EBV								EBV	EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36
YM 25 0902 111305801	CRL	23	0051	3.12	93	91	93	-0.22 29	-0.30 25	-0.41 91	-1.67 20	0.80 14	-0.04 24	0.67 25	1.50 28		0	
YM 25 0904 112601067	-	-	-	2.76	96	95	103	-0.47 10	0.10 14	-0.13 94	0.82 5	0.50 5	-0.07 9	-8.76 5	-5.16 5		0	
YM 25 0917 111305892	CRL	21	0540	11.07	97	92	97	-0.05 35	-0.27 30	-0.29 93	-1.51 28	1.00 22	0.29 30	-2.65 30	-2.24 33		0	
YM 25 0920 111305934	DM	23	0014	9.64	93	90	100	-0.89 50	0.22 41	-0.23 93	-1.70 46	-1.00 30	-1.27 42	-13.18 29	11.35 31		0	
YM 25 0924 112601091	-	-	-	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0	
YM 25 0926 112601109	-	-	-	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0	
YM 25 0927 111306122	DVS	22	2394	5.76	119	111	116	1.81 46	0.51 35	1.41 111	1.94 35	5.60 29	5.68 38	5.58 24	-8.75 27		0	
YM 25 0929 111306130	DVS	22	2394	5.52	121	117	118	2.32 46	0.81 36	1.97 117	2.78 36	5.50 29	6.42 38	7.33 23	-2.45 27		0	
YM 25 0932 112601117	-	-	-	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0	
YM 25 0935 112601125	-	-	-	2.76	96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5		0	
YM 25 0939 112601133	-	-	-	2.76	97	96	104	-0.36 18	0.15 24	-0.03 95	1.14 13	0.50 8	0.09 18	-8.88 7	-6.18 7		0	
YM 25 0946 111306148	DVS	22	2394	7.22	112	107	105	1.78 46	-0.07 37	0.82 104	1.42 39	3.70 31	3.93 39	3.87 25	-6.27 28		0	
YM 25 0947 111306031	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0950 111306155	DVS	22	2394	6.15	124	111	122	1.83 46	0.52 37	1.44 111	2.13 40	8.30 31	7.33 39	5.93 26	-3.74 28		0	
YM 25 0952 111306049	CC	23	0615	2.59	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd	
Comp no.	Sire	Dam	Dir					Mat	Comb	EBV								EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36
YM 25 0957 111306189	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0958 111306213	CCS	23	0417	2.77	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		0	
YM 25 0961 111375440	PMS	23	0009	2.59	89	99	97	-0.40 47	1.19 34	0.99 106	-0.07 43	-4.20 19	-1.73 36	1.86 18	-6.50 16		0	
YM 25 0964 111306320	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0966 111306353	CC	23	0615	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0	
YM 25 0967 111306411	CC	23	0017	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0970 111306304	CCS	23	0417	2.91	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		0	
YM 25 0972 111306395	CC	23	0615	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0	
YM 25 0973 111306403	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0974 111306239	CCS	22	0159	2.55	88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		0	
YM 25 0975 111306387	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0976 111306270	CC	23	0017	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20		0	
YM 25 0977 111306247	CCS	23	0417	2.77	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		0	
YM 25 0983 111306478	CCS	23	0417	2.56	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		0	
YM 25 0990 111306494	CCS	23	0417	2.77	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	Phenotype	Lambled
				Index		n	EBV	EBV	Index	Index	EBV	EBV	Index	Index		
							Acc	Acc		Acc	Acc	Acc	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 25 0993 111394755	CCS YM	23 23	0417 0086	2.77	86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16	0
YM 25 0995 111394748	CC YM	23 21	0017 0060	2.55	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	0
YM 25 0997 111394722	CC YM	23 22	0017 0121	2.56	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20	0
YM 25 1004 112500996	CCS YM	23 22	0417 0043	2.56	90	92	91	-0.30 33	-0.20 27	-0.35 92	-0.90 28	-2.00 17	-1.70 27	-2.46 15	-10.13 16	0
YM 25 1009 111395232	CC YM	23 23	0615 0079	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	0
YM 25 1011 111395224	LM CC	22 20	1507 0398	1.57	107	108	117	0.39 58	1.47 38	1.67 114	2.21 58	1.10 32	2.53 44	-0.52 32	-4.46 32	0
YM 25 1025 112501044	CC YM	23 23	0615 0055	2.77	100	101	102	0.52 55	0.27 30	0.53 101	0.84 33	0.70 21	1.20 38	-1.26 19	0.79 18	0
YM 25 1026 112501051	CC YM	23 20	0017 0214	2.59	87	92	92	-0.60 55	0.11 31	-0.19 94	-0.69 33	-2.20 21	-1.81 38	-1.41 25	-4.35 20	0
YM 25 1027 112601158	CRL CRL	21 21	0540 0431	6.27	95	94	94	0.14 29	-0.32 24	-0.25 93	-0.90 21	0.20 16	-0.06 24	-2.85 25	2.67 29	0
YM 25 1029 112601174	LM CC	22 23	1507 0110	1.71	119	113	125	1.13 57	1.27 33	1.83 115	3.04 57	4.80 27	5.28 41	-0.81 29	-3.59 30	0
NM 25 3393 108941477	OC NM	22 23	0360 2742	3.75	92	83	96	-1.06 33	-0.67 26	-1.20 83	-2.31 22	4.00 17	0.67 27	-2.58 28	11.53 29	1
NM 25 3678 111121190	OC NM	22 24	0360 3131	3.49	88	82	92	-1.25 48	-0.70 28	-1.32 81	-2.30 20	2.50 16	-0.45 33	-4.41 25	13.04 23	0
NM 25 3682 111121141	OC NM	22 24	0360 3143	3.38	93	89	95	-0.50 51	-0.53 31	-0.78 87	-1.20 20	2.50 16	0.47 35	-4.55 25	14.04 22	0
YM 26 0001 111939864	DM DM	23 24	0039 0005	8.14	99	95	101	0.07 61	-0.05 42	-0.01 96	-0.76 53	0.50 30	0.33 47	-8.26 31	4.60 28	0
YM 26 0004 111939898	JW YM	19 21	0105 0066	2.55	79	78	88	-2.21 59	-0.08 47	-1.18 83	-3.39 45	-2.50 34	-3.78 49	-6.58 32	1.19 34	0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam		Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	Phenotype	Lambled
				Index		n	EBV	EBV	Index	Index	EBV	EBV	Index	Index		
							Acc	Acc		Acc	Acc	Acc	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0005	JW 19 0105	YM 21 0100	2.55	79	78	90	-2.32	0.06	-1.10	-3.49	-2.50	-3.76	-6.62	1.45		0
111939906							59 73	47 99	84	45 78	34 86	49 77	33 118	34 94		
YM 26 0006	DM 22 0081	YM 20 0164	2.59	98	90	94	0.15	-1.08	-1.01	-1.09	1.70	0.09	-10.31	-1.22		0
111939880							58 96	33 79	85	36 92	18 102	39 94	23 126	24 98		
YM 26 0011	CC 23 0615	YM 20 0049	2.59	101	102	102	0.67	0.31	0.64	1.06	0.70	1.40	-1.26	0.79		0
111941217							56 101	30 103	103	33 104	21 99	38 100	19 105	18 95		
YM 26 0012	DM 22 0081	YM 20 0179	2.59	101	92	98	0.24	-0.74	-0.62	-0.82	1.70	0.52	-10.31	-1.22		0
111941209							58 97	35 85	89	36 93	18 102	40 96	23 126	24 98		
YM 26 0014	JW 19 0105	YM 21 0022	2.55	74	73	86	-2.93	-0.17	-1.63	-4.42	-2.50	-4.60	-6.99	1.99		0
111941191							58 68	46 95	78	45 73	34 86	48 73	33 118	34 93		
YM 26 0019	DM 22 0081	YM 22 0028	2.56	104	97	100	0.89	-0.70	-0.26	0.07	1.70	1.20	-10.31	-1.22		0
111941258							57 103	33 86	93	36 98	18 102	39 99	23 126	24 98		
YM 26 0022	CC 23 0615	YM 20 0199	2.59	98	100	98	0.62	-0.10	0.21	0.84	0.70	0.94	-1.26	0.79		0
111942256							58 101	35 96	98	33 102	21 99	41 98	19 105	18 95		
YM 26 0023	CC 23 0615	YM 20 0199	2.59	94	94	97	-0.23	-0.06	-0.17	-0.32	0.70	0.13	-1.26	0.79		0
111942264							58 93	35 97	94	33 96	21 99	41 95	19 105	18 95		
YM 26 0026	DM 22 0081	CC 18 0558	0.79	119	98	114	1.07	-0.88	-0.34	0.27	8.00	5.00	-9.70	-1.93		0
113610323							61 105	46 83	92	53 99	36 127	49 117	35 125	36 99		
YM 26 0029	DM 22 0081	YM 20 0133	2.59	94	84	92	-0.58	-1.15	-1.44	-2.11	1.70	-0.71	-10.31	-1.22		0
111942280							57 90	31 78	80	36 86	18 102	38 91	23 126	24 98		
YM 26 0038	DM 22 0081	YM 20 0048	2.59	96	86	94	-0.35	-1.00	-1.17	-1.74	1.70	-0.33	-10.31	-1.22		0
111942363							58 92	35 81	83	36 88	18 102	40 92	23 126	24 98		
YM 26 0039	JW 19 0105	YM 24 0002	2.91	82	82	92	-1.92	0.19	-0.78	-2.90	-2.50	-3.24	-6.58	1.19		0
111942389							57 77	44 101	87	45 82	34 86	47 79	32 117	34 94		
YM 26 0041	JW 19 0105	CC 23 0099	1.22	93	93	95	-0.19	-0.03	-0.12	-0.82	0.00	-0.22	-0.84	-0.74		0
113610331							58 93	51 97	94	56 93	40 96	51 93	39 104	40 97		
YM 26 0042	DM 22 0081	YM 21 0040	2.55	97	88	95	-0.15	-1.01	-1.08	-1.47	1.70	-0.14	-10.37	-1.13		0
111942405							58 93	35 80	84	36 90	18 102	40 93	23 126	24 98		
YM 26 0043	JW 19 0105	YM 21 0044	2.55	87	88	94	-1.23	0.31	-0.31	-1.90	-2.50	-2.42	-6.58	1.19		0
111942371							58 84	45 103	92	45 87	34 86	47 83	32 117	34 94		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times
Comp no.		Sire	Dam	Dir					Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		EBV
				Acc Index					Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0045 111942462	JW 19 0105 YM 23 0143	2.77	89	91	97	-0.96 57 86	0.47 44 106	-0.01 96	-1.47 45 90	-2.50 34 86	-1.99 47 85	-6.58 33 117	1.19 34 94	0							
YM 26 0051 111942470	CC 23 0615 YM 23 0136	2.77	95	96	95	0.22 57 97	-0.28 32 93	-0.17 94	0.21 33 99	0.70 21 99	0.36 39 96	-1.26 19 105	0.79 18 95	0							
YM 26 0053 112470190	CCS 24 0203 CCS 24 0299	4.18	99	93	95	0.38 57 98	-0.82 37 84	-0.62 89	-0.29 36 96	1.30 29 101	0.35 43 96	-6.52 24 117	-7.09 26 107	0							
YM 26 0058 112470307	JW 19 0105 YM 20 0022	2.59	90	91	98	-1.01 59 86	0.56 47 108	0.05 96	-1.49 45 89	-2.50 34 86	-1.95 49 85	-6.96 33 118	0.91 34 95	0							
YM 26 0059 112470299	DM 22 0081 YM 21 0006	2.55	102	93	99	0.39 59 98	-0.71 36 86	-0.51 90	-0.61 36 94	1.70 18 102	0.70 41 97	-10.16 24 126	-1.37 24 98	0							
YM 26 0062 112470349	CC 23 0615 YM 20 0039	2.59	111	114	111	1.85 57 112	0.86 34 113	1.79 115	2.91 33 114	0.70 21 99	3.14 40 108	-0.76 20 104	-0.02 18 96	0							
YM 26 0066 112470471	CC 23 0017 YM 20 0224	2.59	97	105	98	0.85 58 103	0.44 36 105	0.86 105	1.42 33 106	-2.20 21 88	-0.04 41 94	-1.41 25 106	-4.35 20 103	0							
YM 26 0069 112470455	CC 23 0017 YM 22 0105	2.56	96	103	98	0.57 57 100	0.53 33 107	0.82 104	1.08 33 104	-2.20 21 88	-0.22 39 93	-1.41 25 106	-4.35 20 103	0							
YM 26 0071 112470661	CC 21 0515 YM 23 0171	2.77	90	90	93	-0.57 58 90	-0.25 43 94	-0.53 90	-1.00 46 92	0.30 30 97	-0.64 46 91	0.15 32 102	-4.81 26 104	0							
YM 26 0072 112470638	CC 21 0515 CC 24 0116	29.08	107	106	104	1.42 65 108	-0.01 46 98	0.70 103	1.67 56 107	3.10 38 108	3.27 51 109	3.16 38 95	-3.52 34 102	0							
YM 26 0073 112470646	CCS 22 0159 YM 22 0009	2.56	91	94	87	0.40 57 99	-0.78 34 84	-0.58 90	-0.02 38 98	-0.90 19 93	-0.91 39 90	-2.86 25 109	-2.17 22 100	0							
YM 26 0076 112470703	CC 23 0017 YM 22 0091	2.56	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	0							
YM 26 0077 112470687	CC 23 0615 YM 20 0170	2.59	102	104	103	0.84 46 103	0.36 30 104	0.78 104	1.32 33 105	0.70 21 99	1.62 34 101	-1.26 19 105	0.79 18 95	0							
YM 26 0081 112470729	CC 23 0017 YM 23 0071	2.77	93	99	95	0.17 57 96	0.32 35 103	0.41 100	0.45 33 100	-2.20 21 88	-0.83 40 90	-1.41 25 106	-4.35 20 103	0							
YM 26 0082 112470745	JW 19 0105 YM 22 0120	2.56	94	96	100	-0.37 57 91	0.65 44 109	0.47 101	-0.58 45 95	-2.50 34 86	-1.22 47 88	-6.58 32 117	1.19 34 94	0							



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times	
Comp no.	Sire	Dam	Dir					Mat	EBV								EBV	EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36
YM 26 0085 112470752	CCS CC	22 23	0159 0477	1.08	88	90	83	0.15 64	-1.10 40	-1.02 85	-0.77 51	0.10 31	-0.89 47	1.44 34	-3.61 32		0	
YM 26 0090 112470786	CC YM	21 24	0515 0051	2.91	107	111	104	1.78 58	0.37 41	1.26 109	2.46 46	0.30 30	2.32 45	0.15 32	-4.81 26		0	
YM 26 0091 112470760	CC YM	21 24	0515 0051	2.91	104	106	103	1.17 58	0.40 41	0.98 106	1.64 46	0.30 30	1.75 45	0.15 32	-4.81 26		0	
YM 26 0095 112471776	CCS YM	22 22	0159 0098	2.56	93	96	90	0.58 57	-0.58 34	-0.29 93	0.31 38	-0.90 19	-0.53 39	-2.86 25	-2.17 22		0	
YM 26 0096 112471800	CCS YM	22 22	0159 0011	2.56	86	88	83	-0.21 58	-1.06 36	-1.16 83	-0.97 38	-0.90 19	-1.81 41	-2.86 25	-2.17 22		0	
YM 26 0097 112471792	CCS YM	22 22	0159 0011	2.56	85	87	83	-0.35 58	-1.05 36	-1.22 83	-1.16 38	-0.90 19	-1.94 41	-2.86 25	-2.17 22		0	
YM 26 0098 112471818	CC YM	21 21	0515 0067	2.55	93	93	94	-0.10 57	-0.24 40	-0.29 93	-0.35 46	0.30 30	-0.15 44	0.15 32	-4.81 26		0	
YM 26 0101 112471859	CCS CRL	22 24	0159 0190	4.26	99	96	93	0.81 59	-0.82 35	-0.41 91	-0.09 40	1.80 21	1.07 41	-2.85 28	2.74 27		0	
YM 26 0103 112471842	CC CC	21 23	0515 0157	5.48	110	106	102	1.84 66	-0.51 49	0.42 100	1.74 57	3.80 40	3.62 53	2.06 39	-8.41 36		0	
YM 26 0105 112471891	CC CC	23 23	0017 0525	3.79	107	110	101	1.86 64	0.05 40	0.98 106	2.35 47	0.50 31	2.21 47	3.45 32	-16.12 29		0	
YM 26 0106 112471925	CC YM	21 20	0515 0041	2.59	103	105	102	1.11 59	0.29 44	0.85 105	1.52 46	0.30 30	1.58 47	0.15 32	-4.81 26		0	
YM 26 0107 112471917	CC YM	21 20	0515 0041	2.59	104	107	102	1.38 59	0.28 44	0.97 106	1.88 46	0.30 30	1.83 47	0.15 32	-4.81 26		0	
YM 26 0108 112471958	CC YM	21 20	0515 0041	2.59	104	107	102	1.38 59	0.28 44	0.97 106	1.88 46	0.30 30	1.83 47	0.15 32	-4.81 26		0	
YM 26 0109 112471933	CCS YM	22 22	0159 0084	2.56	79	80	77	-0.95 58	-1.45 36	-1.93 75	-2.14 38	-0.90 19	-2.94 41	-2.86 25	-2.17 22		0	
YM 26 0111 112471966	DM YM	22 21	0081 0052	2.55	110	103	106	1.36 58	-0.24 35	0.44 100	0.91 36	1.70 18	2.14 40	-10.31 23	-1.22 24		0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV			
								Acc Index	Acc Index	Index	Index	Index	Index	Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
YM 26 0117 112472071		JW PMS	19 20	0105 0286	2.59	91	93	98	-0.77 58 88	0.53 44 107	0.15 97	-1.18 45 91	-2.50 34 86	-1.74 47 86	-6.58 32 117	1.19 34 94		0		
YM 26 0118 112472055		CC YM	21 20	0515 0065	2.59	96	98	94	0.56 59 100	-0.36 43 92	-0.08 95	0.51 46 101	0.30 30 97	0.38 46 96	0.15 32 102	-4.81 26 104		0		
YM 26 0122 112472121		CCS YM	22 20	0159 0161	2.59	76	78	71	-0.82 59 87	-1.97 37 64	-2.38 70	-2.18 38 86	-0.90 19 93	-3.33 41 79	-2.86 25 109	-2.17 22 100		0		
YM 26 0129 112472188		CCS YM	22 23	0159 0031	2.77	90	94	84	0.60 58 100	-1.06 34 79	-0.76 88	0.14 38 98	-0.90 19 93	-1.00 40 89	-2.86 25 109	-2.17 22 100		0		
YM 26 0139 112472287		CC CC	21 18	0515 0372	10.20	116	110	115	1.58 67 109	0.37 52 104	1.16 108	2.53 59 112	6.20 44 120	5.67 56 120	4.33 42 93	-2.27 39 100		0		
YM 26 0140 112472303		CC YM	21 20	0515 0147	2.59	104	107	102	1.39 58 108	0.22 42 102	0.92 106	1.87 46 108	0.30 30 97	1.79 45 102	0.15 32 102	-4.81 26 104		0		
YM 26 0141 112472311		CCS CC	22 22	0159 0357	1.07	110	105	104	1.62 66 110	-0.52 44 89	0.29 99	1.87 52 108	4.60 34 114	3.86 50 112	0.39 35 102	-3.23 34 101		0		
YM 26 0142 112472261		CCS CC	22 22	0159 0357	1.07	110	105	104	1.62 66 110	-0.52 44 89	0.29 99	1.87 52 108	4.60 34 114	3.86 50 112	0.39 35 102	-3.23 34 101		0		
YM 26 0151 112600689		JW JW	24 20	0055 0282	2.59	95	86	98	-0.91 18 86	-0.37 15 91	-0.83 87	-1.97 15 87	1.50 11 102	-0.38 15 92	-5.92 14 116	-7.40 16 108		0		
YM 26 0162 112630231		CC YM	23 23	0615 0099	2.77	101	102	102	0.73 46 102	0.24 30 102	0.61 102	1.12 33 104	0.70 21 99	1.39 34 100	-1.26 19 105	0.79 18 95		0		
YM 26 0164 112630181		CC CC	23 22	0615 0316	4.42	104	109	100	1.65 65 110	0.12 42 100	0.95 106	2.44 47 111	0.90 34 99	2.32 49 105	2.24 31 97	0.39 26 96		0		
YM 26 0165 112630207		JW YM	19 20	0105 0016	2.59	90	92	98	-0.89 59 87	0.53 46 107	0.09 97	-1.35 45 90	-2.50 34 86	-1.86 48 85	-6.58 32 117	1.19 34 94		0		
YM 26 0166 112630215		JW YM	19 20	0105 0016	2.59	89	91	97	-1.04 59 85	0.54 46 107	0.02 96	-1.55 45 89	-2.50 34 86	-2.00 48 85	-6.58 32 117	1.19 34 94		0		
YM 26 0168 112630173		DM CC	22 23	0081 0118	0.77	110	104	100	1.94 65 113	-0.86 42 83	0.11 97	1.17 50 104	2.60 31 106	2.65 48 106	-7.03 34 118	-2.00 33 99		0		
YM 26 0177 112630439		JW CC	19 22	0105 0403	1.19	98	91	102	-0.38 66 91	-0.18 52 95	-0.37 92	-0.94 56 93	2.80 42 107	1.12 55 99	-5.15 39 114	6.38 40 86		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lamberd		
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc				Acc	Acc
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0186 112630496		CC	22	0120	2.77	106	109	103	1.65	0.16	0.99	2.60	0.10	1.87	-2.45	-6.86	0					
		YM	23	0211					56	110	38	101	106	44	112	29		96	43	103	28	108
YM 26 0196 112630587		CC	23	0615	2.77	103	105	105	0.87	0.46	0.90	1.40	0.70	1.75	-1.26	0.79	0					
		YM	23	0089					58	103	34	106	105	33	105	21		99	40	102	19	105
YM 26 0197 112630637		CC	23	0615	2.77	103	104	104	0.79	0.47	0.86	1.30	0.70	1.68	-1.26	0.79	0					
		YM	23	0089					58	102	34	106	105	33	105	21		99	40	102	19	105
YM 26 0200 112630686		DM	22	0081	16.29	118	96	108	1.44	-1.50	-0.78	-0.06	7.80	4.63	-11.93	-0.23	0					
		JW	21	0289					62	108	38	72	87	41	97	23		126	44	115	31	130
YM 26 0204 112630645		DM	22	0081	2.59	93	84	90	-0.35	-1.34	-1.52	-1.88	1.70	-0.67	-10.31	-1.22	0					
		YM	20	0143					59	92	36	75	79	36	87	18		102	41	91	23	126
YM 26 0206 112630678		CC	22	0120	2.55	107	111	104	1.91	0.18	1.14	2.96	0.10	2.15	-2.45	-6.86	0					
		YM	21	0064					57	112	40	101	108	44	114	29		96	44	104	28	108
YM 26 0209 112630652		JW	19	0105	2.77	82	82	91	-1.86	0.11	-0.82	-2.84	-2.50	-3.25	-6.58	1.19	0					
		YM	23	0202					58	78	46	100	87	45	82	34		86	48	79	32	117
YM 26 0215 112630819		JW	19	0105	2.56	86	88	94	-1.24	0.31	-0.32	-1.92	-2.50	-2.44	-6.58	1.19	0					
		YM	22	0134					59	83	47	103	92	45	87	34		86	49	83	32	117
YM 26 0223 112630843		DM	22	0081	6.94	115	101	110	1.46	-0.73	-0.01	0.75	5.10	3.78	-14.32	9.47	0					
		TB	21	0223					60	108	36	85	96	39	102	22		116	42	111	29	135
YM 26 0224 112630900		DM	22	0081	6.94	114	99	110	1.09	-0.72	-0.17	0.26	5.10	3.44	-14.32	9.47	0					
		TB	21	0223					60	105	36	85	94	39	99	22		116	42	110	29	135
YM 26 0227 112630975		JW	19	0105	2.56	86	87	95	-1.35	0.36	-0.32	-2.05	-2.50	-2.50	-6.58	1.19	0					
		YM	22	0155					57	82	44	104	92	45	86	34		86	47	82	32	117
YM 26 0229 112631031		DM	22	0081	2.55	76	62	80	-2.92	-1.85	-3.31	-5.60	1.70	-3.75	-10.31	-1.22	0					
		YM	21	0038					57	68	31	66	64	36	67	18		102	38	77	23	126
YM 26 0232 112630967		CC	23	0615	2.55	104	105	105	0.94	0.45	0.92	1.50	0.70	1.81	-1.26	0.79	0					
		YM	21	0086					57	104	32	106	106	33	106	21		99	39	102	19	105
YM 26 0233 112630983		CC	23	0615	2.55	104	106	105	1.08	0.44	0.98	1.69	0.70	1.94	-1.26	0.79	0					
		YM	21	0086					57	105	32	106	106	33	107	21		99	39	103	19	105
YM 26 0234 112630926		DM	22	0081	2.59	97	88	95	-0.16	-0.93	-1.01	-1.45	1.70	-0.07	-10.31	-1.22	0					
		YM	20	0095					58	93	33	82	85	36	90	18		102	39	94	23	126



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.		Sire	Dam	Dir					Mat	Comb			EBV	EBV	EBV	EBV			
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0236 112631064		DM 22 0081 YM 20 0095	2.59		101	93	96	0.55 58 100	-0.97 33 81	-0.70 88	-0.50 36 95	1.70 18 102	0.60 39 97	-10.31 23 126	-1.22 24 98	0			
YM 26 0238 112631007		DM 22 0081 YM 20 0082	2.59		103	96	100	0.67 58 101	-0.69 33 86	-0.35 92	-0.21 36 97	1.70 18 102	1.01 39 99	-10.31 23 126	-1.22 24 98	0			
YM 26 0241 112631189		DM 22 0081 YM 20 0188	2.59		99	91	94	0.33 59 98	-1.11 35 79	-0.95 86	-0.86 36 93	1.70 18 102	0.24 40 95	-10.31 23 126	-1.22 24 98	0			
YM 26 0242 112631148		DM 22 0081 YM 20 0188	2.59		101	94	95	0.82 59 102	-1.14 35 78	-0.73 88	-0.20 36 97	1.70 18 102	0.70 40 97	-10.31 23 126	-1.22 24 98	0			
YM 26 0245 112631171		JW 19 0105 YM 22 0150	2.56		82	83	92	-1.85 57 78	0.21 44 101	-0.72 88	-2.80 45 82	-2.50 34 86	-3.15 47 80	-6.58 32 117	1.19 34 94	0			
YM 26 0246 112631106		CC 22 0120 YM 22 0158	2.56		104	107	101	1.39 57 108	0.07 40 99	0.76 104	2.20 44 110	0.10 29 96	1.52 44 101	-2.45 28 108	-6.86 24 107	0			
YM 26 0252 112631130		JW 19 0105 YM 22 0148	2.56		86	87	97	-1.57 59 80	0.56 47 108	-0.22 93	-2.26 45 85	-2.50 34 86	-2.51 49 82	-6.58 32 117	1.19 34 94	0			
YM 26 0255 113610257		CC 23 0615 YM 22 0163	2.56		101	102	101	0.77 57 102	0.18 32 101	0.57 102	1.15 33 104	0.70 21 99	1.37 39 100	-1.26 19 105	0.79 18 95	0			
YM 26 0259 113610398		JW 19 0105 YM 22 0041	2.56		86	87	93	-1.27 59 83	0.21 47 102	-0.42 91	-2.00 45 87	-2.50 34 86	-2.56 49 82	-6.58 32 117	1.19 34 94	0			
YM 26 0260 113610083		JW 19 0105 YM 22 0041	2.56		85	86	93	-1.34 59 82	0.22 47 102	-0.46 91	-2.10 45 86	-2.50 34 86	-2.63 49 82	-6.58 32 117	1.19 34 94	0			
YM 26 0261 113610141		CC 22 0120 YM 20 0190	2.59		105	108	102	1.48 57 109	0.13 40 100	0.87 105	2.36 44 111	0.10 29 96	1.67 44 102	-2.45 28 108	-6.86 24 107	0			
YM 26 0269 113610158		CC 23 0615 YM 24 0080	2.91		111	114	109	1.97 56 113	0.70 30 110	1.69 114	3.01 33 114	0.70 21 99	3.09 38 108	-1.26 19 105	0.79 18 95	0			
YM 26 0270 113610224		CC 22 0120 YM 20 0042	2.59		105	108	104	1.39 57 108	0.31 40 103	1.01 107	2.30 44 110	0.10 29 96	1.77 44 102	-2.45 28 108	-6.86 24 107	0			
YM 26 0272 113610281		DM 22 0081 YM 20 0162	2.59		104	96	98	0.90 59 103	-0.86 36 83	-0.40 91	0.03 36 98	1.70 18 102	1.07 41 99	-10.31 23 126	-1.22 24 98	0			
YM 26 0273 113610232		DM 22 0081 YM 20 0162	2.59		102	94	98	0.55 59 100	-0.84 36 83	-0.56 90	-0.44 36 95	1.70 18 102	0.73 41 97	-10.31 23 126	-1.22 24 98	0			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	ductio	Dir	Mat			Weaned					Lamb
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0275	DM 22 0081	YM 21 0017	2.55		102	94	98	0.51	-0.83	-0.57	-0.50	1.70	0.70	-10.31	-1.22		0
113610273								57 100	31 84	90	36 95	18 102	38 97	23 126	24 98		
YM 26 0281	CC 23 0615	YM 20 0134	2.59		102	103	103	0.76	0.34	0.72	1.21	0.70	1.53	-1.26	0.79		0
113610133								57 102	32 104	103	33 104	21 99	39 101	19 105	18 95		
YM 26 0282	CC 23 0615	YM 20 0134	2.59		102	104	103	0.84	0.34	0.76	1.31	0.70	1.60	-1.26	0.79		0
113610307								57 103	32 104	104	33 105	21 99	39 101	19 105	18 95		
YM 26 0283	DM 22 0081	YM 20 0060	2.59		107	100	103	1.03	-0.48	0.04	0.37	1.70	1.58	-10.31	-1.22		0
113610430								58 104	33 90	96	36 100	18 102	39 101	23 126	24 98		
YM 26 0285	DM 22 0081	YM 20 0075	2.59		105	98	100	1.01	-0.68	-0.18	0.25	1.70	1.35	-10.31	-1.22		0
113610489								57 104	31 86	94	36 99	18 102	38 100	23 126	24 98		
YM 26 0288	JW 19 0105	YM 23 0102	2.77		90	91	99	-1.04	0.66	0.14	-1.50	-2.50	-1.88	-6.58	1.19		0
113610505								58 85	46 109	97	45 89	34 86	48 85	32 117	34 94		
YM 26 0289	CC 22 0120	YM 20 0127	2.59		104	107	101	1.39	0.08	0.78	2.21	0.10	1.53	-2.45	-6.86		0
113610448								56 108	38 99	104	44 110	29 96	43 101	28 108	24 107		
YM 26 0298	JW 19 0105	YM 21 0012	2.55		90	92	97	-0.73	0.46	0.09	-1.16	-2.50	-1.77	-6.58	1.19		0
113610562								58 88	46 106	97	45 91	34 86	48 86	32 117	34 94		
YM 26 0300	DM 22 0081	YM 21 0024	2.55		97	88	95	-0.08	-1.00	-1.04	-1.37	1.70	-0.06	-10.31	-1.22		0
113610612								57 94	31 80	85	36 90	18 102	38 94	23 126	24 98		
YM 26 0303	DM 22 0081	YM 20 0216	2.59		105	99	100	1.13	-0.75	-0.19	0.39	1.70	1.40	-10.31	-1.22		0
113610646								57 105	33 85	94	36 100	18 102	39 100	23 126	24 98		
YM 26 0304	DM 22 0081	YM 20 0098	2.59		93	83	91	-0.62	-1.24	-1.55	-2.20	1.70	-0.84	-10.31	-1.22		0
113610653								57 89	33 76	79	36 86	18 102	39 90	23 126	24 98		
YM 26 0305	DM 22 0081	YM 20 0102	2.59		102	94	98	0.58	-0.84	-0.55	-0.41	1.70	0.76	-10.31	-1.22		0
113610596								58 100	33 83	90	36 95	18 102	39 97	23 126	24 98		
YM 26 0306	DM 22 0081	YM 20 0102	2.59		100	92	97	0.29	-0.83	-0.68	-0.80	1.70	0.48	-10.31	-1.22		0
113610620								58 98	33 84	88	36 93	18 102	39 96	23 126	24 98		
YM 26 0312	CC 23 0615	YM 23 0180	2.77		101	101	104	0.32	0.53	0.68	0.67	0.70	1.26	-1.26	0.79		0
113610737								58 98	34 107	103	33 101	21 99	40 100	19 105	18 95		
YM 26 0315	JW 19 0105	YM 21 0003	2.55		87	88	95	-1.22	0.40	-0.21	-1.85	-2.50	-2.32	-6.58	1.19		0
113610695								57 84	44 105	93	45 88	34 86	47 83	32 117	34 94		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.	Sire	Dam	Dir					Mat	EBV								
								Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0317 113610703	CC 23 0615 YM 22 0143		2.56	111	115	109	2.03 58 114	0.72 34 110	1.73 114	3.09 33 115	0.70 21 99	3.16 40 108	-1.26 19 105	0.79 18 95		0	
YM 26 0319 113610711	JW 19 0105 YM 20 0160		2.59	77	76	89	-2.53 57 71	0.01 44 98	-1.26 82	-3.81 45 77	-2.50 34 86	-4.03 47 75	-6.58 32 117	1.19 34 94		0	
YM 26 0321 113610802	JW 19 0105 YM 23 0041		2.77	87	88	95	-1.26 57 83	0.39 44 105	-0.24 93	-1.91 45 87	-2.50 34 86	-2.37 47 83	-6.58 32 117	1.19 34 94		0	
YM 26 0323 113610810	DM 22 0081 YM 23 0206		2.77	103	95	99	0.69 58 101	-0.78 33 84	-0.43 91	-0.23 36 96	1.70 18 102	0.93 39 98	-10.31 23 126	-1.22 24 98		0	
YM 26 0325 113610927	DM 22 0081 YM 24 0045		2.91	113	108	106	2.07 57 114	-0.36 31 92	0.68 103	1.84 36 108	1.70 18 102	2.73 38 107	-10.31 23 126	-1.22 24 98		0	
YM 26 0326 113610836	DM 22 0081 YM 20 0043		2.59	96	87	93	-0.09 57 94	-1.20 33 77	-1.24 82	-1.46 36 90	1.70 18 102	-0.26 39 93	-10.31 23 126	-1.22 24 98		0	
YM 26 0328 113610885	CC 23 0615 CC 22 0348		6.57	115	115	113	2.09 65 114	0.71 41 110	1.75 115	2.81 47 113	3.40 34 109	4.84 49 116	3.03 30 96	7.96 30 83		0	
YM 26 0330 113610844	CC 22 0120 YM 22 0159		2.56	103	106	101	1.27 56 107	0.05 38 99	0.68 103	2.03 44 109	0.10 29 96	1.38 43 100	-2.45 28 108	-6.86 24 107		0	
YM 26 0331 113610851	JW 19 0105 CC 23 0087		1.21	105	107	106	1.09 66 105	0.64 52 109	1.19 108	1.49 57 106	0.40 41 98	1.97 55 103	-1.41 40 106	2.27 41 93		0	
YM 26 0333 113610943	DM 22 0081 YM 23 0008		2.77	97	88	94	0.00 58 95	-1.10 35 79	-1.10 84	-1.30 36 91	1.70 18 102	-0.08 40 94	-10.31 23 126	-1.22 24 98		0	
YM 26 0335 113610935	DM 22 0081 CC 21 0422		0.76	113	105	105	1.86 66 112	-0.53 44 89	0.40 100	1.18 51 104	2.80 34 107	3.01 50 108	-6.88 34 118	-6.17 35 106		0	
YM 26 0336 113610919	CC 22 0120 YM 22 0157		2.56	98	99	97	0.52 56 100	-0.18 38 95	0.09 97	0.92 44 103	0.10 29 96	0.41 43 96	-2.45 28 108	-6.86 24 107		0	
YM 26 0346 113610984	DM 22 0081 YM 20 0124		2.59	99	91	98	0.09 57 96	-0.79 33 84	-0.74 88	-1.06 36 92	1.70 18 102	0.32 39 95	-10.31 23 126	-1.22 24 98		0	
YM 26 0350 113611032	DM 22 0081 YM 23 0208		2.77	99	90	97	-0.05 58 94	-0.82 33 84	-0.84 87	-1.25 36 91	1.70 18 102	0.16 39 95	-10.31 23 126	-1.22 24 98		0	
YM 26 0351 113611040	DM 22 0081 YM 23 0208		2.77	103	96	98	0.88 58 103	-0.86 33 83	-0.42 91	0.00 36 98	1.70 18 102	1.04 39 99	-10.31 23 126	-1.22 24 98		0	

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.		Sire	Dam	Dir					Mat	Comb			EBV	EBV	EBV	EBV			
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
YM 26 0357 113610950		DM YM	22 22	0081 0006	2.56	95	86	94	-0.46 58 91	-0.98 35 81	-1.22 83	-1.89 36 87	1.70 18 102	-0.43 40 92	-10.31 23 126	-1.22 24 98	0		
YM 26 0358 113611057		DM YM	22 22	0081 0006	2.56	100	93	95	0.53 58 100	-1.04 35 80	-0.77 87	-0.55 36 95	1.70 18 102	0.52 40 96	-10.31 23 126	-1.22 24 98	0		
YM 26 0364 113611255		JW YM	19 23	0105 0024	2.77	84	84	93	-1.68 58 79	0.27 46 103	-0.57 90	-2.54 45 84	-2.50 34 86	-2.91 48 81	-6.58 32 117	1.19 34 94	0		
YM 26 0365 113611107		DM YM	22 21	0081 0043	2.55	105	98	101	0.87 58 103	-0.61 33 87	-0.18 94	0.08 36 98	1.70 18 102	1.27 39 100	-10.31 23 126	-1.22 24 98	0		
YM 26 0367 113611115		JW YM	19 20	0105 0207	2.59	84	85	92	-1.52 58 81	0.17 46 101	-0.59 89	-2.35 45 85	-2.50 34 86	-2.84 48 81	-6.58 32 117	1.19 34 94	0		
YM 26 0373 113611149		JW YM	19 20	0105 0051	2.59	87	88	95	-1.21 57 84	0.40 44 105	-0.21 93	-1.84 45 88	-2.50 34 86	-2.32 47 83	-6.58 32 117	1.19 34 94	0		
YM 26 0375 113611271		DM YM	22 20	0081 0118	2.59	94	85	92	-0.48 57 90	-1.14 33 78	-1.38 81	-1.97 36 87	1.70 18 102	-0.60 39 91	-10.31 23 126	-1.22 24 98	0		
YM 26 0376 113611248		DM YM	22 22	0081 0146	2.56	105	98	100	1.03 58 104	-0.69 35 86	-0.18 94	0.27 36 99	1.70 18 102	1.36 40 100	-10.31 23 126	-1.22 24 98	0		
YM 26 0378 113611172		DM JW	22 22	0081 0415	2.56	107	100	102	1.23 59 106	-0.58 33 88	0.04 96	0.59 36 101	1.70 18 102	1.67 40 102	-10.31 23 126	-1.22 24 98	0		
YM 26 0380 113611362		CC YM	23 22	0017 0086	2.56	95	101	97	0.42 56 99	0.41 31 105	0.62 102	0.82 33 102	-2.20 21 88	-0.49 38 92	-1.41 25 106	-4.35 20 103	0		
YM 26 0382 113611420		CC CC	21 23	0515 0749	6.36	104	95	101	0.66 65 101	-0.93 48 82	-0.60 89	0.52 57 101	6.50 39 121	3.64 52 111	-0.57 39 104	10.52 35 79	0		
YM 26 0385 113611354		CC YM	23 23	0615 0027	2.77	104	107	104	1.18 57 106	0.39 33 105	0.98 106	1.80 33 108	0.70 21 99	2.00 39 103	-1.26 19 105	0.79 18 95	0		
YM 26 0386 113611313		CC YM	22 23	0120 0192	2.77	112	117	107	2.46 56 118	0.40 38 105	1.63 113	3.81 44 119	0.10 29 96	2.93 43 107	-2.45 28 108	-6.86 24 107	0		
YM 26 0390 113611388		JW YM	19 20	0105 0046	2.59	88	90	96	-1.08 57 85	0.44 44 105	-0.10 95	-1.64 45 89	-2.50 34 86	-2.14 47 84	-6.58 32 117	1.19 34 94	0		
YM 26 0392 113611404		CC YM	23 21	0017 0065	2.55	89	95	93	-0.32 56 92	0.19 31 101	0.03 96	-0.27 33 96	-2.20 21 88	-1.44 38 87	-1.41 25 106	-4.35 20 103	0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Comp no.	Sire	Dam	Dir					Mat	EBV								
	Acc Index	Acc Index	Acc Index					Acc Index	Acc Index	Acc Index	Phenotype						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0394 113611297	CC YM	23 22	0017 0044	2.56	95	101	97	0.44 57 99	0.43 33 105	0.65 103	0.86 33 102	-2.20 21 88	-0.45 39 92	-1.41 25 106	-4.35 20 103		0
YM 26 0397 113611438	CC YM	23 23	0017 0144	2.77	94	100	95	0.43 57 99	0.26 33 102	0.48 101	0.78 33 102	-2.20 21 88	-0.63 39 91	-1.41 25 106	-4.35 20 103		0
YM 26 0399 113611495	CC YM	23 22	0017 0042	2.56	99	107	100	0.99 58 104	0.64 35 109	1.13 108	1.69 33 107	-2.20 21 88	0.31 41 95	-1.41 25 106	-4.35 20 103		0
YM 26 0404 113611479	CCS YM	22 21	0159 0079	2.55	88	91	85	0.05 57 95	-0.89 32 83	-0.86 86	-0.54 38 95	-0.90 19 93	-1.37 39 88	-2.86 25 109	-2.17 22 100		0
YM 26 0405 113611461	CC YM	23 23	0017 0149	2.77	96	103	98	0.63 56 101	0.47 31 106	0.79 104	1.14 33 104	-2.20 21 88	-0.22 38 93	-1.41 25 106	-4.35 20 103		0
YM 26 0408 113611511	CCS YM	22 22	0159 0068	2.56	83	85	80	-0.40 58 91	-1.28 36 76	-1.48 80	-1.32 38 90	-0.90 19 93	-2.22 41 84	-2.86 25 109	-2.17 22 100		0
YM 26 0410 113611545	CC YM	23 23	0017 0032	2.77	92	97	94	0.06 57 95	0.23 33 102	0.26 98	0.26 33 99	-2.20 21 88	-1.04 39 89	-1.41 25 106	-4.35 20 103		0
YM 26 0411 113611578	CC YM	23 22	0017 0083	2.56	90	95	94	-0.26 57 92	0.28 33 103	0.15 97	-0.15 33 97	-2.20 21 88	-1.30 39 88	-1.41 25 106	-4.35 20 103		0
YM 26 0414 113611503	JW YM	19 21	0105 0048	2.55	87	88	95	-1.24 57 83	0.39 44 105	-0.23 93	-1.88 45 87	-2.50 34 86	-2.35 47 83	-6.58 32 117	1.19 34 94		0
YM 26 0420 113611594	CC YM	22 24	0120 0085	2.91	96	97	96	0.33 56 98	-0.24 38 94	-0.07 95	0.63 44 101	0.10 29 96	0.16 43 95	-2.45 28 108	-6.86 24 107		0
YM 26 0422 113611669	JW YM	19 20	0105 0103	2.59	94	96	103	-0.61 58 89	0.96 46 115	0.66 103	-0.79 45 93	-2.50 34 86	-1.15 48 89	-6.58 32 117	1.19 34 94		0
YM 26 0425 113611651	CC YM	21 20	0515 0067	2.59	102	105	98	1.33 58 107	-0.09 42 96	0.58 102	1.66 46 107	0.30 30 97	1.42 45 100	0.15 32 102	-4.81 26 104		0
YM 26 0426 113611636	CC YM	21 20	0515 0067	2.59	94	94	96	-0.16 58 93	-0.01 42 98	-0.09 95	-0.35 46 96	0.30 30 97	0.01 45 94	0.15 32 102	-4.81 26 104		0
YM 26 0429 113611628	CC YM	23 23	0017 0091	2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0439 113611735	CC YM	21 23	0515 0033	2.77	92	93	93	-0.18 57 93	-0.26 40 93	-0.36 92	-0.48 46 95	0.30 30 97	-0.27 44 93	0.15 32 102	-4.81 26 104		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lamberd
Comp no.		Sire	Dam	Dir					Mat	EBV			EBV	EBV	EBV	Acc	Acc	Acc			
Active Breed Average:									100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0444 113611784		CC	21	0515	2.55	100	102	98	0.97	-0.06	0.43	1.18	0.30	1.09	0.15	-4.81	0				
		YM	21	0093					59	104	43	97	100	46	104	30		97	46	99	32
YM 26 0446 113611792		CC	21	0515	2.55	98	100	97	0.67	-0.04	0.30	0.78	0.30	0.81	0.15	-4.81	0				
		YM	21	0093					59	101	43	97	99	46	102	30		97	46	98	32
YM 26 0449 113611743		CC	21	0515	2.77	102	104	99	1.21	0.01	0.62	1.54	0.30	1.40	0.15	-4.81	0				
		YM	23	0177					59	106	43	98	102	46	106	30		97	46	100	32
YM 26 0460 113611859		CC	21	0515	2.77	97	98	95	0.50	-0.18	0.07	0.49	0.30	0.49	0.15	-4.81	0				
		YM	23	0048					49	99	42	95	96	46	100	30		97	42	96	32
YM 26 0461 113611867		CC	21	0515	2.77	96	97	95	0.31	-0.17	-0.02	0.23	0.30	0.32	0.15	-4.81	0				
		YM	23	0048					58	98	42	95	95	46	99	30		97	45	95	32
YM 26 0462 113611917		CC	21	0515	2.77	94	95	93	0.22	-0.40	-0.29	0.02	0.30	0.00	0.15	-4.81	0				
		YM	23	0062					58	97	42	91	93	46	98	30		97	45	94	32
YM 26 0463 113611909		CC	23	0017	2.56	95	101	96	0.51	0.31	0.56	0.91	-2.20	-0.50	-1.41	-4.35	0				
		YM	22	0110					57	100	33	103	102	33	103	21		88	39	92	25
YM 26 0465 113611925		CC	23	0017	2.56	86	92	89	-0.45	-0.15	-0.38	-0.60	-2.20	-1.92	-1.41	-4.35	0				
		YM	22	0114					58	91	35	95	92	33	94	21		88	41	85	25
YM 26 0476 113611933		CC	23	0017	2.59	97	104	98	0.79	0.43	0.83	1.34	-2.20	-0.10	-1.41	-4.35	0				
		YM	20	0152					58	102	35	105	105	33	105	21		88	41	93	25
YM 26 0477 113611958		CC	23	0017	2.59	98	106	98	1.09	0.42	0.96	1.74	-2.20	0.18	-1.41	-4.35	0				
		YM	20	0152					58	105	35	105	106	33	107	21		88	41	95	25
YM 26 0478 113611974		CC	23	0017	2.77	91	97	92	0.19	0.01	0.11	0.34	-2.20	-1.12	-1.41	-4.35	0				
		YM	23	0013					58	97	35	98	97	33	100	21		88	41	89	25
YM 26 0479 113611941		CC	23	0017	2.77	90	97	92	0.11	0.02	0.07	0.24	-2.20	-1.19	-1.41	-4.35	0				
		YM	23	0013					58	96	35	98	96	33	99	21		88	41	88	25
YM 26 0481 113611990		CC	23	0017	2.56	93	99	94	0.24	0.23	0.35	0.51	-2.20	-0.85	-1.41	-4.35	0				
		YM	22	0129					57	97	33	102	99	33	101	21		88	39	90	25
YM 26 0483 113612030		CC	21	0515	2.56	100	103	99	0.85	0.12	0.54	1.10	0.30	1.15	0.15	-4.81	0				
		YM	22	0113					58	103	43	100	101	46	104	30		97	46	99	32
YM 26 0484 113612006		CCS	22	0159	2.77	89	91	86	0.06	-0.80	-0.77	-0.50	-0.90	-1.28	-2.86	-2.17	0				
		YM	23	0003					59	95	37	84	87	38	95	19		93	41	88	25

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd
Comp no.		Sire	Dam	Dir					Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		EBV
				Acc Index					Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0485 113612105	CCS YM	22 23	0159 0003	2.77	89	92	86	0.21 59	-0.81 37	-0.70 88	-0.30 38	-0.90 19	-1.14 41	-2.86 25	-2.17 22	100		0			
YM 26 0486 113612089	CC YM	21 20	0515 0083	2.59	92	93	94	-0.16 57	-0.26 40	-0.33 92	-0.43 46	0.30 30	-0.23 44	0.15 32	-4.81 26	104		0			
YM 26 0487 113612022	CCS YM	22 23	0159 0004	2.77	92	95	89	0.40 58	-0.62 34	-0.42 91	0.04 38	-0.90 19	-0.76 40	-2.86 25	-2.17 22	100		0			
YM 26 0488 113611982	CC YM	21 23	0515 0077	2.77	93	93	93	-0.05 59	-0.30 43	-0.33 92	-0.31 46	0.30 30	-0.18 46	0.15 32	-4.81 26	104		0			
YM 26 0490 113612048	CC YM	23 23	0017 0043	2.77	96	103	98	0.61 56	0.47 31	0.78 104	1.12 33	-2.20 21	-0.24 38	-1.41 25	-4.35 20	103		0			
YM 26 0507 113612212	CC YM	22 23	0120 0213	2.77	104	107	102	1.41 56	0.09 38	0.80 104	2.24 44	0.10 29	1.56 43	-2.45 28	-6.86 24	107		0			
YM 26 0510 113612139	CCS YM	22 23	0159 0060	2.77	89	92	85	0.22 58	-0.89 34	-0.78 87	-0.31 38	-0.90 19	-1.21 40	-2.86 25	-2.17 22	100		0			
YM 26 0513 113612154	CC YM	21 23	0515 0039	2.77	99	101	98	0.75 58	-0.03 42	0.35 99	0.90 46	0.30 30	0.90 45	0.15 32	-4.81 26	104		0			
YM 26 0517 113612279	CCS YM	22 20	0159 0037	2.59	88	91	85	0.17 60	-0.94 36	-0.85 87	-0.40 38	-0.90 19	-1.31 41	-2.86 25	-2.17 22	100		0			
YM 26 0518 113612360	CCS YM	22 20	0159 0037	2.59	88	91	85	0.17 60	-0.94 36	-0.85 87	-0.40 38	-0.90 19	-1.31 41	-2.86 25	-2.17 22	100		0			
YM 26 0519 113612345	CCS YM	22 20	0159 0037	2.59	88	91	85	0.11 60	-0.94 36	-0.88 86	-0.49 38	-0.90 19	-1.37 41	-2.86 25	-2.17 22	100		0			
YM 26 0520 113612352	CCS YM	22 20	0159 0037	2.59	87	90	84	-0.04 60	-0.93 36	-0.95 86	-0.69 38	-0.90 19	-1.51 41	-2.86 25	-2.17 22	100		0			
YM 26 0526 113612261	CCS YM	22 22	0159 0075	2.56	82	83	82	-0.91 59	-1.02 36	-1.48 80	-1.92 38	-0.90 19	-2.48 41	-2.86 25	-2.17 22	100		0			
YM 26 0527 113612295	CCS YM	22 22	0159 0075	2.56	87	90	83	0.13 59	-1.08 36	-1.02 85	-0.52 38	-0.90 19	-1.49 41	-2.86 25	-2.17 22	100		0			
YM 26 0539 113612451	CC YM	22 20	0120 0167	2.59	113	117	109	2.41 57	0.56 40	1.76 115	3.80 44	0.10 29	3.03 44	-2.45 28	-6.86 24	107		0			



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lambd
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0540 113612428	CCS YM	22 23	0159 0074	2.77	90	93	87	0.18 58 97	-0.72 34 85	-0.63 89	-0.30 38 96	-0.90 19 93	-1.08 40 89	-2.86 25 109	-2.17 22 100		0
YM 26 0545 113612576	CC YM	23 22	0017 0122	2.56	95	102	95	0.70 58 101	0.21 35 102	0.56 102	1.13 33 104	-2.20 21 88	-0.41 41 92	-1.41 25 106	-4.35 20 103		0
YM 26 0546 113612519	CC YM	23 22	0017 0122	2.56	94	101	95	0.48 58 99	0.22 35 102	0.46 101	0.83 33 102	-2.20 21 88	-0.62 41 91	-1.41 25 106	-4.35 20 103		0
YM 26 0548 113612527	JW YM	19 21	0105 0072	2.55	83	84	92	-1.67 58 79	0.15 46 101	-0.68 88	-2.57 45 84	-2.50 34 86	-3.02 48 80	-6.58 32 117	1.19 34 94		0
YM 26 0552 113612485	CC YM	21 22	0515 0078	2.56	107	109	106	1.41 59 108	0.61 43 108	1.31 110	2.06 46 109	0.30 30 97	2.20 46 104	0.15 32 102	-4.81 26 104		0
YM 26 0557 113612584	CCS YM	22 23	0159 0020	2.77	90	93	86	0.34 58 98	-0.84 34 83	-0.67 89	-0.13 38 97	-0.90 19 93	-1.04 40 89	-2.86 25 109	-2.17 22 100		0
YM 26 0562 113612600	JW EBS	20 21	0141 0071	6.31	105	100	106	0.71 51 101	-0.22 31 94	0.13 97	0.95 31 103	3.20 19 108	2.41 36 105	-9.13 26 123	14.60 26 73		0
YM 26 0563 113612618	CCS YM	22 20	0159 0018	2.59	84	87	81	-0.28 58 92	-1.16 34 78	-1.30 82	-1.12 38 92	-0.90 19 93	-1.99 40 85	-2.86 25 109	-2.17 22 100		0
YM 26 0564 113612667	CCS YM	22 20	0159 0018	2.59	82	83	81	-0.73 58 88	-1.14 34 78	-1.51 80	-1.72 38 88	-0.90 19 93	-2.41 40 83	-2.86 25 109	-2.17 22 100		0
YM 26 0565 113612642	CCS YM	22 20	0159 0122	2.59	92	95	88	0.53 58 100	-0.67 34 86	-0.40 91	0.20 38 99	-0.90 19 93	-0.67 40 91	-2.86 25 109	-2.17 22 100		0
YM 26 0566 113612659	CCS YM	22 20	0159 0122	2.59	92	95	88	0.46 58 99	-0.66 34 86	-0.43 91	0.10 38 98	-0.90 19 93	-0.74 40 91	-2.86 25 109	-2.17 22 100		0
YM 26 0567 113612675	CCS YM	22 22	0159 0024	2.56	89	92	87	0.13 58 96	-0.73 36 85	-0.67 89	-0.38 38 96	-0.90 19 93	-1.14 41 89	-2.86 25 109	-2.17 22 100		0
YM 26 0569 113612766	CCS YM	22 20	0159 0085	2.59	93	98	88	0.93 58 103	-0.81 34 84	-0.35 92	0.69 38 102	-0.90 19 93	-0.42 40 92	-2.86 25 109	-2.17 22 100		0
YM 26 0570 113612733	CCS YM	22 20	0159 0085	2.59	86	88	86	-0.41 58 91	-0.74 34 85	-0.95 86	-1.11 38 92	-0.90 19 93	-1.69 40 86	-2.86 25 109	-2.17 22 100		0
YM 26 0573 113612758	CC YM	23 20	0017 0146	2.59	97	103	98	0.66 56 101	0.48 31 106	0.81 104	1.18 33 104	-2.20 21 88	-0.18 38 93	-1.41 25 106	-4.35 20 103		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat								
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
							Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0574 113612774	CCS YM	22 22	0159 0019	2.56	93	97	89	0.73 58 102	-0.65 34 87	-0.28 93	0.48 38 100	-0.90 19 93	-0.46 40 92	-3.09 25 110	-1.72 22 99	0
YM 26 0580 113612709	CCS YM	22 20	0159 0106	2.59	85	86	83	-0.42 57 91	-1.02 32 80	-1.23 82	-1.24 38 91	-0.90 19 93	-1.98 39 85	-2.86 25 109	-2.17 22 100	0
YM 26 0583 113612873	CCS YM	22 20	0159 0166	2.59	90	93	87	0.24 59 97	-0.76 37 85	-0.65 89	-0.24 38 96	-0.90 19 93	-1.07 41 89	-2.86 25 109	-2.17 22 100	0
YM 26 0586 113612881	CCS YM	22 20	0159 0178	2.59	87	89	86	-0.30 58 92	-0.78 36 84	-0.93 86	-0.98 38 92	-0.90 19 93	-1.61 41 87	-2.86 25 109	-2.17 22 100	0
YM 26 0588 113612907	CC YM	21 22	0515 0027	2.56	104	108	102	1.45 57 108	0.22 40 102	0.95 106	1.96 46 109	0.30 30 97	1.86 44 102	0.15 32 102	-4.81 26 104	0
YM 26 0593 113612972	CCS DM	22 22	0159 0050	3.95	93	85	95	-0.81 65 87	-0.78 42 84	-1.19 83	-1.93 47 87	2.50 27 106	-0.09 47 94	-5.91 29 116	0.72 29 95	0
YM 26 0594 113612998	CCS DM	22 22	0159 0050	3.95	95	87	95	-0.51 65 90	-0.79 42 84	-1.05 84	-1.53 47 89	2.50 27 106	0.19 47 95	-5.91 29 116	0.72 29 95	0
YM 26 0595 113612949	CC YM	23 22	0017 0015	2.56	97	104	98	0.71 56 101	0.50 31 107	0.86 105	1.26 33 105	-2.20 21 88	-0.11 38 93	-1.41 25 106	-4.35 20 103	0
YM 26 0597 113612956	CCS TB	22 22	0159 0300	5.33	91	93	87	0.50 58 99	-1.08 33 79	-0.83 87	0.38 40 100	0.90 21 99	-0.05 40 94	-2.71 26 109	6.74 24 85	0
YM 26 0599 113612923	CCS YM	22 22	0159 0073	2.56	80	82	77	-0.63 58 89	-1.51 35 72	-1.82 76	-1.73 38 88	-0.90 19 93	-2.67 40 82	-2.86 25 109	-2.17 22 100	0
YM 26 0602 113767933	KH KH	23 21	0020 0042	8.01	100	104	103	0.56 51 100	0.77 32 111	1.05 107	0.73 23 102	-0.80 10 93	0.85 34 98	-0.25 17 103	1.91 22 93	0
YM 26 0606 113767958	CC YM	23 22	0017 0082	2.56	97	103	98	0.63 56 101	0.51 33 107	0.82 105	1.15 33 104	-2.20 21 88	-0.18 39 93	-1.41 25 106	-4.35 20 103	0
YM 26 0608 113767990	CC YM	22 20	0120 0221	2.59	102	105	99	1.26 57 107	-0.08 40 97	0.56 102	1.97 44 109	0.10 29 96	1.25 44 100	-2.45 28 108	-6.86 24 107	0
YM 26 0609 113768063	CRL CRL	23 20	0625 0348	5.06	104	88	106	-0.51 51 90	-0.26 32 93	-0.51 90	-2.36 33 85	2.90 23 107	0.98 37 98	-9.13 31 123	-5.37 32 105	0
YM 26 0618 113768022	CCS YM	22 22	0159 0101	2.56	96	101	91	1.17 58 106	-0.56 36 88	0.03 96	1.11 38 104	-0.90 19 93	0.07 41 94	-2.86 25 109	-2.17 22 100	0





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam	Dir					Mat	EBV				EBV	EBV	EBV	Acc Index			Acc Index
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 26 0624 113768196	CCS 22 0159 CCS 21 0098			5.63	97	98	92	0.90 65 103	-0.70 41 86	-0.26 93	0.48 44 100	0.90 29 99	0.73 47 97	-0.90 32 105	-1.34 32 98		0		
YM 26 0631 113768170	CC 23 0615 YM 22 0074			2.56	105	107	105	1.22 57 106	0.41 32 105	1.02 107	1.86 33 108	0.70 21 99	2.05 39 103	-1.26 19 105	0.79 18 95		0		
YM 26 0634 113768618	JW 18 0894 OC 21 0265			3.80	105	97	105	0.40 53 99	-0.28 34 93	-0.08 95	0.08 23 98	3.50 22 109	2.22 39 104	-6.96 27 118	8.04 32 83		0		
YM 26 0637 113768550	CC 23 0615 YM 24 0040			2.91	106	108	108	1.06 57 105	0.72 33 110	1.25 109	1.77 33 107	0.70 21 99	2.20 39 104	-1.26 19 105	0.79 18 95		0		
YM 26 0644 113768568	JW 19 0105 YM 24 0072			2.91	85	87	93	-1.34 58 82	0.22 45 102	-0.45 91	-2.09 45 86	-2.50 34 86	-2.62 47 82	-6.58 32 117	1.19 34 94		0		
YM 26 0646 113768998	JW 19 0105 YM 20 0104			2.59	83	83	94	-1.95 60 77	0.42 48 105	-0.56 90	-2.84 45 82	-2.50 34 86	-3.03 49 80	-6.58 32 117	1.18 34 94		0		
YM 26 0647 113769004	JW 19 0105 YM 20 0104			2.59	88	89	95	-1.08 60 85	0.37 48 104	-0.17 94	-1.67 45 88	-2.50 34 86	-2.21 49 84	-6.58 32 117	1.18 34 94		0		
YM 26 0649 113769038	CC 23 0615 YM 21 0059			2.55	106	108	108	1.17 48 106	0.71 32 110	1.30 110	1.91 33 108	0.70 21 99	2.30 36 105	-1.26 19 105	0.79 18 95		0		
YM 26 0653 113769046	CC 23 0615 CB 24 0005			5.35	98	94	103	-0.39 59 91	0.12 35 100	-0.08 95	-0.07 37 97	3.40 25 109	1.77 42 102	0.26 23 102	8.22 22 83		0		
YM 26 0655 113769061	CC 23 0615 YM 22 0032			2.56	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0		
YM 26 0656 113769053	DM 22 0081 YM 23 0109			2.77	98	89	96	-0.04 58 95	-0.87 33 83	-0.89 86	-1.26 36 91	1.70 18 102	0.11 39 94	-10.31 23 126	-1.22 24 98		0		
YM 26 0658 113769285	CC 23 0615 YM 20 0081			2.59	107	109	108	1.27 58 107	0.69 35 110	1.33 110	2.05 33 109	0.70 21 99	2.39 41 105	-1.26 19 105	0.79 18 95		0		
YM 26 0659 113769210	CC 23 0615 YM 20 0081			2.59	105	106	107	0.83 58 103	0.72 35 110	1.13 108	1.46 33 106	0.70 21 99	1.97 41 103	-1.26 19 105	0.79 18 95		0		
YM 26 0660 113769244	CC 23 0615 YM 20 0081			2.59	107	109	108	1.27 58 107	0.69 35 110	1.33 110	2.05 33 109	0.70 21 99	2.39 41 105	-1.26 19 105	0.79 18 95		0		
YM 26 0661 113769228	CC 23 0615 CC 23 0481			7.91	120	120	116	2.78 57 121	0.58 41 108	1.97 117	4.35 47 122	4.50 33 113	6.06 45 122	2.96 30 96	3.14 29 91		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.		Sire	Dam	Dir					Mat	EBV				EBV	EBV	EBV	EBV			
									Acc Index	Acc Index	Index	Index	Index	Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
YM 26 0663 113769277		DM	22	0081	4.75	111	94	107	0.66 52	-0.81 37	-0.48 90	-1.05 39	4.70 21	2.67 39	-11.14 31	-3.16 33		0		
YM 26 0664 113769269		DM	22	0081	4.75	109	91	106	0.27 61	-0.79 37	-0.66 89	-1.57 39	4.70 21	2.30 43	-11.14 31	-3.16 33		0		
YM 26 0669 113769301		CC	23	0615	2.77	111	114	112	1.63 57	1.03 33	1.85 115	2.67 33	0.70 21	3.08 39	-1.26 19	0.79 18		0		
YM 26 0672 113769467		JW	19	0105	3.48	79	78	90	-2.24 59	-0.07 45	-1.19 83	-3.29 47	-1.40 35	-3.15 48	-6.44 34	8.78 36		0		
YM 26 0673 113769319		JW	19	0105	2.91	85	86	94	-1.50 49	0.29 44	-0.46 91	-2.28 45	-2.50 34	-2.71 44	-6.58 32	1.19 34		0		
YM 26 0677 113769350		CC	23	0615	2.59	113	117	112	2.21 57	0.90 33	2.01 117	3.42 33	0.70 21	3.53 39	-1.26 19	0.79 18		0		
YM 26 0680 113769376		CC	23	0615	8.86	120	116	117	2.38 65	0.48 41	1.67 114	3.62 47	5.20 32	5.98 48	1.36 29	4.55 28		0		
YM 26 0681 113769384		CC	23	0615	2.59	109	112	110	1.57 57	0.83 34	1.62 113	2.52 33	0.70 21	2.83 40	-1.26 19	0.79 18		0		
YM 26 0682 113769368		CC	23	0615	1.70	116	114	113	2.18 64	0.45 37	1.54 112	3.09 41	3.70 28	4.85 45	0.06 24	2.04 26		0		
YM 26 0686 113774996		CC	23	0615	2.56	102	104	103	0.85 56	0.36 30	0.79 104	1.33 33	0.70 21	1.63 38	-1.26 19	0.79 18		0		
YM 26 0687 113775027		JW	19	0105	2.55	84	84	92	-1.64 58	0.20 46	-0.62 89	-2.51 45	-2.50 34	-2.94 48	-6.58 32	1.19 34		0		
YM 26 0688 113775142		JW	19	0105	2.77	93	94	102	-0.80 59	0.88 47	0.48 101	-1.08 45	-2.50 34	-1.42 49	-6.58 32	1.19 34		0		
YM 26 0689 113775126		JW	19	0105	2.77	95	97	102	-0.36 59	0.85 47	0.67 103	-0.49 45	-2.50 34	-1.01 49	-6.58 32	1.19 34		0		
YM 26 0690 113775076		CC	23	0615	2.91	97	97	100	0.00 57	0.21 32	0.21 98	0.11 33	0.70 21	0.63 39	-1.26 19	0.79 18		0		
YM 26 0691 113775001		CC	23	0615	2.91	102	103	101	0.93 57	0.16 32	0.62 102	1.36 33	0.70 21	1.51 39	-1.26 19	0.79 18		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lambled
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0692 113775134	DM 22 0081 YM 20 0014			2.59	100	91	97	0.23 58 97	-0.89 33 82	-0.77 87	-0.91 36 93	1.70 18 102	0.36 39 96	-10.31 23 126	-1.22 24 98		0
YM 26 0696 113775019	CC 23 0615 YM 24 0099			2.91	105	107	105	1.13 56 105	0.45 30 106	1.01 107	1.75 33 107	0.70 21 99	2.00 38 103	-1.50 20 106	0.86 18 95		0
YM 26 0700 113775043	CC 23 0615 YM 21 0061			2.55	97	97	100	0.03 58 95	0.21 34 102	0.23 98	0.16 33 99	0.70 21 99	0.66 40 97	-1.26 19 105	0.79 18 95		0
YM 26 0703 113775258	DM 22 0081 NM 24 3072			3.52	101	86	99	-0.30 59 92	-1.10 33 79	-1.25 82	-1.88 37 87	4.70 19 114	1.41 40 100	-8.18 30 121	0.41 31 95		0
YM 26 0712 113775241	CC 23 0615 YM 23 0120			2.77	100	101	99	0.73 57 102	0.02 33 98	0.39 100	1.03 33 103	0.70 21 99	1.17 39 99	-1.26 19 105	0.79 18 95		0
YM 26 0713 113775266	JW 19 0105 YM 22 0087			2.56	81	82	91	-1.87 58 78	0.08 45 99	-0.86 86	-2.88 45 82	-2.50 34 86	-3.30 47 79	-6.58 32 117	1.19 34 94		0
YM 26 0714 113775225	JW 19 0105 YM 22 0087			2.56	80	80	90	-2.07 58 76	0.09 45 99	-0.95 86	-3.14 45 80	-2.50 34 86	-3.48 47 78	-6.58 32 117	1.19 34 94		0
YM 26 0715 113775233	JW 19 0105 RN 24 0037			1.60	91	90	100	-1.19 60 84	0.59 46 108	0.00 96	-1.86 47 87	-0.80 34 93	-1.08 49 89	-5.15 34 114	8.07 38 83		0
YM 26 0716 113775274	CC 23 0615 YM 23 0070			2.77	106	107	107	1.06 57 105	0.67 33 109	1.20 109	1.75 33 107	0.70 21 99	2.15 39 104	-1.26 19 105	0.79 18 95		0
YM 26 0718 113775167	CC 23 0615 YM 21 0069			2.55	109	111	108	1.56 57 109	0.70 33 110	1.48 112	2.45 33 111	0.70 21 99	2.68 39 106	-1.26 19 105	0.79 18 95		0
YM 26 0720 113775282	CC 23 0615 PMS 24 0170			6.88	109	108	109	1.37 62 107	0.29 36 103	0.98 106	2.35 44 111	2.90 26 107	3.40 44 110	-0.79 24 104	0.30 22 96		0
YM 26 0724 113775324	CC 23 0615 YM 21 0028			2.55	97	98	100	0.15 56 96	0.16 30 101	0.23 98	0.29 33 99	0.70 21 99	0.72 38 97	-1.26 19 105	0.79 18 95		0
YM 26 0729 113775332	DM 22 0081 DM 21 0025			2.01	91	89	84	0.35 64 98	-1.36 42 74	-1.19 83	-1.24 47 91	0.30 28 97	-0.83 47 90	-6.06 26 116	6.74 31 85		0
YM 26 0731 113775308	DM 22 0081 YM 24 0094			2.91	100	91	96	0.24 57 97	-0.91 31 82	-0.79 87	-0.89 36 93	1.70 18 102	0.36 38 96	-10.31 23 126	-1.22 24 98		0
YM 26 0738 113775514	JW 19 0105 YM 21 0094			2.55	81	81	92	-2.10 58 75	0.26 46 102	-0.80 87	-3.12 45 81	-2.50 34 86	-3.35 48 79	-6.58 32 117	1.19 34 94		0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam	Dir					Mat	EBV				EBV	EBV	EBV	Acc Index			Acc Index
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
YM 26 0740 113775555	CC	23	0615	2.77	103	104	104	0.88 56	0.37 30	0.82 104	1.38 33	0.70 21	1.68 38	-1.26 19	0.79 18		0		
YM 26 0743 113775563	DM	22	0081	2.59	98	90	95	0.15 58	-1.00 35	-0.92 86	-1.05 36	1.70 18	0.18 40	-10.31 23	-1.22 24		0		
YM 26 0744 113775571	DM	22	0081	2.59	100	93	96	0.53 58	-1.02 35	-0.75 88	-0.55 36	1.70 18	0.53 40	-10.31 23	-1.22 24		0		
YM 26 0746 113775597	CC	23	0615	1.80	110	106	110	1.19 64	0.26 38	0.86 105	1.70 41	2.80 28	3.14 46	-3.10 26	-0.92 27		0		
YM 26 0751 113775621	CCS	22	0159	2.77	99	105	93	1.60 56	-0.43 31	0.37 100	1.76 38	-0.90 19	0.63 38	-2.86 25	-2.17 22		0		
YM 26 0753 113775647	DM	22	0081	1.72	104	88	105	-0.36 61	-0.60 33	-0.78 87	-2.11 36	4.30 18	1.63 40	-10.69 26	2.94 29		0		
YM 26 0755 113775662	KH	23	0020	5.03	105	115	103	2.06 51	0.77 31	1.80 115	3.05 27	-1.00 13	2.23 35	4.21 20	-0.17 23		0		
YM 26 0756 113775530	CC	23	0615	2.91	98	98	102	0.06 58	0.33 35	0.36 100	0.24 33	0.70 21	0.81 41	-1.26 19	0.79 18		0		
YM 26 0757 113775548	CC	23	0615	2.91	103	106	103	1.12 58	0.27 35	0.83 105	1.66 33	0.70 21	1.81 41	-1.26 19	0.79 18		0		
YM 26 0759 113775654	CCS	22	0159	2.77	93	97	89	0.75 56	-0.68 31	-0.30 92	0.50 38	-0.90 19	-0.47 38	-2.86 25	-2.17 22		0		
YM 26 0766 113791941	CC	23	0615	2.77	99	100	101	0.40 55	0.23 30	0.43 100	0.67 33	0.70 21	1.05 38	-1.26 19	0.79 18		0		
YM 26 0769 113791974	CC	22	0120	2.77	97	99	96	0.58 57	-0.26 40	0.03 96	0.95 44	0.10 29	0.37 44	-2.45 28	-6.86 24		0		
YM 26 0773 113791933	DM	22	0081	2.56	98	90	95	0.20 48	-1.03 31	-0.93 86	-1.00 36	1.70 18	0.19 35	-10.31 23	-1.22 24		0		
YM 26 0775 113792154	EBS	24	0108	6.17	104	88	105	-0.33 29	-0.76 25	-0.92 86	-1.28 19	5.70 20	2.33 25	-6.71 22	0.33 23		0		
YM 26 0784 113792162	DM	22	0081	2.59	108	101	106	0.99 48	-0.18 33	0.32 99	0.43 36	1.70 18	1.83 35	-10.31 23	-1.22 24		0		



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp no.	Sire	Dam					Dir	Mat								
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0787 113792428	YM 24 0200 YM 25 0516		2.91	97	94	104	-0.63 29 89	0.59 18 108	0.27 99	-1.16 16 91	-0.30 10 95	-0.22 20 93	-4.64 16 113	-3.39 10 102		0
YM 26 0790 113792436	JW 19 0105 YM 25 0479		1.95	89	89	96	-1.07 56 85	0.28 45 103	-0.25 93	-1.63 48 89	-1.50 35 90	-1.69 47 86	-6.33 36 117	4.00 35 90		0
YM 26 0791 113792451	JW 19 0105 YM 25 0479		1.95	89	89	96	-1.07 56 85	0.28 45 103	-0.25 93	-1.63 48 89	-1.50 35 90	-1.69 47 86	-6.33 36 117	4.00 35 90		0
YM 26 0794 113792485	JW 19 0105 YM 25 0517		1.95	91	91	98	-0.88 56 87	0.40 45 105	-0.04 95	-1.31 48 90	-1.50 35 90	-1.37 47 88	-5.73 36 116	3.04 35 91		0
YM 26 0795 113792410	JW 19 0105 YM 25 0517		1.95	91	91	98	-0.88 56 87	0.40 45 105	-0.04 95	-1.31 48 90	-1.50 35 90	-1.37 47 88	-5.73 36 116	3.04 35 91		0
YM 26 0796 113792402	CC 23 0693 YM 25 0017		1.82	100	95	100	0.21 44 97	-0.26 32 93	-0.16 94	-0.22 39 96	2.80 26 107	1.63 35 101	-1.17 27 105	1.57 24 94		0
YM 26 0797 113792568	CC 23 0017 YM 22 0039		2.56	97	104	99	0.59 46 100	0.63 31 109	0.92 106	1.14 33 104	-2.20 21 88	-0.11 34 93	-1.41 25 106	-4.35 20 103		0
YM 26 0800 113792501	CC 23 0693 YM 25 0022		1.82	108	105	108	1.05 45 105	0.30 33 103	0.83 105	1.16 39 104	2.80 26 107	3.03 36 108	0.14 27 102	-0.84 24 97		0
YM 26 0802 113792535	CC 23 0017 YM 20 0017		2.59	92	98	94	0.18 46 96	0.19 31 101	0.28 99	0.41 33 100	-2.20 21 88	-0.96 34 90	-1.41 25 106	-4.35 20 103		0
YM 26 0805 113792543	JW 23 0086 YM 23 0169		2.77	92	87	99	-1.11 20 85	0.04 19 99	-0.52 90	-2.12 11 86	0.00 9 96	-1.07 17 89	-6.67 12 118	-2.85 13 101		0
YM 26 0806 113792519	CC 23 0693 YM 25 0502		4.10	107	105	110	0.79 45 102	0.67 33 109	1.06 107	1.11 38 104	2.20 26 104	2.77 36 107	0.28 27 102	-0.91 23 98		0
YM 26 0810 113792600	CC 23 0017 YM 23 0113		2.77	96	102	98	0.47 46 99	0.50 31 107	0.74 104	0.93 33 103	-2.20 21 88	-0.35 34 92	-1.41 25 106	-4.35 20 103		0
YM 26 0811 113792576	JW 19 0105 YM 25 0512		1.95	94	96	102	-0.52 56 90	0.72 45 110	0.46 101	-0.69 48 94	-1.50 35 90	-0.70 47 91	-5.36 36 115	2.25 35 93		0
YM 26 0812 113792527	JW 23 0086 JW 24 0230		2.91	90	84	96	-1.30 21 83	-0.18 18 95	-0.83 87	-2.48 11 84	0.00 9 96	-1.48 17 87	-6.67 12 118	-2.85 13 101		0
YM 26 0817 113792667	CC 23 0017 YM 23 0114		2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat								
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0819 113792691	JW 23 0086 YM 21 0054	2.55	93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101		0		
YM 26 0821 113792675	JW 19 0105 YM 25 0519	2.06	94	95	101	-0.47 55 91	0.63 44 109	0.40 100	-0.66 48 94	-1.50 35 90	-0.74 46 91	-5.72 36 115	3.00 35 91		0		
YM 26 0823 113792634	JW 19 0105 YM 25 0497	2.06	93	94	102	-0.75 56 88	0.72 45 110	0.35 99	-1.01 48 92	-1.50 35 90	-0.93 47 90	-5.92 36 116	3.44 35 91		0		
YM 26 0824 113792642	CC 23 0017 JJO 20 0696	2.15	107	106	110	0.88 46 103	0.46 28 106	0.90 105	2.48 33 111	1.90 21 103	2.48 33 105	-4.63 25 113	-1.69 21 99		0		
YM 26 0828 113792907	JW 19 0105 YM 25 0020	3.37	90	89	95	-0.84 56 87	-0.01 45 98	-0.43 91	-1.60 49 89	-0.90 35 93	-1.40 47 88	-6.20 36 117	3.68 36 90		0		
YM 26 0829 113792931	YM 24 0200 YM 25 0020	2.91	96	91	101	-0.58 30 89	0.17 18 101	-0.12 94	-1.43 19 90	0.40 10 98	-0.17 21 93	-5.08 16 114	-2.80 11 101		0		
YM 26 0830 113792949	CC 23 0693 YM 25 0006	4.81	108	111	101	2.18 47 115	-0.12 37 96	0.97 106	2.59 45 112	2.50 31 106	3.56 39 110	5.18 32 91	-2.20 28 100		0		
YM 26 0832 113792881	CC 23 0017 YM 23 0023	2.77	98	105	100	0.66 46 101	0.70 31 110	1.03 107	1.27 33 105	-2.20 21 88	0.04 34 94	-1.41 25 106	-4.35 20 103		0		
YM 26 0833 113792899	CC 23 0017 YM 23 0023	2.77	98	105	100	0.66 46 101	0.70 31 110	1.03 107	1.27 33 105	-2.20 21 88	0.04 34 94	-1.41 25 106	-4.35 20 103		0		
YM 26 0836 113792956	JW 19 0105 NM 25 3393	3.61	91	84	99	-1.45 51 81	0.02 43 98	-0.71 88	-2.59 47 83	1.60 35 102	-0.48 44 92	-6.29 35 117	10.74 37 79		0		
YM 26 0837 113792972	JW 19 0105 NM 25 3393	3.61	91	84	99	-1.45 51 81	0.02 43 98	-0.71 88	-2.59 47 83	1.60 35 102	-0.48 44 92	-6.29 35 117	10.74 37 79		0		
YM 26 0841 113792915	JW 23 0086 DM 23 0057	2.88	98	88	105	-1.09 37 85	0.33 31 104	-0.22 93	-2.47 32 84	1.10 23 100	-0.10 31 93	-7.65 27 120	-1.87 27 99		0		
YM 26 0842 113792923	JW 19 0105 YM 25 0064	3.39	93	93	97	-0.40 56 91	0.15 45 101	-0.05 95	-0.93 49 93	-0.90 35 93	-0.79 47 90	-5.94 34 116	2.96 36 91		0		
YM 26 0844 113792857	CCS 22 0159 YM 20 0035	2.59	88	90	85	0.02 47 95	-0.89 28 82	-0.88 86	-0.59 38 94	-0.90 19 93	-1.41 33 87	-2.86 25 109	-2.17 22 100		0		
YM 26 0846 114299985	YM 24 0200 YM 25 0386	2.91	100	96	102	-0.05 29 94	0.20 17 101	0.17 98	-0.69 19 94	0.40 10 98	0.39 20 96	-5.03 15 114	-3.79 11 102		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat	EBV	EBV	Weaned	EBV	EBV	EBV	Phenotype	Lambled
					Index		n	EBV	EBV	Index	Index	EBV	EBV	Index	Index		
								Acc	Acc			Acc	Acc	Acc	Acc		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0847	JW	23	0086	4.80	101	86	107	-1.14	-0.06	-0.62	-2.45	4.70	1.63	-3.33	-0.42		0
114299969	NM	23	2742					24 84	19 97	89	16 84	12 114	19 101	26 110	27 97		
YM 26 0854	CC	23	0017	2.77	94	101	96	0.37	0.40	0.58	0.76	-2.20	-0.55	-1.41	-4.35		0
114299951	YM	23	0158					45 98	27 105	102	33 102	21 88	33 91	25 106	20 103		
YM 26 0858	DM	22	0081	7.13	116	93	112	0.62	-1.03	-0.72	-0.80	8.60	4.75	-9.77	3.22		0
113775589	JW	23	0115					53 101	37 80	88	40 93	23 129	40 116	31 125	32 91		
YM 26 0859	FJD	24	0218	2.84	94	91	101	-0.87	0.28	-0.16	-0.66	-0.40		-7.04	-5.25		0
113792170	FJD	24	0250					5 87	5 103	94	5 94	5 94		5 118	5 105		
YM 26 0861	OC	24	0419	1.98	78	85	80	-1.04	-0.44	-0.96	-2.30	-2.60	-3.04	1.51	3.70		0
114299936	OC	21	0359					35 85	29 90	85	28 85	25 86	30 80	27 99	29 90		
YM 26 0874	CC	22	0120	2.77	102	104	99	1.13	-0.07	0.50	1.79	0.10	1.12	-2.45	-6.86		0
114300163	YM	23	0179					47 105	38 97	101	44 108	29 96	39 99	28 108	24 107		
YM 26 0875	CC	22	0120	2.77	102	104	99	1.13	-0.07	0.50	1.79	0.10	1.12	-2.45	-6.86		0
114300155	YM	23	0179					47 105	38 97	101	44 108	29 96	39 99	28 108	24 107		
YM 26 0877	CC	23	0614	4.26	114	109	116	1.28	0.67	1.31	2.20	4.40	4.59	-1.55	8.60		0
114300148	YM	25	0089					46 107	30 110	110	43 110	25 113	35 115	25 106	23 82		
YM 26 0887	CC	23	0017	2.91	94	101	96	0.37	0.40	0.58	0.76	-2.20	-0.55	-1.41	-4.35		0
114300296	YM	24	0016					45 98	27 105	102	33 102	21 88	33 91	25 106	20 103		
YM 26 0890	CC	23	0614	5.68	108	106	105	1.45	-0.08	0.65	1.90	4.20	3.89	0.82	9.79		0
114300460	YM	25	0531					46 108	34 96	103	43 108	27 112	37 112	27 101	23 81		
YM 26 0892	CC	23	0017	2.55	94	101	96	0.37	0.40	0.58	0.76	-2.20	-0.55	-1.41	-4.35		0
114300486	YM	21	0077					45 98	27 105	102	33 102	21 88	33 91	25 106	20 103		
YM 26 0897	JW	19	0105	1.96	92	93	100	-0.74	0.55	0.18	-1.06	-1.50	-1.09	-5.71	2.79		0
114300502	YM	25	0402					53 88	44 107	98	48 92	35 90	45 89	34 115	35 92		
YM 26 0900	CC	23	0017	2.91	94	101	96	0.37	0.40	0.58	0.76	-2.20	-0.55	-1.41	-4.35		0
114300528	YM	24	0010					45 98	27 105	102	33 102	21 88	33 91	25 106	20 103		
YM 26 0901	JW	19	0105	9.04	87	85	95	-1.49	0.23	-0.52	-2.52	-1.60	-2.23	-6.71	3.35		0
114300577	YM	25	0193					49 81	43 102	90	47 84	35 90	43 84	35 118	35 91		
YM 26 0905	CC	23	0615	2.77	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79		0
114300551	YM	23	0131					46 103	26 104	104	33 105	21 99	33 101	19 105	18 95		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times			
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			Acc	Acc	Phenotype	Lambd
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
YM 26 0906 114300601		DM	22	0081	2.56	105	97	102	0.70 47	101	-0.49 31	89	-0.14 94	-0.09 36	97	1.70 18	1.24 34	100	-10.31 23	126	-1.22 24	98	0
YM 26 0908 114300593		CCS	23	0417	2.43	98	98	95	0.68 43	101	-0.36 30	92	-0.02 95	0.34 37	100	0.30 23	0.50 33	96	-0.88 23	105	-8.98 21	110	0
YM 26 0913 114441579		CC	23	0615	2.77	102	104	103	0.84 46	103	0.36 26	104	0.78 104	1.32 33	105	0.70 21	1.62 33	101	-1.26 19	105	0.79 18	95	0
YM 26 0914 114441603		CC	23	0017	2.59	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0916 114441512		CC	23	0017	2.56	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0917 114441546		CC	23	0017	2.56	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0918 114441504		CC	23	0017	2.56	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0923 114441496		CC	23	0017	2.91	96	102	98	0.48 46	99	0.51 31	107	0.75 104	0.95 33	103	-2.20 21	-0.33 34	92	-1.41 25	106	-4.35 20	103	0
YM 26 0926 114441561		CC	23	0615	2.59	101	103	102	0.76 46	102	0.27 30	103	0.65 103	1.17 33	104	0.70 21	1.45 34	101	-1.26 19	105	0.79 18	95	0
YM 26 0929 114478456		CC	23	0614	6.85	111	109	110	1.50 44	109	0.44 33	105	1.19 108	2.13 40	109	2.90 26	3.68 36	111	0.45 26	102	1.77 23	93	0
YM 26 0931 114478415		CC	23	0615	2.59	102	104	103	0.84 46	103	0.36 26	104	0.78 104	1.32 33	105	0.70 21	1.62 33	101	-1.26 19	105	0.79 18	95	0
YM 26 0934 114478431		CC	23	0615	2.59	102	104	103	0.84 46	103	0.36 26	104	0.78 104	1.32 33	105	0.70 21	1.62 33	101	-1.26 19	105	0.79 18	95	0
YM 26 0938 114478399		CC	23	0017	2.91	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0939 114478423		CC	23	0017	2.91	94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 33	91	-1.41 25	106	-4.35 20	103	0
YM 26 0947 114478480		CC	23	0615	2.77	102	104	103	0.84 46	103	0.36 26	104	0.78 104	1.32 33	105	0.70 21	1.62 33	101	-1.26 19	105	0.79 18	95	0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents			% In-breeding	Logix	Growth	Repro-	Wean Weight		Comb	Post-Wean	Number	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam			Merit	Index	duction	Dir	Mat			Weaned					Lambd
					Index		n	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 0949 114478472	CC 23 0615 YM 21 0032			2.55	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 26 0950 114478498	CC 23 0615 YM 21 0032			2.55	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 26 0957 114488091	DM 22 0081 YM 23 0174			2.77	100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98		0
YM 26 0958 114488125	DM 22 0081 YM 23 0174			2.77	100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98		0
YM 26 0961 114488141	DM 22 0081 YM 20 0003			2.59	100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98		0
YM 26 0962 114488117	DM 22 0081 YM 20 0003			2.59	100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98		0
YM 26 0964 114488166	CC 23 0615 YM 24 0035			2.91	102	104	103	0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95		0
YM 26 0972 114488216	CC 23 0614 CCS 24 0300			1.72	104	96	103	0.39 46 98	-0.31 35 93	-0.11 94	-0.10 44 97	3.60 28 110	2.24 38 104	-1.61 24 106	-2.58 25 100		0
YM 26 0973 114488265	CC 23 0017 YM 20 0099			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0976 114488224	CC 23 0017 YM 23 0137			2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0982 114488232	CC 23 0017 YM 23 0165			2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0983 114488257	CC 23 0017 YM 23 0165			2.77	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0987 114488380	CC 23 0017 YM 20 0215			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0988 114488364	CC 23 0017 YM 20 0215			2.59	94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		0
YM 26 0989 114488398	DM 22 0081 DM 23 0145			4.69	117	104	114	1.33 56 107	0.01 38 98	0.68 103	0.63 48 101	3.00 26 107	3.14 42 108	-15.38 30 136	2.67 33 92		0





Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID		Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lamberd
Comp no.		Sire	Dam	Dir					Mat	EBV			EBV	EBV	EBV	EBV	EBV	EBV			
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
YM 26 0990 114488372		DM	22	0081	4.69	117	104	114	1.33 56	0.01 38	0.68 103	0.63 48	3.00 26	3.14 42	-15.38 30	2.67 33			0		
YM 26 0995 114488273		CC	23	0614	1.72	104	96	103	0.39 46	-0.31 35	-0.11 94	-0.10 44	3.60 28	2.24 38	-1.61 24	-2.58 25			0		
YM 26 1000 114488539		JW	19	0105	3.38	91	90	96	-0.73 56	0.04 45	-0.33 92	-1.44 49	-0.90 35	-1.24 47	-6.78 36	4.56 36			0		
YM 26 1001 114488554		CC	23	0017	3.93	110	107	111	1.21 57	0.33 41	0.93 106	1.82 48	4.10 33	4.00 45	-1.36 35	11.46 32			0		
YM 26 1005 114488471		JW	19	0105	3.39	88	87	93	-1.03 56	-0.13 44	-0.65 89	-1.91 49	-0.90 35	-1.70 47	-6.43 34	3.89 36			0		
YM 26 1007 114488463		CC	23	0615	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18			0		
YM 26 1008 114488505		CC	23	0615	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18			0		
YM 26 1010 114488489		CC	23	0615	2.55	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18			0		
YM 26 1013 114488943		DM	22	0081	2.55	102	94	99	0.50 48	-0.71 31	-0.46 91	-0.46 36	1.70 18	0.81 35	-10.31 23	-1.22 24			0		
YM 26 1017 114488919		CC	23	0615	2.58	113	110	115	1.34 46	0.65 30	1.32 110	2.86 33	3.00 21	3.79 34	-4.06 19	1.99 18			0		
YM 26 1018 114488927		DM	22	0081	2.77	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24			0		
YM 26 1023 114491715		CC	23	0615	2.56	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18			0		
YM 26 1026 114491772		CC	23	0017	2.59	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	-2.20 21	-0.55 33	-1.41 25	-4.35 20			0		
YM 26 1028 114491814		JW	19	0105	5.03	91	88	100	-1.28 49	0.35 43	-0.29 93	-1.97 46	-0.10 34	-0.99 43	-7.00 34	7.64 35			0		
YM 26 1030 114491756		CC	23	0615	2.91	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18			0		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			Acc
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
YM 26 1031 114491889		CC	23	0615	2.91	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0		
		YM	24	0027					103	104		105		99	101	105	95			
YM 26 1035 114491764		CC	23	0615	1.21	110	106	111	1.16 47	0.26 31	0.84 105	1.84 33	3.50 22	3.51 35	-4.92 27	11.33 26		0		
		RN	23	0018					106	102		108		109	110	114	78			
YM 26 1037 114491863		CC	23	0615	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0		
		YM	23	0025					103	104		105		99	101	105	95			
YM 26 1038 114491749		CC	23	0615	2.77	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		0		
		YM	23	0025					103	104		105		99	101	105	95			
YM 26 1042 114491954		DM	22	0081	2.59	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	20	0172					98	83		94		102	96	126	98			
YM 26 1044 114492077		DM	22	0081	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	21	0076					98	83		94		102	96	126	98			
YM 26 1045 114492028		DM	22	0081	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	21	0076					98	83		94		102	96	126	98			
YM 26 1046 114492010		DM	22	0081	2.77	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	23	0145					98	83		94		102	96	126	98			
YM 26 1048 114492051		DM	22	0081	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	21	0056					98	83		94		102	96	126	98			
YM 26 1049 114492093		DM	22	0081	2.55	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	21	0056					98	83		94		102	96	126	98			
YM 26 1050 114492069		DM	22	0081	4.37	104	87	101	-0.06 58	-1.20 42	-1.23 82	-1.97 50	5.80 29	2.22 45	-8.78 31	7.69 34		0		
		DM	23	0161					94	77		87		118	104	122	84			
YM 26 1051 114491988		DM	22	0081	4.37	104	87	101	-0.06 58	-1.20 42	-1.23 82	-1.97 50	5.80 29	2.22 45	-8.78 31	7.69 34		0		
		DM	23	0161					94	77		87		118	104	122	84			
YM 26 1052 114491962		DM	22	0081	4.37	104	87	101	-0.06 58	-1.20 42	-1.23 82	-1.97 50	5.80 29	2.22 45	-8.78 31	7.69 34		0		
		DM	23	0161					94	77		87		118	104	122	84			
YM 26 1053 114492036		DM	22	0081	3.20	125	112	116	2.66 58	-0.38 41	0.95 106	2.34 50	5.80 31	5.76 45	-9.61 34	4.30 36		0		
		DM	22	0012					119	91		111		118	120	124	89			
YM 26 1055 114491996		DM	22	0081	2.56	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		0		
		YM	22	0004					98	83		94		102	96	126	98			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Comp no.		Parents Sire Dam			% In-breeding	Logix Merit Index	Growth Index	Repro- ductio n	Wean Weight				Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
									Dir	Mat		Comb									
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index					
Active Breed Average:					100	100	100		-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
YM 26 1059 114491970		CC 23 0615 YM 22 0002	2.56		102	104	103		0.84 46 103	0.36 26 104	0.78 104	1.32 33 105	0.70 21 99	1.62 33 101	-1.26 19 105	0.79 18 95			0		
Ewe flock average: Total ewes in flock: 886					98	95	98		-0.07	-0.04	-0.07	-0.27	-0.82	-0.60	-2.43	-0.58					

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
			Prog	Nr	Prog	Nr				Dir	Mat									
			Weaned	Herds	Weaned	Herds				EBV Acc Index	EBV Acc Index									
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 15 0431 76431303	1.41	CRC 11 0779 CC 13 0340	194	4	77	4	88	85	83	-0.14 96	-1.44 91	-1.51 79	-2.02 96	-1.10 84	-2.24 91	-8.95 79	-6.23 106	135	6	
CRL 16 0100 80961527	1.00	JW 14 0189 CRL 09 0055	95	1	36	2	88	88	94	-0.89 92	-0.03 81	-0.47 91	-1.57 70	0.00 68	-0.91 82	-4.12 64	13.17 69	75	4	
CC 16 0164 77715571	2.62	CC 14 0287 CRC 12 0168	515	12	173	9	117	102	131	-0.47 98	1.45 96	1.22 109	0.87 98	8.70 93	6.21 96	3.43 88	-0.23 97	188	9	
JW 16 0456 77525095	0.89	JW 14 0187 JW 12 1585	161	3	74	3	105	99	108	0.36 95	0.60 88	0.78 104	-1.18 93	0.80 74	1.44 87	-6.93 86	11.44 89	78	8	
CC 16 0461 78116407	3.65	CC 14 0287 CC 13 0489	44	2	15	2	120	102	119	1.10 88	-0.27 77	0.28 99	1.25 87	11.80 66	7.91 79	1.78 60	4.71 63	89	5	
CC 16 0509 78116886	2.18	CC 13 0272 CC 13 0347	149	3	47	1	97	104	92	1.31 95	0.09 89	0.75 104	0.52 95	-2.80 81	-0.28 89	-0.54 75	1.14 74	94	6	
JW 16 0519 78365699	13.29	JW 14 0161 JW 13 3759			1	1	88	96	86	0.47 59	-0.66 55	-0.42 91	0.87 54	-0.50 41	-0.49 53	-0.30 47	10.33 51	80	6	
CC 17 0380 80195100	3.95	CC 14 0295 CC 15 0374	204	2	63	1	68	102	57	1.71 96	-1.26 90	-0.41 91	2.38 97	-7.90 82	-4.29 90	6.25 78	34.30 75	64	7	
CC 17 0390 80195522	4.02	CC 15 0407 CC 15 0074	177	4	46	2	76	94	65	0.84 96	-1.05 88	-0.63 89	-0.72 96	-7.60 81	-4.77 89	5.49 78	-19.97 78	128	2	
CC 17 0528 80196405	2.20	CC 16 0226 CC 16 0391	171	2	56	2	109	110	108	1.53 96	0.25 90	1.01 107	3.22 96	3.80 83	4.06 91	1.94 77	5.82 72	87	3	
JW 17 0656 80117054	1.16	JW 11 0007 JW 13 0029			2	2	106	103	108	0.82 56	0.22 52	0.63 102	0.88 48	2.10 39	2.30 51	-9.66 56	18.14 59	67	9	
JW 17 0665 82910050	1.73				2	2										-9.82 41	14.34 46	73		
CC 17 0756 80198427	2.67	CC 15 0310 CC 16 0504	2332	11	498	5	71	101	57	1.66 99	-1.26 97	-0.43 91	1.52 98	-7.40 93	-4.04 97	12.79 80	-4.52 78	103	6	
CRL 18 0109 82682303	13.33	JW 15 0363 CRL 16 0077			1	1	84	88	80	-0.11 43	-1.13 41	-1.18 83	-0.90 36	-1.40 28	-2.08 39	1.45 54	-13.58 58	118	8	
CCS 18 0219 82056946	2.00	RSL 16 1000 CCS 16 0094	84	2	25	1	96	94	94	0.32 92	-0.54 81	-0.38 92	-0.28 66	-0.60 67	-0.58 82	-10.57 60	3.56 64	90	7	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd				
			Prog	Nr	Prog	Nr				Dir		Mat								Comb	Post-Wean	
			Weaned	Herds	Weaned	Herds				EBV Acc index	EBV Acc Index	EBV Index	EBV Acc Index									
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 18 0393 82382797	3.32	CC 16 0592 CC 13 0316	19	1	5	1	90	110	75	2.72 80	120	-1.05 66	80	0.31 99	3.66 82	118	-4.40 57	-0.97 69	3.73 51	-4.84 47	125	6
KERN 18 0421 91767806	2.94	KERN 16 0231 CRC 07 0303					87	88	90	-0.75 48	88	-0.07 42	97	-0.44 91	-2.22 40	86	-0.20 28	-0.94 41	1.24 90	11.95 53		3
CRL 18 0456 82775867	0.78	JW 16 0456 CRL 12 0034	2	2	6	2	102	97	104	-0.01 63	95	0.65 62	109	0.65 103	-1.71 54	88	0.10 45	0.70 58	-0.78 97	-4.83 66		5
SM 18 0519 93668713	1.74		15	1	1	1	98	87	111	-1.74 61	79	0.96 19	115	0.10 97	-3.13 5	80	1.60 5	0.19 31	-4.49 95	-3.27 27		
JW 18 0737 80399223	8.67	JW 16 0389 JW 15 0294			1	1	107	85	112	-0.95 53	86	-0.41 48	91	-0.89 86	-2.79 43	82	6.40 35	2.48 47	-13.10 105	8.06 50		3
JW 18 0831 81228512	8.78	JW 16 0490 JW 13 3759	116	2	33	4	95	73	102	-2.10 93	75	-1.29 81	75	-2.34 71	-2.84 64	82	10.60 66	2.97 82	-0.76 108	12.54 70		6
JW 18 0879 81559510	4.14	JW 16 0389 JW 16 0453	7	2	4	3	118	89	112	0.37 77	98	-1.34 64	75	-1.15 83	-1.87 67	87	7.70 49	3.66 66	-19.59 111	-15.87 66		4
JW 18 0894 81738916	1.73	JW 16 0490 JW 17 0673	3	2			101	94	101	0.11 59	96	-0.37 54	92	-0.31 92	-0.23 36	96	3.70 37	1.96 52	-0.97 103	0.41 44	152	9
OC 18 6900 91702696	1.74		54	1			108	101	113	0.06 84	95	1.09 11	117	1.12 108	-0.51 11	95	1.60 5	2.11 37	4.52 45	-25.18 51		
JW 19 0009 83071563	7.22	JW 17 0603 JW 13 3759	72	2	41	4	73	95	70	0.41 91	99	-0.68 80	86	-0.48 91	0.63 89	101	-3.20 66	-2.20 81	11.54 69	27.04 74		6
FJD 19 0034 91186809	1.30	JW 16 0550 FJD 15 0028	34	2	14	2	67	86	62	-0.34 84	92	-1.06 71	80	-1.23 83	-1.94 71	87	-3.50 54	-3.50 72	16.12 45	12.67 51		1
CRL 19 0037 86522273	2.40	JW 16 0456 CRL 17 0291			4	1	106	95	109	-0.13 59	94	0.38 57	105	0.32 99	-1.50 54	89	2.80 42	1.93 54	-3.94 103	-1.28 65		1
CC 19 0076 83330605	3.29	CC 16 0509 CC 16 0464	45	1	27	1	117	102	115	1.20 89	106	-0.39 82	91	0.21 98	1.56 89	106	6.90 72	4.95 82	-7.26 117	2.17 56	155	8
CC 19 0089 83372789	4.02	CC 16 0164 CC 16 0055	59	2	10	2	104	85	116	-1.81 89	78	0.57 73	108	-0.34 92	-2.48 89	84	7.80 63	3.43 77	4.17 58	-4.68 58	131	6
KM 19 0101 82892837	13.55	JW 11 0007 KM 16 0724			3	1	94	85	97	-0.76 57	88	-0.77 55	85	-1.14 83	-1.88 52	87	2.10 41	-0.26 53	-12.81 93	14.73 57	91	4

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam				
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean									
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index							EBV Acc Index	EBV Acc Index	EBV Acc Index
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
JW 19 0105 84426816	1.73	JW 17 0665 JW 14 0279	198	4	40	2	90	85	103	-1.85 95	0.70 83	-0.22 93	-2.88 91	-0.90 67	-1.69 84	-10.00 64	9.94 80		10			
CRL 19 0110 86522810	4.01	JW 16 0456 CRL 16 0101					106	105	106	1.08 57	0.40 51	0.94 106	0.60 52	1.40 41	2.32 51	-4.08 61	15.18 64		5			
CP 19 0120 108895699	2.13																					
JW 19 0133 84438118	1.73	JW 17 0665 KI 16 0091					86	84	90	-1.12 46	-0.37 42	-0.94 86	-2.64 43	-0.70 30	-1.92 41	-3.96 33	1.18 94	151	13			
CC 19 0145 83370718	3.71	CC 17 0390 CC 16 0021	155	6	43	1	76	96	71	0.43 95	-0.13 85	0.09 97	-1.08 95	-8.50 75	-4.80 87	7.24 70	-12.77 66	119	6			
KI 19 0148 86535580	1.39	JFK 16 0208 KI 15 0125	66	5	27	4	110	110	108	1.60 90	0.15 77	0.95 106	3.28 82	2.40 61	3.19 78	-1.34 109	-9.47 66	123	3			
BEP 19 0193 91253088	1.73	JW 16 0389 BEP 17 0545	26	3	5	3	102	87	108	-0.91 77	-0.07 53	-0.53 90	-2.23 47	3.00 39	0.81 59	-21.64 65	11.50 69		1			
CC 19 0205 83374249	3.42	CC 16 0592 CC 16 0325	188	2	25	3	120	116	121	1.92 96	1.01 82	1.97 117	3.17 90	5.90 69	6.47 84	4.91 59	7.95 65	126	6			
CRL 19 0284 86525516	3.66	CRL 17 0301 CRL 17 0369			3	1	96	87	98	-0.65 51	-0.33 49	-0.66 89	-2.32 36	2.70 23	0.64 44	-0.61 55	-2.66 57		5			
CCS 19 0285 85999019	1.34	CCS 18 0219 CCS 16 0146	69	1	17	1	97	96	98	0.22 90	0.01 73	0.12 97	-0.46 71	0.20 56	0.34 76	-4.95 53	6.76 55	152	8			
CC 19 0358 86054327	4.47	CC 16 0592 CC 17 0507	109	5	21	2	86	86	74	0.41 93	-2.64 77	-2.44 70	-1.72 93	1.60 64	-1.27 80	6.33 61	-4.10 57	116	6			
KERN 19 0406 91477711	3.63	KERN 17 0336 KERN 16 0306					94	97	97	0.05 24	0.34 24	0.37 100	-0.49 20	-0.20 12	0.27 21	0.54 36	10.14 40		6			
KERN 19 0409 91477638	10.27	KERN 17 0336 KERN 14 0081					92	99	94	0.33 33	0.26 32	0.43 100	-0.23 30	-0.10 24	0.53 31	3.66 38	17.97 41		11			
KI 19 0441 86546355	1.51	JFK 16 0208 CC 13 0347	30	3	10	2	95	105	94	1.14 86	0.21 74	0.78 104	1.30 84	-3.80 64	-0.93 76	-6.85 59	4.29 59	132	6			
KI 19 0499 86540960	1.30	JFK 16 0208 KI 15 0243			1	1	82	84	81	-0.66 66	-1.16 53	-1.49 80	-1.41 51	1.80 40	-0.74 55	7.73 53	-0.82 55		3			

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
				Prog	Nr	Prog	Nr				Dir	Mat								
				Weaned	Herds	Weaned	Herds				EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Acc	EBV Acc	EBV Acc	EPI		Times Lambd
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 19 0576 86056306	4.17	CC 16 0164 CC 14 0076	199	6	76	4	142	122	153	1.65 97	2.36 110	3.18 130	4.34 122	11.40 84	10.85 136	-3.35 110	-5.47 79	133	5	
CC 19 0866 86058336	7.18	CC 16 0592 CC 17 0065	31	3	12	1	109	102	97	2.07 86	-1.45 73	-0.41 91	1.75 107	5.70 62	4.04 75	-1.03 113	1.31 56	162	7	
OC 19 6548 91702704	3.72	SS 17 6044 SS 14 3172	41	1	5	2	108	104	101	1.70 85	-0.52 111	0.33 99	1.21 104	5.00 30	4.18 60	4.36 113	10.36 64	93	6	
JW 20 0007 86231891	10.52	JW 18 0818 JW 16 0394	3	3	3	3	113	86	114	-0.39 64	-0.92 91	-1.12 84	-1.96 87	11.00 48	5.29 136	-3.62 118	-4.67 53		8	
CC 20 0021 89767594	5.16	CC 17 0528 CC 16 0539	40	3	13	3	105	107	116	0.18 86	1.40 96	1.49 112	2.57 112	2.00 59	2.78 74	-0.80 107	5.21 49	124	7	
CC 20 0026 89768907	1.79	CC 17 0756 M 16 0933	22	1	4	1	80	104	72	1.47 80	-0.53 108	0.20 98	2.06 109	-7.10 52	-3.33 67	2.32 79	-1.15 44	119	8	
CC 20 0034 89767248	5.29	CC 17 0756 CC 16 0049	222	2	51	1	84	98	89	-0.38 96	1.20 91	1.01 107	-1.08 92	-4.00 72	-1.58 85	15.25 68	-4.40 62	126	6	
CRL 20 0048 90589276	3.99	JW 16 0456 CRL 18 0080			1	1	95	92	94	-0.01 52	-0.36 95	-0.37 92	-1.24 91	0.10 40	-0.31 96	-3.15 48	-2.81 50		3	
CC 20 0075 89767354	4.20	CC 17 0528 CC 16 0093	166	3	46	1	102	85	98	0.03 95	-1.84 84	-1.82 76	-0.73 94	8.80 74	3.48 130	-3.06 110	5.63 68	161	8	
JW 20 0079 89395438	9.07	JW 18 0829 JW 16 0507	3	1	6	2	101	83	106	-1.26 55	-0.40 83	-1.03 85	-2.59 83	8.20 30	3.26 127	5.84 109	-1.17 76	11		
CC 20 0093 89768592	6.28	CC 16 0592 CC 18 0591	42	2	14	2	101	106	86	2.64 86	-1.57 71	-0.25 93	3.11 115	1.80 60	2.15 74	-1.41 104	7.12 52	133	6	
ROS 20 0098 91336396	7.41	JW 18 0818 ROS 19 0036	42	1	16	1	120	95	113	1.18 87	-1.40 74	-0.80 87	0.07 98	13.50 60	7.89 76	-10.92 130	9.88 59	104	6	
TB 20 0101 98953938	13.14	JW 16 0519 JW 14 0264			3	2	97	91	97	-0.04 52	-0.70 95	-0.71 88	-0.43 95	2.90 29	1.01 42	-3.74 99	2.62 38		9	
DVS 20 0109 89461412	4.86	DVS 18 8062 DVS 17 7120	205	1	35	2	108	110	101	1.99 96	0.05 113	1.04 99	1.86 108	0.30 69	2.22 84	0.89 57	-12.30 63	116	6	
ROS 20 0111 91336735	3.60	JW 18 0831 SS 17 6125	37	1	15	1	84	68	92	-2.74 84	-1.20 70	-2.57 68	-4.35 74	6.90 51	0.21 122	-0.80 95	16.12 53	86	3	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean							
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc	EBV Index	EBV Index	EBV Acc							EBV Acc
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 20 0116 89767610	4.35	CC 17 0380 CC 16 0552	31	2	8	3	87	102	86	0.76 84	0.18 102	0.56 102	1.15 85	-3.00 56	-0.86 70	5.15 90	11.12 52	139	5	
JW 20 0141 89482483	9.53	JW 17 0656 JW 18 0920	6	3	2	1	117	109	114	1.90 67	-0.18 50	0.77 104	2.55 57	5.20 33	4.84 53	-10.42 47	16.17 70	103	9	
CRL 20 0163 91069559	0.87	JW 16 0456 CRL 19 0129			1	1	98	92	101	-0.27 51	0.16 47	0.03 96	-1.96 48	1.30 38	0.67 46	-4.77 51	15.71 71		4	
CC 20 0171 89767867	3.11	CC 17 0380 CC 17 0118	47	2	12	1	85	103	84	0.89 87	0.17 71	0.62 102	1.14 88	-3.70 62	-1.16 75	6.52 89	10.98 57	150	7	
CC 20 0183 89767420	5.93	CC 17 0390 CC 16 0198	223	4	65	4	83	104	67	2.14 96	-1.31 86	-0.24 93	2.11 95	-5.20 76	-2.29 88	8.38 77	-11.51 73	141	7	
KERN 20 0188 91888156	1.01	KERN 18 0078 KERN 16 0137	2	1	1	1	96	104	101	0.30 60	1.18 47	1.33 110	0.07 33	0.10 30	1.54 48	9.85 49	13.66 54		9	
KI 20 0260 91582833	0.90	JFK 13 1395 KI 16 0534	100	3	36	2	111	122	96	3.72 93	-0.23 79	1.63 113	4.81 90	0.10 59	3.55 80	8.13 68	-13.96 63		1	
KERN 20 0313 91917864	6.12	KERN 19 0023 KERN 16 0246	1	1	6	2	96	102	98	0.51 52	0.72 47	0.98 106	0.12 43	-0.20 23	1.11 43	7.64 53	6.61 60	10		
CC 20 0342 90335084	5.06	CC 17 0380 CC 15 0262	44	2	17	1	90	113	82	2.28 89	0.40 77	1.54 112	1.89 89	-7.00 68	-1.52 80	4.02 62	10.60 61	162	11	
CC 20 0456 90336132	5.10	CC 17 0528 CC 17 0512	98	2	37	1	94	99	88	1.02 92	-0.60 79	-0.09 95	0.55 93	0.20 67	0.54 81	3.77 96	-0.37 61	101	5	
CC 20 0542 90336918	4.50	CC 16 0164 CC 18 0564			1	1	103	88	112	-1.29 68	0.40 62	-0.25 93	-1.71 69	6.20 56	2.82 63	2.33 52	-3.43 52	161	8	
CC 20 0633 90340613	3.98	CC 17 0380 CC 16 0400	14	1	2	1	73	89	73	-0.38 77	-0.64 61	-0.83 87	-1.10 79	-3.20 54	-2.94 66	5.52 80	20.93 49	121	6	
CC 20 0716 90339953	4.99	CC 17 0756 CC 19 0462	18	1	6	1	98	117	90	2.70 81	0.27 68	1.62 113	3.55 82	-4.10 61	0.51 71	5.13 96	-0.86 52	103	6	
CC 20 0735 90340217	4.52	CC 17 0380 CC 17 0599	58	1	20	1	68	81	63	-0.60 89	-2.02 72	-2.32 71	-1.34 89	-2.20 60	-3.93 76	1.37 60	16.12 54	110	5	
FJD 20 0979 97179329	2.59		36	1			99	87	113	-1.87 78	1.10 9	0.17 97	-3.25 5	1.60 5	0.20 33	-6.84 43	-1.23 16			

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam	
				Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean						
				Weaned	Herds	Weaned	Herds				EBV Acc	EBV Index	EBV Index	EBV Acc						
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
SM 20 1950 93001584	1.73	SM 17 0908 SM 17 0780			2	1	94	90	101	-1.00 18 86	0.46 20 106	-0.04 95	-1.78 5 88	-1.30 5 91	-1.32 15 88	-5.39 39 115	-10.57 29 113		1	
WS 20 2415 95910121	7.36	WS 18 1989 WS 16 1589					84	87	88	-0.91 28 86	-0.17 25 95	-0.62 89	-2.11 28 86	0.00 15 96	-1.07 24 89	0.55 38 101	19.37 40 65	100	4	
OC 20 6745 91702746	1.04	DVS 18 8054 SS 13 2973	1	1			78	75	82	-2.02 42 76	-0.80 34 84	-1.81 76	-4.07 33 75	-0.40 26 94	-3.06 35 80	-0.38 23 103	-0.79 29 97		6	
OC 20 7475 93077378	2.59	JFK 13 1395 - - -	54	3	22	3	91	104	86	1.22 87 106	-0.21 67 94	0.40 100	2.14 85 110	0.50 37 98	1.31 68 100	19.12 67 64	-6.72 65 107			
CB 21 0001 99917197	7.16	CC 17 0756 CC 19 0307			1	1	83	99	75	1.14 61 105	-0.93 59 82	-0.36 92	1.04 61 103	-1.60 54 90	-0.75 59 91	9.94 48 80	6.19 46 86	85	2	
LMS 21 0010 97040620	2.13	CC 18 0078 LMS 19 0011			6	1	92	94	94	-0.32 43 92	0.16 46 101	0.00 96	-0.76 30 94	-0.40 27 94	-0.40 40 92	3.40 33 95	-7.31 33 108		1	
CC 21 0025 92022326	4.74	CC 17 0756 CC 16 0552	169	3	42	2	93	101	86	1.18 95 106	-0.45 81 90	0.14 97	1.03 95 103	-2.10 71 88	-0.53 84 92	6.15 73 89	-18.48 63 126	139	5	
OC 21 0041 91775510	1.74	JW 16 0389 OC 18 7011	5	2	6	2	108	92	116	-0.72 70 88	0.56 59 108	0.20 98	-1.66 52 89	2.80 44 107	1.52 60 101	-14.70 50 136	3.49 55 91	80	3	
JW 21 0080 91735068	7.13	JW 18 0879 JW 19 0004	162	1	22	1	114	92	105	0.90 95 103	-1.49 72 72	-1.04 84	-0.81 82 93	7.80 52 126	4.09 76 113	-7.01 60 118	-8.84 58 110	160	9	
CC 21 0095 92022805	4.63	CC 17 0756 CC 16 0093	136	7	40	2	102	90	93	0.79 94 102	-1.78 81 67	-1.39 81	-0.82 94 93	6.30 70 120	2.78 83 107	-2.12 69 107	4.82 61 88	161	8	
CC 21 0114 92026103	4.45	CC 16 0164 CC 19 0056	7	1	1	1	111	112	118	1.07 73 105	1.32 61 121	1.85 116	2.78 74 113	3.30 56 109	4.37 64 114	1.66 52 99	11.16 52 78	155	6	
JW 21 0115 91734806	13.13	JW 11 0007 JW 16 0394	9	3	8	3	112	90	115	-0.32 75 92	-0.38 66 91	-0.54 90	-1.35 65 90	8.80 50 130	4.58 66 115	-3.08 59 110	-1.25 60 98		8	
CC 21 0147 92023159	5.58	CC 19 0866 CC 18 0046	44	1	19	1	104	93	95	1.00 87 104	-1.68 72 69	-1.18 83	0.16 88 99	7.00 59 123	3.53 75 110	-2.16 57 107	12.00 55 77	183	9	
FJD 21 0160 97179337	2.55		20	2			102	85	117	-2.13 68 75	1.08 7 117	0.01 96	-3.67 29 78	1.60 5 102	-0.09 29 94	-14.43 38 135	-1.03 38 98			
CC 21 0188 92023357	1.67	KI 19 0441 CC 15 0452	199	5	65	3	108	114	107	1.90 96 112	0.72 86 110	1.67 114	2.89 96 114	-0.10 74 96	2.56 87 106	-3.09 73 110	9.32 68 81	173	11	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean							
			Progeny Weaned	Progeny Herds	Progeny Weaned	Progeny Herds				EBV Acc	EBV Index	EBV Index	EBV Acc							EBV Index
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
JW 21 0255 91966655	2.85	JW 19 0105 CRL 17 0300	38	1	20	1	114	103	126	-0.19 86	1.70 74	1.61 113	-0.19 84	1.40 59	2.36 75	-18.94 55	6.73 60		6	
JW 21 0285 93278992	9.86	JW 18 0879 JW 19 0025	2	1	1	1	118	87	118	-0.31 60	-0.88 45	-1.04 85	-2.21 46	9.40 33	4.45 48	-12.17 41	-9.55 44		7	
CC 21 0309 92602887	4.85	CC 19 0358 CC 17 0542	485	2	17	2	95	96	84	1.14 98	-1.10 72	-0.53 90	-0.05 88	1.80 57	1.12 79	12.45 55	-17.05 53	141	6	
CCS 21 0335 93215929	1.59	CCS 20 0113 CCS 16 0055	118	1	18	1	91	90	79	0.85 93	-1.81 69	-1.39 81	-0.54 81	-0.10 53	-1.02 75	0.75 48	-23.13 53	147	10	
CC 21 0374 92603539	5.21	CC 19 0576 CC 19 0416	165	2	29	1	111	104	116	0.65 95	0.40 76	0.73 103	1.66 95	5.10 65	4.11 81	-5.67 65	12.20 59	119	6	
CC 21 0483 92604628	4.32	CC 19 0576 CC 15 0441	57	2	24	2	126	123	126	2.71 90	1.20 78	2.56 123	4.67 89	6.60 65	7.87 80	4.42 63	9.40 64	122	6	
CC 21 0515 92604917	5.51	CC 19 0576 CC 18 0627	181	4	26	3	116	113	110	2.39 95	0.03 74	1.22 109	3.09 92	4.80 61	5.29 79	3.46 63	-2.05 53	162	9	
CRL 21 0540 93910891	2.50	CRL 19 0485 CRL 17 0145	3	2	1	1	97	95	94	0.40 49	-0.46 37	-0.26 93	-0.78 31	0.70 24	0.35 39	-1.82 34	-2.53 38	6		
KM 21 0671 94063542	2.21	JW 19 0021 KM 14 0288					93	83	96	-1.02 38	-0.60 34	-1.11 84	-2.73 33	2.40 24	-0.19 33	-6.88 38	7.72 42	12		
LM 21 1134 95504312	1.86	LM 20 0636 LM 18 1880			3	2	91	88	92	-0.46 32	-0.61 32	-0.84 87	-1.43 24	0.40 16	-0.83 28	-6.06 65	4.57 67	9		
DVS 21 1222 91883413	4.41	CC 19 0205 DVS 19 9234	143	1	16	1	123	123	122	2.54 94	1.57 72	2.84 126	3.99 65	2.80 57	5.79 77	6.17 49	-10.49 57	108	7	
DVS 21 1347 92424811	2.19	DVS 19 9009 DVS 18 8073	69	1	9	1	121	129	117	3.35 89	1.53 65	3.21 130	4.89 67	0.40 50	5.13 71	6.79 43	-8.76 49	102	5	
GMD21 1398 94751922	6.38	JW 18 0856 KM 19 6161					95	83	96	-0.95 38	-0.94 35	-1.42 80	-2.06 35	6.80 28	2.19 35	7.23 36	-2.68 39	5		
CC 22 0031 93923217	4.28	CC 20 0183 CC 18 0591	172	3	43	2	96	121	77	4.08 95	-0.95 81	1.09 107	5.38 95	-3.70 67	0.91 83	8.72 69	-2.55 62	133	6	
DM 22 0081 94920071	2.42	JW 18 0879 SS 15 4150	141	2	5	1	118	97	107	1.77 93	-1.70 55	-0.81 87	0.08 72	7.50 35	4.57 65	-17.47 46	5.13 48	83	11	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Prog	Nr	Prog	Nr				Dir	Mat	Comb										
			Weaned	Herds	Weaned	Herds				EBV Acc index	EBV Acc Index	EBV Index	EBV Acc Index								EBV Acc Index	EBV Acc Index
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CCS 22 0088 94630753	4.77	CCS 19 0285 CCS 17 0132	49	1	10	1	94	101	93	0.70 87	0.08 101	0.43 64	0.50 99	-2.30 48	-0.60 69	-2.03 91	-1.59 45	95	7			
CCS 22 0112 94693900	1.73	JW 21 0080 CCS 17 0206	3	1	1	1	108	101	100	1.58 66	-1.01 109	-0.22 49	1.24 80	2.60 31	2.13 51	-8.63 104	-7.43 34	108	7			
CC 22 0120 93923902	4.78	CC 19 0576 CC 19 0260	119	2	20	1	125	123	116	3.53 93	0.12 127	1.89 70	5.48 100	4.50 58	6.35 76	-1.75 123	-6.15 56	108	5			
CRL 22 0123 96078449	10.94	CRL 19 0110 CRL 17 0135	5	2	2	2	111	120	101	3.26 51	0.13 125	1.76 40	3.96 100	-0.90 29	2.84 42	-3.65 107	10.86 41	5				
CCS 22 0159 94633559	3.97	JW 21 0080 CCS 20 0371	145	2	5	2	95	94	85	1.14 94	-1.73 105	-1.16 56	0.39 68	2.40 38	0.85 105	-2.56 98	3.24 49	137	7			
CCS 22 0202 94631892	1.67	CCS 20 0240 CCS 19 0252	29	3	3	1	86	95	85	0.12 81	-0.45 96	-0.40 52	0.43 90	-2.50 38	-1.84 86	-1.43 31	-4.40 106	105	8			
FJD 22 0203 97179402	2.56		17	1			100	89	112	-1.59 65	1.09 80	0.29 6	-2.88 117	1.60 5	0.46 102	-3.38 27	-4.74 96					
CCS 22 0213 94633757	4.49	CCS 20 0263 CCS 13 0013	54	1	4	1	101	105	89	2.08 88	-0.84 114	0.20 53	1.33 83	-1.40 39	0.40 91	-2.26 96	-10.31 38	100	15			
CRL 22 0232 96119573	2.59	CRL 20 1104 CRL 20 0509					101	95	109	-0.61 29	0.92 89	0.61 28	-1.79 114	0.50 20	0.61 98	-5.46 27	3.39 97	1				
CCS 22 0246 94631595	1.54	CCS 20 0240 KERN 19 0204	84	3	2	1	103	120	96	2.88 90	0.25 121	1.69 51	5.08 102	-1.50 30	2.23 90	3.94 61	3.21 104	171	9			
CCS 22 0287 94632114	30.33	JW 21 0080 JW 19 0004	52	1	1	1	119	108	106	2.60 87	-1.05 119	0.25 51	2.06 80	6.20 34	5.28 120	-4.44 61	0.67 118	160	9			
CCS 22 0335 94636818	1.30	CCS 18 0500 CCS 20 0096	9	1	2	1	103	99	98	1.03 73	-0.57 104	-0.06 53	0.37 88	1.40 43	1.30 101	-3.12 58	-10.42 35	140	8			
CCS 22 0337 95998712	1.36	CCS 20 0009 CCS 21 0185	15	1	3	1	88	84	100	-1.91 75	0.59 77	-0.36 47	-3.24 108	-0.80 36	-1.80 93	-5.69 55	5.11 86	88	2			
OC 22 0360 94222254	2.42	OC 21 0041 SS 16 5420	6	2	1	1	90	82	92	-0.90 58	-1.03 87	-1.48 43	-2.27 80	2.90 30	-0.19 107	-8.70 46	25.79 31	155	10			
CC 22 0386 95155172	5.64	CC 21 0025 CC 19 0607	65	2	3	1	109	115	101	2.57 88	0.07 119	1.35 56	3.82 99	0.50 47	2.94 98	3.49 66	-9.90 107	107	5			

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
				Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index								
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 22 0392 95155859	4.09	CC 21 0188 CC 17 0773	89	3	13	1	103	99	101	0.80 91	-0.43 102	-0.03 95	0.59 101	4.70 52	3.19 72	2.27 109	9.69 41	139	10	
CC 22 0597 95155230	6.73	CC 20 0716 CC 21 0563	81	2	11	1	97	103	100	0.46 90	0.56 99	0.79 108	1.52 106	-0.40 47	0.78 94	1.17 98	2.87 37	110	4	
FJD 22 0777 106968373	2.56															-7.76 5	120			
FJD 22 0819 106968381	2.56																			
PDR 22 1004 107378986	2.56															-8.34 33	3.20 31	91		
LM 22 1507 96154307	1.28	LM 20 0949 LM 20 0862	114	3	1	1	100	96	111	-0.73 92	0.93 88	0.57 114	0.11 102	1.50 15	1.10 49	-3.78 99	0.22 33	96	5	
NM 22 1737 97117980	2.56	JW 20 0079 - - -			2	1	88	87	94	-0.97 33	-0.28 86	-0.77 93	-1.02 87	2.10 15	0.01 104	1.32 94	7.95 54	83		
DVS 22 2394 95207080	2.97	CC 20 0687 DVS 19 9026					121	109	117	1.67 65	0.30 110	1.13 103	1.49 108	7.60 43	6.53 125	7.55 55	-8.01 39	109	152	
RN 23 0002 99154791	1.39	LM 17 1524 LM 19 0400	6	2	1	1	93	99	96	0.17 54	0.31 96	0.40 103	0.19 100	0.80 15	0.96 37	3.43 98	21.71 46	64	5	
PMS 23 0009 95713202	2.59	CC 20 0034 PMS 20 0125	48	1			93	108	104	0.02 85	2.06 95	2.08 50	1.05 134	-4.60 37	-0.67 78	6.50 60	-4.42 91	103	105	
DM 23 0014 96764022	5.66	JW 21 0255 KI 16 0123	9	1	1	1	113	106	117	0.91 73	0.69 103	1.15 53	1.15 110	1.60 41	2.56 102	-16.17 58	11.15 106	11	128	
CC 23 0017 96793724	2.03	KI 20 0260 M 18 0113	93	1	2	1	108	114	107	1.84 91	0.85 112	1.77 55	3.08 113	-0.30 41	2.51 95	0.33 66	-1.13 105	6	144	
KH 23 0020 96960885	1.73	KH 21 0015 KH 17 0010	2	1			101	106	103	0.86 43	0.78 103	1.21 34	1.22 111	-1.70 10	0.62 89	-1.16 32	-4.31 97	7	133	
DM 23 0026 96796180	5.64	JW 14 0187 DM 21 0073	38	1	3	1	105	99	108	0.42 85	-0.02 99	0.20 52	1.19 98	4.80 38	3.28 114	-1.31 61	8.65 109	5	100	
DM 23 0039 96796362	1.74	JW 14 0187 JW 18 0053	65	2	16	1	91	91	83	0.54 89	-1.33 100	-1.06 62	-0.86 75	-0.90 44	-1.33 93	-6.99 68	-0.69 88	8	126	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breedin	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned EBV Acc	TWW		AFL EBV Acc	ILP		Dam				
		Sire ID Dam ID	Prog Weaned	Nr Herds	Prog Weaned				Nr Herds	Dir EBV Acc	Mat EBV Acc	Comb EBV Index		EBV Acc	EBV Acc		Index	Index	Index	Index	EPI	Times Lambded	
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CRL 23 0051 109647818	8.72	CRL 20 0528 CRL 19 0170	3	2			104	101	103	0.83 45	0.06 102	30	99	0.48 101	-0.05 30	97	1.80 23	1.97 103	-4.69 32	10.90 113	35 79	4	
XAN 23 0066 107845323	2.55	JW 21 0037 JW 14 0265					99	89	107	-1.07 24	0.41 85	22	105	-0.13 94	-2.18 22	86	2.00 18	0.54 104	-5.93 22	0.69 96	26 116	11	
JW 23 0085 96494554	5.19	JW 20 0141 JW 19 0153	100	2	10	1	113	116	105	2.86 91	-0.34 121	54	92	1.09 107	4.25 88	121	3.40 33	4.56 109	-4.89 63	18.63 115	39 66	91	7
JW 23 0086 101300622	2.55	JW 21 0037 JW 19 0019	2	1			106	88	113	-1.05 37	0.21 85	23	101	-0.32 92	-2.56 22	84	4.30 18	1.73 112	-10.19 27	1.88 102	26 23	4	
OC 23 0097 96460142	4.83	BEP 19 0193 OC 21 0129					99	88	104	-0.79 46	-0.33 88	30	92	-0.72 88	-1.55 25	89	2.40 21	0.33 105	-14.10 34	9.06 95	39 36	4	
CC 23 0109 96783154	5.97	CC 21 0025 CC 21 0161	32	2			95	101	90	1.09 82	-0.34 105	53	92	0.21 98	1.05 81	104	-0.40 46	0.51 94	5.79 63	-9.86 96	38 44	116	5
JW 23 0140 97357297	11.51	JW 21 0115 JW 22 0102	3	1			93	87	95	-0.62 53	-0.57 89	39	88	-0.88 86	-1.58 40	89	3.80 30	1.09 111	-0.38 42	15.40 99	39 37	2	
CRL 23 0157 108074444	2.77		3	2				90		-1.41 34	1.08 82	5	117	0.38 100	-2.63 5	83	1.60 5	0.63 102	-7.95 14		5		
DM 23 0167 97603773	6.00	JW 19 0105 KM 20 1821	102	1	4	1	84	83	87	-1.01 92	-0.80 85	56	84	-1.31 82	-2.20 86	86	-0.30 40	-2.00 95	-6.94 66	10.18 85	40 46	100	2
CRL 23 0182 100399344	9.01	CRL 19 0106 CRL 20 0243			1	1	109	101	113	0.41 40	0.76 99	40	111	0.97 106	-0.65 32	94	1.90 24	2.31 103	-5.67 36	3.08 105	41 39	122	6
CCS 23 0199 97016232	1.89	CCS 22 0088 CCS 20 0288	15	3			92	97	94	0.09 75	0.30 96	46	103	0.35 99	-0.67 67	94	-2.00 35	-0.81 88	-0.27 55	0.64 90	32 34	126	7
DM 23 0200 97820922	3.91	JW 16 0456 CRL 16 0080	13	1			111	116	112	1.79 75	1.25 111	55	120	2.15 119	2.74 73	113	-1.10 43	2.38 92	-4.30 60	1.65 105	53 50	70	12
JW 23 0220 97819593	13.02	JW 21 0115 JW 19 0163	39	2			101	87	103	-0.61 81	-0.60 89	40	87	-0.91 86	-1.53 38	89	6.00 30	2.39 119	-1.20 53	2.48 105	39 37	5	
CCS 23 0239 97016562	1.79	CCS 22 0088 CCS 19 0234	5	1			102	103	101	0.91 68	0.12 103	46	100	0.57 102	1.21 59	104	-0.10 27	0.97 96	-3.64 50	-4.26 98	25 24	157	9
CCS 23 0305 97083315	1.43	CCS 21 0335 CCS 17 0064	15	2			100	98	100	0.38 76	-0.07 98	49	97	0.12 97	0.51 67	101	0.50 38	0.61 98	-4.71 57	-6.58 97	35 34	109	9

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL	ILP	Dam
		Sire ID Dam ID	Prog Weaned	Nr Herds	Prog Weaned				Nr Herds	Dir EBV Acc Index				Mat EBV Acc Index	EBV Index			
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CCS 23 0417 97306419	2.49	CCS 21 0335 CCS 22 0043				92	89	88	-0.03 64	-0.92 45	-0.93 86	-1.19 57	0.20 33	-0.83 50	-1.76 29	-12.68 33	104 3	
CC 23 0614 98182306	4.93	CC 21 0483 CC 20 0373	2	1		118	112	118	1.66 67	0.68 52	1.51 112	2.46 65	5.60 43	5.70 56	0.65 120	9.15 37	125 6	
CC 23 0615 98182314	4.93	CC 21 0483 CC 20 0373	97	1		124	121	121	2.76 91	0.78 53	2.16 119	4.20 65	5.60 43	6.90 65	0.64 126	9.15 37	125 6	
CRL 23 0625 100399369	7.72	JW 18 0879 CRL 19 0412	4	3		105	84	107	-0.90 53	-0.64 37	-1.09 84	-2.89 45	4.70 27	1.28 41	-10.86 37	-12.67 40	6	
CC 23 0693 98181407	4.67	CC 20 0456 CC 18 0367	1	1		119	108	120	1.28 68	0.64 55	1.28 109	1.45 68	6.50 47	5.82 58	2.18 44	2.03 42	197 7	
CC 23 0744 98181431	6.50	CC 21 0374 CC 22 0583	2	1		111	103	115	0.70 68	0.43 50	0.78 104	1.26 67	5.50 41	4.43 55	-1.63 114	11.19 37	117 3	
CC 23 0902 98833783	2.77	CC 23 0003 CC 18 0704	78	2		99	104	106	0.29 90	1.02 46	1.16 108	1.38 86	-1.20 37	0.58 61	-3.22 33	1.99 33	151 9	
DM 24 0003 98650757	10.08	JW 19 0009 JW 18 0812	12	1		98	107	96	1.38 74	0.00 52	0.69 103	2.67 75	1.30 39	2.16 57	5.54 46	9.38 47	82 7	
DM 24 0035 99508061	3.69	JW 19 0105 JW 22 0078	19	1		118	117	120	1.87 78	1.42 52	2.35 121	3.00 78	0.80 39	3.77 59	-4.61 37	-1.00 41	100 6	
JW 24 0055 99577959	11.94	JW 21 0285 JW 21 0125				109	85	111	-0.74 36	-0.68 30	-1.05 84	-2.38 29	7.30 23	2.96 31	-8.69 29	-7.23 32	4	
EBS 24 0108 100363811	11.28	JW 21 0219 JW 18 0833				104	85	106	-0.70 38	-0.79 33	-1.14 83	-1.80 32	6.80 26	2.59 33	-6.39 106	-0.49 35	9	
YM 24 0200 111723839	2.91																	
CCS 24 0203 100113869	26.33	CCS 18 0219 CCS 20 0347	7	2		112	110	107	2.07 71	-0.08 52	0.95 106	2.54 40	0.90 42	2.53 57	-10.60 36	2.82 39	117 5	
FJD 24 0218 112371299	2.91	- - - FJD 23 0805				96	94	103	-0.52 5	0.05 5	-0.22 93	0.73 5	0.50 5		-8.76 5	-5.16 5	2	
OC 24 0419 107472136	4.51	CRC 09 0340 OC 21 0343				84	97	79	0.67 54	-0.39 51	-0.05 95	-0.12 54	-2.90 48	-1.45 51	9.73 48	-4.33 49	3	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
		Weaned	Herds	Weaned	Herds	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
DM 25 0112 107679318	6.49	DM 23 0026 DM 22 0103				100	102	100	0.90 63	-0.16 103	0.29 99	1.80 52	2.90 30	2.48 47	1.97 32	7.97 83	103	3
		Sire Flock Average: Nr of sires used in the flock: 166				100	98	99	0.50	-0.12	0.13	0.20	1.69	1.40	-1.38	2.24		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV	
			Progeny	Progeny	Acc	Index				Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
1	CC 22 0120 93923902	4.78	CC 19 0576 CC 19 0260	119	2	20	1	125	123	116	3.53 93	0.12 127	1.89 116	5.48 87	4.50 58	6.35 76	-1.75 106	-6.15 48	108	5	
2	CC 23 0615 98182314	4.93	CC 21 0483 CC 20 0373	97	1			124	121	121	2.76 91	0.78 120	2.16 119	4.20 65	5.60 43	6.90 65	0.64 101	9.15 37	82	125	6
3	YM 25 0951 111306106	6.15	DVS 22 2394 DVS 24 4163					124	111	122	1.83 46	0.52 112	1.44 111	2.13 40	8.30 31	7.33 39	5.93 26	-3.74 89	102	87	1
4	CRL 25 0086 110007689	5.69	CRL 22 0123 CRL 20 0243					122	131	109	4.77 51	0.47 136	2.86 126	5.60 25	0.00 19	5.24 36	-2.49 108	4.04 32	90	122	6
5	YM 25 0930 111306098	5.52	DVS 22 2394 DVS 24 4134					121	117	118	2.32 46	0.81 116	1.97 117	2.78 36	5.50 29	6.42 38	7.33 23	-2.45 86	100	87	2
6	YM 26 0348 113611065	0.77	DM 22 0081 CC 22 0527					121	104	118	1.47 66	-0.37 108	0.37 100	1.73 50	8.00 33	5.91 50	-7.05 121	2.74 36	92	99	4
7	YM 26 0349 113611024	0.77	DM 22 0081 CC 22 0527					121	104	118	1.47 66	-0.37 108	0.37 100	1.73 50	8.00 33	5.91 50	-7.05 121	2.74 36	92	99	4
8	YM 26 0662 113769236	7.91	CC 23 0615 CC 23 0481					121	121	116	2.91 64	0.57 122	2.03 117	4.52 47	4.50 33	6.19 48	2.96 30	3.14 29	91	109	3
9	YM 26 0124 112472196	5.23	CC 21 0515 CC 19 0484					119	119	113	2.79 66	0.39 121	1.79 115	3.99 59	4.30 42	5.77 112	5.60 41	-6.77 37	107	113	6
10	YM 25 0928 111306056	5.76	DVS 22 2394 DVS 24 4100					119	111	116	1.81 46	0.51 112	1.41 111	1.94 35	5.60 29	5.68 38	5.58 24	-8.75 27	110	87	1
11	CC 23 0693 98181407	4.67	CC 20 0456 CC 18 0367	1	1			119	108	120	1.28 68	0.64 107	1.28 109	1.45 68	6.50 47	5.82 58	2.18 44	2.03 42	93	197	7
12	YM 26 0027 113610372	0.79	DM 22 0081 CC 18 0558					119	98	114	1.07 61	-0.88 105	-0.34 92	0.27 53	8.00 36	5.00 49	-9.70 35	-1.93 36	99	150	8
13	DM 22 0081 94920071	2.42	JW 18 0879 SS 15 4150	141	2	5	1	118	97	107	1.77 93	-1.70 111	-0.81 87	0.08 72	7.50 35	4.57 65	-17.47 46	5.13 48	88	83	11
14	CC 23 0614 98182306	4.93	CC 21 0483 CC 20 0373	2	1			118	112	118	1.66 67	0.68 110	1.51 112	2.46 65	5.60 43	5.70 56	0.65 38	9.15 37	82	125	6

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Prog	Nr	Prog	Nr				Dir	Mat								EPI	Times																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			Weaned	Herds	Weaned	Herds				EBV	EBV								EBV	EBV	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index		ILP EBV Acc Index		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index					EPI	Times Lambd				
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
29	YM 26 0329 113610893	6.57	CC 23 0615 CC 22 0348				115	116	113	2.20 65	0.70 41	1.80 115	2.96 47	3.40 34	4.94 49	3.03 96	7.96 30	112	4		
30	YM 26 0553 113612550	2.56	CC 21 0515 YM 22 0078				115	120	108	2.96 59	0.53 43	2.01 107	4.14 121	0.30 30	3.66 46	0.15 32	-4.81 26	118	3		
31	CC 23 0024 96793864	2.82	KI 20 0260 CC 19 0056				114	132	102	5.07 66	0.40 54	2.93 105	7.37 136	-0.90 43	4.93 56	5.00 43	2.70 41	155	6		
32	YM 26 0745 113775480	7.13	DM 22 0081 JW 23 0115				114	90	112	0.22 62	-1.01 37	-0.90 86	-1.34 40	8.60 23	4.37 43	-9.77 31	3.22 32	94	3		
33	DM 25 0220 109584961	3.35	JW 23 0085 DM 23 0180				114	121	108	3.01 63	0.50 41	2.01 107	4.13 120	0.10 27	3.58 46	-5.37 34	14.88 32	109	3		
34	YM 25 0937 111306023	5.12	DVS 22 2394 DVS 24 4167				114	105	114	1.00 46	0.38 37	0.88 105	0.98 103	6.20 30	5.10 39	4.83 25	-0.69 28	87	1		
35	YM 25 0936 111306171	5.12	DVS 22 2394 DVS 24 4167				114	105	114	1.00 46	0.38 37	0.88 105	0.98 103	6.20 30	5.10 39	4.83 25	-0.69 28	87	1		
36	CC 23 0460 98180441	5.69	CC 21 0483 CC 19 0422				113	111	111	1.82 64	0.43 52	1.34 110	2.46 66	4.50 44	4.95 55	4.25 40	6.93 41	108	6		
37	CC 23 0703 98181969	6.31	CC 22 0031 CC 20 0155				113	118	107	2.75 65	0.38 53	1.76 104	4.08 120	2.20 45	4.45 56	4.39 44	1.71 41	98	3		
38	YM 26 0952 114478506	5.58	CC 23 0615 CC 24 0011				113	108	109	1.81 56	-0.12 37	0.78 104	2.49 47	5.20 31	4.81 43	-0.06 28	7.01 103		1		
39	YM 25 0617 111096509	2.77	CC 21 0515 YM 23 0157				113	118	108	2.52 58	0.60 42	1.86 108	3.57 117	0.30 30	3.30 45	0.15 32	-4.81 26	108	2		
40	YM 26 0717 113775159	7.05	DM 22 0081 JW 22 0280				113	93	107	0.75 60	-1.22 35	-0.85 87	-0.73 39	7.10 23	3.79 42	-10.97 28	4.35 30	99	1		
41	YM 25 0074 111087169	2.11	LM 22 1507 CC 22 0357				112	106	117	0.68 65	0.82 37	1.15 108	1.72 57	4.20 30	4.01 46	-0.22 30	-4.74 31	127	4		
42	YM 25 0574 111092730	8.18	JW 18 0879 EBS 24 0012				112	91	110	0.27 57	-1.00 41	-0.87 86	-0.79 38	6.80 30	3.35 45	-12.34 37	-0.77 39	101	2		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights						EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV	EBV
			Weaned	Herds	Weaned	Herds				Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
57	YM 26 0998 114488497	1.31	DM 22 0081 CCS 23 0521				110	97	104	1.12 56	-1.02 105	-0.46 91	0.22 46	4.30 22	2.68 112	-11.88 27	-0.37 97	96 2			
58	YM 26 0999 114488422	1.31	DM 22 0081 CCS 23 0521				110	97	104	1.12 56	-1.02 105	-0.46 91	0.22 46	4.30 22	2.68 112	-11.88 27	-0.37 97	96 2			
59	YM 26 0620 113768071	3.45	CC 23 0614 YM 24 0403				110	112	110	1.61 53	0.68 110	1.49 112	2.48 37	1.70 24	3.31 109	-0.38 103	2.40 21	99 1			
60	YM 26 1002 114488430	3.93	CC 23 0017 CC 22 0576				110	107	111	1.21 57	0.33 106	0.93 106	1.82 48	4.10 33	4.00 112	-1.36 106	11.46 32	89 3			
61	YM 26 0048 111942421	2.56	DM 22 0081 YM 22 0089				110	104	105	1.47 57	-0.33 108	0.41 100	1.03 36	1.70 18	2.17 102	-10.31 23	-1.22 98	99 2			
62	YM 26 0665 113769251	4.75	DM 22 0081 CRL 22 0074				110	92	106	0.46 61	-0.80 99	-0.57 90	-1.32 39	4.70 21	2.47 114	-11.14 31	-3.16 101	116 5			
63	YM 26 0176 112630421	2.56	CC 23 0615 YM 22 0162				110	113	109	1.85 56	0.66 112	1.58 113	2.82 33	0.70 21	2.93 107	-1.26 105	0.79 18	99 1			
64	CCS23 0163 97015911	6.45	JW 21 0080 CCS 22 0012				110	100	101	1.49 65	-1.01 109	-0.26 93	0.68 59	5.00 37	3.48 115	-1.02 105	-8.17 37	161 6			
65	YM 25 0563 111092037	5.19	CC 23 0902 CC 23 0800				110	112	109	1.63 64	0.58 110	1.39 111	2.87 54	1.80 30	3.29 109	-0.58 104	0.97 27	120 3			
66	YM 26 1036 114491822	1.21	CC 23 0615 RN 23 0018				110	106	111	1.16 47	0.26 106	0.84 105	1.84 33	3.50 22	3.51 110	-4.92 114	11.33 26	91 3			
67	YM 26 0112 112471974	2.55	DM 22 0081 YM 21 0052				110	103	106	1.31 58	-0.24 107	0.42 100	0.84 36	1.70 18	2.09 102	-10.31 23	-1.22 98	108 2			
68	YM 26 0643 113768600	0.76	DM 22 0081 CC 22 0313				110	104	99	2.13 65	-1.00 115	0.07 96	1.19 49	3.50 31	3.24 109	-4.96 114	6.95 33	125 4			
69	YM 26 0651 113769020	2.55	CC 23 0615 YM 21 0059				109	112	109	1.72 57	0.69 111	1.55 112	2.66 33	0.70 21	2.82 107	-1.26 105	0.79 18	106 1			
70	YM 26 0271 113610109	2.59	CC 22 0120 YM 20 0042				109	113	105	2.14 57	0.27 115	1.35 110	3.31 44	0.10 29	2.48 105	-2.45 108	-6.86 24	104 1			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL EBV Acc Index	ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index				EBV Acc Index	EBV Acc Index		EPI	Times Lambd		
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
71	YM 26 0320 113610828	2.59	CC 23 0615 YM 20 0130				109	112	108	1.75 56 111 30 109		1.50 112 33 112	2.67	0.70 21 99	2.80 38 107	-1.26 19 105	0.79 18 95	99	1		
72	YM 25 0045 111087250	1.57	LM 22 1507 CC 23 0085				109	104	110	0.90 65 103 35 103		0.76 104 57 107	1.68	3.30 26 109	3.19 44 109	-0.12 28 103	-7.63 29 108	115	3		
73	YM 26 0622 113768105	4.26	CC 23 0693 YM 24 0421				109	110	109	1.45 53 108 34 108		1.31 110 38 111	2.40	2.20 26 104	3.36 39 109	0.52 25 101	5.24 23 88	99	1		
74	YM 26 0126 112472154	7.03	CC 21 0515 CC 23 0583				109	98	105	0.85 65 103 48 88		-0.17 94 57 101	0.62	6.80 39 122	4.34 52 114	2.77 39 96	0.15 35 96	107	2		
75	YM 25 0032 111087326	3.99	CC 21 0095 CC 18 0372				109	97	107	0.60 67 100 55 89		-0.23 93 60 100	0.33	7.00 48 123	4.27 58 114	1.54 44 99	1.17 42 94	141	8		
76	YM 26 0626 113768121	2.59	CC 22 0120 YM 20 0219				108	112	104	2.08 59 114 42 101		1.22 109 44 115	3.19	0.10 29 96	2.32 46 105	-2.45 28 108	-6.86 24 107	115	2		
77	YM 26 0831 113792873	4.81	CC 23 0693 YM 25 0006				108	111	101	2.18 47 115 37 96		0.97 106 45 112	2.59	2.50 31 106	3.56 39 110	5.18 32 91	-2.20 28 100		1		
78	YM 25 0365 111092342	7.12	CC 21 0374 CC 22 0395				108	90	114	-0.51 65 90 50 91		-0.63 89 59 96	-0.39	8.90 41 130	4.45 54 114	-4.25 40 112	10.24 37 80	94	2		
79	YM 26 0801 113792592	1.82	CC 23 0693 YM 25 0022				108	105	108	1.05 45 105 33 103		0.83 105 39 104	1.16	2.80 26 107	3.03 36 108	0.14 27 102	-0.84 24 97		1		
80	YM 26 0891 114300478	5.68	CC 23 0614 YM 25 0531				108	106	105	1.45 46 108 34 96		0.65 103 43 108	1.90	4.20 27 112	3.89 37 112	0.82 27 101	9.79 23 81		1		
81	YM 26 0104 112471883	5.48	CC 21 0515 CC 23 0157				108	103	102	1.46 66 108 49 89		0.24 98 57 104	1.22	3.80 40 111	3.25 53 109	2.06 39 98	-8.41 36 110	113	3		
82	YM 26 0268 113610091	2.56	DM 22 0081 YM 22 0077				108	102	102	1.39 57 108 31 88		0.13 97 36 102	0.82	1.70 18 102	1.85 38 102	-10.31 23 126	-1.22 24 98	99	1		
83	CC 22 0408 95156659	5.39	CC 21 0188 CC 19 0050				108	109	110	1.20 66 106 55 112		1.40 111 67 108	1.85	2.40 48 105	3.44 58 110	2.29 46 97	7.75 44 84	106	5		
84	YM 26 0187 112630603	1.87	CC 23 0615 CC 21 0217				108	106	108	1.18 46 106 27 105		1.01 106 33 106	1.43	2.60 22 106	3.16 33 108	-0.60 23 104	6.33 23 86		1		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam			
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EPI	Times Lambd		
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
85	YM 26 0754 113775613	1.72	DM 22 0081 SM 21 0167				108	93	106	0.34 61	-0.63 33	-0.46 91	-1.17 36	4.30 18	2.29 40	-10.69 26	2.94 29	100	3		
86	CC 23 0017 96793724	2.03	KI 20 0260 M 18 0113	93	1	2	1	108	114	107	1.84 91	0.85 55	1.77 115	3.08 66	-0.30 41	2.51 66	0.33 49	-1.13 40	144	6	
87	YM 26 0884 114300320	2.67	DM 25 0112 OC 23 0306					108	105	113	0.68 35	0.63 29	0.97 106	2.11 26	2.70 16	2.93 28	-3.87 17	1.62 17	99	3	
88	YM 26 0284 113610513	2.59	DM 22 0081 YM 20 0060					108	101	103	1.28 58	-0.49 33	0.15 97	0.70 36	1.70 18	1.81 39	-10.31 23	-1.22 24	105	1	
89	DM 25 0283 109738393	14.70	DM 23 0200 DM 23 0075					108	111	108	1.39 49	1.12 39	1.82 115	1.27 48	-1.20 31	1.79 41	-0.13 36	-3.70 38	86	3	
90	YM 26 0627 113768188	2.59	CC 22 0120 YM 20 0219					108	112	104	1.95 59	0.19 42	1.16 108	3.02 44	0.10 29	2.20 46	-2.45 28	-6.86 24	115	2	
91	YM 25 0535 111091963	5.12	CC 23 0902 CC 18 0457					108	110	110	1.27 66	0.87 45	1.50 112	2.14 58	0.90 38	2.67 51	-0.86 32	4.14 32	187	7	
92	YM 26 0052 111942488	2.59	CC 23 0615 YM 20 0227					108	110	107	1.49 58	0.62 34	1.36 110	2.31 33	0.70 21	2.53 40	-1.32 20	0.96 18	105	2	
93	YM 26 0185 112630553	2.91	CC 23 0615 YM 24 0098					108	110	107	1.56 56	0.57 30	1.35 110	2.39 33	0.70 21	2.55 38	-1.26 19	0.79 18	99	2	
94	YM 26 0979 114488208	4.19	CC 23 0693 YM 25 0475					108	105	109	0.90 41	0.60 32	1.06 107	1.25 38	2.20 26	2.83 34	0.36 27	-1.16 23		1	
95	YM 26 0135 112472212	15.08	CC 23 0017 CC 23 0083					108	108	105	1.51 65	0.24 42	1.00 106	2.10 47	2.30 31	3.14 48	2.84 34	-3.42 30	111	3	
96	YM 26 0134 112472253	15.08	CC 23 0017 CC 23 0083					108	108	105	1.51 65	0.24 42	1.00 106	2.10 47	2.30 31	3.14 48	2.84 34	-3.42 30	111	3	
97	YM 25 0131 112600804	1.44	LM 22 1507 CC 23 0087					108	109	110	1.17 57	0.78 34	1.36 110	2.33 56	1.60 25	2.91 41	1.70 29	-2.59 29	105	3	
98	YM 26 0650 113769095	2.55	CC 23 0615 YM 21 0059					107	110	108	1.35 57	0.71 32	1.38 110	2.15 33	0.70 21	2.47 39	-1.26 19	0.79 18	106	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded			
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
99	YM 26 0642 113768584	0.76	DM 22 0081 CC 22 0313				107	101	98	1.69 65	-0.97 110	-0.13 94	0.60 49	3.50 31	2.82 48	-4.96 114	6.95 33	125 4		
100	YM 25 0637 111096038	2.77	CC 21 0515 YM 23 0121				107	110	105	1.60 59	0.52 110	1.32 110	2.28 46	0.30 30	2.30 46	0.15 102	-4.81 26	292 2		
101	YM 25 0543 111092656	5.15	CC 22 0392 CC 23 0481				107	106	105	1.38 64	0.00 108	0.69 103	1.97 57	4.00 36	3.77 50	3.77 94	3.41 31	109 3		
102	YM 25 0605 111096541	2.59	CC 21 0515 YM 20 0033				107	110	106	1.56 58	0.55 109	1.33 110	2.24 46	0.30 30	2.29 45	0.15 102	-4.81 26	108 2		
103	YM 26 0265 113610356	2.91	CC 23 0615 YM 24 0008				107	110	107	1.48 56	0.55 108	1.29 110	2.27 33	0.70 21	2.45 38	-1.26 105	0.79 18	98 1		
104	YM 25 0043 111113437	2.11	LM 22 1507 CC 22 0457				107	102	109	0.64 65	0.18 101	0.51 101	1.30 58	3.60 29	2.99 46	-3.85 111	4.74 30	113 4		
105	YM 25 0723 111096582	2.60	OC 23 0097 OC 23 0306				107	98	115	-0.16 28	0.54 107	0.46 101	0.43 13	2.40 11	1.82 23	-11.91 19	2.17 21	99 3		
106	YM 25 0722 111096442	2.60	OC 23 0097 OC 23 0306				107	98	115	-0.16 28	0.54 107	0.46 101	0.43 13	2.40 11	1.82 23	-11.91 19	2.17 21	99 3		
107	YM 26 0277 113610299	2.55	DM 22 0081 YM 21 0025				107	100	102	1.12 58	-0.52 105	0.04 96	0.46 36	1.70 18	1.61 39	-10.31 23	-1.22 24	105 1		
108	YM 26 0293 113610422	2.55	DM 22 0081 YM 21 0037				107	100	101	1.28 58	-0.65 107	-0.01 96	0.63 36	1.70 18	1.65 39	-10.31 23	-1.22 24	104 1		
109	YM 25 0432 111092078	5.48	CC 21 0374 CC 23 0573				107	103	107	1.00 65	-0.08 104	0.42 100	1.72 58	3.90 41	3.25 53	-3.43 110	9.28 38	95 2		
110	YM 26 0114 112472097	1.11	CCS 22 0159 CC 23 0085				107	103	97	1.86 66	-1.03 112	-0.10 95	1.86 51	3.80 31	3.11 49	0.50 101	-6.12 32	115 3		
111	YM 26 0607 113767941	2.56	CC 22 0120 YM 22 0161				107	110	103	1.75 56	0.19 111	1.06 107	2.74 44	0.10 29	2.00 43	-2.45 108	-6.86 24	100 1		
112	YM 26 1062 114492044	5.43	DM 22 0081 OC 23 0107				107	93	104	0.47 51	-0.79 99	-0.56 90	-0.76 38	3.40 20	1.72 36	-13.45 29	3.40 30	1		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index					
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
113	YM 26 0276 113610125	2.55	DM 22 0081 YM 21 0025			107	99	102	1.05 58	-0.52 105	0.01 96	0.37 36	1.70 18	1.55 39	-10.31 23	-1.22 98	105	1
114	YM 26 0024 111942249	2.55	DM 22 0081 YM 21 0029			107	100	102	1.12 58	-0.56 105	-0.01 96	0.45 36	1.70 18	1.58 40	-10.08 24	-1.59 99	105	2
115	YM 26 0337 113610901	2.56	DM 22 0081 YM 22 0156			107	100	101	1.18 57	-0.63 106	-0.04 95	0.50 36	1.70 18	1.57 38	-10.31 23	-1.22 98	99	1
116	YM 25 0459 111092326	6.25	CC 22 0392 CC 18 0526			106	101	107	0.59 66	0.24 102	0.54 101	0.30 59	4.60 41	3.59 54	4.31 38	3.57 90	143	7
117	YM 26 0709 113775191	3.41	DM 22 0081 NM 24 3143			106	93	104	0.40 60	-0.84 99	-0.64 89	-0.61 37	4.80 18	2.44 41	-8.94 105	3.71 90	105	2
118	YM 26 0115 112472113	29.44	CC 21 0515 CC 24 0023			106	96	107	0.31 65	-0.22 98	-0.06 95	0.01 57	6.00 38	3.70 52	2.68 38	1.35 94	113	2
119	YM 26 0657 113769087	2.77	CC 23 0615 YM 23 0140			106	108	107	1.17 57	0.64 106	1.23 109	1.89 33	0.70 21	2.23 39	-1.26 105	0.79 18	104	2
120	YM 26 0391 113611305	2.55	CC 23 0615 YM 21 0087			106	108	106	1.34 56	0.51 107	1.18 108	2.06 33	0.70 21	2.27 38	-1.26 105	0.79 18	99	1
121	YM 26 0360 113611099	2.59	CC 22 0120 YM 20 0113			106	109	103	1.64 56	0.16 110	0.98 106	2.58 44	0.10 29	1.85 43	-2.45 102	-6.86 108	99	1
122	YM 26 0668 113769293	2.77	DM 22 0081 YM 23 0167			106	99	101	1.06 57	-0.66 105	-0.13 94	0.33 36	1.70 18	1.42 38	-10.31 23	-1.22 98	100	1
123	YM 25 0596 111096103	2.77	CC 21 0515 YM 23 0070			106	109	102	1.61 58	0.25 102	1.06 107	2.19 46	0.30 30	2.04 45	0.15 102	-4.81 26	105	2
124	YM 25 0029 111088027	4.48	CC 21 0025 CC 18 0558			106	100	103	0.87 67	-0.26 103	0.18 98	0.87 61	3.20 48	2.53 58	2.12 45	-13.73 98	150	8
125	YM 26 0469 113611891	4.18	CC 21 0515 WS 19 2068			106	96	105	0.37 63	-0.36 98	-0.18 94	0.02 52	5.70 35	3.43 50	2.04 36	-0.67 97	110	2
126	YM 26 0529 113612337	2.77	CC 23 0615 YM 23 0022			105	108	105	1.26 58	0.48 106	1.11 108	1.94 33	0.70 21	2.15 40	-1.26 105	0.79 18	109	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambed		
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
127	YM 26 0421 113611685	2.77	CC 22 0120 YM 23 0212				105	109	103	1.59 56	0.14 110	0.93 106	2.50 44	0.10 29	1.79 43	-2.45 108	-6.86 24		99	1		
128	YM 25 0013 112600713	5.02	CC 21 0188 CC 23 0146				105	109	102	1.65 58	0.11 110	0.94 106	2.31 58	1.20 43	2.48 51	-1.37 105	6.85 39			1		
129	YM 26 0199 112630728	1.96	DM 22 0081 SM 19 0308				105	93	102	0.50 58	-1.11 99	-0.87 86	0.12 36	4.00 18	1.79 39	-13.08 24	-0.03 96		100	4		
130	JW 23 0268 97993943	3.20	JW 21 0285 JW 19 0137				105	89	108	-0.55 38	-0.32 90	-0.59 89	-1.87 32	4.60 21	1.89 31	-9.19 103	0.13 28			6		
131	YM 26 0495 113612097	2.59	CC 23 0615 YM 20 0032				105	107	105	1.19 56	0.46 106	1.06 107	1.84 33	0.70 21	2.07 38	-1.26 103	0.79 18		99	1		
132	YM 26 0366 113611222	2.55	DM 22 0081 YM 21 0043				105	98	101	0.90 58	-0.62 103	-0.17 94	0.13 36	1.70 18	1.30 39	-10.31 23	-1.22 98		104	1		
133	YM 26 0169 112630223	0.77	DM 22 0081 CC 23 0118				105	97	99	0.98 65	-0.81 104	-0.32 92	-0.13 50	2.60 31	1.73 48	-7.03 102	-2.00 33		101	3		
134	YM 26 0313 113610752	2.77	CC 23 0615 YM 23 0180				105	107	105	1.14 58	0.48 105	1.05 107	1.78 33	0.70 21	2.05 40	-1.26 103	0.79 18		108	2		
135	YM 26 0554 113612477	2.59	CC 21 0515 YM 20 0165				105	108	103	1.38 60	0.34 104	1.03 107	1.91 46	0.30 30	1.91 47	0.15 103	-4.81 26		112	2		
136	YM 25 0734 111486833	3.79	CC 23 0017 CC 23 0525				105	107	100	1.53 57	0.07 99	0.84 105	1.91 47	0.50 31	1.90 44	3.45 103	-16.12 29		104	3		
137	YM 26 0907 114300569	2.56	DM 22 0081 YM 22 0147				105	97	102	0.70 47	-0.49 101	-0.14 94	-0.09 36	1.70 18	1.24 34	-10.31 23	-1.22 98		95	2		
138	YM 26 0383 113611370	6.36	CC 21 0515 CC 23 0749				105	96	101	0.79 65	-0.94 102	-0.54 90	0.69 57	6.50 39	3.76 52	-0.57 111	10.52 35		100	2		
139	YM 26 0068 112470505	2.77	CC 23 0017 YM 23 0159				105	113	106	1.46 57	1.06 108	1.79 115	2.51 33	-2.20 21	1.20 39	-1.41 25	-4.35 106		106	2		
140	YM 26 0699 113775100	2.77	CC 23 0615 YM 23 0010				105	107	105	1.08 58	0.51 105	1.05 107	1.71 33	0.70 21	2.01 40	-1.26 103	0.79 18		108	2		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Progeny	Progeny	Acc Index	Acc Index				EBV Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambbed	
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
141	YM 25 0620 111096400	2.59	CC 21 0515 YM 20 0204			105	108	102	1.45 58	0.28 108	1.01 42	1.97 103	0.30 30	1.91 45	0.15 32	-4.81 102	101	1
142	YM 26 0704 113775217	2.59	DM 22 0081 YM 20 0084			105	97	102	0.70 49	-0.49 101	-0.15 33	-0.10 89	1.70 18	1.22 36	-10.47 24	-0.82 126	101	2
143	YM 26 0705 113775175	2.59	DM 22 0081 YM 20 0084			105	97	102	0.70 49	-0.49 101	-0.15 33	-0.10 89	1.70 18	1.22 36	-10.47 24	-0.82 126	101	2
144	YM 25 0595 111092649	2.77	CC 21 0515 YM 23 0140			105	108	102	1.45 58	0.25 108	0.97 42	1.96 102	0.30 30	1.87 45	0.15 32	-4.81 102	104	2
145	YM 25 1022 112501010	2.56	CC 23 0615 YM 22 0069			104	106	105	1.11 55	0.44 105	0.99 30	1.72 106	0.70 21	1.97 38	-1.26 103	0.79 105	100	1
146	YM 26 0195 112630579	2.55	CC 22 0120 YM 21 0070			104	107	102	1.44 56	0.10 108	0.82 38	2.28 100	0.10 29	1.59 43	-2.45 101	-6.86 108	98	1
147	YM 26 0332 113610869	1.21	JW 19 0105 CC 23 0087			104	106	106	0.91 66	0.65 103	1.10 52	1.25 109	0.40 41	1.80 55	-1.41 102	2.27 106	105	3
148	YM 26 0710 113775209	2.56	CC 23 0615 YM 22 0092			104	107	102	1.47 57	0.12 108	0.86 33	2.08 100	0.70 21	2.01 39	-1.26 103	0.79 105	98	2
149	CC 22 0639 95157574	5.73	CC 20 0716 CC 21 0640			104	112	97	2.29 60	-0.08 116	1.07 45	2.80 96	0.30 39	2.39 49	3.56 105	1.54 94	90	2
150	YM 26 0555 113612493	2.59	CC 21 0515 YM 20 0165			104	107	103	1.23 60	0.35 106	0.97 44	1.71 104	0.30 30	1.76 47	0.15 32	-4.81 102	112	2
151	YM 26 0207 112630777	2.55	CC 22 0120 YM 21 0064			104	106	103	1.24 57	0.22 106	0.84 40	2.05 102	0.10 29	1.51 44	-2.45 101	-6.86 108	104	1
152	YM 26 0149 112472279	7.45	DM 23 0039 DM 23 0059			104	105	98	1.53 63	0.04 109	0.80 44	0.54 98	-0.70 31	1.15 48	-0.67 99	-6.91 104	135	4
153	YM 26 0116 112472063	29.44	CC 21 0515 CC 24 0023			104	93	106	-0.10 65	-0.19 94	-0.24 48	-0.54 95	6.00 38	3.31 52	2.68 109	1.35 96	113	2
154	YM 26 0443 113611768	2.56	CC 23 0615 YM 22 0057			104	106	104	1.10 57	0.37 105	0.92 33	1.68 104	0.70 21	1.89 39	-1.26 103	0.79 105	101	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								
			Weaned	Herds	Weaned	Herds				EBV	EBV								EBV
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
155 YM 26 0785 113792147	2.56	DM 22 0081 YM 22 0023					104	96	101	0.63 49 101	-0.57 33 88	-0.25 93	-0.23 36 96	1.70 18 102	1.08 36 99	-10.31 23 126	-1.22 24 98	101	2
156 YM 26 0240 112631023	2.59	DM 22 0081 YM 20 0082					104	96	100	0.78 58 102	-0.69 33 86	-0.30 92	-0.07 36 97	1.70 18 102	1.11 39 99	-10.31 23 126	-1.22 24 98	103	1
157 YM 26 0013 111941183	2.59	DM 22 0081 YM 20 0179					104	97	99	0.88 58 103	-0.77 35 84	-0.34 92	0.03 36 98	1.70 18 102	1.12 40 99	-10.31 23 126	-1.22 24 98	103	2
158 YM 26 0776 113792188	6.17	EBS 24 0108 EBS 24 0112					104	88	105	-0.33 29 92	-0.76 25 85	-0.92 86	-1.28 19 91	5.70 20 118	2.33 25 105	-6.71 22 118	0.33 23 96		1
159 YM 26 0002 111939849	8.14	DM 23 0039 DM 24 0005					104	101	102	0.96 61 104	-0.10 42 96	0.39 100	0.44 53 100	0.50 30 98	1.17 47 99	-8.26 31 121	4.60 28 89	109	2
160 YM 26 0175 112630454	2.77	DM 22 0081 YM 23 0207					104	96	99	0.81 57 102	-0.74 31 85	-0.33 92	-0.04 36 97	1.70 18 102	1.09 38 99	-10.31 23 126	-1.22 24 98	98	1
161 YM 25 0542 111092797	5.15	CC 23 0902 CC 23 0529					104	115	99	2.26 64 116	0.40 39 105	1.53 112	3.75 55 118	-1.40 32 91	1.82 47 102	2.00 29 98	-1.76 28 99	110	3
162 YM 26 0685 113769400	2.56	CC 23 0615 YM 22 0016					104	106	105	0.99 58 104	0.46 34 106	0.95 106	1.56 33 106	0.70 21 99	1.86 40 103	-1.26 19 105	0.79 18 95	109	2
163 YM 26 0180 112630470	2.55	CC 22 0120 YM 21 0084					104	107	101	1.36 56 107	0.07 38 99	0.76 104	2.17 44 110	0.10 29 96	1.50 43 101	-2.45 28 108	-6.86 24 107	98	1
164 YM 25 0026 111087243	7.31	CC 22 0597 CC 24 0040					104	106	105	0.97 63 104	0.46 41 106	0.94 106	1.80 56 108	1.60 32 102	2.39 47 105	2.00 32 98	1.73 28 93	101	3
165 YM 26 0530 113612287	2.77	CC 23 0615 YM 23 0022					103	105	105	0.88 58 103	0.50 34 107	0.94 106	1.43 33 106	0.70 21 99	1.80 40 102	-1.26 19 105	0.79 18 95	109	2
166 CC 23 0619 98182819	5.80	CC 22 0031 CC 19 0050					103	114	96	2.48 66 118	0.03 53 98	1.27 109	3.47 67 117	0.50 45 98	2.81 56 107	8.19 44 84	1.81 42 93	106	5
167 YM 26 0188 112630546	2.55	CC 23 0615 YM 21 0034					103	105	106	0.75 57 102	0.59 33 108	0.97 106	1.30 33 105	0.70 21 99	1.76 39 102	-1.26 19 105	0.79 18 95	104	2
168 YM 26 0698 113775092	2.77	CC 23 0615 YM 23 0010					103	105	105	0.83 58 102	0.52 34 107	0.94 106	1.37 33 105	0.70 21 99	1.77 40 102	-1.26 19 105	0.79 18 95	108	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights					EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EPI	Times Lambcd
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13
169 DM 25 0196 108813502	5.19	DM 22 0081 DM 23 0031					103	89	103	-0.05 64	-0.80 42	-0.82 87	-1.52 49	4.20 29	1.68 47	-13.00 32	14.23 34	100	3
170 YM 26 0100 112471867	2.77	CC 23 0017 YM 23 0166					103	111	104	1.36 57	0.91 35	1.60 113	2.32 33	-2.20 21	0.96 40	-1.41 25	-4.35 20	112	2
171 YM 25 0082 111087532	2.08	LM 22 1507 CC 22 0506					103	104	109	0.35 65	1.00 35	1.17 108	0.93 57	-0.10 28	1.28 45	-3.04 29	0.27 29	120	4
172 YM 26 0247 112631098	2.56	CC 22 0120 YM 22 0158					103	106	101	1.22 57	0.08 40	0.69 103	1.97 44	0.10 29	1.36 44	-2.45 28	-6.86 24	103	1
173 YM 26 0083 112470737	2.59	DM 22 0081 YM 20 0006					103	94	102	0.26 58	-0.39 35	-0.26 93	-0.66 36	1.70 18	0.89 40	-10.31 23	-1.22 24	106	2
174 YM 25 0380 111092839	4.99	CC 22 0392 CC 22 0420					103	90	104	-0.23 65	-0.58 47	-0.69 88	-0.79 58	8.00 38	4.00 52	6.38 36	2.34 32	105	3
175 YM 26 0516 113612196	2.55	CC 21 0515 YM 21 0073					103	105	102	1.11 58	0.27 43	0.82 104	1.51 46	0.30 30	1.56 46	0.15 32	-4.81 26	109	2
176 YM 26 0377 113611206	2.56	DM 22 0081 YM 22 0146					103	95	100	0.54 49	-0.66 35	-0.39 91	-0.38 36	1.70 18	0.90 36	-10.31 23	-1.22 24	109	2
177 YM 26 0758 113775506	2.91	CC 23 0615 YM 24 0026					103	105	103	0.99 58	0.28 35	0.77 104	1.49 33	0.70 21	1.69 41	-1.26 19	0.79 18	308	2
178 YM 26 0248 112631122	2.59	CC 22 0120 YM 20 0110					103	105	100	1.29 57	-0.03 40	0.61 102	2.02 44	0.10 29	1.32 44	-2.45 28	-6.86 24	103	1
179 YM 26 0047 111942454	2.77	CC 23 0615 YM 23 0078					103	104	103	0.85 56	0.36 30	0.79 104	1.34 33	0.70 21	1.64 38	-1.26 19	0.79 18	99	1
180 YM 26 0028 113610190	1.18	JW 19 0105 CC 24 0095					103	92	110	-0.70 58	0.27 51	-0.08 95	-1.07 56	4.00 42	1.97 52	-5.38 40	5.67 41	97	2
181 YM 26 0684 113769327	2.56	CC 23 0615 YM 22 0016					102	104	104	0.73 58	0.47 34	0.83 105	1.22 33	0.70 21	1.62 40	-1.26 19	0.79 18	109	2
182 YM 25 0923 111305918	12.25	CRL 23 0051 CRL 20 0144					102	97	103	0.31 35	0.07 30	0.22 98	-0.93 28	1.50 22	1.28 30	-5.07 30	5.64 32		5

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW		AFL		ILP		Dam	
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean		EBV	EBV	EBV	EBV	EPI	Times		
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV		Acc	Index	Acc	Index	Acc	Index	Acc	Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
¹⁸³ YM 25 0922 111305959	12.25	CRL 23 0051 CRL 20 0144				102	97	103	0.31 35	0.07 98	0.22 98	-0.93 28	1.50 22	1.28 102	-5.07 30	5.64 114	32 87	5				
¹⁸⁴ YM 26 0292 113610455		2.55	DM 22 0081 YM 21 0037				102	94	100	0.42 58	-0.61 99	-0.40 91	-0.52 36	1.70 18	0.83 98	-10.31 23	-1.22 126	24 98	104	1		
¹⁸⁵ YM 26 1022 114491830	2.59	CC 23 0615 YM 20 0052				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁸⁶ YM 26 0951 114478522	2.55	CC 23 0615 YM 21 0032				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁸⁷ YM 25 0859 111294542	2.56	CC 23 0615 YM 22 0067				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁸⁸ YM 25 0991 111306486	2.77	CC 23 0615 YM 23 0056				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	1				
¹⁸⁹ YM 26 1009 114488521	2.77	CC 23 0615 YM 23 0124				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	2				
¹⁹⁰ YM 25 0842 111294526	2.77	CC 23 0615 YM 23 0137				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁹¹ YM 25 0979 111306312	2.59	CC 23 0615 YM 20 0069				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	1				
¹⁹² YM 26 0965 114488133	2.91	CC 23 0615 YM 24 0035				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁹³ YM 26 0935 114478407	2.59	CC 23 0615 YM 20 0076				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁹⁴ YM 25 0844 111294591	2.56	CC 23 0615 YM 22 0017				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁹⁵ YM 26 1029 114491780	2.55	CC 23 0615 YM 21 0005				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	2			
¹⁹⁶ YM 25 0738 111095998	2.77	CC 23 0615 YM 23 0129				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 101	-1.26 19	0.79 105	18 95	85	1			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded		
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
197	YM 26 1021 114491871	2.59	CC 23 0615 YM 20 0052				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
198	YM 25 0992 111306536	2.77	CC 23 0615 YM 23 0088				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		1			
199	YM 26 1012 114488547	2.55	CC 23 0615 YM 21 0062				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
200	YM 25 0959 111306346	2.56	CC 23 0615 YM 22 0045				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
201	YM 26 1011 114488513	2.55	CC 23 0615 YM 21 0062				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
202	YM 25 0994 111394771	2.59	CC 23 0615 YM 20 0035				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
203	YM 25 0818 111293932	2.77	CC 23 0615 YM 23 0158				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
204	YM 26 0948 114478514	2.77	CC 23 0615 YM 23 0116				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
205	YM 25 0837 111294260	2.56	CC 23 0615 YM 22 0005				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	1			
206	YM 26 1024 114491798	2.56	CC 23 0615 YM 22 0020				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		2			
207	YM 26 0985 114488356	2.56	CC 23 0615 YM 22 0119				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
208	YM 26 0912 114300585	2.56	CC 23 0615 YM 22 0007				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
209	YM 26 1060 114492002	2.56	CC 23 0615 YM 22 0002				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18	85	2			
210	YM 25 1005 111395026	2.56	CC 23 0615 YM 22 0060				102	104	103	0.84 46	0.36 103	0.78 104	1.32 33	0.70 21	1.62 33	-1.26 19	0.79 18		1			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EPI
			EBV	Acc	Index	EBV				Acc	Index	EBV	Acc	Index	EBV	Acc	Index		EBV
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
211	YM 26 0697 113775084	2.56	CC 23 0615 YM 22 0140				102	104	102	1.01 58	0.22 34	0.72 103	1.49 33	0.70 21	1.65 40	-1.26 19	0.79 18	108	2
212	YM 26 0387 113611289	2.55	DM 22 0081 YM 21 0083				102	94	99	0.46 58	-0.68 35	-0.45 91	-0.50 36	1.70 18	0.81 40	-10.31 23	-1.22 24	108	2
213	YM 26 0113 112472105	1.11	CCS 22 0159 CC 23 0085				102	97	96	0.98 66	-0.98 43	-0.49 90	0.68 51	3.80 31	2.28 49	0.50 34	-6.12 32	115	3
214	YM 26 0065 112470463	5.73	CC 23 0017 CC 22 0340				102	109	98	1.81 64	-0.08 42	0.83 105	2.80 47	0.20 33	1.85 48	-1.84 34	7.94 31	112	4
215	YM 25 0021 111087474	2.55	CCS 22 0159 YM 21 0004				102	107	97	1.71 59	-0.08 36	0.77 104	2.04 38	-0.90 19	1.08 41	-2.54 25	-2.68 22	109	2
216	YM 26 0572 113612741	2.55	CCS 22 0159 YM 21 0004				102	107	97	1.69 59	-0.08 36	0.76 104	2.02 38	-0.90 19	1.07 41	-2.54 25	-2.68 22	109	2
217	YM 25 0636 111096475	2.55	CC 21 0515 YM 21 0075				102	105	100	1.16 57	0.14 40	0.72 103	1.53 46	0.30 30	1.48 44	0.15 32	-4.81 26	96	2
218	YM 26 0654 113769079	5.35	CC 23 0615 CB 24 0005				102	101	104	0.53 59	0.07 35	0.34 99	1.17 37	3.40 25	2.64 42	0.26 23	8.22 22	102	2
219	YM 26 1014 114488935	2.55	DM 22 0081 YM 21 0075				102	94	99	0.50 48	-0.71 31	-0.46 91	-0.46 36	1.70 18	0.81 35	-10.31 23	-1.22 24	96	2
220	YM 26 1015 114488901	2.55	DM 22 0081 YM 21 0075				102	94	99	0.50 48	-0.71 31	-0.46 91	-0.46 36	1.70 18	0.81 35	-10.31 23	-1.22 24	96	2
221	YM 25 0374 111092227	6.52	CC 21 0374 CC 22 0313				102	103	102	0.98 65	0.09 50	0.58 102	1.18 58	2.30 41	2.45 54	0.95 39	10.49 37	125	4
222	YM 26 0632 113768162	2.56	CC 23 0615 YM 22 0074				102	103	104	0.71 57	0.44 32	0.79 104	1.17 33	0.70 21	1.57 39	-1.26 19	0.79 18	104	1
223	YM 25 0018 112600739	6.27	CC 22 0031 CC 23 0452				102	108	91	2.37 58	-0.78 48	0.41 100	2.58 58	1.20 40	2.31 50	4.99 41	-1.39 36		1
224	YM 26 0730 113775316	2.56	DM 22 0081 YM 22 0064				102	94	99	0.48 57	-0.74 33	-0.50 90	-0.50 36	1.70 18	0.76 39	-10.31 23	-1.22 24	103	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded		
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
225	YM 25 0264 112500889	2.56	CC 23 0017 YM 22 0078				102	109	105	0.96 48	1.03 35	1.51 116	1.81 108	-2.20 21	0.67 88	-1.41 25	-4.35 106	118	3
226	YM 25 0263 112500871	2.56	CC 23 0017 YM 22 0078				102	109	105	0.96 48	1.03 35	1.51 116	1.81 108	-2.20 21	0.67 88	-1.41 25	-4.35 106	118	3
227	YM 25 0486 111071932	2.55	CC 23 0017 YM 21 0081				102	110	102	1.30 57	0.76 33	1.41 111	2.17 110	-2.20 21	0.74 88	-1.41 25	-4.35 106	100	2
228	YM 26 0010 111940680	2.77	CC 23 0615 YM 23 0030				102	103	103	0.75 56	0.33 30	0.71 104	1.19 104	0.70 21	1.50 99	-1.26 38	0.79 101	98	1
229	YM 26 0324 113610729	2.77	DM 22 0081 YM 23 0206				102	94	98	0.44 58	-0.76 33	-0.54 85	-0.56 90	1.70 18	0.70 102	-10.31 23	-1.22 126	103	1
230	YM 25 0618 111096251	2.56	CC 21 0515 YM 22 0064				102	104	100	1.06 58	0.11 41	0.64 100	1.38 105	0.30 30	1.35 97	0.15 45	-4.81 102	103	2
231	YM 26 0017 111941241	2.77	CC 23 0615 YM 23 0118				101	103	102	0.76 57	0.29 32	0.67 103	1.19 104	0.70 21	1.47 99	-1.26 39	0.79 101	95	2
232	YM 26 0927 114441587	2.59	CC 23 0615 YM 20 0026				101	103	102	0.76 46	0.27 30	0.65 103	1.17 104	0.70 21	1.45 99	-1.26 34	0.79 101	94	2
233	YM 26 0369 113611214	2.18	DM 22 0081 PDR 22 0007				101	88	100	-0.11 58	-0.92 32	-0.97 82	-1.66 89	3.30 18	0.95 109	-11.00 27	2.31 127	95	3
234	YM 26 0628 113768113	2.55	CC 23 0017 YM 21 0049				101	109	101	1.30 56	0.67 31	1.33 110	2.14 110	-2.20 21	0.66 88	-1.41 25	-4.35 106	100	1
235	YM 26 0904 114300536	2.68	CC 23 0693 YM 25 0685				101	98	104	0.19 35	0.31 29	0.41 103	-0.11 97	2.20 24	1.82 104	0.14 30	4.05 102		1
236	YM 26 0903 114300544	2.68	CC 23 0693 YM 25 0685				101	98	104	0.19 35	0.31 29	0.41 103	-0.11 97	2.20 24	1.82 104	0.14 30	4.05 102		1
237	YM 25 0522 111068086	2.56	CC 23 0017 YM 22 0143				101	109	102	1.15 58	0.78 35	1.35 111	1.97 109	-2.20 21	0.60 88	-1.41 25	-4.35 106	106	2
238	YM 26 0099 112471909	2.77	CC 23 0017 YM 23 0166				101	108	104	0.96 57	0.93 35	1.41 114	1.77 108	-2.20 21	0.57 88	-1.41 25	-4.35 106	112	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambbed			
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
239	YM 26 0531 113612410	2.55	CC 21 0515 YM 21 0103				101	103	101	0.85 58	0.22 42	0.64 103	1.13 46	0.30 30	1.24 45	0.15 32	-4.81 26	103	2
240	DM 25 0148 107790016	3.00	DM 23 0026 DM 22 0050				101	91	107	-0.64 62	0.05 40	-0.27 93	-0.81 48	3.80 27	1.70 45	-5.28 28	3.43 26	148	4
241	YM 26 0249 112631163	2.59	CC 22 0120 YM 20 0110				101	103	100	0.94 57	-0.01 40	0.46 101	1.55 44	0.10 29	0.98 44	-2.45 28	-6.86 24	103	1
242	YM 26 1003 114488448	2.59	DM 22 0081 YM 20 0175				101	93	98	0.39 47	-0.82 31	-0.63 89	-0.65 36	1.70 18	0.59 34	-10.31 23	-1.22 24	94	2
243	YM 26 1004 114488455	2.59	DM 22 0081 YM 20 0175				101	93	98	0.39 47	-0.82 31	-0.63 89	-0.65 36	1.70 18	0.59 34	-10.31 23	-1.22 24	94	2
244	YM 26 0354 113611073	2.77	DM 22 0081 YM 23 0209				101	93	97	0.41 57	-0.86 31	-0.65 89	-0.64 36	1.70 18	0.57 38	-10.31 23	-1.22 24	98	1
245	YM 26 0198 112630744	1.96	DM 22 0081 SM 19 0308				101	87	101	-0.36 58	-1.07 33	-1.25 82	-1.04 36	4.00 18	0.97 39	-13.08 24	-0.03 24	100	4
246	YM 25 0532 111092102	4.70	CC 23 0902 CC 23 0689				101	105	103	0.81 64	0.48 38	0.88 105	1.98 54	1.10 30	1.95 46	2.26 27	2.63 27	97	2
247	CCS25 0114 108682758	2.51	CCS 23 0305 CCS 23 0521				101	98	100	0.52 58	-0.22 34	0.04 96	0.55 44	0.80 23	0.78 41	-5.50 22	-6.22 20	96	2
248	YM 26 0885 114300312	10.29	DM 25 0112 DM 22 0043				101	96	102	0.29 46	-0.23 39	-0.09 95	0.02 43	4.10 28	2.52 39	0.15 29	12.90 30	99	3
249	YM 26 0652 113769103	2.77	CC 23 0615 YM 23 0095				101	102	102	0.56 57	0.32 33	0.60 102	0.92 33	0.70 21	1.30 39	-1.26 19	0.79 18	100	2
250	YM 25 0642 111096152	2.59	CC 21 0515 YM 20 0150				101	102	100	0.81 58	0.17 40	0.58 102	1.06 46	0.30 30	1.16 45	0.15 32	-4.81 26	283	2
251	YM 26 0299 113610570	2.77	CC 22 0120 YM 23 0210				101	103	99	0.93 56	-0.06 38	0.41 100	1.52 44	0.10 29	0.93 43	-2.45 28	-6.86 24	97	1
252	YM 26 0178 112630447	1.19	JW 19 0105 CC 22 0403				101	94	103	0.01 66	-0.20 52	-0.19 94	-0.41 56	2.80 42	1.49 55	-5.15 39	6.38 40	120	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Progeny	Herds	Progeny	Herds				EBV	EBV	EBV	EBV	Index	Index	Acc	Index	Acc	Index
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
253	YM 26 0848 114299944	4.80	JW 23 0086 NM 23 2742			101	86	107	-1.14 24	-0.06 84	-0.62 89	-2.45 16	4.70 12	1.63 19	-3.33 26	-0.42 27		4	
254	YM 26 0693 113775068	2.59	DM 22 0081 YM 20 0014			101	92	97	0.40 58	-0.90 99	-0.70 88	-0.67 36	1.70 18	0.52 39	-10.31 23	-1.22 24	185	2	
255	YM 26 0401 113611446	2.56	CC 23 0017 YM 22 0042			100	108	101	1.19 58	0.63 35	1.22 109	1.97 33	-2.20 21	0.50 41	-1.41 25	-4.35 20	113	1	
256	YM 25 0634 111096574	2.59	CC 21 0515 YM 20 0104			100	103	99	0.95 60	0.04 104	0.51 101	1.19 46	0.30 30	1.16 47	0.15 32	-4.81 26	113	2	
257	DM 25 0112 107679318	6.49	DM 23 0026 DM 22 0103			100	102	100	0.90 63	-0.16 103	0.29 99	1.80 52	2.90 30	2.48 47	1.97 32	7.97 30	103	3	
258	YM 25 0503 111071676	2.59	CC 23 0017 YM 20 0227			100	108	101	1.16 58	0.65 35	1.23 109	1.94 33	-2.20 21	0.49 41	-1.48 25	-4.18 20	105	2	
259	YM 26 0772 113791982	2.02	CC 23 0615 CC 23 0367			100	104	101	0.86 61	0.30 103	0.73 104	1.38 40	1.90 23	2.30 43	6.56 27	1.79 27	135	3	
260	YM 26 0301 113610588	2.59	DM 22 0081 YM 20 0066			100	92	97	0.34 57	-0.88 31	-0.71 88	-0.74 36	1.70 18	0.49 38	-10.31 23	-1.22 24	97	1	
261	YM 26 1067 114491848	2.59	DM 22 0081 YM 20 0174			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
262	YM 26 0963 114488158	2.59	DM 22 0081 YM 20 0003			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
263	YM 26 1025 114491723	2.59	DM 22 0081 YM 20 0011			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
264	YM 26 1043 114491939	2.59	DM 22 0081 YM 20 0172			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
265	YM 26 0975 114488240	2.59	DM 22 0081 YM 20 0131			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24	85	2	
266	YM 26 0959 114488083	2.77	DM 22 0081 YM 23 0174			100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	1.70 18	0.48 33	-10.31 23	-1.22 24		1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	EPI	Times Lambd		
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
267	YM 26 1047 114492085	2.77	DM 22 0081 YM 23 0145				100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98	2	
268	YM 26 0981 114488307	2.55	DM 22 0081 YM 21 0021				100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98	85 2	
269	YM 26 1068 114491855	2.59	DM 22 0081 YM 20 0174				100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98	85 2	
270	YM 26 0980 114488281	2.55	DM 22 0081 YM 21 0021				100	92	97	0.34 47 98	-0.88 27 83	-0.71 88	-0.74 36 94	1.70 18 102	0.48 33 96	-10.31 23 126	-1.22 24 98	85 2	
271	YM 26 0128 112472204	1.13	CCS 22 0159 CC 24 0168				100	93	96	0.47 65 99	-1.01 42 80	-0.78 87	-0.20 51 97	4.30 32 112	2.04 49 103	-2.93 34 109	5.23 32 88	116 2	
272	YM 26 0701 113775118	2.55	CC 23 0615 YM 21 0061				100	102	101	0.67 49 101	0.18 34 101	0.51 101	1.01 33 103	0.70 21 99	1.26 37 100	-1.26 19 105	0.79 18 95	108 2	
273	YM 26 0509 113612220	1.83	CC 23 0614 YM 25 0009				100	97	101	0.34 55 98	-0.11 34 96	0.06 96	0.25 38 99	2.30 23 105	1.61 40 101	-1.68 25 106	3.08 21 91	100 1	
274	YM 25 0490 111071908	2.59	CC 23 0017 YM 20 0165				100	107	102	0.97 58 104	0.76 36 111	1.25 109	1.72 33 107	-2.20 21 88	0.41 41 96	-1.41 25 106	-4.35 20 103	112 2	
275	YM 25 1017 112501002	2.77	CC 23 0017 YM 23 0034				100	108	100	1.13 55 105	0.62 31 109	1.19 108	1.89 33 108	-2.20 21 88	0.43 38 96	-1.41 25 106	-4.35 20 103	100 1	
276	YM 26 0629 113768097	2.77	CC 22 0120 YM 23 0096				100	103	96	1.15 57 105	-0.32 40 92	0.25 98	1.71 44 107	0.10 29 96	0.89 44 98	-2.45 28 108	-6.86 24 107	96 2	
277	YM 26 0258 113610166	2.59	DM 22 0081 YM 20 0138				100	92	96	0.38 58 98	-0.95 35 81	-0.76 88	-0.71 36 94	1.70 18 102	0.46 40 96	-10.31 23 126	-1.22 24 98	107 2	
278	YM 26 0133 112472238	1.13	CCS 22 0159 CC 24 0163				100	101	95	1.19 64 106	-0.60 41 88	0.00 96	1.36 51 105	1.90 31 103	1.74 48 102	-1.48 33 106	6.43 32 86	111 2	
279	YM 26 0297 113610554	2.77	CC 23 0615 YM 23 0216				100	101	102	0.49 56 99	0.26 30 102	0.50 101	0.80 33 102	0.70 21 99	1.17 38 99	-1.26 19 105	0.79 18 95	97 1	
280	YM 25 0465 111092557	6.77	CC 23 0902 CC 22 0198				100	97	109	-0.51 64 90	0.83 40 112	0.57 102	0.10 55 98	1.90 34 103	1.45 48 101	-0.13 31 103	0.24 31 96	104 3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
281	YM 26 0504 113612162	2.59	CC 21 0515 YM 20 0176				100	101	99	0.68 59	0.14 43	0.47 101	0.86 46	0.30 30	0.99 46	0.15 32	-4.81 26	110 2
282	YM 25 0767 111096863	2.91	CC 23 0693 YM 24 0009				100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21	85 1
283	YM 25 0745 112372404	2.91	CC 23 0693 YM 24 0070				100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21	1
284	YM 25 0876 112500970	2.91	CC 23 0693 YM 24 0064				100	98	103	0.09 34	0.29 28	0.34 99	-0.06 34	1.20 24	1.10 29	-0.49 22	-2.77 21	2
285	YM 25 0533 111092714	4.70	CC 23 0902 CC 23 0689				100	104	103	0.57 64	0.49 38	0.78 104	1.67 54	1.10 30	1.72 46	2.26 27	2.63 27	97 2
286	YM 26 0706 113775290	2.77	CC 23 0615 YM 23 0182				100	101	101	0.48 59	0.23 36	0.48 101	0.78 33	0.70 21	1.14 41	-1.26 19	0.79 18	111 2
287	YM 26 0707 113775340	2.77	CC 23 0615 YM 23 0182				100	101	101	0.48 59	0.23 36	0.48 101	0.78 33	0.70 21	1.14 41	-1.26 19	0.79 18	111 2
288	YM 26 0219 112630827	2.59	DM 22 0081 YM 20 0005				100	91	98	0.03 57	-0.73 33	-0.71 88	-1.10 36	1.70 18	0.32 39	-10.31 23	-1.22 24	102 2
289	YM 26 0496 113612063	2.59	CC 21 0515 YM 20 0086				99	101	99	0.69 59	0.09 43	0.44 100	0.86 46	0.30 30	0.96 46	0.15 32	-4.81 26	110 2
290	YM 25 0744 112372396	2.91	CC 23 0614 YM 24 0078				99	99	102	0.28 33	0.31 26	0.46 101	0.45 33	0.70 21	1.02 28	-1.26 19	0.79 18	1
291	YM 25 0619 111096269	2.55	CC 21 0515 YM 21 0094				99	102	97	0.91 58	-0.13 42	0.33 99	1.08 46	0.30 30	0.97 45	0.15 32	-4.81 26	102 2
292	YM 26 0296 113610638	2.59	CC 22 0120 YM 20 0137				99	101	99	0.63 57	-0.02 40	0.30 99	1.13 44	0.10 29	0.67 44	-2.45 28	-6.86 24	102 2
293	YM 26 0338 113611016	2.59	CC 23 0615 YM 20 0135				99	100	100	0.51 57	0.13 32	0.38 100	0.77 33	0.70 21	1.06 39	-1.26 19	0.79 18	101 1
294	YM 26 1032 114491731	2.55	CC 23 0615 YM 21 0007				99	100	99	0.57 46	0.07 30	0.35 99	0.82 33	0.70 21	1.05 34	-1.26 19	0.79 18	93 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded	
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
295 YM 25 0452 111092748	2.77	CRL 23 0157 CRL 23 0395					99	88	107	-1.17 46	0.47 22	-0.11 94	-2.62 12	1.80 8	0.38 28	-4.45 17	-4.25 21	99 2
296 JW 25 0163 108913971	11.04	JW 23 0140 JW 21 0289					99	84	100	-0.82 53	-0.88 33	-1.29 82	-2.33 27	6.00 21	1.90 38	-3.38 27	4.91 30	115 4
297 YM 25 0641 111096145	2.59	CC 21 0515 YM 20 0150					99	100	100	0.47 58	0.19 40	0.42 100	0.60 46	0.30 30	0.84 45	0.15 32	-4.81 26	283 2
298 YM 26 0450 113611727	2.77	CC 21 0515 YM 23 0177					99	100	98	0.59 59	0.05 43	0.34 99	0.70 46	0.30 30	0.81 46	0.15 32	-4.81 26	107 2
299 YM 26 0750 113775639	2.77	CC 22 0120 YM 23 0069					99	100	98	0.67 56	-0.14 38	0.20 98	1.13 44	0.10 29	0.59 43	-2.45 28	-6.86 24	90 2
300 YM 25 0004 111087128	2.55	CCS 22 0159 YM 21 0052					98	103	94	1.20 59	-0.27 36	0.33 99	1.28 38	-0.90 19	0.40 41	-2.86 25	-2.17 22	108 2
301 YM 25 0491 111071734	2.59	CC 23 0017 YM 20 0165					98	105	101	0.64 58	0.78 36	1.10 107	1.27 33	-2.20 21	0.09 41	-1.41 25	-4.35 20	112 2
302 YM 26 0538 113612469	2.77	CC 21 0515 YM 23 0044					98	100	98	0.60 58	-0.01 42	0.29 99	0.70 46	0.30 30	0.77 45	0.15 32	-4.81 26	100 2
303 YM 26 0512 113612147	2.59	CC 21 0515 YM 20 0105					98	100	97	0.61 58	-0.03 42	0.28 99	0.70 46	0.30 30	0.76 45	0.15 32	-4.81 26	102 2
304 YM 26 0256 113610380	2.56	CC 23 0615 YM 22 0163					98	99	101	0.24 57	0.21 32	0.33 99	0.43 33	0.70 21	0.87 39	-1.26 19	0.79 18	104 1
305 YM 26 0037 111942355	2.56	DM 22 0081 YM 22 0128					98	90	93	0.30 57	-1.19 33	-1.04 85	-0.93 36	1.70 18	0.13 39	-10.31 23	-1.22 24	95 2
306 YM 25 0635 111096723	2.59	CC 21 0515 YM 20 0104					98	99	98	0.44 60	0.06 45	0.29 99	0.51 46	0.30 30	0.69 47	0.15 32	-4.81 26	113 2
307 YM 25 0610 111096202	2.77	CC 21 0515 YM 23 0126					98	99	97	0.57 57	-0.04 40	0.25 98	0.65 46	0.30 30	0.71 44	0.15 32	-4.81 26	94 1
308 YM 26 0136 112472220	2.55	CC 21 0515 YM 21 0035					98	99	97	0.56 57	-0.04 40	0.24 98	0.63 46	0.30 30	0.70 44	0.15 32	-4.81 26	100 1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Lambd					
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
309	YM 26 0154 112472295	4.25	CCS 22 0159 CRL 23 0395				98	94	92	0.60 58	-0.96 100 36	-0.65 89	-0.43 40 95	2.20 21	0.97 41 98	-1.76 30 107	-1.29 31 98	99	2
310	YM 26 0262 113610406	2.56	DM 22 0081 YM 22 0036				98	90	94	0.15 47	-1.09 31 79	-1.01 85	-1.10 36 92	1.70 18	0.08 34 94	-10.31 23 126	-1.22 24 98	93	2
311	YM 26 0667 113769442	5.85	CC 23 0615 CC 24 0217				98	100	94	1.02 56	-0.53 37 89	-0.02 95	1.16 46 104	1.60 30	1.45 43 101	1.18 28 100	3.69 28 90	90	2
312	YM 26 0505 113612170	2.59	CC 21 0515 YM 20 0176				98	99	99	0.30 59	0.15 43 101	0.31 99	0.36 46 100	0.30 30	0.64 46 97	0.15 32 102	-4.81 26 104	110	2
313	YM 25 0528 112600887	2.76	- - - YM 22 0152				98	96	105	-0.37 10	0.22 14 102	0.04 96	1.02 5 103	0.50 5	0.15 9 95	-8.76 5 122	-5.16 5 104	99	2
314	YM 25 0529 112600697	2.76	- - - YM 22 0152				98	96	105	-0.37 10	0.22 14 102	0.04 96	1.02 5 103	0.50 5	0.15 9 95	-8.76 5 122	-5.16 5 104	99	2
315	YM 26 0339 113610976	2.59	CC 23 0615 YM 20 0135				98	98	100	0.23 57	0.14 32 100	0.26 98	0.40 33 100	0.70 21	0.79 39 98	-1.26 19 105	0.79 18 95	101	1
316	YM 26 0575 113612691	2.59	CC 21 0515 YM 20 0212				98	99	97	0.58 48	-0.09 40 96	0.20 98	0.63 46 101	0.30 30	0.67 41 97	0.15 32 102	-4.81 26 104	94	2
317	YM 26 0767 113791966	2.77	CC 23 0615 YM 23 0002				97	98	100	0.19 56	0.17 32 101	0.26 98	0.35 33 100	0.70 21	0.78 39 98	-1.26 19 105	0.79 18 95	100	2
318	YM 25 0613 111096459	26.22	RN 23 0002 RN 24 0037				97	104	98	0.86 49	0.34 26 104	0.77 104	1.07 22 104	0.10 10	1.26 31 100	1.57 24 99	13.95 29 74	102	2
319	YM 25 0624 111096699	2.55	CC 21 0515 YM 21 0061				97	99	95	0.68 59	-0.21 43 94	0.13 97	0.73 46 102	0.30 30	0.65 46 97	0.15 32 102	-4.81 26 104	108	2
320	YM 26 0210 112630769	2.56	CC 23 0615 YM 22 0123				97	99	97	0.59 58	-0.19 34 95	0.10 97	0.75 33 102	0.70 21	0.82 40 98	-1.26 19 105	0.79 18 95	103	2
321	YM 26 0274 113610315	2.77	DM 22 0081 YM 23 0205				97	89	95	-0.06 57	-1.00 31 81	-1.03 85	-1.34 36 90	1.70 18	-0.03 38 94	-10.31 23 126	-1.22 24 98	97	1
322	YM 26 0442 113611776	2.77	CC 21 0515 YM 23 0006				97	99	97	0.48 58	-0.06 42 97	0.18 98	0.51 46 101	0.30 30	0.60 45 97	0.15 32 102	-4.81 26 104	100	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights						EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EBV EBV Index	EBV EBV Acc Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
337 YM 25 0623 111096087	2.55	CC 21 0515 YM 21 0061					97	98	95	0.53 59 100	-0.20 43 94	0.06 96	0.52 46 101	0.30 30 97	0.51 46 96	0.15 32 102	-4.81 26 104	108	2
338 YM 26 0480 113611966	2.56	CC 23 0017 YM 22 0029					96	104	97	0.73 57 102	0.42 33 105	0.78 104	1.26 33 105	-2.20 21 88	-0.17 39 93	-1.41 25 106	-4.35 20 103	101	2
339 YM 26 0506 113612204	2.56	CC 21 0515 YM 22 0065					96	97	98	0.14 58 96	0.09 42 99	0.16 97	0.10 46 98	0.30 30 97	0.40 45 96	0.15 32 102	-4.81 26 104	100	2
340 YM 26 0334 113610877	2.77	DM 22 0081 YM 23 0008					96	88	94	-0.11 58 94	-1.10 35 79	-1.15 83	-1.45 36 90	1.70 18 102	-0.18 40 93	-10.31 23 126	-1.22 24 98	104	2
341 YM 25 1024 112501036	2.56	CC 23 0017 YM 22 0008					96	103	98	0.63 55 101	0.48 31 106	0.79 104	1.15 33 104	-2.20 21 88	-0.21 38 93	-1.41 25 106	-4.35 20 103	100	1
342 YM 25 0500 111071700	2.59	CC 23 0017 YM 20 0179					96	103	98	0.54 58 100	0.52 35 107	0.79 104	1.04 33 103	-2.20 21 88	-0.26 41 93	-1.41 25 106	-4.35 20 103	103	2
343 YM 26 0094 112471826	2.77	CC 21 0515 YM 23 0186					96	97	96	0.28 58 97	-0.07 42 97	0.07 96	0.24 46 99	0.30 30 97	0.39 45 96	0.15 32 102	-4.81 26 104	98	2
344 YM 25 0614 111096236	2.55	CC 21 0515 YM 21 0002					96	97	96	0.35 58 98	-0.13 42 96	0.05 96	0.31 46 99	0.30 30 97	0.40 45 96	0.15 32 102	-4.81 26 104	102	2
345 YM 26 0489 113612055	2.77	CC 21 0515 YM 23 0077					96	98	94	0.59 59 100	-0.34 43 92	-0.04 95	0.55 46 101	0.30 30 97	0.43 46 96	0.15 32 102	-4.81 26 104	103	2
346 YM 26 0181 112630629	2.56	CC 22 0120 YM 22 0093					96	97	95	0.43 57 99	-0.31 40 92	-0.10 95	0.73 44 102	0.10 29 96	0.18 44 95	-2.45 28 108	-6.86 24 107	96	2
347 YM 25 0912 112601083	2.76	- - - YM 23 0104					96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		1
348 YM 25 0582 112601034	2.76	- - - YM 19 0018					96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		1
349 YM 25 0831 112601190	2.76	- - - YM 22 0137					96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		2
350 YM 25 0910 112601075	2.76	- - - YM 20 0159					96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104		2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								
			Progeny	Progeny	EBV	EBV				EBV	EBV	Acc	Index	Index	Index	Index			
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
351	YM 25 0899 112600994	2.76	- - - YM 22 0040				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
352	YM 25 0210 112600861	2.76	- - - YM 21 0080				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
353	YM 25 0885 112600960	2.76	- - - YM 23 0076				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	1	
354	YM 25 0897 112600978	2.76	- - - YM 23 0155				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
355	YM 25 0948 112601141	2.76	- - - JW 22 0185				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
356	YM 25 0806 112600945	2.76	- - - YM 23 0165				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
357	YM 25 0900 112601000	2.76	- - - YM 22 0040				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
358	YM 25 0805 112600937	2.76	- - - YM 23 0165				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
359	YM 25 0864 112600952	2.76	- - - YM 23 0145				96	94	103	-0.52 5 90	0.05 5 99	-0.22 93	0.73 5 102	0.50 5 98		-8.76 5 122	-5.16 5 104	2	
360	YM 26 0007 111939872	2.59	DM 22 0081 YM 20 0164				96	87	94	-0.26 58 92	-1.06 33 79	-1.19 83	-1.64 36 89	1.70 18 102	-0.30 39 93	-10.31 23 126	-1.22 24 98	104 1	
361	YM 26 0924 114441553	2.91	CC 23 0017 YM 24 0019				96	102	98	0.48 46 99	0.51 31 107	0.75 104	0.95 33 103	-2.20 21 88	-0.33 34 92	-1.41 25 106	-4.35 20 103	94 2	
362	YM 26 0374 113611156	2.55	CC 22 0120 YM 21 0101				96	97	93	0.61 57 101	-0.55 40 88	-0.24 93	0.89 44 103	0.10 29 96	0.13 44 95	-2.45 28 108	-6.86 24 107	96 2	
363	YM 26 0244 112631080	2.59	DM 22 0081 YM 20 0188				96	86	94	-0.28 59 92	-1.08 35 79	-1.22 83	-1.68 36 88	1.70 18 102	-0.34 40 92	-10.31 23 126	-1.22 24 98	121 2	
364	YM 25 0125 111087144	1.83	LM 22 1507 CC 22 0316				95	102	96	0.63 65 101	0.16 35 101	0.48 101	1.37 57 105	-1.10 28 92	0.13 45 95	0.02 29 102	-4.07 25 103	113 4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EBV	EBV
			Weaned	Herds	Weaned	Herds				Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
365 YM 26 0640 113768576	2.59	CC 23 0615 PMS 20 0345					95	97	94	0.47 59	-0.40 35	-0.16 94	0.46 35	0.70 21	0.49 41	-1.26 19	0.79 18	99	3
366 YM 26 0695 113775050	2.77	DM 22 0081 YM 23 0142					95	86	94	-0.32 57	-1.07 31	-1.23 82	-1.72 36	1.70 18	-0.37 38	-10.31 23	-1.22 24	97	1
367 YM 26 0205 112630660	2.59	DM 22 0081 YM 20 0143					95	87	91	0.05 59	-1.36 36	-1.34 81	-1.34 36	1.70 18	-0.30 41	-10.31 23	-1.22 24	109	2
368 YM 26 0400 113611487	2.56	CC 23 0017 YM 22 0042					95	101	99	0.22 58	0.68 35	0.79 104	0.66 33	-2.20 21	-0.43 41	-1.41 25	-4.35 20	113	1
369 YM 25 0558 111092276	2.61	CCS 23 0199 CCS 23 0012					95	96	96	0.11 50	0.01 36	0.07 96	-0.40 41	-1.00 26	-0.48 39	-3.56 24	-5.17 26	113	4
370 YM 25 0663 112600903	2.76	- - - YM 24 0094					95	93	102	-0.56 10	0.01 14	-0.26 93	0.67 5	0.50 5	-0.24 9	-8.76 5	-5.16 5	99	2
371 YM 26 0370 113611123	2.77	JW 19 0105 YM 23 0203					95	98	101	-0.18 58	0.73 46	0.64 103	-0.30 45	-2.50 34	-0.95 48	-6.58 32	1.19 34	104	1
372 JW 25 0303 109927020	6.59	JW 23 0086 JW 23 0150					95	85	101	-1.21 46	-0.23 26	-0.84 87	-2.30 22	3.40 17	0.60 32	-5.21 22	7.11 24	100	2
373 CCS22 0159 94633559	3.97	JW 21 0080 CCS 20 0371	145	2	5	2	95	94	85	1.14 94	-1.73 56	-1.16 83	0.39 77	2.40 38	0.85 66	-2.56 49	3.24 44	137	7
374 YM 25 0590 111092573	2.56	CC 21 0515 YM 22 0140					95	96	96	0.16 59	-0.12 43	-0.04 95	0.05 46	0.30 30	0.22 46	0.15 32	-4.81 26	108	2
375 YM 26 0395 113611339	2.56	CC 23 0017 YM 22 0044					95	101	97	0.42 57	0.43 33	0.64 103	0.84 33	-2.20 21	-0.47 39	-1.41 25	-4.35 20	193	2
376 YM 25 0128 112600788	6.47	CC 22 0031 CC 23 0118					95	111	84	2.40 59	-0.45 51	0.75 104	2.88 59	-3.00 42	0.15 52	6.06 42	-5.84 39	101	3
377 YM 25 1028 112601166	6.27	CRL 21 0540 CRL 21 0431					95	94	94	0.14 29	-0.32 24	-0.25 93	-0.90 21	0.20 16	-0.06 24	-2.85 25	2.67 29		4
378 YM 25 0360 111091567	8.35	CC 23 0109 CC 22 0390					95	101	92	0.86 62	-0.20 41	0.23 98	0.89 53	-0.10 34	0.60 47	4.36 31	-1.71 30	97	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility													
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam								
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EBV EBV Index	EBV EBV Acc Index	EBV EBV Acc Index	EBV EBV Acc Index	EPI	Times Lambd			
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36										
379	YM 26 0067 112470489	2.59	CC 23 0017 YM 20 0224				95	101	97	0.32 58	98	0.46 36	106	0.63 102	33	0.72 102	-2.20 21	88	-0.53 41	92	-1.41 25	106	20	103	115	2
380	YM 26 0625 113768089	5.63	CCS 22 0159 CCS 21 0098				95	94	91	0.41 57	99	-0.68 41	86	-0.47 91	44	-0.17 97	0.90 29	99	0.27 44	95	-0.90 32	105	32	98	90	4
381	YM 25 0320 112500939	2.77	CC 23 0017 YM 23 0176				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		2
382	YM 26 0919 114441611	2.56	CC 23 0017 YM 22 0067				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103	85	2
383	YM 25 0909 111305868	2.59	CC 23 0017 YM 20 0079				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		1
384	YM 26 1027 114491806	2.59	CC 23 0017 YM 20 0054				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		1
385	YM 25 0807 111293833	2.77	CC 23 0017 YM 23 0131				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103	85	2
386	YM 25 0847 111294559	2.59	CC 23 0017 YM 20 0071				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103	85	1
387	YM 25 0801 111293791	2.55	CC 23 0017 YM 21 0021				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103	85	2
388	YM 25 0996 111394730	2.55	CC 23 0017 YM 21 0060				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		1
389	YM 25 0880 111305744	2.59	CC 23 0017 YM 20 0116				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		1
390	YM 26 0960 114488174	2.56	CC 23 0017 YM 22 0137				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		2
391	YM 26 0845 113792964	2.77	CC 23 0017 YM 23 0125				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103	85	2
392	YM 25 0998 111394763	2.56	CC 23 0017 YM 22 0121				94	101	96	0.37 45	98	0.40 27	105	0.58 102	33	0.76 102	-2.20 21	88	-0.55 33	91	-1.41 25	106	20	103		1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam					
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean					EPI	Times				
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV					Acc	Lambd				
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
393 YM 25 0956 111306197	2.55	CC 23 0017 YM 21 0053					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	1
394 YM 25 0749 111071767	2.59	CC 23 0017 YM 20 0040					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
395 YM 25 0915 111305900	2.59	CC 23 0017 YM 20 0061					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	1
396 YM 25 0737 111071759	2.59	CC 23 0017 YM 20 0174					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
397 YM 25 0809 111293866	2.56	CC 23 0017 YM 22 0076					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
398 YM 26 0940 114478449	2.91	CC 23 0017 YM 24 0061					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	2
399 YM 25 0784 111293759	2.59	CC 23 0017 YM 20 0001					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 1
400 YM 25 0803 111293783	2.77	CC 23 0017 YM 23 0189					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
401 YM 25 0798 111293700	2.55	CC 23 0017 YM 21 0032					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
402 YM 26 0895 114300494	2.55	CC 23 0017 YM 21 0023					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
403 YM 25 0804 111293858	2.77	CC 23 0017 YM 23 0163					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2
404 YM 25 0785 111293767	2.56	CC 23 0017 YM 22 0062					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 1
405 YM 25 0827 111294195	2.56	CC 23 0017 YM 22 0124					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 1
406 YM 25 0825 111294310	2.55	CC 23 0017 YM 21 0077					94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103	85 2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat									
			Weaned	Herds	Weaned	Herds				EBV	EBV								EBV	EBV
			Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
407 YM 25 0765 111071957	2.59	CC 23 0017 YM 20 0202					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
408 YM 26 0974 114488299	2.59	CC 23 0017 YM 20 0099					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
409 YM 25 0742 111068128	2.91	CC 23 0017 YM 24 0025					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	1	
410 YM 25 0965 111306262	2.55	CC 23 0017 YM 21 0015					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1	
411 YM 25 0814 111293924	2.55	CC 23 0017 YM 21 0005					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
412 YM 25 0743 111068102	2.91	CC 23 0017 YM 24 0025					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	1	
413 YM 25 0823 111294179	2.56	CC 23 0017 YM 22 0066					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	1	
414 YM 25 0820 111294153	2.55	CC 23 0017 YM 21 0023					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
415 YM 25 0960 111306288	2.55	CC 23 0017 YM 21 0050					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1	
416 YM 25 0953 111306072	2.59	CC 23 0017 YM 20 0206					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		2	
417 YM 26 0893 114300445	2.55	CC 23 0017 YM 21 0077					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
418 YM 26 0915 114441538	2.59	CC 23 0017 YM 20 0202					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
419 YM 25 0855 111294567	2.56	CC 23 0017 YM 22 0119					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103	85	2	
420 YM 25 0908 111305843	2.59	CC 23 0017 YM 20 0079					94	101	96	0.37 45 98	0.40 27 105	0.58 102	0.76 33 102	-2.20 21 88	-0.55 33 91	-1.41 25 106	-4.35 20 103		1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV	
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index								
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
421	YM 25 0841 111294450	2.91	CC 23 0017 YM 24 0027			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
422	YM 26 0971 114488109	2.77	CC 23 0017 YM 23 0150			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
423	YM 26 0922 114441520	2.77	CC 23 0017 YM 23 0163			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
424	YM 25 0963 111306221	2.55	CC 23 0017 YM 21 0088			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106		1
425	YM 25 0730 111067971	2.91	CC 23 0017 YM 24 0035			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
426	YM 26 0896 114300452	2.55	CC 23 0017 YM 21 0023			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
427	YM 25 0863 111305660	2.56	CC 23 0017 YM 22 0020			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106		2
428	YM 25 0894 111305710	2.59	CC 23 0017 YM 20 0031			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106		1
429	YM 25 0812 111293908	2.77	CC 23 0017 YM 23 0178			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	1
430	YM 25 0826 111294302	2.59	CC 23 0017 YM 20 0011			94	101	96	0.37 45	98	0.40 27	105	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	85	2
431	YM 26 0822 113792683	2.06	JW 19 0105 YM 25 0519			94	95	101	-0.47 55	91	0.63 44	109	0.40 100	-0.66 48	94	-1.50 35	-0.74 90	-5.72 36	3.00 115		1
432	YM 26 0137 112472246	2.59	CC 21 0515 YM 20 0072			94	95	94	0.16 58	96	-0.22 42	94	-0.14 94	0.01 46	98	0.30 30	0.12 97	0.15 32	-4.81 102	101	2
433	YM 26 0582 113612865	2.59	CC 21 0515 YM 20 0107			94	96	93	0.39 58	98	-0.42 42	91	-0.23 93	0.24 46	99	0.30 30	0.15 97	0.15 32	-4.81 102	97	2
434	YM 25 0048 111087284	1.94	LM 22 1507 CC 22 0340			94	95	99	-0.21 65	93	0.00 34	98	-0.11 95	0.32 57	99	1.10 27	0.45 100	-3.90 28	8.62 111	112	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility												
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam								
			Prog	Nr	Prog	Nr				Dir	Mat								EPI	Times						
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Lambd			
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36										
435 YM 26 0666 113769483	5.85	CC 23 0615 CC 24 0217					94	95	93	0.34 63	-0.50 98	37	89	-0.33 92	0.24 46	99	1.60 30	0.80 102	45	98	1.18 28	3.69 28	90	2	90	2
436 YM 26 0571 113612782	3.12	CCS 22 0159 BBB 23 0114					94	93	89	0.50 59	-0.94 99	34	81	-0.70 88	-0.59 40	94	1.40 22	0.39 101	41	96	-1.72 29	4.77 28	89	99	1	1
437 YM 25 0469 111071841	2.59	CC 23 0017 YM 20 0048					94	101	95	0.52 58	0.24 100	35	102	0.49 101	0.89 33	103	-2.20 21	-0.57 88	41	91	-1.41 25	-4.35 20	103	103	2	2
438 YM 26 1056 114491947	2.24	CCS 23 0417 YM 25 0477					94	96	93	0.25 39	-0.18 97	27	95	-0.05 95	-0.07 33	97	-1.00 20	-0.53 92	30	92	-1.57 21	-8.52 19	110		1	1
439 YM 25 0506 111067963	2.77	CC 23 0017 YM 23 0107					94	100	96	0.36 57	0.36 98	33	104	0.54 101	0.72 33	102	-2.20 21	-0.61 88	39	91	-1.41 25	-4.35 20	103	96	1	1
440 YM 25 0015 111087573	2.59	CCS 22 0159 YM 20 0039					94	97	92	0.56 59	-0.37 100	35	92	-0.09 95	0.36 38	100	-0.90 19	-0.35 93	41	92	-2.37 25	-2.97 22	101	107	2	2
441 YM 26 0211 112630736	2.56	CC 23 0615 YM 22 0123					94	94	96	-0.05 58	-0.16 94	34	95	-0.19 94	-0.11 33	97	0.70 21	0.21 99	40	95	-1.26 19	0.79 18	95	103	2	2
442 YM 26 0119 112472139	2.59	CC 21 0515 YM 20 0065					94	95	93	0.24 59	-0.34 97	43	92	-0.22 93	0.08 46	98	0.30 30	0.08 97	46	94	0.15 32	-4.81 26	104	104	2	2
443 YM 25 0562 111092771	17.94	CCS 23 0199 CCS 23 0194					94	95	95	0.02 60	-0.02 95	36	98	-0.01 96	-0.94 41	93	-1.10 27	-0.66 92	43	91	-3.27 25	-0.96 24	98	95	2	2
444 YM 26 0568 113612626	2.56	CCS 22 0159 YM 22 0024					94	98	88	1.01 58	-0.78 104	36	84	-0.27 93	0.81 38	102	-0.90 19	-0.31 93	41	93	-2.86 25	-2.17 22	100	108	2	2
445 YM 26 0412 113611552	2.56	CC 23 0017 YM 22 0083					94	101	95	0.46 57	0.25 99	33	102	0.48 101	0.81 33	102	-2.20 21	-0.61 88	39	91	-1.41 25	-4.35 20	103	107	2	2
446 FJD 23 0397 97742399	2.55	FJD 21 0160 FJD 21 0039					94	88	104	-1.41 37	0.72 19		110	0.01 96	-2.27 15	85	-1.30 5	-1.48 22	87		-9.24 20	-4.16 19	103	107	2	2
447 YM 26 0679 113769426	2.56	JW 19 0105 YM 22 0096					94	96	101	-0.53 59	0.79 90	47	112	0.52 101	-0.75 45	94	-2.50 34	-1.24 86	49	88	-6.58 32	1.19 34	94	111	2	2
448 YM 26 0786 113792469	2.77	CC 23 0017 YM 23 0156					94	100	96	0.31 46	0.33 98	31	104	0.48 101	0.64 33	101	-2.20 21	-0.69 88	34	91	-1.41 25	-4.35 20	103	97	2	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Weaned	Herds	Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
449 YM 26 0596 113612931	2.55	CCS 22 0159 YM 21 0081					94	97	90	0.62 58 101	-0.52 34 89	-0.21 93	0.38 38 100	-0.90 19 93	-0.44 40 92	-2.86 25 109	-2.17 22 100	100 2	
450 YM 25 0494 111071684	2.56	CC 23 0017 YM 22 0050					93	100	96	0.27 57 97	0.35 33 104	0.49 101	0.59 33 101	-2.20 21 88	-0.70 39 91	-1.41 25 106	-4.35 20 103	97 2	
451 YM 25 0679 112372446	2.91	CRL 22 0232 YM 24 0098					93	94	100	-0.63 18 89	0.67 20 110	0.36 100	-1.28 12 91	-1.90 10 89	-1.10 17 89	-4.30 17 112	-2.09 14 99	99 2	
452 YM 26 0061 112470331	1.19	JW 19 0105 CC 22 0329					93	90	95	-0.35 65 92	-0.41 52 91	-0.59 89	-1.23 57 91	0.90 43 99	-0.22 55 93	-6.26 40 117	7.92 41 84	97 4	
453 YM 26 0843 113792865	3.39	JW 19 0105 YM 25 0064					93	93	97	-0.40 56 91	0.15 45 101	-0.05 95	-0.93 49 93	-0.90 35 93	-0.79 47 90	-5.94 34 116	2.96 36 91	1	
454 YM 25 0706 111096111	2.77	CC 23 0744 CDN 23 0001					93	93	96	-0.28 53 92	-0.12 33 96	-0.26 93	-0.39 33 96	0.70 21 99	0.02 38 94	-2.53 20 108	2.45 19 92	104 3	
455 YM 26 0807 113792493	3.39	JW 19 0105 YM 25 0016					93	93	97	-0.41 56 91	0.16 45 101	-0.05 95	-0.94 49 93	-0.90 35 93	-0.79 47 90	-5.69 36 115	2.68 36 92	1	
456 YM 26 0590 113612857	2.56	CCS 22 0159 JW 22 0411					93	97	89	0.78 60 102	-0.70 35 86	-0.31 92	0.52 38 101	-0.90 19 93	-0.46 41 92	-2.86 25 109	-2.17 22 100	110 2	
457 YM 26 0003 111939856	1.41	LM 22 1507 DM 21 0051					93	94	104	-0.98 61 86	0.89 32 113	0.40 100	-0.94 55 93	-0.80 23 93	-0.57 41 91	-4.50 26 113	6.19 27 86	102 4	
458 YM 25 0903 111305850	3.12	CRL 23 0051 CRL 20 0119					93	91	93	-0.22 29 93	-0.30 25 93	-0.41 91	-1.67 20 89	0.80 14 99	-0.04 24 94	0.67 25 101	1.50 28 94	6	
459 YM 26 0243 112631155	2.59	DM 22 0081 YM 20 0188					93	83	93	-0.79 59 88	-1.05 35 80	-1.45 80	-2.36 36 85	1.70 18 102	-0.82 40 90	-10.31 23 126	-1.22 24 98	121 2	
460 YM 25 0496 111068136	2.77	CC 23 0017 YM 23 0118					93	99	95	0.16 57 96	0.33 33 104	0.41 100	0.44 33 100	-2.20 21 88	-0.83 39 90	-1.41 25 106	-4.35 20 103	95 2	
461 JW 25 0254 109926964	2.57	JW 23 0086 JW 20 0280					93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	89 1	
462 YM 26 0826 113792709	2.77	JW 23 0086 YM 23 0051					93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	89 2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EPI
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index	Index	Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
463 YM 26 0820 113792659	2.55	JW 23 0086 YM 21 0054					93	87	99	-1.07 19 85	0.07 12 99	-0.46 91	-2.06 11 86	0.00 9 96	-1.00 14 89	-6.67 12 118	-2.85 13 101	2	
464 YM 26 0619 113768030	2.56	CCS 22 0159 YM 22 0101					93	96	90	0.47 58 99	-0.52 36 89	-0.28 93	0.18 38 99	-0.90 19 93	-0.59 41 91	-2.86 25 109	-2.17 22 100	108 2	
465 YM 26 0016 111941266	2.77	CC 23 0615 YM 23 0147					93	93	93	0.04 58 95	-0.46 34 90	-0.44 91	-0.11 33 97	0.70 21 99	0.00 40 94	-1.26 19 105	0.79 18 95	96 2	
466 YM 25 0448 111092136	15.66	CCS 23 0305 CCS 23 0033					93	90	88	0.11 59 96	-0.95 36 81	-0.89 86	-0.77 41 93	0.20 26 97	-0.72 43 91	-1.50 24 106	-15.15 26 120	89 3	
467 YM 25 0470 111071858	2.59	CC 23 0017 YM 20 0048					92	99	95	0.21 58 97	0.25 35 102	0.35 99	0.47 33 100	-2.20 21 88	-0.86 41 90	-1.41 25 106	-4.35 20 103	103 2	
468 YM 26 1061 114492101	1.38	JW 19 0105 YM 25 0427					92	91	100	-0.88 53 87	0.36 43 104	-0.08 95	-1.38 46 90	0.10 34 96	-0.47 45 92	-6.82 36 118	14.10 37 74	1	
469 YM 26 0678 113769459	2.56	JW 19 0105 YM 22 0096					92	94	101	-0.78 59 88	0.80 47 112	0.41 100	-1.09 45 92	-2.50 34 86	-1.48 49 87	-6.58 32 117	1.19 34 94	111 2	
470 NM 25 3392 108941469	3.75	OC 22 0360 NM 23 2742					92	83	96	-1.06 33 85	-0.67 26 86	-1.20 83	-2.31 22 85	4.00 17 111	0.67 27 97	-2.58 28 108	11.53 29 78	4	
471 YM 25 0010 111087011	2.59	CCS 22 0159 YM 20 0022					92	95	89	0.49 59 99	-0.66 36 86	-0.42 91	0.14 38 99	-0.90 19 93	-0.71 41 91	-3.24 25 110	-2.44 22 100	105 2	
472 YM 26 0547 113612535	2.77	CC 23 0017 YM 23 0083					92	98	94	0.16 57 96	0.21 33 102	0.29 99	0.39 33 100	-2.20 21 88	-0.95 39 90	-1.41 25 106	-4.35 20 103	98 2	
473 YM 25 0539 111092433	2.56	CC 23 0902 CC 23 0418					92	98	95	0.06 61 95	0.26 35 102	0.29 99	0.47 49 100	-1.70 24 89	-0.70 42 91	-0.54 26 104	-3.71 26 102	100 2	
474 YM 26 0803 113792584	2.59	CC 23 0017 YM 20 0017					92	98	94	0.18 46 96	0.19 31 101	0.28 99	0.41 33 100	-2.20 21 88	-0.96 34 90	-1.41 25 106	-4.35 20 103	97 2	
475 CCS23 0417 97306419	2.49	CCS 21 0335 CCS 22 0043					92	89	88	-0.03 64 95	-0.92 45 82	-0.93 86	-1.19 57 91	0.20 33 97	-0.83 50 90	-1.76 29 107	-12.68 33 116	104 3	
476 YM 26 0318 113610794	2.59	DM 22 0081 YM 20 0073					92	82	91	-0.82 58 87	-1.18 35 77	-1.59 79	-2.45 36 84	1.70 18 102	-0.98 40 89	-10.31 23 126	-1.22 24 98	106 2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	Acc Index							EBV	Lambcd
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
477	YM 26 0589 113612899	2.56	CCS 22 0159 JW 22 0411				92	95	88	0.48 60	-0.68 35	-0.44 91	0.12 38	-0.90 19	-0.75 41	-2.86 25	-2.17 22	110	2
478	YM 26 0541 113612402	2.77	CCS 22 0159 YM 23 0074				92	95	88	0.54 58	-0.74 34	-0.47 91	0.18 38	-0.90 19	-0.74 40	-2.86 25	-2.17 22	109	2
479	YM 25 1007 111395018	4.47	DM 23 0039 DM 23 0093				92	91	92	-0.19 55	-0.45 42	-0.54 90	-1.03 54	-1.10 31	-1.30 44	-7.51 33	0.67 30	86	2
480	NM 25 3681 111121034	3.38	OC 22 0360 NM 24 3143				92	87	95	-0.77 51	-0.52 31	-0.90 86	-1.56 20	2.50 16	0.22 35	-4.55 25	14.04 22	105	2
481	YM 26 0294 113610463	2.59	JW 19 0105 YM 20 0020				91	93	99	-0.72 58	0.62 46	0.26 98	-1.08 45	-2.50 34	-1.60 48	-6.58 32	1.19 34	103	1
482	YM 25 0207 111090833	2.59	CCS 22 0159 YM 20 0166				91	95	87	0.52 59	-0.78 37	-0.52 90	0.15 38	-0.90 19	-0.79 41	-2.86 25	-2.17 22	117	2
483	YM 26 0641 113768592	2.59	CC 23 0615 PMS 20 0345				91	91	93	-0.35 59	-0.35 35	-0.53 90	-0.64 35	0.70 21	-0.28 41	-1.26 19	0.79 18	99	3
484	YM 26 0371 113611263	2.77	JW 19 0105 YM 23 0203				91	92	100	-0.97 58	0.77 46	0.29 99	-1.35 45	-2.50 34	-1.69 48	-6.58 32	1.19 34	104	1
485	YM 25 0949 111375424	2.59	CCS 22 0246 PMS 20 0333				91	103	90	0.83 46	0.02 29	0.44 100	1.64 43	-2.80 15	-0.83 32	0.39 15	-2.18 17	95	3
486	JW 25 0184 108914003	2.56	JW 23 0140 JW 22 0415				91	92	95	-0.45 49	0.01 27	-0.21 93	-0.88 20	-0.20 15	-0.56 33	-1.77 18	3.91 19	104	2
487	YM 25 0846 112500962	2.55	CC 23 0017 YM 21 0007				91	97	93	0.10 46	0.10 31	0.16 97	0.27 33	-2.20 21	-1.12 34	-1.41 25	-4.35 20	93	3
488	YM 26 0152 112472378	1.13	CCS 22 0159 RN 23 0022				91	87	88	-0.20 49	-1.14 30	-1.24 82	-1.37 39	1.90 20	-0.20 35	-2.56 31	2.39 30		1
489	YM 26 0742 113775522	4.74	JW 19 0105 EBS 24 0012				91	82	102	-1.93 62	0.08 49	-0.89 86	-2.75 48	2.50 38	-0.35 51	-7.55 37	12.14 40	101	2
490	YM 26 0398 113611453	2.77	CC 23 0017 YM 23 0144				91	96	94	-0.18 57	0.30 33	0.21 98	-0.04 33	-2.20 21	-1.20 39	-1.41 25	-4.35 20	102	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index	Index	Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
491	YM 25 0472 111068037	2.77	CC 23 0017 YM 23 0164				91	96	94	-0.11 56	0.25 31	0.20 98	0.04 33	-2.20 21	-1.18 38	-1.41 25	-4.35 20	93	1
492	YM 25 0019 111087979	2.55	CCS 22 0159 YM 21 0006				91	94	87	0.37 59	-0.74 36	-0.56 90	-0.05 38	-0.90 19	-0.91 41	-2.70 25	-2.31 22	110	2
493	YM 26 0316 113610760	2.77	JW 19 0105 YM 23 0080				91	92	99	-0.98 58	0.71 46	0.22 98	-1.40 45	-2.50 34	-1.78 48	-6.58 32	1.19 34	103	2
494	YM 26 0482 113612071	2.56	CC 23 0017 YM 22 0129				91	96	94	-0.15 57	0.25 33	0.18 98	-0.02 33	-2.20 21	-1.22 39	-1.41 25	-4.35 20	103	1
495	YM 26 0883 114300304	2.59	DM 25 0112 YM 20 0206				91	95	93	-0.10 31	-0.11 21	-0.16 94	0.12 26	-0.60 15	-0.56 23	-0.59 16	0.20 15		2
496	NM 25 3636 111121133	3.49	OC 22 0360 NM 22 1611				91	89	90	-0.15 52	-0.99 33	-1.07 84	-0.71 21	2.50 17	0.36 37	-3.54 25	17.11 26	115	2
497	YM 26 0295 113610521	2.59	JW 19 0105 YM 20 0020				90	92	99	-0.94 58	0.64 46	0.17 97	-1.37 45	-2.50 34	-1.80 48	-6.58 32	1.19 34	103	1
498	YM 26 0278 113610414	2.59	DM 22 0081 YM 20 0094				90	80	90	-1.01 57	-1.28 31	-1.78 77	-2.75 36	1.70 18	-1.26 38	-10.31 23	-1.22 24	95	1
499	YM 25 0599 111096665	2.77	CC 21 0515 YM 23 0154				90	90	92	-0.47 57	-0.35 40	-0.58 89	-0.90 46	0.30 30	-0.64 44	0.15 32	-4.81 26	93	1
500	FJD 23 0489 99049827	2.56	FJD 22 0203 FJD 22 0169				90	88	99	-1.34 33	0.52 5	-0.16 94	-2.22 5	-1.30 5	-1.61 14	-3.27 16	-6.16 7	114	4
501	JW 19 0105 84426816	1.73	JW 17 0665 JW 14 0279	198	4	40	2	90	85	103	-1.85 95	0.70 83	-0.22 93	-2.88 91	-0.90 67	-1.69 84	-10.00 64	9.94 68	10
502	YM 26 0501 113612246	2.56	CCS 22 0159 YM 22 0079				90	93	87	0.33 57	-0.80 32	-0.64 89	-0.14 38	-0.90 19	-1.02 39	-2.86 25	-2.17 22	99	1
503	YM 26 0361 113611164	2.77	JW 19 0105 YM 23 0101				90	92	97	-0.87 57	0.50 44	0.07 96	-1.33 45	-2.50 34	-1.87 47	-6.58 32	1.19 34	98	1
504	YM 25 0481 111071882	2.59	CC 23 0017 YM 20 0199				90	96	91	0.08 58	-0.06 36	-0.02 96	0.18 33	-2.20 21	-1.29 41	-1.41 25	-4.35 20	107	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV							EBV	EBV
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
505	YM 25 0916 111305942	4.98	CC 23 0017 CC 24 0217			90	97	87	0.56 56	-0.50 100 38	-0.22 93	0.60 46	101	-1.30 29	-0.72 43	1.02 32	-1.45 29	90	2
506	YM 25 0551 111092169	2.02	CC 23 0109 CC 23 0367			90	100	86	0.76 59	-0.29 102 37	0.09 97	0.81 47	102	-1.10 25	-0.19 43	9.13 30	-7.72 28	135	3
507	YM 26 0584 113612832	2.59	CCS 22 0159 YM 20 0166			90	93	87	0.21 59	-0.76 97 37	-0.66 89	-0.27 38	96	-0.90 19	-1.09 41	-2.86 25	-2.17 22	117	2
508	YM 25 0538 111092763	2.56	CCS 22 0159 YM 22 0070			90	93	86	0.28 57	-0.82 97 32	-0.68 88	-0.20 38	97	-0.90 19	-1.07 39	-2.86 25	-2.17 22	89	1
509	YM 26 0033 111942330	2.59	JW 19 0105 YM 20 0007			90	91	98	-1.03 58	0.60 85 46	0.08 97	-1.51 45	89	-2.50 34	-1.93 48	-6.58 32	1.19 34	101	2
510	YM 26 0550 113612568	2.59	CCS 22 0159 YM 20 0182			90	93	86	0.27 57	-0.82 97 32	-0.69 88	-0.22 38	97	-0.90 19	-1.09 39	-2.86 25	-2.17 22	99	1
511	YM 26 0694 113775035	2.59	JW 19 0105 YM 20 0150			90	91	97	-0.91 59	0.49 86 44	0.04 96	-1.39 45	90	-2.50 34	-1.92 47	-6.58 32	1.19 34	283	2
512	YM 25 0962 111375432	2.59	PMS 23 0009 PMS 20 0109			89	99	97	-0.40 47	1.19 91 34	0.99 106	-0.07 43	97	-4.20 19	-1.73 36	1.86 18	-6.50 16	104	7
513	YM 26 0074 112470653	2.56	CCS 22 0159 YM 22 0009			89	92	87	0.14 49	-0.76 96 34	-0.69 88	-0.37 38	96	-0.90 19	-1.16 36	-2.86 25	-2.17 22	102	3
514	YM 26 0280 113610067	2.56	JW 19 0105 YM 22 0152			89	91	97	-0.96 57	0.48 86 44	0.00 96	-1.46 45	90	-2.50 34	-1.98 47	-6.58 32	1.19 34	99	2
515	YM 26 0311 113610786	2.59	JW 19 0105 YM 20 0123			89	91	96	-0.81 58	0.37 87 46	-0.04 95	-1.31 45	91	-2.50 34	-1.94 48	-6.58 32	1.19 34	101	2
516	YM 26 0253 112631114	2.56	JW 19 0105 YM 22 0148			89	91	97	-1.03 59	0.53 85 47	0.02 96	-1.54 45	89	-2.50 34	-2.00 49	-6.58 32	1.19 34	108	2
517	YM 26 0008 111939914	2.59	JW 19 0105 YM 20 0209			89	91	97	-1.03 58	0.53 85 46	0.01 96	-1.55 45	89	-2.50 34	-2.01 48	-6.58 32	1.19 34	97	2
518	YM 26 0739 113775498	2.59	JW 19 0105 YM 20 0203			89	90	99	-1.34 58	0.77 83 46	0.10 97	-1.86 45	87	-2.50 34	-2.07 48	-6.58 32	1.19 34	115	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index		Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
519	YM 26 0192 112630611	2.91	JW 19 0105 YM 24 0100				89	91	96	-0.92 58	0.42 46	-0.04 95	-1.44 45	-2.50 34	-2.00 48	-6.58 32	1.19 34	101	1
520	DM 25 0085 107634875	3.92	DM 23 0026 DM 21 0046				89	87	95	-1.09 62	-0.14 41	-0.69 88	-1.62 51	0.60 29	-0.87 46	-5.75 30	10.10 28	105	4
521	YM 26 0587 113612816	2.59	CCS 22 0159 YM 20 0178				89	92	86	0.12 58	-0.80 36	-0.74 88	-0.41 38	-0.90 19	-1.22 41	-2.86 25	-2.17 22	108	2
522	YM 25 0384 111092052	2.55	CCS 22 0159 YM 21 0047				89	91	88	-0.18 58	-0.61 34	-0.70 88	-0.74 38	-0.90 19	-1.33 40	-2.67 25	-2.97 22	100	1
523	YM 26 0648 113769012	2.59	JW 19 0105 YM 20 0104				88	90	95	-1.03 60	0.37 48	-0.15 94	-1.60 45	-2.50 34	-2.16 49	-6.58 32	1.18 34	113	2
524	YM 25 0208 111091393	2.59	CCS 22 0159 YM 20 0166				88	90	86	-0.11 59	-0.75 37	-0.80 87	-0.70 38	-0.90 19	-1.39 41	-2.86 25	-2.17 22	117	2
525	YM 26 0544 113612386	4.24	CCS 22 0159 NM 22 1611				88	87	85	-0.23 61	-1.28 38	-1.40 81	-0.85 40	2.30 21	-0.13 43	-0.47 31	5.83 29	115	2
526	YM 25 0893 111305785	2.59	CCS 22 0159 YM 20 0213				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		2
527	YM 25 0755 111096871	2.59	CCS 22 0159 YM 20 0131				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2
528	YM 25 0772 111113379	2.59	CCS 22 0159 YM 20 0223				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2
529	YM 25 1002 111394979	2.59	CCS 22 0159 YM 20 0108				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		1
530	YM 25 1023 112501028	2.59	CCS 22 0159 YM 20 0140				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		1
531	YM 25 0891 111305678	2.59	CCS 22 0159 YM 20 0088				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		1
532	YM 25 0774 111113346	2.59	CCS 22 0159 YM 20 0052				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Lambd					
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
533	YM 25 0789 111293684	2.59	CCS 22 0159 YM 20 0172				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	2
534	YM 25 0783 111293775	2.59	CCS 22 0159 YM 20 0168				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22	85	1
535	YM 25 0888 111305777	2.77	CCS 22 0159 YM 23 0116				88	90	85	0.02 47	-0.89 28	-0.88 86	-0.59 38	-0.90 19	-1.41 33	-2.86 25	-2.17 22		2
536	YM 26 0428 113611693	2.77	CC 23 0017 YM 23 0017				88	93	90	-0.23 57	-0.10 33	-0.22 93	-0.28 33	-2.20 21	-1.65 39	-1.41 25	-4.35 20	93	2
537	YM 26 0363 113611198	2.59	JW 19 0105 YM 20 0205				88	88	97	-1.33 58	0.53 46	-0.13 94	-1.94 45	-2.50 34	-2.29 48	-6.58 32	1.19 34	103	2
538	JW 25 0183 108914011	2.56	JW 23 0140 JW 22 0411				88	88	93	-0.97 50	-0.07 29	-0.56 90	-1.63 20	-0.20 15	-1.16 34	-1.77 18	3.91 19	110	2
539	YM 26 0167 112630165	2.59	JW 19 0105 YM 20 0016				87	88	97	-1.36 59	0.56 46	-0.12 94	-1.98 45	-2.50 34	-2.30 48	-6.58 32	1.19 34	112	1
540	YM 26 0670 113769343	1.43	JW 19 0105 CCS 24 0136				87	79	100	-2.34 64	0.36 48	-0.81 87	-3.71 50	-0.20 39	-2.10 52	-9.90 36	5.93 39	96	2
541	YM 26 0407 113611560	2.77	CCS 22 0159 YM 23 0200				87	90	85	-0.04 57	-0.91 32	-0.94 86	-0.69 38	-0.90 19	-1.50 39	-2.86 25	-2.17 22	98	1
542	YM 26 0614 113768014	2.55	JW 19 0105 YM 21 0033				87	89	95	-1.14 58	0.33 45	-0.24 93	-1.77 45	-2.50 34	-2.31 47	-6.58 32	1.19 34	100	2
543	NM 25 3679 111120531	3.07	OC 22 0360 NM 24 3081				87	81	92	-1.35 48	-0.70 28	-1.38 81	-2.64 21	2.40 17	-0.62 33	-3.43 26	10.64 26	93	1
544	YM 26 0528 113612329	2.56	CCS 22 0159 YM 22 0075				87	90	83	0.11 59	-1.08 36	-1.02 85	-0.55 38	-0.90 19	-1.51 41	-2.86 25	-2.17 22	115	2
545	YM 26 0216 112630892	2.56	JW 19 0105 YM 22 0134				87	88	94	-1.21 59	0.31 47	-0.30 92	-1.88 45	-2.50 34	-2.41 49	-6.58 32	1.19 34	105	2
546	JW 25 0127 109926949	2.56	JW 23 0140 JW 22 0397				87	87	90	-0.86 27	-0.31 20	-0.74 88	-1.57 20	-0.20 15	-1.29 22	-1.77 18	3.91 19	89	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Weaned	Herds	Weaned	Herds				Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
547	YM 26 0466 113611883	2.56	CC 23 0017 YM 22 0114			87	92	89	-0.40 58	-0.15 35	-0.35 92	-0.52 33	-2.20 21	-1.87 41	-1.41 25	-4.35 20	102	2	
548	YM 25 0011 111087425	2.55	CCS 22 0159 YM 21 0040			87	89	83	-0.02 59	-1.05 36	-1.05 84	-0.70 38	-0.90 19	-1.60 41	-2.91 25	-2.07 22	103	2	
549	YM 26 0543 113612436	4.24	CCS 22 0159 NM 22 1611			87	85	85	-0.53 61	-1.27 38	-1.53 79	-1.26 40	2.30 21	-0.42 43	-0.47 31	5.83 29	115	2	
550	DM 25 0249 109712646	3.37	DM 23 0200 DM 21 0025			86	98	86	0.37 60	0.11 42	0.29 99	0.10 47	-4.00 31	-1.92 46	0.52 28	5.00 33	104	5	
551	YM 25 0969 111306296	2.55	CCS 23 0417 YM 21 0041			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
552	YM 25 1000 111394995	2.56	CCS 23 0417 YM 22 0094			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
553	YM 25 1006 111394987	2.56	CCS 23 0417 YM 22 0138			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
554	YM 25 0984 111306510	2.56	CCS 23 0417 YM 22 0054			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
555	YM 25 0987 111306437	2.59	CCS 23 0417 YM 20 0115			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
556	YM 25 0986 111306445	2.59	CCS 23 0417 YM 20 0115			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
557	YM 25 0999 111394961	2.56	CCS 23 0417 YM 22 0094			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
558	YM 25 0980 111306544	2.56	CCS 23 0417 YM 22 0026			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
559	YM 25 0989 111306528	2.77	CCS 23 0417 YM 23 0100			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16		1	
560	YM 25 0985 111486890	2.59	CCS 23 0417 YM 20 0070			86	88	87	-0.56 32	-0.49 23	-0.77 87	-1.38 28	-2.00 17	-2.25 25	-2.46 15	-10.13 16	94	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index	Index	Index
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
561 YM 25 0981 111306502	2.56	CCS 23 0417 YM 22 0026	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1					
562 YM 25 0968 111306379	2.55	CCS 23 0417 YM 21 0041	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1					
563 YM 25 0971 111306338	2.91	CCS 23 0417 YM 24 0024	86	88	87	-0.56 32 90	-0.49 23 89	-0.77 87	-1.38 28 90	-2.00 17 88	-2.25 25 84	-2.46 15 108	-10.13 16 112	1					
564 YM 26 0500 113612014	2.59	CC 21 0515 YM 20 0100	86	85	89	-1.05 57 85	-0.52 40 89	-1.05 84	-1.77 46 88	0.30 30 97	-1.39 44 88	0.15 32 102	-4.81 26 104	96	1				
565 DM 25 0351 110338100	16.53	DM 23 0167 DM 23 0161	86	80	90	-1.45 57 81	-0.76 43 85	-1.48 80	-3.11 55 81	1.90 31 103	-1.06 46 89	-3.52 31 111	10.22 31 80	98	4				
566 DM 25 0350 110338092	16.53	DM 23 0167 DM 23 0161	86	80	90	-1.45 57 81	-0.76 43 85	-1.48 80	-3.11 55 81	1.90 31 103	-1.06 46 89	-3.52 31 111	10.22 31 80	98	4				
567 YM 25 0487 111071890	2.55	CC 23 0017 YM 21 0039	86	91	88	-0.50 57 90	-0.22 33 94	-0.46 91	-0.68 33 94	-2.20 21 88	-2.03 39 85	-1.41 25 106	-4.35 20 103	95	3				
568 YM 26 0018 111941233	2.77	JW 19 0105 YM 23 0172	85	86	95	-1.56 58 80	0.40 46 105	-0.38 92	-2.32 45 85	-2.50 34 86	-2.66 48 82	-6.58 32 117	1.19 34 94	98	2				
569 YM 26 0419 113611537	2.59	JW 19 0105 YM 20 0024	85	86	94	-1.47 48 81	0.32 41 103	-0.41 91	-2.22 45 85	-2.50 34 86	-2.65 42 82	-6.58 32 117	1.19 34 94	2					
570 YM 26 0309 113610679	2.56	JW 19 0105 YM 22 0153	85	87	93	-1.29 58 83	0.16 46 101	-0.49 90	-2.05 45 86	-2.50 34 86	-2.63 48 82	-6.58 32 117	1.19 34 94	101	1				
571 YM 26 0222 112630884	2.77	JW 19 0105 YM 23 0132	85	86	93	-1.41 58 82	0.24 46 102	-0.47 91	-2.17 45 86	-2.50 34 86	-2.67 48 82	-6.58 32 117	1.19 34 94	101	1				
572 YM 26 0194 112630520	2.91	JW 19 0105 YM 24 0028	85	85	94	-1.61 58 80	0.37 46 104	-0.44 91	-2.39 45 85	-2.50 34 86	-2.74 48 81	-6.58 32 117	1.19 34 94	97	2				
573 JW 25 0295 109927038	2.91	JW 23 0220 JW 24 0230	85	80	90	-1.60 53 80	-0.55 25 88	-1.35 81	-2.66 19 83	0.90 15 99	-1.61 33 87	-2.18 19 107	-2.55 19 100	96	2				
574 YM 26 0616 113768048	2.59	JW 19 0105 YM 20 0101	85	85	95	-1.79 58 78	0.48 46 106	-0.42 91	-2.60 45 83	-2.50 34 86	-2.81 48 81	-6.58 32 117	1.19 34 94	101	2				

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EBV	EBV
			Weaned	Herds	Weaned	Herds				EBV	Acc Index	EBV	Acc Index	EBV	Acc Index	EBV	Acc Index	EBV	Acc Index
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
575	YM 26 0674 113769475	2.91	JW 19 0105 YM 24 0069				85	85	94	-1.57 57 80	0.29 44 103	-0.49 90	-2.38 45 85	-2.50 34 86	-2.78 47 81	-6.58 32 117	1.19 34 94	94	2
576	YM 26 0310 113610687	2.77	JW 19 0105 YM 23 0204				84	85	93	-1.58 57 80	0.29 44 103	-0.50 90	-2.39 45 85	-2.50 34 86	-2.79 47 81	-6.53 33 117	1.17 34 94	97	2
577	YM 25 0311 111091369	2.59	CCS 22 0159 YM 20 0191				84	86	83	-0.42 57 91	-1.02 32 80	-1.23 82	-1.24 38 91	-0.90 19 93	-1.98 39 85	-2.86 25 109	-2.17 22 100	93	1
578	YM 26 0044 111942413	2.55	JW 19 0105 YM 21 0044				84	84	94	-1.72 58 79	0.33 45 104	-0.53 90	-2.56 45 84	-2.50 34 86	-2.89 47 81	-6.58 32 117	1.19 34 94	97	2
579	YM 26 0340 113611008	2.59	JW 19 0105 YM 20 0145				84	85	91	-1.38 58 82	0.01 46 98	-0.68 88	-2.23 45 85	-2.50 34 86	-2.87 48 81	-6.58 32 117	1.19 34 94	97	2
580	YM 26 0431 113611677	2.77	CCS 22 0159 YM 23 0040				83	86	79	-0.24 58 93	-1.35 36 74	-1.47 80	-1.13 38 92	-0.90 19 93	-2.12 41 84	-2.86 25 109	-2.17 22 100	101	2
581	YM 26 0146 112472386	2.59	CCS 22 0159 YM 20 0125				83	86	80	-0.34 48 92	-1.28 31 76	-1.45 80	-1.24 38 91	-0.90 19 93	-2.16 35 84	-2.86 25 109	-2.17 22 100	92	2
582	YM 26 0221 112630918	2.77	JW 19 0105 YM 23 0132				83	83	93	-1.84 58 78	0.26 46 102	-0.66 89	-2.75 45 83	-2.50 34 86	-3.08 48 80	-6.58 32 117	1.19 34 94	101	1
583	YM 26 0451 113611800	2.77	CC 23 0017 YM 23 0081				82	86	87	-1.12 57 85	-0.17 33 95	-0.73 88	-1.52 33 89	-2.20 21 88	-2.61 39 82	-1.41 25 106	-4.35 20 103	95	2
584	YM 26 0645 113768543	2.91	JW 19 0105 YM 24 0072				82	82	92	-1.97 58 77	0.25 45 102	-0.73 88	-2.94 45 82	-2.50 34 86	-3.22 47 79	-6.58 32 117	1.19 34 94	104	2
585	YM 26 0388 113611321	2.55	JW 19 0105 YM 21 0009				82	82	92	-1.90 57 77	0.20 44 101	-0.75 88	-2.86 45 82	-2.50 34 86	-3.20 47 79	-6.58 32 117	1.19 34 94	96	2
586	YM 26 0040 111942397	2.55	JW 19 0105 YM 21 0031				82	83	88	-1.49 58 81	-0.17 46 95	-0.92 86	-2.45 45 84	-2.50 34 86	-3.16 48 79	-6.58 32 117	1.19 34 94	94	2
587	YM 25 0488 111071924	2.55	CC 23 0017 YM 21 0039				82	86	87	-1.22 57 84	-0.18 33 95	-0.79 87	-1.66 33 89	-2.20 21 88	-2.72 39 81	-1.41 25 106	-4.35 20 103	95	3
588	YM 25 0504 111071817	2.55	CC 23 0017 YM 21 0031				82	85	89	-1.46 57 81	0.00 33 98	-0.73 88	-1.92 33 87	-2.20 21 88	-2.78 39 81	-1.41 25 106	-4.35 20 103	94	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights					EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	EPI	Times Lambbed		
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
589	YM 26 0542 113612444	4.24	CCS 22 0159 NM 22 1611			82	78	84	-1.49 61	-1.22 38	-1.96 75	-2.55 40	2.30 21	-1.33 43	-0.47 31	5.83 29	115	2	
590	YM 25 0457 111092417	2.55	CCS 22 0159 YM 21 0057			81	83	81	-0.86 58	-1.12 34	-1.55 79	-1.89 38	-0.90 19	-2.52 40	-2.86 25	-2.17 22	97	1	
591	YM 26 0231 112630959	2.77	JW 19 0105 YM 23 0201			81	81	91	-1.95 58	0.10 46	-0.88 86	-2.98 45	-2.50 34	-3.36 48	-6.58 32	1.19 34	100	1	
592	YM 26 0130 112472170	2.77	CCS 22 0159 YM 23 0031			81	82	82	-1.07 58	-0.97 34	-1.51 80	-2.11 38	-0.90 19	-2.58 40	-2.86 25	-2.17 22	96	2	
593	YM 26 0174 112630397	2.91	JW 19 0105 YM 24 0048			81	81	90	-1.91 58	-0.01 46	-0.96 85	-2.96 45	-2.50 34	-3.41 48	-6.58 32	1.19 34	99	1	
594	YM 26 0430 113611701	2.77	CCS 22 0159 YM 23 0040			81	82	79	-0.75 58	-1.32 36	-1.70 77	-1.82 38	-0.90 19	-2.61 41	-2.86 25	-2.17 22	101	2	
595	YM 26 0308 113610661	2.56	JW 19 0105 YM 22 0153			81	80	92	-2.21 58	0.21 46	-0.90 86	-3.29 45	-2.50 34	-3.51 48	-6.58 32	1.19 34	101	1	
596	YM 25 0478 111067997	2.77	CC 23 0017 YM 23 0136			80	84	87	-1.51 57	-0.17 33	-0.93 86	-2.05 33	-2.20 21	-3.01 39	-1.41 25	-4.35 20	93	2	
597	YM 25 0007 111087300	2.55	CCS 22 0159 YM 21 0066			80	82	79	-0.88 59	-1.28 36	-1.72 77	-1.97 38	-0.90 19	-2.70 41	-2.86 25	-2.17 22	101	2	
598	YM 25 0261 111091336	2.59	CCS 22 0159 YM 20 0030			80	81	79	-0.89 58	-1.31 34	-1.76 77	-2.01 38	-0.90 19	-2.74 40	-2.86 25	-2.17 22	96	1	
599	YM 26 0362 113611131	2.77	JW 19 0105 YM 23 0190			80	79	90	-2.20 58	0.09 46	-1.01 85	-3.32 45	-2.50 34	-3.61 48	-6.58 32	1.19 34	97	2	
600	YM 26 0409 113611586	2.56	CCS 22 0159 YM 22 0068			79	80	79	-1.09 58	-1.25 36	-1.79 76	-2.26 38	-0.90 19	-2.88 41	-2.86 25	-2.17 22	104	2	
601	YM 26 0110 112471941	2.56	CCS 22 0159 YM 22 0084			79	80	77	-0.94 58	-1.45 36	-1.92 75	-2.12 38	-0.90 19	-2.93 41	-2.86 25	-2.17 22	102	2	
602	YM 26 0173 112630405	2.91	JW 19 0105 YM 24 0048			79	78	89	-2.34 58	0.02 46	-1.15 83	-3.54 45	-2.50 34	-3.82 48	-6.58 32	1.19 34	99	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility													
Animal ID Computer nr	% In-bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW		AFL		ILP		Dam					
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean		EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times				
			Weaned	Herds	Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index		Acc Index	Acc Index	Acc Index	Acc Index	EPI	Lambd						
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
603	YM 26 0287 113610471	2.56	JW 19 0105 YM 22 0053				79	78	88	-2.27 58	-0.05 74	46	97	-1.19 83	-3.47 45	79	-2.50 34	86	-3.82 48	76	-6.58 32	117	34	94	100	1
604	YM 26 0862 114299977	1.98	OC 24 0419 OC 21 0359				78	85	80	-1.04 35	-0.44 85	29	90	-0.96 85	-2.30 28	85	-2.60 25	86	-3.04 30	80	1.51 27	99	3.70 29	90		5
605	YM 26 0560 113612592	2.59	CCS 22 0159 YM 20 0198				78	79	76	-1.05 59	-1.50 85	36	72	-2.03 74	-2.30 38	85	-0.90 19	93	-3.09 41	80	-3.22 25	110	22	97	102	2
606	YM 26 0559 113612634	2.59	CCS 22 0159 YM 20 0198				77	77	76	-1.27 59	-1.49 83	36	72	-2.13 73	-2.60 38	83	-0.90 19	93	-3.30 41	79	-3.22 25	110	22	97	102	2
607	YM 26 0633 113768535	2.91	JW 19 0105 YM 24 0097				74	72	86	-2.99 57	-0.13 67	44	96	-1.62 78	-4.49 45	73	-2.50 34	86	-4.62 47	73	-6.58 32	117	34	94	91	2
608	YM 26 0228 112631049	2.56	JW 19 0105 YM 22 0003				74	72	86	-3.00 57	-0.14 67	44	96	-1.64 78	-4.51 45	73	-2.50 34	86	-4.64 47	73	-6.58 32	117	34	94	95	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	EBV	EBV			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
1	CC	22	0610	6.51	CC	19 0576	132	116	139	1.51	1.45	2.21	3.19	8.20	7.88	-4.89	-2.64	89	1						
	95154258				CC	20 0717				67 109	61 123	119	69 115	52 127	61 130	49 114	45 100								
2	DM	22	0012	0.79	JW	16 0456	130	127	123	3.55	0.93	2.71	4.60	4.10	6.94	-1.75	3.48	86	3						
	93118693				CC	14 0344				69 128	62 114	125	69 123	51 112	62 126	50 107	55 91								
3	CC	18	0341	4.03	CC	16 0164	128	125	134	2.27	2.10	3.23	4.61	5.60	7.72	2.94	9.47	190	9						
	82382284				CC	17 0177				77 116	77 134	130	77 123	67 117	75 129	58 96	59 81								
4	DVS	24	4163	3.21	CC	19 0205	128	114	127	1.99	0.74	1.74	2.76	9.10	8.19	4.31	0.54	87	1						
	99942492				DVS	22 2122				66 113	53 111	114	56 113	44 131	56 132	39 93	41 95								
5	CC	22	0632	5.98	CC	20 0716	125	133	116	4.25	0.85	2.98	6.90	2.30	6.48	4.07	-5.96	89	2						
	95157434				CC	21 0454				63 134	54 113	128	64 136	45 105	55 124	41 93	41 106								
6	CC	22	0527	4.27	CC	19 0576	125	116	128	1.80	0.94	1.84	4.23	8.50	7.84	3.38	0.35	99	4						
	95159430				CC	16 0381				71 111	67 114	115	70 121	57 129	66 130	53 95	53 96								
7	YM	26	1053	3.20	DM	22 0081	125	112	116	2.66	-0.38	0.95	2.34	5.80	5.76	-9.61	4.30	0							
	114492036				DM	22 0012				58 119	41 91	106	50 111	31 118	45 120	34 124	36 89								
8	YM	25	0950	6.15	DVS	22 2394	124	111	122	1.83	0.52	1.44	2.13	8.30	7.33	5.93	-3.74	0							
	111306155				DVS	24 4163				46 112	37 107	111	40 109	31 128	39 128	26 89	28 102								
9	CC	21	0344	4.80	CC	19 0576	124	109	130	0.88	1.37	1.81	1.37	6.40	6.09	-2.14	-2.29	88	1						
	92603232				CC	17 0421				68 103	62 122	115	70 105	54 121	62 122	52 107	49 100								
10	CC	22	0357	5.19	CC	19 0576	123	113	123	1.80	0.71	1.61	2.95	6.80	6.59	3.35	-9.69	127	4						
	95155412				CC	19 0476				72 111	68 110	113	71 114	57 122	67 124	51 95	51 112								
11	DVS	24	4134	3.48	DVS	21 1222	122	125	119	2.97	1.32	2.80	4.06	3.40	6.32	7.10	3.11	87	2						
	99942203				DVS	21 1402				65 122	49 121	126	46 120	40 109	53 123	30 86	37 91								
12	DM	22	0036	3.40	JW	16 0456	122	101	132	-0.08	1.37	1.33	-0.76	4.90	4.23	-14.30	4.42	117	4						
	94140027				JW	21 0256				72 94	69 122	110	71 94	53 115	66 113	53 135	57 89								
13	YM	25	0929	5.52	DVS	22 2394	121	117	118	2.32	0.81	1.97	2.78	5.50	6.42	7.33	-2.45	0							
	111306130				DVS	24 4134				46 116	36 112	117	36 113	29 117	38 123	23 86	27 100								
14	CC	20	0406	3.44	CC	19 0076	121	98	117	0.97	-0.55	-0.06	0.07	11.90	7.56	0.09	-1.79	112	4						
	90335704				CC	16 0184				71 104	69 88	95	72 98	56 136	67 129	49 102	42 99								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility																						
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded													
										Dir	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV											
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36												
15	CC	18	0548	3.40	CC	16	0164	120	99	130	-0.40		1.29		1.09		-1.11		9.50		6.59		5.39		-1.54		151	7								
82384280					CC	15	0105				79		91		75		120		107		79		92		66				132		74		124		59	
16	YM	26	0661	7.91	CC	23	0615	120	120	116	2.78		0.58		1.97		4.35		4.50		6.06		2.96		3.14			0								
113769228					CC	23	0481				57		121		41		108		117		47		122		33				113		45		122		30	
17	YM	25	0435	6.20	CC	22	0392	120	104	126	0.47		0.84		1.08		0.68		8.80		6.59		1.42		7.06			0								
111092086					CC	18	0367				67		99		51		112		107		60		101		42				130		55		124		39	
18	YM	26	0680	8.86	CC	23	0615	120	116	117	2.38		0.48		1.67		3.62		5.20		5.98		1.36		4.55			0								
113769376					CC	23	0800				65		117		41		106		114		47		118		32				116		48		121		29	
19	CC	21	0384	3.44	CC	19	0576	120	114	126	1.19		1.39		1.99		3.31		5.00		5.59		1.86		-8.78		111	4								
92603638					CC	17	0427				71		106		68		122		117		72		116		59				115		67		120		52	
20	CC	18	0372	2.68	CC	16	0164	120	110	122	1.33		0.68		1.35		2.72		7.70		6.63		5.21		-2.49		141	8								
82382599					CC	14	0344				76		107		74		110		110		75		113		65				126		73		124		55	
21	YM	25	0927	5.76	DVS	22	2394	119	111	116	1.81		0.51		1.41		1.94		5.60		5.68		5.58		-8.75			0								
111306122					DVS	24	4100				46		112		35		107		111		35		108		29				117		38		120		24	
22	CC	22	0435	5.18	CC	21	0147	119	102	122	0.69		0.43		0.77		0.56		8.70		6.33		-0.57		9.60		106	3								
95156212					CC	17	0638				69		101		62		105		104		70		101		48				129		61		123		43	
23	YM	25	0761	8.00	CC	23	0615	119	121	113	3.03		0.42		1.94		4.66		4.00		5.85		2.73		5.65			0								
111096848					CC	24	0179				54		123		37		105		116		44		123		31				111		42		121		30	
24	CC	21	0051	5.37	CC	19	0866	119	106	112	1.89		-0.56		0.39		1.56		7.70		5.96		0.29		-0.58		99	4								
92022482					CC	18	0041				68		112		62		88		100		70		106		49				126		61		121		44	
25	YM	25	1029	1.71	LM	22	1507	119	113	125	1.13		1.27		1.83		3.04		4.80		5.28		-0.81		-3.59			0								
112601174					CC	23	0110				57		105		33		120		115		57		114		27				114		41		118		29	
26	DM	25	0214	2.85	JW	23	0085	119	122	110	3.37		0.49		2.18		4.01		1.40		4.70		0.39		2.75			0								
109584938					DM	23	0059				64		126		41		106		119		54		120		28				101		47		116		35	
27	YM	26	0026	0.79	DM	22	0081	119	98	114	1.07		-0.88		-0.34		0.27		8.00		5.00		-9.70		-1.93			0								
113610323					CC	18	0558				61		105		46		83		92		53		99		36				127		49		117		35	
28	CC	19	0484	3.44	CC	17	0528	118	119	115	2.45		0.80		2.02		3.87		3.70		5.47		7.74		-11.49		113	6								
86055423					CC	17	0479				73		117		70		112		117		73		119		59				110		69		119		53	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat	Comb	Post-Wean											EBV
											Acc	Index	Acc	Index	Acc	Index	Acc	Index						
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
29	DM	24	0102	1.13	KI	19 0148	118	108	122	1.00	0.97	1.47	1.66	3.80	4.25	-7.95	2.50	96	2					
	99748311				DM	22 0036				65	104	55	115	43	111	56	113	42	121	48	92			
30	YM	26	0200	16.29	DM	22 0081	118	96	108	1.44	-1.50	-0.78	-0.06	7.80	4.63	-11.93	-0.23							
	112630686				JW	21 0289				62	108	38	72	23	126	44	115	31	130	33	97			
31	DVS	24	4100	5.54	DVS	21 1222	118	114	115	1.96	0.71	1.69	2.39	3.60	4.83	3.61	-9.49	87	1					
	99640955				DVS	22 2368				64	113	48	110	38	110	52	116	35	94	36	111			
32	CC	23	0613	5.69	CC	21 0483	117	118	111	2.84	0.19	1.61	4.31	5.00	6.03	3.06	10.83	93	1					
	98182298				CC	21 0591				65	121	55	101	44	115	56	122	43	96	38	79			
33	YM	25	0713	6.16	JW	23 0085	117	108	119	1.39	0.52	1.21	1.75	4.20	4.43	-9.59	11.52							
	111096285				DM	22 0036				58	108	44	107	31	112	46	114	36	124	35	78			
34	CC	18	0558	2.21	CC	15 0431	117	98	119	0.37	-0.06	0.13	0.46	8.50	5.42	-1.92	-8.98	150	8					
	82384389				CC	14 0325				77	98	75	97	63	129	73	119	53	107	54	110			
35	CC	22	0574	5.88	CC	21 0147	117	113	116	1.93	0.43	1.40	2.98	5.10	5.42	-2.99	15.37	79	4					
	95153979				CC	18 0341				66	113	56	105	49	116	58	119	45	109	46	72			
36	CC	22	0004	2.56	-	- -	117	113	118	1.82	0.26	1.16	4.74	5.50	5.37	-2.71	-3.37	91	1					
	94069416				CC	17 0278				56	112	50	102	35	117	49	119	29	109	25	102			
37	YM	26	0990	4.69	DM	22 0081	117	104	114	1.33	0.01	0.68	0.63	3.00	3.14	-15.38	2.67							
	114488372				DM	23 0145				56	107	38	98	26	107	42	108	30	136	33	92			
38	YM	26	0989	4.69	DM	22 0081	117	104	114	1.33	0.01	0.68	0.63	3.00	3.14	-15.38	2.67							
	114488398				DM	23 0145				56	107	38	98	26	107	42	108	30	136	33	92			
39	YM	26	0682	1.70	CC	23 0615	116	114	113	2.18	0.45	1.54	3.09	3.70	4.85	0.06	2.04							
	113769368				CCS	24 0089				64	115	37	106	28	110	45	116	24	102	26	93			
40	YM	26	0139	10.20	CC	21 0515	116	110	115	1.58	0.37	1.16	2.53	6.20	5.67	4.33	-2.27							
	112472287				CC	18 0372				67	109	52	104	44	120	56	120	42	93	39	100			
41	CC	23	0481	5.05	CC	20 0456	116	119	110	2.81	0.38	1.78	4.50	3.40	5.23	5.27	-2.88	109	3					
	98182124				CC	21 0454				68	121	62	104	51	109	62	118	46	91	46	101			
42	YM	26	0858	7.13	DM	22 0081	116	93	112	0.62	-1.03	-0.72	-0.80	8.60	4.75	-9.77	3.22							
	113775589				JW	23 0115				53	101	37	80	23	129	40	116	31	125	32	91			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights								EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
43	CC	23	0085	1.99	KI	20 0260	116	110	109	2.13	-0.30	0.77	2.72	5.10	4.89	3.55	-15.47	115	3								
			96795067		CC	18 0558				70	114	64	93	49	116	63	116	47	94	47	121						
44	YM	25	0874	9.50	DM	24 0035	116	114	120	1.38	1.57	2.26	2.09	-0.40	2.70	-8.95	-0.40								0		
			111306015		DM	23 0145				50	108	37	125	28	94	40	106	27	123	30	97						
45	CC	23	0800	5.79	CC	21 0374	116	112	112	2.07	0.18	1.22	3.15	4.90	5.19	2.07	-0.05	120	3						3		
			98182504		CC	22 0362				69	114	62	101	48	115	61	118	44	98	43	96						
46	CC	24	0040	5.08	CC	21 0515	116	115	110	2.46	0.30	1.53	3.38	3.60	4.91	2.84	0.59	101	3						3		
			99762197		CC	22 0521				67	118	56	103	43	110	57	117	43	96	42	95						
47	YM	26	0223	6.94	DM	22 0081	115	101	110	1.46	-0.73	-0.01	0.75	5.10	3.78	-14.32	9.47								0		
			112630843		TB	21 0223				60	108	36	85	22	116	42	111	29	135	30	81						
48	CC	23	0087	2.65	KI	20 0260	115	122	108	3.07	0.62	2.16	4.56	1.70	4.71	7.19	-5.40	105	3						3		
			96795109		CC	19 0042				69	123	63	109	48	102	62	116	48	86	47	105						
49	CC	23	0170	3.75	CC	19 0576	115	110	121	0.93	1.32	1.79	1.60	2.80	3.93	-3.17	2.04								0		
			96795802		CC	21 0040				65	103	56	121	50	107	58	112	46	110	44	93						
50	OC	23	0306	2.77	-	- -	115	109	125	0.46	1.41	1.64	2.41	2.40	3.31	-9.71	-4.72	99	3						3		
			98021124		OC	21 0351				32	99	40	122	8	105	30	109	14	125	16	104						
51	CC	18	0457	2.68	CC	16 0509	115	115	113	2.09	0.72	1.77	2.69	3.00	4.61	1.50	6.29	187	7						7		
			82383423		CC	16 0575				79	114	77	110	66	107	75	115	55	99	55	86						
52	CC	24	0095	4.37	CC	20 0075	115	98	117	0.44	-0.16	0.06	0.75	8.80	5.56	-0.75	1.41	97	2						2		
			99793226		CC	21 0203				67	99	58	95	49	130	59	120	46	104	48	94						
53	CC	20	0398	2.90	CC	16 0164	115	120	122	1.51	2.02	2.77	4.31	0.70	3.95	2.75	-9.15	103	6						6		
			90335621		CC	17 0427				72	109	71	133	63	99	70	112	57	96	55	111						
54	CC	22	0005	2.56	-	- -	115	107	113	1.57	-0.19	0.60	2.94	4.10	3.84	-8.78	-4.76	89	1						1		
			94069432		CC	18 0535				53	109	43	95	34	112	45	112	26	122	26	104						
55	YM	26	0328	6.57	CC	23 0615	115	115	113	2.09	0.71	1.75	2.81	3.40	4.84	3.03	7.96								0		
			113610885		CC	22 0348				65	114	41	110	34	109	49	116	30	96	30	83						
56	DM	23	0145	2.57	JW	21 0255	114	111	121	0.88	1.72	2.16	1.18	-1.50	1.70	-13.29	0.21	91	4						4		
			97439350		DM	22 0110				62	103	52	128	39	90	53	102	40	133	44	96						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	EBV
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:						100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
57	YM 26 0877 114300148	4.26	CC 23 0614 YM 25 0089	114	109	116	1.28 46 107		0.67 30 110		1.31 110 43 110		4.40 25 113		4.59 35 115		-1.55 25 106		8.60 23 82		0			
58	YM 25 0037 111087201	7.28	CC 21 0374 CC 23 0583	114	104	110	1.53 65 109		-0.49 49 89		0.27 99 58 109		6.90 40 122		5.18 53 118		-1.80 39 107		7.27 37 85		0			
59	YM 26 0224 112630900	6.94	DM 22 0081 TB 21 0223	114	99	110	1.09 60 105		-0.72 36 85		-0.17 94 39 99		5.10 22 116		3.44 42 110		-14.32 29 135		9.47 30 81		0			
60	DM 25 0221 109584979	3.35	JW 23 0085 DM 23 0180	114	121	107	3.05 63 123		0.50 41 107		2.03 117 53 121		0.10 27 96		3.61 46 111		-3.61 34 111		11.53 32 78		1			
61	CC 24 0179 99762619	5.46	CC 22 0031 CC 23 0121	114	121	104	3.29 59 125		0.07 52 99		1.72 114 59 126		2.40 45 105		4.80 53 116		4.81 46 92		2.16 40 93		88	1		
62	YM 26 0677 113769350	2.59	CC 23 0615 YM 20 0033	113	117	112	2.21 57 115		0.90 33 113		2.01 117 33 117		0.70 21 99		3.53 39 110		-1.26 19 105		0.79 18 95		0			
63	YM 26 0325 113610927	2.91	DM 22 0081 YM 24 0045	113	108	106	2.07 57 114		-0.36 31 92		0.68 103 36 108		1.70 18 102		2.73 38 107		-10.31 23 126		-1.22 24 98		0			
64	CC 22 0407 95156634	5.20	CC 21 0188 CC 18 0564	113	107	113	1.28 70 107		0.36 64 104		1.00 106 69 107		4.20 52 112		4.16 64 113		-1.07 48 105		0.98 48 95		95	3		
65	CC 22 0198 93924439	4.69	CC 19 0576 CC 18 0311	113	108	114	1.26 69 106		0.50 66 107		1.13 108 69 110		4.90 57 115		4.70 65 116		2.96 51 96		-1.52 53 99		104	3		
66	YM 26 0335 113610935	0.76	DM 22 0081 CC 21 0422	113	105	105	1.86 66 112		-0.53 44 89		0.40 100 51 104		2.80 34 107		3.01 50 108		-6.88 34 118		-6.17 35 106		0			
67	CC 22 0576 95154019	4.69	CC 20 0075 CC 16 0432	113	99	114	0.59 68 100		-0.20 61 94		0.09 97 69 101		8.50 51 129		5.49 61 119		-3.04 49 109		24.04 50 64		89	3		
68	YM 26 0539 113612451	2.59	CC 22 0120 YM 20 0167	113	117	109	2.41 57 117		0.56 40 108		1.76 115 44 119		0.10 29 96		3.03 44 108		-2.45 28 108		-6.86 24 107		0			
69	YM 26 1017 114488919	2.58	CC 23 0615 JJO 22 0846	113	110	115	1.34 46 107		0.65 30 109		1.32 110 33 113		3.00 21 107		3.79 34 111		-4.06 19 112		1.99 18 93		0			
70	YM 25 0132 112600812	1.63	LM 22 1507 CC 22 0527	113	106	120	0.54 58 100		0.93 36 114		1.20 109 57 110		5.00 29 115		4.47 43 114		-0.20 31 103		0.29 31 96		0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility														
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded					
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index									
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36				
71	YM	25	0038	111087771	5.29	CC	21 0374	113	107	110	1.56		-0.02		0.77		2.25		5.00		4.55		-0.15		3.25		0	
					CC	23 0083	66				109	50	98	104	58	110	40	115	54	115	40	103	37	91				
72	CC	22	0539	95152690	5.07	CC	20 0075	112	112	102	2.78		-0.94		0.45		4.23		5.90		5.39		3.45		3.62		88	1
					CC	19 0117	68				121	61	82	101	70	121	51	119	61	119	49	95	45	90				
73	JW	23	0115	97309306	15.73	JW	21 0115	112	89	116	-0.53		-0.37		-0.63		-1.67		9.70		4.93		-2.08		1.30		94	3
					JW	20 0090	50				90	51	92	89	37	89	30	133	46	117	41	107	42	94				
74	CC	20	0584	90337239	5.83	CC	19 0145	112	117	110	1.99		1.20		2.20		2.87		0.30		3.37		9.42		-20.36		90	6
					CC	18 0511	70				113	64	119	119	71	114	54	97	64	109	48	81	49	129				
75	YM	26	0386	113611313	2.77	CC	22 0120	112	117	107	2.46		0.40		1.63		3.81		0.10		2.93		-2.45		-6.86		0	
					YM	23 0192	56				118	38	105	113	44	119	29	96	43	107	28	108	24	107				
76	CC	23	0194	96783766	5.05	CC	21 0095	112	99	112	0.62		-0.04		0.27		0.36		6.30		4.36		-0.99		0.88		0	
					CC	22 0024	65				101	52	97	99	67	100	44	120	55	114	43	105	40	95				
77	CC	22	0395	95155917	4.28	CC	20 0075	112	93	109	0.61		-1.28		-0.98		0.63		12.70		6.95		-2.84		8.28		94	2
					CC	20 0407	69				100	64	76	85	69	101	50	136	63	126	48	109	46	83				
78	YM	25	0005	111087367	4.67	CC	21 0188	112	117	109	2.23		0.95		2.06		3.27		0.10		3.24		3.17		-5.52		0	
					CC	20 0584	66				115	54	114	118	59	116	46	96	57	109	44	95	42	105				
79	YM	25	0946	111306148	7.22	DVS	22 2394	112	107	105	1.78		-0.07		0.82		1.42		3.70		3.93		3.87		-6.27		0	
					DVS	24 4240	46				111	37	97	104	39	106	31	110	39	112	25	94	28	106				
80	OC	25	0024	109587303	2.99	JW	18 0894	111	106	114	0.93		0.49		0.95		1.96		3.10		3.28		-5.34		-2.16		0	
					OC	23 0306	49				103	34	106	106	19	109	19	108	36	109	22	115	24	100				
81	DM	23	0059	97083539	0.79	JW	16 0456	111	112	111	1.38		1.46		2.15		0.41		-0.60		2.48		5.66		-13.13		135	4
					CRL	16 0028	67				108	61	123	119	63	100	45	94	60	105	51	90	55	117				
82	YM	26	0317	113610703	2.56	CC	23 0615	111	115	109	2.03		0.72		1.73		3.09		0.70		3.16		-1.26		0.79		0	
					YM	22 0143	58				114	34	110	114	33	115	21	99	40	108	19	105	18	95				
83	DM	24	0005	98675804	5.43	JW	21 0255	111	104	119	0.29		1.20		1.34		0.26		1.90		2.63		-9.53		9.88		109	2
					DM	22 0017	65				98	57	119	110	63	99	41	103	56	106	37	124	42	80				
84	YM	26	0663	113769277	4.75	DM	22 0081	111	94	107	0.66		-0.81		-0.48		-1.05		4.70		2.67		-11.14		-3.16		0	
					CRL	22 0074	52				101	37	84	90	39	92	21	114	39	106	31	128	33	101				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
Active Breed Average:								-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
85	YM 26 0062 112470349	2.59	CC 23 0615 YM 20 0039	111	114	111		1.85 57	0.86 34	1.79 115	2.91 33	0.70 21	3.14 40	-0.76 20	-0.02 18					0	
86	YM 26 0669 113769301	2.77	CC 23 0615 YM 23 0157	111	114	112		1.63 57	1.03 33	1.85 115	2.67 33	0.70 21	3.08 39	-1.26 19	0.79 18					0	
87	YM 26 0269 113610158	2.91	CC 23 0615 YM 24 0080	111	114	109		1.97 56	0.70 30	1.69 114	3.01 33	0.70 21	3.09 38	-1.26 19	0.79 18					0	
88	YM 25 0721 111290979	4.97	CC 23 0017 CC 24 0087	111	111	111		1.51 56	0.81 38	1.57 112	2.38 47	1.20 31	3.04 43	-0.38 33	-4.11 29					0	
89	YM 26 0929 114478456	6.85	CC 23 0614 YM 25 0598	111	109	110		1.50 44	0.44 33	1.19 108	2.13 40	2.90 26	3.68 36	0.45 26	1.77 23					0	
90	CCS 24 0089 99916959	1.93	CCS 22 0246 CCS 20 0029	111	110	106		1.93 67	0.11 52	1.08 107	2.45 51	1.90 38	3.18 55	-0.52 28	-5.07 36				123	2	
91	CC 23 0689 98181365	6.67	CC 21 0483 CC 20 0692	110	118	102		2.98 67	-0.15 60	1.34 110	4.80 67	3.30 47	4.81 60	7.74 43	3.26 43				97	2	
92	CC 23 0593 98181209	4.84	CC 21 0483 CC 20 0438	110	113	107		2.09 65	0.16 56	1.20 109	3.49 67	5.10 46	5.31 57	9.80 45	5.69 39				92	1	
93	YM 25 0067 111087094	2.25	LM 22 1507 CC 22 0435	110	101	117		0.14 65	0.67 34	0.74 104	0.55 57	5.10 25	3.87 44	-2.18 27	4.91 27					0	
94	YM 25 0084 111087607	4.42	CC 22 0392 CC 24 0095	110	100	109		0.86 63	-0.31 44	0.12 97	0.99 57	6.80 36	4.63 49	0.76 35	5.55 31					0	
95	CC 22 0403 95156071	4.52	CC 21 0147 CC 19 0513	110	102	102		1.76 70	-1.10 64	-0.22 93	1.90 67	6.40 50	4.50 63	-0.29 43	2.81 44				120	4	
96	YM 25 0366 111091955	7.12	CC 21 0374 CC 22 0395	110	93	114		-0.13 65	-0.40 50	-0.46 91	0.13 59	8.90 41	4.82 54	-4.25 40	10.24 37					0	
97	YM 26 1001 114488554	3.93	CC 23 0017 CC 22 0576	110	107	111		1.21 57	0.33 41	0.93 106	1.82 48	4.10 33	4.00 45	-1.36 35	11.46 32					0	
98	YM 25 0089 111087904	2.28	LM 22 1507 CC 22 0574	110	107	114		0.89 63	0.67 31	1.11 108	1.94 56	3.30 26	3.54 42	-3.75 31	8.05 28					1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
99	YM 26 0111 112471966	2.55	DM 22 0081 YM 21 0052	110	103	106	1.36 58	-0.24 35	0.44 100	0.91 36	1.70 18	2.14 40	-10.31 23	-1.22 24			0				
100	YM 26 0103 112471842	5.48	CC 21 0515 CC 23 0157	110	106	102	1.84 66	-0.51 49	0.42 100	1.74 57	3.80 40	3.62 53	2.06 39	-8.41 36			0				
101	YM 26 0168 112630173	0.77	DM 22 0081 CC 23 0118	110	104	100	1.94 65	-0.86 42	0.11 97	1.17 50	2.60 31	2.65 48	-7.03 34	-2.00 33			0				
102	YM 26 0746 113775597	1.80	CC 23 0615 CCS 23 0012	110	106	110	1.19 64	0.26 38	0.86 105	1.70 41	2.80 28	3.14 46	-3.10 26	-0.92 27			0				
103	YM 26 0142 112472261	1.07	CCS 22 0159 CC 22 0357	110	105	104	1.62 66	-0.52 44	0.29 99	1.87 52	4.60 34	3.86 50	0.39 35	-3.23 34			0				
104	YM 26 0141 112472311	1.07	CCS 22 0159 CC 22 0357	110	105	104	1.62 66	-0.52 44	0.29 99	1.87 52	4.60 34	3.86 50	0.39 35	-3.23 34			0				
105	YM 26 1035 114491764	1.21	CC 23 0615 RN 23 0018	110	106	111	1.16 47	0.26 31	0.84 105	1.84 33	3.50 22	3.51 35	-4.92 27	11.33 26			0				
106	YM 26 0681 113769384	2.59	CC 23 0615 YM 20 0220	109	112	110	1.57 57	0.83 34	1.62 113	2.52 33	0.70 21	2.83 40	-1.26 19	0.79 18			0				
107	YM 26 0720 113775282	6.88	CC 23 0615 PMS 24 0170	109	108	109	1.37 62	0.29 36	0.98 106	2.35 44	2.90 26	3.40 44	-0.79 24	0.30 22			0				
108	CC 23 0083 96795026	2.16	KI 20 0260 CC 19 0804	109	105	103	1.58 70	-0.39 63	0.40 100	1.64 68	4.90 48	4.13 62	5.36 46	-5.70 44	111	3					
109	CC 22 0332 95152658	4.97	CC 20 0075 CC 19 0785	109	109	105	1.74 66	0.12 57	0.99 106	2.13 68	1.90 50	3.00 59	-0.94 46	-1.74 47	82	3					
110	YM 26 0664 113769269	4.75	DM 22 0081 CRL 22 0074	109	91	106	0.27 61	-0.79 37	-0.66 89	-1.57 39	4.70 21	2.30 43	-11.14 31	-3.16 33			0				
111	CC 22 0457 95158192	5.22	CC 20 0075 CC 18 0457	109	100	107	1.03 72	-0.51 67	0.01 96	1.17 71	5.70 56	3.94 66	-3.91 49	9.26 50	113	4					
112	YM 25 0055 111087698	1.58	LM 22 1507 CC 21 0384	109	104	118	0.05 65	1.17 37	1.20 109	1.46 58	3.30 30	3.20 46	-0.96 31	-4.28 31			0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
113	CRL	20	0243	3.51	CRL	18 0456	109	103	113	0.48	1.12	1.36	-0.56	0.90	2.14	-1.34	-2.79	122	6						
91519355					CRL	18 0365			45	99	48	117	110	29	95	24	99			41	104	39	106	46	101
114	CC	24	0168	5.00	CC	21 0188	109	96	109	0.42	-0.32	-0.12	0.05	6.30	3.87	-3.30	7.22	116	2						
99762536					CC	22 0413			69	99	63	92	94	67	98	50	120			62	112	47	110	47	85
115	YM	26	0718	2.55	CC	23 0615	109	111	108	1.56	0.70	1.48	2.45	0.70	2.68	-1.26	0.79		0						
113775167					YM	21 0069			57	109	33	110	112	33	111	21	99			39	106	19	105	18	95
116	YM	26	0784	2.59	DM	22 0081	108	101	106	0.99	-0.18	0.32	0.43	1.70	1.83	-10.31	-1.22		0						
113792162					YM	20 0008			48	104	33	95	99	36	100	18	102			35	102	23	126	24	98
117	CC	23	0583	5.24	CC	21 0095	108	94	102	0.86	-1.30	-0.87	0.21	8.70	4.78	2.08	2.34	107	2						
98183338					CC	21 0318			69	103	62	75	86	67	99	48	129			61	116	45	98	44	92
118	YM	26	0830	4.81	CC	23 0693	108	111	101	2.18	-0.12	0.97	2.59	2.50	3.56	5.18	-2.20		0						
113792949					YM	25 0006			47	115	37	96	106	45	112	31	106			39	110	32	91	28	100
119	YM	25	0036	6.71	CC	21 0374	108	104	105	1.31	-0.17	0.48	1.70	3.20	3.06	0.45	-9.46		0						
111087375					CC	23 0525			65	107	48	95	101	58	107	40	108			53	108	38	102	36	111
120	YM	25	0515	2.76	-	- -	108	99	116	-0.02	0.11	0.10	2.45	4.60		-11.98	-2.50		0						
112600762					JJO	20 0696			5	95	5	100	97	5	111	5	114			5	130	5	100		
121	YM	26	0800	1.82	CC	23 0693	108	105	108	1.05	0.30	0.83	1.16	2.80	3.03	0.14	-0.84		0						
113792501					YM	25 0022			45	105	33	103	105	39	104	26	107			36	108	27	102	24	97
122	YM	26	0890	5.68	CC	23 0614	108	106	105	1.45	-0.08	0.65	1.90	4.20	3.89	0.82	9.79		0						
114300460					YM	25 0531			46	108	34	96	103	43	108	27	112			37	112	27	101	23	81
123	CC	22	0601	1.79	CC	19 0576	108	100	118	-0.26	1.00	0.87	0.55	3.40	2.78	-4.77	0.72	89	1						
95154092					M	16 0916			64	92	58	115	105	65	101	45	109			57	107	45	113	40	95
124	YM	25	0564	5.19	CC	23 0902	108	109	109	1.28	0.59	1.23	2.39	1.80	2.95	-0.58	0.97		0						
111092334					CC	23 0800			64	107	38	108	109	54	111	30	103			46	107	28	104	27	95
125	JW	21	0289	7.93	JW	18 0879	108	84	106	-0.46	-1.22	-1.45	-2.31	8.20	3.25	-6.38	-5.59	115	4						
93209476					JW	19 0309			53	91	53	77	80	37	85	29	127			47	109	41	117	46	105
126	YM	25	0625	2.59	CC	21 0515	108	111	104	1.91	0.32	1.28	2.62	0.30	2.41	0.00	-4.41		0						
111096137					YM	20 0084			58	112	42	103	109	46	112	30	97			45	105	32	103	26	103

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
127	CC 22 0506 95159018	5.35	CC 21 0188 CC 20 0616	108	114	107	1.73 70	1.05 64	1.92 116	2.18 68	110	-1.80 53	1.70 64	-2.30 48	0.32 46	120	4					
128	YM 26 0206 112630678	2.55	CC 22 0120 YM 21 0064	107	111	104	1.91 57	0.18 40	1.14 108	2.96 44	114	0.10 29	2.15 44	-2.45 28	-6.86 24	0						
129	YM 26 0072 112470638	29.08	CC 21 0515 CC 24 0116	107	106	104	1.42 65	-0.01 46	0.70 103	1.67 56	107	3.10 38	3.27 51	3.16 38	-3.52 34	0						
130	CC 23 0452 98180367	4.86	CC 20 0456 CC 20 0406	107	96	104	0.65 65	-0.60 52	-0.28 93	-0.23 66	96	6.10 44	3.71 55	1.27 44	-0.23 37	1						
131	YM 25 1011 111395224	1.57	LM 22 1507 CC 20 0398	107	108	117	0.39 58	1.47 38	1.67 114	2.21 58	110	1.10 32	2.53 44	-0.52 32	-4.46 32	0						
132	YM 26 0806 113792519	4.10	CC 23 0693 YM 25 0502	107	105	110	0.79 45	0.67 33	1.06 107	1.11 38	104	2.20 26	2.77 36	0.28 27	-0.91 23	0						
133	DVS 24 4156 99942427	3.22	CC 19 0205 DVS 22 2087	107	104	105	1.23 65	-0.02 51	0.60 102	1.46 56	106	4.30 42	3.79 54	5.48 34	-0.77 39	0						
134	CC 23 0176 96783642	3.72	CC 20 0075 CC 21 0032	107	98	104	0.91 66	-0.73 55	-0.28 93	1.06 67	104	6.40 48	4.02 58	1.21 44	0.88 43	0						
135	YM 26 0090 112470786	2.91	CC 21 0515 YM 24 0051	107	111	104	1.78 58	0.37 41	1.26 109	2.46 46	111	0.30 30	2.32 45	0.15 32	-4.81 26	0						
136	YM 26 0378 113611172	2.56	DM 22 0081 JW 22 0415	107	100	102	1.23 59	-0.58 33	0.04 96	0.59 36	101	1.70 18	1.67 40	-10.31 23	-1.22 24	0						
137	YM 26 0658 113769285	2.59	CC 23 0615 YM 20 0081	107	109	108	1.27 58	0.69 35	1.33 110	2.05 33	109	0.70 21	2.39 41	-1.26 19	0.79 18	0						
138	YM 26 0660 113769244	2.59	CC 23 0615 YM 20 0081	107	109	108	1.27 58	0.69 35	1.33 110	2.05 33	109	0.70 21	2.39 41	-1.26 19	0.79 18	0						
139	YM 26 0824 113792642	2.15	CC 23 0017 JJO 20 0696	107	106	110	0.88 46	0.46 28	0.90 105	2.48 33	111	1.90 21	2.48 33	-4.63 25	-1.69 21	0						
140	DVS 24 4167 99942534	3.14	CC 19 0205 DVS 22 2308	107	100	111	0.33 65	0.46 52	0.63 102	0.46 53	100	4.80 43	3.67 55	2.10 37	6.63 39	87	1					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
141	CRL 24 0410 108019258	7.60	CRL 22 0123 CRL 20 0539	107	106	104	1.42 31 108	0.20 26 101	0.91 105	1.23 26 104	0.40 19 98	1.86 26 103	-4.34 29 112	-0.35 32 97	1					
142	YM 26 0552 113612485	2.56	CC 21 0515 YM 22 0078	107	109	106	1.41 59 108	0.61 43 108	1.31 110	2.06 46 109	0.30 30 97	2.20 46 104	0.15 32 102	-4.81 26 104	0					
143	YM 25 0536 111092755	5.12	CC 23 0902 CC 18 0457	107	109	109	1.07 66 105	0.88 45 113	1.41 111	1.88 58 108	0.90 38 99	2.49 51 105	-0.86 32 104	4.14 32 90	0					
144	YM 26 0283 113610430	2.59	DM 22 0081 YM 20 0060	107	100	103	1.03 58 104	-0.48 33 90	0.04 96	0.37 36 100	1.70 18 102	1.58 39 101	-10.31 23 126	-1.22 24 98	0					
145	YM 25 0041 111087383	6.02	CC 22 0392 CC 24 0023	107	99	104	0.88 64 103	-0.52 45 89	-0.08 95	0.59 56 101	6.00 35 119	3.96 50 112	2.08 34 98	7.22 29 85	0					
146	YM 26 0105 112471891	3.79	CC 23 0017 CC 23 0525	107	110	101	1.86 64 112	0.05 40 99	0.98 106	2.35 47 111	0.50 31 98	2.21 47 104	3.45 32 95	-16.12 29 122	0					
147	YM 26 0649 113769038	2.55	CC 23 0615 YM 21 0059	106	108	108	1.17 48 106	0.71 32 110	1.30 110	1.91 33 108	0.70 21 99	2.30 36 105	-1.26 19 105	0.79 18 95	0					
148	DM 25 0197 108813510	5.19	DM 22 0081 DM 23 0031	106	94	104	0.56 64 100	-0.83 42 83	-0.55 90	-0.70 49 94	4.20 29 112	2.25 47 104	-13.00 32 132	14.23 34 73	0					
149	YM 25 0003 112600705	6.64	CC 21 0374 CC 22 0323	106	109	106	1.36 57 107	0.53 47 107	1.21 109	1.97 58 109	1.00 40 100	2.49 49 105	-2.64 39 109	9.74 37 81	0					
150	CCS 24 0240 100274919	5.18	CCS 22 0287 CCS 23 0103	106	93	105	0.26 62 97	-0.80 38 84	-0.68 88	-0.13 46 97	6.80 26 122	3.53 44 110	-4.08 31 112	6.90 29 85	0					
151	CRL 25 0278 110030053	10.33	CRL 23 0051 CRL 20 0381	106	100	106	0.67 46 101	0.18 26 101	0.52 101	-0.24 22 96	2.30 17 105	2.24 32 104	-3.41 25 110	4.37 29 89	0					
152	TB 21 0223 107896771	4.44	JW 17 0656 JW 17 0721	106	99	111	0.21 44 97	0.28 47 103	0.39 100	0.17 31 99	2.60 25 106	2.05 41 103	-11.17 34 128	13.81 36 74	108	2				
153	YM 25 0049 111087151	2.41	LM 22 1507 CC 22 0403	106	101	107	0.69 65 101	-0.09 34 96	0.25 98	1.23 56 105	4.00 26 111	2.99 44 108	-2.04 27 107	1.52 28 94	0					
154	YM 26 0637 113768550	2.91	CC 23 0615 YM 24 0040	106	108	108	1.06 57 105	0.72 33 110	1.25 109	1.77 33 107	0.70 21 99	2.20 39 104	-1.26 19 105	0.79 18 95	0					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
155	YM	26	0186	2.77	CC	22	0120	106	109	103	1.65	0.16	0.99	2.60	0.10	1.87	-2.45	-6.86						0	
			112630496		YM	23	0211				56	110	38	101	106	44	112	29	96	43	103	28	108	24	107
156	PMS	24	0170	2.55	CC	22	0120	106	111	99	2.23	-0.31	0.81	3.56	0.20	2.04	-2.22	-8.54	98					1	
			100154129		PMS	21	0011				59	115	48	92	104	58	117	30	97	48	103	29	108	25	110
157	CC	18	0526	3.85	CC	16	0164	106	97	114	-0.44	0.96	0.74	-1.11	4.60	3.28	6.34	-2.56	143					7	
			82384082		CC	15	0388				75	91	72	115	104	74	92	63	114	71	109	54	88	55	100
158	YM	25	0057	7.24	CC	23	0109	106	98	110	0.01	0.49	0.50	-0.49	4.50	3.20	5.59	-5.70						0	
			111087680		CC	18	0548				65	95	46	106	101	57	95	40	113	52	109	37	90	35	105
159	YM	25	0033	3.99	CC	21	0095	106	93	106	0.08	-0.50	-0.46	-0.36	7.00	3.78	1.54	1.17						0	
			111087441		CC	18	0372				67	96	55	89	91	60	96	48	123	58	111	44	99	42	94
160	CC	22	0420	4.11	CC	20	0075	106	89	106	-0.33	-0.77	-0.93	-0.93	11.30	5.68	10.48	-5.01	105					3	
			95156956		CC	18	0511				71	92	66	85	86	72	93	54	136	65	120	48	79	49	104
161	CC	22	0151	3.90	CC	20	0021	106	98	114	-0.27	0.66	0.53	0.09	4.40	3.03	-3.12	9.92	89					1	
			93924132		CC	16	0037				65	92	55	109	101	67	98	44	113	56	108	42	110	35	80
162	YM	26	0716	2.77	CC	23	0615	106	107	107	1.06	0.67	1.20	1.75	0.70	2.15	-1.26	0.79						0	
			113775274		YM	23	0070				57	105	33	109	109	33	107	21	99	39	104	19	105	18	95
163	CCS	24	0086	26.43	CCS	23	0239	106	104	106	0.96	0.24	0.72	1.66	1.00	1.80	-4.45	-5.59						0	
			99885386		CCS	19	0234				57	104	40	102	103	37	107	18	100	41	102	16	113	16	105
164	JJO	20	0696	2.59	-	-	-	106	98	113	-0.08	0.07	0.03	1.87	4.00	2.39	-9.60	-2.25						3	
			94970324		JJO	15	0180				8	94	7	99	96	8	108	6	111	7	105	8	124	9	100
165	CC	22	0193	4.75	CC	20	0093	105	113	98	2.39	0.03	1.23	3.11	0.40	2.66	2.75	4.90	92					2	
			94012267		CC	18	0642				65	117	56	98	109	66	115	45	98	57	106	40	96	41	88
166	YM	26	0270	2.59	CC	22	0120	105	108	104	1.39	0.31	1.01	2.30	0.10	1.77	-2.45	-6.86						0	
			113610224		YM	20	0042				57	108	40	103	107	44	110	29	96	44	102	28	108	24	107
167	YM	26	0303	2.59	DM	22	0081	105	99	100	1.13	-0.75	-0.19	0.39	1.70	1.40	-10.31	-1.22						0	
			113610646		YM	20	0216				57	105	33	85	94	36	100	18	102	39	100	23	126	24	98
168	YM	25	0031	4.81	CC	21	0025	105	107	100	1.68	-0.07	0.78	1.96	1.10	2.28	2.54	-8.75						0	
			111087482		CC	22	0407				66	110	52	97	104	59	109	44	100	56	104	44	97	40	110

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
169	YM 26 0376 113611248	2.56	DM 22 0081 YM 22 0146	105	98	100	1.03 58	-0.69 35	-0.18 94	0.27 36	0.99	1.70 18	1.36 40	-10.31 23	-1.22 24		0								
170	YM 26 0755 113775662	5.03	KH 23 0020 KH 23 0013	105	115	103	2.06 51	0.77 31	1.80 115	3.05 27	1.15	-1.00 13	2.23 35	4.21 20	-0.17 23		0								
171	CC 23 0220 96796008	4.60	CC 21 0114 CC 22 0214	105	112	104	1.73 60	0.59 49	1.45 111	2.74 61	1.13	-0.10 40	2.26 51	-2.32 38	11.50 40	90	2								
172	YM 25 0014 112600721	5.02	CC 21 0188 CC 23 0146	105	109	102	1.65 58	0.11 50	0.94 106	2.31 58	1.10	1.20 43	2.48 51	-1.37 42	6.85 39		0								
173	YM 26 0285 113610489	2.59	DM 22 0081 YM 20 0075	105	98	100	1.01 57	-0.68 31	-0.18 94	0.25 36	0.99	1.70 18	1.35 38	-10.31 23	-1.22 24		0								
174	YM 26 0331 113610851	1.21	JW 19 0105 CC 23 0087	105	107	106	1.09 66	0.64 52	1.19 108	1.49 57	1.06	0.40 41	1.97 55	-1.41 40	2.27 41		0								
175	CC 22 0057 93923472	4.32	CC 20 0021 CC 20 0177	105	102	108	0.65 65	0.21 54	0.54 101	1.58 67	1.06	4.20 45	3.38 56	2.04 42	4.25 35	89	1								
176	YM 26 0562 113612600	6.31	JW 20 0141 EBS 21 0071	105	100	106	0.71 51	-0.22 31	0.13 97	0.95 31	1.03	3.20 19	2.41 36	-9.13 26	14.60 26		0								
177	CC 23 0202 96783824	4.92	CC 21 0095 CC 22 0051	105	96	106	0.35 65	-0.35 52	-0.18 94	0.49 67	1.00	5.90 43	3.54 55	0.41 41	5.34 38		0								
178	YM 26 0365 113611107	2.55	DM 22 0081 YM 21 0043	105	98	101	0.87 58	-0.61 33	-0.18 94	0.08 36	0.98	1.70 18	1.27 39	-10.31 23	-1.22 24		0								
179	YM 26 0261 113610141	2.59	CC 22 0120 YM 20 0190	105	108	102	1.48 57	0.13 40	0.87 105	2.36 44	1.11	0.10 29	1.67 44	-2.45 28	-6.86 24		0								
180	YM 25 0735 111486841	3.79	CC 23 0017 CC 23 0525	105	107	100	1.53 57	0.07 40	0.84 105	1.91 47	1.08	0.50 31	1.90 44	3.45 32	-16.12 29		0								
181	PBM 24 0030 108050741	5.82	CC 21 0188 CC 22 0094	105	105	102	1.28 59	0.15 52	0.79 104	1.28 59	1.05	1.70 44	2.45 53	1.37 43	1.54 41		0								
182	DM 25 0149 107790024	3.00	DM 23 0026 DM 22 0050	105	97	108	0.10 62	0.01 40	0.06 96	0.18 48	0.99	3.80 27	2.40 45	-5.28 28	3.43 26		0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype					
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
183	YM 26 0906 114300601	2.56	DM 22 0081 YM 22 0147	105	97	102	0.70 47	-0.49 31	-0.14 94	-0.09 36	-0.09 97	1.70 18	1.24 34	-10.31 23	-1.22 24							0			
184	CC 24 0023 99761801	6.13	CC 21 0515 CC 19 0804	105	92	105	-0.06 69	-0.55 60	-0.57 90	-0.77 67	-0.77 93	7.30 46	3.78 60	1.89 43	4.75 42	113						2			
185	YM 25 0027 111088019	7.31	CC 22 0597 CC 24 0040	105	107	105	1.21 63	0.44 41	1.05 107	2.11 56	2.11 109	1.60 32	2.61 47	2.00 32	1.73 28							0			
186	YM 26 0631 113768170	2.56	CC 23 0615 YM 22 0074	105	107	105	1.22 57	0.41 32	1.02 107	1.86 33	1.86 108	0.70 21	2.05 39	-1.26 19	0.79 18							0			
187	YM 25 0046 111087789	4.37	CC 23 0902 CC 24 0168	105	101	108	0.50 64	0.34 39	0.59 102	0.91 54	0.91 103	2.50 31	2.34 47	-3.26 29	4.61 29							0			
188	YM 26 0659 113769210	2.59	CC 23 0615 YM 20 0081	105	106	107	0.83 58	0.72 35	1.13 108	1.46 33	1.46 106	0.70 21	1.97 41	-1.26 19	0.79 18							0			
189	YM 26 0696 113775019	2.91	CC 23 0615 YM 24 0099	105	107	105	1.13 56	0.45 30	1.01 107	1.75 33	1.75 107	0.70 21	2.00 38	-1.50 20	0.86 18							0			
190	YM 26 0634 113768618	3.80	JW 18 0894 OC 21 0265	105	97	105	0.40 53	-0.28 34	-0.08 95	0.08 23	0.08 98	3.50 22	2.22 39	-6.96 27	8.04 32							0			
191	YM 25 0622 111096673	2.55	CC 21 0515 YM 21 0069	104	107	103	1.34 58	0.33 42	1.00 106	1.84 46	1.84 108	0.30 30	1.84 45	0.15 32	-4.81 26							0			
192	YM 26 0385 113611354	2.77	CC 23 0615 YM 23 0027	104	107	104	1.18 57	0.39 33	0.98 106	1.80 33	1.80 108	0.70 21	2.00 39	-1.26 19	0.79 18							0			
193	YM 26 0107 112471917	2.59	CC 21 0515 YM 20 0041	104	107	102	1.38 59	0.28 44	0.97 106	1.88 46	1.88 108	0.30 30	1.83 47	0.15 32	-4.81 26							0			
194	YM 26 0108 112471958	2.59	CC 21 0515 YM 20 0041	104	107	102	1.38 59	0.28 44	0.97 106	1.88 46	1.88 108	0.30 30	1.83 47	0.15 32	-4.81 26							0			
195	YM 26 0588 113612907	2.56	CC 21 0515 YM 22 0027	104	108	102	1.45 57	0.22 40	0.95 106	1.96 46	1.96 109	0.30 30	1.86 44	0.15 32	-4.81 26							0			
196	YM 26 0019 111941258	2.56	DM 22 0081 YM 22 0028	104	97	100	0.89 57	-0.70 33	-0.26 93	0.07 36	0.07 98	1.70 18	1.20 39	-10.31 23	-1.22 24							0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index			EBV Acc Index	Acc	Index	Acc Index	Acc Index			Acc Index	Acc Index
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
197	YM 25 0608 111096301	2.56	CC 21 0515 YM 22 0023	104	107	102	1.39 58		0.27 42		0.97 106		1.89 46		0.30 30		1.84 45		0.15 32		-4.81 26		104		0
198	OC 21 0265 92635564	6.01	BEP 19 0193 OC 19 7018	104	94	108	-0.05 56		-0.15 43		-0.18 94		-0.63 28		3.30 23		1.78 43		-12.95 36		15.66 46		92	5	
199	CC 22 0204 93924470	5.35	CC 19 0358 CC 16 0220	104	91	101	0.22 68		-0.81 60		-0.70 88		-0.99 69		7.30 47		3.79 60		6.17 45		-2.14 40		91	1	
200	YM 26 0753 113775647	1.72	DM 22 0081 SM 21 0167	104	88	105	-0.36 61		-0.60 33		-0.78 87		-2.11 36		4.30 18		1.63 40		-10.69 26		2.94 29		91		0
201	YM 26 0233 112630983	2.55	CC 23 0615 YM 21 0086	104	106	105	1.08 57		0.44 32		0.98 106		1.69 33		0.70 21		1.94 39		-1.26 19		0.79 18		95		0
202	CC 23 0552 98181720	5.05	CC 20 0456 CC 21 0560	104	104	102	1.13 64		-0.05 52		0.52 101		1.61 66		3.00 44		2.88 55		3.96 42		-2.27 40		100		0
203	CRL 20 0381 91533620	8.17	CRL 19 0037 CRL 19 0176	104	95	108	-0.19 39		0.34 42		0.24 98		-1.39 31		2.80 24		1.83 37		-2.13 37		-2.16 46		88	3	
204	YM 25 0597 111096012	2.77	CC 21 0515 YM 23 0035	104	107	102	1.39 57		0.21 40		0.90 105		1.86 46		0.30 30		1.77 44		0.01 36		-5.28 26		105		1
205	YM 26 0507 113612212	2.77	CC 22 0120 YM 23 0213	104	107	102	1.41 56		0.09 38		0.80 104		2.24 44		0.10 29		1.56 43		-2.45 28		-6.86 24		107		0
206	YM 26 0382 113611420	6.36	CC 21 0515 CC 23 0749	104	95	101	0.66 65		-0.93 48		-0.60 89		0.52 57		6.50 39		3.64 52		-0.57 39		10.52 35		79		0
207	CC 22 0348 95153458	4.66	CC 20 0342 CC 19 0353	104	108	103	1.27 69		0.65 64		1.29 109		1.23 69		1.20 52		2.64 63		5.42 46		6.78 47		112	4	
208	YM 26 0091 112470760	2.91	CC 21 0515 YM 24 0051	104	106	103	1.17 58		0.40 41		0.98 106		1.64 46		0.30 30		1.75 45		0.15 32		-4.81 26		104		0
209	YM 26 0140 112472303	2.59	CC 21 0515 YM 20 0147	104	107	102	1.39 58		0.22 42		0.92 106		1.87 46		0.30 30		1.79 45		0.15 32		-4.81 26		104		0
210	YM 26 0289 113610448	2.59	CC 22 0120 YM 20 0127	104	107	101	1.39 56		0.08 38		0.78 104		2.21 44		0.10 29		1.53 43		-2.45 28		-6.86 24		107		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
211	EBS 24 0112 101807204	2.59	ROS 20 0098 EBS 20 0050	104	91	103	0.05 43	-0.73 37	-0.70 88	-0.75 19	94	4.70 30	2.14 38	-7.04 26	1.15 29	94			1			
212	YM 26 0775 113792154	6.17	EBS 24 0108 EBS 24 0112	104	88	105	-0.33 29	-0.76 25	-0.92 86	-1.28 19	91	5.70 20	2.33 25	-6.71 22	0.33 23	96			0			
213	YM 26 0164 112630181	4.42	CC 23 0615 CC 22 0316	104	109	100	1.65 65	0.12 42	0.95 106	2.44 47	111	0.90 34	2.32 49	2.24 31	0.39 26	96			0			
214	YM 26 0246 112631106	2.56	CC 22 0120 YM 22 0158	104	107	101	1.39 57	0.07 40	0.76 104	2.20 44	110	0.10 29	1.52 44	-2.45 28	-6.86 24	107			0			
215	CC 22 0095 93923795	5.92	CC 19 0358 CC 17 0118	104	103	98	1.38 68	-0.33 59	0.36 100	0.75 70	102	2.30 49	2.43 60	4.26 47	-4.42 43	103	89		1			
216	CC 21 0148 92023167	5.58	CC 19 0866 CC 18 0046	104	103	96	1.67 67	-0.72 60	0.12 97	1.21 69	104	3.10 50	2.82 60	1.29 44	7.33 45	84	89		2			
217	YM 25 0594 111092466	2.56	CC 21 0515 YM 22 0132	104	106	102	1.28 58	0.26 42	0.90 105	1.74 46	107	0.30 30	1.72 45	0.15 32	-4.81 26	104			0			
218	YM 25 0598 111096657	2.59	CC 21 0515 YM 20 0157	104	107	101	1.34 57	0.19 40	0.86 105	1.80 46	108	0.30 30	1.72 44	0.26 36	-5.61 26	105			1			
219	YM 26 0972 114488216	1.72	CC 23 0614 CCS 24 0300	104	96	103	0.39 46	-0.31 35	-0.11 94	-0.10 44	97	3.60 28	2.24 38	-1.61 24	-2.58 25	100			0			
220	YM 26 0995 114488273	1.72	CC 23 0614 CCS 24 0300	104	96	103	0.39 46	-0.31 35	-0.11 94	-0.10 44	97	3.60 28	2.24 38	-1.61 24	-2.58 25	100			0			
221	CC 24 0197 99762882	6.34	CC 21 0374 CC 21 0074	104	97	104	0.35 66	-0.10 52	0.08 97	0.05 67	98	4.30 47	2.84 56	1.31 44	3.48 45	91	80		2			
222	YM 26 0609 113768063	5.06	CRL 23 0625 CRL 20 0348	104	88	106	-0.51 51	-0.26 32	-0.51 90	-2.36 33	85	2.90 23	0.98 37	-9.13 31	-5.37 32	105			0			
223	YM 26 1050 114492069	4.37	DM 22 0081 DM 23 0161	104	87	101	-0.06 58	-1.20 42	-1.23 82	-1.97 50	87	5.80 29	2.22 45	-8.78 31	7.69 34	84			0			
224	YM 26 1051 114491988	4.37	DM 22 0081 DM 23 0161	104	87	101	-0.06 58	-1.20 42	-1.23 82	-1.97 50	87	5.80 29	2.22 45	-8.78 31	7.69 34	84			0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
225	YM	26	1052	4.37	DM	22 0081	104	87	101	-0.06	-1.20	-1.23	-1.97	5.80	2.22	-8.78	7.69						0		
			114491962		DM	23 0161				58	94	42	77	29	118	45	104	31	122	34	84				
226	YM	26	0232	2.55	CC	23 0615	104	105	105	0.94	0.45	0.92	1.50	0.70	1.81	-1.26	0.79						0		
			112630967		YM	21 0086				57	104	32	106	21	99	39	102	19	105	18	95				
227	YM	26	0272	2.59	DM	22 0081	104	96	98	0.90	-0.86	-0.40	0.03	1.70	1.07	-10.31	-1.22						0		
			113610281		YM	20 0162				59	103	36	83	18	102	41	99	23	126	24	98				
228	KH	21	0042	1.73	OC	19 6548	103	108	104	1.26	0.71	1.33	1.58	0.00	1.96	0.66	8.13					100	5		
			93140671		OC	17 7057				56	106	54	110	17	96	46	103	30	101	39	83				
229	YM	26	0757	2.91	CC	23 0615	103	106	103	1.12	0.27	0.83	1.66	0.70	1.81	-1.26	0.79						0		
			113775548		YM	24 0026				58	105	35	103	21	99	41	102	19	105	18	95				
230	YM	26	0238	2.59	DM	22 0081	103	96	100	0.67	-0.69	-0.35	-0.21	1.70	1.01	-10.31	-1.22						0		
			112631007		YM	20 0082				58	101	33	86	18	102	39	99	23	126	24	98				
231	YM	26	0351	2.77	DM	22 0081	103	96	98	0.88	-0.86	-0.42	0.00	1.70	1.04	-10.31	-1.22						0		
			113611040		YM	23 0208				58	103	33	83	18	102	39	99	23	126	24	98				
232	CC	23	0225	10.03	CC	20 0075	103	98	99	0.92	-0.88	-0.43	1.00	4.30	2.61	-2.05	0.94						0		
			96784020		CC	21 0604				65	103	53	83	46	112	56	106	43	107	42	95				
233	CC	24	0163	5.40	CC	21 0188	103	107	105	1.00	0.55	1.05	1.99	1.30	2.33	-0.40	9.62					111	2		
			99762486		CC	22 0051				67	104	60	107	49	101	60	105	46	103	46	81				
234	YM	26	0196	2.77	CC	23 0615	103	105	105	0.87	0.46	0.90	1.40	0.70	1.75	-1.26	0.79						0		
			112630587		YM	23 0089				58	103	34	106	21	99	40	102	19	105	18	95				
235	YM	25	0621	2.59	CC	21 0515	103	106	102	1.12	0.30	0.86	1.54	0.30	1.60	0.15	-4.81						0		
			111096046		YM	20 0204				58	105	42	103	30	97	45	101	32	102	26	104				
236	DM	25	0111	6.49	DM	23 0026	103	106	101	1.39	-0.18	0.51	2.46	2.90	2.95	2.15	6.96						1		
			107679300		DM	22 0103				63	108	42	95	30	107	47	108	35	98	30	85				
237	YM	25	0607	2.56	CC	21 0515	103	105	102	1.12	0.28	0.85	1.53	0.30	1.59	0.15	-4.81						0		
			111096020		YM	22 0023				58	105	42	103	30	97	45	101	32	102	26	104				
238	YM	25	0593	2.56	CC	21 0515	103	106	102	1.16	0.26	0.85	1.58	0.30	1.61	0.15	-4.81						0		
			111092607		YM	22 0132				58	106	42	102	30	97	45	101	32	102	26	104				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Parents		Selection Indices			EBV - Weights								EBV - Fertility										
Animal ID Computer nr					% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
											Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:								100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
239	YM	26	0330	113610844	2.56	CC	22 0120	103	106	101	1.27	0.05	0.68	2.03	0.10	1.38	-2.45	-6.86									0	
						YM	22 0159				56	107	38	99	103	44	109	29	96	43	100	28	108	24	107			
240	JW	22	0280	94945276	5.56	JW	20 0007	103	85	105	-0.67	-0.72	-1.05	-2.08	6.60	2.57	-4.46	3.57							99		1	
						JW	21 0030				43	89	43	85	84	28	86	29	121	40	106	32	113	35	90			
241	YM	26	0106	112471925	2.59	CC	21 0515	103	105	102	1.11	0.29	0.85	1.52	0.30	1.58	0.15	-4.81									0	
						YM	20 0041				59	105	44	103	105	46	106	30	97	47	101	32	102	26	104			
242	YM	25	0601	111096129	2.55	CC	21 0515	103	106	101	1.26	0.17	0.79	1.67	0.30	1.60	0.15	-4.81									0	
						YM	21 0018				57	106	40	101	104	46	107	30	97	44	101	32	102	26	104			
243	YM	26	0323	113610810	2.77	DM	22 0081	103	95	99	0.69	-0.78	-0.43	-0.23	1.70	0.93	-10.31	-1.22									0	
						YM	23 0206				58	101	33	84	91	36	96	18	102	39	98	23	126	24	98			
244	YM	25	0715	111096525	4.20	JW	18 0879	103	83	103	-0.75	-1.05	-1.42	-2.56	5.30	1.38	-10.71	-5.62									0	
						EBS	24 0011				44	88	36	80	80	35	84	27	116	37	100	35	127	36	105			
245	YM	26	0197	112630637	2.77	CC	23 0615	103	104	104	0.79	0.47	0.86	1.30	0.70	1.68	-1.26	0.79									0	
						YM	23 0089				58	102	34	106	105	33	105	21	99	40	102	19	105	18	95			
246	CRL	25	0052	109756304	2.77	CRL	23 0157	103	93	109	-0.58	0.56	0.28	-1.92	1.40	0.83	-6.87	-0.81									1	
						CRL	20 0144				47	90	26	108	99	24	87	19	101	32	98	25	118	27	97			
247	YM	25	0460	111092201	6.25	CC	22 0392	103	96	107	-0.13	0.28	0.22	-0.67	4.60	2.91	4.31	3.57									0	
						CC	18 0526				66	94	49	103	98	59	94	41	114	54	107	38	93	34	90			
248	YM	26	0740	113775555	2.77	CC	23 0615	103	104	104	0.88	0.37	0.82	1.38	0.70	1.68	-1.26	0.79									0	
						YM	23 0195				56	103	30	104	104	33	105	21	99	38	102	19	105	18	95			
249	CC	23	0529	98181670	5.67	CC	22 0031	103	119	91	3.16	-0.16	1.42	4.68	-1.60	2.04	7.22	-5.51						110			3	
						CC	20 0200				69	124	63	95	111	69	124	52	90	63	103	48	86	46	105			
250	YM	25	0589	111092532	8.32	CRL	23 0051	103	105	100	1.32	0.14	0.80	1.11	-0.40	1.22	-4.05	6.27									0	
						CRL	24 0217				47	107	23	100	104	18	104	14	94	30	100	19	112	21	86			
251	YM	25	0643	111096244	2.59	CC	21 0515	103	105	101	1.19	0.15	0.75	1.57	0.30	1.52	0.15	-4.81									0	
						YM	20 0150				58	106	40	101	104	46	106	30	97	45	101	32	102	26	104			
252	CC	22	0155	93924173	4.51	CC	19 0358	103	87	96	0.26	-1.54	-1.42	-1.79	7.00	2.91	-0.75	2.86						89			1	
						CC	16 0093				68	97	58	71	80	70	88	48	123	60	107	46	104	41	92			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat	Comb	Post-Wean											EBV	EBV
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
253	YM	26	0686	2.56	CC	23 0615	102	104	103	0.85	0.36	0.79	1.33	0.70	1.63	-1.26	0.79						0		
			113774996		YM	22 0061				56	103	30	104	21	99	38	101	19	105	18	95				
254	DVS	24	4240	9.43	DVS	20 0109	102	106	94	1.89	-0.45	0.50	1.35	-0.20	1.32	0.18	-4.52					90	1		
			101429785		DVS	21 1136				66	112	53	90	45	95	56	100	35	102	40	103				
255	YM	25	0626	2.59	CC	21 0515	102	104	103	0.89	0.37	0.82	1.25	0.30	1.45	-0.30	-3.61						1		
			111096277		YM	20 0084				58	103	42	104	30	97	45	101	36	103	26	102				
256	YM	26	0964	2.91	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114488166		YM	24 0035				46	103	26	104	21	99	33	101	19	105	18	95				
257	YM	26	0950	2.55	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114478498		YM	21 0032				46	103	26	104	21	99	33	101	19	105	18	95				
258	YM	25	0740	2.91	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			112372214		YM	24 0016				46	103	26	104	21	99	33	101	19	105	18	95				
259	YM	26	1030	2.91	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114491756		YM	24 0027				46	103	26	104	21	99	33	101	19	105	18	95				
260	YM	26	0947	2.77	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114478480		YM	23 0116				46	103	26	104	21	99	33	101	19	105	18	95				
261	YM	26	0655	2.56	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			113769061		YM	22 0032				46	103	26	104	21	99	33	101	19	105	18	95				
262	YM	26	0905	2.77	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114300551		YM	23 0131				46	103	26	104	21	99	33	101	19	105	18	95				
263	YM	26	0949	2.55	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114478472		YM	21 0032				46	103	26	104	21	99	33	101	19	105	18	95				
264	YM	26	1031	2.91	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			114491889		YM	24 0027				46	103	26	104	21	99	33	101	19	105	18	95				
265	YM	25	0835	2.56	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			111294237		YM	22 0007				46	103	26	104	21	99	33	101	19	105	18	95				
266	YM	25	0966	2.56	CC	23 0615	102	104	103	0.84	0.36	0.78	1.32	0.70	1.62	-1.26	0.79						0		
			111306353		YM	22 0103				46	103	26	104	21	99	33	101	19	105	18	95				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights					EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
267	YM 26 1008 114488505	2.77	CC 23 0615 YM 23 0124	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
268	YM 26 1038 114491749	2.77	CC 23 0615 YM 23 0025	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
269	YM 25 0843 111294583	2.56	CC 23 0615 YM 22 0002	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
270	YM 26 1010 114488489	2.55	CC 23 0615 YM 21 0062	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
271	YM 26 1037 114491863	2.77	CC 23 0615 YM 23 0025	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
272	YM 26 1007 114488463	2.77	CC 23 0615 YM 23 0124	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
273	YM 26 1059 114491970	2.56	CC 23 0615 YM 22 0002	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
274	YM 25 0739 111096780	2.77	CC 23 0615 YM 23 0129	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
275	YM 25 0852 111294625	2.59	CC 23 0615 YM 20 0222	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
276	YM 25 0972 111306395	2.56	CC 23 0615 YM 22 0115	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
277	YM 25 0853 111294492	2.59	CC 23 0615 YM 20 0222	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
278	YM 25 1009 111395232	2.77	CC 23 0615 YM 23 0079	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
279	YM 26 0913 114441579	2.77	CC 23 0615 YM 23 0189	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		
280	YM 25 0817 111293916	2.77	CC 23 0615 YM 23 0158	102	104	103	0.84 46	0.36 26	0.78 104	1.32 33	105	0.70 21	1.62 33	-1.26 19	0.79 18	95					0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
281	YM 26 1023 114491715	2.56	CC 23 0615 YM 22 0020	102	104	103	0.84 46		0.36 26		0.78 104		1.32 33		0.70 21		1.62 33		-1.26 19		0.79 18		0		
282	YM 26 0077 112470687	2.59	CC 23 0615 YM 20 0170	102	104	103	0.84 46		0.36 30		0.78 104		1.32 33		0.70 21		1.62 34		-1.26 19		0.79 18		0		
283	YM 26 0934 114478431	2.59	CC 23 0615 YM 20 0076	102	104	103	0.84 46		0.36 26		0.78 104		1.32 33		0.70 21		1.62 33		-1.26 19		0.79 18		0		
284	YM 26 0931 114478415	2.59	CC 23 0615 YM 20 0040	102	104	103	0.84 46		0.36 26		0.78 104		1.32 33		0.70 21		1.62 33		-1.26 19		0.79 18		0		
285	YM 25 0952 111306049	2.59	CC 23 0615 YM 20 0078	102	104	103	0.84 46		0.36 26		0.78 104		1.32 33		0.70 21		1.62 33		-1.26 19		0.79 18		0		
286	CRL 22 0074 96077433	8.68	CRL 19 0037 CRL 20 0249	102	91	105	-0.46 47		0.07 51		-0.16 94		-2.18 31		1.80 24		0.70 43		-4.80 42		-11.45 46		116	5	
287	YM 26 0608 113767990	2.59	CC 22 0120 YM 20 0221	102	105	99	1.26 57		-0.08 40		0.56 102		1.97 44		0.10 29		1.25 44		-2.45 28		-6.86 24		0		
288	CC 23 0146 96783386	5.63	CC 20 0456 CC 20 0512	102	103	97	1.41 64		-0.50 50		0.21 98		1.72 66		2.40 42		2.35 54		0.34 43		4.39 38		1		
289	YM 26 1013 114488943	2.55	DM 22 0081 YM 21 0075	102	94	99	0.50 48		-0.71 31		-0.46 91		-0.46 36		1.70 18		0.81 35		-10.31 23		-1.22 24		0		
290	DVS 24 4072 99640674	3.60	DVS 21 1347 DVS 20 0090	102	113	96	2.20 64		0.38 47		1.48 112		2.65 48		-1.30 37		1.79 51		8.44 33		-6.52 34		87	1	
291	YM 26 0282 113610307	2.59	CC 23 0615 YM 20 0134	102	104	103	0.84 57		0.34 32		0.76 104		1.31 33		0.70 21		1.60 39		-1.26 19		0.79 18		0		
292	CRL 25 0348 110030095	9.59	CRL 21 0540 CRL 22 0074	102	96	100	0.40 51		-0.22 32		-0.02 96		-0.90 22		1.30 17		0.97 36		-3.31 27		-6.99 30		0		
293	CC 22 0361 95155495	3.88	CC 20 0075 CC 19 0067	102	93	97	0.58 67		-1.13 59		-0.84 87		0.11 69		6.30 51		3.23 60		3.45 49		0.17 44		88	1	
294	DM 23 0180 97648802	2.13	JW 16 0456 DM 19 1734	102	109	107	0.80 64		1.47 61		1.87 116		0.81 60		-3.30 44		0.29 58		-5.86 47		11.14 50		109	3	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
								Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	EBV
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
295	CC 23 0157 96783477	5.10	CC 20 0075 CC 19 0198	102	96	94				0.96 70	-1.02 64	80	-0.54 90	-0.07 67	97	2.70 52	1.56 64	101	0.67 47	101	-14.78 48	120	113	3	
296	YM 25 0130 112600796	2.46	LM 22 1507 CC 22 0348	102	102	107				0.27 57	0.79 34	112	0.93 106	0.67 57	101	1.30 27	1.84 41	102	0.82 28	101	3.50 29	91		0	
297	YM 26 0281 113610133	2.59	CC 23 0615 YM 20 0134	102	103	103				0.76 57	0.34 32	104	0.72 103	1.21 33	104	0.70 21	1.53 39	101	-1.26 19	105	0.79 18	95		0	
298	CC 23 0476 98184294	6.46	CC 21 0309 CC 20 0559	102	102	96				1.20 67	-0.43 54	90	0.17 98	1.02 67	103	3.30 42	2.75 56	107	10.24 41	79	-11.63 33	115	92	1	
299	YM 26 0305 113610596	2.59	DM 22 0081 YM 20 0102	102	94	98				0.58 58	-0.84 33	83	-0.55 90	-0.41 36	95	1.70 18	0.76 39	97	-10.31 23	126	-1.22 24	98		0	
300	YM 25 0265 112500897	2.56	CC 23 0017 YM 22 0078	102	109	105				0.96 48	1.03 35	116	1.51 112	1.81 33	108	-2.20 21	0.67 37	97	-1.41 25	106	-4.35 20	103		0	
301	CC 24 0116 99763393	5.40	CC 21 0515 CC 22 0458	102	102	99				1.00 67	-0.07 56	97	0.43 100	1.00 66	103	1.50 44	1.83 57	102	2.86 43	96	-4.99 42	104	110	2	
302	YM 26 0273 113610232	2.59	DM 22 0081 YM 20 0162	102	94	98				0.55 59	-0.84 36	83	-0.56 90	-0.44 36	95	1.70 18	0.73 41	97	-10.31 23	126	-1.22 24	98		0	
303	CC 24 0011 99793382	4.30	CC 20 0075 CC 19 0867	102	96	97				0.85 65	-1.02 53	80	-0.59 89	0.78 67	102	4.80 45	2.71 56	106	-0.77 41	104	4.87 40	88		1	
304	YM 26 0449 113611743	2.77	CC 21 0515 YM 23 0177	102	104	99				1.21 59	0.01 43	98	0.62 102	1.54 46	106	0.30 30	1.40 46	100	0.15 32	102	-4.81 26	104		0	
305	YM 26 0425 113611651	2.59	CC 21 0515 YM 20 0067	102	105	98				1.33 58	-0.09 42	96	0.58 102	1.66 46	107	0.30 30	1.42 45	100	0.15 32	102	-4.81 26	104		0	
306	CC 23 0573 98182777	4.26	CC 20 0075 CC 22 0438	102	102	97				1.25 68	-0.57 61	88	0.06 96	1.64 68	107	2.60 50	2.24 61	104	-1.20 47	105	6.36 47	86	95	2	
307	YM 26 0059 112470299	2.55	DM 22 0081 YM 21 0006	102	93	99				0.39 59	-0.71 36	86	-0.51 90	-0.61 36	94	1.70 18	0.70 41	97	-10.16 24	126	-1.37 24	98		0	
308	YM 26 0691 113775001	2.91	CC 23 0615 YM 24 0095	102	103	101				0.93 57	0.16 32	101	0.62 102	1.36 33	105	0.70 21	1.51 39	101	-1.26 19	105	0.79 18	95		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir	Mat		Comb	Post-Wean	EBV		EBV		EBV		EBV				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
309	YM	26	0875	2.77	CC	22 0120	102	104	99	1.13	-0.07		0.50	1.79		0.10	1.12		-2.45		-6.86		0		
114300155					YM	23 0179				47	105	38	97	101	44	108	29	96	39	99	28	108		24	107
310	YM	26	0874	2.77	CC	22 0120	102	104	99	1.13	-0.07		0.50	1.79		0.10	1.12		-2.45		-6.86		0		
114300163					YM	23 0179				47	105	38	97	101	44	108	29	96	39	99	28	108		24	107
311	YM	26	0275	2.55	DM	22 0081	102	94	98	0.51	-0.83		-0.57	-0.50		1.70	0.70		-10.31		-1.22		0		
113610273					YM	21 0017				57	100	31	84	90	36	95	18	102	38	97	23	126		24	98
312	CC	22	0323	5.14	CC	20 0342	101	114	97	2.07	0.66		1.69	2.28		-3.10	0.86		0.39		7.27		84	3	
95152435					CC	19 0446				64	114	55	109	114	67	110	46	84	56	98	43	102			44
313	YM	26	0926	2.59	CC	23 0615	101	103	102	0.76	0.27		0.65	1.17		0.70	1.45		-1.26		0.79		0		
114441561					YM	20 0026				46	102	30	103	103	33	104	21	99	34	101	19	105		18	95
314	YM	25	0042	5.59	CC	23 0902	101	104	103	0.81	0.46		0.87	1.41		0.10	1.33		-0.18		-1.50		0		
111087391					CC	24 0116				63	102	36	106	105	54	105	29	96	45	100	27	103		27	99
315	JJO	22	0846	2.56	-	- -	101	100	109	-0.09	0.52		0.47	1.52		0.50	0.73		-8.76		-5.16		95	2	
100249978					JJO	20 0330				17	94	29	107	101	5	106	5	98	18	97	5	122			5
316	YM	26	0242	2.59	DM	22 0081	101	94	95	0.82	-1.14		-0.73	-0.20		1.70	0.70		-10.31		-1.22		0		
112631148					YM	20 0188				59	102	35	78	88	36	97	18	102	40	97	23	126		24	98
317	YM	26	0011	2.59	CC	23 0615	101	102	102	0.67	0.31		0.64	1.06		0.70	1.40		-1.26		0.79		0		
111941217					YM	20 0049				56	101	30	103	103	33	104	21	99	38	100	19	105		18	95
318	CRL	20	0348	0.87	JW	16 0456	101	92	104	-0.31	0.14		-0.02	-2.09		1.20	0.55		-7.40		1.94		100	3	
91528406					CRL	17 0381				53	92	51	100	96	48	86	38	101	49	96	51	119			50
319	YM	25	0056	2.25	LM	22 1507	101	96	102	0.15	-0.05		0.03	0.06		2.10	1.36		-1.56		-7.28		0		
111087599					CC	23 0157				65	96	35	97	96	56	98	27	104	45	100	28	106		29	108
320	YM	26	0162	2.77	CC	23 0615	101	102	102	0.73	0.24		0.61	1.12		0.70	1.39		-1.26		0.79		0		
112630231					YM	23 0099				46	102	30	102	102	33	104	21	99	34	100	19	105		18	95
321	EBS	22	0408	2.56	-	- -	101	94	108	-0.42	-0.10		-0.31	0.89		3.20	1.40		-11.13		4.22		2		
100911155					EBS	19 0008				13	91	12	96	92	11	103	9	108	12	100	12	128		14	89
322	YM	26	0703	3.52	DM	22 0081	101	86	99	-0.30	-1.10		-1.25	-1.88		4.70	1.41		-8.18		0.41		0		
113775258					NM	24 3072				59	92	33	79	82	37	87	19	114	40	100	30	121		31	95

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights							EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean			Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
323	YM	26	0255	2.56	CC	23 0615	101	102	101	0.77	0.18		0.57		1.15		0.70	1.37		-1.26		0.79		96	2		
113610257					YM	22 0163				57	102	32	101	102	33	104	21	99	39	100	19	105	18			95	
324	YM	25	0096	2.02	LM	22 1507	101	102	106	0.18	0.80		0.89		0.60		-0.20	0.86		-0.03		-8.63		99	3		
111088126					CC	21 0422				65	97	36	112	105	58	101	30	95	46	98	29	103	30			110	
325	YM	25	0592	2.77	CC	21 0515	101	103	99	0.98	0.08		0.58		1.26		0.30	1.25		0.19		-3.87		100	0		
111092599					YM	23 0063				57	104	40	99	102	46	105	30	97	44	100	36	102	26			102	
326	CC	24	0067	5.16	CC	21 0188	101	96	107	-0.29	0.53		0.39		-0.42		2.90	1.98		-1.00		10.22		99	3		
99762098					CC	18 0449				66	92	56	107	100	68	95	48	107	58	103	45	105	44			80	
327	CCS	23	0521	1.65	CCS	22 0213	101	97	100	0.47	-0.35		-0.12		0.35		1.10	0.78		-6.29		-5.86		104	0		
98883796					CCS	19 0237				61	99	47	92	94	57	100	28	100	48	98	29	117	19			105	
328	DM	22	0043	3.98	JW	16 0456	101	90	103	-0.33	-0.30		-0.46		-1.76		5.30	2.55		-1.67		17.84		100	0		
94140092					BEP	19 0466				69	92	66	93	91	69	88	47	116	63	106	49	106	52			68	
329	YM	26	0236	2.59	DM	22 0081	101	93	96	0.55	-0.97		-0.70		-0.50		1.70	0.60		-10.31		-1.22		100	0		
112631064					YM	20 0095				58	100	33	81	88	36	95	18	102	39	97	23	126	24			98	
330	YM	26	0012	2.59	DM	22 0081	101	92	98	0.24	-0.74		-0.62		-0.82		1.70	0.52		-10.31		-1.22		100	0		
111941209					YM	20 0179				58	97	35	85	89	36	93	18	102	40	96	23	126	24			98	
331	YM	26	0312	2.77	CC	23 0615	101	101	104	0.32	0.53		0.68		0.67		0.70	1.26		-1.26		0.79		100	0		
113610737					YM	23 0180				58	98	34	107	103	33	101	21	99	40	100	19	105	18			95	
332	CC	23	0525	6.24	CC	21 0309	101	100	92	1.23	-0.71		-0.10		0.75		1.30	1.30		6.57		-31.11		100	3		
98184195					CC	20 0536				69	106	58	86	95	66	102	46	101	59	100	41	88	42			136	
333	YM	26	0847	4.80	JW	23 0086	101	86	107	-1.14	-0.06		-0.62		-2.45		4.70	1.63		-3.33		-0.42		100	0		
114299969					NM	23 2742				24	84	19	97	89	16	84	12	114	19	101	26	110	27			97	
334	YM	26	0483	2.56	CC	21 0515	100	103	99	0.85	0.12		0.54		1.10		0.30	1.15		0.15		-4.81		100	0		
113612030					YM	22 0113				58	103	43	100	101	46	104	30	97	46	99	32	102	26			104	
335	KH	23	0013	1.94	OC	20 7475	100	112	100	1.49	0.85		1.60		2.49		-0.30	2.16		9.59		3.97		100	3		
96470133					KH	21 0042				61	109	52	113	113	50	111	25	95	49	104	37	81	43			90	
336	YM	26	0306	2.59	DM	22 0081	100	92	97	0.29	-0.83		-0.68		-0.80		1.70	0.48		-10.31		-1.22		100	0		
113610620					YM	20 0102				58	98	33	84	88	36	93	18	102	39	96	23	126	24			98	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd		
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
337	YM 26 0744 113775571	2.59	DM 22 0081 YM 20 0092	100	93	96	0.53 58	-1.02 35	-0.75 88	-0.55 36	95	1.70 18	0.53 40	-10.31 23	-1.22 98					0			
338	CC 22 0063 93923522	6.04	CC 20 0116 CC 19 0484	100	109	99	1.41 65	0.40 54	1.11 108	2.24 66	110	0.00 45	1.81 56	5.17 44	1.79 38	89	1						
339	YM 26 1042 114491954	2.59	DM 22 0081 YM 20 0172	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
340	YM 26 1048 114492051	2.55	DM 22 0081 YM 21 0056	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
341	YM 26 1018 114488927	2.77	DM 22 0081 YM 23 0188	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
342	YM 26 0962 114488117	2.59	DM 22 0081 YM 20 0003	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
343	YM 26 1044 114492077	2.55	DM 22 0081 YM 21 0076	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
344	YM 26 0961 114488141	2.59	DM 22 0081 YM 20 0003	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
345	YM 26 0957 114488091	2.77	DM 22 0081 YM 23 0174	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
346	YM 26 1045 114492028	2.55	DM 22 0081 YM 21 0076	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
347	YM 26 1055 114491996	2.56	DM 22 0081 YM 22 0004	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
348	YM 26 0958 114488125	2.77	DM 22 0081 YM 23 0174	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
349	YM 26 1049 114492093	2.55	DM 22 0081 YM 21 0056	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			
350	YM 26 1046 114492010	2.77	DM 22 0081 YM 23 0145	100	92	97	0.34 47	-0.88 27	-0.71 88	-0.74 36	94	1.70 18	0.48 33	-10.31 23	-1.22 98					0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
351	YM 26 0358 113611057	2.56	DM 22 0081 YM 22 0006	100	93	95	0.53 58 100	-1.04 35 80	-0.77 87	-0.55 36 95	1.70 18 102	0.52 40 96	-10.31 23 126	-1.22 24 98		0									
352	CRL 24 0190 108050311	7.65	CRL 23 0182 CRL 21 0663	100	95	101	0.07 37 95	0.12 43 100	0.15 97	-1.13 21 92	1.20 16 101	0.91 34 98	-3.14 27 110	2.24 31 93	104	2									
353	YM 25 0787 111293809	1.11	CCS 22 0159 CC 23 0220	100	103	94	1.43 56 108	-0.57 37 88	0.15 97	1.56 49 106	1.10 28 100	1.52 42 101	-2.44 31 108	7.37 30 84		0									
354	YM 25 0786 111293718	1.11	CCS 22 0159 CC 23 0220	100	103	94	1.43 56 108	-0.57 37 88	0.15 97	1.56 49 106	1.10 28 100	1.52 42 101	-2.44 31 108	7.37 30 84		0									
355	YM 26 0796 113792402	1.82	CC 23 0693 YM 25 0017	100	95	100	0.21 44 97	-0.26 32 93	-0.16 94	-0.22 39 96	2.80 26 107	1.63 35 101	-1.17 27 105	1.57 24 94		0									
356	YM 25 1025 112501044	2.77	CC 23 0615 YM 23 0055	100	101	102	0.52 55 100	0.27 30 102	0.53 101	0.84 33 102	0.70 21 99	1.20 38 99	-1.26 19 105	0.79 18 95		0									
357	YM 25 0602 111096293	2.77	CC 21 0515 YM 23 0109	100	102	98	0.97 58 104	-0.05 42 97	0.44 100	1.18 46 104	0.30 30 97	1.10 45 99	0.15 32 102	-4.81 26 104		0									
358	YM 26 0444 113611784	2.55	CC 21 0515 YM 21 0093	100	102	98	0.97 59 104	-0.06 43 97	0.43 100	1.18 46 104	0.30 30 97	1.09 46 99	0.15 32 102	-4.81 26 104		0									
359	YM 26 0602 113767933	8.01	KH 23 0020 KH 21 0042	100	104	103	0.56 51 100	0.77 32 111	1.05 107	0.73 23 102	-0.80 10 93	0.85 34 98	-0.25 17 103	1.91 22 93		0									
360	YM 25 0047 111087847	4.11	CC 23 0902 CC 24 0163	100	104	105	0.38 63 98	0.80 38 112	0.99 106	1.33 54 105	0.00 31 96	1.18 46 99	-1.81 28 107	5.80 28 87		0									
361	YM 25 0752 111096830	2.91	CC 23 0693 YM 24 0010	100	98	103	0.09 34 96	0.29 28 103	0.34 99	-0.06 34 97	1.20 24 101	1.10 29 99	-0.49 22 104	-2.77 21 101		0									
362	YM 26 0846 114299985	2.91	YM 24 0200 YM 25 0386	100	96	102	-0.05 29 94	0.20 17 101	0.17 98	-0.69 19 94	0.40 10 98	0.39 20 96	-5.03 15 114	-3.79 11 102		0									
363	YM 26 0712 113775241	2.77	CC 23 0615 YM 23 0120	100	101	99	0.73 57 102	0.02 33 98	0.39 100	1.03 33 103	0.70 21 99	1.17 39 99	-1.26 19 105	0.79 18 95		0									
364	CC 23 0544 98181126	4.27	CC 20 0456 CC 21 0507	100	97	98	0.52 65 100	-0.38 55 91	-0.12 94	0.07 66 98	2.50 46 106	1.64 57 102	-1.59 46 106	7.21 40 85	92	1									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
365	YM 26 0692 113775134	2.59	DM 22 0081 YM 20 0014	100	91	97	0.23 58	-0.89 33	-0.77 87	-0.91 36	1.70 18	0.36 39	-10.31 23	-1.22 24		0									
366	YM 26 0731 113775308	2.91	DM 22 0081 YM 24 0094	100	91	96	0.24 57	-0.91 31	-0.79 87	-0.89 36	1.70 18	0.36 38	-10.31 23	-1.22 24		0									
367	YM 26 0751 113775621	2.77	CCS 22 0159 YM 23 0094	99	105	93	1.60 56	-0.43 31	0.37 100	1.76 38	-0.90 19	0.63 38	-2.86 25	-2.17 22		0									
368	YM 25 0001 111087466	2.59	CCS 22 0159 YM 20 0006	99	105	92	1.66 59	-0.50 36	0.34 99	1.82 38	-0.90 19	0.63 41	-2.86 25	-2.17 22		0									
369	YM 26 0346 113610984	2.59	DM 22 0081 YM 20 0124	99	91	98	0.09 57	-0.79 33	-0.74 88	-1.06 36	1.70 18	0.32 39	-10.31 23	-1.22 24		0									
370	YM 26 0399 113611495	2.56	CC 23 0017 YM 22 0042	99	107	100	0.99 58	0.64 35	1.13 108	1.69 33	-2.20 21	0.31 41	-1.41 25	-4.35 20		0									
371	CC 22 0190 93924389	4.12	CC 20 0021 CC 16 0400	99	96	111	-0.84 65	0.94 56	0.52 101	-0.02 67	3.20 46	2.02 57	0.51 45	8.15 37	89	1									
372	CC 24 0201 99762924	6.15	CC 21 0374 CC 20 0327	99	101	101	0.58 65	0.07 51	0.37 100	1.23 67	2.50 43	2.16 55	0.45 41	14.08 37		0									
373	YM 26 0001 111939864	8.14	DM 23 0039 DM 24 0005	99	95	101	0.07 61	-0.05 42	-0.01 96	-0.76 53	0.50 30	0.33 47	-8.26 31	4.60 28		0									
374	YM 25 0762 112372206	2.91	CC 23 0614 YM 24 0082	99	99	102	0.28 33	0.31 26	0.46 101	0.45 33	0.70 21	1.02 28	-1.26 19	0.79 18		0									
375	YM 25 0753 111096764	2.91	CC 23 0614 YM 24 0007	99	99	102	0.28 33	0.31 26	0.46 101	0.45 33	0.70 21	1.02 28	-1.26 19	0.79 18		0									
376	CC 21 0047 92022466	4.56	KI 19 0441 CC 17 0118	99	96	101	0.08 67	0.25 60	0.29 99	-0.80 68	0.20 50	0.45 60	-1.54 46	-6.07 47	88	3									
377	CC 21 0422 92604016	4.86	CC 19 0145 CC 16 0408	99	103	100	0.61 72	0.70 68	1.01 107	0.45 72	-1.90 58	0.17 67	3.72 49	-17.47 50	136	6									
378	YM 26 0766 113791941	2.77	CC 23 0615 YM 23 0197	99	100	101	0.40 55	0.23 30	0.43 100	0.67 33	0.70 21	1.05 38	-1.26 19	0.79 18		0									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
379	CC	22	0489	5.15	CC	21 0147	99	89	99	-0.14	-1.03	-1.10	-0.57	7.00	3.03	-1.22	18.20	96	2						
	95159554		CC		17 0635	68				94	62	80	84	70	95	48	123			61	108	45	105	46	67
380	CC	22	0417	3.32	CC	20 0342	99	109	98	1.27	0.86	1.49	0.98	-2.80	0.45	2.75	2.19	102	3						
	95156899		CC		17 0444	69				107	63	113	112	69	103	52	85			63	96	45	96	47	93
381	YM	25	0633	2.77	CC	21 0515	99	101	98	0.72	0.01	0.37	0.87	0.30	0.91	0.15	-4.81		0						
	111096640		YM		23 0151	57				101	40	98	100	46	103	30	97			44	98	32	102	26	104
382	YM	26	0513	2.77	CC	21 0515	99	101	98	0.75	-0.03	0.35	0.90	0.30	0.90	0.15	-4.81		0						
	113612154		YM		23 0039	58				102	42	97	99	46	103	30	97			45	98	32	102	26	104
383	PDR	22	0033	1.93	SM	20 1950	99	93	106	-0.67	0.21	-0.13	-0.17	1.30	0.32	-7.91	-7.90		2						
	95679072		SM		19 0399	9				89	10	102	94	5	97	5	101			7	95	20	120	19	109
384	YM	25	0512	2.55	CC	23 0017	99	106	101	0.81	0.73	1.13	1.49	-2.20	0.22	-0.71	-5.45		1						
	111071833		YM		21 0029	58				102	35	111	108	33	106	21	88			41	95	32	104	20	105
385	YM	25	0511	2.55	CC	23 0017	99	106	101	0.79	0.73	1.13	1.46	-2.20	0.20	-1.18	-4.72		0						
	111072013		YM		21 0029	58				102	35	111	108	33	106	21	88			41	95	25	105	20	104
386	YM	25	0615	2.56	CC	21 0515	99	101	98	0.75	-0.03	0.34	0.90	0.30	0.90	0.15	-4.81		0						
	111096467		YM		22 0001	58				102	42	97	99	46	103	30	97			45	98	32	102	26	104
387	YM	25	0580	4.48	JW	18 0879	99	86	97	-0.30	-1.13	-1.28	-1.67	2.90	0.31	-11.23	-4.13		0						
	112601026		EBS		22 0432	42				92	37	78	82	36	89	26	107			36	95	33	128	35	103
388	YM	26	0101	4.26	CCS	22 0159	99	96	93	0.81	-0.82	-0.41	-0.09	1.80	1.07	-2.85	2.74		0						
	112471859		CRL		24 0190	59				102	35	84	91	40	97	21	103			41	99	28	109	27	92
389	DM	22	0050	1.73	OC	21 0041	99	85	107	-1.37	0.10	-0.59	-2.38	2.70	0.35	-9.26	-1.80	148	4						
	94276417		OC		17 7119	66				82	62	100	89	56	85	37	106			58	96	31	124	38	99
390	YM	26	0350	2.77	DM	22 0081	99	90	97	-0.05	-0.82	-0.84	-1.25	1.70	0.16	-10.31	-1.22		0						
	113611032		YM		23 0208	58				94	33	84	87	36	91	18	102			39	95	23	126	24	98
391	YM	26	0241	2.59	DM	22 0081	99	91	94	0.33	-1.11	-0.95	-0.86	1.70	0.24	-10.31	-1.22		0						
	112631189		YM		20 0188	59				98	35	79	86	36	93	18	102			40	95	23	126	24	98
392	CCS	23	0012	3.18	CCS	21 0335	99	95	99	0.13	-0.27	-0.21	-0.12	0.10	-0.08	-6.84	-10.97	113	4						
	95718912		CCS		18 0186	66				96	56	93	93	48	97	38	96			56	94	35	118	41	114

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights							EBV - Fertility												
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed				
								Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	EBV	
Active Breed Average:								100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
393	YM 25 0531 111092425	5.46	CC 22 0392 CC 23 0849	99	100	93	1.25 64	-0.84 106	43	83	-0.22 93	1.34 56	105	2.80 34	2.09 107	49	104	1.00 38	100	10.43 29	79	1				
394	YM 26 0053 112470190	4.18	CCS 24 0203 CCS 24 0299	99	93	95	0.38 57	-0.82 98	37	84	-0.62 89	-0.29 36	96	1.30 29	0.35 101	43	96	-6.52 24	117	-7.09 26	107	0				
395	YM 26 0477 113611958	2.59	CC 23 0017 YM 20 0152	98	106	98	1.09 58	0.42 105	35	105	0.96 106	1.74 33	107	-2.20 21	0.18 88	41	95	-1.41 25	106	-4.35 20	103	0				
396	YM 26 0446 113611792	2.55	CC 21 0515 YM 21 0093	98	100	97	0.67 59	-0.04 101	43	97	0.30 99	0.78 46	102	0.30 30	0.81 97	46	98	0.15 32	102	-4.81 26	104	0				
397	YM 26 0177 112630439	1.19	JW 19 0105 CC 22 0403	98	91	102	-0.38 66	-0.18 91	52	95	-0.37 92	-0.94 56	93	2.80 42	1.12 107	55	99	-5.15 39	114	6.38 40	86	0				
398	YM 26 0743 113775563	2.59	DM 22 0081 YM 20 0092	98	90	95	0.15 58	-1.00 96	35	81	-0.92 86	-1.05 36	92	1.70 18	0.18 102	40	95	-10.31 23	126	-1.22 24	98	0				
399	YM 26 0773 113791933	2.56	DM 22 0081 YM 22 0117	98	90	95	0.20 48	-1.03 97	31	80	-0.93 86	-1.00 36	92	1.70 18	0.19 102	35	95	-10.31 23	126	-1.22 24	98	0				
400	YM 25 0519 111068029	2.77	CC 23 0017 YM 23 0191	98	106	99	0.91 56	0.56 103	31	108	1.02 107	1.56 33	106	-2.20 21	0.15 88	38	95	-1.43 32	106	-3.94 20	102	1				
401	YM 25 0493 111068110	2.77	CC 23 0017 YM 23 0185	98	106	99	0.90 56	0.55 103	31	108	1.01 106	1.54 33	106	-2.20 21	0.14 88	38	95	-1.41 25	106	-4.35 20	103	0				
402	YM 25 0484 111067989	2.77	CC 23 0017 YM 23 0153	98	106	99	0.90 56	0.56 103	31	108	1.01 106	1.55 33	106	-2.20 21	0.14 88	38	95	-1.41 25	106	-4.35 20	103	0				
403	YM 25 0498 111068060	2.77	CC 23 0017 YM 23 0122	98	105	101	0.68 58	0.73 101	35	110	1.07 107	1.31 33	105	-2.20 21	0.09 88	41	94	-1.55 25	106	-3.92 20	102	0				
404	YM 25 0006 111087276	6.34	CC 22 0031 CC 23 0099	98	113	83	3.08 65	-0.87 123	50	83	0.67 103	3.72 58	118	-1.40 40	1.37 91	53	100	8.18 45	84	-6.44 37	106	1				
405	YM 26 0022 111942256	2.59	CC 23 0615 YM 20 0199	98	100	98	0.62 58	-0.10 101	35	96	0.21 98	0.84 33	102	0.70 21	0.94 99	41	98	-1.26 19	105	0.79 18	95	0				
406	YM 26 0908 114300593	2.43	CCS 23 0417 YM 25 0597	98	98	95	0.68 43	-0.36 101	30	92	-0.02 95	0.34 37	100	0.30 23	0.50 97	33	96	-0.88 23	105	-8.98 21	110	0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility													
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed						
								Dir	Mat	Comb	Post-Wean											EBV	EBV	EBV	EBV		
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype							
Active Breed Average:								100	100	100	-0.08				-0.03		-0.07		-0.49		0.59	0.24	-0.13		-0.36		
407	YM 26 0656 113769053	2.77	DM 22 0081 YM 23 0109	98	89	96	-0.04 58		-0.87 33		-0.89 86		-1.26 36		1.70 18		0.11 39		-10.31 23		-1.22 24		98	0			
408	YM 24 0403 111723730	2.55	CC 23 0017 YM 21 0045	98	105	101	0.67 48		0.72 38		1.06 107		1.30 33		-2.20 21		0.07 38		-1.41 25		-4.35 20		103	99			
409	CC 22 0390 95155818	4.25	CC 21 0188 CC 21 0014	98	105	94	1.34 68		-0.09 62		0.58 102		1.68 69		0.30 51		1.43 62		2.93 45		6.44 47		86	97			
410	YM 25 0629 111096517	2.77	CC 21 0515 YM 23 0182	98	100	96	0.75 60		-0.17 44		0.21 98		0.84 46		0.30 30		0.77 47		0.15 32		-4.81 26		104	0			
411	YM 25 0514 111071783	2.59	CC 23 0017 YM 20 0209	98	105	100	0.78 57		0.60 33		0.99 106		1.40 33		-2.20 21		0.07 39		-1.41 25		-4.35 20		103	0			
412	YM 26 0841 113792915	2.88	JW 23 0086 DM 23 0057	98	88	105	-1.09 37		0.33 31		-0.22 93		-2.47 32		1.10 23		-0.10 31		-7.65 27		-1.87 27		99	0			
413	CC 22 0085 93923696	6.11	CC 20 0021 CC 18 0589	98	109	102	0.89 63		1.20 49		1.65 113		1.85 65		-2.40 41		0.65 53		3.73 41		2.28 34		92	1			
414	YM 26 0833 113792899	2.77	CC 23 0017 YM 23 0023	98	105	100	0.66 46		0.70 31		1.03 107		1.27 33		-2.20 21		0.04 34		-1.41 25		-4.35 20		103	0			
415	YM 26 0832 113792881	2.77	CC 23 0017 YM 23 0023	98	105	100	0.66 46		0.70 31		1.03 107		1.27 33		-2.20 21		0.04 34		-1.41 25		-4.35 20		103	0			
416	YM 26 0756 113775530	2.91	CC 23 0615 YM 24 0026	98	98	102	0.06 58		0.33 35		0.36 100		0.24 33		0.70 21		0.81 41		-1.26 19		0.79 18		95	0			
417	CCS 24 0315 107193567	1.65	CCS 23 0199 CC 19 0791	98	95	102	-0.22 61		0.41 42		0.30 99		-1.12 61		1.00 33		0.79 47		0.26 30		2.02 29		93	0			
418	YM 26 0006 111939880	2.59	DM 22 0081 YM 20 0164	98	90	94	0.15 58		-1.08 33		-1.01 85		-1.09 36		1.70 18		0.09 39		-10.31 23		-1.22 24		98	0			
419	WS 19 2068 85913457	0.58	CC 16 0461 WS 15 1214	98	83	101	-1.00 54		-0.78 52		-1.29 82		-2.17 49		6.50 35		2.12 49		0.62 35		0.72 36		95	110			
420	CCS 23 0526 98883838	1.26	CCS 22 0213 KERN 19 0204	98	106	90	1.85 63		-0.38 41		0.55 102		1.63 61		-1.10 21		0.82 45		1.97 25		3.70 29		90	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
421	YM 25 0022 111087235	2.55	CCS 22 0159 YM 21 0004	98	101	96	0.83 59	-0.04 36	0.38 100	0.86 38	102	-0.90 19	0.25 41	-1.89 32	-3.71 22	102	1								
422	YM 26 0336 113610919	2.56	CC 22 0120 YM 22 0157	98	99	97	0.52 56	-0.18 38	0.09 97	0.92 44	103	0.10 29	0.41 43	-2.45 28	-6.86 24	107	0								
423	YM 26 0653 113769046	5.35	CC 23 0615 CB 24 0005	98	94	103	-0.39 59	0.12 35	-0.08 95	-0.07 37	97	3.40 25	1.77 42	0.26 23	8.22 22	83	0								
424	YM 25 0278 111090908	5.26	CC 23 0109 CC 22 0417	97	105	94	1.22 62	0.26 41	0.87 105	1.07 53	104	-1.60 34	0.52 47	4.27 31	-3.84 30	102	0								
425	YM 25 0939 112601133	2.76	- - - PMS 21 0011	97	96	104	-0.36 18	0.15 24	-0.03 95	1.14 13	104	0.50 8	0.09 18	-8.88 7	-6.18 7	106	0								
426	YM 25 0917 111305892	11.07	CRL 21 0540 CRL 20 0046	97	92	97	-0.05 35	-0.27 30	-0.29 93	-1.51 28	89	1.00 22	0.29 30	-2.65 30	-2.24 33	100	0								
427	YM 26 0066 112470471	2.59	CC 23 0017 YM 20 0224	97	105	98	0.85 58	0.44 36	0.86 105	1.42 33	106	-2.20 21	-0.04 41	-1.41 25	-4.35 20	103	0								
428	YM 26 0724 113775324	2.55	CC 23 0615 YM 21 0028	97	98	100	0.15 56	0.16 30	0.23 98	0.29 33	99	0.70 21	0.72 38	-1.26 19	0.79 18	95	0								
429	YM 26 0769 113791974	2.77	CC 22 0120 YM 23 0050	97	99	96	0.58 57	-0.26 40	0.03 96	0.95 44	103	0.10 29	0.37 44	-2.45 28	-6.86 24	107	0								
430	YM 25 0711 112600929	2.76	- - - YM 22 0009	97	95	104	-0.40 13	0.18 19	-0.03 95	0.95 5	103	0.50 5	0.07 12	-8.76 5	-5.16 5	104	0								
431	KERN 22 0004 95395638	7.03	KERN 20 0313 KERN 18 0092	97	104	99	0.60 35	0.79 33	1.09 107	0.29 29	99	-1.00 18	0.79 30	6.40 38	-0.25 39	97	1								
432	CRL 20 0046 89755482	0.92	JW 16 0456 CRL 17 0342	97	90	99	-0.48 51	-0.08 46	-0.32 92	-2.25 48	85	1.20 38	0.16 46	-3.47 50	-1.96 54	99	5								
433	YM 26 0234 112630926	2.59	DM 22 0081 YM 20 0095	97	88	95	-0.16 58	-0.93 33	-1.01 85	-1.45 36	90	1.70 18	-0.07 39	-10.31 23	-1.22 24	98	0								
434	YM 26 0300 113610612	2.55	DM 22 0081 YM 21 0024	97	88	95	-0.08 57	-1.00 31	-1.04 85	-1.37 36	90	1.70 18	-0.06 38	-10.31 23	-1.22 24	98	0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed				
										Dir	Mat		Comb											Post-Wean			
										EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype						
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
435	CC	24	0161	5.00	CC	21 0188	97	109	95	1.44	0.61		1.33		1.55		-3.10		0.19		2.08		4.10		88	1	
99762460					CC	21 0491		65 108		54 108	110 67 106		48 84		57 95		47 98		42 90								
436	YM	26	0797	2.56	CC	23 0017	97	104	99	0.59	0.63		0.92		1.14		-2.20		-0.11		-1.41		-4.35			0	
113792568					YM	22 0039		46 100		31 109	106 33 104		21 88		34 93		25 106		20 103								
437	CC	22	0397	5.24	CC	21 0188	97	95	103	-0.32	0.40		0.24		-0.55		1.50		0.98		-1.05		7.68		88	1	
95155958					CC	21 0160		66 92		59 105	98 69 95		50 102		60 98		50 105		45 84								
438	YM	26	0624	5.63	CCS	22 0159	97	98	92	0.90	-0.70		-0.26		0.48		0.90		0.73		-0.90		-1.34			0	
113768196					CCS	21 0098		65 103		41 86	93 44 100		29 99		47 97		32 105		32 98								
439	YM	26	0595	2.56	CC	23 0017	97	104	98	0.71	0.50		0.86		1.26		-2.20		-0.11		-1.41		-4.35			0	
113612949					YM	22 0015		56 101		31 107	105 33 105		21 88		38 93		25 106		20 103								
440	YM	26	0787	2.91	YM	24 0200	97	94	104	-0.63	0.59		0.27		-1.16		-0.30		-0.22		-4.64		-3.39			0	
113792428					YM	25 0516		29 89		18 108	99 16 91		10 95		20 93		16 113		10 102								
441	YM	26	0700	2.55	CC	23 0615	97	97	100	0.03	0.21		0.23		0.16		0.70		0.66		-1.26		0.79			0	
113775043					YM	21 0061		58 95		34 102	98 33 99		21 99		40 97		19 105		18 95								
442	YM	26	0333	2.77	DM	22 0081	97	88	94	0.00	-1.10		-1.10		-1.30		1.70		-0.08		-10.31		-1.22			0	
113610943					YM	23 0008		58 95		35 79	84 36 91		18 102		40 94		23 126		24 98								
443	CC	23	0749	4.65	CC	20 0075	97	84	93	-0.16	-1.93		-2.01		-0.84		8.20		2.83		-4.59		23.08		100	2	
98181480					CC	22 0489		68 93		61 64	74 68 93		48 127		61 107		46 113		46 64								
444	YM	26	0476	2.59	CC	23 0017	97	104	98	0.79	0.43		0.83		1.34		-2.20		-0.10		-1.41		-4.35			0	
113611933					YM	20 0152		58 102		35 105	105 33 105		21 88		41 93		25 106		20 103								
445	YM	25	0184	6.43	CRL	23 0051	97	96	95	0.47	-0.29		-0.06		-0.68		0.80		0.66		-1.47		6.70			0	
111091682					CRL	24 0175		48 99		26 93	95 18 94		13 99		31 97		21 106		26 85								
446	CRL	23	0395	8.97	CRL	19 0284	97	89	99	-0.57	-0.15		-0.44		-2.11		1.90		0.42		-0.96		-5.83		99	2	
108019308					CRL	20 0368		39 90		44 95	91 23 86		16 103		36 96		34 105		42 105								
447	OC	23	0115	4.77	BEP	19 0193	97	82	101	-1.12	-0.71		-1.27		-2.66		3.70		0.39		-13.42		13.59			1	
96460126					OC	19 6575		44 85		35 86	82 27 83		24 110		36 96		41 133		40 74								
448	DM	22	0103	10.24	JW	19 0009	97	106	92	1.53	-0.31		0.46		2.62		0.90		1.77		5.24		7.28		103	3	
95100475					CRL	16 0062		71 109		67 93	101 67 112		46 99		64 102		44 91		48 85								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
449	CC	24	0221	5.34	CC	21	0374	97	103	93	1.18	-0.26	0.33	1.47	0.40	1.16	1.60	7.48	88	2				
99763245					CC	21	0618				65	106	50	93	99	67	106	43			98	54	99	44
450	YM	26	0690	2.91	CC	23	0615	97	97	100	0.00	0.21	0.21	0.11	0.70	0.63	-1.26	0.79		0				
113775076					YM	24	0095				57	95	32	101	98	33	98	21			99	39	97	19
451	YM	26	0042	2.55	DM	22	0081	97	88	95	-0.15	-1.01	-1.08	-1.47	1.70	-0.14	-10.37	-1.13		0				
111942405					YM	21	0040				58	93	35	80	84	36	90	18			102	40	93	23
452	YM	25	0028	6.46	CC	21	0374	97	89	100	-0.52	-0.49	-0.75	-0.87	3.90	1.33	-4.09	9.05		0				
111087458					CC	22	0329				65	90	50	89	88	59	93	42			111	54	100	40
453	YM	26	0606	2.56	CC	23	0017	97	103	98	0.63	0.51	0.82	1.15	-2.20	-0.18	-1.41	-4.35		0				
113767958					YM	22	0082				56	101	33	107	105	33	104	21			88	39	93	25
454	YM	26	0573	2.59	CC	23	0017	97	103	98	0.66	0.48	0.81	1.18	-2.20	-0.18	-1.41	-4.35		0				
113612758					YM	20	0146				56	101	31	106	104	33	104	21			88	38	93	25
455	YM	25	0064	2.59	CCS	22	0159	97	101	92	1.05	-0.40	0.13	1.01	-0.90	0.11	-1.88	-4.02		1				
111087508					YM	20	0119				59	105	37	91	97	38	103	19			93	41	94	25
456	YM	25	0628	2.77	CC	21	0515	97	98	96	0.46	-0.15	0.08	0.46	0.30	0.49	0.15	-4.81		0				
111096756					YM	23	0182				60	99	44	95	97	46	100	30			97	47	96	32
457	YM	26	0460	2.77	CC	21	0515	97	98	95	0.50	-0.18	0.07	0.49	0.30	0.49	0.15	-4.81		0				
113611859					YM	23	0048				49	99	42	95	96	46	100	30			97	42	96	32
458	YM	25	0475	2.77	CC	23	0017	96	103	99	0.53	0.57	0.83	1.04	-2.20	-0.22	-1.46	-4.34		1				
112372149					YM	23	0143				47	100	31	108	105	33	103	21			88	35	93	29
459	YM	26	0069	2.56	CC	23	0017	96	103	98	0.57	0.53	0.82	1.08	-2.20	-0.22	-1.41	-4.35		0				
112470455					YM	22	0105				57	100	33	107	104	33	104	21			88	39	93	25
460	CC	23	0099	1.95	KI	20	0260	96	102	88	1.47	-0.76	-0.02	1.23	0.80	1.19	8.33	-11.43	92	3				
96795323					CC	18	0111				67	108	59	85	95	68	105	45			99	59	99	46
461	YM	26	0829	2.91	YM	24	0200	96	91	101	-0.58	0.17	-0.12	-1.43	0.40	-0.17	-5.08	-2.80		0				
113792931					YM	25	0020				30	89	18	101	94	19	90	10			98	21	93	16
462	YM	25	0497	2.77	CC	23	0017	96	102	100	0.34	0.74	0.91	0.85	-2.20	-0.24	-1.83	-3.06		1				
111068011					YM	23	0122				58	98	35	111	105	33	102	21			88	41	93	32

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
463	YM	25	0477	2.77	CC	23	0017	96	103	99	0.53	0.57	0.83	1.04	-2.20	-0.22	-1.37	-4.37						1	
			112372131		YM	23	0143				47	100	31	108	105	33	103	21	88	35	93	29	106	20	103
464	YM	25	0408	2.77	CC	23	0017	96	103	99	0.53	0.57	0.84	1.04	-2.20	-0.22	-1.41	-4.35						0	
			112372164		YM	23	0074				48	100	33	108	105	33	103	21	88	36	93	25	106	20	103
465	YM	25	0476	2.77	CC	23	0017	96	103	99	0.53	0.57	0.83	1.04	-2.20	-0.22	-1.41	-4.35						0	
			112372156		YM	23	0143				47	100	31	108	105	33	103	21	88	35	93	25	106	20	103
466	YM	25	0016	2.59	CCS	22	0159	96	101	92	1.04	-0.39	0.13	1.01	-0.90	0.11	-1.38	-4.59						1	
			111087581		YM	20	0039				59	104	35	91	97	38	103	19	93	41	94	32	106	22	103
467	CC	23	0198	5.74	CC	21	0025	96	103	89	1.50	-0.65	0.10	1.65	1.20	1.57	9.05	-6.01						0	
			96783808		CC	17	0104				67	109	54	87	97	68	107	47	101	57	101	44	82	41	106
468	YM	25	0904	2.76	-	-	-	96	95	103	-0.47	0.10	-0.13	0.82	0.50	-0.07	-8.76	-5.16						0	
			112601067		YM	20	0127				10	90	14	100	94	5	102	5	98	9	94	5	122	5	104
469	YM	26	0405	2.77	CC	23	0017	96	103	98	0.63	0.47	0.79	1.14	-2.20	-0.22	-1.41	-4.35						0	
			113611461		YM	23	0149				56	101	31	106	104	33	104	21	88	38	93	25	106	20	103
470	YM	26	0490	2.77	CC	23	0017	96	103	98	0.61	0.47	0.78	1.12	-2.20	-0.24	-1.41	-4.35						0	
			113612048		YM	23	0043				56	101	31	106	104	33	104	21	88	38	93	25	106	20	103
471	YM	26	0618	2.56	CCS	22	0159	96	101	91	1.17	-0.56	0.03	1.11	-0.90	0.07	-2.86	-2.17						0	
			113768022		YM	22	0101				58	106	36	88	96	38	104	19	93	41	94	25	109	22	100
472	PBM	24	0040	1.43	CCS	22	0112	96	94	91	0.71	-0.97	-0.62	-0.19	0.70	0.16	-5.47	0.79						0	
			100453984		CCS	23	0246				45	101	33	81	89	36	97	22	99	35	95	22	115	26	95
473	YM	26	0420	2.91	CC	22	0120	96	97	96	0.33	-0.24	-0.07	0.63	0.10	0.16	-2.45	-6.86						0	
			113611594		YM	24	0085				56	98	38	94	95	44	101	29	96	43	95	28	108	24	107
474	YM	25	0502	2.59	CC	23	0017	96	102	100	0.29	0.70	0.84	0.77	-2.20	-0.33	-1.62	-3.84						1	
			111071940		YM	20	0227				58	98	35	110	105	33	102	21	88	41	92	32	106	20	102
475	YM	25	0630	2.77	CC	21	0515	96	98	95	0.46	-0.23	0.00	0.41	0.30	0.40	0.15	-4.81						0	
			111096434		YM	23	0002				58	99	41	94	96	46	100	30	97	45	96	32	102	26	104
476	YM	25	0386	2.55	CCS	22	0159	96	101	89	1.24	-0.69	-0.07	1.16	-0.90	0.01	-2.29	-4.58						1	
			111092359		YM	21	0047				58	106	34	86	95	38	104	19	93	40	94	31	108	22	103

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat	Comb	Post-Wean										
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
477	YM 26 0326	113610836		2.59	DM 22 0081	YM 20 0043	96	87	93	-0.09	-1.20	-1.24	-1.46	1.70	-0.26	-10.31	-1.22				0		
										57 94	33 77	82	36 90	18 102	39 93	23 126	24 98						
478	YM 26 0118	112472055		2.59	CC 21 0515	YM 20 0065	96	98	94	0.56	-0.36	-0.08	0.51	0.30	0.38	0.15	-4.81				0		
										59 100	43 92	95	46 101	30 97	46 96	32 102	26 104						
479	YM 25 0935	112601125		2.76	- - -	YM 23 0082	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
480	YM 25 0901	112601059		2.76	- - -	YM 20 0055	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
481	YM 25 0579	112601018		2.76	- - -	YM 21 0121	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
482	YM 25 0708	112600911		2.76	- - -	YM 20 0139	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
483	YM 25 0155	112600820		2.76	- - -	YM 20 0024	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
484	YM 25 0932	112601117		2.76	- - -	YM 20 0200	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
485	YM 25 0924	112601091		2.76	- - -	YM 22 0144	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
486	YM 25 0926	112601109		2.76	- - -	YM 23 0123	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
487	YM 25 0898	112600986		2.76	- - -	YM 23 0133	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
488	YM 25 0830	112601182		2.76	- - -	YM 22 0137	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
489	YM 25 0471	112600754		2.76	- - -	YM 22 0004	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						
490	YM 25 0211	112600879		2.76	- - -	YM 21 0080	96	94	103	-0.52	0.05	-0.22	0.73	0.50		-8.76	-5.16				0		
										5 90	5 99	93	5 102	5 98		5 122	5 104						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype	
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
491	JW 23 0171 97503924	2.55	JW 21 0115 JW 21 0613	96	89	100	-0.71 38	-0.22 33	-0.57 90	-1.46 33	90	2.30 25	0.46 33	-3.50 33	-0.60 36							2			
492	CCS 24 0077 99784373	17.24	CCS 22 0335 CCS 21 0299	96	84	95	-0.68 58	-1.03 40	-1.37 81	-2.12 40	86	3.80 31	0.57 45	-3.42 26	-6.86 28							0			
493	YM 26 0923 114441496	2.91	CC 23 0017 YM 24 0019	96	102	98	0.48 46	0.51 31	0.75 104	0.95 33	103	-2.20 21	-0.33 34	-1.41 25	-4.35 20							0			
494	NM 23 2742 97737647	28.16	JW 20 0079 NM 22 2599	96	84	101	-1.22 31	-0.31 29	-0.92 86	-2.34 24	85	5.10 17	1.53 27	3.54 46	-2.73 48							4			
495	YM 26 0038 111942363	2.59	DM 22 0081 YM 20 0048	96	86	94	-0.35 58	-1.00 35	-1.17 83	-1.74 36	88	1.70 18	-0.33 40	-10.31 23	-1.22 24							0			
496	CC 22 0486 95159497	4.98	CC 20 0342 CC 21 0174	96	110	94	1.55 65	0.69 57	1.47 111	1.92 67	108	-3.80 47	-0.04 58	-0.56 43	15.29 45						92	2			
497	YM 26 0810 113792600	2.77	CC 23 0017 YM 23 0113	96	102	98	0.47 46	0.50 31	0.74 104	0.93 33	103	-2.20 21	-0.35 34	-1.41 25	-4.35 20							0			
498	YM 25 0234 112372412	2.55	CC 22 0386 YM 21 0048	96	102	94	0.81 45	0.08 32	0.49 101	1.25 44	105	-1.80 24	-0.19 35	0.17 23	-8.74 20							0			
499	YM 25 0584 112601042	8.14	DM 24 0003 DM 23 0050	96	99	97	0.44 50	0.11 40	0.33 99	0.44 50	100	0.40 30	0.79 42	0.91 35	8.60 35							0			
500	YM 26 0461 113611867	2.77	CC 21 0515 YM 23 0048	96	97	95	0.31 58	-0.17 42	-0.02 95	0.23 46	99	0.30 30	0.32 45	0.15 32	-4.81 26							0			
501	EBS 24 0012 101806768	5.54	JW 18 0831 EBS 21 0073	96	83	102	-1.27 53	-0.59 53	-1.23 83	-1.64 34	89	5.90 34	1.68 49	-5.09 38	14.33 43						101	2			
502	CCS 23 0478 98331739	1.87	CCS 22 0213 CCS 19 0230	95	89	92	-0.06 64	-0.78 45	-0.81 87	-1.99 61	87	0.20 35	-0.72 50	-6.50 28	-7.86 30							0			
503	CC 21 0609 92605773	3.52	CC 19 0089 CC 20 0636	95	82	99	-1.16 66	-0.81 58	-1.39 81	-1.96 68	87	6.50 44	1.93 58	3.77 39	-3.94 37						90	1			
504	CC 22 0339 95153037	4.11	CC 21 0147 CC 20 0409	95	99	87	1.44 64	-1.20 53	-0.48 91	1.41 66	106	2.40 43	1.68 55	1.75 43	14.23 37						88	1			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype	
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
505	CC 22 0313 95153870	4.34	CC 20 0342 CC 20 0470	95	105	88	1.66 69 110		-0.25 64 94		0.58 102 68		1.17 104		-0.50 52 94		1.11 63 99		7.56 45 85		8.78 46 82		125	4	
506	RN 23 0018 99154957	1.03	LM 21 1134 LM 15 1325	95	91	100	-0.45 25 91		-0.26 31 93		-0.49 90 12		-0.52 95		1.40 8 101		0.13 23 95		-10.48 38 126		13.52 36 75		91	3	
507	YM 26 0357 113610950	2.56	DM 22 0081 YM 22 0006	95	86	94	-0.46 58 91		-0.98 35 81		-1.22 83 36		-1.89 87		1.70 18 102		-0.43 40 92		-10.31 23 126		-1.22 24 98			0	
508	YM 25 0291 112500913	2.59	CC 23 0017 YM 20 0152	95	101	97	0.42 48 99		0.45 35 106		0.66 103 33		0.85 102		-2.20 21 88		-0.45 37 92		-1.41 25 106		-4.35 20 103			0	
509	YM 25 0319 112500921	2.59	CC 23 0017 YM 20 0152	95	101	97	0.42 48 99		0.45 35 106		0.66 103 33		0.85 102		-2.20 21 88		-0.45 37 92		-1.41 25 106		-4.35 20 103			0	
510	YM 25 0609 111096590	2.56	CC 21 0515 YM 22 0117	95	96	95	0.19 57 97		-0.15 40 95		-0.06 95 46		0.08 98		0.30 30 97		0.22 44 95		0.15 32 102		-4.81 26 104			0	
511	YM 26 0689 113775126	2.77	JW 19 0105 YM 23 0121	95	97	102	-0.36 59 92		0.85 47 113		0.67 103 45		-0.49 95		-2.50 34 86		-1.01 49 89		-6.58 32 117		1.19 34 94			0	
512	YM 26 0394 113611297	2.56	CC 23 0017 YM 22 0044	95	101	97	0.44 57 99		0.43 33 105		0.65 103 33		0.86 102		-2.20 21 88		-0.45 39 92		-1.41 25 106		-4.35 20 103			0	
513	YM 26 0545 113612576	2.56	CC 23 0017 YM 22 0122	95	102	95	0.70 58 101		0.21 35 102		0.56 102 33		1.13 104		-2.20 21 88		-0.41 41 92		-1.41 25 106		-4.35 20 103			0	
514	YM 25 0833 111294229	2.56	CC 23 0017 YM 22 0044	95	101	97	0.40 48 99		0.43 33 105		0.63 102 33		0.81 102		-2.20 21 88		-0.49 36 92		-1.41 25 106		-4.35 20 103			0	
515	YM 25 0427 111087292	4.37	RN 23 0002 RN 23 0018	95	96	98	0.08 47 96		0.02 23 98		0.06 96 20		0.13 98		1.10 8 100		0.76 29 97		-3.63 32 111		18.25 29 67			1	
516	YM 26 0051 111942470	2.77	CC 23 0615 YM 23 0136	95	96	95	0.22 57 97		-0.28 32 93		-0.17 94 33		0.21 99		0.70 21 99		0.36 39 96		-1.26 19 105		0.79 18 95			0	
517	YM 25 1027 112601158	6.27	CRL 21 0540 CRL 21 0431	95	94	94	0.14 29 96		-0.32 24 92		-0.25 93 21		-0.90 93		0.20 16 97		-0.06 24 94		-2.85 25 109		2.67 29 92			0	
518	YM 26 0151 112600689	2.59	JW 24 0055 JW 20 0282	95	86	98	-0.91 18 86		-0.37 15 91		-0.83 87 15		-1.97 87		1.50 11 102		-0.38 15 92		-5.92 14 116		-7.40 16 108			0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36										
519	CC 21 0518 92604941	4.71	CC 20 0171 CC 19 0560	95	110	95	1.20 64	0.79 106	1.39 111	2.36 66	111	-3.60 44	-0.17 82	2.92 41	0.01 42	87	2							
520	YM 26 0380 113611362	2.56	CC 23 0017 YM 22 0086	95	101	97	0.42 56	0.41 31	0.62 102	0.82 33	102	-2.20 21	-0.49 38	-1.41 25	-4.35 20	0								
521	YM 25 0248 111091641	2.59	CC 22 0386 YM 20 0208	95	101	93	0.74 44	0.01 28	0.38 100	1.13 44	104	-1.80 24	-0.34 33	0.17 23	-8.74 20	0								
522	CC 24 0206 99763054	5.52	CC 21 0374 CC 21 0462	95	94	97	-0.01 64	-0.23 49	-0.23 93	-0.23 67	96	1.80 41	0.84 53	-1.73 38	12.11 36	0								
523	YM 26 0594 113612998	3.95	CCS 22 0159 DM 22 0050	95	87	95	-0.51 65	-0.79 42	-1.05 84	-1.53 47	89	2.50 27	0.19 47	-5.91 29	0.72 29	0								
524	YM 26 0463 113611909	2.56	CC 23 0017 YM 22 0110	95	101	96	0.51 57	0.31 33	0.56 102	0.91 33	103	-2.20 21	-0.50 39	-1.41 25	-4.35 20	0								
525	YM 25 0644 111096368	2.59	CC 21 0515 YM 20 0092	95	95	96	0.06 59	-0.11 43	-0.09 95	-0.09 46	97	0.30 30	0.12 46	0.15 32	-4.81 26	0								
526	YM 24 0421 111723755	2.91	CC 23 0017 - - -	94	106	97	0.79 48	0.58 38	0.98 106	2.21 33	110	-2.10 21	0.11 38	-1.13 25	8.45 20	99	1							
527	YM 26 0811 113792576	1.95	JW 19 0105 YM 25 0512	94	96	102	-0.52 56	0.72 45	0.46 101	-0.69 48	94	-1.50 35	-0.70 47	-5.36 36	2.25 35	0								
528	YM 25 0002 111087268	2.59	CCS 22 0159 YM 20 0006	94	98	91	0.70 59	-0.45 36	-0.10 95	0.52 38	101	-0.90 19	-0.29 41	-2.86 25	-2.17 22	0								
529	CCS 23 0194 97016182	3.19	CCS 22 0088 CCS 19 0230	94	91	95	-0.25 66	-0.33 56	-0.46 91	-1.49 46	90	-0.20 41	-0.70 56	-6.28 36	-2.56 37	95	2							
530	CC 22 0164 93924223	6.11	CC 20 0075 CC 18 0304	94	86	93	-0.39 67	-1.20 59	-1.39 81	-1.15 69	91	4.80 51	1.30 60	-1.30 48	4.05 43	87	1							
531	KERN 21 0334 92416288	10.46	KERN 20 0188 KERN 19 0402	94	99	99	0.02 32	0.70 26	0.71 103	-0.22 19	97	0.30 16	0.89 26	5.41 30	10.71 41	2								
532	YM 25 0800 111293742	2.55	CC 23 0017 YM 21 0021	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								Dir	Mat													EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
Active Breed Average:								-0.08	-0.03	-0.07	-0.49	0.59		0.24		-0.13		-0.36			
547	YM 26 0917 114441546	2.56	CC 23 0017 YM 22 0017	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
548	YM 26 0429 113611628	2.77	CC 23 0017 YM 23 0091	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
549	YM 26 0892 114300486	2.55	CC 23 0017 YM 21 0077	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
550	YM 25 0808 111293874	2.56	CC 23 0017 YM 22 0076	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
551	YM 25 0895 111305819	2.77	CC 23 0017 YM 23 0016	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
552	YM 26 0854 114299951	2.77	CC 23 0017 YM 23 0158	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
553	YM 25 0865 111305728	2.77	CC 23 0017 YM 23 0146	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
554	YM 25 0793 111293734	2.77	CC 23 0017 YM 23 0188	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
555	YM 26 0938 114478399	2.91	CC 23 0017 YM 24 0061	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
556	YM 25 0268 112500905	2.59	CC 23 0017 YM 20 0192	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
557	YM 26 1026 114491772	2.59	CC 23 0017 YM 20 0054	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
558	YM 26 0887 114300296	2.91	CC 23 0017 YM 24 0016	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
559	YM 25 0838 111294575	2.59	CC 23 0017 YM 20 0195	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		
560	YM 25 0776 111068094	2.91	CC 23 0017 YM 24 0011	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 88	-1.41 25	-4.35 106	20	103		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	
												Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype			
Active Breed Average:						100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
561	YM 25 0957 111306189	2.55	CC 23 0017 YM 21 0053	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
562	YM 26 0988 114488364	2.59	CC 23 0017 YM 20 0215	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
563	YM 25 0407 111723748	2.55	CC 23 0017 YM 21 0056	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
564	YM 25 0321 112500947	2.77	CC 23 0017 YM 23 0176	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
565	YM 25 0854 111294468	2.56	CC 23 0017 YM 22 0119	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
566	YM 26 0817 113792667	2.77	CC 23 0017 YM 23 0114	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
567	YM 26 0939 114478423	2.91	CC 23 0017 YM 24 0061	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
568	YM 25 0967 111306411	2.56	CC 23 0017 YM 22 0034	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
569	YM 25 0777 111068045	2.91	CC 23 0017 YM 24 0011	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
570	YM 25 0834 111294294	2.77	CC 23 0017 YM 23 0184	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
571	YM 26 0916 114441512	2.56	CC 23 0017 YM 22 0017	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
572	YM 25 0947 111306031	2.55	CC 23 0017 YM 21 0054	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
573	YM 25 0839 111294443	2.59	CC 23 0017 YM 20 0195	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			
574	YM 26 0987 114488380	2.59	CC 23 0017 YM 20 0215	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	0.76 102	-2.20 21	-0.55 88	-0.55 33	91	-1.41 25	-4.35 106	-4.35 20	103		0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
Active Breed Average:								-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
575	YM 25 0973 111306403	2.55	CC 23 0017 YM 21 0090	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
576	YM 25 0747 111071791	2.59	CC 23 0017 YM 20 0215	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
577	YM 25 0821 111294252	2.59	CC 23 0017 YM 20 0099	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
578	YM 26 0973 114488265	2.59	CC 23 0017 YM 20 0099	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
579	YM 25 0792 111293726	2.59	CC 23 0017 YM 20 0003	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
580	YM 25 0995 111394748	2.55	CC 23 0017 YM 21 0060	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
581	YM 25 0748 111071866	2.59	CC 23 0017 YM 20 0215	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
582	YM 25 0975 111306387	2.55	CC 23 0017 YM 21 0019	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
583	YM 25 0736 111071742	2.59	CC 23 0017 YM 20 0174	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
584	YM 25 0851 111294617	2.56	CC 23 0017 YM 22 0095	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
585	YM 25 0822 111294211	2.59	CC 23 0017 YM 20 0099	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
586	YM 25 0849 111294476	2.77	CC 23 0017 YM 23 0183	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
587	YM 26 0918 114441504	2.56	CC 23 0017 YM 22 0067	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				
588	YM 25 0840 111294534	2.91	CC 23 0017 YM 24 0027	94	101	96	0.37 45	0.40 27	0.58 102	0.76 33	102	-2.20 21	-0.55 33	-1.41 25	-4.35 20	103	0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
589	YM	25	0810	2.77	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111293882					YM	23	0108				45	98	27	105	102	33	102	21	88	33	91	25	106		20
590	YM	25	0866	2.77	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111305769					YM	23	0124				45	98	27	105	102	33	102	21	88	33	91	25	106		20
591	YM	25	0402	2.56	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		1	
112372180					YM	22	0045				45	98	27	105	102	33	102	21	88	33	91	25	106		20
592	YM	25	0750	2.59	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111071775					YM	20	0090				45	98	27	105	102	33	102	21	88	33	91	25	106		20
593	YM	25	0794	2.77	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111293668					YM	23	0188				45	98	27	105	102	33	102	21	88	33	91	25	106		20
594	YM	26	0914	2.59	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
114441603					YM	20	0202				45	98	27	105	102	33	102	21	88	33	91	25	106		20
595	YM	26	0076	2.56	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
112470703					YM	22	0091				45	98	27	105	102	33	102	21	88	33	91	25	106		20
596	YM	25	0964	2.55	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111306320					YM	21	0015				45	98	27	105	102	33	102	21	88	33	91	25	106		20
597	YM	25	0766	2.59	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111072005					YM	20	0076				45	98	27	105	102	33	102	21	88	33	91	25	106		20
598	YM	25	0751	2.59	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111071718					YM	20	0015				45	98	27	105	102	33	102	21	88	33	91	25	106		20
599	YM	25	0799	2.91	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111486908					YM	24	0061				45	98	27	105	102	33	102	21	88	33	91	25	106		20
600	YM	25	0850	2.56	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111294518					YM	22	0095				45	98	27	105	102	33	102	21	88	33	91	25	106		20
601	YM	25	0802	2.77	CC	23	0017	94	101	96	0.37	0.40		0.58	0.76		-2.20	-0.55		-1.41		-4.35		0	
111293676					YM	23	0189				45	98	27	105	102	33	102	21	88	33	91	25	106		20
602	YM	26	0821	2.06	JW	19	0105	94	95	101	-0.47	0.63		0.40	-0.66		-1.50	-0.74		-5.72		3.00		0	
113792675					YM	25	0519				55	91	44	109	100	48	94	35	90	46	91	36	115		35

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
603	YM	26	0422	2.59	JW	19 0105	94	96	103	-0.61		0.96		0.66	-0.79		-2.50		-1.15		-6.58		1.19		0
113611669					YM	20 0103				58	89	46	115		103	45	93	34	86	48	89	32	117	34	
604	PDR	23	0096	2.56	PDR	22 1004	94	89	101	-1.00		0.30		-0.20	-2.13		0.50		-0.40		-5.38		3.77		1
107435521					SM	18 0773				16	86	17	103		94	7	86	5	98	14	92	21	115	22	
605	CCS	24	0299	9.21	CCS	21 0335	94	89	85	0.45		-1.64		-1.42	-0.76		1.60		-0.23		-2.44		-16.99		98
107130569					CCS	21 0279				66	99	52	69		80	60	94	39	102	54	93	30	108	34	
606	CC	22	0196	4.69	CC	20 0116	94	101	94	0.71		0.27		0.62	0.32		-1.50		0.08		1.20		8.99		90
93924413					CC	19 0555				63	101	51	103		102	65	99	42	90	54	94	42	100	36	
607	CCS	21	0098	1.48	CRL	16 0100	94	95	98	-0.31		0.37		0.22	-0.74		-0.50		-0.24		0.76		-5.93		90
93188803					CCS	17 0169				66	92	61	104		98	43	94	43	94	59	93	41	101	46	
608	RN	24	0037	1.75	RN	23 0002	94	98	98	0.02		0.45		0.46	-0.11		-0.70		0.05		-0.29		6.20		102
100483635					RN	22 0002				41	95	41	106		101	22	97	13	93	35	94	25	103	36	
609	YM	26	0426	2.59	CC	21 0515	94	94	96	-0.16		-0.01		-0.09	-0.35		0.30		0.01		0.15		-4.81		0
113611636					YM	20 0067				58	93	42	98		95	46	96	30	97	45	94	32	102	26	
610	YM	26	0375	2.59	DM	22 0081	94	85	92	-0.48		-1.14		-1.38	-1.97		1.70		-0.60		-10.31		-1.22		0
113611271					YM	20 0118				57	90	33	78		81	36	87	18	102	39	91	23	126	24	
611	CC	23	0148	7.31	CC	21 0025	94	100	95	0.39		0.25		0.44	0.50		-1.30		-0.14		2.62		-6.14		86
96783402					CC	21 0736				64	98	50	102		100	66	100	45	91	54	93	44	97	38	
612	SM	21	0167	1.74	SM	18 0519	94	85	103	-1.52		0.45		-0.31	-3.01		1.20		-0.35		-3.91		0.76		100
93668887					SM	18 0693				52	81	38	106		92	5	81	5	101	35	92	25	111	32	
613	YM	25	0473	2.55	CC	23 0017	94	100	96	0.31		0.38		0.53	0.66		-2.20		-0.64		-1.41		-4.35		0
111071981					YM	21 0013				56	98	31	104		101	33	101	21	88	38	91	25	106	20	
614	YM	26	0397	2.77	CC	23 0017	94	100	95	0.43		0.26		0.48	0.78		-2.20		-0.63		-1.41		-4.35		0
113611438					YM	23 0144				57	99	33	102		101	33	102	21	88	39	91	25	106	20	
615	YM	26	0546	2.56	CC	23 0017	94	101	95	0.48		0.22		0.46	0.83		-2.20		-0.62		-1.41		-4.35		0
113612519					YM	22 0122				58	99	35	102		101	33	102	21	88	41	91	25	106	20	
616	YM	26	0023	2.59	CC	23 0615	94	94	97	-0.23		-0.06		-0.17	-0.32		0.70		0.13		-1.26		0.79		0
111942264					YM	20 0199				58	93	35	97		94	33	96	21	99	41	95	19	105	18	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW	AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
617	YM 26 0859 113792170	2.84	FJD 24 0218 FJD 24 0250	94	91	101	-0.87 5	0.28 5	-0.16 94	-0.66 5	94	-0.40 5	94		-7.04 5	118	-5.25 5	105		0
618	YM 26 0082 112470745	2.56	JW 19 0105 YM 22 0120	94	96	100	-0.37 57	0.65 44	0.47 101	-0.58 45	95	-2.50 34	86	-1.22 47	88	-6.58 32	117	1.19 34	94	0
619	YM 26 0462 113611917	2.77	CC 21 0515 YM 23 0062	94	95	93	0.22 58	-0.40 42	-0.29 93	0.02 46	98	0.30 30	97	0.00 45	94	0.15 32	102	-4.81 26	104	0
620	OC 23 0107 96460001	2.59	BEP 19 0193 OC 20 6974	94	89	99	-0.84 40	0.11 30	-0.31 92	-1.60 23	89	-0.60 19	94	-1.09 31	89	-9.43 34	124	1.68 36	93	1
621	PDR 22 0025 95678959	1.93	SM 20 1950 SM 19 0277	94	88	100	-1.05 24	-0.08 32	-0.61 89	-1.29 5	91	0.60 5	98	-0.77 22	90	-7.44 21	119	-7.26 16	108	99 3
622	YM 26 0029 111942280	2.59	DM 22 0081 YM 20 0133	94	84	92	-0.58 57	-1.15 31	-1.44 80	-2.11 36	86	1.70 18	102	-0.71 38	91	-10.31 23	126	-1.22 24	98	0
623	YM 26 0204 112630645	2.59	DM 22 0081 YM 20 0143	93	84	90	-0.35 59	-1.34 36	-1.52 79	-1.88 36	87	1.70 18	102	-0.67 41	91	-10.31 23	126	-1.22 24	98	0
624	YM 25 0507 111068052	2.77	CC 23 0017 YM 23 0107	93	100	96	0.23 57	0.36 33	0.48 101	0.55 33	101	-2.20 21	88	-0.73 39	91	-1.41 25	106	-4.35 20	103	0
625	YM 26 0823 113792634	2.06	JW 19 0105 YM 25 0497	93	94	102	-0.75 56	0.72 45	0.35 99	-1.01 48	92	-1.50 35	90	-0.93 47	90	-5.92 36	116	3.44 35	91	0
626	YM 26 0842 113792923	3.39	JW 19 0105 YM 25 0064	93	93	97	-0.40 56	0.15 45	-0.05 95	-0.93 49	93	-0.90 35	93	-0.79 47	90	-5.94 34	116	2.96 36	91	0
627	YM 26 0041 113610331	1.22	JW 19 0105 CC 23 0099	93	93	95	-0.19 58	-0.03 51	-0.12 94	-0.82 56	93	0.00 40	96	-0.22 51	93	-0.84 39	104	-0.74 40	97	0
628	YM 25 0920 111305934	9.64	DM 23 0014 DM 21 0046	93	90	100	-0.89 50	0.22 41	-0.23 93	-1.70 46	88	-1.00 30	92	-1.27 42	88	-13.18 29	132	11.35 31	78	0
629	YM 26 0574 113612774	2.56	CCS 22 0159 YM 22 0019	93	97	89	0.73 58	-0.65 34	-0.28 93	0.48 38	100	-0.90 19	93	-0.46 40	92	-3.09 25	110	-1.72 22	99	0
630	YM 26 0569 113612766	2.59	CCS 22 0159 YM 20 0085	93	98	88	0.93 58	-0.81 34	-0.35 92	0.69 38	102	-0.90 19	93	-0.42 40	92	-2.86 25	109	-2.17 22	100	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir	Mat		Comb												
											EBV	EBV		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype			
											Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average:							100	100	100		-0.08	-0.03		-0.07	-0.49	0.59	0.24		-0.13		-0.36				
631	NM	24	3143	15.45	NM	22 1737	93	90	99	-0.83	0.01		-0.41	-1.11	2.10	0.44		-0.41		2.29		105	2		
	100907393		NM		23 2650	40				87	46	98	91	15	92	11	104	36	96	38	103			28	92
632	CCS	24	0172	2.55	CCS	18 0219	93	96	97	-0.10	0.26		0.21	-0.23	-2.40	-1.28		-6.97		-1.16			0		
	100074210		CCS		21 008D	59				94	48	102	98	35	96	35	87	49	88	31	118			33	98
633	YM	26	0759	2.77	CCS	22 0159	93	97	89	0.75	-0.68		-0.30	0.50	-0.90	-0.47		-2.86		-2.17			0		
	113775654		YM		23 0052	56				102	31	86	92	38	100	19	93	38	92	25	109			22	100
634	YM	26	0593	3.95	CCS	22 0159	93	85	95	-0.81	-0.78		-1.19	-1.93	2.50	-0.09		-5.91		0.72			0		
	113612972		DM		22 0050	65				87	42	84	83	47	87	27	106	47	94	29	116			29	95
635	DM	23	0050	4.65	JW	16 0456	93	92	97	-0.50	0.22		-0.03	-1.80	-0.50	-0.57		-3.72		7.82		86	2		
	97083448		JW		16 0514	68				90	61	102	95	66	88	46	94	60	91	52	111			53	84
636	YM	26	0095	2.56	CCS	22 0159	93	96	90	0.58	-0.58		-0.29	0.31	-0.90	-0.53		-2.86		-2.17			0		
	112471776		YM		22 0098	57				100	34	88	93	38	99	19	93	39	92	25	109			22	100
637	YM	25	0902	3.12	CRL	23 0051	93	91	93	-0.22	-0.30		-0.41	-1.67	0.80	-0.04		0.67		1.50			0		
	111305801		CRL		20 0119	29				93	25	93	91	20	89	14	99	24	94	25	101			28	94
638	NM	25	3682	3.38	OC	22 0360	93	89	95	-0.50	-0.53		-0.78	-1.20	2.50	0.47		-4.55		14.04			0		
	111121141		NM		24 3143	51				90	31	89	87	20	91	16	106	35	96	25	113			22	74
639	YM	26	0098	2.55	CC	21 0515	93	93	94	-0.10	-0.24		-0.29	-0.35	0.30	-0.15		0.15		-4.81			0		
	112471818		YM		21 0067	57				94	40	94	93	46	96	30	97	44	93	32	102			26	104
640	YM	26	0819	2.55	JW	23 0086	93	87	99	-1.07	0.07		-0.46	-2.06	0.00	-1.00		-6.67		-2.85			0		
	113792691		YM		21 0054	19				85	12	99	91	11	86	9	96	14	89	12	118			13	101
641	YM	26	0081	2.77	CC	23 0017	93	99	95	0.17	0.32		0.41	0.45	-2.20	-0.83		-1.41		-4.35			0		
	112470729		YM		23 0071	57				96	35	103	100	33	100	21	88	40	90	25	106			20	103
642	YM	25	0400	2.56	CC	23 0017	93	99	95	0.24	0.26		0.38	0.52	-2.20	-0.82		-1.41		-4.35			1		
	112372123		YM		22 0083	48				97	33	102	100	33	101	21	88	36	90	25	106			20	103
643	YM	26	0688	2.77	JW	19 0105	93	94	102	-0.80	0.88		0.48	-1.08	-2.50	-1.42		-6.58		1.19			0		
	113775142		YM		23 0121	59				87	47	113	101	45	92	34	86	49	87	32	117			34	94
644	CC	23	0118	4.61	CC	21 0025	93	100	90	0.71	0.05		0.41	0.37	-2.40	-0.68		3.41		-9.12		101	3		
	96783188		CC		18 0540	70				101	63	99	100	70	100	51	87	63	91	49	95			46	111

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
645	YM 26 0488 113611982	2.77	CC 21 0515 YM 23 0077	93	93	93	-0.05 59	-0.30 43	-0.33 92	-0.31 46	0.30 30	-0.18 46	0.15 32	-4.81 26			0					
646	YM 26 0304 113610653	2.59	DM 22 0081 YM 20 0098	93	83	91	-0.62 57	-1.24 33	-1.55 79	-2.20 36	1.70 18	-0.84 39	-10.31 23	-1.22 24			0					
647	YM 26 0481 113611990	2.56	CC 23 0017 YM 22 0129	93	99	94	0.24 57	0.23 33	0.35 99	0.51 33	-2.20 21	-0.85 39	-1.41 25	-4.35 20			0					
648	YM 26 0486 113612089	2.59	CC 21 0515 YM 20 0083	92	93	94	-0.16 57	-0.26 40	-0.33 92	-0.43 46	0.30 30	-0.23 44	0.15 32	-4.81 26			0					
649	CC 22 0340 95153052	4.48	CC 20 0075 CC 20 0503	92	99	88	1.08 69	-0.97 64	-0.43 91	1.57 69	0.60 52	0.47 63	-4.01 47	17.02 47	112	4						
650	YM 26 0805 113792543	2.77	JW 23 0086 YM 23 0169	92	87	99	-1.11 20	0.04 19	-0.52 90	-2.12 11	0.00 9	-1.07 17	-6.67 12	-2.85 13			0					
651	CC 22 0212 94012382	5.81	CC 20 0093 CC 21 0117	92	93	92	0.15 64	-0.61 54	-0.54 90	0.00 66	1.40 45	0.38 56	-1.30 43	7.55 36	88	1						
652	YM 26 0897 114300502	1.96	JW 19 0105 YM 25 0402	92	93	100	-0.74 53	0.55 44	0.18 98	-1.06 48	-1.50 35	-1.09 45	-5.71 34	2.79 35			0					
653	CC 23 0172 96783618	4.89	CC 20 0075 CC 21 0684	92	83	95	-0.99 64	-0.76 51	-1.26 82	-2.20 66	4.30 44	0.83 54	-1.96 41	11.54 41			0					
654	CRL 21 0431 93829141	2.66	CRL 19 0110 CRL 18 0480	92	93	93	-0.11 31	-0.18 29	-0.23 93	-1.01 27	-0.40 21	-0.53 28	-3.87 35	7.86 44			4					
655	YM 26 0439 113611735	2.77	CC 21 0515 YM 23 0033	92	93	93	-0.18 57	-0.26 40	-0.36 92	-0.48 46	0.30 30	-0.27 44	0.15 32	-4.81 26			0					
656	NM 25 3393 108941477	3.75	OC 22 0360 NM 23 2742	92	83	96	-1.06 33	-0.67 26	-1.20 83	-2.31 22	4.00 17	0.67 27	-2.58 28	11.53 29			1					
657	DM 23 0093 97139430	4.37	JW 19 0105 CRL 16 0062	92	91	100	-0.92 67	0.43 58	-0.03 95	-1.20 66	-1.30 43	-1.26 58	-8.03 42	2.03 48	86	2						
658	YM 25 0260 112600846	5.25	XAN 23 0066 TB 22 0300	92	90	97	-0.71 20	-0.01 20	-0.36 92	-1.05 15	0.70 12	-0.30 18	-4.00 25	5.35 16			1					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
659	YM 26 0565 113612642	2.59	CCS 22 0159 YM 20 0122	92	95	88	0.53 58	100	-0.67 34	86	-0.40 91	0.20 38	99	-0.90 19	93	-0.67 40	91	-2.86 25	109	-2.17 22	100	0	
660	YM 26 0802 113792535	2.59	CC 23 0017 YM 20 0017	92	98	94	0.18 46	96	0.19 31	101	0.28 99	0.41 33	100	-2.20 21	88	-0.96 34	90	-1.41 25	106	-4.35 20	103	0	
661	YM 25 0779 112372172	2.77	CC 23 0017 YM 23 0202	92	98	94	0.17 48	96	0.18 33	101	0.26 99	0.39 33	100	-2.20 21	88	-0.97 36	89	-1.41 25	106	-4.35 20	103	0	
662	FJD 24 0251 106974801	2.56	FJD 22 0819 FJD 22 0112	92	89	100	-1.21 5	84	0.51 5	107	-0.10 95	-2.05 5	86	-1.30 5	91			-5.43 6	115	-5.98 7	106	0	
663	KERN 21 0217 92206473	3.64	KERN 19 0406 KERN 17 0003	92	92	95	-0.40 16	91	0.06 16	99	-0.15 94	-1.35 14	90	-0.50 9	94	-0.65 14	91	-1.84 25	107	3.52 28	91	1	
664	YM 26 0487 113612022	2.77	CCS 22 0159 YM 23 0004	92	95	89	0.40 58	99	-0.62 34	87	-0.42 91	0.04 38	98	-0.90 19	93	-0.76 40	90	-2.86 25	109	-2.17 22	100	0	
665	YM 26 0566 113612659	2.59	CCS 22 0159 YM 20 0122	92	95	88	0.46 58	99	-0.66 34	86	-0.43 91	0.10 38	98	-0.90 19	93	-0.74 40	91	-2.86 25	109	-2.17 22	100	0	
666	EBS 21 0071 100909977	2.55	JW 18 0737 - - -	92	89	97	-0.78 33	88	-0.24 36	94	-0.64 89	-1.05 21	92	1.20 18	101	-0.31 31	93	-7.84 22	120	13.04 25	75	99 2	
667	FJD 24 0250 106974793	2.56	FJD 22 0777 FJD 20 0127	92	89	100	-1.21 5	84	0.51 5	107	-0.10 95	-2.05 5	86	-1.30 5	91			-5.31 5	115	-5.33 5	105	1	
668	BBB 23 0114 108693912	2.61	CRL 20 0163 CRL 18 0477	92	90	94	-0.49 34	90	-0.14 37	95	-0.38 92	-2.04 25	87	0.40 20	98	-0.39 32	92	-0.88 30	105	6.29 34	86	99 1	
669	YM 25 0449 111092193	2.56	CCS 22 0159 YM 22 0019	92	95	89	0.38 58	98	-0.63 34	87	-0.44 91	0.01 38	98	-0.90 19	93	-0.79 40	90	-3.55 31	111	-0.83 22	97	1	
670	YM 26 0410 113611545	2.77	CC 23 0017 YM 23 0032	92	97	94	0.06 57	95	0.23 33	102	0.26 98	0.26 33	99	-2.20 21	88	-1.04 39	89	-1.41 25	106	-4.35 20	103	0	
671	CRL 25 0036 109756288	2.77	CRL 23 0157 CRL 20 0119	91	85	98	-1.45 44	81	0.21 21	102	-0.52 90	-3.13 13	80	0.70 7	99	-0.82 27	90	-0.96 19	105	-5.29 22	105	0	
672	YM 26 0837 113792972	3.61	JW 19 0105 NM 25 3393	91	84	99	-1.45 51	81	0.02 43	98	-0.71 88	-2.59 47	83	1.60 35	102	-0.48 44	92	-6.29 35	117	10.74 37	79	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
673	YM 26 0836 113792956	3.61	JW 19 0105 NM 25 3393	91	84	99	-1.45 51	0.02 81	43	98	-0.71 88	-2.59 47	83	1.60 35	-0.48 102	44	92	-6.29 35	10.74 117	37	79		0		
674	RN 24 0027 100483718	1.81	RN 23 0002 RN 21 0001	91	93	94	-0.20 32	-0.17 93	22	95	-0.27 93	-0.21 24	97	1.20 13	0.36 101	24	96	-0.59 25	14.87 104	27	72		0		
675	YM 26 1028 114491814	5.03	JW 19 0105 YM 25 0260	91	88	100	-1.28 49	0.35 83	43	104	-0.29 93	-1.97 46	87	-0.10 34	-0.99 96	43	89	-7.00 34	7.64 118	35	84		0		
676	YM 26 0597 113612956	5.33	CCS 22 0159 TB 22 0300	91	93	87	0.50 58	-1.08 99	33	79	-0.83 87	0.38 40	100	0.90 21	-0.05 99	40	94	-2.71 26	6.74 109	24	85		0		
677	CC 20 0575 90337155	5.48	CC 18 0393 CC 19 0711	91	104	83	1.52 65	-0.49 109	56	89	0.27 99	1.79 67	108	-4.50 48	-1.66 79	58	86	1.72 40	-19.01 99	41	126	82	4		
678	YM 25 0845 112500954	2.55	CC 23 0017 YM 21 0007	91	97	93	0.10 46	0.10 96	31	100	0.16 97	0.27 33	99	-2.20 21	-1.12 88	34	89	-1.41 25	-4.35 106	20	103		0		
679	YM 24 0415 111723789	2.91	CC 23 0017 - - -	91	102	93	0.51 45	0.28 100	27	103	0.53 101	1.70 33	107	-2.10 21	-0.48 88	33	92	-1.13 25	8.45 105	20	83		0		
680	YM 24 0414 111723771	2.91	CC 23 0017 - - -	91	102	93	0.51 45	0.28 100	27	103	0.53 101	1.70 33	107	-2.10 21	-0.48 88	33	92	-1.13 25	8.45 105	20	83		0		
681	YM 24 0416 111723763	2.91	CC 23 0017 - - -	91	102	93	0.51 45	0.28 100	27	103	0.53 101	1.70 33	107	-2.10 21	-0.48 88	33	92	-1.13 25	8.45 105	20	83		0		
682	YM 25 0517 111071692	2.55	CC 23 0017 YM 21 0100	91	97	93	0.10 58	0.10 96	35	100	0.15 97	0.26 33	99	-2.20 21	-1.12 88	41	89	-1.45 33	-3.87 106	20	102		1		
683	CC 23 0371 106719016	2.13	KI 20 0260 CC 19 0913	91	99	85	0.91 49	-0.59 103	46	88	-0.14 94	0.90 49	103	-2.00 30	-0.88 88	43	90	1.92 40	-10.61 98	31	113	93	1		
684	YM 26 1000 114488539	3.38	JW 19 0105 YM 25 0449	91	90	96	-0.73 56	0.04 88	45	99	-0.33 92	-1.44 49	90	-0.90 35	-1.24 93	47	88	-6.78 36	4.56 118	36	89		0		
685	YM 25 0454 111091880	2.59	CCS 22 0159 YM 20 0086	91	94	87	0.46 59	-0.81 99	36	84	-0.57 90	0.05 38	98	-0.90 19	-0.88 93	41	90	-2.86 25	-2.17 109	22	100		0		
686	YM 26 0478 113611974	2.77	CC 23 0017 YM 23 0013	91	97	92	0.19 58	0.01 97	35	98	0.11 97	0.34 33	100	-2.20 21	-1.12 88	41	89	-1.41 25	-4.35 106	20	103		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
687	CC	22	0329	4.97	CC	20 0075	91	87	86	-0.02	-1.46	-1.47	-1.16	2.70	0.14	-2.51	5.89					97	4	
			95152591		CC	19 0711				69 95	63 72	80	69 91	54 106	63 95	46 108	47 87							
688	YM	25	0516	2.55	CC	23 0017	91	97	93	0.06	0.10	0.14	0.21	-2.20	-1.15	-1.52	-3.78						1	
			111071874		YM	21 0100				58 95	35 100	97	33 99	21 88	41 89	33 106	20 102							
689	YM	26	0715	1.60	JW	19 0105	91	90	100	-1.19	0.59	0.00	-1.86	-0.80	-1.08	-5.15	8.07						0	
			113775233		RN	24 0037				60 84	46 108	96	47 87	34 93	49 89	34 114	38 83							
690	DM	23	0057	1.73	JW	16 0456	91	89	98	-1.12	0.45	-0.11	-2.38	-2.00	-1.87	-5.10	-5.62					87	3	
			97083513		CRL	17 0362				63 85	57 106	94	61 85	42 88	56 85	49 114	47 105							
691	YM	26	0073	2.56	CCS	22 0159	91	94	87	0.40	-0.78	-0.58	-0.02	-0.90	-0.91	-2.86	-2.17						0	
			112470646		YM	22 0009				57 99	34 84	90	38 98	19 93	39 90	25 109	22 100							
692	YM	26	0117	2.59	JW	19 0105	91	93	98	-0.77	0.53	0.15	-1.18	-2.50	-1.74	-6.58	1.19						0	
			112472071		PMS	20 0286				58 88	44 107	97	45 91	34 86	47 86	32 117	34 94							
693	YM	26	0795	1.95	JW	19 0105	91	91	98	-0.88	0.40	-0.04	-1.31	-1.50	-1.37	-5.73	3.04						0	
			113792410		YM	25 0517				56 87	45 105	95	48 90	35 90	47 88	36 116	35 91							
694	YM	26	0794	1.95	JW	19 0105	91	91	98	-0.88	0.40	-0.04	-1.31	-1.50	-1.37	-5.73	3.04						0	
			113792485		YM	25 0517				56 87	45 105	95	48 90	35 90	47 88	36 116	35 91							
695	CC	23	0418	2.13	KI	20 0260	91	100	85	0.98	-0.57	-0.07	1.11	-2.20	-0.90	2.15	-9.41					100	2	
			106719040		CC	19 0916				53 104	52 88	95	49 104	31 88	48 90	41 98	39 111							
696	CCS	24	0136	9.37	CCS	22 0337	91	82	99	-1.68	-0.05	-0.89	-2.99	0.40	-1.48	-9.80	1.91					96	2	
			100022987		CCS	20 0147				62 79	48 97	86	43 81	39 98	51 87	31 125	37 93							
697	YM	26	0729	2.01	DM	22 0081	91	89	84	0.35	-1.36	-1.19	-1.24	0.30	-0.83	-6.06	6.74						0	
			113775332		DM	21 0025				64 98	42 74	83	47 91	28 97	47 90	26 116	31 85							
698	YM	26	0479	2.77	CC	23 0017	90	97	92	0.11	0.02	0.07	0.24	-2.20	-1.19	-1.41	-4.35						0	
			113611941		YM	23 0013				58 96	35 98	96	33 99	21 88	41 88	25 106	20 103							
699	KI	22	0074	9.31	KI	19 0499	90	92	85	0.35	-1.04	-0.86	-0.06	1.00	-0.09	4.67	-10.25						4	
			93701720		KI	19 0515				47 98	35 80	86	34 97	27 100	38 94	38 92	43 113							
700	YM	26	0298	2.55	JW	19 0105	90	92	97	-0.73	0.46	0.09	-1.16	-2.50	-1.77	-6.58	1.19						0	
			113610562		YM	21 0012				58 88	46 106	97	45 91	34 86	48 86	32 117	34 94							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat	Comb	Post-Wean										
											Acc	Index	Acc	Index	Acc	Index	Acc	Index					
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
701	FJD	24	0034	2.55	FJD	20 0979	90	87	100	-1.48	0.52	-0.22	-2.41	-1.30	-1.74	-5.60	-4.32						
	99640179				FJD	21 0276				39 81	5 107	93	5 84	5 91	17 86	30 115	10 103		1				
702	CC	21	0337	5.93	CC	19 0145	90	94	86	0.35	-0.53	-0.36	-0.83	0.00	-0.18	6.04	-1.89	88	1				
	92603166				CC	17 0314				67 98	58 89	92	69 93	49 96	59 93	45 89	41 99						
703	YM	26	0071	2.77	CC	21 0515	90	90	93	-0.57	-0.25	-0.53	-1.00	0.30	-0.64	0.15	-4.81		0				
	112470661				YM	23 0171				58 90	43 94	90	46 92	30 97	46 91	32 102	26 104						
704	YM	25	0611	2.77	CC	21 0515	90	90	92	-0.52	-0.30	-0.56	-0.95	0.30	-0.64	0.15	-4.81		0				
	111096210				YM	23 0120				58 90	42 93	90	46 92	30 97	45 91	32 102	26 104						
705	YM	26	0411	2.56	CC	23 0017	90	95	94	-0.26	0.28	0.15	-0.15	-2.20	-1.30	-1.41	-4.35		0				
	113611578				YM	22 0083				57 92	33 103	97	33 97	21 88	39 88	25 106	20 103						
706	YM	25	0063	2.59	CCS	22 0159	90	92	91	-0.24	-0.33	-0.45	-0.72	-0.90	-1.11	-2.53	-2.78		0				
	111087037				YM	20 0119				59 93	37 92	91	38 94	19 93	41 89	25 108	22 101						
707	YM	26	0165	2.59	JW	19 0105	90	92	98	-0.89	0.53	0.09	-1.35	-2.50	-1.86	-6.58	1.19		0				
	112630207				YM	20 0016				59 87	46 107	97	45 90	34 86	48 85	32 117	34 94						
708	DM	25	0086	3.92	DM	23 0026	90	88	95	-0.86	-0.15	-0.58	-1.30	0.60	-0.65	-4.70	8.77		1				
	107634883				DM	21 0046				62 87	41 95	89	51 91	29 98	46 91	33 113	28 82						
709	YM	25	0305	2.59	CCS	22 0159	90	93	87	0.19	-0.71	-0.61	-0.28	-0.90	-1.06	-2.86	-2.17		0				
	111090916				YM	20 0219				51 97	37 86	89	38 96	19 93	38 89	25 109	22 100						
710	YM	26	0557	2.77	CCS	22 0159	90	93	86	0.34	-0.84	-0.67	-0.13	-0.90	-1.04	-2.86	-2.17		0				
	113612584				YM	23 0020				58 98	34 83	89	38 97	19 93	40 89	25 109	22 100						
711	YM	26	0129	2.77	CCS	22 0159	90	94	84	0.60	-1.06	-0.76	0.14	-0.90	-1.00	-2.86	-2.17		0				
	112472188				YM	23 0031				58 100	34 79	88	38 98	19 93	40 89	25 109	22 100						
712	YM	26	0812	2.91	JW	23 0086	90	84	96	-1.30	-0.18	-0.83	-2.48	0.00	-1.48	-6.67	-2.85		0				
	113792527				JW	24 0230				21 83	18 95	87	11 84	9 96	17 87	12 118	13 101						
713	YM	26	0288	2.77	JW	19 0105	90	91	99	-1.04	0.66	0.14	-1.50	-2.50	-1.88	-6.58	1.19		0				
	113610505				YM	23 0102				58 85	46 109	97	45 89	34 86	48 85	32 117	34 94						
714	YM	25	0034	6.50	CC	21 0025	90	98	84	0.78	-0.49	-0.10	0.35	-2.10	-0.97	5.80	-14.47		0				
	111088035				CC	23 0477				58 102	49 89	95	58 100	43 88	51 89	43 89	39 119						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
715	YM 26 0540 113612428	2.77	CCS 22 0159 YM 23 0074	90	93	87	0.18 58	-0.72 34	-0.63 89	-0.30 38	96	-0.90 19	-1.08 40	-2.86 25	-2.17 22	100		0				
716	YM 26 0583 113612873	2.59	CCS 22 0159 YM 20 0166	90	93	87	0.24 59	-0.76 37	-0.65 89	-0.24 38	96	-0.90 19	-1.07 41	-2.86 25	-2.17 22	100		0				
717	YM 26 0058 112470307	2.59	JW 19 0105 YM 20 0022	90	91	98	-1.01 59	0.56 47	0.05 96	-1.49 45	89	-2.50 34	-1.95 49	-6.96 33	0.91 34	95		0				
718	YM 25 0216 112600838	2.91	XAN 23 0066 YM 24 0107	90	88	96	-1.08 12	0.18 11	-0.37 92	-1.87 11	87	-1.10 9	-1.57 11	-4.54 12	-3.44 13	102		0				
719	YM 26 0828 113792907	3.37	JW 19 0105 YM 25 0020	90	89	95	-0.84 56	-0.01 45	-0.43 91	-1.60 49	89	-0.90 35	-1.40 47	-6.20 36	3.68 36	90		0				
720	CCS 24 0300 107130577	9.21	CCS 21 0335 CCS 21 0279	90	81	88	-0.88 65	-1.30 47	-1.74 77	-2.65 60	83	1.60 36	-1.22 51	-3.86 30	-14.30 34	119		1				
721	CC 22 0651 95157814	6.26	CC 20 0633 CC 21 0662	90	90	89	-0.17 62	-0.69 52	-0.78 87	-0.90 65	93	2.10 42	0.39 54	2.07 38	12.54 40	76		90	2			
722	YM 25 0009 111087318	2.59	CCS 22 0159 YM 20 0022	90	92	85	0.31 60	-0.98 43	-0.82 87	-0.22 38	96	-0.90 19	-1.20 44	-4.00 32	-3.00 22	101		100	1			
723	YM 25 0639 111096178	2.77	CC 22 0386 YM 23 0050	90	95	89	0.17 56	-0.29 34	-0.21 93	0.23 44	99	-1.80 24	-1.20 40	0.17 23	-8.74 20	110		0				
724	YM 25 1004 112500996	2.56	CCS 23 0417 YM 22 0043	90	92	91	-0.30 33	-0.20 27	-0.35 92	-0.90 28	93	-2.00 17	-1.70 27	-2.46 15	-10.13 16	112		0				
725	YM 25 0961 111375440	2.59	PMS 23 0009 PMS 20 0109	89	99	97	-0.40 47	1.19 34	0.99 106	-0.07 43	97	-4.20 19	-1.73 36	1.86 18	-6.50 16	107		0				
726	YM 25 0020 111087987	2.55	CCS 22 0159 YM 21 0006	89	92	87	0.16 59	-0.73 36	-0.65 89	-0.33 38	96	-0.90 19	-1.10 41	-2.40 32	-2.59 22	100		1				
727	YM 26 0567 113612675	2.56	CCS 22 0159 YM 22 0024	89	92	87	0.13 58	-0.73 36	-0.67 89	-0.38 38	96	-0.90 19	-1.14 41	-2.86 25	-2.17 22	100		0				
728	YM 26 0485 113612105	2.77	CCS 22 0159 YM 23 0003	89	92	86	0.21 59	-0.81 37	-0.70 88	-0.30 38	96	-0.90 19	-1.14 41	-2.86 25	-2.17 22	100		0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
729	JW	23	0150	8.33	JW	21 0115	89	88	91	-0.52	-0.72	-0.98	-0.91	2.60	0.32	-0.24	12.33	100	2						
97362164					JW	22 0009				47 90	46 85	85	39 93	30 106	43 95	38 103	40 76								
730	YM	26	0392	2.55	CC	23 0017	89	95	93	-0.32	0.19	0.03	-0.27	-2.20	-1.44	-1.41	-4.35	0	0						
113611404					YM	21 0065				56 92	31 101	96	33 96	21 88	38 87	25 106	20 103								
731	CC	22	0593	6.89	CC	20 0716	89	100	86	0.80	-0.28	0.12	0.88	-2.00	-0.68	2.18	5.16	89	1						
95154753					CC	21 0372				62 102	53 93	97	65 103	43 88	54 91	41 98	36 88								
732	YM	26	0166	2.59	JW	19 0105	89	91	97	-1.04	0.54	0.02	-1.55	-2.50	-2.00	-6.58	1.19	0	0						
112630215					YM	20 0016				59 85	46 107	96	45 89	34 86	48 85	32 117	34 94								
733	YM	26	0045	2.77	JW	19 0105	89	91	97	-0.96	0.47	-0.01	-1.47	-2.50	-1.99	-6.58	1.19	0	0						
111942462					YM	23 0143				57 86	44 106	96	45 90	34 86	47 85	33 117	34 94								
734	NM	24	3131	15.55	NM	22 1737	89	85	94	-1.20	-0.39	-0.99	-1.78	2.10	-0.33	-0.12	0.29	116	1						
100906411					NM	23 2716				29 84	35 91	85	15 88	11 104	27 92	39 103	30 96								
735	YM	26	0790	1.95	JW	19 0105	89	89	96	-1.07	0.28	-0.25	-1.63	-1.50	-1.69	-6.33	4.00	0	0						
113792436					YM	25 0479				56 85	45 103	93	48 89	35 90	47 86	36 117	35 90								
736	YM	26	0791	1.95	JW	19 0105	89	89	96	-1.07	0.28	-0.25	-1.63	-1.50	-1.69	-6.33	4.00	0	0						
113792451					YM	25 0479				56 85	45 103	93	48 89	35 90	47 86	36 117	35 90								
737	YM	26	0510	2.77	CCS	22 0159	89	92	85	0.22	-0.89	-0.78	-0.31	-0.90	-1.21	-2.86	-2.17	0	0						
113612139					YM	23 0060				58 97	34 82	87	38 96	19 93	40 88	25 109	22 100								
738	YM	25	0455	2.59	CCS	22 0159	89	91	86	0.06	-0.78	-0.76	-0.50	-0.90	-1.27	-2.86	-2.17	0	0						
111092862					YM	20 0086				59 95	36 84	88	38 95	19 93	41 88	25 109	22 100								
739	YM	25	0705	2.77	CC	23 0744	89	86	95	-1.22	-0.08	-0.69	-1.66	0.70	-0.87	-2.53	2.45	0	0						
111096376					CDN	23 0001				53 84	33 97	88	33 89	21 99	38 90	20 108	19 92								
740	YM	26	0484	2.77	CCS	22 0159	89	91	86	0.06	-0.80	-0.77	-0.50	-0.90	-1.28	-2.86	-2.17	0	0						
113612006					YM	23 0003				59 95	37 84	87	38 95	19 93	41 88	25 109	22 100								
741	GMD	22	1257	1.30	GMD	21 1398	88	81	90	-1.23	-0.78	-1.39	-2.69	3.30	-0.02	4.37	-4.43	0	0						
97416077					KM	15 0403				19 84	17 84	81	18 83	14 109	17 94	20 93	23 103								
742	YM	26	0517	2.59	CCS	22 0159	88	91	85	0.17	-0.94	-0.85	-0.40	-0.90	-1.31	-2.86	-2.17	0	0						
113612279					YM	20 0037				60 96	36 82	87	38 96	19 93	41 88	25 109	22 100								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
743	YM	26	0518	2.59	CCS	22 0159	88	91	85	0.17	-0.94	-0.85	-0.40	-0.90	-1.31	-2.86	-2.17						0		
			113612360		YM	20 0037				60	96	36	82	19	93	41	88	25	109	22	100				
744	NM	24	3081	1.73	JW	20 0079	88	83	93	-1.33	-0.40	-1.07	-2.37	2.00	-0.54	1.84	-4.52					93	1		
			100906130		NM	17 0578				33	83	37	91	15	104	30	92	42	98	38	103				
745	YM	26	0390	2.59	JW	19 0105	88	90	96	-1.08	0.44	-0.10	-1.64	-2.50	-2.14	-6.58	1.19						0		
			113611388		YM	20 0046				57	85	44	105	34	86	47	84	32	117	34	94				
746	YM	25	0480	2.55	CC	23 0017	88	94	90	-0.13	-0.15	-0.21	-0.15	-2.20	-1.60	-1.83	-3.55						0		
			111486882		YM	21 0022				48	94	33	95	21	88	36	87	25	107	20	102				
747	YM	25	0306	2.59	CCS	22 0159	88	90	87	-0.15	-0.69	-0.76	-0.74	-0.90	-1.38	-2.86	-2.17						0		
			111090924		YM	20 0219				59	93	37	86	19	93	41	88	25	109	22	100				
748	DM	21	0051	1.62	JW	19 0105	88	93	97	-0.83	0.83	0.41	-1.44	-3.20	-1.92	-5.22	12.17					102	4		
			92385897		CRL	20 0413				64	87	59	112	44	84	57	85	40	114	43	77				
749	YM	26	1005	3.39	JW	19 0105	88	87	93	-1.03	-0.13	-0.65	-1.91	-0.90	-1.70	-6.43	3.89						0		
			114488471		YM	25 0212				56	85	44	96	35	93	47	86	34	117	36	90				
750	YM	26	0404	2.55	CCS	22 0159	88	91	85	0.05	-0.89	-0.86	-0.54	-0.90	-1.37	-2.86	-2.17						0		
			113611479		YM	21 0079				57	95	32	83	19	93	39	88	25	109	22	100				
751	YM	26	0519	2.59	CCS	22 0159	88	91	85	0.11	-0.94	-0.88	-0.49	-0.90	-1.37	-2.86	-2.17						0		
			113612345		YM	20 0037				60	96	36	82	19	93	41	88	25	109	22	100				
752	CC	23	0849	7.01	CC	20 0735	88	94	83	0.59	-1.20	-0.90	0.59	0.90	-0.07	1.03	9.63					96	2		
			98183940		CC	21 0640				65	100	55	77	44	99	56	94	42	100	41	81				
753	DM	25	0308	4.80	DM	24 0035	88	102	89	0.63	0.33	0.65	0.85	-3.40	-1.08	1.50	13.04						0		
			110265196		DM	22 0123				50	101	38	104	30	83	41	89	26	99	31	75				
754	NM	25	3678	3.49	OC	22 0360	88	82	92	-1.25	-0.70	-1.32	-2.30	2.50	-0.45	-4.41	13.04						0		
			111121190		NM	24 3131				48	83	28	86	16	106	33	92	25	113	23	75				
755	YM	26	0647	2.59	JW	19 0105	88	89	95	-1.08	0.37	-0.17	-1.67	-2.50	-2.21	-6.58	1.18						0		
			113769004		YM	20 0104				60	85	48	104	34	86	49	84	32	117	34	94				
756	YM	25	0974	2.55	CCS	22 0159	88	90	85	0.02	-0.89	-0.88	-0.59	-0.90	-1.41	-2.86	-2.17						0		
			111306239		YM	21 0036				47	95	28	82	19	93	33	87	25	109	22	100				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
757	YM 25 0890 111305702	2.59	CCS 22 0159 YM 20 0121	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
758	YM 26 0844 113792857	2.59	CCS 22 0159 YM 20 0035	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
759	YM 25 0746 111096855	2.91	CCS 22 0159 YM 24 0044	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
760	YM 25 0773 111096814	2.59	CCS 22 0159 YM 20 0052	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
761	YM 25 0764 111096905	2.59	CCS 22 0159 YM 20 0029	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
762	YM 25 0771 111096228	2.59	CCS 22 0159 YM 20 0223	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
763	YM 25 0763 111110748	2.59	CCS 22 0159 YM 20 0029	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
764	YM 25 0775 111096897	2.59	CCS 22 0159 YM 20 0111	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
765	YM 25 0788 111293692	2.59	CCS 22 0159 YM 20 0172	88	90	85	0.02 47	-0.89 95	28	82	-0.88 86	-0.59 38 94		-0.90 19	-1.41 93	33	87	-2.86 25	-2.17 109	22	100		0		
766	CCS 23 0033 95719118	9.10	CCS 21 0335 CCS 20 0108	88	87	77	0.38 66	-1.85 98	52	66	-1.66 78	-1.31 47 91		-0.20 37	-1.58 95	54	87	1.70 35	-23.71 37	89	134		3		
767	YM 26 0085 112470752	1.08	CCS 22 0159 CC 23 0477	88	90	83	0.15 64	-1.10 96	40	79	-1.02 85	-0.77 51 93		0.10 31	-0.89 96	47	90	1.44 34	-3.61 32		102		0		
768	YM 25 0728 111096772	3.37	DM 23 0167 DM 23 0057	88	86	92	-1.06 56	-0.18 85	40	95	-0.71 88	-2.29 53 85		-1.10 29	-1.90 92	44	85	-6.02 33	2.28 116	31	92		0		
769	YM 25 0479 111071916	2.55	CC 23 0017 YM 21 0022	87	93	90	-0.30 57	-0.14 92	33	96	-0.29 93	-0.38 33 96		-2.20 21	-1.75 88	39	86	-2.65 32	-1.94 109	20	99		1		
770	CCS 21 0258 93208577	1.96	CCS 19 0285 CCS 18 0022	87	91	89	-0.39 63	-0.18 91	52	95	-0.38 92	-1.49 45 89		-2.20 38	-1.89 88	53	85	-3.23 37	1.89 110	41	93	86	3		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
771	DM	23	0161	2.93	JW	19 0105	87	76	93	-1.89	-0.71	-1.65	-4.01	4.10	-0.13	-0.09	10.26			98	4				
			97464994		DM	21 0009				69 77	64 86	78	68 76	46 112	62 93	43 103	48 80								
772	YM	26	0315	2.55	JW	19 0105	87	88	95	-1.22	0.40	-0.21	-1.85	-2.50	-2.32	-6.58	1.19					0			
			113610695		YM	21 0003				57 84	44 105	93	45 88	34 86	47 83	32 117	34 94								
773	YM	26	0373	2.59	JW	19 0105	87	88	95	-1.21	0.40	-0.21	-1.84	-2.50	-2.32	-6.58	1.19					0			
			113611149		YM	20 0051				57 84	44 105	93	45 88	34 86	47 83	32 117	34 94								
774	YM	26	0520	2.59	CCS	22 0159	87	90	84	-0.04	-0.93	-0.95	-0.69	-0.90	-1.51	-2.86	-2.17					0			
			113612352		YM	20 0037				60 94	36 82	86	38 94	19 93	41 87	25 109	22 100								
775	YM	26	0527	2.56	CCS	22 0159	87	90	83	0.13	-1.08	-1.02	-0.52	-0.90	-1.49	-2.86	-2.17					0			
			113612295		YM	22 0075				59 96	36 79	85	38 95	19 93	41 87	25 109	22 100								
776	YM	25	1026	2.59	CC	23 0017	87	92	92	-0.60	0.11	-0.19	-0.69	-2.20	-1.81	-1.41	-4.35					0			
			112501051		YM	20 0214				55 89	31 100	94	33 94	21 88	38 86	25 106	20 103								
777	YM	26	0414	2.55	JW	19 0105	87	88	95	-1.24	0.39	-0.23	-1.88	-2.50	-2.35	-6.58	1.19					0			
			113611503		YM	21 0048				57 83	44 105	93	45 87	34 86	47 83	32 117	34 94								
778	YM	26	0321	2.77	JW	19 0105	87	88	95	-1.26	0.39	-0.24	-1.91	-2.50	-2.37	-6.58	1.19					0			
			113610802		YM	23 0041				57 83	44 105	93	45 87	34 86	47 83	32 117	34 94								
779	YM	26	0586	2.59	CCS	22 0159	87	89	86	-0.30	-0.78	-0.93	-0.98	-0.90	-1.61	-2.86	-2.17					0			
			113612881		YM	20 0178				58 92	36 84	86	38 92	19 93	41 87	25 109	22 100								
780	NM	24	3072	2.55	JW	20 0079	87	81	91	-1.48	-0.56	-1.29	-2.63	2.00	-0.83	1.12	-4.31			97	1				
			101726941		NM	21 0607				34 81	37 88	82	21 83	15 104	31 90	40 100	38 103								
781	KM	21	1984	1.20	KM	19 0101	87	81	90	-1.21	-0.80	-1.41	-2.72	0.80	-1.53	-8.90	12.03			145	1				
			94071008		KM	15 0664				38 84	44 84	81	26 83	22 99	37 87	32 123	35 77								
782	OC	21	0014	2.13	OC	18 6900	87	95	90	-0.45	0.61	0.38	-0.92	-1.30	-0.63	18.07	-18.08					4			
			91800193		OC	19 6747				55 91	20 108	100	6 93	5 91	29 91	32 64	38 125								
783	CC	23	0477	4.61	CC	20 0456	87	95	82	0.38	-0.53	-0.34	-0.32	-2.20	-1.47	5.44	-10.47			85	3				
			98181639		CC	20 0011				66 98	56 89	92	66 96	49 88	58 87	47 90	46 113								
784	DM	23	0031	4.54	JW	19 0105	87	81	98	-1.98	0.11	-0.88	-3.27	0.90	-1.33	-8.52	23.34			100	3				
			96764089		DM	21 0024				69 77	63 100	86	66 80	47 99	62 88	44 122	47 64								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype					
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
785	RN	23	0022	99155004	4.86	LM LM	21 15	1134 1276	87	80	91	-1.52 28	-0.55 81	-1.31 82	-3.13 16	1.40 14	-1.24 23	-2.56 38	1.54 41	1.54 94	1				
786	YM	26	0043	111942371	2.55	JW YM	19 21	0105 0044	87	88	94	-1.23 58	0.31 45	-0.31 92	-1.90 45	-2.50 34	-2.42 47	-6.58 32	1.19 34	1.19 94	0				
787	JW	25	0216	109926980	2.59	JW JW	23 20	0140 0277	87	87	90	-0.86 27	-0.31 20	-0.74 88	-1.57 20	-0.20 15	-1.29 22	-1.77 18	3.92 19	3.92 90	1				
788	CRL	24	0175	108019290	4.19	CRL CRL	21 17	0540 0385	87	88	85	-0.41 38	-0.62 42	-0.83 87	-2.03 18	-0.20 13	-1.15 34	1.75 26	2.50 38	2.50 92	98	2			
789	CCS	24	0010	99100679	2.07	CCS CCS	22 19	0202 0200	87	92	91	-0.58 60	0.07 40	-0.22 93	-0.85 34	-1.90 28	-1.66 45	-1.92 23	3.68 27	3.68 90	0				
790	YM	26	0901	114300577	9.04	JW YM	19 25	0105 0193	87	85	95	-1.49 49	0.23 43	-0.52 90	-2.52 47	-1.60 35	-2.23 43	-6.71 35	3.35 35	3.35 91	0				
791	YM	25	0467	111071809	2.56	CC YM	23 22	0017 0128	86	91	92	-0.76 57	0.14 33	-0.24 93	-0.90 33	-2.20 21	-1.94 39	-1.41 25	-4.35 20	-4.35 103	0				
792	YM	26	0215	112630819	2.56	JW YM	19 22	0105 0134	86	88	94	-1.24 59	0.31 47	-0.32 92	-1.92 45	-2.50 34	-2.44 49	-6.58 32	1.19 34	1.19 94	0				
793	YM	26	0570	113612733	2.59	CCS YM	22 20	0159 0085	86	88	86	-0.41 58	-0.74 34	-0.95 86	-1.11 38	-0.90 19	-1.69 40	-2.86 25	-2.17 22	-2.17 100	0				
794	YM	26	0252	112631130	2.56	JW YM	19 22	0105 0148	86	87	97	-1.57 59	0.56 47	-0.22 93	-2.26 45	-2.50 34	-2.51 49	-6.58 32	1.19 34	1.19 94	0				
795	PDR	22	0007	95679296	1.73	SM SM	20 18	1950 0773	86	85	92	-1.24 25	-0.18 33	-0.80 87	-2.39 7	-1.00 5	-2.02 23	-4.52 29	-0.51 31	-0.51 97	95	3			
796	CC	22	0316	95153938	3.63	CC CC	21 20	0025 0395	86	101	80	1.11 69	-0.56 64	-0.01 96	1.45 68	-3.80 53	-1.73 63	3.83 49	-8.36 37	-8.36 109	113	4			
797	YM	26	0465	113611925	2.56	CC YM	23 22	0017 0114	86	92	89	-0.45 58	-0.15 35	-0.38 92	-0.60 33	-2.20 21	-1.92 41	-1.41 25	-4.35 20	-4.35 103	0				
798	YM	26	0227	112630975	2.56	JW YM	19 22	0105 0155	86	87	95	-1.35 57	0.36 44	-0.32 92	-2.05 45	-2.50 34	-2.50 47	-6.58 32	1.19 34	1.19 94	0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype	
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
799	CC	22	0135	4.91	CC	17 0756	86	94	78	0.73	-1.07	-0.71	-0.14	-0.70	-0.77	7.77	-4.09	89	1						
	94011863				CC	18 0033				69	102	64	79	88	70	97	58			93	65	90	52	85	48
800	YM	25	0993	2.77	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111394755				YM	23 0086				32	90	23	89	87	28	90	17			88	25	84	15	108	16
801	YM	25	0990	2.77	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111306494				YM	23 0098				32	90	23	89	87	28	90	17			88	25	84	15	108	16
802	YM	25	0983	2.56	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111306478				YM	22 0054				32	90	23	89	87	28	90	17			88	25	84	15	108	16
803	YM	25	0958	2.77	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111306213				YM	23 0049				32	90	23	89	87	28	90	17			88	25	84	15	108	16
804	YM	25	0970	2.91	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111306304				YM	24 0024				32	90	23	89	87	28	90	17			88	25	84	15	108	16
805	YM	25	0977	2.77	CCS	23 0417	86	88	87	-0.56	-0.49	-0.77	-1.38	-2.00	-2.25	-2.46	-10.13	0	0						
	111306247				YM	23 0085				32	90	23	89	87	28	90	17			88	25	84	15	108	16
806	YM	25	0212	2.59	CCS	22 0159	86	88	84	-0.21	-0.96	-1.07	-0.93	-0.90	-1.71	-2.86	-2.17	1	1						
	111091484				YM	20 0141				57	93	32	81	84	38	93	19			93	39	86	25	109	22
807	YM	25	0482	2.59	CC	23 0017	86	91	90	-0.65	-0.02	-0.34	-0.81	-2.20	-1.99	-1.41	-4.35	0	0						
	111071726				YM	20 0199				58	89	36	98	92	33	93	21			88	41	85	25	106	20
808	TB	22	0300	2.56	TB	20 0101	86	92	89	-0.36	-0.42	-0.60	0.07	-0.50	-1.08	-2.86	10.23	100	2						
	107896789				-	-				32	92	33	91	89	20	98	15			94	28	89	20	109	19
809	YM	25	0312	2.59	CCS	22 0159	86	89	83	-0.11	-1.04	-1.10	-0.83	-0.90	-1.69	-2.86	-2.17	0	0						
	111091518				YM	20 0191				48	94	31	80	84	38	93	19			93	35	86	25	109	22
810	CC	21	0573	4.80	CC	20 0183	86	102	76	1.61	-1.04	-0.23	1.80	-3.80	-1.71	2.40	-3.84	88	2						
	92605468				CC	20 0345				65	110	56	80	93	67	108	49			81	58	86	48	97	47
811	YM	25	0675	2.91	CP	19 0120	86	82	93	-1.68	0.00	-0.84	-2.90	-1.30	-2.46	-5.46	-5.29	0	0						
	112372198				YM	24 0097				10	79	14	98	87	5	82	5			91	9	83	5	115	5
812	YM	25	0012	2.55	CCS	22 0159	86	88	83	-0.16	-1.04	-1.12	-0.89	-0.90	-1.74	-3.01	-1.87	1	1						
	111087359				YM	21 0040				59	93	36	80	84	38	93	19			93	41	86	25	109	22

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
813	YM	26	0259	2.56	JW	19 0105	86	87	93	-1.27	0.21	-0.42	-2.00	-2.50	-2.56	-6.58	1.19							0	
			113610398		YM	22 0041				59	83	47	102	91	45	87	34	86	49	82	32	117	34	94	
814	DM	22	0027	3.91	JW	16 0456	86	92	80	0.42	-0.88	-0.67	-0.88	-2.60	-2.02	-1.47	2.74					88		2	
			93729085		CRL	16 0078				66	99	60	83	89	63	93	48	86	60	85	52	106	57	92	
815	YM	26	0096	2.56	CCS	22 0159	86	88	83	-0.21	-1.06	-1.16	-0.97	-0.90	-1.81	-2.86	-2.17							0	
			112471800		YM	22 0011				58	93	36	80	83	38	92	19	93	41	86	25	109	22	100	
816	LMS	24	0037	2.59	LMS	21 0010	85	90	89	-0.76	-0.01	-0.39	-1.26	-2.30	-2.14	0.12	-7.44							0	
			107485872		LMS	20 0124				24	88	27	98	92	15	91	14	87	23	84	16	102	16	108	
817	YM	26	0644	2.91	JW	19 0105	85	87	93	-1.34	0.22	-0.45	-2.09	-2.50	-2.62	-6.58	1.19							0	
			113768568		YM	24 0072				58	82	45	102	91	45	86	34	86	47	82	32	117	34	94	
818	YM	26	0260	2.56	JW	19 0105	85	86	93	-1.34	0.22	-0.46	-2.10	-2.50	-2.63	-6.58	1.19							0	
			113610083		YM	22 0041				59	82	47	102	91	45	86	34	86	49	82	32	117	34	94	
819	CCS	24	0205	5.21	CCS	18 0219	85	87	86	-0.56	-0.69	-0.97	-1.77	-1.60	-2.21	-6.50	6.09							1	
			100113901		CCS	22 0190				62	90	48	86	85	39	88	38	90	51	84	34	117	37	86	
820	EBS	24	0011	2.04	ROS	20 0111	85	77	91	-1.88	-0.76	-1.70	-3.26	2.90	-0.90	-1.83	4.62					85		1	
			101806842		EBS	21 0117				43	77	34	85	77	18	80	26	107	36	90	32	107	31	89	
821	YM	25	0458	2.55	CCS	22 0159	85	88	82	-0.13	-1.16	-1.23	-0.91	-0.90	-1.83	-2.86	-2.17							0	
			111092508		YM	21 0057				58	94	34	78	82	38	93	19	93	40	86	25	109	22	100	
822	YM	25	0226	2.55	KM	21 0671	85	83	89	-1.19	-0.47	-1.07	-2.39	-0.90	-2.20	-5.02	0.07							0	
			112600770		YM	21 0009				21	84	22	90	84	17	85	12	93	19	84	19	114	21	96	
823	YM	26	0673	2.91	JW	19 0105	85	86	94	-1.50	0.29	-0.46	-2.28	-2.50	-2.71	-6.58	1.19							0	
			113769319		YM	24 0069				49	81	44	103	91	45	85	34	86	44	82	32	117	34	94	
824	YM	25	0225	2.55	JW	16 0519	85	92	86	-0.26	-0.30	-0.43	-0.25	-2.40	-2.00	-1.73	1.38							1	
			112600747		YM	21 0017				31	92	31	93	91	27	96	21	87	29	85	24	106	26	94	
825	DM	23	0175	2.13	JW	19 0105	85	86	93	-1.45	0.19	-0.53	-2.16	-2.40	-2.70	-6.06	-0.34					90		1	
			97603856		DM	19 0619				64	81	55	101	90	62	86	37	87	54	82	36	116	34	97	
826	YM	26	0097	2.56	CCS	22 0159	85	87	83	-0.35	-1.05	-1.22	-1.16	-0.90	-1.94	-2.86	-2.17							0	
			112471792		YM	22 0011				58	92	36	80	83	38	91	19	93	41	85	25	109	22	100	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
827	EBS 24 0015 101806701	2.46	ROS 20 0111 EBS 21 0179	85	77	91	-1.88 43	-0.76 34	-1.70 77	-3.26 18	80	2.90 26	-0.90 36	-1.96 29	7.66 31	0									
828	YM 25 0329 111090981	2.59	CCS 22 0159 YM 20 0037	85	86	84	-0.55 60	-0.90 36	-1.17 83	-1.37 38	90	-0.90 19	-1.99 41	-2.86 25	-2.17 22	0									
829	YM 26 0580 113612709	2.59	CCS 22 0159 YM 20 0106	85	86	83	-0.42 57	-1.02 32	-1.23 82	-1.24 38	91	-0.90 19	-1.98 39	-2.86 25	-2.17 22	0									
830	CC 21 0007 92022185	3.73	CC 19 0145 CC 17 0284	84	106	78	1.37 69	0.30 62	0.99 106	0.77 70	102	-7.60 53	-2.89 63	8.97 48	-12.43 43	89	3								
831	YM 26 0563 113612618	2.59	CCS 22 0159 YM 20 0018	84	87	81	-0.28 58	-1.16 34	-1.30 82	-1.12 38	92	-0.90 19	-1.99 40	-2.86 25	-2.17 22	0									
832	PMS 23 0134 97648752	2.59	CC 20 0034 PMS 20 2077	84	95	91	-0.71 61	0.87 49	0.52 101	-1.24 49	91	-4.10 36	-2.30 51	6.05 34	-5.98 31	0									
833	EBS 22 0413 100911163	2.56	CRL 20 0048 - - -	84	91	87	-0.42 26	-0.33 24	-0.54 90	-0.46 25	95	-1.90 20	-1.89 24	-2.87 24	7.61 25	2									
834	YM 26 0367 113611115	2.59	JW 19 0105 YM 20 0207	84	85	92	-1.52 58	0.17 46	-0.59 89	-2.35 45	85	-2.50 34	-2.84 48	-6.58 32	1.19 34	0									
835	CC 22 0225 94012606	6.17	CC 19 0145 CC 18 0394	84	98	79	0.62 66	-0.21 59	0.10 97	-0.47 69	95	-5.80 51	-3.07 60	2.38 48	-8.13 44	89	1								
836	YM 25 0685 112372297	2.91	WS 20 2415 YM 24 0099	84	88	89	-0.91 17	-0.01 19	-0.47 91	-1.67 14	89	-2.10 8	-2.18 16	-1.90 28	6.08 20	1									
837	YM 26 0364 113611255	2.77	JW 19 0105 YM 23 0024	84	84	93	-1.68 58	0.27 46	-0.57 90	-2.54 45	84	-2.50 34	-2.91 48	-6.58 32	1.19 34	0									
838	YM 25 0331 112372420	2.77	PMS 23 0009 YM 23 0033	84	94	91	-0.79 44	0.73 29	0.33 99	-0.72 41	94	-4.40 18	-2.71 32	1.67 17	-6.00 16	0									
839	YM 25 0684 112372263	2.91	WS 20 2415 YM 24 0099	84	88	88	-0.91 17	-0.01 19	-0.47 91	-1.67 14	89	-2.10 8	-2.18 16	-1.68 28	6.01 20	1									
840	YM 26 0687 113775027	2.55	JW 19 0105 YM 21 0002	84	84	92	-1.64 58	0.20 46	-0.62 89	-2.51 45	84	-2.50 34	-2.94 48	-6.58 32	1.19 34	0									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype					
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
841	KERN 21 0199 92205459	1.73	KERN 19 0409 KERN 17 0498	83	93	87	-0.38 16	91	0.10 16	100	-0.09 95	-0.90 15	93	-2.20 12	88	-1.60 15	87	1.64 30	99	15.93 33	71		3		
842	YM 25 0647 112600895	2.77	JW 19 0133 YM 23 0217	83	86	88	-1.11 23	85	-0.22 21	94	-0.77 87	-2.11 22	86	-2.40 15	87	-2.76 20	81	-3.56 16	111	-3.20 17	101		0		
843	YM 26 0646 113768998	2.59	JW 19 0105 YM 20 0104	83	83	94	-1.95 60	77	0.42 48	105	-0.56 90	-2.84 45	82	-2.50 34	86	-3.03 49	80	-6.58 32	117	1.18 34	94		0		
844	YM 26 0548 113612527	2.55	JW 19 0105 YM 21 0072	83	84	92	-1.67 58	79	0.15 46	101	-0.68 88	-2.57 45	84	-2.50 34	86	-3.02 48	80	-6.58 32	117	1.19 34	94		0		
845	YM 25 0193 112600853	2.77	JW 19 0133 YM 23 0204	83	85	87	-1.14 25	84	-0.25 25	93	-0.82 87	-2.17 22	86	-2.40 15	87	-2.83 23	81	-3.42 25	110	-3.24 17	101		1		
846	YM 26 0408 113611511	2.56	CCS 22 0159 YM 22 0068	83	85	80	-0.40 58	91	-1.28 36	76	-1.48 80	-1.32 38	90	-0.90 19	93	-2.22 41	84	-2.86 25	109	-2.17 22	100		0		
847	YM 25 0008 111087565	2.55	CCS 22 0159 YM 21 0066	83	85	80	-0.36 59	91	-1.31 36	75	-1.49 80	-1.28 38	91	-0.90 19	93	-2.21 41	84	-2.86 25	109	-2.17 22	100		0		
848	CC 21 0567 92667419	4.45	CC 20 0026 CC 20 0495	83	101	77	1.18 63	106	-0.63 52	87	-0.04 95	1.47 65	106	-4.00 43	81	-1.85 54	85	3.20 40	95	8.77 33	82	88	1		
849	KERN 20 0075 91880690	1.05	KERN 18 0421 KERN 17 0092	83	89	84	-0.49 32	90	-0.32 29	92	-0.57 90	-1.86 27	87	-0.90 16	93	-1.35 27	88	2.58 31	97	28.54 42	64		4		
850	CC 23 0395 106719065	2.36	OC 20 7475 CC 19 0918	82	93	82	-0.14 47	94	-0.34 42	92	-0.41 91	-0.11 47	97	-1.80 18	89	-1.56 38	87	8.86 39	82	-7.40 32	108	93	1		
851	YM 25 0669 112372461	2.91	WS 20 2415 YM 24 0096	82	87	87	-1.00 14	86	-0.11 12	96	-0.61 89	-1.84 14	88	-2.10 8	88	-2.37 12	83	-1.30 19	105	5.90 20	87		0		
852	YM 26 0245 112631171	2.56	JW 19 0105 YM 22 0150	82	83	92	-1.85 57	78	0.21 44	101	-0.72 88	-2.80 45	82	-2.50 34	86	-3.15 47	80	-6.58 32	117	1.19 34	94		0		
853	YM 26 0564 113612667	2.59	CCS 22 0159 YM 20 0018	82	83	81	-0.73 58	88	-1.14 34	78	-1.51 80	-1.72 38	88	-0.90 19	93	-2.41 40	83	-2.86 25	109	-2.17 22	100		0		
854	YM 26 0039 111942389	2.91	JW 19 0105 YM 24 0002	82	82	92	-1.92 57	77	0.19 44	101	-0.78 87	-2.90 45	82	-2.50 34	86	-3.24 47	79	-6.58 32	117	1.19 34	94		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
855	YM 26 0209 112630652	2.77	JW 19 0105 YM 23 0202	82	82	91	-1.86 58	0.11 46	-0.82 87	-2.84 45	82	-2.50 34	-3.25 48	-6.58 32	1.19 34	0									
856	YM 26 0526 113612261	2.56	CCS 22 0159 YM 22 0075	82	83	82	-0.91 59	-1.02 36	-1.48 80	-1.92 38	87	-0.90 19	-2.48 41	-2.86 25	-2.17 22	0									
857	JW 22 0073 93318111	10.26	JW 19 0009 JW 14 0279	82	90	83	-0.47 55	-0.37 50	-0.61 89	-0.91 53	93	-1.40 41	-1.68 50	3.76 45	8.17 51	3									
858	YM 25 0495 111290987	2.77	CC 23 0017 YM 23 0147	82	86	85	-1.02 58	-0.39 35	-0.90 86	-1.47 33	90	-2.20 21	-2.73 41	-1.41 25	-4.35 20	0									
859	YM 25 0017 111087052	2.55	CCS 22 0159 YM 21 0001	82	82	81	-0.86 57	-1.16 32	-1.59 79	-1.90 38	87	-0.90 19	-2.56 39	-4.51 32	1.11 22	1									
860	YM 26 0738 113775514	2.55	JW 19 0105 YM 21 0094	81	81	92	-2.10 58	0.26 46	-0.80 87	-3.12 45	81	-2.50 34	-3.35 48	-6.58 32	1.19 34	0									
861	YM 26 0713 113775266	2.56	JW 19 0105 YM 22 0087	81	82	91	-1.87 58	0.08 45	-0.86 86	-2.88 45	82	-2.50 34	-3.30 47	-6.58 32	1.19 34	0									
862	CC 23 0367 106718901	2.36	OC 20 7475 CC 19 0925	81	94	81	-0.10 53	-0.22 51	-0.27 93	-0.16 47	97	-1.80 18	-1.40 44	12.47 39	-5.57 40	135 3									
863	NM 22 1611 108605791	2.56	JW 20 0079 - - -	81	80	86	-1.49 46	-0.84 50	-1.59 79	-1.96 21	87	2.10 15	-1.07 40	1.63 40	8.43 38	115 2									
864	CRL 20 0119 91060418	0.93	CRL 18 0109 CRL 12 0017	81	81	82	-1.26 36	-0.67 41	-1.30 82	-3.29 27	80	-0.30 15	-2.11 33	6.04 39	-7.91 43	6									
865	YM 26 0714 113775225	2.56	JW 19 0105 YM 22 0087	80	80	90	-2.07 58	0.09 45	-0.95 86	-3.14 45	80	-2.50 34	-3.48 47	-6.58 32	1.19 34	0									
866	CB 24 0005 109344879	2.91	CC 20 0542 - - -	80	80	87	-1.69 43	-0.63 46	-1.48 80	-1.84 35	88	1.20 28	-1.60 41	-0.13 26	7.30 26	102 2									
867	YM 26 0599 113612923	2.56	CCS 22 0159 YM 22 0073	80	82	77	-0.63 58	-1.51 35	-1.82 76	-1.73 38	88	-0.90 19	-2.67 40	-2.86 25	-2.17 22	0									
868	YM 25 0453 111092722	2.59	CCS 22 0159 YM 20 0198	80	82	77	-0.69 59	-1.52 36	-1.87 76	-1.82 38	88	-0.90 19	-2.76 41	-3.95 31	1.90 22	1									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
869	YM 25 0499 111068003	2.77	CC 23 0017 YM 23 0147	79	83	85	-1.41 58	82	-0.37 35	91	-1.08 84	-2.00 33	87	-2.20 21	88	-3.10 41	80	-1.41 25	106	-4.35 20	103		0	
870	YM 26 0672 113769467	3.48	JW 19 0105 EBS 22 0432	79	78	90	-2.24 59	74	-0.07 45	97	-1.19 83	-3.29 47	80	-1.40 35	91	-3.15 48	79	-6.44 34	117	8.78 36	82		0	
871	YM 26 0005 111939906	2.55	JW 19 0105 YM 21 0100	79	78	90	-2.32 59	73	0.06 47	99	-1.10 84	-3.49 45	78	-2.50 34	86	-3.76 49	77	-6.62 33	118	1.45 34	94		0	
872	YM 26 0109 112471933	2.56	CCS 22 0159 YM 22 0084	79	80	77	-0.95 58	86	-1.45 36	73	-1.93 75	-2.14 38	86	-0.90 19	93	-2.94 41	80	-2.86 25	109	-2.17 22	100		0	
873	CB 24 0026 109345553	2.91	CB 21 0001 - - -	79	94	78	0.16 30	96	-0.61 29	87	-0.54 90	0.68 30	101	-2.70 27	86	-2.08 29	84	3.68 24	12.10 23	77		1		
874	YM 26 0004 111939898	2.55	JW 19 0105 YM 21 0066	79	78	88	-2.21 59	74	-0.08 47	97	-1.18 83	-3.39 45	79	-2.50 34	86	-3.78 49	77	-6.58 32	117	1.19 34	94		0	
875	YM 26 0861 114299936	1.98	OC 24 0419 OC 21 0359	78	85	80	-1.04 35	85	-0.44 29	90	-0.96 85	-2.30 28	85	-2.60 25	86	-3.04 30	80	1.51 27	3.70 29	90		0		
876	CC 21 0206 92025089	6.75	CC 17 0380 CC 18 0182	77	101	73	1.02 68	104	-0.42 63	91	0.09 97	1.55 70	106	-5.00 54	77	-2.40 63	83	7.59 50	13.86 51	74	94	2		
877	YM 26 0319 113610711	2.59	JW 19 0105 YM 20 0160	77	76	89	-2.53 57	71	0.01 44	98	-1.26 82	-3.81 45	77	-2.50 34	86	-4.03 47	75	-6.58 32	117	1.19 34	94		0	
878	CC 21 0186 92026483	3.83	CC 17 0390 CC 17 0568	77	90	66	0.50 67	99	-1.43 61	73	-1.19 83	-1.12 69	92	-4.10 52	80	-3.40 61	78	7.47 47	-10.51 50	113	93	2		
879	YM 26 0122 112472121	2.59	CCS 22 0159 YM 20 0161	76	78	71	-0.82 59	87	-1.97 37	64	-2.38 70	-2.18 38	86	-0.90 19	93	-3.33 41	79	-2.86 25	109	-2.17 22	100		0	
880	YM 26 0229 112631031	2.55	DM 22 0081 YM 21 0038	76	62	80	-2.92 57	68	-1.85 31	66	-3.31 64	-5.60 36	67	1.70 18	102	-3.75 38	77	-10.31 23	126	-1.22 24	98		0	
881	YM 26 0014 111941191	2.55	JW 19 0105 YM 21 0022	74	73	86	-2.93 58	68	-0.17 46	95	-1.63 78	-4.42 45	73	-2.50 34	86	-4.60 48	73	-6.99 33	118	1.99 34	93		0	
882	DM 21 0046 92385848	2.13	JW 19 0105 DM 19 0486	73	73	83	-2.69 68	70	-0.26 64	93	-1.61 78	-4.54 64	73	-3.60 44	82	-5.11 61	70	-10.19 40	126	11.55 43	78	105	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir	Mat	Comb	Post-Wean										
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
883	OC	21	0359	1.74	OC	20 6745	72	72	82	-2.74	-0.50	-1.87	-4.47	-2.30	-4.62	-6.72	11.73	5					
	92637669				OC	18 6758				44	70	26	89	76	17	73	13					87	30
884	CC	24	0217	6.76	CC	20 0735	71	80	66	-0.72	-1.84	-2.20	-1.88	-2.40	-4.00	1.71	-1.77	90	2				
	99793267				CC	23 0126				64	88	52	66	72	65	87	42	87	54	76	42	99	42
885	DM	21	0025	1.74	FJD	19 0034	61	81	59	-1.09	-1.03	-1.57	-2.58	-6.90	-6.26	5.35	8.35	104	5				
	91651885				DM	18 0101				65	85	63	80	79	61	83	44	69	59	65	26	90	39
886	DM	22	0123	3.78	JW	19 0009	60	87	59	-0.60	-0.76	-1.06	-1.30	-7.50	-5.86	7.62	27.08	87	2				
	95572087				DM	21 0025				64	89	55	85	84	63	91	45	67	56	67	37	85	47