



WAGYU BREEDING VALUE REPORT

September 2026



STRYDOM PRIME GENETICS (PTY) L

Herd Number: 8417107


E-mail: jastrydom@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 786



Breeding Values (EBV):

Birth: Birth weight
Wean: Weaning weight
Birth.mat: Birth mat
Milk: Milk
Postwn: Postwean weight
Matwt: Mature weight
HF: Heifer Fertility
CF: Cow Fertility
LL: Longevity

IMF: Marbling
Carcwt: Carcass wt
EMA: Eye muscle area
RibFatt: Rib Fat thickness
MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
CGrowthV: Calf Growth Value
MilkV: Milk Value
MaintV: Maintenance Value
FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.98	103	1.23
	Wean Weight	1.6	97	2.9
	Birth Mat.	-0.52	104	-0.38
	Milk (Wn.Mat.)	7.1	97	8.7
Postwean growth	Postwean wt	3.2	96	6.4
	Mature weight	1	96	6
	Heifer Fertility	-0.8	96	-2.9
Fertility	Cow Fertility	1.0	97	0.5
	Longevity	2.8	94	5.2
Carcass	IMF	0.7	99	0.8
	Carcass weight	-7.3	89	0.8
	EMA	-0.9	89	0.8
	Rib Fat	-0.5	96	-0.1
	MF	0.6	107	-0.5

Selection Value	Herd Avg
Calving Ease Value	104
Calf Growth Value	97
Milk Value	97
Maintenance Value	104
Fertility Value	96

- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving

Calf growth: Heavier calves at wean due to growth potential of the calf


Milk: Cows with more milk and better mothering ability

Maintenance: Animals with low maintenance requirements (lower mature weight).

Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility								
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	EBV				Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016																					3	-4.0	
2017																					26	-5.0	
2018	26	0.57	-0.11	101							311.6		94		161.2		5-0.5		88-1.9		97		
2019	15	0.18	-0.36	107											142.1				1291.1		96		
2020	67	-0.11	-0.21	113											22-2.5		10.2		2651.4		102		
2021	60	0.02	-0.27	112											5-1.5				2012.0		104		
2022	95	0.55	-0.51	108															325.8				
2023	43	0.06	-0.70	112																			
2024																							

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass											
	IMF			Carcass weight			EMA			RibFat		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2015												
2016												
2017												
2018	23	0.0	94	23	-0.9	98	23	-0.6	91	6	-0.1	100
2019	66	0.1	95	66	-8.8	86	66	-1.3	86	27	-1.1	89
2020	110	0.0	94	125	-8.5	87	125	0.3	97	78	-1.0	90
2021	80	0.2	95	91	-7.5	88	91	-0.1	94	90	-0.9	91
2022	16	2.0	109	16	-8.6	87	16	-0.4	92	16	-0.4	97
2023	1	-0.7	88	1	8.0	110	1	0.4	98	1	1.3	115

Breed

Birth Year	Carcass											
	IMF			Carcass weight			EMA			Rib Fat		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
BA 150382		HBCFV2139	97	146	133	131	117	73	81	121	102	120	115	20	174	73	41	44
FB		C421	1.48	21.3	26.5	32.0	31	-5.5	-1.6	15.9	1.0	1.8	1.8					
WOODVIEW AKAI-ET			85%	47%	59%	68%	32%	53%	89%	88%	83%	73%	59%					
JAPANESE BLACK																		
148BE		J10632	134	81	75	73	69	72	138	51	111	96	94	88	1670	582	199	34
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4					
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
AW 170005		KI 140018	109	103	94	95	90	79	133	94	57	92	86	3	69	15	13	21
FB		KI 140013	0.35	4.2	2.6	3.7	-8	-2.5	5.0	-3.4	-5.9	-0.8	-2.6					
ABSOLUTE GENETIC AW170005			72%	44%	45%	38%	30%	38%	79%	79%	73%	67%	47%					
AW 170010		KI 140018	126	93	85	85	89	81	114	84	77	117	118	1	10	2	2	6
FB		KI 140002	-1.25	0.1	-3.3	-3.9	-10	-1.5	2.6	-10.6	-2.7	1.6	2.3					
ABSOLUTE GENETIC AW170010			57%	46%	44%	40%	40%	41%	65%	64%	59%	48%	35%					
AW 170013		KI 140008	114	103	95	95	90	74	85	59	79	113	150	2	28	3	12	1
FB		KI 140001	-0.14	4.1	3.0	3.3	-8	-5.3	-1.1	-28.2	-2.5	1.2	7.4					
AW170013			67%	45%	65%	38%	28%	38%	56%	58%	56%	50%	35%					
AW 170017		KI 140008	122	107	102	103	97	75	88	44	124	38	96	1	91	7	15	26
FB		BA 130879	-0.88	5.9	7.6	9.9	2	-4.6	-0.7	-38.6	4.6	-6.0	-1.1					
AW170017			75%	47%	66%	41%	33%	41%	86%	85%	81%	81%	61%					
AW 170019		KI 140008	119	94	87	89	83	78	85	64	81	77	122	2	31	7	7	9
FB		KI 140013	-0.65	0.4	-2.1	-1.4	-18	-2.7	-1.1	-24.5	-2.2	-2.3	3.0					
AW170019			65%	45%	50%	38%	26%	37%	74%	73%	68%	63%	42%					
AW 170020		KI 140008	124	80	74	77	74	82	94	74	93	111	127	2	49	5	28	8
FB		KI 140013	-1.06	-5.3	-10.1	-10.5	-31	-0.6	0.0	-17.6	-0.4	1.0	3.9					
AW170020			89%	87%	88%	86%	85%	86%	89%	90%	89%	89%	86%					
AW 170025		OVE 080002	136	64	59	60	65	72	102	78	112	79	112	1	32	4	6	9
FB		KI 140015	-2.23	-11.4	-19.4	-23.6	-43	-6.1	1.0	-14.9	2.6	-2.1	1.5					
AW170025			91%	88%	90%	88%	88%	88%	90%	90%	90%	90%	88%					
AW 170026		KI 140008	105	119	113	113	103	74	96	66	124	52	94	2	55	5	9	20
FB		BA 130879	0.71	10.7	14.4	17.8	10	-5.0	0.3	-23.0	4.5	-4.7	-1.5					
AW170026			70%	47%	66%	41%	33%	41%	81%	82%	77%	76%	56%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AW 170028	✓	PK 150001	125	65	61	66	70	63	77	78	102	59	115	1	2		1	
FB	✓	PK 140015	-1.20	-11.2	-18.6	-19.4	-37	-11.1	-2.1	-14.8	1.1	-4.0	1.9					
AW170028			47%	37%	63%	33%	28%	36%	54%	53%	49%	44%	32%					
AW 170041	✓	KI 140008	113	105	99	100	91	75	91	55	116	78	119	2	6		1	
FB	✓	BA 130879	-0.01	4.8	5.4	7.5	-7	-4.5	-0.3	-30.8	3.3	-2.2	2.6					
AW170041			60%	47%	49%	41%	33%	41%	61%	61%	58%	55%	44%					
AW 170110	✓	CWBMBBA 130891	106	95	97	99	90	87	91	95	111	121	131	1	13		1	
FB	✓	PK 140013	0.64	1.1	4.4	6.5	-8	1.9	-0.3	-2.7	2.5	2.0	4.5					
AW170110			68%	26%	26%	24%	23%	26%	60%	60%	53%	59%	41%					
AW 170115	✓	CWBMBBA 130891	100	98	100	101	90	87	97	105	100	110	113	1	1		1	
FB	✓	PK 140013	1.22	2.2	5.8	8.1	-8	1.8	0.5	4.3	0.8	0.9	1.5					
AW170115			43%	26%	26%	24%	23%	26%	35%	37%	35%	34%	23%					
AW 180042	✓	IMJFAJ2810	134	82	77	81	75	63	118	69	109	58	84	2	8		7	
FB	✓	BA 090338	-2.10	-4.3	-8.2	-7.3	-29	-10.9	3.0	-21.3	2.2	-4.1	-3.1					
BLACKJACK			90%	89%	89%	88%	88%	88%	89%	89%	89%	89%	88%					
AW 180047	✓	148BE	140	64	58	58	57	76	115	67	69	127	125	2	37		19	4
FB	✓	BA 130990	-2.61	-11.5	-20.2	-24.9	-55	-4.3	2.8	-22.7	-4.1	2.5	3.5					
AW180047			91%	89%	89%	89%	88%	89%	91%	91%	90%	91%	89%					
AW 190005	✓	SMOFF0126	123	92	84	83	74	68	101	97	87	161	150	3	7		3	
FB	✓	BA 130990	-1.02	-0.3	-4.1	-5.6	-31	-8.4	0.9	-1.4	-1.2	5.7	7.5					
FRED			89%	88%	88%	88%	87%	88%	88%	89%	88%	88%	87%					
AW 190024	✓	SMOFF0126	123	86	79	80	70	64	91	79	74	160	160	2	2		1	
FB	✓	BA 130990	-1.01	-2.9	-7.0	-8.1	-36	-10.4	-0.4	-13.8	-3.2	5.6	9.0					
FIDEL			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%					
AW 190042	✓	SMOFF0154	96	96	90	87	89	72	142	113	106	110	85	1	32		15	
FB	✓	SMOFD0205	1.67	1.4	0.1	-2.6	-10	-6.0	6.1	9.7	1.7	0.9	-2.9					
RAMBO			91%	86%	86%	86%	85%	85%	88%	88%	87%	87%	86%					
BA 060107		BA 000024	118	100	99	101	107	117	86	124	87	110	108	3	167	72	9	6
FB		BA 010025	-0.47	2.9	5.5	8.2	16	17.6	-1.0	17.8	-1.3	0.8	0.8					
THUNDER BOL			97%	84%	56%	61%	64%	88%	69%	68%	61%	32%	19%					
BA 090327	✓	IMUFM1615	147	76	67	71	55	39	118	80	123	99	110	11	357	68	43	102
PEN	✓	KJDFB0075	-3.29	-6.7	-14.2	-15.5	-58	-23.4	3.1	-13.0	4.3	-0.2	1.2					
REPUBLIC MICH			97%	83%	73%	74%	66%	75%	94%	94%	92%	87%	54%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
BA 090337		148BE		121	67	66	71	57	73	115	56	121	100	115					
FB		KJDFB0050		-0.79	-10.4	-15.1	-15.1	-55	-5.8	2.7	-30.3	4.1	-0.1	1.9	12	128	27	23	23
PRIME INTEREST				94%	83%	75%	76%	56%	64%	82%	82%	77%	60%	49%					
BA 100389		Y342		114	86	85	89	81	94	83	84	81	60	100					
FB		BA 070123		-0.15	-2.7	-3.5	-1.0	-21	5.5	-1.3	-10.4	-2.2	-3.9	-0.5	7	21	7	4	4
WILLEM				89%	85%	85%	85%	85%	85%	87%	87%	86%	85%	84%					
BA 130823		148BE		133	93	87	88	81	86	125	72	48	97	97					
FB		BA 090331		-1.93	0.2	-1.9	-2.1	-21	1.4	4.0	-18.6	-7.2	-0.4	-0.9	13	445	53	122	81
BA 130823				98%	93%	91%	92%	91%	91%	96%	96%	95%	94%	92%					
BA 130849		IMUFQTF147		124	90	90	94	96	98	59	90	59	82	127					
FB		BA 070154		-1.12	-1.1	-0.1	2.9	0	7.8	-4.4	-6.3	-5.5	-1.8	3.9	4	136	32	37	51
BA 130849				77%	55%	50%	51%	45%	55%	87%	87%	82%	55%	35%					
BA 130988		Y398		130	75	65	64	70	80	131	81	101	84	87					
FB		KSOFD0009		-1.69	-7.3	-15.8	-20.7	-37	-1.8	4.7	-13.0	0.9	-1.6	-2.5	3	85	16	24	23
BA 130988				92%	90%	88%	90%	87%	88%	93%	93%	92%	92%	90%					
BA 170047		148BE		124	71	65	65	64	72	114	71	98	111	116					
FB		BA 130990		-1.07	-8.6	-15.7	-20.1	-46	-6.3	2.6	-19.9	0.5	1.0	2.0	4	110	10	43	21
WOODVIEW BA170047				93%	89%	89%	89%	88%	89%	93%	93%	92%	92%	89%					
BDWFM0477		BDWFY0408		110	98	97	100	98	81	118	113	99	142	109					
FB		CCOFE0417		0.24	2.0	4.1	7.5	3	-1.5	3.1	10.0	0.6	3.9	1.0	4	19	8	8	1
MACQUARIE WAGYU M0477 (AI)(ET)				93%	92%	93%	92%	92%	92%	92%	92%	92%	92%	92%					
BDWFM0495		BDWFY0408		126	57	54	62	57	75	120	101	97	115	104					
FB				-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1	39	333	88	100	71
MACQUARIE PRELUDE M0495				98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					
BDWFM0546		BDWFY0408		124	78	77	83	72	76	131	99	102	136	105					
FB				-1.08	-5.9	-8.2	-5.4	-34	-4.1	4.8	0.2	1.2	3.3	0.3	4	14	7	9	
MACQUARIE WAGYU M0546 (AI)(ET)				86%	85%	86%	84%	84%	84%	84%	84%	83%	83%	83%					
CCOFG0113		SMOFC0158		130	84	84	78	88	86	134	105	99	121	89					
FB		CCOFC0446		-1.64	-3.7	-4.1	-10.0	-10	1.4	5.1	4.5	0.6	1.9	-2.3	12	77	25	41	3
COATES ITOSHIGENAMI				97%	97%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
CP 130012		TFWFW0629		116	98	87	85	83	80	103	83	90	130	132					
FB		KJDFD0133		-0.33	2.2	-2.3	-4.1	-18	-2.0	1.2	-11.1	-0.8	2.8	4.7	3	58	12	9	7
CP 130012				83%	66%	54%	51%	34%	58%	62%	62%	59%	46%	33%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
CP 130304		KJDFC0087		114	90	85	83	87	86	121	103	112	110	110					
FB		KJDFC0082		-0.11	-1.1	-3.6	-5.7	-12	1.4	3.5	2.8	2.6	0.9	1.1	5	108	46	18	11
CP130304				91%	80%	64%	63%	46%	81%	71%	71%	66%	56%	46%					
CP 130307		TFFWW0629		125	117	104	103	102	78	95	107	99	128	122					
FB		KJDFB0086		-1.21	9.7	8.6	10.1	9	-2.7	0.1	5.9	0.7	2.6	3.0	7	211	62	47	24
CP 130307				95%	85%	63%	61%	29%	83%	76%	76%	70%	54%	34%					
FB2501		IMUFM1615		130	80	70	67	60	48	145	52	119	88	94					
FB		976		-1.68	-5.0	-12.7	-18.3	-50	-19.0	6.5	-33.2	3.7	-1.3	-1.4	34	110	43	19	6
WORLD KS SANJIROU				85%	74%	75%	70%	59%	70%	78%	81%	78%	77%	58%					
FB8092		FB2501		135	79	74	74	69	64	120	96	115	92	89					
FB		FB6032		-2.21	-5.5	-10.3	-13.0	-38	-10.2	3.3	-1.9	3.1	-0.8	-2.3	7	44	8	12	10
BPF MR SAN 4				58%	45%	42%	40%	30%	40%	71%	74%	70%	69%	50%					
HJ 150008		WESFZ0278		103	98	93	96	81	81	100	86	87	63	97					
FB		KJDFD0030		0.96	1.9	1.9	4.2	-21	-1.4	0.8	-8.8	-1.2	-3.7	-0.9	4	99	16	23	29
HJ 150008				90%	72%	52%	43%	40%	45%	85%	84%	79%	59%	44%					
KF 120012		TFFWW0629		124	100	91	92	90	75	68	102	75	113	144					
FB		KJDFB0086		-1.14	2.9	0.5	1.3	-8	-4.3	-3.3	2.1	-3.0	1.2	6.5	4	278	100	100	101
FUKUTSURU-04				72%	57%	51%	48%	29%	59%	93%	92%	89%	78%	45%					
KI 140008		OVE 080002		105	102	97	99	89	74	70	63	101	51	120					
FB		BA 080212		0.72	3.9	3.9	6.6	-10	-4.9	-3.0	-25.7	0.9	-4.7	2.8	9	290	52	15	79
KI 140008				96%	94%	94%	93%	93%	93%	96%	96%	96%	94%	93%					
KI 140018		KJDFC0087		102	114	105	106	103	76	120	115	77	95	90					
FB		KJDFC0143		1.05	8.5	9.3	12.1	11	-4.2	3.4	11.7	-2.8	-0.5	-2.0	12	106	17	14	8
KI 140018				93%	91%	91%	90%	90%	90%	92%	92%	92%	91%	90%					
KI 140021		OVE 080002		123	83	80	84	72	75	76	37	84	38	124					
FB		BA 080212		-1.04	-3.7	-6.2	-4.6	-34	-4.5	-2.2	-43.4	-1.7	-6.0	3.4	6	131	36	25	13
ABSOLUTE GENETIC KI140021				94%	93%	93%	92%	92%	92%	94%	95%	94%	94%	93%					
OVE 080002		IMJFAJ2810		137	63	58	64	58	74	84	81	98	77	115					
FB		BYWFZ0075		-2.36	-11.9	-20.0	-20.7	-54	-5.1	-1.2	-12.5	0.4	-2.3	2.0	43	761	155	134	154
KITATERA				99%	98%	97%	97%	96%	97%	98%	98%	97%	97%	96%					
PB17438		BRCPG0052		117	105	98	99	89	70	91	70	115	109	125					
PBD		PB10038		-0.37	5.1	5.0	7.1	-10	-7.2	-0.4	-20.1	3.1	0.8	3.6	9	24	3	9	1
BAR R ARIMURA 30B				55%	41%	54%	35%	13%	41%	47%	56%	51%	52%	31%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
PRI 190086		CCOFG0113	131	81	77	73	83	82	126	95	105	95	85	1	1		1	
FB		BA 090338	-1.78	-4.7	-8.0	-13.3	-19	-0.7	4.1	-2.7	1.6	-0.6	-2.9					
PRIME G113 JUNIOR			89%	88%	88%	88%	87%	88%	88%	88%	88%	88%	87%					
PRI 190118		PWYPM0775	111	97	91	90	94	81	96	88	100	81	111	1	26		17	
PBD			0.12	1.8	0.5	0.0	-2	-1.4	0.3	-7.3	0.7	-1.9	1.3					
PRI190118			89%	82%	82%	82%	81%	82%	83%	83%	83%	83%	82%					
PRI 190501		PWYPM0775	111	102	94	94	89	73	114	82	82	76	98	2	53		35	
PBD		BET 170010	0.20	3.9	2.4	2.6	-10	-5.6	2.6	-12.2	-1.9	-2.4	-0.9					
190501			89%	32%	47%	35%	23%	29%	56%	56%	52%	53%	42%					
PRI 190504		PWYPM0775	109	96	87	88	80	74	107	76	85	52	86	1	13		6	
PBD		BA 120758	0.32	1.1	-1.8	-2.2	-23	-4.9	1.6	-16.4	-1.5	-4.7	-2.6					
MIDNIGHT MAGIC			77%	37%	47%	41%	29%	35%	62%	62%	58%	59%	47%					
PRI 190508		PWYPM0775	107	99	90	89	89	70	89	84	90	93	127	1	1		1	
PBD		PK 140013	0.52	2.4	-0.3	-1.4	-10	-7.3	-0.6	-10.5	-0.8	-0.7	3.9					
MIDNIGHT SPECIAL			59%	34%	43%	37%	27%	33%	56%	57%	54%	54%	39%					
PRI 190518		PWYPM0775	115	98	90	91	85	67	96	71	97	83	117	1	1		1	
PBD		PK 140018	-0.19	1.9	0.1	0.3	-16	-9.0	0.3	-20.0	0.2	-1.7	2.2					
190518			59%	38%	42%	37%	21%	32%	49%	49%	47%	46%	35%					
PRI 190529		PWYPM0775	108	99	90	88	89	70	89	84	90	93	127	1	1		1	
PBD		PK 140013	0.47	2.3	-0.4	-1.5	-10	-7.3	-0.6	-10.5	-0.8	-0.7	3.9					
190529			55%	34%	43%	37%	27%	33%	56%	57%	54%	54%	39%					
PRI 200025		CCOFG0113	113	96	95	92	96	99	119	99	92	100	92	1	1		1	
FB		BA 100410	-0.07	1.4	3.1	1.0	1	8.1	3.1	-0.1	-0.5	-0.1	-1.8					
GEORGE			88%	86%	86%	86%	85%	86%	87%	87%	86%	86%	86%					
PRI 200130		PWYPM0775	82	106	106	104	104	103	95	74	88	95	117	1	3		2	
PBD		CWBFCP 140037	2.94	5.4	9.5	10.4	12	10.4	0.2	-17.3	-1.1	-0.6	2.2					
PRI200130			55%	22%	34%	28%	15%	20%	49%	49%	45%	47%	37%					
PRI 205014		BDWFM0495	93	84	87	90	92	107	102	107	95	110	103	1	2		1	
FB		CWBFAW 170042	1.90	-3.5	-2.1	-0.4	-5	12.4	1.1	5.8	0.0	0.9	-0.1					
PRI205014			56%	40%	44%	42%	36%	39%	46%	46%	44%	40%	30%					
PRI 205029		PB17438	126	92	87	91	85	72	98	70	113	86	112	1	3		1	
PBD		WESFA0067	-1.33	-0.4	-1.8	0.8	-16	-6.4	0.5	-20.6	2.8	-1.4	1.4					
PRI205029			54%	31%	35%	28%	19%	30%	34%	38%	35%	35%	24%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
PWYPM0775		ADBFA0139	116	96	86	85	81	68	97	45	88	61	120	15	253	41	71	39
PBD		JKCPB2083	-0.35	1.2	-2.4	-4.3	-21	-8.0	0.4	-38.2	-1.1	-3.8	2.8					
POLL WAGYU MIDNIGHT M0775			95%	92%	93%	93%	92%	92%	95%	95%	94%	94%	93%					
SMOFF0126		IMUFM1615	113	115	107	106	84	64	95	106	104	161	156	25	166	50	52	12
FB		SMOFC0152	0.01	8.9	10.6	12.5	-16	-10.5	0.1	4.9	1.4	5.7	8.5					
SUMO MICHIFUKU F126 (AI)			97%	96%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
SMOFF0154		IMUFM1615	105	85	78	74	84	61	138	104	94	116	98	33	285	101	126	20
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8					
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					
WESFZ0278		ETJ001	106	108	105	110	96	85	99	93	104	46	77	40	146	35	35	11
FB		0001	0.61	6.2	9.4	15.5	1	1.0	0.6	-4.0	1.5	-5.2	-4.2					
WESTHOLME HIRASHIGETAYASU Z278			96%	95%	94%	93%	93%	93%	95%	95%	94%	94%	93%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
AW 180119		BA 150369		89	105	108	108	110	109	113	107	117	102	80				
F1				2.27	4.9	10.8	14.0	20	13.8	2.5	6.0	3.4	0.1	-3.6	1	3	3	
AW180119				62%	41%	34%	27%	17%	35%	64%	44%	56%	37%	26%				
JAPANESE BLACK																		
533				84														
BS				2.76											1	2	1	
PRIMGEN 533				40%														
6128				93						98	110	115	115					
BS				1.92						0.5	8.2	3.1	1.4		1	3	1	2
PRIMGEN 6128				46%						38%	37%	31%	28%					
AACFB0490		148BE		130	80	75	77	69	79	132	91	107	112	91				
FB		HWDFV0013		-1.64	-5.3	-9.7	-10.6	-38	-2.5	4.9	-5.6	1.9	1.1	-1.9	2	10	4	4
WESTHOLME ITOFUKUHANA (AI)(ET)				57%	55%	52%	52%	46%	56%	65%	67%	63%	60%	51%				
AACFJ0532		6892		135	80	77	78	78	83	86	95	119	82	108				
FB		AACFG0120		-2.14	-5.0	-8.4	-9.8	-25	-0.3	-1.0	-3.0	3.7	-1.8	0.8	5	12	5	1
WESTHOLME J0532 (AI)				45%	22%	42%	19%	14%	23%	38%	38%	33%	33%	12%				
ANGUS19				86														
BS				2.61											1	1	1	
PRIMGEN ANGUS 19				29%														
ANGUS29				95						99	99	102						
BS				1.76						0.7	0.1	1.1			2	2	1	1
KNORHOEK 29				40%						26%	24%	20%						
ANGUS34				101							78	94	79	95				
BS				1.14							-14.9	-0.2	-2.1	-1.2	1	3	1	
PRIMGEN ANGUS 34				47%							27%	22%	28%	21%				
ANGUS40				96														
BS				1.58											1	1	1	
ANGUS 40				28%														
ANGUSNOTAG*				100														
BS				1.22											1	1	1	
ANGUS NOTAG				31%														
AW 160010			OVE 080002	141	66	63	68	70	74	80	83	104	81	117				
FB		BA 080201		-2.75	-11.0	-16.9	-17.5	-37	-4.9	-1.8	-10.9	1.3	-1.9	2.2	3	11	1	1
ABSOLUTE GENETIC AW160010				88%	86%	86%	86%	84%	86%	87%	87%	86%	86%	85%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 160030	 KI 140008		93	103	105	105	108	106	78	95	99	72	103	1	3	1	
F1			1.94	4.1	9.2	11.7	17	12.0	-2.0	-3.1	0.6	-2.7	0.0				
ABSOLUTE GENETIC AW160030			59%	36%	38%	30%	21%	29%	51%	51%	48%	46%	30%				
AW 170012	 KI 140008		107	109	104	106	97	72	93	64	117	63	107	2	8	1	
FB		BA 130879	0.54	6.7	8.8	12.0	2	-6.4	-0.1	-24.5	3.4	-3.7	0.6				
AW170012			89%	87%	88%	87%	86%	87%	89%	89%	88%	88%	87%				
AW 170037	 KI 140008		109	102	93	91	93	73	91	101	122	67	99	1	6	4	
FB		KI 140015	0.37	3.7	1.4	0.1	-3	-5.7	-0.4	1.5	4.2	-3.3	-0.6				
AW170037			89%	88%	88%	87%	87%	87%	89%	89%	88%	88%	87%				
AW 170038	 KI 140008		112	95	88	90	80	75	81	57	76	85	133	1	3	2	
FB		KI 140013	0.06	1.1	-1.6	-0.5	-23	-4.4	-1.6	-29.7	-3.0	-1.6	4.8				
AW170038			89%	87%	88%	87%	86%	87%	88%	88%	88%	88%	87%				
AW 170080	 KI 140008		73	109	111	111	108	108	67	90	102	58	103	1	3	1	
F1			3.84	6.5	12.9	16.2	17	13.1	-3.5	-6.0	1.1	-4.1	0.0				
AW170080			59%	36%	38%	30%	21%	29%	51%	51%	48%	46%	36%				
AW 180007	 FB8092		115	87	82	82	79	70	99	108	102	96	105	1	4	1	
FB		PK 140011	-0.23	-2.2	-5.4	-6.4	-23	-7.1	0.6	6.6	1.2	-0.5	0.3				
AW180007			60%	35%	33%	31%	27%	33%	49%	50%	47%	46%	34%				
AW 180009	 CWB MBA 130891		125	80	84	88	75	88	95	78	96	70	101	1	2	1	
FB		KI 140016	-1.18	-5.1	-4.0	-2.3	-29	2.5	0.2	-14.8	0.1	-3.0	-0.2				
AW180009			49%	29%	35%	33%	20%	27%	44%	43%	39%	38%	29%				
AW 180053	 OVE 080002		141	76	73	77	74	83	87	84	102	82	111	1	2	2	
FB		BA 130880	-2.79	-6.9	-11.0	-10.6	-30	-0.5	-0.9	-10.8	1.0	-1.8	1.3				
AW180053			69%	55%	52%	51%	42%	54%	54%	54%	53%	47%	37%				
AW 180059	 BA 150382		91	121	111	110	106	77	84	108	90	110	120	1	3	2	
PBD		PK 140007	2.07	11.2	13.0	15.3	14	-3.3	-1.2	6.7	-0.7	0.8	2.7				
AW180059			87%	84%	84%	84%	83%	84%	85%	85%	85%	84%	84%				
AW 180062	 GRSFK0473		95	111	102	100	93	78	97	129	108	145	123	1	1	1	
FB		KSOFJ0064	1.72	7.4	7.3	7.3	-4	-2.9	0.4	21.2	2.0	4.2	3.2				
AW180062			86%	85%	85%	85%	83%	84%	84%	85%	85%	84%	83%				
AW 180064	 GRSFK0473		96	104	96	97	81	69	112	73	106	108	117	1	3	3	
FB		SFWFK0091	1.59	4.4	3.7	4.9	-20	-7.7	2.3	-18.4	1.8	0.7	2.2				
AW180064			86%	84%	84%	84%	83%	84%	84%	84%	84%	84%	83%				
AW 180084	 SMOFF0154		96	105	95	90	100	66	116	116	93	113	109	1	2	1	
FB		PK 140013	1.65	4.7	2.8	-0.5	6	-9.2	2.8	11.8	-0.3	1.2	1.0				
AW180084			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 190010		SMOFF0126	117	99	90	92	77	68	87	76	74	161	160	1	2	1	
FB		BA 130990	-0.39	2.6	0.0	0.9	-27	-8.4	-0.9	-16.2	-3.2	5.7	9.0				
AW190010			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190013		SMOFF0126	113	94	85	85	78	68	107	96	87	161	143	1	2	1	
FB		BA 130990	-0.07	0.4	-3.0	-4.0	-25	-8.5	1.7	-1.9	-1.2	5.7	6.4				
AW190013			90%	88%	88%	88%	88%	88%	89%	89%	89%	89%	88%				
AW 190015		SMOFD0233	108	92	88	90	85	80	102	109	100	99	102	1	1	1	
FB		PK 140011	0.43	-0.4	-1.5	-0.4	-14	-2.0	1.1	6.9	0.8	-0.2	-0.1				
AW190015			86%	85%	84%	84%	84%	84%	85%	85%	84%	84%	84%				
AW 190028		SMOFF0126	112	90	86	89	77	68	71	90	90	114	143	1	2	2	
FB		PK 140015	0.10	-1.2	-2.6	-0.7	-26	-8.1	-2.8	-6.0	-0.8	1.3	6.3				
AW190028			88%	86%	86%	86%	85%	86%	87%	87%	86%	86%	85%				
BA 090331		Y398	115	92	86	88	80	95	103	93	59	95	107	1	3	1	
FB		KJDFY0034	-0.19	-0.2	-2.9	-2.1	-22	6.1	1.1	-4.1	-5.5	-0.5	0.6				
BA 090331			69%	52%	43%	42%	31%	41%	58%	58%	56%	53%	43%				
BA 090338		148BE	123	85	79	78	78	71	109	82	109	83	99	5	53	12	3
FB		TWAFT0462	-1.04	-3.2	-7.1	-9.8	-25	-6.8	1.9	-12.0	2.2	-1.7	-0.7				
TWA SATUKU 09338			95%	93%	92%	92%	92%	93%	94%	94%	93%	93%	92%				
BA 100410		BA 060103	99	93	92	94	95	102	103	98	94	104	106	4	34	15	1
FB		BA 080225	1.37	0.2	1.3	2.5	0	9.9	1.2	-0.4	-0.2	0.2	0.6				
BA 100410			92%	87%	86%	87%	86%	87%	88%	88%	87%	87%	86%				
BA 110499		Y342	87	98	98	98	97	103	82	118	73	84	96	2	10	4	3
F2		CWBFBA 070256	2.49	2.0	4.8	6.1	2	10.5	-1.5	13.7	-3.4	-1.7	-1.1				
BA 110499			72%	52%	38%	47%	65%	65%	59%	59%	52%	44%	33%				
BA 120758		IMUFQTF147	108	93	86	89	79	80	122	103	79	89	77	5	36	16	3
FB		BA 090338	0.47	0.0	-2.3	-1.5	-24	-1.7	3.6	2.9	-2.5	-1.1	-4.2				
TWA SATUKU 3RD			78%	60%	67%	59%	51%	58%	80%	81%	75%	76%	62%				
BA 120775		148BE	92	134	129	129	112	102	98	102	122	87	92	4	24	7	1
PBD		BA 100381	1.99	16.6	24.0	29.8	23	9.8	0.5	2.3	4.2	-1.4	-1.7				
CLEO			90%	87%	89%	88%	86%	87%	87%	88%	87%	87%	86%				
BA 130851		148BE	115	87	83	82	80	83	116	82	93	84	88	3	12	2	1
F3		BA 110499	-0.23	-2.2	-4.4	-6.3	-23	-0.3	2.9	-11.8	-0.2	-1.6	-2.4				
BA 130851			81%	58%	53%	56%	55%	61%	68%	67%	63%	63%	54%				
BA 130854		148BE	132	72	68	69	71	66	102	64	119	68	100	4	19	6	
FB		BA 080201	-1.83	-8.2	-14.0	-16.4	-36	-9.1	1.0	-24.8	3.8	-3.1	-0.5				
BA 130854			93%	91%	91%	92%	90%	91%	91%	91%	91%	91%	90%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 130879		148BE	120	107	101	101	92	76	109	49	125	67	98	4	19	7	1
FB		BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8				
BA 130879			93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 130880		BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB		BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 130990		TFWFW0629	128	71	62	64	64	74	89	65	48	160	160	7	71	18	4
FB		KJDFC0007	-1.52	-8.6	-17.7	-20.8	-45	-5.1	-0.6	-23.7	-7.3	5.7	9.0				
WOODVIEW TAJIMA			96%	95%	95%	94%	94%	94%	95%	95%	95%	95%	94%				
BA 140106		ETJ001	96	101	103	105	104	106	65	112	99	90	110	2	3	1	
PBD		CWBFBA 120717	1.58	3.4	8.2	11.7	12	11.8	-3.6	9.1	0.6	-1.1	1.1				
BA 140106			62%	50%	42%	42%	47%	55%	46%	46%	45%	43%	34%				
BA 150497		IMUFP0036	127	94	94	100	103	99	78	117	79	113	115	4	14	4	
PBD		CWBFBA 100404	-1.43	0.6	2.3	7.3	11	8.2	-1.9	13.0	-2.5	1.1	1.9				
WOODVIEW BA15-497			84%	82%	82%	81%	81%	82%	83%	83%	82%	82%	81%				
BB 160117		BB 140001	132	86	89	91	93	98	109	74	98	78	96	1	2	1	
F1		BB338	-1.88	-2.5	-0.7	0.2	-3	7.8	2.0	-17.7	0.5	-2.2	-1.1				
BB16117			70%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160158		KI 140010	70	93	97	100	90	96	97	74	86	88	111	1	3	1	2
F1		BB442	4.19	0.0	4.0	7.6	-9	6.4	0.4	-17.7	-1.4	-1.2	1.2				
BB16158			69%	57%	62%	35%	20%	34%	56%	56%	52%	41%	21%				
BB 160173		CWBMKI 140012	92	99	110			112	104	115	121	75	71	1	3	1	1
F1		BB400	1.98	2.5	12.3			15.1	1.2	11.5	4.1	-2.5	-5.1				
BB16173			67%	52%	56%			22%	38%	37%	30%	28%	21%				
BB 160175		KI 140010	86	94	94	97	87	99	96	82	91	90	108	1	2	1	
F1		BB0465	2.63	0.4	2.2	5.1	-12	8.2	0.3	-12.3	-0.6	-1.0	0.8				
BB16175			69%	57%	62%	35%	20%	34%	48%	48%	47%	41%	21%				
BB 160179		BB 120028	125	82	81	82	79	102	100	80	88	105	115	1	3	2	
F1		BB324	-1.22	-4.4	-5.8	-6.3	-23	10.0	0.8	-13.0	-1.1	0.4	1.9				
BB16179			71%	59%	63%	24%	16%	35%	35%	35%	32%	27%	20%				
BET 170009		PK 130001	122	86	83	85	80	59	103	80	116	97	108	2	5	4	
FB		OVE 080003	-0.95	-2.8	-4.7	-4.4	-22	-13.0	1.2	-13.6	3.3	-0.4	0.8				
BET170009			67%	53%	66%	40%	29%	49%	58%	58%	56%	50%	40%				
BET 170010		KI 140018	102	110	103	104	97	78	123	111	78	92	82	2	5	3	
FB		BA 120758	1.05	7.1	7.9	10.3	2	-3.2	3.7	8.6	-2.7	-0.8	-3.4				
BET170010			70%	46%	65%	42%	36%	42%	57%	57%	54%	51%	41%				

WAGYU Dams

Dam			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses	
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CCCFD0390		CCCFB8747	115	98	93	96	87	83	97	98	104	96	103	2	4	3		
FB		CCCFB0228	-0.27	2.0	1.7	4.1	-12	-0.4	0.4	-0.3	1.3	-0.4	0.1					
BALD RIDGE F D390			42%	36%	31%	30%	25%	38%	32%	33%	33%	32%	27%					
CP 100038		BA 060107	99	100	105	107	104	119	93	112	94	105	102	1	2	2		
F2		CP 075265	1.32	2.9	9.2	12.6	12	18.6	-0.1	9.3	-0.2	0.4	-0.2					
CP100038			61%	44%	29%	31%	36%	46%	35%	34%	31%	16%	10%					
CP 120014		BA 060107	111	97	103	104	108	122	93	112	94	105	102	1	5	4		
F2		CP 050014	0.12	1.6	7.6	10.7	18	20.3	-0.1	9.3	-0.2	0.4	-0.2					
1214			77%	55%	28%	30%	32%	67%	35%	34%	31%	16%	10%					
CP 130016			KJDFC0086	113	108	108	109	108	97	88	145	119	113	97	2	4	1	
F2			CP 100026	-0.05	6.0	11.1	14.3	18	7.2	-0.8	32.7	3.6	1.2	-1.0				
13 16				86%	80%	79%	79%	78%	81%	83%	83%	82%	79%	79%				
CP 160002			CP 130307	102	107	106	105	111	104	90	110	96	117	112	1	3	2	
F1				0.99	5.7	9.8	11.3	21	10.8	-0.5	8.0	0.2	1.5	1.4				
CP160002				61%	53%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
FT14			99						102									
BS			1.33						2.5					1				
FT14			40%						27%					27%				
GWW 160041			KF 120012	84	107	108	107	108	109	76	107	84	110	123	1	4	2	
F1				2.75	5.8	10.8	13.1	18	13.3	-2.2	6.1	-1.7	0.8	3.1				
M0041				60%	28%	25%	24%	15%	29%	46%	46%	45%	39%	22%				
GWW 160082			KF 120012	98	103	103	103	108	107	79	115	85	114	119	1	4	2	1
F1				1.38	4.1	8.2	9.9	18	12.5	-1.8	11.7	-1.6	1.2	2.5				
160082				60%	28%	25%	24%	15%	29%	51%	50%	48%	39%	22%				
GWW 160099			KF 120012	98	103	104	103	108	107	60	98	80	82	122	1	2	1	
F1				1.47	4.2	8.4	10.1	18	12.5	-4.3	-0.8	-2.3	-1.8	3.1				
M0099				51%	28%	25%	24%	15%	29%	63%	61%	56%	59%	30%				
GWW 160127			KF 120018	77	105	106	107	103	106	88	105	87	99	106	1	2	1	
F1				3.42	5.1	9.5	12.9	11	12.1	-0.7	4.6	-1.2	-0.2	0.4				
M0127				52%	27%	28%	27%	19%	26%	65%	64%	58%	34%	22%				
GWW 160141			KF 120018	96	100	100	101	103	104	103	98	79	149	126	1	5	2	1
F1				1.60	2.8	6.0	8.6	11	11.0	1.2	-0.6	-2.4	4.6	3.6				
M0141				61%	27%	28%	27%	19%	26%	59%	58%	54%	46%	34%				
GWW 160171			KF 120018	84	103	103	105	103	106	78	105	76	101	118	1	5	2	2
F1				2.75	4.3	8.2	11.3	11	11.7	-2.0	4.4	-2.9	0.0	2.4				
M0171				64%	27%	28%	27%	19%	26%	59%	58%	54%	42%	29%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
GWW 160242	 KF 120018		100	99	99	100	103	104	88	82	58	98	118	1	1	1	
F1			1.25	2.4	5.4	7.8	11	10.8	-0.8	-11.7	-5.7	-0.3	2.5				
M0242			47%	27%	28%	27%	19%	26%	65%	64%	58%	34%	22%				
GWW 160267	 KF 120018		98	99	100	101	103	104	91	95	74	99	108	1	4	2	
F1			1.47	2.7	5.8	8.3	11	10.9	-0.3	-2.4	-3.3	-0.2	0.9				
M0267			61%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160358	 KF 120012		100	102	103	103	108	107	79	119	79	122	123	1	4	1	
F1			1.19	3.9	7.8	9.5	18	12.4	-1.9	14.1	-2.5	2.0	3.2				
160358			60%	28%	25%	24%	15%	29%	51%	51%	48%	46%	22%				
HK467			90						97	100	98	104	1	2	1	1	
BS			2.25						0.4	1.1	0.5	0.3					
PRIMGEN HK467			40%						27%	27%	21%	27%					
KI 140013	 TFWFW0629  KJDFE0001		126	89	80	81	77	82	106	68	58	120	129	3	17	5	3
FB			-1.25	-1.5	-6.2	-7.2	-26	-0.8	1.6	-21.5	-5.6	1.8	4.1				
KI 140013			69%	53%	64%	48%	32%	46%	74%	73%	69%	62%	42%				
KI 140015	  KJDFC0087  KSOFC0007		114	87	76	72	86	72	119	125	138	92	87	4	17	1	1
FB			-0.17	-2.3	-8.6	-14.7	-14	-5.9	3.3	18.6	6.7	-0.8	-2.5				
KI 140015			94%	92%	92%	92%	92%	92%	93%	93%	92%	92%	91%				
KI 140019	  WESFZ0278  KJDFFD0030		113	91	88	92	75	83	103	83	93	75	103	4	14	2	3
FB			0.01	-0.6	-1.3	0.9	-30	-0.3	1.1	-11.2	-0.3	-2.5	0.0				
KI 140019			92%	91%	91%	90%	91%	90%	91%	92%	91%	91%	90%				
KJDFD0133	151BE KJDFFB0050		114	91	85	84	81	85	112	104	97	116	106	12	23	3	
FB			-0.08	-0.6	-3.4	-4.7	-22	0.8	2.4	3.5	0.4	1.4	0.6				
LAKE WAGYU F D133			80%	66%	61%	59%	37%	53%	72%	72%	67%	48%	33%				
KL IPS124			104											1	1	1	
BS			0.86														
PRIMGEN KLIPS 124			29%														
KL IPS160			97											1	1	1	
BS			1.52														
KLIPS 160			29%														
KLIPS19			105						97	105	106		1	2	1	1	
BS			0.74						-1.1	1.6	0.5						
KLIPS 19			37%						28%	22%	28%						
KLIPS95			94											1	2	1	
BS			1.80														
KLIPS 95			40%														

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
LMR0140X		WESFZ0278	106	104	100	103	92	80	100	92	99	76	96				
FB		LMRFC749T	0.62	4.7	6.3	9.7	-5	-2.1	0.7	-4.6	0.6	-2.4	-1.1	1	3	1	
LMR MS HIRASHIGE-Z278 0140X (FB11174)			47%	43%	42%	34%	27%	32%	43%	43%	41%	36%	28%				
LMR783T		IMUFM1615	116	92	82	81	77	60	108	70	100	112	130				
FB		USAFU9671	-0.28	-0.4	-4.8	-7.7	-26	-12.6	1.9	-20.5	0.8	1.1	4.3	2	4	1	1
LMR MS MICHIFUKU 783T (FB8585)			50%	50%	50%	50%	44%	49%	48%	51%	50%	50%	39%				
OB 150013			KJDFC0086	124	70	72	75	70	76	79	71	120	88	130			
FB			BA 080201	-1.10	-9.1	-11.7	-12.3	-36	-3.8	-1.9	-19.8	3.8	-1.3	4.3	3	20	5
OB150013			91%	88%	88%	88%	88%	88%	89%	89%	89%	88%	87%				
PAL 190017			BA 130823	100	100	102	102	104	113	105	93	71	101	99			
F1			1.24	3.1	7.5	8.9	12	15.5	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190017			54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190036			BA 130823	101	100	102	101	104	113	105	93	71	101	99			
F1			1.11	2.9	7.2	8.5	12	15.4	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190036			54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190043			BA 130823	105	99	101	100	104	112	105	93	71	101	99			
F1			0.79	2.5	6.6	7.8	12	15.2	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190043			54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190067			AW 170010	108	97	98	97	108	109	100	98	85	112	109			
F1			0.45	1.6	4.7	5.3	17	13.4	0.7	-0.3	-1.5	1.0	1.0	1	1	1	
PAL190067			40%	23%	22%	20%	20%	20%	32%	32%	29%	24%	18%				
PAL 200003			AW 170005	95	103	104	103	108	108	109	104	75	99	94			
F1			1.73	4.3	8.5	10.2	18	13.1	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200003			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200004			AW 170005	85	106	107	106	108	109	109	104	75	99	94			
F1			2.65	5.4	10.3	12.4	18	13.7	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200004			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200012			AW 170005	88	105	106	105	108	109	109	104	75	99	94			
F1			2.41	5.1	9.8	11.8	18	13.5	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200012			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200013			AW 170005	86	106	107	106	108	109	109	104	75	99	94			
F1			2.63	5.4	10.2	12.3	18	13.7	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200013			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200019			AW 170005	84	107	107	107	108	110	109	104	75	99	94			
F1			2.80	5.6	10.6	12.7	18	13.8	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200019			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
PAL 200023			AW 170005	92	104	105	104	108	109	113	99	73	111	100	1	2	1	
F1			2.03	4.7	9.1	10.9	18	13.3	2.5	0.2	-3.5	0.9	-0.5					
PAL200023			51%	22%	23%	19%	15%	19%	46%	46%	41%	41%	31%					
PAL 200029			AW 170005	81	108	108	108	108	110	109	104	75	99	94	1	1	1	
F1			3.09	6.0	11.1	13.4	18	14.0	1.9	3.4	-3.1	-0.2	-1.5					
PAL200029			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%					
PAL 200045			AW 170005	89	105	106	105	108	109	109	104	75	99	94	1	1	1	
F1			2.27	5.0	9.5	11.5	18	13.5	1.9	3.4	-3.1	-0.2	-1.5					
PAL200045			45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%					
PAL 200047			AW 170005	93	104	104	104	108	108	105	103	82	90	92	1	1	1	
F1			1.89	4.5	8.8	10.6	18	13.2	1.4	2.9	-2.1	-1.1	-1.8					
PAL200047			45%	22%	23%	19%	15%	19%	54%	52%	46%	50%	24%					
PK 140007			KJDFC0087	104	93	81	80	84	65	88	109	83	114	129	4	31	5	3
FB			0.80	0.0	-5.7	-8.0	-16	-9.8	-0.8	7.4	-1.8	1.3	4.2					
PK 140007			92%	90%	91%	90%	90%	90%	92%	92%	91%	91%	90%					
PK 140013			KJDFC0087	99	101	93	92	97	71	81	123	91	126	134	3	32	10	5
FB			1.29	3.5	1.6	1.3	2	-6.5	-1.7	17.3	-0.5	2.3	5.0					
PK 140013			91%	89%	89%	89%	89%	89%	91%	91%	91%	90%	89%					
PK 140015			KKWFA0871	121	68	66	71	77	64	72	84	99	58	110	5	18	5	1
FB			-0.85	-10.1	-15.2	-15.1	-27	-10.6	-2.7	-10.6	0.6	-4.1	1.1					
PK 140015			91%	89%	89%	89%	88%	89%	90%	90%	90%	89%	88%					
PK 140017			BA 090335	113	102	101	104	105	81	82	96	114	101	118	6	20	3	3
FB			-0.05	3.7	6.9	10.4	13	-1.3	-1.5	-2.1	2.9	0.0	2.4					
PK 140017			68%	46%	44%	47%	41%	48%	64%	61%	58%	48%	32%					
PK 140018			BA 090335	111	100	95	97	89	65	96	96	105	105	113	6	12	1	
FB			0.15	3.0	3.1	5.4	-10	-10.1	0.3	-1.7	1.6	0.4	1.6					
PK 140018			90%	88%	87%	87%	86%	87%	87%	87%	87%	87%	86%					
PRI 180007			CP 130307	93	113	112	111	114	109	90	110	96	117	112	1	2	2	
F3			1.96	8.3	13.4	15.8	27	13.7	-0.5	8.0	0.2	1.5	1.4					
PRINCESS			57%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%					
PRI 190045			PWYPM0775	133	79	73	75	75	71	88	64	96	71	119	1	1	1	
PBD			-1.98	-5.4	-10.5	-11.9	-29	-6.7	-0.7	-24.5	0.1	-2.9	2.5					
PRI190045			58%	36%	43%	38%	24%	34%	53%	53%	51%	50%	38%					
PRI 190060			CP 130012	97	101	100	99	105	109	94	98	92	118	117	1	1	1	
F3			1.53	3.4	6.3	6.6	13	13.5	0.0	-0.5	-0.5	1.6	2.2					
PRI190060			48%	33%	27%	25%	17%	29%	31%	31%	29%	23%	17%					

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
PRI 190083			PWYPM0775	97	100	100	99	104	103	91	79	91	83	111	1	1	1	
PBD			CWBFAW 170008	1.50	2.9	6.2	6.5	12	10.4	-0.4	-14.1	-0.7	-1.7	1.3				
PRI190083				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 190517			PWYPM0775	120	81	76	78	79	66	85	64	93	59	115	1	1	1	
PBD			PK 140015	-0.69	-4.6	-9.0	-9.9	-24	-9.4	-1.2	-24.4	-0.3	-4.0	2.0				
190517				59%	35%	43%	36%	24%	32%	54%	54%	51%	50%	38%				
PRI 190527			PWYPM0775	118	91	83	82	79	70	103	63	98	72	110	1	1	1	
PBD			BA 090338	-0.51	-0.7	-4.4	-6.6	-23	-7.3	1.1	-25.1	0.5	-2.8	1.1				
190527				64%	40%	46%	43%	33%	39%	59%	59%	56%	54%	43%				
PRI 190528			PWYPM0775	116	92	84	83	79	70	103	63	98	72	110	1	1	1	
PBD			BA 090338	-0.28	-0.5	-4.0	-6.1	-23	-7.1	1.1	-25.1	0.5	-2.8	1.1				
190528				64%	40%	46%	43%	33%	39%	59%	59%	56%	54%	43%				
PRI 200009			SMOFF0154	124	79	73	72	75	70	133	101	103	100	89	1	1	1	
FB			AACFB0490	-1.06	-5.7	-10.6	-14.7	-30	-7.2	5.0	1.3	1.2	-0.1	-2.3				
PRI200009				88%	87%	87%	87%	86%	87%	87%	88%	87%	87%	87%				
PRI 200013			BA 170047	104	89	85	86	83	87	103	83	86	105	112	1	1	1	
F2			GWV 160267	0.84	-1.5	-3.1	-3.8	-17	1.8	1.2	-11.2	-1.4	0.4	1.4				
PRI200013				70%	32%	32%	31%	26%	30%	49%	49%	46%	45%	35%				
PRI 200016			PWYPM0775	100	99	99	98	104	103	91	79	91	83	111	1	1	1	
PBD			CWBFAW 170044	1.20	2.5	5.6	5.8	12	10.3	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200016				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200050			AW 170020	115	86	89	91	90	101	97	87	97	106	112	1	1	1	
F1			KL IPS103	-0.26	-2.7	-0.8	0.5	-9	9.4	0.4	-8.5	0.3	0.4	1.4				
PRI200050				65%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200072			AW 170020	99	93	95	95	100	110	89	94	93	108	114	1	1	1	
F1			CWBFKLIPS164*	1.36	-0.1	2.8	3.9	7	14.3	-0.6	-3.8	-0.3	0.7	1.8				
PRI200072				44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200094			BA 170047	101	88	89	88	95	105	99	92	96	109	108	1	1	1	
F1			CWBFB6086	1.09	-2.0	-0.5	-1.5	-1	11.3	0.7	-4.9	0.1	0.7	0.9				
PRI200094				49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200113			AW 170025	97	87	90	89	96	106	93	95	102	93	107	1	1	1	
F1			CWBFKLIPS44	1.52	-2.2	-0.4	-0.9	1	12.0	-0.1	-2.4	1.2	-0.8	0.6				
PRI200113				45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200117			PWYPM0775	94	101	101	100	104	104	91	79	91	83	111	1	1	1	
PEN				1.80	3.3	6.8	7.2	12	10.6	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200117				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PRI 200121	✓	AW 170020	89	96	98	98	100	112	89	94	93	108	114	1	1	1	
F1		CWBFKLIPS98	2.31	1.1	4.6	6.1	7	14.9	-0.6	-3.8	-0.3	0.7	1.8				
PRI200121			44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200123	✓	AW 170020	91	95	97	98	100	111	89	94	93	108	114	1	1	1	
F1			2.12	0.9	4.2	5.7	7	14.8	-0.6	-3.8	-0.3	0.7	1.8				
PRI200123			44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200134	✓	AW 170019	91	101	103	103	105	109	85	89	87	91	112	1	1	1	
F1		CWBFKLIPS34	2.07	3.4	7.8	9.6	13	13.5	-1.1	-7.2	-1.2	-0.9	1.4				
PRI200134			41%	23%	25%	19%	13%	19%	37%	36%	34%	32%	21%				
PRI 200136	✓	BA 130823	97	101	103	102	104	113	105	93	71	101	99	1	1	1	
F1			1.49	3.4	8.0	9.4	12	15.6	1.4	-4.3	-3.7	0.0	-0.6				
PRI200136			53%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PRI 200163	✓	BA 170047	84	93	95	94	95	107	99	92	96	109	108	1	1	1	
F1		CWB FAN GUS136	2.79	0.1	2.8	2.5	-1	12.3	0.7	-4.9	0.1	0.7	0.9				
PRI200163			49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200164	✓	AW 170019	92	101	102	102	105	109	85	89	87	91	112	1	1	1	
F1		CWB FANGUS38	1.98	3.3	7.6	9.4	13	13.5	-1.1	-7.2	-1.2	-0.9	1.4				
PRI200164			42%	23%	25%	19%	13%	19%	37%	36%	34%	32%	21%				
PRI 200198	✓	AW 170025	100	86	89	88	96	106	93	95	102	93	107	1	1	1	
F1		CWB FKLIPS83	1.24	-2.6	-1.0	-1.6	1	11.8	-0.1	-2.4	1.2	-0.8	0.6				
PRI200198			45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200221	✓	PWYPM0775	91	102	102	101	104	104	94	95	82	116	120	1	1	1	
F1			2.11	3.7	7.4	7.9	12	10.8	0.1	-3.0	-1.9	1.4	2.8				
PRI200221			50%	22%	34%	28%	15%	20%	44%	63%	56%	63%	32%				
PRI 200229	✓	BDWFM0495	106	79	75	79	73	80	97	103	90	103	113	1	1	1	
FB	✓	AW 180058	0.68	-5.4	-9.8	-8.6	-33	-2.1	0.4	2.7	-0.7	0.2	1.6				
PRI200229			72%	44%	47%	45%	38%	42%	53%	53%	50%	46%	33%				
PRI 200261	✓	PWYPM0775	92	101	102	100	104	104	91	79	91	83	111	1	1	1	
F1		CWB FAM1177	1.99	3.5	7.2	7.6	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200261			50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200265	✓	PWYPM0775	90	102	102	101	104	104	91	79	91	83	111	1	1	1	
F1		CWBFFT21	2.19	3.8	7.5	8.1	12	10.9	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200265			50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200266	✓	PWYPM0775	96	100	101	99	104	103	91	79	91	83	111	1	1	1	
F1		CWBFFT9	1.62	3.1	6.5	6.8	12	10.5	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200266			50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
PRI 200268	✓	PWYPM0775		92	101	102	100	104	104	91	79	91	83	111				
F1		CWBFFNOTAG		1.98	3.5	7.1	7.6	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3	1	1	1	
PRI200268				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200273	✓	AW 170025		100	86	89	88	96	106	93	95	102	93	107				
F1		CWBFKL IPS177		1.23	-2.6	-1.0	-1.6	1	11.8	-0.1	-2.4	1.2	-0.8	0.6	1	1	1	
PRI200273				45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200283	✓	BA 170047		119	80	83	84	84	96	107	85	100	106	106				
F1		ANGUSNOTAG*		-0.60	-4.9	-4.4	-5.2	-16	6.5	1.7	-9.6	0.7	0.5	0.4	1	1	1	
PRI200283				67%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200307	✓	BA 170047		113	82	85	85	84	97	104	94	98	99	101				
F1		HK72		-0.02	-4.2	-3.3	-3.8	-16	6.9	1.4	-3.2	0.4	-0.2	-0.4	1	1	1	
PRI200307				68%	29%	29%	28%	24%	27%	45%	45%	42%	44%	35%				
PRI 200309	✓	BA 170047		93	90	92	91	95	106	99	92	96	109	108				
F1		CWBFPRI3106		1.89	-1.0	1.0	0.4	-1	11.8	0.7	-4.9	0.1	0.7	0.9	1	1	1	
PRI200309				49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200323	✓	BA 130823		118	96	93	94	92	94	109	78	68	94	103				
F2	✓	GWV 160173		-0.51	1.4	1.7	2.8	-5	5.5	1.9	-15.1	-4.1	-0.7	0.0	1	1	1	
PRI200323				73%	41%	32%	36%	28%	31%	55%	54%	52%	48%	38%				
PRI 200328	✓	BA 130823		116	96	93	94	92	95	102	89	62	99	107				
F2	✓	GWV 160171		-0.35	1.1	1.6	2.7	-5	6.3	1.0	-7.1	-5.1	-0.2	0.7	1	1	1	
PRI200328				73%	41%	32%	36%	28%	31%	55%	55%	53%	48%	39%				
PRI 205030	✓	CCOFG0113		116	100	97	96	96	84	114	100	102	99	92				
PBD	✓	AACFD0439		-0.34	2.8	4.2	4.3	0	0.1	2.6	0.5	1.1	-0.2	-1.8	1	1	1	
PRI205030				51%	40%	46%	42%	23%	36%	42%	42%	39%	40%	33%				
PRI 209038	✓	BA 130823		115	95	98	99	88	100	122	80	81	94	89				
F2	✓	BB 160172		-0.18	1.0	4.9	7.1	-11	8.5	3.6	-13.1	-2.2	-0.6	-2.2	1	1	1	
PRI209038				72%	46%	40%	33%	26%	30%	49%	49%	47%	44%	37%				
PRI 209169	✓	AW 170017		96	107	110	109	112	107	85	75	111	66	100				
F1		CWBFFJN1510		1.64	5.8	12.0	14.6	23	12.4	-1.1	-16.9	2.5	-3.4	-0.5	1	1	1	
PRI209169				38%	23%	33%	21%	16%	20%	63%	61%	54%	61%	31%				
PRI 209170	✓	AW 170017		98	106	109	108	112	107	87	79	109	69	99				
F1		CWBFDexter1715		1.39	5.5	11.6	14.0	23	12.2	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209170				45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 209193	✓	AW 170017		98	106	109	108	112	107	87	79	109	69	99				
F1		CWBF1121		1.42	5.5	11.6	14.0	23	12.3	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209193				45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
PRI 209222		✓	AW 170017	98	106	109	108	112	107	87	79	109	69	99				
F1			CWBFDX1254	1.40	5.5	11.6	14.0	23	12.2	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209222				45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 209253		✓	AW 170017	98	106	109	108	112	107	95	73	110	60	89				
F1			CWBFDX1254	1.38	5.4	11.5	14.0	23	12.2	0.1	-18.4	2.4	-3.9	-2.2	2	2	1	
PRI209253				45%	23%	33%	21%	16%	20%	48%	48%	44%	46%	36%				
PRI 209297		✓	AW 170017	93	108	110	110	112	107	87	79	109	69	99				
F1			CWBFDX1265	1.87	6.1	12.5	15.1	23	12.5	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209297				45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 210602		✓	PWYPM0775	115	94	89	88	85	78	96	76	92	84	115				
PBD			SMOFG0195	-0.20	0.7	-0.9	-2.1	-15	-3.1	0.3	-16.0	-0.5	-1.6	1.9	1	1	1	
PB 110602 PH				85%	83%	84%	84%	83%	83%	85%	85%	85%	85%	84%				
PRI 210605		✓	BDWFM0477	112	95	91	92	89	70	118	103	102	123	105				
FB			CWBFAW 180088	0.05	0.7	0.4	0.9	-10	-7.1	3.0	2.9	1.0	2.1	0.3	1	1	1	
FB M477 210605				84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	83%				
SMOFG0195			SMOFC0158	118	85	83	82	83	87	104	112	100	122	108				
FB			SMOFC0099	-0.51	-3.0	-4.7	-6.6	-18	1.7	1.3	9.6	0.7	2.0	0.8	1	2	1	
SUMO CATTLE CO NAMI G195				41%	35%	37%	35%	29%	34%	44%	44%	41%	44%	36%				
WESFA0067			IMJFAJ2810	134	79	77	84	80	73	104	69	112	63	99				
FB			MANFV2238	-2.11	-5.6	-8.1	-4.9	-22	-5.6	1.3	-21.2	2.6	-3.6	-0.7	2	2	2	
WESTHOLME KITA A0067 (AI)				54%	47%	46%	43%	36%	44%	50%	50%	49%	46%	37%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Bull				Selection Value					Calf weight		Mother		Growth		Fertility		Carcass								
ID	Parentage	%Inbreeding	Genomic	DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name					Dam ID																				
JAPANESE BLACK																									
BA 130823	2				148BE	115	93	86	119	110	133	93	108	86	87	81	105	114	97	125	72	48	97	97	
FB					BA 090331	97%	93%	91 %	91%	92%	-1.93	0.2	-0.68	1.4	-2.4	-21	-5.5	-1.9	3.7	4.0	-18.6	-7.2	-0.4	-0.9	
WOODVIEW BA 130823																									
AW 170011	5				KI 140008	110	98	79	118	104	106	98	103	79	95	82	105	104	105	82	71	94	51	108	
FB					KI 140019	61%	46%	40 %	39%	32%	0.65	2.2	-0.50	-2.7	2.9	-20	-5.5	-0.2	7.3	-1.5	-19.7	-0.1	-4.7	0.8	
ABSOLUTE GENETIC AW170011																									
AW 170017	6				KI 140008	124	107	75	103	110	122	107	121	75	103	97	111	109	96	88	44	124	38	96	
FB					BA 130879	72%	47%	41 %	33%	40%	-0.88	5.9	-1.16	-4.6	8.4	2	-9.3	-1.2	3.4	-0.7	-38.6	4.6	-6.0	-1.1	
ABSOLUTE GENETIC AW170017																									
AW 170024	1				WESFZ0278	116	95	86	115	87	112	95	100	86	92	85	89	89	116	106	98	101	81	92	
FB					KJDFD0133	59%	53%	41 %	32%	37%	0.05	0.9	-0.37	1.1	0.6	-15	3.3	2.8	12.2	1.5	-0.3	0.9	-1.9	-1.8	
ABSOLUTE GENETIC AW170024																									
AW 170025	2				OVE 080002	111	64	72	135	100	136	64	110	72	60	65	91	107	105	102	78	112	79	112	
FB					KI 140015	91%	88%	88 %	88%	88%	-2.23	-11.4	-0.77	-6.1	-21.9	-43	2.1	-0.7	7.3	1.0	-14.9	2.6	-2.1	1.5	
ABSOLUTE GENETIC AW170025																									
AW 170026	6				KI 140008	109	119	74	97	111	105	119	117	74	113	103	114	110	100	96	66	124	52	94	
FB					BA 130879	67%	47%	41 %	33%	40%	0.71	10.7	-1.02	-5.0	15.7	10	-10.9	-1.3	5.2	0.3	-23.0	4.5	-4.7	-1.5	
ABSOLUTE GENETIC AW170026																									
AW 170115					CWBMBMA 130891	93	98	87	110	103	100	98	70	87	100	90	89	113	123	97	105	100	110	113	
FB					PK 140013	41%	26%	26 %	23%	24%	1.22	2.2	0.75	1.8	6.5	-8	3.7	-2.0	14.9	0.5	4.3	0.8	0.9	1.5	
ABSOLUTE GENETIC AW170115																									
BA 170047	1				148BE	123	71	72	136	90	124	71	100	72	65	64	97	87	116	114	71	98	111	116	
FB					BA 130990	92%	89%	89 %	88%	88%	-1.07	-8.6	-0.38	-6.3	-18.3	-46	-1.3	2.7	12.1	2.6	-19.9	0.5	1.0	2.0	
WOODVIEW BA170047																									
AW 180004	2				FB8092	119	73	64	127	104	128	73	111	64	71	73	104	104	107	96	90	107	75	99	
FB					PK 140015	45%	36%	32 %	24%	26%	-1.53	-7.8	-0.80	-10.4	-13.8	-32	-5.3	-0.3	8.1	0.3	-6.2	1.8	-2.5	-0.6	
ABSOLUTE GENETIC AW180004																									
AW 180011	2				KI 140018	108	108	78	96	86	108	108	92	78	104	104	83	90	105	101	106	95	98	104	
FB					PK 140017	53%	42%	38 %	33%	35%	0.50	6.1	-0.09	-2.7	9.3	12	6.8	2.3	7.4	0.9	4.8	0.0	-0.3	0.2	
ABSOLUTE GENETIC AW180011																									
AW 180017	4				FB8092	122	88	67	118	89	117	88	120	67	81	82	85	95	109	100	127	105	106	104	
FB					PK 140013	86%	85%	85 %	85%	84%	-0.46	-1.7	-1.13	-8.8	-6.6	-20	5.9	1.6	9.2	0.8	19.8	1.6	0.5	0.1	
ABSOLUTE GENETIC AW180017																									
AW 180047	1				148BE	105	64	76	143	91	140	64	118	76	58	57	98	87	114	115	67	69	127	125	
FB					BA 130990	91%	89%	89 %	88%	88%	-2.61	-11.5	-1.07	-4.3	-23.0	-55	-1.7	2.6	11.0	2.8	-22.7	-4.1	2.5	3.5	
ABSOLUTE GENETIC AW180047																									

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility		Carcass					
ID	Parentage	%Inbreeding		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Genomic DNA		Sire ID																			
			Dam ID																			
JAPANESE BLACK																						
AW 180082	14		BA 130823	114	79	77	130	109	134	79	110	77	72	70	111	109	115	117	74	87	96	102
FB			BA 090338	89%	87%	87 %	86%	86%	-2.06	-5.4	-0.74	-3.6	-13.1	-37	-9.0	-0.9	11.5	3.0	-17.7	-1.2	-0.5	-0.1
ABSOLUTE GENETIC VICTOR									89 %	87 %	88%	87%	87%	86%	87%	86%	89 %	88 %	89 %	88 %	88 %	87 %
PRI 180015			BA 090337	99	87	106	108	101	95	87	109	106	92	92	102	101	84	100	85	107	103	108
PBD			CWBFA 150427	45%	41%	32 %	28%	29%	1.68	-2.4	-0.73	11.8	0.9	-5	-4.0	0.5	-1.5	0.8	-10.1	1.9	0.2	0.8
PRIMGEN PRINCE									47 %	41 %	35%	32%	38%	28%	35%	23%	45 %	41 %	41 %	38 %	30 %	25 %
AW 190024	3		SMOFF0126	122	86	64	130	90	123	86	125	64	80	70	96	87	118	91	79	74	160	160
FB			BA 130990	89%	87%	87 %	87%	87%	-1.01	-2.9	-1.30	-10.4	-8.0	-36	-0.7	2.5	13.1	-0.4	-13.8	-3.2	5.6	9.0
ABSOLUTE GENETIC FIDEL									89 %	87 %	88%	87%	87%	87%	88%	86%	90 %	88 %	88 %	88 %	88 %	87 %
PRI 190079			BDWFM0546	117	83	75	124	105	112	83	105	75	85	76	98	112	116	120	98	105	122	106
FB				85%	84%	84 %	84%	84%	0.10	-3.8	-0.56	-4.6	-3.9	-28	-1.4	-1.6	12.1	3.3	-0.3	1.5	2.0	0.4
PRIMGEN PRIME TIME									85 %	84 %	84%	84%	84%	84%	84%	83%	85 %	84 %	84 %	84 %	84 %	84 %
PRI 190086	9		CCOFG0113	115	81	82	117	100	131	81	103	82	75	83	102	101	125	126	95	105	95	85
FB			BA 090338	89%	88%	88 %	87%	88%	-1.78	-4.7	-0.48	-0.7	-11.1	-19	-4.2	0.7	16.0	4.1	-2.7	1.6	-0.6	-2.9
PRIMGEN PRIME G113 JUNIOR									89 %	88 %	88%	88%	88%	87%	88%	87%	90 %	88 %	88 %	88 %	88 %	87 %
PRI 190088			PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	91	91	91	79	91	83	111
PBD			CWBFAW 170008	42%	22%	20 %	15%	24%	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190088									44 %	22 %	34%	20%	31%	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %
PRI 190089			PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	91	91	91	79	91	83	111
PBD			CWBFAW 170008	42%	22%	20 %	15%	24%	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190089									44 %	22 %	34%	20%	31%	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %
PRI 190090			PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	91	91	91	79	91	83	111
PBD			CWBFAW 170008	42%	22%	20 %	15%	24%	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190090									44 %	22 %	34%	20%	31%	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %
PRI 190118			PWYPM0775	116	97	81	106	95	111	97	116	81	91	94	90	99	126	96	88	100	81	111
PBD				88%	82%	82 %	81%	82%	0.12	1.8	-0.97	-1.4	-0.1	-2	3.1	0.5	16.2	0.3	-7.3	0.7	-1.9	1.3
PRIMGEN PRI190118									89 %	82 %	83%	82%	82%	81%	82%	81%	85 %	83 %	83 %	83 %	83 %	82 %
PRI 190501	5		PWYPM0775	116	102	73	111	93	111	102	111	73	94	89	84	99	130	114	82	82	76	98
PBD			BET 170010	81%	32%	29 %	23%	31%	0.20	3.9	-0.78	-5.6	2.1	-10	6.4	0.3	17.9	2.6	-12.2	-1.9	-2.4	-0.9
PRIMGEN 190501									89 %	32 %	48%	29%	41%	23%	41%	21%	66 %	56 %	56 %	52 %	53 %	42 %
PRI 190502	3		PWYPM0775	109	99	70	111	97	108	99	125	70	89	89	85	107	113	89	84	90	93	127
PBD			PK 140013	53%	34%	33 %	27%	34%	0.47	2.3	-1.32	-7.3	-1.4	-10	5.8	-0.7	10.9	-0.6	-10.5	-0.8	-0.7	3.9
PRIMGEN 190502									55 %	34 %	47%	33%	40%	27%	45%	22%	60 %	56 %	57 %	54 %	54 %	39 %
PRI 190504	7		PWYPM0775	115	96	74	120	96	109	96	112	74	87	80	93	99	135	107	76	85	52	86
PBD			BA 120758	72%	37%	35 %	29%	37%	0.32	1.1	-0.83	-4.9	-2.4	-23	1.4	0.3	20.3	1.6	-16.4	-1.5	-4.7	-2.6
PRIMGEN MIDNIGHT MAGIC									77 %	37 %	51%	35%	44%	29%	48%	26%	66 %	62 %	62 %	58 %	59 %	47 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Dam ID																						
JAPANESE BLACK																							
PRI 190505	10		✓	PWYPM0775	124	90	70	121	106	120	90	123	70	82	79	103	110	113	103	63	98	72	110
PBD			✓	BA 090338	-0.70	-1.0	-1.23	-7.4	-6.3	-23	-4.5	-1.2	10.6	1.1	-25.1	0.5	-2.8	1.1	59 %	59 %	56 %	54 %	43 %
PRIMGEN 190505					60 %	40 %	39 %	33 %	38 %	61 %	40 %	54 %	39 %	44 %	33 %	49 %	28 %	63 %	59 %	59 %	53 %	54 %	43 %
PRI 190507	2		✓	PWYPM0775	125	82	66	121	112	119	82	114	66	77	79	109	114	105	85	64	93	59	115
PBD			✓	PK 140015	-0.60	-4.5	-0.92	-9.3	-9.7	-24	-8.0	-2.3	7.3	-1.2	-24.4	-0.3	-4.0	2.0	54 %	54 %	51 %	50 %	38 %
PRIMGEN 190507					54 %	35 %	32 %	24 %	31 %	56 %	35 %	45 %	32 %	40 %	24 %	43 %	19 %	59 %	54 %	54 %	51 %	50 %	38 %
PRI 190508	3		✓	PWYPM0775	109	99	70	111	97	107	99	125	70	89	89	85	107	131	89	84	90	93	127
PBD			✓	PK 140013	0.52	2.4	-1.31	-7.3	-1.3	-10	5.8	-0.7	18.5	-0.6	-10.5	-0.8	-0.7	3.9	56 %	57 %	54 %	54 %	39 %
PRIMGEN MIDNIGHT SPECIAL					57 %	34 %	33 %	27 %	34 %	59 %	34 %	47 %	33 %	40 %	27 %	45 %	22 %	62 %	56 %	57 %	54 %	54 %	39 %
PRI 190509	3		✓	PWYPM0775	123	91	64	119	103	119	91	123	64	85	81	104	104	107	100	62	102	79	114
PBD				BET 170009	-0.65	-0.8	-1.24	-10.5	-4.4	-22	-5.5	-0.1	8.2	0.8	-25.9	1.1	-2.1	1.8	52 %	52 %	50 %	49 %	38 %
PRIMGEN 190509					54 %	34 %	31 %	21 %	32 %	55 %	34 %	48 %	31 %	40 %	21 %	43 %	20 %	56 %	52 %	52 %	50 %	49 %	38 %
PRI 190511	2		✓	PWYPM0775	123	84	71	128	89	122	84	122	71	74	72	87	91	113	93	55	67	111	145
PBD			✓	BA 130990	-0.94	-3.7	-1.22	-6.6	-11.7	-33	4.5	1.9	10.8	-0.1	-30.9	-4.3	0.9	6.6	59 %	59 %	55 %	56 %	44 %
PRIMGEN 190511					59 %	38 %	33 %	23 %	36 %	61 %	38 %	51 %	33 %	42 %	23 %	49 %	24 %	62 %	59 %	59 %	55 %	56 %	44 %
PRI 190512	3		✓	PWYPM0775	109	99	70	111	97	108	99	125	70	89	89	85	107	113	89	84	90	93	127
PBD			✓	PK 140013	0.47	2.3	-1.32	-7.3	-1.4	-10	5.8	-0.7	10.9	-0.6	-10.5	-0.8	-0.7	3.9	53 %	34 %	33 %	27 %	34 %
PRIMGEN 190512					53 %	34 %	33 %	27 %	34 %	55 %	34 %	47 %	33 %	40 %	27 %	45 %	22 %	60 %	56 %	57 %	54 %	54 %	39 %
PRI 190515	8		✓	PWYPM0775	107	115	85	104	108	104	115	119	85	107	96	105	109	117	97	73	105	74	106
PBD			✓	BA 120775	0.82	8.9	-1.08	0.9	11.3	1	-5.7	-1.4	12.4	0.4	-18.0	1.5	-2.6	0.5	51 %	52 %	50 %	50 %	40 %
PRIMGEN 190515					57 %	35 %	35 %	28 %	37 %	59 %	35 %	50 %	35 %	46 %	28 %	47 %	27 %	59 %	51 %	52 %	50 %	50 %	40 %
PRI 190518	4		✓	PWYPM0775	117	98	67	115	98	115	98	125	67	91	85	94	102	131	96	71	97	83	117
PBD			✓	PK 140018	-0.19	1.9	-1.33	-9.0	-0.2	-16	0.8	0.3	18.4	0.3	-20.0	0.2	-1.7	2.2	49 %	49 %	47 %	46 %	35 %
PRIMGEN 190518					56 %	38 %	32 %	21 %	30 %	59 %	38 %	44 %	32 %	40 %	21 %	40 %	20 %	60 %	49 %	49 %	47 %	46 %	35 %
PRI 190520	3		✓	PWYPM0775	109	99	70	111	97	108	99	125	70	89	89	85	107	113	89	84	90	93	127
PBD			✓	PK 140013	0.47	2.3	-1.32	-7.3	-1.4	-10	5.8	-0.7	10.9	-0.6	-10.5	-0.8	-0.7	3.9	53 %	34 %	33 %	27 %	34 %
PRIMGEN 190520					53 %	34 %	33 %	27 %	34 %	55 %	34 %	47 %	33 %	40 %	27 %	45 %	22 %	60 %	56 %	57 %	54 %	54 %	39 %
PRI 190521	3		✓	PWYPM0775	109	99	70	111	97	108	99	125	70	89	89	85	107	113	89	84	90	93	127
PBD			✓	PK 140013	0.47	2.3	-1.32	-7.3	-1.4	-10	5.8	-0.7	10.9	-0.6	-10.5	-0.8	-0.7	3.9	53 %	34 %	33 %	27 %	34 %
PRIMGEN 190521					53 %	34 %	33 %	27 %	34 %	55 %	34 %	47 %	33 %	40 %	27 %	45 %	22 %	60 %	56 %	57 %	54 %	54 %	39 %
PRI 190523	2		✓	PWYPM0775	125	82	66	121	112	119	82	114	66	77	79	109	114	105	85	64	93	59	115
PBD			✓	PK 140015	-0.60	-4.5	-0.92	-9.3	-9.7	-24	-8.0	-2.3	7.3	-1.2	-24.4	-0.3	-4.0	2.0	54 %	54 %	51 %	50 %	38 %
PRIMGEN 190523					54 %	35 %	32 %	24 %	31 %	56 %	35 %	45 %	32 %	40 %	24 %	43 %	19 %	59 %	54 %	54 %	51 %	50 %	38 %
PRI 190529	3		✓	PWYPM0775	109	99	70	111	97	108	99	125	70	89	89	85	107	129	89	84	90	93	127
PBD			✓	PK 140013	0.47	2.3	-1.32	-7.3	-1.4	-10	5.8	-0.7	17.6	-0.6	-10.5	-0.8	-0.7	3.9	53 %	34 %	33 %	27 %	34 %
PRIMGEN 190529					53 %	34 %	33 %	27 %	34 %	55 %	34 %	47 %	33 %	40 %	27 %	45 %	22 %	61 %	56 %	57 %	54 %	54 %	39 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name	Dam ID																							
JAPANESE BLACK																								
PRI 190530	2			PWYPM0775	123	84	71	128	89	122	84	122	71	74	72	87	91	113	93	55	67	111	145	
PBD				BA 130990	-0.94	-3.7	-1.22	-6.6	-11.7	-33	4.5	1.9	10.8	-0.1	-30.9	-4.3	0.9	6.6	59 %	59 %	55 %	56 %	44 %	
PRIMGEN 190530					59%	38%	33 %	23%	36%	61 %	38 %	51%	33%	42%	23%	49%	24%	62 %	59 %	59 %	55 %	56 %	44 %	
PRI 190532	2			PWYPM0775	123	84	71	128	89	122	84	122	71	74	72	87	91	113	93	55	67	111	145	
PBD				BA 130990	-0.94	-3.7	-1.22	-6.6	-11.7	-33	4.5	1.9	10.8	-0.1	-30.9	-4.3	0.9	6.6	59 %	59 %	55 %	56 %	44 %	
PRIMGEN 190532					59%	38%	33 %	23%	36%	61 %	38 %	51%	33%	42%	23%	49%	24%	62 %	59 %	59 %	55 %	56 %	44 %	
PRI 190533	8			PWYPM0775	107	115	85	104	108	104	115	119	85	107	96	105	109	117	97	73	105	74	106	
PBD				BA 120775	0.82	8.9	-1.08	0.9	11.3	1	-5.7	-1.4	12.4	0.4	-18.0	1.5	-2.6	0.5	51 %	52 %	50 %	50 %	40 %	
PRIMGEN 190533					57%	35%	35 %	28%	37%	59 %	35 %	50%	35%	46%	28%	47%	27%	59 %	51 %	52 %	50 %	50 %	40 %	
PRI 199132	8			PWYPM0775	107	115	85	104	108	104	115	119	85	107	96	105	109	117	97	73	105	74	106	
PEN				BA 120775	0.82	8.9	-1.08	0.9	11.3	1	-5.7	-1.4	12.4	0.4	-18.0	1.5	-2.6	0.5	51 %	52 %	50 %	50 %	40 %	
PRIMGEN PRI199132					57%	35%	35 %	28%	37%	59 %	35 %	50%	35%	46%	28%	47%	27%	59 %	51 %	52 %	50 %	50 %	40 %	
PRI 200025	5			CCOFG0113	107	96	99	104	99	113	96	66	99	93	96	98	103	136	119	99	92	100	92	
FB				BA 100410	-0.07	1.4	0.90	8.1	1.6	1	-1.9	0.7	20.7	3.1	-0.1	-0.5	-0.1	-1.8	87 %	87 %	86 %	86 %	86 %	
PRIMGEN GEORGE					88%	86%	86 %	85%	86%	88 %	86 %	87%	86%	86%	85%	86%	85%	88 %	87 %	87 %	86 %	86 %	86 %	
PRI 200028	10			PWYPM0775	114	94	69	121	106	111	94	122	69	85	79	103	110	113	103	63	98	72	110	
PBD				BA 090338	0.13	0.6	-1.19	-7.6	-4.1	-23	-4.5	-1.2	10.6	1.1	-25.1	0.5	-2.8	1.1	59 %	59 %	56 %	54 %	43 %	
PRIMGEN PRI200028					70%	40%	39 %	33%	38%	74 %	40 %	54%	39%	44%	33%	49%	28%	63 %	59 %	59 %	56 %	54 %	43 %	
PRI 200106	4			PWYPM0775	115	99	71	113	99	113	99	124	71	88	87	93	105	107	94	73	105	64	110	
PEN				AW 170037	0.01	2.4	-1.29	-6.9	-1.7	-12	1.3	-0.4	8.1	0.0	-18.4	1.5	-3.6	1.1	52 %	52 %	49 %	49 %	37 %	
PRIMGEN PRI200106					52%	32%	29 %	24%	30%	54 %	32 %	46%	29%	38%	24%	42%	19%	56 %	52 %	52 %	49 %	49 %	37 %	
PRI 200107	8			PWYPM0775	107	115	85	104	108	104	115	119	85	107	96	105	109	117	97	73	105	74	106	
PEN				BA 120775	0.82	8.9	-1.08	0.9	11.3	1	-5.7	-1.4	12.4	0.4	-18.0	1.5	-2.6	0.5	51 %	52 %	50 %	50 %	40 %	
PRIMGEN PRI200107					57%	35%	35 %	28%	37%	59 %	35 %	50%	35%	46%	28%	47%	27%	59 %	51 %	52 %	50 %	50 %	40 %	
PRI 200111	4			PWYPM0775	115	99	71	113	99	113	99	124	71	88	87	93	105	107	94	73	105	64	110	
PEN				AW 170037	0.01	2.4	-1.29	-6.9	-1.7	-12	1.3	-0.4	8.1	0.0	-18.4	1.5	-3.6	1.1	52 %	52 %	49 %	49 %	37 %	
PRIMGEN PRI200111					52%	32%	29 %	24%	30%	54 %	32 %	46%	29%	38%	24%	42%	19%	56 %	52 %	52 %	49 %	49 %	37 %	
PRI 200120	2			PWYPM0775	118	96	72	120	102	114	96	121	72	87	80	99	105	107	89	51	82	73	127	
PEN				AW 170038	-0.15	1.2	-1.16	-6.2	-2.6	-22	-2.2	-0.5	8.2	-0.6	-34.0	-2.0	-2.7	3.8	53 %	53 %	50 %	49 %	37 %	
PRIMGEN PRI200120					51%	31%	27 %	20%	30%	53 %	31 %	44%	27%	38%	20%	41%	19%	56 %	53 %	53 %	50 %	49 %	37 %	
PRI 200124				PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	91	91	91	79	91	83	111	
PEN					42%	22%	20 %	15%	24%	44 %	22 %	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI200124												34%	20%	31%	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %	
PRI 200130				PWYPM0775	83	106	103	96	91	82	106	112	103	104	104	90	91	122	95	74	88	95	117	
PBD				CWBFCP 140037	2.94	5.4	-0.84	10.4	9.5	12	2.8	1.9	14.8	0.2	-17.3	-1.1	-0.6	2.2	49 %	49 %	45 %	47 %	37 %	
PRIMGEN PRI200130					51%	22%	20 %	15%	24%	55 %	22 %	34%	20%	31%	15%	33%	15%	49 %	49 %	49 %	45 %	47 %	37 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
PRI 200255 FB PRIMGEN PRI200255				BA 170047 CWBFAW 170008	97 41%	89 29%	105 27 %	105 24%	88 26%	97 1.55 43 %	89 -1.5 29 %	96 -0.25 33%	105 11.6 27%	90 -0.5 28%	95 -1 24%	95 -0.1 32%	83 3.4 21%	96 3.5 42 %	99 0.7 42 %	92 -4.9 43 %	96 0.1 40 %	109 0.7 42 %	108 0.9 33 %
PRI 200501 PBD PRIMGEN 200501	1			PWYPM0775 BA 100410	109 58%	95 31%	85 34 %	112 18%	110 34%	107 0.51 60 %	95 0.7 31 %	96 -0.22 50%	85 0.9 34%	89 -1.2 36%	88 -11 18%	104 -5.1 45%	117 -2.0 23%	119 13.3 60 %	100 0.8 52 %	72 -19.3 52 %	91 -0.6 48 %	82 -1.8 48 %	113 1.7 34 %
PRI 200503 PBD PRIMGEN 200503	1			PWYPM0775 BA 100410	109 58%	95 31%	85 34 %	112 18%	110 34%	107 0.51 60 %	95 0.7 31 %	96 -0.22 50%	85 0.9 34%	89 -1.2 36%	88 -11 18%	104 -5.1 45%	117 -2.0 23%	119 13.3 60 %	100 0.8 52 %	72 -19.3 52 %	91 -0.6 48 %	82 -1.8 48 %	113 1.7 34 %
PRI 200507 PBD PRIMGEN 200507	1			PWYPM0775 BA 100410	109 58%	95 31%	85 34 %	112 18%	110 34%	107 0.51 60 %	95 0.7 31 %	96 -0.22 50%	85 0.9 34%	89 -1.2 36%	88 -11 18%	104 -5.1 45%	117 -2.0 23%	119 13.3 60 %	100 0.8 52 %	72 -19.3 52 %	91 -0.6 48 %	82 -1.8 48 %	113 1.7 34 %
PRI 200508 PBD PRIMGEN PRI200508	1			PWYPM0775 BA 100410	109 58%	95 31%	85 34 %	112 18%	110 34%	107 0.51 60 %	95 0.7 31 %	96 -0.22 50%	85 0.9 34%	89 -1.2 36%	88 -11 18%	104 -5.1 45%	117 -2.0 23%	119 13.3 60 %	100 0.8 52 %	72 -19.3 52 %	91 -0.6 48 %	82 -1.8 48 %	113 1.7 34 %
PRI 200513 PBD PRIMGEN PRI200513	1			PWYPM0775 BA 150497	126 49%	95 28%	84 27 %	108 22%	108 28%	122 -0.89 51 %	95 0.9 28 %	115 -0.93 42%	84 0.1 27%	91 0.3 35%	92 -5 22%	107 -7.2 39%	108 -1.0 18%	103 6.5 55 %	88 -0.8 49 %	81 -12.6 49 %	83 -1.8 46 %	87 -1.3 46 %	118 2.3 35 %
PRI 200601 FB PRIMGEN FB M546 200601				BDWFM0546 CWBFAW 180088	116 85%	90 84%	74 84 %	119 84%	115 84%	112 0.10 85 %	90 -1.2 84 %	117 -1.03 84%	74 -5.2 84%	88 -2.3 84%	81 -21 84%	104 -5.5 84%	123 -3.5 83%	107 8.1 84 %	112 2.3 84 %	98 -0.8 84 %	114 2.9 84 %	108 0.6 84 %	105 0.4 83 %
PRI 205014 FB PRIMGEN PRI205014				BDWFM0495 CWBFAW 170042	91 53%	84 40%	107 39 %	108 36%	91 30%	93 1.90 56 %	84 -3.5 40 %	91 -0.03 43%	107 12.4 39%	88 -1.7 43%	92 -5 36%	87 4.8 39%	97 1.4 20%	125 16.1 49 %	102 1.1 46 %	107 5.8 46 %	95 0.0 44 %	110 0.9 40 %	103 -0.1 30 %
PRI 205021 FB PRIMGEN PRI205021	7			FB2501 LMR0140X	123 47%	92 43%	64 39 %	124 33%	83 34%	118 -0.53 48 %	92 -0.2 43 %	117 -1.02 42%	64 -10.5 39%	85 -4.2 41%	76 -28 33%	78 9.7 42%	90 2.6 25%	102 5.9 52 %	122 3.6 45 %	72 -18.9 46 %	109 2.1 44 %	82 -1.8 42 %	95 -1.2 32 %
PRI 205026 PBD PRIMGEN PRI205026	1			PB17438 CCCFD0390	123 33%	101 27%	76 28 %	112 14%	105 21%	116 -0.32 35 %	101 3.5 27 %	111 -0.79 26%	76 -3.8 28%	97 4.1 27%	88 -11 14%	98 -1.5 28%	113 -1.5 14%	109 9.0 42 %	94 0.0 28 %	84 -10.2 33 %	109 2.2 30 %	103 0.2 31 %	114 1.8 20 %
PRI 205029 PBD PRIMGEN PRI205029	1			PB17438 WESFA0067	119 49%	92 31%	72 30 %	115 19%	100 24%	126 -1.33 54 %	92 -0.4 31 %	122 -1.21 28%	72 -6.4 30%	90 -0.9 32%	85 -16 19%	96 -0.4 33%	106 -0.2 16%	133 19.2 51 %	98 0.5 34 %	70 -20.6 38 %	113 2.8 35 %	86 -1.4 35 %	112 1.4 24 %
PRI 205031 FB PRIMGEN PRI205031	1			148BE LMR783T	121 55%	86 55%	66 53 %	127 50%	99 49%	125 -1.16 55 %	86 -2.6 55 %	122 -1.22 53%	66 -9.3 53%	78 -9.3 55%	73 -33 50%	99 -2.4 55%	100 0.3 43%	106 7.7 58 %	123 3.7 54 %	61 -27.1 56 %	106 1.6 55 %	104 0.3 55 %	112 1.4 49 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	DNA		Dam ID																				
JAPANESE BLACK																							
PRI 209007 FB PRIMGEN BOND	3  CCOFG0113 AACFJ0532				115 85%	85 84%	89 83 %	116 83%	84 83%	129 -1.59 85 %	85 -3.0 84 %	96 -0.24 84%	89 3.1 83%	79 -8.1 84%	84 -16 83%	85 5.9 84%	87 3.0 82%	113 10.8 85 %	111 2.2 84 %	102 2.3 84 %	101 1.0 84 %	110 0.9 84 %	101 -0.2 83 %
PRI 209017 PBD PRIMGEN PRI209017	 PWYPM0775  CWBFCP 140037				95 42%	101 22%	104 20 %	96 15%	91 24%	93 1.91 44 %	101 3.4 22 %	113 -0.88 34%	104 10.7 20%	101 6.8 31%	104 12 15%	90 2.8 33%	91 1.9 15%	91 1.2 44 %	91 -0.4 44 %	79 -14.1 44 %	91 -0.7 41 %	83 -1.7 42 %	111 1.3 32 %
PRI 210056 PEN PRIMGEN FB 210056	3 BA 130823 AW 180062				107 66%	107 44%	82 34 %	113 28%	107 36%	104 0.84 71 %	107 5.6 44 %	101 -0.42 48%	82 -1.0 34%	98 4.7 38%	87 -13 28%	102 -4.2 46%	112 -1.5 25%	107 8.4 56 %	111 2.2 50 %	101 1.3 52 %	78 -2.6 50 %	121 1.9 47 %	110 1.2 38 %
PRI 210073 PBD PRIMGEN PB 210073	1  BA 130823 PRI 180007				121 65%	102 44%	98 34 %	102 27%	99 34%	114 -0.17 70 %	102 3.9 44 %	107 -0.64 48%	98 7.6 34%	99 5.4 35%	98 3 27%	95 -0.2 42%	102 0.1 25%	97 3.7 54 %	107 1.7 51 %	91 -5.3 50 %	72 -3.5 49 %	107 0.6 46 %	104 0.2 38 %
PRI 210134 FB PRIMGEN FB 210134	6 AW 190042 AW 190010				109 64%	99 33%	70 31 %	117 28%	106 30%	104 0.86 70 %	99 2.4 33 %	110 -0.76 41%	70 -7.3 31%	91 -0.2 34%	83 -18 28%	98 -1.9 39%	113 -1.8 21%	120 13.7 48 %	114 2.6 44 %	94 -3.2 43 %	90 -0.7 40 %	136 3.4 42 %	127 3.9 33 %
PRI 210136 PBD PRIMGEN PB 210136	 PWYPM0775  CWBFAW 180088				95 42%	101 22%	104 20 %	96 15%	91 24%	93 1.91 44 %	101 3.4 22 %	113 -0.88 34%	104 10.7 20%	101 6.8 31%	104 12 15%	90 2.8 33%	91 1.9 15%	91 1.2 44 %	91 -0.4 44 %	79 -14.1 44 %	91 -0.7 41 %	83 -1.7 42 %	111 1.3 32 %
PRI 210607 FB PRIMGEN FB M546 210607	 BDWFM0546 CWBFAW 180078				121 85%	83 85%	71 84 %	122 84%	112 84%	118 -0.48 85 %	83 -3.9 85 %	122 -1.22 84%	71 -6.4 84%	78 -8.7 84%	78 -26 84%	100 -2.9 84%	121 -3.1 84%	107 8.0 85 %	129 4.4 84 %	104 3.8 84 %	101 1.0 84 %	126 2.4 84 %	104 0.1 84 %
PRI 220020 PEN PRIMGEN FB 220020	2 BA 130823 AW 180009				110 65%	85 41%	87 31 %	122 28%	108 34%	132 -1.92 70 %	85 -3.1 41 %	92 -0.09 47%	87 2.0 31%	85 -4.0 35%	78 -25 28%	101 -3.5 44%	113 -1.7 25%	95 3.1 54 %	110 2.1 52 %	75 -16.7 52 %	72 -3.5 49 %	83 -1.7 48 %	99 -0.6 39 %
PRI 220095 PEN PRIMGEN PB 220095	PRI 190501				91 40%	105 16%	106 14 %	92 12%	89 16%	90 2.18 44 %	105 4.8 16 %	102 -0.45 24%	106 11.9 14%	105 9.7 20%	108 17 12%	89 3.7 21%	89 2.2 10%	103 6.5 33 %	99 0.7 28 %	97 -1.1 28 %	88 -1.1 26 %	91 -0.9 27 %	99 -0.6 21 %
PRI 220115 PEN PRIMGEN FB 220115	3 BA 130823 AW 180084				123 67%	98 45%	76 37 %	110 34%	104 38%	116 -0.36 72 %	98 2.1 45 %	110 -0.76 49%	76 -3.9 37%	89 -1.4 40%	90 -8 34%	91 2.2 48%	114 -1.8 28%	103 6.4 57 %	120 3.4 55 %	94 -3.4 55 %	71 -3.8 53 %	105 0.4 52 %	103 0.0 43 %
PRI 220130 PBD PRIMGEN PB 220130	14 PRI 190501 PRI 190083				113 60%	99 19%	88 18 %	104 14%	92 22%	109 0.36 67 %	99 2.5 19 %	116 -0.98 33%	88 2.5 18%	95 2.7 26%	96 1 14%	88 4.2 30%	96 1.1 13%	121 14.2 41 %	102 1.1 35 %	80 -13.1 35 %	87 -1.3 33 %	80 -2.0 34 %	104 0.2 26 %
PRI 220151 PBD PRIMGEN PB 220151	4 BA 170047 PRI 180007				103 63%	96 36%	90 34 %	111 25%	90 30%	100 1.22 68 %	96 1.3 36 %	102 -0.44 44%	90 3.5 34%	91 0.0 32%	89 -10 25%	92 1.9 37%	89 2.4 23%	106 7.9 50 %	102 1.0 47 %	90 -6.0 47 %	97 0.3 44 %	114 1.3 44 %	114 1.7 34 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
PRI 230014	17			PRI 190501	115	100	75	113	93	110	100	107	75	92	87	88	98	126	105	79	87	80	106
PEN				PRI 210602	0.28	2.8				0.28	2.8	-0.66	-4.4	0.8	-12	4.1	0.8	16.4	1.4	-14.1	-1.2	-2.0	0.5
PRIMGEN 230014					59%	21%	20 %	16%	23%	65 %	21 %	34%	20%	27%	16%	32%	14%	43 %	37 %	37 %	35 %	35 %	28 %
PRI 230016	14			PRI 190518	123	89	66	118	104	119	89	121	66	83	82	100	107	121	90	67	95	71	116
PEN				PRI 190517	-0.61	-1.6				-0.61	-1.6	-1.16	-9.2	-5.5	-20	-2.8	-0.9	14.1	-0.4	-22.2	0.0	-2.8	2.1
PRIMGEN 230016					55%	26%	23 %	16%	23%	61 %	26 %	34%	23%	28%	16%	32%	14%	44 %	37 %	37 %	35 %	34 %	26 %
PRI 230025	2			PRI 190118	114	94	75	113	91	110	94	115	75	88	87	86	97	119	98	98	101	89	108
PEN				AW 180007	0.30	0.5				0.30	0.5	-0.96	-4.3	-2.3	-13	5.5	1.0	13.4	0.5	-0.4	0.9	-1.2	0.8
PRIMGEN 230025					60%	20%	19 %	15%	19%	66 %	20 %	35%	19%	22%	15%	25%	13%	42 %	33 %	33 %	31 %	31 %	23 %
PRI 230038	3			PRI 205029	124	98	77	110	99	117	98	106	77	94	90	97	102	126	106	85	108	92	102
PEN				PRI 205030	-0.45	1.9				-0.45	1.9	-0.60	-3.2	2.5	-8	-1.2	0.3	16.3	1.5	-10.1	2.0	-0.8	-0.2
PRIMGEN W04 FB 230038					54%	25%	24 %	15%	20%	61 %	25 %	28%	24%	27%	15%	29%	12%	38 %	27 %	28 %	26 %	27 %	21 %
PRI 230039	2			PRI 190118	119	92	75	114	108	114	92	104	75	88	86	104	111	122	84	89	95	98	127
PBD				AW 190028	-0.11	-0.1				-0.11	-0.1	-0.52	-4.7	-1.7	-14	-5.1	-1.7	14.6	-1.2	-6.7	0.0	-0.3	3.8
PRIMGEN PB 230039					70 %	25 %	24 %	21%	22%	70 %	25 %	36%	24%	28%	21%	29%	15%	42 %	34 %	34 %	32 %	31 %	24 %
PRI 230047	4			BA 130823	117	100	77	119	111	112	100	105	77	93	81	112	113	104	119	73	77	103	107
PEN				AW 180064	0.07	2.8				0.07	2.8	-0.56	-3.2	1.4	-21	-9.7	-1.5	7.0	3.2	-18.5	-2.7	0.2	0.6
PRIMGEN FB 230047					67%	45%	34 %	30%	36%	72 %	45 %	50%	34%	37%	30%	46%	27%	55 %	49 %	51 %	49 %	48 %	38 %
PRI 230050	13			PRI 190118	118	94	92	101	93	115	94	121	92	91	99	90	95	117	94	84	95	82	111
PEN				PRI 200016	-0.21	0.5				-0.21	0.5	-1.18	4.6	0.3	5	3.0	1.2	12.3	0.0	-10.7	0.0	-1.8	1.3
PRIMGEN F2 230050					58%	15%	14 %	10%	17%	66 %	15 %	29%	14%	22%	10%	24%	10%	38 %	31 %	31 %	29 %	30 %	23 %
PRI 230065	7			BA 130823	96	80	85	122	101	148	80	116	85	77	78	100	103	108	106	78	75	89	104
PEN				AW 180053	-3.40	-5.3				-3.40	-5.3	-0.99	0.7	-9.6	-26	-3.0	0.2	8.4	1.5	-14.7	-3.1	-1.1	0.2
PRIMGEN FB M 230065					69%	47%	38 %	33%	38%	73 %	47 %	52%	38%	40%	33%	48%	28%	57 %	54 %	54 %	52 %	50 %	41 %
PRI 240002	2			PRI 190501	117	98	72	111	98	111	98	113	72	92	89	89	105	124	116	92	92	100	101
PBD				PRI 210605	0.13	2.3				0.13	2.3	-0.88	-6.3	1.1	-10	3.5	-0.6	15.4	2.8	-4.6	-0.5	-0.1	-0.3
PRIMGEN PRI240002					43%	20%	19 %	17%	20%	47 %	20 %	27%	19%	24%	17%	29%	12%	39 %	31 %	31 %	28 %	29 %	23 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
BA 130851 1 148BE				118	87	83	120	110	115	87	124	83	83	80	115	106	115	116	82	93	84	88
F3 BA 110499									-0.23	-2.2	-1.27	-0.3	-5.8	-23	-11.9	-0.6	11.5	2.9	-11.8	-0.2	-1.6	-2.4
WOODVIEW BA 130851				80 %	58 %	61 %	55 %	53 %	81 %	58 %	78 %	61 %	54 %	55%	62%	44%	72 %	68 %	67 %	63 %	63 %	54 %
AW 180052 4 OVE 080002				109	77	83	126	95	137	77	114	83	76	74	101	92	114	87	84	102	82	111
FB BA 130880									-2.33	-6.3	-0.92	-0.2	-10.2	-30	-3.7	1.9	11.4	-0.9	-10.8	1.0	-1.8	1.3
ABSOLUTE GENETIC AW180052				65 %	55 %	54 %	42 %	44 %	66 %	55 %	63 %	54 %	52 %	42%	59%	30%	64 %	54 %	54 %	53 %	47 %	37 %
AW 180054 5 BA 100389				113	93	82	111	109	108	93	104	82	89	89	102	115	111	80	104	87	83	112
FB PK 140013									0.43	0.2	-0.55	-0.6	-1.1	-10	-4.1	-2.2	9.8	-1.7	3.5	-1.2	-1.7	1.5
ABSOLUTE GENETIC AW180054				59 %	34 %	34 %	29 %	36 %	59 %	34 %	57 %	34 %	31 %	29%	48%	25%	60 %	51 %	51 %	47 %	46 %	33 %
AW 180059 BA 150382				91	121	77	94	140	91	121	98	77	110	106	126	148	128	84	108	90	110	120
PBD PK 140007									2.07	11.2	-0.32	-3.3	13.7	14	-17.7	-8.2	17.2	-1.2	6.7	-0.7	0.8	2.7
ABSOLUTE GENETIC AW180059				87 %	84 %	84 %	83 %	84 %	87 %	84 %	87 %	84 %	84 %	83%	85%	83%	87 %	85 %	85 %	85 %	84 %	84 %
PRI 180004 BA 130988				125	86	93	113	108	118	86	112	93	83	87	105	111	100	91	100	101	89	103
PBD BA 140106									-0.55	-2.9	-0.84	5.1	-5.8	-13	-5.7	-1.5	5.3	-0.4	0.8	0.9	-1.1	0.0
PRIMGEN DEMELZA				69 %	43 %	35 %	26 %	36 %	72 %	43 %	56 %	35 %	36 %	26%	47%	24%	57 %	54 %	53 %	49 %	51 %	42 %
PRI 180020 1 BA 090327				103	73	54	137	98	140	73	120	54	68	63	86	108	118	110	72	121	84	105
FB BA 130854									-2.67	-7.9	-1.14	-15.9	-16.0	-47	5.4	-0.9	12.9	2.1	-18.9	4.0	-1.7	0.4
PRIMGEN SNOWFLAKE				73 %	51 %	49 %	41 %	46 %	76 %	51 %	61 %	49 %	48 %	41%	58%	34%	65 %	56 %	57 %	55 %	53 %	37 %
AW 190007 3 SMOFF0126				123	90	66	129	87	125	90	116	66	83	71	85	90	122	88	94	78	146	150
FB BA 130990									-1.15	-1.0	-0.97	-9.6	-5.5	-36	5.8	2.2	14.7	-0.7	-3.5	-2.6	4.3	7.5
ABSOLUTE GENETIC AW190007				89 %	88 %	87 %	87 %	88 %	89 %	88 %	89 %	87 %	88 %	87%	88%	87%	90 %	89 %	89 %	88 %	88 %	87 %
AW 190028 5 SMOFF0126				113	90	68	123	122	112	90	91	68	88	77	118	125	118	71	90	90	114	143
FB PK 140015									0.10	-1.2	-0.05	-8.1	-2.1	-26	-13.4	-3.9	12.9	-2.8	-6.0	-0.8	1.3	6.3
ABSOLUTE GENETIC AW190028				88 %	86 %	86 %	85 %	86 %	88 %	86 %	87 %	86 %	86 %	85%	86%	85%	88 %	87 %	87 %	86 %	86 %	85 %
PAL 190014 BA 130823				97	101	113	96	98	97	101	95	113	103	104	99	97	94	117	79	79	123	108
F1									1.48	3.4	-0.18	15.6	8.2	12	-2.2	1.1	2.8	2.9	-14.2	-2.5	2.1	0.8
PRINSTINE PAL190014				53 %	38 %	28 %	26 %	30 %	54 %	38 %	48 %	28 %	30 %	26%	38%	23%	52 %	52 %	51 %	49 %	49 %	41 %
PAL 190017 BA 130823				101	100	113	96	98	100	100	98	113	102	104	99	97	94	105	93	71	101	99
F1									1.24	3.1	-0.32	15.5	7.8	12	-2.2	1.1	2.6	1.4	-4.3	-3.7	0.0	-0.6
PRINSTINE PAL190017				53 %	38 %	28 %	26 %	30 %	54 %	38 %	48 %	28 %	30 %	26%	38%	23%	50 %	47 %	47 %	45 %	44 %	37 %
PAL 190024 BA 130823				109	99	112	96	98	104	99	105	112	101	104	99	97	94	99	86	70	76	92
F1									0.81	2.5	-0.59	15.2	6.8	12	-2.2	1.1	2.7	0.7	-9.3	-3.9	-2.4	-1.7
PRINSTINE PAL190024				51 %	38 %	28 %	26 %	30 %	52 %	38 %	48 %	28 %	30 %	26%	38%	23%	52 %	49 %	49 %	47 %	47 %	39 %
PAL 190028 BA 130823				107	99	112	96	98	103	99	104	112	101	104	99	97	92	105	93	71	101	99
F1									0.91	2.7	-0.53	15.3	7.0	12	-2.2	1.1	2.0	1.4	-4.3	-3.7	0.0	-0.6
PRINSTINE PAL190028				53 %	38 %	28 %	26 %	30 %	54 %	38 %	48 %	28 %	30 %	26%	38%	23%	52 %	47 %	47 %	45 %	44 %	37 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
PAL 190043 ✓ BA 130823				109	99	112	96	98	105	99	106	112	101	104	99	97	99	105	93	71	101	99
F1				53 %	38 %	28 %	26 %	30 %	0.79	2.5	-0.60	15.2	6.8	12	-2.2	1.1	4.9	1.4	-4.3	-3.7	0.0	-0.6
PRINSTINE PAL190043				54 %	38 %	28 %	26 %	30 %	54 %	38 %	48 %	28 %	30 %	26%	38%	23%	52 %	47 %	47 %	45 %	44 %	37 %
PAL 190045 ✓ BA 130823				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1				46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRINSTINE PAL190045				48 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
PAL 190067 ✓ AW 170010				112	97	109	92	86	108	97	117	109	97	108	85	88	93	100	98	85	112	109
F1				40 %	23 %	20 %	20 %	17 %	0.45	1.6	-1.03	13.4	4.6	17	5.6	2.6	2.4	0.7	-0.3	-1.5	1.0	1.0
PRINSTINE PAL190067				40 %	23 %	20 %	20 %	17 %	40 %	23 %	40 %	20 %	21 %	20%	22%	12%	40 %	32 %	32 %	29 %	24 %	18 %
PRI 190023 ✓ PWYPM0775				95	101	104	96	91	93	101	113	104	101	104	90	92	107	85	86	88	92	117
F1				54 %	22 %	20 %	15 %	24 %	1.94	3.5	-0.86	10.7	6.9	12	2.8	1.9	8.0	-1.1	-9.1	-1.0	-0.9	2.2
PRIMGEN PRI190023				54 %	22 %	20 %	15 %	24 %	54 %	22 %	52 %	20 %	31 %	15%	33%	15%	52 %	49 %	49 %	45 %	48 %	32 %
PRI 190026 ✓ PWYPM0775				86	104	105	96	91	85	104	101	105	103	104	90	92	111	91	79	91	83	111
F1				49 %	22 %	20 %	15 %	24 %	2.65	4.4	-0.43	11.1	8.4	12	2.8	1.9	9.8	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190026				49 %	22 %	20 %	15 %	24 %	50 %	22 %	44 %	20 %	31 %	15%	33%	15%	52 %	44 %	44 %	41 %	42 %	32 %
PRI 190045 2 ✓ PWYPM0775 ✓ AW 160010				107	79	71	125	95	133	79	136	71	74	75	90	100	120	88	64	96	71	119
PBD				57 %	36 %	34 %	24 %	36 %	-1.98	-5.4	-1.73	-6.7	-11.6	-29	3.2	0.6	13.8	-0.7	-24.5	0.1	-2.9	2.5
PRIMGEN PRI190045				57 %	36 %	34 %	24 %	36 %	58 %	36 %	53 %	34 %	40 %	24%	51%	22%	60 %	53 %	53 %	51 %	50 %	38 %
PRI 190047 ✓ PWYPM0775 ✓ CWBFWB 160002				98	100	103	96	91	97	100	119	103	99	104	90	92	115	91	79	91	83	111
PBD				53 %	22 %	20 %	15 %	24 %	1.55	3.0	-1.10	10.5	6.0	12	2.8	1.9	11.7	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN MIDNIGHT MILAH				53 %	22 %	20 %	15 %	24 %	54 %	22 %	50 %	20 %	31 %	15%	33%	15%	52 %	44 %	44 %	41 %	42 %	32 %
PRI 190073 ✓ PWYPM0775 ✓ CWBFAW 170070				100	99	103	96	91	100	99	124	103	99	104	90	92	114	91	79	91	83	111
F1				49 %	22 %	20 %	15 %	24 %	1.27	2.6	-1.28	10.3	5.4	12	2.8	1.9	11.2	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190073				49 %	22 %	20 %	15 %	24 %	50 %	22 %	44 %	20 %	31 %	15%	33%	15%	51 %	44 %	44 %	41 %	42 %	32 %
PRI 190083 ✓ PWYPM0775 ✓ CWBFAW 170008				98	100	103	96	92	97	100	120	103	99	104	91	93	112	91	79	91	83	111
PBD				49 %	22 %	20 %	15 %	30 %	1.50	2.9	-1.14	10.4	5.9	12	2.1	1.9	10.5	-0.4	-14.1	-0.7	-1.7	1.3
PRIMGEN PRI190083				49 %	22 %	20 %	15 %	30 %	50 %	22 %	45 %	20 %	31 %	15%	45%	15%	48 %	44 %	44 %	41 %	42 %	32 %
PRI 190140 ✓ BA 130823				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1				46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI190140				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
PRI 190506 10 ✓ PWYPM0775 ✓ BA 090338				120	89	69	121	106	124	89	128	69	81	79	103	109	123	103	63	98	72	110
PBD				63 %	40 %	39 %	33 %	40 %	-1.05	-1.4	-1.45	-7.6	-7.1	-23	-4.5	-1.2	15.1	1.1	-25.1	0.5	-2.8	1.1
PRIMGEN 190506				63 %	40 %	39 %	33 %	40 %	64 %	40 %	59 %	39 %	44 %	33%	53%	28%	66 %	59 %	59 %	56 %	54 %	43 %
PRI 199127 ✓ BA 130823 CWBFASHLEY9				97	101	113	96	98	97	101	94	113	103	104	99	97	107	107	97	73	96	93
F1				52 %	38 %	28 %	26 %	30 %	1.50	3.4	-0.17	15.6	8.3	12	-2.2	1.1	8.4	1.6	-1.5	-3.4	-0.5	-1.6
PRIMGEN PRI199127				52 %	38 %	28 %	26 %	30 %	53 %	38 %	48 %	28 %	30 %	26%	38%	23%	52 %	52 %	51 %	49 %	49 %	41 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
PAL 200004  AW 170005				81	106	109	92	88	85	106	87	109	106	108	87	90	100	109	104	75	99	94
F1				44 %	22 %	19 %	15 %	18 %	2.65	5.4	0.12	13.7	10.9	18	4.5	2.3	5.2	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200004				44 %	22 %	19 %	15 %	18 %	45 %	22 %	42 %	19 %	21 %	15%	23%	12%	47 %	40 %	40 %	37 %	33 %	24 %
PAL 200013  AW 170005				82	106	109	92	88	86	106	87	109	106	108	87	90	95	109	104	75	99	94
F1				44 %	22 %	19 %	15 %	18 %	2.63	5.4	0.11	13.7	10.8	18	4.5	2.3	2.9	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200013				44 %	22 %	19 %	15 %	18 %	45 %	22 %	42 %	19 %	21 %	15%	23%	12%	45 %	40 %	40 %	37 %	33 %	24 %
PAL 200017  AW 170005				95	104	108	92	88	94	104	100	108	104	108	87	90	94	109	104	75	99	94
F1				44 %	22 %	19 %	15 %	18 %	1.83	4.4	-0.39	13.2	9.1	18	4.5	2.3	2.8	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200017				44 %	22 %	19 %	15 %	18 %	45 %	22 %	42 %	19 %	21 %	15%	23%	12%	46 %	40 %	40 %	37 %	33 %	24 %
PAL 200023  AW 170005				92	104	109	92	88	92	104	97	109	105	108	87	90	94	113	99	73	111	100
F1				51 %	22 %	19 %	15 %	18 %	2.03	4.7	-0.26	13.3	9.6	18	4.5	2.3	2.8	2.5	0.2	-3.5	0.9	-0.5
PRINSTINE PAL200023				51 %	22 %	19 %	15 %	18 %	51 %	22 %	50 %	19 %	21 %	15%	23%	12%	46 %	46 %	46 %	41 %	41 %	31 %
PAL 200026  AW 170005				80	107	109	92	88	84	107	85	109	107	108	87	90	94	109	104	75	99	94
F1				44 %	22 %	19 %	15 %	18 %	2.74	5.6	0.18	13.8	11.1	18	4.5	2.3	2.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200026				44 %	22 %	19 %	15 %	18 %	45 %	22 %	42 %	19 %	21 %	15%	23%	12%	46 %	40 %	40 %	37 %	33 %	24 %
PAL 200030  AW 170005				88	105	109	92	88	89	105	93	109	105	108	87	90	86	109	104	75	99	94
F1				35 %	22 %	19 %	15 %	18 %	2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200030				35 %	22 %	19 %	15 %	18 %	36 %	22 %	30 %	19 %	21 %	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
PAL 200038  AW 170005				88	105	109	92	88	89	105	93	109	105	108	87	90	86	109	104	75	99	94
F1				35 %	22 %	19 %	15 %	18 %	2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200038				35 %	22 %	19 %	15 %	18 %	36 %	22 %	30 %	19 %	21 %	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
PAL 200050  AW 170005				88	105	109	92	88	89	105	93	109	105	108	87	90	86	109	104	75	99	94
F1				35 %	22 %	19 %	15 %	18 %	2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200050				35 %	22 %	19 %	15 %	18 %	36 %	22 %	30 %	19 %	21 %	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
PRI 200009    SMOFF0154				124	79	70	125	121	124	79	114	70	72	75	111	127	113	133	101	103	100	89
FB				88 %	87 %	87 %	86 %	86 %	-1.06	-5.7	-0.93	-7.2	-13.0	-30	-9.3	-4.4	10.6	5.0	1.3	1.2	-0.1	-2.3
PRIMGEN PRI200009				88 %	87 %	87 %	86 %	86 %	88 %	87 %	87 %	87 %	87 %	86%	87%	86%	88 %	87 %	88 %	87 %	87 %	87 %
PRI 200047  BA 170047				97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1				41 %	29 %	27 %	24 %	26 %	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN PRI200047				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
PRI 200048  AW 170013				95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125
F1				32 %	23 %	19 %	14 %	18 %	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6
PRIMGEN PRI200048				32 %	23 %	19 %	14 %	18 %	34 %	23 %	26 %	19 %	26 %	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %
PRI 200113  AW 170025				96	87	106	104	93	97	87	93	106	89	96	92	94	111	93	95	102	93	107
F1				44 %	28 %	27 %	23 %	21 %	1.52	-2.2	-0.10	12.0	-1.1	1	1.6	1.6	10.1	-0.1	-2.4	1.2	-0.8	0.6
PRIMGEN PRI200113				44 %	28 %	27 %	23 %	21 %	45 %	28 %	42 %	27 %	30 %	23%	27%	15%	43 %	35 %	37 %	34 %	35 %	23 %

WAGYU Cows

Inbreeding >6% is high			<75		75 - 125	>125	Breeding values with an accuracy < 5% are not printed														
Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																					
PRI 200114	4	PWYPM0775	115	99	71	113	99	113	99	124	71	88	87	93	105	107	94	73	105	64	110
PEN		AW 170037	0.01	2.4				-1.29	-6.9	-1.7	-12	1.3	-0.4	8.1	0.0	-18.4	1.5	-3.6			
PRIMGEN PRI200114			52 %	32 %	29 %	24 %	30 %	54 %	32 %	46 %	29 %	38 %	24%	42%	19%	56 %	52 %	52 %	49 %	49 %	37 %
PRI 200117		PWYPM0775	96	101	104	96	91	94	101	115	104	100	104	90	92	115	91	79	91	83	111
PEN			1.80	3.3				-0.95	10.6	6.6	12	2.8	1.9	11.5	-0.4	-14.1	-0.7	-1.7			
PRIMGEN PRI200117			49 %	22 %	20 %	15 %	24 %	50 %	22 %	44 %	20 %	31 %	15%	33%	15%	50 %	44 %	44 %	41 %	42 %	32 %
PRI 200121		AW 170020	85	96	112	100	95	89	96	85	112	98	100	102	91	113	89	94	93	108	114
F1		CWBFKLIPS98	2.31	1.1				0.17	14.9	4.9	7	-4.1	2.2	10.6	-0.6	-3.8	-0.3	0.7	1.8		
PRIMGEN PRI200121			43 %	23 %	19 %	13 %	18 %	44 %	23 %	40 %	19 %	26 %	13%	24%	12%	42 %	36 %	37 %	35 %	35 %	24 %
PRI 200145		AW 170019	98	100	109	95	96	96	100	103	109	101	105	102	93	112	85	89	87	91	112
F1		CWBFANGUS49	1.63	2.9				-0.51	13.3	7.3	13	-4.1	1.8	10.3	-1.1	-7.2	-1.2	-0.9	1.4		
PRIMGEN PRI200145			42 %	23 %	19 %	13 %	18 %	42 %	23 %	40 %	19 %	22 %	13%	23%	12%	44 %	37 %	36 %	34 %	32 %	21 %
PRI 200162		BA 170047	88	91	106	105	88	91	91	87	106	92	95	95	84	114	99	92	96	109	108
FB		CWBFAW 170021	2.11	-0.8				0.10	11.9	0.7	-1	-0.1	3.4	11.4	0.7	-4.9	0.1	0.7	0.9		
PRIMGEN PRI200162			49 %	29 %	27 %	24 %	26 %	44 %	27 %	44 %	27 %	28 %	24%	32%	21%	47 %	42 %	43 %	40 %	42 %	33 %
PRI 200177		AW 170019	96	100	109	95	96	95	100	101	109	102	105	102	93	94	85	89	87	91	112
F1		CWBFANGUS21*	1.76	3.0				-0.43	13.4	7.6	13	-4.1	1.8	2.6	-1.1	-7.2	-1.2	-0.9	1.4		
PRIMGEN PRI200177			31 %	23 %	19 %	13 %	18 %	32 %	23 %	27 %	19 %	22 %	13%	23%	12%	38 %	37 %	36 %	34 %	32 %	21 %
PRI 200233		KI 140021	97	96	107	101	95	94	96	105	107	100	99	102	91	108	80	75	89	71	113
F1			1.80	1.2				-0.56	12.6	6.3	5	-3.9	2.2	8.7	-1.7	-16.6	-1.0	-2.9			
PRIMGEN PRI200233			46 %	29 %	27 %	24 %	22 %	46 %	29 %	44 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
PRI 200261		PWYPM0775	95	101	104	96	91	92	101	112	104	101	104	90	92	117	91	79	91	83	111
F1		CWBFAW1177	1.99	3.5				-0.83	10.7	7.0	12	2.8	1.9	12.3	-0.4	-14.1	-0.7	-1.7	1.3		
PRIMGEN PRI200261			49 %	22 %	20 %	15 %	24 %	50 %	22 %	44 %	20 %	31 %	15%	33%	15%	48 %	44 %	44 %	41 %	42 %	32 %
PRI 200262		PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	91	91	79	91	83	111
F1		CWBFANG US6028	1.91	3.4				-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3		
PRIMGEN PRI200262			42 %	22 %	20 %	15 %	24 %	44 %	22 %	34 %	20 %	31 %	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %
PRI 200263		BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1		CWBFPRI ANGUS1	1.55	-1.5				-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9		
PRIMGEN PRI200263			41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
PRI 200266		PWYPM0775	97	100	103	96	91	96	100	118	103	100	104	90	92	114	91	79	91	83	111
F1		CWBFFT9	1.62	3.1				-1.06	10.5	6.2	12	2.8	1.9	11.3	-0.4	-14.1	-0.7	-1.7	1.3		
PRIMGEN PRI200266			49 %	22 %	20 %	15 %	24 %	50 %	22 %	45 %	20 %	31 %	15%	33%	15%	48 %	44 %	44 %	41 %	42 %	32 %
PRI 200273		AW 170025	101	86	106	104	93	100	86	97	106	88	96	92	94	116	93	95	102	93	107
F1		CWBFKL IPS177	1.23	-2.6				-0.28	11.8	-1.7	1	1.6	1.6	12.1	-0.1	-2.4	1.2	-0.8	0.6		
PRIMGEN PRI200273			44 %	28 %	27 %	23 %	21 %	45 %	28 %	42 %	27 %	30 %	23%	27%	15%	43 %	35 %	37 %	34 %	35 %	23 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value		Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity		IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																						
Name			Dam ID																						
JAPANESE BLACK																									
PRI 200281		BA 170047		97	89	105	105	88		97	89	96	105	90	95	95	84	96		99	92	96	109	108	
F1		CWBF16532		41 %	29 %	27 %	24 %	26 %		1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200281				41 %	29 %	27 %	24 %	26 %		43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %		42 %	43 %	40 %	42 %	33 %	
PRI 200283		BA 170047		121	80	96	116	94		119	80	90	96	83	84	96	94	115		107	85	100	106	106	
F1		ANGUSNOTAG*		63 %	29 %	27 %	24 %	32 %		-0.60	-4.9	0.00	6.5	-5.2	-16	-0.5	1.6	11.8		1.7	-9.6	0.7	0.5	0.4	
PRIMGEN PRI200283				63 %	29 %	27 %	24 %	32 %		67 %	29 %	47 %	27 %	28 %	24%	44%	21%	49 %		42 %	43 %	40 %	42 %	33 %	
PRI 200286		BA 170047		99	89	105	105	88		98	89	99	105	90	95	95	84	120		99	92	96	109	108	
F1		CWBF16145		48 %	29 %	27 %	24 %	26 %		1.42	-1.6	-0.33	11.5	-0.7	-1	-0.1	3.4	13.8		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200286				48 %	29 %	27 %	24 %	26 %		49 %	29 %	44 %	27 %	28 %	24%	32%	21%	47 %		42 %	43 %	40 %	42 %	33 %	
PRI 200287		BA 170047		91	89	97	116	94		98	89	72	97	91	84	95	94	107		107	85	100	106	106	
F1		533		61 %	29 %	27 %	24 %	26 %		1.47	-1.6	0.67	6.9	-0.2	-16	-0.2	1.6	8.1		1.7	-9.6	0.7	0.5	0.4	
PRIMGEN PRI200287				61 %	29 %	27 %	24 %	26 %		66 %	29 %	40 %	27 %	28 %	24%	32%	21%	45 %		42 %	43 %	40 %	42 %	33 %	
PRI 200288		BA 170047		97	89	105	105	88		97	89	96	105	90	95	95	84	96		99	92	96	109	108	
F1		CWBFA948		41 %	29 %	27 %	24 %	26 %		1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200288				41 %	29 %	27 %	24 %	26 %		43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %		42 %	43 %	40 %	42 %	33 %	
PRI 200301		BA 170047		97	89	105	105	88		97	89	96	105	90	95	95	84	96		99	92	96	109	108	
F1		CWBFPRI6035		41 %	29 %	27 %	24 %	26 %		1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200301				41 %	29 %	27 %	24 %	26 %		43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %		42 %	43 %	40 %	42 %	33 %	
PRI 200309		BA 170047		91	90	106	105	88		93	90	91	106	91	95	95	84	117		99	92	96	109	108	
F1		CWBFPRI3106		48 %	29 %	27 %	24 %	26 %		1.89	-1.0	-0.04	11.8	0.3	-1	-0.1	3.4	12.7		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200309				48 %	29 %	27 %	24 %	26 %		49 %	29 %	44 %	27 %	28 %	24%	32%	21%	46 %		42 %	43 %	40 %	42 %	33 %	
PRI 200310		BA 170047		97	89	105	105	88		97	89	96	105	90	95	95	84	96		99	92	96	109	108	
F1		CWBFA948		41 %	29 %	27 %	24 %	26 %		1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200310				41 %	29 %	27 %	24 %	26 %		43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %		42 %	43 %	40 %	42 %	33 %	
PRI 200328	1	BA 130823		120	96	95	108	100		116	96	96	95	93	92	94	105	114		102	89	62	99	107	
F2		GWW 160171		70 %	41 %	31 %	28 %	38 %		-0.35	1.1	-0.24	6.3	1.7	-5	0.7	-0.3	11.3		1.0	-7.1	-5.1	-0.2	0.7	
PRIMGEN PRI200328				70 %	41 %	31 %	28 %	38 %		73 %	41 %	56 %	31 %	34 %	28%	50%	25%	58 %		55 %	55 %	53 %	48 %	39 %	
PRI 209098	2	BA 130823		125	93	93	120	115		118	93	107	93	89	80	114	115	111		117	80	68	101	102	
F2		BB 160179		70 %	48 %	33 %	27 %	39 %		-0.55	0.0	-0.67	5.2	-1.6	-22	-11.1	-2.2	10.1		2.9	-13.2	-4.2	0.0	-0.1	
PRIMGEN PRI209098				70 %	48 %	33 %	27 %	39 %		74 %	48 %	55 %	33 %	38 %	27%	51%	27%	58 %		54 %	54 %	51 %	50 %	41 %	
PRI 209193		AW 170017		102	106	107	88	98		98	106	110	107	109	112	102	95	108		87	79	109	69	99	
F1		CWBF1121		44 %	23 %	20 %	16 %	20 %		1.42	5.5	-0.77	12.3	12.4	23	-4.1	1.4	8.5		-0.9	-14.3	2.1	-3.0	-0.7	
PRIMGEN PRI209193				44 %	23 %	20 %	16 %	20 %		45 %	23 %	41 %	20 %	27 %	16%	26%	15%	45 %		43 %	43 %	40 %	41 %	31 %	
PRI 210012		BA 170047		97	89	105	105	88		97	89	96	105	90	95	95	84	96		99	92	96	109	108	
F2				41 %	29 %	27 %	24 %	26 %		1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5		0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI210012				41 %	29 %	27 %	24 %	26 %		43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %		42 %	43 %	40 %	42 %	33 %	

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow		Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																				
PRI 210021	BA 130823	121	98	98	105	115	114	98	109	98	97	95	116	114	102	119	90	83	99	89
F2	AW 180119	-0.13	2.0	-0.72	7.6	4.0	0	-12.0	-2.1	6.2	3.2	-6.3	-1.9	-0.2	-2.3	57 %	52 %	53 %	47 %	39 %
PRIMGEN FB 210021		67 %	43 %	33 %	27 %	34 %	72 %	43 %	49 %	33 %	34 %	27 %	42 %	25 %	54 %					
PRI 210025	SMOFF0154	122	84	66	119	122	117	84	118	66	76	81	114	126	124	124	93	101	99	98
FB	BA 090338	-0.44	-3.5	-1.06	-9.6	-10.4	-21	-11.2	-4.2	15.5	3.8	-4.2	1.0	-0.2	-0.7	60 %	60 %	58 %	56 %	51 %
PRIMGEN RIHANNA		66 %	53 %	52 %	48 %	48 %	66 %	53 %	65 %	52 %	54 %	48 %	61 %	35 %	66 %					
PRI 210099	BA 130823	128	98	79	113	106	121	98	111	79	89	87	102	110	102	108	87	85	82	98
FB	AW 170037	-0.78	1.9	-0.81	-2.2	-1.0	-12	-3.8	-1.3	6.2	1.8	-8.6	-1.5	-1.9	-0.8	55 %	55 %	53 %	50 %	41 %
PRIMGEN FB 210099		56 %	45 %	35 %	33 %	36 %	58 %	45 %	50 %	35 %	38 %	33 %	46 %	26 %	58 %					
PRI 210143	BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1		1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6	47 %	47 %	45 %	44 %	37 %
PRIMGEN FB 210143		46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26 %	38 %	23 %	47 %					
PRI 210152	BA 130823	109	110	82	107	125	106	110	102	82	101	93	115	130	131	105	90	69	103	108
PBD	AW 180059	0.69	6.9	-0.45	-1.1	7.3	-3	-11.6	-5.0	18.5	1.4	-5.9	-4.0	0.2	0.9	54 %	54 %	52 %	49 %	41 %
PRIMGEN FB 210152		70 %	42 %	33 %	29 %	36 %	73 %	42 %	56 %	33 %	36 %	29 %	46 %	26 %	60 %					
PRI 210175	BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1	CWBF13204	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	42 %	43 %	40 %	42 %	33 %
PRIMGEN F1 210175		41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24 %	32 %	21 %	42 %					
PRI 210189	BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1	CWBFAW GUS138	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	42 %	43 %	40 %	42 %	33 %
PRIMGEN WANGUS 210189		41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24 %	32 %	21 %	42 %					
PRI 210192	AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	85	95	100	90	81	117	113
F1	CWBFAM16171*	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6	37 %	37 %	35 %	37 %	31 %
PRIMGEN WAGULI 210192		37 %	29 %	27 %	24 %	26 %	39 %	29 %	30 %	27 %	28 %	24 %	30 %	21 %	38 %					
PRI 210193	BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1	CWBF554*	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	42 %	43 %	40 %	42 %	33 %
PRIMGEN F1 210193		41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24 %	32 %	21 %	42 %					
PRI 210206	AW 190042	91	98	70	117	116	92	98	95	70	93	83	109	121	118	106	101	98	112	114
FB	AW 190028	2.02	2.2	-0.19	-7.3	1.2	-18	-7.9	-3.3	13.0	1.6	1.9	0.5	1.1	1.7	42 %	42 %	39 %	40 %	31 %
PRIMGEN FB 210206		64 %	32 %	31 %	28 %	27 %	70 %	32 %	40 %	31 %	33 %	28 %	35 %	19 %	46 %					
PRI 210602	PWYPM0775	120	94	78	115	93	115	94	105	78	88	85	92	96	123	96	76	92	84	115
PBD	SMOFG0195	-0.20	0.7	-0.57	-3.1	-1.9	-15	1.9	1.2	14.9	0.3	-16.0	-0.5	-1.6	1.9	85 %	85 %	85 %	85 %	84 %
PRIMGEN PB 110602 PH		85 %	83 %	83 %	83 %	84 %	85 %	83 %	84 %	83 %	84 %	83 %	84 %	83 %	86 %					
PRI 210604	BDWFM0477	119	92	74	108	103	114	92	105	74	90	92	93	110	104	115	91	106	104	102
FB	CWBFAW 180088	-0.12	-0.2	-0.57	-5.0	-0.7	-6	0.9	-1.3	6.7	2.8	-5.8	1.7	0.3	-0.1	85 %	84 %	84 %	84 %	84 %
PRIMGEN FB M477 210604		85 %	84 %	84 %	84 %	84 %	85 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	85 %					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
PRI 210605  BDWFM0477				117	95	70	111	103	112	95	116	70	91	89	94	111	118	118	103	102	123	105
FB  CWBFAW 180088				0.05	0.7	-0.97	-7.1	0.2	-10	0.7	-1.5	12.8	3.0	2.9	1.0	2.1	0.3					
PRIMGEN FB M477 210605				84 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	84 %	83 %	85 %	84 %	84 %	84 %	84 %	83 %
PRI 210606  PWYPM0775				127	97	83	110	110	121	97	114	83	93	90	101	117	120	86	83	89	91	119
PBD  CWBFCP 140040				-0.81	1.9	-0.91	-0.4	1.2	-8	-3.4	-2.5	13.9	-0.9	-11.0	-0.9	-1.0	2.6					
PRIMGEN PB 210606 POLLED PP?				82 %	79 %	79 %	79 %	80 %	82 %	79 %	81 %	79 %	80 %	79 %	81 %	79 %	82 %	81 %	81 %	81 %	81 %	80 %
PRI 220003  AW 170005				83	104	100	102	94	91	104	70	100	105	98	88	99	105	116	97	79	96	91
F1 ANGUS19				2.08	4.6	0.74	8.8	10.1	3	4.4	0.6	7.3	2.8	-1.3	-2.5	-0.5	-1.9					
PRIMGEN WANGUS 220003				57 %	22 %	19 %	15 %	18 %	63 %	22 %	34 %	19 %	21 %	15 %	23 %	12 %	45 %	40 %	40 %	37 %	33 %	24 %
PRI 220010  BA 130823				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F2  CWBFGWW 160364				1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6					
PRIMGEN F2 220010				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26 %	38 %	23 %	47 %	47 %	47 %	45 %	44 %	37 %
PRI 220015 1  BA 130823				110	101	97	105	98	107	101	99	97	98	95	95	101	99	101	90	66	103	110
F2  GWW 160041				0.57	3.3	-0.34	7.3	5.0	-1	0.2	0.4	4.6	0.9	-6.3	-4.4	0.2	1.1					
PRIMGEN F2 220015				67 %	41 %	31 %	27 %	32 %	72 %	41 %	50 %	31 %	33 %	27 %	41 %	24 %	55 %	52 %	52 %	50 %	48 %	38 %
PRI 220018 2  AW 170115				84	105	78	114	108	89	105	85	78	102	86	104	112	117	105	89	103	109	115
FB  AW 180064				2.35	5.1	0.19	-3.2	7.7	-14	-5.1	-1.6	12.6	1.4	-7.1	1.3	0.8	1.9					
PRIMGEN FB 220018				58 %	27 %	24 %	18 %	23 %	64 %	27 %	34 %	24 %	24 %	18 %	30 %	16 %	38 %	24 %	27 %	26 %	25 %	15 %
PRI 220031 2  AW 190042				106	96	91	103	96	101	96	108	91	92	97	91	100	110	118	105	99	114	101
PBD  PRI 190060				1.12	1.5	-0.67	3.9	1.0	2	2.5	0.5	9.5	3.0	4.6	0.6	1.2	-0.3					
PRIMGEN PB 220031				58 %	28 %	26 %	22 %	22 %	65 %	28 %	33 %	26 %	27 %	22 %	29 %	16 %	43 %	37 %	36 %	34 %	35 %	27 %
PRI 220036  AW 180047				123	79	98	119	94	121	79	92	98	82	81	96	94	107	107	83	85	114	111
F1 ANGUS40				-0.85	-5.6	-0.08	7.8	-6.3	-21	-0.4	1.6	8.2	1.7	-11.0	-1.6	1.2	1.2					
PRIMGEN WANGUS 220036				57 %	29 %	27 %	24 %	26 %	63 %	29 %	35 %	27 %	28 %	24 %	30 %	21 %	42 %	37 %	37 %	35 %	37 %	31 %
PRI 220055 PRI 190501				91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN				2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6					
PRIMGEN F1 220055				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12 %	21 %	10 %	33 %	28 %	28 %	26 %	27 %	21 %
PRI 220059 AW 170020				98	93	111	100	95	97	93	98	111	96	100	102	91	94	89	94	93	108	114
PEN				1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8					
PRIMGEN F1 220059				34 %	23 %	19 %	13 %	18 %	36 %	23 %	27 %	19 %	26 %	13 %	24 %	12 %	38 %	36 %	37 %	35 %	35 %	24 %
PRI 220069 5 PRI 190501				90	108	91	101	90	90	108	97	91	103	99	86	95	111	111	93	79	88	96
F2 PAL 200019				2.16	6.0	-0.25	4.0	8.4	4	5.4	1.3	10.0	2.2	-4.4	-2.5	-1.3	-1.2					
PRIMGEN F2220069				61 %	19 %	17 %	14 %	18 %	68 %	19 %	32 %	17 %	23 %	14 %	24 %	12 %	41 %	34 %	34 %	32 %	31 %	24 %
PRI 220072 PRI 190118				102	102	95	98	108	99	102	112	95	100	102	108	108	117	105	98	108	92	96
PEN AW 180119				1.35	3.6	-0.84	6.1	6.3	9	-7.7	-0.9	12.5	1.4	-0.7	2.1	-0.9	-1.2					
PRIMGEN F2 220072				62 %	23 %	20 %	11 %	17 %	69 %	23 %	34 %	20 %	22 %	11 %	24 %	10 %	39 %	39 %	31 %	35 %	28 %	20 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
PRI 220074	6		PRI 190501	112	95	71	118	107	107	95	111	71	87	82	98	114	121	124	91	93	88	93
PBD			PRI 200009	0.53	0.9	-0.81	-6.6	-3.0	-20	-1.5	-2.0	14.3	3.8	-5.5	-0.3	-1.2	-1.6	40 %	40 %	38 %	38 %	32 %
PRIMGEN PB 220074				62 %	29 %	28 %	25 %	27 %	68 %	29 %	38 %	28 %	32 %	25%	35%	19%	44 %					
PRI 220094	2		AW 190042	91	100	91	103	103	91	100	99	91	96	97	101	105	113	113	101	96	101	98
F2			PRI 200164	2.10	2.9	-0.35	3.7	3.9	2	-3.2	-0.4	10.9	2.5	1.2	0.2	0.0	-0.7	38 %	38 %	35 %	36 %	28 %
PRIMGEN F2 220094				59 %	26 %	24 %	21 %	22 %	66 %	26 %	32 %	24 %	26 %	21%	28%	15%	42 %					
PRI 220096	4		PRI 190501	102	104	93	104	95	99	104	102	93	100	96	92	99	117	109	87	77	89	98
F2			PRI 200136	1.30	4.5	-0.46	4.9	6.4	1	2.1	0.7	12.3	2.0	-8.2	-2.8	-1.2	-0.7	36 %	36 %	34 %	34 %	28 %
PRIMGEN F2 220096				61 %	25 %	20 %	17 %	22 %	68 %	25 %	34 %	20 %	26 %	17%	28%	16%	43 %					
PRI 220097	2		BA 130823	121	105	82	107	125	115	105	104	82	98	93	115	130	112	105	90	69	103	108
PEN			AW 180059	-0.26	5.1	-0.52	-0.9	4.8	-3	-11.6	-5.0	10.4	1.4	-5.9	-4.0	0.2	0.9	54 %	54 %	52 %	49 %	41 %
PRIMGEN FB 220097				68 %	42 %	33 %	29 %	36 %	42 %	51 %	33 %	36 %	29%	46%	26%	57 %						
PRI 220098			BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1				1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	42 %	43 %	40 %	42 %	33 %
PRIMGEN PRIMGEN F1 220098				43 %	29 %	33 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %					
PRI 220101	5		PRI 190501	111	101	91	101	90	107	101	104	91	97	99	86	95	112	114	90	78	94	99
F2			PAL 200023	0.54	3.2	-0.55	4.0	4.3	4	5.4	1.3	10.4	2.5	-6.0	-2.7	-0.7	-0.7	36 %	36 %	33 %	34 %	26 %
PRIMGEN F2 220101				62 %	19 %	17 %	14 %	18 %	69 %	19 %	35 %	17 %	23 %	14%	24%	12%	40 %					
PRI 220111	2		AW 190042	104	96	86	112	109	105	96	86	86	94	88	101	115	112	132	96	93	102	87
F3			PRI 209038	0.74	1.2	0.15	1.2	2.0	-11	-3.5	-2.3	10.2	4.8	-1.7	-0.3	0.1	-2.5	41 %	41 %	38 %	39 %	32 %
PRIMGEN F3 220111				51 %	33 %	27 %	24 %	28 %	55 %	33 %	34 %	27 %	30 %	24%	36%	19%	45 %					
PRI 220112	1		PRI 190501	112	96	92	105	94	107	96	106	92	94	95	93	96	119	102	88	88	92	106
F2			PRI 200072	0.55	1.5	-0.61	4.4	1.9	-2	1.1	1.3	13.4	1.0	-8.0	-1.1	-0.8	0.5	33 %	33 %	31 %	32 %	24 %
PRIMGEN F2 220112				60 %	19 %	17 %	13 %	18 %	67 %	19 %	32 %	17 %	24 %	13%	24%	12%	41 %					
PRI 220124	4		PRI 190501	111	101	93	104	95	106	101	106	93	98	96	92	99	111	109	87	77	89	98
F2			PAL 190036	0.64	3.4	-0.59	4.9	4.7	1	2.1	0.7	9.8	2.0	-8.2	-2.8	-1.2	-0.7	36 %	36 %	34 %	34 %	28 %
PRIMGEN F2 220124				63 %	25 %	20 %	17 %	22 %	70 %	25 %	34 %	20 %	26 %	17%	28%	16%	43 %					
PRI 220128			AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	85	95	100	90	81	117	113
PEN				0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6	37 %	37 %	35 %	37 %	31 %
PRIMGEN WANGUS 220128				37 %	29 %	27 %	24 %	26 %	39 %	29 %	30 %	27 %	28 %	24%	30%	21%	38 %					
PRI 220134	1		PRI 190501	90	103	92	105	94	90	103	97	92	99	95	93	96	121	102	88	88	92	106
F2			PRI 200121	2.16	4.2	-0.27	4.4	5.9	-2	1.1	1.3	14.3	1.0	-8.0	-1.1	-0.8	0.5	33 %	33 %	31 %	32 %	24 %
PRIMGEN F2 220134				60 %	19 %	17 %	13 %	18 %	67 %	19 %	32 %	17 %	24 %	13%	24%	12%	39 %					
PRI 220136	4		PRI 190501	107	102	93	104	95	104	102	104	93	98	96	92	99	112	109	87	77	89	98
F2			PAL 190017	0.88	3.8	-0.54	4.9	5.3	1	2.1	0.7	10.3	2.0	-8.2	-2.8	-1.2	-0.7	36 %	36 %	34 %	34 %	28 %
PRIMGEN F2 220136				63 %	25 %	20 %	17 %	22 %	70 %	25 %	34 %	20 %	26 %	17%	28%	16%	42 %					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
PRI 220159		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN				40 %	16 %	14 %	12 %	16 %	2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN F2 220159				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
PRI 220160		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN				40 %	16 %	14 %	12 %	16 %	2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN F2 220160				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
PRI 230006		4	BA 170047	111	90	89	114	87	106	90	106	89	86	86	89	87	108	97	93	91	112	117
PEN			GWW 160082	65 %	32 %	31 %	25 %	30 %	0.65	-1.3	-0.60	3.0	-3.5	-14	3.5	2.8	8.6	0.4	-4.1	-0.6	1.1	2.2
PRIMGEN 230006				65 %	32 %	31 %	25 %	30 %	70 %	32 %	46 %	31 %	31 %	25%	36%	23%	51 %	50 %	49 %	47 %	46 %	35 %
PRI 230007		16	PRI 190501	114	87	72	118	94	130	87	124	72	81	82	87	100	125	101	73	89	74	108
PEN			PRI 190045	61 %	24 %	22 %	17 %	24 %	-1.67	-2.3	-1.29	-6.0	-6.9	-20	4.8	0.5	15.9	0.9	-18.4	-0.9	-2.6	0.8
PRIMGEN 230007				61 %	24 %	22 %	17 %	24 %	68 %	24 %	36 %	22 %	29 %	17%	33%	15%	45 %	39 %	39 %	36 %	36 %	28 %
PRI 230009		4	BA 170047	98	92	90	114	88	98	92	94	90	88	86	91	88	108	95	89	91	110	119
PEN			GWW 160041	65 %	32 %	31 %	25 %	29 %	1.42	-0.3	-0.17	3.4	-1.8	-14	2.3	2.6	8.8	0.2	-6.9	-0.6	0.9	2.6
PRIMGEN 230009				65 %	32 %	31 %	25 %	29 %	70 %	32 %	46 %	31 %	31 %	25%	35%	23%	51 %	48 %	48 %	46 %	46 %	35 %
PRI 230031			PRI 205014	106	89	88	114	97	102	89	105	88	87	86	92	101	121	102	85	97	91	106
PBD			PRI 190527	57 %	28 %	28 %	24 %	26 %	1.04	-1.5	-0.56	2.5	-2.9	-14	1.5	0.2	14.3	1.1	-9.6	0.3	-0.9	0.5
PRIMGEN W10 PB 230031				57 %	28 %	28 %	24 %	26 %	63 %	28 %	36 %	28 %	31 %	24%	34%	17%	42 %	37 %	37 %	35 %	34 %	26 %
PRI 230062			PRI 190118	92	102	110	90	90	91	102	104	110	103	110	91	90	101	91	101	97	94	106
PEN				35 %	11 %	10 %	7 %	12 %	2.14	3.7	-0.55	14.0	8.6	21	2.1	2.3	5.6	-0.4	1.4	0.2	-0.7	0.5
PRIMGEN F3 F 230062				35 %	11 %	10 %	7 %	12 %	40 %	11 %	17 %	10 %	16 %	7 %	17%	7%	27 %	22 %	22 %	21 %	21 %	16 %



CWB

BREEDING VALUE REPORT

September 2026



STRYDOM PRIME GENETICS (PTY) L

Herd Number: 8417107


E-mail: jastrydom@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
AKAUSHI																		
AW 180119			BA 150369	89	105	108	108	110	109	113	107	117	102	80	1	3	3	
F1				2.27	4.9	10.8	14.0	20	13.8	2.5	6.0	3.4	0.1	-3.6				
AW180119				62%	41%	34%	27%	17%	35%	64%	44%	56%	37%	26%				
JAPANESE BLACK																		
533				84														
BS				2.76														
PRIMGEN 533				40%														
6128				93														
BS				1.92						98	110	115	115		1	3	1	2
PRIMGEN 6128				46%						38%	37%	31%	28%					
AACFB0490			148BE	130	80	75	77	69	79	132	91	107	112	91	2	10	4	4
FB			HWDFV0013	-1.64	-5.3	-9.7	-10.6	-38	-2.5	4.9	-5.6	1.9	1.1	-1.9				
WESTHOLME ITOFUKUHANA (AI)(ET)				57%	55%	52%	52%	46%	56%	65%	67%	63%	60%	51%				
AACFJ0532			6892	135	80	77	78	78	83	86	95	119	82	108	5	12	5	1
FB			AACFG0120	-2.14	-5.0	-8.4	-9.8	-25	-0.3	-1.0	-3.0	3.7	-1.8	0.8				
WESTHOLME J0532 (AI)				45%	22%	42%	19%	14%	23%	38%	38%	33%	33%	12%				
ANGUS19				86														
BS				2.61														
PRIMGEN ANGUS 19				29%														
ANGUS29				95														
BS				1.76						99	99	102			2	2	1	1
KNORHOEK 29				40%						26%	24%	20%						
ANGUS34				101														
BS				1.14							78	94	79	95	1	3	1	
PRIMGEN ANGUS 34				47%							-14.9	-0.2	-2.1	-1.2				
											27%	22%	28%	21%				
ANGUS40				96														
BS				1.58														
ANGUS 40				28%														
ANGUSNOTAG*				100														
BS				1.22														
ANGUS NOTAG				31%														
AW 160010					OVE 080002					80	83	104	81	117	3	11	1	1
FB					BA 080201					-1.8	-10.9	1.3	-1.9	2.2				
ABSOLUTE GENETIC AW160010										88%	86%	86%	86%	84%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 160030	✓ KI 140008		93	103	105	105	108	106	78	95	99	72	103	1	3	1	
F1			1.94	4.1	9.2	11.7	17	12.0	-2.0	-3.1	0.6	-2.7	0.0				
ABSOLUTE GENETIC AW160030			59%	36%	38%	30%	21%	29%	51%	51%	48%	46%	30%				
AW 170012	GT ✓ KI 140008		107	109	104	106	97	72	93	64	117	63	107	2	8	1	
FB	✓ BA 130879		0.54	6.7	8.8	12.0	2	-6.4	-0.1	-24.5	3.4	-3.7	0.6				
AW170012			89%	87%	88%	87%	86%	87%	89%	89%	88%	88%	87%				
AW 170037	GT ✓ KI 140008		109	102	93	91	93	73	91	101	122	67	99	1	6	4	
FB	✓ KI 140015		0.37	3.7	1.4	0.1	-3	-5.7	-0.4	1.5	4.2	-3.3	-0.6				
AW170037			89%	88%	88%	87%	87%	87%	89%	89%	88%	88%	87%				
AW 170038	GT ✓ KI 140008		112	95	88	90	80	75	81	57	76	85	133	1	3	2	
FB	✓ KI 140013		0.06	1.1	-1.6	-0.5	-23	-4.4	-1.6	-29.7	-3.0	-1.6	4.8				
AW170038			89%	87%	88%	87%	86%	87%	88%	88%	88%	88%	87%				
AW 170080	✓ KI 140008		73	109	111	111	108	108	67	90	102	58	103	1	3	1	
F1			3.84	6.5	12.9	16.2	17	13.1	-3.5	-6.0	1.1	-4.1	0.0				
AW170080			59%	36%	38%	30%	21%	29%	51%	51%	48%	46%	36%				
AW 180007	✓ FB8092		115	87	82	82	79	70	99	108	102	96	105	1	4	1	
FB	✓ PK 140011		-0.23	-2.2	-5.4	-6.4	-23	-7.1	0.6	6.6	1.2	-0.5	0.3				
AW180007			60%	35%	33%	31%	27%	33%	49%	50%	47%	46%	34%				
AW 180009	✓ CWBMBA 130891		125	80	84	88	75	88	95	78	96	70	101	1	2	1	
FB	✓ KI 140016		-1.18	-5.1	-4.0	-2.3	-29	2.5	0.2	-14.8	0.1	-3.0	-0.2				
AW180009			49%	29%	35%	33%	20%	27%	44%	43%	39%	38%	29%				
AW 180053	✓ OVE 080002		141	76	73	77	74	83	87	84	102	82	111	1	2	2	
FB	✓ BA 130880		-2.79	-6.9	-11.0	-10.6	-30	-0.5	-0.9	-10.8	1.0	-1.8	1.3				
AW180053			69%	55%	52%	51%	42%	54%	54%	54%	53%	47%	37%				
AW 180059	GT ✓ BA 150382		91	121	111	110	106	77	84	108	90	110	120	1	3	2	
PBD	✓ PK 140007		2.07	11.2	13.0	15.3	14	-3.3	-1.2	6.7	-0.7	0.8	2.7				
AW180059			87%	84%	84%	84%	83%	84%	85%	85%	85%	84%	84%				
AW 180062	GT ✓ GRSFK0473		95	111	102	100	93	78	97	129	108	145	123	1	1	1	
FB	✓ KSOFJ0064		1.72	7.4	7.3	7.3	-4	-2.9	0.4	21.2	2.0	4.2	3.2				
AW180062			86%	85%	85%	85%	83%	84%	84%	85%	85%	84%	83%				
AW 180064	GT ✓ GRSFK0473		96	104	96	97	81	69	112	73	106	108	117	1	3	3	
FB	✓ SFWFK0091		1.59	4.4	3.7	4.9	-20	-7.7	2.3	-18.4	1.8	0.7	2.2				
AW180064			86%	84%	84%	84%	83%	84%	84%	84%	84%	84%	83%				
AW 180084	GT ✓ SMOFF0154		96	105	95	90	100	66	116	116	93	113	109	1	2	1	
FB	✓ PK 140013		1.65	4.7	2.8	-0.5	6	-9.2	2.8	11.8	-0.3	1.2	1.0				
AW180084			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
AW 190010		SMOFF0126	117	99	90	92	77	68	87	76	74	161	160	1	2	1	
FB		BA 130990	-0.39	2.6	0.0	0.9	-27	-8.4	-0.9	-16.2	-3.2	5.7	9.0				
AW190010			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190013		SMOFF0126	113	94	85	85	78	68	107	96	87	161	143	1	2	1	
FB		BA 130990	-0.07	0.4	-3.0	-4.0	-25	-8.5	1.7	-1.9	-1.2	5.7	6.4				
AW190013			90%	88%	88%	88%	88%	88%	89%	89%	89%	89%	88%				
AW 190015		SMOFD0233	108	92	88	90	85	80	102	109	100	99	102	1	1	1	
FB		PK 140011	0.43	-0.4	-1.5	-0.4	-14	-2.0	1.1	6.9	0.8	-0.2	-0.1				
AW190015			86%	85%	84%	84%	84%	84%	85%	85%	84%	84%	84%				
AW 190028		SMOFF0126	112	90	86	89	77	68	71	90	90	114	143	1	2	2	
FB		PK 140015	0.10	-1.2	-2.6	-0.7	-26	-8.1	-2.8	-6.0	-0.8	1.3	6.3				
AW190028			88%	86%	86%	86%	85%	86%	87%	87%	86%	86%	85%				
BA 090331		Y398	115	92	86	88	80	95	103	93	59	95	107	1	3	1	
FB		KJDFY0034	-0.19	-0.2	-2.9	-2.1	-22	6.1	1.1	-4.1	-5.5	-0.5	0.6				
BA 090331			69%	52%	43%	42%	31%	41%	58%	58%	56%	53%	43%				
BA 090338		148BE	123	85	79	78	78	71	109	82	109	83	99	5	53	12	3
FB		TWAFT0462	-1.04	-3.2	-7.1	-9.8	-25	-6.8	1.9	-12.0	2.2	-1.7	-0.7				
TWA SATUKU 09338			95%	93%	92%	92%	92%	93%	94%	94%	93%	93%	92%				
BA 100410		BA 060103	99	93	92	94	95	102	103	98	94	104	106	4	34	15	1
FB		BA 080225	1.37	0.2	1.3	2.5	0	9.9	1.2	-0.4	-0.2	0.2	0.6				
BA 100410			92%	87%	86%	87%	86%	87%	88%	88%	87%	87%	86%				
BA 110499		Y342	87	98	98	98	97	103	82	118	73	84	96	2	10	4	3
F2		CWBFBA 070256	2.49	2.0	4.8	6.1	2	10.5	-1.5	13.7	-3.4	-1.7	-1.1				
BA 110499			72%	52%	38%	47%	65%	65%	59%	59%	52%	44%	33%				
BA 120758		IMUFQTF147	108	93	86	89	79	80	122	103	79	89	77	5	36	16	3
FB		BA 090338	0.47	0.0	-2.3	-1.5	-24	-1.7	3.6	2.9	-2.5	-1.1	-4.2				
TWA SATUKU 3RD			78%	60%	67%	59%	51%	58%	80%	81%	75%	76%	62%				
BA 120775		148BE	92	134	129	129	112	102	98	102	122	87	92	4	24	7	1
PBD		BA 100381	1.99	16.6	24.0	29.8	23	9.8	0.5	2.3	4.2	-1.4	-1.7				
CLEO			90%	87%	89%	88%	86%	87%	87%	88%	87%	87%	86%				
BA 130851		148BE	115	87	83	82	80	83	116	82	93	84	88	3	12	2	1
F3		BA 110499	-0.23	-2.2	-4.4	-6.3	-23	-0.3	2.9	-11.8	-0.2	-1.6	-2.4				
BA 130851			81%	58%	53%	56%	55%	61%	68%	67%	63%	63%	54%				
BA 130854		148BE	132	72	68	69	71	66	102	64	119	68	100	4	19	6	
FB		BA 080201	-1.83	-8.2	-14.0	-16.4	-36	-9.1	1.0	-24.8	3.8	-3.1	-0.5				
BA 130854			93%	91%	91%	92%	90%	91%	91%	91%	91%	91%	90%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 130879		148BE	120	107	101	101	92	76	109	49	125	67	98	4	19	7	1
FB		BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8				
BA 130879			93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 130880		BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB		BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 130990		TFWFW0629	128	71	62	64	64	74	89	65	48	160	160	7	71	18	4
FB		KJDFC0007	-1.52	-8.6	-17.7	-20.8	-45	-5.1	-0.6	-23.7	-7.3	5.7	9.0				
WOODVIEW TAJIMA			96%	95%	95%	94%	94%	94%	95%	95%	95%	95%	94%				
BA 140106		ETJ001	96	101	103	105	104	106	65	112	99	90	110	2	3	1	
PBD		CWBFBA 120717	1.58	3.4	8.2	11.7	12	11.8	-3.6	9.1	0.6	-1.1	1.1				
BA 140106			62%	50%	42%	42%	47%	55%	46%	46%	45%	43%	34%				
BA 150497		IMUFP0036	127	94	94	100	103	99	78	117	79	113	115	4	14	4	
PBD		CWBFBA 100404	-1.43	0.6	2.3	7.3	11	8.2	-1.9	13.0	-2.5	1.1	1.9				
WOODVIEW BA15-497			84%	82%	82%	81%	81%	82%	83%	83%	82%	82%	81%				
BB 160117		BB 140001	132	86	89	91	93	98	109	74	98	78	96	1	2	1	
F1		BB338	-1.88	-2.5	-0.7	0.2	-3	7.8	2.0	-17.7	0.5	-2.2	-1.1				
BB16117			70%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160158		KI 140010	70	93	97	100	90	96	97	74	86	88	111	1	3	1	2
F1		BB442	4.19	0.0	4.0	7.6	-9	6.4	0.4	-17.7	-1.4	-1.2	1.2				
BB16158			69%	57%	62%	35%	20%	34%	56%	56%	52%	41%	21%				
BB 160173		CWBMKI 140012	92	99	110			112	104	115	121	75	71	1	3	1	1
F1		BB400	1.98	2.5	12.3			15.1	1.2	11.5	4.1	-2.5	-5.1				
BB16173			67%	52%	56%			22%	38%	37%	30%	28%	21%				
BB 160175		KI 140010	86	94	94	97	87	99	96	82	91	90	108	1	2	1	
F1		BB0465	2.63	0.4	2.2	5.1	-12	8.2	0.3	-12.3	-0.6	-1.0	0.8				
BB16175			69%	57%	62%	35%	20%	34%	48%	48%	47%	41%	21%				
BB 160179		BB 120028	125	82	81	82	79	102	100	80	88	105	115	1	3	2	
F1		BB324	-1.22	-4.4	-5.8	-6.3	-23	10.0	0.8	-13.0	-1.1	0.4	1.9				
BB16179			71%	59%	63%	24%	16%	35%	35%	35%	32%	27%	20%				
BET 170009		PK 130001	122	86	83	85	80	59	103	80	116	97	108	2	5	4	
FB		OVE 080003	-0.95	-2.8	-4.7	-4.4	-22	-13.0	1.2	-13.6	3.3	-0.4	0.8				
BET170009			67%	53%	66%	40%	29%	49%	58%	58%	56%	50%	40%				
BET 170010		KI 140018	102	110	103	104	97	78	123	111	78	92	82	2	5	3	
FB		BA 120758	1.05	7.1	7.9	10.3	2	-3.2	3.7	8.6	-2.7	-0.8	-3.4				
BET170010			70%	46%	65%	42%	36%	42%	57%	57%	54%	51%	41%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CCCFD0390		CCCFB8747	115	98	93	96	87	83	97	98	104	96	103	2	4	3	
FB		CCCFB0228	-0.27	2.0	1.7	4.1	-12	-0.4	0.4	-0.3	1.3	-0.4	0.1				
BALD RIDGE F D390			42%	36%	31%	30%	25%	38%	32%	33%	33%	32%	27%				
CP 100038		BA 060107	99	100	105	107	104	119	93	112	94	105	102	1	2	2	
F2		CP 075265	1.32	2.9	9.2	12.6	12	18.6	-0.1	9.3	-0.2	0.4	-0.2				
CP100038			61%	44%	29%	31%	36%	46%	35%	34%	31%	16%	10%				
CP 120014		BA 060107	111	97	103	104	108	122	93	112	94	105	102	1	5	4	
F2		CP 050014	0.12	1.6	7.6	10.7	18	20.3	-0.1	9.3	-0.2	0.4	-0.2				
1214			77%	55%	28%	30%	32%	67%	35%	34%	31%	16%	10%				
CP 130016		KJDFC0086	113	108	108	109	108	97	88	145	119	113	97	2	4	1	
F2		CP 100026	-0.05	6.0	11.1	14.3	18	7.2	-0.8	32.7	3.6	1.2	-1.0				
13 16			86%	80%	79%	79%	78%	81%	83%	83%	82%	79%	79%				
CP 160002		CP 130307	102	107	106	105	111	104	90	110	96	117	112	1	3	2	
F1			0.99	5.7	9.8	11.3	21	10.8	-0.5	8.0	0.2	1.5	1.4				
CP160002			61%	53%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
CWBFAW 170008		OVE 080002	126	75	67	68	72	73	106	103	116	85	99	2	10	5	
FB		KI 140015	-1.26	-7.1	-14.3	-17.7	-34	-5.5	1.5	3.1	3.3	-1.5	-0.7				
ABSOLUTE GENETIC AW170008			62%	55%	56%	52%	46%	53%	69%	68%	63%	51%	40%				
CWBFAW 170021		KI 140008	115	96	88	90	83	78	84	63	80	84	128	2	3	1	
FB		KI 140013	-0.27	1.2	-1.1	-0.3	-18	-2.9	-1.2	-25.1	-2.3	-1.6	3.9				
AW170021			56%	45%	50%	38%	26%	37%	70%	69%	63%	51%	37%				
CWBFAW 170039		KI 140008	95	112	106	107	96	77	80	91	105	64	109	1	1	1	
FB		KI 140019	1.74	7.9	9.5	13.1	0	-3.4	-1.7	-5.9	1.6	-3.6	0.9				
AW170039			88%	87%	87%	86%	86%	86%	89%	89%	88%	88%	86%				
CWBFAW 170042		KI 140008	105	109	102	103	93	75	89	56	97	68	115	1	3	1	
FB		BA 130879	0.75	6.6	7.4	9.7	-4	-4.6	-0.7	-30.2	0.3	-3.2	1.9				
AW170042			89%	87%	87%	87%	86%	87%	89%	89%	89%	88%	87%				
CWBFAW 180015		FB8092	117	90	83	83	83	68	89	100	89	115	130	1	2	1	
FB		PK 140013	-0.46	-1.0	-4.3	-5.8	-18	-8.3	-0.6	0.5	-0.9	1.4	4.3				
AW180015			45%	35%	34%	31%	27%	33%	66%	66%	60%	64%	34%				
CWBFAW 180063		148BE	125	78	74	76	69	77	135	80	101	92	80	1	2	1	
FB		RVK 150014	-1.19	-5.9	-10.1	-11.4	-38	-3.4	5.3	-13.2	0.9	-0.9	-3.7				
AW180063			87%	86%	86%	86%	85%	86%	88%	88%	87%	88%	86%				
CWBFAW 180070		BA 130823	117	97	89	90	81	83	139	97	75	94	69	1	1	1	
FB		BA 120758	-0.45	1.8	-0.6	0.0	-21	-0.5	5.8	-1.7	-3.1	-0.7	-5.4				
AW180070			88%	86%	86%	86%	85%	86%	89%	89%	88%	89%	87%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFAW 180078	✓	SMOFF0154	105	87	77	73	82	62	118	106	92	110	108	1	1	1	
FB	✓	PK 140007	0.75	-2.3	-8.4	-13.7	-19	-11.5	3.0	5.2	-0.4	0.8	0.8				
AW180078			89%	88%	88%	88%	87%	88%	88%	88%	88%	88%	88%				
CWBFAW 180088	✓	SMOFF0154	105	93	87	86	86	70	106	92	101	93	105	1	6	4	
PEN	✓	OB 150013	0.79	0.2	-2.2	-3.3	-14	-7.1	1.5	-4.8	1.0	-0.8	0.3				
AW180088			89%	88%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
CWBFAW 180104	✓	BA 090327	108	91	92	93	91	89	101	97	108	103	106	1	2	1	
F1			0.43	-0.6	1.1	1.8	-7	3.0	1.0	-1.5	2.0	0.2	0.4				
AW18104			49%	41%	37%	37%	33%	37%	47%	47%	46%	43%	27%				
CWBFAW 190004	✓	SMOFF0126	114	103	94	94	83	71	87	96	67	161	160	1	2	1	
FB	✓	BA 130990	-0.12	4.2	2.4	2.7	-19	-6.7	-0.9	-2.0	-4.4	5.7	9.0				
AW190004			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				
CWBFBFA 150427	✓	148BE	131	86	83	82	82	80	101	57	94	86	117	2	2	1	
PBD		BA 090308	-1.76	-2.8	-4.7	-6.8	-20	-2.0	1.0	-29.7	-0.2	-1.4	2.3				
WOODVIEW BA15-427			74%	54%	51%	53%	47%	55%	66%	66%	61%	51%	46%				
CWBFCP 100062		BA 060107	101	100	105	107	106	119	106	117	128	94	80	2	8	1	3
F2		CP 060011	1.18	3.0	9.3	12.6	15	19.0	1.6	12.8	5.1	-0.6	-3.7				
CP100062			52%	42%	28%	30%	32%	44%	60%	58%	49%	16%	10%				
CWBFCP 120004		BIMFE0003	109	96	101	103	102	105	87	113	95	107	109	2	6	2	
F2		CP 080010	0.41	1.4	6.8	9.7	9	11.2	-0.9	9.9	0.0	0.6	0.9				
1204			66%	26%	26%	20%	20%	25%	60%	60%	51%	26%	15%				
CWBFCP 130025		KKWFA0871	137	99	99	102	113	106	85	119	80	105	105	2	4	2	1
PEN		CP 054672	-2.33	2.7	5.7	8.7	25	11.9	-1.1	14.1	-2.3	0.4	0.3				
13 25			83%	76%	76%	75%	75%	77%	80%	80%	78%	75%	74%				
CWBFCP 140037		BA 060107	120	105	105	106	112	115	84	147	87	128	105	2	6	3	
F3		CP 110018	-0.68	4.8	9.2	12.4	23	16.9	-1.2	34.1	-1.3	2.6	0.4				
14 37			83%	76%	74%	74%	75%	77%	74%	74%	74%	72%	72%				
CWBFCP 140040		BA 060107	111	99	101	103	106	118	89	118	90	107	105	2	5	1	
F3		CP 100038	0.20	2.5	6.8	9.8	14	18.2	-0.6	13.5	-0.7	0.6	0.3				
14 40			70%	47%	31%	34%	37%	50%	39%	38%	34%	18%	11%				
CWBFCP 150002		BA 060107	114	98	100	102	106	116	81	121	88	110	112	2	3	2	
F3		CP 100041	-0.09	2.0	6.1	8.9	14	17.4	-1.6	15.8	-1.0	0.8	1.4				
15 02			67%	49%	31%	34%	37%	53%	61%	60%	51%	18%	11%				
CWBFCP 150046	✓	CP 130307	109	111	107	107	105	100	94	110	97	117	112	2	2	2	
F3		CP 120014	0.41	7.5	10.5	13.1	13	8.6	0.0	7.6	0.3	1.5	1.4				
15 46			73%	51%	35%	34%	22%	53%	42%	41%	38%	28%	18%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFCP 180125		CP 130304	109	95	92	91	96	96	105	107	104	114	111	1	2	1	
PBD		CP 160002	0.38	0.7	1.1	0.7	1	6.4	1.5	5.4	1.4	1.2	1.2				
CP180125			70%	63%	36%	35%	24%	52%	41%	40%	38%	31%	25%				
CWBFGWW 160069	✓	KF 120012	97	103	104	103	108	107	79	104	102	101	116	1	4	1	2
F1			1.51	4.3	8.5	10.2	18	12.6	-1.9	3.9	1.1	0.0	2.0				
M0069			36%	28%	25%	24%	15%	29%	64%	63%	57%	39%	22%				
CWBFGWW 160083	✓	KF 120012	97	103	104	103	108	107	80	104	95	104	117	1	3	1	2
F1			1.51	4.3	8.5	10.2	18	12.6	-1.7	3.5	0.0	0.2	2.2				
M0083			36%	28%	25%	24%	15%	29%	58%	58%	52%	39%	22%				
CWBFGWW 160157	✓	KF 120012	97	103	104	103	108	107	76	107	84	110	123	1	2	1	1
F1			1.51	4.3	8.5	10.2	18	12.6	-2.2	6.1	-1.7	0.8	3.1				
M0157			36%	28%	25%	24%	15%	29%	46%	46%	45%	39%	22%				
CWBFGWW 160364	✓	BA 130849	97	98	103	105	111	119	72	102	76	94	114	1	2	1	1
F1			1.52	2.3	8.2	11.0	22	18.6	-2.8	1.9	-2.9	-0.7	1.8				
160364			39%	28%	25%	25%	22%	28%	44%	43%	41%	28%	17%				
CWBFPAL 190033	✓	BA 130823	101	100	102	101	104	113	105	93	71	101	99	1	1	1	
F1			1.11	2.9	7.2	8.5	12	15.4	1.4	-4.3	-3.7	0.0	-0.6				
PAL190033			48%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
CWBFPAL 190068	✓	AW 170010	98	100	101	100	108	110	92	93	86	145	138	1	1	1	
F1			1.45	2.9	6.6	7.7	17	14.0	-0.2	-4.3	-1.4	4.2	5.6				
PAL190068			29%	23%	22%	20%	20%	20%	60%	59%	50%	57%	44%				
CWBFPAL 200020	✓	AW 170005	89	105	105	105	108	109	121	103	60	158	119	1	1	1	
F1			2.25	4.9	9.5	11.4	18	13.5	3.5	2.9	-5.4	5.5	2.5				
PAL200020			36%	22%	23%	19%	15%	19%	63%	62%	53%	60%	46%				
CWBFPRI 180001		KI 140010	88	98	101	102	103	108	89	88	87	93	111	1	1	1	
FB		CWBFBFA 080172	2.43	2.2	6.6	9.2	10	12.8	-0.7	-7.6	-1.2	-0.7	1.3				
CLARABELLE			40%	34%	38%	35%	20%	26%	48%	48%	47%	41%	21%				
CWBFPRI 190038	✓	BA 130823	101	100	102	101	104	113	97	82	55	118	121	1	1	1	
F1			1.11	2.9	7.2	8.5	12	15.4	0.4	-11.9	-6.2	1.6	2.8				
PRI190038			48%	38%	28%	33%	26%	28%	64%	63%	57%	62%	37%				
CWBFPRI 190052	✓	CP 130307	97	112	110	109	114	109	90	110	96	117	112	1	1	1	
PBD	✓	CWBFCP 150002	1.48	7.6	12.5	14.6	27	13.4	-0.5	8.0	0.2	1.5	1.4				
PRI190052			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CWBFPRI 190100	✓	PWYPM0775	93	101	101	100	104	104	91	79	91	83	111	1	1	1	
F1			1.91	3.4	7.0	7.4	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PRI190100			44%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CWBFPRI 198084			✓	PWYPM0775	93	101	101	100	104	104	91	79	91	83	111			
F1					1.91	3.4	7.0	7.4	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3	1	1	1
PRI198084					44%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%			
CWBFPRI 200018			✓	AW 170025	103	86	88	88	96	106	113	81	107	75	86			
F1				CWBFKLIPS45	0.96	-2.9	-1.5	-2.2	1	11.7	2.4	-12.7	1.9	-2.5	-2.7	1	1	1
PRI200018					37%	28%	34%	26%	23%	27%	61%	61%	52%	60%	23%			
CWBFPRI 200133			✓	AW 170019	95	100	102	102	105	109	85	89	87	91	112			
F1				CWBFANGUS58	1.76	3.0	7.2	8.9	13	13.4	-1.1	-7.2	-1.2	-0.9	1.4	1	1	1
PRI200133					32%	23%	25%	19%	13%	19%	37%	36%	34%	32%	21%			
CWBFPRI 200178			✓	AW 170019	95	100	102	102	105	109	87	79	95	59	97			
F1				CWBFANGUS88	1.76	3.0	7.2	8.9	13	13.4	-0.9	-14.3	0.0	-4.0	-0.9	1	1	1
PRI200178					32%	23%	25%	19%	13%	19%	62%	60%	52%	59%	21%			
CWBFPRI 209043			✓	AW 170026	88	113	115	114	115	107	90	90	109	79	97			
F1				CWBFANGUS30	2.43	8.2	15.4	18.5	27	12.2	-0.4	-6.4	2.1	-2.1	-0.9	1	1	1
PRI209043					35%	23%	33%	21%	16%	20%	41%	41%	38%	38%	28%			
CWBFPRI 209046			✓	AW 170026	88	113	115	114	115	107	90	90	109	79	97			
F1			✓	CWBFANGUS16	2.43	8.2	15.4	18.5	27	12.2	-0.4	-6.4	2.1	-2.1	-0.9	1	1	1
PRI209046					35%	23%	33%	21%	16%	20%	41%	41%	38%	38%	28%			
CWBFPRI 209166			✓	PWYPM0775	93	101	101	100	104	104	91	79	91	83	111			
F1					1.91	3.4	7.0	7.4	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3	1	1	1
PRI209166					44%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%			
CWBFWB 160002				ETJ002	116	104	93	94	83	77	82	77	88	127	146			
FB				FB6831	-0.36	4.7	1.9	2.6	-18	-3.6	-1.4	-15.3	-1.0	2.4	6.8	1	3	1
16-0002					56%	45%	46%	41%	35%	41%	53%	53%	50%	43%	30%			
FT14					99							102	97	65				
BS					1.33							2.5	0.3	-3.4		1	2	1
FT14					40%							27%	22%	27%				1
GWW 160041			✓	KF 120012	84	107	108	107	108	109	76	107	84	110	123			
F1					2.75	5.8	10.8	13.1	18	13.3	-2.2	6.1	-1.7	0.8	3.1	1	4	2
M0041					60%	28%	25%	24%	15%	29%	46%	46%	45%	39%	22%			
GWW 160082			✓	KF 120012	98	103	103	103	108	107	79	115	85	114	119			
F1					1.38	4.1	8.2	9.9	18	12.5	-1.8	11.7	-1.6	1.2	2.5	1	4	2
160082					60%	28%	25%	24%	15%	29%	51%	50%	48%	39%	22%			1
GWW 160099			✓	KF 120012	98	103	104	103	108	107	60	98	80	82	122			
F1					1.47	4.2	8.4	10.1	18	12.5	-4.3	-0.8	-2.3	-1.8	3.1	1	2	1
M0099					51%	28%	25%	24%	15%	29%	63%	61%	56%	59%	30%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
GWW 160127		✓	KF 120018	77	105	106	107	103	106	88	105	87	99	106				
F1				3.42	5.1	9.5	12.9	11	12.1	-0.7	4.6	-1.2	-0.2	0.4	1	2	1	
M0127				52%	27%	28%	27%	19%	26%	65%	64%	58%	34%	22%				
GWW 160141		✓	KF 120018	96	100	100	101	103	104	103	98	79	149	126				
F1				1.60	2.8	6.0	8.6	11	11.0	1.2	-0.6	-2.4	4.6	3.6	1	5	2	1
M0141				61%	27%	28%	27%	19%	26%	59%	58%	54%	46%	34%				
GWW 160171		✓	KF 120018	84	103	103	105	103	106	78	105	76	101	118				
F1				2.75	4.3	8.2	11.3	11	11.7	-2.0	4.4	-2.9	0.0	2.4	1	5	2	2
M0171				64%	27%	28%	27%	19%	26%	59%	58%	54%	42%	29%				
GWW 160242		✓	KF 120018	100	99	99	100	103	104	88	82	58	98	118				
F1				1.25	2.4	5.4	7.8	11	10.8	-0.8	-11.7	-5.7	-0.3	2.5	1	1	1	
M0242				47%	27%	28%	27%	19%	26%	65%	64%	58%	34%	22%				
GWW 160267		✓	KF 120018	98	99	100	101	103	104	91	95	74	99	108				
F1				1.47	2.7	5.8	8.3	11	10.9	-0.3	-2.4	-3.3	-0.2	0.9	1	4	2	
M0267				61%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160358		✓	KF 120012	100	102	103	103	108	107	79	119	79	122	123				
F1				1.19	3.9	7.8	9.5	18	12.4	-1.9	14.1	-2.5	2.0	3.2	1	4	1	
160358				60%	28%	25%	24%	15%	29%	51%	51%	48%	46%	22%				
HK467				90						97	100	98	104					
BS				2.25						0.4	1.1	0.5	0.3		1	2	1	1
PRIMGEN HK467				40%						27%	27%	21%	27%					
KI 140013		✓	TFFWW0629	126	89	80	81	77	82	106	68	58	120	129				
FB		✓	KJDFE0001	-1.25	-1.5	-6.2	-7.2	-26	-0.8	1.6	-21.5	-5.6	1.8	4.1	3	17	5	3
KI 140013				69%	53%	64%	48%	32%	46%	74%	73%	69%	62%	42%				
KI 140015		✓	KJDFC0087	114	87	76	72	86	72	119	125	138	92	87				
FB		✓	KSOFC0007	-0.17	-2.3	-8.6	-14.7	-14	-5.9	3.3	18.6	6.7	-0.8	-2.5	4	17	1	1
KI 140015				94%	92%	92%	92%	92%	92%	93%	93%	92%	92%	91%				
KI 140019		✓	WESFZ0278	113	91	88	92	75	83	103	83	93	75	103				
FB		✓	KJDFF0030	0.01	-0.6	-1.3	0.9	-30	-0.3	1.1	-11.2	-0.3	-2.5	0.0	4	14	2	3
KI 140019				92%	91%	91%	90%	91%	90%	91%	92%	91%	91%	90%				
KJDFD0133			151BE	114	91	85	84	81	85	112	104	97	116	106				
FB			KJDFF0050	-0.08	-0.6	-3.4	-4.7	-22	0.8	2.4	3.5	0.4	1.4	0.6	12	23	3	
LAKE WAGYU F D133				80%	66%	61%	59%	37%	53%	72%	72%	67%	48%	33%				
KL IPS124				104														
BS				0.86											1	1	1	
PRIMGEN KLIPS 124				29%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
KL IPS160				97														
BS				1.52											1	1	1	
KLIPS 160				29%														
KLIPS19				105						97	105		106					
BS				0.74						-1.1	1.6		0.5		1	2	1	1
KLIPS 19				37%						28%	22%		28%					
KLIPS95				94														
BS				1.80											1	2	1	
KLIPS 95				40%														
LMR0140X			WESFZ0278	106	104	100	103	92	80	100	92	99	76	96				
FB			LMRFC749T	0.62	4.7	6.3	9.7	-5	-2.1	0.7	-4.6	0.6	-2.4	-1.1	1	3	1	
LMR MS HIRASHIGE-Z278 0140X (FB11174)				47%	43%	42%	34%	27%	32%	43%	43%	41%	36%	28%				
LMR783T			IMUFM1615	116	92	82	81	77	60	108	70	100	112	130				
FB			USAFU9671	-0.28	-0.4	-4.8	-7.7	-26	-12.6	1.9	-20.5	0.8	1.1	4.3	2	4	1	1
LMR MS MICHIFUKU 783T (FB8585)				50%	50%	50%	50%	44%	49%	48%	51%	50%	50%	39%				
OB 150013			KJDFC0086	124	70	72	75	70	76	79	71	120	88	130				
FB			BA 080201	-1.10	-9.1	-11.7	-12.3	-36	-3.8	-1.9	-19.8	3.8	-1.3	4.3	3	20	5	
OB150013				91%	88%	88%	88%	88%	88%	89%	89%	89%	88%	87%				
PAL 190017			BA 130823	100	100	102	102	104	113	105	93	71	101	99				
F1				1.24	3.1	7.5	8.9	12	15.5	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190017				54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190036			BA 130823	101	100	102	101	104	113	105	93	71	101	99				
F1				1.11	2.9	7.2	8.5	12	15.4	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190036				54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190043			BA 130823	105	99	101	100	104	112	105	93	71	101	99				
F1				0.79	2.5	6.6	7.8	12	15.2	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PAL190043				54%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PAL 190067			AW 170010	108	97	98	97	108	109	100	98	85	112	109				
F1				0.45	1.6	4.7	5.3	17	13.4	0.7	-0.3	-1.5	1.0	1.0	1	1	1	
PAL190067				40%	23%	22%	20%	20%	20%	32%	32%	29%	24%	18%				
PAL 200003			AW 170005	95	103	104	103	108	108	109	104	75	99	94				
F1				1.73	4.3	8.5	10.2	18	13.1	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200003				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200004			AW 170005	85	106	107	106	108	109	109	104	75	99	94				
F1				2.65	5.4	10.3	12.4	18	13.7	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200004				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
PAL 200012		✓	AW 170005	88	105	106	105	108	109	109	104	75	99	94				
F1				2.41	5.1	9.8	11.8	18	13.5	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200012				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200013		✓	AW 170005	86	106	107	106	108	109	109	104	75	99	94				
F1				2.63	5.4	10.2	12.3	18	13.7	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200013				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200019		✓	AW 170005	84	107	107	107	108	110	109	104	75	99	94				
F1				2.80	5.6	10.6	12.7	18	13.8	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200019				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200023		✓	AW 170005	92	104	105	104	108	109	113	99	73	111	100				
F1				2.03	4.7	9.1	10.9	18	13.3	2.5	0.2	-3.5	0.9	-0.5	1	2	1	
PAL200023				51%	22%	23%	19%	15%	19%	46%	46%	41%	41%	31%				
PAL 200029		✓	AW 170005	81	108	108	108	108	110	109	104	75	99	94				
F1				3.09	6.0	11.1	13.4	18	14.0	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200029				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200045		✓	AW 170005	89	105	106	105	108	109	109	104	75	99	94				
F1				2.27	5.0	9.5	11.5	18	13.5	1.9	3.4	-3.1	-0.2	-1.5	1	1	1	
PAL200045				45%	22%	23%	19%	15%	19%	40%	40%	37%	33%	24%				
PAL 200047		✓	AW 170005	93	104	104	104	108	108	105	103	82	90	92				
F1				1.89	4.5	8.8	10.6	18	13.2	1.4	2.9	-2.1	-1.1	-1.8	1	1	1	
PAL200047				45%	22%	23%	19%	15%	19%	54%	52%	46%	50%	24%				
PK 140007			✓ KJDFC0087	104	93	81	80	84	65	88	109	83	114	129				
FB			✓ CWBFPK 110001	0.80	0.0	-5.7	-8.0	-16	-9.8	-0.8	7.4	-1.8	1.3	4.2	4	31	5	3
PK 140007				92%	90%	91%	90%	90%	90%	92%	92%	91%	91%	90%				
PK 140013			✓ KJDFC0087	99	101	93	92	97	71	81	123	91	126	134				
FB			✓ PK 110002	1.29	3.5	1.6	1.3	2	-6.5	-1.7	17.3	-0.5	2.3	5.0	3	32	10	5
PK 140013				91%	89%	89%	89%	89%	89%	91%	91%	91%	90%	89%				
PK 140015			✓ KKWFA0871	121	68	66	71	77	64	72	84	99	58	110				
FB			✓ PK 110002	-0.85	-10.1	-15.2	-15.1	-27	-10.6	-2.7	-10.6	0.6	-4.1	1.1	5	18	5	1
PK 140015				91%	89%	89%	89%	88%	89%	90%	90%	90%	89%	88%				
PK 140017		✓	BA 090335	113	102	101	104	105	81	82	96	114	101	118				
FB		✓	CWBFPK 110001	-0.05	3.7	6.9	10.4	13	-1.3	-1.5	-2.1	2.9	0.0	2.4	6	20	3	3
PK 140017				68%	46%	44%	47%	41%	48%	64%	61%	58%	48%	32%				
PK 140018			✓ BA 090335	111	100	95	97	89	65	96	96	105	105	113				
FB			✓ CWBFPK 110001	0.15	3.0	3.1	5.4	-10	-10.1	0.3	-1.7	1.6	0.4	1.6	6	12	1	
PK 140018				90%	88%	87%	87%	86%	87%	87%	87%	87%	87%	86%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
PRI 180007		✓	CP 130307	93	113	112	111	114	109	90	110	96	117	112	1	2	2	
F3		✓	CWBFCP 130020	1.96	8.3	13.4	15.8	27	13.7	-0.5	8.0	0.2	1.5	1.4				
PRINCESS				57%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
PRI 190045		✓	PWYPM0775	133	79	73	75	75	71	88	64	96	71	119	1	1	1	
PBD		✓	AW 160010	-1.98	-5.4	-10.5	-11.9	-29	-6.7	-0.7	-24.5	0.1	-2.9	2.5				
PRI190045				58%	36%	43%	38%	24%	34%	53%	53%	51%	50%	38%				
PRI 190060		✓	CP 130012	97	101	100	99	105	109	94	98	92	118	117	1	1	1	
F3		✓	CWBFCP 120031	1.53	3.4	6.3	6.6	13	13.5	0.0	-0.5	-0.5	1.6	2.2				
PRI190060				48%	33%	27%	25%	17%	29%	31%	31%	29%	23%	17%				
PRI 190083		✓	PWYPM0775	97	100	100	99	104	103	91	79	91	83	111	1	1	1	
PBD		✓	CWBFAW 170008	1.50	2.9	6.2	6.5	12	10.4	-0.4	-14.1	-0.7	-1.7	1.3				
PRI190083				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 190517		✓	PWYPM0775	120	81	76	78	79	66	85	64	93	59	115	1	1	1	
PBD		✓	PK 140015	-0.69	-4.6	-9.0	-9.9	-24	-9.4	-1.2	-24.4	-0.3	-4.0	2.0				
190517				59%	35%	43%	36%	24%	32%	54%	54%	51%	50%	38%				
PRI 190527		✓	PWYPM0775	118	91	83	82	79	70	103	63	98	72	110	1	1	1	
PBD		✓	BA 090338	-0.51	-0.7	-4.4	-6.6	-23	-7.3	1.1	-25.1	0.5	-2.8	1.1				
190527				64%	40%	46%	43%	33%	39%	59%	59%	56%	54%	43%				
PRI 190528		✓	PWYPM0775	116	92	84	83	79	70	103	63	98	72	110	1	1	1	
PBD		✓	BA 090338	-0.28	-0.5	-4.0	-6.1	-23	-7.1	1.1	-25.1	0.5	-2.8	1.1				
190528				64%	40%	46%	43%	33%	39%	59%	59%	56%	54%	43%				
PRI 200009		✓	SMOFF0154	124	79	73	72	75	70	133	101	103	100	89	1	1	1	
FB		✓	AACFB0490	-1.06	-5.7	-10.6	-14.7	-30	-7.2	5.0	1.3	1.2	-0.1	-2.3				
PRI200009				88%	87%	87%	87%	86%	87%	87%	88%	87%	87%	87%				
PRI 200013		✓	BA 170047	104	89	85	86	83	87	103	83	86	105	112	1	1	1	
F2		✓	GWV 160267	0.84	-1.5	-3.1	-3.8	-17	1.8	1.2	-11.2	-1.4	0.4	1.4				
PRI200013				70%	32%	32%	31%	26%	30%	49%	49%	46%	45%	35%				
PRI 200016		✓	PWYPM0775	100	99	99	98	104	103	91	79	91	83	111	1	1	1	
PBD		✓	CWBFAW 170044	1.20	2.5	5.6	5.8	12	10.3	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200016				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200050		✓	AW 170020	115	86	89	91	90	101	97	87	97	106	112	1	1	1	
F1			KL IPS103	-0.26	-2.7	-0.8	0.5	-9	9.4	0.4	-8.5	0.3	0.4	1.4				
PRI200050				65%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200072		✓	AW 170020	99	93	95	95	100	110	89	94	93	108	114	1	1	1	
F1			CWBFLIPS164*	1.36	-0.1	2.8	3.9	7	14.3	-0.6	-3.8	-0.3	0.7	1.8				
PRI200072				44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PRI 200094	✓	BA 170047	101	88	89	88	95	105	99	92	96	109	108				
F1		CWBF6086	1.09	-2.0	-0.5	-1.5	-1	11.3	0.7	-4.9	0.1	0.7	0.9	1	1	1	
PRI200094			49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200113	✓	AW 170025	97	87	90	89	96	106	93	95	102	93	107				
F1		CWBFKLIPS44	1.52	-2.2	-0.4	-0.9	1	12.0	-0.1	-2.4	1.2	-0.8	0.6	1	1	1	
PRI200113			45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200117		PWYPM0775	94	101	101	100	104	104	91	79	91	83	111				
PEN			1.80	3.3	6.8	7.2	12	10.6	-0.4	-14.1	-0.7	-1.7	1.3	1	1	1	
PRI200117			50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200121	✓	AW 170020	89	96	98	98	100	112	89	94	93	108	114				
F1		CWBFKLIPS98	2.31	1.1	4.6	6.1	7	14.9	-0.6	-3.8	-0.3	0.7	1.8	1	1	1	
PRI200121			44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200123	✓	AW 170020	91	95	97	98	100	111	89	94	93	108	114				
F1			2.12	0.9	4.2	5.7	7	14.8	-0.6	-3.8	-0.3	0.7	1.8	1	1	1	
PRI200123			44%	23%	33%	19%	13%	19%	36%	37%	35%	35%	24%				
PRI 200134	✓	AW 170019	91	101	103	103	105	109	85	89	87	91	112				
F1		CWBFKLIPS34	2.07	3.4	7.8	9.6	13	13.5	-1.1	-7.2	-1.2	-0.9	1.4	1	1	1	
PRI200134			41%	23%	25%	19%	13%	19%	37%	36%	34%	32%	21%				
PRI 200136	✓	BA 130823	97	101	103	102	104	113	105	93	71	101	99				
F1			1.49	3.4	8.0	9.4	12	15.6	1.4	-4.3	-3.7	0.0	-0.6	1	1	1	
PRI200136			53%	38%	28%	33%	26%	28%	47%	47%	45%	44%	37%				
PRI 200163	✓	BA 170047	84	93	95	94	95	107	99	92	96	109	108				
F1		CWBFBAN GUS136	2.79	0.1	2.8	2.5	-1	12.3	0.7	-4.9	0.1	0.7	0.9	1	1	1	
PRI200163			49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200164	✓	AW 170019	92	101	102	102	105	109	85	89	87	91	112				
F1		CWBFBANGUS38	1.98	3.3	7.6	9.4	13	13.5	-1.1	-7.2	-1.2	-0.9	1.4	1	1	1	
PRI200164			42%	23%	25%	19%	13%	19%	37%	36%	34%	32%	21%				
PRI 200198	✓	AW 170025	100	86	89	88	96	106	93	95	102	93	107				
F1		CWBFKLIPS83	1.24	-2.6	-1.0	-1.6	1	11.8	-0.1	-2.4	1.2	-0.8	0.6	1	1	1	
PRI200198			45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200221	✓	PWYPM0775	91	102	102	101	104	104	94	95	82	116	120				
F1			2.11	3.7	7.4	7.9	12	10.8	0.1	-3.0	-1.9	1.4	2.8	1	1	1	
PRI200221			50%	22%	34%	28%	15%	20%	44%	63%	56%	63%	32%				
PRI 200229	✓	BDWFM0495	106	79	75	79	73	80	97	103	90	103	113				
FB	✓	AW 180058	0.68	-5.4	-9.8	-8.6	-33	-2.1	0.4	2.7	-0.7	0.2	1.6	1	1	1	
PRI200229			72%	44%	47%	45%	38%	42%	53%	53%	50%	46%	33%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
PRI 200261		✓	PWYPM0775	92	101	102	100	104	104	91	79	91	83	111	1	1	1	
F1			CWBFAM1177	1.99	3.5	7.2	7.6	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200261				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200265		✓	PWYPM0775	90	102	102	101	104	104	91	79	91	83	111	1	1	1	
F1			CWBFFT21	2.19	3.8	7.5	8.1	12	10.9	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200265				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200266		✓	PWYPM0775	96	100	101	99	104	103	91	79	91	83	111	1	1	1	
F1			CWBFFT9	1.62	3.1	6.5	6.8	12	10.5	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200266				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200268		✓	PWYPM0775	92	101	102	100	104	104	91	79	91	83	111	1	1	1	
F1			CWBFFTNOTAG	1.98	3.5	7.1	7.6	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PRI200268				50%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PRI 200273		✓	AW 170025	100	86	89	88	96	106	93	95	102	93	107	1	1	1	
F1			CWBFKL IPS177	1.23	-2.6	-1.0	-1.6	1	11.8	-0.1	-2.4	1.2	-0.8	0.6				
PRI200273				45%	28%	34%	26%	23%	27%	35%	37%	34%	35%	23%				
PRI 200283		✓	BA 170047	119	80	83	84	84	96	107	85	100	106	106	1	1	1	
F1			ANGUSNOTAG*	-0.60	-4.9	-4.4	-5.2	-16	6.5	1.7	-9.6	0.7	0.5	0.4				
PRI200283				67%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200307		✓	BA 170047	113	82	85	85	84	97	104	94	98	99	101	1	1	1	
F1			HK72	-0.02	-4.2	-3.3	-3.8	-16	6.9	1.4	-3.2	0.4	-0.2	-0.4				
PRI200307				68%	29%	29%	28%	24%	27%	45%	45%	42%	44%	35%				
PRI 200309		✓	BA 170047	93	90	92	91	95	106	99	92	96	109	108	1	1	1	
F1			CWBFPRI3106	1.89	-1.0	1.0	0.4	-1	11.8	0.7	-4.9	0.1	0.7	0.9				
PRI200309				49%	29%	29%	28%	24%	27%	42%	43%	40%	42%	33%				
PRI 200323		✓	BA 130823	118	96	93	94	92	94	109	78	68	94	103	1	1	1	
F2		✓	GWW 160173	-0.51	1.4	1.7	2.8	-5	5.5	1.9	-15.1	-4.1	-0.7	0.0				
PRI200323				73%	41%	32%	36%	28%	31%	55%	54%	52%	48%	38%				
PRI 200328		✓	BA 130823	116	96	93	94	92	95	102	89	62	99	107	1	1	1	
F2		✓	GWW 160171	-0.35	1.1	1.6	2.7	-5	6.3	1.0	-7.1	-5.1	-0.2	0.7				
PRI200328				73%	41%	32%	36%	28%	31%	55%	55%	53%	48%	39%				
PRI 205030		✓	CCOFG0113	116	100	97	96	96	84	114	100	102	99	92	1	1	1	
PBD		✓	AACFD0439	-0.34	2.8	4.2	4.3	0	0.1	2.6	0.5	1.1	-0.2	-1.8				
PRI205030				51%	40%	46%	42%	23%	36%	42%	42%	39%	40%	33%				
PRI 209038		✓	BA 130823	115	95	98	99	88	100	122	80	81	94	89	1	1	1	
F2		✓	BB 160172	-0.18	1.0	4.9	7.1	-11	8.5	3.6	-13.1	-2.2	-0.6	-2.2				
PRI209038				72%	46%	40%	33%	26%	30%	49%	49%	47%	44%	37%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PRI 209169	✓	AW 170017	96	107	110	109	112	107	85	75	111	66	100				
F1		CWBFJJN1510	1.64	5.8	12.0	14.6	23	12.4	-1.1	-16.9	2.5	-3.4	-0.5	1	1	1	
PRI209169			38%	23%	33%	21%	16%	20%	63%	61%	54%	61%	31%				
PRI 209170	✓	AW 170017	98	106	109	108	112	107	87	79	109	69	99				
F1		CWBFDEXTER1715	1.39	5.5	11.6	14.0	23	12.2	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209170			45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 209193	✓	AW 170017	98	106	109	108	112	107	87	79	109	69	99				
F1		CWBF1121	1.42	5.5	11.6	14.0	23	12.3	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209193			45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 209222	✓	AW 170017	98	106	109	108	112	107	87	79	109	69	99				
F1		CWBFDX1254	1.40	5.5	11.6	14.0	23	12.2	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209222			45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 209253	✓	AW 170017	98	106	109	108	112	107	95	73	110	60	89				
F1		CWBFDEXTER1126	1.38	5.4	11.5	14.0	23	12.2	0.1	-18.4	2.4	-3.9	-2.2	2	2	1	
PRI209253			45%	23%	33%	21%	16%	20%	48%	48%	44%	46%	36%				
PRI 209297	✓	AW 170017	93	108	110	110	112	107	87	79	109	69	99				
F1		CWBFDX1265	1.87	6.1	12.5	15.1	23	12.5	-0.9	-14.3	2.1	-3.0	-0.7	1	1	1	
PRI209297			45%	23%	33%	21%	16%	20%	43%	43%	40%	41%	31%				
PRI 210602	✓ GTD	✓ PWYPM0775	115	94	89	88	85	78	96	76	92	84	115				
PBD		✓ SMOFG0195	-0.20	0.7	-0.9	-2.1	-15	-3.1	0.3	-16.0	-0.5	-1.6	1.9	1	1	1	
PB 110602 PH			85%	83%	84%	84%	83%	83%	85%	85%	85%	85%	84%				
PRI 210605	✓ GTD	✓ BDWFM0477	112	95	91	92	89	70	118	103	102	123	105				
FB		✓ CWBFAW 180088	0.05	0.7	0.4	0.9	-10	-7.1	3.0	2.9	1.0	2.1	0.3	1	1	1	
FB M477 210605			84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	83%				
SMOFG0195		SMOFC0158	118	85	83	82	83	87	104	112	100	122	108				
FB		SMOFC0099	-0.51	-3.0	-4.7	-6.6	-18	1.7	1.3	9.6	0.7	2.0	0.8	1	2	1	
SUMO CATTLE CO NAMI G195			41%	35%	37%	35%	29%	34%	44%	44%	41%	44%	36%				
WESFA0067		IMJFAJ2810	134	79	77	84	80	73	104	69	112	63	99				
FB		MANFV2238	-2.11	-5.6	-8.1	-4.9	-22	-5.6	1.3	-21.2	2.6	-3.6	-0.7	2	2	2	
WESTHOLME KITA A0067 (AI)			54%	47%	46%	43%	36%	44%	50%	50%	49%	46%	37%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 180018 F2 PRIMGEN PRI 180018	2			HJ 150008 GWW 160127	54 62%	114 39%	92 26 %	108 22%	86 26%	63 4.85 68 %	114 8.6 39 %	74 0.59 40%	92 4.7 26%	111 13.8 28%	92 -5 22%	79 9.6 35%	93 1.7 16%	96 3.4 52 %	94 0.1 53 %	96 -2.1 53 %	87 -1.2 49 %	81 -1.9 34 %	101 -0.3 24 %
CWBMPRI 180031 F2 PRIMGEN PRI 180031	3			HJ 150008 BB 160179	115 66%	82 47%	92 29 %	120 21%	96 30%	131 -1.76 72 %	82 -4.4 47 %	101 -0.44 41%	92 4.7 29%	82 -6.3 32%	80 -22 21%	91 2.2 40%	101 0.3 19%	97 3.8 53 %	100 0.8 46 %	83 -10.9 46 %	88 -1.1 43 %	84 -1.6 33 %	106 0.5 24 %
CWBMPRI 180036 F2 PRIMGEN PRI 180036				HJ 150008 BB 160173	90 65%	98 44%	96 25 %	111 20%	97 25%	98 1.47 71 %	98 2.2 44 %	68 0.81 40%	96 6.8 25%	103 8.3 30%	89 -9 20%	86 5.3 35%	105 -0.3 15%	88 -0.1 50 %	102 1.0 46 %	101 1.3 46 %	104 1.4 42 %	69 -3.1 33 %	84 -3.0 24 %
CWBMPAL 190041 F1 PRINSTINE PAL190041				BA 130823	104 46%	100 38%	113 28 %	96 26%	98 30%	101 1.11 48 %	100 2.9 38 %	101 -0.40 39%	113 15.4 28%	102 7.5 30%	104 12 26%	99 -2.2 38%	97 1.1 23%	86 -0.7 47 %	105 1.4 47 %	93 -4.3 47 %	71 -3.7 45 %	101 0.0 44 %	99 -0.6 37 %
CWBMPRI 190004 F2 PRIMGEN PRI 190004	2			HJ 150008 GWW 160242	105 63%	97 39%	92 26 %	108 22%	86 26%	104 0.89 69 %	97 1.7 39 %	95 -0.21 38%	92 4.7 26%	96 3.8 28%	92 -5 22%	79 9.6 35%	93 1.7 16%	95 3.2 52 %	94 0.0 53 %	84 -10.2 53 %	73 -3.4 49 %	80 -2.0 34 %	108 0.8 24 %
CWBMPRI 190070 PBD PRIMGEN POLLARD				CP 130012 CWBFCP 150046	96 40%	103 33%	109 29 %	95 17%	82 22%	93 1.92 42 %	103 3.9 33 %	106 -0.62 34%	109 13.7 29%	101 6.9 26%	105 13 17%	82 7.4 30%	83 3.6 15%	114 11.3 47 %	94 0.0 31 %	98 -0.5 31 %	92 -0.5 29 %	118 1.6 23 %	117 2.2 17 %
CWBMPRI 190116 F1 PRIMGEN PRI190116				BA 130823	104 46%	100 38%	113 28 %	96 26%	98 30%	101 1.11 48 %	100 2.9 38 %	101 -0.40 39%	113 15.4 28%	102 7.5 30%	104 12 26%	99 -2.2 38%	97 1.1 23%	86 -0.7 47 %	105 1.4 47 %	93 -4.3 47 %	71 -3.7 45 %	101 0.0 44 %	99 -0.6 37 %
CWBMPRI 190117 F1 PRIMGEN PRI190117				PWYPM0775	95 42%	101 22%	104 20 %	96 15%	91 24%	93 1.91 44 %	101 3.4 22 %	113 -0.88 34%	104 10.7 20%	101 6.8 31%	104 12 15%	90 2.8 33%	91 1.9 15%	91 1.2 44 %	91 -0.4 44 %	79 -14.1 44 %	91 -0.7 41 %	83 -1.7 42 %	111 1.3 32 %
CWBMPRI 190122 F1 PRIMGEN ZACK				BDWFM0546	98 32%	92 29%	107 23 %	101 26%	94 16%	97 1.54 33 %	92 -0.2 29 %	99 -0.36 27%	107 12.7 23%	98 5.1 28%	99 5 26%	96 -0.3 22%	93 1.8 9%	93 2.1 31 %	108 1.8 21 %	106 5.1 21 %	98 0.5 19 %	121 1.9 20 %	103 0.0 16 %
CWBMPRI 199041 F1 PRIMGEN PRI199041				PWYPM0775 CWBFB16101	95 42%	101 22%	104 20 %	96 15%	91 24%	93 1.91 44 %	101 3.4 22 %	113 -0.88 34%	104 10.7 20%	101 6.8 31%	104 12 15%	90 2.8 33%	91 1.9 15%	91 1.2 44 %	91 -0.4 44 %	79 -14.1 44 %	91 -0.7 41 %	83 -1.7 42 %	111 1.3 32 %
CWBMPRI 199043 F1 PRIMGEN PRI199043				CP 130307 CWBFDX-1254	101 46%	112 43%	109 41 %	86 15%	89 27%	97 1.48 47 %	112 7.6 43 %	113 -0.87 43%	109 13.4 41%	110 13.2 32%	114 27 15%	86 5.1 36%	91 2.1 18%	84 -1.7 46 %	90 -0.5 38 %	110 8.0 38 %	96 0.2 35 %	117 1.5 27 %	112 1.4 17 %
CWBMPRI 199056 F1 PRIMGEN PRI1990056				PWYPM0775 CWBFSZJ1730	95 42%	101 22%	104 20 %	96 15%	91 24%	93 1.91 44 %	101 3.4 22 %	113 -0.88 34%	104 10.7 20%	101 6.8 31%	104 12 15%	90 2.8 33%	91 1.9 15%	91 1.2 44 %	91 -0.4 44 %	79 -14.1 44 %	91 -0.7 41 %	83 -1.7 42 %	111 1.3 32 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPAL 200034				✓ AW 170005	88	105	109	92	88	89	105	93	109	105	108	87	89	86	109	104	75	99	94
F1					2.25	4.9				2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200034					35%	22%	19 %	15%	18%	36 %	22 %	30%	19%	21%	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
CWBMPAL 200044				✓ AW 170005	88	105	109	92	88	89	105	93	109	105	108	87	89	86	109	104	75	99	94
F1					2.25	4.9				2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200044					35%	22%	19 %	15%	18%	36 %	22 %	30%	19%	21%	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
CWBMPAL 200049				✓ AW 170005	88	105	109	92	88	89	105	93	109	105	108	87	89	86	109	104	75	99	94
F1					2.25	4.9				2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRINSTINE PAL200049					35%	22%	19 %	15%	18%	36 %	22 %	30%	19%	21%	15%	23%	12%	41 %	40 %	40 %	37 %	33 %	24 %
CWBMPRI 200022				✓ AW 170025	106	86	106	104	93	103	86	102	106	88	96	92	93	91	93	95	102	93	107
F1				CWBFKL IPS111	0.96	-2.9				0.96	-2.9	-0.44	11.7	-2.3	1	1.6	1.6	1.2	-0.1	-2.4	1.2	-0.8	0.6
PRIMGEN PRI200022					36%	28%	27 %	23%	21%	37 %	28 %	30%	27%	30%	23%	27%	15%	38 %	35 %	37 %	34 %	35 %	23 %
CWBMPRI 200023				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				CWBFKL IPS161	1.55	0.2				1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI200023					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 200026				KLIPS19	111					120		53						91		92	107	100	
F1					-0.70					-0.70		1.38						1.3		-4.9	1.9	0.0	
PRIMGEN PRI200026					51%					59 %		22%						20 %		14 %	11 %	14 %	
CWBMPRI 200027				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				✓ CWBFKL IPS156	1.55	0.2				1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI200027					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 200030				✓ AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125
F1				✓ CWBFKLIPS94	2.01	4.9				2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6
PRIMGEN PRI200030					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %
CWBMPRI 200049				✓ AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125
F1				CWBFKL IPS126	2.01	4.9				2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6
PRIMGEN PRI200049					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %
CWBMPRI 200051				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				CWBFKL IPS106	1.55	0.2				1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI200051					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 200052				✓ AW 170013	102	101	97	102	100	102	101	90	97	102	98	99	101	83	92	79	90	107	123
F1				KLIPS95	1.02	3.3				1.02	3.3	-0.03	7.2	8.1	3	-2.1	0.2	-1.9	-0.2	-13.8	-0.8	0.6	3.2
PRIMGEN PRI200052					57%	23%	19 %	14%	18%	63 %	23 %	34%	19%	26%	14%	23%	12%	42 %	28 %	29 %	28 %	25 %	18 %
CWBMPRI 200063				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				✓ CWBFKL IPS140	1.55	0.2				1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI200063					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMPRI 200064				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPS55*	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200064					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200065				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKL IPS149	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200065					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200066				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPS90	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200066					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200067				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKL IPS132	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200067					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200068				AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKLIPS12	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200068					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200069				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPS17	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200069					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200073				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPSNOTA G*	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200073					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200075				AW 170025	106	86	106	104	93	103	86	102	106	88	96	92	93	91	93	95	102	93	107	
F1				CWBFKL IPS150	36%	28%	27 %	23%	21%	0.96	-2.9	-0.44	11.7	-2.3	1	1.6	1.6	1.2	-0.1	-2.4	1.2	-0.8	0.6	
PRIMGEN PRI200075					36%	28%	27 %	23%	21%	37 %	28 %	30%	27%	30%	23%	27%	15%	38 %	35 %	37 %	34 %	35 %	23 %	
CWBMPRI 200076				AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKL IPS162	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200076					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200077				AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKLIPS40	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200077					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200078				AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKL IPS117	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200078					34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200079				AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPS73	32%	23%	19 %	14%	18%	2.01	4.9	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200079					32%	23%	19 %	14%	18%	34 %	23 %	26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMPRI 200083				✓ AW 170025	106	86	106	104	93	103	86	102	106	88	96	92	93	91	93	95	102	93	107	
F1				CWBFKL IPS145	0.96	-2.9				37 %	28 %	-0.44	11.7	-2.3	1	1.6	1.6	1.2	-0.1	-2.4	1.2	-0.8	0.6	
PRIMGEN PRI200083					36%	28%	27 %	23%	21%			30%	27%	30%	23%	27%	15%	38 %	35 %	37 %	34 %	35 %	23 %	
CWBMPRI 200105				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKLIPS61	1.55	0.2				36 %	23 %	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200105					34%	23%	19 %	13%	18%			27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200115				✓ AW 170013	95	105	106	91	94	92	105	107	106	105	109	98	92	86	85	86	86	110	125	
F1				CWBFKLIPS56	2.01	4.9				34 %	23 %	-0.63	12.1	10.1	18	-1.9	1.9	-1.0	-1.1	-9.0	-1.4	0.8	3.6	
PRIMGEN PRI200115					32%	23%	19 %	14%	18%			26%	19%	26%	14%	23%	12%	36 %	28 %	29 %	28 %	25 %	18 %	
CWBMPRI 200139				✓ AW 170019	96	100	109	95	96	95	100	101	109	102	105	102	92	94	85	89	87	91	112	
F1				CWB FangUS22	1.76	3.0				32 %	23 %	-0.43	13.4	7.6	13	-4.1	1.8	2.6	-1.1	-7.2	-1.2	-0.9	1.4	
PRIMGEN PRI200139					31%	23%	19 %	13%	18%			27%	19%	22%	13%	23%	12%	38 %	37 %	36 %	34 %	32 %	21 %	
CWBMPRI 200176				✓ AW 170019	96	100	109	95	96	95	100	101	109	102	105	102	92	94	85	89	87	91	112	
F1				CWB FangUS20*	1.76	3.0				32 %	23 %	-0.43	13.4	7.6	13	-4.1	1.8	2.6	-1.1	-7.2	-1.2	-0.9	1.4	
PRIMGEN PRI200176					31%	23%	19 %	13%	18%			27%	19%	22%	13%	23%	12%	38 %	37 %	36 %	34 %	32 %	21 %	
CWBMPRI 200179				✓ AW 170019	96	100	109	95	96	95	100	101	109	102	105	102	92	94	85	89	87	91	112	
F1				CWB FangUS86	1.76	3.0				32 %	23 %	-0.43	13.4	7.6	13	-4.1	1.8	2.6	-1.1	-7.2	-1.2	-0.9	1.4	
PRIMGEN PRI200179					31%	23%	19 %	13%	18%			27%	19%	22%	13%	23%	12%	38 %	37 %	36 %	34 %	32 %	21 %	
CWBMPRI 200181	2			✓ BA 130823	112	101	96	106	105	107	101	108	96	98	94	106	104	94	101	84	74	84	100	
F2				✓ AW 160030	0.58	3.3				71 %	42 %	-0.70	6.5	5.3	-2	-6.6	-0.3	2.6	1.0	-10.8	-3.3	-1.6	-0.5	
PRIMGEN PRI200181					66%	42%	31 %	28%	34%			49%	31%	35%	28%	42%	25%	55 %	53 %	53 %	51 %	49 %	40 %	
CWBMPRI 200209				✓ AW 170019	96	100	109	95	96	95	100	101	109	102	105	102	92	94	85	89	87	91	112	
F1				CWB Fang US6017	1.76	3.0				32 %	23 %	-0.43	13.4	7.6	13	-4.1	1.8	2.6	-1.1	-7.2	-1.2	-0.9	1.4	
PRIMGEN PRI200209					31%	23%	19 %	13%	18%			27%	19%	22%	13%	23%	12%	38 %	37 %	36 %	34 %	32 %	21 %	
CWBMPRI 200215				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKLIPS50	1.55	0.2				36 %	23 %	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN PRI200215					34%	23%	19 %	13%	18%			27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 200232				✓ BDWFM0495	97	82	107	108	91	98	82	91	107	87	92	87	97	94	102	107	95	110	103	
F1					1.45	-4.3				47 %	40 %	-0.05	12.5	-2.9	-5	4.8	1.4	2.7	1.1	5.8	0.0	0.9	-0.1	
PRIMGEN PRI200232					46%	40%	39 %	36%	30%			43%	39%	43%	36%	39%	20%	43 %	46 %	46 %	44 %	40 %	30 %	
CWBMPRI 200242				✓ PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	91	91	91	79	91	83	111	
F3				✓ CWBFCP 120004	1.91	3.4				44 %	22 %	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI200242					42%	22%	20 %	15%	24%			34%	20%	31%	15%	33%	15%	44 %	44 %	44 %	41 %	42 %	32 %	
CWBMPRI 200282				✓ BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108	
F1				CWBF7343	1.55	-1.5				43 %	29 %	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	
PRIMGEN PRI200282					41%	29%	27 %	24%	26%			33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																					
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass										
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness					
Name		Genomic DNA	Dam ID																									
JAPANESE BLACK																												
CWBMPRI 200324	4	BA 130823	130823	111	102	77	119	111	107	102	104	77	95	81	112	113	104	119	73	77	103	107						
FB		AW 180064	180064	67%	45%	34 %	30%	36%	0.60	3.8	-0.54	-3.4	2.8	-21	-9.7	-1.5	7.0	3.2	-18.5	-2.7	0.2	0.6						
PRIMGEN PRI200324									72 %	45 %	50%	34%	37%	30%	46%	27%	55 %	49 %	51 %	49 %	48 %	38 %						
CWBMPRI 200327		BA 130823	130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99						
F2		CWBFGWW	160069	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6						
PRIMGEN PRI200327									48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %						
CWBMPRI 200329	14	BA 130823	130823	125	91	84	120	110	122	91	116	84	85	80	110	109	106	121	77	71	90	92						
PBD		BA 130851	130851	71%	48%	41 %	38%	40%	-0.95	-0.8	-0.97	0.5	-3.8	-22	-8.7	-1.2	7.6	3.4	-15.2	-3.7	-1.0	-1.7						
PRIMGEN PRI200329									75 %	48 %	56%	41%	41%	38%	49%	32%	59 %	58 %	58 %	55 %	54 %	45 %						
CWBMPRI 200334		BA 130823	130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99						
F1				46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6						
PRIMGEN PRI200334									48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %						
CWBMPRI 200347		BA 130823	130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99						
F2		CWBFGWW	160083	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6						
PRIMGEN PRI200347									48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %						
CWBMPRI 209041	2	BA 130823	130823	108	94	92	116	93	108	94	91	92	92	84	84	101	94	110	77	70	94	103						
F2		BB 160175	160175	68%	48%	33 %	28%	34%	0.48	0.6	-0.03	4.7	0.8	-16	6.2	0.5	2.5	2.1	-15.5	-3.9	-0.7	-0.1						
PRIMGEN PRI209041									73 %	48 %	48%	33%	40%	28%	44%	25%	55 %	53 %	52 %	51 %	48 %	38 %						
CWBMPRI 209056		AW 170026	170026	89	113	107	85	98	88	113	105	107	114	115	103	95	88	90	90	109	79	97						
F1		CWBFJNEL		34%	23%	20 %	16%	20%	2.43	8.2	-0.57	12.2	16.5	27	-4.9	1.4	0.1	-0.4	-6.4	2.1	-2.1	-0.9						
PRIMGEN PRI209056									35 %	23 %	28%	20%	27%	16%	25%	15%	40 %	41 %	41 %	38 %	38 %	28 %						
CWBMPRI 209100		BA 130823	130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99						
F1		CWBFSZJ1734		46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6						
PRIMGEN PRI209100									48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %						
CWBMPRI 209102		AW 170026	170026	89	113	107	85	98	88	113	105	107	114	115	103	95	88	90	90	109	79	97						
F1				34%	23%	20 %	16%	20%	2.43	8.2	-0.57	12.2	16.5	27	-4.9	1.4	0.1	-0.4	-6.4	2.1	-2.1	-0.9						
PRIMGEN PRI209102									35 %	23 %	28%	20%	27%	16%	25%	15%	40 %	41 %	41 %	38 %	38 %	28 %						
CWBMPRI 209104		AW 170017	170017	99	107	107	88	98	96	107	107	107	109	112	102	94	86	87	79	109	69	99						
F1		CWBF1841		36%	23%	20 %	16%	20%	1.64	5.8	-0.64	12.4	12.9	23	-4.1	1.4	-0.8	-0.9	-14.3	2.1	-3.0	-0.7						
PRIMGEN PRI209104									38 %	23 %	29%	20%	27%	16%	26%	15%	41 %	43 %	43 %	40 %	41 %	31 %						
CWBMPRI 209143		AW 170026	170026	89	113	107	85	98	88	113	105	107	114	115	103	95	88	90	90	109	79	97						
F1		CWBFJNEL102		34%	23%	20 %	16%	20%	2.43	8.2	-0.57	12.2	16.5	27	-4.9	1.4	0.1	-0.4	-6.4	2.1	-2.1	-0.9						
PRIMGEN PRI209143									35 %	23 %	28%	20%	27%	16%	25%	15%	40 %	41 %	41 %	38 %	38 %	28 %						
CWBMPRI 209148		AW 170017	170017	99	107	107	88	98	96	107	107	107	109	112	102	94	86	87	79	109	69	99						
F1		CWBFJNEL103		36%	23%	20 %	16%	20%	1.64	5.8	-0.64	12.4	12.9	23	-4.1	1.4	-0.8	-0.9	-14.3	2.1	-3.0	-0.7						
PRIMGEN PRI209148									38 %	23 %	29%	20%	27%	16%	26%	15%	41 %	43 %	43 %	40 %	41 %	31 %						

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 209156 F1 PRIMGEN PRI209156		✓	AW 170017 CWBFSZJ1648	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209160 F2 PRIMGEN PRI209160	2	✓ ✓	BA 130823 BB 160117	122 67%	93 42%	92 30 %	113 28%	104 35%	125 -1.22 72 %	93 0.2 42 %	103 -0.51 48%	92 4.4 30%	91 0.3 34%	87 -12 28%	101 -3.2 45%	107 -0.6 25%	90 1.0 56 %	117 3.0 53 %	73 -18.2 53 %	73 -3.4 51 %	88 -1.3 46 %	96 -1.0 37 %	
CWBMPRI 209165 F1 PRIMGEN PRI209165		✓	AW 170017 CWBFJNEL101	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209167 F1 PRIMGEN PRI209167		✓	AW 170026	89 34%	113 23%	107 20 %	85 16%	98 20%	88 2.43 35 %	113 8.2 23 %	105 -0.57 28%	107 12.2 20%	114 16.5 27%	115 27 16%	103 -4.9 25%	95 1.4 15%	88 0.1 40 %	90 -0.4 41 %	90 -6.4 41 %	109 2.1 38 %	79 -2.1 38 %	97 -0.9 28 %	
CWBMPRI 209187 F1 PRIMGEN PRI209187		✓	AW 170017 CWBF17001	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209191 F1 PRIMGEN PRI209191		✓	AW 170017 CWBF16101	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209204 F1 PRIMGEN PRI209204		✓	AW 170017 CWBFDX0908	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209250 F1 PRIMGEN PRI209250		✓	AW 170028 CWBFDEXTER150 04	99 23%	86 18%	101 18 %	102 14%	105 13%	97 1.48 24 %	86 -2.8 18 %	99 -0.35 21%	101 9.1 18%	89 -1.0 24%	98 4 14%	106 -6.6 18%	103 -0.3 8%	95 2.9 32 %	81 -1.6 27 %	96 -2.4 27 %	98 0.4 25 %	82 -1.8 22 %	108 0.8 16 %	
CWBMPRI 209252 F1 PRIMGEN PRI209252		✓	AW 170017 CWBFONYX-LEAN ETTE	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209271 F1 PRIMGEN PRI209271		✓	AW 170017 CWBFANGUS39	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 209272 F1 PRIMGEN PRI209272		✓	AW 170017 CWBFPRI ANGUS3	99 36%	107 23%	107 20 %	88 16%	98 20%	96 1.64 38 %	107 5.8 23 %	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41 %	87 -0.9 43 %	79 -14.3 43 %	109 2.1 40 %	69 -3.0 41 %	99 -0.7 31 %	
CWBMPRI 210004 F1 PRIMGEN PRI210004		✓	AW 170020 CWBFKLIPS45	98 34%	93 23%	111 19 %	100 13%	95 18%	97 1.55 36 %	93 0.2 23 %	98 -0.30 27%	111 14.4 19%	96 3.3 26%	100 7 13%	102 -4.1 24%	90 2.2 12%	94 2.4 38 %	89 -0.6 36 %	94 -3.8 37 %	93 -0.3 35 %	108 0.7 35 %	114 1.8 24 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 210008		✓	AW 170020		98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1			CWBFKL IPS154		34%	23%	19%	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI210008										36%	23%	27%	19%	26%	13%	24%	12%	38%	36%	37%	35%	35%	24%
CWBMPRI 210009		✓	AW 170020		120	82	102	110	101	124	82	91	102	87	90	102	99	91	97	87	97	106	112
F1			KL IPS124		57%	23%	19%	13%	18%	-1.07	-4.2	-0.04	9.5	-2.7	-9	-4.2	0.5	1.4	0.4	-8.5	0.3	0.4	1.4
PRIMGEN PRI210009										63%	23%	32%	19%	26%	13%	24%	12%	42%	36%	37%	35%	35%	24%
CWBMPRI 210046		✓	AW 170025		122	78	96	115	98	120	78	88	96	82	85	93	103	88	101	89	106	90	104
F1			KL IPS160		57%	28%	27%	23%	21%	-0.74	-5.8	0.05	6.9	-6.0	-15	1.5	-0.1	0.1	0.9	-7.1	1.8	-1.1	0.2
PRIMGEN WANGUS 210046										63%	28%	34%	27%	30%	23%	27%	15%	43%	35%	37%	34%	35%	23%
CWBMPRI 210103	2	✓	BA 130823		110	107	91	105	108	108	107	97	91	103	95	102	112	99	106	109	83	105	97
F3		✓	CP 130016		69%	44%	37%	29%	36%	0.48	5.9	-0.28	3.9	8.8	-1	-4.2	-1.9	4.7	1.6	7.0	-1.8	0.4	-1.0
PRIMGEN PRI210103										73%	44%	52%	37%	34%	29%	45%	27%	56%	56%	56%	53%	47%	39%
CWBMPRI 210113		✓	BA 130823		104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1			CWBF6086		46%	38%	28%	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN WANGUS 210113										48%	38%	39%	28%	30%	26%	38%	23%	47%	47%	47%	45%	44%	37%
CWBMPRI 210145			AW 170005		88	105	109	92	88	89	105	93	109	105	108	87	89	86	109	104	75	99	94
F1			CWBFKL IPS140		35%	22%	19%	15%	18%	2.25	4.9	-0.12	13.5	10.0	18	4.5	2.3	-0.6	1.9	3.4	-3.1	-0.2	-1.5
PRIMGEN WANGUS 210145										36%	22%	30%	19%	21%	15%	23%	12%	41%	40%	40%	37%	33%	24%
CWBMPRI 210146		✓	BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1			CWBFTU LI1812		41%	29%	27%	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WAGULI 180146										43%	29%	33%	27%	28%	24%	32%	21%	42%	42%	43%	40%	42%	33%
CWBMPRI 210163			AW 170110		83	101	113	92	94	88	101	82	113	107	108	91	96	86	88	104	102	114	116
F3			CWBFCP 100062		30%	13%	13%	11%	12%	2.40	3.4	0.30	15.7	11.2	18	2.4	1.0	-0.7	-0.7	3.7	1.1	1.2	2.1
PRIMGEN F3 210163										34%	13%	16%	13%	12%	11%	15%	8%	31%	30%	30%	27%	30%	21%
CWBMPRI 210166		✓	AW 190042		81	101	106	92	98	83	101	97	106	102	108	96	99	97	113	113	100	108	93
F1					38%	23%	22%	20%	20%	2.91	3.5	-0.28	11.7	7.9	17	-0.7	0.7	4.1	2.5	9.9	0.7	0.7	-1.6
PRIMGEN F2 210166										41%	23%	25%	22%	24%	20%	25%	14%	34%	33%	33%	30%	33%	26%
CWBMPRI 210167		✓	AW 190042		81	101	106	92	98	83	101	97	106	102	108	96	99	97	113	113	100	108	93
F2		✓	CWBFPRI 190038		38%	23%	22%	20%	20%	2.91	3.5	-0.28	11.7	7.9	17	-0.7	0.7	4.1	2.5	9.9	0.7	0.7	-1.6
PRIMGEN F2 210167										41%	23%	25%	22%	24%	20%	25%	14%	34%	33%	33%	30%	33%	26%
CWBMPRI 210177		✓	BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1			CWBFFAN GUS155		41%	29%	27%	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WANGUS 210177										43%	29%	33%	27%	28%	24%	32%	21%	42%	42%	43%	40%	42%	33%
CWBMPRI 210190			BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1			CWBFFT9		41%	29%	27%	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WANGUS 210190										43%	29%	33%	27%	28%	24%	32%	21%	42%	42%	43%	40%	42%	33%

CWB Bulls

<75 75 - 125 >125

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value		Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																					
JAPANESE BLACK																									
CWBMPRI 210202 F1 PRIMGEN WANGUS 210202					116 60%	81 29%	98 27%	119 24%	94 26%		115 -0.24 65%	81 -4.6 29%	89 0.04 40%	98 7.8 27%	84 -4.8 28%	81 -21 24%	96 -0.4 30%	93 1.6 21%	93 2.1 43%	107 1.6 42%	89 -7.3 42%	92 -0.5 38%	121 1.9 40%	112 1.5 31%	
CWBMPRI 210976 F1 PRIMGEN WANGUS 210976					89 34%	113 23%	107 20%	85 16%	98 20%		88 2.43 35%	113 8.2 23%	105 -0.57 28%	107 12.2 20%	114 16.5 27%	115 27 16%	103 -4.9 25%	95 1.4 15%	88 0.1 40%	90 -0.4 41%	90 -6.4 41%	109 2.1 38%	79 -2.1 38%	97 -0.9 28%	
CWBMPRI 210985 F1 PRIMGEN WAXTER 210985					89 34%	113 23%	107 20%	85 16%	98 20%		88 2.43 35%	113 8.2 23%	105 -0.57 28%	107 12.2 20%	114 16.5 27%	115 27 16%	103 -4.9 25%	95 1.4 15%	88 0.1 40%	90 -0.4 41%	90 -6.4 41%	109 2.1 38%	79 -2.1 38%	97 -0.9 28%	
CWBMPRI 219065 F1 PRIMGEN WAXTER 219065					89 34%	113 23%	107 20%	85 16%	98 20%		88 2.43 35%	113 8.2 23%	105 -0.57 28%	107 12.2 20%	114 16.5 27%	115 27 16%	103 -4.9 25%	95 1.4 15%	88 0.1 40%	90 -0.4 41%	90 -6.4 41%	109 2.1 38%	79 -2.1 38%	97 -0.9 28%	
CWBMPRI 219096 F2 PRIMGEN F2 219096					94 49%	100 37%	85 27%	107 19%	104 26%		96 1.65 51%	100 2.9 37%	90 0.01 40%	85 0.9 27%	101 6.9 36%	93 -3 19%	106 -6.2 34%	104 -0.2 19%	93 2.3 51%	92 -0.2 51%	59 -28.1 51%	105 1.6 48%	60 -3.9 45%	103 0.0 32%	
CWBMPRI 219099 F1 PRIMGEN WAXTER 219099					99 36%	107 23%	107 20%	88 16%	98 20%		96 1.64 38%	107 5.8 23%	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41%	87 -0.9 43%	79 -14.3 43%	108 2.1 40%	69 -3.0 41%	99 -0.7 31%	
CWBMPRI 219179 F1 PRIMGEN WAXTER 219179					89 34%	113 23%	107 20%	85 16%	98 20%		88 2.43 35%	113 8.2 23%	105 -0.57 28%	107 12.2 20%	114 16.5 27%	115 27 16%	103 -4.9 25%	95 1.4 15%	88 0.1 40%	90 -0.4 41%	90 -6.4 41%	109 2.1 38%	79 -2.1 38%	97 -0.9 28%	
CWBMPRI 219181 F1 PRIMGEN WAXTER 219181					99 36%	107 23%	107 20%	88 16%	98 20%		96 1.64 38%	107 5.8 23%	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41%	87 -0.9 43%	79 -14.3 43%	109 2.1 40%	69 -3.0 41%	99 -0.7 31%	
CWBMPRI 219271 F1 PRIMGEN WANGUS 209271					99 36%	107 23%	107 20%	88 16%	98 20%		96 1.64 38%	107 5.8 23%	107 -0.64 29%	107 12.4 20%	109 12.9 27%	112 23 16%	102 -4.1 26%	94 1.4 15%	86 -0.8 41%	87 -0.9 43%	79 -14.3 43%	109 2.1 40%	69 -3.0 41%	99 -0.7 31%	
CWBMPRI 220007 FB PRIMGEN FB 220007					123 68%	99 45%	79 34%	111 31%	114 38%		125 -1.17 73%	99 2.6 45%	114 -0.92 51%	79 -2.4 34%	94 2.5 38%	89 -10 31%	112 -9.6 47%	116 -2.3 28%	101 5.5 58%	109 2.0 55%	68 -21.6 55%	83 -1.9 53%	80 -2.0 51%	102 -0.2 42%	
CWBMPRI 220009 F2 PRIMGEN F2 220009					128 67%	96 41%	97 31%	105 27%	97 32%		121 -0.78 72%	96 1.2 41%	111 -0.79 50%	97 7.0 31%	93 1.8 33%	95 -1 27%	93 1.4 41%	100 0.5 24%	98 4.4 55%	102 1.1 53%	94 -3.5 53%	66 -4.4 51%	105 0.4 48%	108 0.8 38%	
CWBMPRI 220014 FB PRIMGEN FB 220014					101 62%	95 30%	76 28%	113 24%	107 26%		100 1.25 69%	95 0.8 30%	96 -0.24 36%	76 -4.0 28%	89 -1.0 30%	87 -12 24%	97 -1.1 35%	115 -2.0 17%	123 15.0 46%	122 3.6 39%	111 8.3 39%	103 1.3 36%	104 0.3 38%	94 -1.5 30%	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 220016 F2 PRIMGEN F2 220016	1			AW 180042 GWW 160267	122 62%	91 30%	84 29 %	111 24%	101 26%	116 -0.28 67 %	91 -0.7 30 %	106 -0.62 43%	84 0.0 29%	90 -0.7 28%	89 -9 24%	101 -3.4 33%	101 0.3 20%	110 9.4 46 %	105 1.4 39 %	82 -11.9 39 %	91 -0.5 37 %	78 -2.2 33 %	96 -1.1 26 %
CWBMPRI 220017 FB PRIMGEN FB 220017		BA 130823 CWBFAW 180063			104 46%	100 38%	113 28 %	96 26%	98 30%	101 1.11 48 %	100 2.9 38 %	101 -0.40 39%	113 15.4 28%	102 7.5 30%	104 12 26%	99 -2.2 38%	97 1.1 23%	86 -0.7 47 %	105 1.4 47 %	93 -4.3 47 %	71 -3.7 45 %	101 0.0 44 %	99 -0.6 37 %
CWBMPRI 220023 F1 PRIMGEN BM F3 220023				AW 180042	107 34%	94 27%	101 26 %	99 22%	96 22%	102 1.03 35 %	94 0.7 27 %	109 -0.71 30%	101 9.3 26%	97 4.6 26%	101 8 22%	103 -4.7 28%	92 1.9 17%	97 4.0 34 %	101 1.0 31 %	91 -5.6 31 %	101 1.0 29 %	82 -1.8 28 %	92 -1.7 24 %
CWBMPRI 220026 F1 PRIMGEN F1 220026		BA 130823 CWBF6031			104 46%	100 38%	113 28 %	96 26%	98 30%	101 1.11 48 %	100 2.9 38 %	101 -0.40 39%	113 15.4 28%	102 7.5 30%	104 12 26%	99 -2.2 38%	97 1.1 23%	86 -0.7 47 %	105 1.4 47 %	93 -4.3 47 %	71 -3.7 45 %	101 0.0 44 %	99 -0.6 37 %
CWBMPRI 220028 F1 PRIMGEN WANGUS 220028				AW 180047 CWBFANGUS45	109 37%	85 29%	107 27 %	108 24%	88 26%	105 0.78 39 %	85 -2.9 29 %	106 -0.60 30%	107 12.6 27%	87 -2.8 28%	92 -5 24%	96 -0.3 30%	83 3.3 21%	95 3.0 38 %	100 0.8 37 %	90 -6.3 37 %	81 -2.2 35 %	117 1.5 37 %	113 1.6 31 %
CWBMPRI 220029 PEN PRIMGEN F2 220029				PRI 190118	92 35%	102 11%	110 10 %	90 7 %	90 12%	91 2.14 40 %	102 3.7 11 %	104 -0.55 17%	110 14.0 10%	103 8.6 16%	110 21 7 %	91 2.1 17%	89 2.3 7%	101 5.6 27 %	91 -0.4 22 %	101 1.4 22 %	97 0.2 21 %	94 -0.7 21 %	106 0.5 16 %
CWBMPRI 220030 F1 PRIMGEN WANGUS 220030				AW 180047 CWBFANGUS7	109 37%	85 29%	107 27 %	108 24%	88 26%	105 0.78 39 %	85 -2.9 29 %	106 -0.60 30%	107 12.6 27%	87 -2.8 28%	92 -5 24%	96 -0.3 30%	83 3.3 21%	95 3.0 38 %	100 0.8 37 %	90 -6.3 37 %	81 -2.2 35 %	117 1.5 37 %	113 1.6 31 %
CWBMPRI 220032 F1 PRIMGEN F1 220032				AW 180042	107 34%	94 27%	101 26 %	99 22%	96 22%	102 1.03 35 %	94 0.7 27 %	109 -0.71 30%	101 9.3 26%	97 4.6 26%	101 8 22%	103 -4.7 28%	92 1.9 17%	97 4.0 34 %	101 1.0 31 %	91 -5.6 31 %	101 1.0 29 %	82 -1.8 28 %	92 -1.7 24 %
CWBMPRI 220033 F1 PRIMGEN F1 220033		BA 170047			97 41%	89 29%	105 27 %	105 24%	88 26%	97 1.55 43 %	89 -1.5 29 %	96 -0.25 33%	105 11.6 27%	90 -0.5 28%	95 -1 24%	95 -0.1 32%	83 3.4 21%	96 3.5 42 %	99 0.7 42 %	92 -4.9 43 %	96 0.1 40 %	109 0.7 42 %	108 0.9 33 %
CWBMPRI 220034 F1 PRIMGEN F1 220034		AW 180047 CWBFAN GUS110			109 37%	85 29%	107 27 %	108 24%	88 26%	105 0.78 39 %	85 -2.9 29 %	106 -0.60 30%	107 12.6 27%	87 -2.8 28%	92 -5 24%	96 -0.3 30%	83 3.3 21%	95 3.0 38 %	100 0.8 37 %	90 -6.3 37 %	81 -2.2 35 %	117 1.5 37 %	113 1.6 31 %
CWBMPRI 220037 F2 PRIMGEN F2 220037	5			AW 180042 PRI 209222	124 57%	93 29%	85 28 %	106 23%	102 25%	119 -0.65 63 %	93 0.0 29 %	118 -1.06 36%	85 0.7 28%	93 1.3 29%	94 -3 23%	108 -7.3 31%	99 0.6 19%	109 8.9 42 %	102 1.1 38 %	74 -17.8 38 %	109 2.2 36 %	63 -3.6 35 %	91 -1.9 28 %
CWBMPRI 220038 F2 PRIMGEN F2 220038	5			AW 180042 PRI 200113	114 57%	88 30%	84 29 %	114 25%	100 25%	109 0.39 63 %	88 -1.9 30 %	108 -0.67 36%	84 0.4 29%	87 -2.8 30%	86 -14 25%	103 -4.4 31%	99 0.7 19%	115 11.5 41 %	105 1.5 36 %	82 -11.8 36 %	106 1.7 34 %	75 -2.5 33 %	95 -1.2 26 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 220041				✓ AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1					0.78	-2.9				39 %	29 %	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN PRI220041					37%	29%	27 %	24%	26%			30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 220043	1			✓ PRI 200130	92	107	105	92	94	89	107	109	105	107	108	96	93	113	90	75	99	80	108
F2				✓ PRI 209169	2.29	5.6				33 %	16 %	-0.74	11.4	11.2	18	-0.7	1.7	10.7	-0.4	-17.1	0.7	-2.0	0.9
PRIMGEN PRI220043					31%	16%	14 %	11%	16%			22%	14%	20%	11%	21%	11%	35 %	40 %	39 %	35 %	39 %	24 %
CWBMPRI 220044				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1					1.55	0.2				36 %	23 %	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI220044					34%	23%	19 %	13%	18%			27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 220045				✓ BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1					1.55	-1.5				43 %	29 %	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN PRI220045					41%	29%	27 %	24%	26%			33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBMPRI 220046				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1					1.55	0.2				36 %	23 %	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI220046					34%	23%	19 %	13%	18%			27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 220048				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1				CWBFANGUS16*	1.11	2.9				48 %	38 %	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN WANGUS 220048					46%	38%	28 %	26%	30%			39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 220050	1			BA 130823	125	97	97	105	98	118	97	110	97	94	95	95	101	105	92	85	64	89	110
F2				GWW 160099	-0.53	1.6				70 %	41 %	-0.76	7.0	2.4	-1	0.2	0.4	7.1	-0.2	-9.7	-4.8	-1.1	1.1
PRIMGEN F2 220050					65%	41%	31 %	27%	32%			47%	31%	33%	27%	41%	24%	55 %	56 %	56 %	53 %	53 %	39 %
CWBMPRI 220052				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN				CWBFANGUS10	1.11	2.9				48 %	38 %	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN BM WANGUS 220052					46%	38%	28 %	26%	30%			39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 220053	1			AW 190042	103	100	90	100	104	100	100	106	90	98	100	101	107	113	114	96	107	90	92
F2				PRI 209193	1.28	2.9				65 %	26 %	-0.62	3.2	4.7	7	-3.3	-0.6	10.8	2.6	-2.3	1.9	-1.1	-1.8
PRIMGEN PRI220053					58%	26%	24 %	22%	22%			32%	24%	27%	22%	28%	16%	41 %	40 %	39 %	37 %	38 %	30 %
CWBMPRI 220060	1			AW 190042	104	100	90	100	104	100	100	107	90	97	100	101	107	111	114	96	107	90	92
F2				PRI 209170	1.22	2.8				65 %	26 %	-0.63	3.2	4.5	7	-3.3	-0.6	9.8	2.6	-2.3	1.9	-1.1	-1.8
PRIMGEN F2 220060					58%	26%	24 %	22%	22%			32%	24%	27%	22%	28%	16%	42 %	40 %	39 %	37 %	38 %	30 %
CWBMPRI 220062	2			✓ BA 130823	118	88	94	115	106	128	88	99	94	87	85	106	107	101	111	80	72	101	104
F2				✓ PRI 200050	-1.45	-1.9				70 %	40 %	-0.33	5.5	-2.5	-15	-6.1	-0.8	5.4	2.2	-13.6	-3.5	0.0	0.2
PRIMGEN F2 220062					65%	40%	29 %	27%	34%			45%	29%	34%	27%	43%	24%	53 %	50 %	50 %	48 %	47 %	38 %
CWBMPRI 220063				✓ AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1				CWBFFT21	0.78	-2.9				39 %	29 %	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN WANGUS 220063					37%	29%	27 %	24%	26%			30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 220064				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F2				CWBFPRI 200178	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220064					46%	38%	28 %	26%	30%	48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 220067	1		✓	PRI 200130	82	98	91	112	102	83	98	97	91	95	88	98	105	121	96	89	89	99	115
F1				PRI 200229						2.88	2.0	-0.28	3.9	2.8	-11	-1.8	-0.3	14.3	0.3	-7.3	-0.9	-0.2	1.9
PRIMGEN PB 220067					58%	24%	23 %	21%	22%	65 %	24 %	33%	23%	28%	21%	31%	14%	38 %	36 %	36 %	34 %	33 %	25 %
CWBMPRI 220068	5		✓	PRI 190501	99	105	91	101	90	97	105	100	91	100	99	86	94	111	111	93	79	88	96
PEN				PAL 200012						1.49	4.9	-0.40	3.9	6.7	4	5.4	1.3	10.0	2.2	-4.4	-2.5	-1.3	-1.2
PRIMGEN F2 220068					61%	19%	17 %	14%	18%	68 %	19 %	32%	17%	23%	14%	24%	12%	41 %	34 %	34 %	32 %	31 %	24 %
CWBMPRI 220073	5			PRI 190501	83	110	91	101	90	85	110	94	91	105	99	86	94	111	111	93	79	88	96
F2				PAL 200029						2.65	6.8	-0.15	4.0	9.6	4	5.4	1.3	10.0	2.2	-4.4	-2.5	-1.3	-1.2
PRIMGEN F2 220073					61%	19%	17 %	14%	18%	69 %	19 %	32%	17%	23%	14%	24%	12%	41 %	34 %	34 %	32 %	31 %	24 %
CWBMPRI 220080				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F2				CWBFPRI 200133	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220080					46%	38%	28 %	26%	30%	48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 220081				PRI 190501	91	105	106	92	89	90	105	102	106	105	108	89	89	103	99	97	88	91	99
F2					40%	16%	14 %	12%	16%	2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN F2 220081					40%	16%	14 %	12%	16%	44 %	16 %	24%	14%	20%	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBMPRI 220087				BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1				CWBFBANG US6079						1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WANGUS 220087					41%	29%	27 %	24%	26%	43 %	29 %	33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBMPRI 220090				PRI 190501	91	105	106	92	89	90	105	102	106	105	108	89	89	103	99	97	88	91	99
F2				CWBFPRI 200018						2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN F2 BM 220090					40%	16%	14 %	12%	16%	44 %	16 %	24%	14%	20%	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBMPRI 220091			✓	AW 190005	100	99	103	100	87	97	99	107	103	99	100	90	85	104	93	105	90	135	126
F2			✓	CWBFPRI 209046						1.57	2.7	-0.63	10.5	6.0	7	3.2	3.0	6.8	-0.1	4.3	-0.7	3.2	3.6
PRIMGEN F2 220091					31%	23%	22 %	20%	21%	31 %	23 %	29%	22%	24%	20%	27%	15%	33 %	28 %	28 %	27 %	26 %	20 %
CWBMPRI 220092	7		✓	BA 130823	108	84	84	122	101	137	84	115	84	81	78	100	103	108	106	78	75	89	104
F1				AW 180053						-2.38	-3.4	-0.95	0.5	-6.9	-26	-3.0	0.2	8.4	1.5	-14.7	-3.1	-1.1	0.2
PRIMGEN FB 220092					69%	47%	38 %	33%	38%	73 %	47 %	52%	38%	40%	33%	48%	28%	57 %	54 %	54 %	52 %	50 %	41 %
CWBMPRI 220100	14			PRI 190501	111	100	88	104	92	107	100	115	88	95	96	87	95	122	102	80	87	80	104
F2				PRI 200266						0.57	2.8	-0.93	2.6	3.2	1	4.6	1.1	14.6	1.1	-13.1	-1.3	-2.0	0.2
PRIMGEN F2 220100					60%	19%	18 %	14%	20%	67 %	19 %	33%	18%	26%	14%	27%	13%	41 %	35 %	35 %	33 %	34 %	26 %
CWBMPRI 220104	2		✓	PRI 190118	104	101	74	114	96	100	101	107	74	93	86	94	97	123	102	92	93	122	127
F1				AW 190013						1.23	3.4	-0.64	-5.2	1.2	-13	0.7	0.7	15.1	1.0	-4.6	-0.3	2.0	3.9
PRIMGEN PB 220104					63%	26%	24 %	21%	26%	70 %	26 %	37%	24%	28%	21%	34%	17%	44 %	37 %	37 %	35 %	35 %	27 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMPRI 220113	5		PRI 190501	115	100	91	101	90	109	100	107	91	96	99	86	94	111	111	93	79	88	96
PEN			PAL 200003	61%	19%	17 %	14%	18%	0.34	2.9	-0.64	3.9	3.8	4	5.4	1.3	10.0	2.2	-4.4	-2.5	-1.3	-1.2
PRIMGEN F2 220113				61%	19%	17 %	14%	18%	69 %	19 %	32%	17%	23%	14%	24%	12%	41 %	34 %	34 %	32 %	31 %	24 %
CWBMPRI 220120			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFPRI 198084	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220120				46%	38%	28 %	26%	30%	48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 220125	5		PRI 190501	121	92	80	114	93	115	92	106	80	87	86	89	96	123	108	82	84	91	105
F3			PRI 200013	63%	23%	21 %	17%	23%	-0.24	-0.2	-0.61	-1.7	-2.9	-14	3.3	1.0	15.2	1.9	-11.7	-1.7	-1.0	0.3
PRIMGEN F3 220125				63%	23%	21 %	17%	23%	70 %	23 %	36%	21%	26%	17%	31%	15%	44 %	37 %	37 %	35 %	35 %	27 %
CWBMPRI 220126			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFAW 190004	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI220126				46%	38%	28 %	26%	30%	48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 220131			PRI 190504	91	101	107	97	91	90	101	102	107	102	103	93	89	106	96	94	89	79	94
PBD			CWBFCP 180125	36%	18%	18 %	15%	18%	2.24	3.4	-0.48	12.3	7.5	11	1.3	2.2	7.6	0.2	-3.2	-0.9	-2.1	-1.4
PRIMGEN F3 220131				36%	18%	18 %	15%	18%	39 %	18 %	25%	18%	22%	15%	24%	13%	33 %	31 %	31 %	29 %	30 %	24 %
CWBMPRI 220132	3		PRI 190501	118	92	89	108	90	112	92	108	89	89	92	90	91	120	107	87	89	92	103
F2			PRI 200094	60%	21%	20 %	17%	20%	0.11	-0.1	-0.68	3.0	-1.1	-5	3.1	1.8	13.8	1.6	-8.6	-0.9	-0.8	0.0
PRIMGEN F2 220132				60%	21%	20 %	17%	20%	67 %	21 %	33%	20%	24%	17%	26%	15%	42 %	35 %	35 %	33 %	34 %	27 %
CWBMPRI 220135	2		AW 190042	84	99	92	105	102	86	99	94	92	96	95	101	104	113	115	103	99	109	100
PEN			PRI 200123	59%	26%	24 %	21%	22%	2.58	2.5	-0.16	4.2	3.3	-1	-3.2	-0.2	10.9	2.7	2.9	0.7	0.8	-0.5
PRIMGEN F2 220135				59%	26%	24 %	21%	22%	66 %	26 %	32%	24%	28%	21%	28%	15%	42 %	38 %	38 %	35 %	37 %	28 %
CWBMPRI 220137	5		PRI 190501	111	101	91	101	90	107	101	105	91	97	99	86	94	116	109	92	82	83	95
F2			PAL 200047	61%	19%	17 %	14%	18%	0.60	3.3	-0.59	3.9	4.5	4	5.4	1.3	12.0	2.0	-4.7	-2.0	-1.7	-1.3
PRIMGEN PRI220137				61%	19%	17 %	14%	18%	69 %	19 %	32%	17%	23%	14%	24%	12%	41 %	39 %	38 %	35 %	36 %	24 %
CWBMPRI 220139	2		AW 190042	119	93	83	110	110	113	93	107	83	89	90	105	115	116	125	95	87	102	94
F3			PRI 200323	62%	31%	27 %	24%	28%	-0.01	0.3	-0.64	-0.1	-1.5	-7	-5.9	-2.0	12.2	4.0	-2.7	-1.2	0.1	-1.4
PRIMGEN F3 220139				62%	31%	27 %	24%	28%	69 %	31 %	37%	27%	29%	24%	36%	19%	46 %	43 %	43 %	40 %	41 %	32 %
CWBMPRI 220140	1		BA 130823	103	100	96	108	101	104	100	87	96	97	92	96	105	97	102	89	62	99	107
PEN			GWW 160171	68%	41%	31 %	28%	34%	0.83	3.1	0.10	6.4	4.6	-5	-0.3	-0.5	4.0	1.0	-7.1	-5.1	-0.2	0.7
PRIMGEN F2 220140				68%	41%	31 %	28%	34%	72 %	41 %	51%	31%	34%	28%	42%	25%	56 %	55 %	55 %	53 %	48 %	39 %
CWBMPRI 220142			AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1			CWBFAW GUS109	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN WANGUS 220142				34%	23%	19 %	13%	18%	36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 220144			AW 170020	120	82	102	110	101	123	82	87	102	87	90	102	99	92	96	88	95	88	102
F1			FT14	58%	23%	19 %	13%	18%	-0.96	-4.2	0.10	9.7	-2.5	-9	-4.2	0.5	1.8	0.3	-7.6	-0.1	-1.2	-0.1
PRIMGEN WANGUS 220144				58%	23%	19 %	13%	18%	64 %	23 %	35%	19%	26%	13%	24%	12%	43 %	36 %	40 %	36 %	38 %	24 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMPRI 220146				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFKL IPS141	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN WANGUS 220146										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	
CWBMPRI 220150	5			BA 170047	114	85	88	117	92	112	85	93	88	82	83	93	92	113	109	84	89	130	121	
PEN				✓ GWW 160141	65%	32%	30 %	26%	30%	0.04	-3.3	-0.13	2.4	-6.3	-17	1.4	1.8	10.8	1.9	-10.3	-1.0	2.8	2.8	
PRIMGEN F2 220150										70 %	32 %	46%	30%	32%	26%	36%	23%	51 %	52 %	52 %	49 %	48 %	37 %	
CWBMPRI 220152				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99	
PEN				CWBFAW 180015	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6	
PRIMGEN FB 220152										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 220154	14			✓ PRI 190508	101	101	87	104	94	99	101	118	87	95	96	88	99	121	90	82	90	88	119	
F2				✓ PRI 200268	57%	20%	19 %	15%	20%	1.34	3.2	-1.07	1.7	3.1	1	4.3	0.6	14.1	-0.5	-12.3	-0.8	-1.2	2.6	
PRIMGEN F2 220154										63 %	20 %	32%	19%	25%	15%	28%	13%	40 %	35 %	36 %	34 %	34 %	25 %	
CWBMPRI 220155	4			✓ PRI 190504	99	95	90	112	92	97	95	101	90	91	88	94	91	126	103	84	90	80	97	
F2				✓ PRI 200309	59%	24%	22 %	19%	23%	1.51	0.8	-0.42	3.3	0.0	-12	0.7	1.8	16.5	1.2	-10.7	-0.7	-2.0	-0.9	
PRIMGEN F2 220155										65 %	24 %	34%	22%	26%	19%	29%	17%	40 %	37 %	38 %	35 %	36 %	29 %	
CWBMPRI 220156	5			PRI 190501	94	106	91	101	90	93	106	98	91	102	99	86	94	112	111	93	79	88	96	
F1				PAL 200013	61%	19%	17 %	14%	18%	1.87	5.5	-0.32	3.9	7.7	4	5.4	1.3	10.4	2.2	-4.4	-2.5	-1.3	-1.2	
PRIMGEN F2 220156										69 %	19 %	32%	17%	23%	14%	24%	12%	40 %	34 %	34 %	32 %	31 %	24 %	
CWBMPRI 220158	1			PRI 190501	100	104	91	103	95	97	104	103	91	100	97	93	96	119	99	85	85	84	105	
F2				PRI 200134	59%	19%	17 %	13%	18%	1.50	4.3	-0.49	3.9	6.1	2	1.1	1.1	13.3	0.7	-9.7	-1.6	-1.6	0.3	
PRIMGEN F2 220158										66 %	19 %	32%	17%	23%	13%	24%	12%	41 %	33 %	33 %	31 %	31 %	23 %	
CWBMPRI 220164	15			PRI 190504	102	100	89	108	93	98	100	111	89	95	92	91	95	121	101	85	84	84	103	
PEN				PRI 200221	59%	21%	20 %	16%	22%	1.46	2.9	-0.78	2.9	3.1	-5	2.1	1.1	14.3	0.9	-9.7	-1.7	-1.6	0.1	
PRIMGEN F2 220164										65 %	21 %	34%	20%	27%	16%	29%	15%	42 %	38 %	44 %	40 %	43 %	29 %	
CWBMPRI 220166	2			PRI 190504	102	100	92	106	92	99	100	102	92	96	94	90	94	119	108	90	80	76	90	
F2				PAL 200045	60%	21%	20 %	16%	20%	1.31	3.1	-0.47	4.3	3.9	-2	3.0	1.3	13.2	1.8	-6.5	-2.3	-2.4	-2.0	
PRIMGEN F2 220166										67 %	21 %	33%	20%	24%	16%	27%	14%	41 %	37 %	37 %	34 %	34 %	27 %	
CWBMPRI 220168	2			PRI 190504	127	90	92	106	91	121	90	116	92	88	94	89	93	114	103	87	85	82	98	
F2				PAL 190067	60%	22%	20 %	18%	20%	-0.81	-0.9	-0.98	4.5	-2.1	-3	3.5	1.5	11.3	1.2	-8.3	-1.5	-1.8	-0.8	
PRIMGEN F2 220168										67 %	22 %	32%	20%	24%	18%	27%	14%	39 %	35 %	35 %	32 %	32 %	25 %	
CWBMPRI 220172	4			PRI 190504	78	101	90	112	92	82	101	92	90	96	88	94	91	123	103	84	90	80	97	
PEN				✓ PRI 200163	59%	24%	22 %	19%	23%	3.03	3.4	-0.09	3.4	3.8	-12	0.7	1.8	15.0	1.2	-10.7	-0.7	-2.0	-0.9	
PRIMGEN F2 220172										65 %	24 %	34%	22%	26%	19%	29%	17%	42 %	37 %	38 %	35 %	36 %	29 %	
CWBMPRI 220173				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114	
F1				CWBFANGUS35	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8	
PRIMGEN WANGUS 220173										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 220175			✓	AW 190042	90	96	97	103	103	95	96	78	97	98	97	96	109	105	119	106	102	107	92
F1				HK467	58%	23%	22 %	20%	20%	1.73	1.4	0.44	7.1	5.3	2	-0.8	-1.0	7.2	3.2	5.4	1.1	0.6	-1.7
PRIMGEN F1 220175										65 %	23 %	33%	22%	24%	20%	25%	14%	39 %	36 %	36 %	32 %	35 %	26 %
CWBMPRI 220179			✓	AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1				CWBFAN GUS002	37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN WANGUS 220179										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 220181				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220181										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 220665	2			BA 170047	111	81	89	120	91	108	81	98	89	78	80	95	90	111	104	83	100	102	111
F2				PRI 200198	61%	32%	30 %	27%	29%	0.42	-4.9	-0.31	2.7	-9.1	-22	0.1	2.2	10.1	1.3	-11.2	0.8	0.1	1.3
PRIMGEN F2 220665										66 %	32 %	40%	30%	32%	27%	35%	23%	48 %	46 %	46 %	44 %	45 %	35 %
CWBMPRI 230001				BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
PEN					41%	29%	27 %	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230001										43 %	29 %	33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBMPRI 230004			✓	AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				CWBF14051	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN 230004										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 230010	5		✓	BA 170047	111	86	88	117	92	109	86	94	88	83	83	93	92	109	103	83	86	105	112
F2			✓	GWW 160267	65%	32%	30 %	26%	30%	0.35	-2.7	-0.15	2.3	-5.4	-17	1.1	1.7	8.9	1.2	-11.2	-1.4	0.4	1.4
PRIMGEN 230010										70 %	32 %	46%	30%	32%	26%	37%	23%	51 %	49 %	49 %	46 %	45 %	35 %
CWBMPRI 230013			✓	AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				CWBFLIPS8	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN 230013										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 230015				BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
PEN					41%	29%	27 %	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230015										43 %	29 %	33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBMPRI 230018			✓	AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1					34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN 230018										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 230021			✓	AW 180042	107	94	101	99	96	102	94	109	101	97	101	103	92	97	101	91	101	82	92
F1					34%	27%	26 %	22%	22%	1.03	0.7	-0.71	9.3	4.6	8	-4.7	1.9	4.0	1.0	-5.6	1.0	-1.8	-1.7
PRIMGEN 230021										35 %	27 %	30%	26%	26%	22%	28%	17%	34 %	31 %	31 %	29 %	28 %	24 %
CWBMPRI 230028			✓	AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1					37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN 230028										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPRI 230029				✓ AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	90	94	89	94	93	108	114
F1				CWBFAN GUS136	34%	23%	19 %	13%	18%	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN F1230029										36 %	23 %	27%	19%	26%	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBMPRI 230030				✓ AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1				CWBFKLIPS44	37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN WANGUS 230030										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 230032	11			✓ BA 170047	118	85	71	128	97	112	85	107	71	77	72	98	98	117	109	67	98	92	113
F1				PRI 190528	63%	35%	34 %	29%	34%	0.06	-3.1	-0.65	-6.9	-9.9	-34	-1.5	0.9	12.3	1.9	-22.5	0.5	-0.9	1.5
PRIMGEN 616 PB 230032										68 %	35 %	45%	34%	36%	29%	42%	26%	53 %	52 %	52 %	49 %	50 %	40 %
CWBMPRI 230035				PRI 190118	92	102	110	90	90	91	102	104	110	103	110	91	89	101	91	101	97	94	106
F1				CWBF1223	35%	11%	10 %	7 %	12%	2.14	3.7	-0.55	14.0	8.6	21	2.1	2.3	5.6	-0.4	1.4	0.2	-0.7	0.5
PRIMGEN WANGUS 230035										40 %	11 %	17%	10%	16%	7 %	17%	7%	27 %	22 %	22 %	21 %	21 %	16 %
CWBMPRI 230041	7			BA 130823	115	85	91	117	102	130	85	99	91	84	83	100	103	106	116	79	74	101	101
F2				PRI 200283	66%	41%	31 %	29%	35%	-1.69	-3.2	-0.36	4.1	-4.9	-18	-3.0	-0.1	7.7	2.8	-14.1	-3.3	0.0	-0.2
PRIMGEN F2 230041										71 %	41 %	46%	31%	34%	29%	44%	26%	53 %	51 %	51 %	50 %	48 %	40 %
CWBMPRI 230045	3			✓ PRI 190501	105	96	89	108	93	102	96	104	89	92	92	88	96	123	104	89	92	85	102
F2				✓ PRI 200273	60%	21%	20 %	16%	19%	1.03	1.2	-0.52	3.0	1.0	-5	4.0	1.0	15.0	1.2	-7.3	-0.4	-1.6	-0.1
PRIMGEN F2 M 230045										67 %	21 %	32%	20%	26%	16%	25%	13%	39 %	33 %	33 %	31 %	32 %	24 %
CWBMPRI 230046				✓ AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1				CWBFPRI 160001	37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN F1 230046										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 230048				BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN				CWBF1818	46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN WAGULI 230048										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 230051	1			PRI 190118	113	100	94	97	96	108	100	114	94	98	103	96	97	116	96	81	105	71	100
F2				PRI 209253	57%	16%	14 %	11%	16%	0.43	3.0	-0.90	5.5	5.2	11	-0.5	1.0	12.1	0.2	-12.9	1.5	-2.9	-0.4
PRIMGEN F2 230051										65 %	16 %	27%	14%	20%	11%	21%	11%	37 %	33 %	32 %	30 %	31 %	24 %
CWBMPRI 230053	4			✓ PRI 190086	116	92	93	107	95	111	92	107	93	88	93	96	96	121	108	87	98	89	98
F2				✓ PRI 200261	57%	27%	26 %	19%	23%	0.20	-0.4	-0.65	5.0	-1.8	-4	-0.7	1.3	14.1	1.9	-8.4	0.4	-1.1	-0.8
PRIMGEN F2 230053										63 %	27 %	36%	26%	30%	19%	30%	16%	40 %	35 %	35 %	33 %	33 %	27 %
CWBMPRI 230056				✓ BA 130823	107	98	103	107	103	108	98	84	103	100	93	99	106	89	112	86	75	98	97
F1				ANGUS29	65%	38%	28 %	26%	30%	0.45	2.0	0.21	10.5	6.4	-4	-2.4	-0.6	0.4	2.3	-9.3	-3.1	-0.3	-1.0
PRIMGEN WAGULI 230056										70 %	38 %	45%	28%	30%	26%	38%	23%	51 %	49 %	48 %	46 %	44 %	37 %
CWBMPRI 230057				PRI 190118	92	102	110	90	90	91	102	104	110	103	110	91	89	101	91	101	97	94	106
PEN				CWBFPRI 190066	35%	11%	10 %	7 %	12%	2.14	3.7	-0.55	14.0	8.6	21	2.1	2.3	5.6	-0.4	1.4	0.2	-0.7	0.5
PRIMGEN F2 230057										40 %	11 %	17%	10%	16%	7 %	17%	7%	27 %	22 %	22 %	21 %	21 %	16 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMPRI 230058 F2 PRIMGEN F2 M 230058	1			BA 130823 GWW 160358	109 67%	103 41%	96 31 %	105 27%	98 32%	104 0.82 72 %	103 4.3 41 %	111 -0.78 50%	96 6.6 31%	100 6.1 33%	95 -1 27%	95 0.2 41%	101 0.4 24%	100 5.1 56 %	102 1.0 53 %	96 -2.3 53 %	64 -4.9 51 %	110 0.8 49 %	110 1.1 38 %	
CWBMPRI 230059 F1 PRIMGEN F2 M 230059	4	✓		AW 180047 PRI 200265	116 59%	85 31%	90 29 %	120 25%	91 29%	111 0.14 65 %	85 -3.2 31 %	113 -0.87 38%	90 3.2 29%	81 -6.9 32%	80 -22 25%	94 0.6 35%	89 2.3 23%	112 10.4 46 %	103 1.2 43 %	73 -18.4 43 %	80 -2.4 41 %	105 0.4 43 %	118 2.4 35 %	
CWBMPRI 230060 F2 PRIMGEN F2 230060		✓		BA 130823 AW 180119	127 67%	95 43%	98 33 %	105 27%	115 34%	119 -0.65 72 %	95 1.0 43 %	110 -0.75 49%	98 7.8 33%	95 2.6 34%	95 0 27%	116 -12.0 42%	115 -2.1 25%	102 6.2 54 %	119 3.2 57 %	90 -6.3 52 %	83 -1.9 53 %	99 -0.2 47 %	89 -2.3 39 %	
CWBMPRI 230061 PEN PRIMGEN WANGUS M 230061				BA 130823 CWBFPRI 150001	104 46%	100 38%	113 28 %	96 26%	98 30%	101 1.11 48 %	100 2.9 38 %	101 -0.40 39%	113 15.4 28%	102 7.5 30%	104 12 26%	99 -2.2 38%	97 1.1 23%	86 -0.7 47 %	105 1.4 47 %	93 -4.3 47 %	71 -3.7 45 %	101 0.0 44 %	99 -0.6 37 %	
CWBMPRI 230063 F2 PRIMGEN F2 M 230063	3	✓	✓	PRI 200025 PAL 190043	113 60%	96 29%	106 26 %	100 18%	98 24%	113 -0.02 66 %	96 1.2 29 %	86 0.14 36%	106 11.8 26%	95 3.2 28%	100 6 18%	99 -2.1 30%	100 0.9 17%	118 12.8 39 %	112 2.3 33 %	96 -2.2 33 %	81 -2.1 31 %	101 0.0 31 %	95 -1.2 25 %	
CWBMPRI 230064 PEN PRIMGEN F2 M 230064	2	✓		PRI 190118 PRI 200307	114 60%	90 18%	89 17 %	111 14%	94 20%	111 0.15 68 %	90 -1.0 18 %	97 -0.29 30%	89 2.7 17%	88 -1.8 21%	89 -9 14%	92 1.8 27%	96 1.1 13%	121 14.1 38 %	100 0.8 31 %	91 -5.3 31 %	99 0.6 29 %	90 -1.0 30 %	106 0.5 24 %	
CWBMPRI 230067 PEN PRIMGEN F2 M 230067	13	✓		PRI 190118 PRI 200117	108 58%	98 15%	92 14 %	101 10%	93 17%	104 0.83 66 %	98 2.3 15 %	116 -0.97 29%	92 4.6 14%	95 2.9 22%	99 5 10%	90 3.0 24%	95 1.2 10%	120 13.9 37 %	94 0.0 31 %	84 -10.7 31 %	95 0.0 29 %	82 -1.8 30 %	111 1.3 23 %	
CWBMPRI 230068 F2 PRIMGEN F2 M 230068	4	✓	✓	AW 190024 PAL 200004	103 59%	98 26%	86 24 %	111 21%	89 22%	99 1.31 65 %	98 2.2 26 %	105 -0.57 36%	86 1.5 24%	95 2.8 26%	89 -9 21%	92 1.9 29%	88 2.4 16%	109 9.1 41 %	100 0.8 34 %	91 -5.2 34 %	75 -3.2 32 %	129 2.7 31 %	129 4.2 24 %	
CWBMPRI 230069 F3 PRIMGEN F3 M 230069	2			PRI 190118 PRI 200328	125 62%	92 23%	89 18 %	107 16%	97 22%	123 -1.04 69 %	92 -0.3 23 %	107 -0.65 33%	89 2.7 18%	88 -1.7 23%	93 -4 16%	92 1.9 30%	102 0.1 14%	120 13.7 40 %	99 0.7 35 %	89 -7.2 35 %	81 -2.2 33 %	90 -1.0 32 %	109 1.0 25 %	
CWBMPRI 230070 F2 PRIMGEN F2 M 230070	1	✓	✓	BA 130823 GWW 160141	122 67%	95 41%	95 31 %	108 28%	101 34%	118 -0.52 72 %	95 0.8 41 %	97 -0.29 50%	95 6.3 31%	93 1.3 34%	92 -5 28%	96 -0.7 42%	105 -0.5 25%	103 6.7 56 %	114 2.6 55 %	85 -9.6 55 %	64 -4.8 53 %	123 2.1 49 %	111 1.3 40 %	
CWBMPRI 230071 F2 PRIMGEN F2 M 230071	1			PRI 190118 PRI 209297	104 57%	104 16%	94 14 %	97 11%	96 16%	100 1.28 65 %	104 4.5 16 %	109 -0.72 27%	94 5.5 14%	101 7.4 20%	103 11 11%	96 -0.5 21%	97 1.0 11%	116 12.1 37 %	91 -0.3 31 %	84 -10.8 31 %	104 1.4 29 %	75 -2.5 29 %	105 0.3 22 %	
CWBMPRI 230072 PEN PRIMGEN F2 M 230072				PRI 190118	92 35%	102 11%	110 10 %	90 7 %	90 12%	91 2.14 40 %	102 3.7 11 %	104 -0.55 17%	110 14.0 10%	103 8.6 16%	110 21 7 %	91 2.1 17%	89 2.3 7%	101 5.6 27 %	91 -0.4 22 %	101 1.4 22 %	97 0.2 21 %	94 -0.7 21 %	106 0.5 16 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	DNA																			
JAPANESE BLACK																							
CWBMPRI 230077  PRI 190529					92	103	104	92	91	89	103	109	104	102	108	89	93	103	87	99	91	100	114
F1					27%	17%	17 %	13%	16%	2.32	4.0	-0.72	11.1	8.0	17	3.4	1.7	6.3	-0.9	-0.2	-0.5	-0.1	1.8
PRIMGEN PRI230077										28 %	17 %	23%	17%	20%	13%	22%	11%	30 %	28 %	29 %	27 %	27 %	20 %
CWBMPRI 230078  AW 180047					109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1					37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN PRI230078										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 230082  BA 130823					104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI230082										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 230084  AW 180047					109	85	107	108	88	105	85	106	107	87	92	96	83	95	100	90	81	117	113
F1					37%	29%	27 %	24%	26%	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN PRI230084										39 %	29 %	30%	27%	28%	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBMPRI 230085  BA 130823					104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI230085										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 230093  BA 130823					104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI230093										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 230094  BA 130823					104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI230094										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBMPRI 232004  BA 170047 CWBFKL IPS177					97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
PEN					41%	29%	27 %	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 232004										43 %	29 %	33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBMPRI 232192  PRI 190501					91	105	106	92	89	90	105	102	106	105	108	89	89	103	99	97	88	91	99
PEN					40%	16%	14 %	12%	16%	2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 232192										44 %	16 %	24%	14%	20%	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBMPRI 240004  BA 130823 CWBFKL IPS127					104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F1					46%	38%	28 %	26%	30%	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PRI240004										48 %	38 %	39%	28%	30%	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBMPRI 240011  PRI 190501					91	105	106	92	89	90	105	102	106	105	108	89	89	103	99	97	88	91	99
F1					40%	16%	14 %	12%	16%	2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN PRI240011										44 %	16 %	24%	14%	20%	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBMPRI 240019  BA 170047 CWBFKLIPS48					97	89	105	105	88	97	89	96	105	90	95	95	83	96	99	92	96	109	108
F1					41%	29%	27 %	24%	26%	1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN PRI240019										43 %	29 %	33%	27%	28%	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFCP 140040 27 BA 060107				104	99	118	94	108	111	99	64	118	102	106	87	121	98	89	118	90	107	105
F3 CP 100038									0.20	2.5	0.95	18.2	7.9	14	4.5	-3.4	4.4	-0.6	13.5	-0.7	0.6	0.3
GLENFINLAS 14 40				67 %	47 %	50 %	37 %	46 %	70 %	47 %	56 %	50 %	32 %	37%	56%	35%	61 %	39 %	38 %	34 %	18 %	11 %
CWBFCP 150046 CP 130307				111	111	100	95	101	109	111	96	100	107	105	96	105	108	94	110	97	117	112
F3 CP 120014									0.41	7.5	-0.24	8.6	11.4	13	-0.8	-0.5	8.6	0.0	7.6	0.3	1.5	1.4
GLENFINLAS 15 46				70 %	51 %	53 %	22 %	40 %	73 %	51 %	56 %	53 %	34 %	22%	53%	27%	60 %	42 %	41 %	38 %	28 %	18 %
CWBFGWW 160157 KF 120012				101	103	107	92	86	97	103	111	107	104	108	85	88	112	76	107	84	110	123
F1									1.51	4.3	-0.78	12.6	8.9	18	5.9	2.6	10.5	-2.2	6.1	-1.7	0.8	3.1
GLEN WALTON M0157				36 %	28 %	29 %	15 %	21 %	36 %	28 %	36 %	29 %	24 %	15%	27%	15%	54 %	46 %	46 %	45 %	39 %	22 %
CWBFGWW 160364 BA 130849				93	98	119	89	89	97	98	82	119	104	111	90	89	106	72	102	76	94	114
F1									1.52	2.3	0.28	18.6	9.2	22	3.0	2.5	7.6	-2.8	1.9	-2.9	-0.7	1.8
GLEN WALTON 160364				38 %	28 %	28 %	22 %	24 %	39 %	28 %	33 %	28 %	25 %	22%	30%	19%	53 %	44 %	43 %	41 %	28 %	17 %
CWBFAW 170043 3 KI 140008				124	97	78	114	107	118	97	112	78	91	86	110	105	113	92	55	81	81	123
FB KI 140013									-0.49	1.6	-0.82	-2.8	0.3	-14	-8.8	-0.4	10.6	-0.2	-30.9	-2.1	-1.9	3.2
ABSOLUTE GENETIC AW170043				88 %	86 %	86 %	85 %	86 %	88 %	86 %	87 %	86 %	86 %	85%	87%	85%	88 %	88 %	88 %	87 %	87 %	86 %
CWBFAW 170109 6 KI 140018				112	91	70	110	106	112	91	89	70	87	90	97	113	100	96	100	88	77	100
FB PK 140015									0.10	-0.8	0.03	-7.4	-2.6	-8	-1.2	-1.8	5.4	0.3	0.6	-1.1	-2.3	-0.4
ABSOLUTE GENETIC AW170109				54 %	44 %	39 %	32 %	36 %	55 %	44 %	49 %	39 %	40 %	32%	51%	22%	62 %	52 %	51 %	48 %	44 %	33 %
CWBFAW 180071 9 BA 130823				124	90	85	120	103	120	90	99	85	85	80	101	105	122	121	85	53	98	94
FB BA 120758									-0.67	-1.0	-0.36	0.6	-4.0	-23	-3.7	-0.4	14.6	3.5	-9.5	-6.6	-0.3	-1.5
ABSOLUTE GENETIC AW180071				88 %	86 %	86 %	85 %	86 %	88 %	86 %	87 %	86 %	86 %	85%	87%	85%	88 %	88 %	88 %	87 %	87 %	86 %
CWBFAW 180078 7 SMOFF0154				107	87	62	118	113	105	87	120	62	75	82	91	128	111	118	106	92	110	108
FB PK 140007									0.75	-2.3	-1.14	-11.5	-11.5	-19	2.3	-4.6	9.8	3.0	5.2	-0.4	0.8	0.8
ABSOLUTE GENETIC AW180078				89 %	88 %	88 %	87 %	88 %	89 %	88 %	88 %	88 %	88 %	87%	88%	87%	89 %	88 %	88 %	88 %	88 %	88 %
CWBFAW 180088 8 SMOFF0154				109	93	70	114	122	105	93	111	70	86	86	106	134	106	106	92	101	93	105
PEN OB 150013									0.79	0.2	-0.80	-7.1	-3.2	-14	-6.1	-5.6	7.9	1.5	-4.8	1.0	-0.8	0.3
ABSOLUTE GENETIC AW180088				89 %	88 %	87 %	87 %	88 %	89 %	88 %	88 %	87 %	88 %	87%	88%	87%	89 %	88 %	88 %	88 %	88 %	87 %
CWBFCP 180125 1 CP 130304				114	95	96	104	97	109	95	113	96	92	96	92	102	111	105	107	104	114	111
PBD CP 160002									0.38	0.7	-0.88	6.4	0.5	1	1.9	0.1	9.9	1.5	5.4	1.4	1.2	1.2
GLENFINLAS CP180125				66 %	63 %	52 %	24 %	32 %	70 %	63 %	52 %	52 %	36 %	24%	40%	24%	58 %	41 %	40 %	38 %	31 %	25 %
CWBFPRI 180022 CP 130304				93	98	113	93	91	92	98	101	113	100	107	91	93	93	103	108	102	108	106
F3 CWBFCP 130025									2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
PRIMGEN POLLINA				45 %	40 %	40 %	23 %	28 %	46 %	40 %	42 %	40 %	32 %	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBFPAL 190016 BA 130823				104	100	113	96	98	101	100	101	113	102	104	99	97	94	105	93	71	101	99
F1									1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	2.6	1.4	-4.3	-3.7	0.0	-0.6
PRINSTINE PAL190016				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	50 %	47 %	47 %	45 %	44 %	37 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness			
		Genomic DNA	Sire ID																						
Name				Dam ID																					
JAPANESE BLACK																									
CWBFPAL 190070				✓	AW 170010	100	100	110	92	86	98	100	101	110	100	108	85	88	85	100	98	85	112	109	
F1						28 %	23 %	20 %	20 %	17 %	1.45	2.9	-0.41	14.0	6.7	17	5.6	2.6	-1.2	0.7	-0.3	-1.5	1.0	1.0	
PRINSTINE PAL190070											29 %	23 %	26 %	20 %	21 %	20%	22%	12%	35 %	32 %	32 %	29 %	24 %	18 %	
CWBFPRI 190022				✓	PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	91	91	79	91	83	111	
F1						42 %	22 %	20 %	15 %	24 %	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI190022											44 %	22 %	34 %	20 %	31 %	15%	33%	15%	44 %	44 %	41 %	42 %	32 %		
CWBFPRI 190050				✓	CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112	
F3				✓	CWBFCP 120004	46 %	43 %	41 %	15 %	27 %	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4	
PRIMGEN PRI190050											47 %	43 %	43 %	41 %	32 %	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %	
CWBFPRI 190052				✓	CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	108	90	110	96	117	112	
PBD				✓	CWBFCP 150002	46 %	43 %	41 %	15 %	27 %	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	8.8	-0.5	8.0	0.2	1.5	1.4	
PRIMGEN PRI190052											47 %	43 %	43 %	41 %	32 %	15%	36%	18%	52 %	38 %	38 %	35 %	27 %	17 %	
CWBFPRI 190075				1	✓	PWYPM0775	79	110	88	106	104	79	110	105	88	104	94	107	103	114	82	68	95	59	112
F2				✓	AW 170080	62 %	28 %	25 %	18 %	32 %	3.26	6.8	-0.56	2.2	9.2	-2	-7.0	0.0	11.4	-1.5	-22.1	0.0	-4.0	1.4	
PRIMGEN PRI190075											66 %	28 %	45 %	25 %	36 %	18%	47%	17%	56 %	51 %	51 %	48 %	48 %	37 %	
CWBFPRI 190100				✓	PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	112	91	79	91	83	111	
F1						42 %	22 %	20 %	15 %	24 %	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	10.5	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI190100											44 %	22 %	34 %	20 %	31 %	15%	33%	15%	48 %	44 %	44 %	41 %	42 %	32 %	
CWBFPRI 190113				✓	BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99	
F1					CWBF6084	46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6	
PRIMGEN PRI190113											48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	45 %	44 %	37 %		
CWBFPRI 199021				✓	PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	91	91	79	91	83	111	
F1						42 %	22 %	20 %	15 %	24 %	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI199021											44 %	22 %	34 %	20 %	31 %	15%	33%	15%	44 %	44 %	41 %	42 %	32 %		
CWBFPRI 199035				✓	PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	91	91	79	91	83	111	
F1					CWBFBNOTAG(DEX)	42 %	22 %	20 %	15 %	24 %	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	1.2	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI199035											44 %	22 %	34 %	20 %	31 %	15%	33%	15%	44 %	44 %	41 %	42 %	32 %		
CWBFPRI 199053				✓	PWYPM0775	95	101	104	96	91	93	101	113	104	101	104	90	92	110	91	79	91	83	111	
F1					CWBF15004	42 %	22 %	20 %	15 %	24 %	1.91	3.4	-0.88	10.7	6.8	12	2.8	1.9	9.6	-0.4	-14.1	-0.7	-1.7	1.3	
PRIMGEN PRI1990053											44 %	22 %	34 %	20 %	31 %	15%	33%	15%	48 %	44 %	44 %	41 %	42 %	32 %	
CWBFPRI 199125				8	✓	PWYPM0775	107	115	85	104	108	104	115	119	85	107	96	105	111	117	97	73	105	74	106
PBD				✓	BA 120775	57 %	35 %	35 %	28 %	37 %	0.82	8.9	-1.08	0.9	11.3	1	-5.7	-1.4	12.4	0.4	-18.0	1.5	-2.6	0.5	
PRIMGEN PRI199125											59 %	35 %	50 %	35 %	46 %	28%	47%	27%	59 %	51 %	52 %	50 %	50 %	40 %	
CWBFPRI 199129				1	✓	PWYPM0775	109	95	85	112	110	107	95	96	85	89	88	104	114	119	100	72	91	82	113
PBD				✓	BA 100410	58 %	31 %	34 %	18 %	34 %	0.51	0.7	-0.22	0.9	-1.2	-11	-5.1	-2.0	13.3	0.8	-19.3	-0.6	-1.8	1.7	
PRIMGEN PRI199129											60 %	31 %	50 %	34 %	36 %	18%	45%	23%	60 %	52 %	52 %	48 %	48 %	34 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFPRI 200133				96	100	109	95	96	95	100	101	109	102	105	102	93	113	85	89	87	91	112
F1				31 %	23 %	19 %	13 %	18 %	1.76	3.0	-0.43	13.4	7.6	13	-4.1	1.8	10.6	-1.1	-7.2	-1.2	-0.9	1.4
PRIMGEN PRI200133									32 %	23 %	27 %	19 %	22 %	13%	23%	12%	43 %	37 %	36 %	34 %	32 %	21 %
CWBFPRI 200200				117	96	72	120	102	113	96	121	72	87	80	99	106	107	89	51	82	73	127
PBD				64 %	31 %	27 %	20 %	30 %	-0.05	1.3	-1.15	-6.2	-2.4	-22	-2.2	-0.5	8.2	-0.6	-34.0	-2.0	-2.7	3.8
PRIMGEN PRI200200									69 %	31 %	44 %	27 %	38 %	20%	41%	19%	56 %	53 %	53 %	50 %	49 %	37 %
CWBFPRI 209020				110	105	97	96	102	108	105	95	97	108	104	101	104	99	95	72	109	66	94
F1				59 %	23 %	20 %	16 %	21 %	0.43	4.9	-0.20	7.3	12.1	12	-3.3	-0.2	4.7	0.2	-18.9	2.1	-3.4	-1.3
PRIMGEN PRI209020									64 %	23 %	38 %	20 %	27 %	16%	27%	15%	45 %	41 %	43 %	40 %	40 %	30 %
CWBFPRI 210151				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN				46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 210151									48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 210169				109	85	107	108	88	105	85	106	107	87	92	96	85	95	100	90	81	117	113
PEN				37 %	29 %	27 %	24 %	26 %	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN WAGULI 210169									39 %	29 %	30 %	27 %	28 %	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBFPRI 220042				98	93	111	100	95	97	93	98	111	96	100	102	91	94	89	94	93	108	114
F1				34 %	23 %	19 %	13 %	18 %	1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN PRI220042									36 %	23 %	27 %	19 %	26 %	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBFPRI 220049				107	94	101	99	96	102	94	109	101	97	101	103	92	97	101	91	101	82	92
PEN				34 %	27 %	26 %	22 %	22 %	1.03	0.7	-0.71	9.3	4.6	8	-4.7	1.9	4.0	1.0	-5.6	1.0	-1.8	-1.7
PRIMGEN WAGULI 220049									35 %	27 %	30 %	26 %	26 %	22%	28%	17%	34 %	31 %	31 %	29 %	28 %	24 %
CWBFPRI 220065				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
F2				46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220065									48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220071				81	101	106	92	98	83	101	97	106	102	108	96	99	97	113	113	100	108	93
F1				38 %	23 %	22 %	20 %	20 %	2.91	3.5	-0.28	11.7	7.9	17	-0.7	0.7	4.1	2.5	9.9	0.7	0.7	-1.6
PRIMGEN PB 220071									41 %	23 %	25 %	22 %	24 %	20%	25%	14%	34 %	33 %	33 %	30 %	33 %	26 %
CWBFPRI 220077				93	106	107	91	99	91	106	105	107	108	109	105	96	90	88	84	105	92	110
F2				29 %	23 %	20 %	16 %	20 %	2.08	5.2	-0.57	12.4	11.7	19	-5.6	1.3	0.8	-0.7	-10.4	1.5	-0.8	1.1
PRIMGEN PRI220077									30 %	23 %	26 %	20 %	23 %	16%	25%	15%	35 %	30 %	30 %	29 %	27 %	22 %
CWBFPRI 220078				109	85	107	108	88	105	85	106	107	87	92	96	85	95	100	90	81	117	113
F2				37 %	29 %	27 %	24 %	26 %	0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN BM F2 PRI220078									39 %	29 %	30 %	27 %	28 %	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBFPRI 220083				104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN				46 %	38 %	28 %	26 %	30 %	1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN FB 220083									48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name																						
JAPANESE BLACK																						
CWBFPRI 220086		✓	AW 190042	81	101	106	92	98	83	101	97	106	102	108	96	99	97	113	113	100	108	93
F2		✓	CWBFPRI 209043						2.91	3.5	-0.28	11.7	7.9	17	-0.7	0.7	4.1	2.5	9.9	0.7	0.7	-1.6
PRIMGEN F2 220086				38 %	23 %	22 %	20 %	20 %	41 %	23 %	25 %	22 %	24 %	20%	25%	14%	34 %	33 %	33 %	30 %	33 %	26 %
CWBFPRI 220093			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFBANG US6017						1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN WANGUS 220093				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220103			BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN									1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WANGUS 220103				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 220105			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFPRI 190052						1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN PB BM? 220105				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220109			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN									1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 220109				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220110			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFPAL 190033						1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 BM 220110				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220127			AW 180047	109	85	107	108	88	105	85	106	107	87	92	96	85	95	100	90	81	117	113
PEN			CWBFKL IPS115						0.78	-2.9	-0.60	12.6	-2.8	-5	-0.3	3.3	3.0	0.8	-6.3	-2.2	1.5	1.6
PRIMGEN WANGUS 220127				37 %	29 %	27 %	24 %	26 %	39 %	29 %	30 %	27 %	28 %	24%	30%	21%	38 %	37 %	37 %	35 %	37 %	31 %
CWBFPRI 220129			BA 130823	104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN			CWBFPAL 200020						1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN F2 BM 220129				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	47 %	45 %	44 %	37 %
CWBFPRI 220143			AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	91	94	89	94	93	108	114
PEN			CWBFB15004						1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN F! 220143				34 %	23 %	19 %	13 %	18 %	36 %	23 %	27 %	19 %	26 %	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBFPRI 220145			AW 170020	98	93	111	100	95	97	93	98	111	96	100	102	91	94	89	94	93	108	114
PEN			CWBFBHK440						1.55	0.2	-0.30	14.4	3.3	7	-4.1	2.2	2.4	-0.6	-3.8	-0.3	0.7	1.8
PRIMGEN F1 220145				34 %	23 %	19 %	13 %	18 %	36 %	23 %	27 %	19 %	26 %	13%	24%	12%	38 %	36 %	37 %	35 %	35 %	24 %
CWBFPRI 220149			BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN			CWBFBAN GUS003						1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN WANGUS 220148				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 220178			BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN			CWBFPRI 170009						1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN F2 220178				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFPRI 220185		BA 130823		104	100	113	96	98	101	100	101	113	102	104	99	97	86	105	93	71	101	99
PEN		CWBFAW 170039							1.11	2.9	-0.40	15.4	7.5	12	-2.2	1.1	-0.7	1.4	-4.3	-3.7	0.0	-0.6
PRIMGEN FB 220185 BM				46 %	38 %	28 %	26 %	30 %	48 %	38 %	39 %	28 %	30 %	26%	38%	23%	47 %	47 %	45 %	44 %	37 %	
CWBFPRI 230003		BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN		CWBFKLIPS14							1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230003				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 230005		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN									2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 230005				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBFPRI 230008		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN									2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 230008				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBFPRI 230011		✓	PRI 190501	91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
F1		CWBFKLIPS81							2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 230011				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBFPRI 230012		BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN		CWBFKLIPS68							1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230012				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 230017		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN									2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 230017				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBFPRI 230019		✓	BA 170047	97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
F1									1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230019				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 230023		PRI 190501		91	105	106	92	89	90	105	102	106	105	108	89	91	103	99	97	88	91	99
PEN		CWBF06034							2.18	4.8	-0.45	11.9	9.7	17	3.7	2.2	6.5	0.7	-1.1	-1.1	-0.9	-0.6
PRIMGEN 230023				40 %	16 %	14 %	12 %	16 %	44 %	16 %	24 %	14 %	20 %	12%	21%	10%	33 %	28 %	28 %	26 %	27 %	21 %
CWBFPRI 230024		PRI 190118		92	102	110	90	90	91	102	104	110	103	110	91	90	101	91	101	97	94	106
PEN		CWBFKLIPS45							2.14	3.7	-0.55	14.0	8.6	21	2.1	2.3	5.6	-0.4	1.4	0.2	-0.7	0.5
PRIMGEN WANGUS 230024				35 %	11 %	10 %	7 %	12 %	40 %	11 %	17 %	10 %	16 %	7 %	17%	7%	27 %	22 %	22 %	21 %	21 %	16 %
CWBFPRI 230027		BA 170047		97	89	105	105	88	97	89	96	105	90	95	95	84	96	99	92	96	109	108
PEN									1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9
PRIMGEN 230027				41 %	29 %	27 %	24 %	26 %	43 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %
CWBFPRI 230066		PRI 190118		92	102	110	90	90	91	102	104	110	103	110	91	90	101	91	101	97	94	106
PEN		CWBFPRI 180001							2.14	3.7	-0.55	14.0	8.6	21	2.1	2.3	5.6	-0.4	1.4	0.2	-0.7	0.5
PRIMGEN FB F BM 230066				35 %	11 %	10 %	7 %	12 %	40 %	11 %	17 %	10 %	16 %	7 %	17%	7%	27 %	22 %	22 %	21 %	21 %	16 %

CWB Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
Name																							
JAPANESE BLACK																							
CWBFPRI 232189									97	89	96	105	90	95	95	84	96	99	92	96	109	108	
PEN									1.55	-1.5	-0.25	11.6	-0.5	-1	-0.1	3.4	3.5	0.7	-4.9	0.1	0.7	0.9	
PRIMGEN 232189									41 %	29 %	33 %	27 %	28 %	24%	32%	21%	42 %	42 %	43 %	40 %	42 %	33 %	