



DOHNE MERINO GENETIC REPORT



20 September 2026

AMALGAM ESTATES

FDM : A



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{dier} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 1887


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Sterk / Strong	11

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.


* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.

* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.


* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months Number : 15



Dams of lambs born in the last 36 months Number : 364



Lambs born in the last 36 months Number : 603



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	0.03	0.16	-0.04	0.54	0.66	0.47
Weaning Weight Mat	0.14	0.09	0.16	0.01	0.00	0.01
Body Weight	-0.40	-0.22	-0.50	0.56	0.96	0.41
Clean Fleece Weight	-0.01	0.01	-0.02	0.03	0.06	0.02
Fibre Diameter	0.22	0.14	0.25	-0.14	-0.22	-0.12
Staple Length	1.39	1.57	1.30	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-3.05	-2.42	-3.39	1.48	2.04	1.17
Interlambing Period	-0.23	-0.09	-0.30	0.36	0.44	0.31
Lambs Weaned	0.79	0.91	0.73	0.46	0.56	0.39
Total Weight Weaned	0.09	0.13	0.07	0.27	0.32	0.24
Selection Indices						
General Merit Index	-1.47	-0.35	-1.98	2.81	4.45	2.23
SIP	100.5	99.7	100.7	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	2.13	2.30	2.04	3.00	3.13	2.92
Number of Animals						
Number of Animals	1896	637	1259	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	95.2	96.4	94.5
Weaning Weight Mat	102.7	101.8	103.2
Body Weight	93.8	95.0	93.2
Clean Fleece Weight	97.4	98.4	96.9
Fibre Diameter	105.5	104.3	106.1
Staple Length	102.3	102.8	102.1
Breeding Value Indices for Fertility			
Age First Lambing	105.1	104.4	105.5
Interlambing Period	101.9	101.5	102.2
Lambs Weaned	101.3	101.7	101.0
Total Weight Weaned	97.8	98.3	97.6
Selectopn Indices			
General Merit Index	92.9	94.8	92.1
SIP	100.5	99.7	100.7
Inbreeding			
Inbreeding (%)	2.13	2.30	2.04
Number of Animals			
Number of Animals	1896	637	1259

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	123	-2.40	0.15	115	-3.83	115	-0.28	115	0.81	115	0.05	83	-9.07	72	-3.13	110	-0.52	82	-0.65	115	-15.22
2015	326	-1.99	0.19	286	-3.26	286	-0.23	286	0.77	279	-2.51	92	-9.79	84	-3.31	125	-0.69	90	-0.66	286	-14.51
2016	289	-1.94	0.13	260	-3.18	260	-0.22	260	0.78	259	-2.15	87	-9.61	77	-2.93	103	-1.44	83	-0.86	260	-14.61
2017	369	-1.53	0.27	331	-2.73	330	-0.16	330	0.78	325	-0.12	99	-9.67	91	-2.13	105	1.27	98	0.02	332	-10.46
2018	339	-1.41	-0.19	321	-2.27	321	-0.16	321	0.61	318	-1.70	93	-6.99	84	-2.09	99	-2.00	90	-1.04	321	-11.99
2019	398	-1.22	0.01	353	-2.30	352	-0.07	352	0.48	351	0.49	99	-7.32	85	-0.83	106	0.08	91	-0.45	353	-8.49
2020	416	-0.81	0.36	351	-1.33	351	-0.07	349	0.55	351	0.28	117	-5.05	94	-0.98	123	0.04	116	0.08	349	-5.09
2021	334	-0.64	0.24	306	-1.20	306	-0.07	306	0.57	305	0.91	106	-3.82	85	-0.88	116	-0.61	103	-0.30	306	-5.99
2022	606	-0.24	0.27	521	-0.73	520	-0.02	520	0.37	518	1.74	158	-3.89	78	0.15	188	1.01	152	0.17	520	-2.02
2023	549	0.13	0.08	487	-0.40	487	0.03	487	0.26	487	1.99	57	-4.88			52	1.23	42	0.21	487	-0.36
2024	589	0.34	0.00	559	0.05	559	0.01	559	0.03	557	1.67									559	0.97
2025	233	0.44	0.20																		

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	1816	96
Known Dams	1816	96

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.28	0.07
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd		
			Progeny	Nr	Progeny	Nr		EBV	Index	Dir	Mat										Acc
			weaned	flocks	tested	flocks	EBV			Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
A 18 0312 84570266	1.12	JW 15 0558 A 14 0455	122	1	113	1	111	9.08	110	1.33 96 108	1.96 84 141	2.27 95 111	-0.03 95 96	1.36 97 123	4.59 96 111	5.99 69 121	2.93 69 132	116	4	5	
A 18 0368 84570522	1.25	CR 12 0304 A 15 0038	109	1	97	1	103	-18.79	64	-0.26 95 93	1.83 80 139	-0.43 95 94	-0.38 94 74	0.88 97 116	2.25 95 105	-14.90 65 42	-2.54 65 66	93	3	46	
A 19 0154 86453313	0.49	NH 16 0406 A 15 0736	110	1	96	1	106	-3.92	89	0.81 95 103	-0.04 77 99	-0.37 95 94	0.32 94 118	2.02 97 133	8.88 95 122	1.46 57 104	-0.37 57 92	98	4	18	
A 20 0079 90715038	1.24	NH 16 0706 A 15 0125	91	1	66	1	113	-2.41	91	-0.04 94 95	-1.42 68 70	-1.19 93 89	0.44 92 125	0.10 95 104	-0.83 94 97	-5.97 48 76	-1.99 48 73	113	6	9	
A 20 0145 90715830	1.79	NH 16 0706 A 17 0054	195	1	157	1	118	8.27	109	0.90 97 103	-1.12 76 76	0.59 96 100	0.27 96 115	-0.37 98 97	6.14 97 115	6.55 53 123	0.44 52 102	105	4	2	
A 20 0217 90716572	1.20	SD 15 0015 A 15 0746	40	1	33	1	108	2.76	100	-1.04 89 85	-0.20 69 96	-1.86 89 85	0.18 87 109	0.79 92 114	2.72 90 106	7.26 58 126	1.57 57 116	117	5	24	
A 21 0017 94297058	1.32	SD 17 0177 A 17 0017	59	1	39	1	101	-2.27	92	-0.08 92 94	1.05 62 122	-0.84 90 91	-0.22 88 84	0.26 93 106	-3.74 91 89	-0.41 45 97	0.94 45 108	134	6	65	
A 21 0051 94297355	0.90	NH 19 0408 A 16 0063	51	1	33	1	112	-2.02	92	0.19 91 97	0.40 56 108	0.15 88 97	-0.22 87 84	-0.31 92 97	0.55 89 100	1.84 40 105	-0.01 40 97	102	4	16	
A 22 0004 96088182	0.84	SD 17 0177 A 18 0230	78	1	65	1	108	0.20	96	0.98 93 104	0.88 59 119	2.88 93 115	-0.34 91 77	-0.86 95 89	1.86 93 104	-4.85 44 80	-0.69 44 88	97	4	35	
A 22 0245 96090543	1.78	SD 17 0177 A 16 0902	25	1	14	1	104	2.88	100	1.41 85 108	1.15 55 124	2.90 81 115	-0.40 79 73	-0.29 87 98	0.14 83 99	0.47 36 100	0.92 36 108	118	6	75	
A 22 0500 96093109	1.65	A 20 0145 A 19 0371	18	1	8	1	102	-4.90	87	0.50 83 100	-0.63 52 87	0.36 78 99	0.00 76 98	0.74 85 114	6.83 80 117	0.05 36 99	-0.82 36 87	100	5	100	
A 23 0006 99205593	1.30	WW 20 2001 A 19 0436	34	1			123	18.37	126	2.02 88 114	0.76 54 116	1.48 71 106	0.25 69 114	-0.30 77 98	1.64 73 103	7.74 35 127	3.01 35 133	158	5	1	
CR 21 0114 91829200	4.47	CR 18 0306 CR 18 0217	290	2	234	2	103	6.51	106	2.11 98 115	0.22 71 105	2.13 97 110	-0.03 97 96	-0.71 98 91	-0.09 98 98	0.18 47 99	0.22 47 100	99	3	28	
JD 21 0486 91845560	4.42	JW 19 0201 JD 16 0172	1350	10	740	10	116	12.81	116	1.94 99 113	-1.28 93 73	2.32 99 111	0.02 99 99	-1.58 99 78	-5.45 99 84	3.63 75 112	0.82 75 107	137	6	1	
JW 15 0558 75276717	7.90	JW 13 0407 JW 11 0986	4938	36	3617	34	116	24.20	135	3.07 99 124	-0.06 99 99	3.86 99 121	0.13 99 106	0.25 99 106	-8.28 99 77	9.47 98 134	4.64 98 153	113	4	1	
NH 19 0408 86217288	4.76	NH 16 0404 NH 14 0822	233	2	212	2	106	5.09	104	0.79 97 102	-1.64 83 65	0.50 97 100	0.09 97 104	-1.33 98 82	5.87 98 114	4.75 60 116	-0.57 60 90	111	4	29	

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	DAM		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	Dir	Mat							EPI	Lambded	
							EBV					Index	EBV	Index	EBV	Index	EBV			Index
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
NH 19 0549 86219623	5.81	NH 16 0406 NH 16 0909	229	2	161	2	110	2.45	99	1.54 97 109	0.83 81 117	1.04 97 103	0.16 96 108	0.45 98 109	8.49 97 121	0.38 60 100	-0.08 59 96	128	4	13
NH 20 0444 90535253	3.65	NH 16 0406 NH 15 0151	88	1	83	1	104	-1.78	92	0.27 94 97	-1.04 61 78	-1.57 94 86	0.30 93 116	0.02 96 103	5.76 95 114	-1.57 46 92	-1.10 45 83	101	4	42
SD 17 0177 80509110	2.12	SD 15 0773 SD 15 0285	240	2	196	2	100	8.99	110	1.04 98 105	1.67 88 135	2.22 97 111	0.02 97 99	0.10 98 104	1.32 98 102	-1.42 70 93	1.46 70 114	101	4	76
 SD 17 0272 80506033	1.01	SD 15 0015 SD 12 0182	3410	16	2648	15	112	19.09	127	1.64 99 110	-0.10 99 98	2.05 99 110	0.45 99 126	-0.76 99 91	3.72 99 108	5.06 96 117	1.64 96 117	106	4	3
SD 20 0660 90431883	1.57	SD 18 0038 SD 17 0927	292	2	247	2	108	2.40	99	0.12 98 96	-0.85 83 82	-0.10 98 96	0.05 97 101	-0.75 99 91	1.90 98 104	1.34 60 103	-0.30 60 93	93	3	21
WW 20 2023 90981762	2.31	WW 18 0179 WW 18 0117	133	2	99	1	112	8.02	109	1.64 96 110	0.24 68 105	1.81 95 108	0.21 94 111	0.27 97 106	-3.52 95 90	2.76 49 109	0.70 48 105	1		6
ZK 23 0518 99706210	1.86	ZK 21 0972 ZK 18 0595	16	1			100	0.87	97	0.48 83 99	0.21 55 104	1.21 70 104	0.11 68 105	0.33 77 107	-3.29 72 90	-4.10 32 83	-0.50 32 91	127	5	108
Rams with Progeny Average :							109	4.2	102	0.93	0.12	0.93	0.06	0.01	1.63	1.12	0.45			

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
						EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 23 0441 99209918	0.79	A 18 0312	A 20 0090	2	113	7.61	108	3.09 70	1.05 55	3.57 71	0.26 68	1.99 77	5.10 72	1.71 42	1.28 42	128	4
A 23 0445 99209934	3.08	A 21 0017	A 20 0438	13	107	-1.83	92	0.32 68	1.15 44	-0.93 68	-0.11 66	0.18 76	-7.88 70	-0.94 29	0.53 29	107	4
A 23 0447 99209959	4.39	NH 19 0549	A 20 0410	4	109	2.91	100	1.29 70	0.54 53	-0.21 71	0.13 69	0.22 78	9.07 73	2.62 39	0.51 39	108	4
A 23 0449 99209975	1.28	A 21 0017	A 18 0445	27	102	-3.23	90	-0.29 69	0.08 47	0.15 69	-0.08 67	0.28 77	1.96 71	-1.52 34	-0.37 34	106	4
A 23 0457 99210015	1.16	A 18 0312	A 20 0387	14	107	2.64	100	0.62 69	0.93 53	-0.10 70	0.02 68	0.38 77	6.78 72	0.92 41	1.03 41	103	3
A 23 0459 99210031	1.06	A 18 0368	A 19 0174	62	90	-10.67	78	-0.72 69	0.95 53	-1.25 70	-0.14 68	0.87 77	5.11 72	-5.33 41	-0.95 41	97	4
A 23 0461 99210056	1.27	A 20 0145	A 18 0015	17	106	-0.53	95	-0.57 70	-0.54 52	-0.78 71	0.19 69	0.28 78	5.07 73	1.34 37	-0.38 37	101	4
A 23 0465 99210072	1.23	A 18 0312	A 20 0144	3	111	5.46	104	1.53 69	1.29 53	2.91 70	-0.04 68	1.28 77	2.71 72	3.66 40	1.58 39	101	2
A 23 0471 99210114	4.26	A 21 0017	A 18 0084	56	94	-9.73	79	-1.00 69	0.94 47	-2.45 69	-0.29 67	0.83 77	-2.22 71	-0.08 34	0.45 33	104	5
A 23 0477 99210130	3.36	A 19 0154	A 19 0398	29	102	-2.13	92	0.25 70	0.07 52	-0.80 70	0.33 68	1.53 77	0.37 72	1.51 38	-0.17 38	99	2
A 23 0479 99210155	4.06	A 19 0154	A 18 0065	55	95	-5.51	86	0.46 71	0.23 53	0.18 71	0.02 69	1.64 78	4.66 73	3.26 39	-0.14 39	129	5
A 23 0485 99210171	4.29	A 18 0368	A 17 0282	65	84	-14.25	72	-0.90 70	1.28 54	-3.22 71	-0.22 68	0.60 77	1.42 72	-7.39 42	-0.98 42	112	5
A 23 0488 99210213	1.19	A 20 0217	A 19 0427	59	93	-6.23	85	-1.81 68	-0.01 48	-2.92 68	-0.08 66	0.00 76	0.30 70	1.51 37	-0.10 37	93	3
A 23 0489 99210239	1.19	A 20 0079	A 20 0479	42	98	-5.96	86	0.19 69	0.08 47	-0.75 70	0.01 67	-0.15 77	5.24 72	-6.02 34	-1.55 34	103	4
A 23 0490 99210254	1.19	A 20 0079	A 20 0479	54	95	-8.76	81	-0.47 69	-0.17 47	-2.70 70	0.13 67	0.28 77	2.27 72	-6.02 34	-1.55 34	103	4



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambd
								EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 23 0493 99210270	1.10	A 20 0079	A 19 0150	16	106	0.01	95	0.06 70	-0.51 50	-1.17 89	0.31 68	0.37 77	0.32 72	-1.03 39	-0.49 39	104 5
A 23 0495 99210312	1.71	A 20 0079	A 17 0134	22	104	-1.63	93	-0.82 70	-0.67 49	-1.04 90	0.30 68	0.60 77	8.90 71	-0.65 36	-0.73 35	112 5
A 23 0499 99210338	1.33	A 21 0017	A 18 0028	51	96	-8.55	81	-0.41 69	0.41 46	-3.15 109	-0.21 67	0.23 77	-2.56 71	0.10 34	0.18 34	95 3
A 23 0500 99210353	1.33	A 21 0017	A 18 0028	28	102	-4.61	88	-0.08 69	0.53 46	-1.24 89	-0.27 67	-0.25 77	-6.94 71	0.10 34	0.18 34	95 3
A 23 0501 99210379	1.31	A 19 0154	A 20 0054	7	108	1.89	99	1.59 70	0.81 52	0.78 101	0.22 68	1.38 77	8.50 72	0.80 38	0.54 38	112 3
A 23 0509 99210411	1.75	A 19 0154	A 19 0358	43	98	-5.32	87	-0.01 69	-0.19 50	-1.46 87	0.13 67	1.33 77	4.88 71	2.08 35	-0.10 34	96 3
A 23 0511 99210452	2.66	A 20 0079	A 17 0272	23	103	-1.72	93	0.24 71	-1.14 50	-0.67 92	0.31 68	0.08 77	-1.02 72	-1.76 36	-1.51 36	127 5
A 23 0513 99210478	4.30	A 21 0017	A 17 0437	25	103	-3.38	90	0.82 69	-0.09 47	0.89 102	-0.15 66	0.44 77	-9.35 71	-2.13 36	-0.30 36	94 5
A 23 0519 99210494	2.01	A 20 0079	A 19 0198	38	100	-4.33	88	-0.22 68	-0.33 47	-1.37 88	0.26 67	1.12 77	1.15 71	-1.04 32	-0.67 32	94 2
A 23 0521 99210510	0.97	A 18 0312	A 15 0722	61	91	-8.05	82	-0.95 71	0.89 56	-2.58 80	-0.08 69	1.46 78	6.97 73	0.94 44	0.72 44	132 7
A 23 0522 99210536	1.20	A 20 0079	A 18 0098	39	100	-3.53	90	-2.26 70	-0.60 49	-3.51 74	0.22 68	0.11 77	5.44 72	1.54 33	-0.27 32	131 5
A 23 0523 99210551	1.33	A 20 0079	A 19 0378	47	97	-7.39	83	-0.23 69	-0.59 48	-3.55 70	0.09 68	-0.67 77	2.11 72	-4.37 34	-1.54 34	105 4
A 23 0525 99210577	1.76	A 20 0079	A 21 0211	58	94	-8.54	81	-0.06 69	-0.40 48	-1.50 87	0.41 67	2.46 77	4.12 71	-3.38 34	-1.07 33	113 3
A 23 0528 99210593	2.21	A 21 0051	A 21 0907	46	97	-5.12	87	-0.76 64	0.23 39	-1.26 88	-0.26 60	-0.15 73	-1.92 66	1.14 20	0.10 20	113 3
A 23 0532 99210619	1.20	A 21 0017	A 17 0130	35	101	-4.46	88	-0.55 68	0.58 45	-2.54 80	0.01 66	0.31 77	-4.66 71	-1.92 33	0.13 32	103 5
A 23 0533 99210635	1.22	A 21 0051	A 19 0074	19	105	-0.19	95	-0.18 69	-0.01 45	-0.98 90	-0.16 66	-0.81 76	-2.33 71	3.48 31	0.24 31	112 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 23 0537 99210650	1.56	A 21 0017	A 17 0264	52	96	-7.93	82	-0.93 69	1.27 47	-2.44 81	-0.25 67	0.77 77	4.75 111	0.88 33	0.72 105	105	5
A 23 0539 99210676	4.12	A 18 0368	A 21 0062	48	96	-7.03	84	-0.04 69	1.74 51	0.16 97	-0.23 68	0.25 77	2.97 107	-8.51 41	-0.80 87	95	2
A 23 0542 99210718	1.24	A 20 0217	A 21 0200	32	101	-0.69	94	-1.57 67	-0.36 46	-3.52 74	0.30 66	0.09 76	5.68 114	2.16 36	0.14 98	94	3
A 23 0544 99210734	0.87	A 18 0312	A 19 0292	33	101	-1.33	93	-0.67 69	0.20 52	-1.64 86	0.22 67	1.14 77	9.86 125	0.74 42	0.53 103	88	3
A 23 0547 99210759	1.12	NH 19 0549	A 18 0475	63	88	-10.71	78	-0.60 70	-0.05 52	-1.02 90	-0.14 68	1.18 77	-1.78 94	-1.07 37	-0.79 87	97	4
A 23 0552 99210775	6.60	A 19 0154	A 19 0500	60	92	-7.75	83	-0.05 70	-0.43 52	-3.17 76	0.19 68	1.48 77	7.41 118	2.20 38	-0.12 95	106	4
A 23 0557 99210791	2.53	A 21 0051	A 20 0132	11	107	2.19	99	0.31 68	0.03 43	1.39 105	-0.05 66	-0.84 76	-1.71 94	-1.18 31	-0.68 89	91	3
A 23 0558 99210817	1.01	A 20 0217	A 19 0280	45	98	-3.64	89	-0.56 69	-0.20 49	-1.80 85	0.12 67	1.49 77	8.74 122	4.48 38	0.72 106	103	4
A 23 0561 99210858	1.46	A 19 0154	A 20 0502	31	102	-0.42	95	0.87 69	0.12 50	0.42 99	0.18 68	1.41 77	10.51 126	1.70 37	0.25 100	95	2
A 23 0563 99210874	1.37	A 18 0368	A 18 0058	67	74	-21.36	60	-1.34 70	0.41 54	-2.01 84	-0.29 68	1.29 77	-2.90 91	-10.34 43	-2.51 66	99	4
A 23 0565 99210890	2.21	A 18 0312	A 21 0910	8	108	3.43	101	0.25 65	0.90 49	-0.30 95	0.09 63	0.89 74	2.44 105	3.22 34	1.57 116	101	2
A 23 0569 99210957	0.98	A 20 0145	A 18 0346	26	103	-1.89	92	-0.66 71	-0.37 53	-1.08 90	-0.03 69	-0.26 78	4.59 111	1.48 40	-0.19 95	138	5
A 23 0573 99210973	1.22	A 20 0217	A 21 0274	18	105	2.98	100	-1.73 69	0.56 49	-3.61 73	0.10 66	-0.27 76	0.03 99	7.28 38	1.75 118	126	3
A 23 0575 99210999	4.83	A 20 0079	A 21 0019	50	96	-7.54	83	-0.50 69	-1.59 47	-2.20 82	0.14 67	-0.02 77	0.18 99	-2.94 33	-1.76 76	95	2
A 23 0577 99211039	1.54	A 20 0217	A 16 0193	49	96	-4.86	87	-1.26 69	-0.38 51	-2.44 81	-0.20 67	-0.10 77	-4.76 86	5.25 40	0.50 103	130	6
A 23 0581 99211070	2.42	NH 19 0549	A 20 0347	44	98	-4.05	89	-0.40 70	0.47 52	-0.41 94	-0.02 68	0.58 77	7.99 120	-0.05 39	-0.31 93	93	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV Acc	EBV Index	EBV A	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 23 0583 99211096	13.73	A 20 0217	A 19 0119	1	120	12.38	116	0.61 69 101	-0.16 50 97	1.31 69 105	0.27 67 115	-0.05 77 102	3.00 71 107	7.18 40 125	1.58 40 116	109	3
A 23 0587 99211153	4.30	A 20 0079	A 20 0381	40	99	-6.69	84	-1.13 69 84	-0.38 48 92	-1.91 70 84	0.17 67 109	0.93 77 117	-5.78 71 84	-2.11 33 90	-0.87 33 86	103	4
A 23 0589 99211195	2.04	A 21 0051	A 19 0285	12	107	0.50	96	0.15 68 96	0.49 44 110	-0.59 68 93	-0.07 66 94	-0.35 76 97	-1.53 71 95	2.56 30 108	0.34 30 101	100	3
A 23 0590 99211211	2.04	A 21 0051	A 19 0285	6	109	1.83	98	0.61 68 101	0.73 44 115	1.10 68 104	-0.14 66 89	-0.25 76 98	5.53 71 113	2.56 30 108	0.34 30 101	100	3
A 23 0595 99211237	1.19	A 21 0051	A 21 0166	21	104	-1.43	93	-0.28 68 92	0.97 43 120	-0.23 68 95	-0.21 66 85	-0.22 76 99	4.60 70 111	0.38 32 100	0.36 31 101	101	3
A 23 0596 99211252	1.36	A 18 0312	A 21 0263	57	94	-6.78	84	-0.91 69 86	1.55 53 133	-0.23 70 95	-0.12 68 90	1.64 77 128	5.81 72 114	-1.36 42 93	0.34 42 101	110	3
A 23 0597 99211278	0.75	NH 19 0549	A 21 0311	41	98	-2.50	91	0.08 70 96	1.25 52 126	0.78 70 101	-0.12 68 91	1.29 77 122	8.55 72 121	1.68 38 105	0.73 38 106	108	3
A 23 0598 99211294	1.50	A 20 0079	A 18 0406	36	100	-4.16	89	0.18 69 97	-0.50 49 89	-0.60 70 93	0.22 68 111	0.81 77 115	-3.52 72 90	-2.37 36 89	-1.07 36 84	92	4
A 23 0602 99211336	1.84	A 21 0017	A 19 0231	34	101	-4.44	88	0.16 69 96	0.80 48 117	-0.62 69 92	-0.10 67 92	0.49 77 110	-1.79 71 94	-3.23 38 86	-0.08 37 96	110	4
A 23 0604 99211351	2.65	A 20 0217	A 21 0158	10	108	3.18	101	-0.02 67 95	-0.16 45 97	0.25 68 98	0.12 66 105	0.61 76 112	3.95 70 109	4.97 35 117	0.82 35 107	92	1
A 23 0605 99211377	3.23	A 20 0145	A 21 0265	37	100	-3.33	90	-0.54 69 90	-0.30 50 94	0.12 70 97	0.06 68 102	0.91 77 116	1.71 72 103	2.35 34 107	-0.41 34 92	99	3
A 23 0608 99211419	1.39	A 20 0145	A 18 0439	53	96	-7.43	83	-0.56 70 90	-1.00 50 79	-1.55 70 87	-0.09 68 93	0.33 77 107	-3.26 72 90	0.98 35 102	-0.69 35 88	103	5
A 23 0611 99211435	2.75	NH 19 0549	A 19 0199	9	108	1.81	98	0.57 70 100	0.66 53 114	-0.47 70 93	-0.01 68 98	-0.45 77 95	7.95 72 120	1.78 37 105	0.26 37 100	99	4
A 23 0612 99211450	2.75	NH 19 0549	A 19 0199	15	106	0.86	97	0.04 70 95	0.83 53 117	-0.27 70 95	-0.06 68 94	-0.35 77 97	8.02 72 120	1.78 37 105	0.26 37 100	99	4
A 23 0615 99211476	1.04	A 18 0368	A 21 0006	66	82	-14.54	71	-0.31 70 92	0.71 53 115	-1.53 70 87	-0.28 68 81	0.88 77 116	-2.65 72 92	-5.34 39 78	-1.28 39 81	105	2
A 23 0616 99211492	1.04	A 18 0368	A 21 0006	64	84	-12.70	74	-0.52 70 90	0.59 53 112	-1.26 70 88	-0.15 68 89	1.08 77 119	0.49 72 100	-5.34 39 78	-1.28 39 81	105	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambded
						EBV	Index	EBV	Index	A	EBV	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 23 0619 99211518	1.32	NH 19 0549	A 21 0138	30	102	-1.39	93	0.01 68 95	0.94 49 120	1.10 69 103	-0.16 67 88	0.87 77 116	0.18 71 99	1.64 35 105	0.64 35 104	92	1
A 23 0620 99211534	1.53	A 18 0312	A 21 0348	24	103	0.59	96	0.45 70 99	1.31 54 127	0.33 70 99	-0.05 68 95	1.36 77 123	6.46 72 116	4.14 42 114	1.57 42 116	109	3
A 23 0624 99211559	1.09	NH 19 0549	A 21 0086	20	105	1.04	97	1.00 70 104	0.55 53 111	1.58 70 107	-0.11 68 91	-0.83 77 89	1.81 72 103	-2.84 39 88	-0.84 39 87	108	3
A 23 0631 99211591	2.71	A 19 0154	A 21 0067	5	109	4.72	103	2.06 68 114	0.13 51 103	1.81 70 108	0.20 68 111	0.85 77 115	1.89 72 104	3.36 41 111	0.39 40 101	93	1
A 24 0007 107703910	1.40	WW 20 2001	A 20 0407	117	102	3.79	102	-0.22 68 93	-0.42 49 91	-1.06 70 90	0.25 68 113	0.47 77 110	3.57 72 108	2.20 33 107	0.89 32 108	100	3
A 24 0008 107703928	4.41	CR 21 0114	A 22 0502	124	101	2.86	100	0.49 67 100	-0.16 45 96	-1.31 70 88	0.09 68 104	-0.37 77 96	-2.67 72 92	2.70 31 108	0.59 31 104	95	1
A 24 0010 107703936	0.87	WW 20 2001	A 19 0107	180	97	2.07	99	0.29 69 98	0.73 50 115	-0.46 71 94	-0.15 69 89	0.00 78 102	-2.17 73 93	4.06 36 114	1.42 36 114	99	4
A 24 0012 107703944	0.85	WW 20 2001	A 21 0019	181	97	1.71	98	-0.36 69 92	-0.73 49 85	-1.49 70 87	0.12 68 105	0.18 77 105	4.74 72 111	3.40 34 111	0.78 34 106	95	2
A 24 0016 107703969	0.84	WW 20 2001	A 21 0002	134	100	3.27	101	-0.16 68 93	-0.54 48 89	-2.07 71 83	0.44 68 125	0.68 77 113	4.40 72 110	1.44 34 104	0.58 34 104	92	2
A 24 0022 107703985	1.11	WW 20 2001	A 21 0369	109	102	5.91	105	0.69 70 101	0.38 51 108	1.34 71 105	0.00 69 98	0.74 77 114	1.39 72 102	5.69 36 120	1.72 36 118	113	3
A 24 0025 107703993	0.88	CR 21 0114	A 21 0344	273	84	-9.89	79	-1.11 69 85	-0.07 47 98	-2.62 70 80	-0.09 68 93	0.59 77 111	5.22 72 112	-0.13 30 98	-0.64 30 89	96	1
A 24 0026 107704009	0.88	CR 21 0114	A 21 0344	248	91	-5.25	87	0.23 69 97	-0.27 47 94	-0.61 70 93	0.05 68 101	0.81 77 115	6.13 72 115	-0.13 30 98	-0.64 30 89	96	1
A 24 0030 107704025	0.82	WW 20 2001	A 21 0252	140	100	4.05	102	-0.05 70 94	0.36 50 108	-1.30 71 88	0.12 68 106	0.04 77 103	-1.52 72 95	2.95 36 109	1.19 35 111	98	2
A 24 0036 107704033	1.01	WW 20 2001	A 19 0455	61	106	7.47	108	1.16 70 106	-0.07 49 98	-0.35 70 94	0.41 68 123	0.88 77 116	1.34 72 102	3.68 34 112	1.27 34 112	101	3
A 24 0038 107704041	0.94	WW 20 2001	A 22 0145	17	111	10.44	113	3.36 70 127	1.25 49 126	2.44 71 112	0.32 69 118	1.64 77 128	7.41 72 118	4.76 33 116	1.99 33 121	114	1
A 24 0041 107704058	1.01	WW 20 2001	A 19 0455	65	106	7.09	107	1.01 70 104	0.10 49 102	-0.60 70 93	0.30 68 117	0.39 77 108	7.31 72 118	3.68 34 112	1.27 34 112	101	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0042 107704066	4.62	A 20 0145	A 22 0591	129	101	-0.34	95	-0.22 69 93	-0.39 49 92	-0.67 70 92	0.07 68 102	0.68 77 113	3.18 72 107	5.86 33 120	0.55 33 103	99 1
A 24 0044 107704074	3.99	WW 20 2001	A 22 0514	86	103	5.77	105	-0.68 70 89	-0.50 48 89	-2.65 70 80	0.26 68 114	0.47 77 110	1.89 72 104	8.07 33 129	2.10 33 122	104 1
A 24 0045 107704082	3.99	WW 20 2001	A 22 0514	31	109	9.76	111	0.18 70 97	-0.47 48 90	-1.12 70 89	0.24 68 113	-0.04 77 102	5.10 72 112	8.07 33 129	2.10 33 122	104 1
A 24 0050 107704108	1.11	WW 20 2001	A 21 0345	154	99	2.84	100	-0.39 70 91	-0.46 50 90	-1.21 71 89	0.19 69 109	0.49 78 110	-1.61 73 95	3.09 34 110	0.98 34 109	101 3
A 24 0054 107704116	4.31	CR 21 0114	A 22 0310	63	106	5.80	105	0.98 69 104	0.09 49 102	0.46 71 99	0.07 69 102	-0.70 77 91	0.66 72 100	1.40 36 104	0.36 36 101	101 1
A 24 0060 107704132	0.95	CR 21 0114	A 22 0527	121	101	4.04	102	1.02 70 105	-0.07 49 99	0.33 70 99	-0.08 68 93	-1.08 77 86	-1.68 72 94	1.66 33 105	0.19 33 99	123 2
A 24 0066 107704157	4.26	WW 20 2001	A 20 0502	33	109	9.75	111	0.34 70 98	0.40 49 108	0.51 71 100	0.10 69 104	-0.03 77 102	4.20 72 110	4.32 35 115	1.98 35 121	95 2
A 24 0068 107704165	0.80	NH 20 0444	A 22 0603	250	90	-7.30	83	-2.20 68 74	-0.49 43 90	-4.05 69 71	0.22 67 112	0.60 77 112	5.74 71 114	-0.26 31 97	-0.59 30 90	98 1
A 24 0069 107704173	0.80	NH 20 0444	A 22 0603	239	91	-6.63	84	-1.50 68 81	-0.64 43 86	-3.26 69 76	0.31 67 117	1.16 77 120	1.23 71 102	-0.26 31 97	-0.59 30 90	98 1
A 24 0070 107704181	4.45	CR 21 0114	A 22 0011	101	102	3.54	101	0.80 69 102	0.09 49 102	1.71 71 107	-0.03 69 96	-0.28 77 98	1.41 72 102	0.20 37 99	0.01 37 97	100 1
A 24 0072 107704199	3.02	A 20 0145	A 22 0193	14	112	7.33	107	1.00 70 104	-0.50 50 89	1.07 70 103	0.27 68 114	-0.35 77 97	6.74 72 116	3.58 35 112	-0.01 34 97	116 2
A 24 0076 107704215	1.11	A 22 0004	A 21 0034	217	94	-3.73	89	-0.33 69 92	0.47 44 110	1.09 69 103	-0.49 67 68	-0.91 77 88	-0.11 71 98	-0.82 31 95	-0.36 31 92	97 2
A 24 0077 107704223	1.11	A 22 0004	A 21 0034	199	96	-2.56	91	-0.10 69 94	0.25 44 105	0.55 69 100	-0.42 67 72	-1.18 77 84	-4.39 71 87	-0.82 31 95	-0.36 31 92	97 2
A 24 0084 107704249	1.05	A 22 0004	A 19 0181	213	95	-4.49	88	0.00 70 95	0.68 46 114	0.66 70 101	-0.16 68 88	0.64 77 112	-2.03 72 93	-1.16 33 94	-0.24 33 94	105 3
A 24 0086 107704256	0.94	CR 21 0114	A 22 0273	126	101	2.65	100	1.01 69 104	-0.28 47 94	0.06 70 97	0.07 68 103	-0.43 77 96	0.96 72 101	1.28 32 103	-0.09 32 96	100 2
A 24 0087 107704264	0.94	CR 21 0114	A 22 0273	227	93	-3.11	90	0.45 69 99	0.10 47 102	-0.39 70 94	-0.12 68 91	0.11 77 104	1.95 72 104	1.28 32 103	-0.09 32 96	100 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0088 107704272	0.80	WW 20 2001	A 21 0211	118	102	4.26	102	0.83 70 103	0.60 50 113	1.03 71 103	0.30 69 117	2.11 78 135	8.50 72 121	2.96 35 109	1.47 35 115	113 3
A 24 0089 107704280	0.80	WW 20 2001	A 21 0211	143	100	2.94	100	0.70 70 102	0.71 50 115	-0.06 71 96	0.12 69 106	1.20 78 121	4.92 72 112	2.96 35 109	1.47 35 115	113 3
A 24 0091 107704306	1.33	WW 20 2001	A 21 0143	153	99	2.20	99	0.02 70 95	0.10 51 102	-0.72 71 92	0.14 69 107	0.51 77 110	1.20 72 102	1.23 38 103	0.81 38 107	109 3
A 24 0100 107704322	1.40	A 22 0004	A 20 0344	252	90	-6.49	85	0.81 68 103	1.23 43 126	2.86 69 115	-0.44 67 71	0.11 77 104	-2.44 71 92	-6.88 30 72	-1.11 30 83	88 3
A 24 0104 107704348	4.20	A 22 0004	A 20 0346	138	100	2.10	99	1.40 69 108	0.13 45 103	1.81 69 108	-0.01 67 98	-0.25 77 98	8.19 71 120	-2.22 33 90	-0.51 33 91	96 3
A 24 0107 107704363	8.64	NH 20 0444	A 22 0105	178	97	-3.37	90	0.53 68 100	0.37 43 108	-1.06 69 90	0.18 67 109	0.88 77 116	3.92 71 109	-1.71 31 92	-0.41 31 92	95 1
A 24 0114 107704371	0.85	CR 21 0114	A 22 0063	97	103	3.82	102	1.45 69 109	-0.09 47 98	0.85 70 102	-0.12 68 91	-1.54 77 78	1.42 72 102	-0.37 33 97	-0.37 33 92	102 2
A 24 0118 107704405	1.01	NH 19 0408	A 21 0010	85	103	2.65	100	0.24 70 97	-0.57 53 88	0.25 71 98	0.15 69 107	-0.24 77 99	4.72 72 111	0.99 39 102	-0.30 38 93	101 3
A 24 0119 107704413	1.01	NH 19 0408	A 21 0010	71	104	3.30	101	0.19 70 97	-0.48 53 90	0.01 71 97	0.03 69 100	-1.04 77 86	2.42 72 105	0.99 39 102	-0.30 38 93	101 3
A 24 0120 107704421	2.21	A 22 0004	A 21 0914	209	95	-3.27	90	-0.49 64 90	0.50 39 110	-0.40 65 94	-0.32 62 78	-0.87 74 89	-0.54 68 97	-2.20 22 90	-0.24 22 94	98 2
A 24 0121 107704439	2.21	A 22 0004	A 21 0914	174	98	-1.22	93	0.22 64 97	0.39 39 108	0.86 65 102	-0.23 62 84	-0.47 74 95	-1.42 68 95	-2.20 22 90	-0.24 22 94	98 2
A 24 0128 107704462	1.63	JD 21 0486	A 21 0083	123	101	1.29	98	-0.16 70 93	-0.37 58 92	0.13 71 97	-0.08 69 93	-0.81 78 90	0.34 73 100	0.21 46 99	-0.20 46 94	100 3
A 24 0133 107704496	0.76	WW 20 2001	A 21 0167	5	116	14.38	119	1.63 70 110	0.51 50 111	1.25 71 104	0.52 69 130	0.93 78 117	5.28 72 113	3.53 35 112	2.05 35 122	101 2
A 24 0136 107704504	3.83	WW 20 2001	A 21 0348	12	112	11.35	114	1.80 70 112	-0.03 50 99	1.12 71 104	0.41 69 124	0.85 77 115	4.43 72 110	4.50 36 115	1.65 35 117	109 3
A 24 0138 107704512	4.22	NH 20 0444	A 22 0058	114	102	0.92	97	0.66 68 101	-0.99 44 79	-0.82 70 91	0.22 67 111	-0.61 77 93	4.85 72 111	-0.25 31 97	-0.98 31 85	101 1
A 24 0141 107704538	3.02	A 20 0145	A 22 0192	24	109	5.82	105	0.90 69 103	-0.53 48 89	0.71 70 101	0.27 68 115	-0.15 77 100	7.64 72 119	3.13 34 110	-0.08 34 96	95 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambled
						EBV	Index	EBV	Index	A	EBV	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0144 107704553	1.26	NH 19 0408	A 20 0072	18	110	8.27	109	1.06 70 105	-0.45 55 90	1.97 70 109	0.05 68 101	-0.78 77 90	6.68 72 116	4.54 41 115	0.37 41 101	128	4
A 24 0146 107704579	1.89	A 20 0145	A 19 0909	190	97	-1.79	92	-0.90 65 87	-0.71 46 85	-1.70 66 86	0.06 64 101	0.54 75 111	2.28 68 105	4.57 27 116	0.54 27 103	99	2
A 24 0147 107704587	1.89	A 20 0145	A 19 0909	210	95	-3.39	90	-1.04 65 85	-0.45 46 91	-1.20 66 89	-0.11 64 91	0.51 75 110	-2.01 68 93	4.57 27 116	0.54 27 103	99	2
A 24 0148 107704595	2.63	A 20 0145	A 22 0371	62	106	4.19	102	0.93 69 104	0.11 48 102	0.62 70 100	-0.04 68 96	0.27 77 106	5.35 72 113	6.01 35 121	1.30 34 113	95	1
A 24 0150 107704603	0.73	WW 20 2001	A 21 0265	125	101	3.73	102	0.28 70 98	0.03 49 100	-0.19 71 95	0.30 69 116	1.14 77 120	6.40 72 115	2.43 34 107	0.91 34 108	99	3
A 24 0154 107704629	1.42	A 20 0145	A 22 0491	6	115	10.47	113	3.10 69 124	0.07 49 101	1.32 69 105	0.22 67 112	-0.14 77 100	5.22 71 112	4.89 33 117	1.15 33 111	127	2
A 24 0156 107704637	2.08	NH 20 0444	A 22 0911	244	91	-7.14	84	-0.82 65 87	-0.41 41 91	-1.14 65 89	0.00 62 98	1.07 74 119	2.99 67 107	-0.56 23 96	-0.45 23 91	113	2
A 24 0161 107704660	0.77	NH 19 0408	A 21 0263	271	85	-9.52	80	-0.21 70 93	-0.18 53 96	0.43 70 99	-0.08 68 93	1.16 77 120	5.30 72 113	-1.98 38 91	-1.41 38 80	110	3
A 24 0162 107704678	1.02	NH 19 0408	A 22 0635	131	101	1.34	98	-0.71 70 88	-0.75 52 84	-1.06 70 90	-0.05 68 95	-0.62 77 93	-3.91 72 88	6.66 37 123	0.44 37 102	116	2
A 24 0164 107704686	4.37	A 22 0004	A 20 0061	219	94	-3.74	89	0.76 69 102	1.04 45 122	2.42 69 112	-0.36 67 76	0.48 77 110	-7.11 71 80	-2.41 33 89	-0.14 33 95	104	3
A 24 0166 107704694	1.11	A 22 0004	A 19 0281	197	96	-2.57	91	-0.21 70 93	0.62 46 113	0.26 70 98	-0.27 68 82	-0.53 77 94	4.72 72 111	-0.48 33 97	-0.25 33 94	104	3
A 24 0170 107704702	0.87	NH 20 0444	A 22 0306	183	97	-2.64	91	-0.64 69 89	-0.15 45 97	-2.46 70 81	0.16 67 108	0.41 77 109	4.78 72 111	0.45 33 100	0.07 33 98	112	2
A 24 0171 107704710	0.87	NH 20 0444	A 22 0306	216	94	-4.62	88	-0.91 69 86	0.01 45 100	-2.72 70 79	0.04 67 101	0.35 77 108	2.46 72 105	0.45 33 100	0.07 33 98	112	2
A 24 0173 107704728	1.48	A 22 0004	A 21 0203	247	91	-6.91	84	-1.22 69 83	0.62 44 113	-0.41 69 94	-0.31 67 79	0.17 77 105	-0.90 71 96	-0.75 29 96	-0.27 29 94	104	3
A 24 0177 107704744	3.38	A 20 0145	A 22 0492	156	99	-0.56	94	-0.50 68 90	-0.27 48 94	-0.16 70 95	-0.08 68 93	-0.07 77 101	4.66 72 111	4.57 34 116	0.16 34 99	94	1
A 24 0178 107704751	2.68	NH 20 0444	A 22 0425	87	103	1.78	98	-0.92 69 86	-0.98 44 79	-2.35 70 81	0.19 68 109	-1.08 77 86	3.24 72 107	2.25 30 107	-0.36 30 92	104	1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0179 107704769	2.68	NH 20 0444	A 22 0425	162	99	-1.37	93	-1.16 69 84	-0.80 44 83	-2.41 70 81	0.13 68 106	-0.49 77 95	5.53 72 113	2.25 30 107	-0.36 30 92	104	1
A 24 0181 107704777	2.08	A 20 0145	A 22 0912	133	101	0.66	96	-0.88 66 87	-0.78 46 83	-1.31 66 88	0.08 64 103	-0.07 74 101	3.37 68 108	3.50 26 111	0.33 26 101	112	2
A 24 0184 107704785	1.09	CR 21 0114	A 22 0280	35	108	7.83	108	1.27 69 107	0.25 46 105	1.36 70 105	0.00 68 98	-0.86 77 89	-3.47 72 90	4.10 30 114	0.65 30 105	102	2
A 24 0190 107704793	3.13	A 20 0145	A 22 0130	96	103	3.17	101	-0.78 70 88	-1.31 51 72	-2.37 70 81	0.26 68 114	-0.86 77 89	4.89 72 112	4.98 35 117	-0.07 34 96	121	2
A 24 0193 107704801	4.69	NH 19 0408	A 21 0302	203	96	-2.94	91	-0.93 70 86	-0.92 53 81	-2.43 71 81	0.13 69 106	-0.61 77 93	-2.04 72 93	1.49 37 104	-0.94 37 85	116	3
A 24 0194 107704819	4.69	NH 19 0408	A 21 0302	232	92	-5.29	87	-0.94 70 86	-0.66 53 86	-2.18 71 83	-0.01 69 97	-0.47 77 95	-0.66 72 97	1.49 37 104	-0.94 37 85	116	3
A 24 0196 107704827	1.31	JD 21 0486	A 21 0174	57	106	5.00	104	1.54 70 109	-0.68 56 86	2.00 71 109	-0.12 69 91	-0.63 77 92	-8.37 72 77	3.99 42 113	0.32 42 101	99	2
A 24 0197 107704835	1.31	JD 21 0486	A 21 0174	113	102	1.70	98	1.82 70 112	-0.48 56 90	2.02 71 109	-0.26 69 82	-0.33 77 97	-10.62 72 71	3.99 42 113	0.32 42 101	99	2
A 24 0199 107704843	2.74	A 22 0004	A 21 0038	206	95	-3.01	90	0.06 69 95	1.28 45 127	1.47 70 106	-0.28 68 80	0.99 77 117	2.98 72 107	1.15 32 103	0.68 31 105	113	2
A 24 0200 107704850	2.74	A 22 0004	A 21 0038	32	109	6.40	106	2.19 69 116	0.51 45 111	2.69 70 114	0.09 68 103	0.56 77 111	1.92 72 104	1.15 32 103	0.68 31 105	113	2
A 24 0201 107704868	2.74	A 22 0004	A 21 0038	41	107	5.47	104	1.41 69 108	0.52 45 111	1.63 70 107	0.08 68 103	0.27 77 106	1.61 72 103	1.15 32 103	0.68 31 105	113	2
A 24 0202 107704876	1.06	CR 21 0114	A 22 0141	45	107	5.55	105	1.38 70 108	0.69 48 114	1.54 71 106	-0.03 69 96	-0.14 77 100	4.91 72 112	3.02 32 110	0.80 32 106	107	2
A 24 0205 107704884	1.33	NH 19 0408	A 20 0015	49	107	5.18	104	0.61 70 101	-0.12 54 97	-0.35 70 94	-0.08 68 93	-1.15 77 84	5.87 72 114	5.48 38 119	0.76 37 106	113	3
A 24 0208 107704918	2.82	A 20 0145	A 22 0616	75	104	2.24	99	0.90 68 103	-0.53 47 89	1.19 70 104	0.16 68 108	0.16 77 105	6.40 72 115	1.64 33 104	-0.49 33 91	95	1
A 24 0213 107704934	8.27	NH 20 0444	A 22 0077	212	95	-4.46	88	-0.57 68 90	-0.36 42 92	-1.57 69 86	0.11 67 105	0.64 77 112	4.65 71 111	0.99 27 102	-0.42 27 92	101	1
A 24 0216 107704959	1.02	A 22 0004	A 21 0042	147	100	0.79	97	0.07 69 96	0.34 46 107	0.50 70 100	-0.22 67 84	-1.21 77 83	0.51 72 100	-0.38 32 97	-0.29 32 93	117	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0217 107704967	2.88	A 22 0004	A 16 0234	253	90	-6.39	85	-0.05 70 95	0.57 46 112	0.65 70 101	-0.28 68 81	-0.36 77 97	-0.16 72 98	-4.41 34 82	-1.25 34 82	162	7
A 24 0223 107704991	2.17	NH 19 0408	A 20 0090	150	100	1.20	97	0.36 71 98	-0.41 55 91	0.24 71 98	0.11 69 105	-0.16 78 100	2.71 73 106	1.09 39 102	-0.48 39 91	128	4
A 24 0225 107705006	1.15	JD 21 0486	A 20 0508	144	100	1.12	97	-0.20 71 93	-0.64 58 86	-1.16 72 89	-0.06 70 94	-0.13 78 100	-0.87 73 96	4.64 45 116	0.92 45 108	119	3
A 24 0232 107705048	0.76	NH 19 0408	A 20 0028	77	104	3.33	101	0.33 70 98	-0.95 54 80	-0.13 71 96	0.24 69 113	-0.09 77 101	7.30 72 118	3.15 39 110	-0.21 39 94	113	3
A 24 0234 107705063	1.10	CR 21 0114	A 22 0146	94	103	4.03	102	1.10 70 105	-0.19 48 96	1.54 71 106	-0.13 69 90	-0.96 77 87	2.70 72 106	1.93 32 106	-0.04 32 96	101	2
A 24 0235 107705071	1.31	JD 21 0486	A 20 0366	19	110	8.28	109	0.15 71 96	-0.13 59 97	0.00 71 96	0.01 70 98	-0.82 78 90	-2.03 73 93	5.32 45 118	1.42 45 114	133	4
A 24 0237 107705089	7.08	WW 20 2001	A 19 0215	67	105	7.16	107	-0.04 71 95	0.10 52 102	-0.02 71 96	0.18 69 109	0.38 78 108	5.07 73 112	4.35 40 115	1.58 39 116	105	3
A 24 0243 107705113	2.72	A 22 0004	A 21 0264	152	99	0.44	96	0.98 69 104	0.69 45 114	1.68 70 107	-0.19 68 86	0.44 77 109	10.09 72 125	1.19 34 103	0.60 33 104	105	3
A 24 0244 107705121	2.72	A 22 0004	A 21 0264	164	99	-0.07	95	-0.08 69 94	0.76 45 116	1.09 70 103	-0.24 68 83	0.13 77 104	2.86 72 106	1.19 34 103	0.60 33 104	105	3
A 24 0247 107705147	2.08	NH 20 0444	A 22 0901	237	92	-6.70	84	-1.08 64 85	-0.50 39 89	-2.06 65 83	-0.03 62 96	0.40 74 108	7.73 67 119	-0.56 23 96	-0.45 23 91	106	2
A 24 0248 107705154	2.08	NH 20 0444	A 22 0901	220	94	-4.91	87	-0.84 64 87	-0.59 39 87	-2.31 65 82	-0.06 62 95	-0.34 74 97	3.42 67 108	-0.56 23 96	-0.45 23 91	106	2
A 24 0258 107705188	1.51	CR 21 0114	A 22 0344	135	100	2.58	100	0.22 70 97	0.04 49 101	-0.33 70 94	-0.05 68 95	-0.60 77 93	-0.02 72 99	3.25 31 111	0.46 31 102	119	2
A 24 0264 107705204	1.17	JD 21 0486	A 21 0240	37	108	7.69	108	1.90 70 113	-0.77 58 84	0.62 70 100	-0.04 70 95	-1.38 76 81	2.01 71 104	6.30 45 122	0.62 45 104	146	3
A 24 0274 107705212	1.87	A 22 0004	A 19 0129	43	107	5.84	105	1.51 70 109	0.53 47 111	3.32 70 118	-0.11 68 91	-0.48 77 95	3.29 72 107	0.22 36 99	0.05 36 97	107	3
A 24 0278 107705238	1.03	WW 20 2001	A 20 0381	202	96	0.18	96	-0.89 70 87	0.36 50 108	-2.61 71 80	0.17 69 109	1.21 78 121	0.18 72 99	4.23 35 114	1.67 34 117	103	4
A 24 0279 107705246	1.44	A 22 0004	A 21 0097	233	92	-7.03	84	-0.52 68 90	0.92 43 119	-0.01 69 96	-0.30 67 80	0.30 77 107	1.06 71 102	-2.28 29 90	-0.40 28 92	99	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0281 107705253	3.87	WW 20 2001	A 22 0143	7	115	13.83	118	0.81 69 103	0.11 49 102	1.70 70 107	0.16 68 108	-0.53 77 94	0.43 72 100	4.56 38 115	1.81 38 119	92	1
A 24 0283 107705279	1.02	A 22 0004	A 22 0137	82	103	3.13	101	0.72 68 102	0.29 43 106	2.16 69 110	-0.04 67 95	-0.31 77 97	-2.24 71 93	-0.23 31 97	-0.28 31 93	101	2
A 24 0286 107705295	1.12	CR 21 0114	A 22 0037	198	96	-1.09	94	-0.23 69 93	0.70 47 115	-0.90 70 91	-0.23 68 84	-0.33 77 97	-6.44 72 82	3.25 30 111	0.73 30 106	101	1
A 24 0287 107705303	1.12	CR 21 0114	A 22 0037	98	102	3.37	101	0.68 69 101	0.43 47 109	-0.06 70 96	-0.07 68 94	-0.52 77 94	-4.04 72 88	3.25 30 111	0.73 30 106	101	1
A 24 0288 107705311	8.23	NH 20 0444	A 22 0296	177	97	-2.36	92	-0.82 69 87	-0.39 44 92	-1.90 69 84	0.04 67 100	-0.25 77 98	0.20 71 99	1.83 28 105	-0.24 28 94	126	2
A 24 0289 107705329	8.23	NH 20 0444	A 22 0296	165	99	-1.63	93	0.18 69 97	-0.38 44 92	-0.91 69 91	0.01 67 99	-0.10 77 101	1.24 71 102	1.83 28 105	-0.24 28 94	126	2
A 24 0290 107705337	1.18	A 22 0004	A 21 0133	226	93	-4.99	87	0.19 69 97	1.31 46 128	2.18 70 110	-0.41 68 73	-0.33 77 97	-0.56 72 97	-4.72 35 81	-0.95 35 85	105	2
A 24 0293 107705345	1.30	WW 20 2001	A 20 0447	39	108	8.97	110	-0.18 71 93	0.90 51 119	0.01 71 97	-0.01 69 98	-0.18 78 99	3.10 73 107	7.34 35 126	2.31 35 125	119	4
A 24 0295 107705360	0.68	CR 21 0114	A 22 0315	50	107	6.70	106	2.29 70 116	-0.02 48 99	2.74 71 114	-0.09 68 93	-0.57 77 93	3.15 72 107	3.57 31 112	0.40 31 102	125	2
A 24 0297 107705378	4.26	CR 21 0114	A 22 0076	55	106	6.48	106	1.76 69 112	0.11 46 102	2.71 70 114	-0.04 68 96	-0.42 77 96	1.72 72 103	2.13 32 106	0.26 32 100	95	2
A 24 0307 107705402	0.74	WW 20 2001	A 19 0378	108	102	4.60	103	1.85 70 112	0.25 50 105	0.58 71 100	0.14 69 107	0.66 78 112	3.93 73 109	1.97 36 106	1.00 36 109	105	4
A 24 0308 107705410	2.45	A 20 0145	A 22 0046	34	108	5.60	105	1.64 69 110	0.05 49 101	0.80 70 102	0.22 68 111	0.93 77 117	6.06 72 115	5.87 35 120	1.13 34 111	103	1
A 24 0314 107705436	3.34	NH 19 0408	A 20 0384	148	100	0.19	96	-0.50 71 90	-0.75 55 84	-1.29 71 88	0.05 69 101	0.30 78 107	13.67 73 135	6.60 40 123	0.69 39 105	128	4
A 24 0316 107705444	1.09	NH 19 0408	A 18 0098	76	104	3.94	102	0.61 71 101	-0.88 54 81	0.07 71 97	0.12 69 105	-0.06 78 101	7.59 73 119	6.90 37 124	0.44 37 102	131	5
A 24 0325 107705469	0.88	NH 19 0408	A 18 0414	196	96	-1.90	92	1.16 71 106	-1.44 54 70	1.24 71 104	0.07 69 103	0.14 78 104	-2.16 72 93	1.45 39 104	-1.33 38 81	118	4
A 24 0328 107705485	1.18	JD 21 0486	A 19 0460	26	109	6.69	106	1.36 71 108	-1.05 58 78	1.95 71 109	0.05 69 101	-0.67 78 92	-3.98 73 88	3.21 44 110	0.06 44 97	114	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0331 107705501	1.04	NH 19 0408	A 20 0149	15	112	9.53	111	0.98 71 104	-0.29 55 94	1.00 71 103	0.21 69 111	-0.45 78 95	5.22 73 112	4.30 39 115	0.78 39 106	120 3
A 24 0343 107705550	0.89	CR 21 0114	A 22 0286	263	88	-6.65	84	0.59 69 100	0.67 47 114	1.14 70 104	-0.31 68 79	0.96 77 117	-4.86 72 86	-0.12 31 98	-0.09 31 96	101 1
A 24 0344 107705568	0.89	CR 21 0114	A 22 0286	106	102	3.12	101	1.88 69 113	0.17 47 104	2.03 70 109	-0.09 68 93	-0.37 77 97	-0.93 72 96	-0.12 31 98	-0.09 31 96	101 1
A 24 0348 107705576	1.25	SD 17 0177	A 19 0119	30	109	5.79	105	-0.23 71 93	0.96 57 120	0.21 71 98	0.08 69 103	0.39 78 108	-2.55 73 92	2.83 45 109	1.53 44 115	109 3
A 24 0353 107705592	1.02	CR 21 0114	A 20 0451	83	103	5.28	104	2.04 70 114	0.55 48 112	2.08 71 110	-0.20 69 86	-1.25 77 83	-3.06 72 91	0.92 33 102	0.12 33 98	97 2
A 24 0355 107705600	1.25	CR 21 0114	A 22 0149	91	103	3.36	101	0.43 69 99	0.05 47 101	1.17 70 104	0.03 68 100	-0.02 77 102	1.08 72 102	1.95 29 106	0.22 29 99	116 2
A 24 0356 107705618	1.25	CR 21 0114	A 22 0149	68	105	4.85	103	1.97 69 114	0.16 47 103	3.66 70 120	-0.04 68 96	0.41 77 109	-0.82 72 97	1.95 29 106	0.22 29 99	116 2
A 24 0357 107705626	2.01	NH 19 0408	A 21 0308	236	92	-4.99	87	-0.24 70 93	-0.46 53 90	-0.40 71 94	0.07 69 102	0.65 77 112	8.34 62 121	-0.62 38 96	-0.90 38 86	99 2
A 24 0358 107705634	2.01	NH 19 0408	A 21 0308	230	92	-4.50	88	-0.28 70 92	-0.46 53 90	-0.90 71 91	0.01 69 99	0.03 77 103	7.67 72 119	-0.62 38 96	-0.90 38 86	99 2
A 24 0364 107705659	1.18	SD 17 0177	A 20 0506	22	110	6.04	105	0.60 70 101	1.14 55 124	1.27 70 105	0.00 68 98	0.42 77 109	0.92 72 101	1.63 41 104	1.49 41 115	110 3
A 24 0366 107705675	4.65	CR 21 0114	A 20 0081	44	107	6.46	106	2.59 70 119	-0.04 48 99	2.69 71 114	0.17 68 109	0.46 77 109	-0.56 72 97	1.63 33 104	0.22 33 99	99 2
A 24 0370 107705691	0.90	NH 20 0444	A 17 0443	200	96	-2.98	90	-1.75 69 78	-0.42 47 91	-3.16 70 76	0.04 67 101	-0.23 77 99	-2.03 72 93	4.10 32 114	0.17 32 99	94 5
A 24 0372 107705709	0.80	WW 20 2001	A 19 0270	11	113	12.22	116	1.10 71 105	-0.02 52 100	0.29 71 98	0.37 69 121	0.39 78 108	-0.71 73 97	7.07 36 125	2.01 36 121	123 4
A 24 0374 107705717	0.93	NH 19 0408	A 21 0250	223	94	-3.77	89	-1.29 70 83	-0.18 54 96	-1.35 71 88	-0.15 69 89	-0.24 77 99	1.98 72 104	2.50 39 108	-0.03 39 96	108 3
A 24 0378 107705725	1.48	A 20 0145	A 19 0053	205	95	-3.06	90	0.45 68 99	-0.71 47 85	0.19 69 98	0.04 67 100	0.50 77 110	-1.99 71 94	1.86 32 105	-0.65 32 89	97 4
A 24 0380 107705741	4.85	CR 21 0114	A 22 0302	80	104	4.28	102	-0.19 69 93	-0.41 48 91	-1.01 70 90	0.09 68 104	-0.60 77 93	3.03 72 107	2.27 34 107	0.60 34 104	99 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
					EBV	Index		EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0384 107705766	2.99	A 20 0145	A 22 0059	192	97	-1.71	93	-0.13 69 94	-0.68 49 86	-0.57 70 93	-0.03 68 96	0.03 77 103	-0.36 72 98	4.10 34 114	-0.10 33 96	99	1
A 24 0390 107705782	2.11	NH 19 0408	A 20 0156	149	100	1.97	99	0.24 71 97	-1.39 54 71	0.09 71 97	0.00 69 98	-1.51 77 79	-5.11 72 85	1.39 39 104	-1.03 39 84	108	4
A 24 0396 107705808	4.51	CR 21 0114	A 22 0230	116	102	2.97	100	0.48 69 100	0.19 48 104	0.14 70 97	0.06 68 101	0.06 77 103	-2.37 72 93	1.45 37 104	0.54 37 103	94	1
A 24 0400 107705824	1.22	A 22 0004	A 20 0066	163	99	-1.59	93	0.50 69 100	0.29 45 106	0.87 70 102	-0.18 67 87	0.18 77 105	-0.95 72 96	0.06 32 99	0.06 31 98	101	3
A 24 0402 107705832	0.93	SD 17 0177	A 20 0408	20	110	7.92	108	0.64 70 101	0.99 56 121	-0.08 71 96	0.00 69 98	-1.41 78 80	4.81 73 111	0.04 43 98	0.81 43 107	100	3
A 24 0407 107705857	0.80	NH 20 0444	A 22 0538	189	97	-2.37	91	0.48 67 99	-0.10 43 98	-1.34 69 88	0.25 67 113	1.57 77 127	5.67 71 114	1.49 32 104	0.40 32 102	95	1
A 24 0409 107705865	4.98	CR 21 0114	A 22 0497	102	102	3.61	101	1.53 67 109	0.33 44 107	0.85 69 102	-0.09 67 93	-0.44 77 96	-2.88 71 91	1.43 29 104	0.53 29 103	95	1
A 24 0410 107705873	1.13	A 20 0145	A 22 0157	29	109	6.57	106	0.35 68 98	-0.38 49 92	-0.67 70 92	0.35 68 120	-0.30 77 98	6.48 72 116	1.14 35 103	0.26 35 100	94	1
A 24 0412 107705881	0.98	WW 20 2001	A 21 0376	168	98	1.71	98	0.02 70 95	0.48 49 110	-1.34 71 88	-0.01 69 97	-0.37 77 97	0.18 72 99	-0.71 35 96	0.72 35 106	106	3
A 24 0413 107705899	1.41	JD 21 0486	A 21 0108	84	103	2.83	100	-0.58 70 89	-0.77 58 84	-0.69 71 92	0.02 69 99	-0.34 78 97	-1.30 73 95	3.36 47 111	0.65 47 105	96	3
A 24 0414 107705907	2.59	WW 20 2001	A 19 0231	47	107	8.36	109	0.43 71 99	0.17 52 103	-0.31 71 94	0.34 69 119	0.03 78 103	4.06 73 109	0.32 40 100	0.99 40 109	110	4
A 24 0416 107705915	1.26	JD 21 0486	A 21 0358	52	107	4.94	104	0.71 70 102	-0.02 57 100	0.37 71 99	-0.18 69 87	-0.87 77 89	-4.16 72 88	2.61 45 108	1.10 45 110	107	3
A 24 0417 107705923	1.34	NH 19 0408	A 21 0130	103	102	1.96	99	0.08 69 96	-0.85 53 82	-1.11 70 89	0.17 68 108	-0.36 77 97	-0.88 72 96	1.27 37 103	-0.07 37 96	106	3
A 24 0418 107705931	4.37	A 22 0004	A 20 0367	270	86	-9.84	79	-0.88 68 87	0.65 44 114	-1.29 69 88	-0.22 67 84	-0.04 77 102	2.47 71 105	-6.52 32 74	-1.26 32 82	95	3
A 24 0420 107705949	1.24	NH 19 0408	A 21 0053	171	98	-1.12	94	-0.21 69 93	-1.07 53 77	-0.67 70 92	0.09 68 104	-0.86 77 89	2.64 72 106	-1.86 38 91	-1.30 38 81	93	2
A 24 0423 107705956	9.46	NH 20 0444	A 22 0029	105	102	0.88	97	0.93 69 104	-0.02 45 99	-0.36 69 94	0.35 67 120	0.69 77 113	10.89 71 127	-1.16 32 94	-0.50 31 91	119	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0427 107705964	1.64	NH 19 0408	A 21 0368	235	92	-4.94	87	-0.98 69 86	-0.32 53 93	-3.36 70 75	-0.23 68 84	-1.07 77 86	3.03 72 107	2.14 39 106	0.06 39 98	100	3
A 24 0430 107705980	1.06	SD 17 0177	A 20 0347	161	99	0.53	96	0.39 70 99	0.69 55 115	0.03 70 97	-0.09 68 92	-0.02 77 102	1.52 72 103	-0.95 43 95	0.46 43 102	93	3
A 24 0432 107705998	2.40	NH 19 0408	A 21 0224	122	101	2.32	99	0.40 69 99	-0.37 52 92	-0.73 70 92	0.06 68 102	-0.86 77 89	-0.17 72 98	2.62 39 108	-0.17 38 95	87	3
A 24 0436 107706012	0.94	NH 19 0408	A 20 0031	172	98	-0.95	94	0.37 69 98	-0.81 52 83	-0.21 70 95	0.03 68 100	0.12 77 104	-0.95 72 96	2.44 38 108	-0.24 38 94	88	3
A 24 0437 107706020	1.34	NH 19 0408	A 19 0380	241	91	-5.94	86	-1.50 70 81	-0.98 54 79	-2.74 71 79	0.13 68 106	-0.07 77 101	1.52 72 103	-0.24 38 97	-1.08 38 84	97	3
A 24 0440 107706046	2.21	WW 20 2001	A 21 0904	51	107	8.01	109	-0.24 63 93	-0.19 41 96	-0.66 65 92	0.33 62 118	0.61 73 112	1.59 67 103	3.58 26 112	1.65 26 117	85	2
A 24 0441 107706053	3.26	NH 19 0408	A 19 0487	207	95	-2.55	91	0.13 70 96	-1.37 53 71	-1.11 70 89	0.08 68 103	-0.64 77 92	4.91 72 112	0.43 40 100	-1.24 40 82	90	4
A 24 0447 107706061	2.38	NH 19 0408	A 19 0176	245	91	-5.16	87	-0.74 70 88	-0.52 54 89	-2.40 71 81	-0.14 69 90	-0.80 78 90	1.50 73 103	1.40 40 104	-0.58 39 90	97	5
A 24 0448 107706079	1.12	CR 21 0114	A 22 0520	69	105	4.98	104	1.90 69 113	0.87 46 118	2.60 70 113	-0.31 68 79	-0.75 77 91	-4.93 72 86	0.86 32 102	0.77 32 106	95	1
A 24 0450 107706087	0.79	NH 19 0408	A 19 0288	188	97	-1.62	93	-0.13 71 94	-0.21 56 96	-0.46 71 94	-0.19 69 86	-0.95 78 88	1.10 73 102	2.00 42 106	-0.41 42 92	115	5
A 24 0451 107706095	0.81	WW 20 2001	A 18 0254	127	101	4.03	102	1.53 70 109	0.30 51 106	0.74 71 101	0.02 69 99	0.37 78 108	1.42 73 102	1.76 39 105	1.04 38 109	111	5
A 24 0452 107706103	1.06	JD 21 0486	A 20 0037	53	107	5.90	105	1.65 70 111	-0.32 57 93	2.91 71 115	0.02 69 99	-0.38 77 96	-0.82 72 97	-0.98 45 95	-0.21 44 94	98	4
A 24 0455 107706129	1.45	JD 21 0486	A 21 0281	128	101	1.34	98	0.00 70 95	-0.62 56 87	-0.77 70 92	-0.08 68 93	-1.53 77 79	-9.95 72 73	-1.33 44 93	-0.50 43 91	90	3
A 24 0458 107706137	0.70	NH 19 0408	A 17 0402	246	91	-5.79	86	-0.19 71 93	-0.35 55 92	-0.66 71 92	-0.24 69 83	0.24 78 106	1.67 73 103	3.57 41 112	-0.07 40 96	117	6
A 24 0459 107706145	8.10	CR 21 0114	A 19 0267	40	108	7.29	107	1.83 70 112	0.54 50 111	1.09 71 103	0.29 69 116	0.77 77 114	1.85 72 104	2.71 38 109	0.99 38 109	95	3
A 24 0460 107706152	7.40	A 22 0004	A 19 0373	267	86	-9.31	80	-0.53 69 90	0.19 46 104	0.13 70 97	-0.17 68 87	0.48 77 110	-3.05 72 91	-5.86 35 76	-1.46 35 79	98	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	EBV	Acc	Index	Acc	EBV	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0462 107706178	1.43	A 22 0004	A 18 0346	260	89	-7.15	84	-0.09 70 94	0.83 48 118	0.71 70 101	-0.50 68 67	-0.60 77 93	-1.53 72 95	-4.22 37 82	-0.76 37 88	138	5
A 24 0463 107706186	3.04	A 20 0145	A 22 0052	142	100	0.10	96	1.03 68 105	-0.79 48 83	1.31 70 105	0.00 68 98	0.19 77 105	3.32 72 107	2.80 33 109	-0.42 33 92	95	1
A 24 0467 107706194	1.29	A 22 0004	A 21 0375	194	97	-1.36	93	0.24 69 97	0.68 46 114	-0.14 70 96	-0.25 68 83	-0.33 77 97	-1.02 72 96	1.78 33 105	0.41 32 102	104	2
A 24 0468 107706202	1.29	A 22 0004	A 21 0375	234	92	-4.72	88	-1.28 69 83	1.02 46 121	-0.85 70 91	-0.38 68 75	-0.28 77 98	0.41 72 100	1.78 33 105	0.41 32 102	104	2
A 24 0477 107706228	1.01	JD 21 0486	A 21 0119	100	102	2.57	100	0.35 70 98	-1.36 57 71	-1.13 71 89	0.00 69 98	-1.35 78 81	1.75 73 103	2.67 44 108	-0.17 44 95	96	2
A 24 0481 107706251	2.08	CR 21 0114	A 22 0913	145	100	1.71	98	0.20 64 97	-0.34 42 93	-0.64 65 92	0.07 62 103	-0.19 73 99	-1.03 67 96	0.31 24 100	0.22 23 99	96	2
A 24 0485 107706269	0.97	A 20 0145	A 19 0225	8	115	11.44	114	2.34 69 117	-0.62 51 87	2.02 70 109	0.30 68 117	-0.55 77 94	9.01 72 122	3.44 39 111	0.34 39 101	88	3
A 24 0488 107706277	4.23	WW 20 2001	A 21 0347	141	100	4.19	102	1.40 70 108	1.46 50 131	1.98 71 109	-0.22 68 84	1.21 77 121	-4.51 72 87	4.62 36 116	2.40 36 126	101	3
A 24 0489 107706285	1.20	A 22 0004	A 21 0311	160	99	0.31	96	0.42 69 99	0.96 45 120	1.09 69 103	-0.31 67 79	-0.50 77 94	0.53 71 100	-0.93 33 95	0.42 32 102	108	3
A 24 0490 107706293	1.68	JD 21 0486	A 18 0261	204	96	-3.49	90	-0.91 70 86	-0.88 58 81	-1.60 71 86	-0.07 69 94	-0.79 78 90	2.01 73 104	-2.43 46 89	-0.77 46 87	111	4
A 24 0492 107706319	0.71	CR 21 0114	A 22 0322	130	101	2.49	99	0.30 69 98	-0.37 46 92	-0.47 70 93	0.03 68 100	-0.79 77 90	5.17 72 112	1.04 32 102	-0.03 32 96	93	1
A 24 0493 107706327	0.99	NH 19 0408	A 19 0035	167	98	-0.88	94	-0.04 70 95	-0.80 54 83	-0.98 71 90	0.03 69 100	-0.75 78 91	4.41 73 110	1.42 39 104	-0.73 39 88	124	5
A 24 0494 107706335	4.55	CR 21 0114	A 22 0155	10	115	12.50	116	2.20 69 116	0.64 48 113	2.10 70 110	0.04 68 101	-1.06 77 86	0.97 72 101	3.13 36 110	1.23 36 112	95	1
A 24 0495 107706343	1.72	A 22 0004	A 20 0438	193	97	-2.08	92	0.20 68 97	1.13 43 124	0.34 69 99	-0.15 67 89	-0.16 77 100	-0.19 71 98	-3.16 29 86	-0.29 29 93	107	4
A 24 0497 107706350	4.75	A 22 0004	A 18 0439	269	86	-9.47	80	-0.83 69 87	-0.12 44 97	-1.11 69 89	-0.34 67 77	-0.56 77 94	-3.87 71 89	-4.72 32 81	-1.26 32 82	103	5
A 24 0506 107706392	1.12	NH 19 0408	A 18 0351	257	90	-7.34	83	-1.47 70 81	-1.09 55 77	-2.06 71 83	-0.20 69 86	-1.09 78 85	-6.07 72 83	-0.50 40 96	-1.36 40 80	113	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambled
						EBV	Index	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0507 107706400	1.41	CR 21 0114	A 22 0154	92	103	3.51	101	1.14 68	0.23 45	0.78 101	-0.09 68	-0.85 77	-3.85 72	0.80 29	0.14 29	96	2
A 24 0512 107706426	2.36	CR 21 0114	A 22 0550	170	98	-0.31	95	0.86 69	0.66 46	0.48 100	0.05 68	0.02 77	7.19 72	-3.12 31	-0.55 30	108	2
A 24 0513 107706434	0.95	A 22 0004	A 19 0262	173	98	-2.05	92	0.04 69	0.47 45	0.88 102	-0.18 68	-0.58 77	2.93 72	-2.56 32	-0.82 32	100	3
A 24 0529 107706491	3.35	NH 19 0408	A 20 0387	191	97	-1.03	94	0.16 70	-0.96 53	-2.10 80	0.09 69	-0.98 78	4.18 73	0.30 38	-0.72 38	103	3
A 24 0537 107706509	26.34	A 22 0245	A 16 0902	255	90	-6.71	84	-1.26 65	1.21 42	1.08 103	-0.69 62	0.02 74	-1.74 67	1.42 19	0.64 19	118	6
A 24 0541 107706525	1.44	A 20 0079	A 18 0211	249	91	-6.47	85	-0.41 70	-0.26 50	-0.96 90	0.12 68	1.00 77	-3.60 72	-1.07 37	-0.92 37	141	5
A 24 0542 107706533	1.44	A 20 0079	A 18 0211	195	97	-2.27	92	0.70 70	-0.48 50	0.41 99	0.27 68	1.15 77	0.39 72	-1.07 37	-0.92 37	141	5
A 24 0543 107706541	1.09	A 20 0145	A 20 0182	169	98	-1.44	93	0.05 70	0.03 51	0.46 99	-0.02 69	0.93 77	9.36 72	2.62 36	0.35 36	102	3
A 24 0547 107706558	2.08	A 22 0245	A 22 0965	229	93	-4.97	87	-1.02 59	0.45 33	-0.68 92	-0.35 58	0.13 72	-2.28 64	0.46 18	0.56 18	96	1
A 24 0551 107706582	2.08	A 20 0145	A 22 0960	185	97	-1.97	92	-0.84 62	-0.55 42	-1.40 88	-0.07 62	-0.01 73	0.68 67	3.50 26	0.33 26	97	1
A 24 0554 107706590	2.08	A 20 0079	A 22 0951	179	97	-1.85	92	-0.53 63	-0.52 40	-1.14 89	0.16 61	-0.14 73	-2.79 66	-2.76 24	-0.89 24	116	2
A 24 0556 107706608	4.12	A 21 0051	A 22 0575	266	87	-8.49	81	-0.39 67	0.73 41	-1.02 90	-0.36 66	-0.15 76	4.59 70	-1.84 30	-0.50 30	94	1
A 24 0557 107706616	1.41	A 20 0145	A 18 0058	272	84	-10.92	77	-2.48 70	-1.04 52	-3.83 72	0.04 69	0.51 78	2.67 73	0.39 38	-1.02 38	99	4
A 24 0559 107706624	2.08	A 21 0017	A 22 0973	254	90	-7.69	83	-2.01 61	0.43 35	-2.32 82	-0.34 60	0.19 72	-5.15 65	0.02 23	0.58 23	95	2
A 24 0560 107706632	2.08	A 22 0004	A 22 0975	222	94	-4.04	89	-0.54 61	0.33 34	-0.66 92	-0.20 61	-0.23 73	-1.49 66	-2.20 22	-0.24 22	98	1
A 24 0566 107706657	2.08	A 21 0051	A 22 0953	265	87	-8.49	81	-0.56 61	0.31 33	-0.96 90	-0.17 60	1.33 72	5.77 65	1.14 20	0.10 20	98	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0568 107706673	1.79	A 20 0079	A 21 0136	146	100	0.05	95	-0.26 68 92	-0.86 45 82	-1.10 69 89	0.33 67 118	-0.23 77 99	-4.26 71 88	-3.10 32 87	-1.21 32 82	86 3
A 24 0576 107706707	1.40	A 21 0017	A 19 0436	79	104	2.77	100	-0.03 70 95	1.43 48 130	-0.47 69 93	-0.17 67 87	0.22 77 106	-9.86 71 73	4.18 33 114	1.93 32 120	158 5
A 24 0577 107706715	1.44	A 21 0017	A 20 0308	155	99	-1.03	94	0.29 69 98	1.40 46 130	1.59 69 107	-0.21 67 85	1.16 77 120	3.12 71 107	0.29 34 99	1.03 34 109	106 3
A 24 0579 107706723	2.90	A 21 0051	A 22 0382	221	94	-4.08	89	-0.21 67 93	0.60 42 112	-1.49 68 87	-0.19 65 86	0.47 76 110	2.20 70 104	3.70 30 112	0.80 30 107	100 2
A 24 0587 107706756	9.03	A 19 0154	A 22 0590	99	102	0.53	96	1.26 70 107	0.14 51 103	0.38 70 99	0.25 68 113	1.51 77 126	5.34 72 113	3.94 36 113	0.37 35 101	130 2
A 24 0589 107706764	0.71	NH 19 0549	A 21 0364	110	102	-0.14	95	-0.46 70 91	0.85 52 118	-1.17 71 89	-0.06 69 94	-0.04 77 102	-1.14 72 96	2.39 37 107	0.70 37 105	103 3
A 24 0591 107706772	2.80	A 20 0145	A 21 0107	16	111	9.50	111	1.50 70 109	-0.55 51 88	1.24 70 104	0.03 68 100	-1.25 77 83	3.02 72 107	7.10 35 125	0.65 34 105	125 3
A 24 0595 107706806	1.24	A 20 0145	A 22 0070	73	104	3.15	101	-0.14 69 94	-0.51 51 89	-0.47 70 93	0.09 68 104	-0.32 77 97	7.31 72 118	4.15 39 114	0.32 38 101	100 2
A 24 0597 107706814	1.12	A 21 0051	A 22 0152	38	108	5.80	105	0.09 68 96	0.15 44 103	0.27 68 98	0.11 66 105	-0.02 76 102	-3.75 71 89	3.67 35 112	0.97 35 108	100 2
A 24 0598 107706822	1.12	A 21 0051	A 22 0152	13	112	8.71	110	0.58 68 100	-0.15 44 97	0.47 68 99	0.31 66 117	0.14 76 104	0.78 71 101	3.67 35 112	0.97 35 108	100 2
A 24 0601 107706848	2.00	A 21 0051	A 20 0907	89	103	2.17	99	0.45 66 99	0.20 42 104	-0.20 66 95	-0.02 63 97	-0.64 75 92	0.52 68 100	2.10 21 106	0.09 21 98	128 4
A 24 0605 107706855	4.53	A 21 0051	A 20 0309	274	81	-12.92	74	-1.66 68 79	0.16 43 103	-2.46 69 81	-0.24 66 83	1.08 77 119	0.11 71 99	-0.14 30 98	-0.40 30 92	99 3
A 24 0607 107706863	0.79	NH 19 0549	A 21 0298	224	93	-6.40	85	0.18 69 97	0.88 51 118	-0.89 70 91	0.03 68 100	0.98 77 117	4.89 72 112	-3.38 38 86	-0.58 38 90	93 3
A 24 0608 107706871	1.45	A 22 0245	A 21 0377	157	99	-1.35	93	-0.18 67 93	0.26 43 105	-1.01 66 90	-0.21 64 85	-0.40 76 96	-2.06 69 93	1.50 27 104	0.54 26 103	114 3
A 24 0611 107706897	1.24	A 21 0051	A 20 0068	186	97	-2.19	92	-0.26 68 92	0.69 43 114	-0.84 68 91	-0.24 66 83	-0.67 76 92	-1.76 70 94	-0.46 30 97	0.12 30 98	97 4
A 24 0612 107706905	1.86	A 19 0154	A 17 0340	275	76	-17.31	67	-1.79 70 78	0.38 52 108	-3.36 70 75	-0.04 68 96	2.58 78 142	3.78 72 109	-1.29 38 93	-0.60 37 90	119 6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight	Body		CFW	FD	SL	NLW	TWW	DAM
						EBV	Index	Dir	Mat	Weight	EBV	EBV	EBV	EBV	EBV	EPI
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0613 107706913	1.51	A 22 0245	A 18 0034	261	89	-7.67	83	-0.82 67 87	0.01 44 100	-0.99 67 90	-0.24 64 83	0.02 76 103	6.45 69 116	-2.30 30 90	-0.67 30 89	101 5
A 24 0614 107706921	1.16	A 19 0154	A 21 0062	208	95	-4.15	89	0.52 69 100	1.02 50 121	0.00 70 96	0.01 68 98	1.52 77 126	8.19 72 120	-0.33 38 97	0.28 37 100	95 2
A 24 0615 107706939	1.48	A 22 0245	A 21 0086	182	97	-1.38	93	0.33 67 98	0.60 45 113	1.25 67 104	-0.29 64 80	-0.63 76 93	-0.21 69 98	-2.79 31 88	-0.34 31 93	108 3
A 24 0617 107706947	2.08	A 19 0154	A 22 0980	215	95	-4.75	88	-0.30 62 92	-0.03 42 99	-1.56 64 86	0.05 61 101	0.77 73 114	6.45 66 116	0.95 29 102	-0.08 29 96	98 1
A 24 0618 107706954	2.08	A 22 0245	A 22 0955	187	97	-1.74	93	-0.03 61 95	0.71 35 115	0.14 61 97	-0.33 58 78	-0.29 72 98	-4.69 64 86	0.46 18 100	0.56 18 104	115 2
A 24 0621 107706962	1.35	A 22 0004	A 20 0314	268	86	-9.27	80	-0.91 69 86	0.31 44 106	-0.77 70 92	-0.20 67 86	0.32 77 107	0.83 72 101	-4.25 32 82	-1.08 31 84	101 3
A 24 0622 107706970	2.64	A 22 0004	A 19 0161	95	103	2.64	100	0.21 69 97	0.26 46 105	0.77 70 101	0.03 67 100	-0.46 77 95	1.99 72 104	-2.01 37 91	-0.24 37 94	100 4
A 24 0626 107706988	2.45	A 20 0079	A 22 0001	218	94	-5.22	87	-1.05 67 85	-0.74 44 84	-1.68 68 86	0.16 66 108	0.40 76 108	5.03 71 112	-2.98 29 87	-1.05 29 84	93 1
A 24 0627 107706996	1.26	A 21 0017	A 21 0336	120	101	0.58	96	-0.41 68 91	0.48 46 110	-0.87 69 91	-0.04 66 95	0.57 77 111	2.00 71 104	2.19 33 107	1.29 33 112	97 2
A 24 0630 107707002	1.19	A 21 0051	A 21 0179	228	93	-4.40	88	-0.18 68 93	0.55 43 112	0.24 68 98	-0.27 66 81	0.33 76 107	-3.97 71 88	1.12 30 103	0.15 30 99	91 3
A 24 0631 107707010	1.19	A 21 0051	A 21 0179	238	92	-5.21	87	0.00 68 95	0.51 43 111	0.37 68 99	-0.17 66 87	1.06 76 119	4.80 71 111	1.12 30 103	0.15 30 99	91 3
A 24 0634 107707036	2.72	A 21 0017	A 20 0349	159	99	-1.29	93	-0.40 69 91	0.80 46 117	-0.88 69 91	-0.39 67 74	-0.57 77 94	-6.57 71 82	3.00 32 110	1.17 32 111	99 3
A 24 0640 107707051	2.44	A 22 0500	A 20 0087	225	93	-5.15	87	0.78 67 102	0.22 43 105	0.87 66 102	-0.07 64 94	1.24 75 121	7.46 69 118	-1.60 31 92	-0.35 31 93	108 4
A 24 0641 107707069	2.02	A 20 0079	A 20 0427	231	92	-5.10	87	-0.19 69 93	-0.17 48 96	-1.19 70 89	0.17 67 109	0.62 77 112	6.09 72 115	-3.22 35 86	-1.06 35 84	99 3
A 24 0642 107707077	0.91	A 22 0004	A 22 0151	104	102	1.95	99	0.48 68 99	0.08 42 102	0.57 69 100	-0.15 67 89	-1.16 77 84	0.76 71 101	-0.29 31 97	-0.24 31 94	94 2
A 24 0643 107707085	0.96	A 20 0145	A 22 0032	21	110	6.61	106	0.47 68 99	-0.11 48 98	1.01 70 103	0.13 68 106	0.02 77 103	1.60 72 103	3.73 35 112	0.79 35 106	95 1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0644 107707093	2.94	A 20 0145	A 22 0256	74	104	3.17	101	1.14 69 106	-1.33 50 72	0.09 70 97	0.15 68 107	-0.54 77 94	7.15 72 117	3.37 35 111	-0.39 35 92	102	2
A 24 0646 107707119	2.17	A 20 0079	A 19 0059	240	91	-6.56	85	-1.06 68 85	-1.13 47 76	-1.30 69 88	0.26 67 114	0.47 77 109	-4.26 71 88	-5.58 32 77	-1.97 32 73	106	4
A 24 0647 107707127	1.63	A 19 0154	A 20 0542	256	90	-7.91	82	-0.38 69 91	-0.18 50 96	-2.67 70 79	0.12 67 106	0.91 77 116	3.95 72 109	0.23 36 99	-0.65 36 89	102	3
A 24 0650 107707135	2.08	NH 19 0549	A 22 0959	72	104	1.53	98	0.82 62 103	0.71 44 115	1.47 64 106	-0.20 62 86	-0.52 73 94	6.51 67 116	0.41 30 100	0.07 30 98	98	1
A 24 0653 107707150	4.25	A 21 0017	A 22 0307	88	103	2.87	100	0.77 68 102	0.43 45 109	0.96 68 103	0.01 66 99	0.27 76 106	-0.13 71 98	1.07 32 102	0.54 32 103	118	2
A 24 0658 107707168	1.95	A 20 0079	A 21 0335	158	99	-0.09	95	0.24 68 97	-0.18 45 96	-1.14 69 89	0.13 67 106	-0.46 77 95	3.96 71 109	-2.15 33 90	-0.59 32 90	87	2
A 24 0660 107707176	2.08	A 19 0154	A 22 0958	264	88	-9.24	80	-2.12 62 75	-0.30 42 94	-3.63 64 73	-0.06 61 94	0.59 73 111	-1.20 66 96	0.95 29 102	-0.08 29 96	95	1
A 24 0662 107707192	1.45	A 21 0051	A 18 0486	251	90	-7.11	84	0.42 69 99	0.49 46 110	0.07 69 97	-0.26 67 82	0.81 77 115	3.25 71 107	1.16 32 103	-0.10 31 96	131	5
A 24 0664 107707200	1.49	A 22 0245	A 19 0168	112	102	1.15	97	1.27 67 107	0.45 44 109	1.90 67 109	-0.15 64 89	0.36 76 108	-0.07 69 99	1.32 29 103	0.43 29 102	105	4
A 24 0666 107707218	1.07	A 21 0017	A 22 0185	115	102	-0.05	95	1.83 68 112	1.13 44 124	0.83 69 102	0.00 66 98	0.98 77 117	0.32 71 100	0.13 31 99	0.52 31 103	106	1
A 24 0668 107707234	7.97	A 20 0079	A 22 0599	151	100	-0.07	95	0.59 69 101	-0.93 46 80	-0.31 69 94	0.18 66 109	0.21 77 105	-2.80 71 91	0.38 30 100	-0.51 29 91	129	2
A 24 0670 107707242	2.56	A 20 0145	A 22 0517	184	97	-1.94	92	1.47 69 109	0.29 49 106	1.61 70 107	0.07 68 103	2.28 77 137	9.01 72 122	4.43 33 115	0.63 33 104	103	1
A 24 0671 107707259	2.56	A 20 0145	A 22 0517	137	100	0.27	96	1.11 69 105	0.27 49 106	1.08 70 103	-0.01 68 97	1.05 77 119	1.56 72 103	4.43 33 115	0.63 33 104	103	1
A 24 0674 107707283	1.72	A 20 0079	A 21 0300	242	91	-6.47	85	-0.17 68 93	0.01 46 100	0.12 69 97	0.05 67 101	1.52 77 126	-2.65 71 92	-2.54 34 89	-0.59 34 90	93	2
A 24 0675 107707291	1.72	A 20 0079	A 21 0300	201	96	-3.31	90	0.42 68 99	-0.10 46 98	-0.27 69 95	-0.04 67 96	0.10 77 104	-6.54 71 82	-2.54 34 89	-0.59 34 90	93	2
A 24 0678 107707317	1.14	A 21 0017	A 22 0287	258	89	-7.36	83	-1.19 68 84	-0.09 45 98	-1.86 68 85	-0.13 66 90	0.82 76 115	-2.87 71 91	1.20 31 103	0.13 31 98	107	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambed
						EBV	Index	EBV Acc	Index Acc	EBV A	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 24 0684 107707325	2.66	A 21 0017	A 22 0487	214	95	-4.43	88	-0.06 67 94	0.83 43 117	-1.17 68 89	-0.19 66 86	0.48 76 110	0.40 70 100	-0.90 32 95	0.56 32 104	95	1
A 24 0688 107707333	1.34	A 21 0017	A 18 0485	262	89	-9.47	80	-1.35 69 82	0.77 46 116	-2.78 69 79	-0.21 67 85	0.81 77 115	-0.21 71 98	-0.20 32 98	0.31 32 101	110	4
A 24 0689 107707341	2.08	A 21 0017	A 22 0952	211	95	-4.25	88	-1.38 61 82	0.43 35 109	-1.96 63 84	-0.28 60 81	-0.31 72 97	-3.64 65 89	0.02 23 98	0.58 23 104	96	2
A 24 0693 107707358	2.08	A 22 0500	A 22 0903	259	89	-7.55	83	-0.48 59 90	-0.19 31 96	-0.86 60 91	-0.19 57 86	0.61 71 112	1.18 63 102	0.25 18 99	-0.31 18 93	98	1
A 24 0704 107707382	1.05	A 20 0079	A 20 0498	243	91	-6.49	85	0.71 69 102	-0.13 47 97	-1.37 69 88	0.10 67 104	-0.04 77 102	1.09 71 102	-8.14 34 68	-1.70 34 76	101	3
Young rams (with known parents) average :					99	-0.59	94	0.13	0.06	-0.31	-0.01	0.14	1.62	0.99	0.11		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned		SIP	GM		Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambd	
			EPI	Times lambd	1st	2nd				EBV	Index			EBV	Index			EBV	Index			
		Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
A 16 0161 80191844	1.47	A 13 0238 A 14 0901	106	4	5	2	105	-5.78	86	-0.50 73 90	0.56 68 112	-0.84 74 91	-0.21 71 85	0.32 81 107	0.32 76 100	-1.18 47 94	-0.05 46 96	126	6	28		
A 16 0193 80190457	2.79	A 13 0271 A 12 0360	173	6	8	1	100	-13.50	73	-1.41 78 82	-0.70 73 85	-2.53 76 80	-0.36 76 76	0.49 81 110	-4.89 77 86	3.24 57 111	-0.57 56 90	130	6	63		
A 16 0234 80190606	0.70	A 13 0278 A 12 0603	89	3	9		106	-13.64	73	-1.11 76 85	0.29 71 106	-2.12 78 83	-0.32 75 78	-0.32 84 97	-6.36 80 82	-3.96 52 83	-1.80 51 75	162	7	24		
A 17 0017 81956633	1.56	A 12 0453 A 15 0913	105	5	9	2	101	-12.18	75	-0.96 80 86	1.29 75 127	-2.24 79 82	-0.47 77 69	1.03 85 118	-6.08 81 83	0.98 54 102	0.69 54 105	134	6	35		
A 17 0032 81954539	0.56	NH 14 0522 A 13 0045	99	3	4	1	91	-6.76	84	0.10 75 96	0.68 69 114	-0.03 75 96	-0.14 73 90	1.77 81 130	3.15 76 107	2.65 55 108	0.45 54 102	97	5	75		
A 17 0036 81955668	1.47	NH 14 0522 A 14 0901	106	4	6	1	107	-1.45	93	-0.47 75 91	-0.71 70 85	-1.11 75 89	0.07 73 102	0.75 82 114	12.31 78 131	4.01 51 113	0.50 50 103	105	5	10		
A 17 0130 81955155	1.43	WW 14 2431 A 13 0961	92	2	5	1	100	-13.09	74	-1.28 71 83	0.77 65 116	-3.51 73 74	-0.09 70 92	1.01 80 118	-2.82 75 91	-3.43 46 85	-0.69 46 89	103	5	44		
A 17 0134 81955346	1.08	NH 14 0522 A 14 0145	97	3	7	1	97	-3.44	90	-1.01 77 85	0.16 71 103	-0.89 76 91	0.04 74 100	1.30 83 122	12.34 73 131	4.68 53 116	0.53 52 103	112	5	60		
A 17 0137 81955817	1.47	NH 14 0522 A 14 0953	105	5	5	1	106	-4.93	87	-1.06 73 85	-0.26 68 94	-1.94 74 84	-0.14 72 89	0.15 81 105	4.75 76 111	3.34 48 111	0.23 48 100	101	5	12		
A 17 0141 81955239	0.67	NH 14 0522 A 14 0072	117	3	9		101	2.50	100	-0.51 79 90	1.83 72 138	-1.58 78 86	-0.12 76 91	0.69 84 113	8.80 80 122	12.38 53 145	2.60 53 128	129	5	33		
A 17 0154 81955676	1.47	NH 14 0522 A 14 0903	96	3	6	2	110	2.64	100	-0.27 75 92	0.20 71 104	-1.22 75 89	0.14 72 107	0.01 81 102	9.02 77 122	5.24 52 118	0.64 52 105	105	5	2		
A 17 0170 81954943	0.90	NH 14 0522 A 13 0385	101	4	4	1	102	-6.23	85	-0.66 74 89	0.17 68 104	-1.25 75 88	-0.08 73 93	0.56 82 111	6.99 77 117	-1.31 54 93	-0.30 54 93	95	4	26		
A 17 0190 81954661	0.92	NH 14 0522 A 13 0143	110	4	8	1	100	-8.15	82	-1.09 78 85	0.57 72 112	-1.54 78 87	-0.14 76 89	0.79 84 114	1.10 80 102	0.61 55 101	-0.20 55 94	127	6	45		
A 17 0255 81953648	2.18	A 13 0001 A 15 0604	119	6	5	2	95	-10.98	77	-1.15 76 84	1.02 72 121	-1.03 77 90	-0.09 75 92	2.05 83 134	2.18 79 104	-2.30 55 90	-0.20 55 94	105	5	55		
A 17 0264 81951915	3.86	A 14 0108 A 12 0321	132	4	5	2	100	-8.10	82	-0.95 76 86	1.41 69 130	-1.95 76 84	-0.21 74 85	0.97 82 117	9.96 72 125	2.17 49 107	0.49 48 103	105	5	35		
A 17 0272 81953168	1.56	A 13 0278 A 14 0653	109	5	9	1	103	-9.78	79	-1.47 79 81	-0.52 74 89	-3.01 78 77	-0.04 76 96	0.19 84 105	-5.93 80 83	2.46 54 108	-1.03 53 84	127	5	24		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 17 0281 81952855	2.57	A 13 0271 A 14 0215	135 5	4 2	99	-20.51	62		-1.27 76	-0.99 83	-2.68 79	0.11 73	2.41 81	5.86 140	-7.64 57	-2.62 56	94	4	37
A 17 0282 81953796	1.46	A 13 0001 A 15 0679	108 5	6	106	-6.62	84		-0.38 76	1.12 70	-1.48 87	-0.13 75	1.22 83	2.34 121	0.12 54	0.58 54	112	5	13
A 17 0314 81953010	1.13	A 13 0160 A 14 0418	127 5	4 1	97	-20.02	62		-3.00 75	0.74 69	-3.73 73	-0.35 73	1.11 81	-1.98 77	-3.14 53	-1.27 52	94	4	48
A 17 0340 81953440	1.87	A 14 0468 A 15 0041	91 5	7	92	-22.11	59		-2.65 76	0.54 68	-4.19 76	-0.29 74	2.20 83	-1.43 79	-4.04 49	-0.83 48	119	6	63
A 17 0352 81952947	1.26	A 14 0468 A 14 0372	99 4	6 1	93	-14.73	71		-1.43 73	0.64 66	-2.47 74	-0.18 72	0.90 82	4.18 116	-6.11 48	-1.32 47	113	6	61
A 17 0391 81952715	1.43	A 13 0278 A 13 0965	101 3	3	116	-11.24	77		-0.96 70	-0.66 63	-2.12 86	0.03 69	-0.45 79	-8.26 73	-6.73 47	-2.82 47	90	4	3
A 17 0400 81952756	1.60	A 14 0108 A 14 0026	97 3	3	94	-13.29	74		-1.88 72	0.49 63	-2.29 72	-0.50 70	0.55 79	-2.63 74	1.22 45	0.05 45	90	3	56
A 17 0402 81952103	4.62	A 13 0001 A 13 0037	117 4	7	93	-13.19	74		-0.86 77	0.76 71	-0.83 91	-0.41 75	2.00 83	0.18 79	2.39 55	0.44 54	117	6	62
A 17 0437 81953481	1.43	A 13 0271 A 15 0051	91 4	5 1	103	-13.08	74		-0.82 76	-1.05 71	-1.22 74	-0.12 72	1.08 81	-7.17 76	-3.85 56	-1.54 55	94	5	23
A 17 0443 81951774	1.27	A 14 0108 A 11 0916	142 5	5 2	117	0.18	96		-1.91 75	0.02 70	-2.60 73	-0.09 70	-0.18 80	-2.89 75	9.77 45	1.44 44	94	5	2
A 18 0015 84569144	1.99	A 13 0160 A 15 0612	84 3	5 3	105	-9.35	80		-1.71 75	-0.12 70	-3.63 76	0.05 74	0.00 82	0.53 78	-3.86 52	-1.21 51	101	4	41
A 18 0028 84568815	1.99	A 13 0160 A 12 0360	173 6	4	102	-11.81	76		-1.35 75	0.00 68	-3.53 76	-0.24 74	0.10 82	-5.15 77	0.61 51	-0.58 50	95	3	65
A 18 0032 84568856	1.26	A 14 0108 A 13 0146	103 3	3	92	-14.25	72		-1.82 72	0.22 62	-3.39 73	-0.35 71	0.31 80	-5.37 75	0.77 43	-0.61 43	89	3	150
A 18 0034 84569797	1.78	A 13 0278 A 16 0916	104 5	5	96	-17.97	66		-1.61 73	-1.19 67	-2.94 74	-0.07 72	1.14 80	1.80 77	-5.07 49	-2.25 48	101	5	125
A 18 0050 84569417	1.46	A 14 0108 A 16 0076	111 5	7	97	-7.76	83		-0.85 77	0.87 70	-0.54 76	-0.43 74	0.11 83	2.04 79	1.53 50	0.02 49	118	5	118
A 18 0054 84569342	1.43	A 13 0271 A 16 0042	109 5	6	96	-14.48	72		-0.83 76	-0.02 71	-1.14 77	-0.24 75	0.77 83	-1.57 79	-5.27 56	-1.76 55	111	6	119

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 18 0058 84569185	1.69	A 13 0271 A 15 0707	100 4	5 1	92	-22.23	59		-1.82 76	-1.05 70	-3.21 77	-0.20 75	1.41 83	-2.59 79	-5.77 55	-2.48 54	99	4	147
A 18 0065 84569128	0.59	A 13 0278 A 15 0103	124 5	8	97	-5.92	86		-0.50 79	0.39 72	-0.65 108	-0.29 76	0.24 84	-3.10 80	5.07 54	0.10 53	129	5	117
A 18 0068 84569755	1.78	A 13 0271 A 16 0908	87 3	9 2	96	-4.99	87		-0.37 76	0.73 72	0.27 115	-0.21 75	0.43 84	-9.55 80	0.77 52	-0.23 52	137	5	120
A 18 0084 84569573	1.73	A 14 0656 A 16 0325	97 4	5 1	91	-12.24	75		-1.35 75	0.96 68	-2.65 120	-0.50 74	-0.01 82	-6.71 78	0.25 49	-0.05 49	104	5	153
A 18 0098 84568898	1.43	A 14 0108 A 13 0960	106 4	9	100	-3.99	89		-2.26 76	0.18 70	-3.52 104	-0.04 75	0.82 84	5.31 79	9.05 44	1.45 44	131	5	87
A 18 0211 84571157	2.51	A 13 0271 A 16 0082	120 5	7 1	97	-6.20	85		0.09 78	0.80 72	-0.06 117	-0.18 76	1.09 84	-1.40 80	3.84 56	0.15 56	141	5	114
A 18 0239 84570100	0.58	LM 14 0111 A 14 0152	104 3	3	103	-14.55	71		-1.52 70	0.92 58	-2.73 119	-0.17 68	0.75 79	5.37 73	-6.39 39	-1.34 39	95	4	57
A 18 0248 84570001	1.43	A 13 0271 A 13 0905	106 5	2	100	-11.34	77		-1.11 68	-0.50 61	-1.64 89	-0.15 67	0.19 77	2.49 72	-3.99 46	-1.61 45	89	4	88
A 18 0254 84570514	2.14	A 13 0271 A 15 0037	100 5	4 2	101	-11.03	77		-0.08 76	0.43 71	-0.66 109	-0.29 74	0.53 82	-2.80 78	-3.19 56	-1.00 56	111	5	72
A 18 0256 84569912	5.46	A 13 0271 A 13 0154	109 5	3	97	-18.09	66		-1.21 73	-0.75 67	-2.56 84	-0.10 71	0.64 80	-5.45 75	-8.32 53	-2.84 53	95	3	115
A 18 0258 84571017	1.56	A 13 0271 A 15 0918	126 6	5 3	105	-10.87	77		-1.19 76	-0.65 72	-1.91 86	0.04 73	0.83 82	-3.04 77	-4.33 54	-1.58 53	132	6	42
A 18 0261 84571033	1.56	CR 12 0304 A 15 0922	96 4	5 1	113	-13.26	74		-2.33 73	-0.64 69	-3.22 86	-0.10 72	-0.53 81	4.26 76	-8.50 53	-2.36 53	111	4	6
A 18 0268 84570134	0.64	JW 15 0558 A 14 0189	115 4	4	105	4.45	103		0.70 75	-0.29 70	-0.11 94	0.05 73	1.00 81	-4.05 77	5.53 59	2.02 59	104	5	37
A 18 0298 84570571	1.08	CR 12 0304 A 15 0052	92 2	4 2	112	-13.34	73		-1.44 75	0.86 71	-3.21 118	-0.07 74	0.64 82	-1.54 78	-8.13 57	-1.35 57	106	3	8
A 18 0339 84571462	1.78	CR 12 0304 A 16 0910	88 1	3	107	-15.32	70		-2.11 68	0.00 63	-4.37 100	-0.06 66	-0.46 76	0.34 71	-10.62 51	-2.50 51	96	4	29
A 18 0346 84571397	0.58	CR 12 0304 A 16 0504	93 5	7 3	101	-13.61	73		-1.42 78	0.70 75	-1.54 115	-0.57 77	-0.18 84	-1.57 81	-3.59 60	-0.82 60	138	5	70

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 18 0351 84570985	1.56	CR 12 0304 A 15 0904	100 4	6 1	111	-16.25	69		-2.82 74 68	-0.91 70 81	-4.29 74 69	-0.22 72 85	-0.47 81 95	-3.41 77 90	-5.75 53 77	-2.14 53 71	113	4	13
A 18 0392 84572353	3.30	A 15 0200 A 15 0122	104 5	2	109	-12.44	75		-1.65 70 79	-0.15 58 97	-2.20 71 82	-0.12 69 90	-0.06 79 101	-2.68 74 92	-4.32 42 82	-2.02 42 72	89	4	15
A 18 0396 84571926	2.67	A 13 0271 A 14 0147	98 3	4	108	-10.70	78		-1.44 74 81	-1.04 68 78	-2.95 75 78	0.08 73 103	0.11 82 104	-3.91 77 88	-3.33 51 86	-1.93 51 73	98	5	24
A 18 0406 84572254	1.43	A 13 0271 A 15 0056	120 4	3 1	108	-6.29	85		-0.52 75 90	0.19 69 104	-2.22 75 82	0.10 73 104	1.08 81 119	-4.32 77 87	1.23 53 103	-0.15 53 95	92	4	20
A 18 0409 84571892	1.28	A 13 0271 A 14 0084	128 4	8 2	91	-12.20	75		0.07 79 96	0.99 74 121	0.32 78 99	-0.38 76 75	1.86 84 131	1.43 80 102	-1.83 58 91	-0.09 57 96	163	6	152
A 18 0414 84571686	7.06	A 16 0235 A 13 0285	118 4	6	95	-14.97	71		-1.95 76 77	-0.87 68 82	-2.51 74 80	-0.21 72 85	0.06 81 103	-10.87 76 70	-1.85 48 91	-2.08 48 72	118	4	128
A 18 0431 84572569	1.85	A 14 0656 A 15 0847	97 4	5	101	-6.42	85		-1.00 75 86	-0.09 68 98	-1.05 76 90	-0.34 74 77	-1.01 82 87	-1.18 78 96	-1.52 48 93	-0.88 48 86	106	5	71
A 18 0439 84572395	2.89	A 15 0200 A 15 0157	91 3	5	111	-14.05	72		-1.30 74 83	-1.28 65 73	-2.30 72 82	-0.15 70 89	0.45 80 109	-3.63 75 89	-4.59 46 81	-1.82 46 75	103	5	12
A 18 0444 84572031	2.45	A 14 0108 A 14 0617	99 5	4 1	93	-9.92	79		-1.76 73 78	1.90 67 140	-2.57 73 80	-0.14 71 89	1.99 80 133	-4.14 75 88	2.04 48 106	0.98 47 109	101	4	141
A 18 0445 84571793	1.43	A 13 0271 A 13 0909	133 6	5 1	108	-12.05	76		-1.18 74 84	-1.01 70 79	-1.90 75 84	0.06 72 102	1.12 81 119	3.97 77 109	-2.63 51 88	-1.69 50 76	106	4	25
A 18 0446 84571702	14.76	A 13 0271 A 13 0287	116 5	2	95	-20.69	61		-2.32 73 73	-2.25 65 53	-3.35 73 75	-0.08 71 93	0.49 80 110	-3.23 75 90	-7.45 53 70	-3.44 53 55	81	5	127
A 18 0459 84572239	3.47	A 13 0271 A 15 0044	111 4	6	112	-9.29	80		-1.63 77 80	-0.45 71 91	-3.23 78 76	0.19 76 110	0.73 83 114	-0.25 80 98	-2.03 55 91	-1.26 55 82	116	5	9
A 18 0475 84572858	1.78	A 13 0278 A 16 0917	101 4	4	104	-15.38	70		-1.73 73 79	-1.32 66 72	-2.50 73 80	-0.27 71 82	0.52 81 110	-7.40 76 79	-2.52 45 89	-1.50 44 79	97	4	56
A 18 0485 84572601	1.56	A 14 0656 A 15 0907	112 4	5 1	105	-10.99	77		-1.81 74 78	0.29 68 106	-3.56 75 74	-0.12 72 90	0.61 82 112	-0.19 77 98	0.01 46 98	-0.33 45 93	110	4	39
A 18 0486 84572593	1.56	A 14 0656 A 15 0907	112 4	7 2	104	-11.68	76		-1.14 77 84	0.54 72 111	-1.84 76 85	-0.25 74 82	1.16 83 120	7.84 79 119	0.48 50 100	-0.19 49 95	131	5	52
A 18 0497 84572460	1.48	A 15 0200 A 15 0679	108 5	2	113	-11.69	76		-0.95 70 86	-0.19 59 96	-2.04 71 83	-0.01 69 97	1.07 79 119	-6.10 73 83	-4.48 43 81	-1.27 43 81	89	3	4

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 19 0007 86452349	3.51	A 14 0656 A 16 0371	98 4	4 1	102	-11.63	76		-1.51 74 81	0.22 67 105	-2.58 74 80	-0.25 72 82	0.03 81 103	2.46 76 105	-1.91 50 91	-0.97 49 85	107	4	17
A 19 0012 86451663	1.45	A 15 0862 A 14 0228	111 4	3 1	98	-18.24	65		-2.47 71 72	-0.81 62 83	-4.11 72 70	-0.09 70 92	0.25 80 106	1.68 75 103	-5.11 43 79	-2.60 43 65	97	3	27
A 19 0034 86452323	1.41	A 14 0108 A 16 0352	94 5	3 1	94	-11.44	77		-0.95 72 86	1.44 64 130	-0.53 73 93	-0.49 70 68	0.45 80 109	2.74 75 106	-0.68 46 96	-0.37 46 92	97	3	38
A 19 0035 86452398	1.33	A 16 0235 A 16 0623	101 5	6 1	104	-7.14	84		-1.02 75 85	0.23 68 105	-1.07 76 90	-0.05 74 95	0.43 83 109	-0.59 78 97	-1.91 49 91	-0.88 48 86	124	5	11
A 19 0036 86451754	1.47	A 14 0656 A 14 0905	103 5	4 1	100	-15.17	70		-2.66 71 70	-0.22 65 95	-4.56 72 67	-0.27 70 82	-0.23 80 99	-6.38 75 82	-3.84 44 84	-1.25 44 82	108	4	23
A 19 0053 86452455	1.78	A 15 0862 A 16 0909	107 5	2	111	-10.21	79		-0.04 67 95	-0.46 56 90	-0.26 68 95	-0.10 65 92	0.62 77 112	-4.08 71 88	-2.82 37 88	-1.74 36 76	97	4	3
A 19 0059 86452463	1.78	A 16 0235 A 16 0911	87 4	4 2	102	-15.32	70		-2.09 70 75	-0.51 64 89	-2.16 71 83	-0.18 69 87	0.60 79 111	-7.86 74 78	-5.19 43 79	-1.95 43 73	106	4	16
A 19 0062 86452372	2.58	A 14 0656 A 16 0503	108 5	4	95	-15.99	69		-1.89 74 77	0.43 66 109	-2.05 74 83	-0.41 72 73	1.00 81 118	2.17 76 104	-1.57 48 92	-0.78 48 87	105	4	37
A 19 0064 86451622	1.58	A 16 0235 A 14 0114	90 2	5 1	94	-18.87	64		-2.59 74 71	0.21 66 104	-2.65 74 79	-0.40 71 73	0.03 81 103	-3.30 76 90	-6.42 46 74	-2.31 45 69	116	4	39
A 19 0074 86451705	3.11	A 14 0656 A 14 0418	127 5	6 1	107	-4.72	88		-1.19 76 84	0.00 70 100	-2.42 74 81	-0.30 71 80	-0.57 80 93	-4.75 76 86	5.11 48 118	0.50 47 103	112	3	6
A 19 0092 86451564	1.68	A 16 0235 A 14 0048	116 5	5	104	-6.71	84		-1.41 74 82	-0.49 66 90	-3.45 74 74	0.09 72 103	-0.87 81 89	-5.25 76 85	-2.48 45 89	-1.58 45 78	115	4	12
A 19 0107 86452786	1.06	NH 17 0405 A 14 0724	118 4	4	92	-9.84	79		-1.55 74 80	0.72 68 115	-3.06 75 77	-0.27 73 82	-0.04 81 102	2.56 77 105	1.40 49 104	-0.25 49 94	99	4	64
A 19 0108 86452802	1.06	SD 15 0015 A 14 0725	96 4	6 1	105	2.13	99		-0.21 76 93	0.26 72 105	-0.18 76 95	-0.01 74 97	-0.27 82 98	0.21 78 99	3.14 60 110	0.41 59 102	121	5	17
A 19 0119 86453461	1.56	SD 15 0015 A 15 0918	126 6	6	108	11.29	114		0.84 76 103	-0.20 72 96	0.39 77 99	0.38 75 122	0.35 83 108	2.20 78 104	7.09 55 125	1.60 55 116	109	3	7
A 19 0129 86453214	1.26	SD 15 0015 A 15 0222	112 5	5	111	10.16	112		2.28 76 116	-0.06 71 99	3.20 77 117	0.24 75 113	0.49 83 110	0.49 79 100	5.29 58 118	0.79 58 106	107	3	2
A 19 0145 86452851	1.47	GF 11 2078 A 14 0907	136 5	1	104	-4.66	88		-0.87 69 87	0.22 60 105	-1.68 70 86	0.17 68 108	1.02 77 118	6.03 72 115	-0.99 44 95	-0.29 44 93	91	2	21

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	EBV Acc	EBV Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	Phenotype
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 19 0150 86452513	0.78	SD 15 0015 A 12 0480	177 6	4 1	109	4.73	103		0.19 76	0.43 72	-0.12 96	0.21 75	0.60 82	3.16 78	3.90 61	1.02 61	104	5	4
A 19 0161 86452836	1.11	SD 15 0015 A 14 0728	104 4	4 2	106	5.03	104		0.23 74	-0.17 70	-0.03 96	0.27 72	0.03 81	1.67 76	0.83 59	0.21 59	100	4	11
A 19 0168 86454485	1.75	NH 16 0406 A 17 0904	129 5	5	107	-2.10	92		-0.47 75	-0.19 69	-1.46 96	0.03 72	0.04 81	-0.65 76	2.17 45	-0.05 45	105	4	9
A 19 0174 86452679	1.20	NH 17 0405 A 14 0323	117 4	4 2	97	-1.34	93		-0.73 74	0.11 69	-2.13 102	-0.03 73	-0.04 81	5.85 77	4.25 49	0.64 49	97	4	49
A 19 0176 86452562	1.05	NH 17 0405 A 13 0233	125 5	4 1	94	-10.62	78		-1.78 75	0.31 69	-4.38 106	-0.14 73	-0.17 82	1.91 77	-1.94 52	-0.58 51	97	5	60
A 19 0181 86453818	1.28	NH 16 0406 A 17 0017	134 6	5 2	98	-7.90	82		-0.48 77	0.46 71	-1.66 110	-0.06 74	1.44 82	-6.29 78	2.53 50	0.21 50	105	3	45
A 19 0183 86454535	1.75	GF 11 2078 A 17 0908	96 3	5	106	-2.14	92		-1.14 73	-0.27 68	-1.46 94	-0.07 69	-0.16 79	-7.69 74	3.35 49	0.16 48	99	3	12
A 19 0194 86454329	1.62	GF 11 2078 A 17 0437	94 5	6 2	97	-5.73	86		-1.31 77	-0.03 73	-0.99 99	-0.35 76	-0.65 84	-2.70 80	0.56 57	-0.32 57	114	5	53
A 19 0198 86452588	1.45	NH 17 0405 A 13 0909	133 6	3	92	-6.55	85		-1.52 71	0.89 64	-3.15 119	-0.06 70	0.81 79	0.34 74	3.88 42	0.65 41	94	2	63
A 19 0199 86453388	1.56	NH 17 0405 A 15 0901	119 5	4	98	-1.37	93		-0.45 73	0.50 67	-1.96 110	-0.14 72	-0.49 81	6.65 76	3.18 44	0.60 44	99	4	47
A 19 0202 86452984	0.80	WW 13 2531 A 15 0044	111 4	6 2	101	-6.40	85		-0.59 77	1.19 73	-0.84 125	-0.06 76	0.53 84	-4.81 80	-3.29 60	-0.66 60	115	4	38
A 19 0215 86452554	0.88	SD 15 0015 A 13 0142	137 6	5	103	-0.68	94		-0.72 76	-0.18 72	-0.30 96	0.01 75	0.20 83	-1.46 79	1.98 59	0.07 59	105	3	26
A 19 0224 86454113	7.68	NH 16 0406 A 17 0219	98 4	4 1	102	-2.44	91		-0.16 75	0.10 67	-0.47 102	-0.20 73	-0.51 81	-0.07 76	1.13 50	-0.15 49	98	3	34
A 19 0225 86453180	1.22	SD 15 0015 A 15 0192	122 5	2	106	8.07	109		1.64 73	0.23 67	1.98 105	0.19 72	-0.21 80	6.41 76	0.33 58	0.24 58	88	3	13
A 19 0231 86452570	7.81	WW 13 2531 A 13 0390	157 6	5	102	-3.12	90		0.20 76	0.48 71	0.03 110	0.07 75	0.14 83	-1.26 79	-6.06 60	-1.11 60	110	4	33
A 19 0240 86453453	1.56	NH 17 0405 A 15 0915	103 6	2	92	-5.86	86		-1.41 70	-0.19 62	-2.74 96	-0.13 69	0.11 79	1.09 73	2.86 42	0.27 42	89	3	65

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 19 0248 86453487	1.56	NH 17 0405 A 15 0925	122 7	5 1	96	0.61	96		-0.41 75 91	0.81 67 117	-1.00 72 90	-0.19 70 86	0.22 79 106	0.65 74 100	8.16 45 129	1.66 44 117	111	3	54
A 19 0249 86452968	1.10	SD 15 0015 A 15 0041	91 5	2	94	-1.91	92		-0.46 73 91	0.80 67 117	-0.67 74 92	0.05 72 101	1.96 80 133	-3.60 75 89	3.62 57 112	1.48 57 115	93	2	59
A 19 0262 86454097	0.69	NH 16 0406 A 17 0196	91 1	4 1	105	-5.76	86		-0.34 74 92	-0.23 67 95	-1.69 75 86	0.12 73 105	0.45 82 109	1.47 77 103	-0.26 48 97	-0.95 48 85	100	3	18
A 19 0263 86454089	0.69	NH 16 0406 A 17 0196	91 1	4 1	98	-10.73	78		-1.00 74 86	-0.36 67 92	-1.67 75 86	-0.01 73 98	1.21 82 121	1.02 77 101	0.12 48 99	-1.04 48 84	95	3	46
A 19 0267 86453040	1.32	SD 15 0015 A 15 0056	120 4	3	107	6.10	105		1.25 75 107	1.41 69 130	0.95 74 103	0.25 72 114	1.64 80 128	-4.37 76 87	5.23 59 118	1.76 59 118	95	3	8
A 19 0270 86454352	0.92	NH 16 0406 A 17 0443	94 5	7	101	4.06	102		0.40 77 99	0.22 71 105	-0.34 77 94	0.10 75 104	0.12 83 104	1.18 79 102	7.43 49 126	0.94 49 108	123	4	36
A 19 0280 86454295	0.79	NH 16 0406 A 17 0401	111 4	5	101	-4.09	89		-0.32 76 92	-0.38 69 92	-1.75 77 85	0.06 75 102	0.53 83 110	5.86 78 114	1.70 50 105	-0.12 49 95	103	4	37
A 19 0281 86454303	0.79	NH 16 0406 A 17 0401	111 4	5 1	104	-1.39	93		0.07 76 96	0.04 70 101	-0.97 77 90	-0.05 75 95	-0.05 83 101	3.40 79 108	3.90 49 113	0.20 49 99	104	3	23
A 19 0285 86453495	1.56	NH 17 0405 A 15 0959	105 5	4 1	104	2.33	99		0.21 73 97	0.73 68 115	-1.11 74 89	0.02 71 99	-0.33 81 97	3.50 76 108	3.27 45 111	0.69 44 105	100	3	22
A 19 0288 86452703	0.55	WW 13 2531 A 14 0417	135 6	6 1	93	-7.70	83		-1.55 77 80	1.06 73 122	-1.96 77 84	-0.33 75 77	-0.41 83 96	-2.67 79 92	-0.75 60 96	-0.24 59 94	115	5	61
A 19 0292 86454170	0.95	NH 16 0406 A 17 0274	90 2	2	96	-11.28	77		-1.43 71 82	-1.23 62 74	-3.28 71 76	0.23 69 112	0.82 78 115	11.43 73 129	-4.50 48 81	-1.87 48 74	88	3	55
A 19 0353 86454865	1.07	A 17 0095 A 14 0704	108 6	2	108	-12.16	75		-1.44 69 81	-0.19 58 96	-3.59 67 73	0.12 65 106	0.80 76 115	6.69 70 116	-3.65 42 85	-1.54 41 78	89	2	7
A 19 0358 86454949	1.47	A 14 0656 A 14 0959	129 5	4	97	-12.00	76		-2.43 71 72	-0.12 64 97	-3.78 71 72	-0.07 68 94	1.53 79 126	6.87 73 117	2.71 39 109	0.17 38 99	96	3	41
A 19 0371 86456142	5.06	A 14 0656 A 17 0281	94 4	4	97	-19.76	63		-1.26 76 83	-0.59 67 88	-3.26 75 76	-0.06 73 95	1.73 81 129	4.99 77 112	-6.44 50 74	-2.09 50 72	100	5	38
A 19 0373 86456126	2.67	A 13 0271 A 17 0255	105 5	4 2	98	-15.57	70		-1.31 75 83	-0.50 70 89	-1.52 76 87	0.02 74 99	1.54 82 126	1.41 78 102	-6.86 56 73	-2.24 55 70	98	4	35
A 19 0376 86455581	2.34	A 13 0271 A 16 0099	100 4	5 3	97	-10.35	78		-0.43 76 91	0.17 71 104	-0.60 77 93	-0.13 75 90	1.21 83 121	1.25 79 102	-1.62 54 92	-0.88 53 86	105	4	42

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 19 0377 86456100	1.31	A 13 0160 A 17 0210	95	3	4			99	-10.79	78	-1.91 74	-0.31 67	-3.77 72	0.10 73	1.03 82	3.30 77	-0.93 49	-0.72 49	95	3	30
A 19 0378 86455193	2.30	A 14 0656 A 15 0181	104	4	4	1		103	-11.11	77	-1.08 75	0.39 67	-3.11 77	-0.08 73	0.29 82	5.04 77	-2.77 49	-1.08 49	105	4	20
A 19 0380 86455425	1.56	A 13 0160 A 15 0913	105	5	4	2		105	-13.49	73	-2.06 73	-0.17 68	-3.34 75	0.05 71	0.92 80	-2.21 76	-5.23 47	-1.58 46	97	3	16
A 19 0390 86455235	4.17	A 13 0160 A 15 0637	106	5	3			101	-16.58	68	-2.90 74	-0.29 65	-4.76 66	0.02 71	1.23 80	2.29 75	-2.94 47	-1.34 47	92	2	23
A 19 0398 86455912	1.46	A 13 0160 A 17 0054	105	4	4	1		108	-4.04	89	-0.70 76	0.45 69	-2.32 82	0.18 74	0.92 82	1.93 78	1.55 50	0.03 50	99	2	8
A 19 0399 86456076	1.09	A 17 0095 A 17 0193	101	3	6	2		109	0.89	97	0.02 75	-0.02 69	-1.18 89	-0.02 72	0.48 82	4.17 77	8.19 44	1.33 44	112	4	5
A 19 0427 86454915	2.89	A 17 0146 A 14 0719	100	5	3	1		93	-19.38	63	-2.34 72	0.18 65	-4.13 70	-0.29 69	0.54 79	1.18 74	-4.25 47	-1.77 46	93	3	52
A 19 0436 86455409	1.56	NH 17 0405 A 15 0909	109	4	9	1		106	8.73	110	0.23 79	1.90 72	-0.35 94	-0.18 73	-0.41 82	-4.37 78	8.78 47	2.93 46	158	5	11
A 19 0455 86454816	1.24	A 17 0095 A 14 0653	109	5	4	1		105	-6.01	85	-1.41 72	0.13 64	-3.93 71	0.14 70	-0.03 80	0.22 75	0.64 43	-0.55 43	101	3	17
A 19 0460 86454600	1.17	A 17 0095 A 13 0285	118	4	6			102	-7.05	84	-0.29 75	-0.67 67	-1.25 88	-0.04 72	0.54 82	1.19 77	2.79 46	-0.71 45	114	4	21
A 19 0487 86455946	1.61	A 13 0271 A 17 0126	91	3	3			103	-9.68	79	-0.65 74	-1.04 66	-2.26 82	0.04 71	-0.03 80	-0.60 75	-3.90 53	-1.91 52	90	4	18
A 19 0500 86455094	2.48	A 17 0146 A 15 0098	123	5	5	1		106	-9.30	80	-1.13 76	-0.41 68	-3.20 76	-0.06 74	1.04 82	4.84 78	2.94 49	0.13 48	106	4	14
A 19 0503 86455383	2.45	A 17 0146 A 15 0871	92	5	5			98	-11.56	76	-0.92 74	-0.67 66	-2.03 83	-0.25 71	-0.55 80	-4.50 75	-3.99 47	-1.80 46	109	4	36
A 20 0004 90709130	1.11	WW 18 0171 A 16 0084	97	5	3	1		95	-7.59	83	-0.82 73	-0.23 65	-0.96 90	-0.01 72	1.74 81	5.15 76	0.55 50	0.06 49	95	3	135
A 20 0009 90709155	1.06	SD 15 0015 A 17 0314	94	4	4			97	-6.84	84	-1.85 75	0.45 70	-1.49 87	-0.06 73	1.13 81	-3.86 77	1.15 60	0.11 60	101	4	115
A 20 0015 90709254	1.75	A 18 0266 A 17 0908	96	3	5	1		103	4.64	103	0.51 74	1.31 68	0.15 97	-0.10 71	0.44 80	-2.12 76	6.21 45	2.09 45	113	3	58

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 20 0028 90709437	0.85	WW 18 0171 A 15 0846	115 6	5	103	-1.44	93		0.25 76	0.00 69	-0.20 74	0.21 72	1.45 81	5.38 76	1.55 50	0.15 50	113	3	52
A 20 0029 90709452	0.73	NH 16 0706 A 18 0298	106 3	5	108	-0.52	95		-0.62 76	0.12 68	-0.65 76	0.41 74	1.02 83	2.14 78	-4.46 50	-0.67 50	114	4	24
A 20 0031 90709478	2.36	WW 18 0171 A 17 0130	103 5	2	102	-4.84	87		-0.46 72	-0.12 62	-1.13 71	0.10 69	1.41 78	-4.42 73	0.13 46	0.09 46	88	3	64
A 20 0035 90709536	0.77	NH 16 0706 A 17 0272	127 5	6 1	106	0.97	97		0.03 77	-0.61 70	-0.60 76	0.34 74	0.35 82	1.82 78	1.60 50	-0.63 50	133	4	34
A 20 0037 90709577	0.97	NH 16 0706 A 15 0799	102 5	3	102	-3.84	89		0.26 73	0.50 64	0.92 73	0.06 71	0.59 80	1.83 74	-5.59 48	-1.23 48	98	4	72
A 20 0038 90714692	0.93	SD 15 0015 A 17 0379	94 3	5 1	104	7.62	108		1.30 76	0.74 72	2.92 76	0.19 74	1.46 82	-1.51 78	4.32 60	1.39 60	117	4	50
A 20 0039 90709593	0.92	NH 16 0706 A 16 0051	116 5	5 1	114	1.38	98		-0.20 76	0.13 69	-1.63 75	0.48 73	0.00 81	2.98 77	-4.62 51	-1.03 51	113	4	7
A 20 0047 90709692	0.63	NH 16 0706 A 15 0064	101 4	5 1	105	-3.90	89		-1.13 76	0.42 69	-2.06 76	0.06 74	-0.84 82	1.18 78	-3.82 50	-1.31 50	116	4	38
A 20 0054 90709775	0.97	SD 17 0177 A 16 0696	137 6	5	105	5.20	104		1.24 76	1.93 69	1.33 77	-0.01 75	0.61 83	5.09 79	0.14 50	1.46 49	112	3	40
A 20 0061 90709817	4.89	A 18 0266 A 16 0565	103 4	4	94	-6.62	84		0.51 74	0.89 67	0.77 73	-0.19 71	1.82 80	-6.05 75	0.04 50	0.40 50	104	3	141
A 20 0066 90709890	1.56	WW 18 0171 A 15 0907	112 4	4	111	2.33	99		0.04 73	-0.47 67	-0.46 74	0.11 72	0.48 81	-0.67 76	4.97 46	0.81 45	101	3	15
A 20 0068 90709932	1.56	SD 17 0177 A 15 0913	105 5	3	101	-1.03	94		-0.53 72	0.90 65	-0.55 72	-0.14 70	-0.30 79	-8.07 74	-2.76 45	0.25 45	97	4	76
A 20 0072 90709973	1.56	SD 15 0015 A 15 0955	102 5	6 1	115	8.44	109		1.82 75	0.67 72	2.76 72	-0.04 70	0.06 79	0.11 74	4.32 56	1.31 56	128	4	6
A 20 0077 90710054	2.74	A 18 0266 A 15 0127	94 3	5 1	104	-0.42	95		1.20 75	0.83 68	0.06 75	-0.18 73	0.76 82	-6.43 77	2.71 49	1.38 49	110	3	51
A 20 0081 90710070	1.22	WW 18 0171 A 16 0229	85 3	3 1	107	-0.46	95		-0.44 72	0.06 65	-0.55 73	0.18 71	0.94 80	-2.56 75	3.07 47	0.22 47	99	2	28
A 20 0087 90710096	0.77	SD 17 0177 A 17 0139	88 2	4	102	-1.04	94		0.87 74	0.81 67	0.77 74	-0.04 72	0.64 81	6.72 76	-3.26 51	0.12 50	108	4	68

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 20 0090 90710112	0.79	NH 16 0706 A 16 0166	107 5	6 1	107	1.26	97		1.98 77	0.49 70	1.79 108	0.34 74	1.65 83	6.30 115	-2.57 49	-0.38 92	128	4	27
A 20 0106 90710211	0.68	SD 17 0177 A 15 0645	121 5	3	108	7.50	108		1.67 74	2.39 66	2.92 115	-0.28 73	0.01 81	-7.46 79	2.77 49	1.94 120	99	3	21
A 20 0132 90710435	0.71	NH 16 0706 A 17 0253	94 3	2 1	122	6.56	106		1.98 73	-0.79 64	2.33 111	0.33 71	-0.61 80	-1.16 96	-4.19 47	-1.35 81	91	3	1
A 20 0133 90710450	1.12	NH 16 0706 A 15 0604	119 6	1	113	2.98	100		0.67 71	0.21 59	1.27 105	0.20 68	0.05 77	-0.30 98	-3.49 43	-0.62 89	91	2	8
A 20 0134 90710476	1.78	SD 15 0015 A 16 0907	112 5	1	105	2.96	100		1.39 69	0.35 62	2.22 111	-0.02 68	0.86 77	0.64 100	1.89 51	0.72 106	90	2	41
A 20 0144 90710559	1.78	NH 16 0706 A 16 0909	107 5	4	103	1.47	98		1.28 72	0.40 65	2.67 114	0.10 70	1.56 79	-0.78 97	1.33 39	0.24 100	101	2	57
A 20 0149 90710617	1.17	SD 17 0177 A 15 0042	109 5	6 1	104	5.31	104		0.82 77	1.69 71	0.97 103	-0.08 75	0.78 83	0.56 100	3.85 50	2.13 123	120	3	48
A 20 0156 90710658	0.66	NH 16 0706 A 15 0208	117 6	5	105	-3.03	90		-0.86 76	-1.27 69	-0.80 91	0.11 73	-0.47 81	-6.30 82	-1.97 50	-1.49 79	108	4	39
A 20 0182 90710914	0.80	SD 17 0177 A 15 0010	117 5	4 1	97	-5.33	87		-0.25 75	0.77 69	-0.24 95	-0.19 73	0.84 81	7.92 119	-1.31 51	0.26 100	102	3	113
A 20 0196 90711037	1.47	SD 17 0177 A 14 0964	150 6	1	104	0.85	97		-0.24 68	0.89 58	-0.16 95	0.01 65	0.28 75	-1.32 95	-1.50 41	0.49 103	91	2	45
A 20 0199 90711094	0.71	SD 17 0177 A 16 0214	127 5	1	96	-3.16	90		0.02 72	0.60 62	0.47 99	-0.16 71	0.45 79	-7.83 78	-1.08 47	0.02 97	91	3	122
A 20 0205 90711151	1.78	SD 17 0177 A 16 0917	101 4	3	99	-1.42	93		-0.74 72	0.57 64	-0.39 94	-0.19 70	-0.24 80	-1.44 95	-3.28 44	0.35 101	96	3	91
A 20 0219 90711292	0.99	SD 17 0177 A 16 0329	100 6	4 3	99	-0.66	94		0.81 75	2.09 70	1.80 108	-0.33 74	1.01 82	-2.36 93	0.40 51	1.40 114	106	3	94
A 20 0221 90711334	1.13	SD 15 0015 A 17 0444	104 4	7	115	17.20	124		0.55 78	0.80 73	0.87 102	0.25 76	-0.49 83	2.17 104	11.53 59	2.80 131	131	4	5
A 20 0223 90711359	1.47	SD 15 0015 A 14 0901	106 4	1	110	5.98	105		0.11 69	-0.14 63	0.04 97	0.22 68	0.34 77	5.90 114	3.62 52	1.00 109	91	2	17
A 20 0308 90711672	1.69	A 18 0312 A 18 0346	138 5	4	94	-3.35	90		0.26 75	1.85 67	2.11 110	-0.42 74	1.22 82	-1.42 95	1.00 51	1.11 110	106	3	137

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 20 0309 90711698	1.31	A 17 0399 A 17 0034	89 4	4 1	97	-13.52	73		-1.66 73	-0.64 64	-3.55 74	-0.03 72	1.27 81	-2.96 76	-2.13 45	-0.79 44	99	3	111
A 20 0314 90711771	1.60	A 17 0146 A 16 0121	92 3	4	99	-13.00	74		-2.08 73	-0.48 64	-3.36 74	0.05 72	0.87 81	1.22 77	-3.65 45	-1.47 45	101	3	97
A 20 0323 90717117	1.42	A 18 0368 A 18 0049	93 3	3 1	90	-18.81	64		-1.50 73	0.51 64	-2.19 74	-0.32 72	0.85 81	-0.81 76	-8.13 47	-2.04 47	95	2	167
A 20 0329 90711995	1.35	A 18 0315 A 17 0103	104 4	6 2	98	-5.96	86		-0.59 76	1.45 70	-2.51 77	0.06 75	1.01 83	0.11 79	0.01 48	0.18 47	116	3	101
A 20 0344 90712092	1.75	A 18 0368 A 17 0904	129 5	2	91	-14.51	72		-0.26 71	1.40 62	0.98 72	-0.46 69	0.99 79	-5.53 74	-8.91 42	-1.53 41	88	3	163
A 20 0346 90712134	1.19	NH 17 0405 A 15 0192	122 5	3	109	-0.86	94		0.10 74	-0.22 66	-1.12 73	0.05 71	-0.32 80	11.44 75	0.41 50	-0.33 49	96	3	19
A 20 0347 90712159	1.19	NH 17 0405 A 15 0192	122 5	3	107	-3.27	90		0.29 74	-0.47 66	-0.71 73	-0.05 71	-0.14 80	1.53 75	-0.48 50	-0.54 49	93	3	31
A 20 0349 90712191	1.12	A 18 0266 A 17 0184	92 4	4	102	-0.51	95		0.04 74	0.30 66	0.09 74	-0.30 72	0.28 81	-3.94 77	6.40 46	1.39 46	99	3	70
A 20 0366 90712316	1.07	A 18 0312 A 17 0154	105 5	7 1	111	8.36	109		0.76 77	0.87 71	0.35 76	0.10 74	0.32 82	11.14 78	7.01 51	2.02 51	133	4	14
A 20 0367 90712332	1.46	A 18 0315 A 18 0409	163 6	3	94	-16.97	67		-2.00 73	0.47 64	-3.19 74	-0.06 71	1.23 81	5.72 76	-8.18 48	-1.84 48	95	3	140
A 20 0380 90712472	1.19	A 17 0399 A 17 0140	108 5	2	98	-9.14	80		-0.86 72	-0.72 60	-2.28 71	0.13 69	1.48 78	0.34 73	-0.20 44	-0.66 43	91	2	105
A 20 0381 90712498	7.65	A 17 0307 A 15 0043	111 5	5	90	-13.42	73		-2.02 75	0.49 66	-4.32 74	-0.03 72	1.92 81	-3.01 76	1.76 45	0.25 45	103	4	168
A 20 0384 90712530	0.88	A 18 0266 A 17 0053	103 4	7	95	-1.59	93		-0.91 78	0.15 71	-1.57 77	-0.09 75	1.32 83	9.90 79	8.44 51	1.96 51	128	4	128
A 20 0387 90712555	5.02	A 17 0146 A 15 0157	91 3	4 1	108	-5.08	87		-0.36 74	-0.08 65	-2.62 75	0.05 72	-0.41 81	2.09 77	-4.15 46	-0.87 46	103	3	22
A 20 0388 90712571	5.48	A 17 0399 A 16 0144	89 2	8 1	98	-10.14	79		-1.60 77	-1.13 70	-2.90 76	0.20 74	1.19 83	-2.95 79	-0.52 46	-1.26 46	128	4	102
A 20 0392 90712597	1.47	A 18 0266 A 14 0915	108 5	4	101	0.24	96		-0.38 71	0.51 64	-0.36 72	-0.18 70	0.54 80	-0.44 75	5.17 43	1.53 43	101	3	77

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										EBV Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 20 0405 90712738	1.75	NH 17 0405 A 17 0907	97	4	6			97	-3.00	90	-0.69 74 89	0.31 68 106	-1.79 75 85	0.01 72 99	1.06 82 119	0.68 77 101	6.46 44 123	0.95 43 108	115	4	109
A 20 0407 90712753	1.56	A 17 0399 A 15 0903	106	5	4			93	-14.42	72	-2.15 71 75	-0.83 63 82	-3.75 72 72	-0.02 70 97	0.98 80 117	3.41 75 108	-2.30 39 90	-1.30 38 81	100	3	143
A 20 0408 90712779	2.12	NH 17 0405 A 17 0062	100	5	4	1		111	3.13	101	-0.49 75 90	0.34 69 107	-2.66 76 79	0.02 74 99	-1.78 82 75	3.67 78 108	1.51 51 104	0.17 50 99	100	3	16
A 20 0410 90712811	2.05	NH 17 0405 A 17 0032	97	5	5			99	0.36	96	-0.10 75 94	0.57 69 112	-1.50 76 87	-0.01 74 97	0.29 82 107	7.38 78 118	4.86 51 117	1.10 51 110	108	4	92
A 20 0412 90712852	1.22	A 18 0315 A 14 0381	117	6	3	1		100	-16.21	69	-2.65 72 70	0.20 64 104	-4.15 72 70	0.01 69 99	0.03 79 103	-0.53 74 97	-10.62 48 58	-2.67 47 64	96	3	79
A 20 0418 90712894	2.76	A 18 0315 A 16 0047	103	4	5	1		99	-15.38	70	-1.93 75 77	1.20 68 125	-3.89 75 72	0.16 72 108	1.59 81 127	-3.19 77 90	-7.19 49 71	-1.65 49 77	116	4	88
A 20 0419 90712910	1.30	NH 17 0405 A 15 0798	127	7	4			95	-4.63	88	-0.09 75 94	0.85 68 118	-0.72 73 92	-0.22 71 84	0.42 80 109	3.76 75 109	1.65 51 105	0.38 50 101	112	4	132
A 20 0427 90712977	1.03	NH 17 0405 A 18 0254	111	5	3			95	-7.57	83	0.03 73 95	1.02 66 121	-1.45 74 87	-0.16 72 88	0.67 81 113	5.96 76 114	-0.47 50 97	-0.13 50 95	99	3	125
A 20 0432 90712993	1.36	A 17 0307 A 18 0335	99	3	2			95	-7.71	83	-0.93 70 86	0.52 59 111	-2.14 70 83	-0.15 67 88	1.01 78 118	-5.54 72 84	-0.61 43 96	0.47 43 102	90	2	134
A 20 0438 90713058	1.78	A 17 0307 A 16 0912	103	4	4			101	-4.36	88	-0.44 71 91	1.53 62 132	-2.06 71 83	-0.16 68 88	-0.25 79 98	-11.57 74 68	-1.46 37 93	0.12 37 98	107	4	78
A 20 0447 90713173	1.56	NH 17 0405 A 15 0925	122	7	6			107	5.93	105	0.36 76 98	1.06 70 122	0.20 76 98	-0.14 74 89	-0.63 83 93	3.17 78 107	7.97 46 128	1.53 46 115	119	4	33
A 20 0451 90713199	1.23	NH 17 0405 A 15 0721	87	3	3			96	-6.36	85	-0.74 73 88	1.02 65 121	-1.52 74 87	-0.32 72 78	-0.27 81 98	-0.57 76 97	1.67 46 105	0.01 46 97	97	2	124
A 20 0473 90713355	1.56	NH 17 0405 A 15 0959	105	5	1			108	0.79	97	-0.14 69 94	0.93 59 120	-1.80 70 85	-0.11 67 92	-0.90 77 88	3.54 72 108	2.32 39 107	0.57 39 104	86	2	20
A 20 0476 90713397	1.07	A 18 0368 A 17 0052	111	5	5			102	-9.84	79	-0.84 76 87	-0.17 68 96	-1.93 74 84	-0.22 72 84	-0.54 81 94	4.59 76 111	-4.69 50 81	-1.46 49 79	108	4	61
A 20 0479 90713454	1.41	A 18 0368 A 17 0347	88	2	4			102	-9.23	80	-0.43 74 91	1.36 65 129	-1.11 75 89	-0.29 72 80	-0.26 81 98	3.56 77 108	-6.06 48 76	-1.10 48 84	103	4	60
A 20 0496 90713678	1.38	A 18 0368 A 18 0085	109	4	3			100	-15.02	71	0.47 74 99	0.71 64 115	0.41 74 99	-0.25 72 83	0.97 81 117	2.73 76 106	-9.25 46 64	-2.38 46 68	96	3	81

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
A 20 0498 90713694	7.41	A 18 0368 A 15 0046	96	4	3	95	-17.01	67	-1.46 73	1.47 64	-3.64 73	-0.27 71	0.51 80	4.79 75	-10.30 48	-1.42 48	101	3	131		
A 20 0502 90713710	0.98	A 18 0312 A 15 0606	84	3	3	105	2.53	100	0.52 72	0.39 63	0.90 74	-0.08 72	0.27 81	3.34 76	1.94 46	0.88 46	95	2	43		
A 20 0504 90713751	1.88	A 17 0307 A 14 0558	103	5	1	91	-16.09	69	-1.98 67	-0.21 53	-4.45 66	-0.19 64	0.87 75	2.24 69	-0.53 38	-0.80 38	74	4	164		
A 20 0506 90713777	1.56	A 18 0312 A 15 0923	93	4	5	98	0.08	96	0.06 73	0.70 66	0.17 73	-0.05 70	1.40 80	1.46 75	4.68 43	1.53 43	110	3	103		
A 20 0508 90713793	1.04	NH 17 0405 A 16 0090	90	5	6	93	-8.18	82	-1.92 76	-0.01 69	-4.55 77	-0.20 75	0.40 83	4.21 79	5.65 49	1.03 48	119	3	149		
A 20 0519 90713918	1.37	A 18 0266 A 18 0486	131	5	4 2	95	-6.09	85	-0.27 75	1.42 67	0.10 75	-0.43 73	1.13 82	-0.32 77	2.58 49	1.25 49	105	3	126		
A 20 0542 90714072	2.20	A 17 0307 A 18 0412	98	3	4	92	-15.04	71	-1.12 73	-0.12 64	-3.60 73	-0.10 70	1.24 80	-0.29 75	-1.00 44	-0.93 44	102	3	162		
A 20 0545 90714114	1.87	A 18 0312 A 18 0908	89	2	3	92	-2.78	91	0.08 69	2.01 61	1.54 68	-0.29 65	1.37 76	-1.07 70	-0.28 43	1.12 43	100	3	161		
A 20 0554 90719436	1.56	A 17 0146 A 15 0963	121	5	3 1	107	-4.14	89	0.27 71	0.01 63	-1.02 71	-0.07 69	0.37 79	-6.57 74	1.88 37	-0.04 37	97	3	29		
A 21 0002 94292497	1.14	A 19 0154 A 17 0268	104	5	2	108	-6.13	85	-0.51 72	-1.32 61	-2.87 73	0.53 71	0.86 80	7.38 75	-3.83 44	-1.93 44	92	2	29		
A 21 0005 94292539	0.82	CR 16 0164 A 16 0231	101	4	3	91	-18.69	65	-1.41 74	-0.33 67	-1.29 74	-0.06 72	0.96 80	-2.87 75	-11.26 55	-3.44 54	100	3	142		
A 21 0006 94292554	1.19	NH 19 0408 A 15 0798	127	7	4	100	-4.86	87	-1.07 75	-0.62 67	-2.30 75	0.09 73	0.69 82	4.72 77	4.22 45	-0.03 44	105	2	72		
A 21 0010 94292612	1.12	SD 17 0177 A 18 0258	132	6	3	104	-0.32	95	-0.41 74	0.63 66	-0.42 74	0.05 72	0.12 81	-0.39 76	-2.77 48	-0.03 48	101	3	46		
A 21 0011 94292638	1.26	NH 19 0408 A 18 0486	131	5	2	107	-6.11	85	0.58 73	-0.81 63	0.14 74	-0.01 72	1.07 80	11.02 75	0.89 44	-0.72 44	91	2	32		
A 21 0013 94292679	0.66	CR 16 0164 A 18 0509	99	3	3	94	-18.74	65	-0.78 74	0.13 67	-1.51 73	-0.18 71	0.87 80	-1.65 75	-8.77 52	-2.93 52	100	2	120		
A 21 0016 94292695	0.83	CR 16 0164 A 18 0444	101	4	3	102	-9.49	80	-0.53 74	0.70 67	-1.63 74	0.09 72	0.96 81	1.74 76	-5.27 52	-1.37 52	100	2	64		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 21 0019 94292711	1.00	NH 19 0408 A 16 0125	94 4	3	106	-8.82	81		-1.23 73	-2.03 83	-2.96 78	0.08 71	-0.03 80	6.21 102	0.09 44	-1.52 44	95	2	37
A 21 0025 94292778	1.39	A 18 0266 A 19 0034	97 3	3	96	-4.64	88		0.20 73	1.27 63	0.88 102	-0.39 69	1.14 78	0.02 73	2.51 46	1.10 45	99	2	102
A 21 0034 94292893	1.28	NH 19 0408 A 17 0034	89 4	3	111	-2.77	91		-0.07 73	-0.63 64	-0.45 73	-0.29 71	-0.69 80	-3.43 75	3.22 44	-0.03 44	97	2	15
A 21 0038 94292950	4.35	A 18 0266 A 18 0423	88 2	5	93	-0.60	94		-0.08 75	1.02 66	-0.85 76	0.03 73	1.98 82	-2.25 78	7.15 45	2.05 45	113	2	129
A 21 0042 94292992	0.88	NH 19 0408 A 17 0136	102 4	5	117	5.23	104		0.17 76	-0.47 68	-0.52 75	0.08 73	-1.20 81	1.67 77	4.10 47	0.12 47	117	3	4
A 21 0048 94293032	1.23	SD 17 0177 A 16 0042	109 5	3	97	-1.32	93		0.37 73	2.04 66	1.64 72	-0.29 70	0.56 79	0.37 74	-2.46 50	0.67 49	102	3	91
A 21 0049 94293057	0.84	NH 19 0408 A 16 0196	103 4	3	99	-6.80	84		-1.63 74	-0.98 65	-1.30 73	-0.02 71	0.26 80	1.18 75	2.42 46	-1.02 45	98	3	76
A 21 0053 94293099	1.78	CR 16 0164 A 16 0904	116 5	2	95	-10.06	79		-0.66 71	-0.21 64	-0.57 70	-0.05 67	0.36 77	-1.73 72	-8.47 47	-2.03 47	93	2	108
A 21 0060 94293172	0.65	SD 17 0177 A 18 0293	94 4	3	101	-4.47	88		-0.89 73	0.91 65	-1.08 74	-0.03 72	0.13 81	-0.87 76	-5.37 49	-0.54 49	98	2	67
A 21 0062 94293214	0.82	SD 17 0177 A 16 0059	102 4	2	98	-3.04	90		-0.51 72	1.99 63	-0.56 73	-0.32 71	0.18 80	-1.32 75	-2.13 48	0.94 48	95	2	89
A 21 0067 94293255	1.00	SD 15 0015 A 18 0211	141 5	1	120	10.56	113		2.14 73	0.18 65	1.93 73	0.21 71	0.05 79	0.52 75	5.25 57	1.15 57	93	1	2
A 21 0070 94293297	1.47	CR 16 0164 A 14 0954	103 5	2	92	-12.01	76		-0.69 70	0.43 63	-1.42 71	-0.13 68	0.84 78	2.23 73	-4.34 45	-1.33 45	96	1	136
A 21 0078 94293339	1.20	SD 15 0015 A 18 0406	92 4	6 1	114	9.97	112		1.02 77	0.41 72	0.93 76	0.40 74	0.77 82	1.13 78	6.04 59	1.35 59	128	3	9
A 21 0080 94293370	1.56	CR 16 0164 A 15 0918	126 6	2	98	-12.57	75		-0.96 72	0.35 65	-2.31 73	0.03 71	0.89 79	0.93 75	-6.85 49	-1.75 49	95	2	80
A 21 0083 94293412	1.06	CR 16 0164 A 15 0746	117 5	3	94	-10.22	79		-1.43 74	0.19 68	-2.26 75	0.00 73	0.65 81	2.70 77	-3.21 54	-1.21 53	100	3	121
A 21 0086 94293479	1.75	CR 16 0164 A 17 0904	129 5	4	108	-4.51	88		-0.05 74	0.03 69	0.37 72	-0.17 70	-0.87 79	1.69 74	-6.05 51	-1.60 51	108	3	28

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 21 0097 94293610	1.78	A 19 0154 A 16 0907	112 5	3	92	-8.72	81		-0.05 71 94	0.70 62 115	-0.62 72 93	-0.14 70 90	1.50 79 125	-0.33 74 98	0.30 37 99	-0.10 36 96	99	2	132
A 21 0101 94293651	1.57	A 19 0154 A 15 0074	102 6	2	94	-11.00	77		-0.36 72 92	0.27 60 106	-1.35 73 88	0.06 70 101	1.49 80 125	1.58 75 103	-3.66 45 85	-1.25 45 82	93	3	116
A 21 0105 94293677	1.75	SD 15 0015 A 17 0908	96 3	5	115	10.12	112		0.96 74 104	0.75 70 116	1.69 71 107	0.26 69 114	0.58 78 111	-3.69 73 89	5.96 55 121	1.44 54 114	119	3	7
A 21 0107 94293693	0.88	NH 19 0408 A 17 0302	91 3	6	111	2.73	100		0.39 76 99	0.33 67 107	0.31 74 98	-0.27 72 81	-0.93 81 88	2.58 76 105	7.66 45 127	0.85 45 107	125	3	16
A 21 0108 94293719	1.15	SD 15 0015 A 16 0074	104 5	3	103	-1.76	92		-0.98 74 86	-0.42 68 91	-1.24 75 89	0.05 73 101	0.65 81 112	0.99 77 101	3.08 57 110	0.47 57 103	96	3	57
A 21 0113 94293776	1.78	NH 19 0408 A 16 0914	101 5	1 1	112	0.33	96		-0.76 68 88	-1.14 57 76	-1.13 69 89	-0.09 67 93	-1.40 77 81	-0.20 71 98	2.02 35 106	-0.45 35 91	91	1	13
A 21 0115 94293792	2.23	SD 15 0015 A 17 0073	117 5	4	109	6.59	106		0.73 76 102	0.08 70 102	0.17 74 98	0.36 72 120	1.09 80 119	0.09 76 99	4.82 59 116	1.22 59 112	106	3	25
A 21 0119 94293834	0.73	NH 19 0408 A 15 0062	109 5	3	104	-9.13	80		-1.43 74 82	-1.15 65 76	-3.26 75 76	-0.11 73 91	-0.55 81 94	3.96 77 109	1.71 45 105	-1.16 45 83	96	2	48
A 21 0123 94293859	1.01	CR 16 0164 A 17 0154	105 5	2	107	-2.75	91		0.21 73 97	0.32 66 107	0.03 73 97	0.12 71 106	0.05 80 103	4.05 75 109	-3.07 53 87	-1.31 53 81	94	2	30
A 21 0129 94293875	8.88	CR 16 0164 A 18 0346	138 5	6	91	-13.90	73		-1.22 77 83	0.37 72 108	-1.28 76 88	-0.35 74 76	0.43 82 109	-0.75 78 97	-5.41 56 78	-1.35 56 80	128	3	141
A 21 0130 94293891	1.78	SD 17 0177 A 16 0916	104 5	4	97	-2.71	91		-0.83 72 87	0.37 66 108	-1.68 71 86	0.09 69 103	0.84 78 115	2.17 73 104	-2.22 44 90	0.44 44 102	106	3	97
A 21 0133 94293933	1.07	CR 16 0164 A 15 0672	128 6	4	95	-13.33	73		-0.72 76 88	1.53 70 132	-0.37 75 94	-0.42 73 72	0.54 81 111	-3.11 77 91	-4.59 55 81	-1.21 55 82	105	2	114
A 21 0134 94293958	1.75	A 19 0154 A 17 0907	97 4	2	98	-7.19	84		-0.21 68 93	-0.04 58 99	-0.98 70 90	0.19 67 110	2.10 77 135	2.83 72 106	-0.33 37 97	-0.37 37 92	93	2	84
A 21 0136 94293990	1.00	NH 19 0408 A 15 0679	108 5	1	115	-0.86	94		-0.67 72 89	-0.10 60 98	-1.75 72 85	0.10 70 104	-0.52 79 94	-1.19 74 96	-0.23 44 97	-0.42 43 92	86	3	6
A 21 0138 94294014	1.89	A 18 0266 A 19 0903	116 4	1	97	-2.84	91		-0.82 67 87	0.52 55 111	-0.11 68 96	-0.23 65 84	1.12 76 120	-4.54 70 87	2.91 37 109	1.35 37 113	92	1	98
A 21 0143 94294030	0.96	CR 16 0164 A 17 0289	88 3	5	104	-9.45	80		-0.72 75 88	-0.17 70 96	-1.45 73 87	-0.01 71 97	0.49 80 110	-1.45 75 95	-4.25 54 82	-1.47 54 79	109	3	51

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 21 0148 94294071	1.87	SD 17 0177 A 18 0955	111 4	3	102	-0.60	94		-1.08 71	0.53 85	-0.48 72	0.04 70	0.72 79	-0.55 74	-0.25 42	0.57 41	98	3	61
A 21 0154 94294154	5.93	NH 19 0408 A 17 0190	127 6	1	117	1.26	97		0.35 72	-1.36 60	-0.03 71	0.10 69	-0.42 78	-3.90 73	2.46 43	-0.55 43	91	1	5
A 21 0158 94294196	4.58	A 19 0154 A 17 0036	105 5	1	100	-1.92	92		0.34 71	-0.26 57	-0.02 72	0.14 69	1.24 79	9.85 74	2.68 41	0.08 41	92	1	70
A 21 0161 94294238	1.65	A 19 0154 A 16 0032	106 4	2	94	-6.67	84		0.33 72	0.75 61	-0.68 73	-0.05 71	1.72 80	0.51 75	2.65 44	0.36 44	95	2	125
A 21 0166 94294279	0.63	SD 17 0177 A 17 0264	105 5	2	104	0.09	96		-0.11 73	1.36 63	-0.05 72	-0.05 70	0.50 79	12.10 73	-1.08 49	0.73 48	101	3	50
A 21 0167 94294295	0.63	SD 17 0177 A 17 0264	105 5	3	104	3.56	101		0.74 74	1.63 66	0.29 75	0.10 73	0.64 81	6.95 76	0.36 47	1.01 47	101	2	42
A 21 0168 94294311	1.07	SD 15 0015 A 16 0565	103 4	4	112	3.32	101		0.55 75	-0.04 70	0.45 73	0.22 71	0.39 79	-4.74 74	0.52 60	0.11 59	110	3	12
A 21 0174 94294394	1.56	NH 19 0408 A 15 0963	121 5	3	106	-5.78	86		-0.16 72	0.09 63	-0.13 72	-0.33 70	-0.03 80	-6.19 75	4.35 38	-0.18 38	99	2	36
A 21 0179 94294410	0.63	SD 17 0177 A 18 0412	98 3	2	97	-4.42	88		0.07 72	0.43 63	0.38 73	-0.13 71	1.17 80	1.27 75	0.40 46	0.31 46	91	3	94
A 21 0200 94294550	2.59	A 19 0205 A 16 0447	129 6	2	100	-7.16	84		-1.47 72	0.16 60	-2.40 72	0.05 70	-0.14 79	0.69 74	-2.94 45	-1.29 44	94	3	73
A 21 0203 94294576	1.87	A 19 0154 A 18 0954	104 4	4	94	-6.01	85		-0.96 71	-0.14 63	-1.78 72	-0.01 70	1.00 80	4.45 75	3.36 39	0.15 39	104	3	123
A 21 0211 94294659	7.29	A 19 0154 A 17 0255	105 5	4	91	-10.03	79		-0.09 75	1.00 66	-0.48 74	0.09 72	2.87 81	7.80 76	-0.78 47	-0.16 46	113	3	138
A 21 0216 94294691	1.43	A 18 0368 A 19 0234	107 3	3	92	-16.78	68		-1.40 73	0.74 64	-2.19 74	-0.37 72	1.01 81	0.27 76	-5.57 46	-1.09 46	97	2	137
A 21 0224 94294774	1.08	NH 17 0405 A 19 0202	115 4	1	104	-2.41	91		-0.82 72	1.34 61	-1.38 72	-0.13 70	-0.26 79	0.02 74	0.49 48	0.23 48	87	3	49
A 21 0226 94294790	1.44	A 19 0154 A 15 0010	117 5	3	96	-10.87	77		-1.34 74	-0.09 64	-2.57 73	-0.12 71	0.75 80	10.93 75	0.64 46	-0.64 45	98	3	107
A 21 0234 94294873	2.00	A 18 0368 A 15 0614	99 4	3	92	-15.61	70		-0.76 73	1.28 64	-0.81 73	-0.30 70	0.94 80	0.22 75	-9.95 48	-1.78 47	100	3	131

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 21 0240 94294915	1.11	NH 17 0405 A 18 0027	94 3	8	98	-7.64	83		-1.97 78	0.31 67	-3.90 76	-0.28 74	-0.44 82	5.80 114	8.98 49	0.42 102	146	3	81
A 21 0242 94294931	2.66	A 18 0312 A 17 0206	103 5	3	102	-4.08	89		-0.98 73	1.37 65	-2.08 129	-0.15 70	0.36 79	0.47 100	-1.27 50	0.81 49	100	3	60
A 21 0243 94294956	1.22	A 18 0315 A 14 0381	117 6	4	97	-18.19	65		-3.02 73	0.42 65	-5.12 109	-0.01 69	0.44 79	-2.70 92	-9.21 47	-2.31 46	105	3	92
A 21 0250 94295011	1.23	A 18 0312 A 16 0076	111 5	4	91	-10.04	79		-1.43 74	1.35 67	-1.17 128	-0.47 72	0.75 81	3.99 109	0.26 49	0.51 49	108	3	139
A 21 0252 94295037	0.98	NH 17 0405 A 14 0704	108 6	3	97	-9.76	79		-2.03 73	0.68 65	-3.85 114	-0.18 71	-0.50 80	1.67 103	-0.81 48	-0.71 48	98	2	96
A 21 0263 94295110	1.64	A 18 0315 A 15 0846	115 6	4	92	-20.43	62		-2.15 74	0.81 65	-2.98 117	-0.13 70	1.56 79	2.18 104	-8.71 47	-2.24 47	110	3	134
A 21 0264 94295136	0.99	NH 17 0405 A 18 0325	90 3	4	104	1.82	98		-0.36 74	0.41 67	-1.07 109	-0.08 73	0.61 82	8.11 120	7.22 51	1.90 120	105	3	45
A 21 0265 94295151	2.28	A 19 0154 A 15 0717	105 5	3	93	-13.24	74		-1.84 73	0.04 63	-2.69 101	0.05 72	1.48 81	4.14 110	-1.84 44	-1.26 44	99	3	128
A 21 0268 94295193	0.85	A 18 0315 A 17 0053	103 4	3	94	-12.58	75		-3.13 73	-0.04 64	-3.51 99	-0.19 72	0.10 81	1.71 103	-1.05 46	-1.00 45	95	2	118
A 21 0274 94295235	1.30	NH 17 0405 A 15 0042	109 5	6	102	0.89	97		-1.96 76	1.67 70	-3.44 135	-0.11 72	-0.33 81	-1.70 94	7.30 49	1.93 49	126	3	63
A 21 0281 94295292	1.84	A 18 0315 A 18 0068	137 5	2	103	-11.42	77		-1.32 72	0.07 61	-2.69 101	-0.08 69	-0.19 78	-7.59 79	-6.29 45	-1.82 44	90	3	56
A 21 0283 94295318	1.45	A 19 0154 A 18 0085	109 4	1	102	-10.25	79		0.03 71	-0.41 58	-1.58 91	0.03 69	0.91 78	0.64 100	-1.55 42	-1.39 42	91	1	62
A 21 0293 94295433	0.95	A 17 0399 A 15 0874	101 5	3	103	-11.14	77		-0.68 73	-0.70 62	-2.12 85	-0.07 70	-0.18 79	-8.77 74	-4.22 43	-2.07 42	99	2	53
A 21 0297 94295490	1.67	A 18 0368 A 16 0623	101 5	2	93	-14.28	72		-1.40 72	1.50 61	-2.46 132	-0.22 70	0.78 79	6.83 117	-7.58 47	-1.16 47	94	3	126
A 21 0298 94295516	1.67	A 18 0368 A 16 0623	101 5	2	94	-14.36	72		-1.06 72	1.08 61	-1.88 123	-0.16 70	1.42 79	3.41 108	-7.14 47	-1.08 47	93	3	119
A 21 0300 94295557	0.86	A 18 0266 A 17 0170	95 4	2	94	-6.96	84		-0.47 72	1.25 61	-0.15 126	-0.36 71	1.15 80	-3.20 90	0.90 48	0.82 47	93	2	124

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM		Weaning Weight Dir Mat		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambd	
			EPI	Times lambd			EBV	Index	EBV	Index			EBV	Index			EBV	Index			
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
A 21 0301 94295573	1.89	A 18 0315 A 19 0035	124	5	2	96	-14.44	72	-2.06 72	0.56 60	-2.71 71	-0.05 68	0.61 78	0.97 73	-7.74 44	-2.03 43	91	3	100		
A 21 0302 94295599	3.51	A 19 0205 A 19 0427	93	3	5	98	-12.81	74	-1.60 74	0.20 65	-3.98 74	-0.05 71	0.27 81	-1.91 76	-1.76 42	-1.31 42	116	3	82		
A 21 0305 94295615	1.08	A 17 0399 A 19 0136	95	3	3 1	98	-13.67	73	-1.05 73	-0.30 63	-1.84 72	-0.02 70	0.76 79	5.93 74	-7.96 46	-2.19 46	98	3	83		
A 21 0308 94295656	1.27	A 18 0368 A 19 0500	106	4	3	90	-16.89	68	-1.55 73	0.91 64	-2.44 74	-0.18 72	1.60 81	7.24 75	-5.99 45	-1.23 45	99	2	144		
A 21 0310 94295672	1.41	A 19 0154 A 17 0287	105	4	2	93	-11.03	77	-0.98 72	-0.16 61	-2.44 72	0.02 70	1.66 79	-3.33 74	-0.68 43	-0.45 43	91	2	127		
A 21 0311 94295698	1.91	A 18 0312 A 16 0100	91	4	4	96	-2.38	91	-0.33 74	1.12 66	-0.38 73	-0.24 70	1.03 79	4.15 75	2.99 48	1.53 48	108	3	105		
A 21 0332 94295896	0.97	A 18 0312 A 15 0722	132	7	3	99	-4.46	88	-0.22 74	1.08 65	-1.30 74	-0.15 71	0.77 80	3.07 75	1.16 48	0.75 48	98	2	79		
A 21 0333 94295912	1.12	NH 17 0405 A 19 0031	90	2	2	96	-13.09	74	-1.58 71	0.22 62	-3.68 71	-0.06 69	0.40 78	2.22 73	-3.57 48	-1.37 48	90	3	104		
A 21 0335 94295938	1.34	NH 17 0405 A 16 0041	94	3	1	106	-0.03	95	0.02 70	0.90 59	-1.77 71	-0.04 69	-0.13 78	3.74 73	1.67 44	0.81 44	87	2	35		
A 21 0336 94295953	1.28	NH 17 0405 A 18 0334	92	2	3 1	109	4.38	103	0.79 73	0.00 66	-0.17 74	-0.10 72	-0.06 80	-0.59 76	4.80 49	1.63 48	97	2	24		
A 21 0344 94295995	1.61	A 19 0205 A 19 0012	97	3	3	96	-15.27	70	-2.12 72	-0.70 60	-4.11 73	0.00 70	0.91 80	6.72 75	-0.45 36	-1.50 36	96	1	99		
A 21 0345 94296019	1.36	A 17 0399 A 19 0194	114	5	4	97	-10.60	78	-1.66 74	-1.00 65	-2.33 75	-0.06 73	0.54 82	-2.64 77	-0.54 44	-1.12 44	101	3	95		
A 21 0347 94296035	2.45	A 18 0312 A 15 0682	113	5	3 1	98	-4.86	87	0.30 74	2.10 65	-0.37 73	-0.51 71	0.72 80	-2.79 75	2.53 50	1.71 49	101	3	85		
A 21 0348 94296050	2.03	A 19 0154 A 19 0150	104	5	4	109	2.12	99	1.66 74	0.14 66	1.25 74	0.23 72	1.23 81	8.76 76	2.29 48	0.21 48	109	3	22		
A 21 0358 94296134	1.15	A 18 0266 A 16 0696	137	6	3	100	-1.83	92	-0.17 74	1.12 65	-0.63 73	-0.21 71	0.71 80	2.17 75	1.58 49	1.38 49	107	3	69		
A 21 0364 94296159	1.26	A 18 0312 A 17 0458	89	3	4	99	0.17	96	-0.17 74	0.60 66	-1.32 75	-0.09 73	0.48 82	-0.12 77	4.41 45	1.47 45	103	3	77		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 21 0368 94296175	2.62	A 18 0266 A 19 0176	97 5	3	101	-6.79	84		-0.45 73 91	0.91 64 119	-2.21 73 82	-0.40 71 73	-0.13 80 100	-2.45 75 92	-0.48 49 97	0.70 48 105	100	3	66
A 21 0369 94296191	1.08	NH 17 0405 A 16 0187	92 4	5	100	-2.68	91		-0.56 75 90	0.01 68 100	-1.09 74 89	-0.16 72 88	-0.04 81 102	1.37 76 102	4.67 48 116	0.36 48 101	113	3	68
A 21 0372 94296217	1.87	A 18 0266 A 18 0907	106 5	2 1	110	1.52	98		-0.30 69 92	0.20 60 104	-0.80 70 91	-0.18 67 87	-0.56 78 94	-6.40 72 82	1.48 41 104	0.97 41 109	92	2	17
A 21 0375 94296233	0.96	NH 17 0405 A 15 0098	123 5	4	95	-4.15	89		-1.23 75 83	0.86 68 118	-2.62 76 80	-0.33 74 78	0.07 82 103	-1.96 78 94	8.40 48 130	1.52 48 115	104	2	109
A 21 0376 94296258	1.07	A 18 0368 A 19 0193	90 1	4	99	-13.70	73		-0.84 73 87	0.86 64 118	-1.89 74 84	-0.37 71 75	-0.28 80 98	-1.05 76 96	-8.14 47 68	-1.65 46 77	106	3	78
A 21 0377 94296274	1.56	A 19 0154 A 15 0953	91 6	5	92	-8.74	81		-1.67 72 79	-0.27 65 94	-3.14 71 76	-0.05 68 95	0.99 79 117	2.39 73 105	2.53 39 108	0.17 39 99	114	3	133
A 22 0001 96081500	1.78	NH 19 0549 A 16 0920	92 5	1	94	-4.94	87		-0.64 67 89	-0.38 54 92	-1.43 68 87	-0.04 65 96	0.49 76 110	2.65 70 106	0.01 34 98	-0.11 34 95	93	1	215
A 22 0008 96081542	0.84	NH 19 0549 A 20 0077	110 3	1	105	2.68	100		2.02 72 114	0.77 58 116	1.19 71 104	0.11 69 105	0.83 77 115	2.82 72 106	0.68 41 101	0.50 41 103	96	1	61
A 22 0011 96081583	1.02	SD 17 0272 A 19 0373	98 4	2	113	4.12	102		0.17 73 97	-0.54 67 89	0.48 74 100	0.21 72 111	-0.16 80 100	5.12 76 112	0.22 57 99	-0.21 57 94	100	1	12
A 22 0018 96081625	1.00	NH 19 0408 A 19 0024	92 2	2	109	-1.74	93		-0.54 71 90	-1.69 60 64	-2.35 71 81	0.30 69 117	-0.38 78 96	9.72 73 124	2.21 40 107	-1.17 39 83	99	2	29
A 22 0020 96081666	5.03	NH 19 0549 A 17 0113	101 4	1	109	1.88	98		1.12 72 105	0.64 59 113	0.34 72 99	-0.03 70 96	-0.38 79 96	2.86 74 106	0.34 43 100	0.09 43 98	95	1	28
A 22 0029 96081708	2.86	NH 19 0549 A 20 0090	128 4	3	104	3.12	101		2.16 74 115	1.02 64 121	1.45 72 106	0.37 70 121	1.59 79 127	13.61 74 134	-0.76 44 95	0.11 43 98	119	2	75
A 22 0032 96081740	1.25	SD 17 0177 A 20 0123	91 2	1	102	3.53	101		0.66 70 101	0.92 59 119	1.81 71 108	-0.04 69 96	0.87 78 116	-4.04 73 88	0.91 46 102	1.14 46 111	95	1	109
A 22 0037 96081807	1.27	NH 19 0520 A 17 0396	113 4	2	101	-1.31	93		-1.37 72 82	0.60 59 113	-2.92 73 78	-0.05 71 95	0.07 80 103	-6.84 75 81	6.32 39 122	1.23 38 112	101	1	112
A 22 0042 96081864	0.80	NH 19 0549 A 20 0388	128 4	2	97	-5.25	87		-0.59 73 89	-0.21 62 96	-1.96 72 84	0.23 70 112	0.73 79 114	3.69 74 108	-1.29 43 93	-0.90 43 86	102	2	172
A 22 0046 96081906	1.74	A 18 0312 A 19 0181	105 3	2	97	1.48	98		1.20 73 106	1.44 63 130	0.38 73 99	0.01 71 99	1.68 80 128	-2.76 75 91	5.20 45 118	1.82 45 119	103	1	181

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0047 96081922	0.69	NH 19 0408 A 17 0281	94 4	1	97	-9.86	79		-0.56 71 90	-1.51 59 68	-1.71 72 86	0.14 70 106	0.93 79 117	2.49 74 105	-2.11 46 90	-1.68 46 76	93	2	173
A 22 0048 96081948	1.89	NH 19 0549 A 19 0910	115 3	1	101	-1.56	93		0.17 67 97	0.45 55 109	-1.08 68 90	0.14 66 106	0.46 76 109	6.91 71 117	-0.29 34 97	-0.13 34 95	94	1	119
A 22 0052 96082003	1.32	NH 19 0408 A 19 0059	106 4	1	94	-7.53	83		-0.16 71 93	-0.66 58 86	0.38 72 99	-0.16 69 88	0.35 79 108	-1.39 74 95	-0.94 40 95	-1.28 40 81	95	1	213
A 22 0058 96082086	0.98	NH 19 0408 A 17 0395	102 4	2	108	-1.06	94		0.57 72 100	-0.64 62 86	-0.13 73 96	0.02 71 99	-0.47 80 95	3.98 75 109	1.07 41 102	-0.85 41 87	101	1	36
A 22 0059 96082102	0.88	NH 19 0408 A 16 0166	107 5	2	100	-8.21	82		-0.58 72 90	-0.48 62 90	-1.58 73 86	-0.19 71 86	0.12 80 104	-0.92 75 96	1.66 42 105	-0.64 41 89	99	1	133
A 22 0063 96082144	0.83	NH 19 0408 A 19 0136	95 3	2	109	0.05	95		0.84 72 103	-0.31 62 93	1.05 73 103	-0.13 71 90	-1.03 80 86	5.00 75 112	-0.92 45 95	-0.97 45 85	102	2	30
A 22 0070 96082201	1.05	SD 17 0272 A 16 0076	111 5	2	105	0.64	96		-0.30 73 92	-0.05 67 99	-0.50 74 93	0.01 72 99	-0.13 80 100	9.07 75 123	1.76 56 105	0.19 56 99	100	2	66
A 22 0071 96082227	0.58	NH 19 0549 A 18 0254	111 5	1	103	-3.16	90		1.26 71 107	0.24 58 105	0.48 72 100	-0.02 70 97	0.32 79 107	2.94 74 106	-2.02 44 91	-0.73 43 88	94	1	92
A 22 0075 96082243	2.43	NH 19 0549 A 19 0174	97 4	1	104	-0.15	95		0.52 71 100	0.69 58 114	-0.93 72 91	0.05 70 101	0.05 79 103	8.16 74 120	1.24 44 103	0.18 43 99	95	2	76
A 22 0076 96082268	1.26	A 20 0145 A 19 0108	121 5	1	110	3.66	101		0.62 72 101	-0.19 58 96	0.73 72 101	0.00 70 98	-0.34 79 97	3.48 74 108	4.08 42 114	0.30 42 100	95	2	25
A 22 0077 96082284	1.87	NH 19 0520 A 18 0907	106 5	2	100	-2.07	92		-0.57 68 90	0.05 56 101	-1.27 69 88	0.01 67 99	0.32 77 107	3.59 72 108	3.56 29 112	0.25 29 100	101	1	132
A 22 0093 96082383	0.87	SD 17 0177 A 18 0287	119 4	1	102	5.84	105		0.66 72 101	1.14 61 124	1.51 72 106	0.01 71 99	1.22 79 121	-4.42 74 87	1.70 48 105	2.07 48 122	94	2	101
A 22 0095 96082409	1.21	NH 19 0408 A 19 0514	88 2	1	104	-1.96	92		-0.91 70 86	-0.95 57 80	-1.49 71 87	-0.20 69 86	-1.44 78 80	-2.10 73 93	1.91 38 106	-0.48 38 91	93	1	73
A 22 0104 96082482	0.89	NH 19 0549 A 17 0153	114 4	2	96	-5.31	87		-0.49 73 90	2.09 62 144	-1.40 72 87	-0.03 70 96	0.99 79 118	0.51 74 100	-2.41 45 89	0.26 45 100	105	2	190
A 22 0105 96082508	0.89	NH 19 0549 A 17 0153	114 4	1	101	-4.81	87		0.51 72 100	1.67 59 135	-1.95 72 84	0.03 70 100	0.91 79 116	-0.78 74 97	-1.84 43 91	0.28 43 100	95	1	118
A 22 0108 96082524	4.99	NH 19 0549 A 17 0062	100 5	2	104	-2.53	91		0.35 73 98	0.12 62 102	-0.74 71 92	0.09 69 103	0.18 78 105	5.21 73 112	-1.83 45 91	-0.62 45 89	101	2	72

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0110 96082565	1.12	SD 17 0177 A 18 0258	132 6	2	102	-2.28	92		0.03 73	0.50 64	0.00 72	0.04 70	0.56 79	-3.56 74	-3.98 48	-0.30 48	105	2	94
A 22 0111 96082581	1.12	SD 17 0177 A 18 0258	132 6	1	106	1.02	97		0.36 72	0.46 61	0.99 72	-0.02 70	-0.07 79	-1.65 74	-3.48 46	-0.21 46	95	1	55
A 22 0112 96082607	0.97	SD 17 0272 A 16 0413	104 4	1	102	0.20	96		-0.05 72	-0.38 64	0.47 73	0.04 71	0.69 79	-1.94 74	0.47 57	0.31 56	91	2	107
A 22 0113 96082623	0.97	SD 17 0272 A 16 0413	104 4	2	102	1.24	97		0.27 73	0.23 66	0.16 74	0.11 72	1.05 80	1.05 75	2.56 55	0.80 55	101	1	99
A 22 0115 96082649	1.24	NH 19 0408 A 16 0652	94 4	1	102	-3.62	89		-0.83 70	-1.48 57	-2.28 71	0.22 69	0.03 78	7.24 73	-0.59 39	-0.96 39	94	1	111
A 22 0118 96082664	1.06	NH 19 0520 A 18 0085	109 4	2	90	-12.48	75		-1.92 72	0.69 59	-3.45 71	-0.17 69	0.16 78	-3.58 73	-1.23 41	-1.03 41	107	2	241
A 22 0123 96082748	1.09	SD 17 0177 A 18 0351	113 4	1	102	-2.13	92		-0.67 72	0.59 61	-0.58 72	0.00 70	0.01 79	-0.60 74	-4.24 46	-0.36 46	95	1	103
A 22 0126 96082763	1.26	NH 19 0408 A 17 0287	105 4	1	100	-6.24	85		-1.48 72	-0.83 59	-2.90 72	-0.01 70	-0.34 79	0.44 74	-0.07 44	-0.74 44	94	2	128
A 22 0130 96082821	0.84	NH 19 0408 A 15 0722	132 7	4	100	-4.47	88		-1.59 75	-1.01 67	-3.16 74	-0.03 72	-0.86 80	2.03 76	3.41 45	-0.59 45	121	2	130
A 22 0137 96082920	0.88	NH 19 0408 A 17 0136	102 4	2	108	1.73	98		0.46 73	-0.23 63	-0.75 74	0.10 72	-0.19 80	-0.49 75	4.39 43	0.14 43	101	2	35
A 22 0141 96082961	1.24	NH 19 0549 A 20 0015	113 3	3	102	4.42	103		0.76 74	0.96 64	0.22 74	0.03 72	0.41 81	6.79 76	5.86 43	1.37 42	107	2	102
A 22 0143 96082987	0.73	SD 17 0272 A 19 0224	98 3	1	119	9.87	112		0.99 72	-0.41 64	1.08 72	0.13 71	-1.13 79	1.52 74	2.41 56	0.53 56	92	1	2
A 22 0144 96083001	0.93	NH 19 0549 A 20 0329	116 3	2	104	-1.18	93		0.37 73	1.33 62	-0.80 72	-0.04 70	-0.27 79	2.22 74	-0.52 43	-0.11 43	106	2	71
A 22 0145 96083027	0.93	NH 19 0549 A 20 0329	116 3	3	98	0.16	96		1.74 74	2.39 64	0.40 75	0.13 73	1.64 81	7.40 77	2.81 41	0.89 41	114	1	170
A 22 0146 96083043	0.82	NH 19 0408 A 19 0194	114 5	2	107	0.61	96		-0.30 73	-0.71 63	-0.10 74	-0.19 72	-1.29 80	2.32 76	3.68 44	-0.29 44	101	2	47
A 22 0149 96083084	1.87	A 20 0145 A 18 0955	111 4	3	104	2.13	99		0.45 71	-0.28 61	1.47 71	0.11 68	0.82 78	0.71 73	3.73 35	0.21 35	116	2	79

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning		Body Weight	SVG		VD		SL	Lammers gespeen		EPI	Times lambd	
			EPI	Times lambd						Dir	Mat		EBV	EBV	EBV	EBV		EBV	EBV			
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
		Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
A 22 0151 96083100	0.74	NH 19 0408 A 17 0193	101	3	1		121	7.61	108	1.05 72	-0.79 59	-0.21 83	0.07 70	-1.66 79	2.55 74	4.27 44	0.21 44	94	2	1		
A 22 0152 96083126	1.28	SD 17 0272 A 18 0335	99	3	2		114	13.75	118	0.84 72	0.02 66	0.91 100	0.34 71	0.06 80	-1.67 75	5.50 57	1.95 57	100	2	9		
A 22 0153 96083142	1.75	NH 19 0520 A 17 0904	129	5	3		100	1.30	98	-0.42 72	0.21 62	-0.97 104	0.07 67	0.24 77	2.78 72	4.71 35	0.71 35	116	2	131		
A 22 0154 96083167	1.75	NH 19 0520 A 17 0904	129	5	1		98	-3.93	89	-0.98 70	0.26 55	-2.15 105	-0.11 67	-0.25 77	-5.28 72	1.43 35	0.06 35	96	2	171		
A 22 0155 96083183	1.32	SD 17 0272 A 19 0436	158	5	1		115	13.21	117	0.83 73	1.21 65	0.74 125	0.11 71	-0.58 79	2.30 74	6.07 55	2.24 55	95	1	7		
A 22 0157 96083225	1.78	SD 17 0177 A 15 0802	104	6	1		107	0.67	96	-0.22 71	0.80 60	-1.20 117	0.18 70	0.19 79	2.74 74	-4.28 46	0.08 46	94	1	44		
A 22 0174 96083365	1.14	SD 17 0177 A 17 0210	95	3	1		105	4.40	103	-0.86 71	0.97 61	-0.49 120	0.09 70	0.25 79	6.03 74	1.15 45	1.27 45	94	1	62		
A 22 0175 96083381	1.14	SD 17 0177 A 17 0210	95	3	2		111	6.74	106	0.37 72	1.05 64	0.67 122	-0.06 70	-0.66 79	-1.57 74	0.97 47	1.16 47	104	2	17		
A 22 0185 96083464	0.68	NH 19 0549 A 19 0376	105	4	2		100	1.25	97	1.95 73	1.55 62	1.75 133	0.09 71	0.98 80	6.47 75	0.67 43	0.09 42	106	1	123		
A 22 0186 96083480	0.68	NH 19 0549 A 19 0376	105	4	1		96	-6.44	85	-0.15 72	0.33 58	-1.12 107	0.06 70	0.97 79	4.48 74	-1.28 43	-0.62 42	95	1	187		
A 22 0192 96083548	0.78	NH 19 0549 A 16 0312	133	6	1		103	-1.49	93	0.59 72	0.18 59	-0.57 104	0.15 71	0.25 79	7.09 74	-0.29 43	-0.60 42	95	2	88		
A 22 0193 96083563	0.78	NH 19 0549 A 16 0312	133	6	3		101	-0.25	95	0.39 74	0.47 65	0.36 110	0.01 72	-0.16 80	0.41 76	0.60 45	-0.47 45	116	2	114		
A 22 0197 96083605	0.69	NH 19 0549 A 19 0197	90	2	1		112	4.80	103	1.35 71	0.78 58	0.84 116	0.14 70	-0.24 78	9.36 73	0.81 42	0.07 41	97	1	14		
A 22 0199 96083647	1.51	A 18 0312 A 19 0002	91	2	2		92	-2.04	92	-0.01 71	0.42 60	0.30 109	0.01 70	1.52 79	3.49 73	3.44 42	0.74 42	101	2	228		
A 22 0202 96083662	0.62	SD 17 0177 A 15 0846	115	6	1		96	-4.09	89	0.52 72	1.46 61	1.34 131	-0.04 70	1.40 79	3.63 74	-4.70 47	-0.23 47	97	2	185		
A 22 0205 96083704	7.91	A 20 0145 A 17 0158	91	4	4		100	0.48	96	-0.17 74	-1.25 65	-0.82 74	0.03 71	0.41 80	4.46 75	8.22 41	0.75 41	122	2	126		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank			
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd
			EPI	Times lambd				Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27						
A 22 0207 96083720	1.80	SD 17 0272 A 17 0107	113	4	1	100	3.90	102	0.72 72	0.80 64	1.80 108	0.08 71	1.48 79	6.67 74	4.45 57	1.37 56	96	2	135			
A 22 0229 96083803	1.44	SD 17 0272 A 17 0050	106	5	1	110	4.64	103	0.23 72	0.09 64	-0.63 92	0.15 71	-0.10 79	-4.24 74	2.95 58	0.77 57	94	2	21			
A 22 0230 96083829	1.44	SD 17 0272 A 17 0050	106	5	1	104	1.91	99	-0.64 72	0.10 64	-1.33 88	0.14 71	0.36 79	-6.33 74	2.72 56	0.86 56	94	1	68			
A 22 0232 96083845	1.14	A 18 0312 A 19 0398	99	2	2	98	3.24	101	1.26 72	1.28 62	2.01 109	0.12 70	1.84 79	3.40 74	2.16 47	1.26 47	105	2	163			
A 22 0238 96083902	4.60	NH 19 0520 A 17 0053	103	4	3	100	0.32	96	-0.55 73	-0.66 63	-1.41 87	0.13 69	0.50 79	5.61 73	6.74 42	0.61 41	113	2	124			
A 22 0240 96083928	0.70	NH 19 0549 A 20 0038	117	4	1	97	1.99	99	1.15 72	1.19 59	2.89 115	0.05 70	1.65 79	3.11 74	2.01 45	0.60 44	95	1	175			
A 22 0246 96083985	1.78	SD 17 0177 A 16 0902	118	6	2	98	0.31	96	0.79 71	1.19 62	2.34 111	-0.31 66	0.79 76	-1.13 70	1.58 39	1.14 39	102	1	164			
A 22 0256 96084009	0.72	NH 19 0408 A 16 0447	129	6	2	104	-3.18	90	1.40 73	-1.37 63	0.16 97	-0.08 71	-0.59 79	3.04 74	0.18 46	-1.23 45	102	2	74			
A 22 0257 96084025	1.01	SD 17 0272 A 19 0021	96	2	1	104	4.19	102	0.08 71	0.58 63	0.24 98	0.19 69	0.82 78	-4.40 73	3.41 55	1.00 55	96	1	67			
A 22 0273 96084124	0.88	NH 19 0408 A 17 0007	93	3	2	102	-4.83	87	0.11 72	-0.45 61	-1.28 88	0.05 71	0.61 80	6.55 75	2.38 43	-0.40 43	100	2	96			
A 22 0277 96084165	0.88	SD 17 0177 A 19 0234	107	3	2	107	2.33	99	-0.51 73	0.84 64	-0.90 91	-0.24 69	-1.02 78	2.44 73	1.84 46	1.05 46	105	2	45			
A 22 0280 96084223	1.24	NH 19 0520 A 17 0444	104	4	2	101	4.70	103	-0.04 72	0.47 59	0.14 97	-0.04 69	-0.30 78	-5.62 73	8.02 36	1.08 36	102	2	117			
A 22 0286 96084280	1.42	A 19 0205 A 18 0409	163	6	2	96	-7.59	83	0.86 72	0.32 60	0.59 100	-0.21 70	1.12 80	0.34 75	-0.42 41	-0.41 40	101	1	186			
A 22 0287 96084306	1.10	A 20 0145 A 18 0445	106	4	3	97	-5.62	86	-0.95 73	-1.60 63	-1.14 89	0.24 70	1.47 79	8.06 74	2.80 42	-0.68 42	107	2	174			
A 22 0292 96084322	1.89	A 18 0312 A 19 0510	91	2	1	103	3.29	101	1.16 70	1.24 57	1.36 105	-0.02 69	0.74 78	4.28 73	0.86 43	1.10 43	95	1	91			
A 22 0293 96084348	1.11	NH 19 0520 A 19 0378	105	4	1	98	-7.09	84	-1.19 70	0.02 54	-2.85 78	-0.01 69	0.19 78	3.56 73	0.31 40	-0.51 39	94	2	156			

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0295 96084363	6.07	NH 19 0408 A 19 0262	100 3	1	110	-1.40	93		-0.34 71 92	-1.39 58 71	-1.70 72 86	0.15 70 108	-0.59 79 93	3.93 74 109	1.54 41 104	-0.92 41 86	93	1	20
A 22 0296 96084389	1.78	NH 19 0520 A 16 0905	113 5	4	93	-3.66	89		-1.25 72 83	0.20 62 104	-1.81 70 85	-0.16 67 88	0.14 78 104	-1.60 72 95	5.23 33 118	0.62 33 104	126	2	217
A 22 0298 96084405	2.30	NH 19 0520 A 19 0285	100 3	3	113	3.11	101		0.53 72 100	-0.27 61 94	-1.05 71 90	0.12 68 105	-0.32 78 97	0.61 73 100	4.72 39 116	0.46 38 102	114	2	13
A 22 0302 96084447	1.89	SD 17 0272 A 19 0906	127 4	2	111	5.47	104		-0.46 70 91	-1.13 64 76	-1.68 70 86	0.24 68 113	-0.23 78 99	3.45 72 108	4.35 50 115	0.98 50 109	99	2	19
A 22 0306 96084488	2.78	A 18 0312 A 16 0042	109 5	3	93	-2.79	91		-1.08 73 85	0.92 65 119	-1.56 73 87	-0.04 70 96	1.19 80 121	2.87 75 106	2.48 48 108	1.25 47 112	112	2	222
A 22 0307 96084504	1.03	NH 19 0408 A 16 0329	100 6	3	104	1.18	97		1.27 73 107	0.18 65 104	1.19 72 104	-0.04 70 96	0.23 79 106	5.08 74 112	2.56 45 108	0.13 45 98	118	2	70
A 22 0310 96084546	0.90	SD 17 0272 A 19 0007	107 4	2	112	6.15	106		0.37 73 98	-0.02 66 100	-0.28 74 95	0.19 72 110	-0.49 80 95	4.20 75 110	2.62 56 108	0.49 55 103	101	1	15
A 22 0315 96084587	4.19	A 20 0145 A 19 0281	104 3	4	114	4.79	103		0.26 75 97	-0.53 65 89	-0.29 73 95	-0.03 71 96	-0.97 80 87	2.14 75 104	6.96 42 125	0.57 41 104	125	2	10
A 22 0322 96084629	0.82	NH 19 0408 A 17 0379	94 3	1	103	-0.53	95		-0.50 71 90	-0.89 59 81	-1.00 72 90	0.07 70 102	-0.25 79 98	6.57 74 116	1.90 43 105	-0.29 42 93	93	1	86
A 22 0324 96084645	1.10	SD 17 0177 A 17 0052	111 5	2	97	-2.15	92		-0.45 73 91	0.26 64 105	-0.68 72 92	-0.06 70 94	0.66 79 113	7.77 65 119	1.12 48 103	0.61 47 104	104	2	179
A 22 0344 96084868	2.00	NH 17 0405 A 20 0907	128 4	4	105	0.26	96		-1.53 73 81	-0.28 66 94	-2.82 70 78	0.00 68 98	-0.65 78 92	1.11 73 102	6.31 41 122	0.70 41 105	119	2	60
A 22 0347 96084900	2.00	A 20 0079 A 20 0904	108 3	1	100	-4.63	88		-0.70 67 88	-0.60 51 87	-1.77 66 85	0.08 63 103	0.02 75 103	-3.97 68 88	-2.19 30 90	-0.83 29 87	94	1	127
A 22 0348 96084926	2.00	A 20 0079 A 20 0904	108 3	3	101	-1.31	93		-0.08 70 94	0.21 59 104	-0.47 69 93	0.02 67 99	0.12 77 104	3.70 72 108	1.16 30 103	-0.16 29 95	110	1	120
A 22 0349 96084942	1.20	NH 17 0405 A 18 0210	96 3	1	91	-9.26	80		-1.16 70 84	0.27 59 106	-1.62 71 86	-0.30 69 79	0.31 78 107	0.46 73 100	0.39 45 100	-0.26 45 94	94	1	232
A 22 0352 96084967	1.09	NH 17 0405 A 20 0182	102 3	2	99	-2.16	92		-0.05 72 94	1.13 63 124	-0.72 72 92	-0.04 70 95	0.78 79 114	11.80 74 130	1.19 47 103	0.65 47 105	108	2	137
A 22 0353 96084983	2.45	NH 17 0405 A 20 0035	133 4	1	107	1.57	98		0.49 72 100	-0.08 60 98	-0.84 72 91	0.17 70 108	0.18 79 105	4.45 74 110	3.26 45 111	0.22 45 99	94	1	41

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0358 96085022	1.04	A 18 0312 A 20 0320	90 1	2	91	0.32	96		0.35 71 98	1.02 60 121	0.70 70 101	-0.04 67 96	1.43 77 124	0.83 72 101	3.56 43 112	1.34 43 113	109	2	236
A 22 0366 96085089	2.75	NH 19 0549 A 20 0474	90 1	2	108	0.90	97		0.33 71 98	0.80 60 117	-1.11 71 89	0.14 69 106	-0.13 78 100	7.80 73 119	-0.33 42 97	-0.02 41 97	106	2	34
A 22 0371 96085147	8.10	A 18 0266 A 20 0366	133 4	1	106	4.81	103		0.90 72 103	0.96 59 120	0.12 72 97	-0.17 70 87	0.15 79 105	2.75 74 106	5.47 45 119	2.15 45 123	95	1	53
A 22 0378 96085220	1.27	A 19 0205 A 15 0672	128 6	1	96	-9.00	81		-0.39 71 91	1.10 56 123	-2.14 71 83	-0.10 69 92	0.82 78 115	-1.57 73 95	-1.11 44 94	-0.32 43 93	95	2	188
A 22 0382 96085246	1.41	A 18 0266 A 19 0013	91 2	2	95	-1.99	92		0.08 71 96	0.91 60 119	-0.67 71 92	-0.19 69 86	1.08 78 119	0.89 73 101	5.55 45 119	1.62 45 116	100	2	206
A 22 0393 96085386	1.26	A 20 0079 A 20 0162	93 2	1	108	-0.79	94		0.06 70 96	-0.62 54 87	0.34 71 99	0.11 69 105	-0.33 78 97	-2.52 73 92	-3.97 37 83	-1.22 37 82	93	1	38
A 22 0410 96085501	1.89	A 20 0079 A 19 0952	108 2	1	113	1.83	98		0.68 67 101	-0.53 51 89	-0.05 65 96	0.24 62 113	-0.63 74 93	-1.64 67 94	-3.88 29 84	-1.21 29 82	94	1	11
A 22 0416 96085543	2.70	A 20 0079 A 20 0412	96 3	1	107	-7.57	83		-0.88 70 87	-1.08 53 77	-2.11 71 83	0.29 68 116	-0.05 78 101	1.36 73 102	-8.66 40 66	-2.52 40 66	93	2	46
A 22 0419 96085584	1.26	NH 17 0405 A 18 0252	92 2	1	98	-5.56	86		-0.48 70 90	0.35 59 107	-1.23 71 89	-0.07 69 94	0.29 78 107	4.25 73 110	-0.17 44 98	-0.44 44 91	95	1	157
A 22 0425 96085667	1.22	A 20 0145 A 20 0107	94 2	3	109	3.75	102		-1.55 73 80	-0.90 62 81	-1.87 74 85	0.15 72 107	-0.83 81 89	2.83 76 106	6.08 39 121	0.38 38 101	104	1	31
A 22 0443 96085824	1.76	A 18 0312 A 20 0149	120 3	2	106	10.25	112		1.69 73 111	2.06 63 143	2.28 71 111	-0.09 69 93	0.57 78 111	5.74 73 114	5.58 46 119	2.74 46 130	108	2	49
A 22 0446 96085840	1.89	A 18 0312 A 19 0901	93 2	1	105	6.54	106		0.90 65 103	1.06 54 122	0.55 67 100	0.10 64 104	0.42 75 109	2.75 69 106	2.06 38 106	1.52 38 115	95	1	58
A 22 0467 96086061	1.17	NH 17 0405 A 19 0080	105 3	1	106	0.09	96		0.33 71 98	0.92 60 119	-0.87 72 91	0.14 70 107	0.70 79 113	5.62 74 113	1.80 47 105	0.45 47 102	94	2	52
A 22 0474 96086160	1.56	A 18 0312 A 15 0960	108 6	1	94	1.05	97		0.71 68 102	1.28 57 127	1.90 69 109	-0.24 67 83	0.87 77 116	4.00 71 109	2.75 38 109	1.32 38 113	95	1	208
A 22 0479 96086202	1.27	A 20 0079 A 19 0287	91 1	1	110	3.30	101		0.97 69 104	-0.52 53 89	1.16 70 104	0.27 68 115	0.24 78 106	-1.17 72 96	-1.57 41 92	-0.59 41 90	94	2	22
A 22 0482 96086228	1.75	A 18 0368 A 17 0905	104 4	1	92	-13.25	74		-1.25 67 83	0.81 54 117	-1.44 68 87	-0.37 66 75	0.02 76 103	-6.70 70 81	-7.98 36 68	-1.45 36 79	94	2	227

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0487 96086269	2.71	A 18 0266 A 15 0770	112 5	1	95	-7.28	83		-0.38 71 91	0.64 58 113	-1.76 72 85	-0.18 70 87	0.64 79 112	1.44 73 103	-1.40 45 93	0.17 45 99	95	1	202
A 22 0488 96086285	1.39	A 18 0312 A 20 0072	128 4	3	102	7.26	107		1.52 73 109	0.95 65 120	2.62 70 113	-0.05 68 95	1.06 77 119	1.90 72 104	5.74 48 120	2.05 48 122	113	2	98
A 22 0491 96086301	1.89	A 18 0312 A 19 0912	92 1	3	98	6.13	105		1.28 68 107	2.19 60 146	1.54 68 106	-0.18 65 87	0.12 76 104	-1.47 70 95	3.23 41 110	1.86 41 119	127	2	148
A 22 0492 96086327	2.80	NH 17 0405 A 19 0263	95 3	1	100	-5.24	87		-0.86 71 87	-0.08 60 98	-1.49 72 87	-0.10 70 92	0.28 79 107	4.56 74 111	2.60 45 108	-0.12 44 95	94	1	129
A 22 0493 96086343	1.25	A 20 0217 A 20 0163	91 1	1	107	5.57	105		1.11 68 105	0.20 53 104	1.78 70 108	0.01 67 98	-0.06 78 101	3.25 72 107	1.83 40 105	0.61 40 104	94	1	48
A 22 0494 96086368	1.16	A 18 0368 A 17 0140	108 5	2	96	-5.32	87		0.55 73 100	1.40 62 130	0.75 73 101	-0.25 71 83	0.36 80 108	4.18 75 110	-2.98 45 87	-0.41 45 92	103	1	195
A 22 0497 96086426	2.00	A 20 0217 A 20 0905	99 2	1	100	0.27	96		0.29 65 98	0.40 50 108	-0.63 66 92	-0.06 63 94	0.24 75 106	-7.32 68 80	2.68 33 108	0.84 33 107	95	1	136
A 22 0499 96086442	1.00	NH 19 0549 A 18 0015	101 4	2	103	-2.41	91		0.29 73 98	-0.23 62 95	-0.75 73 92	0.01 71 99	-0.21 80 99	3.25 75 107	-0.56 42 96	-0.64 42 89	99	2	85
A 22 0502 96086467	1.19	A 20 0217 A 19 0074	112 3	1	97	-0.90	94		-1.17 70 84	-0.01 54 100	-2.69 70 79	-0.05 68 95	-0.20 78 99	-5.94 72 83	5.22 40 118	0.96 40 108	95	1	176
A 22 0506 96086509	1.70	A 18 0368 A 18 0068	137 5	1	98	-7.67	83		0.22 72 97	1.09 59 123	0.40 72 99	-0.15 70 89	0.28 79 107	-3.31 74 90	-7.65 44 70	-1.41 44 80	95	1	152
A 22 0509 96086566	7.55	A 20 0079 A 19 0380	97 3	1	100	-6.45	85		-0.96 70 86	-0.71 54 85	-2.24 71 82	0.30 69 117	0.31 78 107	-2.69 73 92	-6.20 37 75	-1.84 37 75	94	1	125
A 22 0511 96086582	1.89	A 18 0368 A 19 0913	106 3	1	98	-6.72	84		0.30 66 98	1.31 54 127	0.26 67 98	-0.24 65 83	-0.23 76 99	-0.83 70 97	-8.09 36 68	-1.22 36 82	94	1	147
A 22 0514 96086608	1.08	A 20 0217 A 17 0191	90 4	3	90	-3.82	89		-2.10 72 75	-1.01 61 79	-4.30 73 69	0.07 71 102	0.54 80 111	2.66 75 106	9.43 41 134	1.12 41 110	104	1	237
A 22 0517 96086624	1.00	A 19 0154 A 20 0219	106 3	2	92	-5.02	87		1.21 72 106	1.50 61 132	1.58 73 107	-0.15 71 89	2.33 80 138	3.13 75 107	2.32 41 107	0.82 41 107	103	1	226
A 22 0520 96086665	1.32	A 18 0266 A 20 0198	96 2	1	94	-1.03	94		0.63 71 101	1.41 58 130	1.36 72 105	-0.44 69 71	0.32 78 107	-7.19 73 80	1.54 44 104	1.32 44 113	95	1	212
A 22 0522 96086707	1.21	NH 17 0405 A 18 0344	90 1	1	102	-4.44	88		-1.17 69 84	0.58 58 112	-3.22 71 76	0.05 69 101	-0.36 78 97	8.05 73 120	-1.62 45 92	-0.40 44 92	95	2	100

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
A 22 0526 96086749	1.00	A 18 0368 A 20 0411	90	1	1	91	-14.91	71	-0.24 69	0.91 55	-1.12 89	-0.26 67	0.59 77	-0.99 71	-9.57 41	-1.96 41	94	1	231	
A 22 0527 96086764	2.43	NH 17 0405 A 20 0132	91	3	4	118	4.99	104	0.87 74	-0.65 66	-0.55 72	0.10 69	-1.01 78	2.72 73	3.13 46	0.16 46	123	2	4	
A 22 0538 96086848	1.37	A 18 0312 A 17 0078	97	4	1	90	-0.47	95	0.53 71	1.11 59	-0.07 71	0.01 69	2.07 78	0.49 73	4.56 44	1.90 44	95	1	238	
A 22 0539 96086863	1.14	NH 17 0405 A 20 0081	99	2	2	102	-1.24	93	-1.54 72	0.06 62	-2.56 70	-0.04 68	-0.20 77	1.94 72	5.30 46	0.76 46	112	2	105	
A 22 0543 96086921	7.27	A 19 0205 A 16 0307	106	5	1	95	-9.47	80	-1.82 70	0.13 54	-2.59 71	-0.14 68	-0.19 78	3.33 73	-2.59 38	-1.07 38	94	1	200	
A 22 0547 96086988	1.56	NH 17 0405 A 15 0925	122	7	1	94	-4.86	87	-0.85 70	1.03 60	-1.33 71	-0.31 68	0.50 78	-3.23 73	4.77 40	1.06 39	95	1	209	
A 22 0550 96087028	1.34	A 19 0205 A 20 0345	91	2	2	92	-9.36	80	-0.34 70	1.39 57	-0.65 70	-0.11 68	0.55 78	2.74 72	-6.42 39	-1.32 39	108	2	225	
A 22 0552 96087044	2.86	A 20 0079 A 16 0161	126	6	2	106	-2.84	91	-0.15 72	-1.14 58	-0.56 72	0.12 70	0.08 79	-2.92 74	-2.50 37	-1.05 37	98	1	54	
A 22 0555 96087069	4.08	A 18 0266 A 20 0039	113	4	1	108	3.85	102	-0.04 71	0.66 58	-1.06 71	0.18 69	-0.02 78	-1.51 73	-0.46 47	0.72 47	95	2	32	
A 22 0563 96087127	3.68	A 19 0154 A 20 0408	100	3	2	110	0.93	97	0.77 72	0.52 60	-0.73 72	0.06 70	-0.51 79	1.00 74	0.54 43	-0.21 43	107	2	24	
A 22 0573 96087184	0.80	NH 19 0549 A 17 0426	95	4	3	98	-2.50	91	-0.44 73	0.95 63	-1.55 72	-0.11 70	-0.18 79	1.58 74	1.68 44	0.27 44	118	2	167	
A 22 0575 96087226	1.00	A 18 0368 A 17 0214	99	4	1	98	-10.20	79	-0.21 71	0.92 58	-1.06 72	-0.49 70	-0.74 79	2.27 74	-5.53 44	-0.99 44	94	1	162	
A 22 0590 96087341	2.96	NH 19 0549 A 19 0399	112	4	4	104	3.96	102	1.58 75	0.51 66	0.81 73	0.05 71	0.64 80	7.36 75	6.42 42	1.11 42	130	2	80	
A 22 0591 96087366	2.96	NH 19 0549 A 19 0399	112	4	2	101	0.21	96	0.86 73	-0.04 61	0.46 73	0.08 71	1.20 80	8.84 75	5.18 40	0.66 40	99	1	116	
A 22 0599 96087440	1.89	A 20 0145 A 19 0909	99	2	4	103	1.97	99	0.08 71	-0.32 62	0.27 69	-0.08 67	0.25 77	-3.16 72	6.73 35	0.97 35	129	2	87	
A 22 0600 96087465	0.97	A 18 0312 A 20 0047	116	4	3	110	6.93	107	0.68 74	0.95 65	0.75 72	0.14 70	0.00 79	5.18 74	1.71 47	0.94 47	116	2	26	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
A 22 0603 96087481	1.66	A 20 0217 A 20 0418	116 4	2	98	-6.64	84		-2.12 71	-0.26 58	-3.55 72	0.29 69	1.45 79	0.76 74	1.05 41	-0.07 40	98	1	165
A 22 0606 96087523	0.94	A 20 0145 A 20 0004	95 3	2	108	0.90	97		0.46 72	-0.69 59	0.06 85	0.07 70	0.08 79	1.71 74	1.84 42	-0.05 41	106	2	39
A 22 0616 96087606	1.62	A 19 0154 A 19 0064	116 4	1	97	-7.47	83		0.18 71	0.07 56	-0.22 101	-0.02 69	0.50 78	4.24 73	-3.28 40	-1.43 39	95	1	184
A 22 0632 96087747	0.44	NH 19 0549 A 16 0193	130 6	1	96	-5.01	87		0.57 72	0.18 59	-0.02 104	-0.17 70	0.25 79	4.49 74	0.94 44	-0.44 43	95	1	192
A 22 0635 96087788	1.15	A 20 0217 A 17 0443	94 5	3	93	-0.56	94		-1.61 72	0.06 62	-2.16 101	-0.10 69	0.22 79	-1.40 74	8.57 42	1.45 42	116	2	218
A 22 0644 96087887	2.81	NH 19 0549 A 20 0387	103 3	1	103	-1.09	94		0.42 71	0.51 57	-1.02 111	0.10 70	-0.25 79	7.17 74	-2.70 40	-0.56 40	96	2	83
A 22 0651 96087903	1.20	A 18 0266 A 19 0161	100 4	1	103	5.63	105		1.23 71	0.37 59	1.74 108	0.01 69	0.53 78	0.31 73	2.20 49	1.21 49	93	2	89
A 22 0655 96087945	1.87	A 19 0205 A 18 0903	97 3	1	100	-6.17	85		-1.00 65	-0.14 50	-2.18 97	0.05 64	0.40 75	-5.50 69	-0.85 30	-0.57 30	93	1	122
A 23 0002 99198871	2.25	A 20 0145 A 19 0248	111 3	1	105	2.89	100		0.30 71	-0.01 56	-0.40 100	0.06 68	0.30 77	7.02 72	6.63 38	0.97 37	117	1	41
A 23 0065 99199499	2.49	NH 19 0549 A 21 0336	97 2	1	104	1.92	99		0.66 71	0.21 57	-0.16 104	0.07 68	0.37 77	6.07 72	2.20 41	0.66 41	108	1	46
A 23 0069 99199572	0.87	WW 20 200 A 19 0234	107 3	1	107	6.55	106		0.51 72	-0.15 57	-0.46 97	0.13 69	0.12 77	9.07 73	4.39 40	1.54 40	113	1	26
A 23 0088 99199838	0.74	CR 21 0114 A 17 0354	108 5	2	93	0.39	96		0.63 72	1.54 59	0.18 132	-0.27 69	-0.18 78	4.49 73	2.47 38	0.99 38	153	1	146
A 23 0098 99199978	2.23	WW 20 200 A 17 0193	101 3	1	110	8.97	110		0.32 72	0.47 56	-0.44 110	0.15 69	-0.03 78	0.36 73	5.09 39	1.97 39	111	1	10
A 23 0173 99200719	3.60	NH 19 0408 A 19 0455	101 3	1	100	0.69	97		-0.79 71	-1.20 58	-2.34 75	0.21 68	-0.99 77	4.41 72	2.32 40	-0.70 40	104	1	83
A 23 0208 99201071	0.99	A 20 0145 A 17 0078	97 4	2	102	0.38	96		-0.07 72	-0.81 60	-1.50 83	0.09 68	0.44 77	-0.86 72	6.91 38	0.81 38	134	1	66
A 23 0212 99201139	1.89	CR 21 0114 A 19 0910	115 3	1	100	1.16	97		0.33 68	-0.17 52	-0.61 96	0.02 65	-0.56 75	1.27 69	-0.62 29	-0.10 29	106	1	86

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned	1st	2nd	SIP	GM		Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd
										EBV Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average :							100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
A 23 0218 99201253	0.96	NH 19 0408 A 20 0219	106 3	2			103	2.97	100	0.85 73	0.11 62	1.21 71	-0.06 69	0.05 78	4.90 73	3.72 42	0.56 42	138	1
A 23 0219 99201279	0.96	NH 19 0408 A 20 0219	106 3	2			105	4.86	103	1.52 73	0.10 62	1.89 71	-0.14 69	-0.38 78	1.88 73	3.89 42	0.67 42	141	1
A 23 0241 99201451	0.81	NH 20 0444 A 21 0078	128 3	1			105	4.26	102	0.75 71	-0.65 54	-0.40 70	0.44 68	0.53 77	4.10 72	1.66 40	-0.06 40	107	1
A 23 0248 99201519	0.93	CR 21 0114 A 16 0447	129 6	2			94	0.73	97	1.17 73	0.42 60	1.90 71	-0.16 69	-0.16 78	-4.61 73	0.31 39	-0.18 39	154	1
A 23 0304 99202038	0.80	NH 19 0408 A 17 0050	106 5	1			97	-0.52	95	0.52 72	-0.01 59	-0.24 71	-0.07 69	-0.32 78	-0.85 73	2.82 43	-0.07 43	120	1
A 23 0320 99202111	2.21	A 20 0145 A 21 0902	97 2	1			105	2.15	99	-0.18 67	-0.43 52	-1.46 65	0.10 63	-0.56 74	9.08 68	2.53 31	0.22 31	116	1
A 23 0322 99202137	1.34	NH 19 0408 A 19 0380	97 3	1			95	-4.18	89	-0.08 71	-0.80 58	-0.55 71	0.19 68	0.69 77	4.19 72	-0.63 41	-1.09 41	115	1
A 23 0343 99202251	1.07	CR 21 0114 A 20 0554	97 3	2			98	2.22	99	1.59 72	-0.07 57	0.94 70	0.00 68	0.20 77	-6.15 72	2.16 34	0.33 34	145	1
A 23 0356 99202376	0.86	CR 21 0114 A 17 0140	108 5	2			100	5.21	104	1.59 73	0.52 60	1.58 71	-0.17 69	-0.44 78	0.73 73	4.53 39	0.98 39	148	1
A 23 0390 99202814	5.90	NH 19 0408 A 17 0113	101 4	1			98	-1.11	94	-0.45 72	-0.70 59	-1.30 71	-0.01 69	-0.57 78	6.92 73	2.65 43	-0.26 43	108	1
A 23 0392 99202830	0.45	NH 20 0444 A 16 0365	145 6	1			95	-4.22	88	-0.36 72	-0.26 54	-1.63 71	-0.13 69	-0.16 78	1.77 73	3.36 39	-0.06 38	111	1
A 23 0456 99203457	3.95	A 20 0145 A 19 0181	105 3	1			109	0.86	97	0.34 72	-0.73 57	-0.13 71	0.16 69	0.64 78	-2.99 73	4.12 39	0.19 39	110	1
A 23 0460 99203499	1.06	A 18 0368 A 19 0174	97 4	1			85	-13.18	74	-0.88 71	1.37 58	-1.45 70	-0.33 68	0.67 77	0.62 72	-5.63 43	-0.93 43	125	1
A 23 0473 99203671	1.34	A 20 0145 A 16 0161	126 6	1			110	1.57	98	-0.03 71	-0.53 56	-0.66 70	0.06 68	-0.36 77	6.25 72	2.30 38	0.07 38	111	1
A 23 0496 99203937	1.71	A 20 0079 A 17 0134	112 5	1			102	-2.79	91	-0.04 71	-0.67 55	-0.76 70	0.27 68	0.86 77	9.87 71	-1.00 39	-0.80 38	116	1
A 23 0497 99203952	1.44	A 18 0312 A 18 0485	110 4	1			104	-0.54	95	0.05 71	0.89 59	-0.56 70	0.07 68	1.47 77	0.42 72	2.59 44	1.22 44	119	1

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
							EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100				0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27				
A 21 0001 94292471	0.70	NH 19 0408 A 14 0672	106	5	98	-10.98	77		-1.65 68	-0.35 53	-2.05 69	83	-0.20 67	0.25 76	4.44 71	110	0.06 37	-1.04 37	84		87			
A 21 0150 94294113	0.88	NH 19 0408 A 16 0166	107	5	114	-3.01	90		-0.42 70	-0.53 54	-1.71 71	86	0.03 69	-0.46 77	0.75 72	101	0.54 39	-0.69 39	88		10			
A 22 0017 96081609	1.09	SD 17 0177 A 18 0261	111	4	105	-3.81	89		-0.95 70	0.44 56	-1.48 71	87	0.00 69	-0.19 77	5.47 72	113	-6.06 46	-0.63 46	89		57			
A 22 0045 96081880	1.07	SD 17 0177 A 19 0067	92	1	101	-4.02	89		0.10 68	0.93 53	-0.20 70	95	-0.10 68	0.51 77	-0.65 72	97	-3.35 41	-0.13 41	95		121			
A 22 0109 96082540	4.99	NH 19 0549 A 17 0062	100	5	102	-1.92	92		0.60 71	0.33 54	-0.44 71	94	0.19 69	0.84 78	9.83 73	124	-0.71 43	-0.39 43	92		110			
A 22 0122 96082722	1.09	SD 17 0177 A 18 0351	113	4	107	-2.17	92		-1.65 70	0.41 57	-2.04 71	83	-0.17 69	-1.35 78	-2.19 72	93	-3.59 44	-0.34 44	93		42			
A 22 0270 96084082	1.54	A 20 0145 A 16 0384	92	5	105	-4.26	88		-1.21 70	-0.82 51	-3.25 70	76	0.12 68	-0.35 77	5.40 72	113	1.39 37	-0.60 36	90		59			
A 22 0376 96085204	1.17	A 20 0079 A 16 0082	120	5	99	-4.16	89		-0.74 70	-0.10 50	-1.83 69	85	-0.02 68	0.21 75	0.91 70	101	2.37 36	-0.08 36	96		142			
A 22 0408 96085485	1.03	A 18 0312 A 18 0223	111	4	90	-1.78	92		0.48 70	0.56 55	0.71 71	101	0.03 69	1.95 78	7.11 72	117	2.88 45	0.97 44	109		240			
A 22 0454 96085949	1.14	NH 19 0549 A 19 0036	108	4	102	-3.74	89		0.24 69	0.15 52	-1.25 70	88	0.00 68	-0.20 77	1.97 72	104	-2.01 40	-0.72 40	88		97			
A 22 0507 96086525	1.70	A 18 0368 A 18 0068	137	5	101	-7.14	84		0.49 70	1.07 54	0.55 71	100	-0.22 69	-0.07 78	-3.42 73	90	-7.07 42	-1.38 41	80		115			
A 22 0508 96086541	1.16	A 20 0145 A 17 0019	97	4	105	-0.03	95		-0.09 70	0.91 52	-0.11 71	96	-0.03 69	0.60 77	-4.50 72	87	3.02 38	0.73 38	106		65			
A 22 0537 96086822	1.37	A 18 0312 A 17 0078	97	4	86	-2.25	92		-0.18 69	1.06 54	-0.46 70	94	-0.03 68	2.22 77	-3.42 72	90	5.40 44	1.89 44	120		251			
A 22 0618 96087648	13.81	A 20 0079 A 20 0213	90	1	104	-3.44	90		-0.44 68	-0.39 46	-0.84 69	91	0.40 67	0.99 77	7.42 71	118	-5.09 36	-1.37 36	80		78			
A 23 0037 99199218	4.35	WW 20 200 A 20 0366	133	4	115	14.37	119		1.54 71	0.38 52	1.17 71	104	0.39 69	0.85 78	13.64 73	134	6.86 37	2.55 36	128		4			
A 23 0064 99199473	0.78	CR 21 0114 A 20 0314	101	3	93	-3.33	90		0.62 70	0.02 48	0.38 71	99	-0.08 69	0.20 78	1.79 73	103	-1.73 33	-0.62 33	89		147			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index	
							EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	
		Active Breed Average :			100.7	2.8	100			0.54	0.01	0.56			0.03	-0.14	0.50		0.46	0.27				
A 23 0072 99199614	1.48	WW 20 200 A 21 0129	128	3	97	-0.07	95			0.32 71	0.34 52	0.19 71	98	107	98	0.00 69	1.02 77	0.15 73	99	0.65 39	0.87 38	101 107	116	
A 23 0075 99199655	0.88	WW 20 200 A 19 0376	105	4	103	4.96	104			0.93 71	0.13 52	0.73 71	104	103	101	0.15 69	0.75 78	2.26 73	105	2.48 40	1.09 40	108 110	50	
A 23 0110 99200099	0.81	NH 19 0408 A 21 0061	94	1	96	-2.15	92			0.64 69	-0.61 53	0.66 71	101	87	101	-0.10 68	0.03 77	-0.34 72	98	1.13 38	-0.47 38	103 91	117	
A 23 0117 99200115	0.96	NH 19 0408 A 20 0004	95	3	100	0.38	96			-0.10 69	-1.10 53	-0.47 71	94	77	93	0.14 69	0.10 77	6.93 72	117	2.65 39	-0.26 39	108 94	87	
A 23 0123 99200230	0.68	NH 19 0549 A 19 0202	115	4	102	0.71	97			0.69 71	0.91 55	0.13 71	101	119	97	0.06 69	-0.20 78	0.16 73	99	-1.46 45	-0.36 44	93 92	67	
A 23 0178 99200735	3.13	A 20 0145 A 21 0011	91	2	100	-1.47	93			0.39 69	-0.83 49	0.38 70	99	82	99	0.11 68	0.96 77	8.89 72	122	3.72 34	-0.14 34	112 95	92	
A 23 0214 99201170	1.28	A 20 0145 A 19 0161	100	4	112	8.74	110			0.76 70	-0.90 52	0.20 70	102	81	98	0.44 68	-0.05 77	6.39 72	115	3.59 42	0.33 42	101	8	
A 23 0231 99201394	1.87	NH 20 0444 A 18 0904	118	4	94	-5.35	87			-0.67 66	-0.38 43	-1.67 67	89	92	86	-0.01 64	0.31 75	-0.66 69	97	-0.59 28	-0.43 28	96 92	142	
A 23 0246 99201493	2.21	WW 20 200 A 21 0913	97	2	102	3.67	101			0.49 65	0.28 45	1.16 66	100	106	104	-0.01 64	1.22 74	0.31 68	100	3.75 31	1.69 31	112 117	63	
A 23 0250 99201535	4.10	NH 20 0444 A 20 0408	100	3	104	1.56	98			-0.11 69	-0.33 46	-1.78 70	94	93	85	0.16 68	-0.96 77	5.42 72	113	-0.03 34	-0.47 34	98 91	48	
A 23 0267 99201717	0.65	NH 19 0549 A 21 0347	101	3	98	-0.59	94			0.98 70	1.60 52	1.09 70	104	134	103	-0.22 68	0.62 77	5.76 72	114	1.60 41	0.86 41	104 107	102	
A 23 0270 99201733	1.87	CR 21 0114 A 18 0955	111	4	98	0.82	97			0.68 67	0.20 47	0.99 68	101	104	103	-0.08 65	0.04 76	-5.57 70	84	0.43 25	0.12 25	100 98	105	
A 23 0280 99201857	1.14	WW 20 200 A 19 0442	92	2	104	5.26	104			0.18 69	-0.05 49	-0.55 70	97	99	93	0.28 68	1.05 77	13.65 72	134	4.13 33	1.52 33	114 115	47	
A 23 0295 99201972	1.30	CR 21 0114 A 20 0519	105	3	100	2.42	99			1.75 70	0.63 49	1.80 71	111	113	108	-0.10 69	0.53 78	3.59 73	108	1.53 37	0.78 37	104 106	84	
A 23 0296 99201998	1.30	CR 21 0114 A 20 0519	105	3	95	-1.41	93			0.98 70	0.96 49	1.61 71	104	120	107	-0.29 69	0.67 78	-1.84 73	94	1.53 37	0.78 37	104 106	132	
A 23 0309 99202053	7.76	CR 21 0114 A 19 0215	105	3	97	1.38	98			0.90 71	0.08 51	1.01 71	103	102	103	-0.03 69	0.13 78	2.49 73	105	1.08 38	0.15 38	102 99	109	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 23 0325 99202152	1.33	A 20 0145 A 21 0250	108 3		100	-0.26	95	1.02 70	0.20 51	1.62 107	-0.13 68	0.74 77	5.81 114	3.40 36	0.47 103	89
A 23 0354 99202335	1.13	WW 20 200 A 20 0418	116 4		101	2.21	99	0.60 70	0.61 50	-0.34 113	0.32 69	1.40 78	-2.96 91	-0.24 36	0.72 106	73
A 23 0376 99202590	3.61	CR 21 0114 A 20 0397	100 2		98	1.32	98	2.54 70	0.88 48	1.35 105	0.00 69	-0.24 77	2.88 106	-4.07 36	-0.54 90	99
A 23 0388 99202772	0.94	CR 21 0114 A 20 0372	96 2		102	3.68	101	0.35 70	0.31 49	-1.06 107	-0.11 68	-1.45 77	4.37 110	2.15 37	0.50 103	62
A 23 0443 99203275	1.56	A 18 0312 A 20 0323	95 2		94	-5.66	86	-0.40 69	1.22 53	-0.44 126	-0.15 68	1.25 77	1.99 104	-0.88 44	0.49 103	66
A 23 0444 99203291	1.56	A 18 0312 A 20 0323	95 2		95	-5.07	87	0.21 69	1.32 53	0.07 128	-0.27 68	0.73 77	0.90 101	-1.07 42	0.44 102	65
A 23 0446 99203317	3.08	A 21 0017 A 20 0438	107 4		107	-1.06	94	0.33 68	1.12 44	-1.14 124	-0.14 66	-0.26 76	-9.92 70	-0.94 29	0.53 103	13
A 23 0448 99203333	4.39	NH 19 0549 A 20 0410	108 4		106	1.48	98	0.80 70	0.75 53	0.17 116	0.07 69	0.53 78	10.32 126	2.62 39	0.51 103	22
A 23 0450 99203358	1.28	A 21 0017 A 18 0445	106 4		96	-7.42	83	-0.65 69	-0.02 47	-1.75 85	-0.06 67	0.66 77	1.80 103	-1.52 34	-0.37 92	64
A 23 0451 99203374	3.93	A 20 0145 A 19 0270	123 4		116	7.68	108	0.82 71	-0.45 52	0.59 100	0.18 69	-0.37 78	2.73 106	6.99 36	0.69 105	1
A 23 0452 99203390	3.93	A 20 0145 A 19 0270	123 4		115	7.69	108	1.00 71	-0.44 52	0.78 101	0.19 69	-0.21 78	6.54 116	6.99 36	0.69 105	2
A 23 0453 99203416	0.74	A 18 0368 A 17 0141	129 5		93	-7.74	83	-0.41 71	1.72 54	-1.27 136	-0.18 69	0.87 78	6.21 115	-1.26 42	0.03 97	68
A 23 0454 99203432	0.74	A 18 0368 A 17 0141	129 5		92	-8.28	82	-0.15 71	1.86 54	-0.74 139	-0.24 69	0.99 78	9.53 124	-1.26 42	0.03 97	71
A 23 0458 99203473	1.16	A 18 0312 A 20 0387	103 3		107	3.41	101	1.01 69	0.95 53	0.25 120	-0.01 68	0.20 77	8.22 120	0.92 41	1.03 109	14
A 23 0462 99203515	1.27	A 20 0145 A 18 0015	101 4		106	0.51	96	-0.63 70	-0.70 52	-1.71 85	0.23 69	-0.28 78	5.49 113	1.34 37	-0.38 92	19
A 23 0463 99203531	1.89	A 20 0079 A 19 0035	124 5		98	-6.66	84	-0.30 70	-0.48 48	-0.59 90	0.16 68	0.91 77	-0.04 99	-3.94 34	-1.44 79	55

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP		GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
							Dir																	
							EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	
		Active Breed Average :			100.7	2.8	100		0.54		0.01		0.56		0.03	-0.14		0.50		0.46		0.27		
A 23 0464 99203556	1.89	A 20 0079 A 19 0035	124 5		106	-0.74	94		0.00 70	-0.89 48	81		-1.10 70	89		0.36 68	-0.10 77	5.50 72	113		-3.94 34	-1.44 34	79	20
A 23 0466 99203572	1.23	A 18 0312 A 20 0144	101 2		112	6.84	107		2.20 69	1.05 53	122		3.52 70	119		0.15 68	2.01 77	5.90 72	114		3.66 40	1.58 39	116	5
A 23 0468 99203598	5.36	NH 19 0549 A 17 0137	101 5		104	-0.01	95		-0.21 70	0.36 53	107		-0.39 70	94		-0.02 68	-0.12 77	7.41 72	118		1.86 38	0.08 38	98	29
A 23 0469 99203614	1.19	A 18 0368 A 19 0390	92 2		79	-18.47	65		-1.94 69	0.71 52	115		-3.62 70	73		-0.19 68	0.75 77	0.10 72	99		-8.92 40	-1.94 40	73	82
A 23 0472 99203655	4.26	A 21 0017 A 18 0084	104 5		97	-7.42	83		-0.85 69	1.08 47	123		-2.13 69	83		-0.41 67	-0.22 77	0.62 71	100		-0.08 34	0.45 33	102	56
A 23 0474 99203697	1.34	A 20 0145 A 16 0161	126 6		113	4.36	103		0.25 70	-0.31 51	93		-0.05 70	96		-0.01 68	-1.05 77	0.32 72	100		2.68 35	0.20 35	99	4
A 23 0475 99203713	1.11	A 19 0154 A 20 0106	99 3		107	1.53	98		1.30 69	1.19 51	125		1.15 70	104		0.10 68	1.38 77	-0.71 72	97		2.12 38	0.78 37	106	17
A 23 0476 99203739	1.11	A 19 0154 A 20 0106	99 3		109	3.19	101		1.88 69	1.29 51	127		2.47 70	112		0.03 68	1.21 77	-3.05 72	91		2.12 38	0.78 37	106	9
A 23 0478 99203754	3.36	A 19 0154 A 19 0398	99 2		102	-1.53	93		0.82 70	0.01 52	100		-0.61 70	93		0.37 68	1.66 77	7.15 72	117		1.51 38	-0.17 38	95	35
A 23 0480 99203770	4.06	A 19 0154 A 18 0065	129 5		96	-3.92	89		0.35 71	0.07 53	101		-0.26 71	95		0.08 69	1.23 78	1.18 73	102		3.26 39	-0.14 39	95	60
A 23 0482 99203812	1.23	A 19 0154 A 19 0108	121 5		101	0.07	96		0.50 70	-0.01 53	100		-0.09 70	96		0.23 68	1.00 77	2.71 72	106		2.30 41	0.02 41	97	40
A 23 0483 99203838	1.25	A 19 0154 A 20 0329	116 3		96	-4.70	88		0.19 70	0.64 52	113		-1.61 71	86		0.21 68	1.46 77	3.18 72	107		0.74 37	-0.10 37	96	63
A 23 0484 99203853	1.25	A 19 0154 A 20 0329	116 3		99	-2.13	92		0.47 70	0.43 52	109		-1.60 71	86		0.32 68	1.20 77	3.47 72	108		0.74 37	-0.10 37	96	50
A 23 0486 99203879	4.29	A 18 0368 A 17 0282	112 5		85	-13.49	73		-0.70 70	1.53 54	132		-1.38 71	88		-0.28 69	0.97 77	3.32 72	107		-7.39 42	-0.98 42	85	81
A 23 0491 99203895	1.02	NH 19 0549 A 20 0309	99 3		99	-4.59	88		0.31 70	0.01 52	100		-0.37 70	94		0.18 68	1.51 77	5.45 72	113		-0.88 37	-0.44 37	92	51
A 23 0492 99203911	1.02	NH 19 0549 A 20 0309	99 3		97	-5.81	86		-0.17 70	0.17 52	104		-1.72 70	85		-0.03 68	0.37 77	1.11 72	102		-0.69 40	-0.37 40	92	58

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index		
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 23 0498 99203978	1.44	A 18 0312 A 18 0485	110	4	107	1.75	98	0.14 70	0.98 54	-0.50 70	93	-0.05 68	0.39 77	-2.60 72	92	3.00 41	1.30 41	110 113				15		
A 23 0502 99203994	1.31	A 19 0154 A 20 0054	112	3	105	0.13	96	0.67 70	1.09 52	0.37 71	99	0.06 68	0.99 77	6.81 72	117	0.80 38	0.54 38	101 103				24		
A 23 0503 99204018	1.04	A 21 0017 A 19 0281	104	3	101	-3.59	89	-0.11 69	0.49 47	-0.98 69	90	-0.08 67	0.82 77	-3.49 71	90	1.74 33	0.57 33	105 104				41		
A 23 0504 99204034	1.04	A 21 0017 A 19 0281	104	3	103	-2.36	92	-0.04 69	0.55 47	-1.57 69	86	-0.19 67	-0.29 77	0.50 71	100	1.74 33	0.57 33	105 104				34		
A 23 0506 99204059	1.52	A 18 0312 A 20 0542	102	3	98	-3.23	90	0.50 69	0.95 53	-0.14 70	96	-0.07 68	1.59 77	3.30 72	107	2.49 41	1.00 41	108 109				54		
A 23 0507 99204075	2.24	A 20 0079 A 18 0459	116	5	100	-4.79	88	-0.79 70	-1.12 49	-2.45 70	81	0.42 68	0.47 77	-1.16 72	96	-4.00 37	-1.63 36	83 77				46		
A 23 0508 99204091	2.24	A 20 0079 A 18 0459	116	5	99	-4.59	88	-0.92 70	-1.08 49	-2.53 70	80	0.38 68	0.20 77	-2.92 72	91	-4.00 37	-1.63 36	83 77				47		
A 23 0512 99204117	2.66	A 20 0079 A 17 0272	127	5	98	-4.57	88	-0.12 71	-0.98 50	-0.69 70	92	0.22 68	0.45 77	-7.93 72	78	-1.76 36	-1.51 36	92 79				53		
A 23 0515 99204158	1.64	A 21 0051 A 18 0446	81	5	86	-12.40	75	-1.84 68	-0.80 43	-1.99 68	84	-0.19 66	0.03 76	-0.77 70	97	-2.80 33	-1.73 33	88 76				79		
A 23 0517 99204190	1.33	A 21 0051 A 16 0234	162	7	93	-6.91	84	-0.07 69	0.34 46	-0.60 69	93	-0.28 67	-0.43 77	-1.71 71	94	-1.06 33	-0.91 32	94 86				67		
A 23 0518 99204216	1.33	A 21 0051 A 16 0234	162	7	90	-8.58	81	-0.10 69	0.45 46	-0.76 69	92	-0.38 67	-0.46 77	-4.84 71	86	-1.06 33	-0.91 32	94 86				73		
A 23 0520 99204232	2.01	A 20 0079 A 19 0198	94	2	97	-6.26	85	-0.58 68	-0.29 47	-2.21 69	82	0.18 67	0.92 77	-5.01 71	86	-1.04 32	-0.67 32	94 89				59		
A 23 0526 99204273	0.99	A 20 0079 A 20 0308	106	3	102	-1.84	92	0.73 69	0.12 48	1.16 70	104	0.08 68	1.00 77	-0.55 72	97	-2.49 35	-0.44 35	89 91				36		
A 23 0527 99204299	1.42	A 21 0051 A 19 0034	97	3	99	-2.95	91	0.22 68	0.81 43	0.42 68	99	-0.35 66	-0.66 76	-0.49 70	97	0.58 31	-0.19 30	101 94				52		
A 23 0529 99204315	1.62	A 21 0051 A 21 0243	105	3	89	-10.49	78	-1.34 68	0.41 43	-2.18 68	83	-0.11 65	0.35 76	-4.12 70	88	-3.68 31	-1.16 30	84 83				75		
A 23 0534 99204372	1.22	A 21 0051 A 19 0074	112	3	100	-3.02	90	-0.33 69	0.33 45	-0.83 68	91	-0.38 66	-0.93 76	-4.31 71	87	3.48 31	0.24 31	111 100				45		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index		
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 23 0535 99204398	1.32	A 21 0051 A 20 0072	128	4	106	3.37	101	1.50 69 109		0.58 46 112		1.91 68 109		-0.16 66 88		-0.09 76 101		3.48 70 108		3.08 34 110		0.65 34 105		18
A 23 0541 99204455	1.40	A 20 0145 A 21 0368	100	3	107	0.40	96	0.48 69 100		0.05 50 101		-0.47 70 93		-0.19 68 87		-0.53 77 94		1.92 72 104		3.04 36 110		0.57 36 104		16
A 23 0545 99204497	3.41	A 21 0051 A 17 0170	95	4	99	-2.95	91	-0.13 68 94		0.20 45 104		-0.70 69 92		-0.12 66 91		-0.14 77 100		4.99 71 112		0.27 34 99		-0.16 33 95		48
A 23 0550 99204570	1.89	A 21 0017 A 19 0901	93	2	103	-3.24	90	-1.17 62 84		0.68 39 114		-2.10 64 83		-0.18 61 87		-0.23 73 99		-5.06 66 85		-0.37 23 97		0.56 23 104		32
A 23 0553 99204612	2.98	A 21 0017 A 20 0344	88	3	92	-10.67	78	-0.72 68 88		1.25 44 126		-0.60 68 93		-0.33 66 78		1.02 76 118		-4.20 70 88		-4.66 31 81		-0.29 31 93		69
A 23 0554 99204638	1.20	A 20 0217 A 19 0012	97	3	96	-3.80	89	-1.60 67 80		-0.81 47 83		-3.06 68 77		0.19 66 110		0.01 76 102		-1.59 70 95		1.08 36 102		-0.52 36 91		61
A 23 0559 99204695	4.58	A 19 0154 A 17 0036	105	5	100	-2.66	91	-0.38 70 91		-0.49 52 90		-1.47 70 87		0.30 68 116		1.48 77 125		12.46 72 131		2.73 38 109		0.06 38 98		42
A 23 0562 99204711	5.02	A 20 0145 A 19 0503	109	4	104	0.33	96	0.85 70 103		-0.83 51 82		0.82 70 102		-0.04 68 96		-0.52 77 94		-1.18 72 96		1.28 35 103		-0.68 35 89		27
A 23 0564 99204737	1.37	A 18 0368 A 18 0058	99	4	79	-17.94	66	-0.48 70 90		0.20 54 104		-1.72 71 85		-0.19 68 86		0.93 77 117		4.45 72 110		-10.34 43 59		-2.51 42 66		83
A 23 0566 99204752	2.21	A 18 0312 A 21 0910	101	2	105	1.44	98	-0.15 65 94		1.18 49 125		-0.18 66 95		-0.08 63 93		0.80 74 115		-0.65 68 97		3.22 34 110		1.57 34 116		25
A 23 0570 99204778	0.98	A 20 0145 A 18 0346	138	5	103	-1.54	93	-0.08 71 94		-0.16 53 97		-0.01 71 96		-0.21 69 85		-0.56 78 94		-1.07 73 96		1.62 42 104		-0.13 42 95		33
A 23 0578 99204851	1.54	A 20 0217 A 16 0193	130	6	90	-8.43	82	-1.05 69 85		-0.46 51 90		-2.13 69 83		-0.04 67 95		1.74 77 129		-1.03 71 96		5.25 40 118		0.50 40 103		74
A 23 0580 99204877	1.89	A 20 0079 A 19 0906	127	4	101	-3.91	89	-0.98 66 86		-1.50 45 68		-2.82 65 78		0.25 63 113		0.05 74 103		0.93 68 101		-2.23 24 90		-0.87 24 86		39
A 23 0584 99204919	13.73	A 20 0217 A 19 0119	109	3	111	6.91	107	-0.11 69 94		-0.27 50 94		-0.99 69 90		0.32 67 118		0.63 77 112		1.77 71 103		7.18 40 125		1.58 40 116		6
A 23 0591 99204935	1.75	A 18 0368 A 17 0905	104	4	88	-12.50	75	-0.94 65 86		1.00 49 121		-1.19 66 89		-0.25 64 83		0.63 75 112		-3.15 69 90		-7.48 33 70		-1.26 33 82		77
A 23 0594 99204992	1.24	A 19 0154 A 20 0205	96	3	103	-0.99	94	0.63 69 101		0.38 51 108		1.26 70 105		0.02 67 99		0.99 77 117		3.07 72 107		-0.91 36 95		-0.01 36 97		30

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW	FD		SL		NLW		TWW			
			EPI	Times lambded		Dir	Mat	Weight	Weight	Weight	Acc	Index	Acc		Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 23 0599 99205015	2.21	A 18 0312 A 21 0901	113	3	100	-2.18	92	-0.03 65	95	1.27 50	127	0.56 65	100	-0.17 62	1.72 74	3.97 67	109	3.22 34	1.57 34	110	116	43		
A 23 0600 99205031	1.16	A 20 0217 A 21 0048	102	3	103	-0.05	95	-0.39 68	91	1.04 48	122	0.11 68	97	-0.13 66	0.67 76	0.16 70	99	2.40 38	1.12 38	107	110	31		
A 23 0603 99205056	2.00	A 20 0145 A 20 0904	108	3	105	0.79	97	0.22 66	97	-0.25 48	95	0.52 67	100	-0.02 64	0.50 75	3.52 69	108	4.62 27	0.53 27	116	103	23		
A 23 0609 99205098	0.95	A 20 0145 A 21 0038	113	2	104	1.18	97	-0.39 70	91	0.18 51	104	-0.54 71	93	0.04 69	0.91 78	1.74 72	103	6.85 35	1.25 34	124	112	26		
A 23 0610 99205114	0.95	A 20 0145 A 21 0038	113	2	109	4.16	102	0.53 70	100	-0.24 51	95	-0.54 71	93	0.25 69	1.00 78	1.93 72	104	6.85 35	1.25 34	124	112	11		
A 23 0613 99205130	0.62	NH 19 0549 A 18 0298	106	3	97	-4.65	88	-0.04 70	95	0.91 54	119	-1.16 71	89	-0.01 69	0.05 78	5.60 73	113	-3.88 41	-0.71 41	84	88	57		
A 23 0617 99205171	1.23	A 18 0368 A 21 0264	105	3	89	-10.89	77	-0.35 69	92	1.20 53	125	-0.83 70	91	-0.22 68	1.42 77	11.14 72	128	-3.84 41	-0.32 41	84	93	76		
A 23 0618 99205197	1.23	A 18 0368 A 21 0264	105	3	91	-9.17	80	-0.03 69	95	1.22 53	126	-0.40 70	94	-0.29 68	0.83 77	6.91 72	117	-3.84 41	-0.32 41	84	93	72		
A 23 0621 99205213	1.14	A 20 0145 A 17 0255	105	5	100	-3.01	90	-0.18 70	93	0.19 52	104	-0.11 71	96	-0.10 69	0.53 78	0.34 73	100	2.12 38	0.12 38	106	98	44		
A 23 0622 99205239	3.32	A 18 0312 A 21 0298	93	3	96	-5.09	87	0.23 69	97	1.76 52	137	0.71 70	101	-0.22 68	1.77 77	3.81 72	109	-0.58 42	0.92 42	96	108	62		
A 23 0627 99205296	0.94	A 20 0145 A 20 0149	120	3	114	6.82	107	0.99 71	104	0.22 52	105	0.66 71	101	0.12 69	0.24 78	2.27 73	105	5.20 36	1.29 36	118	112	3		
A 23 0628 99205312	0.94	A 20 0145 A 20 0149	120	3	110	4.12	102	0.31 71	98	0.45 52	109	0.17 71	98	0.00 69	0.26 78	3.09 73	107	5.20 36	1.29 36	118	112	7		
A 23 0629 99205338	1.77	A 19 0154 A 17 0400	90	3	86	-11.98	76	-1.54 69	80	0.50 50	110	-1.91 70	84	-0.21 67	1.44 77	4.20 72	110	1.34 37	-0.16 36	103	95	78		
A 24 0001 107700395	2.17	NH 20 0444 A 22 0419	95	1	97	-1.74	93	0.05 67	95	-0.53 43	89	-1.46 69	87	0.22 67	0.07 77	6.19 71	115	-0.87 32	-0.77 32	95	87	193		
A 24 0003 107700411	1.06	CR 21 0114 A 22 0110	105	2	102	2.82	100	1.92 69	113	0.33 48	107	1.94 70	109	0.02 68	0.20 77	-1.27 72	95	-1.90 34	-0.04 34	91	96	99		
A 24 0005 107700437	0.87	NH 19 0408 A 19 0062	105	4	92	-4.93	87	0.12 70	96	-0.53 53	89	0.35 71	99	-0.20 69	0.04 77	4.14 72	110	1.59 39	-0.68 38	104	89	261		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW		
			EPI	Times lambded		EBV	Index	Dir	EBV	Mat	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0009 107700452	1.07	CR 21 0114 A 22 0126	94	2	99	0.80	97	0.47 69	-0.42 99	-0.55 47	91	70	93	0.03 68	-0.55 77	-0.12 94	72	98	0.06 32	-0.26 99	32	94	164	
A 24 0011 107700460	1.00	WW 20 200 A 21 0011	91	2	100	3.76	102	0.90 69	-0.31 103	0.52 49	93	71	100	0.27 69	1.60 77	12.82 127	72	132	3.80 34	1.19 113	34	111	137	
A 24 0014 107700478	0.94	CR 21 0114 A 22 0047	93	2	91	-3.71	89	0.27 69	-0.61 97	-0.25 46	87	70	95	0.04 68	0.43 77	-1.76 109	72	94	-0.96 33	-0.73 95	33	88	269	
A 24 0015 107700486	0.81	WW 20 200 A 22 0042	102	2	109	9.15	110	0.88 70	-0.16 103	0.10 49	97	70	97	0.42 68	0.45 77	6.39 109	72	115	2.71 34	1.09 109	34	110	17	
A 24 0017 107700494	8.53	A 20 0145 A 22 0353	94	1	105	5.20	104	0.76 69	-0.56 102	0.10 49	88	70	97	0.21 68	-0.11 77	7.21 101	72	118	4.90 35	0.33 117	34	101	52	
A 24 0018 107700502	10.66	NH 20 0444 A 22 0020	95	1	102	0.32	96	1.00 68	-0.06 104	-0.18 43	99	69	95	0.01 67	-0.60 77	2.82 93	71	106	-0.62 31	-0.51 96	31	91	96	
A 24 0019 107700510	0.89	CR 21 0114 A 22 0324	104	2	101	2.74	100	1.35 69	0.30 108	1.42 48	106	70	106	-0.10 68	-0.08 77	3.66 101	71	108	0.65 34	0.42 101	33	102	119	
A 24 0021 107700528	0.93	CR 21 0114 A 22 0018	99	2	103	4.91	103	1.39 69	-0.91 108	0.29 47	81	70	98	0.20 68	-0.80 77	2.25 90	72	105	1.20 31	-0.47 103	31	91	66	
A 24 0023 107700536	1.11	WW 20 200 A 21 0369	113	3	109	11.47	114	1.17 70	-0.11 106	0.44 51	98	71	99	0.23 69	-0.24 77	7.56 99	72	119	5.69 36	1.72 120	36	118	16	
A 24 0024 107700544	1.11	WW 20 200 A 21 0369	113	3	103	6.95	107	-0.03 70	0.39 95	-0.29 51	108	71	95	-0.12 69	-0.82 77	-1.82 90	72	94	5.69 36	1.72 120	36	118	75	
A 24 0027 107700551	0.88	CR 21 0114 A 21 0344	96	1	91	-4.43	88	-0.53 69	-0.28 90	-1.77 47	85	70	85	0.00 68	-0.16 77	3.32 100	72	107	-0.13 30	-0.64 98	30	89	267	
A 24 0029 107700569	0.73	WW 20 200 A 21 0226	98	3	103	5.17	104	1.01 70	0.00 104	0.37 49	100	71	99	0.18 69	0.79 77	11.31 114	72	128	3.68 35	1.22 112	35	112	77	
A 24 0031 107700577	0.82	WW 20 200 A 21 0252	98	2	101	5.18	104	-0.18 70	0.44 93	-1.45 50	109	71	87	0.07 68	-0.56 77	3.92 94	72	109	2.95 36	1.19 109	35	111	122	
A 24 0032 107700585	0.79	CR 21 0114 A 22 0499	99	2	99	0.60	96	0.30 69	0.13 98	-0.78 47	103	70	91	-0.14 68	-1.30 77	2.85 82	72	106	-0.19 32	-0.21 98	31	94	169	
A 24 0033 107700593	0.79	CR 21 0114 A 22 0499	99	2	97	-0.35	95	0.54 69	0.15 100	-0.07 47	103	70	96	-0.11 68	-0.56 77	0.68 94	72	101	-0.19 32	-0.21 98	31	94	194	
A 24 0034 107700601	2.21	NH 19 0408 A 21 0913	97	2	94	-3.48	90	-0.88 65	-0.72 87	-1.22 48	85	66	89	-0.14 64	-0.33 74	4.15 97	68	110	2.66 30	-0.17 108	30	95	242	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW	FD		SL		NLW		TWW			
			EPI	Times lambded				Dir	Mat															
			EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03	-0.14		0.50		0.46		0.27			
A 24 0035 107700619	2.21	NH 19 0408 A 21 0913	97	2	98	-0.33	95	0.23 65	97	-0.88 48	81	-0.35 66	94	-0.09 64	-0.60 74	4.28 68	110	2.66 30	108	-0.17 30	95	189		
A 24 0039 107700635	0.94	WW 20 200 A 22 0145	114	1	108	8.41	109	1.90 70	113	1.32 49	128	1.07 71	103	0.29 69	1.46 77	3.28 72	107	4.76 33	116	1.99 33	121	25		
A 24 0040 107700643	0.94	WW 20 200 A 22 0145	114	1	114	13.05	117	3.36 70	127	1.05 49	122	2.43 71	112	0.44 69	1.42 77	6.61 72	116	4.76 33	116	1.99 33	121	7		
A 24 0043 107700650	4.62	A 20 0145 A 22 0591	99	1	103	1.42	98	0.45 69	99	-0.49 49	90	-0.19 70	95	0.13 68	0.69 77	8.66 72	121	5.86 33	120	0.55 33	103	79		
A 24 0046 107700668	3.99	WW 20 200 A 22 0514	104	1	101	4.22	102	-0.96 70	86	-0.31 48	93	-2.38 70	81	0.17 68	0.60 77	-0.16 72	98	8.07 33	129	2.10 33	122	133		
A 24 0048 107700676	1.79	A 22 0004 A 20 0035	133	4	101	2.14	99	1.07 70	105	0.17 46	103	1.91 70	109	-0.06 68	-0.60 77	-0.91 72	96	-1.63 33	92	-0.66 33	89	131		
A 24 0049 107700684	1.79	A 22 0004 A 20 0035	133	4	100	1.97	99	0.49 70	100	0.12 46	103	1.16 70	104	0.01 68	-0.59 77	4.57 72	111	-1.63 33	92	-0.66 33	89	136		
A 24 0051 107700692	1.11	WW 20 200 A 21 0345	101	3	102	4.83	103	-0.06 70	94	-0.36 50	92	-0.72 71	92	0.09 69	-0.27 78	0.33 73	100	3.09 34	110	0.98 34	109	109		
A 24 0052 107700700	1.06	JD 21 0486 A 18 0459	116	5	101	1.95	99	0.49 71	100	-0.76 59	84	0.09 72	97	0.03 70	-0.53 78	-1.43 73	95	0.80 47	101	-0.22 46	94	114		
A 24 0053 107700718	1.06	JD 21 0486 A 18 0459	116	5	98	-0.24	95	-0.85 71	87	-0.78 59	83	-1.73 72	85	0.05 70	-0.70 78	-3.58 73	89	0.80 47	101	-0.22 46	94	176		
A 24 0055 107700726	4.31	CR 21 0114 A 22 0310	101	1	107	7.33	107	1.54 69	109	-0.01 49	100	1.14 71	104	0.14 69	-0.50 77	2.19 72	104	1.40 36	104	0.36 36	101	30		
A 24 0057 107700734	7.30	WW 20 200 A 20 0038	117	4	118	16.06	122	2.16 71	115	0.25 52	105	2.62 71	113	0.40 69	0.73 78	1.91 73	104	5.51 40	119	2.24 40	124	2		
A 24 0058 107700742	7.67	A 20 0145 A 22 0416	93	2	99	-0.39	95	-0.84 68	87	-0.99 47	79	-1.58 70	86	0.20 68	-0.73 77	2.51 72	105	-1.06 33	94	-1.04 33	84	165		
A 24 0062 107700775	1.05	A 20 0145 A 22 0199	101	2	101	1.59	98	0.21 69	97	-0.20 49	96	0.32 70	99	0.03 68	0.46 77	1.56 72	103	4.99 34	117	0.59 34	104	118		
A 24 0063 107700783	1.05	A 20 0145 A 22 0199	101	2	103	3.13	101	0.46 69	99	-0.49 49	90	0.22 70	98	0.26 68	0.99 77	8.56 72	121	4.99 34	117	0.59 34	104	65		
A 24 0065 107700791	1.17	A 22 0004 A 21 0080	95	2	92	-6.01	85	0.41 68	99	0.56 44	112	0.65 69	101	-0.12 67	0.26 77	0.65 71	100	-5.85 33	76	-1.22 33	82	256		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index		
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03	-0.14		0.50	0.46		0.27				
A 24 0067 107700809	4.26	WW 20 200 A 20 0502	95	2	108	9.69	111	0.87 70	0.32 103	0.72 71	101	0.13 69	0.22 77	4.25 106	110	4.32 35	1.98 115	121		22				
A 24 0071 107700817	4.45	CR 21 0114 A 22 0011	100	1	106	6.65	106	1.34 69	-0.08 98	1.83 71	108	0.03 69	-0.84 77	2.07 89	104	0.20 37	0.01 99	97		41				
A 24 0073 107700825	3.02	A 20 0145 A 22 0193	116	2	109	5.32	104	0.67 70	-0.43 101	0.14 50	91	0.17 68	-0.66 77	2.21 92	105	3.58 35	-0.01 112	97		20				
A 24 0079 107700841	4.71	CR 21 0114 A 22 0207	96	2	106	5.64	105	2.05 69	0.44 114	2.84 70	115	0.11 68	1.05 77	6.54 119	116	2.31 37	0.80 107	106		46				
A 24 0080 109361600	1.21	WW 20 200 A 21 0013	100	2	92	-2.32	92	0.98 70	0.26 104	0.48 71	100	0.03 69	1.12 77	-2.85 120	91	-1.03 37	0.08 94	98		255				
A 24 0081 109361592	1.21	WW 20 200 A 21 0013	100	2	94	-1.27	93	0.46 70	0.31 99	0.40 71	99	0.01 69	0.71 77	-3.54 113	89	-1.03 37	0.08 94	98		241				
A 24 0083 107700866	0.93	CR 21 0114 A 22 0071	94	1	100	0.45	96	0.91 69	0.30 104	0.50 70	100	-0.09 68	-0.50 77	-3.06 95	91	-0.92 32	-0.25 95	94		147				
A 24 0085 107700874	1.05	A 22 0004 A 19 0181	105	3	90	-7.47	83	-0.46 70	0.89 46	-0.10 70	96	-0.31 68	0.48 77	-2.20 110	93	-1.16 33	-0.24 94	94		271				
A 24 0092 107700882	0.73	WW 20 200 A 19 0064	116	4	97	1.41	98	0.19 70	0.03 97	-0.09 71	96	0.09 69	0.40 78	-0.17 108	98	0.14 35	0.39 99	101		197				
A 24 0093 107700890	0.73	WW 20 200 A 19 0064	116	4	92	-2.28	92	-0.87 70	0.36 87	-0.51 71	93	-0.04 69	0.64 78	0.99 112	101	0.14 35	0.39 99	101		258				
A 24 0095 107700908	1.06	JD 21 0486 A 17 0272	127	5	92	-4.25	88	-0.39 72	-0.49 91	-0.41 72	94	-0.20 70	0.04 78	-6.77 103	81	3.05 46	-0.11 110	96		257				
A 24 0097 107700924	1.06	JD 21 0486 A 17 0272	127	5	103	3.19	101	1.09 72	-0.95 105	0.56 72	100	-0.01 70	-0.76 78	-6.87 91	81	3.05 46	-0.11 110	96		85				
A 24 0098 107700932	2.21	JD 21 0486 A 21 0915	113	3	100	0.44	96	-0.40 67	-0.75 55	-1.12 67	89	-0.03 65	-0.23 75	-0.69 99	97	2.04 38	0.51 106	103		153				
A 24 0099 107700940	2.21	JD 21 0486 A 21 0915	113	3	102	1.85	98	0.10 67	-0.76 55	-0.72 67	92	-0.07 65	-0.60 75	-1.45 93	95	2.04 38	0.51 106	103		112				
A 24 0102 107700957	26.46	SD 17 0177 A 21 0148	98	3	102	1.81	98	-0.38 69	1.01 55	0.37 70	99	0.17 68	1.46 77	4.74 125	111	-0.84 41	1.02 95	109		97				
A 24 0103 107700965	26.46	SD 17 0177 A 21 0148	98	3	103	2.52	100	-0.62 69	1.03 55	0.14 70	97	0.13 68	0.97 77	3.10 117	107	-0.84 41	1.02 95	109		72				

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
					EBV	Index	Dir	EBV	Index	Mat	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc
		Active Breed Average :		100.7	2.8	100	0.54			0.01		0.56	0.03	-0.14		0.50	0.46		0.27					
A 24 0108 107700981	2.01	NH 20 0444 A 22 0552	98 1	92	-6.56	85	-0.60 68	89		-0.85 42	82	-1.96 69	0.08 67	0.26 77		3.49 71	108	-2.03 29	91		-1.08 29	84	262	
A 24 0109 107700999	2.01	NH 20 0444 A 22 0552	98 1	96	-3.59	89	-1.06 68	85		-1.08 42	77	-2.47 69	0.21 67	-0.22 77		1.50 71	103	-2.03 29	91		-1.08 29	84	216	
A 24 0111 107701013	0.94	CR 21 0114 A 22 0378	95 2	96	-1.17	93	0.90 69	103		0.54 46	111	0.11 70	0.07 68	0.67 77		3.42 72	108	-0.47 32	97		-0.05 32	96	213	
A 24 0113 107701039	4.38	WW 20 200 A 20 0077	110 3	103	6.35	106	1.02 70	105		0.60 51	113	0.74 71	0.11 69	1.33 78		-2.42 73	92	4.71 36	116		2.23 36	124	69	
A 24 0117 107701047	0.74	CR 21 0114 A 22 0573	118 2	100	1.57	98	0.35 70	98		0.57 48	112	-0.83 70	-0.14 68	-1.15 77		-4.77 72	86	0.93 32	102		0.25 32	100	138	
A 24 0123 107701054	2.08	NH 20 0444 A 22 0909	99 2	94	-4.84	87	0.12 63	96		-0.40 38	91	-0.66 64	0.06 61	0.93 73		0.05 66	99	-0.56 23	96		-0.45 23	91	240	
A 24 0125 107701070	2.08	WW 20 200 A 22 0904	102 1	101	3.97	102	-0.12 65	94		-0.09 45	98	-0.57 65	0.16 63	1.02 74		5.87 68	114	3.58 26	112		1.65 26	117	132	
A 24 0126 107701088	2.08	WW 20 200 A 22 0904	102 1	96	0.72	97	-0.36 65	92		0.22 45	105	-0.06 65	0.00 63	1.48 74		2.53 68	105	3.58 26	112		1.65 26	117	221	
A 24 0130 107701096	1.27	A 20 0145 A 20 0412	96 3	96	-2.64	91	-0.42 69	91		-0.56 50	88	-0.82 70	0.26 68	0.43 77		5.29 72	113	-2.04 35	91		-1.11 35	83	225	
A 24 0134 107701112	0.76	WW 20 200 A 21 0167	101 2	108	9.07	110	0.71 70	102		0.90 50	119	0.18 71	0.26 69	0.77 78		2.26 72	105	3.53 35	112		2.05 35	122	26	
A 24 0137 107701138	3.83	WW 20 200 A 21 0348	109 3	112	11.25	114	1.93 70	113		0.12 50	103	1.64 71	0.34 69	0.80 77		8.13 72	120	4.50 36	115		1.65 35	117	10	
A 24 0139 107701146	4.22	NH 20 0444 A 22 0058	101 1	95	-3.43	90	0.16 68	96		-0.76 44	84	-1.03 70	0.15 67	0.22 77		6.82 72	117	-0.25 31	97		-0.98 31	85	226	
A 24 0143 107701153	0.96	SD 17 0177 A 20 0221	131 4	120	14.67	120	1.57 71	110		1.08 57	123	2.12 71	0.22 69	0.01 78		3.05 73	107	5.05 46	117		2.13 46	123	1	
A 24 0151 107701179	0.73	WW 20 200 A 21 0265	99 3	102	4.25	102	0.03 70	95		-0.08 49	98	-0.86 71	0.33 69	0.84 77		4.39 72	110	2.43 34	107		0.91 34	108	107	
A 24 0155 107701195	1.42	A 20 0145 A 22 0491	127 2	111	7.92	108	0.91 69	104		0.51 49	111	0.71 69	0.03 67	-0.58 77		0.00 71	99	4.89 33	117		1.15 33	111	12	
A 24 0157 107701203	2.08	NH 20 0444 A 22 0911	113 2	93	-5.41	86	-1.11 65	85		-0.71 41	85	-2.28 65	0.12 62	0.59 74		-1.25 67	95	-0.56 23	96		-0.45 23	91	248	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0159 107701211	0.95	A 22 0004 A 19 0263	95	3	90	-7.04	84	-0.62 69	0.43 45	-0.21 70	95	-0.28 67	-0.19 77	3.09 72	107	-2.37 32	-0.86 32	86				270		
A 24 0163 107701229	1.02	NH 19 0408 A 22 0635	116	2	102	2.34	99	-0.40 70	-0.68 52	-1.07 70	90	-0.13 68	-1.24 77	0.00 72	99	6.66 37	0.44 37	102				111		
A 24 0165 107701237	4.37	A 22 0004 A 20 0061	104	3	96	-2.27	92	0.87 69	0.85 45	2.30 69	111	-0.24 67	0.55 77	-5.38 71	85	-2.41 33	-0.14 33	95				223		
A 24 0167 107701245	1.11	A 22 0004 A 19 0281	104	3	102	1.99	99	1.25 70	0.29 46	1.59 70	107	-0.09 68	-0.45 77	4.61 72	111	-0.48 33	-0.25 33	94				91		
A 24 0168 107701252	1.05	NH 19 0408 A 20 0329	116	3	98	-0.31	95	-0.08 71	0.01 55	-0.80 71	91	0.03 69	-0.28 78	4.51 73	111	2.38 38	-0.19 38	94				187		
A 24 0169 107701260	1.05	NH 19 0408 A 20 0329	116	3	96	-1.35	93	-0.43 71	-0.09 55	-1.38 71	88	0.12 69	0.10 78	4.70 73	111	2.38 38	-0.19 38	94				211		
A 24 0174 107701286	1.48	A 22 0004 A 21 0203	104	3	100	0.22	96	0.97 69	0.20 44	1.22 69	104	-0.10 67	-0.16 77	6.76 71	116	-0.75 29	-0.27 29	94				140		
A 24 0175 107701294	1.48	A 22 0004 A 21 0203	104	3	98	-1.54	93	0.18 69	0.21 44	0.04 69	97	-0.14 67	-0.42 77	0.90 71	101	-0.75 29	-0.27 29	94				190		
A 24 0180 107701302	2.68	NH 20 0444 A 22 0425	104	1	103	1.76	98	-0.67 69	-1.06 44	-1.87 70	85	0.26 68	-0.52 77	2.02 72	104	2.25 30	-0.36 30	92				84		
A 24 0182 107701310	2.08	A 20 0145 A 22 0912	112	2	101	0.86	97	-1.22 66	-0.91 46	-1.99 66	84	0.14 64	-0.17 74	0.92 68	101	3.50 26	0.33 26	101				130		
A 24 0183 107701328	2.08	A 20 0145 A 22 0912	112	2	99	-0.06	95	-0.41 66	-0.77 46	-1.21 66	89	0.07 64	0.15 74	7.92 68	119	3.50 26	0.33 26	101				157		
A 24 0187 107701351	1.39	WW 20 200 A 20 0405	115	4	107	9.01	110	0.47 70	0.17 51	-0.07 71	96	0.26 69	0.66 78	1.99 73	104	6.58 34	2.02 34	121				36		
A 24 0188 107701369	1.39	WW 20 200 A 20 0405	115	4	96	1.55	98	-0.71 70	0.38 51	-1.34 71	88	0.23 69	2.04 78	5.11 73	112	6.58 34	2.02 34	121				212		
A 24 0189 107701377	1.39	WW 20 200 A 20 0405	115	4	110	11.08	114	1.06 70	-0.04 51	0.11 71	97	0.36 69	0.60 78	2.88 73	106	6.58 34	2.02 34	121				15		
A 24 0191 107701385	3.13	A 20 0145 A 22 0130	121	2	102	3.11	101	-0.37 70	-1.06 51	-1.40 70	88	0.09 68	-1.15 77	3.55 72	108	4.98 35	-0.07 34	96				98		
A 24 0195 107701401	4.69	NH 19 0408 A 21 0302	116	3	96	-2.39	91	-0.04 70	-0.91 53	-1.65 71	86	0.14 69	-0.38 77	3.77 72	109	1.49 37	-0.94 37	85				218		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0198 107701419	1.31	JD 21 0486 A 21 0174	99 2		100	1.04	97	0.00 70	-0.35 56	0.17 71	-0.32 69	-1.28 77	-7.99 72	3.99 42	0.32 101	135
A 24 0203 107701427	1.06	CR 21 0114 A 22 0141	107 2		104	3.79	102	1.26 70	0.69 48	0.88 71	-0.06 69	-0.07 77	3.63 72	3.02 32	0.80 106	62
A 24 0204 107701435	1.06	CR 21 0114 A 22 0141	107 2		111	8.91	110	1.63 70	0.49 48	1.09 71	-0.02 69	-1.25 77	0.80 72	3.02 32	0.80 106	11
A 24 0210 107701450	8.21	NH 20 0444 A 22 0153	116 2		99	-0.38	95	-0.04 69	-0.44 44	-1.27 69	0.21 67	0.30 77	5.46 71	1.57 29	-0.20 94	159
A 24 0212 107701468	2.21	WW 20 200 A 21 0902	97 2		105	6.91	107	1.07 65	0.03 45	0.55 66	0.23 63	1.01 74	3.86 68	3.25 27	1.61 116	56
A 24 0214 107701476	8.27	NH 20 0444 A 22 0077	101 1		100	-1.02	94	0.33 68	-0.55 42	-0.91 69	0.18 67	0.28 77	4.95 71	0.99 27	-0.42 92	154
A 24 0218 107701484	2.88	A 22 0004 A 16 0234	162 7		87	-8.48	81	-0.54 70	0.71 46	0.10 70	-0.40 68	-0.53 77	-4.91 72	-4.41 34	-1.25 82	283
A 24 0220 107701492	2.08	CR 21 0114 A 22 0976	95 1		105	5.76	105	1.32 63	0.15 39	1.18 65	0.06 62	-0.55 73	-3.78 67	0.31 24	0.22 99	50
A 24 0222 107701500	1.32	JD 21 0486 A 21 0168	110 3		110	9.05	110	1.31 71	-0.68 59	1.23 71	0.12 69	-0.94 77	-1.99 72	2.08 48	0.46 102	14
A 24 0224 107701518	2.17	NH 19 0408 A 20 0090	128 4		103	4.21	102	2.93 71	-0.51 55	2.79 71	0.14 69	0.31 78	7.12 73	1.09 39	-0.48 91	64
A 24 0226 107701526	1.15	JD 21 0486 A 20 0508	119 3		102	3.09	100	-0.48 71	-0.78 58	-2.04 72	-0.04 70	-1.01 78	-2.88 73	4.64 45	0.92 108	90
A 24 0230 107701542	1.25	JD 21 0486 A 21 0274	126 3		107	7.53	108	0.25 71	0.09 59	-0.55 71	0.04 69	-0.78 78	0.77 73	5.47 45	1.37 113	33
A 24 0236 107701559	1.31	JD 21 0486 A 20 0366	133 4		115	11.98	115	1.99 71	-0.32 59	1.59 71	0.08 70	-0.81 78	1.35 73	5.32 45	1.42 114	4
A 24 0238 107701567	7.08	WW 20 200 A 19 0215	105 3		103	6.12	105	0.23 71	0.07 52	0.30 71	0.18 69	0.84 78	-0.62 73	4.35 40	1.58 116	71
A 24 0239 107701575	0.95	CR 21 0114 A 21 0006	105 2		96	0.13	96	0.44 70	-0.04 49	0.30 71	-0.07 69	-0.05 78	-0.15 73	2.20 32	0.10 98	219
A 24 0240 107701583	0.95	CR 21 0114 A 21 0006	105 2		103	5.11	104	1.17 70	-0.53 49	0.04 71	0.19 69	-0.45 78	4.36 73	2.20 32	0.10 98	76

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0251 107701625	0.99	CR 21 0114 A 18 0392	89	4	97	-0.14	95	1.42 69	-0.23 46	0.93 70	0.07 68	-0.08 77	-0.46 72	-2.07 32	-0.90 31							209		
A 24 0253 107701633	3.97	CR 21 0114 A 22 0482	94	2	89	-5.89	86	-0.44 68	0.64 45	-1.08 70	-0.33 67	-0.85 77	-7.38 71	-3.90 30	-0.61 30							277		
A 24 0254 107701641	2.57	CR 21 0114 A 22 0606	106	2	102	2.70	100	1.80 69	-0.15 47	1.64 70	-0.03 68	0.02 77	2.29 72	1.01 31	0.09 31							103		
A 24 0259 107701674	1.51	CR 21 0114 A 22 0344	119	2	105	6.40	106	1.06 70	-0.10 49	0.37 70	-0.05 68	-1.32 77	-3.17 72	3.25 31	0.46 31							48		
A 24 0262 107701690	2.08	CR 21 0114 A 22 0902	102	1	95	-1.49	93	0.61 65	0.29 43	1.55 65	-0.32 63	0.00 74	-2.13 68	0.31 24	0.22 23							228		
A 24 0263 107701708	2.08	CR 21 0114 A 22 0902	102	1	103	4.03	102	0.99 65	-0.18 43	1.22 65	-0.09 63	-0.72 74	-3.03 68	0.31 24	0.22 23							82		
A 24 0265 107701716	1.17	JD 21 0486 A 21 0240	146	3	98	0.88	97	-0.86 70	-0.39 58	-1.81 70	-0.23 70	-1.41 76	-4.69 71	6.30 45	0.62 45							186		
A 24 0266 107701724	1.17	JD 21 0486 A 21 0240	146	3	97	0.08	96	-0.27 70	-0.34 58	-0.53 70	-0.16 70	-0.33 76	0.93 71	6.30 45	0.62 45							206		
A 24 0267 107701732	1.17	JD 21 0486 A 21 0240	146	3	99	1.71	98	-0.83 70	-0.46 58	-1.45 70	-0.10 70	-0.92 76	2.47 71	6.30 45	0.62 45							163		
A 24 0268 107701740	0.99	NH 19 0408 A 19 0108	121	5	107	6.25	106	1.30 71	-0.89 55	1.02 71	0.15 69	-0.67 78	4.53 73	3.95 42	-0.08 42							34		
A 24 0269 107701757	0.99	NH 19 0408 A 19 0108	121	5	103	3.52	101	0.45 71	-0.64 55	0.51 71	0.02 69	-0.71 78	2.79 73	3.95 42	-0.08 42							68		
A 24 0270 107701765	0.99	NH 19 0408 A 19 0108	121	5	100	1.36	98	-0.74 71	-0.60 55	-0.70 71	0.04 69	-0.57 78	3.98 73	3.95 42	-0.08 42							144		
A 24 0271 107701773	2.40	NH 20 0444 A 22 0348	110	1	99	-0.97	94	0.64 68	-0.37 43	-0.35 69	0.10 67	-0.05 77	1.51 71	-0.21 27	-0.63 27							155		
A 24 0273 107701799	2.40	NH 20 0444 A 22 0348	110	1	100	-0.62	94	0.85 68	-0.59 43	-0.43 69	0.30 67	0.71 77	9.16 71	-0.21 27	-0.63 27							143		
A 24 0275 107701807	1.87	A 22 0004 A 19 0129	107	3	105	4.72	103	1.66 70	0.38 47	2.92 70	-0.03 68	-0.02 77	1.35 72	0.22 36	0.05 36							54		
A 24 0280 107701823	1.44	A 22 0004 A 21 0097	99	2	96	-3.92	89	0.40 68	0.73 43	1.07 69	-0.16 67	0.53 77	4.94 71	-2.28 29	-0.40 28							214		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP		GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW		
				EBV	Index	Dir	Weight		Mat	Body Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
							EBV	Index															Acc	
		Active Breed Average :		100.7	2.8	100		0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0285 107701831	1.02	A 22 0004 A 22 0137	101 2	101	1.76	98		1.57 68		0.14 43		1.56 106		-0.02 67		-0.11 77		-0.48 101		-0.23 31		-0.28 93	125	
A 24 0291 107701849	1.18	A 22 0004 A 21 0133	105 2	94	-4.39	88		1.22 69		1.12 46		2.02 109		-0.37 68		-0.36 77		2.30 105		-4.72 35		-0.95 85	243	
A 24 0292 107701856	1.30	WW 20 200 A 20 0447	119 4	115	14.52	119		2.12 71		0.53 51		2.03 109		0.15 69		-0.13 78		1.39 102		7.34 35		2.31 125	5	
A 24 0296 107701864	0.68	CR 21 0114 A 22 0315	125 2	103	4.03	102		0.82 70		0.01 48		0.49 100		-0.17 68		-1.21 77		-3.60 89		3.57 31		0.40 102	86	
A 24 0299 107701880	3.47	NH 19 0408 A 19 0399	112 4	105	4.55	103		1.02 70		-0.87 54		0.32 99		0.05 69		-0.47 78		7.35 118		6.47 37		0.38 101	53	
A 24 0300 107701898	3.47	NH 19 0408 A 19 0399	112 4	104	3.87	102		0.83 70		-0.98 54		-0.09 96		0.16 69		0.00 78		10.39 126		6.47 37		0.38 101	61	
A 24 0302 107701906	1.38	JD 21 0486 A 21 0078	128 3	115	12.05	115		1.73 71		-0.34 59		2.62 113		0.17 69		-0.31 78		-4.17 88		4.84 48		1.08 110	6	
A 24 0303 107701914	1.51	JD 21 0486 A 21 0016	100 2	103	2.70	100		0.82 70		-0.56 58		-0.14 96		0.20 69		-0.16 78		-2.31 93		-0.82 46		-0.28 93	73	
A 24 0305 107701930	1.51	JD 21 0486 A 21 0016	100 2	99	-0.13	95		0.71 70		-0.26 58		0.06 97		0.06 69		0.09 78		2.47 105		-0.82 46		-0.28 93	162	
A 24 0309 107701948	2.45	A 20 0145 A 22 0046	103 1	108	5.41	104		1.51 69		0.15 49		1.14 104		0.16 68		0.89 77		3.10 107		5.87 35		1.13 111	28	
A 24 0310 107701955	1.34	A 20 0145 A 21 0293	99 2	97	-2.16	92		0.10 69		-0.83 49		-0.84 91		0.05 68		-0.35 77		-0.94 96		1.16 34		-0.81 87	208	
A 24 0311 107701963	1.34	A 20 0145 A 21 0293	99 2	100	0.33	96		0.82 69		-0.97 49		0.20 98		0.11 68		-0.29 77		-5.07 85		1.16 34		-0.81 87	141	
A 24 0313 107701971	0.90	CR 21 0114 A 21 0161	95 2	101	2.61	100		1.55 69		0.45 47		1.05 103		-0.06 68		-0.18 77		0.81 101		1.41 32		0.29 100	123	
A 24 0315 107701989	3.34	NH 19 0408 A 20 0384	128 4	105	4.39	103		0.53 71		-0.96 55		-0.42 94		0.10 69		-0.25 78		10.43 126		6.60 40		0.69 105	49	
A 24 0317 107701997	1.09	NH 19 0408 A 18 0098	131 5	97	-0.87	94		-1.11 71		-0.65 54		-1.81 85		0.02 69		0.00 78		9.54 124		6.90 37		0.44 102	205	
A 24 0318 107702003	1.09	NH 19 0408 A 18 0098	131 5	95	-1.98	92		-0.46 71		-0.59 54		-1.47 87		-0.07 69		0.05 78		5.80 114		6.90 37		0.44 102	227	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index		
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0319 107702011	1.39	JD 21 0486 A 17 0017	134	6	103	1.99	99	1.39 72	-0.07 60	0.98 72	103	-0.20 70	-0.21 78	-6.91 74	81	2.30 46	0.75 46	107	106			78		
A 24 0322 107702037	3.00	A 20 0145 A 22 0632	95	1	102	1.16	97	0.94 69	-0.37 48	0.49 70	100	-0.03 68	-0.19 77	5.09 72	112	3.75 34	0.00 34	112	97			95		
A 24 0323 107702045	1.16	A 20 0145 A 20 0392	101	3	106	3.89	102	0.13 69	-0.27 50	0.10 70	97	0.02 68	0.08 77	1.43 72	102	5.86 34	0.99 34	120	109			42		
A 24 0324 107702052	1.16	A 20 0145 A 20 0392	101	3	106	3.73	102	-0.34 69	-0.25 50	-0.43 70	94	0.03 68	-0.06 77	4.92 72	112	5.86 34	0.99 34	120	109			45		
A 24 0327 107702060	0.88	NH 19 0408 A 18 0414	118	4	94	-3.42	90	0.54 71	-1.42 54	0.01 71	97	0.03 69	-0.17 78	-1.97 72	94	1.45 39	-1.33 38	104	81			238		
A 24 0330 107702078	1.18	JD 21 0486 A 19 0460	114	4	101	1.06	97	1.19 71	-0.84 58	0.86 71	102	-0.10 69	-0.26 78	-2.78 73	91	3.21 44	0.06 44	110	97			127		
A 24 0332 107702086	1.04	NH 19 0408 A 20 0149	120	3	105	5.36	104	1.19 71	0.03 55	1.35 71	105	0.01 69	-0.03 78	1.56 73	103	4.30 39	0.78 39	115	106			51		
A 24 0333 107702094	1.04	NH 19 0408 A 20 0149	120	3	97	-0.34	95	-0.09 71	0.33 55	0.06 71	97	-0.13 69	0.39 78	3.36 73	108	4.30 39	0.78 39	115	106			199		
A 24 0334 107702102	1.47	A 22 0004 A 19 0036	108	4	90	-7.49	83	-1.02 68	0.46 44	-0.95 69	90	-0.44 67	-1.19 77	-7.66 71	79	-4.35 31	-0.97 31	82	85			273		
A 24 0337 107702128	1.21	NH 19 0408 A 19 0183	99	3	100	1.01	97	-0.74 70	-0.92 54	-0.96 70	90	-0.01 68	-0.92 77	-3.50 72	90	4.05 39	-0.21 38	114	94			139		
A 24 0339 107702136	1.11	JD 21 0486 A 18 0065	129	5	103	3.29	101	0.19 72	-0.40 59	0.40 72	99	-0.16 70	-0.95 78	-4.77 73	86	4.35 46	0.46 46	115	102			67		
A 24 0346 107702169	0.75	SD 17 0177 A 19 0371	100	5	90	-6.85	84	-0.04 70	0.64 55	0.08 71	97	-0.04 69	1.49 77	0.30 72	100	-3.93 43	-0.32 43	84	93			274		
A 24 0350 107702185	1.25	SD 17 0177 A 19 0119	109	3	117	12.29	116	0.88 71	0.69 57	1.17 71	104	0.19 69	-0.48 78	0.46 73	100	2.83 45	1.53 44	109	115			3		
A 24 0352 107702201	3.66	NH 19 0408 A 20 0554	97	3	96	-1.22	93	0.38 69	-0.76 52	0.01 70	97	0.04 68	0.27 77	1.05 72	101	3.32 35	-0.31 35	111	93			222		
A 24 0360 107702235	1.10	SD 17 0177 A 19 0377	95	3	93	-4.18	89	-1.41 70	0.96 56	-1.63 71	86	-0.13 69	0.27 78	-2.03 73	93	-1.18 43	0.37 43	94	101			251		
A 24 0362 107702250	0.91	CR 21 0114 A 22 0197	97	1	106	5.48	104	2.67 69	0.64 46	2.99 70	116	-0.02 68	-0.05 77	5.03 72	112	0.50 31	0.15 31	100	99			44		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc
							EBV		Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
		Active Breed Average :			100.7	2.8	100			0.54		0.01		0.56		0.03	-0.14	0.50		0.46	0.27			
A 24 0373 107702292	0.80	WW 20 200 A 19 0270	123	4	113	12.33	116	1.25 71	0.22 107	0.97 52	103	0.22 69	0.01 78	-0.46 102	98	7.07 36	2.01 125	121				8		
A 24 0375 107702300	0.93	NH 19 0408 A 21 0250	108	3	96	-1.72	93	-0.24 70	0.03 93	0.06 54	101	-0.32 69	-0.89 77	5.35 88	113	2.50 39	-0.03 108	96				215		
A 24 0376 107702318	4.13	NH 20 0444 A 21 0049	98	3	97	-2.56	91	-0.04 69	-1.18 95	-0.69 45	75	0.24 67	0.45 77	0.86 109	101	0.42 32	-1.06 100	84				207		
A 24 0377 107702326	4.13	NH 20 0444 A 21 0049	98	3	96	-3.26	90	-0.63 69	-1.10 89	-1.36 45	77	0.22 67	0.24 77	6.56 106	116	0.42 32	-1.06 100	84				220		
A 24 0382 107702334	0.87	CR 21 0114 A 22 0205	122	2	98	1.09	97	0.54 70	-0.45 100	-0.03 48	90	-0.03 68	0.07 77	2.54 103	105	4.20 31	0.49 114	103				178		
A 24 0383 107702342	0.87	CR 21 0114 A 22 0205	122	2	102	3.48	101	1.02 70	-0.55 105	0.42 48	88	0.01 68	-0.20 77	3.12 99	107	4.20 31	0.49 114	103				110		
A 24 0385 107702359	2.99	A 20 0145 A 22 0059	99	1	95	-2.72	91	-0.33 69	-0.63 92	-1.14 49	87	-0.06 68	-0.07 77	3.35 101	108	4.10 34	-0.10 114	96				230		
A 24 0386 107702367	0.83	NH 19 0408 A 18 0431	106	5	93	-4.16	89	-0.86 70	-0.64 87	-0.78 54	86	-0.22 69	-0.86 78	1.64 89	103	1.61 39	-0.73 104	88				249		
A 24 0387 107702375	3.53	NH 19 0408 A 21 0101	93	3	97	-1.31	93	0.27 69	-0.94 98	-0.71 52	80	0.22 68	0.12 77	2.88 104	106	0.55 38	-0.91 100	86				200		
A 24 0391 107702391	3.68	CR 21 0114 A 22 0522	95	2	105	6.07	105	1.08 68	-0.03 105	-0.48 46	99	0.19 68	-1.11 77	-1.52 85	95	-0.72 32	-0.09 96	96				55		
A 24 0393 107702409	0.98	WW 20 200 A 22 0095	93	1	109	9.99	112	0.38 69	-0.37 99	0.14 47	92	0.09 68	-0.99 77	2.77 87	106	4.31 33	1.30 115	113				18		
A 24 0394 107702417	4.21	A 20 0145 A 22 0295	93	1	101	1.27	97	-0.60 69	-1.11 89	-1.28 48	76	0.15 68	-0.47 77	4.79 95	111	4.05 33	-0.24 114	94				115		
A 24 0395 107702425	1.14	WW 20 200 A 21 0301	91	3	97	1.19	97	-0.20 69	0.22 93	-0.66 48	105	0.32 68	1.34 77	3.14 123	107	-0.52 34	0.53 96	103				203		
A 24 0398 107702433	9.69	NH 20 0444 A 22 0238	113	2	98	-1.65	93	-0.02 69	-0.73 95	-1.09 44	84	0.16 67	0.47 77	6.89 110	117	2.58 31	-0.25 108	94				179		
A 24 0399 107702441	9.26	NH 20 0444 A 22 0075	95	2	102	0.30	96	0.68 68	-0.41 101	-1.54 42	91	0.29 67	0.07 77	6.40 103	115	-0.16 32	-0.46 98	91				100		
A 24 0401 107702458	0.80	A 20 0145 A 22 0093	94	2	108	5.93	105	0.50 69	0.06 100	0.88 49	101	0.14 68	0.64 77	2.08 112	104	4.12 36	1.26 114	112				29		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL		NLW		TWW					
			EPI	Times lambded				Dir	Mat	Weight	Weight		Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc	Index	
			EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0404 107702466	2.04	NH 20 0444 A 22 0509	94	1	100	-0.49	95	-0.45 68	-1.34 41	-2.63 69	80	0.57 67	-0.01 77	0.81 71	101	-3.89 29	-1.47 29	79				145		
A 24 0405 107702474	0.96	NH 19 0408 A 20 0219	106	3	95	-1.52	93	-0.16 70	0.30 55	-0.57 71	93	-0.20 69	-0.24 78	-1.31 73	95	2.58 40	0.41 39	102				231		
A 24 0406 107702482	3.62	NH 19 0408 A 21 0310	91	2	95	-3.07	90	-0.48 69	-0.86 52	-1.21 70	89	0.03 68	-0.02 77	-0.60 72	97	2.03 37	-0.51 37	91				229		
A 24 0408 107702490	1.18	CR 21 0114 A 22 0349	94	1	93	-2.32	92	0.57 69	0.28 47	0.85 70	102	-0.17 68	0.31 77	-5.85 72	83	0.29 33	-0.02 32	97				252		
A 24 0411 107702508	2.71	A 20 0145 A 22 0543	94	1	98	-1.29	93	-0.16 68	-0.47 47	-0.58 70	93	0.05 68	0.06 77	3.71 72	108	1.98 33	-0.31 32	93				183		
A 24 0415 107702516	2.59	WW 20 200 A 19 0231	110	4	108	9.13	110	1.05 71	0.01 52	0.26 71	98	0.43 69	0.50 78	2.47 73	105	0.32 40	0.99 40	109				27		
A 24 0419 107702524	0.94	WW 20 200 A 22 0366	106	2	112	11.03	114	1.47 69	0.41 48	0.83 70	102	0.35 68	0.40 77	8.83 72	122	3.19 33	1.54 33	115				9		
A 24 0421 107702532	1.18	CR 21 0114 A 22 0292	95	1	105	5.49	104	1.75 68	0.70 46	1.90 70	109	0.01 68	0.09 77	5.18 72	112	0.52 32	0.66 32	105				57		
A 24 0422 107702540	1.31	A 20 0145 A 22 0511	94	1	102	1.99	99	0.68 68	0.05 47	0.22 69	98	-0.01 67	-0.84 77	0.79 71	101	-0.77 32	-0.39 32	92				92		
A 24 0424 107702557	0.86	NH 19 0408 A 21 0242	100	3	99	0.47	96	-0.54 70	-0.11 53	-1.19 70	89	-0.04 68	-0.70 77	3.37 72	108	1.74 39	0.12 39	98				158		
A 24 0426 107702573	2.44	NH 20 0444 A 22 0547	95	1	94	-4.09	89	-0.06 68	0.03 43	-1.12 69	89	-0.03 67	0.51 77	-0.87 71	96	1.60 30	-0.02 30	97				235		
A 24 0429 107702581	1.67	A 22 0004 A 19 0007	107	4	91	-5.64	86	-0.43 69	0.58 45	0.10 70	97	-0.28 67	-0.40 77	5.79 72	114	-3.38 33	-0.83 33	87				264		
A 24 0431 107702599	8.64	NH 20 0444 A 22 0104	105	2	97	-3.63	89	-0.34 68	0.52 44	-1.64 69	86	0.12 67	0.41 77	-0.87 71	96	-1.99 32	-0.42 32	92				204		
A 24 0434 107702607	0.91	NH 19 0408 A 21 0243	105	3	93	-3.32	90	-0.42 70	-0.88 53	-1.68 70	86	0.17 68	-0.51 77	-3.41 72	90	-2.23 38	-1.44 38	79				245		
A 24 0435 107702615	1.96	A 22 0004 A 21 0005	100	3	89	-7.70	83	0.12 69	0.30 45	1.26 69	105	-0.25 67	-0.37 77	-1.88 71	94	-8.06 35	-2.07 35	72				278		
A 24 0439 107702623	2.02	A 20 0145 A 22 0467	94	2	103	2.74	100	0.30 69	-0.24 49	-0.59 70	93	0.37 68	1.07 77	9.96 72	125	4.18 35	0.45 35	102				87		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index		
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0442 107702631	4.41	CR 21 0114 A 22 0493	94	1	107	6.77	107	1.52 68		0.13 109		1.75 70		0.06 68		-0.35 77		5.69 72		1.01 31		0.42 102		38
A 24 0444 107702656	2.18	WW 20 200 A 19 0202	115	4	100	3.56	101	-0.27 71		0.74 52		-1.12 71		0.11 70		0.22 78		-3.47 106		1.71 40		1.22 112		148
A 24 0445 107702664	2.18	WW 20 200 A 19 0202	115	4	102	5.21	104	0.77 71		0.72 52		0.39 71		0.14 70		0.58 78		-1.38 111		1.71 40		1.22 112		93
A 24 0449 107702680	1.13	CR 21 0114 A 22 0555	95	2	108	7.48	108	1.22 69		0.19 106		0.61 70		0.21 68		-0.39 77		-4.45 72		-0.14 33		0.47 102		24
A 24 0454 107702698	4.75	WW 20 200 A 20 0545	100	3	105	7.00	107	1.74 69		1.15 48		3.04 70		0.07 67		1.90 77		0.39 132		3.22 34		2.10 122		58
A 24 0456 107702706	2.00	SD 17 0177 A 20 0908	109	3	103	2.67	100	0.05 67		0.55 52		0.65 66		-0.19 64		-0.39 74		-4.13 96		-0.49 35		0.83 107		70
A 24 0457 107702714	1.89	WW 20 200 A 19 0910	115	3	107	8.44	109	1.76 66		0.16 47		0.69 67		0.18 65		0.31 75		7.22 69		3.17 27		1.52 115		31
A 24 0464 107702722	1.11	A 22 0004 A 21 0129	128	3	90	-6.34	85	-0.38 70		0.53 47		0.58 70		-0.26 68		-0.10 77		1.81 72		-5.13 36		-1.02 84		272
A 24 0465 107702730	1.34	NH 19 0408 A 20 0205	96	3	103	2.97	100	0.04 69		-0.57 53		-0.01 70		-0.04 68		-1.10 77		2.88 85		0.73 37		-0.11 101		74
A 24 0466 107702748	4.37	CR 21 0114 A 22 0112	91	2	98	0.90	97	-0.78 69		0.23 48		-0.30 70		-0.21 68		-1.01 77		-6.97 72		0.33 37		0.27 100		181
A 24 0469 107702755	3.87	NH 19 0408 A 21 0134	93	2	97	-1.75	93	0.24 68		-0.77 51		-0.09 70		0.14 68		0.63 77		7.45 72		2.21 35		-0.47 107		201
A 24 0471 107702763	1.24	WW 20 200 A 22 0123	95	1	111	11.08	114	1.09 69		0.06 48		0.83 70		0.40 68		0.44 77		2.04 72		1.23 35		1.36 103		13
A 24 0472 107702771	2.21	WW 20 200 A 21 0901	113	3	100	3.38	101	0.52 66		0.32 46		0.45 66		0.05 63		1.15 74		-0.63 97		3.58 26		1.65 112		152
A 24 0473 107702789	1.01	JD 21 0486 A 19 0280	103	4	106	4.98	104	0.80 71		-0.77 58		0.90 71		0.02 70		-0.50 78		-2.09 95		2.67 45		0.35 108		40
A 24 0474 107702797	2.00	JD 21 0486 A 20 0904	108	3	107	5.29	104	0.55 67		-0.64 55		0.49 67		0.00 65		-0.50 75		-3.65 69		3.16 38		0.71 110		39
A 24 0475 107702805	0.87	WW 20 200 A 20 0410	108	4	107	9.05	110	-0.33 70		0.36 51		-0.38 71		0.27 69		0.64 78		2.30 73		5.78 37		2.09 120		35

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP		GM	Weaning Weight		Mat		Body Weight		CFW		FD		SL		NLW		TWW			
				EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
		Active Breed Average :		100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27										
A 24 0476 107702813	2.88	A 20 0145 A 22 0293	94 2	99	-0.74	94	-0.42 68	91	-0.49 47	90	-1.50 70	87	0.09 68	104	-0.08 77	101	3.90 72	109	3.43 33	-0.03 33	96	166		
A 24 0480 107702821	1.23	JD 21 0486 A 21 0268	95 2	102	2.06	99	-0.46 70	91	-0.63 57	87	-0.31 71	94	-0.14 69	89	-1.39 78	81	-3.20 73	90	1.29 44	-0.09 44	96	108		
A 24 0482 107702839	1.40	A 21 0017 A 19 0199	99 4	99	-0.89	94	0.48 68	99	0.72 46	115	-0.82 69	91	-0.18 66	87	-0.08 77	101	1.46 71	103	1.38 32	0.77 31	106	161		
A 24 0483 107702847	2.49	NH 19 0408 A 19 0174	97 4	98	0.69	97	0.03 70	95	-0.65 54	86	-0.82 71	91	-0.06 69	95	-0.74 78	91	3.90 73	109	4.50 39	0.03 39	97	175		
A 24 0484 107702854	1.22	JD 21 0486 A 20 0029	114 4	109	7.32	107	1.16 71	106	-0.73 58	84	1.11 71	104	0.30 70	117	-0.10 78	101	-0.79 73	97	-0.41 45	0.07 45	98	19		
A 24 0486 107702862	2.08	WW 20 200 A 22 0957	99 2	108	9.40	111	0.78 64	102	0.09 43	102	0.21 65	98	0.24 62	113	0.19 73	105	4.11 67	109	3.58 26	1.65 26	117	23		
A 24 0487 107702870	1.55	NH 19 0408 A 21 0216	97 2	90	-6.02	85	0.05 70	95	-0.44 53	91	0.09 71	97	-0.10 69	92	0.48 77	110	1.61 72	103	-0.41 38	-0.83 38	87	275		
A 24 0496 107702888	3.00	NH 20 0444 A 22 0174	94 1	104	2.54	100	-0.45 68	91	-0.20 43	96	-1.45 69	87	0.28 67	115	-0.03 77	102	3.53 71	108	-0.21 32	0.08 32	98	60		
A 24 0499 107702896	0.98	CR 21 0114 A 22 0115	94 1	98	1.24	97	0.29 69	98	-0.71 46	85	-0.67 70	92	0.15 68	107	-0.31 77	97	4.41 72	110	-0.21 31	-0.37 31	92	185		
A 24 0500 107702904	2.08	CR 21 0114 A 22 0971	93 1	96	-0.43	95	0.28 63	98	0.15 39	103	0.01 65	97	-0.15 62	89	-0.25 73	98	-1.77 67	94	0.31 24	0.22 23	99	210		
A 24 0501 107702912	2.21	A 22 0004 A 21 0909	99 3	93	-4.40	88	0.50 64	100	0.76 39	116	1.76 63	108	-0.27 61	81	0.66 73	112	-4.35 66	87	-2.20 22	-0.24 22	94	247		
A 24 0502 107702920	1.05	CR 21 0114 A 22 0118	107 2	99	0.63	96	0.86 69	103	0.21 46	104	-0.09 70	96	0.04 68	100	-0.40 77	96	1.05 72	101	-0.52 31	-0.40 31	92	174		
A 24 0504 107702938	2.10	NH 19 0408 A 20 0047	116 4	102	3.37	101	1.00 70	104	-0.79 54	83	0.71 71	101	0.22 69	112	-0.54 78	94	7.55 73	119	0.47 39	-0.94 39	85	94		
A 24 0509 107702946	3.86	CR 21 0114 A 22 0506	95 1	98	0.80	97	1.13 69	106	0.51 46	111	0.82 70	102	-0.05 68	95	-0.61 77	93	-4.33 72	87	-3.74 32	-0.59 32	90	180		
A 24 0510 107702953	2.08	NH 20 0444 A 22 0968	95 2	99	-0.85	94	0.25 62	97	-0.42 35	91	-0.87 64	91	0.14 61	107	0.05 73	103	2.29 66	105	-0.56 23	-0.45 23	91	156		
A 24 0514 107702979	0.95	A 22 0004 A 19 0262	100 3	94	-4.55	88	0.52 69	100	0.44 45	109	1.05 70	103	-0.17 68	88	0.23 77	106	-1.44 72	95	-2.56 32	-0.82 32	87	239		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0535 107703043	2.08	NH 19 0549 A 22 0982	97	2	95	-4.89	87	-0.70 62	88	0.41 44	109	-0.58 64	-0.08 62	0.84 73	-0.15 67	98	0.41 30	100	0.07 30	98			233	
A 24 0540 107703076	2.08	A 20 0079 A 22 0961	106	2	90	-7.40	83	-0.90 63	87	-0.40 40	91	-1.13 64	0.10 62	1.16 73	4.42 67	110	-2.76 24	88	-0.89 24	86			276	
A 24 0544 107703084	1.09	A 20 0145 A 20 0182	102	3	100	-0.04	95	0.05 70	95	-0.06 51	99	-0.02 71	-0.01 69	0.36 77	9.04 72	122	2.62 36	108	0.35 36	101			151	
A 24 0545 107703092	2.27	A 21 0051 A 21 0123	94	2	101	1.62	98	0.81 68	103	0.15 44	103	0.90 68	0.07 66	-0.35 76	2.02 71	104	-0.61 33	96	-0.66 33	89			121	
A 24 0546 107703100	2.27	A 21 0051 A 21 0123	94	2	98	-1.05	94	0.71 68	102	0.26 44	105	0.69 68	0.03 66	0.12 76	4.01 71	109	-0.61 33	96	-0.66 33	89			191	
A 24 0552 107703126	2.08	A 22 0004 A 22 0964	97	2	95	-3.18	90	-0.14 61	94	0.41 34	109	0.19 63	-0.18 61	-0.03 73	3.26 66	107	-2.20 22	90	-0.24 22	94			234	
A 24 0553 107703134	2.08	A 19 0154 A 22 0967	116	2	93	-5.91	86	-1.41 64	82	-0.40 46	92	-1.80 64	-0.06 61	0.51 73	-2.19 66	93	0.95 29	102	-0.08 29	96			253	
A 24 0555 107703142	1.32	A 19 0154 A 21 0297	94	3	92	-6.82	84	0.14 69	96	0.49 50	110	-0.95 70	0.24 67	1.81 77	13.16 72	133	-3.06 37	87	-0.77 37	88			263	
A 24 0558 107703159	2.21	A 22 0004 A 21 0907	113	3	99	-0.48	95	0.68 65	101	0.41 40	109	1.66 64	-0.28 62	-0.53 73	0.37 67	100	-2.20 22	90	-0.24 22	94			171	
A 24 0561 107703167	1.87	A 21 0051 A 18 0907	106	5	98	-0.50	95	0.24 64	97	0.32 41	107	0.21 65	-0.16 62	-0.43 74	5.07 68	112	1.00 21	-0.01 21	97			177		
A 24 0564 107703183	1.40	A 22 0245 A 20 0519	105	3	99	-0.56	94	1.61 67	110	1.28 44	127	3.05 67	-0.41 65	0.89 76	-1.70 70	94	1.53 30	104	1.08 30	110			160	
A 24 0565 107703191	2.08	A 20 0145 A 22 0970	95	1	100	0.15	96	-1.27 62	83	-0.87 42	82	-1.73 64	0.16 62	0.24 73	8.47 67	121	3.50 26	111	0.33 26	101			149	
A 24 0569 107703209	1.11	NH 19 0549 A 18 0068	137	5	99	-2.21	92	0.21 71	97	1.01 54	121	0.95 71	-0.16 69	0.25 78	-3.78 73	89	0.57 40	100	-0.15 39	95			172	
A 24 0570 107703217	1.11	NH 19 0549 A 18 0068	137	5	101	-0.21	95	-0.01 71	95	0.87 54	118	0.65 71	-0.06 69	-0.02 78	-0.63 73	97	0.57 40	100	-0.15 39	95			116	
A 24 0571 107703225	1.37	A 22 0245 A 22 0113	101	1	100	1.05	97	0.64 66	101	0.75 43	116	1.28 67	-0.14 64	0.56 76	7.27 69	118	1.52 33	104	0.86 33	107			142	
A 24 0572 107703233	1.37	A 22 0245 A 22 0113	101	1	102	2.25	99	1.18 66	106	0.72 43	115	2.07 67	-0.16 64	0.53 76	1.72 69	103	1.52 33	104	0.86 33	107			102	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW		
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
A 24 0574 107703241	1.48	A 22 0500 A 21 0025	99	2	93	-4.62	88	0.25 66	0.39 41	0.73 101	66	-0.21 63	0.88 75	7.01 117	68	1.28 29	0.14 99	29	99			244		
A 24 0578 107703258	1.44	A 21 0017 A 20 0308	106	3	95	-3.59	89	0.25 69	1.69 46	1.19 136	69	-0.50 67	0.43 77	-5.88 83	71	0.29 34	1.03 109	34	109			232		
A 24 0581 107703274	1.41	A 22 0245 A 17 0352	113	6	94	-2.80	91	0.66 67	0.78 44	0.44 116	67	-0.30 64	-0.50 76	1.40 102	69	-2.82 30	-0.20 94	30	94			237		
A 24 0584 107703282	1.44	A 21 0017 A 21 0332	98	2	92	-5.26	87	-0.81 68	1.14 45	-2.02 124	69	-0.23 66	0.42 77	0.95 101	71	0.37 33	0.85 107	33	107			254		
A 24 0585 107703290	1.53	A 20 0145 A 20 0388	128	4	97	-1.19	93	-0.93 71	-1.01 52	-1.81 79	71	0.14 69	-0.26 78	0.35 100	73	3.01 35	-0.41 92	35	92			196		
A 24 0586 107703308	1.53	A 20 0145 A 20 0388	128	4	99	-0.38	95	-0.83 71	-1.08 52	-1.52 77	71	0.22 69	0.03 78	4.06 109	73	3.01 35	-0.41 92	35	92			173		
A 24 0588 107703316	9.03	A 19 0154 A 22 0590	130	2	98	-2.27	92	0.57 70	0.42 51	-0.37 109	70	0.07 68	1.18 77	7.24 120	72	3.94 36	0.37 101	35	101			182		
A 24 0590 107703324	0.71	NH 19 0549 A 21 0364	103	3	108	4.74	103	1.64 70	0.50 52	0.71 110	71	0.12 69	0.26 77	0.48 100	72	2.39 37	0.70 105	37	105			21		
A 24 0592 107703332	2.80	A 20 0145 A 21 0107	125	3	102	3.13	101	0.18 70	-0.31 51	-0.40 93	70	-0.05 68	-0.57 77	6.73 116	72	7.10 35	0.65 105	34	105			104		
A 24 0596 107703340	1.24	A 20 0145 A 22 0070	100	2	106	4.66	103	0.71 69	-0.62 51	0.42 87	70	0.17 68	-0.01 77	9.27 123	72	4.15 39	0.32 101	38	101			47		
A 24 0600 107703357	2.21	A 20 0079 A 21 0905	96	3	98	-1.39	93	-0.26 64	-0.95 42	-0.58 80	64	0.10 62	-0.28 73	-3.70 89	67	-2.76 24	-0.89 86	24	86			184		
A 24 0602 107703365	2.00	A 21 0051 A 20 0907	128	4	100	0.84	97	-0.05 66	0.41 42	-0.34 108	66	-0.15 63	-0.94 75	-3.82 89	68	2.10 21	0.09 98	21	98			134		
A 24 0603 107703373	0.55	NH 19 0549 A 20 0479	103	4	102	0.02	95	1.31 70	0.87 52	0.54 118	71	0.03 68	-0.17 77	3.89 109	72	-2.84 38	-0.59 90	38	90			106		
A 24 0604 107703381	1.42	A 21 0017 A 22 0600	116	2	102	2.27	99	0.24 68	1.06 45	-0.13 122	68	-0.10 66	-0.13 76	0.58 100	70	0.65 33	0.94 108	32	108			89		
A 24 0606 107703399	1.51	A 22 0004 A 21 0305	98	3	88	-7.85	82	-0.16 68	0.35 44	0.37 107	69	-0.18 67	0.16 77	6.90 117	71	-6.41 32	-1.44 79	32	79			280		
A 24 0610 107703407	1.43	A 21 0051 A 18 0409	163	6	91	-5.11	87	0.68 70	0.67 47	0.82 114	69	-0.29 67	0.52 77	4.85 111	71	0.01 35	-0.05 96	35	96			265		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP		GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
				EBV	Index		Dir	Mat	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc
		Active Breed Average :		100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27			
A 24 0616 107703415	2.69	A 21 0017 A 22 0651	93 2	103	1.65	98	0.26 67	97	0.70 43	115	0.05 68	97	-0.11 66	91	0.20 76	105	-2.64 70	92	0.90 33	1.08 102	110 33	80		
A 24 0619 107703423	9.02	A 22 0004 A 22 0393	93 1	97	-1.41	93	0.33 67	98	0.18 40	104	1.17 69	104	-0.16 67	88	-0.68 77	92	-1.10 71	96	-4.41 29	-0.96 82	85 29	195		
A 24 0620 107703431	2.21	NH 19 0549 A 21 0903	104 3	101	-0.29	95	0.20 66	97	0.41 48	109	-0.01 66	96	0.17 64	108	0.92 74	116	3.20 68	107	0.41 30	0.07 100	98 30	126		
A 24 0623 107703449	7.61	A 20 0145 A 22 0479	94 2	107	4.89	103	0.88 68	103	-0.88 46	81	0.67 70	101	0.32 68	118	0.31 77	107	2.20 72	104	2.49 33	-0.07 108	96 33	37		
A 24 0625 107703464	1.43	A 20 0079 A 22 0175	104 2	103	1.71	98	-0.35 68	92	-0.19 47	96	-0.91 69	91	0.20 67	110	-0.39 77	96	0.04 71	99	-2.50 34	-0.42 89	92 33	83		
A 24 0628 107703472	2.81	A 19 0154 A 20 0476	108 4	92	-6.16	85	-0.03 70	95	-0.18 52	96	-1.08 70	90	0.13 68	106	0.94 77	117	10.78 72	127	-1.61 38	-0.92 92	86 38	260		
A 24 0629 107703480	9.32	A 19 0154 A 22 0240	95 1	99	-2.37	91	1.26 68	107	0.66 49	114	1.99 70	109	0.19 67	109	2.55 77	142	7.30 72	118	1.73 36	0.11 105	98 36	167		
A 24 0632 107703498	1.17	A 22 0500 A 20 0004	95 3	92	-6.18	85	-0.12 66	94	-0.30 42	93	-0.24 66	95	-0.10 64	92	0.83 75	115	7.16 69	117	0.30 31	-0.38 99	92 30	259		
A 24 0635 107703506	2.72	A 21 0017 A 20 0349	99 3	96	-3.04	90	-0.36 69	92	0.81 46	117	-0.39 69	94	-0.33 67	78	0.43 77	109	-6.76 71	81	3.00 32	1.17 110	111 32	217		
A 24 0636 107703514	0.75	NH 19 0549 A 18 0050	118 5	98	-2.49	91	-0.11 71	94	0.89 54	119	0.10 71	97	-0.12 69	91	0.23 78	106	8.61 73	121	0.95 39	-0.03 102	96 38	188		
A 24 0637 107703522	0.80	NH 19 0549 A 20 0054	112 3	106	2.88	100	0.85 70	103	1.50 53	132	0.78 71	101	0.01 69	99	0.33 78	107	7.50 73	118	0.26 39	0.69 99	105 39	43		
A 24 0638 107703530	3.03	A 21 0017 A 21 0372	92 2	101	0.43	96	-0.10 67	94	0.71 44	115	-0.58 68	93	-0.28 66	81	-0.63 76	93	-5.71 70	84	0.54 31	0.96 100	108 31	117		
A 24 0648 107703548	1.00	A 20 0145 A 21 0070	96 1	101	-0.13	95	0.44 69	99	-0.46 50	90	-0.46 70	94	0.11 68	105	-0.07 77	101	7.10 72	117	1.10 35	-0.44 102	91 35	129		
A 24 0649 107703555	1.00	A 20 0145 A 21 0070	96 1	102	1.14	97	1.13 69	106	-0.45 50	90	0.56 70	100	0.07 68	102	-0.15 77	100	1.70 72	103	1.10 35	-0.44 102	91 35	88		
A 24 0654 107703571	0.81	NH 19 0549 A 17 0437	94 5	91	-6.94	84	0.00 70	95	0.05 54	101	-0.13 70	96	-0.07 68	94	0.82 77	115	-1.21 72	96	-1.74 41	-0.81 92	87 41	266		
A 24 0655 107703589	1.73	A 21 0051 A 19 0376	105 4	88	-7.34	83	-0.27 69	92	0.33 46	107	-0.34 69	94	-0.19 67	86	0.64 77	112	-0.15 71	98	0.11 33	-0.45 99	91 33	281		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0656 107703597	1.17	A 21 0017 A 21 0115	106 3		104	3.19	101	0.27 69	0.41 47	-0.47 93	0.19 66	0.83 77	0.03 99	2.20 37	1.08 37	63
A 24 0657 107703605	8.44	A 22 0500 A 20 0039	113 4		97	-1.80	92	0.16 67	-0.21 44	-0.08 96	0.26 64	0.72 75	5.84 114	-2.28 31	-0.93 86	202
A 24 0659 107703613	1.56	A 19 0154 A 22 0474	95 1		102	0.26	96	1.30 68	0.63 48	1.38 105	0.02 67	1.15 77	8.55 121	2.10 34	0.47 103	101
A 24 0665 107703639	1.49	A 22 0245 A 19 0168	105 4		101	1.26	97	1.24 67	0.40 44	1.33 105	-0.19 64	-0.08 76	-4.73 86	1.32 29	0.43 102	113
A 24 0669 107703647	7.97	A 20 0079 A 22 0599	129 2		97	-1.22	93	0.31 69	-0.78 46	-0.14 96	0.09 66	0.20 77	-7.04 80	0.38 30	-0.51 91	192
A 24 0677 107703654	2.08	A 21 0017 A 22 0908	96 1		93	-5.32	87	-1.11 61	0.55 35	-1.07 90	-0.25 60	0.53 72	-2.17 93	0.02 23	0.58 104	250
A 24 0679 107703662	1.23	A 22 0245 A 19 0224	98 3		102	1.21	97	1.22 67	0.66 44	2.04 109	-0.32 65	-0.40 76	2.26 105	0.80 31	0.38 101	105
A 24 0681 107703688	3.41	A 20 0145 A 22 0048	94 1		107	4.47	103	0.63 68	-0.41 47	0.02 97	0.28 67	0.21 77	9.91 125	3.13 31	0.16 99	32
A 24 0682 107703696	1.20	A 22 0004 A 22 0563	107 2		101	0.90	97	1.32 68	0.65 43	1.72 107	-0.11 67	-0.35 77	-1.80 94	-2.15 31	-0.45 91	124
A 24 0683 107703704	1.89	A 22 0245 A 19 0913	106 3		103	2.55	100	1.19 62	1.05 38	2.08 110	-0.31 60	-0.55 73	-2.10 93	0.17 18	0.54 103	81
A 24 0685 107703712	1.32	A 22 0004 A 20 0473	86 2		105	3.75	102	1.23 67	0.76 42	1.29 105	-0.13 66	-1.06 77	7.42 118	-1.26 29	-0.06 96	59
A 24 0686 107703720	1.23	A 19 0154 A 20 0418	116 4		88	-8.91	81	-0.27 70	0.40 52	-1.77 85	0.39 68	2.45 77	5.22 112	-2.86 38	-1.01 85	279
A 24 0687 107703738	4.37	A 22 0500 A 18 0054	111 6		83	-10.89	77	0.18 67	-0.21 44	0.12 97	-0.21 64	0.95 76	-0.67 97	-2.61 33	-1.29 81	284
A 24 0690 107703746	4.65	A 22 0500 A 17 0190	127 6		91	-5.80	86	-0.42 68	-0.09 45	-1.06 90	-0.07 65	0.37 76	3.64 108	0.33 33	-0.51 91	268
A 24 0691 107703753	2.77	A 21 0051 A 22 0655	93 1		88	-8.25	82	-0.80 66	0.39 38	-0.95 90	-0.21 65	0.69 76	-6.50 82	0.50 25	-0.29 93	282
A 24 0692 107703761	2.08	A 22 0500 A 22 0956	97 2		94	-3.69	89	-0.51 59	-0.34 31	-0.92 93	-0.10 57	-0.10 71	-1.95 94	0.25 18	-0.31 93	236

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	
			EPI	Times lambd				Dir	Mat							
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
A 24 0694 107703779	1.20	A 20 0079 A 19 0194	114	5	96	-2.79	91	0.10 70	-0.70 50	-0.08 70	0.02 68	-0.29 77	-1.50 72	-2.71 37	-1.15 37	224
A 24 0698 107703803	6.60	A 19 0154 A 19 0500	106	4	93	-4.99	87	0.79 70	-0.34 52	-0.67 70	0.22 68	1.97 77	8.42 72	2.20 38	-0.12 37	246
A 24 0699 107703811	2.21	A 22 0004 A 21 0910	101	2	97	-1.39	93	0.55 64	0.62 39	1.32 65	-0.20 62	-0.09 74	1.76 68	-2.20 22	-0.24 22	198
A 24 0701 107703829	7.96	A 19 0154 A 22 0144	106	2	101	-0.55	94	1.51 69	0.79 50	0.54 70	-0.02 67	0.11 77	2.60 72	0.47 36	-0.24 36	120
A 24 0702 107703837	1.97	A 22 0004 A 21 0200	94	3	100	0.25	96	0.74 68	0.29 42	0.93 69	-0.04 67	-0.77 77	2.67 71	-3.90 31	-0.99 31	146
A 24 0703 107703845	2.16	A 20 0145 A 21 0333	90	3	99	-0.22	95	-0.08 69	-0.80 49	-1.63 70	0.33 68	0.35 77	5.35 72	1.49 36	-0.46 35	168
A 24 0705 107703852	2.64	NH 19 0549 A 19 0503	109	4	101	0.06	95	2.28 70	-0.07 52	1.46 70	-0.01 68	-0.29 77	3.90 72	-1.81 38	-0.94 38	128
A 24 0706 107703860	1.11	A 21 0051 A 22 0229	94	2	100	0.59	96	0.27 67	0.27 43	-0.03 68	-0.01 66	0.19 76	1.33 70	2.40 35	0.38 35	150
A 24 0707 107703878	8.02	A 19 0154 A 22 0298	114	2	99	-1.37	93	0.87 69	0.01 50	-0.02 69	0.13 67	1.04 77	3.76 71	3.09 35	0.04 34	170
Young Ewes (with known parents) average :					100.1	0.2	96	0.31	0.06	-0.08	0.02	0.17	1.89	1.11	0.14	