



DOHNE MERINO GENETIC REPORT



20 September 2026

AC BLAINE PTY LTD

FDM : B



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{dier} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 770


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Matig / Moderate	4

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.

* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows

Sires of lambs born in the last 36 months

Number : 9



Dams of lambs born in the last 36 months

Number : 165



Lambs born in the last 36 months

Number : 206



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	-0.26	-0.10	-0.34	0.54	0.66	0.47
Weaning Weight Mat	0.06	0.07	0.05	0.01	0.00	0.01
Body Weight	-0.01	0.31	-0.18	0.56	0.96	0.41
Clean Fleece Weight	-0.10	-0.08	-0.11	0.03	0.06	0.02
Fibre Diameter	0.65	0.66	0.64	-0.14	-0.22	-0.12
Staple Length	3.80	4.20	3.59	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-9.49	-9.23	-9.63	1.48	2.04	1.17
Interlambing Period	-2.94	-3.00	-2.91	0.36	0.44	0.31
Lambs Weaned	0.79	0.96	0.70	0.46	0.56	0.39
Total Weight Weaned	0.23	0.31	0.19	0.27	0.32	0.24
Selection Indices						
General Merit Index	-3.37	-1.77	-3.90	2.81	4.45	2.23
SIP	100.8	101.1	100.8	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	2.81	3.27	2.55	3.00	3.13	2.92
Number of Animals						
Number of Animals	770	270	500	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	92.5	94.0	91.7
Weaning Weight Mat	101.0	101.3	100.9
Body Weight	96.4	98.4	95.3
Clean Fleece Weight	92.0	93.0	91.5
Fibre Diameter	112.2	112.5	112.1
Staple Length	108.6	109.7	108.1
Breeding Value Indices for Fertility			
Age First Lambing	112.3	112.0	112.5
Interlambing Period	111.0	111.2	110.9
Lambs Weaned	101.3	101.9	100.9
Total Weight Weaned	99.6	100.5	99.1
Selectopn Indices			
General Merit Index	89.8	92.4	88.9
SIP	100.8	101.1	100.8
Inbreeding			
Inbreeding (%)	2.81	3.27	2.55
Number of Animals			
Number of Animals	770	270	500

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	230	-2.24	-0.05	211	-3.81	211	-0.33	211	0.83	211	0.01	45	-9.88	39	-3.37	63	0.55	45	-0.56	211	-15.89
2015	321	-1.85	-0.07	294	-2.59	294	-0.21	294	0.65	293	0.54	62	-9.08	49	-3.97	67	-1.38	55	-0.52	294	-11.04
2016	317	-2.03	-0.09	282	-3.19	282	-0.28	282	0.63	280	-0.54	55	-9.40	45	-2.91	72	0.18	55	-0.43	282	-13.25
2017	307	-1.19	-0.05	294	-2.07	294	-0.22	294	0.60	293	1.84	45	-4.21	35	-1.14	58	0.03	44	-0.03	294	-9.27
2018	376	-1.17	-0.01	370	-1.65	370	-0.20	370	0.62	370	1.45	79	-9.23	54	-2.12	80	1.29	79	0.20	370	-8.09
2019	311	-0.97	-0.03	238	-1.23	238	-0.20	238	0.71	238	1.84	57	-5.96	46	-2.79	65	0.43	54	-0.04	238	-7.96
2020	324	-0.96	-0.28	263	-1.25	263	-0.12	263	0.54	263	2.94	87	-7.79	63	-2.01	91	0.35	87	0.04	263	-5.56
2021	278	-0.97	-0.11	252	-1.10	252	-0.11	251	0.55	252	2.91	56	-9.79	34	-3.43	61	-0.26	56	-0.18	251	-5.81
2022	309	-0.45	-0.12	265	-0.39	264	-0.08	264	0.58	264	2.77	38	-11.54	20	-3.90	45	0.52	38	0.22	264	-3.36
2023	258	-0.48	-0.12	207	-0.21	213	-0.08	213	0.36	213	3.05	14	-8.58			16	0.76	14	0.20	207	-2.16
2024	213	0.04	0.09	122	0.76	122	-0.08	122	0.69	121	4.73									122	-1.29
2025	155	-0.06	0.11																		

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	737	96
Known Dams	738	96

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2026	2.89	0.09
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV	Index								EBV	Index	
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
B 20 0201 90137613	1.28	B 18 0018 B 16 0284	117	2	65	2	111	-3.34	90	-0.26 95	-0.09 63	-1.75 93	0.25 91	0.74 95	2.73 93	-2.18 45	-0.55 45	123	6	9	
B 21 0069 92688969	1.66	B 19 0138 B 17 0119	62	1	50	1	105	2.21	99	1.58 92	1.09 58	4.08 123	-0.17 90	1.54 94	11.84 92	1.47 39	0.99 39	143	6	32	
B 21 0072 92689611	4.87	B 19 0199 B 18 0219	85	2	52	2	106	4.78	103	1.26 94	0.01 54	1.10 100	-0.18 90	-0.61 94	1.52 92	6.05 33	0.98 32	127	6	30	
B 21 0238 92688944	1.95	RA 17 0208 B 17 0106	32	1	27	1	103	-3.86	89	-0.90 88	-0.48 59	0.93 90	-0.18 85	0.44 91	12.43 88	-1.61 45	-0.32 45	92	3	40	
B 21 0257 92688787	1.78	RA 17 0208 B 16 0516	37	1	30	1	114	-0.89	94	-2.40 88	-1.23 57	-3.94 74	0.13 85	-1.49 91	-5.74 88	-0.68 41	-0.53 41	98	4	5	
B 22 0011 95088373	2.53	B 19 0138 B 20 0288	61	1	18	1	107	-2.12	92	0.49 92	0.81 54	2.89 117	-0.06 82	1.19 89	10.04 85	-5.43 38	-0.49 38	104	4	18	
B 22 0065 95088910	2.62	B 20 0009 B 15 0139	59	1	13	1	102	3.41	101	0.97 92	-0.16 53	1.83 96	-0.13 80	0.27 87	2.72 83	2.68 35	0.90 35	162	7	62	
B 22 0185 95090270	2.30	B 20 0009 B 19 0151	29	1	21	1	108	2.94	100	0.85 86	0.04 46	3.46 101	0.06 83	0.73 90	4.32 86	-3.86 31	-0.34 31	94	3	14	
B 22 0239 95090817	3.93	B 20 0048 B 19 0026	25	1	18	1	106	-1.97	92	-0.60 85	0.36 47	-0.92 107	-0.04 81	1.07 89	4.84 85	5.38 30	1.08 30	97	3	30	
B 22 0261 95091039	1.77	B 20 0098 B 19 0208	28	1	18	1	109	3.82	102	1.46 86	-0.82 46	1.00 83	0.24 81	0.47 89	9.49 85	-1.01 31	-0.01 31	89	2	11	
B 22 0329 95091856	2.59	B 20 0201 B 20 0056	11	1	6	1	103	-2.82	91	0.25 79	-0.31 44	0.09 93	-0.04 74	0.26 83	8.05 78	-2.50 32	-0.45 32	90	1	48	
B 23 0119 97500839	1.85	B 20 0201 B 19 0267	19	1			105	1.50	98	0.05 84	0.05 48	-0.90 101	0.26 67	0.56 77	1.51 71	-0.91 32	0.21 32	119	5	25	
BB 24 0441 99669202	4.18	BB 22 0437 BB 18 0472	91	1			101	15.36	121	2.39 94	0.21 60	4.44 104	0.14 70	-0.12 78	3.60 73	4.83 39	1.48 39	132	7	61	
EC 21 0135 92571603	1.89	EC 19 0901 EC 19 4015	118	1	89	1	121	12.27	116	2.64 95	-0.50 65	2.98 89	0.32 93	0.29 96	1.71 95	3.64 38	0.90 38	99	2	2	
RA 23 0214 98173032	2.00	RA 21 0023 RA 20 1425					101	2.49	99	0.69 63	-0.28 39	0.59 94	0.04 61	-0.23 73	-3.64 66	0.67 23	-0.02 23	107	4	75	
Rams with Progeny Average :							107	2.3	99	0.57	-0.09	1.06	0.04	0.34	4.36	0.44	0.26				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
B 24 0001 100861673	2.15	B 21 0069	B 19 0048	14	104	1.64	98	-0.02 70	1.00 46	1.81 70	75	0.53 77	0.31 71	5.90 31	1.76 30	144	5
B 24 0002 100861699	2.15	B 21 0069	B 19 0048	22	102	0.71	97	0.32 70	1.09 46	2.79 70	77	1.42 77	7.68 71	5.90 31	1.76 30	144	5
B 24 0011 100861772	4.80	B 22 0261	B 21 0062	5	106	2.33	99	-0.13 67	-0.18 39	0.27 67	104	0.63 76	7.22 69	1.45 26	0.71 26	120	3
B 24 0018 100861830	9.38	B 21 0072	B 19 0236	3	107	3.76	102	1.59 69	-0.21 43	0.11 68	88	-0.90 76	-0.20 70	5.89 27	0.80 27	117	5
B 24 0020 100861871	5.82	B 22 0011	B 20 0161	17	104	1.26	97	0.04 69	0.33 43	1.39 67	98	0.08 76	8.99 70	-3.54 31	-0.27 31	116	4
B 24 0022 100861897	4.60	B 21 0072	B 22 0012	32	97	-1.80	92	-0.08 68	0.21 40	0.06 68	91	0.66 76	3.67 70	3.89 25	0.60 25	109	2
B 24 0027 100861939	5.91	B 22 0261	B 18 0268	7	105	2.13	99	1.07 68	-0.26 42	1.39 68	104	0.70 76	11.77 70	-1.28 31	0.19 30	105	5
B 24 0034 100862010	2.70	B 21 0069	B 19 0284	11	104	1.29	98	0.33 69	0.46 44	2.34 69	107	2.40 77	9.41 71	2.13 29	1.01 29	107	4
B 24 0035 100862036	3.47	B 21 0069	B 19 0025	46	94	-5.96	86	-0.11 69	0.30 44	-0.23 69	81	0.56 77	8.09 71	-1.27 31	0.15 31	107	5
B 24 0036 100862051	1.68	B 22 0239	B 20 0114	35	97	-4.56	88	0.31 67	0.40 40	-0.45 67	98	0.57 76	5.09 69	1.01 26	0.78 25	116	4
B 24 0037 100862077	3.12	B 22 0011	B 21 0152	48	94	-6.45	85	-0.57 68	0.56 41	1.14 67	99	2.22 76	14.34 69	-1.98 27	-0.21 26	120	3
B 24 0038 100862093	9.52	B 22 0329	B 20 0210	13	104	1.10	97	0.29 65	-0.54 39	0.79 66	105	0.31 75	5.80 68	0.05 28	-0.31 27	101	3
B 24 0039 100862119	4.99	B 22 0239	B 18 0029	50	86	-11.05	77	-1.97 68	0.54 43	-2.68 68	86	1.42 76	4.22 70	1.65 31	0.34 30	116	6
B 24 0044 100862176	3.80	B 22 0011	B 22 0114	27	100	-1.46	93	-0.24 68	0.60 40	1.55 67	99	1.34 76	6.62 69	-2.66 28	0.11 28	108	2
B 24 0053 100862259	2.62	B 22 0185	B 16 0226	42	95	-4.58	88	-0.19 68	0.72 42	1.23 68	90	1.11 76	0.10 71	-4.37 30	-0.18 30	147	7



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambled
						EBV	Index	EBV	Index	A	EBV	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
B 24 0055 100862275	1.89	B 22 0329	B 19 0519	39	95	-5.32	87	-0.98 62	0.01 36	-0.60 93	-0.18 59	0.35 73	3.01 65	-1.03 16	-0.12 16	103	5
B 24 0058 100862317	4.44	B 22 0261	B 20 0198	37	96	-4.07	89	-0.12 67	-0.20 39	-1.24 89	0.06 64	0.65 76	5.23 69	-2.86 27	-0.20 27	102	3
B 24 0060 100862358	4.36	B 21 0069	B 22 0110	16	104	1.19	97	1.29 68	0.88 41	2.23 111	-0.11 66	0.79 76	12.04 71	-0.61 28	0.56 27	112	2
B 24 0070 100862390	2.20	B 21 0069	B 21 0243	30	99	-1.89	92	0.09 69	0.46 44	1.13 104	-0.23 66	0.36 76	8.61 71	-0.95 32	0.30 32	122	3
B 24 0076 100862432	3.43	B 22 0011	B 20 0323	49	93	-5.84	86	-0.30 69	0.34 42	1.46 106	-0.16 64	1.23 76	7.47 69	-3.96 30	-0.42 30	110	4
B 24 0080 100862499	3.17	B 22 0011	B 20 0042	47	94	-5.34	87	0.68 68	0.13 42	1.33 103	-0.18 64	0.79 75	5.75 69	-2.84 30	-0.56 29	116	4
B 24 0083 100862515	2.02	B 22 0185	B 19 0345	18	103	0.86	97	0.45 67	0.18 40	2.07 110	0.05 65	0.93 76	8.72 69	0.89 27	-0.03 26	112	5
B 24 0088 100862572	1.86	B 22 0185	B 18 0005	10	104	1.83	98	-0.95 68	0.13 41	-0.10 96	0.03 65	0.09 76	3.63 70	0.60 28	0.47 28	116	6
B 24 0089 100862598	2.75	B 22 0261	B 18 0032	20	103	0.36	96	-0.57 68	-0.71 42	-1.74 85	0.25 65	0.20 76	8.75 70	-1.70 30	-0.03 29	125	6
B 24 0090 100862614	1.71	B 22 0065	B 19 0292	1	108	4.25	102	1.14 68	0.09 41	2.49 112	0.12 64	0.98 75	5.69 68	1.30 28	0.45 28	100	4
B 24 0096 100862697	3.16	B 22 0185	B 21 0222	36	96	-3.63	89	0.16 67	-0.46 40	1.65 107	-0.08 65	0.93 76	2.00 70	-3.28 29	-0.54 29	99	2
B 24 0105 100862796	5.78	B 22 0239	B 21 0209	40	95	-4.43	88	-1.10 67	-0.31 39	-2.51 80	0.20 64	1.66 76	2.37 69	3.74 25	0.66 25	117	3
B 24 0113 100862879	2.08	B 22 0185	B 22 0501	33	97	-3.92	89	-0.16 60	0.18 29	1.25 104	-0.11 58	1.17 72	2.79 64	-1.71 15	-0.06 15	98	1
B 24 0120 100862895	3.15	B 21 0069	B 18 0247	31	99	-2.18	92	0.37 69	0.32 44	1.46 106	-0.03 66	1.42 77	11.00 71	-1.66 31	0.24 30	113	6
B 24 0121 100862911	1.89	B 21 0069	B 19 0501	34	97	-3.96	89	0.51 65	1.05 41	1.38 122	-0.38 63	0.71 74	-2.97 68	0.96 20	0.60 19	111	5
B 24 0122 100862937	2.26	B 22 0185	B 19 0267	2	108	4.36	103	0.42 68	0.34 41	2.23 111	0.03 65	0.30 76	0.53 70	-1.75 28	0.31 27	119	5

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
B 24 0133 100863034	2.38	B 21 0069	B 21 0178	12	104	1.61	98	0.68 68	0.51 101	2.33 43	-0.35 67	-0.08 77	3.21 107	0.91 31	0.81 107	102	2
B 24 0134 100863059	2.74	B 21 0069	B 21 0305	4	107	3.19	101	0.67 69	-0.09 101	2.74 44	0.03 67	0.89 77	14.56 116	0.75 32	0.36 101	122	3
B 24 0144 100863091	1.65	B 22 0185	B 18 0049	15	104	0.40	96	0.44 68	0.28 41	1.64 106	-0.12 65	0.55 76	-0.49 70	-1.00 27	0.38 101	120	6
B 24 0146 100863117	1.89	B 22 0261	B 19 0507	19	103	0.17	96	1.15 64	-0.39 37	0.78 92	-0.03 60	0.30 73	4.41 107	-0.28 15	0.10 98	107	5
B 24 0149 100863133	8.82	B 22 0239	B 19 0334	45	94	-5.25	87	-1.27 67	0.10 39	-2.16 102	-0.13 64	0.55 76	6.34 115	4.43 25	0.58 104	91	4
B 24 0152 100863190	1.38	B 22 0065	B 17 0062	8	104	1.83	98	0.81 70	-0.15 45	2.63 97	-0.29 65	0.03 76	-2.72 103	3.75 32	0.56 104	149	7
B 24 0159 100863216	1.89	B 22 0261	B 19 0514	29	99	-2.59	91	-0.37 64	-0.69 37	-0.64 85	-0.02 60	0.48 73	1.63 103	-0.28 15	0.10 98	101	5
B 24 0163 100863273	1.89	B 22 0185	B 19 0500	38	96	-4.63	88	-0.95 63	-0.52 36	-0.98 89	-0.18 59	0.03 72	2.12 103	-1.71 15	-0.06 96	93	5
B 24 0170 100863331	2.46	B 22 0185	B 18 0219	26	100	-0.42	95	0.08 69	0.39 42	1.03 108	-0.22 66	0.04 76	-3.55 103	0.39 30	0.37 101	127	6
B 24 0193 100863513	9.21	B 22 0239	B 20 0005	24	102	-0.39	95	-1.48 68	0.01 41	-2.97 100	0.04 65	0.21 76	8.31 121	6.07 26	1.25 112	137	4
B 24 0195 100863539	2.08	B 22 0185	B 22 0502	28	100	-2.12	92	-0.22 60	0.17 29	1.23 104	-0.16 58	0.45 72	-4.99 109	-1.71 15	-0.06 96	98	1
B 24 0204 100863612	2.55	B 22 0185	B 22 0180	6	105	2.22	99	1.02 66	0.33 35	2.26 107	0.08 64	1.11 76	6.80 117	-0.79 23	0.31 101	99	1
B 24 0232 100863836	4.05	B 22 0011	B 22 0299	25	101	-0.73	94	1.12 67	0.89 39	2.72 119	-0.19 64	0.48 76	1.20 102	-3.07 29	-0.16 95	102	2
B 24 0233 100863851	1.89	B 22 0261	B 19 0512	21	103	0.14	96	0.01 65	-0.76 37	-0.92 84	0.14 61	0.28 74	2.68 106	-0.28 15	0.10 98	109	5
B 24 0236 100863919	1.66	B 22 0261	B 17 0330	44	94	-5.30	87	0.71 68	-0.62 42	-0.70 87	-0.09 65	0.52 76	10.32 126	-3.44 30	-0.28 93	138	7
B 24 0238 100863950	5.03	B 22 0239	B 18 0248	9	104	1.14	97	-1.00 67	0.47 41	-1.31 110	0.02 64	0.07 76	5.40 113	2.12 28	0.88 107	122	6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambcd
						EBV	Index	EBV Acc	Index Index	A	EBV Acc	Index Index	Acc	Index Index	Acc	Index Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
B 24 0259 100864198	2.19	B 22 0239	B 20 0023	41	95	-4.76	88	-0.61 67 89	0.25 40 105	-0.50 67 93	-0.19 64 86	0.35 76 108	-3.95 69 88	-0.16 27 98	0.03 27 97	103	3
B 24 0260 100864214	26.18	B 21 0069	B 17 0119	23	102	0.62	96	0.91 70 104	1.15 46 124	1.72 70 107	-0.46 68 70	0.51 77 110	7.88 72 119	6.48 32 123	1.87 31 119	143	6
B 24 0272 100864354	5.37	B 22 0239	B 18 0356	43	95	-4.64	88	-0.93 67 86	0.74 41 116	-0.12 67 96	-0.19 65 86	0.87 76 116	1.39 70 102	1.42 29 104	0.44 28 102	105	5
EC 23 1505 98637499	1.50	EC 21 0135	EC 18 1004	17	102	1.69	98	0.38 69 99	-0.43 46 91	-0.03 69 96	0.15 67 107	0.33 77 107	9.25 71 123	0.35 31 100	0.10 30 98	100	6
Young rams (with known parents) average :					100	-1.32	93	0.05	0.18	0.64	-0.08	0.66	4.85	0.23	0.32		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned		SIP	GM		Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd	1st	2nd		EBV	Index	EBV	Acc			Index	Acc		Index				
		Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
B 16 0117 78321593	3.31	B 14 0049 B 14 0226	132	7	8	2	96	-16.71	68	-2.50 79 71	-0.56 72 88	-4.45 78 68	-0.14 76 89	0.85 84 115	2.88 80 106	-1.88 53 91	-1.19 52 82	143	7	98	
B 16 0198 78320496	1.37	EN 12 0202 B 12 0517	80	3	12	1	111	-2.39	91	-1.43 79 82	-0.48 74 90	-2.33 78 82	-0.03 76 96	0.18 85 105	0.01 81 99	2.99 56 110	0.69 55 105	188	8	14	
B 16 0226 78320710	1.61	B 14 0110 B 13 0085	88	2	7	1	101	-11.58	76	-0.27 77 92	1.38 70 129	-0.65 77 92	-0.38 75 75	1.32 84 123	-3.08 80 91	-4.88 52 80	-0.02 52 97	147	7	56	
B 16 0252 78321833	1.47	B 14 0138 B 14 0511	87	5	7		98	-12.98	74	-1.39 74 82	0.45 67 109	-3.11 73 77	-0.13 70 90	0.68 80 113	2.35 75 105	-6.60 49 74	-1.01 48 85	149	8	84	
B 17 0062 80236912	2.66	B 15 0111 B 14 0079	106	5	9	1	100	-3.57	90	-0.15 79 94	-0.35 72 93	1.13 76 104	-0.31 74 79	0.42 83 109	-4.92 78 86	4.81 53 116	0.22 52 99	149	7	74	
B 17 0081 80235435	1.58	B 14 0148 B 11 0178	138	6	6	1	103	-11.74	76	-1.05 77 85	0.62 71 113	-2.13 77 83	-0.32 75 78	0.78 83 114	-1.67 79 94	-2.60 55 89	-0.18 54 95	122	7	58	
B 17 0086 80236961	1.16	B 15 0057 B 14 0090	100	4	10		101	-2.08	92	-1.03 79 85	0.82 71 117	-1.69 78 86	-0.38 76 74	0.47 84 109	0.99 80 101	11.79 49 143	2.30 48 125	149	6	64	
B 17 0089 80235633	1.27	B 14 0148 B 11 0513	113	5	6	1	115	0.21	96	-1.31 77 83	0.52 69 111	-2.75 76 79	0.12 74 105	-0.26 82 98	5.35 77 113	1.92 50 106	0.50 50 103	120	6	2	
B 17 0101 80237993	1.47	B 15 0067 B 14 0502	104	6	6		104	-8.78	81	-0.47 74 91	0.67 67 114	-0.08 73 96	-0.29 70 80	1.07 80 119	4.84 75 111	-6.89 48 72	-0.11 47 95	127	7	44	
B 17 0104 80239072	1.56	B 15 0072 B 15 0502	87	1	8	3	104	-7.61	83	-1.06 75 85	-0.35 70 92	-3.01 73 77	-0.04 70 96	0.01 80 102	5.62 75 113	-4.07 50 83	-0.62 49 89	140	7	43	
B 17 0119 80235864	1.41	B 15 0045 B 12 0135	169	6	8	2	91	-0.54	95	0.74 80 102	1.31 71 127	1.02 79 103	-0.72 78 54	0.25 85 106	6.47 81 116	11.48 50 142	2.76 49 130	143	6	131	
B 17 0156 80236011	1.37	B 15 0111 B 12 0503	99	6	4	1	97	-10.46	78	-0.80 73 87	-0.91 65 81	-1.29 73 88	0.24 71 113	2.26 80 137	10.57 75 126	-1.09 47 94	-1.18 46 83	96	7	102	
B 17 0185 80235237	1.56	B 14 0110 B 11 0121	102	4	4	1	96	-11.83	76	-0.54 75 90	0.71 66 115	-1.24 74 89	-0.46 72 70	0.04 81 103	-6.31 76 82	-0.52 52 96	-0.73 51 88	100	6	104	
B 17 0223 80235526	1.50	B 14 0110 B 11 0251	118	6	6		91	-12.66	75	-1.08 77 85	0.09 69 102	-2.14 77 83	-0.45 75 70	-0.26 83 98	-6.30 79 82	2.76 52 109	-0.88 51 86	119	6	130	
B 17 0231 80236946	2.58	B 14 0110 B 14 0082	115	7	5	1	93	-16.06	69	-1.15 76 84	0.64 68 113	-1.84 75 85	-0.47 73 69	0.73 82 114	1.56 77 103	-3.20 52 86	-0.89 51 86	109	6	123	
B 17 0320 80235302	3.66	B 15 0072 B 11 0135	131	6	6		98	-10.28	78	-0.62 76 89	-0.74 67 84	-2.75 71 79	-0.12 69 90	0.68 78 113	-2.52 73 92	-0.11 50 98	-0.43 49 92	120	7	92	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 17 0330 80238884	2.08	B 15 0045 B 15 0271	86 2	7 2	95	-15.30	70		-1.28 76	-0.11 69	-2.37 81	-0.53 74	0.35 83	10.92 127	-5.87 51	-0.56 90	138	7	110
B 18 0005 82230970	1.43	B 16 0185 B 13 0501	127 6	6	109	0.17	96		-1.66 75	0.31 68	-3.14 106	-0.16 72	-0.87 81	-1.04 96	5.05 47	1.27 112	116	6	11
B 18 0006 82230988	1.43	B 16 0185 B 13 0501	127 6	9	105	-2.32	92		-1.32 77	-0.08 71	-2.39 98	-0.16 73	0.60 82	4.80 111	7.88 47	1.71 117	133	6	38
B 18 0008 82232190	2.78	L 14 0016 B 15 0274	139 6	4 2	99	-0.74	94		-0.16 75	0.51 67	0.85 111	-0.19 72	1.41 81	0.06 99	12.79 49	1.61 116	97	5	107
B 18 0010 82232471	1.56	EN 15 0040 B 15 0511	126 6	5	104	-11.23	77		-0.97 75	0.22 67	-2.63 104	-0.34 70	0.09 79	-5.22 104	-1.74 49	-0.40 92	104	6	59
B 18 0016 82231911	1.17	L 14 0016 B 15 0069	89 4	8 1	109	-2.37	91		-0.40 78	-0.27 71	-0.01 94	0.06 72	0.71 81	3.42 108	2.08 51	-0.27 94	128	6	12
B 18 0019 82231192	3.37	B 16 0026 B 14 0062	83 4	6 1	98	-11.37	77		-2.23 75	-0.29 67	-4.61 94	0.19 71	1.50 81	11.77 130	-1.08 48	-0.44 91	106	6	117
B 18 0022 82231788	1.11	B 16 0192 B 15 0006	120 6	4 1	99	-11.23	77		-1.27 75	-0.45 67	-1.11 90	-0.06 74	0.65 82	-3.03 91	-7.44 52	-1.77 51	94	5	105
B 18 0029 82232711	2.42	B 16 0292 B 16 0117	143 7	7	99	-10.88	77		-2.03 78	0.38 71	-2.09 108	-0.14 75	1.13 83	2.65 106	-2.08 54	-0.39 92	116	6	100
B 18 0032 82229675	1.19	B 16 0327 B 11 0150	112 5	7 1	94	-5.75	86		-0.83 77	-0.21 70	-2.30 95	0.03 75	0.67 83	11.84 130	-2.39 51	-0.06 96	125	6	163
B 18 0043 82231689	1.47	B 16 0292 B 14 0511	87 5	5 1	105	-6.00	86		-0.53 73	0.59 68	-0.85 112	0.13 70	1.93 80	6.69 116	-4.66 49	0.02 97	105	5	43
B 18 0049 82231713	1.47	B 16 0014 B 14 0513	84 3	7	102	-4.38	88		-1.70 73	0.32 66	-2.14 107	-0.08 69	1.06 80	-1.30 95	1.86 44	1.11 110	120	6	79
B 18 0073 82231671	1.47	B 16 0185 B 14 0509	96 5	3	98	-8.21	82		-0.55 70	0.26 62	-1.70 105	-0.33 66	0.65 77	3.53 108	3.71 45	0.56 104	91	6	118
B 18 0111 82231705	1.47	B 16 0325 B 14 0512	116 6	6 1	91	-13.42	73		-1.98 75	-0.35 67	-4.36 92	-0.14 71	1.41 81	7.56 119	0.47 43	0.25 100	107	5	177
B 18 0124 82233297	1.78	EN 15 0040 B 16 0516	98 4	5	111	-7.92	82		-1.86 73	-0.63 66	-4.16 87	0.02 69	-0.54 79	-3.52 90	-3.40 49	-0.96 85	100	6	9
B 18 0132 82231143	2.90	B 16 0292 B 14 0044	115 6	6 3	105	-3.27	90		-0.71 78	0.68 72	-1.50 114	0.19 76	1.04 84	8.33 121	2.63 56	-0.07 96	114	6	39

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 18 0147 82231572	1.91	L 14 0016 B 14 0241	128 7	5 2	99	-5.25	87		-0.18 76 93	0.37 68 108	-0.20 76 95	-0.23 74 84	0.69 83 113	3.55 78 108	6.39 51 122	0.26 51 100	108	6	103
B 18 0153 82229790	1.34	B 16 0026 B 11 0222	108 5	7 2	105	-7.04	84		-2.60 77 71	-0.58 69 88	-4.31 74 69	0.22 72 112	1.24 81 121	4.22 76 110	5.44 48 119	0.24 47 100	109	5	41
B 18 0163 82230293	1.37	B 15 0111 B 12 0509	118 6	9 1	108	-0.58	94		0.10 78 96	-0.01 72 100	0.14 76 97	-0.10 74 92	0.64 83 112	7.34 78 118	5.25 50 118	0.81 49 107	135	6	21
B 18 0170 82230319	1.37	B 16 0292 B 12 0511	94 4	6	100	-8.42	82		-1.78 75 78	1.17 69 125	-1.10 73 89	-0.05 71 95	1.80 80 130	4.67 76 111	-3.37 49 86	0.13 48 98	116	6	90
B 18 0174 82232240	1.06	B 16 0192 B 15 0284	94 5	5 2	100	-9.61	80		-1.66 76 79	-0.14 68 97	-1.77 76 85	0.06 74 102	1.42 82 124	-2.45 78 92	-2.00 50 91	-0.76 49 88	103	5	91
B 18 0179 82231655	1.47	B 16 0026 B 14 0507	99 4	5 1	107	-5.39	87		-0.93 73 86	0.61 65 113	-1.97 72 84	0.05 70 101	0.95 80 117	7.82 75 119	-1.50 45 93	0.10 44 98	107	6	26
B 18 0187 82231606	1.47	B 16 0185 B 14 0504	98 5	6 2	105	-3.79	89		-0.66 74 89	0.20 70 104	-1.58 73 86	-0.26 70 82	0.56 80 111	2.25 75 105	9.32 50 133	1.32 49 113	115	6	44
B 18 0194 82233131	1.78	B 16 0014 B 16 0501	87 2	10	98	-8.29	82		-2.16 76 75	0.40 70 108	-2.32 72 82	-0.25 70 83	1.73 80 129	-11.17 75 69	6.53 46 123	1.54 46 115	135	6	124
B 18 0207 82229816	4.36	EN 15 0040 B 11 0236	122 6	8 1	97	-9.03	81		-1.26 79 83	-0.56 73 88	-2.68 77 79	-0.55 75 64	-0.13 83 100	2.81 79 106	6.03 55 121	0.95 54 108	121	6	134
B 18 0213 82230939	2.53	B 16 0192 B 13 0306	109 5	5 1	102	-11.66	76		-2.56 76 71	-0.91 68 81	-2.83 74 78	-0.31 72 79	0.02 81 103	-0.67 76 97	-3.68 51 84	-0.62 50 89	97	5	80
B 18 0216 82230376	1.37	B 16 0185 B 12 0523	113 6	8	110	-0.48	95		-0.91 77 86	0.20 70 104	-1.09 75 89	-0.23 72 84	0.18 82 105	4.73 77 111	9.48 48 134	1.53 48 115	124	6	10
B 18 0219 82232935	3.13	B 16 0014 B 16 0232	127 5	7	103	-2.02	92		-0.58 79 89	0.59 70 112	-0.90 76 91	-0.31 74 79	-0.07 82 101	-1.61 78 95	4.65 51 116	1.09 50 110	127	6	65
B 18 0243 82229485	1.68	B 16 0185 B 11 0034	114 6	8	104	-6.66	84		-2.20 78 74	-0.47 71 90	-3.44 77 74	-0.17 75 88	0.37 84 108	11.27 80 128	6.38 52 122	0.77 51 106	119	6	52
B 18 0247 82232158	1.50	B 16 0327 B 15 0236	87 1	6	101	-6.19	85		0.00 74 95	-0.24 66 95	0.02 72 97	-0.08 70 93	0.91 80 116	5.02 75 112	-4.78 48 80	-0.50 47 91	113	6	88
B 18 0248 82233156	1.78	B 16 0014 B 16 0502	87 2	6 1	111	0.03	95		-1.22 72 84	0.94 66 120	-1.10 71 89	-0.15 68 89	-0.45 79 95	1.33 73 102	-1.15 46 94	0.68 45 105	122	6	8
B 18 0268 82232000	1.44	B 15 0111 B 15 0139	162 7	5 1	107	0.38	96		0.80 77 102	0.29 69 106	2.13 77 110	-0.03 75 96	1.18 83 120	10.46 79 126	-1.55 53 92	0.39 52 102	105	5	22

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 18 0280 82230012	1.61	B 16 0327 B 12 0029	141 5	5 1	95	-7.45	83		-0.78 75 88	0.62 67 113	-0.79 74 91	-0.53 72 65	0.17 81 105	-2.08 76 93	-2.17 49 90	0.73 48 106	104	5	160
B 18 0315 82230475	1.28	B 16 0327 B 13 0031	109 6	6 1	96	-7.79	83		-0.85 76 87	-0.46 68 90	-1.82 75 85	0.16 73 108	1.13 82 120	3.90 78 109	-6.79 51 73	-0.95 50 85	111	6	142
B 18 0325 82230848	1.19	B 16 0327 B 13 0253	130 6	7	97	-6.17	85		-1.96 77 77	0.11 69 102	-1.85 76 85	-0.37 74 75	0.00 82 102	-4.24 78 88	2.30 49 107	0.71 48 105	112	5	139
B 18 0351 82231283	1.82	B 16 0185 B 14 0093	102 7	9	95	-0.89	94		-1.42 79 82	0.55 72 112	-1.13 77 89	-0.18 75 87	0.70 83 113	4.65 79 111	9.03 52 132	1.71 51 118	140	6	158
B 18 0354 82230152	1.11	EN 15 0040 B 12 0214	141 5	10 1	103	1.87	98		-0.06 81 94	-0.15 74 97	-0.86 75 91	-0.20 74 86	0.09 81 104	5.59 77 113	11.55 55 142	1.84 54 119	143	6	69
B 18 0356 82232075	1.61	B 16 0014 B 15 0195	83 2	5 1	100	-9.03	81		-1.83 74 78	1.09 67 123	-0.89 75 91	-0.39 73 74	0.24 82 106	-4.68 77 86	-2.54 49 89	-0.20 49 94	105	5	94
B 18 0358 82230566	1.14	B 16 0327 B 13 0100	131 6	8	101	-2.95	91		1.35 78 108	0.54 70 111	1.37 77 105	-0.45 75 70	0.90 83 116	4.87 79 111	3.46 50 111	1.37 49 113	124	5	85
B 19 0012 85816130	1.45	B 17 0121 B 14 0001	113 6	5 1	94	-8.10	82		-0.49 75 90	-0.45 66 90	-1.07 74 90	-0.05 72 95	1.61 81 127	-0.03 77 99	-2.82 46 88	-0.01 46 97	107	5	92
B 19 0014 85815678	1.37	B 16 0192 B 12 0515	125 6	6	94	-12.39	75		-1.06 75 85	-0.39 68 92	-0.53 73 93	-0.25 71 83	2.19 81 136	5.94 76 114	0.47 45 100	0.02 45 97	117	5	97
B 19 0015 85815470	2.10	B 17 0144 B 12 0029	141 5	7 2	94	-5.48	86		0.49 78 100	0.80 70 117	0.02 75 97	-0.56 73 64	0.67 82 113	5.35 77 113	2.87 48 109	1.53 47 115	126	5	95
B 19 0021 85817666	2.57	B 17 0007 B 16 0165	84 2	3	93	-15.38	70		-1.49 71 81	0.13 60 103	-1.73 71 85	-0.35 69 77	1.12 79 120	-5.15 73 85	1.28 43 103	-0.90 42 86	92	4	104
B 19 0025 85818250	1.42	B 17 0077 B 17 0104	140 7	5	99	-8.89	81		-0.82 75 87	-0.55 66 88	-1.47 74 87	-0.21 71 85	0.25 81 106	5.95 76 114	-4.00 48 83	-0.68 47 89	107	5	66
B 19 0029 85817930	1.78	B 17 0045 B 16 0501	87 2	7	111	-1.34	93		-1.14 75 84	-0.38 67 92	-2.56 71 80	-0.01 68 97	0.25 79 106	-8.11 74 77	8.96 44 132	1.07 43 110	122	5	11
B 19 0048 85817153	1.75	B 17 0121 B 15 0274	139 6	9 2	96	1.08	97		-0.28 79 92	0.67 70 114	0.60 77 100	-0.35 74 76	0.98 83 117	-1.85 79 94	10.33 47 137	2.52 47 127	144	5	77
B 19 0061 85818268	2.14	B 17 0077 B 17 0106	92 3	4 1	94	-13.93	72		-1.55 74 80	-0.34 66 93	-0.35 74 94	-0.28 72 81	2.11 81 135	9.34 77 123	-0.42 47 97	-0.45 47 91	94	4	100
B 19 0063 85817997	1.78	B 17 0150 B 16 0506	94 3	4	108	-0.64	94		1.08 71 105	0.80 64 117	2.14 70 110	-0.04 68 96	0.92 78 116	-1.82 71 94	-6.65 44 73	-0.11 43 95	103	4	25

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		EBV	EBV	EBV	EBV		EBV				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50		0.46	0.27			
B 19 0067 85817245	1.77	B 17 0077 B 15 0316	123	6	6	99	-4.84	87	-0.49 76	-0.33 68	0.78 73	-0.26 71	1.15 80	10.26 76	126	4.03 48	0.55 47	116	5	67
B 19 0087 85817658	4.78	B 17 0045 B 16 0155	88	2	5	99	-5.86	86	-0.81 74	-0.45 65	-2.86 74	-0.08 72	-0.22 81	1.87 76	104	6.88 47	-0.26 47	106	5	64
B 19 0118 85817617	2.87	B 17 0007 B 16 0117	143	7	5	101	-9.95	79	-1.63 75	-0.48 66	-2.66 72	-0.05 70	0.78 79	2.63 74	106	3.48 49	-0.61 48	107	5	54
B 19 0147 85816015	1.24	B 17 0077 B 13 0278	101	6	5	94	-8.35	82	-0.07 75	-0.01 66	0.96 74	-0.23 72	1.82 81	5.48 76	113	0.89 48	0.00 47	108	5	98
B 19 0174 85816221	3.38	B 17 0007 B 14 0044	115	6	4	109	-7.76	83	-2.16 74	-1.17 65	-4.48 71	0.25 69	0.33 78	1.85 73	104	2.82 49	-0.92 49	94	5	21
B 19 0177 85815603	1.57	B 17 0077 B 12 0271	137	5	5 1	96	-13.93	72	-1.42 75	-0.19 66	-1.51 74	-0.41 71	0.54 80	2.51 76	105	-1.73 48	-0.90 47	105	5	78
B 19 0178 85817799	2.47	B 17 0007 B 16 0247	121	6	3	98	-14.70	71	-1.34 72	-0.17 62	-2.38 73	-0.05 71	1.80 80	0.08 75	99	0.76 46	-1.03 46	90	4	72
B 19 0217 85816841	1.42	B 17 0077 B 15 0039	135	6	4	102	-5.17	87	0.37 74	0.90 65	1.50 74	-0.31 71	1.29 80	4.02 76	109	-2.44 47	0.49 46	105	4	48
B 19 0221 85818458	1.35	B 17 0077 B 17 0273	86	1	4 1	99	-9.15	80	-0.83 72	0.12 63	0.68 74	-0.23 71	1.32 81	5.64 76	114	-3.80 46	-0.57 45	98	4	68
B 19 0233 85816247	1.36	B 17 0150 B 14 0047	95	4	4	101	-5.53	86	0.67 74	0.59 65	2.07 72	-0.21 70	1.41 79	10.45 74	126	-5.43 46	-0.19 46	100	4	53
B 19 0236 85817393	1.56	B 17 0045 B 15 0514	97	4	6	108	-1.43	93	-0.33 74	-0.15 66	-1.38 72	-0.11 69	-0.04 80	1.89 74	104	5.72 43	0.62 43	117	5	22
B 19 0243 85815702	1.37	B 17 0007 B 12 0523	113	6	5	106	-8.10	82	-1.41 74	0.14 66	-1.33 72	-0.19 70	0.74 80	-0.93 75	96	1.12 46	-0.13 45	109	5	30
B 19 0250 85817351	1.56	B 17 0150 B 15 0509	115	6	6	114	-3.02	90	0.35 75	0.90 68	0.72 73	-0.18 71	0.64 80	0.54 75	100	-4.63 46	0.22 45	121	5	3
B 19 0256 85816825	1.11	B 16 0192 B 15 0006	120	6	4	102	-11.93	76	-1.44 75	-0.57 66	-0.60 75	-0.19 73	0.67 82	-3.45 77	90	-6.38 49	-1.60 49	99	4	51
B 19 0265 85818003	1.78	B 17 0150 B 16 0507	122	7	4	114	2.21	99	1.04 72	1.24 64	2.41 71	-0.23 69	-0.71 79	0.60 74	100	-4.34 45	-0.23 44	107	5	4
B 19 0267 85817286	1.76	B 17 0121 B 15 0329	127	6	6	98	-1.76	92	-1.12 77	0.76 67	-1.01 73	-0.03 71	0.91 80	-1.62 75	94	0.35 46	0.96 45	119	5	70

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd							
			EPI	Times lambd						Dir	Mat										Acc	Index	Acc	Index	Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27					
B 19 0283 85818490	1.70	B 17 0150 B 17 0330	138	7	2			99	-12.51	75		-0.49 72	0.53 61	0.29 111	73	98	-0.39 70	0.85 80	12.70 115	75	132	-8.32 48	-1.10 48	84	4	65
B 19 0284 85818128	1.60	B 17 0121 B 17 0009	104	4	5			105	-0.87	94		-0.18 74	0.16 65	0.30 103	75	98	0.05 72	1.64 82	-1.79 128	77	94	2.79 43	1.02 42	109	4	35
B 19 0291 85816643	1.47	B 17 0071 B 14 0505	120	6	4			95	-12.58	75		-0.17 72	1.36 62	0.79 129	71	102	-0.52 69	1.23 79	1.15 121	74	102	-0.30 42	-0.40 42	97	5	83
B 19 0292 85818037	1.78	B 17 0150 B 16 0510	88	2	4			113	0.27	96		1.26 70	0.78 63	2.67 116	70	114	0.03 67	1.35 78	5.85 123	72	114	-0.08 44	0.00 43	97	4	6
B 19 0299 85817690	2.76	B 17 0007 B 16 0198	188	8	4			105	-2.69	91		-0.74 74	-0.83 65	-2.01 82	74	84	0.19 71	0.99 81	0.34 118	76	100	4.70 48	0.26 48	100	4	33
B 19 0307 85816346	1.32	B 17 0144 B 14 0090	100	4	5	1		94	-7.92	82		-0.23 76	0.43 66	-0.91 109	75	91	-0.43 73	0.95 82	4.33 117	77	110	3.41 48	1.02 47	109	5	96
B 19 0334 85815629	1.37	B 17 0045 B 12 0507	115	6	3			102	-6.16	85		-1.55 72	-0.21 62	-2.34 95	72	81	-0.14 70	0.14 80	8.53 104	74	121	3.48 39	0.08 39	98	4	46
B 19 0345 85818730	1.75	B 17 0045 B 17 0516	110	6	5	1		112	-0.70	94		-0.17 73	0.18 65	-0.98 104	72	90	-0.02 69	-0.03 80	7.03 102	74	117	5.65 44	0.27 43	100	5	8
B 20 0001 90136656	1.82	B 18 0158 B 15 0013	92	4	4			100	-5.64	86		0.06 73	-0.93 64	0.74 80	72	101	-0.25 69	0.48 79	-0.31 110	74	98	2.41 46	-0.39 46	92	4	69
B 20 0005 90138959	2.07	B 18 0099 B 18 0178	86	1	7			105	0.34	96		-1.79 75	0.09 66	-3.10 102	74	77	-0.14 72	-0.64 82	7.53 92	77	118	6.77 43	1.43 42	114	4	30
B 20 0016 90136821	1.46	B 18 0283 B 15 0163	105	5	2			103	-8.16	82		-0.81 71	-0.66 59	-0.87 86	70	91	0.01 68	0.65 78	-2.01 112	72	93	-4.82 44	-1.32 43	81	3	40
B 20 0021 90138843	2.41	B 18 0158 B 18 0132	114	6	4			104	-2.78	91		-1.08 74	-0.30 65	-0.91 94	73	91	0.21 71	1.27 80	8.96 122	75	122	0.86 47	-0.06 47	96	4	37
B 20 0023 90138520	2.34	B 18 0283 B 18 0022	94	5	3	1		101	-5.90	86		-0.60 72	-0.03 62	0.09 99	73	97	-0.14 71	0.10 80	-1.91 104	75	94	-5.69 46	-1.01 45	85	3	59
B 20 0025 90136854	1.60	B 18 0099 B 15 0178	114	6	4			105	-1.03	94		-0.68 74	0.61 65	-0.39 113	73	94	-0.21 71	-0.02 80	4.70 102	76	111	-1.52 46	0.73 46	106	4	28
B 20 0031 90138389	1.75	B 18 0085 B 17 0512	98	3	3			108	0.49	96		0.44 68	-0.12 59	0.41 97	68	99	-0.08 65	0.39 77	2.97 108	71	107	5.30 39	0.66 39	105	3	16
B 20 0034 90136938	1.29	B 18 0018 B 15 0232	128	6	3			96	-1.08	94		-0.78 73	0.32 63	-0.84 107	73	91	0.01 70	1.01 80	5.02 112	75	112	4.08 44	1.01 44	109	3	104

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 20 0042 90137357	2.03	B 18 0158 B 16 0116	108 5	4	102	-8.27	82		0.00 73 95	-0.63 64 87	-0.75 72 92	-0.20 69 86	0.49 79 110	0.10 74 99	-0.25 46 97	-0.63 45 89	116	4	50
B 20 0049 90137795	1.78	B 18 0085 B 16 0513	125 7	2	102	-5.33	87		-0.67 70 89	0.11 59 102	-0.60 70 93	-0.15 67 89	1.01 78 118	-0.92 72 96	0.96 41 102	0.39 41 102	93	3	49
B 20 0050 90137787	1.78	B 18 0085 B 16 0513	125 7	6 1	105	-1.57	93		-0.15 75 94	0.59 68 112	-0.29 71 95	-0.26 69 82	0.44 79 109	-3.06 74 91	3.50 44 112	1.24 43 112	137	4	31
B 20 0053 90136672	1.37	B 18 0018 B 15 0039	135 6	4 1	107	-1.33	93		-0.51 74 90	0.41 66 109	-1.52 74 87	-0.02 71 97	0.13 81 104	4.69 76 111	-2.90 47 87	0.50 47 103	116	4	19
B 20 0055 90137589	2.42	B 18 0257 B 16 0257	113 5	4	96	-9.28	80		-0.64 74 89	-0.35 64 92	-2.25 73 82	-0.16 71 88	0.98 80 117	12.60 75 132	-0.30 45 97	0.06 44 98	116	4	110
B 20 0069 90137381	2.56	B 18 0158 B 16 0136	121 5	2	104	1.05	97		-0.71 72 88	-0.99 60 79	-1.17 71 89	0.21 69 111	1.09 78 119	5.99 73 114	8.14 45 129	0.93 45 108	92	3	34
B 20 0070 90137373	2.56	B 18 0158 B 16 0136	121 5	4	100	-0.30	95		-0.47 75 91	-0.64 65 86	-1.18 74 89	0.13 71 106	1.55 80 126	5.21 76 112	10.90 47 139	1.38 47 114	116	4	61
B 20 0074 90136730	1.35	B 18 0283 B 15 0069	89 4	3	97	-13.81	73		-1.40 72 82	-0.50 62 89	-1.35 71 88	-0.14 69 89	0.80 79 115	1.34 74 102	-6.24 47 75	-1.85 47 74	103	4	93
B 20 0081 90138140	1.27	B 18 0018 B 17 0200	107 4	5	99	-4.28	88		-0.60 75 89	-0.16 66 97	-2.38 72 81	0.02 70 100	0.97 79 117	3.03 74 107	1.58 44 104	0.71 44 105	121	4	75
B 20 0085 90137837	1.78	B 18 0085 B 16 0519	92 3	3	104	-0.66	94		-0.56 69 90	0.63 60 113	-0.04 68 96	-0.11 65 91	0.36 77 108	-0.60 71 97	2.71 39 109	0.64 39 105	103	3	36
B 20 0087 90136284	1.46	B 18 0283 B 14 0124	116 8	2	97	-8.08	82		-0.41 72 91	-0.22 60 95	-0.27 71 95	-0.15 69 89	0.54 78 111	4.08 73 109	-1.43 46 93	-0.98 46 85	92	3	95
B 20 0088 90136276	1.46	B 18 0283 B 14 0124	116 8	2	102	-7.06	84		-0.42 72 91	-0.23 60 95	-0.89 72 91	-0.21 70 85	-0.29 79 98	0.35 74 100	-1.41 46 93	-0.99 46 85	92	3	45
B 20 0092 90135823	1.92	B 18 0318 B 13 0116	99 6	2	97	-12.85	74		-2.21 71 74	-1.37 59 71	-2.11 69 83	-0.24 67 83	0.08 77 103	0.93 71 101	-2.75 44 88	-1.55 43 78	88	3	94
B 20 0102 90138777	2.09	B 18 0257 B 18 0111	107 5	4	95	-6.96	84		-0.32 73 92	-0.38 63 92	-2.11 73 83	-0.19 70 87	0.92 80 116	11.82 75 130	1.91 43 106	0.72 42 106	113	4	119
B 20 0108 90135906	1.46	B 18 0283 B 13 0165	106 6	4	101	-11.95	76		-1.17 74 84	-0.85 64 82	-2.01 72 84	-0.16 70 88	0.02 79 103	-5.85 74 83	-6.67 47 73	-1.72 46 76	109	4	52
B 20 0110 90138009	1.95	RA 17 0208 B 17 0106	92 3	1	103	-8.62	81		-0.98 72 86	-0.91 60 81	-0.82 72 91	-0.19 70 87	0.39 79 108	4.81 74 111	-2.07 50 91	-0.87 50 86	83	3	42

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 20 0114 90136482	1.47	B 17 0144 B 14 0502	104 6	4 1	104	-4.61	88		0.59 73	0.37 100	-0.03 64	-0.52 70	-0.50 80	-0.26 94	-3.36 42	0.48 41	116	4	35
B 20 0119 90138595	2.31	B 18 0099 B 18 0033	87 1	4	97	-2.08	92		-1.59 72	0.26 80	-1.59 63	-0.28 69	0.39 79	8.63 108	6.85 42	1.71 41	109	3	92
B 20 0123 90137423	2.82	B 18 0257 B 16 0179	107 5	3	97	-7.04	84		-0.98 72	-0.88 61	-2.05 81	-0.19 70	0.40 79	7.10 108	1.75 42	0.16 42	98	3	102
B 20 0131 90136409	2.65	B 18 0318 B 14 0223	112 5	4	94	-14.04	72		-2.19 74	-1.45 64	-3.03 69	-0.34 70	0.48 79	-2.40 110	-0.34 45	-0.62 45	103	4	120
B 20 0134 90137118	1.98	B 18 0085 B 15 0349	107 7	4 1	101	-4.74	88		-1.52 74	-0.54 66	-2.23 89	0.20 70	1.08 79	10.17 119	-2.01 49	-0.14 48	110	4	56
B 20 0149 90138983	2.27	B 18 0099 B 18 0187	115 6	3	100	-5.35	87		-2.03 72	-0.29 62	-3.42 94	-0.19 69	0.22 79	5.01 106	5.80 44	1.10 43	98	3	70
B 20 0152 90138058	1.37	B 18 0018 B 17 0147	87 3	3	100	-1.86	92		-0.47 71	0.44 61	-0.85 109	0.30 70	1.74 80	4.05 129	-2.10 41	0.24 41	105	3	67
B 20 0161 90136755	1.61	B 18 0018 B 15 0103	115 6	4 1	106	2.11	99		0.19 74	-0.19 66	0.46 96	0.12 71	0.17 80	5.12 105	-1.66 49	-0.04 49	116	4	21
B 20 0162 90136763	1.61	B 18 0018 B 15 0103	115 6	3	107	2.32	99		0.33 73	0.07 63	0.09 101	-0.03 71	-0.57 80	3.98 93	-1.30 47	0.11 46	103	3	17
B 20 0173 90137092	1.66	B 18 0318 B 15 0342	99 6	3	114	-3.57	90		-1.30 72	-1.87 61	-1.49 70	0.31 67	0.09 78	6.05 104	-5.85 43	-1.62 42	95	3	5
B 20 0179 90137993	1.75	B 18 0085 B 17 0104	140 7	3 1	103	-5.04	87		-0.87 73	-0.35 63	-2.16 93	0.02 69	0.18 79	3.76 105	-1.76 48	-0.35 47	102	4	39
B 20 0183 90138934	2.34	B 18 0099 B 18 0171	81 3	5	100	0.97	97		-1.88 74	0.25 65	-1.72 105	0.21 69	0.77 79	10.41 114	3.82 45	0.88 44	124	4	63
B 20 0198 90136789	1.18	B 18 0018 B 15 0117	108 6	3	98	-8.07	82		-0.37 72	0.16 62	-1.94 103	0.07 71	1.31 80	6.95 123	-4.72 44	-0.40 44	102	3	91
B 20 0210 90137464	1.30	B 18 0018 B 16 0219	97 3	3	100	-2.56	91		-0.41 72	-0.54 62	-0.28 89	0.13 71	1.01 80	2.45 118	2.61 45	-0.17 45	101	3	60
B 20 0225 90137159	1.56	B 17 0144 B 15 0509	115 6	2	103	-7.03	84		-0.36 70	0.28 57	-1.54 106	-0.27 67	0.29 77	2.16 107	-1.25 37	0.16 37	92	3	41
B 20 0229 90137811	1.78	B 18 0085 B 16 0516	98 4	2	99	-6.26	85		-1.29 69	-0.24 58	-1.95 95	-0.02 65	0.73 76	-0.29 114	1.98 41	-0.06 40	91	3	79

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded				
			EPI	Times lambded						Dir	Mat			Acc	Index							Acc	Index	Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27			
B 20 0242 90138736	4.60	B 18 0257 B 18 0091	87	1	6			98	0.38	96		-0.87 75	-0.39 66	-1.09 73		0.03 71	1.08 81	10.38 119		7.09 42	1.51 41	128	4	90
B 20 0257 90137944	3.09	B 18 0099 B 17 0081	122	7	3			101	-2.79	91		-0.37 73	0.69 62	-0.15 73		-0.21 71	0.54 80	-1.63 111		1.71 45	0.72 44	106	3	57
B 20 0283 90138280	1.53	B 18 0318 B 17 0330	138	7	4			98	-13.48	73		-1.66 74	-1.69 63	-1.96 70		-0.25 68	0.33 78	11.06 107		-6.75 46	-1.47 45	105	4	87
B 20 0287 90137019	2.44	RA 17 0208 B 15 0295	105	5	4			104	-6.44	85		-0.62 75	-0.48 68	0.62 71		-0.12 70	1.02 79	-0.89 118		-3.89 52	-0.58 90	110	4	33
B 20 0288 90137027	2.44	RA 17 0208 B 15 0295	105	5	3			114	-2.31	92		-0.39 76	0.18 66	0.23 76		-0.12 74	-0.09 82	5.25 101		-3.63 51	-0.35 93	104	4	6
B 20 0293 90137720	1.78	B 18 0283 B 16 0506	94	3	3			94	-8.72	81		-1.09 69	-0.27 60	-1.56 66		-0.17 64	0.64 75	-4.17 112		-2.93 42	-0.40 92	107	4	123
B 20 0297 90136581	1.47	B 18 0283 B 14 0514	108	5	4			96	-4.28	88		-0.44 73	0.20 64	0.13 71		-0.09 69	0.97 79	-0.90 117		-1.32 42	0.06 98	120	4	114
B 20 0299 90136870	1.99	B 18 0085 B 15 0200	113	6	3			110	-1.26	93		-0.30 73	-0.05 64	0.40 73		0.02 70	0.44 80	-0.23 109		-2.10 48	-0.23 94	100	3	14
B 20 0304 90137753	1.78	B 18 0283 B 16 0509	99	6	4			94	-9.35	80		-1.48 71	-0.49 62	-1.96 67		-0.05 64	1.28 76	-0.22 122		-2.60 41	-0.28 93	112	4	125
B 20 0310 90138942	2.08	RA 17 0208 B 18 0174	103	5	3			109	-3.80	89		-0.56 74	-0.33 65	0.42 74		-0.15 72	0.21 81	-3.94 105		-2.37 50	-0.45 91	104	3	15
B 20 0321 90139031	2.48	B 18 0085 B 18 0207	121	6	4			94	-6.03	85		-0.91 75	-0.12 65	-1.25 71		-0.29 69	0.70 78	1.96 113		2.76 48	0.80 106	115	4	124
B 20 0323 90136383	1.54	B 18 0085 B 14 0206	98	6	4			96	-10.59	78		-1.62 74	-0.24 65	-1.95 72		-0.27 69	0.57 79	2.86 111		-2.49 46	-0.34 93	110	4	115
B 20 0326 90135922	2.48	RA 17 0208 B 13 0169	114	6	3			115	-0.13	95		-1.31 74	-0.43 66	-1.15 72		0.15 70	0.03 79	7.10 103		-1.23 50	-0.18 95	101	3	4
B 20 0347 90137068	1.83	RA 17 0208 B 15 0320	115	5	5			112	0.30	96		-1.43 76	-1.07 69	-1.38 74		0.10 72	0.09 80	2.53 105		8.31 51	0.34 101	116	4	9
B 20 0351 90138538	1.91	B 18 0158 B 18 0028	92	3	3			102	-4.33	88		-1.30 72	-0.44 61	-2.02 71		-0.03 69	0.52 79	2.06 110		0.96 43	0.32 101	100	4	44
B 20 0356 90138322	1.75	B 17 0144 B 17 0500	84	2	2			111	-3.55	90		-0.77 67	-0.57 54	-2.33 66		-0.26 64	-1.32 75	-0.39 98		-0.91 37	-0.13 95	89	3	10

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
B 21 0006 92687862	1.46	B 19 0138 B 14 0156	97	5	2	96	-8.31	82	-1.07 72	-0.02 59	-0.56 71	0.20 68	2.47 78	13.10 73	-2.67 41	-0.50 41	99	2	88		
B 21 0061 92688266	1.71	B 19 0278 B 15 0274	139	6	3	100	0.55	96	-0.40 73	0.88 61	0.87 71	-0.24 69	0.80 78	0.78 73	5.61 42	1.55 41	123	3	61		
B 21 0062 92688258	1.71	B 19 0278 B 15 0274	139	6	3	105	3.41	101	-0.70 73	0.49 61	0.64 72	-0.12 70	0.28 79	4.06 74	3.90 42	1.43 41	120	3	31		
B 21 0073 92688928	1.80	B 19 0098 B 17 0104	140	7	2	104	-7.56	83	0.51 71	-0.24 57	-0.48 70	-0.24 67	0.01 78	8.82 72	-3.18 42	-0.85 42	104	3	40		
B 21 0087 92688795	1.58	B 19 0098 B 17 0009	104	4	1	101	-4.31	88	-0.17 72	-0.07 53	-0.03 70	-0.09 67	0.49 78	3.61 72	4.07 41	-0.34 40	95	3	55		
B 21 0096 92689439	1.95	B 19 0138 B 18 0147	108	6	1 1	109	1.37	98	0.93 71	0.58 57	2.16 71	0.14 69	1.17 78	9.58 73	1.12 44	-0.10 43	95	2	14		
B 21 0118 92689249	2.12	RA 17 0208 B 18 0016	128	6	3	119	4.41	103	0.13 76	-1.49 66	0.47 72	0.18 70	-0.57 79	1.61 74	-0.27 51	-0.38 50	113	3	1		
B 21 0124 92689553	1.94	B 19 0128 B 18 0205	88	3	2	93	-7.53	83	-0.62 70	0.05 54	-0.40 70	-0.07 67	1.44 78	-1.29 72	1.35 39	-0.22 38	105	3	101		
B 21 0131 92689777	1.95	B 19 0138 B 18 0354	143	6	2	102	0.27	96	0.70 73	0.45 61	1.81 70	0.04 68	1.61 77	11.64 72	4.95 46	0.64 46	108	3	51		
B 21 0134 92690205	1.65	RA 17 0208 B 19 0221	98	4	1	108	-2.18	92	-0.50 71	-0.65 59	0.73 70	-0.10 68	-0.30 77	6.71 72	-2.86 50	-0.85 49	93	3	15		
B 21 0135 92689728	1.60	B 19 0098 B 18 0315	111	6	1	101	-7.74	83	-0.45 70	-0.48 53	-0.98 70	-0.03 68	0.61 78	3.75 73	-4.26 40	-1.01 40	90	2	54		
B 21 0136 92689512	4.99	B 19 0128 B 18 0187	115	6	3	90	-7.57	83	-0.80 72	0.11 59	-0.82 70	-0.34 68	0.94 78	-1.17 72	11.31 41	0.65 40	117	3	116		
B 21 0139 92688274	1.63	B 19 0138 B 15 0276	106	6	2	107	-3.96	89	-1.78 72	0.32 60	-2.00 72	0.15 70	0.32 80	10.88 75	-4.04 43	-0.55 42	103	2	19		
B 21 0148 92689876	1.76	B 19 0098 B 19 0020	89	1	3	107	-5.80	86	-0.65 71	-0.23 58	-1.84 69	-0.11 67	-0.12 78	-0.24 72	-3.47 39	-0.43 39	117	3	20		
B 21 0152 92687979	1.47	B 19 0098 B 14 0505	120	6	3	102	-5.99	86	-0.29 71	0.21 60	-0.58 70	-0.12 68	0.98 78	7.01 73	1.47 37	0.06 37	120	3	49		
B 21 0158 92689785	2.14	B 19 0128 B 18 0356	105	5	2	92	-10.31	78	-2.33 71	0.20 55	-1.58 70	-0.24 68	0.64 78	-2.31 73	0.60 41	-0.48 40	102	3	106		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
B 21 0168 92688621	1.67	B 19 0259 B 16 0247	121 6	1	99	-9.95	79		-2.36 70	-0.44 52	-2.99 68	0.08 66	0.70 77	3.09 71	-2.32 39	-1.12 38	90	2	66
B 21 0172 92688043	1.24	B 19 0259 B 15 0006	120 6	1	96	-11.25	77		-2.61 71	-0.60 53	-3.36 70	0.16 67	0.91 77	-1.07 71	-3.91 41	-1.45 41	91	2	84
B 21 0178 92689850	1.46	RA 17 0208 B 19 0015	126 5	2	105	-0.39	95		0.11 73	-0.24 63	0.56 73	-0.34 71	-0.48 80	3.77 75	0.35 48	0.63 48	102	2	36
B 21 0196 92689181	1.75	B 19 0278 B 17 0514	109 6	3	100	-1.79	92		-0.24 70	1.02 59	0.94 69	-0.33 66	0.00 77	3.63 71	-3.45 35	0.48 34	123	3	59
B 21 0209 92688464	2.43	B 19 0199 B 16 0059	120 5	3	99	-5.06	87		-0.67 73	-0.54 60	-2.54 73	0.07 70	0.81 80	-2.76 75	2.11 40	0.24 39	117	3	70
B 21 0222 92688316	3.23	RA 17 0208 B 15 0298	108 6	2	108	-4.07	89		-1.03 73	-1.18 64	-0.46 72	-0.11 71	-0.28 79	-0.25 74	-2.70 50	-0.75 50	99	2	16
B 21 0227 92688662	1.63	B 19 0098 B 16 0261	109 5	2	94	-11.08	77		-0.77 71	-0.25 57	-1.34 69	-0.26 67	0.82 78	-0.72 72	-3.22 40	-0.55 40	99	2	97
B 21 0234 92688761	1.78	RA 17 0208 B 16 0513	125 7	2	106	-1.46	93		-0.13 71	-0.36 63	0.18 69	-0.10 66	0.10 76	0.86 71	-0.78 46	0.00 46	112	3	25
B 21 0243 92688431	1.51	RA 17 0208 B 16 0004	97 4	3	103	-6.43	85		-1.20 74	-0.10 65	-1.65 72	-0.35 70	-0.86 79	4.92 74	-3.36 50	-0.39 50	122	3	42
B 21 0268 92687987	1.47	B 19 0098 B 14 0508	109 6	2	96	-6.85	84		-0.63 68	-0.10 55	-0.18 67	-0.18 64	0.87 76	4.47 70	-0.65 32	-0.20 32	100	2	83
B 21 0276 92689587	1.37	B 19 0068 B 18 0213	97 5	1	93	-6.80	84		-1.36 69	-0.58 52	-0.73 69	-0.17 67	0.40 77	2.38 72	-3.03 40	-0.48 39	91	2	103
B 21 0282 92688332	1.62	B 19 0068 B 15 0316	123 6	3	102	0.62	96		-0.38 72	-0.12 61	1.10 70	-0.18 68	0.25 78	4.53 72	-0.09 42	0.68 41	121	3	46
B 21 0286 92688035	1.47	B 19 0068 B 14 0517	132 6	3	100	-4.65	88		-0.25 71	0.70 59	0.84 70	-0.32 67	0.60 78	5.09 72	-1.20 35	0.30 35	122	3	62
B 21 0300 92689546	1.43	B 19 0068 B 18 0195	91 4	3	98	-3.62	89		-0.09 71	-0.67 59	0.64 68	-0.09 65	0.90 76	7.14 70	-1.93 41	-0.06 41	115	3	74
B 21 0305 92689983	1.74	RA 17 0208 B 19 0061	94 4	3	102	-2.59	91		-0.70 73	-0.91 65	0.37 73	-0.03 71	0.53 80	14.08 75	0.04 50	-0.28 49	122	3	52
B 21 0309 92688720	1.78	B 19 0138 B 16 0504	127 6	3	91	-9.47	80		-0.93 71	0.57 61	0.71 70	-0.18 67	2.17 78	4.18 72	-4.49 39	-0.04 39	122	3	112

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
B 22 0012 95085171	2.29	B 20 0048 B 16 0247	121	6	2	94	-6.57	85	-1.09 71	0.36 85	-1.04 70	-0.10 68	1.17 78	1.91 72	104	1.74 39	0.22 105	109	2	89	
B 22 0019 95085254	4.52	B 20 0048 B 19 0190	87	2	1	95	-6.22	85	-1.04 68	0.05 51	-1.34 68	-0.19 66	0.35 76	3.78 70	109	3.99 38	0.02 37	101	2	86	
B 22 0024 95085296	1.69	B 20 0201 B 17 0119	143	6	1	110	3.15	101	1.22 72	0.66 54	0.44 72	-0.16 70	-0.12 79	3.72 74	108	4.52 37	1.22 36	98	1	7	
B 22 0031 95085395	2.09	B 20 0098 B 18 0163	135	6	2	108	2.70	100	0.58 72	-1.23 57	0.37 69	0.07 66	0.04 77	9.10 71	123	3.47 39	0.29 38	105	2	11	
B 22 0041 95085452	3.80	B 20 0048 B 18 0043	105	5	2	100	-0.71	94	-0.03 71	0.26 57	-0.16 68	0.14 66	1.56 76	4.72 70	111	0.60 39	0.79 101	107	2	56	
B 22 0052 95085536	1.87	B 19 0138 B 18 0502	100	6	2	90	-6.95	84	0.39 70	1.41 58	2.28 68	-0.23 66	2.24 76	6.52 70	116	-4.62 36	0.20 36	114	2	104	
B 22 0053 95085551	1.87	B 19 0138 B 18 0502	100	6	2	93	-5.46	86	-0.84 70	0.93 58	0.34 68	-0.02 66	1.74 76	-1.30 70	95	-3.92 36	0.09 36	111	2	95	
B 22 0058 95085619	1.51	B 19 0138 B 14 0093	102	7	1	93	-7.88	82	-1.08 71	0.32 56	-0.22 70	0.16 67	2.17 77	11.13 71	128	-4.16 42	-0.70 42	97	2	93	
B 22 0062 95085650	1.78	B 20 0098 B 16 0504	127	6	2	97	-5.66	86	-1.28 69	-1.64 55	-1.43 67	0.02 64	0.96 76	1.34 70	102	0.82 32	-0.10 32	102	2	74	
B 22 0064 95085692	1.29	RA 19 0115 B 19 0015	126	5	1	98	-2.17	92	0.66 71	1.16 57	0.94 70	-0.44 68	0.43 77	5.41 72	113	1.65 43	1.29 43	99	2	68	
B 22 0075 95085759	5.28	B 20 0048 B 17 0231	109	6	2	101	-3.32	90	0.01 71	0.14 57	-0.19 70	-0.19 68	0.37 78	2.06 72	104	1.32 40	0.32 40	106	2	48	
B 22 0081 95085791	2.71	B 19 0199 B 17 0185	100	6	1	98	-6.06	85	-0.15 70	-0.02 52	-1.10 69	-0.16 67	0.59 77	-1.36 71	95	3.41 35	0.07 35	96	1	67	
B 22 0092 95085890	1.76	B 19 0138 B 15 0257	112	6	1	91	-6.99	84	-0.84 71	0.69 57	0.86 70	0.05 68	2.26 77	6.09 72	115	-4.55 40	-0.36 40	96	1	101	
B 22 0104 95086054	1.93	B 19 0138 B 20 0327	90	1	1	93	-5.75	86	-0.37 69	0.64 53	0.20 69	-0.02 67	1.85 77	7.52 71	118	-2.07 38	0.19 38	96	1	94	
B 22 0107 95086070	2.38	B 19 0138 B 20 0114	116	4	1	105	-1.45	93	0.69 70	0.84 54	1.72 69	-0.23 67	0.26 77	2.33 71	105	-5.24 38	0.03 38	98	1	27	
B 22 0110 95086138	14.04	B 20 0201 B 20 0053	116	4	2	101	-3.68	89	-0.46 72	0.68 56	-1.13 71	0.00 69	0.66 78	7.88 73	119	-2.69 39	0.13 39	112	2	50	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd		
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index					Acc
		Active Breed Average :				100.7	2.8	100			0.54	0.01	0.56		0.03	-0.14	0.50	0.46	0.27			
B 22 0114 95086179	1.31	RA 19 0115 B 20 0333	93	2	2	96	-2.22	92			-0.67 71	0.56 58	0.35 71		-0.05 68	1.30 78	1.51 73	0.10 42	0.71 42	108	2	81
B 22 0140 95086435	2.97	B 20 0201 B 14 0082	115	7	1	100	-7.87	82			-0.14 72	0.23 54	-0.62 70		-0.07 68	0.76 77	2.80 72	-2.52 40	-0.90 40	98	2	52
B 22 0142 95086450	1.28	RA 19 0115 B 19 0035	96	3	2	107	3.13	101			0.44 72	0.80 60	1.07 70		-0.13 68	0.24 77	2.01 72	0.02 43	1.16 43	109	2	17
B 22 0149 95089819	4.28	B 20 0048 B 19 0225	84	2	1	103	-0.49	95			-0.38 66	-0.07 49	-0.46 67		-0.12 64	0.14 76	1.65 69	5.40 32	0.69 32	95	1	36
B 22 0159 95086559	3.86	B 20 0098 B 20 0134	110	4	1	104	-0.85	94			-0.82 69	-1.10 51	-1.24 68		0.13 65	0.17 76	6.60 70	0.11 35	-0.12 35	96	1	33
B 22 0173 95086674	3.30	B 20 0048 B 18 0153	109	5	1	99	-1.92	92			-1.63 70	-0.28 54	-2.48 69		0.12 66	0.84 77	3.92 71	5.77 36	0.86 36	95	1	60
B 22 0178 95086716	2.20	B 19 0138 B 19 0012	107	5	1	91	-6.52	85			-0.30 71	0.14 55	0.92 70		0.07 67	2.29 77	6.46 72	-4.92 39	-0.32 39	95	1	103
B 22 0180 95086732	3.39	B 20 0048 B 18 0179	107	6	1	102	0.73	97			-0.30 69	0.62 52	-0.36 70		0.14 67	1.23 78	10.39 72	2.28 35	0.96 35	99	1	46
B 22 0190 95086799	2.22	B 20 0009 B 20 0179	102	4	1	107	-1.84	92			0.13 70	-0.17 51	-0.10 69		-0.06 67	-0.24 77	3.48 71	-1.85 38	-0.49 37	97	2	18
B 22 0196 95086872	1.95	B 19 0138 B 18 0147	108	6	1	96	-4.12	89			-0.07 71	1.08 56	1.28 71		-0.04 69	1.54 78	9.21 73	-0.47 41	-0.05 40	98	1	78
B 22 0240 95087292	3.93	B 20 0048 B 19 0026	97	3	1	104	2.50	100			0.50 69	0.45 52	0.83 70		-0.15 68	0.13 78	2.53 72	5.28 34	1.08 33	96	1	28
B 22 0245 95087359	2.02	B 20 0098 B 18 0008	97	5	1	103	1.75	98			0.00 69	-0.68 51	0.39 70		0.07 67	0.80 78	6.54 72	7.36 36	0.75 35	96	1	38
B 22 0254 95087458	1.15	RA 19 0115 B 15 0006	120	6	1	96	-8.41	82			-1.78 72	0.28 58	-1.52 71		-0.17 69	0.38 78	1.70 72	-2.31 46	-0.57 45	94	2	77
B 22 0256 95087474	4.65	B 20 0048 B 18 0132	114	6	2	102	1.66	98			0.12 71	0.96 58	0.09 71		0.07 68	0.84 78	7.12 73	4.04 41	0.91 41	113	2	45
B 22 0269 95087573	3.66	B 20 0044 B 20 0161	116	4	1	108	-0.97	94			0.89 69	-0.63 49	1.76 68		-0.10 66	-0.11 76	-1.10 70	-2.13 36	-0.81 35	94	2	10
B 22 0293 95087755	1.75	B 19 0138 B 17 0514	109	6	1	108	-0.28	95			-0.31 68	0.26 54	0.54 68		-0.02 66	0.19 76	10.28 71	-3.59 33	-0.09 33	96	1	14

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP		GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		EPI	Times lambded	
					EBV	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index			
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
B 22 0299 95087813	1.17	RA 19 0115 B 18 0174	103 5	1	92	-3.74	89	-0.48 71 90	0.87 56 118	0.73 71 101	-0.06 69 94	1.34 78 123	0.12 73 99	-0.71 44 96	0.17 43 99	102	2	96		
B 22 0330 95088050	1.24	RA 19 0115 B 17 0062	149 7	2	99	1.05	97	0.12 73 96	0.12 61 102	1.70 71 107	-0.12 69 90	0.75 78 114	4.67 73 111	2.52 45 108	0.76 44 106	107	2	62		
B 23 0024 97496798	2.62	B 21 0238 B 18 0268	105 5	1	100	0.02	95	0.49 70 100	0.26 52 105	2.76 69 114	-0.15 66 89	0.85 77 115	13.49 71 134	-1.46 38 93	0.19 38 99	106	1	49		
B 23 0028 97496855	1.99	B 21 0072 B 20 0023	103 3	1	102	1.43	98	1.24 70 107	0.06 49 101	1.79 69 108	-0.16 67 88	-0.17 77 100	-0.83 71 97	0.14 32 99	0.05 32 97	106	1	34		
B 23 0037 97496954	1.89	B 21 0257 B 20 0050	137 4	1	102	-1.23	93	-1.59 70 80	-0.33 51 93	-2.16 68 83	-0.02 65 97	-0.28 76 98	-2.41 70 92	1.54 34 104	0.40 33 102	97	1	37		
B 23 0052 97497077	1.89	B 20 0009 B 19 0509	97 5	1	100	-4.03	89	-0.26 66 92	-0.43 48 91	0.20 65 98	0.04 62 101	1.25 74 122	7.59 67 119	-0.64 26 96	-0.21 26 94	95	1	48		
B 23 0113 97497697	0.95	GF 20 1158 B 21 0096	95 2	1	115	6.05	105	0.79 69 102	-0.22 50 95	2.18 69 110	0.09 66 103	-0.22 77 99	2.47 71 105	0.73 35 101	0.04 35 97	97	1	1		
B 23 0134 97497895	1.01	GF 20 1158 B 17 0119	143 6	1	108	2.78	100	0.31 72 98	0.51 54 111	1.13 70 104	-0.42 68 72	-0.55 77 94	3.42 72 108	5.78 37 120	1.52 36 115	103	1	6		
B 23 0193 97498356	2.00	B 21 0069 B 20 0500	106 4	1	99	-2.87	91	0.74 66 102	0.64 48 113	2.67 64 114	-0.29 61 80	1.50 73 125	3.76 66 109	1.15 26 103	0.68 25 105	99	1	62		
B 23 0194 97498372	1.75	B 20 0009 B 17 0511	136 7	1	99	-4.79	88	-0.31 69 92	-0.28 51 94	0.51 68 100	-0.16 65 88	0.91 76 116	1.98 70 104	-0.55 26 96	0.01 26 97	94	1	59		
B 23 0197 97498414	2.00	B 21 0238 B 20 0502	100 4	1	97	-4.51	88	-0.44 64 91	0.04 47 101	0.42 63 99	-0.30 60 80	0.21 73 106	3.25 66 107	-0.34 28 97	0.02 28 97	97	1	66		
B 23 0200 97498471	2.23	B 21 0069 B 17 0089	120 6	1	98	-1.11	94	-0.63 71 89	0.97 52 120	0.02 69 97	-0.06 67 94	0.94 77 117	8.39 71 121	1.79 35 105	0.84 35 107	103	1	65		
B 23 0276 97499172	1.89	B 21 0257 B 20 0333	93 2	1	102	-1.27	93	-0.40 68 91	-0.59 50 88	-0.69 68 92	0.07 65 102	0.22 76 106	2.04 70 104	-0.28 34 97	-0.17 34 95	99	1	32		
B 23 0307 97499495	1.86	B 20 0201 B 19 0162	99 3	1	96	-4.70	88	-0.98 71 86	-1.05 52 78	-2.53 70 80	0.34 67 119	1.63 77 127	6.38 72 115	2.42 34 107	-0.06 34 96	87	1	84		
Ewes with progeny average :					101.1	-5.0	87	-0.68	0.00	-0.77	-0.12	0.66	3.26	0.42	0.10					

Young Ewes



- Indices in top 10%
- Above breed average
- Indices in bottom 10%

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Woi						EBV - Fertility				Rank
Animal ID Regnr	% In- brding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index		
						EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100		0.54		0.01		0.56	0.03	-0.14		0.50	0.46	0.27					
B 21 0103 92690353	2.55	B 19 0138 B 19 0307	107	5	101	-5.23	87	69	96	50	115	70	102	68	90	77	120	72	116	42	91	42	95	56
B 21 0232 92687904	3.33	B 19 0128 B 14 0174	113	6	95	-13.37	73	69	74	45	96	70	76	67	91	77	113	72	118	42	111	41	84	93
B 22 0094 95085932	1.89	B 20 0201 B 19 0509	97	5	107	-3.05	90	65	89	42	92	65	83	62	113	74	110	67	107	28	96	28	91	16
B 22 0101 95086013	2.23	B 19 0199 B 20 0276	89	1	104	-0.98	94	67	84	41	87	69	79	66	108	77	103	71	112	31	115	31	101	29
B 22 0339 95088159	1.82	B 20 0284 B 14 0076	114	6	92	-10.33	78	69	85	46	96	69	91	67	75	77	108	71	97	37	113	37	91	100
B 23 0010 97496657	3.27	B 21 0069 B 19 0177	105	5	93	-7.92	82	69	94	44	110	69	103	67	78	77	119	71	116	35	92	34	94	95
B 23 0300 97499453	1.84	B 21 0257 B 19 0345	112	5	106	1.63	98	68	88	44	87	68	85	65	103	76	83	70	101	34	109	33	93	12
B 24 0003 100858778	1.75	B 22 0011 B 17 0511	136	7	97	-3.64	89	67	96	42	110	65	106	63	87	75	116	68	115	20	89	20	95	53
B 24 0004 100858794	1.75	B 22 0011 B 17 0511	136	7	93	-6.89	84	67	94	42	112	65	99	63	76	75	110	68	86	20	89	20	95	66
B 24 0006 100858810	1.75	B 21 0069 B 18 0207	121	6	97	-3.31	90	70	95	47	101	69	98	67	86	77	121	71	127	34	112	33	109	56
B 24 0010 100858851	2.73	B 22 0261 B 17 0086	149	6	104	1.24	97	69	98	43	100	68	94	66	92	76	106	70	109	29	119	28	111	15
B 24 0012 100858877	3.43	B 21 0069 B 20 0152	105	3	104	1.38	98	68	109	42	115	69	115	66	105	77	135	71	116	28	97	28	104	13
B 24 0013 100858893	2.34	B 22 0261 B 20 0288	104	4	103	0.67	96	68	102	41	94	68	105	65	102	76	111	70	120	30	90	30	95	23
B 24 0021 100858950	1.71	B 22 0065 B 19 0063	103	4	110	5.55	105	68	105	42	99	66	107	64	104	75	104	55	103	28	91	28	102	1
B 24 0023 100858976	3.28	B 22 0065 B 22 0053	111	2	103	1.14	97	67	98	40	105	66	106	63	99	75	117	68	99	25	96	25	103	17
B 24 0024 100858992	2.08	B 22 0185 B 22 0500	96	1	94	-6.15	85	60	87	29	102	62	101	59	88	72	123	64	97	15	92	15	96	63



Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index		
						EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index					
		Active Breed Average :			100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27						
B 24 0033 100859073	1.75	B 22 0329 B 17 0518	119	5	99	-2.44	91	61	0.31 98	35	-0.04 99	60	-0.29 57	-1.01 71	-4.75 87	63	-1.03 16	-0.12 94	16	95	44			
B 24 0042 100859099	5.13	B 22 0239 B 18 0132	114	6	99	-1.71	93	68	-0.64 89	43	0.51 111	68	0.08 66	0.91 76	6.67 116	70	4.01 32	0.50 113	31	103	43			
B 24 0043 100859115	3.33	B 21 0069 B 20 0050	137	4	103	0.74	97	69	1.25 107	45	0.88 119	69	-0.26 66	1.03 77	0.57 118	71	2.49 29	1.12 108	29	110	21			
B 24 0054 100859230	2.23	B 21 0069 B 20 0088	92	3	101	-0.69	94	68	0.50 100	42	0.29 106	69	-0.12 66	0.25 77	7.31 118	71	0.03 30	0.00 98	30	97	38			
B 24 0056 100859255	5.24	B 21 0072 B 18 0243	119	6	101	0.58	96	70	-0.36 92	45	-0.33 93	70	-0.10 68	-0.23 77	9.45 123	72	6.21 31	0.88 122	30	107	35			
B 24 0061 100859271	2.90	B 21 0069 B 22 0330	107	2	103	0.81	97	68	0.43 99	42	0.55 112	69	-0.12 66	1.19 76	7.86 121	71	1.99 30	0.88 106	29	107	25			
B 24 0062 100859297	3.38	B 22 0065 B 22 0196	98	1	102	0.39	96	67	1.21 106	39	0.39 108	67	-0.07 64	1.07 75	4.51 119	69	1.11 27	0.43 102	27	102	27			
B 24 0063 100859313	3.22	B 22 0065 B 22 0293	96	1	101	-0.75	94	67	0.36 98	38	0.32 107	66	-0.20 63	0.52 75	11.29 128	68	-0.45 24	0.41 102	24	102	36			
B 24 0068 100859396	2.51	B 22 0185 B 20 0347	116	4	103	1.14	97	68	-0.53 90	42	-0.43 91	67	0.09 65	0.77 76	5.50 114	70	2.23 30	0.00 107	30	97	18			
B 24 0069 100859412	2.30	B 22 0011 B 21 0286	122	3	99	-2.72	91	68	0.61 101	40	0.76 116	67	-0.27 64	0.53 76	1.99 110	69	-3.31 26	-0.10 86	26	96	46			
B 24 0072 100859438	1.87	B 22 0329 B 18 0502	100	6	91	-8.16	82	64	-0.31 92	39	0.22 105	63	-0.28 60	0.99 73	-0.30 117	65	-1.47 18	0.05 93	18	97	69			
B 24 0073 100859453	1.75	B 21 0069 B 17 0501	123	7	98	-2.98	90	67	0.20 97	42	0.74 115	66	-0.40 63	0.24 75	1.16 106	68	0.96 20	0.60 102	19	104	49			
B 24 0074 100859479	1.85	B 21 0072 B 20 0134	110	4	101	0.99	97	69	0.00 95	43	-0.22 95	69	0.01 66	0.23 77	7.75 119	71	2.02 29	0.42 106	29	102	34			
B 24 0081 100859537	2.04	B 22 0185 B 19 0029	122	5	103	0.48	96	68	-0.10 94	41	-0.19 96	67	0.02 64	0.43 76	-2.50 109	69	2.55 27	0.36 108	27	101	24			
B 24 0084 100859578	2.02	B 22 0185 B 19 0345	112	5	107	3.44	101	67	0.25 97	40	-0.26 95	67	0.26 65	0.40 76	10.67 127	69	0.89 27	-0.03 102	26	96	7			
B 24 0091 100859610	1.71	B 22 0065 B 19 0292	100	4	102	-0.08	95	68	0.37 98	41	0.42 109	66	-0.11 64	0.70 75	3.56 113	68	1.30 28	0.45 103	28	102	29			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
B 24 0097 100859651	1.60	B 22 0065 B 19 0250	121	5	105	1.57	98	1.62 69	0.28 110	1.85 106	108	-0.12 64	0.47 76	5.49 109	113	-0.97 29	0.56 95	104				10		
B 24 0103 100859693	2.21	B 22 0011 B 21 0507	116	3	94	-5.73	86	-0.60 64	0.56 89	0.66 112	101	-0.21 59	0.88 72	3.57 116	108	-2.49 19	-0.14 89	95				61		
B 24 0106 100859735	1.65	B 22 0261 B 20 0242	128	4	104	1.45	98	0.15 68	-0.70 96	0.13 85	97	0.27 65	1.65 76	13.38 128	134	3.04 26	0.75 110	106				11		
B 24 0107 100859750	5.18	B 22 0261 B 21 0139	103	2	107	3.66	101	0.60 67	-0.70 101	-0.55 85	93	0.44 64	0.41 76	12.45 109	131	-2.53 26	-0.28 89	93				6		
B 24 0110 100859776	2.47	B 22 0185 B 22 0075	106	2	100	-0.94	94	0.27 66	0.14 97	1.44 103	106	-0.09 64	0.56 76	4.10 111	109	-1.27 25	-0.01 94	97				39		
B 24 0114 100859818	3.23	B 22 0011 B 18 0358	124	5	94	-5.21	87	0.43 70	0.88 99	1.91 118	109	-0.33 66	1.37 76	10.89 123	127	-0.99 31	0.44 95	102				60		
B 24 0119 100859917	2.08	B 22 0011 B 22 0506	110	2	93	-6.29	85	-1.05 62	0.43 85	0.18 109	98	-0.14 58	1.14 72	5.31 120	113	-2.49 19	-0.14 89	95				65		
B 24 0126 100859958	1.62	B 22 0011 B 20 0055	116	4	97	-3.29	90	0.45 69	0.06 99	0.76 101	101	-0.02 65	1.02 76	12.69 118	132	-2.86 29	-0.21 88	94				58		
B 24 0128 100859974	2.00	B 21 0072 B 19 0256	99	4	98	-1.48	93	0.86 69	-0.41 103	1.12 91	104	-0.14 67	0.05 77	-2.24 103	93	-0.17 30	-0.31 98	93				51		
B 24 0130 100859990	1.82	B 22 0239 B 20 0310	104	3	100	-1.56	93	0.08 67	0.09 96	0.62 102	100	-0.19 65	0.24 76	-3.15 106	90	1.51 29	0.31 104	101				42		
B 24 0135 100860055	2.67	B 22 0261 B 18 0315	111	6	103	1.00	97	0.82 68	-0.84 103	-0.64 82	92	0.24 65	0.03 76	5.88 103	114	-3.90 30	-0.48 84	91				16		
B 24 0136 100860071	3.23	B 22 0261 B 22 0024	98	1	110	5.59	105	2.08 66	-0.16 115	1.76 96	108	0.09 64	0.29 76	6.76 107	116	1.76 24	0.60 105	104				2		
B 24 0137 100860097	2.08	B 22 0239 B 22 0504	99	1	97	-4.00	89	0.09 59	0.52 96	0.70 111	101	-0.06 58	1.88 72	-0.68 131	97	2.91 15	0.64 109	105				54		
B 24 0142 100860170	2.53	B 21 0069 B 20 0131	103	4	90	-7.55	83	-0.56 69	-0.07 90	0.14 99	97	-0.35 66	0.87 77	2.55 116	105	0.57 30	0.19 100	99				70		
B 24 0143 100860196	2.64	B 22 0011 B 20 0257	106	3	103	0.90	97	0.84 68	0.54 103	2.14 111	110	0.01 65	0.92 76	9.26 116	123	-1.86 29	0.12 91	98				22		
B 24 0148 100860253	1.67	B 22 0065 B 21 0196	123	3	105	1.86	98	0.36 68	0.48 98	1.59 110	107	-0.31 63	-0.42 75	-2.73 96	92	-0.38 25	0.69 97	105				9		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded				Dir	Mat																
			EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27			
B 24 0153 100860279	1.38	B 22 0065 B 17 0062	149	7	102	0.64	96	1.27 70	-0.20 45		2.73 67		114	-0.28 65	0.45 76		-4.87 69		86	3.75 32	0.56 32		112	104	26
B 24 0154 100860295	2.77	B 21 0069 B 22 0245	96	1	101	-0.07	95	0.94 67	0.26 39		2.39 68		112	-0.05 66	1.82 76		10.65 70		127	4.41 27	0.87 26		115	107	31
B 24 0157 100860352	6.93	B 22 0239 B 17 0081	122	7	90	-8.51	81	-0.42 68	0.50 43		-0.94 68		90	-0.14 65	1.82 76		3.09 70		107	1.39 31	0.45 31		104	102	71
B 24 0162 100860394	3.63	B 22 0261 B 19 0221	98	4	99	-2.19	92	0.00 67	-0.38 40		0.64 67		101	0.03 65	0.80 76		8.13 70		120	-2.40 28	-0.29 27		89	93	45
B 24 0164 100860410	1.90	B 22 0011 B 19 0012	107	5	95	-4.31	88	0.69 69	0.12 43		1.65 68		107	-0.03 65	1.63 76		3.89 70		109	-4.13 30	-0.25 30		83	94	59
B 24 0182 100860634	3.65	B 22 0261 B 20 0021	113	4	102	-0.09	95	0.48 67	-0.30 40		0.91 67		102	0.07 65	0.74 76		9.23 70		123	-0.08 28	-0.04 28		98	96	30
B 24 0183 100860659	1.71	B 22 0065 B 19 0265	107	5	109	5.05	104	1.06 68	0.43 42		2.14 67		110	-0.14 64	-0.65 76		0.28 69		99	-0.83 29	0.34 28		95	101	3
B 24 0184 100860675	8.05	B 22 0239 B 20 0025	115	4	97	-3.56	90	-1.08 67	0.61 40		-1.16 67		89	-0.19 65	0.59 76		6.26 70		115	1.93 28	0.91 27		106	108	55
B 24 0192 100860758	5.43	B 22 0239 B 20 0070	116	4	97	-2.98	90	-0.34 67	0.00 41		-0.37 67		94	0.01 65	1.96 76		5.38 69		113	8.14 28	1.23 28		129	112	52
B 24 0194 100860774	9.21	B 22 0239 B 20 0005	137	4	104	1.31	98	-0.21 68	0.10 41		-1.04 67		90	-0.01 65	0.39 76		8.44 70		121	6.07 26	1.25 26		121	112	12
B 24 0201 100860832	2.55	B 22 0011 B 22 0062	102	2	92	-6.80	84	-0.61 67	-0.24 39		0.52 66		100	-0.14 63	1.29 75		2.70 69		106	-2.31 25	-0.29 25		90	93	67
B 24 0202 100860857	2.60	B 22 0185 B 22 0256	113	2	109	4.91	103	1.05 66	0.32 38		2.03 67		109	0.13 64	0.47 76		5.62 69		113	0.09 26	0.28 26		99	100	4
B 24 0209 100860956	4.74	B 22 0239 B 21 0124	105	3	99	-2.35	92	-0.30 66	0.03 36		-0.39 67		94	0.04 64	1.14 76		1.98 69		104	3.37 24	0.43 24		111	102	48
B 24 0211 100860972	2.20	B 22 0011 B 19 0307	107	5	94	-4.96	87	-0.48 69	0.59 43		0.52 68		100	-0.20 65	1.07 76		7.82 70		119	-1.01 31	0.26 30		95	100	62
B 24 0212 100860998	3.14	B 21 0069 B 19 0291	106	5	100	-1.83	92	1.62 68	0.97 43		2.98 69		116	-0.23 66	1.21 77		6.92 71		117	0.58 29	0.30 28		101	100	40
B 24 0215 100861012	2.81	B 22 0185 B 19 0087	106	5	103	1.10	97	0.30 68	-0.41 40		0.33 68		99	0.11 65	0.08 76		5.07 70		112	1.51 28	-0.30 28		104	93	20

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
B 24 0217 100861038	5.39	B 21 0072 B 19 0178	90 4		94	-4.30	88	0.21 69	0.10 41	-0.09 96	-0.25 67	0.09 77	1.64 103	3.41 28	-0.03 96	64
B 24 0223 100861095	8.01	B 22 0329 B 20 0053	116 4		102	-0.04	95	0.48 66	-0.07 40	-0.48 93	-0.02 63	-0.22 75	4.20 110	-2.70 29	0.02 97	28
B 24 0224 100861111	3.24	B 22 0065 B 21 0309	122 3		101	-0.48	95	0.98 68	0.16 41	2.54 113	-0.15 64	1.13 75	3.58 108	-0.90 26	0.43 102	33
B 24 0227 100861152	4.28	B 22 0261 B 20 0162	103 3		107	3.86	102	1.36 67	-0.21 39	1.35 105	-0.04 65	-0.52 76	4.70 111	-1.15 28	0.05 97	5
B 24 0240 100861236	1.72	B 21 0072 B 20 0297	120 4		104	1.75	98	0.90 69	0.12 42	1.56 106	-0.12 66	0.25 77	2.57 105	2.36 27	0.52 103	14
B 24 0248 100861293	5.15	B 22 0239 B 18 0019	106 6		91	-7.00	84	-1.28 68	0.21 41	-2.24 82	-0.02 65	1.21 76	10.62 127	2.15 28	0.32 101	68
B 24 0254 100861376	1.86	B 22 0185 B 18 0006	133 6		103	1.59	98	-0.45 69	-0.04 43	0.61 100	-0.03 65	0.42 76	3.44 108	2.01 28	0.69 105	19
B 24 0257 100861392	3.28	B 22 0065 B 22 0052	114 2		100	-1.50	93	1.39 67	0.42 40	2.45 112	-0.05 63	1.92 75	3.30 107	-0.97 25	0.55 103	41
B 24 0267 100861459	2.75	B 22 0261 B 21 0148	117 3		99	-1.80	92	0.84 66	-0.53 37	0.01 97	0.08 64	0.66 76	4.96 112	-2.24 25	-0.22 94	47
B 24 0271 100861491	3.12	B 22 0011 B 21 0268	100 2		97	-4.23	88	0.03 67	0.42 39	1.08 103	-0.26 63	0.25 75	2.19 104	-3.04 25	-0.34 93	57
B 24 0276 100861558	4.91	B 22 0239 B 19 0021	92 4		89	-9.01	81	-1.25 66	0.28 39	-1.71 86	-0.22 64	0.89 76	1.52 103	3.33 26	0.09 98	72
B 24 0277 100861574	1.80	B 22 0185 B 20 0102	113 4		101	-0.95	94	0.23 67	-0.18 40	0.71 101	-0.06 65	0.57 76	9.24 123	-0.97 26	0.19 99	37
B 24 0281 100861616	2.21	B 21 0069 B 21 0503	102 3		101	-0.85	94	1.00 63	0.44 36	2.30 111	0.04 61	2.11 73	9.40 123	0.96 20	0.60 104	32
B 24 0282 100864438	2.25	B 22 0185 B 22 0240	96 1		107	3.27	101	0.55 66	0.15 35	1.36 105	-0.04 64	-0.06 76	2.45 105	0.71 23	0.37 101	8
B 24 0283 100861632	1.89	B 22 0329 B 19 0520	98 4		98	-3.65	89	-0.29 61	-0.10 35	0.35 99	-0.11 59	0.62 73	4.76 111	-1.03 16	-0.12 95	50
Young Ewes (with known parents) average :					100.0	-1.6	93	0.20	0.12	0.65	-0.08	0.68	4.60	0.49	0.23	