



WAGYU
BREEDING VALUE REPORT

September 2026



MR C.C. PURDON

Herd Number: 315578


E-mail: cpurdon@vjangus.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 830



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.77	105	1.23
	Wean Weight	2.0	98	2.9
	Birth Mat.	-0.30	98	-0.38
	Milk (Wn.Mat.)	6.6	96	8.7
Postwean growth	Postwean wt	4.9	98	6.4
	Mature weight	1	96	6
	Heifer Fertility	-2.5	99	-2.9
Fertility	Cow Fertility	0.3	101	0.5
	Longevity	6.4	103	5.2
Carcass	IMF	1.0	102	0.8
	Carcass weight	0.0	99	0.8
	EMA	1.6	105	0.8
	Rib Fat	0.1	102	-0.1
	MF	-0.2	102	-0.5

Selection Value	Herd Avg
Calving Ease Value	105
Calf Growth Value	98
Milk Value	96
Maintenance Value	104
Fertility Value	100


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	65	-0.14	-0.22	114	37	0.9	95	37	7.68	98						16	-1.3	10	-1.4	82	1.2	104
2017	38	0.01	-0.10	110												12	-2.5	9	-1.8	104	2.0	106
2018	53	0.30	0.31	105	40	1.9	98	40	8.02	99						10	-3.7	9	-1.5	111	1.4	106
2019	6	0.11	-0.20	113												17	-0.2	16	-0.2	117	2.8	99
2020	92	0.76	-0.28	105												32	-5.6	27	-0.9	71	3.3	106
2021	130	0.84	-0.38	106	106	1.2	96	106	6.16	95						38	-3.2			103	0.6	100
2022	123	0.50	-0.62	110	34	2.0	98	34	2.43	88						49	-2.0			34	6.9	99
2023	117	0.23	-0.35	111	14	2.5	99	14	3.70	91						1	-6.7					109
2024	161	0.47	-0.30	109	128	1.0	95	128	3.25	90												
2025	72	0.31	0.42	106																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	6	-0.6	90	6	5.0	106	6	1.5	105						
2014															
2015	3	0.6	99	3	8.5	111	3	0.8	100						
2016	2	1.4	105	2	11.1	115	2	2.0	108						
2017															
2018															
2019	11	1.0	101	11	0.3	99	11	1.3	104						
2020	1	2.4	113	1	7.4	109	1	3.0	115						
2021															
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth							Carcass					Stats					
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses	
Name		Gen. DNA	Dam ID																	
AKAUSHI																				
AL 150004			HSFV0010	106	147	141	140	134	96	74	122	119	105	112	11	143	17	12	12	
FB			MWSFZ0305	0.64	21.9	31.5	39.1	54	6.6	-2.5	16.6	3.7	0.4	1.5						
VIRILE L004 (ET) (AUS)				80%	50%	40%	32%	34%	48%	66%	65%	57%	27%	20%						
BA 150369			HBCFV2139	93	108	103	106	93	82	143	99	121	104	65	26	654	55	104	46	
FB			B563	1.94	6.1	8.1	12.6	-4	-0.9	6.2	0.0	3.9	0.3	-6.1						
WOODVIEW MR MARBLING				96%	83%	69%	55%	35%	69%	89%	88%	84%	73%	51%						
FB12909			C0402	97	147	140	138	128	81	99	100	129	82	85	6	12	5	6		
FB			FB12108	1.54	21.8	31.2	37.0	47	-1.2	0.7	1.1	5.2	-1.9	-2.8						
VBV ROA RED GALAXY				61%	43%	40%	38%	25%	31%	42%	42%	38%	36%	25%						
FB21961			HSFX0013	109	106	104	108	99	82	98	87	106	82	94	3	34	5	12	2	
FB			KALFD0449	0.34	5.2	8.6	13.6	4	-0.7	0.5	-8.7	1.7	-1.8	-1.4						
SMX SUMAKU				74%	59%	32%	29%	19%	49%	40%	39%	35%	29%	23%						
JAPANESE BLACK																				
5U			FB2501	127	90	83	83	77	59	126	106	124	89	77	16	274	93	67	50	
FB			607E 100	-1.40	-0.9	-4.3	-5.4	-26	-12.8	4.1	4.8	4.6	-1.2	-4.1						
SANJIRO 5U (ET)				97%	96%	95%	92%	92%	94%	94%	94%	93%	91%	91%						
A3001			IMJFAJ2810	113	104	98	102	90	69	129	80	97	85	89	23	65	16	23	2	
FB			Y3004	-0.06	4.5	4.8	8.8	-8	-7.9	4.4	-13.4	0.3	-1.5	-2.3						
ECHIGO FARMS A3001 (AI)				94%	93%	93%	92%	92%	92%	94%	94%	93%	93%	92%						
AL 182012			148BE	126	91	84	83	78	70	140	85	141	96	73	8	214	21	184	2	
FB			FB20751	-1.27	-0.9	-3.9	-5.7	-26	-7.0	5.9	-9.8	7.1	-0.5	-4.7						
ITOSHIGENAMI P12 (ET)(USA)				98%	91%	87%	87%	86%	87%	88%	88%	88%	88%	87%						
BA 090335			148BE	142	95	89	91	85	63	119	68	121	98	105	19	262	97	43	8	
FB			KJDFB0050	-2.82	0.9	-0.9	0.3	-15	-11.0	3.2	-21.6	4.0	-0.3	0.3						
FUTURE INVESTMENT				97%	91%	76%	82%	61%	90%	87%	87%	84%	75%	61%						
BOS 170018			D0550	115	79	76	78	67	83	103	94	96	95	105	6	137	17	83		
FB			SFWFE0109	-0.23	-5.6	-8.8	-9.5	-40	-0.1	1.2	-3.3	0.2	-0.5	0.3						
AL5 YASUZANE S1718 (ET)(AUS)				91%	88%	26%	24%	16%	65%	54%	54%	52%	50%	39%						
CP 130012			TFWFW0629	116	98	87	85	83	80	103	83	90	130	132	3	58	12	9	7	
FB			KJDFD0133	-0.33	2.2	-2.3	-4.1	-18	-2.0	1.2	-11.1	-0.8	2.8	4.7						
CP 130012				83%	66%	54%	51%	34%	58%	62%	62%	59%	46%	33%						

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
CP 130304		✓	KJDFC0087	114	90	85	83	87	86	121	103	112	110	110					
FB		✓	KJDFC0082	-0.11	-1.1	-3.6	-5.7	-12	1.4	3.5	2.8	2.6	0.9	1.1	5	108	46	18	11
CP130304				91%	80%	64%	63%	46%	81%	71%	71%	66%	56%	46%					
CP 130305		✓	KJDFC0087	103	101	90	87	87	75	101	112	106	108	119					
FB		✓	KJDFC00085	0.99	3.4	0.1	-2.9	-12	-4.3	0.9	9.3	1.7	0.6	2.5	2	38	16	4	3
CP 130305				81%	70%	51%	51%	45%	69%	57%	58%	56%	51%	42%					
CP 130307		✓	TFFWW0629	125	117	104	103	102	78	95	107	99	128	122					
FB		✓	KJDFB0086	-1.21	9.7	8.6	10.1	9	-2.7	0.1	5.9	0.7	2.6	3.0	7	211	62	47	24
CP 130307				95%	85%	63%	61%	29%	83%	76%	76%	70%	54%	34%					
CP 130311		✓	TFFWW0629	124	81	71	72	70	67	94	74	81	125	139					
FB		✓	KJDFC0007	-1.06	-4.8	-12.2	-14.2	-37	-8.8	0.0	-17.8	-2.1	2.2	5.8	3	34	9	19	1
CP 130311				79%	56%	54%	49%	36%	57%	59%	59%	56%	48%	37%					
CP 190069		✓	GRSFK0473	103	95	87	88	81	71	96	81	111	92	115					
FB		✓	KSOFF0024	0.95	1.0	-1.8	-2.0	-22	-6.8	0.2	-12.8	2.5	-0.9	1.9	2	42		36	
190069				87%	80%	49%	41%	31%	46%	35%	42%	40%	39%	23%					
CP 190089		✓	GRSFK0473	113	101	93	93	87	72	109	84	104	112	116					
FB		✓	SFWFK0091	-0.05	3.3	1.7	2.4	-13	-6.4	1.9	-10.7	1.4	1.1	2.1	3	52	16	29	
190089				89%	70%	49%	38%	28%	42%	32%	40%	38%	38%	20%					
CP 190090		✓	GRSFK0473	116	93	85	85	79	73	101	79	109	100	116					
FB		✓	KSOFL00108	-0.31	-0.1	-3.3	-3.9	-24	-5.8	1.0	-13.7	2.1	-0.1	2.0	3	83	17	53	
190090				93%	84%	36%	31%	21%	43%	24%	32%	31%	29%	14%					
CP 190104		✓	KJDFC0087	107	90	83	82	82	76	104	108	115	106	109					
FB		✓	SFWFJ0060	0.51	-1.2	-4.5	-6.2	-19	-3.8	1.3	6.3	3.1	0.5	1.0	2	34	7	24	
190104				87%	56%	52%	49%	46%	52%	53%	55%	54%	51%	41%					
CP 200042		✓	A3001	115	95	91	93	84	76	115	116	107	103	92					
FB			KSOFM00147	-0.22	1.0	0.2	1.8	-16	-3.9	2.8	12.0	1.8	0.2	-1.8	2	55		27	
GLENFINLAS 200042				90%	61%	48%	37%	24%	34%	45%	46%	43%	42%	32%					
CP 200046		✓	A3001	108	104	96	98	91	72	108	88	110	82	95					
FB		✓	KSOFF0024	0.48	4.7	3.9	5.9	-7	-5.9	1.8	-7.8	2.4	-1.8	-1.2	2	42		31	
GLENFINLAS 200046				89%	83%	52%	43%	33%	43%	49%	50%	47%	47%	35%					
CP 200052		✓	DSAFJ2895	134	69	70	75	70	90	105	100	103	99	99					
FB		✓	ARUFE0060	-2.10	-9.4	-12.5	-11.7	-36	3.4	1.4	1.0	1.2	-0.2	-0.6	2	30		26	
GLENFINLAS 200052				85%	79%	27%	17%	14%	29%	26%	28%	24%	24%	15%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
DSAFJ2895		TF890040	139	66	65	68	61	81	125	88	129	91	85					
FB		USAFB5769	-2.56	-10.7	-15.8	-17.2	-49	-1.6	4.0	-7.5	5.2	-1.0	-2.8	10	22	6	5	
DARLEY TANISHIGE (AI) (ET)			64%	46%	39%	27%	19%	28%	42%	46%	39%	39%	22%					
ETJ001		PR860014	98	103	98	104	87	76	56	104	103	70	112					
FB		PR870015	1.44	4.3	4.9	10.3	-13	-4.0	-4.8	3.9	1.3	-2.9	1.4	51	328	154	31	4
HIRASHIGETAYASU J2351 HONGEN			98%	96%	96%	96%	95%	96%	96%	97%	96%	96%	95%					
FB11842		FB3685	128	69	71	74	73	86	83	125	112	95	100					
FB		FB6032	-1.47	-9.6	-12.3	-12.8	-32	1.2	-1.3	18.8	2.7	-0.5	-0.5	7	39	9	17	4
STONYRUN ID 151 ICHIRO 1			83%	72%	26%	21%	9%	47%	40%	40%	36%	39%	30%					
FGW 120001		IMUFQTF147	109	104	101	104	95	96	98	96	104	93	96					
FB		BA 090339	0.39	4.4	7.0	10.8	-1	6.5	0.6	-1.7	1.4	-0.8	-1.2	9	255	68	95	17
WASABI FGW 12-01			98%	96%	94%	93%	94%	95%	94%	94%	93%	92%	91%					
GRSFK0473		WKSFU0006	106	101	92	91	82	63	104	66	99	105	127					
FB		GRSFE0122	0.64	3.3	0.8	0.7	-19	-10.7	1.2	-23.4	0.6	0.4	3.9	11	35	15	10	1
GOORAMBAT DOUBLESIXTY K473			78%	71%	65%	55%	35%	62%	38%	56%	52%	50%	22%					
KJDFC0086		IMUFM1615	123	78	74	74	66	64	89	107	131	111	127					
FB		KJDFY0038	-1.01	-5.9	-10.3	-12.7	-43	-10.6	-0.6	5.6	5.5	0.9	3.8	17	97	32	18	18
LAKE WAGYU C086			88%	72%	56%	54%	48%	68%	84%	84%	80%	69%	50%					
KJDFC0087		IMUFM1615	102	95	84	80	87	72	98	115	118	102	118					
FB		KJDFY0034	1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4	55	369	126	100	52
LAKE WAGYU C087			98%	97%	97%	97%	96%	97%	98%	98%	98%	97%	96%					
LFDFO241		TWAFR0003	102	125	118	123	107	74	100	63	79	82	112					
FB		LFDFZ1065	1.05	12.9	17.5	25.1	16	-5.2	0.8	-25.4	-2.4	-1.8	1.5	19	100	25	35	11
LONGFORD FE0241			95%	92%	91%	88%	85%	87%	90%	90%	89%	88%	86%					
SWK 210153		CCOFG0113	117	96	97	93	99	85	130	100	107	113	91					
FB		SWK 190061	-0.47	1.4	4.5	2.2	5	0.5	4.6	0.5	1.8	1.2	-1.9	9	311	5	100	
ITOSHIGENAMI			97%	96%	95%	95%	95%	95%	95%	95%	94%	94%	94%					
WF 160608		WESFA0107	109	91	84	85	80	64	78	65	122	42	106					
FB		KSOJF0071	0.37	-0.8	-3.9	-4.4	-22	-10.3	-1.9	-24.2	4.2	-5.7	0.5	3	69	2	32	21
WINTERBERG 608			77%	72%	45%	42%	30%	48%	79%	78%	72%	47%	36%					
WK 160194		OVE 100045	115	88	82	85	79	84	82	115	83	93	112					
PBD		KF 120004	-0.27	-2.1	-5.0	-4.5	-24	0.2	-1.5	11.3	-1.8	-0.8	1.5	5	58	19	33	2
WK160194			86%	66%	42%	34%	29%	60%	65%	65%	59%	55%	41%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
WK 170279		OVE 080002	105	91	91	92	94	92	84	97	95	92	108					
FB		CWBFKR 140017	0.78	-0.6	0.3	0.9	-2	4.7	-1.2	-1.2	0.1	-0.9	0.8	2	43	7	27	
WK170279			83%	76%	46%	45%	32%	55%	48%	48%	47%	42%	33%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
CP 180022	✓	BA 150369		76	109	112	112	110	111	114	106	107	105	83				
F1				3.57	6.6	13.4	17.2	21	14.7	2.5	5.0	1.8	0.4	-3.2	1	3	1	
CP180022				60%	48%	34%	27%	17%	52%	44%	44%	42%	37%	26%				
CP 180066	✓	AL 150004		89	128	130	129	131	119	79	118	106	106	107				
F1				2.28	14.2	24.6	29.9	51	19.0	-1.8	13.3	1.7	0.4	0.6	1	4	3	
CP180066				61%	49%	20%	16%	17%	64%	33%	32%	28%	13%	10%				
CP 210008	✓	BA 150369		83	107	109	110	110	110	114	106	107	105	83				
F1				2.90	5.7	12.0	15.5	20	14.2	2.5	5.0	1.8	0.4	-3.2	1	1	1	
210008				53%	41%	34%	27%	17%	35%	44%	44%	42%	37%	26%				
CP 210022	✓	AL 150004		86	131	129	129	123	103	94	114	113	105	98				
F2	✓	CP 180022		2.58	15.4	23.9	29.8	39	10.3	0.0	10.8	2.8	0.4	-0.9	1	1	1	
210022				69%	59%	26%	21%	19%	50%	40%	39%	35%	23%	16%				
JAPANESE BLACK																		
CP 080004				91	104	115	115		125									
F1				2.10	4.6	15.6	19.2		21.8						1	7	2	
CP 080004				64%	36%	19%	19%		50%									
CP 080005				97	95				119									
F1				1.51	0.8				18.7						1	7	2	
CP 080005				62%	31%				47%									
CP 090013				107	95				121									
F1				0.53	0.8				20.1						1	7	3	
CP 090013				62%	27%				40%									
CP 090014				73	107				129									
F1				3.81	5.9				23.9						1	5	1	
CP 090014				56%	34%				53%									
CP 100028		BA 060107		114	100	105	106	110	123	93	112	94	105	102				
F2		CP 033930		-0.12	2.8	8.9	12.1	21	20.9	-0.1	9.3	-0.2	0.4	-0.2	1	4	1	
CP100028				67%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				
CP 100029		BA 060107		105	96	102	103	103	116	93	112	94	105	102				
F2		CP 050012		0.75	1.5	7.1	10.0	11	17.1	-0.1	9.3	-0.2	0.4	-0.2	1	6	2	
CP100029				68%	46%	28%	30%	32%	56%	35%	34%	31%	16%	10%				
CP 100030		BA 060107		111	101	106	107	110	123	93	112	94	105	102				
F2		CP 023620		0.14	3.2	9.5	12.8	20	21.1	-0.1	9.3	-0.2	0.4	-0.2	1	4	1	
CP100030				66%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 100032	 BA 060107	CP 050038	104	102	107	108	108	123	93	112	94	105	102	2	8	4	
F2		CP100032	0.85	3.7	10.3	13.8	18	20.8	-0.1	9.3	-0.2	0.4	-0.2				
			75%	48%	28%	30%	32%	57%	35%	34%	31%	16%	10%				
CP 100041	BA 060107	CP 033945	109	96	101	103	104	116	88	115	93	107	105	1	5	1	2
F2		CP100041	0.33	1.2	6.8	9.7	13	17.3	-0.7	11.1	-0.3	0.5	0.3				
			66%	50%	29%	31%	36%	58%	43%	42%	36%	16%	10%				
CP 100047	BA 060107	CP 034138	112	94	99	101	103	114	93	112	94	105	102	1	6	2	
F2		CP100047	0.12	0.4	5.5	8.1	11	16.2	-0.1	9.3	-0.2	0.4	-0.2				
			70%	49%	28%	30%	32%	58%	35%	34%	31%	16%	10%				
CP 100056	BA 060107	CP 050014	116	98	103	104	108	121	93	112	94	105	102	1	6	2	
F2		CP100056	-0.34	2.0	7.8	10.7	18	19.8	-0.1	9.3	-0.2	0.4	-0.2				
			72%	51%	28%	30%	32%	60%	35%	34%	31%	16%	10%				
CP 100061	 BA 060107	CP 060012	108	104	109	110	110	128	92	111	94	104	102	2	7	3	
F2		CP 100061	0.42	4.6	11.5	15.1	21	23.4	-0.2	8.6	-0.1	0.3	-0.1				
			72%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%				
CP 100064			98	93				116						1	5	1	
F1	CP 100064	1.43	0.0				17.4										
			60%	35%				49%									
CP 110007	BA 060107	CP 033945	117	94	99	101	105	117	91	114	94	106	103	1	6	2	
F2		11 07	-0.42	0.4	5.7	8.4	13	17.9	-0.3	10.4	-0.1	0.4	-0.1				
			76%	49%	29%	31%	36%	58%	36%	35%	31%	16%	10%				
CP 110008	BA 060107	CP 054651	101	96	101	103	102	115	93	112	94	105	102	1	5	1	
F2		11 08	1.16	1.3	6.9	9.8	9	16.6	-0.1	9.3	-0.2	0.4	-0.2				
			76%	49%	36%	30%	32%	57%	35%	34%	31%	16%	10%				
CP 110009	BA 070143	CP 054672	99	104	106	107	100	97	92	114	87	97	96	1	3	2	
F2		11 09	1.29	4.6	9.7	13.2	6	7.0	-0.2	10.9	-1.2	-0.4	-1.1				
			74%	43%	36%	28%	24%	54%	34%	34%	32%	27%	20%				
CP 110012	BA 060107	CP 060014	99	99	104	105	104	119	93	112	94	105	102	1	6	3	
F2		11 12	1.38	2.6	8.7	11.7	12	18.7	-0.1	9.3	-0.2	0.4	-0.2				
			78%	51%	28%	33%	32%	60%	35%	34%	31%	16%	10%				
CP 110013	BA 070143	CP 050012	101	88	94	96	91	95	91	98	99	88	98	1	5	1	
F2		11 13	1.16	-1.8	2.3	4.2	-7	6.2	-0.3	-0.6	0.5	-1.2	-0.8				
			76%	42%	28%	28%	24%	52%	31%	31%	30%	27%	20%				
CP 110015	BA 060107	CP 070005	112	92	98	99	106	111	95	114	96	105	99	1	4	1	
F2		11 15	0.08	-0.3	4.7	7.1	14	14.5	0.1	11.0	0.2	0.4	-0.6				
			77%	51%	30%	32%	36%	60%	37%	37%	32%	16%	10%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 110029		BA 060107	109	100	104	105	101	122	92	109	95	103	103	2	7	1	1
F2		CP 060012	0.34	2.8	8.7	11.6	8	20.2	-0.2	7.3	0.0	0.2	0.0				
11 29			74%	60%	50%	46%	67%	70%	41%	40%	35%	16%	10%				
CP 110033	👤	BA 060107	116	102	107	108	110	123	86	102	90	102	111	2	11	3	1
F2		CP 060029	-0.29	3.9	10.3	13.6	21	20.9	-1.0	2.0	-0.8	0.1	1.3				
11 33			81%	61%	46%	30%	32%	71%	42%	42%	36%	17%	10%				
CP 110035		BA 060107	110	96	102	103	106	119	93	112	94	105	102	1	6	2	1
F2		CP 054588	0.26	1.4	7.2	10.2	15	19.0	-0.1	9.3	-0.2	0.4	-0.2				
1135			75%	42%	28%	30%	32%	44%	35%	34%	31%	16%	10%				
CP 120006		BIMFE0003	103	99	104	105	114	98	98	117	95	109	99	2	6	1	
F2		CP 070005	0.96	2.4	8.4	11.3	26	7.9	0.5	12.6	0.1	0.8	-0.7				
1206			72%	55%	49%	46%	65%	68%	38%	40%	35%	26%	15%				
CP 120009		BA 060107	109	97	103	104	106	119	93	112	94	105	102	1	3	1	
F2		CP 034088	0.36	1.9	7.7	10.7	15	18.6	-0.1	9.3	-0.2	0.4	-0.2				
1209			75%	42%	28%	30%	32%	44%	35%	34%	31%	16%	10%				
CP 120014		BA 060107	111	97	103	104	108	122	93	112	94	105	102	1	5	4	
F2		CP 050014	0.12	1.6	7.6	10.7	18	20.3	-0.1	9.3	-0.2	0.4	-0.2				
1214			77%	55%	28%	30%	32%	67%	35%	34%	31%	16%	10%				
CP 120021		BA 060107	104	97	103	104	100	116	93	112	94	105	102	2	5	1	
F2		CP 075265	0.86	1.8	7.7	10.8	7	17.4	-0.1	9.3	-0.2	0.4	-0.2				
1221			71%	56%	38%	38%	64%	66%	35%	34%	31%	16%	10%				
CP 120022		KJDFC0086	112	99	101	101	93	105	94	103	116	106	112	1	5	2	
F2		CP 080001	0.05	2.6	6.6	8.1	-4	11.2	0.0	3.1	3.2	0.4	1.4				
1222			74%	47%	28%	27%	24%	58%	42%	42%	40%	34%	25%				
CP 120030	👤	BA 060107	119	92	99	101	107	121	93	112	94	105	102	2	5	1	
F2		CP 054871	-0.57	-0.1	5.4	8.0	16	19.7	-0.1	9.3	-0.2	0.4	-0.2				
12 30			76%	55%	28%	30%	32%	65%	35%	34%	31%	16%	10%				
CP 120040		BA 060107	107	99	104	106	106	118	88	105	90	103	109	1	2	1	
F2		CP 060029	0.52	2.7	8.7	11.8	16	18.5	-0.8	4.4	-0.7	0.2	0.9				
12 40			73%	50%	30%	30%	32%	59%	38%	38%	33%	17%	10%				
CP 130006	👤	TFFWW0629	120	87	78	78	77	81	101	84	80	135	137	1	2	1	
FB	👤	KJDFD0133	-0.70	-2.3	-7.8	-10.1	-27	-1.2	0.9	-10.4	-2.2	3.2	5.4				
CP 130006			69%	59%	55%	52%	34%	54%	59%	59%	56%	46%	34%				
CP 130009	👤	TFFWW0629	118	100	91	92	89	73	84	98	84	124	135	1	3	2	
FB	👤	KJDFB0086	-0.48	2.7	0.3	1.1	-10	-5.6	-1.3	-0.9	-1.7	2.2	5.1				
CP 130009			65%	57%	51%	47%	29%	62%	57%	57%	55%	47%	34%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 130023		BA 070143	98	87	93	94	100	101	84	105	95	91	100				
F3		CWBFCP 100062	1.42	-2.2	1.7	2.6	6	9.2	-1.2	4.1	0.0	-1.0	-0.4	1	4	2	
13 23			62%	42%	28%	28%	24%	52%	31%	31%	30%	27%	20%				
CP 130027		KKWFA0871	101	86	89	92	89	80	83	75	107	74	111				
F2		CP 080004	1.17	-2.9	-0.5	1.1	-10	-1.6	-1.3	-17.0	1.8	-2.5	1.4	1	4	1	1
13 27			72%	46%	33%	29%	29%	57%	41%	41%	39%	33%	20%				
CP 130037		KKWFA0871	117	75	80	84	89	76	85	77	109	75	108				
F2		CP 070005	-0.42	-7.0	-6.3	-5.4	-9	-4.1	-1.0	-15.3	2.2	-2.5	0.9	1	3	1	
13 37			75%	52%	33%	29%	33%	64%	43%	43%	40%	33%	20%				
CP 130042		BA 060107	90	103	108	109	105	119	93	112	94	105	102				
F2		CP 050012	2.24	4.2	11.1	14.9	14	19.0	-0.1	9.3	-0.2	0.4	-0.2	1	2	1	
13 42			73%	43%	28%	30%	32%	46%	35%	34%	31%	16%	10%				
CP 130048		BA 060107	96	111	115	116	110	128	92	116	95	106	101				
F2		CP 033945	1.64	7.4	15.3	19.8	21	23.5	-0.2	12.0	0.1	0.5	-0.3	2	5	1	1
13 48			72%	57%	45%	39%	67%	68%	41%	41%	35%	16%	10%				
CP 130051		BA 060107	102	100	105	107	107	121	93	112	94	105	102				
F2		CP 054608	1.03	2.9	9.3	12.7	16	19.9	-0.1	9.3	-0.2	0.4	-0.2	1	2	1	
13 51			73%	42%	28%	30%	32%	45%	35%	34%	31%	16%	10%				
CP 130053		BA 060107	118	99	104	105	107	125	92	111	94	104	102				
F2		CP 060012	-0.56	2.7	8.8	11.8	17	22.2	-0.2	8.6	-0.1	0.3	-0.1	1	6	2	
13 53			76%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%				
CP 130061		BA 060107	97	94	99	101	98	109	93	112	94	105	102				
F2		CP 054651	1.55	0.3	5.4	8.1	4	13.7	-0.1	9.3	-0.2	0.4	-0.2	1	6	3	
13 61			77%	59%	36%	30%	32%	72%	35%	34%	31%	16%	10%				
CP 130065		BA 060107	100	102	106	108	108	120	93	112	94	105	102				
F2		CP 090030	1.24	3.6	10.1	13.6	17	19.4	-0.1	9.3	-0.2	0.4	-0.2	1	1	1	
13 65			70%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				
CP 130068		BA 060107	96	102	107	108	106	119	92	112	93	105	103				
F2		CP 040008	1.64	3.7	10.3	13.9	15	18.8	-0.2	9.1	-0.4	0.4	-0.1	1	1	1	
13 68			69%	43%	30%	32%	36%	46%	35%	35%	31%	16%	10%				
CP 130075	🔗	BA 060107	120	95	98	100	107	119	89	118	90	107	105				
F3	🔗	CP 100032	-0.76	1.0	4.8	7.4	17	18.7	-0.6	13.5	-0.7	0.6	0.3	1	4	2	
13 75			78%	51%	31%	34%	36%	60%	39%	38%	34%	18%	11%				
CP 140021	🔗	BA 090335	105	101	103	103	106	101	102	91	107	102	103				
F3	🔗	CWBFCP 100062	0.74	3.4	7.9	9.9	15	9.3	1.1	-5.8	1.9	0.1	0.0	2	4	2	
14 21			56%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 140026		KKWFA0871	120	84	88	91	94	89	83	75	107	74	111	1	5	3	
F2		CP 050014	-0.68	-3.4	-1.4	0.4	-2	2.9	-1.3	-17.0	1.8	-2.5	1.4				
14 26			75%	42%	31%	27%	29%	49%	41%	41%	39%	33%	20%				
CP 140048		BA 060107	91	115	118	119	118	134	93	112	94	105	102	1	1	1	
F2		CP 090020	2.08	9.0	17.6	22.4	32	26.7	-0.1	9.3	-0.2	0.4	-0.2				
14 48			72%	49%	28%	30%	32%	59%	35%	34%	31%	16%	10%				
CP 140050		BA 060107	115	99	101	103	108	119	89	118	90	107	105	1	3	1	
F1		CP 100056	-0.25	2.6	6.9	9.8	17	18.9	-0.6	13.5	-0.7	0.6	0.3				
14 50			74%	49%	31%	34%	36%	53%	39%	38%	34%	18%	11%				
CP 140053		BA 060107	102	107	106	108	105	109	89	119	87	103	102	1	2	1	
F3		CP 110009	1.04	5.6	10.1	13.7	13	13.6	-0.6	14.4	-1.2	0.2	-0.2				
14 53			73%	51%	33%	33%	34%	59%	39%	38%	34%	21%	14%				
CP 150015		CP 130307	97	112	110	109	114	109	90	110	96	117	112	1	2	1	
F1			1.48	7.6	12.5	14.6	27	13.4	-0.5	8.0	0.2	1.5	1.4				
150015			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 150025		CP 130307	121	105	102	102	102	92	95	111	96	118	112	1	1	1	
F1		CP 120005	-0.80	5.1	7.1	9.2	10	4.5	0.2	8.4	0.2	1.7	1.4				
15 25			73%	45%	34%	32%	18%	44%	42%	42%	39%	30%	19%				
CP 150026		CP 130307	101	115	113	112	118	114	90	110	96	117	112	1	1	1	
F1			1.14	9.0	14.4	16.8	32	16.3	-0.5	8.0	0.2	1.5	1.4				
150026			53%	48%	32%	31%	15%	54%	38%	38%	35%	27%	17%				
CP 150028		CP 130307	122	106	102	102	103	98	91	106	95	116	115	1	1	1	
F1		CP 120040	-0.86	5.2	7.3	9.3	11	7.5	-0.3	5.1	0.0	1.4	2.0				
15 28			73%	52%	35%	34%	22%	59%	43%	42%	39%	29%	18%				
CP 150041		KKWFA0871	125	80	82	85	92	83	81	82	104	77	113	1	2	2	
F3		CP 110015	-1.15	-5.0	-5.3	-4.1	-5	-0.5	-1.6	-11.9	1.4	-2.3	1.6				
15 41			75%	45%	35%	32%	34%	51%	45%	45%	42%	34%	21%				
CP 150042		CP 130304	95	100	102	100	109	116	103	108	102	108	106	1	1	1	
F1			1.70	3.0	7.4	7.9	19	17.2	1.2	6.5	1.2	0.7	0.4				
150042			49%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150060		CP 130304	94	96	99	97	106	110	103	108	102	108	106	1	2	2	
F1			1.84	1.5	5.2	5.3	15	14.2	1.2	6.5	1.2	0.7	0.4				
150060			54%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150065		CP 130304	87	100	102	100	107	113	103	108	102	108	106	1	2	1	
F1			2.51	2.9	7.3	7.9	16	15.7	1.2	6.5	1.2	0.7	0.4				
150065			51%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 150068		CP 130304	101	96	98	97	106	112	103	108	102	108	106	1	3	1	
F1			1.11	1.2	4.8	4.8	15	15.0	1.2	6.5	1.2	0.7	0.4				
150068			54%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150070		CP 130304	88	110	111	109	117	126	103	108	102	108	106	1	2	1	
F1			2.42	6.8	12.9	14.4	31	22.6	1.2	6.5	1.2	0.7	0.4				
150070			56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150075		CP 130304	89	102	103	102	110	116	103	108	102	108	106	1	3	2	
F1			2.33	3.5	8.2	8.9	20	17.1	1.2	6.5	1.2	0.7	0.4				
150075			58%	49%	32%	31%	23%	60%	36%	35%	33%	28%	23%				
CP 150076		CP 130307	100	116	114	113	119	116	90	110	96	117	112	1	2	1	
F1			1.23	9.5	15.1	17.7	33	17.0	-0.5	8.0	0.2	1.5	1.4				
150076			57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 150078		CP 130304	93	99	101	100	107	114	103	108	102	108	106	1	3	2	
F1			1.96	2.6	6.9	7.3	16	16.1	1.2	6.5	1.2	0.7	0.4				
150078			58%	50%	32%	31%	23%	62%	36%	35%	33%	28%	23%				
CP 150080		CP 130304	98	95	97	96	105	110	103	108	102	108	106	1	3	1	
F1			1.47	1.0	4.5	4.4	13	14.0	1.2	6.5	1.2	0.7	0.4				
150080			57%	52%	32%	31%	23%	66%	36%	35%	33%	28%	23%				
CP 150085		CP 130308	98	102	102	101	105	104	87	110	88	118	115	1	3	2	
F1			1.41	3.9	7.1	8.6	13	10.8	-0.8	8.0	-1.1	1.7	1.9				
150085			57%	49%	39%	32%	15%	56%	43%	43%	40%	28%	21%				
CP 150094	🔗	CP 130304	92	98	101	99	107	113	103	108	102	108	106	1	1	1	
F1			2.02	2.3	6.4	6.7	16	15.4	1.2	6.5	1.2	0.7	0.4				
150094			46%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%				
CP 150095		CP 130308	103	101	100	100	105	104	87	110	88	118	115	1	2	1	
F3		CWBFCP 120031	0.95	3.4	6.4	7.7	14	10.8	-0.8	8.0	-1.1	1.7	1.9				
CP150095			55%	44%	39%	32%	15%	46%	43%	43%	40%	28%	21%				
CP 160002	🔗	CP 130307	102	107	106	105	111	104	90	110	96	117	112	1	3	2	
F1			0.99	5.7	9.8	11.3	21	10.8	-0.5	8.0	0.2	1.5	1.4				
CP160002			61%	53%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
CP 160003	🔗	CP 130307	103	106	105	104	110	102	90	110	96	117	112	1	4	3	
F1			0.98	5.2	8.9	10.4	21	9.8	-0.5	8.0	0.2	1.5	1.4				
CP160003			64%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 160014	🔗	CP 130307	102	107	106	105	111	104	90	110	96	117	112	1	1	1	
F1			1.08	5.9	9.9	11.6	21	10.9	-0.5	8.0	0.2	1.5	1.4				
CP160014			51%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160016		CP 130305	80	112	111	108	112	116	93	113	100	107	110	1	3	2	
F1			3.22	7.8	13.0	13.7	24	17.2	-0.1	9.7	0.7	0.6	1.1				
160016			57%	42%	26%	25%	22%	50%	29%	29%	28%	26%	21%				
CP 160018		CP 130305	86	104	104	101	107	107	93	113	100	107	110	1	3	3	
F1			2.56	4.6	8.4	8.2	17	12.7	-0.1	9.7	0.7	0.6	1.1				
160018			53%	48%	26%	25%	22%	59%	29%	29%	28%	26%	21%				
CP 160022		CP 130305	87	100	100	98	103	102	93	113	100	107	110	1	2	1	
F1			2.51	3.0	6.2	5.6	10	10.0	-0.1	9.7	0.7	0.6	1.1				
160022			51%	40%	26%	25%	22%	50%	29%	29%	28%	26%	21%				
CP 160039		FB11842	125	76	81	84	87	104	88	119	103	100	101	1	2	2	
F3		CP 120030	-1.15	-6.8	-5.8	-4.9	-12	10.7	-0.7	14.0	1.2	-0.1	-0.3				
16 039			72%	62%	19%	19%	17%	41%	26%	26%	24%	21%	16%				
CP 160041	🔗	KJDFC0086	109	87	91	91	85	92	93	107	115	108	112	1	2	1	
F1		CP 140001	0.33	-2.2	0.3	0.8	-14	4.6	-0.1	5.5	3.1	0.6	1.4				
CP160041			48%	36%	28%	27%	24%	34%	44%	44%	41%	34%	25%				
CP 160048	🔗	CP 130307	103	112	111	111	108	105	97	103	100	114	109	1	4	2	
F1		CP 090059	0.90	7.8	13.0	16.1	18	11.3	0.4	3.3	0.8	1.3	1.0				
CP160048			62%	49%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 160049		FB11842	122	77	81	83	82	90	87	112	105	92	99	1	1	1	
F3		CP 110013	-0.88	-6.3	-5.9	-5.5	-20	3.5	-0.8	9.1	1.6	-0.9	-0.7				
16 049			72%	59%	19%	18%	13%	36%	25%	26%	23%	23%	18%				
CP 160050	🔗	CP 130307	103	104	104	104	99	94	97	103	100	114	109	1	3	1	
F1		CP 096220	0.97	4.6	8.5	10.8	5	5.6	0.4	3.3	0.8	1.3	1.0				
CP160050			62%	49%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 160057	🔗	CP 130304	97	100	102	100	109	116	103	108	102	108	106	1	3	1	
F1			1.52	2.8	7.1	7.5	19	17.1	1.2	6.5	1.2	0.7	0.4				
CP160057			60%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 160061	🔗	CP 130307	101	110	109	108	113	108	90	110	96	117	112	1	4	1	
F1			1.14	7.0	11.6	13.5	25	12.8	-0.5	8.0	0.2	1.5	1.4				
CP160061			63%	50%	32%	31%	15%	57%	38%	38%	35%	27%	17%				
CP 160068	🔗	CP 130307	105	122	119	117	122	124	90	110	96	117	112	1	6	4	
F1			0.79	11.6	18.0	21.1	38	21.3	-0.5	8.0	0.2	1.5	1.4				
CP160068			66%	52%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
CP 160069		FB11842	115	72	77	80	82	95	84	115	103	93	100	1	2	1	
PBD		CP 130023	-0.25	-8.3	-8.1	-8.1	-19	5.8	-1.3	11.4	1.3	-0.7	-0.5				
16 069			70%	59%	19%	18%	13%	36%	25%	26%	23%	23%	18%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160070	✓	CP 130307	108	113	112	112	110	114	97	103	100	114	109	1	6	3	
F2	✓	CP 050014	0.50	8.0	13.6	17.0	21	16.0	0.4	3.3	0.8	1.3	1.0				
16 070			79%	67%	32%	31%	15%	68%	38%	38%	35%	27%	17%				
CP 160087	✓	KJDFC0086	123	80	82	83	81	90	90	110	112	108	115	1	6	4	
F3	✓	CP 120035	-0.98	-5.2	-5.3	-5.5	-20	3.7	-0.5	8.0	2.7	0.7	1.9				
16 087			80%	70%	32%	31%	30%	70%	46%	46%	43%	35%	25%				
CP 160089	✓	CP 130307	99	111	110	109	114	109	90	110	96	117	112	1	1	1	
F1			1.37	7.5	12.3	14.4	27	13.3	-0.5	8.0	0.2	1.5	1.4				
CP160089			52%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 160090	✓	CP 130307	104	126	124	123	119	124	97	103	100	114	109	1	6	4	
F1		CP 100090	0.80	13.6	21.1	25.6	34	21.5	0.4	3.3	0.8	1.3	1.0				
CP160090			67%	56%	32%	31%	15%	68%	38%	38%	35%	27%	17%				
CP 160096		FB11842	118	79	83	86	87	100	88	119	103	100	101	1	1	1	
F3		CP 110008	-0.56	-5.5	-4.4	-3.4	-13	8.9	-0.7	14.0	1.2	-0.1	-0.3				
16 096			72%	60%	22%	19%	17%	38%	26%	26%	24%	21%	16%				
CP 160107	✓	CP 130304	88	97	100	98	105	110	103	108	102	108	106	1	4	2	
F1			2.43	1.8	5.8	6.1	13	13.9	1.2	6.5	1.2	0.7	0.4				
CP160107			62%	42%	32%	31%	23%	46%	36%	35%	33%	28%	23%				
CP 160111	✓	CP 130012	83	110	109	107	109	117	94	98	92	118	117	1	4	3	
F1			2.85	7.0	11.5	12.8	19	17.5	0.0	-0.5	-0.5	1.6	2.2				
CP160111			58%	41%	27%	25%	17%	47%	31%	31%	29%	23%	17%				
CP 160124		CP 130307	95	112	111	110	114	109	90	110	96	117	112	1	2	1	
F3		CWBFCP 120031	1.71	7.9	13.0	15.2	27	13.5	-0.5	8.0	0.2	1.5	1.4				
16 124			53%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 160125	✓	CP 130304	79	110	111	109	115	124	103	108	102	108	106	1	3	1	
F1			3.22	6.8	12.9	14.5	28	21.3	1.2	6.5	1.2	0.7	0.4				
CP160125			61%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%				
CP 160130	✓	CP 130012	100	104	102	101	108	113	94	98	92	118	117	1	4	1	
F1			1.19	4.4	7.6	8.1	18	15.7	0.0	-0.5	-0.5	1.6	2.2				
CP160130			58%	41%	27%	25%	17%	50%	31%	31%	29%	23%	17%				
CP 160131	✓	CP 130012	86	106	105	104	107	113	94	98	92	118	117	1	3	3	
F1			2.57	5.5	9.4	10.4	17	15.5	0.0	-0.5	-0.5	1.6	2.2				
CP160131			58%	41%	27%	25%	17%	47%	31%	31%	29%	23%	17%				
CP 160151	✓	KJDFC0087	106	92	81	80	81	79	100	104	102	121	127	1	17	9	
FB	✓	CP 130006	0.65	-0.2	-5.5	-8.5	-21	-2.2	0.8	3.4	1.1	1.9	3.8				
16 0151			84%	72%	58%	53%	42%	72%	58%	58%	56%	51%	42%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160152	✓ KJDFC0086		124	86	80	81	76	66	86	102	107	118	131	1	10	3	
FB	✓ CP 130009		-1.07	-2.6	-6.5	-7.6	-28	-9.5	-1.0	2.3	1.9	1.6	4.5				
16 0152			75%	54%	38%	36%	28%	62%	51%	51%	48%	42%	30%				
CP 160154	✓ KJDFC0086		90	102	104	103	103	112	87	110	112	108	114	1	4	3	
F1			2.19	3.7	8.5	9.8	11	15.1	-0.9	7.8	2.6	0.7	1.8				
CP160154			61%	48%	28%	27%	24%	58%	42%	42%	40%	34%	25%				
CP 170001	✓ BA 090335		122	102	101	102	99	96	100	82	103	100	112	1	5	4	
F3	CP 130063		-0.89	3.9	6.7	9.4	5	6.4	0.7	-12.1	1.2	-0.1	1.4				
17 0001			78%	58%	41%	44%	34%	65%	54%	54%	50%	40%	31%				
CP 170002			104											1	1	1	
BS			0.88														
17 0002			29%														
CP 170029	CP 130304		94	102	101	101	98	104	107	107	103	108	106	1	1	1	
F3	CP 130051		1.78	3.9	6.8	8.0	3	11.1	1.7	6.0	1.2	0.6	0.5				
17 0029			69%	46%	35%	35%	28%	49%	40%	39%	37%	29%	24%				
CP 170032	✓ 5U		91	96	97	97	98	93	105	109	109	97	89	1	6	2	
PBD	✓ CWBFCP 140037		2.08	1.1	4.5	5.0	4	5.1	1.5	7.4	2.2	-0.3	-2.2				
17 0032			68%	57%	45%	35%	30%	67%	44%	43%	41%	28%	18%				
CP 170036	✓ CP 130304		90	103	105	103	111	118	103	108	102	108	106	1	2	2	
F1			2.20	4.1	9.0	9.8	21	18.3	1.2	6.5	1.2	0.7	0.4				
CP170036			56%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 170038	✓ 5U		103	97	99	98	102	99	105	109	109	97	89	1	1	1	
F1			0.95	1.8	5.2	5.9	9	8.0	1.5	7.4	2.2	-0.3	-2.2				
17 0038			53%	46%	45%	35%	30%	43%	44%	43%	41%	28%	18%				
CP 170040	✓ 5U		91	98	100	99	100	96	105	109	109	97	89	1	3	3	
F1			2.15	2.2	5.9	6.8	7	6.8	1.5	7.4	2.2	-0.3	-2.2				
17 0040			61%	51%	45%	35%	30%	55%	44%	43%	41%	28%	18%				
CP 170045	✓ FB11842		125	82	86	88	89	104	88	119	103	100	101	1	4	3	
F3	✓ CP 120008		-1.22	-4.2	-2.7	-1.6	-9	10.9	-0.7	14.0	1.2	-0.1	-0.3				
17 0045			76%	53%	19%	19%	17%	58%	26%	26%	24%	21%	16%				
CP 170046	✓ BA 120783		98	102	102	103	99	106	90	114	94	98	100	1	5	3	
F3	✓ CP 120030		1.46	3.8	7.2	10.0	5	11.8	-0.5	10.9	-0.2	-0.3	-0.4				
17 0046			77%	59%	32%	33%	30%	72%	42%	42%	39%	32%	22%				
CP 170047	✓ 5U		94	99	101	100	101	99	105	109	109	97	89	1	5	3	
F1			1.82	2.7	6.7	7.6	8	8.3	1.5	7.4	2.2	-0.3	-2.2				
17 0047			67%	59%	45%	35%	30%	68%	44%	43%	41%	28%	18%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 170053	✓ BA	120783	93	101	103	103	106	112	86	115	93	99	100	1	3	2	
F1			1.88	3.5	8.1	9.9	15	14.9	-1.0	11.4	-0.2	-0.2	-0.5				
CP170053			58%	42%	29%	29%	25%	51%	38%	39%	36%	31%	21%				
CP 170056	✓ BA	120783	96	99	101	101	104	110	86	115	93	99	100	1	5	3	
F1			1.58	2.6	6.8	8.4	13	13.9	-1.0	11.4	-0.2	-0.2	-0.5				
17 0056			64%	42%	29%	29%	25%	51%	38%	39%	36%	31%	21%				
CP 170058	✓ BA	120783	81	99	101	102	102	105	86	115	93	99	100	1	2	1	
F1			3.06	2.6	7.0	8.7	9	11.5	-1.0	11.4	-0.2	-0.2	-0.5				
17 0058			54%	48%	29%	29%	25%	61%	38%	39%	36%	31%	21%				
CP 170062	✓ CP	130307	103	106	105	104	110	102	90	110	96	117	112	1	3	3	
F1			0.98	5.2	9.0	10.4	20	9.9	-0.5	8.0	0.2	1.5	1.4				
17 0062			59%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 170063	✓ 5U		104	93	95	94	99	93	105	109	109	97	89	2	3	2	
F1			0.87	0.0	2.7	2.9	5	4.9	1.5	7.4	2.2	-0.3	-2.2				
CP170063			60%	52%	51%	35%	30%	55%	44%	43%	41%	28%	18%				
CP 170065	✓ CP	130307	89	107	106	105	109	100	90	110	96	117	112	2	5	3	
F1			2.30	5.7	9.9	11.6	19	8.7	-0.5	8.0	0.2	1.5	1.4				
17 0065			65%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 170068	✓ CP	130304	100	92	94	93	103	106	103	108	102	108	106	1	5	4	
F3	✓ CWBFCP	120004	1.22	-0.3	2.6	2.2	11	12.1	1.2	6.5	1.2	0.7	0.4				
17 0068			65%	51%	32%	31%	23%	62%	36%	35%	33%	28%	23%				
CP 170082	✓ CP	130307	93	112	110	109	114	107	90	110	96	117	112	1	2	2	
F1			1.92	7.6	12.5	14.6	26	12.5	-0.5	8.0	0.2	1.5	1.4				
17 0082			57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 170086	CP	130304	102	88	86	87	86	80	100	92	107	93	112	1	2	2	
PBD	✓ CP	130032	0.99	-1.8	-2.9	-3.0	-14	-1.7	0.9	-5.0	1.9	-0.7	1.5				
17 0086			75%	50%	36%	35%	28%	57%	42%	42%	39%	33%	25%				
CP 170087	✓ CP	130307	92	115	113	112	116	111	90	110	96	117	112	1	3	1	
F1			1.99	8.8	14.2	16.7	29	14.6	-0.5	8.0	0.2	1.5	1.4				
CP170087			61%	44%	32%	31%	15%	45%	38%	38%	35%	27%	17%				
CP 170088	✓ CP	130307	103	106	105	104	110	103	90	110	96	117	112	1	3	2	
F1			0.91	5.4	9.3	10.8	21	10.3	-0.5	8.0	0.2	1.5	1.4				
17 0088			61%	48%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 170093	✓ CP	130307	96	108	107	106	110	104	90	110	96	117	112	1	3	3	
F1			1.62	6.3	10.7	12.5	21	10.8	-0.5	8.0	0.2	1.5	1.4				
17 0093			61%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 170096	✓	CP 130304	101	95	98	96	105	111	103	108	102	108	106	1	2	1	
F1			1.14	1.1	4.6	4.5	14	14.6	1.2	6.5	1.2	0.7	0.4				
CP170096			55%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%				
CP 170104	✓	CP 130307	111	109	105	105	104	99	94	110	97	117	112	1	2	2	
F3		CP 120041	0.18	6.4	9.1	11.5	11	8.3	0.0	7.6	0.3	1.5	1.4				
17 0104			75%	48%	35%	34%	22%	47%	42%	41%	38%	28%	18%				
CP 170108	✓	CP 130307	110	106	105	105	101	97	97	103	100	114	109	2	5	2	
F2		CP 100064	0.23	5.4	9.3	11.6	8	7.2	0.4	3.3	0.8	1.3	1.0				
17 0108			77%	56%	32%	31%	15%	64%	38%	38%	35%	27%	17%				
CP 170119	✓	CP 130305	87	104	103	101	107	107	93	113	100	107	110	1	2	2	
F1			2.49	4.4	8.1	7.9	16	12.5	-0.1	9.7	0.7	0.6	1.1				
CP170119			53%	35%	26%	25%	22%	35%	29%	29%	28%	26%	21%				
CP 170125	✓	CP 130304	91	99	101	100	107	113	103	108	102	108	106	1	3	2	
F1			2.15	2.5	6.8	7.1	16	15.6	1.2	6.5	1.2	0.7	0.4				
CP170125			60%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 170127	✓	CP 130012	88	102	101	100	104	108	94	98	92	118	117	1	2	1	
F1			2.42	3.8	7.0	7.5	11	12.7	0.0	-0.5	-0.5	1.6	2.2				
CP170127			53%	35%	27%	25%	17%	34%	31%	31%	29%	23%	17%				
CP 170140	✓	FB11842	100	83	90	91	96	107	84	119	103	101	101	1	3	1	
F1			1.26	-3.7	-0.4	0.3	0	12.4	-1.2	14.4	1.2	0.0	-0.4				
CP170140			58%	45%	13%	11%	5%	50%	20%	20%	18%	19%	15%				
CP 170143		5U	117	89	88	89	86	75	105	90	116	81	94	1	1	1	
F3	✓	CP 140026	-0.43	-1.4	-1.7	-1.1	-14	-4.6	1.4	-6.1	3.2	-1.9	-1.4				
CP170143			63%	50%	48%	38%	33%	49%	48%	48%	45%	33%	21%				
CP 180003		CP 150078	106	86	94	96	90	107	108	97	106	101	98	1	1	1	
BS			0.65	-2.9	2.6	4.5	-8	12.4	1.9	-1.1	1.6	0.0	-0.8				
CP180003			56%	58%	16%	16%	11%	49%	18%	18%	17%	14%	12%				
CP 180004	✓	5U	102	92	94	94	96	92	105	109	109	97	89	1	1	1	
F1			1.05	-0.3	2.4	2.5	1	4.3	1.5	7.4	2.2	-0.3	-2.2				
CP180004			53%	51%	45%	35%	30%	55%	44%	43%	41%	28%	18%				
CP 180012	✓	FB21961	108	104	105	106	103	104	109	97	116	93	92	1	4	2	
F2		CP 150054	0.47	4.5	9.0	12.6	10	11.1	1.9	-1.1	3.3	-0.8	-1.8				
CP180012			76%	69%	23%	21%	15%	70%	31%	30%	27%	23%	18%				
CP 180024	✓	5U	97	92	94	94	96	90	105	109	109	97	89	1	4	2	
F1			1.57	-0.3	2.4	2.6	0	3.5	1.5	7.4	2.2	-0.3	-2.2				
CP180024			63%	55%	45%	35%	30%	63%	44%	43%	41%	28%	18%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 180025		WSI135Z	100	105	107	107	107	112	106	90	102	117	108	1	4	2	
F1			1.21	4.9	10.3	12.9	16	15.2	1.6	-6.0	1.1	1.5	0.8				
CP180025			60%	47%	28%	24%	19%	58%	32%	32%	28%	20%	12%				
CP 180034		WSI135Z	87	108	110	110	107	112	106	90	102	117	108	1	4	3	
F1			2.49	6.0	12.1	15.1	16	15.1	1.6	-6.0	1.1	1.5	0.8				
CP180034			59%	51%	28%	24%	19%	65%	32%	32%	28%	20%	12%				
CP 180041		CP 140027	114	70	81	85	77	87	100	82	109	85	100	1	3	2	
F3			-0.15	-9.3	-6.0	-4.0	-27	1.7	0.8	-12.0	2.2	-1.6	-0.5				
CP180041			69%	57%	17%	15%	17%	48%	22%	22%	20%	17%	10%				
CP 180042		WSI135Z	92	103	105	105	103	107	106	90	102	117	108	1	2	2	
F1			1.97	4.0	9.2	11.7	11	12.5	1.6	-6.0	1.1	1.5	0.8				
CP180042			50%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180048		CP 130061	111	74	84	88	77	88	103	99	101	100	96	1	5	4	
F3			0.17	-7.6	-3.6	-1.8	-27	2.5	1.2	0.3	1.0	-0.1	-1.1				
CP180048			74%	63%	18%	15%	16%	60%	17%	17%	15%	8%	5%				
CP 180051			102	95				120						1	2	1	
F1			1.03	0.8				19.3									
CP180051			40%	27%				41%									
CP 180053		WSI135Z	87	102	104	105	101	104	106	90	102	117	108	1	3	3	
F1			2.51	3.6	8.7	11.2	8	11.0	1.6	-6.0	1.1	1.5	0.8				
CP180053			55%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180063			103	88				111						1	2	2	
F1			0.92	-2.0				14.8									
CP180063			40%	27%				41%									
CP 180068		WSI135Z	109	78	78	82	74	75	104	74	107	102	114	1	2	2	
PBD		 CP 130026	0.33	-6.1	-7.7	-6.4	-30	-4.8	1.3	-17.4	1.8	0.1	1.8				
CP180068			74%	63%	33%	29%	25%	57%	39%	39%	35%	26%	16%				
CP 180070		WSI135Z	90	96	99	100	97	98	106	90	102	117	108	1	2	1	
F1			2.24	1.4	5.5	7.3	2	7.5	1.6	-6.0	1.1	1.5	0.8				
CP180070			50%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180072		BA 090335	96	99	102	102	104	96	102	91	107	102	103	1	5	3	
PBD		CWBFCP 140010	1.65	2.7	7.1	9.1	11	6.7	1.1	-5.8	1.9	0.1	0.0				
CP180072			66%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%				
CP 180073			106	87				111						1	4	4	
F3			0.60	-2.4				14.5									
CP180073			53%	44%				61%									

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 180074	✓	WSI135Z	102	100	102	102	101	106	106	90	102	117	108	1	2	1	
F1			1.08	2.8	7.2	9.3	8	11.7	1.6	-6.0	1.1	1.5	0.8				
CP180074			53%	48%	28%	24%	19%	61%	32%	32%	28%	20%	12%				
CP 180081	✓	5U	136	87	85	86	84	77	111	105	112	101	93	1	4	3	
F3	✓	CP 150084	-2.23	-2.2	-3.3	-3.5	-17	-3.3	2.2	4.0	2.7	0.0	-1.6				
CP180081			76%	65%	48%	39%	31%	52%	48%	47%	44%	31%	20%				
CP 180093	✓	CP 130304	125	97	96	95	99	104	107	107	103	108	106	1	1	1	
F3	✓	CP 120008	-1.18	1.7	3.5	3.9	5	10.9	1.7	6.0	1.2	0.6	0.5				
CP180093			73%	62%	35%	35%	28%	50%	40%	39%	37%	29%	24%				
CP 180096	✓	CP 130304	86	103	105	104	110	117	103	108	102	108	106	1	2	1	
F1			2.60	4.3	9.4	10.3	21	18.0	1.2	6.5	1.2	0.7	0.4				
CP180096			56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 180100	✓	CP 130304	94	90	93	92	100	102	103	108	102	108	106	1	4	3	
F3	✓	CWBFCP 120004	1.79	-1.2	1.5	0.9	6	9.8	1.2	6.5	1.2	0.7	0.4				
CP180100			63%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180102	✓	CP 130304	97	97	99	98	106	112	103	108	102	108	106	1	4	4	
F1			1.52	1.8	5.6	5.8	15	15.3	1.2	6.5	1.2	0.7	0.4				
CP180102			63%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180104	✓	CP 130304	93	92	94	93	101	104	103	108	102	108	106	1	2	2	
F1			1.90	-0.4	2.6	2.3	8	11.0	1.2	6.5	1.2	0.7	0.4				
CP180104			56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 180105	✓	CP 130307	101	114	112	111	117	112	90	110	96	117	112	1	4	3	
F1			1.18	8.5	13.7	16.0	30	15.3	-0.5	8.0	0.2	1.5	1.4				
CP180105			63%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 180114	✓	CP 130307	115	104	100	101	102	94	93	110	97	117	112	1	4	4	
F3	✓	CP 120035	-0.19	4.4	6.3	8.4	9	5.7	-0.1	8.1	0.3	1.5	1.5				
GLENFINLAS CP180114			77%	68%	35%	34%	23%	66%	42%	42%	38%	28%	18%				
CP 180115	✓	CP 130304	94	100	102	100	109	115	103	108	102	108	106	1	4	4	
F1			1.77	2.9	7.3	7.7	18	16.9	1.2	6.5	1.2	0.7	0.4				
CP180115			61%	49%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180118	✓	CP 130307	99	116	114	113	117	115	90	110	96	117	112	1	4	2	
F1			1.36	9.4	14.9	17.4	30	16.5	-0.5	8.0	0.2	1.5	1.4				
GLENFINLAS CP180118			64%	54%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 180122	✓	CP 130307	101	109	108	107	112	106	90	110	96	117	112	1	2	1	
F1			1.16	6.5	10.9	12.7	24	11.9	-0.5	8.0	0.2	1.5	1.4				
CP180122			57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 180124		CP	130305	106	109	101	98	99	95	97	114	98	110	117	1	2	2	
PBD		CP	160020	0.67	6.6	6.9	6.1	5	6.3	0.4	10.4	0.5	0.8	2.2				
CP180124				74%	63%	30%	29%	26%	57%	38%	38%	35%	29%	24%				
CP 180128		CP	130305	83	102	101	99	105	103	93	113	100	107	110	1	1	1	
F1				2.84	3.6	7.0	6.6	13	10.5	-0.1	9.7	0.7	0.6	1.1				
CP180128				48%	42%	26%	25%	22%	50%	29%	29%	28%	26%	21%				
CP 180129		CP	130304	90	99	101	99	106	112	103	108	102	108	106	1	2	2	
F1				2.20	2.4	6.5	6.9	15	15.2	1.2	6.5	1.2	0.7	0.4				
CP180129				56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 180138		CP	130307	99	103	103	102	108	98	90	110	96	117	112	1	2	2	
F1				1.29	4.3	7.8	9.1	17	7.9	-0.5	8.0	0.2	1.5	1.4				
CP180138				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 180148		CP	130304	97	96	98	97	105	111	103	108	102	108	106	1	2	1	
F1				1.54	1.4	5.1	5.1	14	14.6	1.2	6.5	1.2	0.7	0.4				
CP180148				56%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%				
CP 180151		CP	130304	112	97	94	94	96	96	109	103	106	112	109	1	4	4	
F3		CP	160070	0.10	1.6	2.4	2.7	1	6.4	1.9	3.0	1.7	1.1	1.0				
180151				77%	61%	36%	35%	24%	70%	41%	40%	38%	31%	25%				
CP 180152		CP	130304	112	91	89	89	89	95	106	107	112	109	112	1	3	3	
PBD		CP	160087	0.06	-0.6	-0.8	-1.2	-10	5.9	1.5	5.4	2.6	0.8	1.5				
180152				76%	56%	36%	35%	27%	61%	42%	42%	40%	33%	26%				
CP 180163		CP	130307	100	116	114	113	118	115	90	110	96	117	112	1	1	1	
F1				1.23	9.5	15.0	17.6	33	16.9	-0.5	8.0	0.2	1.5	1.4				
CP180163				53%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 190009		CP	130305	92	108	107	104	112	114	93	113	100	107	110	1	3	3	
F1				2.05	6.1	10.5	10.6	23	16.2	-0.1	9.7	0.7	0.6	1.1				
CP190009				57%	48%	26%	25%	22%	59%	29%	29%	28%	26%	21%				
CP 190011		CP	130305	113	90	88	86	91	90	97	112	100	106	110	3	5	4	
F3		CP	110012	-0.01	-1.2	-1.5	-3.1	-6	3.5	0.4	9.3	0.7	0.5	1.2				
190011				76%	57%	29%	40%	28%	67%	33%	33%	32%	27%	22%				
CP 190014		CP	130305	81	115	113	110	115	119	93	113	100	107	110	1	4	3	
F1				3.12	8.8	14.4	15.3	27	19.1	-0.1	9.7	0.7	0.6	1.1				
190014				61%	52%	26%	25%	22%	64%	29%	29%	28%	26%	21%				
CP 190017		ETJ001		99	102	94	95	87	82	78	104	103	96	119	1	5	3	
FB		CP	160151	1.33	3.8	2.1	3.8	-13	-0.6	-2.0	3.6	1.2	-0.5	2.6				
190017				73%	66%	51%	50%	44%	75%	53%	53%	52%	48%	39%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 190019		✓	ETJ001	106	95	87	89	82	75	78	104	103	96	119	1	5	2	
FB		✓	CP 160151	0.63	1.0	-1.9	-1.0	-20	-4.4	-2.0	3.6	1.2	-0.5	2.6				
190019				73%	62%	51%	50%	44%	68%	53%	53%	52%	48%	39%				
CP 190020		✓	ETJ001	100	101	93	94	87	81	78	104	103	96	119	1	4	2	
FB		✓	CP 160151	1.23	3.3	1.5	3.0	-13	-1.2	-2.0	3.6	1.2	-0.5	2.6				
190020				72%	60%	51%	50%	44%	63%	53%	53%	52%	48%	39%				
CP 190023		✓	ETJ001	97	99	91	93	84	78	78	104	103	96	119	1	5	3	
FB		✓	CP 160151	1.52	2.7	0.6	2.0	-17	-2.8	-2.0	3.6	1.2	-0.5	2.6				
190023				73%	57%	51%	50%	44%	57%	53%	53%	52%	48%	39%				
CP 190026		✓	ETJ001	102	98	90	91	83	77	78	104	103	96	119	1	5	4	
FB		✓	CP 160151	1.04	2.0	-0.4	0.8	-18	-3.2	-2.0	3.6	1.2	-0.5	2.6				
190026				73%	64%	51%	50%	44%	71%	53%	53%	52%	48%	39%				
CP 190036		✓	BA 090335	116	98	100	100	106	100	102	91	107	102	103	1	3	2	
F1				-0.29	2.1	5.9	7.5	15	8.6	1.1	-5.8	1.9	0.1	0.0				
190036				60%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190037		✓	BA 090335	111	99	101	101	106	100	102	91	107	102	103	1	1	1	
F1				0.16	2.6	6.8	8.6	15	8.9	1.1	-5.8	1.9	0.1	0.0				
190037				53%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190038		✓	BA 090335	104	90	93	93	95	86	102	91	107	102	103	1	3	2	
F1				0.87	-1.2	1.4	2.3	0	1.1	1.1	-5.8	1.9	0.1	0.0				
190038				61%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%				
CP 190042		✓	BA 090335	107	102	104	104	107	103	102	91	107	102	103	1	3	3	
F1				0.52	3.8	8.4	10.5	16	10.3	1.1	-5.8	1.9	0.1	0.0				
190042				60%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%				
CP 190044		✓	BA 090335	107	102	103	104	108	102	102	91	107	102	103	1	3	3	
F1				0.58	3.6	8.2	10.3	18	9.9	1.1	-5.8	1.9	0.1	0.0				
190044				60%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190046		✓	BA 090335	103	102	104	104	106	101	102	91	107	102	103	1	3	3	
F1				0.96	3.6	8.3	10.4	15	9.4	1.1	-5.8	1.9	0.1	0.0				
190046				60%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190047		✓	BA 090335	108	98	100	100	104	98	102	91	107	102	103	1	3	2	
F1				0.48	2.1	6.1	7.7	13	7.4	1.1	-5.8	1.9	0.1	0.0				
190047				61%	50%	38%	41%	30%	56%	43%	43%	42%	38%	30%				
CP 190048		✓	BA 090335	110	100	102	102	106	100	102	91	107	102	103	1	3	2	
F1				0.30	2.8	7.1	8.9	15	9.0	1.1	-5.8	1.9	0.1	0.0				
190048				61%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 190049	✓	BA 090335		108	97	99	100	103	97	102	91	107	102	103	1	3	3	
F1				0.41	1.8	5.7	7.3	11	7.1	1.1	-5.8	1.9	0.1	0.0				
190049				61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190055	✓	5U		91	102	104	103	106	102	105	109	109	97	89	1	3	2	
F1				2.08	3.9	8.3	9.6	14	9.9	1.5	7.4	2.2	-0.3	-2.2				
190055				60%	49%	45%	35%	30%	54%	44%	43%	41%	28%	18%				
CP 190059	✓	BA 090335		124	114	110	110	105	98	108	86	111	106	107	1	4	3	
F2	✓	CP 160090		-1.08	8.7	12.0	15.3	14	7.8	1.8	-9.2	2.4	0.5	0.6				
190059				68%	59%	41%	44%	31%	68%	47%	47%	45%	40%	32%				
CP 190063	✓	BA 090335		103	100	102	102	105	99	102	91	107	102	103	1	3	2	
F1				0.90	3.0	7.4	9.3	14	8.3	1.1	-5.8	1.9	0.1	0.0				
190063				61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190066	✓	GRSFK0473		108	98	90	91	83	70	109	84	104	112	116	1	2	2	
FB	✓	SFWFK0091		0.46	2.0	0.0	0.6	-19	-7.3	1.9	-10.7	1.4	1.1	2.1				
190066				55%	50%	43%	38%	28%	52%	32%	40%	38%	38%	20%				
CP 190067	✓	GRSFK0473		98	98	91	91	80	76	101	79	109	100	116	1	5	1	
FB	✓	KSOFL00108		1.40	2.2	0.2	0.3	-22	-4.2	1.0	-13.7	2.1	-0.1	2.0				
190067				66%	52%	36%	31%	21%	58%	24%	32%	31%	29%	14%				
CP 190070	✓	BA 090335		106	93	96	96	99	90	102	91	107	102	103	1	3	3	
F1				0.69	0.1	3.3	4.5	5	3.7	1.1	-5.8	1.9	0.1	0.0				
190070				60%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%				
CP 190071	✓	5U		117	101	97	97	93	83	111	105	112	101	93	1	2	1	
F2	✓	CP 160048		-0.45	3.4	4.3	5.3	-3	-0.4	2.2	4.0	2.7	0.0	-1.6				
190071				63%	56%	48%	39%	31%	59%	48%	47%	44%	31%	20%				
CP 190072	✓	GRSFK0473		99	108	101	101	92	79	99	108	104	113	111	1	4	1	
FB	✓	SFWFK0100		1.30	6.3	6.8	8.6	-6	-2.5	0.6	6.7	1.4	1.1	1.4				
190072				59%	42%	38%	33%	23%	40%	26%	35%	33%	33%	17%				
CP 190073	✓	GRSFK0473		113	95	88	89	82	74	108	85	107	109	113	1	4	4	
FB	✓	SFWFK0120		-0.04	0.8	-1.4	-1.0	-20	-5.0	1.8	-10.1	1.8	0.7	1.6				
190073				65%	54%	42%	38%	28%	60%	30%	39%	37%	36%	21%				
CP 190075	✓	BA 090335		106	105	107	107	110	106	102	91	107	102	103	1	3	3	
F1				0.69	5.0	10.2	12.6	20	12.2	1.1	-5.8	1.9	0.1	0.0				
190075				61%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%				
CP 190078	✓	BA 090335		100	108	109	109	112	108	102	91	107	102	103	1	3	3	
F1				1.21	6.1	11.8	14.5	24	13.2	1.1	-5.8	1.9	0.1	0.0				
190078				61%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 190095	✓	BA 090335	108	98	100	101	104	98	102	91	107	102	103	1	2	2	
F1			0.48	2.2	6.2	7.9	12	7.7	1.1	-5.8	1.9	0.1	0.0				
190095			56%	53%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190096	✓	BA 090335	107	96	98	99	102	95	102	91	107	102	103	1	3	2	
F1			0.51	1.3	4.9	6.4	9	6.0	1.1	-5.8	1.9	0.1	0.0				
190096			61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190099	✓	BA 090335	104	95	97	98	100	92	102	91	107	102	103	1	3	2	
F1			0.88	0.7	4.2	5.6	7	4.5	1.1	-5.8	1.9	0.1	0.0				
GLENFINLAS 190099			62%	59%	38%	41%	30%	67%	43%	43%	42%	38%	30%				
CP 190114	✓	5U	115	95	95	95	94	92	109	109	109	97	89	1	3	3	
F3		CP 120014	-0.24	1.0	2.7	3.8	-3	4.3	2.0	7.0	2.2	-0.4	-2.2				
190114			69%	59%	47%	39%	34%	65%	47%	47%	43%	29%	19%				
CP 190124	✓	CP 130307	94	107	106	105	109	101	90	110	96	117	112	1	3	3	
F1			1.78	5.6	9.7	11.3	20	9.4	-0.5	8.0	0.2	1.5	1.4				
190124			59%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 190125	✓	CP 130304	101	96	98	96	107	112	103	108	102	108	106	1	2	2	
F1			1.16	1.2	4.8	4.7	16	14.9	1.2	6.5	1.2	0.7	0.4				
190125			55%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%				
CP 190126	✓	CP 130307	103	105	104	103	109	101	90	110	96	117	112	1	3	2	
F1			0.90	4.8	8.4	9.8	19	9.3	-0.5	8.0	0.2	1.5	1.4				
190126			59%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 190130	✓	CP 130307	93	118	116	115	120	116	90	110	96	117	112	1	2	1	
F1			1.94	10.2	16.2	19.0	34	17.1	-0.5	8.0	0.2	1.5	1.4				
190130			57%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 190156	✓	CP 130311	109	87	83	83	86	86	98	91	92	116	122	1	3	3	
F2	✓	CP 160107	0.39	-2.5	-4.6	-5.7	-14	1.4	0.6	-5.7	-0.5	1.5	3.1				
190156			61%	42%	31%	29%	21%	50%	35%	34%	33%	28%	22%				
CP 190165	✓	CP 130304	107	94	93	93	100	104	103	111	101	109	107	1	3	3	
F2		CP 158042	0.58	0.3	1.8	1.8	6	10.7	1.2	8.4	0.9	0.8	0.7				
190165			62%	50%	35%	35%	28%	56%	40%	39%	37%	29%	24%				
CP 190182	✓	CP 130304	89	94	97	96	103	106	103	108	102	108	106	1	3	3	
F1			2.27	0.6	4.1	4.0	11	12.1	1.2	6.5	1.2	0.7	0.4				
190182			60%	50%	32%	31%	23%	60%	36%	35%	33%	28%	23%				
CP 190186	✓	CP 130012	97	102	101	99	105	110	94	98	92	118	117	1	3	3	
F1			1.49	3.6	6.6	6.9	13	13.9	0.0	-0.5	-0.5	1.6	2.2				
CP190186			58%	47%	27%	25%	17%	57%	31%	31%	29%	23%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CP 190192	✓	CP 130311		113	93	87	88	89	84	92	92	89	121	126	1	2	2	
F2		CP 160061		-0.02	0.0	-1.9	-2.2	-10	0.2	-0.3	-4.9	-0.9	1.9	3.6				
190192					57%	44%	31%	29%	19%	52%	35%	35%	33%	28%				
CP 190201	✓	CP 130012		99	99	98	97	103	106	94	98	92	118	117	1	3	3	
F1				1.30	2.5	4.9	4.9	10	12.1	0.0	-0.5	-0.5	1.6	2.2				
CP190201				56%	40%	27%	25%	17%	46%	31%	31%	29%	23%	17%				
CP 190203	✓	CP 130012		90	103	102	101	105	110	94	98	92	118	117	1	2	2	
F1				2.19	4.3	7.6	8.2	13	13.9	0.0	-0.5	-0.5	1.6	2.2				
CP190203				53%	33%	27%	25%	17%	29%	31%	31%	29%	23%	17%				
CP 190208	✓	CP 130012		97	98	97	96	101	104	94	98	92	118	117	1	3	2	
F1				1.56	2.1	4.5	4.4	8	11.1	0.0	-0.5	-0.5	1.6	2.2				
190208				57%	46%	27%	25%	17%	56%	31%	31%	29%	23%	17%				
CP 200005	✓	BA 150369		80	108	111	111	110	111	114	106	107	105	83	1	2	2	
F1				3.16	6.2	12.8	16.5	21	14.7	2.5	5.0	1.8	0.4	-3.2				
200005				57%	47%	34%	27%	17%	50%	44%	44%	42%	37%	26%				
CP 200007	✓	BA 150369		80	108	110	111	109	110	114	106	107	105	83	1	1	1	
F1				3.16	6.0	12.4	16.0	20	14.2	2.5	5.0	1.8	0.4	-3.2				
200007				52%	45%	34%	27%	17%	49%	44%	44%	42%	37%	26%				
CP 200011	✓	BA 090335		124	94	85	85	83	71	110	86	112	109	116	1	4	3	
FB		CP 160151		-1.11	0.5	-3.1	-4.0	-18	-6.8	2.0	-9.1	2.6	0.8	2.0				
200011				78%	58%	48%	49%	37%	58%	52%	52%	50%	46%	37%				
CP 200016	✓	WK 160194		111	82	84	87	78	86	93	107	92	96	104	1	3	2	
PBD		CP 180048		0.20	-4.5	-3.8	-2.5	-25	1.4	-0.1	5.8	-0.4	-0.5	0.2				
200016				74%	45%	23%	19%	17%	42%	34%	33%	30%	28%	21%				
CP 200017	✓	FGW 120001		100	99	99	100	96	95	102	103	107	95	92	1	2	1	
PBD		CP 170032		1.20	2.3	5.3	7.5	1	6.3	1.0	2.9	1.8	-0.6	-1.7				
200017				74%	54%	46%	40%	42%	55%	46%	47%	43%	32%	22%				
CP 200020	✓	FGW 120001		89	105	109	110	111	117	92	105	99	100	98	1	2	1	
F1				2.26	5.0	11.7	15.0	22	18.0	-0.3	4.2	0.6	-0.1	-0.7				
200020				56%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 200026	✓	FGW 120001		97	112	110	112	102	105	98	100	102	104	102	1	2	2	
F3		CP 160070		1.48	7.8	12.5	16.6	10	11.5	0.5	0.8	1.1	0.3	-0.1				
200026				76%	57%	43%	39%	40%	55%	45%	45%	41%	32%	22%				
CP 200029	✓	FGW 120001		85	106	110	111	111	118	92	105	99	100	98	1	1	1	
F3		CWBFCP 170078		2.68	5.5	12.5	15.9	22	18.2	-0.3	4.2	0.6	-0.1	-0.7				
200029				54%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 200032	✓ DNA	FGW 120001		99	98	98	99	94	93	102	103	107	95	92	1	2	2	
F2		CP 170047		1.31	2.3	5.0	7.1	-2	4.8	1.0	2.9	1.8	-0.6	-1.7				
200032					75%	58%	46%	40%	42%	62%	46%	47%	43%	32%				
CP 200035	✓ DNA	BA 150369		110	93	92	94	87	86	116	105	116	106	90	1	2	1	
PBD		CP 160087		0.25	0.3	1.1	3.1	-13	1.1	2.9	4.0	3.3	0.5	-2.1				
200035					76%	57%	38%	32%	23%	58%	50%	50%	47%	41%				
CP 200036	✓ DNA	FGW 120001		113	100	100	103	101	107	94	107	97	100	100	2	2	2	
PBD		CP 130075		-0.05	3.0	6.3	9.6	8	12.5	0.0	5.9	0.3	-0.1	-0.4				
200036					76%	53%	43%	39%	43%	53%	45%	45%	41%	30%				
CP 200039	✓ DNA	FGW 120001		107	94	96	97	96	102	91	108	103	97	98	1	2	2	
F2		CP 170140		0.58	0.3	3.3	5.5	0	10.0	-0.3	6.4	1.3	-0.4	-0.8				
200039					73%	55%	41%	36%	39%	58%	42%	42%	38%	30%				
CP 200043	✓ DNA	GRSFK0473		108	93	85	85	79	65	96	81	111	92	115	1	3	1	
FB		KSOFF0024		0.49	-0.1	-3.5	-4.2	-24	-9.6	0.2	-12.8	2.5	-0.9	1.9				
200043					64%	56%	49%	41%	31%	61%	35%	42%	40%	39%				
CP 200051	✓ DNA	FGW 120001		109	102	101	102	96	94	98	100	102	104	102	1	2	2	
F3		CP 170108		0.39	3.7	6.6	9.4	0	5.3	0.5	0.8	1.1	0.3	-0.1				
200051					77%	57%	43%	39%	40%	61%	45%	45%	41%	32%				
CP 200054	✓ DNA	FGW 120001		97	108	106	107	104	100	94	103	100	105	104	1	2	2	
F2		CP 170121		1.55	6.1	9.9	12.9	11	8.7	0.0	3.1	0.8	0.4	0.1				
200054					76%	58%	43%	39%	40%	62%	45%	45%	41%	32%				
CP 200056	✓ DNA	GRSFK0473		113	93	87	88	80	72	108	85	107	109	113	1	3	2	
FB		SFWFK0120		-0.01	0.2	-2.3	-2.1	-22	-6.2	1.8	-10.1	1.8	0.7	1.6				
200056					62%	50%	42%	38%	28%	53%	30%	39%	37%	36%				
CP 200057	✓ DNA	BA 150369		82	103	106	107	106	105	114	106	107	105	83	1	1	1	
F1				3.00	4.3	10.0	13.2	15	11.6	2.5	5.0	1.8	0.4	-3.2				
200057					53%	47%	34%	27%	17%	50%	44%	44%	42%	37%				
CP 200059	✓ DNA	BA 150369		86	107	109	110	110	111	114	106	107	105	83	1	2	2	
F1				2.62	5.6	11.9	15.3	20	14.5	2.5	5.0	1.8	0.4	-3.2				
200059					57%	47%	34%	27%	17%	49%	44%	44%	42%	37%				
CP 200063	✓ DNA	BA 150369		93	99	98	99	98	93	123	103	111	106	85	1	2	2	
PBD		CP 170068		1.91	2.5	5.0	7.0	3	5.2	3.7	3.2	2.6	0.5	-2.8				
200063					74%	52%	38%	32%	21%	56%	48%	47%	45%	39%				
CP 200068	✓ DNA	BA 150369		97	108	106	107	102	98	124	104	115	101	77	1	2	2	
F2		CP 170075		1.51	6.1	9.7	12.8	10	7.5	3.8	3.7	3.1	0.0	-4.1				
200068					73%	53%	41%	33%	23%	55%	50%	49%	47%	39%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CP 200071		BA	150369	71	112	110	110	102	99	123	103	111	106	85	1	2	1	
F2		CP	160125	4.05	7.7	12.2	15.5	9	8.4	3.7	3.2	2.6	0.5	-2.8				
200071				73%	52%	38%	32%	21%	55%	48%	47%	45%	39%	28%				
CP 200072		CP	130307	104	113	111	110	116	112	90	110	96	117	112	1	2	2	
F1				0.88	8.1	13.1	15.3	29	15.1	-0.5	8.0	0.2	1.5	1.4				
200072				56%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200077		BA	150369	78	108	106	107	97	94	114	107	107	101	82	1	2	2	
F2		CP	170042	3.37	6.0	9.8	13.3	2	5.6	2.6	5.7	1.9	0.0	-3.3				
200077				73%	51%	37%	31%	21%	54%	48%	48%	46%	40%	28%				
CP 200078		BA	150369	92	104	103	104	100	99	123	103	111	106	85	1	2	2	
F2		CP	170081	1.97	4.6	7.8	10.3	7	8.0	3.7	3.2	2.6	0.5	-2.8				
200078				73%	52%	38%	32%	21%	54%	48%	47%	45%	39%	28%				
CP 200083		CP	130307	97	110	109	108	113	107	90	110	96	117	112	1	2	2	
F1				1.55	7.0	11.7	13.6	24	12.2	-0.5	8.0	0.2	1.5	1.4				
200083				56%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200090		FGW	120001	108	96	95	97	94	94	100	93	107	93	103	1	2	2	
PBD		CP	170103	0.41	1.3	2.9	4.9	-2	5.3	0.8	-4.4	1.8	-0.8	0.0				
200090				76%	53%	44%	39%	41%	52%	45%	46%	42%	33%	24%				
CP 200093		WK	160194	92	96	98	99	102	110	83	114	88	99	107	1	2	2	
F1				2.05	1.3	5.1	6.6	9	13.8	-1.3	10.7	-1.0	-0.2	0.6				
200093				53%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200096		FGW	120001	108	98	98	98	99	102	101	102	103	101	101	1	2	1	
F2		CP	170131	0.50	2.0	4.6	6.3	6	9.7	0.9	2.4	1.3	0.0	-0.4				
200096				74%	52%	43%	39%	41%	51%	44%	45%	41%	32%	23%				
CP 200102		FGW	120001	97	112	110	111	107	106	94	103	100	105	104	1	2	2	
F2		CP	170087	1.56	7.9	12.3	15.8	17	11.8	0.0	3.1	0.8	0.4	0.1				
200102				74%	55%	43%	39%	40%	57%	45%	45%	41%	32%	22%				
CP 200107		CP	130307	95	108	107	106	111	103	90	110	96	117	112	1	2	2	
F1				1.76	6.1	10.4	12.2	22	10.3	-0.5	8.0	0.2	1.5	1.4				
200107				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200109		WK	160194	111	94	92	93	89	91	90	109	92	103	111	1	2	2	
F2		CP	160050	0.21	0.4	0.9	2.3	-9	3.7	-0.5	7.3	-0.5	0.2	1.2				
200109				72%	41%	26%	23%	16%	41%	38%	37%	34%	31%	22%				
CP 200110		CP	130307	116	113	112	112	111	110	97	103	100	114	109	2	2	2	
F1		CP	120033	-0.35	8.2	13.4	16.5	22	14.3	0.4	3.3	0.8	1.3	1.0				
200110				71%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 200112	✓ WK 160194	✓	WK 160194	91	99	101	102	104	114	83	114	88	99	107	1	2	2	
F1				2.06	2.6	6.9	8.7	12	16.0	-1.3	10.7	-1.0	-0.2	0.6				
200112				54%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200118	✓ WK 160194 ✓ CP 160057	✓	WK 160194 CP 160057	107	94	92	92	94	100	92	111	93	100	109	1	1	1	
F2				0.60	0.4	1.0	1.5	-2	8.6	-0.2	8.9	-0.3	-0.1	0.9				
200118				70%	40%	26%	23%	18%	40%	37%	37%	34%	31%	24%				
CP 200128	✓ CP 130307	✓	CP 130307	101	117	115	113	119	117	90	110	96	117	112	1	2	2	
F1				1.10	9.7	15.3	18.0	34	17.5	-0.5	8.0	0.2	1.5	1.4				
200128				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200147	✓ CP 130311	✓	CP 130311	94	95	94	94	98	103	89	93	87	115	120	1	2	2	
F1				1.83	0.8	2.6	3.1	4	10.5	-0.6	-3.9	-1.2	1.4	2.8				
200147				52%	28%	27%	24%	18%	29%	30%	29%	28%	24%	18%				
CP 200148	✓ CP 130311	✓	CP 130311	100	92	92	92	97	101	89	93	87	115	120	1	2	2	
F1				1.21	-0.5	0.8	0.9	2	9.3	-0.6	-3.9	-1.2	1.4	2.8				
200148				52%	37%	27%	24%	18%	47%	30%	29%	28%	24%	18%				
CP 200149	✓ WK 160194	✓	WK 160194	85	109	110	110	112	124	83	114	88	99	107	1	2	2	
F1				2.68	6.4	12.4	15.3	24	21.7	-1.3	10.7	-1.0	-0.2	0.6				
200149				54%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200154	✓ WK 160194 ✓ CP 160061	✓	WK 160194 CP 160061	111	98	95	96	97	97	86	112	90	105	112	1	2	2	
F2				0.20	2.3	3.1	4.3	2	7.0	-1.0	9.6	-0.8	0.4	1.4				
200154				72%	47%	26%	23%	16%	53%	38%	37%	34%	31%	22%				
CP 200167	✓ CP 130311 ✓ CP 170029	✓	CP 130311 CP 170029	110	94	88	88	85	89	100	91	92	116	123	1	2	2	
PBD				0.31	0.3	-1.6	-1.7	-15	3.0	0.8	-5.9	-0.5	1.4	3.1				
200167				72%	43%	32%	30%	23%	51%	36%	35%	34%	28%	22%				
CP 200169	✓ WK 160194	✓	WK 160194	94	97	99	99	103	111	83	114	88	99	107	2	2	1	
F1				1.79	1.6	5.4	7.0	11	14.7	-1.3	10.7	-1.0	-0.2	0.6				
200169				55%	33%	21%	17%	15%	30%	33%	32%	29%	28%	21%				
CP 200171	✓ WK 160194 ✓ CP 160107	✓	WK 160194 CP 160107	104	89	88	89	90	94	92	111	93	100	109	1	2	1	
F2				0.84	-1.3	-1.2	-1.2	-8	5.7	-0.2	8.9	-0.3	-0.1	0.9				
200171				71%	44%	26%	23%	18%	48%	37%	37%	34%	31%	24%				
CP 200173	✓ CP 130311 ✓ CP 170127	✓	CP 130311 CP 170127	103	90	85	85	85	84	94	86	86	121	128	1	1	1	
F2				0.89	-1.1	-3.5	-4.4	-15	0.3	0.0	-9.2	-1.3	1.9	4.0				
200173				67%	38%	30%	27%	20%	48%	33%	33%	32%	27%	20%				
CP 200182	✓ CP 130311 ✓ CP 170104	✓	CP 130311 CP 170104	114	95	88	89	87	84	94	92	89	121	126	1	2	2	
PBD				-0.17	1.0	-1.2	-0.8	-13	0.1	0.0	-5.1	-0.9	1.9	3.6				
200182				71%	37%	32%	30%	21%	37%	36%	36%	34%	28%	20%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 210001	 BA 150369		86	106	108	109	110	110	114	106	107	105	83	1	3	3	
F1			2.56	5.2	11.3	14.7	20	13.9	2.5	5.0	1.8	0.4	-3.2				
210001			58%	41%	34%	27%	17%	35%	44%	44%	42%	37%	26%				
CP 210003	 FB12909  CP 160151		106	115	108	106	105	80	100	102	115	101	106	1	1	1	
PBD			0.67	9.0	10.8	11.9	14	-1.7	0.8	2.2	3.2	0.0	0.5				
210003			69%	47%	35%	33%	24%	51%	36%	36%	34%	31%	24%				
CP 210009	 FGW 120001		98	103	106	107	111	116	92	105	99	100	98	1	2	1	
F1			1.43	4.0	10.1	13.0	22	17.5	-0.3	4.2	0.6	-0.1	-0.7				
210009			56%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 210011	 FGW 120001		95	106	110	110	112	120	92	105	99	100	98	1	1	1	
F1			1.70	5.3	12.1	15.4	24	19.4	-0.3	4.2	0.6	-0.1	-0.7				
210011			54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210015	 CP 190019		121	81	85	89	76	89	96	95	106	95	105	1	1	1	
F1			-0.85	-4.8	-3.2	-1.2	-28	2.9	0.3	-2.5	1.7	-0.6	0.3				
210015			65%	60%	25%	25%	22%	49%	27%	27%	26%	24%	19%				
CP 210017	 BOS 170018  CP 190017		108	94	88	89	79	84	91	99	100	96	112	1	2	1	
FB			0.49	0.4	-1.6	-0.9	-24	0.4	-0.4	0.2	0.7	-0.5	1.4				
210017			74%	69%	28%	28%	24%	58%	38%	38%	37%	35%	28%				
CP 210019	 BOS 170018  CP 180120		114	92	91	91	89	97	96	102	96	106	108	1	1	1	
F2			-0.17	-0.2	0.2	0.7	-10	6.9	0.3	2.3	0.2	0.5	0.8				
210019			69%	63%	20%	19%	11%	43%	33%	33%	31%	29%	22%				
CP 210026	 CP 170032		88	89	97	100	86	99	110	98	109	96	90	1	1	1	
F1			2.40	-1.5	4.4	7.2	-13	8.4	2.0	-0.7	2.1	-0.5	-2.1				
210026			65%	56%	23%	18%	15%	35%	22%	22%	20%	14%	9%				
CP 210027	 FGW 120001  CP 180012		104	107	106	108	100	101	104	97	110	93	94	1	1	1	
F3			0.82	5.6	9.5	13.5	6	9.3	1.3	-1.4	2.3	-0.8	-1.5				
210027			74%	70%	42%	37%	40%	63%	43%	44%	40%	31%	22%				
CP 210030	 BOS 170018  CP 170058		89	92	92	93	87	97	94	105	95	97	102	1	1	1	
F2			2.29	-0.3	0.9	1.9	-12	7.0	0.1	4.0	0.0	-0.4	-0.1				
210030			70%	65%	19%	19%	15%	55%	33%	33%	32%	30%	22%				
CP 210032	 FGW 120001  CP 180024		107	93	94	96	93	98	102	103	107	95	92	1	1	1	
F2			0.59	0.2	2.6	4.6	-3	7.6	1.0	2.9	1.8	-0.6	-1.7				
210032			73%	68%	46%	40%	42%	61%	46%	47%	43%	32%	22%				
CP 210044	 BOS 170018  CP 180117		102	87	86	86	83	88	98	103	98	101	107	1	1	1	
F2			1.07	-2.3	-2.8	-3.7	-18	2.4	0.5	3.2	0.5	0.0	0.7				
210044			70%	65%	18%	17%	14%	53%	30%	31%	30%	28%	22%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 210045		FGW 120001		98	88	91	94	88	94	102	93	103	105	102	1	1	1	
F2		CP 180023		1.46	-1.7	0.6	2.9	-11	5.6	1.1	-3.8	1.2	0.4	-0.2				
210045				71%	66%	43%	38%	40%	59%	44%	44%	40%	30%	21%				
CP 210046		BOS 170018		106	111	106	105	97	94	100	99	98	105	107	1	1	1	
F3		CP 160070		0.66	7.4	9.7	11.7	2	5.6	0.8	0.0	0.5	0.4	0.6				
210046				73%	68%	20%	19%	11%	57%	33%	33%	31%	29%	22%				
CP 210048		BOS 170018		114	82	83	85	80	93	105	92	99	106	106	1	1	1	
F2		CP 180074		-0.17	-4.3	-4.5	-4.3	-23	5.0	1.4	-4.6	0.6	0.5	0.5				
210048				70%	66%	19%	17%	12%	55%	31%	32%	30%	27%	21%				
CP 210049		BOS 170018		104	97	98	99	95	102	91	106	101	100	106	1	1	1	
F2		CP 180066		0.84	1.7	4.7	6.8	-1	9.6	-0.3	5.0	1.0	0.0	0.4				
210049				71%	66%	16%	14%	12%	56%	32%	32%	30%	26%	20%				
CP 210064		BOS 170018		114	83	83	84	84	97	103	101	99	102	105	1	1	1	
F2		CP 180148		-0.14	-3.9	-4.3	-5.0	-17	6.9	1.2	1.6	0.7	0.1	0.3				
210064				70%	65%	21%	20%	14%	54%	32%	32%	31%	29%	23%				
CP 210068		BOS 170018		107	98	94	94	92	99	98	96	94	107	111	1	1	1	
F2		CP 160130		0.59	2.0	2.6	2.9	-6	8.0	0.6	-1.9	-0.2	0.5	1.2				
210068				70%	64%	19%	17%	11%	53%	31%	31%	30%	28%	21%				
CP 210069		BOS 170018		109	73	76	78	75	93	93	107	100	98	103	1	1	1	
F2		CP 170140		0.36	-8.1	-8.9	-9.3	-29	4.9	0.0	5.6	0.7	-0.3	-0.1				
210069				71%	65%	14%	13%	8%	53%	29%	29%	28%	27%	21%				
CP 210070		BOS 170018		105	100	97	97	93	95	96	102	96	106	108	1	1	1	
F2		CP 180137		0.76	2.8	4.0	4.9	-3	6.3	0.3	2.3	0.2	0.5	0.8				
210070				70%	66%	20%	19%	11%	56%	33%	33%	31%	29%	22%				
CP 210072		BA 150369		88	93	96	100	93	95	117	99	110	99	81	1	1	1	
F2		CP 180008		2.44	0.3	3.7	7.4	-4	6.2	2.9	0.3	2.3	-0.2	-3.5				
210072				70%	63%	35%	28%	18%	54%	46%	45%	43%	37%	26%				
CP 210075		BOS 170018		96	93	96	96	97	112	94	104	95	101	103	1	1	1	
F1				1.62	-0.1	3.6	4.6	3	15.0	0.0	3.4	0.0	0.0	0.0				
210075				51%	49%	13%	12%	8%	48%	27%	27%	26%	25%	20%				
CP 210077		BOS 170018		93	95	98	98	99	114	94	104	95	101	103	1	1	1	
F1				1.87	0.9	5.0	6.3	5	16.3	0.0	3.4	0.0	0.0	0.0				
210077				51%	49%	13%	12%	8%	48%	27%	27%	26%	25%	20%				
CP 210084		BOS 170018		93	113	111	111	105	105	91	106	101	100	106	1	1	1	
F2		CP 180009		1.92	8.0	12.7	15.8	14	11.2	-0.3	5.0	1.0	0.0	0.4				
210084				70%	65%	16%	14%	12%	54%	32%	32%	30%	26%	20%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 210087	✓ BOS 170018		91	98	101	101	102	118	94	104	95	101	103	1	1	1	
F1			2.10	2.1	6.8	8.4	9	18.1	0.0	3.4	0.0	0.0	0.0				
210087			49%	47%	13%	12%	8%	49%	27%	27%	26%	25%	20%				
CP 210102	✓ FGW 120001 ✓ CP 190014		95	116	113	112	109	107	96	105	102	100	103	1	1	1	
F2			1.75	9.5	14.1	16.7	20	12.3	0.2	4.0	1.1	-0.1	0.0				
210102			72%	66%	42%	38%	41%	54%	43%	44%	40%	31%	23%				
CP 210115	✓ BA 150369 ✓ CP 180143		89	97	96	97	95	92	118	106	110	105	87	1	1	1	
F3			2.28	1.8	3.8	5.5	-1	4.6	3.0	4.8	2.3	0.4	-2.5				
210115			71%	64%	37%	30%	21%	55%	47%	46%	44%	39%	28%				
CP 210125	✓ WF 160608		85	95	97	97	100	96	82	89	108	74	104	1	1	1	
F1			2.72	1.1	4.4	5.2	6	6.5	-1.5	-7.0	2.0	-2.6	0.1				
210125			44%	41%	23%	21%	15%	44%	39%	39%	36%	24%	18%				
CP 210127	✓ WK 170279 ✓ CP 170042		101	82	86	87	89	100	85	106	94	95	104	1	1	1	
F2			1.12	-4.3	-2.8	-2.3	-9	8.8	-1.1	5.1	-0.1	-0.6	0.2				
210127			69%	60%	27%	27%	20%	39%	31%	31%	30%	26%	20%				
CP 210139	✓ WK 160194 ✓ CP 180124		118	103	95	94	94	88	90	114	91	101	115	1	2	1	
PBD			-0.56	4.2	3.0	2.8	-3	2.2	-0.5	10.8	-0.6	0.0	1.8				
210139			73%	63%	26%	22%	20%	53%	38%	38%	34%	31%	24%				
CP 210162	✓ WK 170279 ✓ CP 160002		111	96	95	95	100	91	87	104	96	104	110	1	1	1	
F2			0.17	1.3	2.9	3.4	7	4.2	-0.8	3.4	0.1	0.3	1.1				
210162			69%	63%	28%	27%	18%	53%	31%	30%	29%	25%	19%				
CP 210175	✓ WF 160608 ✓ CP 160050		107	88	87	88	84	79	88	84	111	78	108	1	1	1	
F2			0.53	-1.8	-2.2	-1.7	-17	-2.5	-0.8	-10.5	2.5	-2.2	0.8				
210175			69%	63%	28%	26%	17%	50%	44%	43%	40%	27%	20%				
CP 210180	✓ FGW 120001 ✓ CP 170121		101	104	102	103	101	98	94	103	100	105	104	1	1	1	
F2			1.10	4.4	7.6	10.2	8	7.9	0.0	3.1	0.8	0.4	0.1				
210180			74%	70%	43%	39%	40%	62%	45%	45%	41%	32%	22%				
CP 210183	✓ FGW 120001		89	103	107	108	109	115	92	105	99	100	98	1	1	1	
F1			2.26	4.3	10.6	13.7	19	16.7	-0.3	4.2	0.6	-0.1	-0.7				
210183			54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210192	✓ WK 170279 ✓ CP 170131		103	88	90	90	96	98	94	103	99	100	107	1	1	1	
F2			0.98	-2.0	-0.4	-0.5	0	7.9	0.0	2.6	0.6	-0.1	0.6				
210192			70%	63%	28%	27%	20%	52%	30%	30%	29%	25%	20%				
CP 210193	✓ WK 160194 ✓ CP 180044		100	96	94	96	92	95	94	103	93	105	110	1	1	1	
F2			1.25	1.3	2.5	4.1	-5	5.9	0.1	2.6	-0.4	0.4	1.1				
210193			69%	61%	25%	21%	17%	52%	36%	36%	33%	29%	22%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 210198	✓	FGW 120001	106	113	111	111	109	107	102	103	107	95	92	1	1	1	
F2	✓	CP 170075	0.61	8.0	12.7	15.8	19	12.2	1.0	2.9	1.8	-0.6	-1.7				
210198			72%	67%	46%	40%	42%	60%	46%	47%	43%	32%	22%				
CP 210202	✓	FGW 120001	91	99	103	104	105	110	92	105	99	100	98	1	1	1	
F1			2.06	2.5	8.1	10.7	14	13.9	-0.3	4.2	0.6	-0.1	-0.7				
210202			54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210203	✓	FGW 120001	91	105	109	109	111	117	92	105	99	100	98	1	1	1	
F1			2.13	4.8	11.4	14.7	22	17.9	-0.3	4.2	0.6	-0.1	-0.7				
210203			52%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 210205	✓	FGW 120001	113	94	95	97	97	104	94	103	100	105	104	1	1	1	
F2	✓	CP 170088	-0.02	0.5	3.0	5.2	2	10.6	0.0	3.1	0.8	0.4	0.1				
210205			72%	66%	43%	39%	40%	60%	45%	45%	41%	32%	22%				
CP 210232	✓	WK 170279	116	87	89	89	97	104	94	103	99	100	107	1	1	1	
F2	✓	CP 170096	-0.29	-2.4	-0.9	-1.1	2	10.6	0.0	2.6	0.6	-0.1	0.6				
210232			69%	63%	28%	27%	20%	52%	30%	30%	29%	25%	20%				
CP 210233	✓	FGW 120001	89	101	105	106	107	112	92	105	99	100	98	1	1	1	
PBD			2.27	3.2	9.2	12.0	16	14.9	-0.3	4.2	0.6	-0.1	-0.7				
210233			54%	51%	40%	36%	39%	55%	40%	41%	37%	29%	20%				
CP 220011	✓	AL 182012	117	83	82	82	83	89	117	92	116	107	95	1	1		
F2	✓	CP 190208	-0.39	-3.9	-5.2	-6.7	-18	2.7	3.0	-5.2	3.3	0.6	-1.3				
220011			72%	63%	29%	29%	25%	40%	36%	38%	35%	35%	29%				
CP 220014	✓	AL 182012	101	98	99	98	102	104	112	99	117	101	87	1	1		
F1			1.12	2.0	5.6	6.0	9	11.0	2.4	0.1	3.4	0.0	-2.5				
220014			52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220015	✓	AL 182012	102	97	99	98	102	104	112	99	117	101	87	1	1		
F1			1.04	1.9	5.5	5.8	9	11.0	2.4	0.1	3.4	0.0	-2.5				
220015			54%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220017	✓	AL 182012	104	114	108	106	105	92	115	98	119	106	93	1	1		
F2	✓	CP 190130	0.85	8.7	11.1	12.1	13	4.4	2.7	-0.9	3.7	0.5	-1.7				
220017			70%	63%	30%	30%	24%	42%	38%	39%	36%	36%	29%				
CP 220020	✓	AL 182012	97	99	101	99	102	105	112	99	117	101	87	1	1		
F1			1.53	2.5	6.4	6.9	9	11.3	2.4	0.1	3.4	0.0	-2.5				
220020			52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220022	✓	AL 182012	106	85	85	84	86	89	122	96	122	102	89	1	1		
F2	✓	CP 190182	0.68	-3.2	-3.5	-4.7	-14	3.1	3.5	-1.7	4.1	0.1	-2.1				
220022			72%	63%	31%	30%	26%	42%	38%	39%	36%	36%	30%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 220025		✓	AL 182012	117	91	85	86	80	77	109	95	122	96	96	1	1		
FB		✓	CP 190017	-0.43	-0.6	-3.4	-3.8	-23	-3.6	2.0	-3.1	4.2	-0.5	-1.1				
220025				74%	66%	36%	36%	32%	47%	42%	43%	41%	41%	34%				
CP 220028		✓	AL 182012	112	90	89	89	88	83	121	88	124	99	88	1	1		
F2		✓	CP 190096	0.04	-1.1	-0.9	-1.0	-11	-0.1	3.5	-7.8	4.5	-0.2	-2.4				
220028				72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220030		✓	AL 182012	119	99	93	92	87	76	126	95	127	99	83	1	1		
F3		✓	CP 190071	-0.58	2.4	1.6	1.4	-12	-3.8	4.1	-2.9	4.9	-0.2	-3.1				
220030				72%	64%	35%	32%	28%	41%	41%	42%	39%	36%	29%				
CP 220033		✓	AL 182012	118	74	76	78	77	80	121	88	124	99	88	1	1		
F2		✓	CP 190038	-0.49	-7.5	-8.9	-10.0	-26	-1.9	3.5	-7.8	4.5	-0.2	-2.4				
220033				72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220034		✓	AL 182012	110	99	95	95	90	87	115	100	117	97	87	1	1		
PBD		✓	CP 170046	0.28	2.7	3.0	3.7	-8	2.1	2.7	0.6	3.5	-0.4	-2.6				
220034				74%	65%	30%	31%	28%	46%	39%	40%	37%	37%	30%				
CP 220035		✓	FB21961	86	107	111	112	113	111	91	100	100	94	98	1	1		
F1				2.62	5.9	13.2	17.3	24	14.6	-0.3	0.7	0.7	-0.6	-0.8				
220035				44%	30%	16%	15%	10%	24%	20%	19%	17%	14%	12%				
CP 220037		✓	CP 190089	108	105	101	100	98	91	98	97	108	110	115	1	1		
F2		✓	CP 160154	0.47	5.0	6.8	7.8	3	4.2	0.5	-1.4	2.0	0.9	1.9				
220037				71%	60%	28%	24%	18%	37%	26%	29%	27%	25%	16%				
CP 220038		✓	AL 182012	95	100	101	100	102	105	112	99	117	101	87	1	1		
F1				1.73	2.7	6.8	7.4	9	11.4	2.4	0.1	3.4	0.0	-2.5				
220038				52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220039		✓	AL 182012	117	93	89	88	90	90	117	92	116	107	95	1	1		
F2		✓	CP 190186	-0.40	-0.1	-0.5	-1.5	-9	3.6	3.0	-5.2	3.3	0.6	-1.3				
220039				70%	63%	29%	29%	25%	40%	36%	38%	35%	35%	29%				
CP 220042		✓	AL 182012	119	95	87	88	82	74	109	95	122	96	96	1	1		
FB		✓	CP 190026	-0.64	1.0	-1.8	-2.2	-19	-5.2	2.0	-3.1	4.2	-0.5	-1.1				
220042				74%	66%	36%	36%	32%	46%	42%	43%	41%	41%	34%				
CP 220045		✓	AL 182012	118	88	87	88	87	86	121	88	124	99	88	1	1		
F2		✓	CP 190063	-0.53	-1.9	-1.8	-2.1	-12	1.1	3.5	-7.8	4.5	-0.2	-2.4				
220045				72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220048		✓	AL 182012	102	114	107	105	104	91	115	98	119	106	93	1	1		
F2		✓	CP 180137	1.07	8.4	10.7	11.7	12	4.1	2.7	-0.9	3.7	0.5	-1.7				
220048				71%	64%	30%	30%	24%	42%	38%	39%	36%	36%	29%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 220049		✓	FB21961	104	95	96	98	95	88	101	98	107	90	92	1	1		
PBD		✓	CP 170032	0.88	0.8	3.6	6.2	-1	2.6	1.0	-0.7	1.9	-1.1	-1.8				
220049				69%	60%	28%	23%	18%	42%	29%	29%	27%	20%	15%				
CP 220052		✓	AL 182012	118	98	93	93	90	82	117	98	119	106	93	1	1		
PBD		✓	CP 180114	-0.52	2.1	1.7	1.9	-9	-0.6	2.9	-0.8	3.7	0.5	-1.6				
220052				76%	54%	31%	31%	26%	43%	39%	40%	37%	36%	29%				
CP 220056		✓	CP 190089	110	101	99	99	97	92	107	87	103	115	112	1	1		
F2		✓	CP 180025	0.29	3.4	5.2	6.7	2	4.6	1.7	-8.3	1.2	1.3	1.4				
220056				71%	42%	28%	23%	17%	36%	23%	26%	24%	21%	12%				
CP 220060		✓	CP 190089	110	98	95	95	98	94	106	96	103	110	111	1	1		
F2		✓	CP 160057	0.25	2.1	3.2	3.5	3	5.5	1.5	-2.1	1.3	0.9	1.2				
220060				71%	42%	29%	25%	18%	34%	24%	27%	25%	23%	15%				
CP 220066			CP 190090	97	99	96	97	90	88	104	85	105	108	112	1	1		
FB		✓	CP 180053	1.51	2.5	3.7	4.8	-8	2.5	1.3	-9.9	1.6	0.7	1.4				
220066				70%	47%	23%	20%	14%	33%	20%	23%	21%	18%	9%				
CP 220072		✓	CP 190089	87	105	106	106	107	106	97	98	99	109	109	1	1		
F1				2.50	5.0	9.9	11.8	16	11.8	0.4	-0.3	0.6	0.8	0.9				
220072				50%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220075		✓	CP 190089	90	104	105	104	107	105	97	98	99	109	109	1	1		
F1				2.16	4.6	9.3	11.0	16	11.6	0.4	-0.3	0.6	0.8	0.9				
220075				49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220077		✓	CP 190089	93	103	105	104	107	105	97	98	99	109	109	1	1		
F1				1.96	4.3	8.9	10.5	16	11.5	0.4	-0.3	0.6	0.8	0.9				
220077				50%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220078		✓	CP 190089	90	104	105	105	107	105	97	98	99	109	109	1	1		
F1				2.18	4.6	9.3	11.1	16	11.6	0.4	-0.3	0.6	0.8	0.9				
220078				49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220079		✓	CP 190089	109	107	102	102	102	92	99	97	100	115	114	1	1		
F2		✓	CP 180105	0.35	5.7	7.3	8.7	9	4.2	0.7	-1.4	0.8	1.3	1.7				
220079				71%	44%	29%	25%	16%	37%	25%	27%	26%	23%	13%				
CP 220080		✓	AL 182012	106	98	95	94	91	83	121	88	124	99	88	1	1		
PBD		✓	CP 180072	0.64	1.9	2.8	3.1	-7	-0.4	3.5	-7.8	4.5	-0.2	-2.4				
220080				73%	50%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220081		✓	CP 190090	110	93	91	92	89	86	104	85	105	108	112	1	1		
F2		✓	CP 180033	0.24	0.3	0.5	0.9	-9	1.4	1.3	-9.9	1.6	0.7	1.4				
220081				70%	47%	23%	20%	14%	34%	20%	23%	21%	18%	9%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 220082	✓	CP 190089	88	105	106	105	107	106	97	98	99	109	109	1	1		
F1			2.39	4.9	9.7	11.5	16	11.7	0.4	-0.3	0.6	0.8	0.9				
220082			49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220085		CP 190089	106	105	100	100	99	88	99	97	100	115	114	1	1		
PEN	✓	CP 160002	0.67	4.8	6.1	7.3	4	2.3	0.7	-1.4	0.8	1.3	1.7				
220085			70%	44%	29%	25%	16%	38%	25%	27%	26%	23%	13%				
CP 220089	✓	CP 190089	95	103	104	103	107	105	97	98	99	109	109	1	1		
F1			1.67	4.0	8.4	9.9	16	11.3	0.4	-0.3	0.6	0.8	0.9				
220089			49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220091	✓	CP 190090	110	91	89	88	91	90	102	94	106	104	111	1	1		
PBD	✓	CP 170068	0.23	-0.8	-1.0	-1.6	-7	3.4	1.1	-3.6	1.7	0.3	1.2				
220091			72%	49%	24%	22%	16%	38%	22%	24%	23%	20%	14%				
CP 220092	✓	CP 190089	106	99	97	97	96	91	97	99	99	106	108	1	1		
F2	✓	CP 170056	0.69	2.7	4.0	5.1	0	3.9	0.4	0.3	0.6	0.4	0.8				
220092			71%	41%	28%	24%	19%	33%	25%	28%	26%	24%	15%				
CP 220093	✓	CP 190090	97	98	100	99	103	105	93	96	101	103	109	1	1		
F1			1.54	2.3	5.8	6.7	10	11.6	-0.1	-1.8	0.9	0.2	0.9				
220093			50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 220098	✓	CP 190089	111	97	92	92	88	83	107	95	108	111	114	1	1		
PBD	✓	CP 180152	0.13	1.6	0.8	1.0	-11	-0.3	1.7	-2.6	2.0	0.9	1.8				
220098			72%	45%	30%	26%	20%	37%	26%	29%	27%	25%	17%				
CP 220106	✓	CP 190090	102	100	96	95	94	87	96	95	103	109	114	1	1		
F2	✓	CP 170065	1.07	2.7	3.3	3.9	-2	1.7	0.2	-2.9	1.2	0.7	1.7				
220106			73%	49%	24%	22%	13%	37%	23%	25%	23%	20%	11%				
CP 220108	✓	CP 190090	94	103	99	98	96	95	97	96	104	103	113	1	1		
F2	✓	CP 160016	1.84	4.3	5.6	5.8	0	6.0	0.4	-2.0	1.4	0.2	1.6				
220108			71%	47%	22%	20%	15%	33%	19%	22%	21%	19%	13%				
CP 220114	✓	CP 190089	94	103	104	103	107	105	97	98	99	109	109	1	1		
F1			1.80	4.1	8.6	10.2	16	11.4	0.4	-0.3	0.6	0.8	0.9				
220114			49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220115	✓	CP 190090	96	99	100	99	103	105	93	96	101	103	109	1	1		
F1			1.60	2.4	6.0	6.9	10	11.6	-0.1	-1.8	0.9	0.2	0.9				
220115			50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 220122	✓	CP 190090	101	97	98	98	103	105	93	96	101	103	109	1	1		
F1			1.15	1.8	5.1	5.8	10	11.3	-0.1	-1.8	0.9	0.2	0.9				
220122			50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 220123	F2	CP 190089		107	107	103	103	97	88	103	94	102	113	113	1	1		
		CP 160048		0.56	5.9	7.8	9.7	3	2.3	1.2	-3.7	1.1	1.2	1.5				
220123					71%	43%	29%	25%	16%	35%	25%	27%	26%	23%				
CP 220124	F2	CP 190090		110	101	96	96	96	90	96	95	103	109	114	1	1		
		CP 160061		0.24	3.1	3.7	4.3	1	3.6	0.2	-2.9	1.2	0.7	1.7				
220124					71%	49%	24%	22%	13%	36%	23%	25%	23%	20%				
CP 220125	F2	CP 190090		104	98	96	95	97	98	102	94	106	104	111	1	1		
		CP 160125		0.83	2.3	3.4	3.6	2	7.8	1.1	-3.6	1.7	0.3	1.2				
220125					71%	48%	24%	22%	16%	35%	22%	24%	23%	20%				
CP 220127	F1	CP 190104		93	97	98	97	104	107	94	110	104	106	105	1	1		
				1.89	1.7	5.1	5.4	13	12.5	0.1	8.2	1.4	0.5	0.3				
220127					48%	28%	26%	25%	23%	26%	27%	27%	27%	26%				
CP 220133	F2	CP 190090		104	95	93	92	93	93	102	94	106	104	111	1	1		
		CP 170125		0.88	1.0	1.6	1.4	-4	5.0	1.1	-3.6	1.7	0.3	1.2				
220133					71%	48%	24%	22%	16%	34%	22%	24%	23%	20%				
CP 220139	F2	CP 190104		104	94	92	91	94	89	105	109	112	102	99	1	1		
		CP 190055		0.82	0.5	0.8	0.4	-2	3.0	1.4	6.9	2.6	0.1	-0.6				
220139					71%	37%	34%	30%	28%	38%	34%	35%	34%	29%				
CP 220142	F2	CP 190090		97	105	101	100	97	91	96	95	103	109	114	1	1		
		CP 170116		1.49	5.1	6.5	7.6	1	4.1	0.2	-2.9	1.2	0.7	1.7				
220142					71%	47%	24%	22%	13%	30%	23%	25%	23%	20%				
CP 220151	F2	CP 190104		105	90	88	88	89	86	105	99	108	111	108	1	1		
		CP 180023		0.72	-1.3	-1.4	-1.7	-9	1.2	1.5	0.2	2.1	1.0	0.9				
220151					70%	35%	29%	27%	25%	37%	31%	32%	30%	27%				
CP 220155	BS	CP 190104		111	93	89	89	88	84	107	108	112	102	99	1	1		
		CP 190114		0.13	-0.1	-0.9	-1.2	-11	0.2	1.6	6.7	2.6	0.1	-0.6				
220155					71%	41%	35%	31%	29%	42%	35%	36%	34%	29%				
CP 220160	F2	CP 190104		89	100	98	98	96	94	109	107	111	106	96	1	1		
		CP 180022		2.30	3.0	4.9	6.1	1	5.7	1.9	5.7	2.5	0.4	-1.1				
220160					70%	37%	31%	28%	25%	37%	35%	35%	34%	31%				
CP 220163	PBD	CP 190090		92	100	101	100	103	106	93	96	101	103	109	1	1		
				2.03	2.9	6.8	7.9	10	11.9	-0.1	-1.8	0.9	0.2	0.9				
220163					50%	42%	18%	16%	11%	22%	12%	16%	15%	15%				
CP 220165	PBD	CP 190104		108	94	89	89	89	86	107	106	110	109	109	1	1		
		CP 180151		0.46	0.4	-0.7	-1.4	-9	1.4	1.6	4.7	2.4	0.8	1.0				
220165					73%	42%	31%	30%	26%	44%	33%	34%	33%	30%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 220166	✓	CP 190089	108	99	96	97	96	92	97	99	99	106	108	1	1		
F2	✓	CP 170053	0.41	2.5	3.8	4.8	1	4.2	0.4	0.3	0.6	0.4	0.8				
220166			70%	41%	28%	24%	19%	33%	25%	28%	26%	24%	15%				
CP 220167	✓	CP 190090	109	103	99	99	99	95	96	95	103	109	114	1	1		
F2		CP 150076	0.34	4.3	5.5	6.4	5	5.8	0.2	-2.9	1.2	0.7	1.7				
220167			70%	48%	24%	22%	13%	34%	23%	25%	23%	20%	11%				
CP 220171	✓	CP 190104	106	95	87	88	84	78	91	106	109	101	114	1	1		
FB	✓	CP 190020	0.68	0.8	-1.9	-2.0	-16	-2.7	-0.3	5.0	2.1	0.0	1.8				
220171			67%	41%	36%	35%	32%	41%	38%	38%	37%	35%	28%				
CP 220172	✓	CP 190090	95	99	100	100	103	106	93	96	101	103	109	1	1		
PBD			1.71	2.5	6.2	7.1	10	11.7	-0.1	-1.8	0.9	0.2	0.9				
220172			50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 220173	✓	CP 190090	93	99	101	100	103	106	93	96	101	103	109	1	1		
F1			1.87	2.7	6.5	7.5	10	11.8	-0.1	-1.8	0.9	0.2	0.9				
220173			50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 230003	✓	FGW 120001	102	107	102	103	93	87	99	102	104	103	103	1	1		
FB	✓	CP 190072	1.00	5.6	7.2	10.1	-4	2.1	0.6	2.5	1.4	0.2	0.1				
230003			59%	51%	45%	39%	41%	48%	42%	45%	41%	33%	22%				
CP 230051	✓	AL 182012	107	96	93	93	86	82	121	94	124	95	83	1	1		
F3	✓	CP 200032	0.56	1.5	1.7	2.0	-14	-0.9	3.5	-3.5	4.5	-0.5	-3.2				
230051			74%	51%	35%	33%	31%	41%	40%	41%	38%	37%	30%				
CP 230059	✓	AL 182012	114	92	90	90	90	91	112	99	115	97	90	1	1		
F2	✓	CP 200169	-0.10	-0.3	-0.2	-0.4	-8	3.9	2.3	0.4	3.0	-0.3	-2.1				
230059			71%	45%	28%	27%	24%	31%	37%	38%	35%	36%	29%				
KSOFF0024		IMUFQTF147	104	93	86	86	82	77	88	96	124	78	102	10	24	7	
FB		KSOFC0007	0.81	0.0	-2.8	-3.2	-20	-3.2	-0.8	-2.2	4.4	-2.2	-0.1				
OASIS MORIYAMA F024			78%	68%	73%	61%	53%	58%	59%	63%	60%	59%	41%				
KSOFL00108		KSOFJ0060	114	86	80	81	76	82	99	93	119	95	104	1	3	1	
FB		SFWFG0102	-0.17	-2.7	-6.3	-7.1	-28	-0.9	0.7	-4.0	3.7	-0.6	0.2				
OASIS HIKOKURA 108			57%	51%	32%	30%	24%	39%	30%	33%	31%	29%	19%				
KSOFM00147		IMUFR3258	109	100	94	93	86	82	102	152	116	121	94	2	4	1	
FB		KSOFD0012	0.38	2.8	2.1	1.9	-13	-0.7	1.1	37.4	3.3	1.9	-1.4				
OASIS SONY M00147 (ET)			63%	50%	60%	45%	28%	42%	45%	50%	46%	43%	28%				
SFWFK0091		MO 139	108	98	92	94	85	80	114	102	110	120	105	5	8	1	1
FB		SFWFC0092	0.48	2.0	1.3	2.8	-16	-1.8	2.5	2.0	2.3	1.8	0.3				
SHADAI FARM K0091			64%	59%	55%	53%	44%	51%	51%	57%	54%	56%	34%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
SFWFK0120		MO 139	120	87	83	86	80	83	112	103	115	112	99				
FB		SFWFD0094	-0.72	-2.2	-4.3	-3.6	-23	-0.2	2.4	3.2	3.1	1.0	-0.6	3	10	4	
SHADAI FARM K0120 (AI)			65%	56%	54%	54%	44%	54%	47%	54%	52%	53%	35%				

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																							
CP 180039			AL 150004		87	127	117	70	110	88	127	96	117	128	130	114	105	84	79	118	106	106	107
PEN					38%	25%	24 %	17%	15%	2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	-1.5	-1.8	13.3	1.7	0.4	0.6
GLENFINLAS CP180039					40 %	25 %	24 %	17%	15%	40 %	25 %	31%	24%	18%	17%	24%	6%	42 %	33 %	32 %	28 %	13 %	10 %
CP 180046			CP 130023		107	85	102	108	98	113	85	65	102	96	92	93	102	87	99	96	102	93	96
PEN					56%	21%	26 %	12%	15%	-0.03	-3.1	0.93	9.9	3.4	-6	1.4	0.1	-0.5	0.7	-2.3	1.0	-0.8	-1.2
GLENFINLAS CP180046					62 %	21 %	26 %	12%	15%	62 %	21 %	33%	26%	14%	12%	19%	11%	29 %	16 %	16 %	15 %	13 %	10 %
CP 180108			CP 130307		101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
PEN					46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS CP180108					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CP 180136			CP 130307		101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
PEN					46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS CP180136					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CP 190021	1	✓ ETJ001			104	98	78	116	95	102	98	99	78	91	84	85	103	116	78	104	103	96	119
FB		✓ CP 160151			64%	57%	57 %	44%	46%	1.05	2.1	-0.36	-3.1	-0.1	-17	5.8	-0.1	12.2	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190021					64 %	57 %	57 %	44%	46%	64 %	57 %	62%	57%	50%	44%	55%	36%	61 %	53 %	53 %	52 %	48 %	39 %
CP 200042	3	✓ A3001			120	95	76	116	102	115	95	114	76	92	84	100	104	118	115	116	107	103	92
FB		KSOFM00147			81%	61%	34 %	24%	31%	-0.22	1.0	-0.92	-3.9	0.5	-16	-2.6	-0.3	12.7	2.8	12.0	1.8	0.2	-1.8
GLENFINLAS 200042					81%	61%	34 %	24%	31%	90 %	61 %	45%	34%	42%	24%	41%	21%	55 %	45 %	46 %	43 %	42 %	32 %
CP 200046	4	✓ A3001			113	104	72	109	99	108	104	113	72	97	91	101	98	103	108	88	110	82	95
FB		KSOFF0024			81%	83%	43 %	33%	36%	0.48	4.7	-0.86	-5.9	4.5	-7	-3.4	0.5	6.3	1.8	-7.8	2.4	-1.8	-1.2
OASIS GLENFINLAS 200046					81%	83%	43 %	33%	36%	89 %	83 %	49%	43%	48%	33%	45%	27%	63 %	49 %	50 %	47 %	47 %	35 %
CP 230008	3	✓ AL 182012			111	97	74	119	99	107	97	116	74	89	81	97	103	126	109	95	122	96	96
FB		✓ CP 190026			67%	53%	45 %	32%	36%	0.52	1.8	-0.97	-5.3	-1.1	-22	-1.1	0.2	16.3	2.0	-3.1	4.2	-0.5	-1.1
GLENFINLAS 230008					67 %	53 %	45 %	32%	36%	71 %	53 %	51%	45%	36%	32%	45%	28%	50 %	42 %	43 %	41 %	41 %	34 %
CP 240069	1		CP 190090		104	113	91	99	100	100	113	107	91	107	101	98	102	110	104	85	105	108	112
PEN			CP 180034		65%	64%	40 %	14%	22%	1.21	8.3	-0.66	3.8	11.2	8	-1.8	0.2	9.6	1.3	-9.9	1.6	0.7	1.4
GLENFINLAS CP 240069					65 %	64 %	40 %	14%	22%	70 %	64 %	44%	40%	22%	14%	33%	12%	44 %	20 %	23 %	21 %	18 %	9 %
CP 240081	3	✓ SWK 210153			117	96	80	109	94	112	96	104	80	92	91	91	99	121	104	102	105	105	105
FB		✓ CP 190019			66%	65%	44 %	30%	30%	0.11	1.4	-0.55	-1.9	0.7	-7	2.5	0.9	14.4	1.3	2.1	1.5	0.3	0.4
GLENFINLAS 240081					66 %	65 %	44 %	30%	30%	71 %	65 %	47%	44%	44%	30%	39%	22%	48 %	35 %	35 %	34 %	33 %	27 %
CP 240089	3		SWK 210153		113	98	84	109	93	110	98	97	84	94	91	90	97	125	110	99	103	104	102
FB			CP 210017		65%	66%	40 %	23%	25%	0.24	2.2	-0.27	0.3	2.3	-7	2.9	1.3	15.9	2.1	0.4	1.3	0.3	-0.2
GLENFINLAS 240089					65 %	66 %	40 %	23%	25%	71 %	66 %	41%	40%	38%	23%	35%	15%	43 %	30 %	30 %	28 %	28 %	24 %
CP 240153			CP 200046		119	89	92	109	99	116	89	96	92	93	91	99	98	103	104	94	106	91	96
PBD			CP 180073		62%	62%	38 %	16%	18%	-0.33	-1.4	-0.25	4.6	1.8	-7	-2.2	0.6	6.3	1.3	-3.6	1.7	-0.9	-1.2
GLENFINLAS 240153					62 %	62 %	38 %	16%	18%	68 %	62 %	38%	38%	24%	16%	22%	13%	39 %	24 %	25 %	24 %	23 %	18 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CP 250003				FGW 120001	92	108	103	96	102	93	108	96	103	109	104	106	98	98	95	98	102	94	97
PEN				CP 220035	64%	49%	45 %	39%	34%	1.96	6.0	-0.23	10.5	12.9	12	-6.4	0.4	4.5	0.1	-0.5	1.1	-0.7	-1.0
GLENFINLAS 250003										68 %	49 %	48%	45%	38%	39%	42%	25%	50 %	42 %	42 %	38 %	29 %	21 %
CP 250004				CP 220160	82	99	98	110	114	92	99	61	98	104	90	107	117	96	111	97	110	100	93
PEN					54%	18%	18 %	12%	16%	1.96	2.4	1.06	7.8	9.2	-8	-7.0	-2.8	3.5	2.3	-1.5	2.3	-0.1	-1.5
GLENFINLAS 250004										62 %	18 %	25%	18%	15%	12%	23%	9%	25 %	17 %	18 %	17 %	16 %	12 %
CP 250008				CP 220125	107	91	101	110	105	114	91	62	101	97	90	97	109	97	108	90	107	99	101
PEN					55%	24%	18 %	8 %	15%	-0.15	-0.6	1.03	9.2	4.5	-8	-1.3	-1.4	3.9	1.8	-6.2	1.9	-0.2	-0.4
GLENFINLAS 250008										62 %	24 %	26%	18%	12%	8 %	23%	7%	24 %	11 %	12 %	11 %	10 %	7 %
CP 250010				CP 220042	114	92	88	117	105	117	92	71	88	95	83	97	110	104	112	91	115	95	94
PEN					55%	33%	23 %	16%	20%	-0.45	-0.4	0.69	2.6	3.0	-18	-1.0	-1.4	6.8	2.3	-5.9	3.1	-0.6	-1.5
GLENFINLAS 250010										62 %	33 %	28%	23%	18%	16%	26%	14%	26 %	21 %	22 %	20 %	20 %	17 %
CP 250014				CP 220155	106	90	94	114	106	114	90	60	94	96	86	98	112	99	110	97	110	98	95
PEN					55%	20%	21 %	14%	18%	-0.13	-1.0	1.10	5.3	3.3	-14	-1.5	-1.7	4.6	2.1	-1.0	2.4	-0.3	-1.3
GLENFINLAS 250014										62 %	20 %	26%	21%	17%	14%	25%	11%	24 %	18 %	18 %	17 %	15 %	11 %
CP 250018				CP 220014	111	90	104	107	102	115	90	72	104	98	93	98	104	94	113	93	113	98	89
PEN					52%	21%	14 %	12%	14%	-0.19	-1.1	0.65	10.8	5.2	-4	-1.7	-0.4	2.7	2.5	-4.3	2.8	-0.3	-2.2
GLENFINLAS 250018										59 %	21 %	23%	14%	13%	12%	17%	10%	21 %	17 %	17 %	16 %	16 %	14 %
CP 250020				CP 220020	98	94	104	107	102	105	94	68	104	102	93	98	104	93	113	93	113	98	89
PEN					52%	21%	14 %	12%	14%	0.77	0.6	0.81	10.8	7.6	-4	-1.7	-0.4	2.3	2.5	-4.3	2.8	-0.3	-2.2
GLENFINLAS 250020										60 %	21 %	23%	14%	13%	12%	17%	10%	23 %	17 %	17 %	16 %	16 %	14 %
CP 250021				CP 220080	113	90	93	113	104	117	90	70	93	96	87	101	106	102	118	87	116	97	89
PEN					56%	25%	21 %	14%	18%	-0.43	-1.1	0.73	5.1	3.8	-12	-3.2	-0.6	6.0	3.0	-8.3	3.3	-0.4	-2.1
GLENFINLAS 250021										63 %	25 %	28%	21%	16%	14%	24%	12%	25 %	20 %	20 %	19 %	19 %	16 %
CP 250022				CP 220045	114	88	94	115	104	118	88	71	94	95	85	101	106	98	118	87	116	97	89
PEN					56%	32%	21 %	14%	18%	-0.50	-2.0	0.69	5.8	2.7	-15	-3.6	-0.6	4.5	3.0	-8.3	3.3	-0.4	-2.1
GLENFINLAS 250022										63 %	32 %	27%	21%	16%	14%	24%	12%	26 %	20 %	20 %	19 %	19 %	16 %
CP 250025				CP 220066	98	94	96	113	106	106	94	64	96	100	87	99	110	97	109	86	107	101	101
PEN					55%	23%	17 %	7 %	14%	0.66	0.5	0.98	6.4	6.2	-13	-2.1	-1.4	3.7	1.9	-9.3	1.9	0.0	-0.3
GLENFINLAS 250025										63 %	23 %	25%	17%	11%	7 %	22%	6%	23 %	10 %	11 %	10 %	9 %	5 %
CP 250027				CP 220124	107	95	97	110	102	112	95	69	97	100	90	93	108	94	105	91	106	102	102
PEN					55%	24%	18 %	6 %	15%	0.03	0.8	0.78	7.0	6.1	-8	1.1	-1.0	2.6	1.4	-5.8	1.7	0.1	-0.1
GLENFINLAS 250027										63 %	24 %	26%	18%	12%	6 %	23%	7%	25 %	11 %	12 %	12 %	10 %	6 %
CP 250028				CP 220078	92	97	104	105	102	101	97	63	104	105	95	97	105	93	105	92	104	102	100
PEN					52%	18%	11 %	7 %	10%	1.18	1.8	1.01	10.9	9.6	-1	-1.2	-0.6	2.4	1.5	-4.5	1.4	0.1	-0.5
GLENFINLAS 250028										60 %	18 %	22%	11%	11%	7 %	15%	6%	22 %	8 %	10 %	9 %	9 %	5 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CP 250032				CP 220167	99	99	99	109	103	106	99	67	99	103	91	94	108	97	105	91	106	102	102
PEN					55%	24%	17 %	6 %	15%	0.66	2.5	0.87	8.0	8.6	-6	0.4	-1.1	3.8	1.4	-5.8	1.7	0.1	-0.1
GLENFINLAS 250032					55%	24%	17 %	6 %	15%	63 %	24 %	25%	17%	12%	6 %	23%	7%	24 %	11 %	12 %	12 %	10 %	6 %
CP 250034				CP 220048	104	101	97	106	103	109	101	73	97	104	94	96	107	97	114	92	114	100	92
PEN					55%	32%	21 %	12%	18%	0.38	3.3	0.63	7.3	9.5	-3	-0.6	-1.0	4.0	2.6	-4.8	2.9	-0.1	-1.8
GLENFINLAS 250034					55%	32%	21 %	12%	18%	63 %	32 %	26%	21%	15%	12%	24%	11%	26 %	19 %	20 %	18 %	18 %	14 %
CP 250035				CP 220171	113	89	91	116	105	117	89	70	91	93	84	90	114	98	103	96	109	98	102
PEN					55%	21%	21 %	16%	20%	-0.44	-1.7	0.73	4.0	1.3	-17	2.7	-2.2	4.5	1.1	-1.9	2.1	-0.3	-0.1
GLENFINLAS 250035					55%	21%	21 %	16%	20%	62 %	21 %	27%	21%	18%	16%	26%	13%	25 %	19 %	19 %	19 %	18 %	14 %
CP 250036				CP 220091	100	92	96	113	105	107	92	66	96	98	87	97	109	96	108	90	107	99	101
PEN					56%	25%	19 %	8 %	15%	0.56	-0.2	0.91	6.8	4.8	-12	-1.0	-1.3	3.4	1.8	-6.2	1.9	-0.2	-0.4
GLENFINLAS 250036					56%	25%	19 %	8 %	15%	63 %	25 %	27%	19%	12%	8 %	23%	7%	24 %	11 %	12 %	11 %	10 %	7 %
CP 250037				CP 220142	87	101	97	110	105	97	101	61	97	105	90	99	109	90	105	91	106	102	102
PEN					55%	24%	15 %	6 %	15%	1.55	3.5	1.07	7.0	10.0	-8	-2.1	-1.3	0.8	1.4	-5.8	1.7	0.1	-0.1
GLENFINLAS 250037					55%	24%	15 %	6 %	15%	63 %	24 %	26%	15%	12%	6 %	23%	7%	25 %	11 %	12 %	12 %	10 %	6 %
CP 250038				CP 220049	101	91	96	111	110	111	91	56	96	100	89	108	111	99	108	92	108	92	91
PEN					55%	30%	21 %	9 %	14%	0.21	-0.7	1.28	6.5	6.1	-9	-7.6	-1.6	4.7	1.8	-4.7	2.0	-0.8	-1.9
GLENFINLAS 250038					55%	30%	21 %	9 %	14%	63 %	30 %	26%	21%	12%	9 %	21%	7%	25 %	15 %	15 %	13 %	10 %	7 %
CP 250039				CP 220127	109	89	105	106	100	113	89	71	105	97	94	91	106	89	104	98	106	100	98
PEN					52%	14%	13 %	12%	12%	-0.04	-1.7	0.69	11.6	4.3	-2	2.1	-0.7	0.6	1.3	-0.3	1.8	-0.1	-0.8
GLENFINLAS 250039					52%	14%	13 %	12%	12%	60 %	14 %	22%	13%	12%	12%	16%	8%	21 %	13 %	14 %	13 %	13 %	10 %
CP 250041				CP 220075	92	97	104	105	102	101	97	63	104	104	95	97	105	93	105	92	104	102	100
PEN					52%	18%	11 %	7 %	10%	1.14	1.8	1.00	10.9	9.5	-1	-1.2	-0.6	2.4	1.5	-4.5	1.4	0.1	-0.5
GLENFINLAS 250041					52%	18%	11 %	7 %	10%	60 %	18 %	22%	11%	11%	7 %	15%	6%	22 %	8 %	10 %	9 %	9 %	5 %
CP 250043				CP 230003	96	99	95	112	109	104	99	62	95	104	88	100	113	96	106	94	107	99	97
PEN					54%	25%	24 %	20%	20%	0.80	2.7	1.04	6.1	9.4	-10	-3.0	-2.2	3.6	1.6	-3.1	1.8	-0.2	-0.9
GLENFINLAS 250043					54%	25%	24 %	20%	20%	61 %	25 %	29%	24%	21%	20%	27%	14%	28 %	21 %	22 %	20 %	16 %	11 %
CP 250045				CP 220133	97	94	98	112	103	105	94	63	98	99	88	95	108	95	108	90	107	99	101
PEN					55%	24%	17 %	8 %	15%	0.70	0.4	1.02	7.6	5.7	-11	0.0	-1.1	3.0	1.8	-6.2	1.9	-0.2	-0.4
GLENFINLAS 250045					55%	24%	17 %	8 %	15%	63 %	24 %	26%	17%	12%	8 %	23%	7%	24 %	11 %	12 %	11 %	10 %	7 %
CP 250047	2			CP 200042 CP 220072	98	103	91	104	99	95	103	104	91	101	96	100	99	112	106	107	103	106	100
PEN					60%	35%	20 %	14%	18%	1.67	4.0	-0.55	3.8	6.9	0	-2.8	0.7	10.2	1.6	5.8	1.2	0.5	-0.5
GLENFINLAS 250047					60%	35%	20 %	14%	18%	68 %	35 %	31%	20%	24%	14%	25%	12%	36 %	24 %	25 %	24 %	23 %	17 %
CP 250048				CP 220163	93	95	104	107	102	102	95	62	104	102	93	96	105	92	104	91	105	99	
PEN					52%	21%	11 %	5 %	10%	1.07	0.9	1.05	11.1	8.1	-3	-0.3	-0.5	1.9	1.2	-5.3	1.5	-0.2	
GLENFINLAS 250048					52%	21%	11 %	5 %	10%	60 %	21 %	22%	11%	8 %	5 %	15%	5%	19 %	6 %	8 %	8 %	7 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CP 250049				CP 220079	118	93	98	107	103	121	93	74	98	99	93	95	108	98	107	92	105	105	102	
PEN					-0.85	0.2	0.59	7.5	5.6	-4	0.2	-1.0	4.4	1.6	-5.0	1.5	0.3	-0.1						
GLENFINLAS 250049					63 %	22 %	26 %	19 %	13 %	8 %	23 %	8 %	25 %	12 %	14 %	13 %	12 %	7 %						
CP 250050				CP 220115	106	91	105	107	102	112	91	66	105	99	93	96	105	91	104	91	105	99		
PEN					0.04	-0.9	0.88	11.1	5.5	-3	-0.3	-0.5	1.2	1.2	-5.3	1.5	-0.2							
GLENFINLAS 250050					60 %	21 %	22 %	11 %	8 %	5 %	15 %	5 %	20 %	6 %	8 %	8 %	7 %							
CP 250053				CP 220025	117	87	90	118	102	122	87	72	90	92	82	94	108	106	112	91	115	95	94	
PEN					-0.87	-2.2	0.68	3.5	0.8	-20	0.6	-1.0	7.7	2.3	-5.9	3.1	-0.6	-1.5						
GLENFINLAS 250053					63 %	33 %	28 %	24 %	18 %	16 %	26 %	14 %	27 %	21 %	22 %	20 %	20 %	17 %						
CP 250054				CP 220098	108	92	93	114	108	115	92	64	93	97	86	97	114	102	111	91	108	103	102	
PEN					-0.19	-0.3	0.96	5.1	4.1	-14	-1.4	-2.2	6.1	2.1	-5.7	2.1	0.2	-0.1						
GLENFINLAS 250054					63 %	23 %	27 %	19 %	14 %	10 %	24 %	10 %	24 %	13 %	14 %	14 %	13 %	8 %						
CP 250056				CP 190017	76	104	92	115	98	88	104	58	92	106	85	86	106	104	96	95	106	95	105	
PEN					2.41	4.6	1.19	4.5	10.4	-15	5.2	-0.7	7.1	0.3	-2.5	1.7	-0.6	0.3						
GLENFINLAS 250056					64 %	33 %	38 %	37 %	25 %	22 %	31 %	20 %	34 %	27 %	27 %	26 %	24 %	19 %						
CP 250057				CP 220106	89	98	95	111	101	99	98	60	95	103	89	91	107	92	105	91	106	102	102	
PEN					1.33	2.2	1.11	5.8	8.2	-10	2.2	-0.8	1.6	1.4	-5.8	1.7	0.1	-0.1						
GLENFINLAS 250057					63 %	25 %	26 %	19 %	12 %	6 %	23 %	7 %	24 %	11 %	12 %	12 %	10 %	6 %						
CP 250060				CP 220081	112	85	95	114	104	126	85	72	95	92	86	96	109	95	109	86	107	101	101	
PEN					-1.30	-3.2	0.66	6.2	0.9	-13	-0.5	-1.2	3.1	1.9	-9.3	1.9	0.0	-0.3						
GLENFINLAS 250060					63 %	24 %	25 %	17 %	11 %	7 %	22 %	6 %	25 %	10 %	11 %	10 %	9 %	5 %						
CP 250062				CP 200043	117	86	85	119	109	121	86	69	85	90	81	103	112	103	105	84	110	93	103	
PEN					-0.77	-2.6	0.77	0.6	-0.3	-20	-4.7	-1.9	6.4	1.4	-10.8	2.3	-0.7	0.0						
GLENFINLAS 250062					62 %	28 %	32 %	30 %	23 %	16 %	26 %	14 %	29 %	18 %	21 %	20 %	19 %	12 %						
CP 250064	4			CP 200042 CP 190026	116	95	77	116	97	111	95	107	77	90	84	91	102	120	97	110	105	100	105	
PEN					0.21	1.1	-0.65	-3.5	-0.4	-17	2.1	0.1	13.8	0.4	7.8	1.5	-0.1	0.4						
GLENFINLAS 250064					71 %	44 %	43 %	40 %	33 %	25 %	36 %	22 %	43 %	35 %	35 %	34 %	32 %	25 %						
CP 250071	2			CP 200042 CP 180072	111	97	86	106	96	107	97	102	86	96	94	100	94	112	109	103	107	103	97	
PEN					0.55	1.5	-0.46	1.5	3.7	-2	-2.8	1.7	10.5	1.9	3.1	1.8	0.2	-0.9						
GLENFINLAS 250071					70 %	41 %	41 %	36 %	29 %	19 %	30 %	18 %	40 %	31 %	32 %	30 %	28 %	22 %						
CP 250075	2			CP 200042 CP 170032	106	95	85	109	94	105	95	96	85	94	91	102	91	119	110	113	108	100	90	
PEN					0.79	0.8	-0.22	0.7	2.1	-6	-3.8	2.3	13.2	2.1	9.7	2.0	-0.1	-2.0						
GLENFINLAS 250075					71 %	42 %	42 %	37 %	30 %	19 %	30 %	15 %	40 %	31 %	32 %	30 %	25 %	18 %						
CP 250077	2			CP 200042 CP 200016	118	87	81	119	119	115	87	97	81	88	81	115	121	119	104	111	100	100	98	
PEN					-0.23	-2.2	-0.26	-1.2	-2.1	-21	-11.3	-3.3	13.2	1.3	8.9	0.7	-0.1	-0.8						
GLENFINLAS CP250077					71 %	38 %	37 %	27 %	24 %	15 %	31 %	14 %	38 %	28 %	28 %	26 %	25 %	19 %						

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	DNA																				
JAPANESE BLACK																								
CP 250078		4		CP 200042	118	94	83	111	99	112	94	109	83	91	89	99	102	114	110	112	109	103	95	
PEN				CP 220139	0.08	0.3				0.08	0.3	-0.72	-0.4	-0.2	-9	-2.2	0.4	11.4	2.1	9.4	2.2	0.2	-1.2	
GLENFINLAS CP250078					63%	36%	25 %	18%	22%	70 %	36 %	34%	25%	26%	18%	31%	14%	37 %	28 %	29 %	27 %	26 %	20 %	
CP 250083		2		CP 200042	110	99	91	104	99	105	99	110	91	97	96	100	99	112	106	107	103	106	100	
PEN				CP 220077	0.75	2.4				0.75	2.4	-0.74	3.8	4.6	0	-2.8	0.7	10.2	1.6	5.8	1.2	0.5	-0.5	
GLENFINLAS CP250083					60%	35%	20 %	14%	18%	68 %	35 %	31%	20%	24%	14%	25%	12%	36 %	24 %	25 %	24 %	23 %	17 %	
CP 250087		3		CP 200042	121	98	76	114	98	115	98	112	76	93	86	101	98	117	121	105	117	101	87	
PEN				CP 220030	-0.19	2.1				-0.19	2.1	-0.83	-3.9	1.4	-14	-3.2	1.0	12.4	3.4	4.5	3.4	0.0	-2.5	
GLENFINLAS CP250087					64%	44%	27 %	18%	24%	71 %	44 %	35%	27%	28%	18%	33%	16%	38 %	30 %	31 %	29 %	28 %	22 %	
CP 250094		3		CP 200042	122	88	83	116	99	118	88	118	83	86	84	100	100	115	116	104	112	105	93	
PEN				CP 220011	-0.50	-1.8				-0.50	-1.8	-1.07	-0.5	-3.4	-17	-2.7	0.7	11.7	2.9	3.4	2.6	0.4	-1.5	
GLENFINLAS CP250094					63%	44%	26 %	17%	23%	71 %	44 %	34%	26%	26%	17%	31%	15%	38 %	29 %	30 %	28 %	27 %	21 %	
CP 250095		5		CP 200042	121	95	82	111	109	125	95	118	82	90	89	104	114	119	103	115	99	102	103	
PEN				CP 210139	-1.24	1.0				-1.24	1.0	-1.05	-0.6	-0.8	-9	-4.9	-2.0	13.3	1.1	11.4	0.6	0.1	0.0	
GLENFINLAS CP250095					64%	44%	31 %	16%	22%	71 %	44 %	37%	31%	24%	16%	31%	13%	38 %	29 %	30 %	28 %	26 %	20 %	
CP 250096		5		CP 200042	114	96	81	113	100	108	96	110	81	91	87	94	105	117	111	111	109	106	100	
PEN				CP 220165	0.42	1.2				0.42	1.2	-0.77	-1.3	0.3	-13	0.4	-0.4	12.4	2.2	8.3	2.1	0.5	-0.4	
GLENFINLAS CP250096					64%	37%	28 %	18%	24%	71 %	37 %	35%	28%	26%	18%	32%	15%	37 %	28 %	29 %	27 %	26 %	20 %	
CP 250106		3		CP 200042	105	98	80	118	94	103	98	101	80	93	82	90	99	122	103	107	103	99	102	
PEN				CP 210017	0.97	2.3				0.97	2.3	-0.44	-1.9	1.7	-20	2.7	0.8	14.5	1.2	6.1	1.3	-0.1	-0.2	
GLENFINLAS CP250106					64%	46%	34 %	17%	24%	71 %	46 %	37%	34%	26%	17%	32%	15%	39 %	29 %	30 %	28 %	27 %	21 %	
CP 250113		2		CP 200042	113	105	84	105	98	109	105	118	84	99	95	97	101	115	115	107	113	105	92	
PEN				CP 220017	0.31	4.9				0.31	4.9	-1.05	0.3	5.8	-1	-1.0	0.4	11.5	2.7	5.5	2.7	0.4	-1.7	
GLENFINLAS CP250113					52%	44%	27 %	17%	23%	57 %	44 %	31%	27%	26%	17%	31%	15%	38 %	29 %	30 %	28 %	28 %	22 %	
CP 250511				CP 230059	111	90	97	113	107	115	90	72	97	96	87	101	110	101	113	93	112	96	90	
PEN					-0.19	-1.1				-0.19	-1.1	0.66	7.2	3.8	-12	-3.4	-1.4	5.7	2.4	-4.2	2.6	-0.5	-2.0	
GLENFINLAS CP250511					33%	23%	16 %	12%	14%	36 %	23 %	22%	16%	14%	12%	18%	10%	23 %	18 %	19 %	18 %	18 %	15 %	
CP 250512				CP 230051	91	98	92	115	106	100	98	63	92	102	85	102	109	106	118	90	116	95	87	
PEN					1.24	1.9				1.24	1.9	0.99	4.5	7.8	-15	-3.7	-1.2	7.7	3.0	-6.1	3.3	-0.6	-2.6	
GLENFINLAS CP250512					56%	26%	21 %	16%	16%	63 %	26 %	27%	21%	16%	16%	21%	12%	25 %	20 %	21 %	19 %	18 %	15 %	

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																							
CP 160151	7	✓	KJDFC0087		107	92	79	119	98	106	92	123	79	80	81	87	106	131	100	104	102	121	127
FB		✓	CP 130006		83 %	72 %	72 %	42 %	50 %	0.65	-0.2	-1.25	-2.2	-7.4	-21	4.8	-0.7	18.3	0.8	3.4	1.1	1.9	3.8
GLENFINLAS 16 0151										84 % 72 %		81 % 72 %		56 % 42%		63% 37% 74 %			58 % 58 % 56 % 51 % 42 %				
CP 160152	2	✓	KJDFC0086		121	86	66	124	91	124	86	123	66	80	76	80	101	102	86	102	107	118	131
FB		✓	CP 130009		74 %	54 %	62 %	28 %	36 %	-1.07	-2.6	-1.25	-9.5	-7.5	-28	8.7	0.3	6.0	-1.0	2.3	1.9	1.6	4.0
GLENFINLAS 16 0152										75 % 54 %		69 % 62 %		37 % 28%		46% 26% 67 %			51 % 51 % 48 % 42 % 30 %				
CP 170032		✓	5U		85	96	93	102	87	91	96	77	93	97	98	104	76	120	105	109	109	97	89
PBD		✓	CWBFCP 140037		69 %	57 %	67 %	30 %	33 %	2.08	1.1	0.48	5.1	4.3	4	-5.0	4.8	13.7	1.5	7.4	2.2	-0.3	-2.2
GLENFINLAS 17 0032										68 % 57 %		72 % 67 %		40 % 30%		45% 21% 59 %			44 % 43 % 41 % 28 % 18 %				
CP 180072		✓	BA 090335		94	99	96	96	89	96	99	90	96	102	104	100	82	107	102	91	107	102	103
PBD			CWBFCP 140010		67 %	54 %	63 %	30 %	36 %	1.65	2.7	0.01	6.7	7.7	11	-3.0	3.7	8.4	1.1	-5.8	1.9	0.1	0.0
GLENFINLAS CP180072										66 % 54 %		69 % 63 %		40 % 30%		44% 28% 57 %			43 % 43 % 42 % 38 % 30 %				
CP 190017	1	✓	ETJ001		99	102	82	113	86	99	102	96	82	95	87	78	94	128	78	104	103	96	119
FB		✓	CP 160151		73 %	66 %	75 %	44 %	50 %	1.33	3.8	-0.22	-0.6	2.6	-13	9.8	1.5	17.1	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190017										73 % 66 %		75 % 75 %		50 % 44%		61% 39% 66 %			53 % 53 % 52 % 48 % 39 %				
CP 190018	1	✓	ETJ001		104	98	78	116	95	102	98	99	78	91	84	85	103	116	78	104	103	96	119
FB		✓	CP 160151		64 %	57 %	57 %	44 %	46 %	1.05	2.1	-0.36	-3.1	-0.1	-17	5.8	-0.1	12.2	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190018										64 % 57 %		62 % 57 %		50 % 44%		55% 36% 61 %			53 % 53 % 52 % 48 % 39 %				
CP 190019	1	✓	ETJ001		111	95	75	118	89	106	95	106	75	88	82	82	96	118	78	104	103	96	119
FB		✓	CP 160151		73 %	62 %	68 %	44 %	50 %	0.63	1.0	-0.61	-4.4	-1.9	-20	7.8	1.3	12.8	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190019										73 % 62 %		74 % 68 %		50 % 44%		60% 39% 66 %			53 % 53 % 52 % 48 % 39 %				
CP 190023	1	✓	ETJ001		96	99	78	116	104	97	99	92	78	92	84	95	111	119	78	104	103	96	119
FB		✓	CP 160151		73 %	57 %	57 %	44 %	50 %	1.52	2.7	-0.07	-2.8	0.9	-17	0.0	-1.5	13.2	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190023										73 % 57 %		74 % 57 %		50 % 44%		60% 39% 66 %			53 % 53 % 52 % 48 % 39 %				
CP 190026	1	✓	ETJ001		104	98	77	117	92	102	98	100	77	91	83	83	100	123	78	104	103	96	119
FB		✓	CP 160151		73 %	64 %	71 %	44 %	50 %	1.04	2.0	-0.37	-3.2	-0.3	-18	6.8	0.4	14.9	-2.0	3.6	1.2	-0.5	2.6
GLENFINLAS 190026										73 % 64 %		74 % 71 %		50 % 44%		61% 38% 66 %			53 % 53 % 52 % 48 % 39 %				
CP 190066	2	✓	GRSFK0473		112	98	70	117	102	108	98	114	70	91	83	111	96	116	109	84	104	112	116
FB		✓	SFWFK0091		54 %	50 %	52 %	28 %	39 %	0.46	2.0	-0.90	-7.3	-0.1	-19	-9.4	1.3	12.0	1.9	-10.7	1.4	1.1	2.1
GLENFINLAS 190066										55 % 50 %		52 % 52 %		40 % 28%		51% 27% 55 %			32 % 40 % 38 % 38 % 20 %				
CP 190067	2	✓	GRSFK0473		97	98	76	120	106	98	98	88	76	91	80	109	105	108	101	79	109	100	116
FB		✓	KSOFL00108		66 %	52 %	58 %	21 %	38 %	1.40	2.2	0.06	-4.2	-0.2	-22	-8.1	-0.3	8.8	1.0	-13.7	2.1	-0.1	2.0
GLENFINLAS 190067										66 % 52 %		66 % 58 %		34 % 21%		48% 27% 56 %			24 % 32 % 31 % 29 % 14 %				
CP 200011	8	✓	BA 090335		120	94	71	117	98	124	94	126	71	85	83	97	100	121	110	86	112	109	116
FB		✓	CP 160151		77 %	58 %	58 %	37 %	44 %	-1.11	0.5	-1.35	-6.8	-4.0	-18	-1.0	0.4	14.2	2.0	-9.1	2.6	0.8	2.0
GLENFINLAS 200011										78 % 58 %		72 % 58 %		48 % 37%		52% 36% 64 %			52 % 52 % 50 % 46 % 37 %				

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 200016		✓ WK 160194		108	82	86	122	135	111	82	79	86	86	78	130	138	120	93	107	92	96	104
PBD		✓ CP 180048		71 %	45 %	42 %	17 %	32 %	0.20	-4.5	0.41	1.4	-3.6	-25	-20.0	-6.3	13.7	-0.1	5.8	-0.4	-0.5	0.2
GLENFINLAS 200016									74 %	45 %	59 %	42 %	21 %	17%	46%	19%	52 %	34 %	33 %	30 %	28 %	21 %
CP 200035		✓ BA 150369		114	93	86	113	139	110	93	102	86	93	87	136	139	126	116	105	116	106	90
PBD		✓ CP 160087		73 %	57 %	58 %	23 %	38 %	0.25	0.3	-0.45	1.1	1.7	-13	-23.5	-6.5	16.5	2.9	4.0	3.3	0.5	-2.1
GLENFINLAS 200035									76 %	57 %	62 %	58 %	35 %	23%	52%	24%	60 %	50 %	50 %	47 %	41 %	29 %
CP 200036	2	✓ FGW 120001		113	100	107	99	112	113	100	88	107	102	101	106	116	102	94	107	97	100	100
PBD		✓ CP 130075		74 %	53 %	53 %	43 %	44 %	-0.05	3.0	0.08	12.5	7.5	8	-6.6	-2.4	6.2	0.0	5.9	0.3	-0.1	-0.4
GLENFINLAS 200036									76 %	53 %	64 %	53 %	41 %	43%	56%	31%	59 %	45 %	45 %	41 %	30 %	21 %
CP 200043	4	✓ GRSFK0473		113	93	65	121	109	108	93	111	65	85	79	112	108	125	96	81	111	92	115
FB		✓ KSOFF0024		64 %	56 %	61 %	31 %	40 %	0.49	-0.1	-0.81	-9.6	-4.3	-24	-10.0	-0.9	15.7	0.2	-12.8	2.5	-0.9	1.9
GLENFINLAS 200043									64 %	56 %	63 %	61 %	45 %	31%	53%	28%	59 %	35 %	42 %	40 %	39 %	23 %
CP 200056	2	✓ GRSFK0473		117	93	72	120	107	113	93	118	72	87	80	108	106	117	108	85	107	109	113
FB		SFWFK0120		62 %	50 %	53 %	28 %	39 %	-0.01	0.2	-1.06	-6.2	-2.6	-22	-7.7	-0.5	12.6	1.8	-10.1	1.8	0.7	1.6
GLENFINLAS 200056									62 %	50 %	62 %	53 %	40 %	28%	51%	27%	56 %	30 %	39 %	37 %	36 %	21 %
CP 200167	2	✓ CP 130311		112	94	89	115	98	110	94	96	89	88	85	88	106	117	100	91	92	116	123
PBD		✓ CP 170029		69 %	43 %	51 %	23 %	36 %	0.31	0.3	-0.23	3.0	-2.0	-15	4.0	-0.6	12.6	0.8	-5.9	-0.5	1.4	3.1
GLENFINLAS 200167									72 %	43 %	57 %	51 %	31 %	23%	48%	24%	52 %	36 %	35 %	34 %	28 %	22 %
CP 200182	8	✓ CP 130311		117	95	84	113	95	114	95	94	84	89	87	87	101	116	94	92	89	121	126
PBD		✓ CP 170104		68 %	37 %	37 %	21 %	36 %	-0.17	1.0	-0.16	0.1	-1.4	-13	4.6	0.3	12.0	0.0	-5.1	-0.9	1.9	3.6
GLENFINLAS 200182									71 %	37 %	58 %	37 %	31 %	21%	49%	24%	53 %	36 %	36 %	34 %	28 %	20 %
CP 210017	3	✓ BOS 170018		108	94	84	121	87	108	94	91	84	89	79	81	92	126	91	99	100	96	112
FB		✓ CP 190017		71 %	69 %	58 %	24 %	35 %	0.49	0.4	-0.03	0.4	-1.6	-24	8.1	1.9	16.2	-0.4	0.2	0.7	-0.5	1.4
GLENFINLAS 210017									74 %	69 %	59 %	58 %	28 %	24%	49%	21%	55 %	38 %	38 %	37 %	35 %	28 %
CP 210139	5	✓ WK 160194		123	103	88	106	117	118	103	119	88	94	94	108	123	120	90	114	91	101	115
PBD		✓ CP 180124		70 %	63 %	53 %	20 %	32 %	-0.56	4.2	-1.10	2.2	2.5	-3	-7.2	-3.7	13.9	-0.5	10.8	-0.6	0.0	1.8
GLENFINLAS 210139									73 %	63 %	58 %	53 %	24 %	20%	47%	16%	54 %	38 %	38 %	34 %	31 %	24 %
CP 210209	3	✓ FGW 120001		123	96	81	113	89	117	96	112	81	93	87	83	96	105	92	99	106	105	113
FB		✓ CP 160152		71 %	66 %	54 %	41 %	40 %	-0.37	1.5	-0.82	-1.4	1.3	-12	7.3	1.3	7.4	-0.2	0.3	1.7	0.4	1.6
GLENFINLAS 210209									74 %	66 %	60 %	54 %	42 %	41%	54%	27%	59 %	48 %	48 %	45 %	35 %	25 %
CP 210233		✓ FGW 120001		89	101	112	93	90	89	101	98	112	105	107	95	87	100	92	105	99	100	98
PBD				53 %	51 %	55 %	39 %	32 %	2.27	3.2	-0.30	14.9	10.2	16	-0.2	2.8	5.1	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210233									54 %	51 %	51 %	55 %	38 %	39%	41%	24%	49 %	40 %	41 %	37 %	29 %	20 %
CP 220014		✓ AL 182012		103	98	104	98	96	101	98	118	104	99	102	102	92	107	112	99	117	101	87
F1				50 %	42 %	27 %	23 %	26 %	1.12	2.0	-1.07	11.0	5.4	9	-4.0	2.0	8.3	2.4	0.1	3.4	0.0	-2.5
GLENFINLAS 220014									52 %	42 %	44 %	27 %	26 %	23%	33%	20%	42 %	33 %	34 %	32 %	33 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 220022	3	☒ AL 182012	☒ CP 190182	110	85	89	114	102	106	85	113	89	84	86	107	99	116	122	96	122	102	89
F2				68 %	63 %	42 %	26 %	34 %	0.68	-3.2	-0.85	3.1	-4.5	-14	-6.7	0.6	12.0	3.5	-1.7	4.1	0.1	-2.1
GLENFINLAS 220022									72 %	63 %	52 %	42 %	30 %	26%	47%	22%	49 %	38 %	39 %	36 %	36 %	30 %
CP 220025	3	☒ AL 182012	☒ CP 190017	122	91	77	120	96	117	91	117	77	85	80	94	98	131	109	95	122	96	96
FB				70 %	66 %	47 %	32 %	40 %	-0.43	-0.6	-1.02	-3.6	-4.0	-23	0.7	0.8	18.4	2.0	-3.1	4.2	-0.5	-1.1
GLENFINLAS 220025									74 %	66 %	56 %	47 %	36 %	32%	52%	28%	54 %	42 %	43 %	41 %	41 %	34 %
CP 220034	5	☒ AL 182012	☒ CP 170046	114	99	87	110	110	110	99	103	87	95	90	105	113	123	115	100	117	97	87
PBD				70 %	65 %	46 %	28 %	38 %	0.28	2.7	-0.50	2.1	2.9	-8	-5.9	-1.8	14.9	2.7	0.6	3.5	-0.4	-2.6
GLENFINLAS 220034									74 %	65 %	55 %	46 %	30 %	28%	50%	25%	53 %	39 %	40 %	37 %	37 %	30 %
CP 220039	2	☒ AL 182012	☒ CP 190186	120	93	90	110	92	117	93	124	90	89	90	94	92	118	117	92	116	107	95
F2				65 %	63 %	40 %	25 %	34 %	-0.40	-0.1	-1.27	3.6	-1.4	-9	0.6	1.9	13.0	3.0	-5.2	3.3	0.6	-1.3
GLENFINLAS 220039									70 %	63 %	45 %	40 %	29 %	25%	47%	21%	50 %	36 %	38 %	35 %	35 %	29 %
CP 220040			FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	88	89	92	105	99	100	98
PEN				48 %	46 %	43 %	39 %	32 %	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 220040									49 %	46 %	44 %	43 %	38 %	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CP 220042	3	☒ AL 182012	☒ CP 190026	124	95	74	118	101	119	95	118	74	87	82	99	103	126	109	95	122	96	96
FB				70 %	66 %	46 %	32 %	40 %	-0.64	1.0	-1.05	-5.2	-2.4	-19	-2.5	0.0	16.5	2.0	-3.1	4.2	-0.5	-1.1
GLENFINLAS 220042									74 %	66 %	56 %	46 %	36 %	32%	52%	28%	52 %	42 %	43 %	41 %	41 %	34 %
CP 220049		☒ FB21961	☒ CP 170032	102	95	88	105	112	104	95	86	88	97	95	122	104	116	101	98	107	90	92
PBD				65 %	60 %	42 %	18 %	28 %	0.88	0.8	0.14	2.6	4.5	-1	-15.8	-0.3	12.3	1.0	-0.7	1.9	-1.1	-1.8
GLENFINLAS 220049									69 %	60 %	51 %	42 %	26 %	18%	42%	13%	49 %	29 %	29 %	27 %	20 %	15 %
CP 220052	1	☒ AL 182012	☒ CP 180114	125	98	82	110	104	118	98	110	82	93	90	102	105	127	117	98	119	106	93
PBD				72 %	54 %	43 %	26 %	37 %	-0.52	2.1	-0.77	-0.6	1.4	-9	-3.8	-0.4	16.6	2.9	-0.8	3.7	0.5	-1.6
GLENFINLAS 220052									76 %	54 %	55 %	43 %	31 %	26%	49%	25%	52 %	39 %	40 %	37 %	36 %	29 %
CP 220057		☒ CP 180115		96	95	109	104	100	103	95	65	109	102	96	92	106	94	108	97	106	101	98
PEN				56 %	25 %	30 %	11 %	14 %	0.91	0.9	0.93	13.6	8.1	1	1.6	-0.5	2.7	1.9	-1.1	1.6	0.0	-0.8
GLENFINLAS 220057									62 %	25 %	32 %	30 %	16 %	11%	17%	10%	27 %	18 %	18 %	17 %	14 %	12 %
CP 220062	1	☒ CP 190090	☒ CP 160050	100	103	83	111	102	99	103	95	83	98	89	94	108	104	99	91	105	107	112
PEN				65 %	48 %	35 %	13 %	28 %	1.32	4.2	-0.21	-0.3	5.2	-10	0.5	-0.9	7.0	0.7	-5.2	1.5	0.6	1.5
GLENFINLAS 220062									70 %	48 %	44 %	35 %	23 %	13%	39%	16%	44 %	23 %	25 %	23 %	20 %	11 %
CP 220066	1	☒ CP 190090	☒ CP 180053	99	99	88	110	102	97	99	102	88	96	90	103	102	112	104	85	105	108	112
FB				66 %	47 %	33 %	14 %	28 %	1.51	2.5	-0.48	2.5	3.8	-8	-4.7	0.1	10.4	1.3	-9.9	1.6	0.7	1.4
GLENFINLAS 220066									70 %	47 %	50 %	33 %	22 %	14%	44%	12%	46 %	20 %	23 %	21 %	18 %	9 %
CP 220071		☒ CP 180042		99	95	105	107	104	106	95	67	105	103	93	98	108	90	110	88	105	106	99
PEN				54 %	21 %	25 %	9 %	10 %	0.65	0.7	0.87	11.5	8.6	-3	-1.5	-1.0	1.1	2.1	-7.4	1.6	0.4	-0.6
GLENFINLAS 220071									61 %	21 %	27 %	25 %	13 %	9 %	13%	6%	26 %	16 %	16 %	14 %	10 %	6 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
CP 220080	8	✓ AL	182012	110	98	83	109	99	106	98	114	83	94	91	107	93	123	121	88	124	99	88
PBD		✓ CP	180072	69 %	50 %	42 %	28 %	37 %	0.64	1.9	-0.92	-0.4	2.5	-7	-7.0	1.7	14.9	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 220080									73 %	50 %	54 %	42 %	32 %	28%	49%	25%	50 %	40 %	41 %	38 %	38 %	31 %
CP 220085	1	CP	190089	110	105	88	101	100	106	105	114	88	100	99	100	101	115	99	97	100	115	114
PEN		✓ CP	160002	66 %	44 %	38 %	16 %	30 %	0.67	4.8	-0.91	2.3	6.3	4	-3.0	0.4	11.5	0.7	-1.4	0.8	1.3	1.7
GLENFINLAS 220085									70 %	44 %	51 %	38 %	27 %	16%	46%	15%	48 %	25 %	27 %	26 %	23 %	13 %
CP 220091	3	✓ CP	190090	116	91	90	109	101	110	91	107	90	88	91	100	102	110	102	94	106	104	111
PBD		✓ CP	170068	68 %	49 %	38 %	16 %	30 %	0.23	-0.8	-0.66	3.4	-1.7	-7	-2.6	0.1	9.7	1.1	-3.6	1.7	0.3	1.2
GLENFINLAS 220091									72 %	49 %	53 %	38 %	23 %	16%	46%	14%	47 %	22 %	24 %	23 %	20 %	14 %
CP 220098	4	✓ CP	190089	116	97	83	112	106	111	97	103	83	92	88	101	111	123	107	95	108	111	114
PBD		✓ CP	180152	68 %	45 %	37 %	20 %	34 %	0.13	1.6	-0.50	-0.3	0.5	-11	-3.3	-1.5	15.2	1.7	-2.6	2.0	0.9	1.8
GLENFINLAS 220098									72 %	45 %	52 %	37 %	28 %	20%	48%	19%	49 %	26 %	29 %	27 %	25 %	17 %
CP 220117	3	✓ CP	190104	106	86	75	122	105	103	86	114	75	84	78	97	111	99	104	91	111	104	112
PBD		✓ CP	180068	65 %	42 %	39 %	26 %	30 %	0.99	-2.6	-0.91	-4.4	-5.1	-25	-1.0	-1.4	4.7	1.3	-5.5	2.4	0.3	1.4
GLENFINLAS 220117									71 %	42 %	43 %	39 %	30 %	26%	39%	20%	45 %	33 %	34 %	32 %	29 %	22 %
CP 220119	10	✓ CP	190104	115	91	90	109	102	109	91	112	90	87	91	90	112	104	104	109	108	108	108
F3		✓ CP	190165	64 %	38 %	38 %	27 %	30 %	0.31	-0.9	-0.83	3.5	-2.8	-6	3.0	-1.6	6.7	1.3	7.4	2.0	0.6	0.8
GLENFINLAS 220119									69 %	38 %	44 %	38 %	30 %	27%	40%	21%	45 %	33 %	34 %	32 %	29 %	24 %
CP 220155	3	CP	190104	114	93	84	112	104	111	93	96	84	89	88	101	106	116	107	108	112	102	99
BS		CP	190114	67 %	41 %	42 %	29 %	36 %	0.13	-0.1	-0.22	0.2	-1.5	-11	-3.5	-0.6	12.2	1.6	6.7	2.6	0.1	-0.6
GLENFINLAS 220155									71 %	41 %	52 %	42 %	33 %	29%	50%	22%	49 %	35 %	36 %	34 %	29 %	23 %
CP 220156	16	✓ CP	190090	126	91	74	120	113	119	91	114	74	85	80	112	114	111	105	82	108	104	114
FB		✓ CP	190073	66 %	50 %	37 %	18 %	28 %	-0.66	-0.6	-0.91	-5.3	-4.1	-22	-9.6	-2.0	9.7	1.4	-11.9	2.0	0.3	1.8
GLENFINLAS 220156									71 %	50 %	45 %	37 %	26 %	18%	39%	18%	44 %	19 %	25 %	24 %	23 %	13 %
CP 220162	3	✓ CP	190104	122	87	77	117	102	125	87	116	77	83	83	99	105	99	108	106	114	104	101
PBD		✓ CP	180081	66 %	43 %	37 %	28 %	32 %	-1.18	-2.3	-0.98	-3.5	-5.7	-18	-2.2	-0.4	4.9	1.8	5.2	2.9	0.3	-0.3
GLENFINLAS 220162									71 %	43 %	46 %	37 %	33 %	28%	41%	22%	46 %	36 %	36 %	35 %	30 %	23 %
CP 220163		✓ CP	190090	92	100	106	97	94	92	100	99	106	101	103	97	93	104	93	96	101	103	109
PBD				48 %	42 %	22 %	11 %	20 %	2.03	2.9	-0.34	11.9	6.9	10	-1.1	1.8	6.7	-0.1	-1.8	0.9	0.2	0.9
GLENFINLAS 220163									50 %	42 %	42 %	22 %	17 %	11%	30%	10%	38 %	12 %	16 %	15 %	15 %	7 %
CP 220165	10	✓ CP	190104	113	94	86	111	98	108	94	107	86	89	89	89	106	116	107	106	110	109	109
PBD		✓ CP	180151	69 %	42 %	44 %	26 %	36 %	0.46	0.4	-0.65	1.4	-1.5	-9	3.4	-0.6	12.0	1.6	4.7	2.4	0.8	1.0
GLENFINLAS 220165									73 %	42 %	53 %	44 %	30 %	26%	49%	22%	49 %	33 %	34 %	33 %	30 %	24 %
CP 220171	8	✓ CP	190104	110	95	78	116	101	106	95	114	78	87	84	87	111	116	91	106	109	101	114
FB		✓ CP	190020	64 %	41 %	41 %	32 %	38 %	0.68	0.8	-0.91	-2.7	-2.4	-16	4.8	-1.5	11.9	-0.3	5.0	2.1	0.0	1.8
GLENFINLAS 220171									67 %	41 %	54 %	41 %	36 %	32%	51%	25%	50 %	38 %	38 %	37 %	35 %	28 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
Name		Genomic DNA	Sire ID																				Dam ID	
JAPANESE BLACK																								
CP 220172  CP 190090				98	99	106	97	94	95	99	104	106	100	103	97	93	104	93	96	101	103	109		
PBD				48 %	42 %	22 %	11 %	20 %	1.71	2.5	-0.54	11.7	6.2	10	-1.1	1.8	6.7	-0.1	-1.8	0.9	0.2	0.9		
GLENFINLAS 220172				50 %	42 %	22 %	11 %	20 %	50 %	42 %	42 %	22 %	17 %	11%	30%	10%	38 %	12 %	16 %	15 %	15 %	7 %		
CP 220173  CP 190090				95	99	106	97	94	93	99	101	106	100	103	97	93	104	93	96	101	103	109		
F1				48 %	42 %	22 %	11 %	20 %	1.87	2.7	-0.44	11.8	6.6	10	-1.1	1.8	6.7	-0.1	-1.8	0.9	0.2	0.9		
GLENFINLAS 220173				50 %	42 %	22 %	11 %	20 %	50 %	42 %	42 %	22 %	17 %	11%	30%	10%	38 %	12 %	16 %	15 %	15 %	7 %		
CP 230003 2  FGW 120001				105	107	87	107	109	102	107	100	87	103	93	107	112	111	99	102	104	103	103		
FB  CP 190072				59 %	51 %	48 %	41 %	42 %	1.00	5.6	-0.39	2.1	8.2	-4	-6.7	-1.6	10.1	0.6	2.5	1.4	0.2	0.1		
GLENFINLAS 230003				59 %	51 %	48 %	41 %	42 %	59 %	51 %	58 %	48 %	42 %	41%	55%	28%	56 %	42 %	45 %	41 %	33 %	22 %		
CP 230012 1  AL 182012				116	100	89	105	97	113	100	122	89	95	95	99	97	110	115	98	119	106	93		
F2  CP 200083				63 %	48 %	38 %	24 %	30 %	-0.01	2.8	-1.23	2.6	3.1	-1	-2.0	1.0	9.7	2.7	-0.9	3.7	0.5	-1.7		
GLENFINLAS 230012				63 %	48 %	38 %	24 %	30 %	68 %	48 %	44 %	38 %	30 %	24%	38%	22%	46 %	38 %	39 %	36 %	36 %	29 %		
CP 230015 3  AL 182012				125	91	73	120	97	121	91	120	73	84	80	96	100	124	109	95	122	96	96		
FB  CP 190019				68 %	52 %	44 %	32 %	36 %	-0.78	-0.8	-1.14	-5.6	-4.8	-23	-0.6	0.6	15.3	2.0	-3.1	4.2	-0.5	-1.1		
GLENFINLAS 230015				68 %	52 %	44 %	32 %	36 %	73 %	52 %	51 %	44 %	36 %	32%	45%	28%	50 %	42 %	43 %	41 %	41 %	34 %		
CP 230019  AL 182012				101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87		
F1				46 %	42 %	27 %	23 %	26 %	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5		
GLENFINLAS 230019				46 %	42 %	27 %	23 %	26 %	49 %	42 %	34 %	27 %	26 %	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %		
CP 230021 1  AL 182012				121	89	86	112	96	118	89	122	86	86	88	98	95	117	115	89	114	105	97		
F2  CP 200148				64 %	46 %	36 %	25 %	30 %	-0.49	-1.6	-1.19	1.3	-3.6	-12	-1.5	1.4	12.6	2.7	-6.8	3.0	0.4	-1.0		
GLENFINLAS 230021				64 %	46 %	36 %	25 %	30 %	70 %	46 %	43 %	36 %	29%	25%	37%	22%	44 %	36 %	37 %	35 %	35 %	29 %		
CP 230022  AL 182012				104	112	95	96	109	101	112	115	95	109	104	114	106	114	110	101	124	101	90		
F2  CP 180066				66 %	49 %	42 %	25 %	28 %	1.14	7.9	-0.94	5.9	12.5	12	-11.2	-0.5	11.3	2.0	1.8	4.4	0.0	-2.1		
GLENFINLAS 230022				66 %	49 %	42 %	25 %	28 %	71 %	49 %	46 %	42 %	28 %	25%	36%	20%	46 %	37 %	38 %	35 %	34 %	28 %		
CP 230028 2  AL 182012				124	93	84	113	104	121	93	125	84	88	87	104	105	116	113	99	115	100	93		
F3  CP 200154				66 %	48 %	38 %	25 %	32 %	-0.82	0.2	-1.31	0.1	-1.8	-12	-5.4	-0.4	11.9	2.5	-0.1	3.2	-0.1	-1.6		
GLENFINLAS 230028				66 %	48 %	38 %	25 %	32 %	72 %	48 %	45 %	38 %	28%	25%	41%	22%	46 %	38 %	39 %	36 %	36 %	30 %		
CP 230030 1  AL 182012				117	98	87	106	97	114	98	121	87	94	94	99	97	110	115	98	119	106	93		
F2  CP 200107				65 %	48 %	38 %	24 %	30 %	-0.08	2.0	-1.15	1.7	1.9	-2	-2.1	1.0	9.5	2.7	-0.9	3.7	0.5	-1.7		
GLENFINLAS 230030				65 %	48 %	38 %	24 %	30 %	70 %	48 %	44 %	38 %	30 %	24%	38%	22%	46 %	38 %	39 %	36 %	36 %	29 %		
CP 230032 2  AL 182012				124	90	78	118	122	122	90	118	78	87	82	123	121	128	128	95	129	101	82		
PBD  CP 200035				67 %	51 %	40 %	26 %	32 %	-0.94	-1.1	-1.06	-2.8	-3.0	-19	-16.3	-3.3	17.1	4.4	-2.9	5.2	0.0	-3.4		
GLENFINLAS 230032				67 %	51 %	40 %	26 %	32 %	73 %	51 %	46 %	40 %	31 %	26%	42%	23%	47 %	41 %	42 %	40 %	39 %	31 %		
CP 230033  AL 182012				101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87		
F2  CWBFCP 180007				46 %	42 %	27 %	23 %	26 %	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5		
GLENFINLAS 230033				46 %	42 %	27 %	23 %	26 %	49 %	42 %	34 %	27 %	26 %	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %		

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
		Genomic DNA	Sire ID																				Dam ID	
JAPANESE BLACK																								
CP 230035	5	✓	AL 182012	122	91	86	113	97	118	91	121	86	89	87	104	93	119	116	96	122	96	86		
F3		✓	CP 200039	67 %	50 %	40 %	30 %	33 %	-0.54	-0.6	-1.17	1.5	-1.1	-13	-4.9	1.8	13.1	2.8	-1.7	4.2	-0.5	-2.7		
GLENFINLAS 230035									72 % 50 %		46 % 40 %		32 % 30%		42% 24% 47 %			39 % 40 % 37 % 36 % 30 %						
CP 230037		✓	AL 182012	114	96	91	106	114	111	96	119	91	95	94	119	109	117	127	95	124	100	78		
F2		✓	CP 200059	65 %	48 %	37 %	25 %	30 %	0.20	1.5	-1.10	3.9	2.7	-3	-13.8	-1.2	12.6	4.2	-2.4	4.5	-0.1	-3.9		
GLENFINLAS 230037									70 % 48 %		44 % 37 %		30 % 25%		38% 21% 46 %			40 % 41 % 38 % 38 % 30 %						
CP 230038		✓	AL 182012	101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87		
F1				46 %	42 %	27 %	23 %	26 %	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5		
GLENFINLAS 230038									49 % 42 %		34 % 27 %		26 % 23%		33% 20% 37 %			33 % 34 % 32 % 33 % 27 %						
CP 230041	3	✓	AL 182012	121	91	85	114	107	118	91	123	85	87	86	108	106	118	116	98	117	98	91		
F3		✓	CP 200118	66 %	47 %	34 %	25 %	30 %	-0.49	-0.5	-1.23	0.8	-2.6	-14	-7.5	-0.7	13.1	2.9	-0.5	3.4	-0.3	-1.9		
GLENFINLAS 230041									72 % 47 %		43 % 34 %		28 % 25%		40% 21% 46 %			38 % 39 % 36 % 36 % 30 %						
CP 230043	5	✓	AL 182012	118	98	82	113	104	113	98	115	82	94	87	104	105	115	119	92	122	100	88		
PBD		✓	CP 200051	68 %	51 %	41 %	30 %	34 %	-0.01	2.2	-0.94	-0.9	2.3	-13	-5.2	-0.4	11.7	3.2	-4.5	4.1	-0.1	-2.4		
GLENFINLAS 230043									73 % 51 %		47 % 41 %		33 % 30%		43% 25% 48 %			40 % 41 % 38 % 37 % 30 %						
CP 230045	1	✓	AL 182012	117	97	91	108	99	116	97	128	91	94	92	101	99	112	123	88	121	106	91		
F2		✓	CP 180025	66 %	48 %	40 %	25 %	29 %	-0.27	1.5	-1.42	4.2	2.3	-5	-3.2	0.7	10.3	3.7	-7.9	4.1	0.5	-2.0		
GLENFINLAS 230045									71 % 48 %		47 % 40 %		30 % 25%		37% 21% 46 %			37 % 38 % 35 % 34 % 28 %						
CP 230047		✓	FB21961	114	108	97	93	113	108	108	110	97	108	107	113	112	97	94	98	101	100	103		
F2		✓	CP 200072	60 %	38 %	36 %	12 %	20 %	0.41	6.3	-0.75	7.3	11.7	17	-10.3	-1.7	4.1	0.0	-0.4	1.0	-0.1	0.0		
GLENFINLAS 230047									66 % 38 %		38 % 36 %		22 % 12%		27% 12% 44 %			28 % 27 % 25 % 20 % 14 %						
CP 230050	6	✓	AL 182012	120	93	71	121	106	117	93	125	71	86	79	109	104	123	124	85	124	102	93		
FB		✓	CP 200056	66 %	49 %	38 %	27 %	33 %	-0.46	0.0	-1.34	-6.6	-3.4	-24	-8.4	-0.3	15.2	3.8	-10.0	4.5	0.1	-1.5		
GLENFINLAS 230050									71 % 49 %		46 % 38 %		33 % 27%		42% 24% 46 %			36 % 39 % 37 % 38 % 29 %						
CP 230051	6	✓	AL 182012	111	96	82	114	103	107	96	105	82	93	86	109	100	131	121	94	124	95	83		
F3		✓	CP 200032	70 %	51 %	41 %	31 %	34 %	0.56	1.5	-0.55	-0.9	1.4	-14	-8.0	0.5	18.4	3.5	-3.5	4.5	-0.5	-3.2		
GLENFINLAS 230051									74 % 51 %		53 % 41 %		34 % 31%		43% 24% 50 %			40 % 41 % 38 % 37 % 30 %						
CP 230054	1	✓	AL 182012	95	104	85	110	117	93	104	106	85	99	90	119	115	123	131	94	126	101	79		
F3		✓	CP 200071	66 %	49 %	39 %	25 %	32 %	1.94	4.5	-0.59	0.6	5.5	-8	-14.0	-2.2	14.9	4.8	-3.3	4.8	0.0	-3.8		
GLENFINLAS 230054									72 % 49 %		45 % 39 %		31 % 25%		41% 23% 48 %			41 % 42 % 39 % 38 % 31 %						
CP 230055		✓	AL 182012	101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87		
F1				46 %	42 %	27 %	23 %	26 %	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5		
GLENFINLAS 230055									49 % 42 %		34 % 27 %		26 % 23%		33% 20% 37 %			33 % 34 % 32 % 33 % 27 %						
CP 230056	6	✓	AL 182012	122	97	89	111	109	116	97	110	89	94	89	109	110	116	117	96	119	98	87		
PBD		✓	CP 200036	68 %	50 %	38 %	32 %	35 %	-0.28	1.8	-0.76	2.7	2.1	-9	-7.8	-1.3	12.0	3.0	-1.9	3.7	-0.3	-2.6		
GLENFINLAS 230056									74 % 50 %		47 % 38 %		34 % 32%		44% 26% 48 %			40 % 41 % 38 % 36 % 29 %						

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 230057	1	✓ AL	182012	119	96	77	118	100	113	96	113	77	89	82	99	102	123	117	88	115	108	100
PBD		✓ CP	200182	66 %	46 %	33 %	25 %	32 %	-0.03	1.4	-0.86	-3.6	-1.5	-19	-2.2	0.1	14.9	2.9	-7.5	3.1	0.7	-0.5
GLENFINLAS 230057									72 %	46 %	45 %	33 %	30 %	25%	41%	24%	45 %	38 %	39 %	36 %	36 %	29 %
CP 230065	3	✓ AL	182012	105	99	84	111	101	101	99	107	84	95	89	110	95	121	123	97	125	96	81
F2		✓ CP	170047	67 %	51 %	44 %	28 %	30 %	1.15	2.6	-0.64	0.4	3.1	-9	-8.9	1.3	14.2	3.7	-1.2	4.6	-0.4	-3.5
GLENFINLAS 230065									72 %	51 %	49 %	44 %	32 %	28%	39%	22%	47 %	40 %	41 %	38 %	36 %	29 %
CP 230071	3	✓ AL	182012	109	95	82	112	96	105	95	105	82	91	88	107	90	125	123	97	125	96	81
PBD		✓ CP	170032	67 %	51 %	43 %	28 %	31 %	0.72	0.7	-0.56	-1.0	0.4	-11	-7.0	2.4	15.7	3.7	-1.2	4.6	-0.4	-3.5
GLENFINLAS 230071									72 %	51 %	50 %	43 %	32 %	28%	40%	22%	47 %	40 %	41 %	38 %	36 %	29 %
CP 230085		✓ CP	180072	96	94	100	106	99	105	94	57	100	102	94	97	100	94	108	89	108	98	97
F1				57 %	27 %	31 %	15 %	18 %	0.70	0.5	1.22	8.5	8.0	-3	-1.2	0.4	2.7	1.8	-7.3	2.0	-0.3	-1.0
GLENFINLAS 230085									63 %	27 %	35 %	31 %	20 %	15%	22%	14%	28 %	22 %	22 %	21 %	19 %	15 %
CP 230087			CP 190208	94	95	104	108	96	101	95	68	104	101	92	89	101	89	104	92	100	106	104
PEN				55 %	23 %	28 %	8 %	12 %	1.10	1.0	0.83	10.6	7.3	-5	3.5	0.4	0.4	1.3	-4.6	0.8	0.5	0.1
GLENFINLAS 230087									62 %	23 %	29 %	28 %	13 %	8 %	17%	8%	26 %	16 %	15 %	15 %	11 %	8 %
CP 230090		✓ CP	190046	89	100	102	105	99	99	100	62	102	107	95	96	100	88	108	89	108	98	97
PEN				56 %	23 %	23 %	15 %	18 %	1.36	2.9	1.03	9.6	11.3	-1	-0.8	0.5	-0.1	1.8	-7.3	2.0	-0.3	-1.0
GLENFINLAS 230090									62 %	23 %	31 %	23 %	20 %	15%	21%	14%	28 %	22 %	22 %	21 %	19 %	15 %
CP 230101		✓ AL	182012	101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87
F1				46 %	42 %	27 %	23 %	26 %	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5
GLENFINLAS 230101									49 %	42 %	34 %	27 %	26 %	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %
CP 230105		✓ CP	180105	106	100	108	100	98	110	100	72	108	106	100	90	105	92	102	98	103	106	101
PEN				57 %	26 %	30 %	7 %	14 %	0.23	2.9	0.66	12.9	10.7	7	3.2	-0.4	1.9	1.0	-0.4	1.2	0.5	-0.3
GLENFINLAS 230105									63 %	26 %	33 %	30 %	16 %	7 %	20%	9%	28 %	19 %	19 %	18 %	14 %	9 %
CP 230107	1	✓ CP	190089	108	99	83	108	121	104	99	104	83	96	92	121	119	116	116	94	108	109	101
PBD		✓ CP	200063	65 %	44 %	35 %	17 %	27 %	0.82	2.7	-0.53	-0.5	3.3	-5	-15.2	-2.9	12.2	2.8	-3.7	2.0	0.8	-0.4
GLENFINLAS 230107									71 %	44 %	44 %	35 %	28 %	17%	38%	16%	46 %	29 %	31 %	29 %	27 %	17 %
CP 230110	2	✓ CP	190089	114	100	84	105	98	109	100	112	84	97	95	103	94	109	105	87	106	107	109
F2		✓ CP	190049	64 %	44 %	38 %	21 %	28 %	0.38	2.9	-0.82	0.3	4.4	-1	-4.8	1.6	8.9	1.5	-8.2	1.7	0.6	1.0
GLENFINLAS 230110									69 %	44 %	44 %	38 %	30 %	21%	36%	19%	44 %	27 %	29 %	28 %	27 %	18 %
CP 230111		✓ CP	190089	112	94	91	108	102	109	94	96	91	96	92	101	103	106	104	92	103	106	106
PBD		✓ CP	180073	63 %	41 %	37 %	14 %	20 %	0.32	0.5	-0.24	4.1	3.9	-5	-3.4	0.0	7.6	1.3	-5.0	1.2	0.5	0.5
GLENFINLAS 230111									68 %	41 %	42 %	37 %	22 %	14%	29%	12%	40 %	16 %	20 %	19 %	19 %	10 %
CP 230116		✓ CP	190089	103	103	92	102	114	100	103	105	92	101	98	117	111	113	111	95	106	109	99
F2		✓ CP	200005	63 %	42 %	33 %	16 %	24 %	1.23	4.1	-0.55	4.2	7.1	4	-12.6	-1.4	10.9	2.2	-2.8	1.6	0.7	-0.6
GLENFINLAS 230116									69 %	42 %	41 %	33 %	27 %	16%	34%	14%	44 %	27 %	30 %	28 %	26 %	16 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 230118		✓	CP 200042	94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
F1				40 %	30 %	17 %	12 %	15 %	1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS 230118									45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %
CP 230119		✓	CP 200042	94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
F1				40 %	30 %	17 %	12 %	15 %	1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS 230119									45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %
CP 230120	3	✓	CP 190089	106	97	89	105	100	103	97	105	89	94	95	100	100	111	106	96	103	110	111
F2		✓	CP 190182	64 %	43 %	37 %	18 %	26 %	0.97	1.7	-0.56	2.9	2.3	-1	-3.0	0.5	9.8	1.5	-2.1	1.3	0.9	1.2
GLENFINLAS 230120									69 %	43 %	44 %	37 %	27 %	18%	35%	16%	44 %	24 %	27 %	25 %	23 %	15 %
CP 230121	4	✓	CP 200042	110	99	79	114	101	106	99	105	79	93	86	93	108	118	97	110	105	100	105
FB		✓	CP 190020	65 %	43 %	36 %	25 %	29 %	0.68	2.5	-0.59	-2.6	1.6	-14	1.0	-1.0	12.8	0.4	7.8	1.5	-0.1	0.4
GLENFINLAS 230121									71 %	43 %	42 %	36 %	33 %	25%	36%	22%	43 %	35 %	35 %	34 %	32 %	25 %
CP 230124	3	✓	CP 200042	105	100	93	105	92	101	100	108	93	97	95	91	94	106	105	107	99	111	104
F2		✓	CP 190203	61 %	35 %	22 %	15 %	19 %	1.15	2.9	-0.68	5.0	4.4	-1	2.4	1.6	7.8	1.4	5.7	0.6	0.9	0.2
GLENFINLAS 230124									68 %	35 %	34 %	22 %	24 %	15%	25%	13%	38 %	27 %	28 %	26 %	24 %	18 %
CP 230125	4	✓	CP 200042	112	98	75	117	112	108	98	116	75	92	83	111	113	115	112	100	107	106	102
FB		✓	CP 190073	64 %	41 %	35 %	18 %	25 %	0.42	1.9	-0.98	-4.6	0.9	-18	-9.2	-1.9	11.7	2.3	0.9	1.8	0.5	-0.1
GLENFINLAS 230125									70 %	41 %	40 %	35 %	30 %	18%	32%	18%	40 %	27 %	30 %	29 %	28 %	19 %
CP 230129		✓	CP 170068	111	86	105	107	103	116	86	70	105	95	93	96	108	91	108	97	106	101	98
PEN				57 %	26 %	31 %	11 %	15 %	-0.29	-2.5	0.75	11.4	3.1	-3	-0.4	-1.0	1.4	1.9	-1.1	1.6	0.0	-0.8
GLENFINLAS 230129									63 %	26 %	35 %	31 %	16 %	11%	20%	10%	29 %	18 %	18 %	17 %	14 %	12 %
CP 230131		✓	CP 190192	115	88	94	114	94	119	88	71	94	93	86	81	104	97	103	89	99	108	108
PEN				54 %	22 %	26 %	10 %	17 %	-0.60	-1.8	0.69	5.4	1.7	-14	8.0	-0.3	4.1	1.2	-6.8	0.6	0.6	0.8
GLENFINLAS 230131									61 %	22 %	29 %	26 %	15 %	10%	23%	11%	27 %	18 %	17 %	17 %	14 %	10 %
CP 230133	2	✓	CP 200042	120	96	88	105	96	114	96	109	88	95	95	100	93	107	109	103	107	103	97
F2		✓	CP 190063	63 %	41 %	35 %	19 %	24 %	-0.08	1.2	-0.72	2.3	3.1	-1	-2.8	1.7	8.2	1.9	3.1	1.8	0.2	-0.9
GLENFINLAS 230133									69 %	41 %	39 %	35 %	29 %	19%	30%	18%	40 %	31 %	32 %	30 %	28 %	22 %
CP 230135	2	✓	CP 190089	126	98	77	110	94	122	98	103	77	93	90	99	91	112	110	94	108	107	104
F3		✓	CP 190071	65 %	45 %	36 %	21 %	29 %	-0.85	2.2	-0.49	-3.3	1.4	-8	-2.2	2.0	10.4	2.1	-3.3	2.1	0.6	0.2
GLENFINLAS 230135									70 %	45 %	45 %	36 %	30 %	21%	40%	18%	47 %	29 %	31 %	29 %	24 %	14 %
CP 230137	1	✓	CP 190089	116	105	96	99	97	111	105	113	96	102	101	99	97	109	100	94	101	106	107
F2		✓	CP 210011	62 %	60 %	35 %	24 %	26 %	0.19	5.0	-0.88	6.4	8.1	8	-2.4	1.1	9.1	0.8	-3.3	1.0	0.5	0.7
GLENFINLAS 230137									68 %	60 %	40 %	35 %	29 %	24%	36%	17%	44 %	26 %	29 %	27 %	24 %	14 %
CP 230140		✓	CP 190201	104	93	105	107	95	109	93	71	105	99	93	88	101	89	104	92	100	106	104
PEN				55 %	20 %	23 %	8 %	12 %	0.33	0.0	0.71	11.3	5.9	-4	3.8	0.4	0.3	1.3	-4.6	0.8	0.5	0.1
GLENFINLAS 230140									62 %	20 %	29 %	23 %	13 %	8 %	15%	8%	26 %	16 %	15 %	15 %	11 %	8 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
CP 230141	15	✓ CP 190089	CP 190089	117	86	70	124	109	111	86	110	70	81	76	112	107	122	102	82	108	102	115
FB		✓ CP 200043	CP 200043	0.17	-2.7	-0.75	-7.3	-6.7	-28	-9.6	-0.8	14.6	1.1	-11.7	2.0	0.1	2.0	24 %	29 %	27 %	27 %	15 %
GLENFINLAS 230141				65 %	61 %	38 %	21 %	30 %	70 %	61 %	44 %	38 %	32 %	21%	40%	19%	46 %					
CP 230143		✓ CP 170001	CP 170001	110	92	100	109	103	126	92	63	100	100	91	94	110	96	107	84	106	97	101
PEN				-1.26	-0.3	1.01	8.5	6.2	-6	0.8	-1.3	3.4	1.7	-10.4	1.7	-0.4	-0.3	27 %	27 %	25 %	20 %	15 %
GLENFINLAS 230143				59 %	29 %	33 %	17 %	23 %	65 %	29 %	36 %	33 %	21 %	17%	28%	18%	32 %					
CP 230144	1	✓ CP 190089	CP 190089	106	112	93	96	96	101	112	110	93	106	104	94	99	108	99	97	100	115	114
F2		✓ CP 190130	CP 190130	1.13	7.6	-0.76	5.2	10.5	12	0.5	0.8	8.5	0.7	-1.4	0.8	1.3	1.7	25 %	27 %	26 %	23 %	13 %
GLENFINLAS 230144				63 %	60 %	38 %	16 %	25 %	69 %	60 %	42 %	38 %	27 %	16%	35%	15%	46 %					
CP 230145	1	✓ CP 190089	CP 190089	118	123	89	91	103	113	123	114	89	114	109	97	107	111	103	94	102	113	113
F2		✓ CP 200110	CP 200110	-0.05	12.2	-0.92	2.9	16.1	19	-1.0	-0.8	9.9	1.2	-3.7	1.1	1.2	1.5	25 %	27 %	26 %	23 %	13 %
GLENFINLAS 230145				66 %	59 %	35 %	16 %	27 %	72 %	59 %	43 %	35 %	27 %	16%	38%	16%	46 %					
CP 230146	2	✓ CP 190089	CP 190089	113	95	82	107	98	108	95	107	82	94	93	104	94	110	105	87	106	107	109
F2		✓ CP 190099	CP 190099	0.44	1.1	-0.64	-0.8	1.9	-4	-5.0	1.6	9.4	1.5	-8.2	1.7	0.6	1.0	27 %	29 %	28 %	27 %	18 %
GLENFINLAS 230146				65 %	64 %	41 %	21 %	28 %	71 %	64 %	44 %	41 %	30 %	21%	36%	19%	46 %					
CP 230154	4	✓ CP 200042	CP 200042	106	107	98	99	96	101	107	109	98	103	101	93	100	114	104	114	103	105	101
F2		✓ CP 190014	CP 190014	1.13	5.8	-0.71	7.4	8.5	7	1.2	0.5	11.1	1.3	10.8	1.3	0.4	-0.3	27 %	27 %	26 %	25 %	19 %
GLENFINLAS 230154				62 %	59 %	37 %	16 %	20 %	68 %	59 %	39 %	37 %	24 %	16%	25%	14%	40 %					
CP 230155	3	✓ CP 200042	CP 200042	106	95	84	112	104	107	95	89	84	93	88	106	102	119	112	112	108	100	90
PBD		✓ CP 190114	CP 190114	0.57	0.9	0.04	0.3	1.8	-11	-6.5	0.1	13.4	2.4	9.5	2.0	-0.1	-2.0	32 %	33 %	31 %	26 %	19 %
GLENFINLAS 230155				63 %	60 %	38 %	21 %	26 %	69 %	60 %	41 %	38 %	30 %	21%	34%	18%	43 %					
CP 230157		✓ CP 200042	CP 200042	94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
F1				1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	22 %	23 %	22 %	21 %	16 %
GLENFINLAS 230157				40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %					
CP 230159	2	✓ CP 200042	CP 200042	110	96	91	111	109	110	96	90	91	95	89	103	114	114	103	115	100	101	96
PBD		✓ CP 170046	CP 170046	0.30	1.3	-0.01	4.1	2.9	-9	-4.7	-2.1	11.2	1.1	11.5	0.8	0.0	-1.1	31 %	31 %	29 %	26 %	19 %
GLENFINLAS 230159				65 %	60 %	41 %	19 %	26 %	71 %	60 %	42 %	41 %	27 %	19%	33%	19%	44 %					
CP 230260	2	CP 200042	CP 200042	111	94	81	110	97	106	94	107	81	93	90	103	94	106	109	103	107	103	97
F2		CP 190038	CP 190038	0.62	0.4	-0.65	-1.5	1.8	-8	-4.7	1.6	7.7	1.9	3.1	1.8	0.2	-0.9	31 %	32 %	30 %	28 %	22 %
GLENFINLAS 230260				63 %	41 %	36 %	19 %	24 %	69 %	41 %	39 %	36 %	29 %	19%	30%	18%	40 %					
CP 230262	2	CP 200042	CP 200042	105	99	89	105	97	103	99	96	89	97	95	104	94	110	110	113	108	100	90
PEN		CP 190055	CP 190055	0.90	2.4	-0.25	3.0	4.5	-1	-5.0	1.6	9.5	2.1	9.7	2.0	-0.1	-2.0	31 %	32 %	30 %	25 %	18 %
GLENFINLAS 230262				63 %	39 %	32 %	19 %	22 %	69 %	39 %	39 %	32 %	30 %	19%	29%	15%	39 %					
CP 230263		CP 190042	CP 190042	100	97	103	105	99	107	97	67	103	105	95	96	100	88	108	89	108	98	97
PEN				0.54	1.8	0.86	10.2	9.8	-1	-0.7	0.5	0.0	1.8	-7.3	2.0	-0.3	-1.0	22 %	22 %	21 %	19 %	15 %
GLENFINLAS 230263				56 %	25 %	28 %	15 %	18 %	62 %	25 %	31 %	28 %	20 %	15%	21%	14%	28 %					

WAGYU Cows

Inbreeding >6% is high			<75		75 - 125	>125	Breeding values with an accuracy < 5% are not printed														
Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																					
CP 240006	2	CP 190090	113 64 %	103 64 %	89 39 %	104 18 %	96 28 %	107 0.52 69 %	103 4.2 64 %	108 -0.69 44 %	89 2.9 39 %	99 5.8 26 %	96 1 18%	99 -2.4 37%	94 1.7 18%	98 4.5 45 %	102 1.0 25 %	85 -9.7 27 %	108 2.0 26 %	101 0.0 24 %	109 1.0 17 %
PEN		CP 190075																			
GLENFINLAS 240006																					
CP 240009	2	CP 200052	127 61 %	65 64 %	91 32 %	131 10 %	99 17 %	121 -0.81 69 %	65 -11.0 64 %	103 -0.51 29 %	91 3.8 32 %	70 -14.6 14 %	69 -38 10%	104 -5.2 26%	96 1.2 8%	101 5.7 37 %	101 1.0 20 %	102 2.1 21 %	100 0.8 19 %	100 -0.1 19 %	103 0.0 13 %
F3		CP 210044																			
GLENFINLAS 240009																					
CP 240010	3	CP 200046	91 62 %	114 62 %	76 35 %	101 20 %	110 24 %	91 2.09 69 %	114 8.5 62 %	97 -0.28 36 %	76 -4.0 35 %	105 10.2 29 %	99 5 20%	108 -7.4 32%	112 -1.6 17%	107 8.3 43 %	104 1.3 30 %	95 -2.8 31 %	113 2.8 29 %	92 -0.9 28 %	101 -0.4 21 %
PBD		CP 210003																			
GLENFINLAS 240010																					
CP 240014	1	CP 200052	116 63 %	108 63 %	92 38 %	102 17 %	104 24 %	131 -1.79 69 %	108 6.2 63 %	114 -0.90 39 %	92 4.5 38 %	103 8.4 24 %	98 4 17%	104 -5.4 30%	104 -0.2 17%	95 3.0 42 %	107 1.6 27 %	93 -4.1 27 %	107 1.8 26 %	102 0.1 23 %	103 0.0 17 %
F3		CP 190059																			
GLENFINLAS 240014																					
CP 240015		CP 180115	106 55 %	102 55 %	108 32 %	99 11 %	100 14 %	111 0.13 61 %	102 3.9 55 %	69 0.78 32 %	108 13.0 32 %	107 11.6 16 %	101 8 11%	92 2.0 17%	106 -0.5 10%	95 2.9 30 %	108 1.9 18 %	97 -1.1 18 %	106 1.6 17 %	101 0.0 14 %	98 -0.8 12 %
PEN																					
GLENFINLAS 240015																					
CP 240022	2	CP 200052	120 61 %	73 64 %	94 32 %	125 10 %	97 18 %	128 -1.51 69 %	73 -8.0 64 %	109 -0.71 30 %	94 5.4 32 %	76 -10.6 15 %	75 -29 10%	102 -4.1 26%	95 1.4 9%	101 5.6 38 %	104 1.3 21 %	101 1.3 21 %	101 0.9 20 %	100 -0.1 19 %	102 -0.1 14 %
F3		CP 210064																			
GLENFINLAS 240022																					
CP 240024		CP 210027	97 56 %	102 57 %	102 33 %	105 20 %	106 20 %	106 0.68 63 %	102 3.9 57 %	61 1.09 30 %	102 9.5 33 %	108 12.3 20 %	95 -1 20%	100 -3.0 27%	110 -1.3 13%	93 2.2 32 %	109 1.9 22 %	92 -5.1 22 %	109 2.2 20 %	94 -0.7 15 %	92 -1.7 11 %
PEN																					
GLENFINLAS 240024																					
CP 240025		CP 210205	104 56 %	101 57 %	102 31 %	104 20 %	101 20 %	110 0.27 63 %	101 3.4 57 %	69 0.77 30 %	102 9.9 31 %	107 11.0 20 %	96 1 20%	95 0.2 26%	107 -0.7 13%	94 2.5 32 %	104 1.3 22 %	95 -2.8 23 %	105 1.5 21 %	100 -0.1 16 %	97 -0.9 11 %
PEN																					
GLENFINLAS 240025																					
CP 240027		CP 190090	94 43 %	100 42 %	106 22 %	97 11 %	94 20 %	93 1.93 46 %	100 2.8 42 %	101 -0.40 31 %	106 11.8 22 %	100 6.7 17 %	103 10 11%	97 -1.1 30%	93 1.8 10%	92 1.9 33 %	93 -0.1 12 %	96 -1.8 16 %	101 0.9 15 %	103 0.2 15 %	109 0.9 7 %
PEN																					
GLENFINLAS 240027																					
CP 240029	1	CP 200052	121 61 %	84 63 %	92 31 %	118 11 %	106 18 %	115 -0.20 69 %	84 -3.4 63 %	106 -0.62 30 %	92 4.6 31 %	85 -3.9 16 %	82 -20 11%	108 -7.6 26%	104 -0.3 9%	101 5.7 38 %	100 0.7 22 %	101 1.8 23 %	98 0.4 20 %	102 0.1 19 %	104 0.2 13 %
F3		CP 210193																			
GLENFINLAS 240029																					
CP 240031		CP 190090	94 43 %	100 42 %	106 22 %	97 11 %	94 20 %	93 1.93 46 %	100 2.8 42 %	101 -0.40 31 %	106 11.8 22 %	100 6.7 17 %	103 10 11%	97 -1.1 30%	93 1.8 10%	92 1.9 33 %	93 -0.1 12 %	96 -1.8 16 %	101 0.9 15 %	103 0.2 15 %	109 0.9 7 %
PEN																					
GLENFINLAS 240031																					
CP 240032	1	CP 190090	113 63 %	90 61 %	87 33 %	113 14 %	94 24 %	108 0.48 69 %	90 -1.1 61 %	108 -0.68 40 %	87 1.9 33 %	87 -2.7 22 %	87 -13 14%	93 1.0 34%	96 1.2 13%	107 8.1 42 %	95 0.2 19 %	86 -8.8 22 %	98 0.5 21 %	108 0.6 19 %	118 2.4 12 %
F2		CP 200148																			
GLENFINLAS 240032																					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
		Genomic DNA	Sire ID																				
Name			Dam ID																				
JAPANESE BLACK																							
CP 240034	2	✓	CP 200052	124	84	95	116	97	118	84	106	95	87	84	100	95	99	99	102	101	102	101	
F3		✓	CP 210180	-0.50	-3.3	-0.60	5.8	-3.0	-16	-3.0	1.3	4.9	0.7	2.1	1.0	0.1	-0.3	26 %	27 %	24 %	20 %	13 %	
GLENFINLAS 240034				63 %	65 %	35 %	21 %	22 %	70 %	65 %	34 %	35 %	23 %	21%	30%	14%	40 %						
CP 240035	1	✓	CP 200052	118	75	95	120	95	113	75	105	95	79	80	102	92	96	99	101	101	99	103	
F3		✓	CP 210192	-0.03	-7.1	-0.56	6.0	-8.2	-22	-4.0	2.0	3.4	0.7	1.8	0.9	-0.2	0.0	20 %	20 %	19 %	17 %	13 %	
GLENFINLAS 240035				61 %	64 %	31 %	12 %	18 %	69 %	64 %	30 %	31 %	18 %	12%	26%	10%	38 %						
CP 240036	1	✓	CP 200052	118	76	102	117	94	113	76	101	102	83	83	100	91	100	98	103	101	99	99	
PBD		✓	CP 210233	-0.06	-6.7	-0.43	9.7	-5.6	-18	-2.7	2.1	5.1	0.6	2.6	0.9	-0.2	-0.7	24 %	25 %	22 %	19 %	13 %	
GLENFINLAS 240036				59 %	62 %	32 %	21 %	19 %	67 %	62 %	30 %	32 %	22 %	21%	25%	13%	36 %						
CP 240038	3	✓	CP 190069	115	99	79	114	101	110	99	104	79	91	86	97	105	127	98	86	102	104	119	
PBD		✓	CP 200167	0.23	2.5	-0.53	-2.3	0.0	-13	-1.3	-0.4	16.7	0.5	-9.3	1.0	0.3	2.5	25 %	27 %	26 %	24 %	16 %	
GLENFINLAS 240038				63 %	61 %	35 %	19 %	26 %	70 %	61 %	38 %	35 %	27 %	19%	33%	18%	43 %						
CP 240041		✓	SWK 210153	103	92	96	103	111	101	92	98	96	96	97	115	107	111	122	103	107	109	87	
F2		✓	CP 200057	1.09	-0.2	-0.31	6.5	3.3	3	-11.9	-0.8	10.0	3.6	2.8	1.8	0.8	-2.5	32 %	32 %	30 %	29 %	23 %	
GLENFINLAS 240041				62 %	63 %	37 %	22 %	22 %	68 %	63 %	37 %	37 %	39 %	22%	30%	13%	44 %						
CP 240042		✓	CP 190090	105	113	96	93	108	102	113	104	96	109	107	109	107	104	90	99	108	103	111	
F2		✓	CP 180066	1.05	8.1	-0.52	6.5	12.7	16	-8.0	-0.7	6.7	-0.4	-0.2	1.9	0.2	1.3	20 %	23 %	21 %	16 %	9 %	
GLENFINLAS 240042				64 %	63 %	39 %	14 %	22 %	70 %	63 %	43 %	39 %	20 %	14%	33%	10%	44 %						
CP 240043		✓	CP 210070	107	83	101	118	102	114	83	63	101	92	82	97	106	92	105	94	103	100	99	
PEN				-0.13	-3.8	0.99	9.0	0.7	-19	-1.2	-0.7	1.8	1.5	-3.2	1.2	-0.1	-0.6	17 %	17 %	16 %	14 %	11 %	
GLENFINLAS 240043				55 %	57 %	29 %	5 %	14 %	63 %	57 %	25 %	29 %	10 %	5 %	23%	6%	29 %						
CP 240047	3	✓	SWK 210153	119	99	81	107	96	114	99	103	81	94	93	91	100	120	104	102	105	105	105	
FB		✓	CP 190026	-0.15	2.7	-0.49	-1.6	2.4	-4	2.1	0.5	13.9	1.3	2.1	1.5	0.3	0.4	35 %	35 %	34 %	33 %	27 %	
GLENFINLAS 240047				66 %	66 %	45 %	30 %	30 %	71 %	66 %	47 %	45 %	44 %	30%	39%	22%	47 %						
CP 240054	1	✓	CP 200052	114	78	97	116	96	132	78	116	97	81	84	103	93	97	99	101	101	99	103	
F3		✓	CP 210232	-1.84	-5.8	-0.98	7.0	-7.1	-16	-4.4	1.8	3.9	0.7	1.8	0.9	-0.2	0.0	20 %	20 %	19 %	17 %	13 %	
GLENFINLAS 240054				61 %	64 %	31 %	12 %	18 %	69 %	64 %	29 %	31 %	18 %	12%	26%	10%	38 %						
CP 240055	2	✓	CP 200052	119	104	97	103	95	113	104	105	97	101	97	100	93	102	103	102	105	97	96	
F3		✓	CP 210198	-0.07	4.5	-0.59	7.0	7.3	2	-3.1	1.8	6.2	1.2	1.9	1.5	-0.4	-1.2	26 %	27 %	24 %	20 %	13 %	
GLENFINLAS 240055				62 %	64 %	34 %	22 %	22 %	70 %	64 %	33 %	34 %	24 %	22%	30%	15%	40 %						
CP 240056			CP 200052	118	99	97	105	115	113	99	102	97	100	95	120	111	102	99	107	108	102	98	
F3			CP 210022	-0.05	2.3	-0.47	6.9	6.1	0	-14.3	-1.5	6.0	0.7	5.9	2.0	0.1	-0.8	24 %	24 %	21 %	16 %	11 %	
GLENFINLAS 240056				61 %	63 %	30 %	12 %	16 %	69 %	63 %	30 %	30 %	16 %	12%	25%	8%	39 %						
CP 240058		✓	CP 200016	103	85	95	119	122	113	85	52	95	94	81	112	128	100	103	97	101	95	97	
F1				-0.04	-3.2	1.42	5.9	2.3	-21	-9.7	-4.6	5.4	1.2	-1.5	0.9	-0.5	-0.9	17 %	17 %	15 %	14 %	10 %	
GLENFINLAS CP240058				35 %	23 %	21 %	8 %	16 %	37 %	23 %	29 %	21 %	10 %	8 %	23%	10%	26 %						

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 240060		✓	CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109
F1				43 %	42 %	22 %	11 %	20 %	1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9
GLENFINLAS 240060									46 %	42 %	31 %	22 %	17 %	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %
CP 240063		✓	CP 200052	105	88	114	102	91	102	88	101	114	94	98	97	88	86	95	107	98	102	100
F1				37 %	39 %	14 %	7 %	10 %	1.03	-1.9	-0.42	16.4	2.4	4	-1.4	2.7	-0.7	0.1	5.5	0.5	0.1	-0.5
GLENFINLAS 240063									42 %	39 %	16 %	14 %	10 %	7 %	14%	6%	25 %	13 %	14 %	12 %	12 %	8 %
CP 240065	3	✓	SWK 210153	116	86	86	107	96	112	86	100	86	89	93	105	92	107	116	95	107	108	97
F2		✓	CP 190038	64 %	64 %	42 %	25 %	26 %	0.08	-2.8	-0.38	1.3	-1.4	-4	-5.6	2.0	8.4	2.8	-2.6	1.8	0.6	-0.9
GLENFINLAS 240065									70 %	64 %	42 %	42 %	40 %	25%	33%	18%	44 %	32 %	32 %	30 %	29 %	24 %
CP 240066	2	✓	CP 190090	107	103	86	107	99	103	103	105	86	98	93	98	101	105	98	91	105	103	110
F3		✓	CP 200054	66 %	64 %	39 %	23 %	28 %	0.96	4.2	-0.56	1.3	5.1	-4	-1.5	0.3	7.2	0.5	-5.3	1.5	0.2	1.1
GLENFINLAS 240066									72 %	64 %	44 %	39 %	26 %	23%	40%	17%	46 %	25 %	28 %	26 %	21 %	13 %
CP 240068		✓	CP 190055	67	110	101	98	100	82	110	50	101	114	102	100	101	93	110	98	109	96	90
PEN				56 %	54 %	29 %	15 %	16 %	3.01	6.9	1.47	9.3	16.3	9	-2.6	0.3	2.1	2.0	-0.7	2.1	-0.5	-2.1
GLENFINLAS 240070									62 %	54 %	32 %	29 %	20 %	15%	21%	10%	31 %	22 %	22 %	20 %	14 %	9 %
CP 240073		✓	CP 200173	101	79	95	121	89	109	79	62	95	87	79	77	99	97	104	86	98	108	109
PEN				54 %	53 %	26 %	10 %	16 %	0.38	-5.3	1.05	6.0	-2.8	-24	10.8	0.8	4.0	1.3	-9.0	0.4	0.7	1.0
GLENFINLAS 240073									62 %	53 %	25 %	26 %	14 %	10%	22%	9%	29 %	17 %	17 %	16 %	13 %	10 %
CP 240074	2	✓	CP 190090	108	101	85	106	100	106	101	97	85	96	94	105	96	110	103	94	109	99	102
F2		✓	CP 170047	66 %	65 %	41 %	18 %	26 %	0.64	3.4	-0.27	0.9	3.9	-3	-5.7	1.1	9.5	1.2	-3.2	2.2	-0.2	-0.1
GLENFINLAS 240074									71 %	65 %	46 %	41 %	26 %	18%	37%	15%	46 %	25 %	27 %	25 %	20 %	12 %
CP 240076	2		CP 200052	122	88	93	113	95	126	88	107	93	89	87	101	92	100	103	102	105	97	96
F3			CP 210032	63 %	65 %	35 %	22 %	22 %	-1.29	-1.8	-0.66	5.0	-1.4	-13	-3.7	1.9	5.1	1.2	1.9	1.5	-0.4	-1.2
GLENFINLAS 240076									70 %	65 %	34 %	35 %	24 %	22%	30%	15%	40 %	26 %	27 %	24 %	20 %	13 %
CP 240077		✓	CP 210087	89	109	109		98	98	109	63	109	113		91		91	104	95	102	98	97
PEN				52 %	54 %	26 %		9 %	1.38	6.4	0.99	13.2	15.6		2.3		1.1	1.3	-2.7	1.1	-0.3	-1.0
GLENFINLAS 240077									60 %	54 %	22 %	26 %	6 %		15%		26 %	13 %	14 %	13 %	13 %	10 %
CP 240078	3	✓	CP 190090	110	98	94	106	97	106	98	112	94	94	94	94	100	109	97	96	104	103	113
F2		✓	CP 190009	63 %	63 %	38 %	15 %	23 %	0.68	2.2	-0.85	5.3	2.0	-3	0.5	0.4	8.9	0.4	-2.0	1.4	0.2	1.6
GLENFINLAS 240078									69 %	63 %	42 %	38 %	21 %	15%	33%	13%	43 %	19 %	22 %	21 %	19 %	13 %
CP 240083	1	✓	CP 200052	108	77	93	123	98	106	77	97	93	82	77	103	96	102	104	97	103	102	100
F3		✓	CP 210045	62 %	64 %	34 %	21 %	22 %	0.69	-6.5	-0.28	4.8	-6.5	-27	-4.8	1.2	6.1	1.3	-1.4	1.2	0.1	-0.4
GLENFINLAS 240083									70 %	64 %	33 %	34 %	23 %	21%	29%	14%	40 %	25 %	26 %	23 %	19 %	13 %
CP 240084	2	✓	CP 200052	124	64	92	131	97	124	64	104	92	70	69	104	94	102	99	104	101	98	101
F3		✓	CP 210069	62 %	64 %	31 %	8 %	16 %	-1.06	-11.6	-0.53	4.6	-14.6	-39	-5.1	1.7	6.1	0.7	3.3	0.9	-0.3	-0.3
GLENFINLAS 240084									70 %	64 %	30 %	31 %	13 %	8 %	26%	7%	37 %	19 %	20 %	18 %	18 %	13 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																							
CP 240086	2	✓	CP 190090		113	91	84	116	103	110	91	101	84	89	84	99	106	105	100	90	106	102	109
PBD		✓	CP 200051		66 %	64 %	38 %	23 %	29 %	0.28	-0.7	-0.41	0.2	-1.2	-17	-2.5	-0.5	7.2	0.7	-6.5	1.6	0.1	1.0
GLENFINLAS 240086										72 %	64 %	45 %	38 %	26 %	23%	40%	18%	46 %	25 %	28 %	26 %	21 %	13 %
CP 240088		✓	BA 150369		112	101	76	112	128	108	101	113	76	95	88	129	125	119	126	92	116	107	90
PBD		✓	CP 200011		69 %	50 %	45 %	25 %	34 %	0.50	3.5	-0.86	-3.9	3.2	-11	-19.6	-4.1	13.3	4.1	-4.6	3.3	0.6	-2.0
GLENFINLAS 240088										73 %	50 %	52 %	45 %	40 %	25%	44%	23%	56 %	52 %	51 %	49 %	43 %	32 %
CP 240095		✓	FB12909		104	121	91	84	112	105	121	88	91	118	116	109	113	93	95	105	113	99	98
F2		✓	CP 170065		61 %	57 %	35 %	14 %	20 %	0.78	11.5	0.06	4.0	18.9	29	-8.3	-1.9	2.2	0.1	4.5	2.7	-0.2	-0.7
GLENFINLAS 240095										67 %	57 %	40 %	35 %	25 %	14%	29%	11%	43 %	28 %	28 %	26 %	22 %	15 %
CP 240096	2	✓	CP 190090		119	95	87	112	95	113	95	109	87	92	88	98	94	111	96	94	106	99	107
F3		✓	CP 200039		66 %	63 %	37 %	22 %	28 %	0.02	0.8	-0.72	2.0	0.8	-11	-1.5	1.6	9.8	0.3	-3.7	1.7	-0.2	0.6
GLENFINLAS CP 240096										72 %	63 %	44 %	37 %	26 %	22%	40%	17%	46 %	24 %	27 %	25 %	21 %	13 %
CP 240097		✓	CP 190069		86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1					40 %	40 %	23 %	16 %	18 %	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240097										44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CP 240098	2	✓	CP 190069		81	100	82	111	120	83	100	98	82	96	89	122	118	124	109	92	111	99	100
F1			CP 200063		64 %	62 %	37 %	19 %	26 %	2.91	3.1	-0.30	-0.9	3.7	-10	-15.6	-2.8	15.6	2.0	-4.8	2.5	-0.2	-0.5
GLENFINLAS 240098										71 %	62 %	39 %	37 %	28 %	19%	34%	17%	45 %	30 %	32 %	30 %	27 %	18 %
CP 240100	1	✓	CP 190090		110	99	90	106	96	104	99	109	90	95	94	94	98	100	96	95	103	109	114
F2		✓	CP 200083		63 %	62 %	35 %	13 %	24 %	0.81	2.6	-0.71	3.4	3.1	-3	0.7	0.8	5.3	0.2	-2.9	1.2	0.7	1.7
GLENFINLAS 240100										69 %	62 %	42 %	35 %	23 %	13%	35%	14%	44 %	23 %	25 %	23 %	20 %	11 %
CP 240102		✓	CP 190090		105	101	92	106	112	101	101	106	92	98	94	114	110	107	108	93	108	103	99
F2		✓	CP 200059		63 %	62 %	34 %	14 %	24 %	1.13	3.3	-0.62	4.3	5.2	-2	-10.8	-1.4	8.2	1.8	-4.4	2.0	0.2	-0.6
GLENFINLAS 240102										69 %	62 %	41 %	34 %	23 %	14%	35%	13%	44 %	25 %	27 %	26 %	23 %	15 %
CP 240105	1	✓	CP 190069		108	98	87	108	94	103	98	110	87	93	92	96	94	117	95	89	101	105	116
F2		✓	CP 190208		62 %	61 %	37 %	18 %	22 %	0.94	2.0	-0.77	2.0	1.3	-5	-0.5	1.6	12.6	0.1	-6.7	1.0	0.4	2.0
GLENFINLAS 240105										68 %	61 %	38 %	37 %	26 %	18%	29%	15%	42 %	23 %	26 %	25 %	22 %	14 %
CP 240106	4		CP 200046		107	99	89	103	98	103	99	113	89	96	97	99	99	101	106	98	106	95	100
PBD		✓	CP 170068		64 %	62 %	39 %	20 %	24 %	0.96	2.5	-0.86	3.0	3.6	2	-2.3	0.7	5.8	1.5	-0.7	1.8	-0.6	-0.4
GLENFINLAS 240106										70 %	62 %	42 %	39 %	28 %	20%	30%	17%	44 %	30 %	31 %	29 %	27 %	21 %
CP 240108	1	✓	CP 190090		107	106	85	106	113	104	106	103	85	100	94	116	111	109	113	92	112	100	96
F3		✓	CP 200068		66 %	62 %	36 %	16 %	26 %	0.86	5.4	-0.48	0.5	6.5	-2	-12.3	-1.4	9.1	2.4	-5.0	2.6	-0.1	-1.1
GLENFINLAS 240108										72 %	62 %	43 %	36 %	25 %	16%	39%	14%	46 %	28 %	29 %	28 %	24 %	15 %
CP 240109		✓	CP 190069		86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1					40 %	40 %	23 %	16 %	18 %	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240109										44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CP 240111		✓	CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1				40 %	40 %	23 %	16 %	18 %	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240111									44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CP 240112	1	✓	CP 190069	122	90	87	114	112	117	90	105	87	88	86	112	113	124	92	100	107	96	108
PBD		✓	CP 170045						-0.37	-1.0	-0.57	1.9	-1.7	-13	-9.8	-1.8	15.5	-0.2	0.6	1.9	-0.5	0.8
GLENFINLAS 240112				65 %	62 %	38 %	18 %	25 %	71 %	62 %	41 %	38 %	24 %	18%	32%	18%	45 %	22 %	25 %	23 %	22 %	14 %
CP 240113	2	✓	CP 200046	112	96	90	107	91	108	96	114	90	93	93	93	91	99	101	93	101	100	106
F2		✓	CP 190201						0.48	1.5	-0.91	3.4	1.8	-3	1.5	2.1	4.9	0.9	-4.2	0.9	-0.1	0.5
GLENFINLAS 240113				63 %	61 %	33 %	18 %	21 %	69 %	61 %	38 %	33 %	27 %	18%	27%	15%	42 %	29 %	29 %	28 %	26 %	20 %
CP 240116	5	✓	CP 190069	125	82	69	127	98	119	82	114	69	78	73	95	103	121	91	91	109	105	123
FB		✓	CP 160152						-0.57	-4.3	-0.92	-7.6	-9.4	-32	0.0	0.0	14.0	-0.4	-5.2	2.2	0.4	3.2
GLENFINLAS 240116				65 %	63 %	40 %	21 %	26 %	71 %	63 %	43 %	40 %	29 %	21%	33%	19%	48 %	31 %	33 %	31 %	28 %	19 %
CP 240118	5	✓	CP 200046	114	94	85	110	99	110	94	103	85	91	90	98	101	110	109	96	108	97	102
PBD		✓	CP 180151						0.25	0.4	-0.49	0.7	0.0	-8	-1.6	0.3	9.6	1.9	-2.4	2.0	-0.4	-0.1
GLENFINLAS 240118				66 %	65 %	42 %	20 %	27 %	72 %	65 %	43 %	42 %	30 %	20%	34%	20%	46 %	32 %	32 %	30 %	28 %	22 %
CP 240125	1		CP 200046	117	122	91	91	99	110	122	109	91	114	109	98	101	110	103	96	105	98	102
PEN			CP 160070						0.22	11.9	-0.73	4.1	16.4	18	-1.8	0.4	9.5	1.1	-2.3	1.6	-0.3	-0.1
GLENFINLAS 240125				66 %	65 %	41 %	18 %	26 %	72 %	65 %	45 %	41 %	28 %	18%	35%	18%	46 %	31 %	31 %	30 %	27 %	20 %
CP 240128		✓	CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1				40 %	40 %	23 %	16 %	18 %	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240128									44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CP 240129		✓	CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1				40 %	40 %	23 %	16 %	18 %	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240129									44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CP 240132			CP 200046	90	106	106	91	92	89	106	103	106	106	109	97	90	89	96	100	102	94	98
PEN				40 %	41 %	22 %	16 %	18 %	2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7
GLENFINLAS 240132									44 %	41 %	25 %	22 %	24 %	16%	22%	13%	32 %	24 %	25 %	24 %	23 %	18 %
CP 240133		✓	CP 200052	105	88	114	102	91	102	88	101	114	94	98	97	88	86	95	107	98	102	100
F1				37 %	39 %	14 %	7 %	10 %	1.03	-1.9	-0.42	16.4	2.4	4	-1.4	2.7	-0.7	0.1	5.5	0.5	0.1	-0.5
GLENFINLAS 240133									42 %	39 %	16 %	14 %	10 %	7 %	14%	6%	25 %	13 %	14 %	12 %	12 %	8 %
CP 240137	2	✓	CP 190090	107	108	89	103	95	103	108	105	89	102	97	94	98	108	98	91	105	103	110
F3		✓	CP 200102						0.91	6.3	-0.59	2.7	7.9	2	0.7	0.9	8.8	0.5	-5.3	1.5	0.2	1.1
GLENFINLAS 240137				66 %	63 %	37 %	23 %	28 %	72 %	63 %	44 %	37 %	26 %	23%	40%	17%	46 %	25 %	28 %	26 %	21 %	13 %
CP 240140	3	✓	CP 190069	113	86	79	120	99	108	86	107	79	82	80	100	100	129	97	86	102	104	119
F3		✓	CP 190156						0.47	-2.7	-0.65	-2.4	-6.5	-22	-2.8	0.5	17.4	0.4	-9.2	1.0	0.3	2.5
GLENFINLAS 240141				63 %	61 %	35 %	19 %	24 %	69 %	61 %	39 %	35 %	27 %	19%	32%	17%	43 %	25 %	27 %	26 %	24 %	16 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CP 240142	1	✓	SWK 210153	121	86	87	113	100	122	86	85	87	89	87	97	104	114	113	97	106	104	98
F2		✓	CP 210015	-0.86	-2.6	0.18	1.9	-0.9	-0.1	11.3	2.5	-1.0	1.7	0.3	-0.8							
GLENFINLAS 240142				63 %	64 %	37 %	23 %	23 %	70 %	64 %	37 %	37 %	38 %	23%	32%	14%	40 %	27 %	27 %	25 %	25 %	21 %
CP 240143	1	✓	CP 190069	107	93	85	110	97	103	93	107	85	92	90	105	93	117	99	86	109	97	109
F2		✓	CP 190047	0.97	0.3	-0.64	0.5	-5.6	1.8	12.3	0.6	-8	-5.6	1.8	12.3	0.6	-9.3	2.2	-0.4	0.9		
GLENFINLAS 240143				63 %	62 %	37 %	22 %	25 %	69 %	62 %	40 %	37 %	30 %	22%	31%	19%	44 %	28 %	30 %	29 %	27 %	19 %
CP 240145	1	✓	CP 190069	100	93	87	110	98	98	93	105	87	91	90	100	98	120	93	95	104	104	113
F2		✓	CP 190124	1.47	-0.1	-0.55	1.8	-2.6	0.9	13.8	-0.2	-8	-2.6	0.9	13.8	-0.1	-2.4	1.4	0.3	1.6		
GLENFINLAS 240145				63 %	63 %	39 %	17 %	22 %	69 %	63 %	39 %	39 %	28 %	17%	29%	16%	43 %	26 %	28 %	27 %	24 %	14 %
CP 240148		✓	CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	92	107	90	97	102	99	108
F1				2.56	3.3	-0.39	11.3	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8							
GLENFINLAS 240148				40 %	40 %	23 %	16 %	18 %	44 %	40 %	25 %	23 %	23 %	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CP 240154	1	✓	CP 190069	105	100	90	106	93	101	100	111	90	95	94	94	93	122	95	89	101	105	116
F2		✓	CP 190186	1.13	3.1	-0.80	3.4	2.9	-2	14.5	0.4	1.7	14.5	0.4	1.7	14.5	0.1	-6.7	1.0	0.4	2.0	
GLENFINLAS 240154				63 %	62 %	38 %	18 %	22 %	69 %	62 %	38 %	38 %	26 %	18%	29%	15%	42 %	23 %	26 %	25 %	22 %	14 %
CP 240155			CP 200046	90	106	106	91	92	89	106	103	106	106	109	97	90	89	96	100	102	94	98
PEN				2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7					
GLENFINLAS 240155				40 %	41 %	22 %	16 %	18 %	44 %	41 %	25 %	22 %	24 %	16%	22%	13%	32 %	24 %	25 %	24 %	23 %	18 %
CP 240156	5	✓	CP 190069	110	97	90	107	104	105	97	110	90	94	93	106	103	123	91	98	102	95	107
F2		✓	CP 170056	0.77	1.8	-0.77	3.5	2.3	-4	15.2	-6.6	0.0	15.2	-0.4	-0.7	1.1	-0.5	0.7				
GLENFINLAS 240156				64 %	61 %	36 %	20 %	23 %	70 %	61 %	42 %	36 %	26 %	20%	29%	17%	44 %	26 %	28 %	27 %	25 %	16 %
CP 240160	4	✓	CP 200046	109	95	89	108	103	105	95	105	89	92	92	99	107	107	106	99	106	96	101
F3		✓	CP 190165	0.73	0.9	-0.55	2.6	1.1	-4	8.3	-2.1	-0.8	8.3	1.5	0.3	1.6	-0.5	-0.3				
GLENFINLAS 240160				63 %	62 %	36 %	22 %	26 %	69 %	62 %	40 %	36 %	29 %	22%	33%	19%	45 %	31 %	32 %	30 %	27 %	21 %
CP 240161	5	✓	CP 200046	110	109	72	108	111	106	109	117	72	99	92	110	111	110	108	86	109	95	104
FB		✓	CP 190073	0.60	6.4	-1.03	-6.1	6.0	-5	9.4	-8.9	-1.5	9.4	1.8	-9.0	2.1	-0.5	0.2				
GLENFINLAS 240161				64 %	63 %	38 %	22 %	27 %	70 %	63 %	41 %	38 %	32 %	22%	34%	20%	44 %	29 %	32 %	30 %	30 %	20 %
CP 240162	1	✓	CP 190069	105	104	82	106	102	103	104	98	82	98	94	99	105	127	94	96	104	104	114
PBD		✓	CP 180114	0.89	4.6	-0.32	-0.8	4.9	-3	16.6	-2.2	-0.5	16.6	0.1	-2.3	1.4	0.3	1.7				
GLENFINLAS 240162				67 %	67 %	42 %	20 %	26 %	73 %	67 %	43 %	42 %	28 %	20%	33%	20%	46 %	27 %	30 %	28 %	24 %	15 %
CP 240165	4	✓	CP 200046	94	117	95	92	95	91	117	108	95	110	108	92	98	109	100	100	105	94	103
F2		✓	CP 190014	2.09	9.6	-0.67	6.1	13.1	17	8.8	1.5	0.9	8.8	0.8	1.0	1.5	-0.6	0.0				
GLENFINLAS 240165				63 %	63 %	40 %	20 %	21 %	69 %	63 %	41 %	40 %	27 %	20%	26%	16%	42 %	28 %	29 %	28 %	27 %	21 %
CP 240166	1	✓	CP 200052	111	83	91	118	111	107	83	102	91	85	82	114	109	107	111	103	106	102	93
PBD		✓	CP 210115	0.52	-3.9	-0.45	4.1	-4.1	-19	8.2	-10.9	-1.1	8.2	2.2	2.9	1.8	0.1	-1.6				
GLENFINLAS 240166				62 %	64 %	32 %	12 %	20 %	70 %	64 %	30 %	32 %	20 %	12%	28%	11%	40 %	27 %	27 %	25 %	23 %	16 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 240170 ✓ CP 200046				90	106	106	91	92	89	106	103	106	106	109	97	90	89	96	100	102	94	98
F1				40 %	41 %	22 %	16 %	18 %	2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7
GLENFINLAS 240170									44 %	41 %	25 %	22 %	24 %	16%	22%	13%	32 %	24 %	25 %	24 %	23 %	18 %
CP 240172 4 CP 190069				104	95	92	108	98	100	95	108	92	92	92	100	99	126	99	94	107	100	110
F2 CP 180102				63 %	62 %	39 %	19 %	23 %	1.26	0.7	-0.67	4.3	0.7	-5	-2.9	0.8	16.4	0.7	-3.2	1.8	-0.1	1.1
GLENFINLAS 240172									69 %	62 %	40 %	39 %	28 %	19%	29%	17%	43 %	25 %	27 %	26 %	24 %	16 %
CP 240179 1 ✓ CP 190069				108	94	91	110	97	103	94	106	91	91	90	101	96	122	95	92	103	96	109
F2 ✓ CP 210075				60 %	62 %	35 %	16 %	20 %	0.90	0.3	-0.60	4.1	0.4	-9	-3.6	1.3	14.4	0.1	-4.7	1.2	-0.5	0.9
GLENFINLAS 240179									67 %	62 %	33 %	35 %	23 %	16%	27%	14%	41 %	22 %	25 %	24 %	23 %	15 %
CP 240180 1 ✓ CP 200052				123	72	101	120	94	117	72	103	101	79	80	100	91	102	98	103	101	99	99
F2 ✓ CP 210202				59 %	62 %	32 %	21 %	19 %	-0.46	-8.5	-0.48	9.5	-8.0	-22	-3.1	2.1	5.9	0.6	2.6	0.9	-0.2	-0.7
GLENFINLAS 240180									67 %	62 %	30 %	32 %	22 %	21%	25%	13%	38 %	24 %	25 %	22 %	19 %	13 %
CP 240181 2 ✓ CP 200046				112	110	88	100	103	108	110	103	88	105	100	106	102	104	109	93	113	87	94
F3 ✓ CP 180012				65 %	66 %	42 %	18 %	24 %	0.48	6.9	-0.51	2.2	10.2	7	-6.2	0.1	6.8	1.9	-4.5	2.8	-1.3	-1.5
GLENFINLAS 240181									71 %	66 %	40 %	42 %	26 %	18%	31%	17%	44 %	29 %	29 %	27 %	26 %	20 %
CP 240182 1 ✓ CP 190069				99	93	90	111	105	97	93	103	90	91	89	107	104	122	89	97	100	96	111
F2 ✓ CP 200093				61 %	61 %	34 %	17 %	20 %	1.56	0.2	-0.50	3.7	0.4	-9	-6.8	-0.1	14.5	-0.5	-1.1	0.7	-0.5	1.2
GLENFINLAS 240182									68 %	61 %	36 %	34 %	24 %	17%	27%	14%	42 %	24 %	26 %	25 %	24 %	16 %
CP 240183 5 ✓ CP 200046				115	96	72	117	103	110	96	115	72	90	83	105	103	112	108	86	109	95	104
FB ✓ CP 200056				63 %	62 %	35 %	22 %	26 %	0.26	1.4	-0.93	-5.9	-0.3	-17	-5.8	0.0	10.3	1.8	-9.0	2.1	-0.5	0.2
GLENFINLAS 240183									69 %	62 %	40 %	35 %	32 %	22%	34%	19%	44 %	29 %	32 %	30 %	30 %	20 %
CP 240187 1 ✓ CP 190069				100	100	92	106	104	97	100	105	92	97	94	106	104	122	89	97	100	96	111
F2 ✓ CP 200112				61 %	61 %	34 %	17 %	20 %	1.54	3.0	-0.56	4.4	4.0	-2	-6.1	-0.2	14.5	-0.5	-1.1	0.7	-0.5	1.2
GLENFINLAS 240187									68 %	61 %	36 %	34 %	24 %	17%	27%	14%	41 %	24 %	26 %	25 %	24 %	16 %
CP 240191 1 ✓ CP 190090				117	97	93	107	97	112	97	115	93	94	93	95	100	104	104	85	105	108	112
F2 ✓ CP 180025				65 %	60 %	37 %	14 %	23 %	0.03	1.6	-0.96	4.8	2.5	-4	0.2	0.5	6.9	1.3	-9.9	1.6	0.7	1.4
GLENFINLAS 240191									70 %	60 %	44 %	37 %	22 %	14%	34%	12%	44 %	20 %	23 %	21 %	18 %	9 %
CP 240193 3 ✓ CP 200046				113	105	81	105	102	112	105	91	81	99	95	106	100	114	109	98	110	89	92
PBD ✓ CP 190114				64 %	61 %	40 %	24 %	28 %	0.06	4.8	-0.06	-1.2	6.0	0	-6.4	0.5	11.0	1.9	-0.4	2.3	-1.1	-1.7
GLENFINLAS 240193									70 %	61 %	42 %	40 %	32 %	24%	36%	20%	46 %	34 %	34 %	32 %	27 %	20 %
CP 240195 ✓ CP 200182				102	94	93	115	102	110	94	59	93	97	85	91	110	98	104	89	99	108	108
F1				56 %	18 %	19 %	10 %	18 %	0.23	0.4	1.15	5.1	4.6	-15	2.6	-1.3	4.5	1.3	-6.9	0.6	0.6	0.8
GLENFINLAS CP 240195									63 %	18 %	29 %	19 %	16 %	10%	24%	12%	26 %	18 %	18 %	17 %	14 %	10 %
CP 240197 1 ✓ CP 200046				116	101	86	102	92	111	101	113	86	99	98	97	90	95	105	89	109	92	99
F2 ✓ CP 190048				63 %	47 %	31 %	22 %	25 %	0.20	3.4	-0.87	1.6	5.5	4	-1.3	2.3	2.9	1.4	-6.8	2.1	-0.9	-0.6
GLENFINLAS CP 240197									69 %	47 %	40 %	31 %	31 %	22%	31%	19%	42 %	33 %	33 %	32 %	30 %	23 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Dam ID																				
JAPANESE BLACK																							
CP 240199	3	✓	CP 190069		103	97	75	118	105	101	97	100	75	89	82	102	108	128	87	92	107	94	117
FB		✓	CP 190023		66 %	49 %	37 %	27 %	31 %	1.11	1.6	-0.37	-4.8	-1.0	-19	-3.8	-0.9	17.2	-0.9	-4.6	1.8	-0.7	2.2
GLENFINLAS CP 240199										71 %	49 %	45 %	37 %	34 %	27%	38%	24%	46 %	32 %	34 %	33 %	31 %	23 %
CP 240201	1	✓	CP 190069		120	93	86	107	97	114	93	106	86	91	93	103	93	116	99	86	109	97	109
F2		✓	CP 190046		63 %	46 %	32 %	22 %	25 %	-0.17	0.2	-0.61	1.5	0.3	-3	-4.9	1.7	11.9	0.6	-9.3	2.2	-0.4	0.9
GLENFINLAS CP 240201										69 %	46 %	40 %	32 %	30 %	22%	31%	19%	42 %	28 %	30 %	29 %	27 %	19 %
CP 240207	5	✓	CP 190069		102	104	88	109	98	100	104	99	88	99	91	101	98	124	97	90	107	98	108
PBD		✓	CP 200026		65 %	49 %	36 %	25 %	28 %	1.20	4.4	-0.36	2.3	5.9	-6	-3.7	0.9	15.7	0.4	-6.0	1.8	-0.3	0.9
GLENFINLAS CP 240207										71 %	49 %	41 %	36 %	30 %	25%	36%	20%	44 %	28 %	31 %	29 %	25 %	16 %
CP 240208	1	✓	CP 190090		112	92	88	111	94	108	92	104	88	89	89	93	96	107	95	86	98	108	118
F2		✓	CP 200147		63 %	44 %	26 %	14 %	24 %	0.46	-0.2	-0.53	2.4	-1.6	-10	1.4	1.2	8.4	0.2	-8.8	0.5	0.6	2.4
GLENFINLAS CP 240208										69 %	44 %	40 %	26 %	22 %	14%	34%	13%	40 %	19 %	22 %	21 %	19 %	12 %
CP 240209	1		CP 200052		101	82	94	122	97	106	82	74	94	88	78	100	96	100	107	99	106	97	94
PEN		✓	CP 210026		61 %	49 %	23 %	10 %	16 %	0.66	-4.5	0.59	5.8	-2.2	-25	-2.7	1.3	5.1	1.7	0.2	1.7	-0.3	-1.4
GLENFINLAS CP 240209										69 %	49 %	28 %	23 %	14 %	10%	23%	8%	32 %	17 %	18 %	16 %	14 %	9 %
CP 250005			CP 220108		82	101	98	110	108	93	101	59	98	105	90	101	112	97	106	91	106	99	102
PEN					54 %	23 %	17 %	8 %	14 %	1.90	3.4	1.14	7.9	9.8	-9	-3.7	-1.7	4.0	1.5	-5.4	1.8	-0.2	-0.2
GLENFINLAS 250005										62 %	23 %	25 %	17 %	10 %	8 %	22%	7%	24 %	9 %	11 %	10 %	10 %	6 %
CP 250009			CP 220123		111	95	96	110	105	116	95	65	96	101	90	96	111	97	108	90	106	104	102
PEN					55 %	21 %	17 %	8 %	16 %	-0.37	1.1	0.94	6.5	6.9	-7	-0.7	-1.5	3.8	1.9	-6.2	1.6	0.3	-0.2
GLENFINLAS 250009										62 %	21 %	26 %	17 %	13 %	8 %	24%	9%	25 %	12 %	14 %	13 %	12 %	7 %
CP 250011			CP 220122		115	86	105	107	102	123	86	71	105	95	93	96	106	91	104	91	105	99	
PEN					51 %	21 %	11 %	5 %	10 %	-1.01	-2.8	0.71	11.2	2.8	-3	-0.3	-0.5	1.2	1.2	-5.3	1.5	-0.2	
GLENFINLAS 250011										59 %	21 %	21 %	11 %	8 %	5 %	15%	5%	20 %	6 %	8 %	8 %	7 %	
CP 250012			CP 220022		107	86	96	115	105	112	86	69	96	93	85	100	109	98	118	91	115	98	90
PEN					55 %	32 %	21 %	13 %	18 %	0.06	-2.8	0.78	6.7	1.5	-16	-3.1	-1.1	4.5	3.1	-5.2	3.1	-0.3	-2.0
GLENFINLAS 250012										62 %	32 %	26 %	21 %	15 %	13%	24%	11%	24 %	19 %	19 %	18 %	18 %	15 %
CP 250013			CP 220092		99	96	97	110	107	106	96	67	97	101	90	101	111	98	106	93	104	100	99
PEN					55 %	20 %	17 %	9 %	15 %	0.68	1.3	0.86	7.0	7.4	-9	-3.4	-1.6	4.2	1.5	-4.2	1.4	-0.1	-0.6
GLENFINLAS 250013										62 %	20 %	26 %	17 %	13 %	9 %	22%	8%	24 %	12 %	14 %	13 %	12 %	7 %
CP 250016			CP 220173		98	93	104	107	102	106	93	63	104	101	93	96	106	92	104	91	105	99	
PEN					51 %	21 %	11 %	5 %	10 %	0.69	0.3	0.99	11.1	7.1	-3	-0.3	-0.5	1.9	1.2	-5.3	1.5	-0.2	
GLENFINLAS 250016										59 %	21 %	21 %	11 %	8 %	5 %	15%	5%	19 %	6 %	8 %	8 %	7 %	
CP 250019			CP 220172		103	92	105	107	102	110	92	65	105	100	93	96	106	92	104	91	105	99	
PEN					52 %	21 %	11 %	5 %	10 %	0.30	-0.4	0.93	11.1	6.1	-3	-0.3	-0.5	1.9	1.2	-5.3	1.5	-0.2	
GLENFINLAS 250019										60 %	21 %	22 %	11 %	8 %	5 %	15%	5%	19 %	6 %	8 %	8 %	7 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CP 250023				92	96	104	107	102	100	96	66	104	104	93	98	105	93	113	93	113	98	89
PEN				52 %	21 %	14 %	12 %	14 %	1.26	1.5	0.89	10.8	8.9	-4	-1.7	-0.4	2.3	2.5	-4.3	2.8	-0.3	-2.2
GLENFINLAS 250023				60 %	21 %	14 %	12 %	14 %	60 %	21 %	23 %	14 %	13 %	12%	17%	10%	23 %	17 %	17 %	16 %	16 %	14 %
CP 250024				107	92	104	105	102	113	92	68	104	100	95	97	106	93	105	92	104	102	100
PEN				52 %	18 %	11 %	7 %	10 %	-0.01	-0.3	0.81	11.0	6.6	-1	-1.2	-0.6	2.4	1.5	-4.5	1.4	0.1	-0.5
GLENFINLAS 250024				60 %	18 %	11 %	7 %	10 %	60 %	18 %	22 %	11 %	11 %	7 %	15%	6%	22 %	8 %	10 %	9 %	9 %	5 %
CP 250026				100	99	95	109	105	106	99	69	95	103	91	97	110	98	107	92	105	105	102
PEN				55 %	22 %	19 %	8 %	16 %	0.65	2.4	0.78	6.2	8.5	-6	-1.2	-1.2	4.3	1.6	-5.1	1.5	0.3	-0.1
GLENFINLAS 250026				63 %	22 %	19 %	8 %	16 %	63 %	22 %	26 %	19 %	13 %	8 %	23%	8%	24 %	12 %	14 %	13 %	12 %	7 %
CP 250030				108	90	105	107	102	114	90	67	105	98	93	96	106	91	104	91	105	99	
PEN				52 %	21 %	11 %	5 %	10 %	-0.10	-1.2	0.86	11.2	5.1	-3	-0.3	-0.5	1.2	1.2	-5.3	1.5	-0.2	
GLENFINLAS 250030				60 %	21 %	11 %	5 %	10 %	60 %	21 %	22 %	11 %	8 %	5 %	15%	5%	20 %	6 %	8 %	8 %	7 %	
CP 250031				85	99	104	105	102	95	99	61	104	106	95	97	106	93	105	92	104	102	100
PEN				52 %	18 %	11 %	7 %	10 %	1.67	2.7	1.09	10.9	10.9	-1	-1.2	-0.6	2.4	1.5	-4.5	1.4	0.1	-0.5
GLENFINLAS 250031				60 %	18 %	11 %	7 %	10 %	60 %	18 %	22 %	11 %	11 %	7 %	15%	6%	22 %	8 %	10 %	9 %	9 %	5 %
CP 250033				113	81	92	120	107	117	81	69	92	90	80	106	107	97	118	87	116	97	89
PEN				56 %	32 %	21 %	14 %	18 %	-0.42	-4.7	0.77	4.2	-0.9	-22	-6.5	-0.8	3.8	3.0	-8.3	3.3	-0.4	-2.1
GLENFINLAS 250033				63 %	32 %	21 %	14 %	18 %	63 %	32 %	27 %	21 %	16 %	14%	24%	12%	26 %	20 %	20 %	19 %	19 %	16 %
CP 250040				103	92	93	114	103	108	92	70	93	98	86	100	106	98	118	87	116	97	89
PEN				56 %	32 %	21 %	14 %	18 %	0.41	-0.4	0.75	5.0	4.8	-14	-3.0	-0.5	4.4	3.0	-8.3	3.3	-0.4	-2.1
GLENFINLAS 250040				63 %	32 %	21 %	14 %	18 %	63 %	32 %	27 %	21 %	16 %	14%	24%	12%	26 %	20 %	20 %	19 %	19 %	16 %
CP 250042				101	98	97	109	105	108	98	65	97	103	91	97	110	95	106	92	108	102	103
PEN				55 %	30 %	19 %	9 %	16 %	0.44	2.2	0.93	7.2	8.5	-7	-0.8	-1.4	3.0	1.5	-5.1	2.1	0.1	0.0
GLENFINLAS 250042				63 %	30 %	19 %	9 %	16 %	63 %	30 %	26 %	19 %	13 %	9 %	23%	8%	25 %	13 %	14 %	14 %	13 %	8 %
CP 250044				103	93	104	105	102	110	93	67	104	101	95	97	106	93	105	92	104	102	100
PEN				52 %	18 %	11 %	7 %	10 %	0.29	0.3	0.86	11.0	7.4	-1	-1.2	-0.6	2.2	1.5	-4.5	1.4	0.1	-0.5
GLENFINLAS 250044				60 %	18 %	11 %	7 %	10 %	60 %	18 %	22 %	11 %	11 %	7 %	15%	6%	21 %	8 %	10 %	9 %	9 %	5 %
CP 250046				4	101	100	76	118	99	100	100	76	94	82	104	105	113	108	98	108	102	104
PEN					64 %	40 %	34 %	16 %	1.35	3.1	-0.39	-4.2	2.2	-19	-5.4	-0.3	10.8	1.9	-0.9	2.0	0.1	0.1
GLENFINLAS 250046					64 %	40 %	34 %	16 %	70 %	40 %	40 %	34 %	27 %	16%	31%	17%	40 %	26 %	28 %	27 %	26 %	18 %
CP 250051					113	91	98	110	117	91	70	98	98	90	99	111	99	106	93	104	100	99
PEN					55 %	20 %	17 %	9 %	-0.44	-0.6	0.75	7.4	4.7	-8	-2.0	-1.4	4.7	1.5	-4.2	1.4	-0.1	-0.6
GLENFINLAS 250051					55 %	20 %	17 %	9 %	63 %	20 %	26 %	17 %	13 %	9 %	22%	8%	24 %	12 %	14 %	13 %	12 %	7 %
CP 250052					102	97	97	110	108	97	70	97	102	90	96	109	96	111	87	106	105	101
PEN					55 %	21 %	18 %	8 %	0.48	1.7	0.76	7.4	8.1	-8	-0.5	-1.2	3.5	2.2	-8.5	1.7	0.3	-0.3
GLENFINLAS 250052					55 %	21 %	18 %	8 %	63 %	21 %	26 %	18 %	12 %	8 %	22%	7%	25 %	11 %	13 %	12 %	11 %	6 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CP 250055				114	91	96	113	109	119	91	65	96	96	87	100	116	102	114	93	113	96	89
PEN			CP 220034	-0.64	-0.8	0.93	6.4	3.9	-13	-2.6	-2.3	6.0	2.6	-4.1	2.8	-0.5	-2.3	20 %	20 %	19 %	18 %	15 %
GLENFINLAS 250055				56 %	32 %	23 %	14 %	19 %	63 %	32 %	28 %	23 %	15 %	14%	25%	13%	26 %	20 %	20 %	19 %	18 %	15 %
CP 250059				104	92	89	117	99	111	92	65	89	96	83	88	107	99	96	95	106	95	105
PEN			CP 190019	0.21	-0.4	0.91	3.0	3.3	-18	4.2	-0.8	4.9	0.3	-2.5	1.7	-0.6	0.3	0.3	-2.5	1.7	-0.6	0.3
GLENFINLAS 250059				58 %	31 %	34 %	22 %	25 %	64 %	31 %	37 %	34 %	25 %	22%	30%	20%	33 %	27 %	27 %	26 %	24 %	19 %
CP 250068	5		CP 200042	121	92	74	116	100	124	92	120	74	87	84	98	102	119	113	101	109	106	104
PEN			CP 200011	-1.14	-0.2	-1.15	-5.2	-3.0	-17	-1.8	0.1	13.4	2.4	1.4	2.2	0.5	0.1	2.4	1.4	2.2	0.5	0.1
GLENFINLAS 250068				66 %	42 %	33 %	22 %	27 %	72 %	42 %	43 %	33 %	32 %	22%	33%	21%	42 %	34 %	35 %	33 %	31 %	24 %
CP 250072	4		CP 200042	118	97	85	109	101	112	97	113	85	94	91	101	103	117	111	106	105	107	101
PEN			CP 220060	0.05	1.6	-0.87	0.8	1.9	-6	-3.4	0.0	12.6	2.1	4.9	1.6	0.6	-0.3	2.1	4.9	1.6	0.6	-0.3
GLENFINLAS 250072				63 %	37 %	24 %	15 %	22 %	70 %	37 %	34 %	24 %	25 %	15%	31%	13%	38 %	25 %	27 %	25 %	24 %	18 %
CP 250081	4		CP 200042	121	93	74	118	104	116	93	116	74	89	82	104	105	117	112	100	107	106	102
PEN			CP 200056	-0.33	0.2	-1.00	-5.0	-1.6	-19	-5.2	-0.4	12.7	2.3	0.9	1.8	0.5	-0.1	2.3	0.9	1.8	0.5	-0.1
GLENFINLAS CP250081				63 %	39 %	31 %	18 %	25 %	69 %	39 %	38 %	31 %	30 %	18%	33%	17%	40 %	27 %	30 %	29 %	28 %	19 %
CP 250082	3		CP 200042	122	97	79	113	103	116	97	112	79	93	87	101	105	122	116	107	113	105	92
PEN			CP 220052	-0.29	1.7	-0.84	-2.3	1.2	-12	-3.2	-0.4	14.6	2.8	5.6	2.8	0.4	-1.7	2.8	5.6	2.8	0.4	-1.7
GLENFINLAS CP250082				64 %	41 %	27 %	18 %	24 %	71 %	41 %	36 %	27 %	26 %	18%	32%	16%	38 %	30 %	31 %	29 %	28 %	22 %
CP 250086	4		CP 200042	104	99	77	116	103	101	99	102	77	94	84	97	108	118	97	110	105	100	105
PEN			CP 190023	1.09	2.7	-0.47	-3.4	1.9	-16	-1.3	-0.9	13.0	0.4	7.8	1.5	-0.1	0.4	0.4	7.8	1.5	-0.1	0.4
GLENFINLAS CP250086				65 %	42 %	33 %	25 %	29 %	71 %	42 %	43 %	33 %	33 %	25%	36%	22%	43 %	35 %	35 %	34 %	32 %	25 %
CP 250090	2		CP 200042	118	94	90	107	99	114	94	118	90	93	93	101	98	111	114	107	112	102	89
PEN			CP 220015	-0.08	0.5	-1.04	3.7	1.6	-3	-3.3	0.8	10.1	2.6	6.1	2.6	0.1	-2.1	2.6	6.1	2.6	0.1	-2.1
GLENFINLAS CP250090				61 %	37 %	22 %	17 %	20 %	68 %	37 %	32 %	22 %	25 %	17%	26%	15%	36 %	28 %	29 %	27 %	27 %	21 %
CP 250091	4		CP 200042	120	90	81	113	101	115	90	117	81	88	87	98	104	115	110	107	108	107	100
PEN			CP 220151	-0.21	-1.0	-1.01	-1.2	-1.9	-13	-1.4	-0.3	11.6	2.1	6.1	1.9	0.6	-0.5	2.1	6.1	1.9	0.6	-0.5
GLENFINLAS CP250091				63 %	35 %	25 %	17 %	22 %	70 %	35 %	34 %	25 %	26 %	17%	30%	14%	37 %	27 %	28 %	26 %	25 %	19 %
CP 250116	3		CP 200042	120	94	83	113	97	116	94	119	83	90	87	97	98	118	116	104	112	105	93
PEN			CP 220039	-0.31	0.4	-1.09	-0.1	-0.4	-12	-1.0	0.8	12.8	2.9	3.4	2.6	0.4	-1.5	2.9	3.4	2.6	0.4	-1.5
GLENFINLAS CP250116				52 %	44 %	26 %	17 %	23 %	57 %	44 %	32 %	26 %	26 %	17%	31%	15%	38 %	29 %	30 %	28 %	27 %	21 %



CWB

BREEDING VALUE REPORT

September 2026



MR C.C. PURDON

Herd Number: 315578


E-mail: cpurdon@vjangus.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CP 180022		BA 150369	76	109	112	112	110	111	114	106	107	105	83	1	3	1	
F1			3.57	6.6	13.4	17.2	21	14.7	2.5	5.0	1.8	0.4	-3.2				
CP180022			60%	48%	34%	27%	17%	52%	44%	44%	42%	37%	26%				
CP 180066		AL 150004	89	128	130	129	131	119	79	118	106	106	107	1	4	3	
F1			2.28	14.2	24.6	29.9	51	19.0	-1.8	13.3	1.7	0.4	0.6				
CP180066			61%	49%	20%	16%	17%	64%	33%	32%	28%	13%	10%				
CP 210008		BA 150369	83	107	109	110	110	110	114	106	107	105	83	1	1	1	
F1			2.90	5.7	12.0	15.5	20	14.2	2.5	5.0	1.8	0.4	-3.2				
210008			53%	41%	34%	27%	17%	35%	44%	44%	42%	37%	26%				
CP 210022	 	AL 150004	86	131	129	129	123	103	94	114	113	105	98	1	1	1	
F2		CP 180022	2.58	15.4	23.9	29.8	39	10.3	0.0	10.8	2.8	0.4	-0.9				
210022			69%	59%	26%	21%	19%	50%	40%	39%	35%	23%	16%				
JAPANESE BLACK																	
CP 080004			91	104	115	115		125						1	7	2	
F1			2.10	4.6	15.6	19.2		21.8									
CP 080004			64%	36%	19%	19%		50%									
CP 080005			97	95				119						1	7	2	
F1			1.51	0.8				18.7									
CP 080005			62%	31%				47%									
CP 090013			107	95				121						1	7	3	
F1			0.53	0.8				20.1									
CP 090013			62%	27%				40%									
CP 090014			73	107				129						1	5	1	
F1			3.81	5.9				23.9									
CP 090014			56%	34%				53%									
CP 100028		BA 060107	114	100	105	106	110	123	93	112	94	105	102	1	4	1	
F2		CP 033930	-0.12	2.8	8.9	12.1	21	20.9	-0.1	9.3	-0.2	0.4	-0.2				
CP100028			67%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				
CP 100029		BA 060107	105	96	102	103	103	116	93	112	94	105	102	1	6	2	
F2		CP 050012	0.75	1.5	7.1	10.0	11	17.1	-0.1	9.3	-0.2	0.4	-0.2				
CP100029			68%	46%	28%	30%	32%	56%	35%	34%	31%	16%	10%				
CP 100030		BA 060107	111	101	106	107	110	123	93	112	94	105	102	1	4	1	
F2		CP 023620	0.14	3.2	9.5	12.8	20	21.1	-0.1	9.3	-0.2	0.4	-0.2				
CP100030			66%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 100032		BA 060107	104	102	107	108	108	123	93	112	94	105	102	2	8	4	
F2		CP 050038	0.85	3.7	10.3	13.8	18	20.8	-0.1	9.3	-0.2	0.4	-0.2				
CP100032		75%	48%	28%	30%	32%	57%	35%	34%	31%	16%	10%					
CP 100041		BA 060107	109	96	101	103	104	116	88	115	93	107	105	1	5	1	2
F2		CP 033945	0.33	1.2	6.8	9.7	13	17.3	-0.7	11.1	-0.3	0.5	0.3				
CP100041		66%	50%	29%	31%	36%	58%	43%	42%	36%	16%	10%					
CP 100047		BA 060107	112	94	99	101	103	114	93	112	94	105	102	1	6	2	
F2		CP 034138	0.12	0.4	5.5	8.1	11	16.2	-0.1	9.3	-0.2	0.4	-0.2				
CP100047		70%	49%	28%	30%	32%	58%	35%	34%	31%	16%	10%					
CP 100056		BA 060107	116	98	103	104	108	121	93	112	94	105	102	1	6	2	
F2		CP 050014	-0.34	2.0	7.8	10.7	18	19.8	-0.1	9.3	-0.2	0.4	-0.2				
CP100056		72%	51%	28%	30%	32%	60%	35%	34%	31%	16%	10%					
CP 100061		BA 060107	108	104	109	110	110	128	92	111	94	104	102	2	7	3	
F2		CP 060012	0.42	4.6	11.5	15.1	21	23.4	-0.2	8.6	-0.1	0.3	-0.1				
CP 100061		72%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%					
CP 100064			98	93				116					1	5	1		
F1					1.43	0.0				17.4							
CP 100064			60%	35%				49%									
CP 110007		BA 060107	117	94	99	101	105	117	91	114	94	106	103	1	6	2	
F2		CP 033945	-0.42	0.4	5.7	8.4	13	17.9	-0.3	10.4	-0.1	0.4	-0.1				
11 07		76%	49%	29%	31%	36%	58%	36%	35%	31%	16%	10%					
CP 110008		BA 060107	101	96	101	103	102	115	93	112	94	105	102	1	5	1	
F2		CP 054651	1.16	1.3	6.9	9.8	9	16.6	-0.1	9.3	-0.2	0.4	-0.2				
11 08		76%	49%	36%	30%	32%	57%	35%	34%	31%	16%	10%					
CP 110009		BA 070143	99	104	106	107	100	97	92	114	87	97	96	1	3	2	
F2		CP 054672	1.29	4.6	9.7	13.2	6	7.0	-0.2	10.9	-1.2	-0.4	-1.1				
11 09		74%	43%	36%	28%	24%	54%	34%	34%	32%	27%	20%					
CP 110012		BA 060107	99	99	104	105	104	119	93	112	94	105	102	1	6	3	
F2		CP 060014	1.38	2.6	8.7	11.7	12	18.7	-0.1	9.3	-0.2	0.4	-0.2				
11 12		78%	51%	28%	33%	32%	60%	35%	34%	31%	16%	10%					
CP 110013		BA 070143	101	88	94	96	91	95	91	98	99	88	98	1	5	1	
F2		CP 050012	1.16	-1.8	2.3	4.2	-7	6.2	-0.3	-0.6	0.5	-1.2	-0.8				
11 13		76%	42%	28%	28%	24%	52%	31%	31%	30%	27%	20%					
CP 110015		BA 060107	112	92	98	99	106	111	95	114	96	105	99	1	4	1	
F2		CP 070005	0.08	-0.3	4.7	7.1	14	14.5	0.1	11.0	0.2	0.4	-0.6				
11 15		77%	51%	30%	32%	36%	60%	37%	37%	32%	16%	10%					

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 110029		BA 060107	109	100	104	105	101	122	92	109	95	103	103	2	7	1	1
F2		CP 060012	0.34	2.8	8.7	11.6	8	20.2	-0.2	7.3	0.0	0.2	0.0				
11 29			74%	60%	50%	46%	67%	70%	41%	40%	35%	16%	10%				
CP 110033	🔍	BA 060107	116	102	107	108	110	123	86	102	90	102	111	2	11	3	1
F2		CP 060029	-0.29	3.9	10.3	13.6	21	20.9	-1.0	2.0	-0.8	0.1	1.3				
11 33			81%	61%	46%	30%	32%	71%	42%	42%	36%	17%	10%				
CP 110035		BA 060107	110	96	102	103	106	119	93	112	94	105	102	1	6	2	1
F2		CP 054588	0.26	1.4	7.2	10.2	15	19.0	-0.1	9.3	-0.2	0.4	-0.2				
1135			75%	42%	28%	30%	32%	44%	35%	34%	31%	16%	10%				
CP 120006		BIMFE0003	103	99	104	105	114	98	98	117	95	109	99	2	6	1	
F2		CP 070005	0.96	2.4	8.4	11.3	26	7.9	0.5	12.6	0.1	0.8	-0.7				
1206			72%	55%	49%	46%	65%	68%	38%	40%	35%	26%	15%				
CP 120009		BA 060107	109	97	103	104	106	119	93	112	94	105	102	1	3	1	
F2		CP 034088	0.36	1.9	7.7	10.7	15	18.6	-0.1	9.3	-0.2	0.4	-0.2				
1209			75%	42%	28%	30%	32%	44%	35%	34%	31%	16%	10%				
CP 120014		BA 060107	111	97	103	104	108	122	93	112	94	105	102	1	5	4	
F2		CP 050014	0.12	1.6	7.6	10.7	18	20.3	-0.1	9.3	-0.2	0.4	-0.2				
1214			77%	55%	28%	30%	32%	67%	35%	34%	31%	16%	10%				
CP 120021		BA 060107	104	97	103	104	100	116	93	112	94	105	102	2	5	1	
F2		CP 075265	0.86	1.8	7.7	10.8	7	17.4	-0.1	9.3	-0.2	0.4	-0.2				
1221			71%	56%	38%	38%	64%	66%	35%	34%	31%	16%	10%				
CP 120022		KJDFC0086	112	99	101	101	93	105	94	103	116	106	112	1	5	2	
F2		CP 080001	0.05	2.6	6.6	8.1	-4	11.2	0.0	3.1	3.2	0.4	1.4				
1222			74%	47%	28%	27%	24%	58%	42%	42%	40%	34%	25%				
CP 120030	🔍	BA 060107	119	92	99	101	107	121	93	112	94	105	102	2	5	1	
F2		CP 054871	-0.57	-0.1	5.4	8.0	16	19.7	-0.1	9.3	-0.2	0.4	-0.2				
12 30			76%	55%	28%	30%	32%	65%	35%	34%	31%	16%	10%				
CP 120040		BA 060107	107	99	104	106	106	118	88	105	90	103	109	1	2	1	
F2		CP 060029	0.52	2.7	8.7	11.8	16	18.5	-0.8	4.4	-0.7	0.2	0.9				
12 40			73%	50%	30%	30%	32%	59%	38%	38%	33%	17%	10%				
CP 130006	🔍	TFWFW0629	120	87	78	78	77	81	101	84	80	135	137	1	2	1	
FB	🔍	KJDFD0133	-0.70	-2.3	-7.8	-10.1	-27	-1.2	0.9	-10.4	-2.2	3.2	5.4				
CP 130006			69%	59%	55%	52%	34%	54%	59%	59%	56%	46%	34%				
CP 130009	🔍	TFWFW0629	118	100	91	92	89	73	84	98	84	124	135	1	3	2	
FB	🔍	KJDFB0086	-0.48	2.7	0.3	1.1	-10	-5.6	-1.3	-0.9	-1.7	2.2	5.1				
CP 130009			65%	57%	51%	47%	29%	62%	57%	57%	55%	47%	34%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 130023		BA 070143	98	87	93	94	100	101	84	105	95	91	100				
F3		CWBFCP 100062	1.42	-2.2	1.7	2.6	6	9.2	-1.2	4.1	0.0	-1.0	-0.4	1	4	2	
13 23			62%	42%	28%	28%	24%	52%	31%	31%	30%	27%	20%				
CP 130027		KKWFA0871	101	86	89	92	89	80	83	75	107	74	111				
F2		CP 080004	1.17	-2.9	-0.5	1.1	-10	-1.6	-1.3	-17.0	1.8	-2.5	1.4	1	4	1	1
13 27			72%	46%	33%	29%	29%	57%	41%	41%	39%	33%	20%				
CP 130037		KKWFA0871	117	75	80	84	89	76	85	77	109	75	108				
F2		CP 070005	-0.42	-7.0	-6.3	-5.4	-9	-4.1	-1.0	-15.3	2.2	-2.5	0.9	1	3	1	
13 37			75%	52%	33%	29%	33%	64%	43%	43%	40%	33%	20%				
CP 130042		BA 060107	90	103	108	109	105	119	93	112	94	105	102				
F2		CP 050012	2.24	4.2	11.1	14.9	14	19.0	-0.1	9.3	-0.2	0.4	-0.2	1	2	1	
13 42			73%	43%	28%	30%	32%	46%	35%	34%	31%	16%	10%				
CP 130048		BA 060107	96	111	115	116	110	128	92	116	95	106	101				
F2		CP 033945	1.64	7.4	15.3	19.8	21	23.5	-0.2	12.0	0.1	0.5	-0.3	2	5	1	1
13 48			72%	57%	45%	39%	67%	68%	41%	41%	35%	16%	10%				
CP 130051		BA 060107	102	100	105	107	107	121	93	112	94	105	102				
F2		CP 054608	1.03	2.9	9.3	12.7	16	19.9	-0.1	9.3	-0.2	0.4	-0.2	1	2	1	
13 51			73%	42%	28%	30%	32%	45%	35%	34%	31%	16%	10%				
CP 130053		BA 060107	118	99	104	105	107	125	92	111	94	104	102				
F2		CP 060012	-0.56	2.7	8.8	11.8	17	22.2	-0.2	8.6	-0.1	0.3	-0.1	1	6	2	
13 53			76%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%				
CP 130061		BA 060107	97	94	99	101	98	109	93	112	94	105	102				
F2		CP 054651	1.55	0.3	5.4	8.1	4	13.7	-0.1	9.3	-0.2	0.4	-0.2	1	6	3	
13 61			77%	59%	36%	30%	32%	72%	35%	34%	31%	16%	10%				
CP 130065		BA 060107	100	102	106	108	108	120	93	112	94	105	102				
F2		CP 090030	1.24	3.6	10.1	13.6	17	19.4	-0.1	9.3	-0.2	0.4	-0.2	1	1	1	
13 65			70%	47%	28%	30%	32%	55%	35%	34%	31%	16%	10%				
CP 130068		BA 060107	96	102	107	108	106	119	92	112	93	105	103				
F2		CP 040008	1.64	3.7	10.3	13.9	15	18.8	-0.2	9.1	-0.4	0.4	-0.1	1	1	1	
13 68			69%	43%	30%	32%	36%	46%	35%	35%	31%	16%	10%				
CP 130075		BA 060107	120	95	98	100	107	119	89	118	90	107	105				
F3		CP 100032	-0.76	1.0	4.8	7.4	17	18.7	-0.6	13.5	-0.7	0.6	0.3	1	4	2	
13 75			78%	51%	31%	34%	36%	60%	39%	38%	34%	18%	11%				
CP 140021		BA 090335	105	101	103	103	106	101	102	91	107	102	103				
F3		CWBFCP 100062	0.74	3.4	7.9	9.9	15	9.3	1.1	-5.8	1.9	0.1	0.0	2	4	2	
14 21			56%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 140026		KKWFA0871	120	84	88	91	94	89	83	75	107	74	111	1	5	3	
F2		CP 050014	-0.68	-3.4	-1.4	0.4	-2	2.9	-1.3	-17.0	1.8	-2.5	1.4				
14 26			75%	42%	31%	27%	29%	49%	41%	41%	39%	33%	20%				
CP 140048		BA 060107	91	115	118	119	118	134	93	112	94	105	102	1	1	1	
F2		CP 090020	2.08	9.0	17.6	22.4	32	26.7	-0.1	9.3	-0.2	0.4	-0.2				
14 48			72%	49%	28%	30%	32%	59%	35%	34%	31%	16%	10%				
CP 140050		BA 060107	115	99	101	103	108	119	89	118	90	107	105	1	3	1	
F1		CP 100056	-0.25	2.6	6.9	9.8	17	18.9	-0.6	13.5	-0.7	0.6	0.3				
14 50			74%	49%	31%	34%	36%	53%	39%	38%	34%	18%	11%				
CP 140053		BA 060107	102	107	106	108	105	109	89	119	87	103	102	1	2	1	
F3		CP 110009	1.04	5.6	10.1	13.7	13	13.6	-0.6	14.4	-1.2	0.2	-0.2				
14 53			73%	51%	33%	33%	34%	59%	39%	38%	34%	21%	14%				
CP 150015		CP 130307	97	112	110	109	114	109	90	110	96	117	112	1	2	1	
F1			1.48	7.6	12.5	14.6	27	13.4	-0.5	8.0	0.2	1.5	1.4				
150015			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 150025		CP 130307	121	105	102	102	102	92	95	111	96	118	112	1	1	1	
F1		CP 120005	-0.80	5.1	7.1	9.2	10	4.5	0.2	8.4	0.2	1.7	1.4				
15 25			73%	45%	34%	32%	18%	44%	42%	42%	39%	30%	19%				
CP 150026		CP 130307	101	115	113	112	118	114	90	110	96	117	112	1	1	1	
F1			1.14	9.0	14.4	16.8	32	16.3	-0.5	8.0	0.2	1.5	1.4				
150026			53%	48%	32%	31%	15%	54%	38%	38%	35%	27%	17%				
CP 150028		CP 130307	122	106	102	102	103	98	91	106	95	116	115	1	1	1	
F1		CP 120040	-0.86	5.2	7.3	9.3	11	7.5	-0.3	5.1	0.0	1.4	2.0				
15 28			73%	52%	35%	34%	22%	59%	43%	42%	39%	29%	18%				
CP 150041		KKWFA0871	125	80	82	85	92	83	81	82	104	77	113	1	2	2	
F3		CP 110015	-1.15	-5.0	-5.3	-4.1	-5	-0.5	-1.6	-11.9	1.4	-2.3	1.6				
15 41			75%	45%	35%	32%	34%	51%	45%	45%	42%	34%	21%				
CP 150042		CP 130304	95	100	102	100	109	116	103	108	102	108	106	1	1	1	
F1			1.70	3.0	7.4	7.9	19	17.2	1.2	6.5	1.2	0.7	0.4				
150042			49%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150060		CP 130304	94	96	99	97	106	110	103	108	102	108	106	1	2	2	
F1			1.84	1.5	5.2	5.3	15	14.2	1.2	6.5	1.2	0.7	0.4				
150060			54%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150065		CP 130304	87	100	102	100	107	113	103	108	102	108	106	1	2	1	
F1			2.51	2.9	7.3	7.9	16	15.7	1.2	6.5	1.2	0.7	0.4				
150065			51%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 150068		CP 130304		101	96	98	97	106	112	103	108	102	108	106				
F1				1.11	1.2	4.8	4.8	15	15.0	1.2	6.5	1.2	0.7	0.4	1	3	1	
150068				54%	44%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150070		CP 130304		88	110	111	109	117	126	103	108	102	108	106				
F1				2.42	6.8	12.9	14.4	31	22.6	1.2	6.5	1.2	0.7	0.4	1	2	1	
150070				56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 150075		CP 130304		89	102	103	102	110	116	103	108	102	108	106				
F1				2.33	3.5	8.2	8.9	20	17.1	1.2	6.5	1.2	0.7	0.4	1	3	2	
150075				58%	49%	32%	31%	23%	60%	36%	35%	33%	28%	23%				
CP 150076		CP 130307		100	116	114	113	119	116	90	110	96	117	112				
F1				1.23	9.5	15.1	17.7	33	17.0	-0.5	8.0	0.2	1.5	1.4	1	2	1	
150076				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 150078		CP 130304		93	99	101	100	107	114	103	108	102	108	106				
F1				1.96	2.6	6.9	7.3	16	16.1	1.2	6.5	1.2	0.7	0.4	1	3	2	
150078				58%	50%	32%	31%	23%	62%	36%	35%	33%	28%	23%				
CP 150080		CP 130304		98	95	97	96	105	110	103	108	102	108	106				
F1				1.47	1.0	4.5	4.4	13	14.0	1.2	6.5	1.2	0.7	0.4	1	3	1	
150080				57%	52%	32%	31%	23%	66%	36%	35%	33%	28%	23%				
CP 150085		CP 130308		98	102	102	101	105	104	87	110	88	118	115				
F1				1.41	3.9	7.1	8.6	13	10.8	-0.8	8.0	-1.1	1.7	1.9	1	3	2	
150085				57%	49%	39%	32%	15%	56%	43%	43%	40%	28%	21%				
CP 150094	✓	CP 130304		92	98	101	99	107	113	103	108	102	108	106				
F1				2.02	2.3	6.4	6.7	16	15.4	1.2	6.5	1.2	0.7	0.4	1	1	1	
150094				46%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%				
CP 150095		CP 130308		103	101	100	100	105	104	87	110	88	118	115				
F3		CWBFCP 120031		0.95	3.4	6.4	7.7	14	10.8	-0.8	8.0	-1.1	1.7	1.9	1	2	1	
CP150095				55%	44%	39%	32%	15%	46%	43%	43%	40%	28%	21%				
CP 160002	✓	CP 130307		102	107	106	105	111	104	90	110	96	117	112				
F1				0.99	5.7	9.8	11.3	21	10.8	-0.5	8.0	0.2	1.5	1.4	1	3	2	
CP160002				61%	53%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
CP 160003	✓	CP 130307		103	106	105	104	110	102	90	110	96	117	112				
F1				0.98	5.2	8.9	10.4	21	9.8	-0.5	8.0	0.2	1.5	1.4	1	4	3	
CP160003				64%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 160014	✓	CP 130307		102	107	106	105	111	104	90	110	96	117	112				
F1				1.08	5.9	9.9	11.6	21	10.9	-0.5	8.0	0.2	1.5	1.4	1	1	1	
CP160014				51%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160016		CP 130305	80	112	111	108	112	116	93	113	100	107	110	1	3	2	
F1			3.22	7.8	13.0	13.7	24	17.2	-0.1	9.7	0.7	0.6	1.1				
160016			57%	42%	26%	25%	22%	50%	29%	29%	28%	26%	21%				
CP 160018		CP 130305	86	104	104	101	107	107	93	113	100	107	110	1	3	3	
F1			2.56	4.6	8.4	8.2	17	12.7	-0.1	9.7	0.7	0.6	1.1				
160018			53%	48%	26%	25%	22%	59%	29%	29%	28%	26%	21%				
CP 160022		CP 130305	87	100	100	98	103	102	93	113	100	107	110	1	2	1	
F1			2.51	3.0	6.2	5.6	10	10.0	-0.1	9.7	0.7	0.6	1.1				
160022			51%	40%	26%	25%	22%	50%	29%	29%	28%	26%	21%				
CP 160039		FB11842	125	76	81	84	87	104	88	119	103	100	101	1	2	2	
F3		CP 120030	-1.15	-6.8	-5.8	-4.9	-12	10.7	-0.7	14.0	1.2	-0.1	-0.3				
16 039			72%	62%	19%	19%	17%	41%	26%	26%	24%	21%	16%				
CP 160041	✓	KJDFC0086	109	87	91	91	85	92	93	107	115	108	112	1	2	1	
F1		CP 140001	0.33	-2.2	0.3	0.8	-14	4.6	-0.1	5.5	3.1	0.6	1.4				
CP160041			48%	36%	28%	27%	24%	34%	44%	44%	41%	34%	25%				
CP 160048	✓	CP 130307	103	112	111	111	108	105	97	103	100	114	109	1	4	2	
F1		CP 090059	0.90	7.8	13.0	16.1	18	11.3	0.4	3.3	0.8	1.3	1.0				
CP160048			62%	49%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 160049		FB11842	122	77	81	83	82	90	87	112	105	92	99	1	1	1	
F3		CP 110013	-0.88	-6.3	-5.9	-5.5	-20	3.5	-0.8	9.1	1.6	-0.9	-0.7				
16 049			72%	59%	19%	18%	13%	36%	25%	26%	23%	23%	18%				
CP 160050	✓	CP 130307	103	104	104	104	99	94	97	103	100	114	109	1	3	1	
F1		CP 096220	0.97	4.6	8.5	10.8	5	5.6	0.4	3.3	0.8	1.3	1.0				
CP160050			62%	49%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 160057	✓	CP 130304	97	100	102	100	109	116	103	108	102	108	106	1	3	1	
F1			1.52	2.8	7.1	7.5	19	17.1	1.2	6.5	1.2	0.7	0.4				
CP160057			60%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 160061	✓	CP 130307	101	110	109	108	113	108	90	110	96	117	112	1	4	1	
F1			1.14	7.0	11.6	13.5	25	12.8	-0.5	8.0	0.2	1.5	1.4				
CP160061			63%	50%	32%	31%	15%	57%	38%	38%	35%	27%	17%				
CP 160068	✓	CP 130307	105	122	119	117	122	124	90	110	96	117	112	1	6	4	
F1			0.79	11.6	18.0	21.1	38	21.3	-0.5	8.0	0.2	1.5	1.4				
CP160068			66%	52%	32%	31%	15%	62%	38%	38%	35%	27%	17%				
CP 160069		FB11842	115	72	77	80	82	95	84	115	103	93	100	1	2	1	
PBD		CP 130023	-0.25	-8.3	-8.1	-8.1	-19	5.8	-1.3	11.4	1.3	-0.7	-0.5				
16 069			70%	59%	19%	18%	13%	36%	25%	26%	23%	23%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160070	🔗	CP 130307	108	113	112	112	110	114	97	103	100	114	109	1	6	3	
F2	🔗	CP 050014	0.50	8.0	13.6	17.0	21	16.0	0.4	3.3	0.8	1.3	1.0				
16 070			79%	67%	32%	31%	15%	68%	38%	38%	35%	27%	17%				
CP 160087	🔗	KJDFC0086	123	80	82	83	81	90	90	110	112	108	115	1	6	4	
F3	🔗	CP 120035	-0.98	-5.2	-5.3	-5.5	-20	3.7	-0.5	8.0	2.7	0.7	1.9				
16 087			80%	70%	32%	31%	30%	70%	46%	46%	43%	35%	25%				
CP 160089	🔗	CP 130307	99	111	110	109	114	109	90	110	96	117	112	1	1	1	
F1			1.37	7.5	12.3	14.4	27	13.3	-0.5	8.0	0.2	1.5	1.4				
CP160089			52%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 160090	🔗	CP 130307	104	126	124	123	119	124	97	103	100	114	109	1	6	4	
F1		CP 100090	0.80	13.6	21.1	25.6	34	21.5	0.4	3.3	0.8	1.3	1.0				
CP160090			67%	56%	32%	31%	15%	68%	38%	38%	35%	27%	17%				
CP 160096		FB11842	118	79	83	86	87	100	88	119	103	100	101	1	1	1	
F3		CP 110008	-0.56	-5.5	-4.4	-3.4	-13	8.9	-0.7	14.0	1.2	-0.1	-0.3				
16 096			72%	60%	22%	19%	17%	38%	26%	26%	24%	21%	16%				
CP 160107	🔗	CP 130304	88	97	100	98	105	110	103	108	102	108	106	1	4	2	
F1			2.43	1.8	5.8	6.1	13	13.9	1.2	6.5	1.2	0.7	0.4				
CP160107			62%	42%	32%	31%	23%	46%	36%	35%	33%	28%	23%				
CP 160111	🔗	CP 130012	83	110	109	107	109	117	94	98	92	118	117	1	4	3	
F1			2.85	7.0	11.5	12.8	19	17.5	0.0	-0.5	-0.5	1.6	2.2				
CP160111			58%	41%	27%	25%	17%	47%	31%	31%	29%	23%	17%				
CP 160124		CP 130307	95	112	111	110	114	109	90	110	96	117	112	1	2	1	
F3		CWBFCP 120031	1.71	7.9	13.0	15.2	27	13.5	-0.5	8.0	0.2	1.5	1.4				
16 124			53%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CP 160125	🔗	CP 130304	79	110	111	109	115	124	103	108	102	108	106	1	3	1	
F1			3.22	6.8	12.9	14.5	28	21.3	1.2	6.5	1.2	0.7	0.4				
CP160125			61%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%				
CP 160130	🔗	CP 130012	100	104	102	101	108	113	94	98	92	118	117	1	4	1	
F1			1.19	4.4	7.6	8.1	18	15.7	0.0	-0.5	-0.5	1.6	2.2				
CP160130			58%	41%	27%	25%	17%	50%	31%	31%	29%	23%	17%				
CP 160131	🔗	CP 130012	86	106	105	104	107	113	94	98	92	118	117	1	3	3	
F1			2.57	5.5	9.4	10.4	17	15.5	0.0	-0.5	-0.5	1.6	2.2				
CP160131			58%	41%	27%	25%	17%	47%	31%	31%	29%	23%	17%				
CP 160151	🔗	KJDFC0087	106	92	81	80	81	79	100	104	102	121	127	1	17	9	
FB	🔗	CP 130006	0.65	-0.2	-5.5	-8.5	-21	-2.2	0.8	3.4	1.1	1.9	3.8				
16 0151			84%	72%	58%	53%	42%	72%	58%	58%	56%	51%	42%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 160152	✓	KJDFC0086	124	86	80	81	76	66	86	102	107	118	131	1	10	3	
FB	✓	CP 130009	-1.07	-2.6	-6.5	-7.6	-28	-9.5	-1.0	2.3	1.9	1.6	4.5				
16 0152			75%	54%	38%	36%	28%	62%	51%	51%	48%	42%	30%				
CP 160154	✓	KJDFC0086	90	102	104	103	103	112	87	110	112	108	114	1	4	3	
F1			2.19	3.7	8.5	9.8	11	15.1	-0.9	7.8	2.6	0.7	1.8				
CP160154			61%	48%	28%	27%	24%	58%	42%	42%	40%	34%	25%				
CP 170001	✓	BA 090335	122	102	101	102	99	96	100	82	103	100	112	1	5	4	
F3		CP 130063	-0.89	3.9	6.7	9.4	5	6.4	0.7	-12.1	1.2	-0.1	1.4				
17 0001			78%	58%	41%	44%	34%	65%	54%	54%	50%	40%	31%				
CP 170002			104											1	1	1	
BS			0.88														
17 0002			29%														
CP 170029		CP 130304	94	102	101	101	98	104	107	107	103	108	106	1	1	1	
F3		CP 130051	1.78	3.9	6.8	8.0	3	11.1	1.7	6.0	1.2	0.6	0.5				
17 0029			69%	46%	35%	35%	28%	49%	40%	39%	37%	29%	24%				
CP 170032	✓	5U	91	96	97	97	98	93	105	109	109	97	89	1	6	2	
PBD	✓	CWBFCP 140037	2.08	1.1	4.5	5.0	4	5.1	1.5	7.4	2.2	-0.3	-2.2				
17 0032			68%	57%	45%	35%	30%	67%	44%	43%	41%	28%	18%				
CP 170036	✓	CP 130304	90	103	105	103	111	118	103	108	102	108	106	1	2	2	
F1			2.20	4.1	9.0	9.8	21	18.3	1.2	6.5	1.2	0.7	0.4				
CP170036			56%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 170038	✓	5U	103	97	99	98	102	99	105	109	109	97	89	1	1	1	
F1			0.95	1.8	5.2	5.9	9	8.0	1.5	7.4	2.2	-0.3	-2.2				
17 0038			53%	46%	45%	35%	30%	43%	44%	43%	41%	28%	18%				
CP 170040	✓	5U	91	98	100	99	100	96	105	109	109	97	89	1	3	3	
F1			2.15	2.2	5.9	6.8	7	6.8	1.5	7.4	2.2	-0.3	-2.2				
17 0040			61%	51%	45%	35%	30%	55%	44%	43%	41%	28%	18%				
CP 170045	✓	FB11842	125	82	86	88	89	104	88	119	103	100	101	1	4	3	
F3	✓	CP 120008	-1.22	-4.2	-2.7	-1.6	-9	10.9	-0.7	14.0	1.2	-0.1	-0.3				
17 0045			76%	53%	19%	19%	17%	58%	26%	26%	24%	21%	16%				
CP 170046	✓	BA 120783	98	102	102	103	99	106	90	114	94	98	100	1	5	3	
F3	✓	CP 120030	1.46	3.8	7.2	10.0	5	11.8	-0.5	10.9	-0.2	-0.3	-0.4				
17 0046			77%	59%	32%	33%	30%	72%	42%	42%	39%	32%	22%				
CP 170047	✓	5U	94	99	101	100	101	99	105	109	109	97	89	1	5	3	
F1			1.82	2.7	6.7	7.6	8	8.3	1.5	7.4	2.2	-0.3	-2.2				
17 0047			67%	59%	45%	35%	30%	68%	44%	43%	41%	28%	18%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 170053		✓	BA	120783	93	101	103	103	106	112	86	115	93	99	100	1	3	2
F1					1.88	3.5	8.1	9.9	15	14.9	-1.0	11.4	-0.2	-0.2	-0.5			
CP170053					58%	42%	29%	29%	25%	51%	38%	39%	36%	31%	21%			
CP 170056		✓	BA	120783	96	99	101	101	104	110	86	115	93	99	100	1	5	3
F1					1.58	2.6	6.8	8.4	13	13.9	-1.0	11.4	-0.2	-0.2	-0.5			
17 0056					64%	42%	29%	29%	25%	51%	38%	39%	36%	31%	21%			
CP 170058		✓	BA	120783	81	99	101	102	102	105	86	115	93	99	100	1	2	1
F1					3.06	2.6	7.0	8.7	9	11.5	-1.0	11.4	-0.2	-0.2	-0.5			
17 0058					54%	48%	29%	29%	25%	61%	38%	39%	36%	31%	21%			
CP 170062		✓	CP	130307	103	106	105	104	110	102	90	110	96	117	112	1	3	3
F1					0.98	5.2	9.0	10.4	20	9.9	-0.5	8.0	0.2	1.5	1.4			
17 0062					59%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%			
CP 170063		✓	5U		104	93	95	94	99	93	105	109	109	97	89	2	3	2
F1					0.87	0.0	2.7	2.9	5	4.9	1.5	7.4	2.2	-0.3	-2.2			
CP170063					60%	52%	51%	35%	30%	55%	44%	43%	41%	28%	18%			
CP 170065		✓	CP	130307	89	107	106	105	109	100	90	110	96	117	112	2	5	3
F1					2.30	5.7	9.9	11.6	19	8.7	-0.5	8.0	0.2	1.5	1.4			
17 0065					65%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%			
CP 170068		✓	CP	130304	100	92	94	93	103	106	103	108	102	108	106	1	5	4
F3		✓	CWBFCP	120004	1.22	-0.3	2.6	2.2	11	12.1	1.2	6.5	1.2	0.7	0.4			
17 0068					65%	51%	32%	31%	23%	62%	36%	35%	33%	28%	23%			
CP 170082		✓	CP	130307	93	112	110	109	114	107	90	110	96	117	112	1	2	2
F1					1.92	7.6	12.5	14.6	26	12.5	-0.5	8.0	0.2	1.5	1.4			
17 0082					57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%			
CP 170086			CP	130304	102	88	86	87	86	80	100	92	107	93	112	1	2	2
PBD		✓	CP	130032	0.99	-1.8	-2.9	-3.0	-14	-1.7	0.9	-5.0	1.9	-0.7	1.5			
17 0086					75%	50%	36%	35%	28%	57%	42%	42%	39%	33%	25%			
CP 170087		✓	CP	130307	92	115	113	112	116	111	90	110	96	117	112	1	3	1
F1					1.99	8.8	14.2	16.7	29	14.6	-0.5	8.0	0.2	1.5	1.4			
CP170087					61%	44%	32%	31%	15%	45%	38%	38%	35%	27%	17%			
CP 170088		✓	CP	130307	103	106	105	104	110	103	90	110	96	117	112	1	3	2
F1					0.91	5.4	9.3	10.8	21	10.3	-0.5	8.0	0.2	1.5	1.4			
17 0088					61%	48%	32%	31%	15%	55%	38%	38%	35%	27%	17%			
CP 170093		✓	CP	130307	96	108	107	106	110	104	90	110	96	117	112	1	3	3
F1					1.62	6.3	10.7	12.5	21	10.8	-0.5	8.0	0.2	1.5	1.4			
17 0093					61%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%			

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 170096	✓	CP 130304	101	95	98	96	105	111	103	108	102	108	106	1	2	1	
F1			1.14	1.1	4.6	4.5	14	14.6	1.2	6.5	1.2	0.7	0.4				
CP170096			55%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%				
CP 170104	✓	CP 130307	111	109	105	105	104	99	94	110	97	117	112	1	2	2	
F3		CP 120041	0.18	6.4	9.1	11.5	11	8.3	0.0	7.6	0.3	1.5	1.4				
17 0104			75%	48%	35%	34%	22%	47%	42%	41%	38%	28%	18%				
CP 170108	✓	CP 130307	110	106	105	105	101	97	97	103	100	114	109	2	5	2	
F2		CP 100064	0.23	5.4	9.3	11.6	8	7.2	0.4	3.3	0.8	1.3	1.0				
17 0108			77%	56%	32%	31%	15%	64%	38%	38%	35%	27%	17%				
CP 170119	✓	CP 130305	87	104	103	101	107	107	93	113	100	107	110	1	2	2	
F1			2.49	4.4	8.1	7.9	16	12.5	-0.1	9.7	0.7	0.6	1.1				
CP170119			53%	35%	26%	25%	22%	35%	29%	29%	28%	26%	21%				
CP 170125	✓	CP 130304	91	99	101	100	107	113	103	108	102	108	106	1	3	2	
F1			2.15	2.5	6.8	7.1	16	15.6	1.2	6.5	1.2	0.7	0.4				
CP170125			60%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 170127	✓	CP 130012	88	102	101	100	104	108	94	98	92	118	117	1	2	1	
F1			2.42	3.8	7.0	7.5	11	12.7	0.0	-0.5	-0.5	1.6	2.2				
CP170127			53%	35%	27%	25%	17%	34%	31%	31%	29%	23%	17%				
CP 170140	✓	FB11842	100	83	90	91	96	107	84	119	103	101	101	1	3	1	
F1			1.26	-3.7	-0.4	0.3	0	12.4	-1.2	14.4	1.2	0.0	-0.4				
CP170140			58%	45%	13%	11%	5%	50%	20%	20%	18%	19%	15%				
CP 170143		5U	117	89	88	89	86	75	105	90	116	81	94	1	1	1	
F3	✓	CP 140026	-0.43	-1.4	-1.7	-1.1	-14	-4.6	1.4	-6.1	3.2	-1.9	-1.4				
CP170143			63%	50%	48%	38%	33%	49%	48%	48%	45%	33%	21%				
CP 180003		CP 150078	106	86	94	96	90	107	108	97	106	101	98	1	1	1	
BS			0.65	-2.9	2.6	4.5	-8	12.4	1.9	-1.1	1.6	0.0	-0.8				
CP180003			56%	58%	16%	16%	11%	49%	18%	18%	17%	14%	12%				
CP 180004	✓	5U	102	92	94	94	96	92	105	109	109	97	89	1	1	1	
F1			1.05	-0.3	2.4	2.5	1	4.3	1.5	7.4	2.2	-0.3	-2.2				
CP180004			53%	51%	45%	35%	30%	55%	44%	43%	41%	28%	18%				
CP 180012	✓	FB21961	108	104	105	106	103	104	109	97	116	93	92	1	4	2	
F2		CP 150054	0.47	4.5	9.0	12.6	10	11.1	1.9	-1.1	3.3	-0.8	-1.8				
CP180012			76%	69%	23%	21%	15%	70%	31%	30%	27%	23%	18%				
CP 180024	✓	5U	97	92	94	94	96	90	105	109	109	97	89	1	4	2	
F1			1.57	-0.3	2.4	2.6	0	3.5	1.5	7.4	2.2	-0.3	-2.2				
CP180024			63%	55%	45%	35%	30%	63%	44%	43%	41%	28%	18%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 180025		✓	WSI135Z	100	105	107	107	107	112	106	90	102	117	108	1	4	2	
F1				1.21	4.9	10.3	12.9	16	15.2	1.6	-6.0	1.1	1.5	0.8				
CP180025				60%	47%	28%	24%	19%	58%	32%	32%	28%	20%	12%				
CP 180034		✓	WSI135Z	87	108	110	110	107	112	106	90	102	117	108	1	4	3	
F1				2.49	6.0	12.1	15.1	16	15.1	1.6	-6.0	1.1	1.5	0.8				
CP180034				59%	51%	28%	24%	19%	65%	32%	32%	28%	20%	12%				
CP 180041		✓	CP 140027	114	70	81	85	77	87	100	82	109	85	100	1	3	2	
F3				-0.15	-9.3	-6.0	-4.0	-27	1.7	0.8	-12.0	2.2	-1.6	-0.5				
CP180041				69%	57%	17%	15%	17%	48%	22%	22%	20%	17%	10%				
CP 180042		✓	WSI135Z	92	103	105	105	103	107	106	90	102	117	108	1	2	2	
F1				1.97	4.0	9.2	11.7	11	12.5	1.6	-6.0	1.1	1.5	0.8				
CP180042				50%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180048			CP 130061	111	74	84	88	77	88	103	99	101	100	96	1	5	4	
F3				0.17	-7.6	-3.6	-1.8	-27	2.5	1.2	0.3	1.0	-0.1	-1.1				
CP180048				74%	63%	18%	15%	16%	60%	17%	17%	15%	8%	5%				
CP 180051				102	95				120						1	2	1	
F1				1.03	0.8				19.3									
CP180051				40%	27%				41%									
CP 180053		✓	WSI135Z	87	102	104	105	101	104	106	90	102	117	108	1	3	3	
F1				2.51	3.6	8.7	11.2	8	11.0	1.6	-6.0	1.1	1.5	0.8				
CP180053				55%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180063		✓		103	88				111						1	2	2	
F1				0.92	-2.0				14.8									
CP180063				40%	27%				41%									
CP 180068		✓	WSI135Z	109	78	78	82	74	75	104	74	107	102	114	1	2	2	
PBD		✓	CP 130026	0.33	-6.1	-7.7	-6.4	-30	-4.8	1.3	-17.4	1.8	0.1	1.8				
CP180068				74%	63%	33%	29%	25%	57%	39%	39%	35%	26%	16%				
CP 180070		✓	WSI135Z	90	96	99	100	97	98	106	90	102	117	108	1	2	1	
F1				2.24	1.4	5.5	7.3	2	7.5	1.6	-6.0	1.1	1.5	0.8				
CP180070				50%	42%	28%	24%	19%	51%	32%	32%	28%	20%	12%				
CP 180072		✓	BA 090335	96	99	102	102	104	96	102	91	107	102	103	1	5	3	
PBD			CWBFCP 140010	1.65	2.7	7.1	9.1	11	6.7	1.1	-5.8	1.9	0.1	0.0				
CP180072				66%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%				
CP 180073				106	87				111						1	4	4	
F3				0.60	-2.4				14.5									
CP180073				53%	44%				61%									

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 180074	✓	WSI135Z	102	100	102	102	101	106	106	90	102	117	108	1	2	1	
F1			1.08	2.8	7.2	9.3	8	11.7	1.6	-6.0	1.1	1.5	0.8				
CP180074			53%	48%	28%	24%	19%	61%	32%	32%	28%	20%	12%				
CP 180081	✓	5U	136	87	85	86	84	77	111	105	112	101	93	1	4	3	
F3	✓	CP 150084	-2.23	-2.2	-3.3	-3.5	-17	-3.3	2.2	4.0	2.7	0.0	-1.6				
CP180081			76%	65%	48%	39%	31%	52%	48%	47%	44%	31%	20%				
CP 180093	✓	CP 130304	125	97	96	95	99	104	107	107	103	108	106	1	1	1	
F3	✓	CP 120008	-1.18	1.7	3.5	3.9	5	10.9	1.7	6.0	1.2	0.6	0.5				
CP180093			73%	62%	35%	35%	28%	50%	40%	39%	37%	29%	24%				
CP 180096	✓	CP 130304	86	103	105	104	110	117	103	108	102	108	106	1	2	1	
F1			2.60	4.3	9.4	10.3	21	18.0	1.2	6.5	1.2	0.7	0.4				
CP180096			56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 180100	✓	CP 130304	94	90	93	92	100	102	103	108	102	108	106	1	4	3	
F3	✓	CWBFCP 120004	1.79	-1.2	1.5	0.9	6	9.8	1.2	6.5	1.2	0.7	0.4				
CP180100			63%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180102	✓	CP 130304	97	97	99	98	106	112	103	108	102	108	106	1	4	4	
F1			1.52	1.8	5.6	5.8	15	15.3	1.2	6.5	1.2	0.7	0.4				
CP180102			63%	51%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180104	✓	CP 130304	93	92	94	93	101	104	103	108	102	108	106	1	2	2	
F1			1.90	-0.4	2.6	2.3	8	11.0	1.2	6.5	1.2	0.7	0.4				
CP180104			56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%				
CP 180105	✓	CP 130307	101	114	112	111	117	112	90	110	96	117	112	1	4	3	
F1			1.18	8.5	13.7	16.0	30	15.3	-0.5	8.0	0.2	1.5	1.4				
CP180105			63%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 180114	✓	CP 130307	115	104	100	101	102	94	93	110	97	117	112	1	4	4	
F3	✓	CP 120035	-0.19	4.4	6.3	8.4	9	5.7	-0.1	8.1	0.3	1.5	1.5				
GLENFINLAS CP180114			77%	68%	35%	34%	23%	66%	42%	42%	38%	28%	18%				
CP 180115	✓	CP 130304	94	100	102	100	109	115	103	108	102	108	106	1	4	4	
F1			1.77	2.9	7.3	7.7	18	16.9	1.2	6.5	1.2	0.7	0.4				
CP180115			61%	49%	32%	31%	23%	61%	36%	35%	33%	28%	23%				
CP 180118	✓	CP 130307	99	116	114	113	117	115	90	110	96	117	112	1	4	2	
F1			1.36	9.4	14.9	17.4	30	16.5	-0.5	8.0	0.2	1.5	1.4				
GLENFINLAS CP180118			64%	54%	32%	31%	15%	61%	38%	38%	35%	27%	17%				
CP 180122	✓	CP 130307	101	109	108	107	112	106	90	110	96	117	112	1	2	1	
F1			1.16	6.5	10.9	12.7	24	11.9	-0.5	8.0	0.2	1.5	1.4				
CP180122			57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 180124		✓	CP	130305	106	109	101	98	99	95	97	114	98	110	117	1	2	2
PBD		✓	CP	160020	0.67	6.6	6.9	6.1	5	6.3	0.4	10.4	0.5	0.8	2.2			
CP180124					74%	63%	30%	29%	26%	57%	38%	38%	35%	29%	24%			
CP 180128		✓	CP	130305	83	102	101	99	105	103	93	113	100	107	110	1	1	1
F1					2.84	3.6	7.0	6.6	13	10.5	-0.1	9.7	0.7	0.6	1.1			
CP180128					48%	42%	26%	25%	22%	50%	29%	29%	28%	26%	21%			
CP 180129		✓	CP	130304	90	99	101	99	106	112	103	108	102	108	106	1	2	2
F1					2.20	2.4	6.5	6.9	15	15.2	1.2	6.5	1.2	0.7	0.4			
CP180129					56%	46%	32%	31%	23%	53%	36%	35%	33%	28%	23%			
CP 180138		✓	CP	130307	99	103	103	102	108	98	90	110	96	117	112	1	2	2
F1					1.29	4.3	7.8	9.1	17	7.9	-0.5	8.0	0.2	1.5	1.4			
CP180138					57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%			
CP 180148		✓	CP	130304	97	96	98	97	105	111	103	108	102	108	106	1	2	1
F1					1.54	1.4	5.1	5.1	14	14.6	1.2	6.5	1.2	0.7	0.4			
CP180148					56%	47%	32%	31%	23%	55%	36%	35%	33%	28%	23%			
CP 180151			CP	130304	112	97	94	94	96	96	109	103	106	112	109	1	4	4
F3			CP	160070	0.10	1.6	2.4	2.7	1	6.4	1.9	3.0	1.7	1.1	1.0			
180151					77%	61%	36%	35%	24%	70%	41%	40%	38%	31%	25%			
CP 180152			CP	130304	112	91	89	89	89	95	106	107	112	109	112	1	3	3
PBD			CP	160087	0.06	-0.6	-0.8	-1.2	-10	5.9	1.5	5.4	2.6	0.8	1.5			
180152					76%	56%	36%	35%	27%	61%	42%	42%	40%	33%	26%			
CP 180163			CP	130307	100	116	114	113	118	115	90	110	96	117	112	1	1	1
F1					1.23	9.5	15.0	17.6	33	16.9	-0.5	8.0	0.2	1.5	1.4			
CP180163					53%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%			
CP 190009		✓	CP	130305	92	108	107	104	112	114	93	113	100	107	110	1	3	3
F1					2.05	6.1	10.5	10.6	23	16.2	-0.1	9.7	0.7	0.6	1.1			
CP190009					57%	48%	26%	25%	22%	59%	29%	29%	28%	26%	21%			
CP 190011		✓	CP	130305	113	90	88	86	91	90	97	112	100	106	110	3	5	4
F3			CP	110012	-0.01	-1.2	-1.5	-3.1	-6	3.5	0.4	9.3	0.7	0.5	1.2			
190011					76%	57%	29%	40%	28%	67%	33%	33%	32%	27%	22%			
CP 190014		✓	CP	130305	81	115	113	110	115	119	93	113	100	107	110	1	4	3
F1					3.12	8.8	14.4	15.3	27	19.1	-0.1	9.7	0.7	0.6	1.1			
190014					61%	52%	26%	25%	22%	64%	29%	29%	28%	26%	21%			
CP 190017		✓	ETJ001		99	102	94	95	87	82	78	104	103	96	119	1	5	3
FB		✓	CP	160151	1.33	3.8	2.1	3.8	-13	-0.6	-2.0	3.6	1.2	-0.5	2.6			
190017					73%	66%	51%	50%	44%	75%	53%	53%	52%	48%	39%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA Dam ID															
JAPANESE BLACK																		
CP 190019		✔	ETJ001	106	95	87	89	82	75	78	104	103	96	119	1	5	2	
FB		✔	CP 160151	0.63	1.0	-1.9	-1.0	-20	-4.4	-2.0	3.6	1.2	-0.5	2.6				
190019				73%	62%	51%	50%	44%	68%	53%	53%	52%	48%	39%				
CP 190020		✔	ETJ001	100	101	93	94	87	81	78	104	103	96	119	1	4	2	
FB		✔	CP 160151	1.23	3.3	1.5	3.0	-13	-1.2	-2.0	3.6	1.2	-0.5	2.6				
190020				72%	60%	51%	50%	44%	63%	53%	53%	52%	48%	39%				
CP 190023		✔	ETJ001	97	99	91	93	84	78	78	104	103	96	119	1	5	3	
FB		✔	CP 160151	1.52	2.7	0.6	2.0	-17	-2.8	-2.0	3.6	1.2	-0.5	2.6				
190023				73%	57%	51%	50%	44%	57%	53%	53%	52%	48%	39%				
CP 190026		✔	ETJ001	102	98	90	91	83	77	78	104	103	96	119	1	5	4	
FB		✔	CP 160151	1.04	2.0	-0.4	0.8	-18	-3.2	-2.0	3.6	1.2	-0.5	2.6				
190026				73%	64%	51%	50%	44%	71%	53%	53%	52%	48%	39%				
CP 190036		✔	BA 090335	116	98	100	100	106	100	102	91	107	102	103	1	3	2	
F1				-0.29	2.1	5.9	7.5	15	8.6	1.1	-5.8	1.9	0.1	0.0				
190036				60%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190037		✔	BA 090335	111	99	101	101	106	100	102	91	107	102	103	1	1	1	
F1				0.16	2.6	6.8	8.6	15	8.9	1.1	-5.8	1.9	0.1	0.0				
190037				53%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190038		✔	BA 090335	104	90	93	93	95	86	102	91	107	102	103	1	3	2	
F1				0.87	-1.2	1.4	2.3	0	1.1	1.1	-5.8	1.9	0.1	0.0				
190038				61%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%				
CP 190042		✔	BA 090335	107	102	104	104	107	103	102	91	107	102	103	1	3	3	
F1				0.52	3.8	8.4	10.5	16	10.3	1.1	-5.8	1.9	0.1	0.0				
190042				60%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%				
CP 190044		✔	BA 090335	107	102	103	104	108	102	102	91	107	102	103	1	3	3	
F1				0.58	3.6	8.2	10.3	18	9.9	1.1	-5.8	1.9	0.1	0.0				
190044				60%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%				
CP 190046		✔	BA 090335	103	102	104	104	106	101	102	91	107	102	103	1	3	3	
F1				0.96	3.6	8.3	10.4	15	9.4	1.1	-5.8	1.9	0.1	0.0				
190046				60%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				
CP 190047		✔	BA 090335	108	98	100	100	104	98	102	91	107	102	103	1	3	2	
F1				0.48	2.1	6.1	7.7	13	7.4	1.1	-5.8	1.9	0.1	0.0				
190047				61%	50%	38%	41%	30%	56%	43%	43%	42%	38%	30%				
CP 190048		✔	BA 090335	110	100	102	102	106	100	102	91	107	102	103	1	3	2	
F1				0.30	2.8	7.1	8.9	15	9.0	1.1	-5.8	1.9	0.1	0.0				
190048				61%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 190049		✓	BA	090335	108	97	99	100	103	97	102	91	107	102	103			
F1					0.41	1.8	5.7	7.3	11	7.1	1.1	-5.8	1.9	0.1	0.0	1	3	3
190049					61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%			
CP 190055		✓	5U		91	102	104	103	106	102	105	109	109	97	89			
F1					2.08	3.9	8.3	9.6	14	9.9	1.5	7.4	2.2	-0.3	-2.2	1	3	2
190055					60%	49%	45%	35%	30%	54%	44%	43%	41%	28%	18%			
CP 190059		✓	BA	090335	124	114	110	110	105	98	108	86	111	106	107			
F2		✓	CP	160090	-1.08	8.7	12.0	15.3	14	7.8	1.8	-9.2	2.4	0.5	0.6	1	4	3
190059					68%	59%	41%	44%	31%	68%	47%	47%	45%	40%	32%			
CP 190063		✓	BA	090335	103	100	102	102	105	99	102	91	107	102	103			
F1					0.90	3.0	7.4	9.3	14	8.3	1.1	-5.8	1.9	0.1	0.0	1	3	2
190063					61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%			
CP 190066		✓	GRSFK0473		108	98	90	91	83	70	109	84	104	112	116			
FB		✓	SFWFK0091		0.46	2.0	0.0	0.6	-19	-7.3	1.9	-10.7	1.4	1.1	2.1	1	2	2
190066					55%	50%	43%	38%	28%	52%	32%	40%	38%	38%	20%			
CP 190067		✓	GRSFK0473		98	98	91	91	80	76	101	79	109	100	116			
FB		✓	KSOFL00108		1.40	2.2	0.2	0.3	-22	-4.2	1.0	-13.7	2.1	-0.1	2.0	1	5	1
190067					66%	52%	36%	31%	21%	58%	24%	32%	31%	29%	14%			
CP 190070		✓	BA	090335	106	93	96	96	99	90	102	91	107	102	103			
F1					0.69	0.1	3.3	4.5	5	3.7	1.1	-5.8	1.9	0.1	0.0	1	3	3
190070					60%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%			
CP 190071		✓	5U		117	101	97	97	93	83	111	105	112	101	93			
F2		✓	CP	160048	-0.45	3.4	4.3	5.3	-3	-0.4	2.2	4.0	2.7	0.0	-1.6	1	2	1
190071					63%	56%	48%	39%	31%	59%	48%	47%	44%	31%	20%			
CP 190072		✓	GRSFK0473		99	108	101	101	92	79	99	108	104	113	111			
FB		✓	SFWFK0100		1.30	6.3	6.8	8.6	-6	-2.5	0.6	6.7	1.4	1.1	1.4	1	4	1
190072					59%	42%	38%	33%	23%	40%	26%	35%	33%	33%	17%			
CP 190073		✓	GRSFK0473		113	95	88	89	82	74	108	85	107	109	113			
FB		✓	SFWFK0120		-0.04	0.8	-1.4	-1.0	-20	-5.0	1.8	-10.1	1.8	0.7	1.6	1	4	4
190073					65%	54%	42%	38%	28%	60%	30%	39%	37%	36%	21%			
CP 190075		✓	BA	090335	106	105	107	107	110	106	102	91	107	102	103			
F1					0.69	5.0	10.2	12.6	20	12.2	1.1	-5.8	1.9	0.1	0.0	1	3	3
190075					61%	54%	38%	41%	30%	63%	43%	43%	42%	38%	30%			
CP 190078		✓	BA	090335	100	108	109	109	112	108	102	91	107	102	103			
F1					1.21	6.1	11.8	14.5	24	13.2	1.1	-5.8	1.9	0.1	0.0	1	3	3
190078					61%	50%	38%	41%	30%	55%	43%	43%	42%	38%	30%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 190095		✓	BA	090335	108	98	100	101	104	98	102	91	107	102	103	1	2	2
F1					0.48	2.2	6.2	7.9	12	7.7	1.1	-5.8	1.9	0.1	0.0			
190095					56%	53%	38%	41%	30%	62%	43%	43%	42%	38%	30%			
CP 190096		✓	BA	090335	107	96	98	99	102	95	102	91	107	102	103	1	3	2
F1					0.51	1.3	4.9	6.4	9	6.0	1.1	-5.8	1.9	0.1	0.0			
190096					61%	54%	38%	41%	30%	62%	43%	43%	42%	38%	30%			
CP 190099		✓	BA	090335	104	95	97	98	100	92	102	91	107	102	103	1	3	2
F1					0.88	0.7	4.2	5.6	7	4.5	1.1	-5.8	1.9	0.1	0.0			
GLENFINLAS 190099					62%	59%	38%	41%	30%	67%	43%	43%	42%	38%	30%			
CP 190114		✓	5U		115	95	95	95	94	92	109	109	109	97	89	1	3	3
F3			CP	120014	-0.24	1.0	2.7	3.8	-3	4.3	2.0	7.0	2.2	-0.4	-2.2			
190114					69%	59%	47%	39%	34%	65%	47%	47%	43%	29%	19%			
CP 190124		✓	CP	130307	94	107	106	105	109	101	90	110	96	117	112	1	3	3
F1					1.78	5.6	9.7	11.3	20	9.4	-0.5	8.0	0.2	1.5	1.4			
190124					59%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%			
CP 190125		✓	CP	130304	101	96	98	96	107	112	103	108	102	108	106	1	2	2
F1					1.16	1.2	4.8	4.7	16	14.9	1.2	6.5	1.2	0.7	0.4			
190125					55%	40%	32%	31%	23%	40%	36%	35%	33%	28%	23%			
CP 190126		✓	CP	130307	103	105	104	103	109	101	90	110	96	117	112	1	3	2
F1					0.90	4.8	8.4	9.8	19	9.3	-0.5	8.0	0.2	1.5	1.4			
190126					59%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%			
CP 190130		✓	CP	130307	93	118	116	115	120	116	90	110	96	117	112	1	2	1
F1					1.94	10.2	16.2	19.0	34	17.1	-0.5	8.0	0.2	1.5	1.4			
190130					57%	52%	32%	31%	15%	61%	38%	38%	35%	27%	17%			
CP 190156		✓	CP	130311	109	87	83	83	86	86	98	91	92	116	122	1	3	3
F2		✓	CP	160107	0.39	-2.5	-4.6	-5.7	-14	1.4	0.6	-5.7	-0.5	1.5	3.1			
190156					61%	42%	31%	29%	21%	50%	35%	34%	33%	28%	22%			
CP 190165		✓	CP	130304	107	94	93	93	100	104	103	111	101	109	107	1	3	3
F2			CP	158042	0.58	0.3	1.8	1.8	6	10.7	1.2	8.4	0.9	0.8	0.7			
190165					62%	50%	35%	35%	28%	56%	40%	39%	37%	29%	24%			
CP 190182		✓	CP	130304	89	94	97	96	103	106	103	108	102	108	106	1	3	3
F1					2.27	0.6	4.1	4.0	11	12.1	1.2	6.5	1.2	0.7	0.4			
190182					60%	50%	32%	31%	23%	60%	36%	35%	33%	28%	23%			
CP 190186		✓	CP	130012	97	102	101	99	105	110	94	98	92	118	117	1	3	3
F1					1.49	3.6	6.6	6.9	13	13.9	0.0	-0.5	-0.5	1.6	2.2			
CP190186					58%	47%	27%	25%	17%	57%	31%	31%	29%	23%	17%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CP 190192		✓ CP 130311		113	93	87	88	89	84	92	92	89	121	126	1	2	2	
F2		✓ CP 160061		-0.02	0.0	-1.9	-2.2	-10	0.2	-0.3	-4.9	-0.9	1.9	3.6				
190192				57%	44%	31%	29%	19%	52%	35%	35%	33%	28%	20%				
CP 190201		✓ CP 130012		99	99	98	97	103	106	94	98	92	118	117	1	3	3	
F1				1.30	2.5	4.9	4.9	10	12.1	0.0	-0.5	-0.5	1.6	2.2				
CP190201				56%	40%	27%	25%	17%	46%	31%	31%	29%	23%	17%				
CP 190203		✓ CP 130012		90	103	102	101	105	110	94	98	92	118	117	1	2	2	
F1				2.19	4.3	7.6	8.2	13	13.9	0.0	-0.5	-0.5	1.6	2.2				
CP190203				53%	33%	27%	25%	17%	29%	31%	31%	29%	23%	17%				
CP 190208		✓ CP 130012		97	98	97	96	101	104	94	98	92	118	117	1	3	2	
F1				1.56	2.1	4.5	4.4	8	11.1	0.0	-0.5	-0.5	1.6	2.2				
190208				57%	46%	27%	25%	17%	56%	31%	31%	29%	23%	17%				
CP 200005		✓ BA 150369		80	108	111	111	110	111	114	106	107	105	83	1	2	2	
F1				3.16	6.2	12.8	16.5	21	14.7	2.5	5.0	1.8	0.4	-3.2				
200005				57%	47%	34%	27%	17%	50%	44%	44%	42%	37%	26%				
CP 200007		✓ BA 150369		80	108	110	111	109	110	114	106	107	105	83	1	1	1	
F1				3.16	6.0	12.4	16.0	20	14.2	2.5	5.0	1.8	0.4	-3.2				
200007				52%	45%	34%	27%	17%	49%	44%	44%	42%	37%	26%				
CP 200011		✓ BA 090335		124	94	85	85	83	71	110	86	112	109	116	1	4	3	
FB		✓ CP 160151		-1.11	0.5	-3.1	-4.0	-18	-6.8	2.0	-9.1	2.6	0.8	2.0				
200011				78%	58%	48%	49%	37%	58%	52%	52%	50%	46%	37%				
CP 200016		✓ WK 160194		111	82	84	87	78	86	93	107	92	96	104	1	3	2	
PBD		✓ CP 180048		0.20	-4.5	-3.8	-2.5	-25	1.4	-0.1	5.8	-0.4	-0.5	0.2				
200016				74%	45%	23%	19%	17%	42%	34%	33%	30%	28%	21%				
CP 200017		✓ FGW 120001		100	99	99	100	96	95	102	103	107	95	92	1	2	1	
PBD		✓ CP 170032		1.20	2.3	5.3	7.5	1	6.3	1.0	2.9	1.8	-0.6	-1.7				
200017				74%	54%	46%	40%	42%	55%	46%	47%	43%	32%	22%				
CP 200020		✓ FGW 120001		89	105	109	110	111	117	92	105	99	100	98	1	2	1	
F1				2.26	5.0	11.7	15.0	22	18.0	-0.3	4.2	0.6	-0.1	-0.7				
200020				56%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 200026		✓ FGW 120001		97	112	110	112	102	105	98	100	102	104	102	1	2	2	
F3		✓ CP 160070		1.48	7.8	12.5	16.6	10	11.5	0.5	0.8	1.1	0.3	-0.1				
200026				76%	57%	43%	39%	40%	55%	45%	45%	41%	32%	22%				
CP 200029		✓ FGW 120001		85	106	110	111	111	118	92	105	99	100	98	1	1	1	
F3		✓ CWBFCP 170078		2.68	5.5	12.5	15.9	22	18.2	-0.3	4.2	0.6	-0.1	-0.7				
200029				54%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 200032		FGW 120001		99	98	98	99	94	93	102	103	107	95	92	1	2	2	
F2		CP 170047	1.31	2.3	5.0	7.1	-2	4.8	1.0	2.9	1.8	-0.6	-1.7					
200032			75%	58%	46%	40%	42%	62%	46%	47%	43%	32%	22%					
CP 200035		BA 150369		110	93	92	94	87	86	116	105	116	106	90	1	2	1	
PBD		CP 160087	0.25	0.3	1.1	3.1	-13	1.1	2.9	4.0	3.3	0.5	-2.1					
200035			76%	57%	38%	32%	23%	58%	50%	50%	47%	41%	29%					
CP 200036		FGW 120001		113	100	100	103	101	107	94	107	97	100	100	2	2	2	
PBD		CP 130075	-0.05	3.0	6.3	9.6	8	12.5	0.0	5.9	0.3	-0.1	-0.4					
200036			76%	53%	43%	39%	43%	53%	45%	45%	41%	30%	21%					
CP 200039		FGW 120001		107	94	96	97	96	102	91	108	103	97	98	1	2	2	
F2		CP 170140	0.58	0.3	3.3	5.5	0	10.0	-0.3	6.4	1.3	-0.4	-0.8					
200039			73%	55%	41%	36%	39%	58%	42%	42%	38%	30%	22%					
CP 200043		GRSFK0473		108	93	85	85	79	65	96	81	111	92	115	1	3	1	
FB		KSOFF0024	0.49	-0.1	-3.5	-4.2	-24	-9.6	0.2	-12.8	2.5	-0.9	1.9					
200043			64%	56%	49%	41%	31%	61%	35%	42%	40%	39%	23%					
CP 200051		FGW 120001		109	102	101	102	96	94	98	100	102	104	102	1	2	2	
F3		CP 170108	0.39	3.7	6.6	9.4	0	5.3	0.5	0.8	1.1	0.3	-0.1					
200051			77%	57%	43%	39%	40%	61%	45%	45%	41%	32%	22%					
CP 200054		FGW 120001		97	108	106	107	104	100	94	103	100	105	104	1	2	2	
F2		CP 170121	1.55	6.1	9.9	12.9	11	8.7	0.0	3.1	0.8	0.4	0.1					
200054			76%	58%	43%	39%	40%	62%	45%	45%	41%	32%	22%					
CP 200056		GRSFK0473		113	93	87	88	80	72	108	85	107	109	113	1	3	2	
FB		SFWFK0120	-0.01	0.2	-2.3	-2.1	-22	-6.2	1.8	-10.1	1.8	0.7	1.6					
200056			62%	50%	42%	38%	28%	53%	30%	39%	37%	36%	21%					
CP 200057		BA 150369		82	103	106	107	106	105	114	106	107	105	83	1	1	1	
F1			3.00	4.3	10.0	13.2	15	11.6	2.5	5.0	1.8	0.4	-3.2					
200057			53%	47%	34%	27%	17%	50%	44%	44%	42%	37%	26%					
CP 200059		BA 150369		86	107	109	110	110	111	114	106	107	105	83	1	2	2	
F1			2.62	5.6	11.9	15.3	20	14.5	2.5	5.0	1.8	0.4	-3.2					
200059			57%	47%	34%	27%	17%	49%	44%	44%	42%	37%	26%					
CP 200063		BA 150369		93	99	98	99	98	93	123	103	111	106	85	1	2	2	
PBD		CP 170068	1.91	2.5	5.0	7.0	3	5.2	3.7	3.2	2.6	0.5	-2.8					
200063			74%	52%	38%	32%	21%	56%	48%	47%	45%	39%	28%					
CP 200068		BA 150369		97	108	106	107	102	98	124	104	115	101	77	1	2	2	
F2		CP 170075	1.51	6.1	9.7	12.8	10	7.5	3.8	3.7	3.1	0.0	-4.1					
200068			73%	53%	41%	33%	23%	55%	50%	49%	47%	39%	27%					

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA Dam ID															
JAPANESE BLACK																		
CP 200071		BA	150369	71	112	110	110	102	99	123	103	111	106	85				
F2		CP	160125	4.05	7.7	12.2	15.5	9	8.4	3.7	3.2	2.6	0.5	-2.8	1	2	1	
200071				73%	52%	38%	32%	21%	55%	48%	47%	45%	39%	28%				
CP 200072		CP	130307	104	113	111	110	116	112	90	110	96	117	112				
F1				0.88	8.1	13.1	15.3	29	15.1	-0.5	8.0	0.2	1.5	1.4	1	2	2	
200072				56%	46%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200077		BA	150369	78	108	106	107	97	94	114	107	107	101	82				
F2		CP	170042	3.37	6.0	9.8	13.3	2	5.6	2.6	5.7	1.9	0.0	-3.3	1	2	2	
200077				73%	51%	37%	31%	21%	54%	48%	48%	46%	40%	28%				
CP 200078		BA	150369	92	104	103	104	100	99	123	103	111	106	85				
F2		CP	170081	1.97	4.6	7.8	10.3	7	8.0	3.7	3.2	2.6	0.5	-2.8	1	2	2	
200078				73%	52%	38%	32%	21%	54%	48%	47%	45%	39%	28%				
CP 200083		CP	130307	97	110	109	108	113	107	90	110	96	117	112				
F1				1.55	7.0	11.7	13.6	24	12.2	-0.5	8.0	0.2	1.5	1.4	1	2	2	
200083				56%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200090		FGW	120001	108	96	95	97	94	94	100	93	107	93	103				
PBD		CP	170103	0.41	1.3	2.9	4.9	-2	5.3	0.8	-4.4	1.8	-0.8	0.0	1	2	2	
200090				76%	53%	44%	39%	41%	52%	45%	46%	42%	33%	24%				
CP 200093		WK	160194	92	96	98	99	102	110	83	114	88	99	107				
F1				2.05	1.3	5.1	6.6	9	13.8	-1.3	10.7	-1.0	-0.2	0.6	1	2	2	
200093				53%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200096		FGW	120001	108	98	98	98	99	102	101	102	103	101	101				
F2		CP	170131	0.50	2.0	4.6	6.3	6	9.7	0.9	2.4	1.3	0.0	-0.4	1	2	1	
200096				74%	52%	43%	39%	41%	51%	44%	45%	41%	32%	23%				
CP 200102		FGW	120001	97	112	110	111	107	106	94	103	100	105	104				
F2		CP	170087	1.56	7.9	12.3	15.8	17	11.8	0.0	3.1	0.8	0.4	0.1	1	2	2	
200102				74%	55%	43%	39%	40%	57%	45%	45%	41%	32%	22%				
CP 200107		CP	130307	95	108	107	106	111	103	90	110	96	117	112				
F1				1.76	6.1	10.4	12.2	22	10.3	-0.5	8.0	0.2	1.5	1.4	1	2	2	
200107				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200109		WK	160194	111	94	92	93	89	91	90	109	92	103	111				
F2		CP	160050	0.21	0.4	0.9	2.3	-9	3.7	-0.5	7.3	-0.5	0.2	1.2	1	2	2	
200109				72%	41%	26%	23%	16%	41%	38%	37%	34%	31%	22%				
CP 200110		CP	130307	116	113	112	112	111	110	97	103	100	114	109				
F1		CP	120033	-0.35	8.2	13.4	16.5	22	14.3	0.4	3.3	0.8	1.3	1.0	2	2	2	
200110				71%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 200112		✓ WK	160194	91	99	101	102	104	114	83	114	88	99	107				
F1				2.06	2.6	6.9	8.7	12	16.0	-1.3	10.7	-1.0	-0.2	0.6	1	2	2	
200112				54%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200118		✓ WK	160194	107	94	92	92	94	100	92	111	93	100	109				
F2		✓ CP	160057	0.60	0.4	1.0	1.5	-2	8.6	-0.2	8.9	-0.3	-0.1	0.9	1	1	1	
200118				70%	40%	26%	23%	18%	40%	37%	37%	34%	31%	24%				
CP 200128		✓ CP	130307	101	117	115	113	119	117	90	110	96	117	112				
F1				1.10	9.7	15.3	18.0	34	17.5	-0.5	8.0	0.2	1.5	1.4	1	2	2	
200128				57%	48%	32%	31%	15%	53%	38%	38%	35%	27%	17%				
CP 200147		✓ CP	130311	94	95	94	94	98	103	89	93	87	115	120				
F1				1.83	0.8	2.6	3.1	4	10.5	-0.6	-3.9	-1.2	1.4	2.8	1	2	2	
200147				52%	28%	27%	24%	18%	29%	30%	29%	28%	24%	18%				
CP 200148		✓ CP	130311	100	92	92	92	97	101	89	93	87	115	120				
F1				1.21	-0.5	0.8	0.9	2	9.3	-0.6	-3.9	-1.2	1.4	2.8	1	2	2	
200148				52%	37%	27%	24%	18%	47%	30%	29%	28%	24%	18%				
CP 200149		✓ WK	160194	85	109	110	110	112	124	83	114	88	99	107				
F1				2.68	6.4	12.4	15.3	24	21.7	-1.3	10.7	-1.0	-0.2	0.6	1	2	2	
200149				54%	41%	21%	17%	15%	47%	33%	32%	29%	28%	21%				
CP 200154		✓ WK	160194	111	98	95	96	97	97	86	112	90	105	112				
F2		✓ CP	160061	0.20	2.3	3.1	4.3	2	7.0	-1.0	9.6	-0.8	0.4	1.4	1	2	2	
200154				72%	47%	26%	23%	16%	53%	38%	37%	34%	31%	22%				
CP 200167		✓ CP	130311	110	94	88	88	85	89	100	91	92	116	123				
PBD		✓ CP	170029	0.31	0.3	-1.6	-1.7	-15	3.0	0.8	-5.9	-0.5	1.4	3.1	1	2	2	
200167				72%	43%	32%	30%	23%	51%	36%	35%	34%	28%	22%				
CP 200169		✓ WK	160194	94	97	99	99	103	111	83	114	88	99	107				
F1				1.79	1.6	5.4	7.0	11	14.7	-1.3	10.7	-1.0	-0.2	0.6	2	2	1	
200169				55%	33%	21%	17%	15%	30%	33%	32%	29%	28%	21%				
CP 200171		✓ WK	160194	104	89	88	89	90	94	92	111	93	100	109				
F2		✓ CP	160107	0.84	-1.3	-1.2	-1.2	-8	5.7	-0.2	8.9	-0.3	-0.1	0.9	1	2	1	
200171				71%	44%	26%	23%	18%	48%	37%	37%	34%	31%	24%				
CP 200173		✓ CP	130311	103	90	85	85	85	84	94	86	86	121	128				
F2		✓ CP	170127	0.89	-1.1	-3.5	-4.4	-15	0.3	0.0	-9.2	-1.3	1.9	4.0	1	1	1	
200173				67%	38%	30%	27%	20%	48%	33%	33%	32%	27%	20%				
CP 200182		✓ CP	130311	114	95	88	89	87	84	94	92	89	121	126				
PBD		✓ CP	170104	-0.17	1.0	-1.2	-0.8	-13	0.1	0.0	-5.1	-0.9	1.9	3.6	1	2	2	
200182				71%	37%	32%	30%	21%	37%	36%	36%	34%	28%	20%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 210001	BA 150369		86	106	108	109	110	110	114	106	107	105	83	1	3	3	
F1			2.56	5.2	11.3	14.7	20	13.9	2.5	5.0	1.8	0.4	-3.2				
210001			58%	41%	34%	27%	17%	35%	44%	44%	42%	37%	26%				
CP 210003	FB12909		106	115	108	106	105	80	100	102	115	101	106	1	1	1	
PBD	CP 160151		0.67	9.0	10.8	11.9	14	-1.7	0.8	2.2	3.2	0.0	0.5				
210003			69%	47%	35%	33%	24%	51%	36%	36%	34%	31%	24%				
CP 210009	FGW 120001		98	103	106	107	111	116	92	105	99	100	98	1	2	1	
F1			1.43	4.0	10.1	13.0	22	17.5	-0.3	4.2	0.6	-0.1	-0.7				
210009			56%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 210011	FGW 120001		95	106	110	110	112	120	92	105	99	100	98	1	1	1	
F1			1.70	5.3	12.1	15.4	24	19.4	-0.3	4.2	0.6	-0.1	-0.7				
210011			54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210015	CP 190019		121	81	85	89	76	89	96	95	106	95	105	1	1	1	
F1			-0.85	-4.8	-3.2	-1.2	-28	2.9	0.3	-2.5	1.7	-0.6	0.3				
210015			65%	60%	25%	25%	22%	49%	27%	27%	26%	24%	19%				
CP 210017	BOS 170018		108	94	88	89	79	84	91	99	100	96	112	1	2	1	
FB	CP 190017		0.49	0.4	-1.6	-0.9	-24	0.4	-0.4	0.2	0.7	-0.5	1.4				
210017			74%	69%	28%	28%	24%	58%	38%	38%	37%	35%	28%				
CP 210019	BOS 170018		114	92	91	91	89	97	96	102	96	106	108	1	1	1	
F2	CP 180120		-0.17	-0.2	0.2	0.7	-10	6.9	0.3	2.3	0.2	0.5	0.8				
210019			69%	63%	20%	19%	11%	43%	33%	33%	31%	29%	22%				
CP 210026	CP 170032		88	89	97	100	86	99	110	98	109	96	90	1	1	1	
F1			2.40	-1.5	4.4	7.2	-13	8.4	2.0	-0.7	2.1	-0.5	-2.1				
210026			65%	56%	23%	18%	15%	35%	22%	22%	20%	14%	9%				
CP 210027	FGW 120001		104	107	106	108	100	101	104	97	110	93	94	1	1	1	
F3	CP 180012		0.82	5.6	9.5	13.5	6	9.3	1.3	-1.4	2.3	-0.8	-1.5				
210027			74%	70%	42%	37%	40%	63%	43%	44%	40%	31%	22%				
CP 210030	BOS 170018		89	92	92	93	87	97	94	105	95	97	102	1	1	1	
F2	CP 170058		2.29	-0.3	0.9	1.9	-12	7.0	0.1	4.0	0.0	-0.4	-0.1				
210030			70%	65%	19%	19%	15%	55%	33%	33%	32%	30%	22%				
CP 210032	FGW 120001		107	93	94	96	93	98	102	103	107	95	92	1	1	1	
F2	CP 180024		0.59	0.2	2.6	4.6	-3	7.6	1.0	2.9	1.8	-0.6	-1.7				
210032			73%	68%	46%	40%	42%	61%	46%	47%	43%	32%	22%				
CP 210044	BOS 170018		102	87	86	86	83	88	98	103	98	101	107	1	1	1	
F2	CP 180117		1.07	-2.3	-2.8	-3.7	-18	2.4	0.5	3.2	0.5	0.0	0.7				
210044			70%	65%	18%	17%	14%	53%	30%	31%	30%	28%	22%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 210045		FGW 120001		98	88	91	94	88	94	102	93	103	105	102				
F2		CP 180023		1.46	-1.7	0.6	2.9	-11	5.6	1.1	-3.8	1.2	0.4	-0.2	1	1	1	
210045				71%	66%	43%	38%	40%	59%	44%	44%	40%	30%	21%				
CP 210046		BOS 170018		106	111	106	105	97	94	100	99	98	105	107				
F3		CP 160070		0.66	7.4	9.7	11.7	2	5.6	0.8	0.0	0.5	0.4	0.6	1	1	1	
210046				73%	68%	20%	19%	11%	57%	33%	33%	31%	29%	22%				
CP 210048		BOS 170018		114	82	83	85	80	93	105	92	99	106	106				
F2		CP 180074		-0.17	-4.3	-4.5	-4.3	-23	5.0	1.4	-4.6	0.6	0.5	0.5	1	1	1	
210048				70%	66%	19%	17%	12%	55%	31%	32%	30%	27%	21%				
CP 210049		BOS 170018		104	97	98	99	95	102	91	106	101	100	106				
F2		CP 180066		0.84	1.7	4.7	6.8	-1	9.6	-0.3	5.0	1.0	0.0	0.4	1	1	1	
210049				71%	66%	16%	14%	12%	56%	32%	32%	30%	26%	20%				
CP 210064		BOS 170018		114	83	83	84	84	97	103	101	99	102	105				
F2		CP 180148		-0.14	-3.9	-4.3	-5.0	-17	6.9	1.2	1.6	0.7	0.1	0.3	1	1	1	
210064				70%	65%	21%	20%	14%	54%	32%	32%	31%	29%	23%				
CP 210068		BOS 170018		107	98	94	94	92	99	98	96	94	107	111				
F2		CP 160130		0.59	2.0	2.6	2.9	-6	8.0	0.6	-1.9	-0.2	0.5	1.2	1	1	1	
210068				70%	64%	19%	17%	11%	53%	31%	31%	30%	28%	21%				
CP 210069		BOS 170018		109	73	76	78	75	93	93	107	100	98	103				
F2		CP 170140		0.36	-8.1	-8.9	-9.3	-29	4.9	0.0	5.6	0.7	-0.3	-0.1	1	1	1	
210069				71%	65%	14%	13%	8%	53%	29%	29%	28%	27%	21%				
CP 210070		BOS 170018		105	100	97	97	93	95	96	102	96	106	108				
F2		CP 180137		0.76	2.8	4.0	4.9	-3	6.3	0.3	2.3	0.2	0.5	0.8	1	1	1	
210070				70%	66%	20%	19%	11%	56%	33%	33%	31%	29%	22%				
CP 210072		BA 150369		88	93	96	100	93	95	117	99	110	99	81				
F2		CP 180008		2.44	0.3	3.7	7.4	-4	6.2	2.9	0.3	2.3	-0.2	-3.5	1	1	1	
210072				70%	63%	35%	28%	18%	54%	46%	45%	43%	37%	26%				
CP 210075		BOS 170018		96	93	96	96	97	112	94	104	95	101	103				
F1				1.62	-0.1	3.6	4.6	3	15.0	0.0	3.4	0.0	0.0	0.0	1	1	1	
210075				51%	49%	13%	12%	8%	48%	27%	27%	26%	25%	20%				
CP 210077		BOS 170018		93	95	98	98	99	114	94	104	95	101	103				
F1				1.87	0.9	5.0	6.3	5	16.3	0.0	3.4	0.0	0.0	0.0	1	1	1	
210077				51%	49%	13%	12%	8%	48%	27%	27%	26%	25%	20%				
CP 210084		BOS 170018		93	113	111	111	105	105	91	106	101	100	106				
F2		CP 180009		1.92	8.0	12.7	15.8	14	11.2	-0.3	5.0	1.0	0.0	0.4	1	1	1	
210084				70%	65%	16%	14%	12%	54%	32%	32%	30%	26%	20%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 210087	🔗	BOS 170018	91	98	101	101	102	118	94	104	95	101	103	1	1	1	
F1			2.10	2.1	6.8	8.4	9	18.1	0.0	3.4	0.0	0.0	0.0				
210087			49%	47%	13%	12%	8%	49%	27%	27%	26%	25%	20%				
CP 210102	🔗	FGW 120001	95	116	113	112	109	107	96	105	102	100	103	1	1	1	
F2	🔗	CP 190014	1.75	9.5	14.1	16.7	20	12.3	0.2	4.0	1.1	-0.1	0.0				
210102			72%	66%	42%	38%	41%	54%	43%	44%	40%	31%	23%				
CP 210115	🔗	BA 150369	89	97	96	97	95	92	118	106	110	105	87	1	1	1	
F3	🔗	CP 180143	2.28	1.8	3.8	5.5	-1	4.6	3.0	4.8	2.3	0.4	-2.5				
210115			71%	64%	37%	30%	21%	55%	47%	46%	44%	39%	28%				
CP 210125	🔗	WF 160608	85	95	97	97	100	96	82	89	108	74	104	1	1	1	
F1			2.72	1.1	4.4	5.2	6	6.5	-1.5	-7.0	2.0	-2.6	0.1				
210125			44%	41%	23%	21%	15%	44%	39%	39%	36%	24%	18%				
CP 210127	🔗	WK 170279	101	82	86	87	89	100	85	106	94	95	104	1	1	1	
F2	🔗	CP 170042	1.12	-4.3	-2.8	-2.3	-9	8.8	-1.1	5.1	-0.1	-0.6	0.2				
210127			69%	60%	27%	27%	20%	39%	31%	31%	30%	26%	20%				
CP 210139	🔗	WK 160194	118	103	95	94	94	88	90	114	91	101	115	1	2	1	
PBD	🔗	CP 180124	-0.56	4.2	3.0	2.8	-3	2.2	-0.5	10.8	-0.6	0.0	1.8				
210139			73%	63%	26%	22%	20%	53%	38%	38%	34%	31%	24%				
CP 210162	🔗	WK 170279	111	96	95	95	100	91	87	104	96	104	110	1	1	1	
F2	🔗	CP 160002	0.17	1.3	2.9	3.4	7	4.2	-0.8	3.4	0.1	0.3	1.1				
210162			69%	63%	28%	27%	18%	53%	31%	30%	29%	25%	19%				
CP 210175	🔗	WF 160608	107	88	87	88	84	79	88	84	111	78	108	1	1	1	
F2	🔗	CP 160050	0.53	-1.8	-2.2	-1.7	-17	-2.5	-0.8	-10.5	2.5	-2.2	0.8				
210175			69%	63%	28%	26%	17%	50%	44%	43%	40%	27%	20%				
CP 210180	🔗	FGW 120001	101	104	102	103	101	98	94	103	100	105	104	1	1	1	
F2	🔗	CP 170121	1.10	4.4	7.6	10.2	8	7.9	0.0	3.1	0.8	0.4	0.1				
210180			74%	70%	43%	39%	40%	62%	45%	45%	41%	32%	22%				
CP 210183	🔗	FGW 120001	89	103	107	108	109	115	92	105	99	100	98	1	1	1	
F1			2.26	4.3	10.6	13.7	19	16.7	-0.3	4.2	0.6	-0.1	-0.7				
210183			54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210192	🔗	WK 170279	103	88	90	90	96	98	94	103	99	100	107	1	1	1	
F2	🔗	CP 170131	0.98	-2.0	-0.4	-0.5	0	7.9	0.0	2.6	0.6	-0.1	0.6				
210192			70%	63%	28%	27%	20%	52%	30%	30%	29%	25%	20%				
CP 210193	🔗	WK 160194	100	96	94	96	92	95	94	103	93	105	110	1	1	1	
F2	🔗	CP 180044	1.25	1.3	2.5	4.1	-5	5.9	0.1	2.6	-0.4	0.4	1.1				
210193			69%	61%	25%	21%	17%	52%	36%	36%	33%	29%	22%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 210198			FGW 120001	106	113	111	111	109	107	102	103	107	95	92				
F2			CP 170075	0.61	8.0	12.7	15.8	19	12.2	1.0	2.9	1.8	-0.6	-1.7	1	1	1	
210198				72%	67%	46%	40%	42%	60%	46%	47%	43%	32%	22%				
CP 210202			FGW 120001	91	99	103	104	105	110	92	105	99	100	98				
F1				2.06	2.5	8.1	10.7	14	13.9	-0.3	4.2	0.6	-0.1	-0.7	1	1	1	
210202				54%	51%	40%	36%	39%	54%	40%	41%	37%	29%	20%				
CP 210203			FGW 120001	91	105	109	109	111	117	92	105	99	100	98				
F1				2.13	4.8	11.4	14.7	22	17.9	-0.3	4.2	0.6	-0.1	-0.7	1	1	1	
210203				52%	46%	40%	36%	39%	43%	40%	41%	37%	29%	20%				
CP 210205			FGW 120001	113	94	95	97	97	104	94	103	100	105	104				
F2			CP 170088	-0.02	0.5	3.0	5.2	2	10.6	0.0	3.1	0.8	0.4	0.1	1	1	1	
210205				72%	66%	43%	39%	40%	60%	45%	45%	41%	32%	22%				
CP 210232			WK 170279	116	87	89	89	97	104	94	103	99	100	107				
F2			CP 170096	-0.29	-2.4	-0.9	-1.1	2	10.6	0.0	2.6	0.6	-0.1	0.6	1	1	1	
210232				69%	63%	28%	27%	20%	52%	30%	30%	29%	25%	20%				
CP 210233			FGW 120001	89	101	105	106	107	112	92	105	99	100	98				
PBD				2.27	3.2	9.2	12.0	16	14.9	-0.3	4.2	0.6	-0.1	-0.7	1	1	1	
210233				54%	51%	40%	36%	39%	55%	40%	41%	37%	29%	20%				
CP 220011			AL 182012	117	83	82	82	83	89	117	92	116	107	95				
F2			CP 190208	-0.39	-3.9	-5.2	-6.7	-18	2.7	3.0	-5.2	3.3	0.6	-1.3	1	1		
220011				72%	63%	29%	29%	25%	40%	36%	38%	35%	35%	29%				
CP 220014			AL 182012	101	98	99	98	102	104	112	99	117	101	87				
F1				1.12	2.0	5.6	6.0	9	11.0	2.4	0.1	3.4	0.0	-2.5	1	1		
220014				52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220015			AL 182012	102	97	99	98	102	104	112	99	117	101	87				
F1				1.04	1.9	5.5	5.8	9	11.0	2.4	0.1	3.4	0.0	-2.5	1	1		
220015				54%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220017			AL 182012	104	114	108	106	105	92	115	98	119	106	93				
F2			CP 190130	0.85	8.7	11.1	12.1	13	4.4	2.7	-0.9	3.7	0.5	-1.7	1	1		
220017				70%	63%	30%	30%	24%	42%	38%	39%	36%	36%	29%				
CP 220020			AL 182012	97	99	101	99	102	105	112	99	117	101	87				
F1				1.53	2.5	6.4	6.9	9	11.3	2.4	0.1	3.4	0.0	-2.5	1	1		
220020				52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220022			AL 182012	106	85	85	84	86	89	122	96	122	102	89				
F2			CP 190182	0.68	-3.2	-3.5	-4.7	-14	3.1	3.5	-1.7	4.1	0.1	-2.1	1	1		
220022				72%	63%	31%	30%	26%	42%	38%	39%	36%	36%	30%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 220025	AL 182012	182012	117	91	85	86	80	77	109	95	122	96	96	1	1		
FB	CP 190017	190017	-0.43	-0.6	-3.4	-3.8	-23	-3.6	2.0	-3.1	4.2	-0.5	-1.1				
220025			74%	66%	36%	36%	32%	47%	42%	43%	41%	41%	34%				
CP 220028	AL 182012	182012	112	90	89	89	88	83	121	88	124	99	88	1	1		
F2	CP 190096	190096	0.04	-1.1	-0.9	-1.0	-11	-0.1	3.5	-7.8	4.5	-0.2	-2.4				
220028			72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220030	AL 182012	182012	119	99	93	92	87	76	126	95	127	99	83	1	1		
F3	CP 190071	190071	-0.58	2.4	1.6	1.4	-12	-3.8	4.1	-2.9	4.9	-0.2	-3.1				
220030			72%	64%	35%	32%	28%	41%	41%	42%	39%	36%	29%				
CP 220033	AL 182012	182012	118	74	76	78	77	80	121	88	124	99	88	1	1		
F2	CP 190038	190038	-0.49	-7.5	-8.9	-10.0	-26	-1.9	3.5	-7.8	4.5	-0.2	-2.4				
220033			72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220034	AL 182012	182012	110	99	95	95	90	87	115	100	117	97	87	1	1		
PBD	CP 170046	170046	0.28	2.7	3.0	3.7	-8	2.1	2.7	0.6	3.5	-0.4	-2.6				
220034			74%	65%	30%	31%	28%	46%	39%	40%	37%	37%	30%				
CP 220035	FB21961	21961	86	107	111	112	113	111	91	100	100	94	98	1	1		
F1			2.62	5.9	13.2	17.3	24	14.6	-0.3	0.7	0.7	-0.6	-0.8				
220035			44%	30%	16%	15%	10%	24%	20%	19%	17%	14%	12%				
CP 220037	CP 190089	190089	108	105	101	100	98	91	98	97	108	110	115	1	1		
F2	CP 160154	160154	0.47	5.0	6.8	7.8	3	4.2	0.5	-1.4	2.0	0.9	1.9				
220037			71%	60%	28%	24%	18%	37%	26%	29%	27%	25%	16%				
CP 220038	AL 182012	182012	95	100	101	100	102	105	112	99	117	101	87	1	1		
F1			1.73	2.7	6.8	7.4	9	11.4	2.4	0.1	3.4	0.0	-2.5				
220038			52%	42%	26%	26%	23%	27%	33%	34%	32%	33%	27%				
CP 220039	AL 182012	182012	117	93	89	88	90	90	117	92	116	107	95	1	1		
F2	CP 190186	190186	-0.40	-0.1	-0.5	-1.5	-9	3.6	3.0	-5.2	3.3	0.6	-1.3				
220039			70%	63%	29%	29%	25%	40%	36%	38%	35%	35%	29%				
CP 220042	AL 182012	182012	119	95	87	88	82	74	109	95	122	96	96	1	1		
FB	CP 190026	190026	-0.64	1.0	-1.8	-2.2	-19	-5.2	2.0	-3.1	4.2	-0.5	-1.1				
220042			74%	66%	36%	36%	32%	46%	42%	43%	41%	41%	34%				
CP 220045	AL 182012	182012	118	88	87	88	87	86	121	88	124	99	88	1	1		
F2	CP 190063	190063	-0.53	-1.9	-1.8	-2.1	-12	1.1	3.5	-7.8	4.5	-0.2	-2.4				
220045			72%	64%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220048	AL 182012	182012	102	114	107	105	104	91	115	98	119	106	93	1	1		
F2	CP 180137	180137	1.07	8.4	10.7	11.7	12	4.1	2.7	-0.9	3.7	0.5	-1.7				
220048			71%	64%	30%	30%	24%	42%	38%	39%	36%	36%	29%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 220049	🔗	FB21961	104	95	96	98	95	88	101	98	107	90	92	1	1		
PBD	🔗	CP 170032	0.88	0.8	3.6	6.2	-1	2.6	1.0	-0.7	1.9	-1.1	-1.8				
220049			69%	60%	28%	23%	18%	42%	29%	29%	27%	20%	15%				
CP 220052	🔗	AL 182012	118	98	93	93	90	82	117	98	119	106	93	1	1		
PBD	🔗	CP 180114	-0.52	2.1	1.7	1.9	-9	-0.6	2.9	-0.8	3.7	0.5	-1.6				
220052			76%	54%	31%	31%	26%	43%	39%	40%	37%	36%	29%				
CP 220056	🔗	CP 190089	110	101	99	99	97	92	107	87	103	115	112	1	1		
F2	🔗	CP 180025	0.29	3.4	5.2	6.7	2	4.6	1.7	-8.3	1.2	1.3	1.4				
220056			71%	42%	28%	23%	17%	36%	23%	26%	24%	21%	12%				
CP 220060	🔗	CP 190089	110	98	95	95	98	94	106	96	103	110	111	1	1		
F2	🔗	CP 160057	0.25	2.1	3.2	3.5	3	5.5	1.5	-2.1	1.3	0.9	1.2				
220060			71%	42%	29%	25%	18%	34%	24%	27%	25%	23%	15%				
CP 220066		CP 190090	97	99	96	97	90	88	104	85	105	108	112	1	1		
FB	🔗	CP 180053	1.51	2.5	3.7	4.8	-8	2.5	1.3	-9.9	1.6	0.7	1.4				
220066			70%	47%	23%	20%	14%	33%	20%	23%	21%	18%	9%				
CP 220072	🔗	CP 190089	87	105	106	106	107	106	97	98	99	109	109	1	1		
F1			2.50	5.0	9.9	11.8	16	11.8	0.4	-0.3	0.6	0.8	0.9				
220072			50%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220075	🔗	CP 190089	90	104	105	104	107	105	97	98	99	109	109	1	1		
F1			2.16	4.6	9.3	11.0	16	11.6	0.4	-0.3	0.6	0.8	0.9				
220075			49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220077	🔗	CP 190089	93	103	105	104	107	105	97	98	99	109	109	1	1		
F1			1.96	4.3	8.9	10.5	16	11.5	0.4	-0.3	0.6	0.8	0.9				
220077			50%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220078	🔗	CP 190089	90	104	105	105	107	105	97	98	99	109	109	1	1		
F1			2.18	4.6	9.3	11.1	16	11.6	0.4	-0.3	0.6	0.8	0.9				
220078			49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%				
CP 220079	🔗	CP 190089	109	107	102	102	102	92	99	97	100	115	114	1	1		
F2	🔗	CP 180105	0.35	5.7	7.3	8.7	9	4.2	0.7	-1.4	0.8	1.3	1.7				
220079			71%	44%	29%	25%	16%	37%	25%	27%	26%	23%	13%				
CP 220080	🔗	AL 182012	106	98	95	94	91	83	121	88	124	99	88	1	1		
PBD	🔗	CP 180072	0.64	1.9	2.8	3.1	-7	-0.4	3.5	-7.8	4.5	-0.2	-2.4				
220080			73%	50%	32%	33%	28%	42%	40%	41%	38%	38%	31%				
CP 220081	🔗	CP 190090	110	93	91	92	89	86	104	85	105	108	112	1	1		
F2	🔗	CP 180033	0.24	0.3	0.5	0.9	-9	1.4	1.3	-9.9	1.6	0.7	1.4				
220081			70%	47%	23%	20%	14%	34%	20%	23%	21%	18%	9%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 220082		✓	CP	190089	88	105	106	105	107	106	97	98	99	109	109	1	1	
F1					2.39	4.9	9.7	11.5	16	11.7	0.4	-0.3	0.6	0.8	0.9			
220082					49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%			
CP 220085			CP	190089	106	105	100	100	99	88	99	97	100	115	114	1	1	
PEN		✓	CP	160002	0.67	4.8	6.1	7.3	4	2.3	0.7	-1.4	0.8	1.3	1.7			
220085					70%	44%	29%	25%	16%	38%	25%	27%	26%	23%	13%			
CP 220089		✓	CP	190089	95	103	104	103	107	105	97	98	99	109	109	1	1	
F1					1.67	4.0	8.4	9.9	16	11.3	0.4	-0.3	0.6	0.8	0.9			
220089					49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%			
CP 220091		✓	CP	190090	110	91	89	88	91	90	102	94	106	104	111	1	1	
PBD		✓	CP	170068	0.23	-0.8	-1.0	-1.6	-7	3.4	1.1	-3.6	1.7	0.3	1.2			
220091					72%	49%	24%	22%	16%	38%	22%	24%	23%	20%	14%			
CP 220092		✓	CP	190089	106	99	97	97	96	91	97	99	99	106	108	1	1	
F2		✓	CP	170056	0.69	2.7	4.0	5.1	0	3.9	0.4	0.3	0.6	0.4	0.8			
220092					71%	41%	28%	24%	19%	33%	25%	28%	26%	24%	15%			
CP 220093		✓	CP	190090	97	98	100	99	103	105	93	96	101	103	109	1	1	
F1					1.54	2.3	5.8	6.7	10	11.6	-0.1	-1.8	0.9	0.2	0.9			
220093					50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%			
CP 220098		✓	CP	190089	111	97	92	92	88	83	107	95	108	111	114	1	1	
PBD		✓	CP	180152	0.13	1.6	0.8	1.0	-11	-0.3	1.7	-2.6	2.0	0.9	1.8			
220098					72%	45%	30%	26%	20%	37%	26%	29%	27%	25%	17%			
CP 220106		✓	CP	190090	102	100	96	95	94	87	96	95	103	109	114	1	1	
F2		✓	CP	170065	1.07	2.7	3.3	3.9	-2	1.7	0.2	-2.9	1.2	0.7	1.7			
220106					73%	49%	24%	22%	13%	37%	23%	25%	23%	20%	11%			
CP 220108		✓	CP	190090	94	103	99	98	96	95	97	96	104	103	113	1	1	
F2		✓	CP	160016	1.84	4.3	5.6	5.8	0	6.0	0.4	-2.0	1.4	0.2	1.6			
220108					71%	47%	22%	20%	15%	33%	19%	22%	21%	19%	13%			
CP 220114		✓	CP	190089	94	103	104	103	107	105	97	98	99	109	109	1	1	
F1					1.80	4.1	8.6	10.2	16	11.4	0.4	-0.3	0.6	0.8	0.9			
220114					49%	35%	24%	19%	14%	21%	16%	20%	19%	19%	10%			
CP 220115		✓	CP	190090	96	99	100	99	103	105	93	96	101	103	109	1	1	
F1					1.60	2.4	6.0	6.9	10	11.6	-0.1	-1.8	0.9	0.2	0.9			
220115					50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%			
CP 220122		✓	CP	190090	101	97	98	98	103	105	93	96	101	103	109	1	1	
F1					1.15	1.8	5.1	5.8	10	11.3	-0.1	-1.8	0.9	0.2	0.9			
220122					50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CP 220123		✓	CP	190089	107	107	103	103	97	88	103	94	102	113	113	1	1	
F2		✓	CP	160048	0.56	5.9	7.8	9.7	3	2.3	1.2	-3.7	1.1	1.2	1.5			
220123					71%	43%	29%	25%	16%	35%	25%	27%	26%	23%	13%			
CP 220124		✓	CP	190090	110	101	96	96	96	90	96	95	103	109	114	1	1	
F2		✓	CP	160061	0.24	3.1	3.7	4.3	1	3.6	0.2	-2.9	1.2	0.7	1.7			
220124					71%	49%	24%	22%	13%	36%	23%	25%	23%	20%	11%			
CP 220125		✓	CP	190090	104	98	96	95	97	98	102	94	106	104	111	1	1	
F2		✓	CP	160125	0.83	2.3	3.4	3.6	2	7.8	1.1	-3.6	1.7	0.3	1.2			
220125					71%	48%	24%	22%	16%	35%	22%	24%	23%	20%	14%			
CP 220127		✓	CP	190104	93	97	98	97	104	107	94	110	104	106	105	1	1	
F1					1.89	1.7	5.1	5.4	13	12.5	0.1	8.2	1.4	0.5	0.3			
220127					48%	28%	26%	25%	23%	26%	27%	27%	27%	26%	20%			
CP 220133		✓	CP	190090	104	95	93	92	93	93	102	94	106	104	111	1	1	
F2		✓	CP	170125	0.88	1.0	1.6	1.4	-4	5.0	1.1	-3.6	1.7	0.3	1.2			
220133					71%	48%	24%	22%	16%	34%	22%	24%	23%	20%	14%			
CP 220139		✓	CP	190104	104	94	92	91	94	89	105	109	112	102	99	1	1	
F2		✓	CP	190055	0.82	0.5	0.8	0.4	-2	3.0	1.4	6.9	2.6	0.1	-0.6			
220139					71%	37%	34%	30%	28%	38%	34%	35%	34%	29%	22%			
CP 220142		✓	CP	190090	97	105	101	100	97	91	96	95	103	109	114	1	1	
F2		✓	CP	170116	1.49	5.1	6.5	7.6	1	4.1	0.2	-2.9	1.2	0.7	1.7			
220142					71%	47%	24%	22%	13%	30%	23%	25%	23%	20%	11%			
CP 220151		✓	CP	190104	105	90	88	88	89	86	105	99	108	111	108	1	1	
F2		✓	CP	180023	0.72	-1.3	-1.4	-1.7	-9	1.2	1.5	0.2	2.1	1.0	0.9			
220151					70%	35%	29%	27%	25%	37%	31%	32%	30%	27%	21%			
CP 220155			CP	190104	111	93	89	89	88	84	107	108	112	102	99	1	1	
BS			CP	190114	0.13	-0.1	-0.9	-1.2	-11	0.2	1.6	6.7	2.6	0.1	-0.6			
220155					71%	41%	35%	31%	29%	42%	35%	36%	34%	29%	23%			
CP 220160		✓	CP	190104	89	100	98	98	96	94	109	107	111	106	96	1	1	
F2		✓	CP	180022	2.30	3.0	4.9	6.1	1	5.7	1.9	5.7	2.5	0.4	-1.1			
220160					70%	37%	31%	28%	25%	37%	35%	35%	34%	31%	24%			
CP 220163		✓	CP	190090	92	100	101	100	103	106	93	96	101	103	109	1	1	
PBD					2.03	2.9	6.8	7.9	10	11.9	-0.1	-1.8	0.9	0.2	0.9			
220163					50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%			
CP 220165		✓	CP	190104	108	94	89	89	89	86	107	106	110	109	109	1	1	
PBD		✓	CP	180151	0.46	0.4	-0.7	-1.4	-9	1.4	1.6	4.7	2.4	0.8	1.0			
220165					73%	42%	31%	30%	26%	44%	33%	34%	33%	30%	24%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 220166		✓	CP 190089	108	99	96	97	96	92	97	99	99	106	108	1	1		
F2		✓	CP 170053	0.41	2.5	3.8	4.8	1	4.2	0.4	0.3	0.6	0.4	0.8				
220166				70%	41%	28%	24%	19%	33%	25%	28%	26%	24%	15%				
CP 220167		✓	CP 190090	109	103	99	99	99	95	96	95	103	109	114	1	1		
F2			CP 150076	0.34	4.3	5.5	6.4	5	5.8	0.2	-2.9	1.2	0.7	1.7				
220167				70%	48%	24%	22%	13%	34%	23%	25%	23%	20%	11%				
CP 220171		✓	CP 190104	106	95	87	88	84	78	91	106	109	101	114	1	1		
FB		✓	CP 190020	0.68	0.8	-1.9	-2.0	-16	-2.7	-0.3	5.0	2.1	0.0	1.8				
220171				67%	41%	36%	35%	32%	41%	38%	38%	37%	35%	28%				
CP 220172		✓	CP 190090	95	99	100	100	103	106	93	96	101	103	109	1	1		
PBD				1.71	2.5	6.2	7.1	10	11.7	-0.1	-1.8	0.9	0.2	0.9				
220172				50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 220173		✓	CP 190090	93	99	101	100	103	106	93	96	101	103	109	1	1		
F1				1.87	2.7	6.5	7.5	10	11.8	-0.1	-1.8	0.9	0.2	0.9				
220173				50%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
CP 230003		✓	FGW 120001	102	107	102	103	93	87	99	102	104	103	103	1	1		
FB		✓	CP 190072	1.00	5.6	7.2	10.1	-4	2.1	0.6	2.5	1.4	0.2	0.1				
230003				59%	51%	45%	39%	41%	48%	42%	45%	41%	33%	22%				
CP 230051		✓	AL 182012	107	96	93	93	86	82	121	94	124	95	83	1	1		
F3		✓	CP 200032	0.56	1.5	1.7	2.0	-14	-0.9	3.5	-3.5	4.5	-0.5	-3.2				
230051				74%	51%	35%	33%	31%	41%	40%	41%	38%	37%	30%				
CP 230059		✓	AL 182012	114	92	90	90	90	91	112	99	115	97	90	1	1		
F2		✓	CP 200169	-0.10	-0.3	-0.2	-0.4	-8	3.9	2.3	0.4	3.0	-0.3	-2.1				
230059				71%	45%	28%	27%	24%	31%	37%	38%	35%	36%	29%				
CWBFCP 110019			BA 060107	100	101	106	107	106	119	94	120	80	114	104	1	4	1	1
F2			CP 023616	1.20	3.3	9.6	12.9	15	18.7	0.0	14.7	-2.3	1.3	0.1				
11 19				70%	42%	28%	30%	32%	44%	60%	58%	49%	16%	10%				
CWBFCP 120023			KJDFC0086	96	92	95	96	85	93	94	103	116	106	112	3	6	1	2
F2			CP 090012	1.59	-0.2	3.1	4.1	-15	4.8	0.0	3.1	3.2	0.4	1.4				
1223				67%	36%	28%	27%	24%	34%	42%	42%	40%	34%	25%				
CWBFCP 120031		✓	BA 060107	98	101	106	107	106	119	105	128	93	114	89	2	6	1	
F2			CP 090006	1.38	3.4	9.8	13.2	15	19.0	1.4	20.4	-0.4	1.2	-2.1				
12 31				68%	42%	28%	30%	32%	44%	60%	59%	50%	16%	10%				
CWBFCP 130014		✓	BA 060107	102	100	105	106	106	119	94	90	91	95	106	2	7	2	2
F2			CP 090001	1.03	2.9	9.1	12.4	15	18.7	0.0	-6.2	-0.7	-0.6	0.4				
13 14				64%	42%	28%	30%	32%	44%	60%	59%	50%	16%	10%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFCP 130025		KKWFA0871	137	99	99	102	113	106	85	119	80	105	105	2	4	2	1
PEN		CP 054672	-2.33	2.7	5.7	8.7	25	11.9	-1.1	14.1	-2.3	0.4	0.3				
13 25			83%	76%	76%	75%	75%	77%	80%	80%	78%	75%	74%				
CWBFCP 130050		KKWFA0871	98	90	93	96	92	88	92	87	133	71	95	2	2	1	1
F2		CP 090007	1.47	-1.3	1.8	4.3	-5	2.5	-0.2	-8.2	5.9	-2.9	-1.3				
13 50			67%	37%	31%	27%	29%	41%	62%	61%	53%	33%	20%				
CWBFCP 140010	✓	BA 090335	125	90	90	92	88	79	105	83	110	93	101	1	2	1	
F3		CP 110013	-1.21	-1.2	-0.2	1.2	-11	-2.3	1.5	-11.1	2.3	-0.8	-0.3				
14 10			73%	50%	41%	44%	33%	52%	46%	46%	44%	40%	32%				
CWBFCP 140035	✓	BA 060107	101	109	112	113	114	120	90	126	95	108	97	2	7	4	1
F1		CP 100026	1.16	6.4	13.6	17.9	26	19.2	-0.4	19.2	0.0	0.6	-0.9				
14 35			70%	43%	28%	30%	32%	45%	37%	37%	32%	16%	10%				
CWBFCP 140037		BA 060107	120	105	105	106	112	115	84	147	87	128	105	2	6	3	
F3		CP 110018	-0.68	4.8	9.2	12.4	23	16.9	-1.2	34.1	-1.3	2.6	0.4				
14 37			83%	76%	74%	74%	75%	77%	74%	74%	74%	72%	72%				
CWBFCP 150002		BA 060107	114	98	100	102	106	116	81	121	88	110	112	2	3	2	
F3		CP 100041	-0.09	2.0	6.1	8.9	14	17.4	-1.6	15.8	-1.0	0.8	1.4				
15 02			67%	49%	31%	34%	37%	53%	61%	60%	51%	18%	11%				
CWBFCP 150046	✓	CP 130307	109	111	107	107	105	100	94	110	97	117	112	2	2	2	
F3		CP 120014	0.41	7.5	10.5	13.1	13	8.6	0.0	7.6	0.3	1.5	1.4				
15 46			73%	51%	35%	34%	22%	53%	42%	41%	38%	28%	18%				
CWBFCP 150050	✓	CP 130304	120	88	91	91	97	104	110	101	106	105	103	2	3	1	1
F2		CP 090013	-0.74	-2.0	0.7	0.8	2	11.0	2.1	1.7	1.8	0.4	0.0				
15 50			70%	42%	32%	31%	23%	45%	36%	35%	33%	28%	23%				
CWBFCP 150051	✓	CP 130304	113	83	87	87	93	92	117	108	114	106	94	2	4	1	2
F2		CP 070005	-0.06	-3.9	-2.0	-2.5	-3	4.6	2.9	6.8	2.9	0.5	-1.4				
15 51			70%	45%	34%	33%	28%	49%	60%	59%	50%	28%	23%				
CWBFCP 180007	✓	5U	98	99	100	99	102	99	105	109	109	97	89	1	4	4	
F1			1.38	2.3	6.1	6.9	9	8.3	1.5	7.4	2.2	-0.3	-2.2				
CP180007			48%	46%	45%	35%	30%	43%	44%	43%	41%	28%	18%				
CWBFCP 190041	✓	BA 090335	121	99	96	96	97	88	107	83	106	108	111	1	1	1	
F2	✓	CP 160130	-0.81	2.7	3.4	4.2	2	2.3	1.6	-11.1	1.7	0.7	1.2				
190041			56%	50%	40%	43%	31%	51%	46%	46%	44%	39%	32%				
CWBFCP 200018	✓	FGW 120001	101	105	105	105	106	111	101	102	103	101	101	1	3	3	
F2	✓	CP 150070	1.09	5.0	9.2	11.7	15	14.6	0.9	2.4	1.3	0.0	-0.4				
200018			70%	52%	43%	39%	41%	51%	44%	45%	41%	32%	23%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFCP 220132		CP 190090	93	100	101	100	103	106	93	96	101	103	109	1	1		
F1			1.93	2.8	6.6	7.6	10	11.8	-0.1	-1.8	0.9	0.2	0.9				
220132			46%	42%	18%	16%	11%	22%	12%	16%	15%	15%	7%				
KSOFF0024		IMUFQTF147	104	93	86	86	82	77	88	96	124	78	102	10	24	7	
FB		KSOFC0007	0.81	0.0	-2.8	-3.2	-20	-3.2	-0.8	-2.2	4.4	-2.2	-0.1				
OASIS MORIYAMA F024			78%	68%	73%	61%	53%	58%	59%	63%	60%	59%	41%				
KSOFL00108		KSOJ0060	114	86	80	81	76	82	99	93	119	95	104	1	3	1	
FB		SFWFG0102	-0.17	-2.7	-6.3	-7.1	-28	-0.9	0.7	-4.0	3.7	-0.6	0.2				
OASIS HIKOKURA 108			57%	51%	32%	30%	24%	39%	30%	33%	31%	29%	19%				
KSOFM00147		IMUFR3258	109	100	94	93	86	82	102	152	116	121	94	2	4	1	
FB		KSOFD0012	0.38	2.8	2.1	1.9	-13	-0.7	1.1	37.4	3.3	1.9	-1.4				
OASIS SONY M00147 (ET)			63%	50%	60%	45%	28%	42%	45%	50%	46%	43%	28%				
SFWFK0091		MO 139	108	98	92	94	85	80	114	102	110	120	105	5	8	1	1
FB		SFWFC0092	0.48	2.0	1.3	2.8	-16	-1.8	2.5	2.0	2.3	1.8	0.3				
SHADAI FARM K0091			64%	59%	55%	53%	44%	51%	51%	57%	54%	56%	34%				
SFWFK0120		MO 139	120	87	83	86	80	83	112	103	115	112	99	3	10	4	
FB		SFWFD0094	-0.72	-2.2	-4.3	-3.6	-23	-0.2	2.4	3.2	3.1	1.0	-0.6				
SHADAI FARM K0120 (AI)			65%	56%	54%	54%	44%	54%	47%	54%	52%	53%	35%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass						
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic	DNA	Sire ID																				Dam ID
AKAUSHI																								
CWB MCP 180049 F1					AL 150004	87	127	117	70	110	88	127	96	117	128	130	114	105	84	79	118	106	106	107
GLENFINLAS CP180049						38%	25%	24 %	17%	15%	2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	-1.5	-1.8	13.3	1.7	0.4	0.6
										40 %	25 %	31%	24%	18%	17%	24%	6%	42 %	33 %	32 %	28 %	13 %	10 %	
CWB MCP 180078 F1					AL 150004	87	127	117	70	110	88	127	96	117	128	130	114	105	84	79	118	106	106	107
GLENFINLAS CP180078						38%	25%	24 %	17%	15%	2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	-1.5	-1.8	13.3	1.7	0.4	0.6
										40 %	25 %	31%	24%	18%	17%	24%	6%	42 %	33 %	32 %	28 %	13 %	10 %	
JAPANESE BLACK																								
CWB MCP 160023 F3					1 CP 130305 CP 130068	98	102	97	103	111	99	102	89	97	98	97	99	121	109	97	112	99	106	111
GLENFINLAS CP160023						51%	41%	42 %	29%	30%	1.31	3.6	0.03	7.3	4.9	2	-2.6	-3.0	8.9	0.4	9.2	0.6	0.5	1.2
										53 %	41 %	45%	42%	30%	29%	38%	23%	49 %	34 %	34 %	32 %	27 %	22 %	
CWB MCP 160028 F3					1 FB11842 CP 130065	112	88	103	107	112	111	88	90	103	92	93	106	118	105	88	119	103	100	101
GLENFINLAS CP160028						63%	60%	37 %	17%	26%	0.16	-1.8	-0.01	10.1	0.8	-4	-6.4	-2.3	7.2	-0.7	14.0	1.2	-0.1	-0.3
										69 %	60 %	40%	37%	19%	17%	35%	17%	48 %	26 %	26 %	24 %	21 %	16 %	
CWB MCP 160032 F3					FB11842 CWBFCP 130025	102	88	112	100	99	99	88	105	112	94	100	105	96	101	84	119	103	101	101
GLENFINLAS CP160032						38%	36%	23 %	5 %	16%	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	5.5	-1.2	14.4	1.2	0.0	-0.4
										41 %	36 %	28%	23%	12%	5 %	24%	9%	40 %	20 %	20 %	18 %	19 %	15 %	
CWB MCP 160035 F3					FB11842 CWBFCP 110019	102	88	112	100	99	99	88	105	112	94	100	105	96	101	84	119	103	101	101
GLENFINLAS 16 035						38%	36%	23 %	5 %	16%	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	5.5	-1.2	14.4	1.2	0.0	-0.4
										41 %	36 %	28%	23%	12%	5 %	24%	9%	40 %	20 %	20 %	18 %	19 %	15 %	
CWB MCP 160036 F3					1 FB11842 CP 120014	119	77	105	113	111	118	77	87	105	84	87	110	114	111	88	119	103	100	101
GLENFINLAS 16 036						66%	62%	41 %	17%	28%	-0.49	-6.3	0.10	11.1	-4.9	-13	-9.0	-1.5	9.7	-0.7	14.0	1.2	-0.1	-0.3
										71 %	62 %	46%	41%	19%	17%	37%	20%	50 %	26 %	26 %	24 %	21 %	16 %	
CWB MCP 160042 F3					1 FB11842 CP 130061	103	73	99	119	118	105	73	83	99	81	81	116	120	112	88	119	103	100	101
GLENFINLAS 16 042						66%	63%	44 %	17%	28%	0.73	-7.8	0.25	8.0	-7.0	-21	-12.0	-2.8	10.5	-0.7	14.0	1.2	-0.1	-0.3
										71 %	63 %	45%	44%	20%	17%	36%	20%	50 %	26 %	26 %	24 %	21 %	16 %	
CWB MCP 160044 F2					FB11842 CP 090013	113	87	103	107	108	110	87	99	103	94	93	108	108	109	91	113	107	98	98
GLENFINLAS 16 044						64%	58%	32 %	5 %	19%	0.25	-2.2	-0.36	10.3	1.9	-4	-7.3	-1.0	9.1	-0.3	9.7	1.8	-0.3	-0.8
										69 %	58 %	44%	32%	12%	5 %	28%	10%	47 %	20 %	20 %	18 %	19 %	15 %	
CWB MCP 160051 F3					1 FB11842 CP 110015	120	90	97	106	108	116	90	97	97	92	94	102	114	109	89	120	104	100	99
GLENFINLAS 16 051						66%	61%	39 %	19%	28%	-0.33	-1.3	-0.28	7.2	0.9	-2	-4.0	-1.7	8.9	-0.6	14.9	1.4	-0.1	-0.6
										71 %	61 %	46%	39%	20%	19%	37%	20%	51 %	27 %	27 %	24 %	21 %	16 %	
CWB MCP 160059 F3					CP 130307 CP 100030	122	117	100	89	99	116	117	106	100	111	111	87	108	93	94	110	97	117	112
GLENFINLAS 16 059						68%	63%	50 %	22%	35%	-0.28	9.8	-0.62	8.7	14.1	21	4.7	-0.9	2.3	0.0	7.6	0.3	1.5	1.4
										71 %	63 %	55%	50%	34%	22%	45%	25%	57 %	42 %	41 %	38 %	28 %	18 %	
CWB MCP 160065 F3					FB11842 CWBFCP 130014	102	88	112	100	99	99	88	105	112	94	100	105	96	99	84	119	103	101	101
GLENFINLAS 16 065						38%	36%	23 %	5 %	16%	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	4.7	-1.2	14.4	1.2	0.0	-0.4
										41 %	36 %	28%	23%	12%	5 %	24%	9%	40 %	20 %	20 %	18 %	19 %	15 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																				
JAPANESE BLACK																								
CWBMCP 160066				CP 130307	107	115	101	91	94	105	115	98	101	113	109	82	102	100	97	103	100	114	109	
F2				CP 080004	0.72	9.0				0.72	9.0	-0.30	9.3	15.4	20	7.7	0.1	5.2	0.4	3.3	0.8	1.3	1.0	
GLENFINLAS 16 066					68%	61%	49 %	15%	29%	71 %	61 %	56%	49%	32%	15%	39%	19%	55 %	38 %	38 %	35 %	27 %	17 %	
CWBMCP 160075				CP 130307	121	104	96	99	101	115	104	103	96	101	101	89	111	95	94	110	97	117	112	
F3				CP 100047	-0.27	4.5				-0.27	4.5	-0.49	6.9	7.1	8	3.4	-1.1	3.1	0.0	7.6	0.3	1.5	1.4	
GLENFINLAS 16 075					69%	63%	51 %	22%	35%	72 %	63 %	56%	51%	34%	22%	45%	25%	58 %	42 %	41 %	38 %	28 %	18 %	
CWBMCP 160076				CP 130307	119	107	97	97	111	115	107	99	97	103	103	97	122	95	94	110	97	117	112	
F3				CP 100029	-0.23	5.6				-0.23	5.6	-0.34	7.2	8.5	10	-1.3	-3.2	3.2	0.0	7.6	0.3	1.5	1.4	
GLENFINLAS 16 076					58%	49%	50 %	22%	35%	59 %	49 %	56%	50%	34%	22%	45%	25%	56 %	42 %	41 %	38 %	28 %	18 %	
CWBMCP 160080				CP 130307	104	112	103	94	94	106	112	83	103	111	106	85	100	95	97	103	100	114	109	
F2				CP 090014	0.61	7.8				0.61	7.8	0.26	10.5	13.9	15	5.6	0.3	3.2	0.4	3.3	0.8	1.3	1.0	
GLENFINLAS 16 080					66%	62%	50 %	15%	27%	70 %	62 %	53%	50%	32%	15%	36%	18%	54 %	38 %	38 %	35 %	27 %	17 %	
CWBMCP 160083			1	KJDFC0086	117	103	94	104	106	114	103	97	94	100	96	94	115	100	90	109	112	108	115	
F3				CP 100061	-0.14	4.0				-0.14	4.0	-0.27	5.7	6.2	0	0.3	-2.1	5.2	-0.4	7.1	2.7	0.6	1.9	
GLENFINLAS 16 083					68%	60%	45 %	30%	35%	72 %	60 %	54%	45%	32%	30%	43%	27%	57 %	45 %	46 %	43 %	35 %	25 %	
CWBMCP 160084			1	FB11842	123	80	93	111	105	118	80	102	93	86	89	110	102	109	91	121	104	102	99	
F3				CP 120006	-0.47	-5.2				-0.47	-5.2	-0.47	4.8	-3.7	-9	-9.0	0.3	8.8	-0.4	15.7	1.4	0.1	-0.6	
GLENFINLAS 16 084					64%	64%	42 %	33%	24%	70 %	64 %	41%	42%	27%	33%	34%	15%	50 %	28 %	28 %	25 %	23 %	17 %	
CWBMCP 160086				CP 130307	121	115	100	91	112	117	115	101	100	110	109	96	124	97	94	110	97	117	112	
F3				CP 100032	-0.38	9.1				-0.38	9.1	-0.41	8.6	13.2	19	-0.5	-3.5	3.8	0.0	7.6	0.3	1.5	1.4	
GLENFINLAS 16 086					70%	63%	51 %	22%	36%	73 %	63 %	58%	51%	34%	22%	46%	25%	58 %	42 %	41 %	38 %	28 %	18 %	
CWBMCP 160093				CP 130304	120	83	102	111	103	118	83	88	102	88	89	97	106	102	110	101	106	105	103	
F2				CP 100064	-0.55	-3.8				-0.55	-3.8	0.06	9.9	-2.1	-10	-0.9	-0.8	6.2	2.1	1.7	1.8	0.4	0.0	
GLENFINLAS 16 093					67%	60%	48 %	23%	28%	70 %	60 %	54%	48%	32%	23%	37%	20%	52 %	36 %	35 %	33 %	28 %	23 %	
CWBMCP 160098				CP 130307	117	111	98	94	96	113	111	101	98	109	106	87	102	101	97	103	100	114	109	
F2				CP 080005	0.01	7.6				0.01	7.6	-0.43	7.6	12.8	15	4.7	0.0	5.7	0.4	3.3	0.8	1.3	1.0	
GLENFINLAS 16 098					68%	61%	48 %	15%	29%	71 %	61 %	55%	48%	32%	15%	39%	19%	55 %	38 %	38 %	35 %	27 %	17 %	
CWBMCP 160101				CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	92	90	110	96	117	112	
F3				CWBFCP 130050	1.48	7.6				1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	1.9	-0.5	8.0	0.2	1.5	1.4	
GLENFINLAS 16 101					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	48 %	38 %	38 %	35 %	27 %	17 %	
CWBMCP 160103			1	CP 130012	96	109	87	105	81	97	109	93	87	102	95	82	85	102	97	99	89	114	114	
F3				CP 110009	1.55	6.5				1.55	6.5	-0.13	2.1	7.9	0	7.8	3.6	5.8	0.5	-0.1	-1.0	1.2	1.8	
GLENFINLAS 16 103					65%	58%	41 %	21%	30%	70 %	58 %	47%	41%	30%	21%	39%	20%	52 %	35 %	35 %	33 %	26 %	19 %	
CWBMCP 160110			1	FB11842	113	104	105	100	110	110	104	97	105	104	100	104	117	107	88	121	104	101	100	
F3				CP 130048	0.22	4.6				0.22	4.6	-0.27	11.4	9.1	7	-5.4	-2.0	8.1	-0.7	15.4	1.4	0.0	-0.4	
GLENFINLAS 16 110					63%	64%	42 %	34%	27%	69 %	64 %	41%	42%	24%	34%	36%	18%	49 %	29 %	29 %	25 %	21 %	16 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 160114 F3 GLENFINLAS 16 114	2			CP 130012 CP 110033	121 69%	101 45%	101 46 %	103 23%	95 31%	115 -0.22 73 %	101 3.2 45 %	106 -0.62 52%	101 9.5 46%	97 4.2 32%	97 2 23%	88 4.2 40%	103 0.4 22%	95 3.1 53 %	94 0.1 38 %	92 -4.5 37 %	90 -0.8 34 %	116 1.4 24 %	122 3.0 17 %
CWBMCP 160115 F3 GLENFINLAS 16 115				CP 130012 CWBFCP 120023	96 40%	103 33%	109 29 %	95 17%	82 22%	93 1.92 42 %	103 3.9 33 %	106 -0.62 34%	109 13.7 29%	101 6.9 26%	105 13 17%	82 7.4 30%	83 3.6 15%	96 3.6 44 %	94 0.0 31 %	98 -0.5 31 %	92 -0.5 29 %	118 1.6 23 %	117 2.2 17 %
CWBMCP 160118 F3 GLENFINLAS 16 118	1			CP 130307 CP 130037	120 68%	98 64%	77 53 %	105 22%	108 33%	115 -0.18 72 %	98 2.2 64 %	115 -0.94 54%	77 -3.5 53%	95 2.7 35%	95 0 22%	101 -3.5 44%	112 -1.9 22%	96 3.7 57 %	90 -0.5 44 %	92 -4.7 44 %	104 1.4 40 %	101 0.0 32 %	115 2.0 20 %
CWBMCP 160119 F3 GLENFINLAS 16 119	2			CP 130012 CP 100028	111 65%	109 59%	100 41 %	98 23%	96 32%	107 0.53 69 %	109 6.7 59 %	101 -0.42 48%	100 8.8 41%	103 8.7 30%	102 9 23%	82 7.7 40%	109 -0.7 23%	107 8.3 53 %	98 0.5 36 %	98 -0.9 35 %	92 -0.5 33 %	118 1.6 24 %	117 2.2 17 %
CWBMCP 160129 F3 GLENFINLAS 16 129	2			CP 130012 CP 120040	110 65%	98 59%	99 42 %	107 23%	97 31%	108 0.48 70 %	98 1.9 59 %	96 -0.25 47%	99 8.4 42%	95 2.6 30%	93 -3 23%	91 2.6 40%	104 0.2 22%	104 6.9 52 %	95 0.2 36 %	94 -3.4 36 %	90 -0.8 34 %	117 1.5 24 %	120 2.8 17 %
CWBMCP 160134 F3 GLENFINLAS 16 134				CP 130307 CP 110029	113 68%	122 67%	98 55 %	90 37%	107 36%	108 0.47 72 %	122 11.7 67 %	106 -0.59 54%	98 7.9 55%	114 16.4 39%	110 20 37%	93 1.0 46%	117 -2.3 25%	100 5.2 58 %	93 -0.1 43 %	108 6.6 43 %	97 0.4 39 %	116 1.4 28 %	112 1.5 18 %
CWBMCP 160138 F1 GLENFINLAS 16 138				CP 130307	101 46%	112 43%	109 41 %	86 15%	89 27%	97 1.48 47 %	112 7.6 43 %	113 -0.87 43%	109 13.4 41%	110 13.2 32%	114 27 15%	86 5.1 36%	91 2.1 18%	84 -1.7 46 %	90 -0.5 38 %	110 8.0 38 %	96 0.2 35 %	117 1.5 27 %	112 1.4 17 %
CWBMCP 160143 F3 GLENFINLAS 16 143				CP 130307 CP 120021	118 66%	98 66%	98 53 %	106 35%	97 35%	115 -0.22 70 %	98 2.3 66 %	95 -0.21 53%	98 7.9 53%	97 4.6 36%	94 -2 35%	82 7.4 45%	110 -1.0 25%	96 3.4 57 %	94 0.0 42 %	110 7.6 41 %	97 0.3 38 %	117 1.5 28 %	112 1.4 18 %
CWBMCP 160150 PBD GLENFINLAS 16 0150				CP 130012	96 40%	103 33%	109 29 %	95 17%	82 22%	93 1.92 42 %	103 3.9 33 %	106 -0.62 34%	109 13.7 29%	101 6.9 26%	105 13 17%	82 7.4 30%	83 3.6 15%	86 -0.8 42 %	94 0.0 31 %	98 -0.5 31 %	92 -0.5 29 %	118 1.6 23 %	117 2.2 17 %
CWBMCP 170003 PEN GLENFINLAS 17 0003				CP 140026	105 57%	80 21%	97 24 %	111 15%	121 18%	131 -1.78 63 %	80 -5.1 21 %	69 0.79 35%	97 7.0 24%	91 0.2 15%	89 -9 15%	114 -11.2 25%	121 -3.8 12%	84 -1.5 31 %	99 0.6 20 %	81 -12.9 21 %	108 2.0 19 %	84 -1.6 17 %	101 -0.3 10 %
CWBMCP 170130 PBD GLENFINLAS 17 130	2			5U CP 140021	119 55%	96 51%	80 49 %	108 34%	94 35%	116 -0.33 55 %	96 1.2 51 %	96 -0.23 53%	80 -1.8 49%	93 1.6 45%	92 -6 34%	110 -8.5 45%	86 3.5 25%	100 5.2 55 %	114 2.6 49 %	98 -0.5 49 %	116 3.2 46 %	95 -0.5 34 %	90 -2.1 24 %
CWBMCP 180001 F3 GLENFINLAS CP180001				FB21961 CP 130051	103 58%	102 36%	102 33 %	97 19%	125 26%	107 0.54 63 %	102 3.8 36 %	75 0.53 40%	102 9.7 33%	106 10.3 21%	103 10 19%	119 -14.1 33%	129 -4.4 18%	103 6.6 48 %	95 0.2 26 %	99 0.3 26 %	100 0.8 23 %	94 -0.7 16 %	98 -0.8 13 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 180005			5U	97	99	99	98	92	98	99	90	99	99	102	107	84	94	105	109	109	97	89
F1				1.38	2.3				48 %	46 %	0.00	8.3	6.0	9	-7.0	3.6	2.7	1.5	7.4	2.2	-0.3	-2.2
GLENFINLAS CP180005				47%	46%	43 %	30%	30%			45%	43%	40%	30%	40%	20%	46 %	44 %	43 %	41 %	28 %	18 %
CWBMCP 180006			AL 150004	87	127	117	70	110	88	127	96	117	128	130	114	105	84	79	118	106	106	107
F1				2.40	13.8				2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	-1.5	-1.8	13.3	1.7	0.4	0.6
GLENFINLAS CP180006				38%	25%	24 %	17%	15%	40 %	25 %	31%	24%	18%	17%	24%	6%	42 %	33 %	32 %	28 %	13 %	10 %
CWBMCP 180010			FB21961	111	99	101	97	126	113	99	79	101	103	103	120	130	105	95	99	100	94	98
F3			CP 120030	-0.07	2.7				-0.07	2.7	0.41	9.5	8.7	10	-14.3	-4.6	7.5	0.2	0.3	0.8	-0.7	-0.8
GLENFINLAS CP180010				64%	60%	42 %	19%	26%	69 %	60 %	44%	42%	21%	19%	34%	19%	48 %	26 %	26 %	23 %	16 %	13 %
CWBMCP 180011			AL 150004	87	127	117	70	110	88	127	96	117	128	130	114	105	97	79	118	106	106	107
F3			CWBFCP 150051	2.40	13.8				2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	3.9	-1.8	13.3	1.7	0.4	0.6
GLENFINLAS CP180011				38%	25%	24 %	17%	15%	40 %	25 %	31%	24%	18%	17%	24%	6%	44 %	33 %	32 %	28 %	13 %	10 %
CWBMCP 180017			CP 140048	81	126	115	84	111	94	126	45	115	129	116	93	122	98	103	99	101	100	96
F1				1.81	13.5				1.81	13.5	1.68	17.0	26.5	30	1.4	-3.5	4.3	1.2	0.3	1.0	-0.1	-1.1
GLENFINLAS CP180017				56%	54%	31 %	16%	20%	63 %	54 %	31%	31%	14%	16%	26%	15%	33 %	17 %	17 %	15 %	8 %	5 %
CWBMCP 180018			AL 150004	111	138	104	70	111	106	138	111	104	131	130	108	110	102	82	116	108	111	112
F2			CP 150026	0.62	18.2				0.62	18.2	-0.82	10.9	28.3	50	-7.5	-1.7	6.2	-1.5	12.3	2.0	1.0	1.4
GLENFINLAS CP180018				61%	57%	37 %	19%	20%	66 %	57 %	40%	37%	24%	19%	30%	11%	52 %	38 %	37 %	33 %	19 %	13 %
CWBMCP 180020			AL 150004	87	127	117	70	110	88	127	96	117	128	130	114	105	84	79	118	106	106	107
F1				2.40	13.8				2.40	13.8	-0.22	18.0	26.1	49	-11.3	-0.7	-1.5	-1.8	13.3	1.7	0.4	0.6
GLENFINLAS CP180020				38%	25%	24 %	17%	15%	40 %	25 %	31%	24%	18%	17%	24%	6%	42 %	33 %	32 %	28 %	13 %	10 %
CWBMCP 180021			CP 150060	91	90	107	107	100	100	90	62	107	99	93	92	104	100	108	97	106	101	98
F2				1.25	-1.0				1.25	-1.0	1.03	12.5	5.6	-3	1.9	-0.5	5.4	1.9	-1.1	1.6	0.0	-0.8
GLENFINLAS CP180021				54%	54%	28 %	11%	14%	61 %	54 %	28%	28%	16%	11%	17%	10%	31 %	18 %	18 %	17 %	14 %	12 %
CWBMCP 180026			CP 150042	105	100	109	99	99	110	100	69	109	106	101	90	104	97	108	97	106	101	98
F2				0.22	3.0				0.22	3.0	0.80	13.3	10.5	7	2.9	-0.5	4.0	1.9	-1.1	1.6	0.0	-0.8
GLENFINLAS CP180026				53%	54%	28 %	11%	14%	60 %	54 %	25%	28%	16%	11%	17%	10%	31 %	18 %	18 %	17 %	14 %	12 %
CWBMCP 180027	2		5U	118	68	72	130	110	118	68	83	72	73	70	119	105	112	105	90	116	81	94
F3			CP 130027	-0.54	-10.0				-0.54	-10.0	0.24	-5.9	-12.8	-36	-14.0	-0.2	10.2	1.4	-6.1	3.2	-1.9	-1.4
GLENFINLAS CP180027				72 %	64 %	52 %	33%	34%	72 %	64 %	54%	52%	43%	33%	46%	23%	57 %	48 %	48 %	45 %	33 %	21 %
CWBMCP 180032			5U	97	99	99	98	92	98	99	90	99	99	102	107	84	94	105	109	109	97	89
PEN				1.38	2.3				1.38	2.3	0.00	8.3	6.0	9	-7.0	3.6	2.7	1.5	7.4	2.2	-0.3	-2.2
GLENFINLAS CP180032				47%	46%	43 %	30%	30%	48 %	46 %	45%	43%	40%	30%	40%	20%	46 %	44 %	43 %	41 %	28 %	18 %
CWBMCP 180035			CP 150028	111	92	101	109	108	126	92	67	101	99	91	96	115	97	103	96	102	105	103
F1				-1.26	-0.4				-1.26	-0.4	0.85	9.2	5.4	-7	-0.7	-2.3	4.1	1.1	-1.8	1.1	0.4	0.0
GLENFINLAS CP180035				56%	55%	31 %	11%	19%	63 %	55 %	30%	31%	17%	11%	26%	12%	34 %	21 %	21 %	19 %	14 %	9 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCP 180040 F3 GLENFINLAS CP180040				FB21961 CP 100041	100 62%	97 58%	100 39 %	101 20%	122 26%	103 0.97 67 %	97 1.9 58 %	81 0.31 43%	100 8.6 39%	102 7.8 22%	99 4 20%	116 -12.3 33%	126 -3.8 19%	108 8.8 49 %	93 -0.1 29 %	101 1.2 29 %	100 0.7 25 %	94 -0.6 16 %	100 -0.5 13 %	
CWBMCP 180052 PEN GLENFINLAS CP180052				AL 150004	87 38%	127 25%	117 24 %	70 17%	110 15%	88 2.40 40 %	127 13.8 25 %	96 -0.22 31%	117 18.0 24%	128 26.1 18%	130 49 17%	114 -11.3 24%	105 -0.7 6%	84 -1.5 42 %	79 -1.8 33 %	118 13.3 32 %	106 1.7 28 %	106 0.4 13 %	107 0.6 10 %	
CWBMCP 180057 F2 GLENFINLAS CP180057				CP 160022	110 54%	77 53%	105 27 %	116 11%	102 12%	116 -0.31 61 %	77 -6.3 53 %	65 0.93 27%	105 11.2 27%	88 -2.0 13%	84 -16 11%	94 0.4 14%	106 -0.8 9%	102 6.1 30 %	103 1.2 14 %	100 0.5 14 %	104 1.4 14 %	101 0.0 13 %	100 -0.4 11 %	
CWBMCP 180062 F2 GLENFINLAS CP180062				CP 150080	110 55%	95 56%	106 34 %	103 11%	100 14%	115 -0.18 62 %	95 0.8 56 %	70 0.75 30%	106 11.9 34%	101 7.4 16%	97 2 11%	92 1.6 17%	104 -0.5 10%	102 6.3 32 %	108 1.9 18 %	97 -1.1 18 %	106 1.6 17 %	101 0.0 14 %	98 -0.8 12 %	
CWBMCP 180064 F3 GLENFINLAS CP180064				CP 120022	117 58%	105 55%	102 31 %	104 12%	107 19%	122 -0.88 64 %	105 5.1 55 %	74 0.58 34%	102 9.9 31%	110 13.1 14%	96 1 12%	94 0.8 24%	113 -2.3 14%	101 5.5 34 %	104 1.3 21 %	95 -2.8 21 %	112 2.7 20 %	100 -0.1 17 %	101 -0.3 12 %	
CWBMCP 180075 F1 GLENFINLAS CP180075				CP 130075	99 58%	91 55%	111 31 %	106 18%	123 24%	109 0.33 64 %	91 -0.6 55 %	44 1.71 37%	111 14.7 31%	101 7.0 16%	94 -3 18%	107 -7.1 29%	133 -5.2 19%	95 3.2 36 %	102 1.0 19 %	102 2.4 19 %	100 0.7 17 %	101 0.0 9 %	98 -0.8 5 %	
CWBMCP 180083 F3 GLENFINLAS CP180083				CP 100029	103 57%	84 54%	110 29 %	112 16%	120 22%	113 -0.02 63 %	84 -3.7 54 %	43 1.75 36%	110 14.3 29%	96 3.8 14%	88 -11 16%	106 -6.4 27%	129 -4.6 17%	101 5.8 35 %	103 1.2 17 %	99 0.3 17 %	101 1.0 15 %	100 -0.1 8 %	96 -1.1 5 %	
CWBMCP 180109 PBD GLENFINLAS CP180109				CP 130305 CWBFCP 150002	88 40%	104 35%	107 35 %	93 22%	92 22%	86 2.57 41 %	104 4.5 35 %	107 -0.64 36%	107 12.6 35%	102 7.8 26%	107 16 22%	89 3.3 28%	95 1.3 17%	115 11.7 42 %	93 -0.1 29 %	113 9.7 29 %	100 0.7 28 %	107 0.6 26 %	110 1.1 21 %	
CWBMCP 180119 F2 GLENFINLAS CP180119				CP 160014	114 53%	85 54%	105 28 %	110 7 %	100 14%	118 -0.48 60 %	85 -3.2 54 %	71 0.72 26%	105 11.4 28%	95 2.6 16%	90 -8 7 %	94 0.4 18%	104 -0.4 9%	101 5.8 31 %	102 1.0 19 %	98 -0.4 19 %	103 1.2 18 %	106 0.5 14 %	101 -0.3 9 %	
CWBMCP 180127 PBD GLENFINLAS CP180127	2			CP 130305 CP 140053	105 65%	108 60%	92 46 %	102 28%	103 32%	104 0.86 69 %	108 6.2 60 %	96 -0.23 48%	92 4.4 46%	101 6.8 30%	98 4 28%	93 1.4 39%	113 -1.4 24%	120 13.7 52 %	95 0.1 34 %	116 11.9 35 %	96 0.2 33 %	105 0.4 28 %	110 1.2 22 %	
CWBMCP 180158 F3 GLENFINLAS 180158	1			5U CP 110035	113 69%	95 51%	89 48 %	108 34%	106 36%	116 -0.27 72 %	95 0.8 51 %	75 0.55 57%	89 3.0 48%	94 2.3 43%	92 -6 34%	111 -9.2 47%	106 0.1 26%	90 1.1 56 %	109 2.0 47 %	109 7.0 47 %	109 2.2 43 %	97 -0.4 29 %	89 -2.1 19 %	
CWBMCP 190033 F1 GLENFINLAS 190033			✓	CP 160152	112 52%	89 27%	84 31 %	120 14%	100 18%	116 -0.29 56 %	89 -1.5 27 %	74 0.61 35%	84 0.4 31%	93 1.4 18%	80 -23 14%	87 4.6 23%	109 -1.3 13%	91 1.5 33 %	100 0.8 25 %	94 -3.2 25 %	108 2.0 24 %	106 0.5 21 %	111 1.3 15 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 190039			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F1				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190039				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190040			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F1				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190040				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190050			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F3				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190050				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190051			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
PBD				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190051				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190053			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F1				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190053				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190056			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
PBD				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190056				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190057	26		BA 090335	125	98	82	104	90	123	98	113	82	96	96	101	85	90	111	79	114	100	104
PBD			CP 140021	-1.04	2.1	-0.87	-0.9	3.9	0	-3.6	3.6	0.8	2.1	-13.7	3.0	-0.1	0.1					
GLENFINLAS 190057				56%	51%	50 %	34%	40%	56 %	51 %	54%	50%	44%	34%	47%	32%	56 %	49 %	48 %	47 %	42 %	34 %
CWBMCP 190060			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
PBD				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190060				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190077	3		BA 090335	119	100	85	104	92	114	100	114	85	96	96	97	91	104	106	90	110	102	107
F2			CP 160018	-0.13	2.7	-0.90	0.8	3.6	1	-0.9	0.8	6.8	1.6	-6.0	2.4	0.1	0.7					
GLENFINLAS 190077				55%	51%	54 %	32%	37%	55 %	51 %	53%	54%	42%	32%	44%	30%	55 %	46 %	46 %	44 %	40 %	32 %
CWBMCP 190085			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
PBD				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190085				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190091			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F3				0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0					
GLENFINLAS 190091				48%	45%	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190098	2		BA 090335	113	85	83	114	105	133	85	105	83	86	86	109	105	102	104	93	112	99	103
PBD			CP 160039	-1.99	-2.9	-0.57	-0.1	-3.2	-13	-8.2	0.2	6.1	1.3	-3.8	2.6	-0.2	0.0					
GLENFINLAS 190098				59%	55%	50 %	31%	39%	60 %	55 %	53%	50%	40%	31%	48%	30%	55 %	45 %	45 %	44 %	39 %	31 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 190112			CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
F1				45%	40%	40 %	23%	28%	2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190112				46 %	40 %	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190113			CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
PBD				38%	28%	29 %	18%	24%	1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190113				39 %	28 %	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 190116			CP 130307	128	107	100	95	104	121	107	108	100	104	105	93	113	94	94	110	97	117	112
F3			CP 100056	59%	50%	51 %	22%	36%	-0.77	5.8	-0.70	8.6	8.9	14	1.4	-1.6	2.8	0.0	7.6	0.3	1.5	1.4
GLENFINLAS 190116				59 %	50%	51 %	22%	36%	59 %	50 %	57%	51%	34%	22%	46%	26%	57 %	42 %	41 %	38 %	28 %	18 %
CWBMCP 190123			CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
F1				45%	40%	40 %	23%	28%	2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190123				46 %	40 %	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190128			CP 130307	116	106	97	98	98	113	106	96	97	103	102	88	108	88	94	110	97	117	112
F3			CP 110008	60%	49%	50 %	22%	35%	-0.02	5.5	-0.24	7.0	8.4	9	4.3	-0.6	0.1	0.0	7.6	0.3	1.5	1.4
GLENFINLAS 190128				60%	49%	50 %	22%	35%	61 %	49 %	55%	50%	35%	22%	45%	25%	56 %	42 %	41 %	38 %	28 %	18 %
CWBMCP 190136			BA 090335	111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
F1				48%	45%	45 %	30%	35%	0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0
GLENFINLAS 190136				48 %	45 %	45 %	30%	35%	48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMCP 190139			CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
F1				45%	40%	40 %	23%	28%	2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190139				46 %	40 %	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190141			CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F3			CWBFCP 140035	46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 190141				46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 190152			CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
F1				45%	40%	40 %	23%	28%	2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190152				46 %	40 %	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190155	1		CP 130307	126	108	99	95	108	120	108	103	99	103	105	93	120	93	92	113	95	118	114
PBD			CP 140050	59%	49%	49 %	23%	36%	-0.73	6.1	-0.51	8.1	8.4	13	0.9	-2.6	2.1	-0.2	9.7	0.0	1.6	1.7
GLENFINLAS 190155				59 %	49%	49 %	23%	36%	60 %	49 %	54%	49%	35%	23%	46%	26%	57 %	43 %	42 %	39 %	29 %	18 %
CWBMCP 190158			CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
PBD				46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 190158				46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 190163			CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1				46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 190163				46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 190168	26			CP 130307	123	111	85	98	95	123	111	122	85	103	102	86	101	99	95	109	98	123	117
PBD				CP 150025	-1.00	7.4				-1.00	7.4	-1.20	0.9	8.3	9	5.5	0.1	4.6	0.1	7.1	0.4	2.1	2.2
GLENFINLAS 190168					58%	48%	47 %	17%	32%	60 %	48 %	50%	47%	36%	17%	44%	21%	56 %	44 %	43 %	40 %	31 %	20 %
CWBMCP 190170	29			CP 130304	107	94	99	103	94	103	94	104	99	92	97	90	97	105	112	105	107	109	108
F2				CP 150094	0.96	0.6				0.96	0.6	-0.55	8.4	0.6	2	3.0	0.7	7.2	2.3	4.6	1.9	0.8	0.8
GLENFINLAS 190170					50%	44%	45 %	26%	30%	51 %	44 %	47%	45%	36%	26%	39%	22%	52 %	40 %	40 %	37 %	31 %	26 %
CWBMCP 190175				CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1					1.48	7.6				1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 190175					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 190181				CP 130307	127	105	98	97	102	121	105	105	98	102	103	90	113	89	93	110	97	117	112
F3				CP 110007	-0.81	5.0				-0.81	5.0	-0.59	7.6	7.8	11	3.2	-1.4	0.6	-0.1	8.1	0.3	1.5	1.5
GLENFINLAS 190181					60%	49%	50 %	23%	35%	61 %	49 %	56%	50%	34%	23%	45%	25%	56 %	42 %	42 %	38 %	28 %	18 %
CWBMCP 190184				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
F1					1.55	0.4				1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190184					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 190187				CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
PBD					2.02	2.3				2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190187					45%	40%	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190188				CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	91	93	103	108	102	108	106
F1					2.02	2.3				2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	2.3	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190188					45%	40%	40 %	23%	28%	46 %	40 %	42%	40%	32%	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %
CWBMCP 190189				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
PBD					1.55	0.4				1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190189					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 190193				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
F1					1.55	0.4				1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190193					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 190194				CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1					1.48	7.6				1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 190194					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 190195				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
F1					1.55	0.4				1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190195					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 190196				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
F1					1.55	0.4				1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8
GLENFINLAS 190196					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 190198 F3	1		CP 130304 CP 100047	114 57%	92 47%	100 50 %	105 28%	104 35%	113 0.00 57 %	92 -0.3 47 %	92 -0.07 56%	100 8.8 50%	92 0.7 35%	95 -1 28%	94 0.5 44%	111 -1.4 26%	99 4.9 55 %	107 1.7 40 %	107 6.0 39 %	103 1.2 37 %	108 0.6 29 %	106 0.5 24 %
GLENFINLAS 190197																						
CWBMCP 190199 F2	1		CP 130304 CP 150015	111 50%	101 45%	97 45 %	99 24%	93 30%	106 0.68 51 %	101 3.3 45 %	111 -0.78 47%	97 7.4 45%	97 4.0 36%	101 7 24%	88 4.3 39%	97 0.8 22%	99 4.6 53 %	105 1.5 41 %	107 5.4 40 %	104 1.4 38 %	114 1.2 31 %	111 1.2 25 %
GLENFINLAS 190199																						
CWBMCP 190205 PBD			CP 130012	96 40%	103 33%	109 29 %	95 17%	82 22%	93 1.92 42 %	103 3.9 33 %	106 -0.62 34%	109 13.7 29%	101 6.9 26%	105 13 17%	82 7.4 30%	83 3.6 15%	86 -0.8 42 %	94 0.0 31 %	98 -0.5 31 %	92 -0.5 29 %	118 1.6 23 %	117 2.2 17 %
GLENFINLAS 190205																						
CWBMCP 190207 F1			CP 130311	99 38%	94 28%	103 29 %	102 18%	85 24%	97 1.55 39 %	94 0.4 28 %	104 -0.52 33%	103 10.3 29%	94 1.9 26%	98 4 18%	85 6.1 30%	86 2.9 17%	99 5.0 37 %	89 -0.6 30 %	93 -3.9 29 %	-1.2 2.8 28 %	115 1.4 24 %	120 2.8 18 %
GLENFINLAS 190207																						
CWBMCP 200001 PEN		BA 150369 CP 150041		115 67%	93 47%	82 43 %	107 24%	134 32%	111 0.15 71 %	93 0.1 47 %	101 -0.42 50%	82 -0.7 43%	93 1.7 36%	93 -4 24%	130 -20.3 44%	136 -5.9 19%	112 10.2 56 %	112 2.3 50 %	90 -6.0 49 %	112 2.7 47 %	90 -1.0 40 %	89 -2.3 28 %
GLENFINLAS 200001																						
CWBMCP 200006 PEN	1		BA 090335 CP 150095	117 65%	96 50%	84 51 %	105 31%	85 38%	127 -1.38 68 %	96 1.3 50 %	126 -1.35 55%	84 0.0 51%	93 1.8 44%	95 0 31%	89 3.5 45%	86 3.3 30%	96 3.6 56 %	103 1.2 48 %	89 -6.8 48 %	105 1.5 46 %	108 0.7 40 %	110 1.1 32 %
GLENFINLAS 200006																						
CWBMCP 200008 PEN		BA 150369		79 46%	107 41%	110 35 %	90 17%	121 26%	81 3.05 48 %	107 5.9 41 %	96 -0.25 38%	110 14.3 35%	110 13.7 30%	110 20 17%	127 -18.5 36%	115 -2.3 15%	96 3.7 46 %	114 2.5 44 %	106 5.0 44 %	107 1.8 42 %	105 0.4 37 %	83 -3.2 26 %
GLENFINLAS 200008																						
CWBMCP 200009 PEN		BA 150369 CP 110012		78 68%	108 49%	100 46 %	102 24%	135 34%	85 2.66 72 %	108 6.3 49 %	76 0.53 54%	100 8.7 46%	109 12.5 34%	98 4 24%	134 -22.6 45%	135 -5.6 23%	105 7.4 56 %	118 3.0 48 %	105 4.6 47 %	107 1.9 45 %	105 0.3 38 %	83 -3.1 26 %
GLENFINLAS 200009																						
CWBMCP 200012 PEN		BA 150369 CP 140026		117 67%	94 46%	86 42 %	106 23%	145 32%	112 0.11 71 %	94 0.4 46 %	105 -0.58 51%	86 1.1 42%	95 3.1 34%	94 -3 23%	148 -30.6 44%	138 -6.7 20%	102 6.2 56 %	113 2.4 49 %	87 -8.5 49 %	114 2.9 46 %	89 -1.1 40 %	88 -2.4 28 %
GLENFINLAS 200012																						
CWBMCP 200019 F1			FGW 120001	89 48%	105 46%	117 43 %	89 39%	89 32%	89 2.27 49 %	105 5.0 46 %	99 -0.34 44%	117 18.0 43%	109 12.9 38%	111 22 39%	95 0.3 41%	85 2.8 24%	89 0.4 45 %	92 -0.3 40 %	105 4.2 41 %	99 0.6 37 %	100 -0.1 29 %	98 -0.7 20 %
GLENFINLAS 200019																						
CWBMCP 200021 F2	1		FGW 120001 CP 170038	115 66%	98 52%	97 48 %	102 42%	93 36%	111 0.15 70 %	98 2.1 52 %	101 -0.43 51%	97 7.4 48%	99 5.4 43%	98 4 42%	102 -3.7 46%	87 2.5 26%	101 5.6 53 %	102 1.0 46 %	103 2.9 47 %	107 1.8 43 %	95 -0.6 32 %	92 -1.7 22 %
GLENFINLAS 200021																						
CWBMCP 200022 F1			FGW 120001	89 48%	105 46%	117 43 %	89 39%	89 32%	89 2.27 49 %	105 5.0 46 %	99 -0.34 44%	117 18.0 43%	109 12.9 38%	111 22 39%	95 0.3 41%	85 2.8 24%	89 0.4 45 %	92 -0.3 40 %	105 4.2 41 %	99 0.6 37 %	100 -0.1 29 %	98 -0.7 20 %
GLENFINLAS 200022																						

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCP 200023																								
F1																								
GLENFINLAS 200023																								
CWBMCP 200028																								
PBD																								
GLENFINLAS 200028																								
CWBMCP 200031																								
F2																								
GLENFINLAS 200031																								
CWBMCP 200033																								
F1																								
GLENFINLAS 200033																								
CWBMCP 200037																								
F2																								
GLENFINLAS 200037																								
CWBMCP 200038																								
PEN																								
GLENFINLAS 200038																								
CWBMCP 200040																								
PBD																								
GLENFINLAS 200040																								
CWBMCP 200044																								
F2																								
GLENFINLAS 200044																								
CWBMCP 200047																								
F2																								
GLENFINLAS 200047																								
CWBMCP 200048																								
F2																								
GLENFINLAS 200048																								
CWBMCP 200049																								
PBD																								
GLENFINLAS 200049																								
CWBMCP 200055																								
F1																								
GLENFINLAS 200055																								

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 200058 F2 GLENFINLAS 200058	2			FGW 120001 CP 170119	103 66%	103 50%	102 47 %	99 41%	93 34%	99 1.32 70 %	103 4.2 50 %	106 -0.63 51%	102 9.5 47%	102 7.7 40%	101 7 41%	93 1.4 43%	93 1.4 26%	105 7.5 51 %	96 0.2 43 %	105 4.0 44 %	102 1.1 40 %	100 -0.1 31 %	103 0.0 23 %
CWBMCP 200060 F2 GLENFINLAS 200060				BA 150369 CP 160130	109 65%	102 46%	98 43 %	100 19%	120 28%	104 0.81 70 %	102 3.8 46 %	110 -0.78 48%	98 7.6 43%	100 6.7 34%	100 7 19%	123 -16.0 40%	117 -2.6 16%	107 8.2 54 %	118 3.1 47 %	98 -0.3 47 %	106 1.7 44 %	111 1.0 38 %	91 -2.0 27 %
CWBMCP 200061 PBD GLENFINLAS 200061				BA 150369	79 46%	107 41%	110 35 %	90 17%	121 26%	81 3.05 48 %	107 5.9 41 %	96 -0.25 38%	110 14.3 35%	110 13.7 30%	110 20 17%	127 -18.5 36%	115 -2.3 15%	96 3.7 46 %	114 2.5 44 %	106 5.0 44 %	107 1.8 42 %	105 0.4 37 %	83 -3.2 26 %
CWBMCP 200062 F1 GLENFINLAS 200062				BA 150369	79 46%	107 41%	110 35 %	90 17%	121 26%	81 3.05 48 %	107 5.9 41 %	96 -0.25 38%	110 14.3 35%	110 13.7 30%	110 20 17%	127 -18.5 36%	115 -2.3 15%	96 3.7 46 %	114 2.5 44 %	106 5.0 44 %	107 1.8 42 %	105 0.4 37 %	83 -3.2 26 %
CWBMCP 200065 F2 GLENFINLAS 200065				BA 150369 CP 160048	99 66%	110 48%	93 44 %	100 19%	124 32%	99 1.34 71 %	110 6.8 48 %	94 -0.17 49%	93 5.2 44%	108 11.8 34%	100 7 19%	122 -15.6 44%	124 -3.9 19%	109 8.8 55 %	120 3.3 48 %	101 1.6 48 %	110 2.4 45 %	109 0.8 39 %	87 -2.6 27 %
CWBMCP 200066 PBD GLENFINLAS 200066				BA 150369	79 46%	107 41%	110 35 %	90 17%	121 26%	81 3.05 48 %	107 5.9 41 %	96 -0.25 38%	110 14.3 35%	110 13.7 30%	110 20 17%	127 -18.5 36%	115 -2.3 15%	96 3.7 46 %	114 2.5 44 %	106 5.0 44 %	107 1.8 42 %	105 0.4 37 %	83 -3.2 26 %
CWBMCP 200069 F2 GLENFINLAS 200069	1			FGW 120001 CP 150085	109 66%	102 53%	100 52 %	100 40%	87 36%	105 0.78 70 %	102 3.9 53 %	114 -0.89 53%	100 8.7 52%	102 7.6 42%	100 6 40%	85 5.6 45%	87 2.3 26%	96 3.7 54 %	93 -0.1 46 %	103 3.2 46 %	96 0.2 42 %	106 0.4 32 %	105 0.3 23 %
CWBMCP 200070 F3 GLENFINLAS 200070				BA 150369	79 46%	107 41%	110 35 %	90 17%	121 26%	81 3.05 48 %	107 5.9 41 %	96 -0.25 38%	110 14.3 35%	110 13.7 30%	110 20 17%	127 -18.5 36%	115 -2.3 15%	96 3.7 46 %	114 2.5 44 %	106 5.0 44 %	107 1.8 42 %	105 0.4 37 %	83 -3.2 26 %
CWBMCP 200074 F2 GLENFINLAS 200074				BA 150369 CP 160016	77 65%	113 46%	99 43 %	97 21%	127 28%	79 3.30 70 %	113 8.3 46 %	98 -0.31 48%	99 8.0 43%	110 13.4 34%	103 10 21%	128 -19.3 39%	124 -3.9 17%	115 11.7 53 %	118 3.0 47 %	106 4.8 46 %	110 2.3 44 %	105 0.4 39 %	87 -2.5 28 %
CWBMCP 200075 F2 GLENFINLAS 200075				BA 150369 CP 160003	108 67%	104 49%	92 46 %	98 19%	123 28%	104 0.89 71 %	104 4.5 49 %	111 -0.78 50%	92 4.6 46%	102 8.1 34%	102 9 19%	124 -17.1 40%	121 -3.3 17%	105 7.5 54 %	116 2.8 48 %	104 4.0 48 %	108 2.1 45 %	111 0.9 39 %	88 -2.4 27 %
CWBMCP 200076 F3 GLENFINLAS 200076	2			FGW 120001 CP 120009	122 69%	95 51%	108 48 %	100 42%	96 39%	121 -0.83 73 %	95 0.8 51 %	89 0.04 55%	108 12.9 48%	99 5.4 41%	100 7 42%	95 0.3 49%	99 0.7 29%	94 2.7 55 %	95 0.2 44 %	104 3.8 45 %	99 0.6 40 %	99 -0.2 30 %	99 -0.7 21 %
CWBMCP 200079 F2 GLENFINLAS 200079				BA 150369 CP 170093	88 66%	111 48%	93 44 %	99 19%	123 28%	87 2.48 71 %	111 7.6 48 %	104 -0.53 49%	93 4.8 44%	109 12.4 34%	101 8 19%	124 -17.0 40%	121 -3.3 17%	108 8.8 54 %	116 2.8 48 %	104 4.0 48 %	108 2.1 45 %	111 0.9 39 %	88 -2.4 27 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage				Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																							
CWBMCP 200080			BA 150369		99	93	88	112	127	97	93	101	88	94	88	132	123	110	113	107	112	99	82
PBD			CP 160069		67%	51%	39 %	18%	30%	1.48	0.1	-0.43	2.3	2.4	-11	-21.2	-3.6	9.4	2.5	5.7	2.6	-0.2	-3.3
GLENFINLAS 200080					67%	51%	39 %	18%	30%	72 %	51 %	46%	39%	32%	18%	42%	17%	54 %	46 %	46 %	44 %	38 %	27 %
CWBMCP 200081			BA 150369		79	107	110	90	121	81	107	96	110	110	110	127	115	96	114	106	107	105	83
PBD					46%	41%	35 %	17%	26%	3.05	5.9	-0.25	14.3	13.7	20	-18.5	-2.3	3.7	2.5	5.0	1.8	0.4	-3.2
GLENFINLAS 200081					46%	41%	35 %	17%	26%	48 %	41 %	38%	35%	30%	17%	36%	15%	46 %	44 %	44 %	42 %	37 %	26 %
CWBMCP 200084	2		FGW 120001		121	90	98	109	98	117	90	98	98	93	91	96	100	100	93	108	104	97	98
PBD			CP 160096		68%	55%	47 %	40%	36%	-0.40	-1.1	-0.31	7.8	1.2	-7	-0.7	0.4	5.2	-0.1	6.2	1.3	-0.4	-0.8
GLENFINLAS 200084					68%	55%	47 %	40%	36%	72 %	55 %	51%	47%	40%	40%	47%	26%	53 %	42 %	43 %	39 %	30 %	22 %
CWBMCP 200085	4		FGW 120001		90	110	106	98	84	90	110	98	106	108	102	84	85	93	96	97	98	106	106
F2			CP 160111		66%	51%	49 %	40%	34%	2.22	6.8	-0.29	11.9	11.7	9	6.4	2.9	2.3	0.3	-1.1	0.5	0.4	0.5
GLENFINLAS 200085					66%	51%	49 %	40%	34%	70 %	51 %	53%	49%	40%	40%	44%	25%	53 %	43 %	44 %	40 %	31 %	22 %
CWBMCP 200086	1		CP 130307		111	106	87	104	97	106	106	105	87	102	96	90	104	96	93	103	99	108	110
F3			CP 110013		70%	48%	49 %	19%	34%	0.62	5.2	-0.58	1.6	7.6	1	3.2	-0.1	3.4	-0.1	2.6	0.6	0.7	1.1
GLENFINLAS 200086					70%	48%	49 %	19%	34%	73 %	48 %	56%	49%	34%	19%	45%	23%	56 %	41 %	41 %	38 %	30 %	20 %
CWBMCP 200088			CP 130307		101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1					46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 200088					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 200089	1		CP 130307		119	101	90	99	90	115	101	119	90	97	101	85	95	92	89	106	97	110	111
PBD			CP 130023		68%	47%	49 %	19%	31%	-0.21	3.2	-1.08	3.3	4.5	7	5.7	1.6	1.9	-0.5	5.0	0.3	0.8	1.3
GLENFINLAS 200089					68%	47%	49 %	19%	31%	71 %	47 %	54%	49%	34%	19%	41%	21%	55 %	41 %	41 %	38 %	30 %	20 %
CWBMCP 200091			BA 150369		91	108	91	99	120	91	108	99	91	105	101	119	119	102	116	104	108	111	88
F2			CP 170065		67%	49%	46 %	19%	29%	2.15	6.0	-0.34	3.9	10.2	8	-14.1	-2.9	6.0	2.8	4.0	2.1	0.9	-2.4
GLENFINLAS 200091					67%	49%	46 %	19%	29%	72 %	49 %	50%	46%	34%	19%	41%	17%	55 %	48 %	48 %	45 %	39 %	27 %
CWBMCP 200094			WK 160194		94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
F1					41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200094					41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200105			CP 130307		101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
PBD					46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 200105					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 200106	1		CP 130311		96	95	93	112	97	100	95	79	93	93	88	88	105	110	93	93	88	115	121
F3			CP 130042		64%	35%	37 %	24%	32%	1.25	1.0	0.39	4.9	1.2	-11	3.9	0.0	9.4	-0.1	-4.3	-1.1	1.3	2.8
GLENFINLAS 200106					64%	35%	37 %	24%	32%	69 %	35 %	46%	37%	30%	24%	40%	24%	48 %	34 %	34 %	32 %	25 %	19 %
CWBMCP 200108			WK 160194		94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
F1					41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200108					41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
JAPANESE BLACK																							
CWBMCP 200113	3			WK 160194	119	89	98	107	107	114	89	114	98	88	93	104	108	98	92	111	93	100	109
F2				CP 150068	-0.10	-1.4	-0.91	7.7	-1.8	-4	-5.0	-1.1	4.2	-0.2	8.9	-0.3	-0.1	0.9	37 %	37 %	34 %	31 %	24 %
GLENFINLAS 200113					63%	40%	40 %	18%	24%	68 %	40 %	45%	40%	24%	18%	34%	15%	48 %	37 %	37 %	34 %	31 %	24 %
CWBMCP 200114				CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1					1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4	38 %	38 %	35 %	27 %	17 %
GLENFINLAS 200114					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 200116				WK 160194	107	101	96	103	105	102	101	110	96	98	97	102	108	96	86	112	90	105	112
PBD				CP 160124	1.01	3.5	-0.76	6.8	5.0	2	-3.8	-1.0	3.5	-1.0	9.6	-0.8	0.4	1.4	38 %	37 %	34 %	31 %	22 %
GLENFINLAS 200116					62%	39%	36 %	16%	24%	67 %	39 %	43%	36%	24%	16%	34%	14%	48 %	38 %	37 %	34 %	31 %	22 %
CWBMCP 200117				CP 130311	99	94	103	102	85	97	94	104	103	94	98	85	86	99	89	93	87	115	120
F1					1.55	0.4	-0.52	10.3	1.9	4	6.1	2.9	5.0	-0.6	-3.9	-1.2	1.4	2.8	30 %	29 %	28 %	24 %	18 %
GLENFINLAS 200117					38%	28%	29 %	18%	24%	39 %	28 %	33%	29%	26%	18%	30%	17%	37 %	30 %	29 %	28 %	24 %	18 %
CWBMCP 200120	1			CP 130311	113	92	89	112	92	108	92	110	89	88	88	89	96	116	90	94	87	112	120
F2				CP 170053	0.50	-0.5	-0.77	3.0	-2.3	-11	3.7	1.2	11.9	-0.5	-3.2	-1.2	1.0	2.6	35 %	35 %	33 %	29 %	21 %
GLENFINLAS 200120					62%	35%	38 %	22%	28%	67 %	35 %	45%	38%	30%	22%	35%	20%	46 %	35 %	35 %	33 %	29 %	21 %
CWBMCP 200122	1			CP 130311	106	90	82	115	89	105	90	95	82	86	85	92	89	118	100	92	95	111	114
F2				CP 170040	0.74	-0.9	-0.20	-1.1	-3.3	-15	1.9	2.7	12.9	0.7	-5.2	0.0	0.9	1.8	37 %	37 %	35 %	28 %	20 %
GLENFINLAS 200122					63%	38%	39 %	23%	28%	68 %	38 %	45%	39%	32%	23%	36%	20%	46 %	37 %	37 %	35 %	28 %	20 %
CWBMCP 200125	3			WK 160194	117	89	97	107	107	111	89	108	97	88	93	104	108	106	92	111	93	100	109
F2				CP 150060	0.18	-1.5	-0.69	7.3	-1.8	-4	-5.1	-1.1	7.7	-0.2	8.9	-0.3	-0.1	0.9	37 %	37 %	34 %	31 %	24 %
GLENFINLAS 200125					63%	40%	40 %	18%	24%	68 %	40 %	45%	40%	24%	18%	34%	15%	47 %	37 %	37 %	34 %	31 %	24 %
CWBMCP 200126	3			WK 160194	99	97	98	107	107	96	97	106	98	95	93	104	108	107	92	111	93	100	109
F2				CP 150078	1.64	1.8	-0.60	7.9	2.9	-4	-4.9	-1.1	8.2	-0.2	8.9	-0.3	-0.1	0.9	37 %	37 %	34 %	31 %	24 %
GLENFINLAS 200126					63%	41%	43 %	18%	24%	68 %	41 %	46%	43%	24%	18%	34%	15%	47 %	37 %	37 %	34 %	31 %	24 %
CWBMCP 200127				CP 130307	123	103	98	97	102	125	103	106	98	100	103	90	113	89	93	110	97	117	112
F3				CP 110007	-1.21	4.3	-0.61	7.7	6.7	11	3.2	-1.4	0.6	-0.1	8.1	0.3	1.5	1.5	42 %	42 %	38 %	28 %	18 %
GLENFINLAS 200127					70%	49%	50 %	23%	35%	73 %	49 %	56%	50%	34%	23%	45%	25%	56 %	42 %	42 %	38 %	28 %	18 %
CWBMCP 200129				WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
F1					1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6	33 %	32 %	29 %	28 %	21 %
GLENFINLAS 200129					41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200130				CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
F1					1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4	38 %	38 %	35 %	27 %	17 %
GLENFINLAS 200130					46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 200131				CP 130307	118	95	85	108	98	128	95	119	85	91	92	92	105	101	91	109	102	110	110
PBD				CP 160049	-1.51	0.8	-1.08	0.5	0.2	-6	1.9	-0.2	5.8	-0.3	7.5	1.1	0.9	1.2	40 %	40 %	37 %	30 %	19 %
GLENFINLAS 200131					67%	52%	45 %	16%	32%	72 %	52 %	50%	45%	32%	16%	43%	20%	54 %	40 %	40 %	37 %	30 %	19 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 200132			WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
PBD				41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200132				43 %	33 %	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200133	7		CP 130311	116	95	87	108	87	111	95	110	87	90	92	81	92	108	92	92	89	121	126
F2			CP 170082	62%	37%	39 %	19%	27%	0.21	1.0	-0.76	1.9	-0.8	-5	8.1	1.9	8.7	-0.3	-4.9	-0.9	1.9	3.6
GLENFINLAS 200133				62%	37%	39 %	19%	27%	67 %	37 %	44%	39%	30%	19%	35%	19%	46 %	35 %	35 %	33 %	28 %	20 %
CWBMCP 200135			CP 130307	101	112	109	86	89	97	112	113	109	110	114	86	91	84	90	110	96	117	112
PEN				46%	43%	41 %	15%	27%	1.48	7.6	-0.87	13.4	13.2	27	5.1	2.1	-1.7	-0.5	8.0	0.2	1.5	1.4
GLENFINLAS 200135				46%	43%	41 %	15%	27%	47 %	43 %	43%	41%	32%	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBMCP 200136			WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
PBD				41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200136				41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200139			WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
F1				41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200139				41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200140			CP 160039	113	81	103	115	114	121	81	57	103	92	85	104	119	97	101	103	106	97	96
PEN				55%	31%	21 %	8 %	17%	-0.85	-4.5	1.22	10.6	0.9	-15	-5.3	-3.0	3.9	0.9	2.6	1.7	-0.3	-1.1
GLENFINLAS 200140				55%	31%	21 %	8 %	17%	63 %	31 %	26%	21%	9 %	8 %	23%	11%	27 %	13 %	13 %	12 %	10 %	8 %
CWBMCP 200143			CP 160041	107	87	98	115	105	115	87	58	98	96	85	93	112	94	104	97	112	101	101
PEN				53%	18%	17 %	12%	18%	-0.21	-2.4	1.20	7.5	3.6	-16	1.0	-1.9	2.5	1.2	-1.6	2.6	0.0	-0.3
GLENFINLAS 200143				53%	18%	17 %	12%	18%	60 %	18 %	24%	17%	14%	12%	22%	13%	29 %	22 %	22 %	21 %	17 %	12 %
CWBMCP 200145			WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
PBD				41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200145				41%	33%	30 %	15%	20%	43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 200150			CP 180053	94	94	104	108	104	103	94	62	104	103	92	98	107	93	110	88	105	106	99
PEN				55%	21%	25 %	9 %	10%	0.98	0.6	1.05	10.7	8.5	-5	-2.0	-1.0	2.1	2.1	-7.4	1.6	0.4	-0.6
GLENFINLAS 200150				55%	21%	25 %	9 %	10%	61 %	21 %	30%	25%	13%	9 %	15%	6%	27 %	16 %	16 %	14 %	10 %	6 %
CWBMCP 200151			CP 170062	106	96	103	103	99	111	96	73	103	103	97	91	104	91	102	98	103	106	101
PEN				56%	24%	27 %	7 %	14%	0.20	1.4	0.64	10.2	8.4	2	2.3	-0.4	1.2	1.0	-0.4	1.2	0.5	-0.3
GLENFINLAS 200151				56%	24%	27 %	7 %	14%	62 %	24 %	31%	27%	16%	7 %	18%	9%	28 %	19 %	19 %	18 %	14 %	9 %
CWBMCP 200153			CP 170143	88	97	88	115	113	99	97	54	88	102	85	112	112	92	109	88	112	88	92
PEN				56%	25%	25 %	17%	20%	1.30	1.6	1.33	2.5	7.6	-16	-9.6	-1.9	1.9	2.0	-7.4	2.7	-1.2	-1.7
GLENFINLAS 200153				56%	25%	25 %	17%	20%	62 %	25 %	31%	25%	22%	17%	27%	12%	29 %	24 %	24 %	23 %	16 %	10 %
CWBMCP 200155	1		WK 160194	111	94	99	107	102	107	94	104	99	92	93	99	104	105	88	106	88	105	114
F2			CP 160131	63%	39%	38 %	17%	23%	0.58	0.6	-0.55	7.9	0.6	-3	-2.5	-0.2	7.1	-0.7	5.4	-1.1	0.4	1.8
GLENFINLAS 200155				63%	39%	38 %	17%	23%	68 %	39 %	45%	38%	23%	17%	33%	13%	46 %	36 %	36 %	33 %	30 %	22 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CWBMCP 200159				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
F1					38%	38%	28%	16%	19%	2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200159					41%	38%	28%	16%	19%	41%	38%	28%	28%	22%	16%	26%	12%	35%	24%	24%	23%	21%	17%
CWBMCP 200160				WK 170279	106	94	107	99	101	107	94	86	107	98	101	104	101	95	89	105	95	98	105
F3				CP 120014	66%	47%	43%	23%	30%	0.52	0.6	0.14	12.5	4.6	8	-5.1	0.7	2.9	-0.7	4.0	0.0	-0.3	0.3
GLENFINLAS 200160					66%	47%	43%	23%	30%	71%	47%	46%	43%	27%	23%	39%	21%	47%	30%	29%	28%	22%	17%
CWBMCP 200163				CP 170096	102	92	107	106	101	108	92	70	107	100	94	94	104	90	108	97	106	101	98
PEN					54%	23%	27%	11%	14%	0.50	-0.3	0.75	12.5	6.3	-2	0.3	-0.6	0.9	1.9	-1.1	1.6	0.0	-0.8
GLENFINLAS 200163					54%	23%	27%	11%	14%	61%	23%	29%	27%	16%	11%	19%	10%	28%	18%	18%	17%	14%	12%
CWBMCP 200164				WK 170279	107	95	95	103	88	107	95	90	95	97	97	98	84	91	88	106	91	94	102
F3				CP 110009	64%	44%	38%	20%	27%	0.53	1.0	-0.01	6.0	4.2	2	-1.7	3.6	1.2	-0.7	4.8	-0.5	-0.6	-0.1
GLENFINLAS 200164					64%	44%	38%	20%	27%	70%	44%	43%	38%	28%	20%	36%	18%	46%	29%	29%	28%	25%	19%
CWBMCP 200172				WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
PBD					41%	33%	30%	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200172					41%	33%	30%	15%	20%	43%	33%	35%	30%	19%	15%	29%	11%	38%	33%	32%	29%	28%	21%
CWBMCP 200175				WK 160194	113	99	96	103	105	108	99	113	96	96	97	102	108	97	86	112	90	105	112
F2				CP 160089	61%	39%	36%	16%	24%	0.43	2.5	-0.88	6.8	3.5	2	-3.8	-1.0	4.1	-1.0	9.6	-0.8	0.4	1.4
GLENFINLAS 200175					61%	39%	36%	16%	24%	66%	39%	43%	36%	24%	16%	34%	14%	47%	38%	37%	34%	31%	22%
CWBMCP 200177				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
F1					38%	38%	28%	16%	19%	2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200177					38%	38%	28%	16%	19%	41%	38%	28%	28%	22%	16%	26%	12%	35%	24%	24%	23%	21%	17%
CWBMCP 200181	3			WK 160194	96	97	98	107	107	95	97	101	98	95	93	104	108	97	92	111	93	100	109
F2				CP 150065	61%	39%	36%	18%	24%	1.74	1.6	-0.43	7.8	2.7	-4	-5.2	-1.1	3.8	-0.2	8.9	-0.3	-0.1	0.9
GLENFINLAS 200181					61%	39%	36%	18%	24%	66%	39%	43%	36%	24%	18%	34%	15%	47%	37%	37%	34%	31%	24%
CWBMCP 200183				CP 170063	104	89	98	109	101	112	89	61	98	98	91	101	100	95	110	98	109	96	90
PEN					56%	26%	27%	15%	15%	0.08	-1.3	1.07	7.7	4.7	-6	-3.6	0.4	3.0	2.0	-0.7	2.1	-0.5	-2.1
GLENFINLAS 200183					56%	26%	27%	15%	15%	63%	26%	31%	27%	22%	15%	20%	10%	28%	22%	22%	20%	14%	9%
CWBMCP 200188				WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
PEN					41%	33%	30%	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 200188					41%	33%	30%	15%	20%	43%	33%	35%	30%	19%	15%	29%	11%	38%	33%	32%	29%	28%	21%
CWBMCP 200189				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
F1					38%	38%	28%	16%	19%	2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200189					38%	38%	28%	16%	19%	41%	38%	28%	28%	22%	16%	26%	12%	35%	24%	24%	23%	21%	17%
CWBMCP 200194				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
F1					38%	38%	28%	16%	19%	2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200194					38%	38%	28%	16%	19%	41%	38%	28%	28%	22%	16%	26%	12%	35%	24%	24%	23%	21%	17%

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP2073 F3 GLENFINLAS 200073			BA 150369 CP 130053	102 69%	105 48%	104 45 %	100 25%	132 33%	103 0.96 73 %	105 4.9 48 %	91 -0.04 52%	104 10.6 45%	106 10.6 35%	100 6 25%	129 -19.9 44%	133 -5.0 22%	104 6.8 56 %	117 3.0 48 %	105 4.3 47 %	107 1.9 45 %	104 0.3 38 %	83 -3.1 26 %
CWBMCP 210004 PBD GLENFINLAS 210004	2		FGW 120001 CP 150041	125 68%	91 51%	89 50 %	106 43%	103 38%	119 -0.60 72 %	91 -0.7 51 %	103 -0.51 54%	89 3.1 50%	92 1.1 42%	94 -3 43%	98 -1.5 49%	106 -0.9 27%	104 6.9 54 %	90 -0.5 46 %	89 -6.8 47 %	104 1.4 43 %	85 -1.5 33 %	104 0.2 23 %
CWBMCP 210005 F3 GLENFINLAS 210005	2		FGW 120001 CP 110012	79 69%	110 53%	107 53 %	101 42%	104 40%	86 2.60 72 %	110 6.8 53 %	77 0.48 58%	107 12.2 53%	110 13.7 41%	99 5 42%	102 -3.8 49%	105 -0.6 30%	97 4.1 56 %	95 0.2 44 %	104 3.8 45 %	99 0.6 40 %	99 -0.2 30 %	99 -0.7 21 %
CWBMCP 210006 F3 GLENFINLAS 210006			BA 150369 CP 140026	112 68%	95 46%	86 42 %	106 23%	145 32%	108 0.47 72 %	95 1.1 46 %	105 -0.56 51%	86 1.1 42%	97 4.1 34%	94 -3 23%	148 -30.6 44%	138 -6.7 20%	102 6.2 56 %	113 2.4 49 %	87 -8.5 49 %	114 2.9 46 %	89 -1.1 40 %	88 -2.4 28 %
CWBMCP 210007 F3 GLENFINLAS 210007			BA 150369 CP 120022	102 68%	105 47%	93 45 %	107 21%	131 32%	98 1.40 72 %	105 5.1 47 %	106 -0.62 51%	93 5.1 45%	104 9.5 34%	93 -4 21%	129 -19.8 43%	130 -5.2 20%	108 8.8 56 %	118 3.1 49 %	101 1.5 49 %	118 3.6 46 %	105 0.4 40 %	88 -2.4 29 %
CWBMCP 210010 F3 GLENFINLAS 210010	2		FGW 120001 CP 110035	114 69%	98 51%	108 48 %	100 42%	103 39%	114 -0.14 72 %	98 2.0 51 %	85 0.18 56%	108 12.9 48%	101 7.2 41%	100 7 42%	98 -2.0 49%	106 -0.7 29%	85 -1.2 55 %	95 0.2 44 %	104 3.8 45 %	99 0.6 40 %	99 -0.2 30 %	99 -0.7 21 %
CWBMCP 210012 FB GLENFINLAS 210012	3		FGW 120001 CP 190023	102 69%	103 55%	87 52 %	111 45%	99 41%	100 1.21 72 %	103 4.0 55 %	98 -0.30 58%	87 1.8 52%	99 5.4 46%	89 -9 45%	96 -0.3 51%	101 0.0 31%	110 9.5 56 %	88 -0.7 48 %	100 1.0 49 %	103 1.3 45 %	94 -0.6 37 %	107 0.7 28 %
CWBMCP 210013 F1 GLENFINLAS 210013			FGW 120001	89 48%	105 46%	117 43 %	89 39%	89 32%	89 2.27 49 %	105 5.0 46 %	99 -0.34 44%	117 18.0 43%	109 12.9 38%	111 22 39%	95 0.3 41%	85 2.8 24%	89 0.4 45 %	92 -0.3 40 %	105 4.2 41 %	99 0.6 37 %	100 -0.1 29 %	98 -0.7 20 %
CWBMCP 210018 F1 GLENFINLAS 210018	1		BOS 170018 CP 180003	111 62%	78 65%	96 41 %	124 10%	96 20%	112 0.04 68 %	78 -5.8 65 %	81 0.32 37%	96 6.4 41%	83 -5.2 14%	76 -27 10%	93 1.1 31%	99 0.6 9%	108 8.5 45 %	106 1.5 28 %	96 -2.2 29 %	101 0.9 27 %	98 -0.3 26 %	101 -0.2 21 %
CWBMCP 210023 F2 GLENFINLAS 210023	1		BOS 170018 CP 160090	112 65%	123 65%	101 48 %	95 11%	97 26%	108 0.42 70 %	123 12.0 65 %	102 -0.46 46%	101 9.3 48%	115 16.6 20%	105 14 11%	89 3.5 38%	102 0.0 13%	109 9.0 49 %	100 0.8 33 %	99 0.0 33 %	98 0.5 31 %	105 0.4 29 %	107 0.6 22 %
CWBMCP 210024 F2 GLENFINLAS 210024	2		BOS 170018 CP 190009	100 63%	108 64%	97 44 %	101 14%	91 22%	97 1.53 68 %	108 6.2 64 %	111 -0.80 42%	97 7.1 44%	102 7.8 18%	99 4 14%	88 3.9 33%	94 1.5 11%	113 10.8 46 %	98 0.5 30 %	103 3.2 31 %	98 0.5 30 %	101 0.0 28 %	107 0.7 22 %
CWBMCP 210025 F1 GLENFINLAS 210025			BOS 170018 CWBFCP 180007	92 42%	93 44%	111 32 %	103 8 %	89 18%	92 1.96 45 %	93 0.0 44 %	97 -0.26 31%	111 14.6 32%	96 3.9 12%	97 2 8 %	94 0.6 30%	87 2.9 7%	101 5.5 39 %	94 0.0 27 %	104 3.4 27 %	95 0.0 26 %	101 0.0 25 %	103 0.0 20 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 210028 F2 GLENFINLAS 210028	2		BOS 170018 CP 180004	117 62%	73 64%	89 43 %	126 17%	94 24%	114 -0.16 68 %	73 -8.0 64 %	95 -0.21 41%	89 2.9 43%	76 -10.2 24%	74 -30 17%	104 -5.0 36%	90 2.7 12%	109 9.1 48 %	104 1.3 35 %	102 2.1 35 %	103 1.2 33 %	96 -0.4 29 %	97 -1.0 22 %
CWBMCP 210029 PBD GLENFINLAS 210029	1		BOS 170018 CP 180048	114 67%	56 66%	88 45 %	141 11%	120 24%	117 -0.43 72 %	56 -14.7 66 %	73 0.63 46%	88 2.5 45%	67 -16.4 15%	59 -52 11%	121 -15.1 36%	119 -2.8 13%	116 12.0 46 %	103 1.2 28 %	97 -1.5 28 %	99 0.6 27 %	98 -0.3 26 %	101 -0.4 20 %
CWBMCP 210031 PBD GLENFINLAS 210031	3		BOS 170018 CP 180068	125 65%	75 66%	79 44 %	131 15%	102 24%	119 -0.58 71 %	75 -7.0 66 %	104 -0.54 43%	79 -2.3 44%	76 -10.2 20%	69 -38 15%	102 -4.3 37%	103 0.0 12%	108 8.5 49 %	103 1.2 33 %	84 -10.3 33 %	101 1.0 31 %	99 -0.2 28 %	110 1.1 21 %
CWBMCP 210034 F2 GLENFINLAS 210034			BOS 170018 CP 180051	115 61%	84 61%	102 39 %	116 8 %	93 19%	114 -0.14 67 %	84 -3.5 61 %	88 0.07 38%	102 9.7 39%	90 -0.8 12%	84 -16 8 %	91 2.6 31%	95 1.4 7%	100 5.2 43 %	101 0.9 27 %	97 -1.3 27 %	99 0.6 26 %	98 -0.3 25 %	100 -0.4 20 %
CWBMCP 210038 F2 GLENFINLAS 210038	2		FGW 120001 CP 170036	101 66%	110 65%	106 53 %	94 41%	91 36%	98 1.40 70 %	110 7.0 65 %	103 -0.50 52%	106 12.0 53%	108 12.2 41%	106 15 41%	91 2.5 45%	91 1.6 26%	111 9.8 54 %	101 0.9 44 %	102 2.4 45 %	103 1.3 41 %	101 0.0 32 %	101 -0.4 23 %
CWBMCP 210040 PBD GLENFINLAS 210040	1		BOS 170018 CP 180072	97 65%	83 65%	91 46 %	119 17%	92 26%	98 1.46 70 %	83 -3.8 65 %	92 -0.07 46%	91 3.7 46%	86 -3.6 24%	81 -21 17%	99 -2.0 37%	89 2.7 16%	112 10.5 48 %	102 1.1 35 %	92 -4.5 35 %	102 1.0 33 %	99 -0.2 31 %	104 0.1 25 %
CWBMCP 210042 PEN GLENFINLAS 210042			CP 180081	110 58%	88 32%	90 26 %	116 15%	107 20%	126 -1.30 64 %	88 -2.1 32 %	66 0.88 35%	90 3.5 26%	94 2.1 22%	84 -17 15%	104 -5.0 26%	109 -1.2 14%	90 1.0 31 %	113 2.4 24 %	96 -2.4 24 %	111 2.4 22 %	98 -0.3 16 %	92 -1.8 10 %
CWBMCP 210047 F2 GLENFINLAS 210047	2		BOS 170018 CP 150070	91 63%	119 63%	102 43 %	94 14%	91 24%	90 2.23 69 %	119 10.5 63 %	102 -0.47 42%	102 9.7 43%	111 14.4 20%	106 15 14%	89 3.3 35%	92 1.7 13%	114 11.2 48 %	103 1.2 32 %	101 1.6 32 %	99 0.7 31 %	102 0.1 29 %	105 0.3 23 %
CWBMCP 210051 F2 GLENFINLAS 210051	2		BOS 170018 CP 180129	107 63%	87 63%	98 43 %	114 14%	92 23%	105 0.77 69 %	87 -2.3 63 %	99 -0.35 42%	98 7.7 43%	87 -2.5 20%	86 -14 14%	93 1.3 34%	93 1.8 12%	108 8.4 47 %	103 1.2 32 %	101 1.6 32 %	99 0.7 31 %	102 0.1 29 %	105 0.3 23 %
CWBMCP 210052 F2 GLENFINLAS 210052	1		FGW 120001 CP 180163	110 65%	119 65%	104 51 %	88 40%	90 36%	106 0.66 69 %	119 10.5 65 %	114 -0.91 51%	104 11.1 51%	114 16.5 41%	112 23 40%	88 4.2 45%	90 1.8 26%	102 6.2 54 %	94 0.0 45 %	103 3.1 45 %	100 0.8 41 %	105 0.4 32 %	104 0.1 22 %
CWBMCP 210054 PEN GLENFINLAS 210054			CP 190026	91 58%	83 58%	92 37 %	123 22%	101 24%	101 1.15 64 %	83 -3.8 58 %	58 1.20 37%	92 4.3 37%	90 -0.5 25%	77 -27 22%	90 2.7 30%	109 -1.2 19%	108 8.7 36 %	96 0.3 27 %	95 -2.5 27 %	106 1.7 26 %	95 -0.6 24 %	105 0.3 19 %
CWBMCP 210055 PBD GLENFINLAS 210055	2		BOS 170018 CP 180100	107 65%	65 64%	95 45 %	129 14%	94 23%	105 0.72 70 %	65 -11.1 64 %	97 -0.26 45%	95 6.1 45%	71 -13.9 20%	71 -35 14%	97 -0.9 34%	93 1.8 12%	113 10.6 47 %	103 1.2 32 %	101 1.6 32 %	99 0.7 31 %	102 0.1 29 %	105 0.3 23 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																						
CWBMCP 210059	2		BOS 170018	117	91	93	117	99	114	91	96	93	89	83	95	104	106	105	101	100	101	105
PBD			CP 180093	-0.12	-0.8	-0.23	5.2	-1.6	-18	0.3	-0.1	7.9	1.4	1.4	0.7	0.0	0.4	33 %	34 %	32 %	29 %	23 %
GLENFINLAS 210059				65%	54%	41 %	16%	27%	71 %	54 %	43%	41%	22%	16%	39%	15%	48 %	33 %	34 %	32 %	29 %	23 %
CWBMCP 210061	2		BOS 170018	94	108	93	107	104	97	108	85	93	102	93	97	109	113	96	104	95	97	102
PBD			CP 170046	1.54	6.0	0.17	4.8	8.1	-4	-1.1	-1.1	10.9	0.3	3.8	0.0	-0.4	-0.1	34 %	34 %	33 %	30 %	22 %
GLENFINLAS 210061				67%	66%	49 %	17%	28%	72 %	66 %	47%	49%	20%	17%	39%	17%	50 %	34 %	34 %	33 %	30 %	22 %
CWBMCP 210062	1		BOS 170018	105	85	90	120	97	105	85	91	90	85	80	93	101	113	98	102	97	106	109
PBD			CP 180114	0.75	-3.0	-0.05	3.3	-4.0	-23	1.0	0.6	10.9	0.5	2.4	0.2	0.5	0.9	34 %	34 %	32 %	29 %	22 %
GLENFINLAS 210062				68%	69%	47 %	14%	28%	73 %	69 %	47%	47%	22%	14%	38%	17%	49 %	34 %	34 %	32 %	29 %	22 %
CWBMCP 210065	2		BOS 170018	104	88	100	113	92	101	88	102	100	88	87	93	93	112	103	101	99	102	105
F2			CP 180115	1.14	-1.8	-0.45	8.5	-1.7	-12	1.4	1.8	10.3	1.2	1.6	0.7	0.1	0.3	32 %	32 %	31 %	29 %	23 %
GLENFINLAS 210065				65%	64%	45 %	14%	23%	70 %	64 %	45%	45%	20%	14%	34%	12%	47 %	32 %	32 %	31 %	29 %	23 %
CWBMCP 210066	2		BOS 170018	110	72	95	124	93	108	72	98	95	76	76	96	93	108	103	101	99	102	105
F2			CP 180104	0.47	-8.5	-0.31	6.3	-10.7	-28	-0.3	1.8	8.8	1.2	1.6	0.7	0.1	0.3	32 %	32 %	31 %	29 %	23 %
GLENFINLAS 210066				63%	63%	43 %	14%	23%	69 %	63 %	42%	43%	20%	14%	34%	12%	47 %	32 %	32 %	31 %	29 %	23 %
CWBMCP 210067			FGW 120001	104	91	104	107	96	105	91	90	104	98	93	96	94	101	99	98	103	97	96
PBD			CP 180073	0.79	-0.9	0.00	10.9	5.0	-3	-0.3	1.1	5.7	0.7	-0.5	1.2	-0.4	-1.1	40 %	41 %	37 %	29 %	20 %
GLENFINLAS 210067				66%	65%	53 %	39%	32%	70 %	65 %	52%	53%	38%	39%	41%	24%	50 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210071			BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
PBD				1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	27 %	27 %	26 %	25 %	20 %
GLENFINLAS 210071				42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCP 210073	2		BOS 170018	110	95	95	112	96	105	95	106	95	94	88	97	96	108	105	92	99	106	106
F2			CP 180042	0.72	0.8	-0.59	5.9	2.1	-11	-1.3	1.3	8.8	1.4	-4.6	0.6	0.5	0.5	31 %	32 %	30 %	27 %	21 %
GLENFINLAS 210073				62%	63%	42 %	12%	20%	68 %	63 %	41%	42%	18%	12%	32%	9%	47 %	31 %	32 %	30 %	27 %	21 %
CWBMCP 210074	2		BOS 170018	112	97	88	112	95	109	97	100	88	93	88	92	97	118	106	99	101	104	107
PBD			CP 180151	0.39	1.8	-0.38	2.5	1.2	-10	1.7	0.9	12.8	1.6	-0.1	0.9	0.3	0.7	34 %	34 %	32 %	30 %	23 %
GLENFINLAS 210074				67%	66%	48 %	14%	28%	72 %	66 %	47%	48%	22%	14%	40%	16%	49 %	34 %	34 %	32 %	30 %	23 %
CWBMCP 210076	1		BOS 170018	110	78	93	121	92	106	78	104	93	80	79	93	93	105	96	102	96	106	108
F2			CP 180138	0.61	-6.1	-0.52	4.8	-7.4	-24	0.9	1.9	7.1	0.3	2.3	0.2	0.5	0.8	33 %	33 %	31 %	29 %	22 %
GLENFINLAS 210076				63%	63%	43 %	11%	24%	69 %	63 %	42%	43%	20%	11%	35%	12%	47 %	33 %	33 %	31 %	29 %	22 %
CWBMCP 210082	3		BOS 170018	113	99	87	113	100	110	99	99	87	93	87	94	105	117	104	100	104	102	109
PBD			CP 180152	0.29	2.7	-0.35	2.0	1.8	-12	0.8	-0.4	12.5	1.3	1.1	1.4	0.1	0.9	34 %	34 %	33 %	30 %	24 %
GLENFINLAS 210082				67%	65%	45 %	16%	28%	72 %	65 %	46%	45%	22%	16%	40%	16%	49 %	34 %	34 %	33 %	30 %	24 %
CWBMCP 210085	2		BOS 170018	123	66	89	132	99	122	66	96	89	68	68	97	103	116	100	103	98	101	108
PBD			CP 190011	-0.93	-11.0	-0.24	2.9	-15.7	-39	-1.0	0.2	12.1	0.8	3.0	0.5	0.0	0.7	32 %	32 %	31 %	29 %	23 %
GLENFINLAS 210085				68%	67%	48 %	16%	27%	73 %	67 %	47%	48%	21%	16%	38%	16%	48 %	32 %	32 %	31 %	29 %	23 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	Sire ID																			
JAPANESE BLACK																							
CWBMCP 210088	3			BOS 170018	121	90	86	119	105	117	90	98	86	87	81	101	109	119	96	102	104	102	110
PBD				CP 160087	-0.44	-1.3	-0.32	1.1	-2.5	-21	-3.4	-1.0	13.5	0.3	2.4	1.5	0.1	1.1	0.3	2.4	1.5	0.1	1.1
GLENFINLAS 210088					68%	67%	48 %	17%	28%	73 %	67 %	48%	48%	20%	17%	40%	17%	50 %	35 %	35 %	34 %	31 %	23 %
CWBMCP 210089	1			BOS 170018	116	113	102	97	90	112	113	118	102	107	103	87	92	109	96	102	96	106	108
F2				CP 160068	0.07	8.1	-1.05	9.8	11.0	10	4.6	1.9	9.1	0.3	2.3	0.2	0.5	0.8	0.3	2.3	0.2	0.5	0.8
GLENFINLAS 210089					65%	64%	46 %	11%	24%	70 %	64 %	46%	46%	20%	11%	35%	12%	48 %	33 %	33 %	31 %	29 %	22 %
CWBMCP 210091				BA 150369	80	117	96	95	125	81	117	99	96	113	105	125	123	110	115	104	116	106	89
F2				CP 160154	3.05	9.6	-0.35	6.4	15.4	13	-17.4	-3.9	9.4	2.7	3.9	3.3	0.5	-2.2	2.7	3.9	3.3	0.5	-2.2
GLENFINLAS 210091					67%	63%	46 %	21%	29%	71 %	63 %	50%	46%	34%	21%	40%	18%	55 %	49 %	49 %	46 %	40 %	29 %
CWBMCP 210094				BA 150369	97	89	98	110	128	99	89	85	98	96	90	129	124	106	121	99	111	102	80
F2				CP 180063	1.32	-1.6	0.18	7.5	3.8	-8	-19.9	-4.0	7.9	3.5	0.3	2.4	0.1	-3.6	3.5	0.3	2.4	0.1	-3.6
GLENFINLAS 210094					63%	60%	41 %	17%	26%	68 %	60 %	44%	41%	30%	17%	36%	15%	52 %	44 %	44 %	42 %	37 %	26 %
CWBMCP 210096				BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	101	94	104	95	101	103
F3				CWBFCP 170078	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	5.5	0.0	3.4	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0
GLENFINLAS 210096					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	39 %	27 %	27 %	26 %	25 %	20 %
CWBMCP 210105				BA 150369	91	113	94	95	124	89	113	105	94	109	105	124	122	119	118	106	110	105	87
F2				CP 160018	2.27	8.2	-0.59	5.4	12.4	13	-16.8	-3.7	13.5	3.0	4.8	2.3	0.4	-2.5	3.0	4.8	2.3	0.4	-2.5
GLENFINLAS 210105					64%	63%	46 %	21%	28%	69 %	63 %	46%	46%	34%	21%	38%	17%	54 %	47 %	46 %	44 %	39 %	28 %
CWBMCP 210107	1			WK 170279	105	114	103	87	90	102	114	117	103	109	113	93	88	102	87	104	96	104	110
F2				CP 150076	1.01	8.4	-1.03	10.2	13.0	25	1.1	2.6	6.2	-0.8	3.4	0.1	0.3	1.1	-0.8	3.4	0.1	0.3	1.1
GLENFINLAS 210107					62%	61%	39 %	18%	24%	68 %	61 %	40%	39%	28%	18%	33%	15%	46 %	31 %	30 %	29 %	25 %	19 %
CWBMCP 210108	1			FGW 120001	114	112	104	92	90	109	112	113	104	109	108	90	90	108	94	103	100	105	104
F2				CP 180105	0.33	7.6	-0.89	10.7	12.7	18	3.2	1.8	8.7	0.0	3.1	0.8	0.4	0.1	0.0	3.1	0.8	0.4	0.1
GLENFINLAS 210108					68%	65%	53 %	40%	36%	71 %	65 %	55%	53%	41%	40%	46%	26%	54 %	45 %	45 %	41 %	32 %	22 %
CWBMCP 210109	1			BOS 170018	119	89	95	113	90	112	89	109	95	88	87	89	92	101	96	102	96	106	108
F2				CP 180122	0.02	-1.7	-0.72	6.2	-1.9	-12	3.3	2.1	5.8	0.3	2.3	0.2	0.5	0.8	0.3	2.3	0.2	0.5	0.8
GLENFINLAS 210109					63%	63%	43 %	11%	24%	69 %	63 %	42%	43%	20%	11%	36%	12%	47 %	33 %	33 %	31 %	29 %	22 %
CWBMCP 210112				WF 160608	102	92	87	111	115	104	92	82	87	92	89	107	122	105	85	88	108	73	104
F3				CP 130061	0.80	-0.2	0.31	1.7	0.9	-9	-7.0	-3.2	7.5	-1.0	-7.5	2.0	-2.7	0.2	-1.0	-7.5	2.0	-2.7	0.2
GLENFINLAS 210112					65%	63%	44 %	22%	28%	70 %	63 %	44%	44%	28%	22%	35%	21%	52 %	43 %	43 %	39 %	25 %	19 %
CWBMCP 210113	2			BOS 170018	121	99	88	112	95	116	99	101	88	95	88	93	100	114	101	88	99	98	108
PBD				CP 170001	-0.33	2.3	-0.43	2.6	3.1	-10	1.2	1.0	11.1	1.0	-7.7	0.7	-0.3	0.9	1.0	-7.7	0.7	-0.3	0.9
GLENFINLAS 210113					67%	65%	47 %	19%	30%	72 %	65 %	48%	47%	24%	19%	41%	19%	50 %	38 %	38 %	36 %	32 %	25 %
CWBMCP 210117				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
PBD					2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 210117					38%	38%	28 %	16%	19%	41 %	38 %	28%	28%	22%	16%	26%	12%	35 %	24 %	24 %	23 %	21 %	17 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 210121				WF 160608	89	99	102	97	97	89	99	99	102	100	103	97	98	82	82	89	108	74	104
PBD					36%	36%	24 %	15%	18%	2.27	2.4	-0.35	9.6	6.4	11	-1.1	0.9	-2.4	-1.5	-7.0	2.0	-2.6	0.1
GLENFINLAS 210121										38 %	36 %	26%	24%	22%	15%	23%	12%	39 %	39 %	39 %	36 %	24 %	18 %
CWBMCP 210129				FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	85	89	92	105	99	100	98
PEN					48%	46%	43 %	39%	32%	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210129										49 %	46 %	44%	43%	38%	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210130	3			WF 160608	113	99	88	104	100	108	99	106	88	95	96	95	104	106	91	86	112	75	106
F2				CP 150078	61%	61%	40 %	19%	22%	0.45	2.5	-0.62	2.6	2.8	1	0.1	-0.2	7.9	-0.4	-8.9	2.7	-2.5	0.5
GLENFINLAS 210130										67 %	61 %	40%	40%	27%	19%	29%	16%	50 %	43 %	43 %	40 %	27 %	22 %
CWBMCP 210140	2			FGW 120001	121	103	110	97	100	125	103	96	110	105	103	96	103	103	95	104	99	99	99
F3				CP 130053	70%	65%	52 %	43%	39%	-1.18	4.3	-0.25	14.2	9.8	11	-0.6	0.0	6.4	0.2	3.4	0.7	-0.2	-0.6
GLENFINLAS 210140										73 %	65 %	57%	52%	41%	43%	49%	29%	56 %	44 %	45 %	40 %	30 %	21 %
CWBMCP 210142				WK 170279	88	99	116	89	89	87	99	102	116	103	111	98	83	81	85	105	94	99	105
F3					38%	38%	28 %	16%	19%	2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 210142										41 %	38 %	28%	28%	22%	16%	26%	12%	35 %	24 %	24 %	23 %	21 %	17 %
CWBMCP 210143	3			WF 160608	108	101	89	102	100	103	101	109	89	96	98	96	104	105	91	86	112	75	106
F2				CP 160057	62%	60%	37 %	19%	24%	0.90	3.2	-0.72	3.0	3.8	3	-0.4	-0.3	7.2	-0.4	-8.9	2.7	-2.5	0.5
GLENFINLAS 210143										67 %	60 %	41%	37%	27%	19%	31%	16%	50 %	43 %	43 %	40 %	27 %	22 %
CWBMCP 210147	3			WK 160194	117	92	98	107	107	111	92	111	98	91	93	104	108	111	92	111	93	100	109
F2				CP 180102	64%	60%	43 %	18%	24%	0.12	-0.2	-0.81	7.7	-0.1	-3	-5.2	-1.1	9.9	-0.2	8.9	-0.3	-0.1	0.9
GLENFINLAS 210147										69 %	60 %	47%	43%	24%	18%	34%	15%	48 %	37 %	37 %	34 %	31 %	24 %
CWBMCP 210148	1			FGW 120001	98	117	99	93	92	98	117	97	99	114	107	88	94	106	98	100	102	104	102
F2				CP 160048	68%	65%	52 %	40%	38%	1.47	9.9	-0.26	8.4	16.2	16	4.0	1.2	7.6	0.5	0.8	1.1	0.3	-0.1
GLENFINLAS 210148										71 %	65 %	54%	52%	41%	40%	48%	27%	55 %	45 %	45 %	41 %	32 %	22 %
CWBMCP 210150				WK 160194	94	97	111	97	104	93	97	102	111	100	103	105	103	89	83	114	88	99	107
F3					41%	33%	30 %	15%	20%	1.95	1.8	-0.47	14.8	6.1	11	-5.8	0.0	0.6	-1.3	10.7	-1.0	-0.2	0.6
GLENFINLAS 210150										43 %	33 %	35%	30%	19%	15%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %
CWBMCP 210151	1			WK 170279	102	100	97	97	91	99	100	115	97	99	103	96	88	95	87	104	96	104	110
F2				CP 160003	64%	62%	42 %	18%	24%	1.35	3.1	-0.94	7.2	5.9	11	-0.3	2.6	2.9	-0.8	3.4	0.1	0.3	1.1
GLENFINLAS 210151										69 %	62 %	43%	42%	28%	18%	32%	15%	47 %	31 %	30 %	29 %	25 %	19 %
CWBMCP 210154				WF 160608	89	99	102	97	97	89	99	99	102	100	103	97	98	82	82	89	108	74	104
PBD					36%	36%	24 %	15%	18%	2.27	2.4	-0.35	9.6	6.4	11	-1.1	0.9	-2.4	-1.5	-7.0	2.0	-2.6	0.1
GLENFINLAS 210154										38 %	36 %	26%	24%	22%	15%	23%	12%	39 %	39 %	39 %	36 %	24 %	18 %
CWBMCP 210155				WF 160608	96	102	86	103	99	93	102	104	86	98	97	93	103	98	84	87	109	79	109
F2				CP 170082	61%	60%	37 %	17%	22%	1.86	3.6	-0.52	1.1	4.8	1	0.9	0.0	4.4	-1.2	-8.1	2.2	-2.1	1.0
GLENFINLAS 210155										67 %	60 %	39%	37%	27%	17%	30%	15%	50 %	44 %	43 %	40 %	27 %	20 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 210156 F2 GLENFINLAS 210156	2		WF 160608 CP 170040	93 62%	91 61%	81 37 %	112 21%	101 24%	95 1.69 67 %	91 -0.6 61 %	89 0.03 41%	81 -1.5 37%	90 -0.7 30%	88 -11 21%	105 -5.8 31%	100 0.7 16%	107 8.3 49 %	92 -0.2 45 %	87 -8.4 45 %	115 3.2 42 %	69 -3.0 27 %	98 -0.8 20 %
CWBMCP 210157 PBD GLENFINLAS 210157			WF 160608 CP 170045	124 63%	84 61%	85 39 %	117 17%	114 25%	119 -0.57 69 %	84 -3.7 61 %	103 -0.48 42%	85 0.5 39%	84 -5.1 24%	83 -18 17%	108 -7.8 32%	119 -2.7 18%	106 7.7 50 %	83 -1.3 42 %	92 -5.1 41 %	112 2.7 38 %	71 -2.9 26 %	104 0.1 20 %
CWBMCP 210159 FB GLENFINLAS 210159	2		FGW 120001 CP 130009	106 68%	103 66%	84 54 %	108 42%	86 40%	102 1.06 71 %	103 4.2 66 %	108 -0.69 55%	84 0.5 54%	99 5.5 46%	92 -5 42%	82 7.6 50%	90 2.0 29%	110 9.7 58 %	91 -0.3 49 %	97 -1.3 50 %	94 -0.1 46 %	109 0.7 37 %	115 2.0 26 %
CWBMCP 210164 F3 GLENFINLAS 210164			WK 170279 CP 120014	109 66%	98 62%	107 44 %	96 23%	101 30%	109 0.35 71 %	98 2.2 62 %	87 0.09 46%	107 12.2 44%	100 6.5 27%	104 12 23%	104 -4.9 39%	101 0.7 21%	100 5.3 48 %	89 -0.7 30 %	105 4.0 29 %	95 0.0 28 %	98 -0.3 22 %	103 0.3 17 %
CWBMCP 210165 F2 GLENFINLAS 210165	1		WK 170279 CP 160111	96 62%	109 60%	103 37 %	93 18%	83 22%	94 1.82 68 %	109 6.6 60 %	104 -0.52 40%	103 10.6 37%	105 10.2 26%	107 17 18%	86 5.1 31%	83 3.6 14%	91 1.2 46 %	89 -0.6 29 %	98 -0.9 28 %	94 -0.2 28 %	105 0.4 24 %	113 1.5 19 %
CWBMCP 210168 F2 GLENFINLAS 210168			WF 160608 CP 160061	108 62%	103 61%	86 38 %	102 17%	97 24%	104 0.85 67 %	103 4.0 61 %	112 -0.84 42%	86 1.1 38%	98 4.9 27%	98 3 17%	90 2.8 32%	103 0.1 16%	100 5.2 50 %	84 -1.2 44 %	87 -8.1 43 %	109 2.2 40 %	79 -2.1 27 %	109 1.0 20 %
CWBMCP 210176 F2 GLENFINLAS 210176	1		WF 160608 CP 180053	100 61%	96 60%	84 36 %	109 18%	104 20%	98 1.42 67 %	96 1.3 60 %	102 -0.45 40%	84 0.4 36%	94 2.3 26%	91 -7 18%	102 -3.9 28%	107 -0.7 13%	103 6.5 49 %	92 -0.2 43 %	78 -15.1 42 %	112 2.6 39 %	79 -2.1 26 %	107 0.7 19 %
CWBMCP 210177 F2 GLENFINLAS 210177			WK 170279 CP 160125	81 63%	123 61%	105 40 %	82 20%	92 24%	81 3.03 68 %	123 12.4 61 %	100 -0.40 42%	105 11.6 40%	117 18.5 28%	118 33 20%	94 0.4 33%	90 2.1 16%	103 6.5 46 %	94 0.0 30 %	103 2.6 30 %	99 0.6 29 %	100 -0.1 25 %	107 0.6 20 %
CWBMCP 210181 F2 GLENFINLAS 210181	1		WF 160608 CP 160131	94 61%	104 59%	88 35 %	103 17%	95 21%	93 1.90 67 %	104 4.6 59 %	101 -0.43 39%	88 2.2 35%	99 5.4 25%	97 2 17%	90 2.7 28%	100 0.7 14%	104 7.0 49 %	86 -1.0 42 %	81 -12.3 42 %	107 1.8 39 %	80 -2.0 26 %	112 1.4 20 %
CWBMCP 210184 F3 GLENFINLAS 210184			FGW 120001	89 48%	105 46%	117 43 %	89 39%	89 32%	89 2.27 49 %	105 5.0 46 %	99 -0.34 44%	117 18.0 43%	109 12.9 38%	111 22 39%	95 0.3 41%	85 2.8 24%	89 0.4 45 %	92 -0.3 40 %	105 4.2 41 %	99 0.6 37 %	100 -0.1 29 %	98 -0.7 20 %
CWBMCP 210188 F2 GLENFINLAS 210188	3		WK 160194 CP 180128	100 62%	90 58%	94 40 %	111 18%	108 23%	97 1.52 67 %	90 -1.2 58 %	105 -0.56 42%	94 5.7 40%	88 -1.8 22%	89 -9 18%	105 -5.6 32%	110 -1.4 14%	109 8.9 47 %	87 -0.8 36 %	114 10.5 35 %	91 -0.5 32 %	100 -0.1 30 %	111 1.3 23 %
CWBMCP 210190 FB GLENFINLAS 210190	3		FGW 120001 CP 190073	122 68%	92 66%	86 53 %	116 41%	109 38%	115 -0.25 71 %	92 -0.5 66 %	111 -0.79 55%	86 1.2 53%	90 -0.5 43%	84 -17 41%	111 -9.1 48%	107 -1.0 29%	112 10.3 55 %	103 1.2 43 %	91 -5.9 46 %	106 1.6 42 %	101 0.0 34 %	104 0.2 23 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 210196				WF 160608	89	99	102	97	97	89	99	99	102	100	103	97	98	82	82	89	108	74	104
PEN					36%	36%	24 %	15%	18%	2.27	2.4	-0.35	9.6	6.4	11	-1.1	0.9	-2.4	-1.5	-7.0	2.0	-2.6	0.1
GLENFINLAS 210196										38 %	36 %	26%	24%	22%	15%	23%	12%	39 %	39 %	39 %	36 %	24 %	18 %
CWBMCP 210197				FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	85	89	92	105	99	100	98
PEN					48%	46%	43 %	39%	32%	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210197										49 %	46 %	44%	43%	38%	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210201				WK 170279	96	113	103	89	94	93	113	108	103	108	111	98	91	103	89	105	97	99	109
F2				CP 160016	62%	60%	38 %	19%	23%	1.94	8.2	-0.67	10.2	12.3	22	-1.7	2.0	6.7	-0.7	4.2	0.4	-0.2	1.0
GLENFINLAS 210201										68 %	60 %	41%	38%	26%	19%	31%	15%	46 %	28 %	28 %	27 %	25 %	20 %
CWBMCP 210204	1			FGW 120001	118	107	96	100	100	112	107	106	96	106	100	95	102	102	98	100	102	104	102
F3				CP 170108	70%	68%	54 %	40%	38%	0.05	5.9	-0.62	6.7	10.4	6	0.1	-0.2	5.8	0.5	0.8	1.1	0.3	-0.1
GLENFINLAS 210204										74 %	68 %	57%	54%	41%	40%	48%	27%	56 %	45 %	45 %	41 %	32 %	22 %
CWBMCP 210213				FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	85	89	92	105	99	100	98
PBD					48%	46%	43 %	39%	32%	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210213										49 %	46 %	44%	43%	38%	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210214	1			WK 170279	114	89	99	103	91	108	89	109	99	91	97	98	89	98	87	104	96	104	110
F2				CP 170093	62%	61%	39 %	18%	24%	0.44	-1.4	-0.73	8.4	0.2	1	-1.5	2.6	4.3	-0.8	3.4	0.1	0.3	1.1
GLENFINLAS 210214										68 %	61 %	41%	39%	28%	18%	32%	15%	46 %	31 %	30 %	29 %	25 %	19 %
CWBMCP 210216	2			FGW 120001	119	88	102	106	96	112	88	108	102	91	94	99	94	106	101	102	103	101	101
PBD				CP 170068	69%	65%	54 %	41%	36%	0.03	-1.8	-0.68	9.9	0.3	-3	-2.1	1.2	7.9	0.9	2.4	1.3	0.0	-0.4
GLENFINLAS 210216										72 %	65 %	56%	54%	41%	41%	46%	26%	54 %	44 %	45 %	41 %	32 %	23 %
CWBMCP 210219	2			FGW 120001	109	99	105	100	93	105	99	102	105	100	100	94	91	107	101	102	103	101	101
F2				CP 170125	68%	64%	51 %	41%	36%	0.72	2.5	-0.47	11.2	6.2	7	0.4	1.7	8.1	0.9	2.4	1.3	0.0	-0.4
GLENFINLAS 210219										71 %	64 %	54%	51%	41%	41%	45%	26%	54 %	44 %	45 %	41 %	32 %	23 %
CWBMCP 210223	1			FGW 120001	116	94	100	103	92	110	94	111	100	96	97	94	91	107	94	103	100	105	104
F2				CP 170062	67%	65%	51 %	40%	36%	0.24	0.7	-0.78	8.9	3.7	1	0.6	1.8	8.0	0.0	3.1	0.8	0.4	0.1
GLENFINLAS 210223										71 %	65 %	53%	51%	41%	40%	45%	26%	54 %	45 %	45 %	41 %	32 %	22 %
CWBMCP 210224				WF 160608	89	99	102	97	97	89	99	99	102	100	103	97	98	82	82	89	108	74	104
F1					36%	36%	24 %	15%	18%	2.27	2.4	-0.35	9.6	6.4	11	-1.1	0.9	-2.4	-1.5	-7.0	2.0	-2.6	0.1
GLENFINLAS 210224										38 %	36 %	26%	24%	22%	15%	23%	12%	39 %	39 %	39 %	36 %	24 %	18 %
CWBMCP 210227	1			WF 160608	111	99	88	105	105	106	99	108	88	95	95	101	107	105	82	90	108	70	103
F2				CP 170053	61%	59%	36 %	20%	23%	0.68	2.4	-0.67	2.1	3.1	-1	-3.7	-0.8	7.4	-1.5	-6.4	2.0	-2.9	0.0
GLENFINLAS 210227										66 %	59 %	40%	36%	26%	20%	30%	16%	50 %	44 %	44 %	41 %	28 %	21 %
CWBMCP 210228	1			WK 170279	106	77	88	117	104	104	77	98	88	80	83	108	102	101	92	94	101	93	110
PBD				CP 170086	64%	61%	41 %	21%	28%	0.86	-6.3	-0.30	2.4	-7.8	-18	-7.3	0.0	5.5	-0.2	-3.1	1.0	-0.8	1.2
GLENFINLAS 210228										70 %	61 %	42%	41%	28%	21%	37%	18%	48 %	32 %	32 %	31 %	27 %	21 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 210229				FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	85	89	92	105	99	100	98
PBD					48%	46%	43 %	39%	32%	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210229					49 %	46 %	43 %	39%	32 %	49 %	46 %	44%	43%	38%	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210230	3			FGW 120001	117	96	83	113	98	111	96	108	83	93	87	105	94	113	103	90	104	103	106
FB				CP 190066	65%	65%	51 %	41%	38%	0.18	1.2	-0.70	-0.1	1.6	-12	-6.0	1.4	10.9	1.2	-6.2	1.4	0.2	0.4
GLENFINLAS 210230					65 %	65 %	51 %	41%	38 %	69 %	65 %	51%	51%	43%	41%	49%	28%	54 %	43 %	46 %	42 %	34 %	23 %
CWBMCP 210236	1			WK 170279	104	102	102	95	88	99	102	108	102	101	105	92	87	95	87	104	96	104	110
F2				CP 170087	63%	44%	35 %	18%	24%	1.30	3.9	-0.68	9.7	7.4	13	1.7	2.8	3.3	-0.8	3.4	0.1	0.3	1.1
GLENFINLAS 210236					63 %	44 %	35 %	18%	24 %	68 %	44 %	42%	35%	28%	18%	34%	15%	47 %	31 %	30 %	29 %	25 %	19 %
CWBMCP 210238	2			FGW 120001	90	104	103	100	93	91	104	98	103	104	100	95	90	101	101	102	103	101	101
F2				CP 160107	67%	51%	49 %	41%	36%	2.15	4.5	-0.31	10.1	9.0	6	0.3	1.7	5.5	0.9	2.4	1.3	0.0	-0.4
GLENFINLAS 210238					70 %	51 %	49 %	41%	36 %	70 %	51 %	54%	49%	41%	41%	46%	26%	53 %	44 %	45 %	41 %	32 %	23 %
CWBMCP 210239	2			FGW 120001	111	107	97	101	102	108	107	98	97	105	99	98	104	106	96	103	100	105	104
PBD				CP 170104	68%	52%	49 %	41%	38%	0.43	5.7	-0.30	7.4	9.6	5	-1.9	-0.6	7.9	0.3	2.9	0.8	0.4	0.1
GLENFINLAS 210239					68 %	52 %	49 %	41%	38 %	72 %	52 %	54%	49%	42%	41%	49%	28%	56 %	46 %	46 %	42 %	32 %	22 %
CWBMCP 210240				FGW 120001	89	105	117	89	89	89	105	99	117	109	111	95	85	89	92	105	99	100	98
F1					48%	46%	43 %	39%	32%	2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 210240					49 %	46 %	43 %	39%	32 %	49 %	46 %	44%	43%	38%	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBMCP 210241	1			FGW 120001	117	95	95	103	93	112	95	102	95	96	97	102	87	110	102	103	107	95	92
F2				CP 170063	68%	53%	51 %	42%	36%	0.04	1.1	-0.44	5.9	3.8	2	-4.1	2.6	9.7	1.0	2.9	1.8	-0.6	-1.7
GLENFINLAS 210241					68 %	53 %	51 %	42%	36 %	71 %	53 %	54%	51%	44%	42%	46%	26%	54 %	46 %	47 %	43 %	32 %	22 %
CWBMCP 210243	2			FGW 120001	101	104	101	99	93	98	104	106	101	102	101	93	93	110	96	105	102	100	103
F2				CP 170119	65%	50%	47 %	41%	34%	1.46	4.5	-0.62	9.5	8.1	7	1.4	1.4	9.7	0.2	4.0	1.1	-0.1	0.0
GLENFINLAS 210243					65 %	50 %	47 %	41%	34 %	69 %	50 %	51%	47%	40%	41%	43%	26%	52 %	43 %	44 %	40 %	31 %	23 %
CWBMCP 210244	4			FGW 120001	95	105	102	101	83	94	105	101	102	103	99	83	85	106	96	97	98	106	106
F2				CP 170127	65%	49%	47 %	40%	34%	1.80	4.9	-0.41	9.5	8.7	5	7.3	3.0	7.9	0.3	-1.1	0.5	0.4	0.5
GLENFINLAS 210244					65 %	49 %	47 %	40%	34 %	69 %	49 %	51%	47%	40%	40%	44%	25%	53 %	43 %	44 %	40 %	31 %	22 %
CWBMCP 220003	8			FGW 120001	123	99	98	100	91	116	99	111	98	100	100	97	87	93	100	94	106	97	99
F2				CP 190037	64%	52%	49 %	42%	37%	-0.35	2.3	-0.78	7.9	6.2	7	-1.3	2.6	2.3	0.8	-3.7	1.7	-0.3	-0.6
GLENFINLAS 220003					64 %	52 %	49 %	42%	37 %	68 %	52 %	51%	49%	43%	42%	46%	28%	53 %	46 %	47 %	43 %	34 %	25 %
CWBMCP 220004	3			FGW 120001	118	94	91	110	93	112	94	107	91	92	90	93	92	108	98	94	98	105	109
F3				CP 190156	67%	51%	50 %	40%	37%	0.07	0.4	-0.64	4.0	0.6	-8	1.5	1.4	8.7	0.6	-3.7	0.5	0.4	1.0
GLENFINLAS 220004					67 %	51 %	50 %	40%	37 %	70 %	51 %	54%	50%	40%	40%	47%	27%	52 %	44 %	45 %	41 %	32 %	23 %
CWBMCP 220005	8			FGW 120001	112	103	99	99	91	107	103	107	99	104	101	97	87	98	100	94	106	97	99
F2				CP 190042	67%	53%	51 %	42%	37%	0.57	4.3	-0.64	8.4	9.1	7	-1.2	2.6	4.4	0.8	-3.7	1.7	-0.3	-0.6
GLENFINLAS 220005					67 %	53 %	51 %	42%	37 %	70 %	53 %	54%	51%	43%	42%	46%	28%	53 %	46 %	47 %	43 %	34 %	25 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 220009	1			AL 182012	113	96	87	110	93	112	96	128	87	92	90	94	95	112	114	98	115	107	94
F2				CP 150085	54%	63%	40 %	24%	30%	0.04	1.2	-1.42	2.0	0.8	-7	0.8	1.6	10.2	2.5	-0.9	3.0	0.6	-1.4
GLENFINLAS 220009										56 %	63 %	45%	40%	32%	24%	38%	22%	48 %	39 %	40 %	38 %	36 %	29 %
CWBMCP 220012	8			AL 182012	110	107	85	101	97	108	107	122	85	101	99	103	94	114	121	88	124	99	88
F2				CP 190044	66%	64%	42 %	28%	32%	0.47	5.7	-1.20	0.8	7.4	5	-4.8	1.8	11.0	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 220012										71 %	64 %	46%	42%	32%	28%	39%	25%	48 %	40 %	41 %	38 %	38 %	31 %
CWBMCP 220013	1			AL 182012	100	109	90	101	102	98	109	117	90	104	99	104	101	118	123	88	121	106	91
F2				CP 180034	66%	64%	43 %	25%	28%	1.39	6.6	-1.03	3.5	9.2	4	-5.1	0.4	13.0	3.7	-7.9	4.1	0.5	-2.0
GLENFINLAS 220013										71 %	64 %	46%	43%	30%	25%	36%	21%	48 %	37 %	38 %	35 %	34 %	28 %
CWBMCP 220016	8			AL 182012	121	102	88	104	97	117	102	122	88	98	96	104	94	110	121	88	124	99	88
F2				CP 190075	66%	64%	42 %	28%	32%	-0.42	3.8	-1.20	2.3	4.9	1	-5.0	1.8	9.3	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 220016										71 %	64 %	46%	42%	32%	28%	39%	25%	48 %	40 %	41 %	38 %	38 %	31 %
CWBMCP 220018	8			AL 182012	124	86	85	114	98	120	86	120	85	86	86	107	94	114	121	88	124	99	88
F2				CP 190049	66%	64%	42 %	28%	32%	-0.70	-2.8	-1.14	0.6	-3.7	-14	-6.7	1.9	11.0	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 220018										71 %	64 %	46%	42%	32%	28%	39%	25%	48 %	40 %	41 %	38 %	38 %	31 %
CWBMCP 220019				AL 182012	101	99	105	98	96	98	99	113	105	100	102	102	92	106	112	99	117	101	87
F1				CWBFCP 180007	46%	42%	27 %	23%	26%	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	7.8	2.4	0.1	3.4	0.0	-2.5
GLENFINLAS 220019										49 %	42 %	34%	27%	26%	23%	33%	20%	39 %	33 %	34 %	32 %	33 %	27 %
CWBMCP 220021	3			AL 182012	109	99	94	104	98	105	99	116	94	95	96	100	98	120	122	96	122	102	89
F2				CP 170036	65%	63%	42 %	26%	30%	0.71	2.6	-0.98	5.5	3.2	0	-2.6	0.9	13.9	3.5	-1.7	4.1	0.1	-2.1
GLENFINLAS 220021										70 %	63 %	44%	42%	30%	26%	38%	22%	48 %	38 %	39 %	36 %	36 %	30 %
CWBMCP 220023				AL 182012	118	113	94	93	109	114	113	118	94	108	107	113	105	115	110	101	124	101	90
F2				CP 180066	66%	63%	43 %	25%	28%	-0.11	8.1	-1.06	5.7	12.3	17	-10.6	-0.6	11.5	2.0	1.8	4.4	0.0	-2.1
GLENFINLAS 220023										71 %	63 %	46%	43%	28%	25%	36%	20%	48 %	37 %	38 %	35 %	34 %	28 %
CWBMCP 220024	8			AL 182012	120	91	85	111	98	125	91	122	85	89	89	106	94	110	121	88	124	99	88
F2				CP 190095	65%	64%	42 %	28%	32%	-1.17	-0.8	-1.22	0.5	-1.4	-9	-6.2	1.9	9.3	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 220024										70 %	64 %	45%	42%	32%	28%	39%	25%	48 %	40 %	41 %	38 %	38 %	31 %
CWBMCP 220026	1			AL 182012	116	96	86	108	98	113	96	120	86	92	92	100	98	114	115	98	119	106	93
F2				CP 190124	66%	63%	42 %	24%	30%	0.01	1.1	-1.12	1.4	0.8	-5	-2.6	1.0	11.0	2.7	-0.9	3.7	0.5	-1.7
GLENFINLAS 220026										71 %	63 %	46%	42%	30%	24%	38%	22%	48 %	38 %	39 %	36 %	36 %	29 %
CWBMCP 220029				CP 190059	109	93	102	112	111	116	93	64	102	100	88	104	115	90	111	86	110	100	99
PEN					57%	56%	35 %	16%	22%	-0.27	-0.1	0.97	9.7	6.6	-11	-5.3	-2.3	0.8	2.2	-9.0	2.3	-0.1	-0.7
GLENFINLAS 220029										63 %	56 %	35%	35%	22%	16%	27%	16%	34 %	24 %	24 %	23 %	20 %	16 %
CWBMCP 220031				AL 182012	124	84	91	114	102	124	84	107	91	88	86	103	102	111	120	92	121	98	85
PBD				CP 180073	65%	63%	42 %	23%	26%	-1.15	-3.4	-0.65	4.0	-2.1	-14	-4.6	0.3	9.7	3.3	-4.6	4.0	-0.3	-2.9
GLENFINLAS 220031										70 %	63 %	45%	42%	26%	23%	33%	20%	44 %	33 %	34 %	32 %	33 %	27 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCP 220032 F2 GLENFINLAS 220032	5			AL 182012 CP 170058	113 65%	86 63%	89 42 %	115 26%	104 30%	108 0.48 70 %	86 -2.5 63 %	108 -0.69 44%	89 2.8 42%	86 -3.2 30%	85 -15 26%	108 -7.3 38%	102 0.2 23%	113 10.8 48 %	113 2.4 38 %	100 0.8 39 %	117 3.4 37 %	97 -0.4 36 %	87 -2.6 29 %	
CWBMCP 220036 F2 GLENFINLAS 220036	1			AL 182012 CP 180074	122 65%	100 63%	87 42 %	106 25%	103 29%	122 -0.86 70 %	100 3.1 63 %	131 -1.55 44%	87 1.9 42%	96 3.7 30%	94 -2 25%	106 -6.3 37%	102 0.3 21%	113 10.8 47 %	123 3.7 37 %	88 -7.9 38 %	121 4.1 35 %	106 0.5 34 %	91 -2.0 28 %	
CWBMCP 220041 F2 GLENFINLAS 220041	3			AL 182012 CP 170047	123 67%	97 65%	84 44 %	108 28%	101 30%	116 -0.32 72 %	97 1.9 65 %	110 -0.75 49%	84 0.4 44%	93 1.8 32%	92 -6 28%	110 -8.6 39%	97 1.3 22%	121 14.3 48 %	123 3.7 40 %	97 -1.2 41 %	125 4.6 38 %	96 -0.4 36 %	81 -3.5 29 %	
CWBMCP 220044 F3 GLENFINLAS 220044	1			CP 190089 CP 130061	116 67%	103 62%	89 43 %	102 21%	114 30%	115 -0.23 72 %	103 4.3 62 %	89 0.02 48%	89 3.1 43%	101 6.8 27%	98 3 21%	109 -8.0 40%	118 -2.4 21%	116 12.0 48 %	101 0.9 24 %	98 -0.7 26 %	99 0.6 24 %	109 0.7 20 %	109 1.0 11 %	
CWBMCP 220046 F2 GLENFINLAS 220046	3			CP 190089 CP 160018	105 62%	96 60%	90 37 %	107 18%	100 24%	100 1.22 68 %	96 1.2 60 %	109 -0.71 41%	90 3.6 37%	93 1.3 25%	93 -4 18%	99 -2.1 33%	101 0.4 15%	127 16.9 44 %	101 0.9 21 %	98 -0.5 25 %	102 1.1 23 %	110 0.8 23 %	113 1.6 15 %	
CWBMCP 220047 PEN GLENFINLAS 220047				CP 160090	89 57%	116 56%	113 35 %	94 7 %	106 18%	99 1.30 63 %	116 9.3 56 %	59 1.16 35%	113 15.4 35%	120 20.1 16%	106 15 7 %	91 2.3 24%	113 -2.3 12%	107 8.1 33 %	106 1.5 19 %	95 -2.7 19 %	105 1.5 18 %	104 0.3 14 %	100 -0.5 9 %	
CWBMCP 220050 F3 GLENFINLAS 220050				AL 182012	101 46%	99 42%	105 27 %	98 23%	96 26%	98 1.45 49 %	99 2.4 42 %	113 -0.87 34%	105 11.2 27%	100 6.1 26%	102 9 23%	102 -4.0 33%	92 2.0 20%	103 6.4 37 %	112 2.4 33 %	99 0.1 34 %	117 3.4 32 %	101 0.0 33 %	87 -2.5 27 %	
CWBMCP 220053 F1 GLENFINLAS 220053				FGW 120001	89 48%	105 46%	117 43 %	89 39%	89 32%	89 2.27 49 %	105 5.0 46 %	99 -0.34 44%	117 18.0 43%	109 12.9 38%	111 22 39%	95 0.3 41%	85 2.8 24%	89 0.4 45 %	92 -0.3 40 %	105 4.2 41 %	99 0.6 37 %	100 -0.1 29 %	98 -0.7 20 %	
CWBMCP 220054 PBD GLENFINLAS 220054	10			CP 190104 CP 180100	104 64%	90 38%	89 40 %	109 26%	95 28%	100 1.23 69 %	90 -1.0 38 %	113 -0.87 45%	89 2.9 40%	88 -2.3 30%	91 -6 26%	89 3.8 36%	102 0.3 19%	104 6.9 44 %	103 1.2 32 %	108 6.4 33 %	109 2.1 32 %	107 0.6 29 %	107 0.7 23 %	
CWBMCP 220058 F2 GLENFINLAS 220058	1			CP 190089 CP 160068	113 65%	111 44%	98 38 %	95 16%	97 25%	110 0.24 70 %	111 7.2 44 %	121 -1.15 46%	98 7.5 38%	105 10.0 27%	105 13 16%	95 -0.2 35%	99 0.7 15%	111 9.8 45 %	99 0.7 25 %	97 -1.4 27 %	100 0.8 26 %	115 1.3 23 %	114 1.7 13 %	
CWBMCP 220064 PEN GLENFINLAS 220064				CP 170140	97 55%	87 23%	105 25 %		102 10%	105 0.78 62 %	87 -2.2 23 %	65 0.94 29%	105 11.3 25%	98 4.7 6 %		99 -2.5 16%	103 -0.2 5%	91 1.2 27 %	99 0.7 10 %	103 2.8 10 %	106 1.7 9 %	98 -0.3 10 %	96 -1.2 7 %	
CWBMCP 220065 PEN GLENFINLAS 220065				CP 080004	101 57%	92 18%	114 25 %		102 10%	111 0.12 63 %	92 -0.1 18 %	44 1.71 36%	114 16.3 25%	106 10.5 10%		90 2.8 15%	109 -1.4 5%	90 1.0 28 %						

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 220067	3			CP 190089	126	89	81	116	112	121	89	103	81	87	84	109	116	122	99	97	108	110	115
PBD				CP 160087	-0.76	-1.4	-0.48	-1.3	-2.7	-16	-7.8	-2.2	14.7	0.7	-1.3	2.1	0.9	2.0	28 %	30 %	28 %	26 %	16 %
GLENFINLAS 220067					67%	50%	41 %	20%	30%	72 %	50 %	48%	41%	27%	20%	40%	20%	47 %	28 %	30 %	28 %	26 %	16 %
CWBMCP 220068				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109
PBD					1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9	43%	42%	22 %	11%	20%
GLENFINLAS 220068					43%	42%	22 %	11%	20%	46 %	42 %	31%	22%	17%	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %
CWBMCP 220069				CP 180041	112	76	95	120	98	121	76	49	95	91	80	82	108	91	107	84	109	90	95
PEN					-0.83	-6.7	1.51	6.2	-0.2	-22	7.9	-1.2	1.5	1.7	-10.4	2.2	-1.1	-1.2	56%	29%	24 %	8 %	14%
GLENFINLAS 220069					63%	29%	28%	24%	8 %	29 %	28%	24%	24%	8 %	8 %	20%	9%	24 %	11 %	11 %	10 %	8 %	5 %
CWBMCP 220070				CP 180048	104	81	96	120	127	114	81	39	96	94	80	118	130	98	109	93	105		
PEN					-0.12	-4.8	1.89	6.4	2.4	-22	-13.4	-5.1	4.4	1.9	-4.2	1.6			9 %	9 %	8 %		
GLENFINLAS 220070					64%	31%	34%	30%	8 %	31 %	34%	30%	30%	8 %	8 %	21%	12%	25 %	9 %	9 %	8 %		
CWBMCP 220073	3			CP 190089	88	112	95	99	99	87	112	106	95	106	101	97	101	116	101	98	102	110	113
F2				CP 190014	2.54	7.9	-0.60	6.1	10.7	7	-1.1	0.3	11.9	0.9	-0.5	1.1	0.8	1.6	64%	44%	39 %	18%	24%
GLENFINLAS 220073					69%	44%	45%	39%	25%	18%	33%	15%	43 %	21 %	25 %	23 %	23 %	15 %	21 %	25 %	23 %	23 %	15 %
CWBMCP 220074				AL 182012	101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87
F1					1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5	46%	42%	27 %	23%	26%
GLENFINLAS 220074					49%	42%	34%	27%	26%	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %	33 %	34 %	32 %	33 %	27 %
CWBMCP 220083				CP 190104	91	98	108	96	92	89	98	108	108	99	104	89	96	88	94	110	104	106	105
F2				CWBFCP 170078	2.34	2.2	-0.69	12.8	5.8	13	3.7	1.4	-0.1	0.1	8.2	1.4	0.5	0.3	41%	28%	26 %	23%	24%
GLENFINLAS 220083					44%	28 %	31%	26%	26%	23%	31%	16%	34 %	26%	23%	31%	16%	34 %	27 %	27 %	27 %	26 %	20 %
CWBMCP 220084				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109
F1					1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9	43%	42%	22 %	11%	20%
GLENFINLAS 220084					46%	42%	31%	22%	17%	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %	12 %	16 %	15 %	15 %	7 %
CWBMCP 220086	1			CP 190089	115	102	87	101	98	111	102	117	87	98	99	98	100	108	99	97	100	115	114
F2				CP 160003	0.19	3.7	-1.02	1.8	4.7	4	-1.5	0.7	8.5	0.7	-1.4	0.8	1.3	1.7	65%	44%	37 %	16%	25%
GLENFINLAS 220086					70%	44%	45%	37%	27%	16%	35%	15%	45 %	25 %	27 %	26 %	23 %	13 %	25 %	27 %	26 %	23 %	13 %
CWBMCP 220088	1			CP 190089	95	115	93	98	96	93	115	113	93	108	102	94	99	105	99	97	100	115	114
F2				CP 180118	1.93	8.8	-0.88	4.8	12.1	9	0.8	0.9	7.4	0.7	-1.4	0.8	1.3	1.7	66%	44%	37 %	16%	25%
GLENFINLAS 220088					71 %	44 %	45%	37%	27%	16%	35%	15%	44 %	25 %	27 %	26 %	23 %	13 %	25 %	27 %	26 %	23 %	13 %
CWBMCP 220095				CP 180070	92	93	100	110	101	101	93	63	100	102	90	94	106	86	110	88	105	106	99
PEN					1.13	0.1	1.00	8.9	7.5	-8	0.5	-0.7	-0.7	2.1	-7.4	1.6	0.4	-0.6	54%	21%	25 %	9 %	10%
GLENFINLAS 220095					61 %	21 %	27%	25%	13%	9 %	15%	6%	27 %	16 %	16 %	14 %	10 %	6 %	16 %	16 %	14 %	10 %	6 %
CWBMCP 220096				CP 190089	93	104	105	93	96	92	104	103	105	104	107	100	94	99	97	98	99	109	109
PBD					2.05	4.5	-0.51	11.5	9.5	16	-2.9	1.7	4.6	0.4	-0.3	0.6	0.8	0.9	42%	35%	21 %	14%	20%
GLENFINLAS 220096					45%	35 %	31%	21%	22%	14%	29%	12%	34 %	16 %	20 %	19 %	19 %	10 %	16 %	20 %	19 %	19 %	10 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name																							
JAPANESE BLACK																							
CWBMCP 220097	1			CP 190090	91	104	92	107	92	91	104	101	92	99	93	91	95	108	98	89	100	109	116
F2				CP 160131	2.14	4.7				2.14	4.7	-0.42	4.6	5.4	-4	2.2	1.6	8.5	0.5	-7.1	0.8	0.8	2.1
GLENFINLAS 220097					63%	47%	32 %	14%	24%	69 %	47 %	42%	32%	22%	14%	34%	13%	43 %	20 %	22 %	21 %	18 %	11 %
CWBMCP 220099	2			CP 190090	121	99	84	111	101	116	99	103	84	95	89	97	106	110	101	81	106	100	114
PBD				CP 170001	-0.32	2.4				-0.32	2.4	-0.50	0.2	2.6	-9	-1.1	-0.1	9.3	0.9	-12.9	1.7	-0.1	1.7
GLENFINLAS 220099					68%	51%	39 %	20%	30%	73 %	51 %	47%	39%	27%	20%	41%	20%	46 %	30 %	31 %	29 %	25 %	17 %
CWBMCP 220100				CP 190089	93	104	105	93	96	92	104	103	105	104	107	100	94	99	97	98	99	109	109
PBD					2.05	4.5				2.05	4.5	-0.51	11.5	9.5	16	-2.9	1.7	4.6	0.4	-0.3	0.6	0.8	0.9
GLENFINLAS 220100					42%	35%	21 %	14%	20%	45 %	35 %	31%	21%	22%	14%	29%	12%	34 %	16 %	20 %	19 %	19 %	10 %
CWBMCP 220103				CP 190089	93	104	105	93	96	92	104	103	105	104	107	100	94	99	97	98	99	109	109
PBD					2.05	4.5				2.05	4.5	-0.51	11.5	9.5	16	-2.9	1.7	4.6	0.4	-0.3	0.6	0.8	0.9
GLENFINLAS 220103					42%	35%	21 %	14%	20%	45 %	35 %	31%	21%	22%	14%	29%	12%	34 %	16 %	20 %	19 %	19 %	10 %
CWBMCP 220104	10			CP 190104	104	94	94	106	96	101	94	116	94	91	94	90	102	98	103	108	109	107	107
F2				CP 180148	1.16	0.4				1.16	0.4	-0.97	5.3	-0.2	-3	3.1	0.2	4.4	1.2	6.4	2.1	0.6	0.7
GLENFINLAS 220104					63%	37%	38 %	26%	28%	68 %	37 %	42%	38%	30%	26%	36%	19%	44 %	32 %	33 %	32 %	29 %	23 %
CWBMCP 220105				CP 190089	121	90	92	107	102	118	90	95	92	93	93	101	103	104	104	92	103	106	106
F2				CP 180063	-0.51	-1.1				-0.51	-1.1	-0.19	4.4	1.6	-4	-3.4	0.0	7.0	1.3	-5.0	1.2	0.5	0.5
GLENFINLAS 220105					61%	38%	29 %	14%	20%	67 %	38 %	38%	29%	22%	14%	29%	12%	40 %	16 %	20 %	19 %	19 %	10 %
CWBMCP 220110	3			CP 190089	127	106	85	104	110	122	106	112	85	100	96	109	111	106	108	85	107	109	111
F3				CP 190059	-0.86	5.4				-0.86	5.4	-0.82	0.8	6.7	1	-8.3	-1.2	7.8	1.9	-9.9	1.9	0.8	1.3
GLENFINLAS 220110					65%	46%	40 %	21%	30%	70 %	46 %	47%	40%	30%	21%	40%	20%	47 %	29 %	31 %	29 %	27 %	19 %
CWBMCP 220111	1			CP 190104	109	96	89	104	94	107	96	123	89	92	96	86	101	98	97	109	106	112	110
F2				CP 190126	0.52	1.5				0.52	1.5	-1.23	2.8	1.0	0	5.2	0.5	4.2	0.4	7.1	1.7	1.0	1.2
GLENFINLAS 220111					64%	36%	37 %	24%	28%	69 %	36 %	43%	37%	30%	24%	36%	19%	44 %	33 %	33 %	32 %	29 %	22 %
CWBMCP 220112	1			CP 190090	116	98	88	106	96	111	98	114	88	94	94	94	99	104	96	95	103	109	114
F2				CP 170062	0.15	2.2				0.15	2.2	-0.92	2.1	2.2	-2	0.4	0.8	7.1	0.2	-2.9	1.2	0.7	1.7
GLENFINLAS 220112					64%	48%	34 %	13%	24%	70 %	48 %	43%	34%	23%	13%	35%	14%	44 %	23 %	25 %	23 %	20 %	11 %
CWBMCP 220113	10			CP 190104	98	96	94	106	95	94	96	110	94	93	94	88	101	99	103	108	109	107	107
F2				CP 180129	1.77	1.4				1.77	1.4	-0.76	5.6	1.4	-2	4.3	0.3	4.7	1.2	6.4	2.1	0.6	0.7
GLENFINLAS 220113					63%	36%	37 %	26%	28%	68 %	36 %	42%	37%	30%	26%	36%	19%	43 %	32 %	33 %	32 %	29 %	23 %
CWBMCP 220116	10			CP 190104	97	98	97	104	95	93	98	107	97	95	96	87	101	98	103	108	109	107	107
F2				CP 180096	1.87	2.2				1.87	2.2	-0.66	7.0	2.6	1	4.7	0.3	4.2	1.2	6.4	2.1	0.6	0.7
GLENFINLAS 220116					63%	36%	37 %	26%	28%	68 %	36 %	42%	37%	30%	26%	36%	19%	44 %	32 %	33 %	32 %	29 %	23 %
CWBMCP 220118				CP 190089	93	104	105	93	96	92	104	103	105	104	107	100	94	99	97	98	99	109	109
F3					2.05	4.5				2.05	4.5	-0.51	11.5	9.5	16	-2.9	1.7	4.6	0.4	-0.3	0.6	0.8	0.9
GLENFINLAS 220118					42%	35%	21 %	14%	20%	45 %	35 %	31%	21%	22%	14%	29%	12%	34 %	16 %	20 %	19 %	19 %	10 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCP 220120 F2 GLENFINLAS 220120	3			CP 190104 CP 190046	100 64%	100 36%	88 35 %	106 28%	93 30%	97 1.53 69 %	100 2.7 36 %	112 -0.83 44%	88 2.6 35%	96 3.7 32%	94 -2 28%	91 2.1 38%	98 1.3 21%	97 3.8 44 %	103 1.2 34 %	99 0.3 35 %	111 2.5 34 %	104 0.3 32 %	106 0.5 25 %	
CWBMCP 220121 F2 GLENFINLAS 220121	1			CP 190090 CP 160111	93 63%	105 47%	94 32 %	106 14%	89 24%	93 1.96 69 %	105 4.8 47 %	99 -0.36 42%	94 5.7 32%	99 5.7 22%	94 -2 14%	86 5.0 34%	93 1.9 13%	97 3.8 43 %	98 0.5 20 %	89 -7.1 22 %	100 0.8 21 %	109 0.8 18 %	116 2.1 11 %	
CWBMCP 220126 F2 GLENFINLAS 220126	3			CP 190104 CP 190070	117 64%	89 38%	84 38 %	109 28%	94 30%	112 0.04 69 %	89 -1.6 38 %	115 -0.93 44%	84 0.0 38%	87 -2.6 32%	91 -7 28%	92 1.6 38%	98 1.3 21%	97 3.9 44 %	103 1.2 34 %	99 0.3 35 %	111 2.5 34 %	104 0.3 32 %	106 0.5 25 %	
CWBMCP 220128 F2 GLENFINLAS 220128	3			CP 190089 CP 160107	100 64%	100 41%	91 31 %	104 18%	99 26%	98 1.46 69 %	100 3.1 41 %	103 -0.50 45%	91 3.7 31%	97 4.3 27%	96 0 18%	100 -2.8 36%	99 0.7 17%	111 9.8 44 %	106 1.5 24 %	96 -2.1 27 %	103 1.3 25 %	110 0.9 23 %	111 1.2 15 %	
CWBMCP 220129 PBD GLENFINLAS 220129				CP 190090	94 43%	100 42%	106 22 %	97 11%	94 20%	93 1.93 46 %	100 2.8 42 %	101 -0.40 31%	106 11.8 22%	100 6.7 17%	103 10 11%	97 -1.1 30%	93 1.8 10%	92 1.9 33 %	93 -0.1 12 %	96 -1.8 16 %	101 0.9 15 %	103 0.2 15 %	109 0.9 7 %	
CWBMCP 220130 F2 GLENFINLAS 220130	2			CP 190104 CP 190201	109 63%	93 35%	91 35 %	108 25%	90 26%	106 0.63 68 %	93 0.1 35 %	120 -1.14 42%	91 4.2 35%	89 -1.4 28%	92 -5 25%	84 6.7 35%	97 1.2 18%	98 4.2 42 %	99 0.7 31 %	103 2.9 31 %	103 1.3 31 %	112 1.1 28 %	113 1.6 22 %	
CWBMCP 220131 F2 GLENFINLAS 220131	2			CP 190090 CP 170040	101 65%	96 49%	84 35 %	110 18%	98 25%	101 1.14 70 %	96 1.5 49 %	92 -0.08 44%	84 0.5 35%	93 1.6 26%	90 -9 18%	104 -5.3 36%	95 1.6 14%	111 9.9 43 %	103 1.2 25 %	94 -3.2 27 %	109 2.2 25 %	99 -0.2 20 %	102 -0.1 12 %	
CWBMCP 220135 F2 GLENFINLAS 220135				CP 190104	91 41%	98 28%	108 26 %	96 23%	92 24%	89 2.34 44 %	98 2.2 28 %	108 -0.69 31%	108 12.8 26%	99 5.8 26%	104 13 23%	89 3.7 31%	96 1.4 16%	88 -0.1 34 %	94 0.1 27 %	110 8.2 27 %	104 1.4 27 %	106 0.5 26 %	105 0.3 20 %	
CWBMCP 220136 F2 GLENFINLAS 220136	10			CP 190104 CP 180104	104 63%	91 36%	90 37 %	108 26%	95 28%	100 1.20 68 %	91 -0.8 36 %	112 -0.84 42%	90 3.6 37%	88 -1.9 30%	92 -6 26%	88 3.9 36%	102 0.3 19%	100 5.0 43 %	103 1.2 32 %	108 6.4 33 %	109 2.1 32 %	107 0.6 29 %	107 0.7 23 %	
CWBMCP 220140 F2 GLENFINLAS 220140	1			CP 190090 CP 170088	116 64%	98 48%	88 35 %	105 13%	96 25%	111 0.13 70 %	98 2.3 48 %	115 -0.94 43%	88 2.3 35%	94 2.3 23%	95 -2 13%	95 0.3 36%	99 0.8 14%	104 7.0 44 %	96 0.2 23 %	95 -2.9 25 %	103 1.2 23 %	109 0.7 20 %	114 1.7 11 %	
CWBMCP 220144 FB GLENFINLAS 220144	11			CP 190104 CP 200011	114 67%	94 40%	73 39 %	117 30%	98 32%	112 0.07 72 %	94 0.4 40 %	124 -1.29 48%	73 -5.4 39%	85 -3.9 35%	83 -18 30%	91 2.6 41%	107 -0.4 24%	110 9.5 47 %	107 1.7 37 %	97 -1.4 38 %	113 2.8 37 %	108 0.7 34 %	112 1.5 28 %	
CWBMCP 220146 F1 GLENFINLAS 220146				CP 190104	91 41%	98 28%	108 26 %	96 23%	92 24%	89 2.34 44 %	98 2.2 28 %	108 -0.69 31%	108 12.8 26%	99 5.8 26%	104 13 23%	89 3.7 31%	96 1.4 16%	88 -0.1 34 %	94 0.1 27 %	110 8.2 27 %	104 1.4 27 %	106 0.5 26 %	105 0.3 20 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
JAPANESE BLACK																							
CWBMCP 220147	1			CP 190090	110	101	88	106	96	105	101	109	88	96	94	94	99	104	96	95	103	109	114
F2				CP 170093	0.76	3.3				0.76	3.3	-0.71	2.5	3.8	-2	0.4	0.8	7.0	0.2	-2.9	1.2	0.7	1.7
GLENFINLAS 220147					64%	48%	34 %	13%	24%	70 %	48 %	43%	34%	23%	13%	35%	14%	44 %	23 %	25 %	23 %	20 %	11 %
CWBMCP 220152	3			CP 190089	108	100	92	103	99	103	100	111	92	97	97	99	100	115	106	96	103	110	111
F2				CP 180102	0.93	2.9				0.93	2.9	-0.79	4.4	4.0	1	-2.3	0.6	11.8	1.5	-2.1	1.3	0.9	1.2
GLENFINLAS 220152					65%	43%	37 %	18%	25%	70 %	43 %	45%	37%	27%	18%	34%	16%	43 %	24 %	27 %	25 %	23 %	15 %
CWBMCP 220153	3			CP 190104	106	100	92	103	93	101	100	111	92	97	97	91	97	97	103	99	111	104	106
F2				CP 190078	1.11	2.9				1.11	2.9	-0.80	4.6	4.2	2	2.6	1.3	3.9	1.2	0.3	2.5	0.3	0.5
GLENFINLAS 220153					64%	38%	38 %	28%	30%	69 %	38 %	44%	38%	32%	28%	38%	21%	44 %	34 %	35 %	34 %	32 %	25 %
CWBMCP 220154	2			CP 190104	100	97	93	106	90	97	97	112	93	93	94	83	97	97	99	103	103	112	113
F2				CP 190203	1.53	1.9				1.53	1.9	-0.85	5.0	1.3	-3	6.8	1.2	3.9	0.7	2.9	1.3	1.1	1.6
GLENFINLAS 220154					62%	33%	30 %	25%	26%	68 %	33 %	41%	30%	28%	25%	35%	18%	42 %	31 %	31 %	31 %	28 %	22 %
CWBMCP 220158	1			CP 190104	112	94	88	105	94	109	94	119	88	90	95	86	101	95	97	109	106	112	110
F2				CP 180138	0.37	0.6				0.37	0.6	-1.11	2.2	-0.3	-1	5.2	0.5	3.1	0.4	7.1	1.7	1.0	1.2
GLENFINLAS 220158					63%	37%	37 %	24%	28%	68 %	37 %	42%	37%	30%	24%	36%	19%	44 %	33 %	33 %	32 %	29 %	22 %
CWBMCP 220168	4			CP 190089	107	108	83	107	107	103	108	111	83	99	93	100	113	124	103	99	101	111	116
PBD				CP 180124	0.98	6.2				0.98	6.2	-0.80	-0.2	5.6	-4	-3.1	-1.7	15.4	1.2	-0.1	1.0	1.0	2.1
GLENFINLAS 220168					65%	47%	36 %	19%	28%	71 %	47 %	43%	36%	26%	19%	38%	17%	45 %	25 %	28 %	26 %	24 %	16 %
CWBMCP 220170	1			CP 190104	113	101	95	104	99	108	101	110	95	97	96	92	105	106	101	106	108	110	109
F3				CP 160070	0.47	3.3				0.47	3.3	-0.77	6.1	4.4	1	1.9	-0.5	7.7	0.9	4.8	2.0	0.9	1.0
GLENFINLAS 220169					63%	44%	43 %	24%	30%	67 %	44 %	49%	43%	30%	24%	41%	20%	47 %	33 %	33 %	32 %	29 %	22 %
CWBMCP 230004	3			FGW 120001	114	101	83	111	97	108	101	109	83	97	89	104	94	109	103	90	104	103	106
FB				CP 190066	0.42	3.2				0.42	3.2	-0.73	-0.4	4.2	-10	-5.0	1.4	8.9	1.2	-6.2	1.4	0.2	0.4
GLENFINLAS 230004					55%	53%	50 %	41%	38%	56 %	53 %	51%	50%	43%	41%	49%	28%	53 %	43 %	46 %	42 %	34 %	23 %
CWBMCP 230007	6			FGW 120001	109	99	88	112	96	105	99	114	88	92	88	91	99	116	99	100	103	107	111
FB				CP 160151	0.72	2.5				0.72	2.5	-0.89	2.1	1.1	-11	2.1	0.4	12.0	0.7	0.8	1.3	0.6	1.3
GLENFINLAS 230007					70%	59%	56 %	44%	41%	73 %	59 %	60%	56%	47%	44%	52%	30%	58 %	50 %	50 %	47 %	38 %	29 %
CWBMCP 230013	1			AL 182012	111	99	91	108	102	107	99	117	91	96	92	105	102	118	123	88	121	106	91
F2				CP 180034	0.52	2.4				0.52	2.4	-1.01	4.1	3.7	-5	-6.0	0.4	12.8	3.7	-7.9	4.1	0.5	-2.0
GLENFINLAS 230013					64%	49%	43 %	25%	28%	69 %	49 %	46%	43%	30%	25%	36%	21%	46 %	37 %	38 %	35 %	34 %	28 %
CWBMCP 230014				AL 182012	116	95	90	106	114	112	95	120	90	94	94	119	110	114	127	95	124	100	78
F2				CP 210001	0.04	1.0				0.04	1.0	-1.12	3.6	2.1	-3	-13.8	-1.2	11.3	4.2	-2.4	4.5	-0.1	-3.9
GLENFINLAS 230014					62%	47%	32 %	25%	30%	68 %	47 %	41%	32%	30%	25%	38%	21%	46 %	40 %	41 %	38 %	38 %	30 %
CWBMCP 230017	1			AL 182012	115	104	93	102	97	114	104	127	93	99	98	98	98	110	115	98	119	106	93
F2				CP 200128	-0.08	4.4				-0.08	4.4	-1.39	5.3	5.5	4	-1.6	1.0	9.5	2.7	-0.9	3.7	0.5	-1.7
GLENFINLAS 230017					65%	48%	38 %	24%	30%	70 %	48 %	44%	38%	30%	24%	38%	22%	46 %	38 %	39 %	36 %	36 %	29 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 230018 F3 GLENFINLAS 230018	5			AL 182012 CP 200102	112 67%	103 50%	88 40 %	108 30%	97 34%	109 0.39 72 %	103 4.0 50 %	117 -1.01 46%	88 2.4 40%	98 4.9 33%	92 -4 30%	100 -2.9 43%	96 1.1 24%	116 12.0 47 %	117 3.0 40 %	94 -3.3 41 %	121 4.0 38 %	100 -0.1 37 %	89 -2.3 30 %
CWBMCP 230020 PBD GLENFINLAS 230020	1			AL 182012 CP 180048	120 68%	80 52%	80 40 %	123 24%	125 32%	124 -1.12 73 %	80 -5.3 52 %	94 -0.16 48%	80 -2.1 40%	83 -5.7 28%	77 -26 24%	126 -18.2 40%	124 -3.7 23%	122 14.8 44 %	122 3.6 34 %	92 -4.8 35 %	121 4.0 33 %	98 -0.3 33 %	85 -2.9 28 %
CWBMCP 230023 F3 GLENFINLAS 230023	5			AL 182012 CP 200054	115 68%	99 51%	85 41 %	109 30%	101 34%	111 0.14 73 %	99 2.6 51 %	117 -1.03 47%	85 0.9 41%	95 2.9 33%	91 -7 30%	104 -4.9 43%	100 0.5 24%	115 11.7 47 %	117 3.0 40 %	94 -3.3 41 %	121 4.0 38 %	100 -0.1 37 %	89 -2.3 30 %
CWBMCP 230024 F2 GLENFINLAS 230024	8			AL 182012 CP 190075	120 66%	98 50%	88 42 %	106 28%	97 32%	116 -0.36 71 %	98 1.9 50 %	120 -1.15 46%	88 2.6 42%	95 2.7 32%	94 -3 28%	104 -5.4 39%	94 1.8 25%	108 8.8 47 %	121 3.5 40 %	88 -7.8 41 %	124 4.5 38 %	99 -0.2 38 %	88 -2.4 31 %
CWBMCP 230025 PBD GLENFINLAS 230025	5			AL 182012 CP 200029	104 64%	101 48%	94 35 %	106 30%	98 31%	100 1.19 70 %	101 3.3 48 %	112 -0.84 43%	94 5.5 35%	99 5.6 32%	94 -2 30%	103 -4.4 39%	95 1.3 23%	114 11.0 46 %	116 2.8 39 %	95 -2.8 40 %	120 3.8 37 %	98 -0.3 36 %	86 -2.7 29 %
CWBMCP 230026 F2 GLENFINLAS CP230026				AL 182012	101 46%	99 42%	105 27 %	98 23%	96 26%	98 1.45 49 %	99 2.4 42 %	113 -0.87 34%	105 11.2 27%	100 6.1 26%	102 9 23%	102 -4.0 33%	92 2.0 20%	103 6.4 37 %	112 2.4 33 %	99 0.1 34 %	117 3.4 32 %	101 0.0 33 %	87 -2.5 27 %
CWBMCP 230027 F3 GLENFINLAS 230027	2			AL 182012 CP 200068	114 66%	100 50%	84 39 %	110 26%	115 32%	109 0.32 72 %	100 3.0 50 %	114 -0.91 45%	84 0.2 39%	96 3.3 32%	90 -8 26%	122 -15.6 42%	111 -1.2 22%	121 14.0 47 %	132 4.9 41 %	95 -3.1 42 %	128 5.1 39 %	98 -0.3 38 %	75 -4.4 31 %
CWBMCP 230029 F3 GLENFINLAS 230029	2			AL 182012 CP 200109	122 66%	93 47%	80 34 %	117 25%	111 32%	116 -0.28 72 %	93 0.3 47 %	109 -0.71 45%	80 -1.7 34%	89 -1.4 28%	83 -17 25%	108 -7.5 41%	114 -1.8 22%	116 12.3 46 %	115 2.7 38 %	97 -1.3 39 %	116 3.3 36 %	100 -0.1 36 %	92 -1.7 30 %
CWBMCP 230031 F1 GLENFINLAS 230031				AL 182012	101 46%	99 42%	105 27 %	98 23%	96 26%	98 1.45 49 %	99 2.4 42 %	113 -0.87 34%	105 11.2 27%	100 6.1 26%	102 9 23%	102 -4.0 33%	92 2.0 20%	103 6.4 37 %	112 2.4 33 %	99 0.1 34 %	117 3.4 32 %	101 0.0 33 %	87 -2.5 27 %
CWBMCP 230034 PBD GLENFINLAS 230034				AL 182012 CP 180041	121 66%	77 51%	79 36 %	123 25%	96 30%	126 -1.32 72 %	77 -6.3 51 %	104 -0.52 44%	79 -2.5 36%	81 -7.0 27%	77 -26 25%	90 3.1 39%	102 0.2 22%	116 11.9 44 %	120 3.3 35 %	83 -10.9 36 %	125 4.6 33 %	90 -1.0 34 %	87 -2.6 28 %
CWBMCP 230036 F1 GLENFINLAS 230036				AL 182012	101 46%	99 42%	105 27 %	98 23%	96 26%	98 1.45 49 %	99 2.4 42 %	113 -0.87 34%	105 11.2 27%	100 6.1 26%	102 9 23%	102 -4.0 33%	92 2.0 20%	103 6.4 37 %	112 2.4 33 %	99 0.1 34 %	117 3.4 32 %	101 0.0 33 %	87 -2.5 27 %
CWBMCP 230040 PBD GLENFINLAS 230040	6			AL 182012 CP 200090	126 68%	92 50%	82 38 %	114 31%	106 34%	119 -0.62 73 %	92 -0.1 50 %	112 -0.84 47%	82 -0.8 38%	89 -1.4 34%	86 -14 31%	107 -7.1 43%	105 -0.4 25%	120 13.9 48 %	120 3.4 40 %	89 -7.1 41 %	124 4.5 38 %	94 -0.7 37 %	88 -2.3 30 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
JAPANESE BLACK																							
CWBMCP 230042				AL 182012	101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87
F2				CWBFCP 170078	46%	42%	27 %	23%	26%	1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5
GLENFINLAS 230042										49 %	42 %	34%	27%	26%	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %
CWBMCP 230046					99	108	113	97	98	103	108	75	113	113	103	89	104	91	102	98	103	106	101
PEN				CP 160068	57%	26%	31 %	7 %	14%	0.90	6.1	0.54	15.7	15.4	11	3.5	-0.4	1.2	1.0	-0.4	1.2	0.5	-0.3
GLENFINLAS 230046										63 %	26 %	34%	31%	16%	7 %	18%	9%	30 %	19 %	19 %	18 %	14 %	9 %
CWBMCP 230048	1			AL 182012	107	96	87	112	96	103	96	115	87	91	88	98	96	118	115	89	114	105	97
F2				CP 200147	64%	44%	31 %	25%	30%	0.92	1.2	-0.96	1.6	0.3	-11	-1.4	1.4	12.9	2.7	-6.8	3.0	0.4	-1.0
GLENFINLAS 230048										70 %	44 %	43%	31%	29%	25%	37%	22%	44 %	36 %	37 %	35 %	35 %	29 %
CWBMCP 230049	2			AL 182012	114	96	79	118	102	109	96	114	79	89	82	99	106	123	120	88	116	106	98
PBD				CP 200167	66%	47%	37 %	26%	32%	0.32	1.3	-0.89	-2.2	-1.5	-20	-2.5	-0.3	15.2	3.4	-7.9	3.3	0.5	-0.8
GLENFINLAS 230049										72 %	47 %	45%	37%	30%	26%	41%	23%	45 %	38 %	39 %	36 %	36 %	30 %
CWBMCP 230052	2			AL 182012	111	96	92	109	105	107	96	117	92	93	91	108	104	114	112	99	115	97	90
F2				CP 200112	64%	47%	36 %	24%	28%	0.55	1.1	-1.01	4.5	1.5	-7	-7.2	-0.1	11.4	2.3	0.4	3.0	-0.3	-2.1
GLENFINLAS 230052										70 %	47 %	43%	36%	28%	24%	36%	21%	44 %	37 %	38 %	35 %	36 %	29 %
CWBMCP 230053	3			AL 182012	121	95	93	105	99	118	95	126	93	91	95	99	100	120	116	99	120	101	92
F2				CP 190009	65%	48%	40 %	26%	29%	-0.53	0.9	-1.36	4.8	0.0	-1	-2.3	0.6	13.6	2.9	-0.1	3.9	0.0	-1.8
GLENFINLAS 230053										70 %	48 %	45%	40%	29%	26%	36%	22%	45 %	36 %	37 %	35 %	35 %	29 %
CWBMCP 230058	5			AL 182012	105	106	87	110	99	101	106	111	87	101	90	103	97	121	119	92	122	100	88
PBD				CP 200026	68%	51%	39 %	30%	34%	1.15	5.5	-0.79	2.0	7.2	-8	-4.3	1.0	14.0	3.2	-4.5	4.1	-0.1	-2.4
GLENFINLAS 230058										73 %	51 %	47%	39%	33%	30%	43%	25%	48 %	40 %	41 %	38 %	37 %	30 %
CWBMCP 230060					73	103	98	110	120	86	103	56	98	109	90	113	123	94	114	97	108	98	86
PEN				CP 200077	56%	25%	27 %	11%	18%	2.55	4.0	1.28	7.7	12.4	-8	-10.6	-3.8	2.7	2.6	-1.5	2.0	-0.3	-2.6
GLENFINLAS 230060										63 %	25 %	30%	27%	18%	11%	24%	11%	30 %	24 %	24 %	23 %	20 %	14 %
CWBMCP 230064	2			AL 182012	117	89	78	122	121	112	89	105	78	87	78	120	121	125	116	96	117	96	89
PBD				CP 200016	66%	48%	35 %	25%	31%	0.08	-1.5	-0.58	-2.9	-2.8	-25	-14.5	-3.2	15.8	2.9	-2.0	3.4	-0.5	-2.2
GLENFINLAS 230064										72 %	48 %	45%	35%	28%	25%	40%	22%	45 %	37 %	38 %	35 %	36 %	29 %
CWBMCP 230066	3			AL 182012	118	88	86	111	99	114	88	118	86	86	89	102	98	119	122	96	122	102	89
PBD				CP 180100	66%	49%	41 %	26%	30%	-0.11	-1.7	-1.07	1.5	-3.2	-10	-3.8	0.9	13.3	3.5	-1.7	4.1	0.1	-2.1
GLENFINLAS 230066										71 %	49 %	47%	41%	30%	26%	38%	22%	46 %	38 %	39 %	36 %	36 %	30 %
CWBMCP 230067	3			AL 182012	121	89	82	116	105	116	89	118	82	85	84	107	105	116	116	98	117	98	91
F3				CP 200171	66%	47%	36 %	25%	31%	-0.36	-1.4	-1.07	-0.6	-3.8	-17	-6.8	-0.2	11.9	2.9	-0.5	3.4	-0.3	-1.9
GLENFINLAS 230067										72 %	47 %	45%	36%	28%	25%	40%	22%	46 %	38 %	39 %	36 %	36 %	30 %
CWBMCP 230068	8			AL 182012	119	94	83	110	97	115	94	120	83	91	90	105	94	115	121	88	124	99	88
F2				CP 190096	66%	50%	42 %	28%	32%	-0.22	0.5	-1.15	-0.5	0.4	-8	-6.0	1.8	11.7	3.5	-7.8	4.5	-0.2	-2.4
GLENFINLAS 230068										71 %	50 %	47%	42%	32%	28%	40%	25%	47 %	40 %	41 %	38 %	38 %	31 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 230069 F2 GLENFINLAS 230069	1			AL 182012 CP 160090	118 67%	110 51%	97 44 %	101 24%	105 32%	113 -0.01 72 %	110 6.8 51 %	113 -0.87 49%	97 7.2 44%	104 9.4 30%	99 4 24%	101 -3.3 41%	108 -0.9 23%	115 11.7 48 %	119 3.2 38 %	94 -3.3 39 %	121 4.0 36 %	105 0.4 36 %	91 -1.9 29 %
CWBMCP 230073 F2 GLENFINLAS 230073	2			AL 182012 CP 190186	113 65%	97 48%	90 39 %	109 25%	93 29%	111 0.21 70 %	97 1.6 48 %	123 -1.25 45%	90 3.4 39%	92 0.8 29%	91 -6 25%	96 -0.4 37%	94 1.8 21%	115 11.5 46 %	117 3.0 36 %	92 -5.2 38 %	116 3.3 35 %	107 0.6 35 %	95 -1.3 29 %
CWBMCP 230074 F2 GLENFINLAS 230074	8			AL 182012 CP 190036	122 66%	94 48%	85 35 %	108 28%	97 32%	122 -0.89 71 %	94 0.4 48 %	128 -1.43 46%	85 0.8 35%	91 0.2 32%	92 -5 28%	105 -5.6 39%	94 1.8 25%	110 9.3 47 %	121 3.5 40 %	88 -7.8 41 %	124 4.5 38 %	99 -0.2 38 %	88 -2.4 31 %
CWBMCP 230075 F2 GLENFINLAS 230075	8			AL 182012 CP 190047	120 66%	91 49%	84 39 %	109 28%	97 32%	125 -1.18 71 %	91 -0.9 49 %	122 -1.21 46%	84 0.4 39%	89 -1.5 32%	91 -6 28%	105 -5.8 39%	94 1.8 25%	109 8.9 47 %	121 3.5 40 %	88 -7.8 41 %	124 4.5 38 %	99 -0.2 38 %	88 -2.4 31 %
CWBMCP 230076 PEN GLENFINLAS 230076				CP 200017	90 57%	96 27%	99 27 %	110 21%	96 20%	102 1.06 64 %	96 1.4 27 %	53 1.38 32%	99 8.2 27%	103 8.7 22%	90 -8 21%	95 0.2 27%	96 0.9 14%	96 3.6 30 %	108 1.8 23 %	95 -2.9 23 %	108 2.0 21 %	95 -0.6 16 %	92 -1.8 11 %
CWBMCP 230078 F1 GLENFINLAS 230078				CWBMCP 200023 CP 180152	92 58%	95 28%	98 30 %	114 14%	109 20%	102 1.00 64 %	95 0.9 28 %	57 1.23 34%	98 7.9 30%	100 6.4 18%	86 -14 14%	96 -0.4 26%	116 -2.7 14%	100 5.2 30 %	110 2.0 21 %	97 -1.7 21 %	110 2.4 20 %	102 0.1 17 %	102 -0.2 13 %
CWBMCP 230079 PEN GLENFINLAS 230079				CP 180022	86 55%	98 24%	107 26 %	103 9 %	118 14%	97 1.51 62 %	98 2.1 24 %	57 1.24 30%	107 12.6 26%	107 11.2 16%	97 2 9 %	115 -11.5 20%	117 -2.9 7%	97 4.1 29 %	114 2.6 22 %	96 -1.9 22 %	108 2.0 21 %	100 -0.1 18 %	87 -2.6 13 %
CWBMCP 230080 F1 GLENFINLAS 230080				CWBMCP 200055 CP 200020	98 54%	95 23%	110 22 %	103 20%	99 16%	106 0.67 61 %	95 1.0 23 %	62 1.03 29%	110 14.2 22%	105 9.7 19%	97 2 20%	94 0.4 21%	101 0.0 12%	88 0.0 27 %	103 1.2 20 %	96 -2.3 21 %	104 1.4 19 %	97 -0.4 14 %	95 -1.3 10 %
CWBMCP 230082 F2 GLENFINLAS 230082	2			AL 182012 CP 200149	105 64%	102 47%	97 36 %	105 24%	104 28%	101 1.16 70 %	102 3.6 47 %	112 -0.84 43%	97 7.3 36%	98 5.3 28%	95 -1 24%	106 -6.6 36%	104 -0.1 21%	113 10.8 44 %	112 2.3 37 %	99 0.4 38 %	115 3.0 35 %	97 -0.3 36 %	90 -2.1 29 %
CWBMCP 230083 F3 GLENFINLAS 230083	2			AL 182012 CP 190156	122 66%	88 47%	78 37 %	118 25%	99 32%	118 -0.52 71 %	88 -1.8 47 %	121 -1.16 46%	78 -2.8 37%	83 -5.6 30%	82 -20 25%	100 -2.8 40%	100 0.6 23%	122 14.8 46 %	119 3.2 37 %	88 -7.7 38 %	116 3.3 36 %	106 0.5 36 %	98 -0.8 30 %
CWBMCP 230084 F3 GLENFINLAS 230084	6			AL 182012 CP 200096	123 67%	93 49%	86 37 %	111 31%	96 34%	120 -0.68 72 %	93 0.0 49 %	123 -1.26 46%	86 1.4 37%	90 -0.9 33%	89 -10 31%	100 -2.8 43%	94 1.4 24%	114 11.1 48 %	120 3.4 40 %	94 -3.7 41 %	122 4.2 38 %	98 -0.3 37 %	87 -2.5 30 %
CWBMCP 230086 F1 GLENFINLAS 230086				CWBMCP 200023 CP 170056	103 57%	92 21%	107 25 %	106 13%	105 14%	109 0.36 63 %	92 -0.2 21 %	68 0.80 34%	107 12.2 25%	101 6.9 14%	94 -2 13%	99 -2.4 18%	108 -1.2 11%	92 1.7 29 %	100 0.8 19 %	101 1.3 19 %	101 0.9 18 %	97 -0.4 15 %	95 -1.2 10 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage				Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																							
CWBMCP 230093 F1 GLENFINLAS 230093			CWBMCP 200055 CP 190044		114 56%	89 27%	103 31 %	104 15%	99 18%	124 -1.07 62 %	89 -1.4 27 %	68 0.81 31%	103 10.4 31%	98 5.3 20%	96 0 15%	96 -0.7 21%	100 0.5 14%	88 0.2 28 %	108 1.8 22 %	89 -7.3 22 %	108 2.0 21 %	98 -0.3 19 %	97 -1.0 15 %
CWBMCP 230094 F1 GLENFINLAS 230094			CWBMCP 200023 CP 180024		94 57%	91 28%	97 31 %	110 15%	100 16%	105 0.78 63 %	91 -0.8 28 %	55 1.31 33%	97 6.9 31%	99 5.5 20%	90 -9 15%	100 -2.7 22%	100 0.5 10%	87 -0.3 29 %	110 2.0 22 %	98 -0.7 22 %	109 2.1 20 %	96 -0.5 14 %	90 -2.1 9 %
CWBMCP 230095 F2 GLENFINLAS 230095			CWBMCP 200023 CP 190023		101 58%	92 29%	91 28 %	116 22%	106 25%	110 0.29 64 %	92 -0.2 29 %	59 1.16 37%	91 3.9 28%	96 3.7 25%	84 -17 22%	95 0.3 30%	114 -2.2 20%	100 5.1 33 %	96 0.3 27 %	95 -2.5 27 %	106 1.7 26 %	95 -0.6 24 %	105 0.3 19 %
CWBMCP 230097 F3 GLENFINLAS 230097	1	AL 182012 CP 200078			117 66%	96 49%	85 39 %	111 25%	114 32%	113 0.01 72 %	96 1.2 49 %	117 -1.02 45%	85 0.6 39%	92 0.8 31%	89 -9 25%	116 -12.0 41%	113 -1.7 23%	119 13.5 48 %	131 4.8 41 %	94 -3.3 42 %	126 4.8 39 %	101 0.0 38 %	79 -3.8 31 %
CWBMCP 230099 F2 GLENFINLAS 230099	4	CP 200042 CP 180102			115 64%	94 40%	94 35 %	105 17%	97 20%	110 0.29 70 %	94 0.7 40 %	112 -0.83 39%	94 5.8 35%	94 2.0 26%	95 0 17%	95 -0.2 27%	98 0.8 14%	113 11.0 39 %	109 2.0 29 %	112 9.2 29 %	105 1.5 27 %	106 0.5 25 %	99 -0.7 20 %
CWBMCP 230100 F1 GLENFINLAS 230100			CWBMCP 200055 CP 200093		95 54%	92 20%	106 24 %	107 7 %	106 10%	103 0.92 61 %	92 -0.2 20 %	63 1.02 26%	106 12.1 24%	101 6.9 9 %	93 -4 7 %	100 -2.6 14%	109 -1.4 5%	90 1.0 24 %	99 0.6 16 %	100 1.0 16 %	99 0.6 15 %	97 -0.4 14 %	99 -0.7 10 %
CWBMCP 230102 F1 GLENFINLAS 230102			CWBMCP 200023 CP 170045		107 57%	88 26%	103 29 %	114 8 %	114 18%	114 -0.10 64 %	88 -1.8 26 %	62 1.04 32%	103 10.5 29%	97 4.6 9 %	86 -13 8 %	105 -5.7 23%	119 -3.1 13%	95 3.1 29 %	101 0.9 13 %	103 2.6 13 %	106 1.7 12 %	97 -0.3 10 %	96 -1.1 8 %
CWBMCP 230104 F1 GLENFINLAS 230104			CWBMCP 200055 CP 190124		92 56%	100 26%	102 30 %	104 7 %	99 14%	100 1.24 62 %	100 2.8 26 %	65 0.92 31%	102 9.8 30%	106 10.5 16%	96 1 7 %	91 2.4 18%	104 -0.4 9%	88 0.3 28 %	102 1.0 19 %	98 -0.4 19 %	103 1.2 18 %	106 0.5 14 %	101 -0.3 9 %
CWBMCP 230109 F1 GLENFINLAS 230109			CP 200042		94 40%	101 30%	108 17 %	94 12%	94 15%	92 1.97 45 %	101 3.3 30 %	104 -0.52 22%	108 12.8 17%	104 9.0 21%	106 14 12%	96 -0.8 20%	92 1.9 10%	97 3.8 28 %	100 0.8 22 %	114 11.0 23 %	100 0.8 22 %	105 0.4 21 %	96 -1.0 16 %
CWBMCP 230112 F2 GLENFINLAS 230112	4	CP 200042 CP 190125			116 62%	94 36%	94 26 %	104 17%	97 20%	111 0.14 69 %	94 0.5 36 %	115 -0.94 36%	94 5.6 26%	93 1.6 26%	96 0 17%	95 -0.2 27%	98 0.8 14%	113 10.7 38 %	109 2.0 29 %	112 9.2 29 %	105 1.5 27 %	106 0.5 25 %	99 -0.7 20 %
CWBMCP 230113 F1 GLENFINLAS 230113			CWBMCP 200023 CP 190070		96 56%	94 25%	97 28 %	109 15%	99 18%	104 0.82 62 %	94 0.3 25 %	64 0.97 31%	97 6.9 28%	102 7.5 20%	91 -6 15%	97 -1.3 21%	100 0.5 14%	88 0.0 28 %	108 1.8 22 %	89 -7.3 22 %	108 2.0 21 %	98 -0.3 19 %	97 -1.0 15 %
CWBMCP 230114 F1 GLENFINLAS 230114			CP 200042		94 40%	101 30%	108 17 %	94 12%	94 15%	92 1.97 45 %	101 3.3 30 %	104 -0.52 22%	108 12.8 17%	104 9.0 21%	106 14 12%	96 -0.8 20%	92 1.9 10%	97 3.8 28 %	100 0.8 22 %	114 11.0 23 %	100 0.8 22 %	105 0.4 21 %	96 -1.0 16 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCP 230115 FB GLENFINLAS 230115	5		CP 200042 CP 200011	122 66%	92 42%	74 33 %	116 22%	100 27%	124 -1.11 72 %	92 -0.1 42 %	120 -1.15 43%	74 -5.2 33%	87 -2.9 32%	84 -17 22%	98 -1.8 33%	103 0.1 21%	119 13.4 42 %	113 2.4 34 %	101 1.4 35 %	109 2.2 33 %	106 0.5 31 %	104 0.1 24 %
CWBMCP 230117 F1 GLENFINLAS 230117			CP 200042	94 40%	101 30%	108 17 %	94 12%	94 15%	92 1.97 45 %	101 3.3 30 %	104 -0.52 22%	108 12.8 17%	104 9.0 21%	106 14 12%	96 -0.8 20%	92 1.9 10%	97 3.8 28 %	100 0.8 22 %	114 11.0 23 %	100 0.8 22 %	105 0.4 21 %	96 -1.0 16 %
CWBMCP 230122 F1 GLENFINLAS 230122			CWBMCP 200023 CP 190165	112 56%	88 25%	104 28 %	108 14%	108 20%	118 -0.55 62 %	88 -2.1 25 %	63 1.00 32%	104 10.7 28%	95 3.0 17%	92 -5 14%	95 0.1 25%	116 -2.5 14%	94 2.8 30 %	109 1.9 20 %	99 -0.2 20 %	105 1.5 18 %	102 0.1 15 %	99 -0.6 12 %
CWBMCP 230126 F2 GLENFINLAS 230126	2		CP 200042 CP 190048	122 63%	96 38%	89 28 %	105 19%	93 24%	116 -0.32 69 %	96 1.2 38 %	114 -0.91 38%	89 2.6 28%	95 3.1 29%	95 0 19%	97 -0.9 30%	93 1.9 18%	102 6.1 40 %	109 1.9 31 %	103 3.1 32 %	107 1.8 30 %	103 0.2 28 %	97 -0.9 22 %
CWBMCP 230127 F2 GLENFINLAS 230127	2		CP 200042 CP 190078	120 63%	99 39%	93 32 %	102 19%	95 24%	114 -0.10 69 %	99 2.4 39 %	107 -0.66 38%	93 4.8 32%	98 5.1 29%	98 4 19%	98 -1.8 29%	94 1.7 18%	106 7.9 39 %	109 1.9 31 %	103 3.1 32 %	107 1.8 30 %	103 0.2 28 %	97 -0.9 22 %
CWBMCP 230128 FB GLENFINLAS 230128	4		CP 200042 CP 190067	101 64%	100 40%	76 34 %	118 16%	104 24%	99 1.28 70 %	100 2.9 40 %	100 -0.40 40%	76 -4.2 34%	94 2.0 27%	82 -19 16%	104 -5.4 31%	106 -0.3 17%	113 10.8 40 %	108 1.9 26 %	98 -0.9 28 %	108 2.0 27 %	102 0.1 26 %	104 0.1 18 %
CWBMCP 230130 F3 GLENFINLAS 230130	2		CP 200042 CP 160070	114 66%	105 45%	95 38 %	103 14%	101 25%	109 0.33 72 %	105 4.8 45 %	105 -0.59 44%	95 6.0 38%	103 8.2 26%	97 2 14%	99 -2.6 34%	102 0.0 16%	115 11.7 42 %	106 1.6 29 %	110 7.6 30 %	103 1.3 28 %	109 0.7 25 %	100 -0.4 18 %
CWBMCP 230132 F1 GLENFINLAS 230132			CWBMCP 200055 CP 180114	109 60%	95 34%	99 33 %	107 12%	104 20%	117 -0.45 66 %	95 0.9 34 %	57 1.21 35%	99 8.1 33%	101 7.0 17%	93 -4 12%	92 1.6 24%	112 -1.7 15%	96 3.3 31 %	104 1.2 21 %	98 -0.3 21 %	103 1.2 19 %	106 0.5 14 %	102 -0.2 9 %
CWBMCP 230134 PBD GLENFINLAS 230134	3		CP 200042 CP 180081	123 66%	91 44%	77 31 %	116 20%	104 25%	125 -1.20 72 %	91 -0.5 44 %	111 -0.79 41%	77 -3.6 31%	89 -1.6 30%	84 -17 20%	106 -6.6 33%	103 0.1 17%	108 8.8 41 %	113 2.5 33 %	110 8.0 33 %	110 2.3 31 %	102 0.1 26 %	92 -1.7 19 %
CWBMCP 230136 F2 GLENFINLAS 230136			CWBMCP 200055 CP 190017	104 59%	105 57%	92 38 %	107 22%	97 26%	111 0.16 64 %	105 4.8 57 %	64 0.98 38%	92 4.2 38%	105 10.0 25%	93 -4 22%	85 6.1 31%	105 -0.7 20%	110 9.4 36 %	96 0.3 27 %	95 -2.5 27 %	106 1.7 26 %	95 -0.6 24 %	105 0.3 19 %
CWBMCP 230138 PBD GLENFINLAS 230138	5		CP 200042 CP 180151	119 66%	84 60%	87 40 %	117 17%	100 26%	114 -0.11 72 %	84 -3.5 60 %	102 -0.47 42%	87 2.1 40%	84 -4.6 28%	83 -19 17%	98 -1.5 33%	102 -0.1 18%	120 13.7 43 %	112 2.4 30 %	110 7.5 31 %	106 1.8 29 %	108 0.7 26 %	101 -0.4 20 %
CWBMCP 230139 F1 GLENFINLAS 230139			CP 200042	94 40%	101 30%	108 17 %	94 12%	94 15%	92 1.97 45 %	101 3.3 30 %	104 -0.52 22%	108 12.8 17%	104 9.0 21%	106 14 12%	96 -0.8 20%	92 1.9 10%	97 3.8 28 %	100 0.8 22 %	114 11.0 23 %	100 0.8 22 %	105 0.4 21 %	96 -1.0 16 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	DNA		Dam ID																				
JAPANESE BLACK																							
CWBMCP 230142	5			CP 200042	120	81	84	122	110	116	81	100	84	82	78	106	114	122	103	113	110	106	103
PBD				CP 160087	-0.28	-4.8	-0.39	0.4	-5.9	-25	-6.3	-2.0	14.5	1.1	10.0	2.3	0.5	0.0	32 %	32 %	30 %	27 %	20 %
GLENFINLAS 230142					66%	62%	40 %	19%	26%	72 %	62 %	43%	40%	26%	19%	34%	19%	44 %	32 %	32 %	30 %	27 %	20 %
CWBMCP 230148				CP 160154	95	95	108	107	102	104	95	61	108	103	93	94	107	88	100	98	110	101	102
PEN					0.86	0.8	1.08	12.8	8.2	-3	0.8	-1.0	0.0	0.8	-0.5	2.4	0.0	-0.1	21 %	21 %	20 %	17 %	12 %
GLENFINLAS 230147					56%	24%	29 %	12%	15%	62 %	24 %	32%	29%	14%	12%	19%	11%	28 %	21 %	21 %	20 %	17 %	12 %
CWBMCP 230151	2			CP 200042	120	110	89	99	104	114	110	106	89	106	101	104	104	111	112	107	111	98	92
F3				CP 180012	-0.16	6.9	-0.61	2.9	10.5	7	-5.4	-0.3	9.7	2.3	5.4	2.5	-0.3	-1.8	27 %	28 %	26 %	24 %	18 %
GLENFINLAS 230151					65%	62%	40 %	14%	22%	72 %	62 %	39%	40%	24%	14%	30%	15%	41 %	27 %	28 %	26 %	24 %	18 %
CWBMCP 230153				CWBMCP 200023	111	80	104	114	100	115	80	70	104	91	86	94	104	95	102	98	103	106	101
F1				CP 190126	-0.24	-5.3	0.74	10.9	-0.1	-14	0.6	-0.4	2.9	1.0	-0.4	1.2	0.5	-0.3	19 %	19 %	18 %	14 %	9 %
GLENFINLAS 230153					55%	53%	28 %	7 %	14%	62 %	53 %	30%	28%	16%	7 %	18%	9%	31 %	19 %	19 %	18 %	14 %	9 %
CWBMCP 230156				CWBMCP 200055	117	89	110	103	99	120	89	70	110	100	97	94	101	85	103	96	104	97	95
F1				CP 210009	-0.73	-1.4	0.73	14.2	6.2	2	0.4	0.0	-1.4	1.2	-2.3	1.4	-0.4	-1.3	20 %	21 %	19 %	14 %	10 %
GLENFINLAS 230156					53%	23%	22 %	20%	16%	59 %	23 %	28%	22%	19%	20%	21%	12%	26 %	20 %	21 %	19 %	14 %	10 %
CWBMCP 230158				CP 150075	76	107	108	97	100	88	107	60	108	112	103	92	104	105	108	97	106	101	98
PEN					2.43	5.8	1.10	13.0	14.7	11	1.9	-0.5	7.2	1.9	-1.1	1.6	0.0	-0.8	18 %	18 %	17 %	14 %	12 %
GLENFINLAS 230158					53%	54%	32 %	11%	14%	59 %	54 %	30%	32%	16%	11%	17%	10%	31 %	18 %	18 %	17 %	14 %	12 %
CWBMCP 240008	2			CP 200052	124	95	97	109	100	118	95	103	97	95	91	104	100	97	98	103	102	100	102
F3				CP 210084	-0.52	0.9	-0.50	7.0	2.6	-7	-5.5	0.8	4.1	0.5	3.0	1.1	-0.1	-0.1	20 %	21 %	19 %	18 %	13 %
GLENFINLAS 240008					61%	64%	32 %	9 %	16%	69 %	64 %	29%	32%	14%	9 %	26%	7%	38 %	20 %	21 %	19 %	18 %	13 %
CWBMCP 240011	2			CP 200052	127	82	96	118	102	121	82	104	96	84	82	108	100	99	98	103	102	100	102
F3				CP 210049	-0.83	-4.5	-0.55	6.6	-4.5	-19	-7.6	0.7	4.7	0.5	3.0	1.1	-0.1	-0.1	20 %	21 %	19 %	18 %	13 %
GLENFINLAS 240011					61%	64%	33 %	9 %	16%	69 %	64 %	30%	33%	14%	9 %	26%	7%	38 %	20 %	21 %	19 %	18 %	13 %
CWBMCP 240012	2			CP 190090	99	100	81	116	109	99	100	95	81	94	84	103	114	106	96	94	100	102	113
F3				CP 200109	1.31	2.8	-0.19	-1.4	2.2	-17	-4.7	-2.0	7.8	0.2	-3.2	0.8	0.1	1.6	22 %	25 %	23 %	21 %	13 %
GLENFINLAS 240012					65%	47%	30 %	13%	26%	71 %	47 %	42%	30%	20%	13%	38%	14%	42 %	22 %	25 %	23 %	21 %	13 %
CWBMCP 240019				CWBMCP 200055	98	95	110	103	99	106	95	63	110	105	97	94	101	88	103	96	104	97	95
F1				CP 210203	0.65	1.0	0.99	14.2	9.7	2	0.4	0.0	0.1	1.2	-2.3	1.4	-0.4	-1.3	20 %	21 %	19 %	14 %	10 %
GLENFINLAS 240019					52%	23%	22 %	20%	16%	59 %	23 %	26%	22%	19%	20%	21%	12%	26 %	20 %	21 %	19 %	14 %	10 %
CWBMCP 240020	3			CP 190090	114	83	84	121	103	111	83	96	84	83	79	106	102	109	102	91	108	98	104
F3				CP 200032	0.15	-3.9	-0.25	0.3	-5.4	-23	-6.3	0.3	8.9	1.0	-5.4	2.0	-0.3	0.2	26 %	28 %	26 %	22 %	13 %
GLENFINLAS 240020					66%	64%	39 %	23%	28%	71 %	64 %	45%	39%	27%	23%	40%	17%	46 %	26 %	28 %	26 %	22 %	13 %
CWBMCP 240026	2			CP 200052	120	86	102	112	93	114	86	105	102	89	88	97	93	96	99	102	99	100	101
F2				CP 210077	-0.15	-2.5	-0.58	9.6	-1.5	-12	-1.4	2.1	3.4	0.7	2.2	0.6	-0.1	-0.3	19 %	19 %	18 %	17 %	12 %
GLENFINLAS 240026					59%	61%	30 %	8 %	14%	67 %	61 %	27%	30%	12%	8 %	20%	7%	35 %	19 %	19 %	18 %	17 %	12 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 240028				CWBMCP 200055	114	106	107	97	98	116	106	77	107	110	103	89	104	87	102	98	103	106	101
F1				CP 200072	-0.36	5.3	0.47	12.3	13.4	11	3.3	-0.4	-0.4	1.0	-0.4	1.2	0.5	-0.3	1.0	-0.4	1.2	0.5	-0.3
GLENFINLAS 240028					54%	53%	28%	7%	14%	61%	53%	28%	28%	16%	7%	18%	9%	31%	19%	19%	18%	14%	9%
CWBMCP 240030				CWBMCP 200055	96	91	101	107	99	104	91	65	101	100	93	98	100	85	108	89	108	98	97
F1				CP 190095	0.83	-0.6	0.93	9.2	6.7	-4	-1.7	0.5	-1.3	1.8	-7.3	2.0	-0.3	-1.0	1.8	-7.3	2.0	-0.3	-1.0
GLENFINLAS 240030					54%	55%	33%	15%	18%	61%	55%	29%	33%	20%	15%	21%	14%	31%	22%	22%	21%	19%	15%
CWBMCP 240039	1			SWK 210153	111	90	82	110	102	109	90	95	82	90	90	97	107	106	109	92	109	96	99
F3				CP 210175	0.32	-0.9	-0.20	-0.9	-0.6	-9	-1.3	-0.5	7.8	1.9	-5.0	2.1	-0.5	-0.6	1.9	-5.0	2.1	-0.5	-0.6
GLENFINLAS 240039					63%	65%	37%	22%	23%	70%	65%	37%	37%	38%	22%	33%	13%	43%	32%	32%	29%	26%	22%
CWBMCP 240040				CWBMCP 200055	111	94	96	112	113	115	94	71	96	97	88	101	120	99	102	100	100	98	103
F1				CP 210139	-0.25	0.5	0.70	6.4	4.5	-11	-3.6	-3.3	5.0	1.0	1.0	0.7	-0.3	-0.1	1.0	1.0	0.7	-0.3	-0.1
GLENFINLAS 240040					64%	56%	29%	28%	12%	10%	23%	8%	30%	19%	19%	17%	16%	12%	19%	19%	17%	16%	12%
CWBMCP 240044	1			CP 190090	115	115	93	94	95	111	115	118	93	107	106	91	98	98	96	95	103	109	114
F2				CP 200128	0.12	8.8	-1.05	5.2	11.0	14	2.4	0.8	4.3	0.2	-2.9	1.2	0.7	1.7	0.2	-2.9	1.2	0.7	1.7
GLENFINLAS 240044					63%	62%	35%	13%	24%	69%	62%	42%	35%	23%	13%	35%	14%	44%	23%	25%	23%	20%	11%
CWBMCP 240045				CP 200052	114	85	92	117	117	110	85	100	92	88	83	123	114	100	111	100	106	99	90
F3				CP 210072	0.23	-3.2	-0.39	4.6	-2.0	-18	-16.1	-1.7	5.0	2.2	0.6	1.8	-0.2	-2.1	2.2	0.6	1.8	-0.2	-2.1
GLENFINLAS 240045					62%	64%	32%	11%	18%	70%	64%	30%	32%	20%	11%	27%	10%	40%	26%	26%	25%	22%	15%
CWBMCP 240046				CWBMCP 200055	103	92	98	111	107	112	92	58	98	99	89	99	110	96	107	90	108	94	97
F1				CP 200090	0.06	-0.2	1.20	7.8	5.9	-10	-2.3	-1.8	3.5	1.7	-6.6	2.0	-0.7	-1.0	1.7	-6.6	2.0	-0.7	-1.0
GLENFINLAS 240046					64%	26%	32%	26%	21%	64%	26%	32%	26%	21%	21%	28%	15%	30%	23%	23%	21%	16%	12%
CWBMCP 240048				CWBMCP 200055	104	97	100	110	100	109	97	69	100	101	90	93	103	92	106	91	101	101	101
F1				CP 210068	0.32	1.7	0.80	8.9	7.3	-7	1.0	-0.3	1.9	1.6	-5.3	1.0	0.0	-0.4	1.6	-5.3	1.0	0.0	-0.4
GLENFINLAS 240048					55%	56%	28%	6%	14%	63%	56%	25%	28%	9%	6%	22%	5%	29%	16%	16%	15%	14%	11%
CWBMCP 240049				CWBMCP 200055	98	94	99	113	104	107	94	60	99	100	87	98	107	95	107	93	104	100	99
F1				CP 210046	0.56	0.4	1.13	8.4	6.4	-13	-1.5	-1.1	3.2	1.7	-4.4	1.3	-0.1	-0.7	1.7	-4.4	1.3	-0.1	-0.7
GLENFINLAS 240049					56%	57%	30%	5%	16%	63%	57%	28%	30%	10%	5%	24%	7%	30%	17%	17%	16%	14%	11%
CWBMCP 240050				CWBMCP 200055	81	82	101	115	104	94	82	54	101	93	85	99	107	87	98	88	108	84	97
F1				CP 210125	1.84	-4.5	1.36	9.2	1.5	-16	-2.1	-0.9	-0.5	0.5	-7.9	2.0	-1.6	-0.9	0.5	-7.9	2.0	-1.6	-0.9
GLENFINLAS 240050					52%	53%	24%	8%	9%	60%	53%	20%	24%	10%	8%	12%	6%	27%	20%	20%	18%	12%	9%
CWBMCP 240051				SWK 210153	94	102	112	87	92	94	102	98	112	105	113	97	91	98	108	106	100	110	96
F1					1.85	3.5	-0.30	15.0	10.2	25	-1.0	2.3	4.4	1.7	5.3	0.8	0.8	-1.1	1.7	5.3	0.8	0.8	-1.1
GLENFINLAS 240051					42%	42%	26%	20%	18%	45%	42%	28%	26%	36%	20%	24%	11%	32%	23%	23%	22%	22%	19%
CWBMCP 240064	1			CP 190090	118	110	93	98	94	113	110	115	93	103	102	90	98	98	96	95	103	109	114
F2				CP 180118	0.00	6.9	-0.94	5.0	8.5	9	3.2	1.0	4.1	0.2	-2.9	1.2	0.7	1.7	0.2	-2.9	1.2	0.7	1.7
GLENFINLAS 240064					66%	66%	39%	13%	25%	72%	66%	45%	39%	23%	13%	36%	14%	44%	23%	25%	23%	20%	11%

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																				
JAPANESE BLACK																								
CWBMCP 240067				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109	
F2				CWBFCP 170078	1.93	2.8				1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.7	-0.1	-1.8	0.9	0.2	0.9	
GLENFINLAS 240067					43%	42%	22 %	11%	20%	46 %	42 %	31%	22%	17%	11%	30%	10%	35 %	12 %	16 %	15 %	15 %	7 %	
CWBMCP 240079			2	CP 200052	120	70	92	128	99	128	70	111	92	74	72	104	98	98	105	96	101	102	103	
F3				CP 210048	-1.51	-9.2				-1.51	-9.2	-0.78	4.6	-11.6	-34	-4.9	1.2	4.5	1.4	-1.8	0.9	0.1	-0.1	
GLENFINLAS 240079					62%	64%	32 %	9 %	16%	70 %	64 %	29%	32%	14%	9 %	26%	7%	37 %	20 %	21 %	19 %	18 %	13 %	
CWBMCP 240085			1	CP 190090	96	103	83	110	117	95	103	99	83	98	90	116	118	105	108	93	108	101	99	
F3				CP 200077	1.67	4.1				1.67	4.1	-0.34	-0.3	5.0	-9	-12.2	-2.6	7.5	1.8	-4.0	2.0	0.0	-0.6	
GLENFINLAS 240085					65%	63%	36 %	15%	27%	71 %	63 %	43%	36%	24%	15%	39%	15%	46 %	27 %	29 %	27 %	25 %	16 %	
CWBMCP 240090				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109	
F2				CWBFCP 180007	1.93	2.8				1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.7	-0.1	-1.8	0.9	0.2	0.9	
GLENFINLAS 240090					43%	42%	22 %	11%	20%	46 %	42 %	31%	22%	17%	11%	30%	10%	35 %	12 %	16 %	15 %	15 %	7 %	
CWBMCP 240091			1	CP 190090	103	94	89	110	96	100	94	105	89	92	90	94	99	98	96	95	103	109	114	
F2				CP 200107	1.26	0.6				1.26	0.6	-0.56	2.7	0.6	-7	0.5	0.8	4.3	0.2	-2.9	1.2	0.7	1.7	
GLENFINLAS 240091					63%	62%	35 %	13%	24%	69 %	62 %	42%	35%	23%	13%	35%	14%	44 %	23 %	25 %	23 %	20 %	11 %	
CWBMCP 240092				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109	
F1					1.93	2.8				1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9	
GLENFINLAS 240092					43%	42%	22 %	11%	20%	46 %	42 %	31%	22%	17%	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %	
CWBMCP 240094			1	CP 200052	117	83	103	113	93	113	83	103	103	88	87	98	92	96	98	103	101	99	99	
F2				CP 210183	0.00	-4.1				0.00	-4.1	-0.49	10.3	-2.2	-12	-1.7	2.1	3.3	0.6	2.6	0.9	-0.2	-0.7	
GLENFINLAS 240094					59%	62%	32 %	21%	19%	67 %	62 %	30%	32%	22%	21%	25%	13%	38 %	24 %	25 %	22 %	19 %	13 %	
CWBMCP 240099				CP 200046	90	106	106	91	92	89	106	103	106	106	109	97	89	89	96	100	102	94	98	
F1					2.32	5.2				2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7	
GLENFINLAS 240099					40%	41%	22 %	16%	18%	44 %	41 %	25%	22%	24%	16%	22%	13%	32 %	24 %	25 %	24 %	23 %	18 %	
CWBMCP 240101				CP 200052	105	88	114	102	91	102	88	101	114	94	98	97	89	86	95	107	98	102	100	
F1					1.03	-1.9				1.03	-1.9	-0.42	16.4	2.4	4	-1.4	2.7	-0.7	0.1	5.5	0.5	0.1	-0.5	
GLENFINLAS 240101					37%	39%	14 %	7 %	10%	42 %	39 %	16%	14%	10%	7 %	14%	6%	25 %	13 %	14 %	12 %	12 %	8 %	
CWBMCP 240110			1	CP 190090	112	116	98	98	103	108	116	102	98	109	102	94	108	102	99	91	105	107	112	
F2				CP 160090	0.41	9.5				0.41	9.5	-0.46	7.4	12.8	10	0.6	-1.1	6.2	0.7	-5.2	1.5	0.6	1.5	
GLENFINLAS 240110					66%	64%	41 %	13%	27%	71 %	64 %	46%	41%	23%	13%	39%	15%	46 %	23 %	25 %	23 %	20 %	11 %	
CWBMCP 240114			2	CP 190090	116	98	84	111	102	111	98	112	84	93	89	98	106	103	94	96	99	103	114	
F3				CP 200154	0.21	2.3				0.21	2.3	-0.84	0.4	1.2	-9	-1.8	-0.6	6.4	0.0	-2.1	0.7	0.1	1.7	
GLENFINLAS 240114					65%	62%	35 %	13%	26%	71 %	62 %	42%	35%	20%	13%	38%	14%	44 %	22 %	25 %	23 %	21 %	13 %	
CWBMCP 240117				CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	91	107	90	97	102	99	108	
F1					2.56	3.3				2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8	
GLENFINLAS 240117					40%	40%	23 %	16%	18%	44 %	40 %	25%	23%	23%	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCP 240119	4			CP 200046	100	99	89	104	96	97	99	104	89	97	96	96	95	99	106	98	106	95	100
F2				CP 190182	1.48	2.5	-0.52	3.1	4.0	1	-0.8	1.1	4.8	1.5	-0.7	1.8	-0.6	-0.4	30 %	31 %	29 %	27 %	21 %
GLENFINLAS 240119					63%	63%	38 %	20%	23%	69 %	63 %	39%	38%	28%	20%	29%	17%	43 %					
CWBMCP 240120				CP 200046	98	106	91	100	110	95	106	108	91	104	100	114	106	99	111	97	109	94	89
F2				CP 210001	1.75	5.4	-0.70	3.9	9.2	7	-11.0	-0.9	4.7	2.2	-1.4	2.1	-0.7	-2.2	33 %	33 %	32 %	30 %	22 %
GLENFINLAS 240120					58%	46%	28 %	19%	22%	64 %	46 %	34%	28%	28%	19%	29%	15%	43 %					
CWBMCP 240121				CP 200046	104	104	91	100	110	99	104	109	91	102	100	114	106	99	111	97	109	94	89
F2				CP 210001	1.28	4.5	-0.72	4.1	7.9	7	-11.0	-0.9	4.7	2.2	-1.4	2.1	-0.7	-2.2	33 %	33 %	32 %	30 %	22 %
GLENFINLAS 240121					58%	46%	28 %	19%	22%	64 %	46 %	34%	28%	28%	19%	29%	15%	43 %					
CWBMCP 240122	1			CP 190069	111	93	87	110	97	106	93	107	87	92	90	104	93	118	99	86	109	97	109
F2				CP 190044	0.67	0.1	-0.63	1.9	0.5	-7	-5.4	1.8	13.1	0.6	-9.3	2.2	-0.4	0.9	28 %	30 %	29 %	27 %	19 %
GLENFINLAS 240122					63%	63%	40 %	22%	25%	69 %	63 %	40%	40%	30%	22%	31%	19%	44 %					
CWBMCP 240123	1			CP 200046	119	104	87	100	94	113	104	113	87	101	100	99	91	100	105	89	109	92	99
F2				CP 190042	-0.03	4.4	-0.85	2.1	6.8	6	-2.5	2.1	5.3	1.4	-6.8	2.1	-0.9	-0.6	33 %	33 %	32 %	30 %	23 %
GLENFINLAS 240123					63%	62%	36 %	22%	25%	69 %	62 %	40%	36%	31%	22%	31%	19%	44 %					
CWBMCP 240124				CWBMCP 200055	115	70	100	121	102	120	70	67	100	83	79	100	104	93	101	95	102	99	100
F1				CP 210162	-0.67	-9.3	0.85	8.7	-5.9	-24	-3.1	-0.2	2.3	0.9	-2.7	1.1	-0.1	-0.4	15 %	15 %	15 %	13 %	9 %
GLENFINLAS 240124					55%	56%	28 %	9 %	15%	63 %	56 %	25%	28%	14%	9 %	22%	8%	29 %					
CWBMCP 240127	2			CP 190090	128	87	85	113	96	121	87	108	85	86	87	102	95	106	102	85	108	101	109
F2				CP 190096	-0.79	-2.4	-0.70	0.5	-3.4	-13	-3.9	1.7	7.7	1.0	-9.7	2.0	0.0	1.0	25 %	27 %	26 %	24 %	17 %
GLENFINLAS 240127					65%	63%	39 %	18%	28%	70 %	63 %	44%	39%	26%	18%	37%	18%	45 %					
CWBMCP 240131	1			CP 190069	115	97	84	107	97	109	97	110	84	94	93	104	93	118	99	86	109	97	109
F2				CP 190049	0.36	1.5	-0.75	0.1	1.9	-4	-5.2	1.8	13.1	0.6	-9.3	2.2	-0.4	0.9	28 %	30 %	29 %	27 %	19 %
GLENFINLAS 240131					63%	63%	40 %	22%	25%	69 %	63 %	40%	40%	30%	22%	31%	19%	44 %					
CWBMCP 240134	1			CP 200046	95	121	89	90	93	92	121	107	89	114	110	97	90	100	105	89	109	92	99
F2				CP 190078	1.98	11.4	-0.65	2.7	16.4	20	-0.9	2.1	5.3	1.4	-6.8	2.1	-0.9	-0.6	33 %	33 %	32 %	30 %	23 %
GLENFINLAS 240134					63%	62%	36 %	22%	25%	69 %	62 %	40%	36%	31%	22%	31%	19%	44 %					
CWBMCP 240135				CWBMCP 200055	118	122	111	86	97	118	122	83	111	122	114	87	103	96	102	98	103	106	101
F1				CP 160068	-0.53	11.8	0.27	14.6	22.0	27	5.0	-0.4	3.3	1.0	-0.4	1.2	0.5	-0.3	19 %	19 %	18 %	14 %	9 %
GLENFINLAS 240135					57%	55%	32 %	7 %	14%	63 %	55 %	34%	32%	16%	7 %	18%	9%	33 %					
CWBMCP 240136				CP 200046	90	106	106	91	92	89	106	103	106	106	109	97	89	89	96	100	102	94	98
F1					2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7	24 %	25 %	24 %	23 %	18 %
GLENFINLAS 240136					40%	41%	22 %	16%	18%	44 %	41 %	25%	22%	24%	16%	22%	13%	32 %					
CWBMCP 240138				CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	91	107	90	97	102	99	108
F1					2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8	18 %	21 %	20 %	19 %	12 %
GLENFINLAS 240138					40%	40%	23 %	16%	18%	44 %	40 %	25%	23%	23%	16%	23%	13%	32 %					

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
JAPANESE BLACK																							
CWBMCP 240139	1			CP 200046	112	84	83	114	95	107	84	105	83	86	86	103	91	100	105	89	109	92	99
F2				CP 190070	0.52	-3.5	-0.57	-0.2	-3.3	-14	-4.6	2.2	5.3	1.4	-6.8	2.1	-0.9	-0.6	33 %	33 %	32 %	30 %	23 %
GLENFINLAS 240139					63%	62%	36 %	22%	25%	69 %	62 %	40%	36%	31%	22%	31%	19%	44 %	33 %	33 %	32 %	30 %	23 %
CWBMCP 240144	1			CP 190069	99	107	91	100	96	96	107	112	91	102	100	96	97	122	93	95	104	104	113
F2				CP 180105	1.59	5.9	-0.85	4.1	7.6	6	-0.7	0.9	14.7	-0.1	-2.4	1.4	0.3	1.6	-0.1	-2.4	1.4	0.3	1.6
GLENFINLAS 240144					63%	62%	39 %	17%	23%	69 %	62 %	41%	39%	28%	17%	30%	16%	44 %	26 %	28 %	27 %	24 %	14 %
CWBMCP 240146				CP 190069	86	101	105	96	95	86	101	100	105	102	104	101	91	107	90	97	102	99	108
F1					2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8	-0.5	-1.4	1.1	-0.2	0.8
GLENFINLAS 240146					40%	40%	23 %	16%	18%	44 %	40 %	25%	23%	23%	16%	23%	13%	32 %	18 %	21 %	20 %	19 %	12 %
CWBMCP 240147	1			CP 190069	88	122	95	92	103	87	122	103	95	113	108	102	102	119	89	97	100	96	111
F2				CP 200149	2.52	11.8	-0.51	6.2	15.7	18	-3.9	-0.2	13.3	-0.5	-1.1	0.7	-0.5	1.2	-0.5	-1.1	0.7	-0.5	1.2
GLENFINLAS 240147					61%	61%	34 %	17%	20%	68 %	61 %	36%	34%	24%	17%	27%	14%	41 %	24 %	26 %	25 %	24 %	16 %
CWBMCP 240149	2			CP 190069	100	83	82	119	99	100	83	93	82	83	81	109	93	117	100	95	110	95	102
F2				CP 180024	1.24	-3.9	-0.13	-1.0	-5.4	-20	-8.1	1.8	12.6	0.9	-2.7	2.3	-0.6	-0.2	0.9	-2.7	2.3	-0.6	-0.2
GLENFINLAS 240149					63%	63%	40 %	22%	24%	69 %	63 %	41%	40%	30%	22%	32%	17%	44 %	28 %	30 %	28 %	24 %	15 %
CWBMCP 240150				CP 190090	94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109
F1					1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9	-0.1	-1.8	0.9	0.2	0.9
GLENFINLAS 240150					43%	42%	22 %	11%	20%	46 %	42 %	31%	22%	17%	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %
CWBMCP 240158	1			CP 200046	99	110	85	98	94	95	110	107	85	106	102	99	91	101	105	89	109	92	99
F2				CP 190063	1.67	6.9	-0.66	0.8	10.3	9	-2.6	2.1	5.6	1.4	-6.8	2.1	-0.9	-0.6	1.4	-6.8	2.1	-0.9	-0.6
GLENFINLAS 240158					63%	63%	39 %	22%	25%	69 %	63 %	40%	39%	31%	22%	31%	19%	44 %	33 %	33 %	32 %	30 %	23 %
CWBMCP 240163	1			CP 200046	119	99	82	104	94	113	99	109	82	97	96	100	91	102	105	89	109	92	99
F2				CP 190099	0.01	2.7	-0.71	-0.8	4.2	0	-3.0	2.2	5.9	1.4	-6.8	2.1	-0.9	-0.6	1.4	-6.8	2.1	-0.9	-0.6
GLENFINLAS 240163					65%	66%	41 %	22%	25%	71 %	66 %	40%	41%	31%	22%	31%	19%	44 %	33 %	33 %	32 %	30 %	23 %
CWBMCP 240168				CWBMCP 200055	64	105	98	108	102	79	105	51	98	109	92	95	106	97	104	96	102	96	97
F1				CP 210030	3.26	5.1	1.45	7.9	12.9	-4	0.3	-0.9	3.8	1.3	-2.4	1.1	-0.5	-1.0	1.3	-2.4	1.1	-0.5	-1.0
GLENFINLAS 240168					55%	56%	29 %	7 %	14%	63 %	56 %	25%	29%	10%	7 %	23%	6%	29 %	16 %	17 %	16 %	15 %	11 %
CWBMCP 240171				CP 200046	90	106	106	91	92	89	106	103	106	106	109	97	89	89	96	100	102	94	98
F1					2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7	0.3	1.1	1.1	-0.7	-0.7
GLENFINLAS 240171					40%	41%	22 %	16%	18%	44 %	41 %	25%	22%	24%	16%	22%	13%	32 %	24 %	25 %	24 %	23 %	18 %
CWBMCP 240173				CP 200046	90	109	91	99	110	89	109	103	91	107	101	113	106	105	111	97	109	94	89
F2				CP 200005	2.29	6.7	-0.51	4.2	11.0	7	-10.5	-0.9	7.3	2.2	-1.4	2.1	-0.7	-2.2	2.2	-1.4	2.1	-0.7	-2.2
GLENFINLAS 240173					62%	62%	34 %	19%	22%	69 %	62 %	37%	34%	28%	19%	29%	15%	43 %	33 %	33 %	32 %	30 %	22 %
CWBMCP 240175	2			CP 190069	98	99	85	111	113	96	99	103	85	95	89	115	112	124	109	92	111	99	100
F3				CP 200078	1.67	2.5	-0.50	0.6	2.8	-10	-11.3	-1.7	15.6	2.0	-4.8	2.5	-0.2	-0.5	2.0	-4.8	2.5	-0.2	-0.5
GLENFINLAS 240175					64%	62%	37 %	19%	26%	71 %	62 %	39%	37%	28%	19%	34%	17%	45 %	30 %	32 %	30 %	27 %	18 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic	DNA	Sire ID																				
JAPANESE BLACK																								
CWBMC P 240178 F1		CWBMC P 200055 CP 200007			85	98	107	105	115	96	98	59	107	107	95	111	116	98	114	96	108	100	87	
GLENFINLAS 240178					53%	53%	26 %	9 %	12%	1.65	2.3	1.14	12.3	11.4	0	-9.4	-2.6	4.2	2.6	-1.9	2.0	-0.1	-2.6	
					61 %	53 %	24 %	26 %	16 %	9 %	18 %	7 %	30 %	22 %	22 %	21 %	18 %	13 %						
CWBMC P 240186 F3		2	CP 200046 CP 190192			115	92	79	116	90	110	92	113	79	88	84	109	100	90	100	101	110		
GLENFINLAS 240186					63%	61%	35 %	19%	24%	0.30	-0.2	-0.86	-2.4	-2.1	-17	5.4	1.4	8.9	0.8	-6.4	0.7	0.0	1.2	
					69 %	61 %	38 %	35 %	28 %	19 %	32 %	17 %	43 %	30 %	30 %	29 %	27 %	20 %						
CWBMC P 240196 PEN		CP 210102			100	101	105	104	100	107	101	65	105	107	96	92	104	94	105	96	105	97	97	
GLENFINLAS CP 240196					57%	33%	27 %	20%	18%	0.57	3.5	0.92	11.4	11.2	1	1.9	-0.7	2.5	1.4	-2.4	1.6	-0.4	-1.0	
					64 %	33 %	30 %	27 %	20 %	20 %	20 %	20 %	22 %	13 %	28 %	21 %	22 %	20 %	16 %	11 %				
CWBMC P 240202 PEN		CP 200046			90	106	106	91	92	89	106	103	106	106	109	97	89	89	96	100	102	94	98	
GLENFINLAS CP 240202					40%	41%	22 %	16%	18%	2.32	5.2	-0.49	11.7	10.9	19	-1.2	2.3	0.6	0.3	1.1	1.1	-0.7	-0.7	
					40 %	41 %	25 %	22 %	24 %	16 %	22 %	22 %	24 %	16 %	22 %	13 %	32 %	24 %	25 %	24 %	23 %	18 %		
CWBMC P 240204 F3		CP 190069 CWBFCP 200018			86	101	105	96	95	86	101	100	105	102	104	101	91	107	90	97	102	99	108	
GLENFINLAS CP 240204					40%	40%	23 %	16%	18%	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8	
					40 %	40 %	25 %	16 %	18 %	44 %	40 %	25 %	23 %	23 %	16 %	23 %	13 %	32 %	18 %	21 %	20 %	19 %	12 %	
CWBMC P 240205 F3		CP 190069 CWBFCP 200018			86	101	105	96	95	86	101	100	105	102	104	101	91	107	90	97	102	99	108	
GLENFINLAS CP 240205					40%	40%	23 %	16%	18%	2.56	3.3	-0.39	11.3	7.5	11	-3.3	1.9	8.1	-0.5	-1.4	1.1	-0.2	0.8	
					40 %	40 %	25 %	16 %	18 %	44 %	40 %	25 %	23 %	23 %	16 %	23 %	13 %	32 %	18 %	21 %	20 %	19 %	12 %	
CWBMC P 240213 PEN		CP 190090			94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109	
GLENFINLAS CP 240213					43%	42%	22 %	11%	20%	1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9	
					43 %	42 %	31 %	22 %	17 %	11 %	30 %	22 %	17 %	11 %	30 %	10 %	33 %	12 %	16 %	15 %	15 %	7 %		
CWBMC P 240222 F2		4	CP 200046 CP 190125			117	96	92	101	95	112	96	115	92	94	99	96	95	105	106	98	106	100	
GLENFINLAS CP 240222					61%	46%	30 %	20%	22%	0.04	1.5	-0.93	4.6	2.3	4	-0.5	1.2	7.5	1.5	-0.7	1.8	-0.6	-0.4	
					61 %	46 %	30 %	20 %	22 %	67 %	46 %	37 %	30 %	28 %	20 %	28 %	17 %	41 %	30 %	31 %	29 %	27 %	21 %	
CWBMC P 250066 PEN		CP 200042			94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96	
GLENFINLAS 250066					40%	30%	17 %	12%	15%	1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	
					40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12 %	20 %	10 %	28 %	22 %	23 %	22 %	21 %	16 %	
CWBMC P 250069 PEN		CP 200042			94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96	
GLENFINLAS 250069					40%	30%	17 %	12%	15%	1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	
					40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12 %	20 %	10 %	28 %	22 %	23 %	22 %	21 %	16 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBFCP 180060  BA 150369				79	107	110	90	121		81	107	96	110	110	110	127	115	104	114	106	107	105	83
F1				46 %	41 %	35 %	17 %	26 %		3.05	5.9	-0.25	14.3	13.7	20	-18.5	-2.3	6.8	2.5	5.0	1.8	0.4	-3.2
GLENFINLAS CP180060										48 %	41 %	38 %	35 %	30 %	17%	36%	15%	52 %	44 %	44 %	42 %	37 %	26 %
JAPANESE BLACK																							
CWBFCP 170009 CP 130012				96	103	109	95	82		93	103	106	109	101	105	82	83	86	94	98	92	118	117
BS				40 %	33 %	29 %	17 %	22 %		1.92	3.9	-0.62	13.7	6.9	13	7.4	3.6	-0.8	0.0	-0.5	-0.5	1.6	2.2
GLENFINLAS 17 0009										42 %	33 %	34 %	29 %	26 %	17%	30%	15%	42 %	31 %	31 %	29 %	23 %	17 %
CWBFCP 190006  CP 130304				93	98	113	93	91		92	98	101	113	100	107	91	93	100	103	108	102	108	106
F1				45 %	40 %	40 %	23 %	28 %		2.02	2.3	-0.40	15.4	6.2	16	2.3	1.8	5.1	1.2	6.5	1.2	0.7	0.4
GLENFINLAS 190006										46 %	40 %	42 %	40 %	32 %	23%	35%	20%	49 %	36 %	35 %	33 %	28 %	23 %
CWBFCP 200179 WK 170279				88	99	116	89	89		87	99	102	116	103	111	98	83	81	85	105	94	99	105
PEN				38 %	38 %	28 %	16 %	19 %		2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200179										41 %	38 %	28 %	28 %	22 %	16%	26%	12%	35 %	24 %	24 %	23 %	21 %	17 %
CWBFCP 200185 WK 170279				88	99	116	89	89		87	99	102	116	103	111	98	83	81	85	105	94	99	105
PEN				38 %	38 %	28 %	16 %	19 %		2.47	2.5	-0.45	17.1	8.8	21	-1.7	3.6	-3.1	-1.2	4.4	-0.1	-0.2	0.3
GLENFINLAS 200185										41 %	38 %	28 %	28 %	22 %	16%	26%	12%	35 %	24 %	24 %	23 %	21 %	17 %
CWBFCP 210161 WF 160608				89	99	102	97	97		89	99	99	102	100	103	97	98	82	82	89	108	74	104
PEN				36 %	36 %	24 %	15 %	18 %		2.27	2.4	-0.35	9.6	6.4	11	-1.1	0.9	-2.4	-1.5	-7.0	2.0	-2.6	0.1
GLENFINLAS 210161										38 %	36 %	26 %	24 %	22 %	15%	23%	12%	39 %	39 %	39 %	36 %	24 %	18 %
CWBFCP 220006  FGW 120001				123	95	98	100	91		125	95	115	98	97	100	97	88	96	100	94	106	97	99
F2				67 %	52 %	49 %	42 %	37 %		-1.15	1.0	-0.94	7.9	4.2	7	-1.3	2.6	3.3	0.8	-3.7	1.7	-0.3	-0.6
GLENFINLAS 220006										70 %	52 %	54 %	49 %	43 %	42%	46%	28%	53 %	46 %	47 %	43 %	34 %	25 %
CWBFCP 220007 FGW 120001				89	105	117	89	89		89	105	99	117	109	111	95	88	89	92	105	99	100	98
F1				48 %	46 %	43 %	39 %	32 %		2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 220007										49 %	46 %	44 %	43 %	38 %	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBFCP 220059 FGW 120001				89	105	117	89	89		89	105	99	117	109	111	95	88	89	92	105	99	100	98
F1				48 %	46 %	43 %	39 %	32 %		2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 220059										49 %	46 %	44 %	43 %	38 %	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %
CWBFCP 220148 CP 190090				94	100	106	97	94		93	100	101	106	100	103	97	93	92	93	96	101	103	109
F1				43 %	42 %	22 %	11 %	20 %		1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9
GLENFINLAS 220148										46 %	42 %	31 %	22 %	17 %	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %
CWBFCP 230010  FGW 120001				89	105	117	89	89		89	105	99	117	109	111	95	88	89	92	105	99	100	98
F1				48 %	46 %	43 %	39 %	32 %		2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7
GLENFINLAS 230010										49 %	46 %	44 %	43 %	38 %	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness			
Name		Genomic DNA	Sire ID																				Dam ID		
JAPANESE BLACK																									
CWBFCP 230011  AL 182012				101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87			
F1				1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5								
GLENFINLAS 230011				46 %	42 %	27 %	23 %	26 %	49 %	42 %	34 %	27 %	26 %	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %			
CWBFCP 230039  AL 182012				101	99	105	98	96	98	99	113	105	100	102	102	92	103	112	99	117	101	87			
F1				1.45	2.4	-0.87	11.2	6.1	9	-4.0	2.0	6.4	2.4	0.1	3.4	0.0	-2.5								
GLENFINLAS 230039				46 %	42 %	27 %	23 %	26 %	49 %	42 %	34 %	27 %	26 %	23%	33%	20%	37 %	33 %	34 %	32 %	33 %	27 %			
CWBFCP 230063  FB21961				108	101	99	96	114	105	101	101	99	102	104	115	113	105	100	97	104	95	100			
F2  CP 180115																									
GLENFINLAS 230063				62 %	39 %	39 %	15 %	20 %	67 %	39 %	41 %	39 %	22 %	15%	26%	13%	44 %	27 %	26 %	24 %	20 %	16 %			
CWBFCP 230261				93	98	102	104	96	102	98	61	102	104	96	86	103	84	102	98	103	106	101			
PEN				1.01	1.9	1.07	9.5	9.3	1	5.2	-0.1	-1.7	1.0	-0.4	1.2	0.5	-0.3								
GLENFINLAS 230261				32 %	26 %	31 %	7 %	15 %	32 %	26 %	32 %	31 %	16 %	7 %	21%	9%	29 %	19 %	19 %	18 %	14 %	9 %			
CWBFCP 240001				89	105	117	89	89	89	105	99	117	109	111	95	88	89	92	105	99	100	98			
F1				2.27	5.0	-0.34	18.0	12.9	22	0.3	2.8	0.4	-0.3	4.2	0.6	-0.1	-0.7								
GLENFINLAS 240001				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	45 %	40 %	41 %	37 %	29 %	20 %			
CWBFCP 240021				94	102	112	87	92	94	102	98	112	105	113	97	90	98	108	106	100	110	96			
PEN				1.85	3.5	-0.30	15.0	10.2	25	-1.0	2.3	4.4	1.7	5.3	0.8	0.8	-1.1								
GLENFINLAS 240021				42 %	42 %	26 %	20 %	18 %	45 %	42 %	28 %	26 %	36 %	20%	24%	11%	32 %	23 %	23 %	22 %	22 %	19 %			
CWBFCP 240070  CP 210019				100	94	99	114	100	107	94	65	99	100	86	92	105	91	105	94	103	100	99			
PEN				0.55	0.5	0.92	8.5	6.2	-13	1.7	-0.5	1.2	1.5	-3.2	1.2	-0.1	-0.6								
GLENFINLAS CP 240070				55 %	32 %	21 %	5 %	12 %	63 %	32 %	25 %	21 %	10 %	5 %	17%	6%	25 %	17 %	17 %	16 %	14 %	11 %			
CWBFCP 240115  CP 190090				94	100	106	97	94	93	100	101	106	100	103	97	93	92	93	96	101	103	109			
F3  CWBFCP 190041																									
GLENFINLAS 240115				43 %	42 %	22 %	11 %	20 %	1.93	2.8	-0.40	11.8	6.7	10	-1.1	1.8	1.9	-0.1	-1.8	0.9	0.2	0.9			
GLENFINLAS 240115				46 %	42 %	31 %	22 %	17 %	11%	30%	10%	33 %	12 %	16 %	15 %	15 %	7 %								
CWBFCP 240141  CP 210127				87	90	101	114	103	98	90	58	101	98	86	100	106	87	100	96	102	95	97			
PEN				1.42	-1.1	1.18	9.3	5.3	-13	-2.8	-0.6	-0.3	0.7	-1.8	1.0	-0.6	-0.9								
GLENFINLAS CP 240141				55 %	30 %	20 %	10 %	12 %	63 %	30 %	25 %	20 %	14 %	10%	16%	8%	25 %	15 %	15 %	15 %	13 %	10 %			
CWBFCP 240152  CP 190069				100	97	91	108	104	97	97	106	91	94	92	107	104	119	89	97	100	96	111			
F2  CP 200169																									
GLENFINLAS CP 240152				61 %	43 %	28 %	17 %	20 %	1.54	1.6	-0.60	3.9	2.2	-6	-6.7	-0.1	13.2	-0.5	-1.1	0.7	-0.5	1.2			
GLENFINLAS CP 240152				68 %	43 %	36 %	28 %	24 %	17%	27%	14%	39 %	24 %	26 %	25 %	24 %	16 %								
CWBFCP 240157  CP 200052				115	87	100	110	109	110	87	104	100	91	90	114	105	98	109	103	105	102	91			
F2  CP 210008																									
GLENFINLAS 240157				60 %	45 %	23 %	11 %	16 %	0.22	-2.2	-0.54	8.8	-0.1	-8	-11.2	-0.4	4.4	2.0	3.0	1.5	0.1	-1.9			
GLENFINLAS 240157				68 %	45 %	28 %	23 %	19 %	11%	23%	10%	36 %	26 %	26 %	24 %	22 %	15 %								
CWBFCP 240211  CP 190090				128	101	92	105	102	121	101	108	92	97	95	97	107	105	99	91	105	107	112			
F2  CP 200110																									
GLENFINLAS CP 240211				65 %	48 %	34 %	13 %	26 %	-0.77	3.2	-0.69	4.4	4.1	-1	-0.9	-0.7	7.2	0.7	-5.2	1.5	0.6	1.5			
GLENFINLAS CP 240211				71 %	48 %	42 %	34 %	23 %	13%	38%	14%	43 %	23 %	25 %	23 %	20 %	11 %								

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFCP 240212				110	90	106	108	111	124	90	57	106	99	92	100	117	92	104	97	103	97	95
PEN CP 200036				-1.11	-1.2	1.21	11.7	5.4	-5	-3.0	-2.6	1.6	1.3	-1.4	1.2	-0.3	-1.2					
GLENFINLAS CP 240212				57 %	26 %	26 %	21 %	22 %	64 %	26 %	32 %	26 %	21 %	21%	28%	16%	30 %	22 %	23 %	21 %	15 %	10 %
CWBFCP 250065				94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
PEN CWBFCP 220132				1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS 250065				40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %
CWBFCP 250074				94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
PEN CP 200042				1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS 250074				40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %
CWBFCP 250088				94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
PEN CP 200042				1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS CP250088				40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %
CWBFCP 250115				94	101	108	94	94	92	101	104	108	104	106	96	92	97	100	114	100	105	96
PEN CP 200042				1.97	3.3	-0.52	12.8	9.0	14	-0.8	1.9	3.8	0.8	11.0	0.8	0.4	-1.0	0.8	11.0	0.8	0.4	-1.0
GLENFINLAS CP250115				40 %	30 %	17 %	12 %	15 %	45 %	30 %	22 %	17 %	21 %	12%	20%	10%	28 %	22 %	23 %	22 %	21 %	16 %