



DOHNE MERINO GENETIC REPORT



20 September 2026

MR P.L. BLAINE

FDM : L



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{dier} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 697


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Swak / Weak	1

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.


* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows

Sires of lambs born in the last 36 months

Number : 7




Dams of lambs born in the last 36 months

Number : 180



Lambs born in the last 36 months

Number : 221



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	-0.71	-0.64	-0.75	0.54	0.66	0.47
Weaning Weight Mat	0.01	-0.01	0.01	0.01	0.00	0.01
Body Weight	-0.95	-0.85	-1.00	0.56	0.96	0.41
Clean Fleece Weight	-0.05	-0.03	-0.06	0.03	0.06	0.02
Fibre Diameter	0.12	0.05	0.16	-0.14	-0.22	-0.12
Staple Length	-0.71	-0.63	-0.75	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-5.43	-4.68	-5.84	1.48	2.04	1.17
Interlambing Period	-1.57	-1.37	-1.69	0.36	0.44	0.31
Lambs Weaned	0.17	0.08	0.21	0.46	0.56	0.39
Total Weight Weaned	0.11	0.09	0.11	0.27	0.32	0.24
Selection Indices						
General Merit Index	-2.58	-1.52	-3.07	2.81	4.45	2.23
SIP	100.6	101.1	100.5	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	1.96	1.97	1.96	3.00	3.13	2.92
Number of Animals						
Number of Animals	720	221	499	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	88.2	88.9	87.9
Weaning Weight Mat	100.0	99.7	100.1
Body Weight	90.3	91.0	90.0
Clean Fleece Weight	94.9	96.1	94.4
Fibre Diameter	104.1	103.0	104.7
Staple Length	96.8	97.0	96.7
Breeding Value Indices for Fertility			
Age First Lambing	107.8	106.9	108.2
Interlambing Period	106.4	105.8	106.8
Lambs Weaned	98.9	98.6	99.1
Total Weight Weaned	98.0	97.8	98.1
Selectopn Indices			
General Merit Index	91.1	92.8	90.3
SIP	100.6	101.1	100.5
Inbreeding			
Inbreeding (%)	1.96	1.97	1.96
Number of Animals			
Number of Animals	720	221	499

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	93	-1.96	0.06	75	-3.22	75	-0.30	75	0.41	75	-3.87	11	-14.16	10	-3.24	23	0.87	10	-0.23	75	-13.26
2015	100	-2.56	0.00	81	-3.96	82	-0.21	82	0.72	82	0.15	7	-10.21	6	-4.41	20	1.06	6	-0.47	82	-13.38
2016	77	-1.80	-0.10	67	-2.80	69	-0.18	69	0.57	69	-1.26	29	-14.37	16	-3.64	33	0.85	18	-0.09	69	-9.81
2017	109	-1.97	-0.02	83	-3.34	83	-0.12	83	0.57	83	0.10	15	-10.16	12	-1.41	34	0.19	14	-0.14	83	-9.73
2018	104	-1.82	0.11	83	-2.80	82	-0.14	83	0.40	83	0.78	14	-9.36	9	-0.21	22	0.80	11	-0.27	83	-9.01
2019	63	-1.91	0.07	48	-2.48	49	-0.07	49	0.42	49	0.06	4	-13.93	4	-2.02	13	0.17	4	-0.25	49	-6.98
2020	139	-0.80	-0.14	123	-1.26	123	-0.05	123	0.17	122	-1.12	38	-0.91	28	0.75	77	0.04	38	0.09	123	-3.01
2021	86	-1.32	-0.02	76	-1.90	76	-0.09	76	0.36	76	-1.36	20	-10.93	17	-2.31	35	0.52	20	-0.29	76	-6.19
2022	162	-0.94	0.01	115	-1.17	115	-0.04	115	0.36	115	0.03	38	-8.09	27	-2.71	66	0.10	38	0.08	115	-3.64
2023	130	-0.84	-0.06	98	-1.14	98	-0.01	98	0.15	98	0.20	25	-5.52			29	0.60	25	0.16	98	-2.35
2024	141	-0.53	0.01	81	-0.55	81	-0.05	81	-0.06	81	-2.03									81	-0.89
2025	101	-0.52	0.01																		

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	589	82
Known Dams	589	82

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.04	0.07
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank											
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM													
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index									EBV Acc	Index		EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27														
B 20 0201 90137613	1.28	B 18 0018 B 16 0284	117	2	65	2	111	-3.34	90	-0.26 95	-0.09 63	-1.75 93	0.25 91	0.74 95	2.73 93	-2.18 45	-0.55 45	123	6	9											
L 19 0004 86095858	1.06	L 17 0018 L 13 0080	38	1	29	1	104	-9.90	79	-1.51 88	0.28 55	-1.95 87	0.21 85	1.98 91	9.23 88	-1.62 42	-0.86 42	119	5	10											
L 20 0028 90359910	1.78	SD 17 0991 L 16 0311	70	1	40	1	112	-1.40	93	-0.59 92	-0.04 60	-0.37 89	-0.12 88	-0.16 93	-1.66 90	-2.12 41	0.11 41	89	4	6											
L 20 0037 90360462	1.75	SD 15 0015 L 17 0325	86	1	48	1	114	11.12	114	0.30 94	-0.11 67	1.13 90	0.17 89	-0.49 94	7.24 91	4.02 56	1.33 56	102	5	2											
L 21 0024 92975002	1.43	L 18 0016 L 13 0317	62	1	31	1	106	-2.39	91	-0.36 91	0.09 51	-0.34 87	-0.17 85	-0.38 91	-8.65 88	0.89 29	-0.20 28	150	7	9											
L 22 0002 95106951	5.59	L 19 0033 L 20 0129	41	1	17	1	114	2.97	100	0.04 89	0.19 49	0.52 83	0.01 81	-0.26 88	-5.61 84	-2.64 34	0.24 33	121	4	1											
L 22 0005 95107017	1.45	L 20 0028 L 16 0115	10	1			102	-2.85	91	-1.16 78	-0.24 46	-0.50 68	-0.10 66	0.18 76	9.57 70	-1.33 31	0.00 31	157	7	23											
L 22 0054 95107991	1.87	L 18 0016 L 18 0309	53	1	21	1	114	5.08	104	0.28 90	-0.15 49	0.48 84	0.03 82	-1.18 89	-2.52 85	0.36 26	-0.17 26	117	5	2											
RA 19 0914 85526457	1.27	RA 17 0736 RA 15 0858	348	5	281	5	119	10.99	113	1.84 98	0.27 86	2.30 98	0.13 98	-0.80 99	4.75 98	-0.01 67	0.59 67	121	6	1											
Rams with Progeny Average :							111	1.1	97	-0.16	0.02	-0.05	0.05	-0.04	1.67	-0.51	0.06														

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambbed
					EBV	Index		EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
L 23 0073 97947253	2.21	L 19 0004	L 21 0322	18	89	-12.62	75	-1.77 62	0.31 35	-2.14 83	-0.06 59	1.99 72	0.18 64	-0.59 21	-0.33 21	98	3
L 23 0075 97947295	1.67	B 20 0201	L 20 0131	1	112	3.25	101	0.59 69	-0.25 45	0.34 99	0.23 67	0.00 76	2.48 71	-2.48 33	-0.32 32	105	4
L 23 0077 97947337	1.87	B 20 0201	L 18 0302	9	102	-3.50	90	-0.13 65	-0.15 41	-1.41 87	0.09 63	0.59 74	-3.19 68	-0.86 22	-0.17 22	108	6
L 23 0078 97947352	2.00	L 21 0024	L 20 0318	12	100	-3.56	90	-0.93 63	-0.07 36	-1.84 85	-0.15 60	-0.44 72	-4.70 65	0.67 14	0.01 14	97	3
L 23 0079 97947378	1.51	B 20 0201	L 20 0134	13	98	-5.40	86	-0.17 69	-0.09 46	-1.39 88	-0.06 67	0.59 76	-1.92 71	-0.70 33	-0.06 33	117	4
L 23 0081 97947410	2.21	L 21 0024	L 21 0317	5	103	-2.99	90	-0.45 63	0.57 36	-0.59 93	-0.25 60	-0.50 72	-8.04 65	0.67 14	0.01 14	125	3
L 23 0082 97947436	2.00	L 19 0004	L 20 0332	10	101	-4.20	88	-0.76 63	0.14 38	-1.66 86	0.27 60	1.33 73	3.42 66	-0.65 22	-0.32 22	101	4
L 23 0086 97947519	1.78	B 20 0201	L 16 0305	14	98	-6.49	85	-0.29 67	0.41 43	-1.05 90	-0.10 64	0.70 75	-2.20 69	-0.89 24	-0.25 23	121	7
L 24 0002 106723182	1.78	L 20 0028	L 16 0319	1	112	6.83	107	0.68 67	0.32 43	1.62 107	-0.02 63	-1.06 75	-7.52 68	-0.83 21	0.16 20	126	7
L 24 0006 106723216	1.53	L 21 0024	L 20 0129	19	102	0.25	96	-0.73 69	-0.10 42	-0.36 98	0.11 66	0.24 76	-7.33 70	-1.16 28	-0.03 27	121	4
L 24 0007 106723224	1.77	L 21 0024	L 19 0115	48	91	-6.81	84	-2.05 68	-0.13 41	-2.54 80	-0.11 64	0.37 76	-8.24 69	-0.06 25	0.06 25	126	5
L 24 0008 106723232	1.89	L 22 0002	L 19 0311	42	94	-6.09	85	-1.15 65	0.14 38	-1.55 87	-0.31 61	-0.11 74	-2.38 66	-1.10 17	0.22 17	117	5
L 24 0013 106723281	2.00	L 22 0054	L 20 0332	24	100	-1.50	93	-0.81 63	0.06 35	-1.25 88	0.15 60	0.59 73	-5.95 66	0.34 14	0.03 14	101	4
L 24 0015 106723307	2.21	L 22 0002	L 21 0312	10	104	1.17	97	-0.71 62	-0.10 33	-0.47 93	-0.05 59	-0.49 72	-4.20 65	-1.10 17	0.22 17	101	3
L 24 0017 106723323	1.39	L 22 0002	L 20 0095	25	100	-1.36	93	-1.04 67	-0.29 41	-2.27 82	0.20 64	0.35 72	1.10 66	-0.15 29	0.10 28	114	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
L 24 0018 106723331	2.00	L 22 0054	L 20 0314	11	104	0.79	97	-0.70 63 88	-0.27 35 94	-1.94 63 84	0.06 60 102	-0.76 73 91	-0.97 66 96	0.39 14 100	0.04 14 97	97	3
L 24 0021 106723356	2.00	L 22 0054	L 20 0322	3	110	5.02	104	0.48 62 99	0.02 33 100	0.72 62 101	-0.12 59 91	-1.52 72 79	-2.59 65 92	0.41 13 100	0.02 13 97	93	4
L 24 0023 106723372	4.43	L 21 0024	L 20 0130	26	100	-0.63	94	-0.23 68 93	0.01 40 100	0.26 68 98	-0.15 65 89	-0.55 76 94	-9.24 70 75	-0.68 28 96	-0.23 28 94	95	4
L 24 0024 106723380	2.21	B 20 0201	L 21 0313	47	92	-6.81	84	-0.69 63 88	-0.03 38 99	-2.28 63 82	-0.12 61 90	0.19 72 105	-6.25 65 82	-0.86 22 95	-0.17 22 95	102	3
L 24 0030 106723430	3.10	L 21 0024	L 22 0157	37	97	-2.77	91	0.32 67 98	-0.05 37 99	-0.43 67 94	-0.07 65 93	0.29 76 107	-4.90 70 86	-0.44 23 97	-0.01 23 97	98	1
L 24 0032 106723455	1.54	L 21 0024	L 22 0105	44	94	-5.27	87	-0.69 68 88	0.13 38 103	0.67 67 101	-0.20 65 86	0.82 76 115	-4.15 70 88	0.57 24 100	-0.12 24 95	112	2
L 24 0033 106723463	1.50	B 20 0201	L 22 0144	21	101	-0.86	94	-0.51 67 90	-0.26 41 94	-0.74 68 92	0.36 66 120	1.58 76 127	12.80 70 132	0.07 28 99	0.03 28 97	96	1
L 24 0035 106723489	1.57	L 20 0037	L 22 0127	5	108	4.26	102	-0.73 67 88	-0.36 42 92	-1.39 68 88	0.36 66 120	0.33 76 107	2.15 70 104	2.08 34 106	0.55 33 103	98	2
L 24 0036 106723497	1.87	L 22 0002	L 18 0301	31	99	-2.07	92	-0.70 64 88	0.48 37 110	0.36 63 99	-0.13 60 90	0.39 73 108	-4.79 65 86	-1.07 17 94	0.20 17 99	164	6
L 24 0037 106723505	2.00	L 22 0054	L 20 0329	23	101	-1.31	93	-0.34 64 92	0.02 36 100	-0.22 62 95	-0.12 59 90	-0.22 72 99	-3.90 65 89	0.41 13 100	0.02 13 97	109	4
L 24 0038 106723513	2.00	L 22 0054	L 20 0312	15	102	-0.25	95	-0.72 62 88	-0.46 33 90	-1.49 62 87	0.15 59 107	0.09 72 104	5.27 65 113	0.41 13 100	0.02 13 97	89	4
L 24 0043 106723562	2.00	L 22 0054	L 20 0321	28	100	-1.74	93	-0.16 64 93	0.10 36 102	-0.14 63 96	-0.28 60 80	-0.77 73 90	-6.63 66 81	0.41 13 100	0.02 13 97	111	4
L 24 0047 106723604	1.64	L 21 0024	L 20 0174	20	101	0.34	96	0.17 69 97	0.06 42 101	-0.08 68 96	-0.09 65 93	-0.18 76 99	-4.54 70 87	2.42 27 107	0.30 27 100	139	4
L 24 0048 106723612	1.76	L 20 0037	L 21 0130	17	102	-0.33	95	-0.47 67 91	0.08 41 102	-0.39 67 94	-0.21 65 85	-0.43 76 96	1.01 70 101	2.10 32 106	0.55 32 103	93	3
L 24 0049 106723620	2.00	L 20 0028	L 20 0306	4	109	4.72	103	-0.16 65 93	0.51 41 111	1.28 64 105	-0.05 61 95	-0.74 74 91	-0.97 67 96	-0.83 21 95	0.16 20 99	126	4
L 24 0051 106723646	2.08	L 20 0028	L 22 0316	40	95	-5.20	87	-0.87 61 87	0.19 35 104	-0.57 63 93	-0.30 60 80	0.08 72 103	-2.16 65 93	-0.83 21 95	0.16 20 99	100	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM	Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambled	
							EBV	Index	Acc	Index	A	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
L 24 0054 106723679	1.87	L 22 0002	L 18 0310	50	89	-9.37	80	-1.61 65	-0.02 39	-2.32 100	-0.28 61	0.63 74	-4.88 112	-1.11 17	0.27 100	122	6
L 24 0055 106723687	2.00	L 22 0054	L 20 0334	2	111	6.12	105	0.21 62	-0.02 33	0.99 103	0.12 58	-0.67 72	-0.58 64	0.41 13	0.02 97	92	4
L 24 0058 106723711	2.08	L 22 0054	L 22 0323	35	98	-2.90	91	-1.57 61	-0.33 30	-1.94 84	0.03 58	0.11 72	-0.71 104	0.41 13	0.02 97	97	2
L 24 0062 106723752	1.56	L 21 0024	L 15 0309	46	92	-7.59	83	-1.75 67	0.15 41	-2.73 103	-0.10 63	0.37 75	-5.42 108	1.13 16	-0.11 95	147	8
L 24 0064 106723778	2.00	L 22 0054	L 20 0315	8	106	2.24	99	-1.06 64	-0.29 36	-1.25 88	0.04 59	-0.97 72	-3.42 87	0.41 13	0.02 97	108	4
L 24 0065 106723786	2.00	L 22 0054	L 20 0333	13	103	0.91	97	-0.79 64	0.09 36	-0.65 102	-0.15 60	-1.16 73	-6.62 66	0.41 13	0.02 97	110	4
L 24 0068 106723810	1.56	L 20 0037	L 21 0142	27	100	-0.60	94	-1.17 68	-0.32 44	-1.65 93	0.13 66	0.44 76	3.80 109	2.28 35	0.39 102	104	3
L 24 0070 106723836	1.87	L 22 0002	L 18 0309	9	105	1.93	99	-0.24 66	0.35 39	0.33 107	-0.07 61	-0.45 74	0.85 101	-1.17 18	0.21 99	117	5
L 24 0073 106723869	2.00	L 22 0054	L 20 0313	33	99	-2.52	91	-0.88 63	-0.15 35	-2.34 81	-0.12 60	-0.85 73	0.43 66	0.42 14	0.00 97	99	4
L 24 0074 106723877	2.21	B 20 0201	L 21 0316	41	95	-4.46	88	-0.43 62	0.02 36	-2.46 100	0.03 61	0.11 72	-0.10 65	-0.86 22	-0.17 95	89	3
L 24 0077 106723893	1.65	L 21 0024	L 22 0137	22	101	-0.61	94	0.05 66	0.01 36	-0.62 100	-0.09 64	-0.41 76	-2.80 69	0.00 20	0.05 97	98	1
L 24 0079 106723919	1.87	L 22 0002	L 18 0315	36	98	-3.14	90	-0.79 66	-0.08 40	-0.35 98	-0.01 61	0.95 74	-4.01 117	-1.19 18	0.25 100	126	6
L 24 0081 106723935	1.39	L 22 0002	L 20 0090	30	100	-1.58	93	-0.82 68	0.34 41	-1.99 107	-0.01 64	-0.37 76	-4.27 69	-1.95 29	0.09 98	137	4
L 24 0091 106724024	1.66	L 21 0024	L 22 0122	45	94	-5.51	86	-1.30 67	0.10 38	-1.85 102	-0.27 64	-0.45 76	-7.77 69	-0.11 21	0.00 97	109	2
L 24 0092 106724032	2.00	L 22 0054	L 20 0310	16	102	-0.56	94	-0.85 63	-0.17 35	-0.82 96	-0.15 60	-0.79 73	-1.31 66	0.41 13	0.02 97	97	4
L 24 0093 106724040	1.59	B 20 0201	RA 21 0149	34	98	-1.87	92	0.36 69	-0.45 44	-0.37 90	0.17 67	1.12 77	2.89 71	0.96 32	-0.01 97	104	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		EBV Acc	Index Acc	EBV A	EBV Acc	Index Acc	EBV Acc	EBV Acc	Index Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
L 24 0094 106724057	1.46	L 21 0024	L 20 0153	32	99	-1.22	93	-0.53 68 90	-0.31 41 93	-0.86 66 91	-0.11 65 91	-0.64 75 92	-7.45 69 79	0.66 28 101	-0.15 27 95	102 3
L 24 0095 106724065	1.41	L 20 0037	L 17 0116	6	106	3.33	101	-0.54 69 90	0.08 48 102	-1.53 67 87	0.07 67 102	-0.06 74 101	9.46 69 124	4.66 36 116	1.23 36 112	148 6
L 24 0098 106724081	2.08	L 22 0054	L 22 0329	18	102	-0.62	94	-0.55 62 90	-0.08 33 98	-0.14 61 96	-0.18 58 87	-0.60 72 93	-0.47 64 98	0.41 13 100	0.02 13 97	117 2
L 24 0101 106724115	2.21	L 20 0028	L 21 0302	12	104	0.55	96	-0.53 63 90	-0.01 37 100	-0.42 63 94	-0.21 61 85	-1.06 73 86	0.82 66 101	-0.83 21 95	0.16 20 99	99 3
L 24 0102 106724123	2.08	L 22 0054	L 22 0322	7	106	2.11	99	0.42 61 99	0.21 30 104	1.95 61 109	-0.05 58 95	0.14 72 104	0.71 64 101	0.41 13 100	0.02 13 97	104 2
L 24 0103 106724131	2.21	B 20 0201	L 21 0317	49	90	-8.22	82	-0.33 64 92	0.57 40 112	-0.89 64 91	0.01 61 99	1.81 73 130	0.84 66 101	-0.86 22 95	-0.17 22 95	125 3
L 24 0104 106724149	2.08	B 20 0201	L 22 0331	39	95	-4.55	88	-0.25 63 93	-0.01 38 100	-1.48 63 87	0.00 61 98	0.46 72 109	-1.37 65 95	-0.86 22 95	-0.17 22 95	116 2
L 24 0107 106724172	3.10	L 21 0024	L 22 0164	14	102	0.77	97	0.12 67 96	0.03 39 101	-0.33 67 94	-0.05 65 95	-0.51 76 94	-6.92 70 81	-0.85 25 95	0.04 24 97	114 2
L 24 0108 106724180	1.76	L 21 0024	L 21 0141	38	97	-2.88	91	-0.26 67 93	0.08 38 102	-0.19 67 95	-0.10 64 92	0.29 76 107	-1.27 69 95	-0.42 23 97	-0.05 23 96	107 3
L 24 0109 106724198	1.75	L 20 0028	L 17 0304	43	94	-6.33	85	-1.09 66 85	-0.01 42 100	-2.00 66 84	-0.22 63 84	0.03 75 103	1.19 68 102	-0.79 21 95	0.11 21 98	120 6
L 24 0111 106724214	1.59	L 21 0024	L 22 0152	29	100	-1.05	94	0.57 67 100	0.49 38 110	1.03 67 103	-0.13 65 90	0.36 76 108	-7.56 70 79	-0.56 24 96	0.13 24 98	120 2
Young rams (with known parents) average :					100	-1.77	92	-0.54	0.02	-0.82	-0.05	0.01	-2.14	-0.05	0.05	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned	1st	2nd	SIP	GM		Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :							100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
L 16 0115 78625779	1.47	L 12 0020 L 14 0301	86 2	7 1			92	-11.58	76	-2.20 74	-0.33 74	-2.42 81	-0.24 69	0.98 80	7.04 117	-0.55 47	-0.12 46	157	7	42
L 16 0116 78625555	1.43	L 14 0015 L 13 0326	101 6	7 2			102	-10.63	78	-2.06 74	-0.67 65	-3.74 70	-0.15 69	0.60 79	-3.30 111	5.42 49	-0.05 48	158	7	19
L 16 0122 78625266	1.57	L 13 0806 L 12 0100	98 3	5 3			98	-9.03	81	-2.37 75	-1.00 68	-5.32 76	0.17 73	0.54 82	9.42 111	2.71 52	-0.32 51	126	7	27
L 16 0138 78625589	1.43	L 14 0015 L 13 0331	108 5	6 3			95	-9.17	80	-0.81 74	0.61 69	-1.70 72	-0.26 70	1.54 80	-5.42 126	6.26 50	0.85 49	155	7	37
L 16 0151 78625449	1.43	L 14 0016 L 13 0309	89 3	5 2			97	-7.89	82	-1.18 72	-0.01 65	-1.15 72	-0.46 70	-0.06 80	-8.34 101	1.85 48	0.23 48	131	7	32
L 17 0101 80512718	0.79	L 15 0054 L 13 0093	128 6	6 1			94	-13.39	73	-2.77 76	0.34 68	-3.63 75	-0.24 73	0.55 82	0.24 111	-2.70 51	-0.50 50	135	6	32
L 17 0116 80513096	0.99	L 13 0806 L 14 0095	99 3	8			95	-6.03	85	-1.35 77	0.52 67	-3.30 76	-0.16 75	0.61 83	7.16 112	5.31 46	1.12 46	148	6	30
L 17 0120 80512593	0.57	EN 14 0312 L 12 0097	112 5	6 3			106	-6.07	85	-1.34 76	0.31 69	-2.18 76	0.01 74	0.23 83	2.25 106	-1.01 54	-0.55 53	134	6	9
L 17 0131 80512312	0.34	EN 14 0312 L 10 0005	142 6	6			102	-11.56	76	-3.06 75	-0.20 68	-4.49 73	-0.05 71	0.45 80	3.18 109	-2.94 49	-0.54 49	126	6	16
L 17 0137 80512684	1.50	L 15 0054 L 13 0065	87 2	4 2			94	-16.29	69	-2.36 73	0.26 64	-4.20 72	-0.38 70	0.28 80	-0.91 107	-1.88 49	-0.72 48	107	6	34
L 18 0118 82497314	1.47	L 14 0039 L 14 0308	104 5	4			103	-11.48	76	-2.26 70	-0.34 61	-4.33 71	-0.15 68	0.21 79	3.01 105	0.25 40	-0.38 39	113	5	16
L 18 0136 82497231	3.06	EN 14 0312 L 14 0071	109 5	4			117	3.11	101	-0.79 74	0.20 66	-1.59 71	0.28 69	-0.03 78	5.71 102	-0.05 49	0.30 49	118	5	2
L 18 0157 82497488	0.77	L 15 0054 L 16 0122	126 7	5 1			94	-6.97	84	-1.63 75	-0.60 67	-2.76 74	-0.05 71	0.62 81	8.05 112	6.69 49	0.13 49	125	5	35
L 19 0112 86096286	1.56	HF 15 0040 L 15 0303	115 6	2			101	-10.30	78	-3.07 67	-0.69 54	-4.64 68	-0.04 65	-0.03 77	1.17 102	0.30 38	-0.66 37	77	4	10
L 19 0115 86097102	1.75	L 16 0013 L 17 0314	85 3	5			101	-6.27	85	-2.09 71	-0.20 62	-2.70 67	-0.20 65	0.01 76	-2.03 102	-1.01 42	0.32 41	126	5	14
L 19 0124 86095890	1.43	EN 14 0312 L 13 0307	93 4	4 2			105	-1.64	93	-1.52 72	-0.02 65	-2.04 72	0.08 70	-0.19 80	8.43 99	0.97 49	-0.09 48	123	5	5

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
L 20 0090 90359142	2.38	L 17 0047 L 13 0093	128 6	5 1	93	-8.49	81		-1.58 73	0.72 80	-3.34 72	-0.10 70	0.40 80	-5.61 75	-1.25 46	-0.05 45	137	4	53
L 20 0092 90359282	0.95	L 17 0047 L 14 0078	111 5	1	101	-9.51	80		-1.34 68	-0.14 53	-3.77 68	-0.03 66	0.10 77	0.78 71	-1.50 40	-0.75 40	86	2	35
L 20 0095 90359712	1.78	L 17 0047 L 16 0122	126 7	4 1	104	-3.91	89		-1.69 72	-0.73 64	-4.95 70	0.28 68	0.05 78	6.55 72	2.34 46	-0.04 46	114	4	23
L 20 0098 90360165	2.40	L 17 0047 L 17 0137	107 6	3 2	93	-10.53	78		-2.04 71	0.30 61	-3.41 70	-0.15 67	0.31 78	0.64 72	-1.34 46	-0.46 46	104	4	54
L 20 0101 90360298	1.75	L 16 0013 L 17 0307	100 4	3 1	96	-2.20	92		-0.65 69	0.14 59	-0.51 68	-0.13 66	0.08 77	-6.18 71	-0.56 41	0.23 41	105	4	47
L 20 0118 90360132	0.83	SD 17 0991 L 17 0120	134 6	1	111	-1.25	93		-0.45 72	-0.41 57	-1.03 72	0.08 70	-0.35 79	-2.70 74	-2.39 49	-0.62 48	85	4	8
L 20 0122 90359225	0.95	SD 17 0991 L 14 0066	109 5	2	105	-0.55	94		-0.10 72	-0.23 60	-0.09 71	-0.05 69	-0.13 78	-8.03 73	-0.97 46	-0.06 45	95	3	21
L 20 0126 90359829	1.78	SD 17 0991 L 16 0301	115 8	3 1	101	-3.58	89		-1.09 71	-1.09 62	-1.24 68	0.08 66	0.60 76	-2.12 71	-1.87 42	-0.21 42	98	3	31
L 20 0129 90359688	0.78	SD 17 0991 L 16 0117	98 3	4	108	2.78	100		-0.42 76	-0.10 64	-0.45 75	0.18 73	-0.04 81	-0.92 77	-3.21 47	0.13 47	121	4	16
L 20 0130 90360082	1.13	SD 17 0991 L 17 0104	83 2	2 1	111	3.42	101		0.67 71	-0.34 60	1.51 72	0.10 70	-0.04 79	0.05 74	-2.24 48	-0.26 47	95	4	9
L 20 0131 90360090	1.17	SD 17 0991 L 17 0108	82 2	3 1	118	6.06	105		0.15 72	-0.65 63	-0.60 72	0.30 70	-0.69 79	-0.82 74	-2.79 48	-0.10 47	105	4	1
L 20 0134 90359779	1.18	SD 17 0991 L 16 0138	155 7	4	95	-5.96	86		-0.23 74	-0.34 65	-0.87 72	-0.15 71	1.09 79	-4.01 74	0.77 48	0.42 47	117	4	51
L 20 0135 90359761	1.18	SD 17 0991 L 16 0138	155 7	3 1	98	-0.77	94		0.40 73	-0.03 64	0.45 70	0.00 69	0.86 77	-1.21 73	0.75 48	0.40 48	110	4	41
L 20 0145 90360355	1.75	L 16 0013 L 17 0312	85 2	4 1	100	0.32	96		-0.53 69	0.71 60	-0.38 69	-0.13 67	-0.15 78	-4.65 72	-0.59 41	0.63 41	123	4	37
L 20 0147 90359399	0.98	SD 15 0015 L 15 0105	108 7	2	107	3.06	100		0.91 73	-0.02 66	1.07 71	0.07 69	0.44 78	-3.02 73	1.91 59	0.47 59	99	4	19
L 20 0149 90359316	1.47	L 16 0013 L 14 0306	117 6	3 1	90	-4.31	88		-1.57 70	0.29 61	-2.50 71	-0.03 68	0.35 79	1.88 73	-0.03 39	0.40 39	103	3	60

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
L 20 0153 90359662	1.18	SD 17 0991 L 16 0116	158 7	3 1	101	-3.00	90		-1.11 72	-0.70 85	-2.04 83	-0.01 70	-0.22 69	-3.15 99	0.42 47	-0.10 96	102	3	34
L 20 0156 90360108	0.92	SD 17 0991 L 17 0113	92 2	2	114	1.16	97		0.37 71	-0.09 59	-0.10 98	0.06 68	-0.30 77	-2.21 98	-3.12 43	-0.24 94	91	2	4
L 20 0157 90360074	0.93	SD 17 0991 L 17 0101	135 6	2 1	108	-2.03	92		-0.43 73	-0.41 62	-0.41 91	-0.07 71	-0.33 80	4.35 97	-3.29 49	-0.46 91	95	4	17
L 20 0158 90360637	1.87	L 18 0005 L 18 0312	81 2	2	90	-9.03	81		-2.20 62	0.84 48	-3.42 118	-0.33 61	-0.59 75	-2.90 91	0.22 35	-0.15 95	96	4	58
L 20 0162 90359936	1.78	SD 17 0991 L 16 0312	130 7	3	103	-0.52	95		0.32 72	0.09 63	0.86 102	-0.05 70	0.43 79	5.52 109	-2.07 43	0.08 98	107	4	26
L 20 0167 90360173	1.17	SD 17 0991 L 17 0140	83 2	2 1	108	-1.57	93		0.09 71	-0.70 59	-0.65 85	-0.03 69	-0.14 78	-5.12 100	-1.41 43	-0.18 95	90	2	15
L 20 0172 90360264	1.75	L 16 0007 L 17 0303	89 2	4	96	-0.27	95		0.79 68	0.04 58	1.65 101	-0.10 61	0.65 74	-6.70 81	-2.07 37	0.19 99	122	4	46
L 20 0173 90359811	1.72	L 17 0047 L 16 0151	131 7	2 1	97	-3.99	89		-0.65 69	0.10 57	-1.83 102	-0.08 66	-0.01 77	-1.64 94	0.51 43	0.03 97	94	3	43
L 20 0174 90360538	3.01	L 16 0013 L 18 0157	125 5	5 1	90	-4.03	89		-1.15 75	0.33 65	-1.73 107	-0.11 71	0.66 80	1.92 104	3.95 47	0.79 106	139	4	59
L 21 0101 92975622	1.71	L 17 0018 L 19 0124	123 5	1	98	-8.26	82		-1.48 70	0.16 52	-1.64 103	-0.11 68	0.64 78	1.76 103	0.71 40	-0.47 91	91	2	24
L 21 0102 92997956	1.89	L 18 0016 L 19 0307	88 1	1	102	-4.40	88		-0.66 63	-0.32 46	-1.07 93	0.06 61	0.73 72	0.25 99	2.89 37	-0.33 93	93	3	16
L 21 0108 92997709	1.78	L 16 0805 L 16 0305	121 7	1	97	-9.29	80		-1.70 65	0.06 44	-2.15 101	-0.04 61	1.25 74	1.50 103	0.24 31	-0.25 94	92	3	26
L 21 0110 92975242	1.08	L 18 0016 L 16 0122	126 7	1	104	-5.55	86		-2.15 71	-0.55 54	-3.66 88	-0.06 69	-0.81 78	2.55 105	1.49 42	-0.48 91	91	2	11
L 21 0115 92975069	1.47	L 18 0016 L 14 0833	98 5	1	111	-1.18	93		-0.87 67	-0.29 50	-1.60 94	0.10 62	-0.20 74	6.37 99	0.80 34	-0.27 94	92	2	1
L 21 0116 92975226	1.67	L 17 0018 L 16 0116	158 7	2 1	93	-9.26	80		-1.23 71	0.02 57	-2.00 100	-0.04 67	1.28 78	-0.98 96	2.60 43	-0.27 94	109	3	30
L 21 0120 92975119	1.18	L 18 0016 L 15 0146	106 6	2	100	-3.40	90		-1.65 72	-0.79 57	-2.86 83	0.16 68	0.15 78	3.85 109	1.18 41	-0.25 94	111	3	19

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW		EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index			Acc	Index			
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
L 21 0122 92975150	1.56	L 18 0016 L 15 0305	115	7	1	107	-0.65	94	-1.63 68	-0.73 80	-2.00 67	0.12 64	-0.43 75	1.10 69	102	0.81 34	-0.28 34	92	2	3	
L 21 0130 92997774	1.78	L 16 0805 L 16 0316	120	6	1	105	-5.48	86	-0.62 66	-0.14 45	-0.75 97	-0.31 62	-0.37 75	-3.88 68	89	0.18 32	-0.24 31	93	3	9	
L 21 0133 92975028	1.47	L 18 0016 L 14 0302	155	7	1	108	-3.24	90	-0.58 68	0.07 52	-1.38 101	-0.13 66	-0.64 77	-2.99 71	91	1.16 38	-0.36 37	97	3	2	
L 21 0136 92975267	1.67	L 17 0018 L 16 0138	155	7	1	97	-6.54	85	-0.59 70	0.71 53	-1.11 115	-0.12 66	0.77 76	-4.04 71	88	3.14 42	-0.04 42	100	3	27	
L 21 0139 92997881	1.87	L 16 0805 L 18 0309	117	5	2	107	-2.09	92	-0.71 67	-0.21 50	-1.33 96	-0.11 61	-0.51 73	-1.02 66	96	0.12 31	-0.04 31	106	3	5	
L 21 0141 92975382	1.75	L 19 0033 L 17 0302	107	6	2	99	-3.93	89	-0.26 67	0.03 55	-0.58 101	-0.04 64	0.79 76	3.11 70	107	-1.73 37	0.10 36	107	3	20	
L 21 0142 92975275	1.67	L 17 0018 L 16 0141	113	6	2	93	-9.46	80	-1.58 71	-0.47 56	-2.65 90	0.07 69	1.24 79	2.39 74	105	0.54 41	-0.54 41	104	3	31	
L 21 0143 92975408	1.75	L 19 0033 L 17 0307	100	4	2	100	-1.86	92	-0.42 68	0.00 55	-0.32 100	-0.09 63	0.14 75	-4.33 69	87	-1.84 37	0.11 37	107	3	17	
L 22 0105 95105292	1.44	L 20 0028 L 15 0143	97	6	2	95	-6.44	85	-0.84 72	-0.31 56	-0.71 93	-0.10 67	1.01 78	0.25 72	99	0.24 39	-0.05 38	112	2	52	
L 22 0106 95105318	2.36	L 19 0033 L 20 0135	110	4	1	102	-0.06	95	0.59 69	0.39 52	0.62 108	-0.12 66	0.28 76	-5.15 70	85	-0.70 37	0.45 37	98	1	28	
L 22 0110 95105391	1.75	L 20 0028 L 17 0309	90	4	1	100	-4.96	87	-1.15 66	0.01 48	-1.20 100	-0.34 61	-0.53 74	-1.55 67	95	-0.99 31	0.09 31	97	2	35	
L 22 0112 95105433	2.19	L 19 0033 L 20 0098	104	4	2	98	-6.54	85	-1.56 70	0.11 56	-2.59 102	-0.16 65	-0.01 76	-1.99 70	94	-1.83 40	0.00 39	109	2	40	
L 22 0113 95105458	8.39	L 17 0018 L 20 0174	139	4	1	98	-3.53	90	-0.31 70	0.07 52	-0.97 101	0.04 66	0.72 77	0.34 71	100	2.04 39	-0.03 39	99	2	41	
L 22 0119 95105573	2.00	L 19 0004 L 20 0325	101	4	2	91	-9.41	80	-1.42 66	0.11 52	-2.27 102	0.14 61	2.07 73	6.24 66	115	-0.84 32	-0.20 31	110	2	59	
L 22 0122 95105631	1.78	L 20 0028 L 16 0316	120	6	2	102	-3.39	90	-0.86 70	0.06 55	-0.71 101	-0.32 65	-0.56 76	-7.06 70	80	-1.12 32	0.20 32	109	2	26	
L 22 0127 95105730	2.37	L 17 0018 L 20 0149	103	3	1	94	-5.40	86	-1.46 69	0.07 51	-2.33 101	0.19 67	1.07 78	3.50 72	108	0.15 37	-0.24 37	98	2	55	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
L 22 0128 95105755	1.62	L 19 0033 L 20 0130	95 4	2	108	3.47	101		1.06 70	0.13 56	1.82 103	-0.02 66	0.01 76	-3.46 102	-2.30 40	0.17 99	111	2	5
L 22 0133 95105854	1.78	L 20 0028 L 16 0312	130 7	1	106	-0.08	95		-0.05 68	0.48 51	0.12 110	-0.10 63	-0.04 75	0.72 102	-1.12 32	0.27 100	103	2	12
L 22 0134 95105870	2.00	L 19 0004 L 20 0332	101 4	1	96	-6.25	85		-0.93 65	0.48 46	-1.28 110	0.18 61	1.67 73	5.49 128	-0.78 31	-0.31 93	99	2	48
L 22 0135 95105896	2.00	L 17 0018 L 20 0301	94 3	1	92	-8.29	82		-0.77 64	0.75 47	-0.79 116	-0.30 60	0.32 72	-2.11 107	0.30 33	-0.34 93	99	2	57
L 22 0137 95105938	1.75	L 20 0028 L 17 0311	118 7	1	105	-0.53	95		0.14 67	0.17 49	-0.31 104	-0.11 64	-0.15 76	0.26 100	-0.89 27	0.29 100	98	1	14
L 22 0140 95105995	2.00	L 19 0004 L 20 0323	91 1	1	100	-5.89	86		-0.63 62	0.28 43	-1.00 106	0.06 61	1.06 74	3.37 119	-0.72 31	-0.44 92	97	2	36
L 22 0141 95106019	1.89	L 18 0016 L 19 0301	103 5	1	97	-2.75	91		-0.27 67	0.12 50	0.86 102	0.00 65	0.90 76	-1.73 116	0.27 34	-0.30 93	96	2	44
L 22 0143 95106050	1.50	L 20 0037 L 17 0137	107 6	1	99	-3.16	90		-0.83 70	0.17 53	-1.34 103	-0.14 66	-0.01 77	-1.77 102	0.88 43	0.30 100	100	2	37
L 22 0144 95106076	1.65	L 20 0037 L 15 0303	115 6	1	106	3.11	101		-0.20 68	-0.48 52	-0.23 90	0.31 65	1.05 77	12.84 132	2.32 33	0.60 104	96	1	10
L 22 0147 95106134	2.67	L 19 0033 L 20 0173	94 3	1	104	-0.04	95		0.02 68	0.37 51	-0.51 108	-0.10 67	-0.34 77	-5.74 84	-0.82 36	0.28 100	98	1	16
L 22 0152 95106233	2.30	L 19 0033 L 20 0105	90 1	2	104	0.80	97		0.37 69	0.67 55	0.25 114	0.02 67	0.48 78	-3.10 110	-2.01 38	0.46 102	120	2	17
L 22 0157 95106316	1.63	L 19 0033 L 20 0167	90 2	1	104	-0.75	94		0.83 69	-0.04 51	0.17 99	-0.10 67	0.09 78	-5.83 83	-1.77 36	0.18 99	98	1	19
L 22 0159 95106357	2.00	L 19 0004 L 20 0324	99 4	2	97	-4.48	88		-0.48 66	0.56 52	-0.56 112	0.01 62	1.04 75	3.94 118	-0.92 31	-0.06 96	115	2	46
L 22 0160 95106373	1.65	L 20 0037 L 15 0301	111 6	2	103	4.32	103		0.34 69	0.38 55	0.58 108	0.07 63	0.84 75	1.66 103	4.85 32	1.42 114	111	1	20
L 22 0164 95106456	1.63	L 19 0033 L 20 0131	105 4	2	117	6.20	106		0.84 70	-0.16 56	0.21 96	0.16 67	-0.61 78	-4.97 86	-2.59 40	0.28 100	114	2	1
L 22 0171 95106597	2.36	L 19 0033 L 20 0153	102 3	1	106	-1.48	93		-0.52 69	-0.73 52	-1.42 84	0.02 66	-0.18 75	-6.88 81	-0.83 40	-0.07 96	92	2	11

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
L 22 0177 95106712	1.62	L 20 0037 L 18 0115	97	3	2	110	7.00	107	0.55 71	0.52 57	1.11 70	-0.03 68	-0.42 77	2.79 72	3.00 41	1.10 41	114	2	4	
L 22 0178 95106738	1.61	L 19 0033 L 20 0095	114	4	2	107	0.13	96	-0.41 71	0.05 57	-2.59 70	0.15 67	-0.23 78	2.24 72	-0.11 40	0.32 39	113	2	8	
L 22 0179 95106753	1.87	L 18 0016 L 18 0315	126	6	2	94	-5.79	86	-0.80 70	-0.48 56	-0.97 68	0.01 65	1.20 76	-0.07 70	0.16 34	-0.08 34	107	2	56	
L 22 0181 95106795	1.85	L 19 0033 L 20 0157	95	4	2	102	-2.96	91	0.06 70	-0.31 56	-0.02 68	-0.11 66	0.30 76	1.94 71	-2.72 40	-0.06 40	106	2	29	
L 23 0127 97944375	1.87	L 18 0016 L 18 0310	122	6	1	98	-3.64	89	-1.18 68	-0.76 51	-1.86 66	0.08 64	0.53 75	-0.03 68	0.39 30	-0.02 30	120	1	25	
L 23 0130 97944433	1.56	L 20 0037 L 21 0116	109	3	1	100	0.31	96	-0.17 69	0.28 51	0.61 68	0.04 66	1.13 76	5.10 70	3.17 38	0.71 38	126	1	16	
L 23 0141 97944656	1.76	L 20 0037 L 16 0301	115	8	1	103	2.09	99	-0.73 68	-0.23 52	-0.51 65	-0.01 62	-0.01 74	1.73 68	2.13 33	0.79 33	119	1	11	
L 23 0142 97944672	1.50	L 20 0037 L 17 0120	134	6	1	106	4.16	102	-0.70 71	-0.29 54	-0.50 69	0.21 67	0.07 77	6.32 71	1.44 41	0.49 41	122	1	5	
L 23 0148 97944797	2.21	L 20 0028 L 21 0305	96	2	1	106	2.79	100	-1.05 65	-0.78 46	-1.68 62	0.15 60	-0.57 72	-2.38 65	-0.86 26	0.30 26	117	1	6	
L 23 0157 97944979	2.00	L 20 0037 L 20 0302	90	3	1	103	1.75	98	-0.38 65	-0.12 48	0.44 64	-0.01 61	0.63 73	5.23 66	2.12 32	0.90 32	117	1	12	
L 23 0188 97946636	1.78	B 20 0201 L 16 0312	130	7	1	105	-0.20	95	0.26 69	0.41 51	-0.58 67	0.04 64	0.10 75	4.91 69	-1.07 30	0.08 29	123	1	3	
L 23 0190 97946677	2.00	L 21 0024 L 20 0314	97	3	1	97	-4.97	87	-1.05 65	0.01 45	-2.10 63	-0.20 60	-0.28 73	-7.73 66	0.60 23	0.14 23	119	1	13	
RA 21 0060 92521061	6.58	RA 17 0208 EN 16 0516	137	5	2	96	-2.46	91	-0.58 74	-0.42 64	-0.13 72	-0.39 70	-0.43 78	3.32 73	2.99 49	0.61 48	104	2	200	
RA 21 0131 92521509	3.58	RA 18 0736 RA 18 0555	119	6	1	93	-10.06	79	-0.29 72	-0.52 59	-1.55 72	0.14 70	1.33 79	8.71 74	-3.53 45	-1.43 44	92	2	241	
RA 21 0149 92521749	1.92	RA 18 0736 RA 17 0531	98	3	2	92	-2.47	91	0.03 73	-0.62 62	0.13 72	-0.03 69	1.18 79	2.45 74	4.09 46	0.53 46	104	3	249	
RA 21 0201 92521921	1.20	MQ 19 0035 EN 14 0734	117	6	2	99	-7.15	84	-0.57 73	-0.72 60	-1.30 72	-0.13 69	0.24 79	-7.93 73	-2.34 46	-0.62 46	97	3	149	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd				Dir	Mat										Acc
			EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		Phenotype
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
RA 21 0318 92522283	1.81	RA 19 0914 EN 15 0450	139	6	2	93	1.60	98	0.09 74	0.95 64	0.86 72	-0.29 70	0.47 78	0.45 74	6.80 49	1.77 48	108	2	243
RA 21 0453 92523109	2.32	RA 19 0110 EN 14 0348	119	7	3	95	-2.26	92	-1.14 74	0.89 63	-1.40 72	-0.27 69	-0.23 79	5.01 74	0.99 46	0.92 46	120	3	208
RA 21 0518 92523265	3.30	RA 19 0115 RA 17 1229	92	3	2	94	-2.87	91	-1.71 72	0.42 60	-0.99 70	-0.18 67	0.03 77	-3.25 72	0.07 45	0.45 44	104	3	235
Ewes with progeny average :						100.7	-3.5	90	-0.79	-0.05	-1.31	-0.04	0.29	0.18	0.20	0.05			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		EBV	Index	Acc	Index	Acc	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
L 21 0138 92975598	1.68	L 17 0018 L 19 0108	74	2	96	-9.42	80	-1.46 68	0.14 43	-1.67 86	0.15 66	1.68 76	3.47 108	-1.88 38	-0.90 86	29								
L 21 0148 92975481	1.75	L 19 0033 L 17 0322	124	6	104	-3.45	90	0.18 65	0.17 44	-0.49 93	-0.10 63	0.01 74	-4.00 88	-1.47 37	-0.32 93	12								
L 22 0107 95105334	1.62	L 19 0033 L 20 0090	137	4	100	-4.15	89	-0.21 68	0.40 46	-1.08 90	0.02 66	0.71 76	-5.28 85	-1.63 40	-0.08 96	33								
L 22 0117 95105532	2.00	L 19 0004 L 20 0338	111	4	101	-5.26	87	-0.84 64	0.42 39	-0.98 90	-0.12 61	-0.08 73	-0.79 66	-0.62 32	-0.64 89	32								
L 22 0121 95105615	2.51	L 17 0018 L 20 0145	123	4	95	-5.57	86	-0.87 68	0.50 44	-0.80 91	-0.16 65	0.39 76	-6.93 70	0.03 35	-0.15 95	51								
L 22 0123 95105656	2.00	L 19 0004 L 20 0331	111	4	92	-11.01	77	-1.79 64	0.34 38	-2.14 83	-0.14 60	0.86 73	1.02 66	-0.61 31	-0.64 89	58								
L 22 0125 95105698	1.55	L 19 0033 L 20 0126	98	3	103	-0.84	94	-0.36 67	-0.43 45	-0.35 94	0.06 65	0.21 76	-2.23 70	-1.94 38	-0.15 95	22								
L 22 0129 95105771	1.37	L 20 0037 L 17 0154	95	4	105	1.31	98	-0.76 69	0.50 46	-0.21 95	-0.01 66	0.03 76	4.96 71	3.04 39	0.48 103	15								
L 22 0142 95106035	2.00	L 17 0018 L 20 0314	97	3	95	-6.49	85	-1.94 64	-0.37 40	-3.16 76	0.25 62	1.17 74	0.40 67	0.52 29	-0.34 93	53								
L 22 0155 95106274	1.50	L 20 0037 L 17 0120	134	6	104	0.68	97	-0.41 70	0.24 48	-0.11 96	0.03 67	0.22 77	5.72 71	1.52 41	0.29 100	18								
L 22 0161 95106399	1.76	L 20 0037 L 16 0304	115	5	111	6.11	105	-0.04 66	-0.28 44	-0.01 96	0.18 62	-0.36 74	4.27 67	2.07 32	0.53 103	3								
L 22 0162 95106415	1.72	L 18 0016 L 16 0150	140	6	102	-3.56	90	-0.55 70	-0.14 48	-0.61 93	-0.22 67	-0.71 77	-5.68 72	0.79 41	-0.50 91	25								
L 23 0104 97943914	2.00	L 20 0037 L 20 0305	96	3	100	-0.01	95	-0.51 64	0.07 42	0.01 97	-0.12 62	0.19 74	1.25 67	2.24 32	0.67 105	18								
L 23 0111 97944052	1.87	L 18 0016 L 18 0311	91	4	100	-2.88	91	-1.64 64	-0.33 41	-2.46 81	0.06 61	-0.31 72	-2.24 66	0.53 30	-0.29 93	17								
L 23 0112 97944078	1.82	L 18 0016 L 16 0151	131	7	98	-3.26	90	-1.13 69	-0.40 47	-1.85 85	-0.06 67	-0.37 77	-4.91 71	1.15 38	-0.19 95	29								
L 23 0113 97944094	1.75	L 20 0028 L 17 0304	120	6	96	-5.23	87	-0.39 66	0.01 42	-0.57 93	-0.21 63	0.32 75	-0.31 68	-0.70 26	0.01 97	36								

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
					EBV	Index	Dir		Mat		Weight		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
				Acc			Index	Acc	Index	Acc	Index	Acc											Index	Acc
		Active Breed Average :		100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27			
L 23 0114 97944110	1.65	L 20 0037 L 15 0309	147 8	102	-0.66	94	-0.94 67 86		0.10 46 102		-1.14 66 89		0.05 63 101		0.49 75 110		2.85 69 106		2.68 33 108		0.58 32 104		14	
L 23 0117 97944177	1.65	L 20 0037 L 19 0124	123 5	109	5.85	105	-0.76 69 88		-0.06 47 99		-0.19 69 95		0.12 66 105		-0.61 77 93		6.04 71 115		2.49 40 108		0.55 40 104		4	
L 23 0122 97944276	1.45	L 20 0028 L 16 0115	157 7	92	-7.73	83	-1.18 69 84		-0.03 45 99		-1.12 68 89		-0.26 66 82		0.47 76 110		6.65 70 116		-1.27 35 94		-0.06 34 96		37	
L 23 0129 97944417	2.21	L 20 0028 L 21 0306	109 3	97	-3.67	89	-0.73 64 88		0.16 39 103		0.18 62 98		-0.34 60 77		-0.26 72 98		-7.84 65 78		-0.75 26 96		0.07 26 98		31	
L 23 0134 97944516	2.00	L 20 0037 L 20 0303	110 4	110	6.79	107	-0.18 65 93		-0.09 43 98		-0.09 64 96		0.12 62 105		-0.72 74 91		2.88 67 106		2.24 32 107		0.67 32 105		3	
L 23 0145 97944730	1.65	L 20 0037 L 21 0113	93 1	106	2.71	100	-0.80 67 87		-0.32 42 93		-1.17 68 89		0.06 65 102		-0.48 76 95		5.81 70 114		2.43 35 107		0.51 35 103		7	
L 23 0161 97946115	1.76	B 20 0201 L 20 0098	104 4	101	-4.26	88	-1.03 69 85		-0.07 44 98		-2.26 68 82		0.17 66 108		0.42 76 109		1.39 70 102		-1.73 36 92		-0.51 35 91		11	
L 23 0172 97946339	1.87	B 20 0201 L 18 0301	164 6	105	-1.72	93	-0.17 65 93		-0.01 41 100		-0.90 65 91		0.14 62 107		0.47 73 110		0.32 67 100		-0.78 28 95		-0.25 28 94		4	
L 23 0176 97946412	2.00	L 19 0004 L 20 0339	110 4	93	-10.12	79	-1.29 64 83		0.21 39 104		-2.07 63 83		0.02 60 99		1.66 73 128		3.19 66 107		-0.57 27 96		-0.34 27 93		18	
L 23 0179 97946479	1.77	L 21 0024 L 20 0101	105 4	103	-2.12	92	-0.40 67 91		0.13 40 103		-0.46 67 94		-0.17 64 87		-0.36 76 97		-5.31 69 85		0.20 30 99		-0.04 29 96		6	
L 23 0182 97946537	2.00	L 19 0004 L 20 0325	101 4	96	-8.29	82	-1.22 62 83		0.32 38 107		-1.05 62 90		0.12 60 106		2.13 71 135		7.97 64 120		-0.65 28 96		-0.30 27 93		17	
L 23 0183 97946552	2.00	L 19 0004 L 20 0333	110 4	97	-6.68	84	-0.64 64 89		0.32 39 107		-0.45 63 94		-0.02 60 96		1.27 73 122		3.15 66 107		-0.59 21 96		-0.33 21 93		15	
L 23 0184 97946578	2.00	L 21 0024 L 20 0317	99 4	101	-3.21	90	-0.18 63 93		0.18 36 104		-0.25 63 95		-0.19 60 86		0.01 73 102		-3.47 66 90		0.67 14 101		0.01 14 97		10	
L 23 0186 97946610	2.00	L 19 0004 L 20 0338	111 4	102	-3.18	90	-0.33 64 92		0.20 39 104		-0.61 63 93		0.06 60 102		0.48 73 110		4.46 66 110		-0.58 28 96		-0.44 27 91		7	
L 23 0192 97946719	2.00	L 21 0024 L 20 0324	99 4	102	-2.11	92	-0.29 64 92		0.34 37 107		-0.03 63 96		-0.23 60 84		-0.30 72 98		-7.35 65 79		0.56 16 100		0.10 16 98		9	
L 23 0193 97946735	2.00	L 21 0024 L 20 0313	99 4	96	-6.51	85	-0.96 63 86		0.00 36 100		-1.33 63 88		-0.14 60 89		0.56 73 111		-3.56 66 89		0.71 22 101		-0.07 22 96		16	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index	Acc	Index
							EBV			EBV		EBV		EBV		EBV		EBV		EBV					
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100			0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27	
L 24 0401 106722028	2.00	L 22 0054 L 20 0325	101	4	98	-1.55	93		0.20 63	0.13 36	103		0.25 63	98	-0.04 60	0.49 73	-0.50 65	97		0.33 15	0.06 15	98		21	
L 24 0406 106722069	3.07	L 21 0024 L 22 0178	113	2	99	-0.05	95		-0.14 67	-0.02 39	99		-1.11 67	89	0.06 65	-0.13 76	-2.67 69	92		0.39 24	0.06 24	98		19	
L 24 0415 106722143	2.08	L 22 0054 L 22 0324	105	2	103	1.44	98		0.46 60	0.30 29	106		0.94 57	102	-0.23 58	-0.92 66	-6.17 59	83		0.41 13	0.02 13	97		9	
L 24 0419 106722184	1.79	L 22 0002 L 19 0124	123	5	102	1.86	98		-0.30 68	0.11 41	102		-0.16 67	95	0.03 64	-0.36 76	3.68 69	108		-0.84 30	0.07 29	98		10	
L 24 0420 106722192	2.21	L 22 0002 L 21 0309	115	3	103	1.94	99		-0.11 63	0.00 35	100		-0.54 62	93	0.04 59	-0.36 72	-6.17 65	83		-1.10 17	0.22 17	100		6	
L 24 0425 106722242	2.07	B 20 0201 L 22 0177	114	2	102	1.62	98		0.32 68	0.27 43	106		0.17 68	98	0.09 66	0.33 76	1.30 70	102		0.41 30	0.27 30	100		13	
L 24 0426 106722259	1.74	L 20 0037 L 22 0159	115	2	107	5.01	104		0.25 67	0.21 43	104		0.99 67	103	0.12 65	0.25 76	7.38 69	118		1.55 32	0.64 32	105		2	
L 24 0429 106722283	1.89	L 22 0002 L 19 0313	114	5	97	-2.60	91		-0.60 65	0.12 38	103		-0.85 63	91	-0.21 60	-0.34 73	-6.50 66	82		-1.10 17	0.22 17	100		24	
L 24 0440 106722382	1.89	L 22 0002 L 19 0301	103	5	100	-0.40	95		0.18 64	0.33 37	107		0.92 63	102	-0.10 60	0.32 73	-5.83 66	83		-1.15 18	0.17 18	99		18	
L 24 0443 106722416	2.00	L 22 0054 L 20 0317	99	4	99	-1.19	93		-0.51 63	0.03 35	101		-0.81 63	91	-0.06 60	-0.22 73	0.38 66	100		0.41 13	0.02 13	97		20	
L 24 0445 106722432	3.16	L 21 0024 L 22 0147	98	1	100	0.70	97		0.55 67	0.31 37	106		0.42 67	99	-0.22 64	-0.91 76	-7.12 69	80		0.04 23	0.04 23	97		17	
L 24 0448 106722465	1.89	L 22 0002 L 19 0315	102	5	104	2.59	100		-0.44 64	0.02 37	100		-0.71 63	92	0.05 60	-0.56 73	-7.54 66	79		-1.10 17	0.22 17	100		4	
L 24 0455 106722531	1.74	L 20 0037 L 22 0140	97	2	102	1.32	98		-0.04 66	0.17 40	103		0.40 67	99	0.10 64	0.76 76	7.91 69	119		1.65 32	0.45 32	102		11	
L 24 0461 106722580	2.00	L 20 0037 L 20 0305	96	3	106	4.37	103		-0.60 64	-0.37 42	92		-0.89 64	91	0.12 62	-0.32 73	3.18 67	107		2.23 28	0.74 28	106		3	
L 24 0462 106722598	2.00	L 22 0054 L 20 0339	110	4	94	-4.47	88		-0.76 64	0.20 36	104		-0.46 63	94	-0.16 60	0.41 73	-5.70 66	84		0.41 14	0.02 14	97		27	
L 24 0465 106722622	1.89	L 22 0002 L 19 0312	111	5	101	0.55	96		0.20 65	0.38 38	108		0.51 63	100	-0.20 60	-0.55 73	-13.19 65	64		-1.10 17	0.22 17	100		15	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
L 24 0473 106722705	2.00	L 22 0054 L 20 0316	110 4		96	-3.26	90	0.07 64	0.17 36	0.62 100	-0.20 59	0.39 72	-2.99 65	0.41 13	0.02 97	26
L 24 0475 106722721	1.66	L 22 0002 L 21 0133	97 3		104	2.01	99	0.53 66	0.13 36	0.43 103	-0.11 63	-0.85 75	-5.39 69	-0.74 25	-0.06 96	5
L 24 0477 106722747	2.00	L 22 0054 L 20 0338	111 4		103	1.74	98	-0.34 64	0.09 36	-1.04 102	-0.14 60	-1.63 73	-4.36 66	0.40 15	-0.08 96	7
L 24 0479 106722762	2.08	B 20 0201 L 22 0337	119 2		92	-5.93	86	-0.14 63	0.18 38	-1.01 104	0.02 60	1.18 72	5.68 65	-0.86 22	-0.17 95	31
L 24 0480 106722770	1.83	L 22 0002 L 22 0179	107 2		93	-4.83	87	-0.74 67	-0.03 38	-0.74 99	-0.03 63	1.00 75	-1.51 68	-1.24 24	0.08 98	29
L 24 0481 106722788	1.78	L 20 0028 L 16 0305	121 7		92	-6.50	85	-1.52 66	0.48 43	-1.41 110	-0.29 63	-0.01 75	-5.15 68	-0.86 22	0.07 98	30
L 24 0484 106722812	1.84	L 22 0002 L 22 0141	96 2		103	2.06	99	-0.06 66	0.04 36	1.46 101	0.17 63	0.88 75	2.33 68	-1.18 24	-0.03 96	8
L 24 0487 106722838	2.00	L 20 0037 L 20 0303	110 4		111	7.28	107	0.38 65	-0.09 43	0.45 98	0.13 62	-0.48 73	6.76 67	2.23 28	0.74 106	1
L 24 0492 106722887	2.00	L 22 0054 L 20 0319	101 4		102	0.65	96	-1.08 64	-0.75 36	-1.67 84	0.16 58	-0.18 72	-3.32 64	0.41 13	0.02 97	12
L 24 0498 106722945	1.63	L 21 0024 L 20 0149	103 3		101	0.62	96	-0.28 68	0.06 40	-0.67 101	-0.06 65	-0.59 76	-2.72 70	0.43 24	0.10 98	14
L 24 0499 106722952	1.77	L 21 0024 L 20 0145	123 4		101	0.97	97	0.19 68	0.29 40	0.02 106	-0.11 65	-0.50 76	-5.83 70	0.15 25	0.22 99	16
L 24 0503 106722994	2.16	B 20 0201 RA 21 0131	92 2		94	-4.08	89	0.44 69	-0.61 43	-0.87 87	0.43 67	1.68 77	8.67 71	-2.85 32	-0.99 85	28
L 24 0505 106723018	1.55	L 21 0024 L 20 0162	107 4		98	-1.38	93	0.44 68	0.14 41	0.63 103	-0.17 65	-0.10 76	-2.65 70	-0.59 26	-0.06 96	23
L 24 0510 106723059	2.08	L 20 0028 L 22 0312	100 2		96	-3.38	90	-0.79 61	-0.02 35	-1.65 99	-0.10 60	-0.07 72	-2.37 65	-0.83 21	0.16 99	25
L 24 0520 106723158	2.21	L 20 0028 L 21 0303	115 3		98	-2.12	92	-0.41 64	-0.11 39	-0.32 98	-0.08 60	0.28 72	-3.55 65	-0.83 21	0.16 99	22
Young Ewes (with known parents) average :					100.2	-1.6	93	-0.45	0.07	-0.57	-0.03	0.13	-0.76	0.06	0.03	