



DORPER GENETIC REPORT

21 September 2026



NOOITGEDACHT DORPERSTOET

FDM : 2250



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring.

In reality, each offspring receives a random sample of each parent's genes, therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dorper breed, namely the Dorper Logix Merit Index (DLMI), the Dorper Growth Index (DGI) and the Dorper Reproduction Index (DRI). These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Dorper Logix Merit Index (DLMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the DLMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The DLMI is constructed as follows :

$$DLMI = (0.30 * Wean Dir) + (0.04 * Post-Wean) + (0.21 * Wean Mat) + (0.12 * ILP) + (0.13 * AFL) + (0.20 * NLS)$$

Schematically the DLMI can be explained as follows :



Dorper Growth Index (DGI)

Breeding values for Direct and Maternal Weaning Weight, as well as Post-weaning weight are included in this index. This index can be used to identify animals with good pre-weaning and post-weaning growth potential.

The DGI is constructed as follows :

$$DGI = (0.5518 * Wean Dir) + (0.0682 * Post-Wean) + (0.38 * Wean Mat)$$

Reproduction Index (DRI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The DRI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.2 * Wean Mat) + (0.4 * NLW)$$

It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Dorper

Average Genetic Levels : EBVs

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	1.05	1.18	0.98	0.00	0.04	-0.02
Wean Maternal	0.06	0.09	0.04	0.14	0.12	0.16
Wean Combined	0.58	0.68	0.53	0.14	0.13	0.15
Post-Wean	1.65	1.95	1.49	-0.25	-0.21	-0.27
Number of Lambs Weaned	-0.70	-0.77	-0.66	0.10	0.11	0.09
Total Weight Weaned	0.69	0.81	0.62	0.21	0.22	0.20
Age at First Lambing	2.03	1.38	2.38	0.27	0.41	0.19
Inter-lambing Period	-4.70	-4.97	-4.55	1.10	1.20	1.05
Selection Indices						
Dorper Logix Merit Index	104	106	104	99	99	100
Dorper Growth Index	106	107	105	100	100	100
Dorper Reproduction Index	99	100	99	99	99	99
Inteling						
Inbreeding (%)	5.81	6.17	5.49	3.50	3.79	3.35
Number of Animals						
Number of animals	1083	514	569	35778	12454	23129

** Averages of all active animals in the herd.

Average Genetic Levels : Indices

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	108.1	109.2	107.5	100	99.5	99.0
Wean Maternal	99.4	99.8	99.3	100	100.1	100.5
Wean Combined	103.5	104.3	103.0	100	99.8	99.9
Post-Wean	107.6	108.8	106.9	100	100.0	99.8
Number of Lambs Weaned	94.8	94.4	95.0	100	98.9	98.8
Total Weight Weaned	101.2	101.8	101.0	100	99.3	99.2
Age at First Lambing	95.4	97.1	94.5	100	99.6	100.2
Inter-lambing Period	113.8	114.5	113.4	100	98.7	99.1
Selection Indices						
Dorper Logix Merit Index	104	106	104	99	99	100
Dorper Growth Index	106	107	105	100	100	100
Dorper Reproduction Index	99	100	99	99	99	99
Inbreeding						
Inbreeding (%)	5.81	6.17	5.49	3.50	3.79	3.35
Number of Animals						
Number of animals	1083	514	569	35778	12454	23129

** Averages of all active animals in the flock.

ACTIVE ANIMALS

Animals born in the last 24 months and their parents, are defined as the active population, unless cancelled on Logix.

Inbreeding

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.90	0.10
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Nr Animals	% Animals
Known sires	1076	99
Known dams	1067	99

Note : Inbreeding can be under-estimated if pedigree information is incomplete or incorrect.

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Swak / Weak	1

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WnD:	Wean Direct
WnM:	Wean Maternal
WnC:	Wean Combined
PostWn:	Post-Wean Weight
NLW:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
DRI:	Dorper Reproduction Index
DLMI:	Dorper Logix Merit Index
DGI:	Dorper Growth Index

All animals in the flock

Number : 914




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are less than two years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.


Genetic Windows

Dams of Lambs < 24 months

Number: 162




Number:




Ewes < 24 months

Number: 125




Rams < 24 months

Number: 116




Genetic Trends


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-Weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)







Genetic trends are based on measured animals bred by the relevant breeder

Genetic Trends



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth yr	Weaning Weight EBV			Post-Wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Indeks	Indeks	Indeks
2014	10616	-0.75	-0.31	1723	-1.71	2567	0.18	10616	94	1815	2.67	1310	0.09	97.4	92.2	93.3
2015	9178	-0.61	-0.19	2199	-2.07	2380	0.07	9178	95	1770	1.57	1282	0.27	96.9	93.8	94.0
2016	8648	-0.64	-0.18	2168	-2.11	2851	0.05	8648	95	1887	1.08	1361	0.42	98.3	93.7	94.8
2017	9591	-0.43	-0.17	2442	-1.27	2361	0.19	9591	96	2136	1.45	1584	-0.05	98.6	95.1	96.0
2018	8658	-0.42	-0.15	2216	-0.96	2334	0.30	8658	97	1845	1.17	1345	-0.02	99.5	95.3	96.6
2019	8660	-0.25	-0.15	1784	-0.76	1966	0.13	8660	97	1740	-0.12	1314	-0.17	99.8	96.3	97.6
2020	7900	-0.18	-0.07	1820	-0.61	2135	-0.01	7900	98	1738	0.66	1328	-0.33	100.2	97.2	98.4
2021	9083	0.00	0.00	2527	0.00	2732	0.01	9083	99	2313	0.00	1597	0.00	100.4	98.8	99.6
2022	8777	-0.01	0.14	2174	-0.19	2444	0.20	8777	101	1866	0.36	1241	-0.45	102.1	99.4	100.7
2023	7691	0.09	0.12	1828	0.94	1984	0.14	7691	100	1533	-0.35	767	0.33	100.9	100.0	100.5
2024	8002	0.06	0.05	1612	1.09	1162	0.15	8002	100	1115	-0.48	155	0.16	100.0	99.4	99.7
2025	8602	0.02	0.19	1782	1.14	22	-0.19	8602	100	62	1.32	2	-2.08	100.0	99.9	99.9

Genetic Trends of Flock

Birth yr	Weaning Weight EBV			Post-wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Numbe Index
2014	95	-0.61	-0.74			117	-1.23	95	91	111	3.86	84	-4.19	94.7	91.0	95 91.8
2015						104	0.04			99	2.80	66	-2.14			
2016	44	-0.22	-0.56			37	-2.13	44	90	37	1.37	23	-6.86	93.5	94.5	44 93.8
2017	93	-0.42	-0.56			71	-0.01	93	95	71	1.88	56	-6.13	102.1	93.1	93 97.6
2018	65	-0.47	-0.36			84	-1.32	65	93	84	-0.02	54	-4.96	101.1	94.0	65 97.5
2019	388	-0.32	-0.34			59	-0.18	388	95	57	3.36	41	-4.22	99.8	95.0	388 97.1
2020	463	0.15	-0.23			66	-1.47	463	95	71	4.54	59	-5.44	93.9	98.6	463 96.1
2021	453	0.32	-0.19			95	-0.91	453	96	113	5.20	79	-3.60	93.4	99.8	453 96.5
2022	374	0.79	-0.09			32	-0.88	374	102	100	2.96	77	-4.35	101.2	103.4	374 103.7
2023	83	0.74	-0.01			4	-0.30	83	100	43	1.55	7	-5.96	99.2	103.6	83 102.7

Breeding Values and Selection Indices Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

Percentile	Wean Dir	Wean Mat	Wean Comb	Post Wean	NLW	TWW	AFL	ILP	DGI	DRI	DLMI
Gemid/Avg	0.01	0.15	0.15	-0.24	0.10	0.21	0.26	1.11	99.67	99.27	99.43
SA/SD	1.34	1.06	1.40	2.83	2.12	2.69	-4.79	-5.11	11.48	11.66	11.77
MIN	-6.40	-4.87	-5.73	-10.91	-9.90	-12.32	104.15	24.50	58.80	51.80	54.90
1%	-2.69	-2.69	-2.72	-6.05	-4.40	-4.76	12.59	15.06	77.20	70.60	77.00
5%	-1.89	-1.69	-1.87	-4.18	-2.80	-3.23	7.35	10.51	84.30	80.40	83.00
10%	-1.50	-1.16	-1.44	-3.37	-2.10	-2.54	5.14	7.78	87.30	84.30	86.40
20%	-1.11	-0.61	-0.90	-2.45	-1.20	-1.78	3.22	4.19	90.90	90.40	90.00
30%	-0.82	-0.28	-0.57	-1.83	-1.20	-1.21	1.96	3.55	93.20	93.30	92.60
40%	-0.50	-0.03	-0.31	-1.19	-0.70	-0.89	0.94	1.89	95.60	96.20	94.80
50%	-0.15	0.17	-0.03	-0.55	-0.20	-0.40	0.35	0.96	97.60	99.30	97.40
60%	0.18	0.36	0.25	0.02	0.20	0.21	-0.70	-0.32	100.30	101.60	100.30
70%	0.59	0.58	0.62	0.80	0.80	0.96	-1.27	-1.60	103.50	104.90	103.80
80%	1.09	0.92	1.14	1.86	1.60	2.04	-2.58	-2.95	107.90	108.70	108.70
90%	1.83	1.46	2.04	3.51	2.90	4.10	-4.62	-4.91	115.30	114.20	116.20
95%	2.49	1.93	2.90	5.09	4.10	5.80	-6.92	-6.70	122.70	119.10	122.60
99%	3.68	2.69	4.18	8.05	6.40	8.19	-13.63	-9.96	134.30	127.50	131.50
MAX	6.10	5.19	7.21	14.14	16.10	12.93	-61.56	-16.75	144.60	138.90	146.10

SA/SD = Standard deviation : An indicator of how far breeding values/selection indices are distributed around the average.

Rams with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value

Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	1st generation		2nd generation		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs Weaned	TWW		AFL		ILP		Dam EPI T Lamberd N Weaned	
				Prog	Nr	Prog	Nr				Dir	Mat		EBV	EBV		EBV	EBV	EBV	EBV	EBV	EBV		
				weaned	flocks	weaned	flocks				Acc	Index		Acc	Index		EBV	Index	EBV	Index	Acc	Index		
Active Breed Average:								100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
2250 22 0040 2022/02/01	1	4.17	2250 20 0147 2250 19 0084	10	1	3	1	110	111	100	2.13 71	-0.30 117	0.77 55	2.33 96	105	30	-2.50 33	0.33 85	0.98 56	-12.50 98	30	134	94	6 3
1787 22 0086 2022/05/01	1	2.34																0.93 5	98				0	
2250 22 0248 2022/07/15	2	1.41	2250 18 0259 2250 19 0318	2	1	2	1	97	100	94	0.29 61	-0.14 102	0.01 53	0.00 97	99	29	0.00 34	0.15 52	1.68 99	3.98 52	31	92	95	4 2
2250 22 0316 2022/01/01	2	4.05	2250 20 0189 2250 19 0004					119	121	106	2.72 62	0.91 122	2.27 49	5.78 109	117	31	-1.00 30	3.03 93	-1.92 50	-7.03 111	22	120	100	3 6
2250 23 0023 2023/03/01	3	7.54	2250 20 0147 2250 20 0117					118	115	112	1.97 57	0.60 116	1.58 50	4.11 105	112	25	0.80 30	3.04 103	2.75 48	-13.98 111	29	136	100	6 3
2250 23 0027 2023/07/01	2	7.79	2250 20 0147 2250 14 0058	46	1			112	108	106	1.89 84	-0.48 115	0.46 57	2.49 94	103	33	-0.70 36	0.98 95	-1.71 63	-11.71 103	31	132	109	8 10
2124 23 0050 2023/09/28	1	2.26	2124 21 0428 2124 20 0062					93	96	93	-0.86 5	0.51 92	0.09 5	-0.50 104	99	5	-1.20 5		0.93 28	3.96 98	5	92		1 0
2250 23 0377 2023/09/15	2	2.44	2250 18 0081 2250 17 0374					98	90	108	-1.01 49	-0.41 91	-0.92 44	-2.47 95	91	25	1.70 32	-0.40 107	-0.76 43	-4.39 97	21	113	117	9 12
Ram Flock Average								107	106	103	1.02	0.10	0.61	1.68		-0.41	0.87	0.36	-5.95					
Number of rams with progeny in the flock: 8																								

Active rams, born since Jan 2022, with progeny in the flock

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information			Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
								Dir	Mat								
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
								Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
1	2250 24 0001 2024/09/01	2	9.64	2250 22 0316 2250 21 0405	119	118	110	2.53 45	0.43 38	1.69 113	4.79 20	0.50 22	3.26 37	0.84 34	-10.39 19	104	3 2
2	2124 24 0003 2024/05/08	2	2.26	2124 21 0428 2124 16 0381	97	94	102	-1.02 5	0.31 5	-0.20 97	-1.56 5	-0.40 5		-2.86 28	-0.10 5		2 0
3	2250 24 0005 2024/08/15	1	7.29	2250 20 0147 2250 21 0388	102	109	91	1.61 57	-0.12 48	0.69 104	2.34 23	-3.30 30	-0.49 47	6.40 49	-9.40 29	96	3 1
4	2250 24 0008 2024/08/15	2	6.58	2250 20 0147 2250 17 0262	103	109	93	1.49 58	0.17 52	0.91 106	2.35 23	-2.10 32	0.40 50	8.88 48	-9.40 28	91	8 7
5	2250 24 0018 2024/08/15	1	2.97	2250 18 0259 2250 22 0216	98	106	90	0.89 56	0.20 51	0.64 104	1.45 27	-2.10 34	-0.17 49	4.74 48	-0.38 32	100	3 1
6	2250 24 0021 2024/08/15	2	6.02	2250 22 0316 2250 22 0091	111	116	99	2.51 45	0.09 36	1.35 110	4.12 19	-1.40 22	1.77 36	2.89 33	-7.34 19		3 0
7	2250 24 0029 2024/07/15	1	3.94	2250 22 0316 2250 22 0167	108	111	99	1.75 42	0.13 36	1.00 107	2.93 20	-0.80 23	1.39 35	2.18 34	-4.18 21		2 0
8	2250 24 0032 2024/08/01	1	8.10	2250 20 0147 2250 22 0138	110	112	101	1.86 55	0.18 46	1.11 108	3.24 25	-1.50 29	1.14 46	1.84 46	-8.50 27		1 0
9	2250 24 0033 2024/07/15	2	10.08	2250 20 0147 2250 22 0188	107	112	93	2.21 55	-0.10 45	1.00 107	3.34 20	-3.30 27	0.13 45	2.15 49	-8.16 29		2 0
10	2250 24 0035 2024/07/15	1	3.71	2250 21 0281 2250 21 0005	105	107	98	1.60 55	-0.45 44	0.35 102	1.75 20	-0.30 29	0.96 45	1.86 43	-3.46 25	99	3 1
11	2250 24 0036 2024/07/15	2	6.87	2250 22 0316 2250 21 0420	114	118	102	2.50 45	0.60 37	1.85 114	4.85 19	-1.50 23	2.19 37	0.51 34	-6.67 20	98	3 1
12	2250 24 0037 2024/07/15	2	4.27	2250 21 0281 2250 19 0049	101	105	93	1.47 57	-0.53 48	0.21 100	1.56 23	-0.20 31	0.82 48	4.85 43	-0.05 27	111	6 5
13	2250 24 0038 2024/07/15	2	4.27	2250 21 0281 2250 19 0049	101	105	93	1.47 57	-0.53 48	0.21 100	1.56 23	-0.20 31	0.82 48	4.85 43	-0.05 27	111	6 5
14	2250 24 0039 2024/08/01	1	9.19	2250 22 0316 2250 22 0145	119	116	112	2.24 43	0.59 36	1.70 113	4.47 21	0.20 23	2.94 36	-1.57 34	-10.70 20		2 0
15	2250 24 0040 2024/08/01	2	4.76	2250 21 0281 2250 15 0117	100	98	100	0.53 57	-0.86 50	-0.59 94	-0.48 27	1.40 35	0.51 49	1.64 45	-0.41 28	130	10 14
16	2250 24 0042 2024/08/01	1	5.55	2250 22 0316 2250 22 0180	106	110	99	1.32 43	0.41 38	1.07 108	2.52 21	-1.10 25	1.07 37	2.96 34	-5.11 21	100	2 1
17	2250 24 0043 2024/08/15	2	2.54	2250 18 0259 2250 21 0196	97	105	89	0.86 57	0.14 51	0.56 103	1.28 26	-1.60 35	0.03 50	5.00 50	2.56 32	101	3 2
18	2250 24 0045 2024/08/15	2	6.82	2250 22 0316 2250 21 0124	110	113	101	1.86 45	0.35 39	1.28 109	3.42 23	-0.40 26	1.97 38	4.22 32	-6.08 20	93	4 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility					
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat									Acc	Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
19	2250 24 0046 2024/08/15	2	6.82	2250 22 0316 2250 21 0124		110	113	101	1.86 45	0.35 115	1.28 109	3.42 23	-0.40 26	1.97 38	4.22 89	-6.08 20	93	4 1		
20	2250 24 0047 2024/08/15	2	7.89	2250 20 0147 2250 18 0109		106	109	96	1.79 57	-0.20 114	0.69 104	2.65 30	-3.10 35	-0.28 50	4.03 90	-13.33 30	120	7 6		
21	2250 24 0048 2024/08/15	2	7.89	2250 20 0147 2250 18 0109		106	109	96	1.79 57	-0.20 114	0.69 104	2.65 30	-3.10 35	-0.28 50	4.03 90	-13.33 30	120	7 6		
22	2250 24 0049 2024/08/15	1	6.56	2250 22 0316 2250 22 0183		107	110	99	1.51 42	0.30 112	1.05 107	2.86 23	-0.70 25	1.39 36	4.04 90	-4.84 21		2 0		
23	2250 24 0051 2024/07/15	2	6.87	2250 22 0316 2250 21 0420		114	118	102	2.50 45	0.60 120	1.85 114	4.85 19	-1.50 23	2.19 37	0.51 99	-6.67 20	98	3 1		
24	2250 24 0054 2024/08/01	1	2.83	2250 21 0281 2250 19 0208		104	100	104	0.81 56	-0.79 106	-0.38 96	-0.12 23	2.70 29	1.64 46	-1.51 42	3.33 24	101	4 4		
25	2250 24 0056 2024/08/01	2	9.24	2250 20 0147 2250 18 0270		103	108	92	1.71 57	-0.28 114	0.57 103	2.39 21	-4.60 33	-1.34 49	0.66 99	-10.79 29	98	6 6		
26	2250 24 0060 2024/11/01	2	2.25	2250 18 0259 2250 23 0216		104	106	100	0.91 56	0.25 107	0.70 105	1.87 29	0.60 33	1.52 48	1.63 96	0.79 30		2 0		
27	2250 24 0061 2024/11/01	2	2.25	2250 18 0259 2250 23 0216		104	106	100	0.91 56	0.25 107	0.70 105	1.87 29	0.60 33	1.52 48	1.63 96	0.79 30		2 0		
28	2250 24 0062 2024/11/01	1	27.17	2250 20 0465 2250 22 0240		109	113	103	1.26 55	1.09 110	1.72 113	3.38 35	1.60 32	3.31 47	7.60 80	-1.75 25		1 0		
29	2250 24 0064 2024/11/01	2	3.49	2250 21 0281 2250 19 0111		112	105	112	1.42 58	-0.45 111	0.25 101	1.56 28	1.90 33	2.10 49	-3.46 46	-5.74 27	131	7 7		
30	2250 24 0065 2024/11/01	1	4.14	2250 21 0281 2250 22 0032		109	116	93	2.95 55	-0.32 124	1.16 108	4.20 18	-1.80 26	1.56 44	2.41 94	-3.26 25	92	3 1		
31	2250 24 0068 2024/11/01	3	5.86	2250 15 0303 2250 21 0063		91	98	86	0.07 44	-0.26 100	-0.23 97	-0.23 29	-2.20 30	-1.51 40	8.18 79	-1.52 23	103	3 2		
32	2124 24 0070 2024/08/17	1	2.26	2124 21 0428 2124 18 0156		97	94	102	-1.02 5	0.31 91	-0.20 97	-1.56 5	-0.40 5		-2.86 28	-0.10 5		2 0		
33	2250 24 0071 2024/11/01	3	4.62	2250 21 0281 2250 21 0436		110	112	99	2.33 55	-0.40 119	0.77 105	3.14 20	-0.40 27	1.69 44	1.35 97	-4.51 25	98	2 1		
34	2250 24 0074 2024/11/01	3	1.53	2250 20 0147 2250 17 0279		104	105	97	1.40 58	-0.45 111	0.25 101	1.34 27	-1.30 34	0.17 50	3.27 92	-7.88 29	101	8 9		
35	2250 24 0079 2024/11/01	2	9.23	2250 21 0281 2250 22 0465		110	106	107	1.45 54	-0.31 112	0.42 102	1.48 20	1.80 25	2.22 42	-2.26 41	-0.62 24		2 0		
36	2250 24 0080 2024/11/01	2	4.36	2250 20 0147 2250 22 0166		104	109	92	1.87 55	-0.27 115	0.67 104	2.47 21	-3.10 27	-0.26 45	1.33 97	-5.40 29	100	2 1		

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
37	2250 24 0082 2024/11/01	1	2.52	2250 21 0281 - - -	- - -	95	102	87	1.08 45	-0.69 33	-0.15 98	0.79 14	0.30 20	0.56 35	1.53 33	12.31 19		0
38	2250 24 0083 2024/11/01	3	2.52	2250 22 0316 - - -	- - -	100	109	91	1.29 31	0.24 24	0.89 106	2.59 15	-0.70 15	1.12 25	1.09 19	8.29 11		0
39	2250 24 0084 2024/11/01	3	2.52	2250 22 0316 - - -	- - -	100	109	91	1.29 31	0.24 24	0.89 106	2.59 15	-0.70 15	1.12 25	1.09 19	8.29 11		0
40	2250 24 0086 2024/11/01	2	4.91	2250 15 0303 2250 20 0144	- - -	92	97	88	-0.05 42	-0.31 37	-0.34 96	-0.49 27	-2.80 26	-2.04 36	4.46 32	-3.18 21		4 0
41	2250 24 0087 2024/11/01	2	4.91	2250 15 0303 2250 20 0144	- - -	92	97	88	-0.05 42	-0.31 37	-0.34 96	-0.49 27	-2.80 26	-2.04 36	4.46 32	-3.18 21		4 0
42	2250 24 0088 2024/11/01	2	8.86	2250 20 0147 2250 18 0336	- - -	111	112	104	1.73 57	0.38 51	1.24 109	3.31 22	-0.60 32	1.74 49	1.16 49	-7.69 29	99	5 4
43	2250 24 0090 2024/11/01	2	3.91	2250 20 0147 2250 23 0155	- - -	110	113	98	2.43 54	-0.25 43	0.96 107	3.45 19	-2.20 25	0.86 43	-1.35 48	-6.79 26		1 0
44	2250 24 0092 2024/11/01	2	4.34	2250 20 0147 2250 22 0197	- - -	104	109	92	1.83 55	-0.25 46	0.66 104	2.55 21	-3.20 28	-0.34 45	0.66 49	-5.12 29		2 0
45	2250 24 0093 2024/11/01	2	4.34	2250 20 0147 2250 22 0197	- - -	104	109	92	1.83 55	-0.25 46	0.66 104	2.55 21	-3.20 28	-0.34 45	0.66 49	-5.12 29		2 0
46	2250 24 0096 2024/11/01	1	3.66	2250 20 0465 2250 22 0499	- - -	108	111	103	1.11 56	0.84 47	1.39 110	2.65 34	1.10 32	2.61 47	4.68 43	-1.97 25		2 0
47	2250 24 0097 2024/11/01	1	5.28	2250 20 0465 2250 22 0289	- - -	107	112	98	1.64 55	0.54 47	1.36 110	3.31 32	-0.90 31	1.64 46	4.74 46	-4.65 26		2 0
48	2250 24 0098 2024/11/01	2	12.62	2250 20 0465 2250 22 0210	- - -	101	109	93	1.08 56	0.57 48	1.11 108	2.29 34	0.00 33	1.65 48	9.04 46	0.50 27		2 0
49	2250 24 0099 2024/11/01	2	12.62	2250 20 0465 2250 22 0210	- - -	101	109	93	1.08 56	0.57 48	1.11 108	2.29 34	0.00 33	1.65 48	9.04 46	0.50 27		2 0
50	2250 24 0103 2024/11/01	1	12.49	2250 20 0147 2250 20 0468	- - -	108	111	98	1.99 57	-0.20 48	0.80 105	3.06 25	-2.00 29	0.59 47	1.66 47	-8.48 28	93	4 1
51	2250 24 0106 2024/11/01	1	18.92	2250 21 0281 2250 21 0066	- - -	108	108	100	1.89 55	-0.50 42	0.44 102	2.29 20	0.10 27	1.45 44	-1.94 44	-0.72 26		3 0
52	2250 24 0107 2024/11/01	1	4.68	2250 22 0316 2250 21 0309	- - -	108	112	99	1.61 45	0.55 38	1.36 110	3.33 21	-1.90 24	1.02 37	0.04 35	-4.89 21	102	4 1
53	2250 24 0109 2024/11/01	1	7.03	2250 22 0316 2250 15 0521	- - -	103	107	95	1.26 47	-0.02 44	0.61 104	2.04 25	-1.70 32	0.22 42	1.33 36	-3.29 21	118	10 12
54	2250 24 0112 2024/11/01	2	7.32	2250 20 0147 2250 22 0111	- - -	109	111	99	2.02 57	-0.14 47	0.87 106	3.07 23	-1.80 29	0.80 47	-0.59 50	-6.41 29		3 0

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
55	2250 24 0114 2024/11/01	1	3.31	2250 20 0147 2250 22 0260		104	107	95	1.60 55 113	-0.32 46 95	0.48 103	1.96 22 109	-2.40 28 86	-0.16 45 98	0.81 49 99	-6.01 28 117		2 0
56	2250 24 0115 2024/11/01	2	3.76	2250 22 0248 2250 22 0125		106	104	105	0.74 41 105	0.00 35 99	0.37 102	0.83 21 104	0.90 24 103	1.27 35 104	-1.33 35 104	-1.81 22 106		3 0
57	2250 24 0116 2024/11/01	2	3.76	2250 22 0248 2250 22 0125		106	104	105	0.74 41 105	0.00 35 99	0.37 102	0.83 21 104	0.90 24 103	1.27 35 104	-1.33 35 104	-1.81 22 106		3 0
58	2250 24 0118 2024/11/01	1	10.75	2250 20 0159 2250 21 0272		98	101	94	0.53 46 104	-0.29 41 96	-0.03 99	0.45 20 103	-2.10 29 88	-1.02 40 94	0.34 37 100	-3.12 23 110	95	3 1
59	2250 24 0124 2024/11/01	1	6.66	2250 22 0316 2250 19 0161		108	111	100	1.43 45 111	0.50 38 104	1.22 109	2.83 23 112	-1.30 25 92	1.15 38 103	-0.40 32 102	-3.57 17 111	92	5 2
60	2250 24 0125 2024/11/01	1	5.51	2250 15 0303 2250 21 0164		95	96	95	-0.26 43 97	-0.22 40 97	-0.35 96	-0.86 35 97	-1.60 33 90	-1.44 40 92	2.67 37 94	-4.76 25 114	96	3 1
61	2250 24 0126 2024/11/01	1	3.93	2250 20 0465 2250 22 0204		107	112	97	1.69 56 114	0.40 48 103	1.25 109	3.11 32 114	-0.90 31 94	1.56 47 105	5.06 46 87	-4.09 26 112		2 0
62	2250 24 0132 2024/11/01	1	4.27	2250 21 0281 2250 21 0357		100	106	92	1.48 55 112	-0.48 42 94	0.26 101	1.44 19 107	-1.00 27 93	0.40 44 100	4.40 41 89	-0.83 24 104		1 0
63	2250 24 0135 2024/11/01	1	5.36	2250 21 0281 2250 19 0089		109	108	105	1.54 57 112	-0.21 48 97	0.56 103	2.18 28 110	0.90 33 103	1.87 48 106	3.12 44 92	-7.05 27 120	132	7 6
64	2250 24 0136 2024/11/01	1	2.31	2250 20 0147 2250 21 0191		109	109	100	1.91 57 115	-0.30 49 96	0.65 104	2.49 22 111	-0.80 29 94	1.13 47 103	-1.16 49 104	-4.33 29 113	100	3 2
65	2250 24 0137 2024/11/01	1	5.40	2250 20 0465 2250 20 0078		110	111	105	1.16 56 109	0.80 51 107	1.38 110	3.10 38 113	0.90 35 103	2.50 49 109	5.15 45 87	-5.80 27 117	95	5 2
66	2250 24 0139 2024/11/01	1	6.52	2250 20 0159 2250 22 0277		95	99	92	0.27 44 102	-0.40 40 95	-0.26 97	-0.30 20 100	-1.70 28 90	-1.14 39 94	2.69 38 94	-2.15 23 107		2 0
67	2250 24 0141 2024/11/01	2	2.52	2250 21 0281 - -		95	102	87	1.08 45 108	-0.69 33 92	-0.15 98	0.79 14 104	0.30 20 100	0.56 35 101	1.53 33 97	12.31 19 70		0
68	2250 24 0142 2024/11/01	1	6.55	2250 22 0316 2250 22 0033		116	120	102	2.98 45 125	0.31 35 102	1.79 113	5.29 20 122	-0.70 22 95	2.86 36 110	1.36 34 97	-5.80 19 117		3 0
69	2250 24 0144 2024/11/01	1	3.72	2250 20 0147 2250 20 0995		107	109	99	1.51 55 112	0.05 49 99	0.81 105	2.25 28 110	-1.00 31 93	0.96 47 102	0.54 46 99	-4.12 29 112	103	3 3
70	2250 24 0146 2024/11/01	1	2.43	2250 20 0147 2250 22 0371		110	113	99	2.20 57 118	-0.05 47 98	1.05 107	3.33 23 114	-1.20 28 92	1.43 46 104	1.95 49 96	-6.40 29 118		2 0
71	2250 24 0148 2024/11/01	2	6.45	2250 22 0316 2250 21 0223		103	110	92	1.55 45 112	0.14 38 100	0.91 106	2.50 21 111	-3.00 25 83	-0.12 38 98	0.85 34 99	-3.59 21 111	97	3 1
72	2250 24 0149 2024/11/01	2	6.45	2250 22 0316 2250 21 0223		103	110	92	1.55 45 112	0.14 38 100	0.91 106	2.50 21 111	-3.00 25 83	-0.12 38 98	0.85 34 99	-3.59 21 111	97	3 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
73	2250 24 0152 2024/11/01	1	4.35	2250 20 0465 2250 21 0190		100	107	94	0.70 58 105	0.67 52 106	1.01 107	1.83 34 108	0.60 34 102	1.72 50 106	7.71 46 80	3.66 27 92	101	2 2
74	2250 24 0154 2024/11/01	2	7.77	2250 15 0303 2250 20 0309		93	97	88	0.17 44 101	-0.62 41 92	-0.53 94	-0.57 27 99	-3.90 29 78	-2.79 39 87	2.94 37 93	-6.84 22 119	121	5 4
75	2250 24 0155 2024/11/01	1	8.61	2250 22 0316 2250 19 0136		106	108	98	1.28 45 110	0.14 40 100	0.78 105	2.06 22 109	-2.70 26 84	-0.20 39 98	-3.93 32 111	-4.14 19 112	95	6 3
76	2250 24 0156 2024/11/01	2	6.13	2250 20 0159 2250 21 0113		96	100	91	0.43 46 103	-0.26 39 96	-0.04 98	0.10 21 101	-1.70 28 90	-0.85 39 95	3.87 38 90	-1.42 23 105		3 0
77	2250 24 0157 2024/11/01	2	6.13	2250 20 0159 2250 21 0113		96	100	91	0.43 46 103	-0.26 39 96	-0.04 98	0.10 21 101	-1.70 28 90	-0.85 39 95	3.87 38 90	-1.42 23 105		3 0
78	2250 24 0158 2024/11/01	1	5.94	2250 22 0316 2250 21 0325		113	113	106	1.93 45 116	0.26 39 102	1.23 109	3.48 21 115	-0.30 24 97	2.01 38 107	-3.05 34 109	-4.57 20 114	105	3 2
79	2250 24 0159 2024/11/01	1	4.73	2250 15 0303 2250 20 0213		98	97	99	-0.18 43 98	-0.20 40 97	-0.29 96	-0.37 30 99	-0.40 28 96	-0.61 38 96	2.62 34 94	-4.91 20 114	104	4 3
80	2250 24 0160 2024/11/01	1	10.41	2250 20 0147 2250 20 0343		107	110	98	1.76 57 114	-0.02 48 99	0.86 106	2.66 23 112	-1.60 30 90	0.78 47 102	2.67 49 94	-7.25 29 120	92	4 1
81	2250 24 0163 2024/11/01	2	6.25	2250 21 0281 2250 21 0228		100	107	90	1.71 56 114	-0.52 46 93	0.34 102	1.74 20 108	-0.90 29 94	0.66 46 101	4.61 44 88	1.34 26 98	100	3 2
82	2250 24 0167 2024/09/01	1	2.19	2250 23 0027 2250 21 0221		103	104	98	1.07 53 108	-0.31 39 96	0.23 101	1.19 21 106	-0.40 26 96	0.52 41 101	3.26 35 92	-4.39 22 113		1 0
83	2250 24 0172 2024/12/01	1	3.07	2250 23 0027 2250 21 0158		110	105	110	0.86 54 107	0.19 43 101	0.62 104	1.18 30 106	0.80 31 103	1.53 44 105	-0.89 39 103	-8.52 25 124	102	3 2
84	2250 24 0173 2024/12/01	2	7.10	2250 22 0316 2250 21 0410		114	116	103	2.39 43 120	0.38 35 103	1.57 112	4.43 19 119	0.10 22 99	2.82 35 110	1.22 31 98	-4.26 18 113	97	3 1
85	2250 24 0174 2024/12/01	2	7.10	2250 22 0316 2250 21 0410		114	116	103	2.39 43 120	0.38 35 103	1.57 112	4.43 19 119	0.10 22 99	2.82 35 110	1.22 31 98	-4.26 18 113	97	3 1
86	2250 24 0175 2024/12/01	1	4.16	2250 15 0030 2250 17 0354		89	90	91	-0.72 35 93	-0.79 33 91	-1.15 89	-2.73 24 90	-1.90 26 89	-2.65 32 87	5.72 30 85	-5.74 19 117		2 0
87	2250 24 0176 2024/12/30	1	6.15	2250 20 0147 2250 23 0099		106	106	101	1.25 55 110	-0.21 46 97	0.42 102	1.55 26 107	-0.80 29 94	0.57 46 101	2.59 49 94	-9.06 27 125		1 0
88	2250 24 0180 2024/04/01	2	7.58	2250 22 0316 2250 22 0038		118	119	105	3.02 45 125	0.18 36 101	1.69 112	5.17 18 122	-0.60 22 95	2.83 36 110	0.32 32 100	-8.74 19 124		2 0
89	2250 24 0184 2024/12/01	2	8.17	2250 22 0316 2250 20 0057		111	112	103	1.85 46 115	0.29 40 102	1.21 109	3.46 22 115	-1.50 26 91	1.24 39 104	0.16 35 100	-8.89 20 125	109	7 3
90	2250 24 0187 2024/04/01	1	2.40	2250 22 0316 2250 21 0251		118	113	114	1.81 46 115	0.50 40 104	1.40 110	3.23 30 114	1.30 30 105	3.09 40 111	-3.24 35 110	-8.00 23 122	94	3 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
91	2250 24 0189 2024/04/01	1	20.26	2250 20 0189 2250 20 0311		113	109	110	1.25 55	0.28 46	0.91 106	2.71 34	0.20 30	1.65 46	-0.02 38	-11.04 22	103	5 3
92	2250 24 0190 2024/02/01	1	17.64	2250 20 0189 2250 20 0117		120	113	120	1.18 55	1.09 46	1.68 112	3.78 33	2.70 31	3.90 46	1.18 41	-11.42 23	100	6 3
93	2250 24 0191 2024/04/01	1	2.56	2250 20 0189 1619 16 0420		109	107	109	0.69 57	0.65 48	1.00 107	2.03 36	1.50 32	2.24 48	3.04 40	-5.89 23	111	7 7
94	2250 24 0193 2024/04/01	2	4.72	2250 20 0189 2250 21 0233		111	110	108	1.15 54	0.59 45	1.17 108	2.81 30	0.60 29	2.10 45	-0.76 40	-5.09 23	100	4 2
95	2250 24 0195 2024/04/01	3	5.27	2250 20 0189 2250 21 0073		109	109	103	1.53 55	0.12 45	0.88 106	2.79 30	-1.40 29	0.81 45	-1.36 39	-7.62 22	103	3 2
96	2250 24 0196 2024/04/01	3	5.27	2250 20 0189 2250 21 0073		109	109	103	1.53 55	0.12 45	0.88 106	2.79 30	-1.40 29	0.81 45	-1.36 39	-7.62 22	103	3 2
97	2250 24 0223 2024/05/01	2	15.78	2250 20 0189 2250 20 0093		112	108	110	1.09 54	0.30 45	0.85 106	2.33 32	-0.40 29	1.15 45	-4.18 38	-8.95 21	92	5 2
98	2250 24 0225 2024/08/01	2	11.71	2250 20 0189 2250 21 0406		119	116	112	2.16 55	0.57 43	1.65 112	4.56 30	0.10 28	2.79 44	0.19 40	-12.72 22	97	4 1
99	2250 24 0226 2024/06/01	1	19.69	2250 20 0189 2250 20 0036		116	110	115	1.32 56	0.43 48	1.09 108	2.97 34	2.90 32	3.49 47	0.36 39	-6.19 22	135	5 6
100	2250 24 0228 2024/08/01	2	4.56	2250 20 0189 2250 19 0163		110	110	104	1.03 55	0.82 46	1.33 110	2.85 29	-2.00 30	0.65 46	-2.83 39	-7.41 22	97	6 3
101	2250 24 0231 2024/08/01	2	4.02	2250 20 0189 2250 19 0296		102	101	101	0.26 55	-0.03 46	0.10 100	0.35 32	-0.80 30	-0.25 46	0.14 38	-5.09 20	115	6 4
102	2250 24 0235 2024/08/01	2	4.84	2250 20 0189 2250 22 0055		108	103	107	0.68 53	-0.04 41	0.30 101	1.05 29	-0.30 28	0.46 43	-1.80 38	-9.07 21		3 0
103	2250 24 0237 2024/08/01	2	7.48	2250 20 0189 2250 22 0069		114	107	113	1.11 54	0.22 41	0.78 105	2.17 31	1.10 28	1.99 43	-3.07 38	-8.75 21		3 0
104	2250 24 0238 2024/08/01	2	7.48	2250 20 0189 2250 22 0069		114	107	113	1.11 54	0.22 41	0.78 105	2.17 31	1.10 28	1.99 43	-3.07 38	-8.75 21		3 0
105	2250 24 0239 2024/04/01	2	4.20	2250 20 0189 2250 22 0084		114	109	111	1.25 55	0.31 42	0.93 106	2.53 30	0.30 28	1.73 44	-2.98 40	-9.41 22		3 0
106	2250 24 0243 2024/08/01	2	6.43	2250 20 0189 2250 21 0126		114	114	108	1.50 55	1.01 47	1.76 113	4.04 31	0.30 32	2.68 47	2.04 40	-7.92 23	116	3 3
107	2250 24 0245 2024/04/01	1	2.82	2250 20 0189 2250 17 0472		109	104	109	0.57 55	0.23 48	0.51 103	1.19 34	-0.10 33	0.74 47	-2.47 40	-8.70 23	109	9 8
108	2250 24 0246 2024/04/01	2	5.50	2250 20 0189 2250 20 0058		114	113	108	1.57 57	0.79 47	1.57 112	3.83 34	-0.80 31	1.87 47	-0.75 40	-9.91 23	116	5 4

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
109	2250 24 0249 2024/04/01	2	5.95	2250 20 0189 2250 20 0383		102	110	92	1.29 55	0.47 110	1.12 108	2.87 113	-3.10 33	-0.10 46	4.11 40	-4.98 25	93	4 2
110	2250 24 0251 2024/04/01	3	5.27	2250 20 0189 2250 21 0073		109	109	103	1.53 55	0.12 112	0.88 106	2.79 112	-1.40 29	0.81 45	-1.36 39	-7.62 104	103	3 2
111	2250 24 0257 2024/12/01	2	5.00	2250 20 0189 2250 21 0189		103	106	96	1.02 55	0.15 108	0.66 104	1.91 109	-1.60 30	0.21 45	1.92 40	-3.76 23	95	4 1
112	2250 24 0259 2024/04/01	2	9.23	2250 20 0189 2250 20 0057		110	108	105	1.25 55	0.24 110	0.86 106	2.58 111	-1.10 30	0.83 46	-0.69 40	-9.75 103	109	7 3
113	2250 24 0263 2024/04/01	2	4.74	2250 22 0316 2250 22 0112		109	112	101	1.68 45	0.43 114	1.27 109	3.41 115	-0.40 25	1.87 37	-0.38 35	-1.30 102		3 0
114	2250 24 0267 2024/04/01	2	4.07	2250 22 0316 2250 20 0062		106	112	96	1.87 46	0.13 115	1.06 107	3.03 113	-1.60 25	1.03 39	4.53 35	-6.31 20	97	5 2
115	2250 24 0268 2024/04/01	2	4.07	2250 22 0316 2250 20 0062		106	112	96	1.87 46	0.13 115	1.06 107	3.03 113	-1.60 25	1.03 39	4.53 35	-6.31 20	97	5 2
116	2250 24 0269 2024/04/01	2	5.35	2250 22 0316 2250 20 0240		107	115	93	2.08 45	0.46 117	1.50 111	3.99 117	-3.00 22	0.74 37	3.20 33	-5.66 19	91	4 1
117	2250 24 0271 2024/04/01	2	5.16	2250 22 0316 2250 21 0390		110	114	99	2.10 45	0.32 117	1.38 110	3.81 116	-1.50 24	1.53 37	0.81 34	-5.31 19	99	3 1
118	2250 24 0275 2024/06/01	2	5.97	2250 22 0316 2250 20 0163		108	113	97	1.85 46	0.49 115	1.42 110	3.62 116	-0.90 26	1.80 39	3.15 35	-1.80 21	107	5 3
119	2250 24 0276 2024/08/02	2	5.66	2250 22 0316 2250 20 0190		108	111	99	1.57 45	0.36 113	1.15 108	2.89 113	-2.10 23	0.68 38	2.03 34	-8.46 19	97	5 2
120	2250 24 0278 2024/04/01	1	11.82	2250 22 0316 2250 20 0490		118	115	111	2.05 45	0.50 117	1.52 111	4.15 118	0.90 25	3.09 37	-1.21 30	-7.87 104		1 0
121	2250 24 0279 2024/08/01	2	4.86	2250 22 0316 2250 21 0105		105	109	97	1.28 45	0.29 110	0.93 106	2.29 110	-2.00 26	0.37 38	1.27 35	-4.78 21	87	4 1
122	2250 24 0280 2024/08/01	2	4.86	2250 22 0316 2250 21 0105		105	109	97	1.28 45	0.29 110	0.93 106	2.29 110	-2.00 26	0.37 38	1.27 35	-4.78 21	87	4 1
123	2250 24 0283 2024/04/01	1	10.38	2250 22 0316 2250 21 0021		111	114	101	1.93 45	0.56 116	1.52 111	3.99 117	-1.50 27	1.59 39	2.57 34	-8.14 20	98	3 1
124	2250 24 0286 2024/04/01	1	5.81	2250 22 0316 2250 21 0166		108	108	103	0.92 45	0.60 107	1.07 107	2.14 110	-1.40 29	0.69 39	-0.83 35	-6.65 103	96	3 1
125	2250 24 0288 2024/04/01	1	5.52	2250 20 0189 2250 21 0099		103	107	98	0.75 55	0.57 106	0.95 106	2.04 109	-1.40 30	0.48 45	4.84 40	-6.36 23	96	3 1
126	2250 24 0296 2024/12/01	1	7.52	2250 20 0189 2250 18 0251		103	106	97	0.82 54	0.30 106	0.71 105	2.00 109	-3.40 34	-0.93 47	-1.16 40	-7.78 104	103	7 5

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
127	2250 24 0302 2024/04/01	1	4.02	2250 22 0316 2250 20 0043		102	104	96	1.20 45 109	-0.49 39 94	0.11 100	1.04 20 105	-1.50 24 91	-0.19 38 98	1.44 33 97	-5.34 19 116	96	5 2
128	2250 24 0303 2024/12/01	1	12.63	2250 22 0316 2250 20 0311		114	113	107	1.84 45 115	0.33 40 102	1.26 109	3.58 26 115	-0.30 25 97	2.00 38 107	0.83 32 99	-10.18 19 128	103	5 3
129	2250 24 0307 2024/04/01	2	4.98	2250 22 0316 2250 18 0158		103	106	97	0.72 45 105	0.37 42 103	0.73 105	1.45 18 107	-2.80 27 84	-0.60 40 96	0.52 33 99	-7.31 18 121	126	6 7
130	2250 24 0311 2024/04/02	2	2.31	2250 22 0316 2250 17 0374		115	109	113	1.43 46 111	0.24 43 101	0.96 107	2.48 25 111	2.20 29 110	2.99 41 111	-2.06 33 106	-4.49 19 113	117	9 12
131	2250 24 0313 2024/04/01	2	7.98	2250 22 0316 2250 17 0168		109	110	102	1.45 47 112	0.40 44 103	1.13 108	3.04 29 113	-0.80 33 94	1.38 43 104	1.43 38 97	-6.63 25 119	140	8 10
132	2250 24 0314 2024/04/01	2	7.98	2250 22 0316 2250 17 0168		109	110	102	1.45 47 112	0.40 44 103	1.13 108	3.04 29 113	-0.80 33 94	1.38 43 104	1.43 38 97	-6.63 25 119	140	8 10
133	2250 24 0315 2024/04/01	2	9.64	2250 22 0316 2250 21 0407		119	119	109	2.45 45 120	0.75 37 107	1.98 115	5.12 20 122	-0.30 22 97	3.03 37 111	1.17 34 98	-11.30 19 131	98	3 1
134	2250 24 0319 2024/08/01	2	5.78	2250 22 0316 2250 18 0344		108	113	99	1.38 44 111	0.95 42 109	1.64 112	3.41 21 115	-2.10 28 88	1.07 40 103	-0.53 35 102	-2.99 20 110	115	6 4
135	2250 24 0321 2024/08/01	2	7.65	2250 22 0316 2250 20 0289		113	112	105	1.73 47 114	0.36 42 103	1.23 109	3.37 22 115	-1.60 28 90	1.13 41 103	-3.90 33 111	-8.17 21 123	123	5 5
136	2250 24 0323 2024/04/01	2	7.18	2250 22 0316 2250 20 0400		110	112	100	1.81 45 115	0.35 39 103	1.26 109	3.40 19 115	-2.00 23 88	0.96 38 102	-0.38 33 102	-7.30 19 121	100	4 2
137	2250 24 0325 2024/04/01	1	3.79	2250 22 0316 2250 20 0479		104	107	97	1.40 46 111	-0.16 42 97	0.55 103	1.87 23 109	-0.70 27 95	0.83 40 102	2.45 33 94	-2.79 21 109	103	3 4
138	2250 24 0326 2024/04/01	2	3.98	2250 22 0316 2250 21 0256		109	113	99	1.89 45 115	0.43 38 104	1.38 110	3.60 20 116	-2.20 24 87	1.00 37 103	-1.23 34 104	-4.70 20 114	96	3 1
139	2250 24 0328 2024/08/01	2	7.03	2250 22 0316 2250 21 0303		115	116	106	2.41 46 120	0.22 39 101	1.43 110	4.25 22 118	1.50 24 106	3.53 38 113	2.55 35 94	-4.07 20 112	104	3 2
140	2250 24 0333 2024/04/01	2	6.60	2250 22 0316 2250 21 0232		109	116	97	1.97 46 116	0.73 40 107	1.72 113	4.24 21 118	-1.20 26 92	1.98 39 107	4.28 35 89	-3.63 21 111	100	3 2
141	2250 24 0335 2024/04/01	2	6.03	2250 22 0316 2250 21 0244		113	114	105	2.12 45 117	0.19 39 101	1.26 109	3.76 23 116	0.10 26 99	2.38 38 108	1.38 35 97	-6.56 21 119	100	3 2
142	2250 24 0336 2024/04/01	2	6.03	2250 22 0316 2250 21 0244		113	114	105	2.12 45 117	0.19 39 101	1.26 109	3.76 23 116	0.10 26 99	2.38 38 108	1.38 35 97	-6.56 21 119	100	3 2
143	2250 24 0337 2024/04/01	1	2.17	2250 22 0316 2250 17 0215		102	98	102	0.47 45 103	-0.66 42 92	-0.42 95	-0.46 26 99	0.40 28 101	0.05 40 99	-1.49 32 105	-2.62 19 109	111	8 7
144	2250 24 0340 2024/04/01	1	2.31	2250 22 0316 2250 21 0220		109	113	100	1.70 46 114	0.49 40 104	1.34 110	3.42 23 115	-0.70 26 95	1.77 39 106	0.14 35 100	-1.94 22 107	100	3 2

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb		Acc	Index	Acc	Index		
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
145	2250 24 0341 2024/04/01	1	5.22	2250 22 0316 2250 21 0227		113	112	107	1.41 45 111	0.71 40 106	1.41 110	2.92 29 113	-0.70 29 95	1.70 39 106	0.77 35 99	-10.35 23 128	95	3 1
146	2250 24 0342 2024/04/01	1	7.10	2250 22 0316 2250 21 0411		114	115	105	2.18 43 118	0.45 35 104	1.55 111	4.21 19 118	0.30 21 100	2.82 35 110	1.21 31 98	-5.68 18 116	116	5 1
147	2250 24 0348 2024/04/01	1	5.68	2250 22 0316 2250 20 0255		104	108	96	1.52 45 112	-0.15 40 97	0.61 104	2.11 21 109	-0.90 25 94	0.83 38 102	5.33 35 86	-6.04 21 117	96	4 2
148	2250 24 0349 2024/06/01	1	3.39	2250 22 0316 2250 20 0296		111	113	102	1.89 45 115	0.27 37 102	1.21 109	3.35 21 115	-0.60 25 95	1.80 37 106	-0.58 31 102	-3.81 21 112		4 0
149	2250 24 0351 2024/04/01	1	1.52	2250 22 0316 2250 21 0255		105	110	95	1.46 44 112	0.40 36 103	1.13 108	2.69 20 112	-2.00 23 88	0.66 36 101	0.61 30 99	-1.52 18 106		1 0
150	2250 24 0353 2024/12/01	1	8.50	2250 22 0316 2250 18 0223		109	110	102	1.37 43 111	0.45 40 104	1.14 108	2.91 19 113	-1.20 26 92	1.10 38 103	-0.86 31 103	-5.35 18 116	116	7 6
151	2250 24 0355 2024/12/01	1	11.87	2250 22 0316 2250 20 0036		117	114	112	1.91 47 115	0.48 42 104	1.44 110	3.84 25 117	2.40 27 111	3.83 40 115	1.21 32 98	-5.33 19 116	135	5 6
152	2250 24 0356 2024/12/01	2	4.02	2250 22 0316 2250 20 0043		102	104	96	1.20 45 109	-0.49 39 94	0.11 100	1.04 20 105	-1.50 24 91	-0.19 38 98	1.44 33 97	-5.34 19 116	96	5 2
153	2250 24 0358 2024/12/01	3	3.79	2250 20 0189 2250 20 0062		105	108	99	1.27 55 110	0.08 46 100	0.71 105	2.16 30 110	-1.10 30 93	0.69 46 101	3.68 40 91	-7.17 23 120	97	5 2
154	2250 24 0363 2024/12/01	3	4.29	2250 20 0189 2250 21 0390		109	110	102	1.51 55 112	0.27 44 102	1.02 107	2.93 29 113	-1.10 29 93	1.12 45 103	-0.04 40 101	-6.17 22 118	99	3 1
155	2250 24 0366 2024/12/01	2	4.02	2250 22 0316 2250 20 0043		102	104	96	1.20 45 109	-0.49 39 94	0.11 100	1.04 20 105	-1.50 24 91	-0.19 38 98	1.44 33 97	-5.34 19 116	96	5 2
156	2250 24 0367 2024/01/01	1	2.52	2250 22 0316 - - -		100	109	91	1.29 31 110	0.24 24 101	0.89 106	2.59 15 111	-0.70 15 95	1.12 25 103	1.09 19 98	8.29 11 80		0
157	2250 24 0369 2024/12/01	3	5.97	2250 22 0316 2250 20 0163		108	113	97	1.85 46 115	0.49 41 104	1.42 110	3.62 21 116	-0.90 26 94	1.80 39 106	3.15 35 92	-1.80 21 106	107	5 3
158	2250 24 0370 2024/12/01	3	5.97	2250 22 0316 2250 20 0163		108	113	97	1.85 46 115	0.49 41 104	1.42 110	3.62 21 116	-0.90 26 94	1.80 39 106	3.15 35 92	-1.80 21 106	107	5 3
159	2250 24 0374 2024/12/01	3	5.16	2250 22 0316 2250 21 0390		110	114	99	2.10 45 117	0.32 38 102	1.38 110	3.81 18 116	-1.50 24 91	1.53 37 105	0.81 34 99	-5.31 19 115	99	3 1
160	2250 24 0375 2024/09/01	1	8.08	2250 22 0316 2250 20 0394		113	119	99	2.58 45 121	0.58 38 105	1.87 114	4.90 19 121	-2.40 23 86	1.72 37 106	-0.51 30 102	-5.86 19 117	95	3 1
161	2250 24 0380 2024/01/01	1	4.38	2250 20 0189 2250 23 0373		103	101	105	0.02 50 99	0.31 39 102	0.32 101	0.53 29 103	0.00 26 98	0.33 40 100	-0.54 33 102	-4.82 19 114		2 0
162	2250 24 0383 2024/02/01	1	3.65	2250 20 0189 2250 22 0476		114	110	110	1.53 54 112	0.21 41 101	0.97 107	2.66 31 112	1.60 28 107	2.70 43 110	0.79 38 99	-7.17 22 120		3 0

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility					
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat									EBV	EBV
									Acc	Index	Acc	Index	EBV	EBV	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
163	2250 24 0385 2024/01/01	1	1.73	2250 20 0189 2250 22 0527		120	110	121	1.31 52	0.43 42	1.09 108	2.57 32	2.90 29	3.49 43	-6.42 35	-7.04 22	3 0			
164	2250 24 0386 2024/06/01	1	4.00	2250 20 0189 2250 22 0554		112	111	108	1.38 55	0.54 43	1.23 109	3.12 32	1.10 29	2.58 44	1.90 38	-5.99 20	1 0			
165	2250 24 0388 2024/06/01	1	5.26	2250 20 0189 2250 22 0594		108	106	107	1.04 54	-0.03 40	0.49 103	1.84 30	0.90 27	1.55 42	1.29 37	-6.64 20	1 0			
166	2250 24 0390 2024/12/01	2	4.98	2250 20 0189 2250 22 0386		110	112	101	1.80 54	0.21 42	1.10 108	3.27 29	-1.50 27	1.10 43	1.76 40	-9.27 23	3 0			
167	2250 24 0392 2024/12/01	2	6.02	2250 20 0189 2250 22 0429		103	107	96	1.00 55	0.22 44	0.72 105	2.00 30	-1.40 30	0.37 45	4.26 40	-4.94 24	3 0			
168	2250 24 0394 2024/12/01	2	3.65	2250 20 0189 2250 22 0476		114	110	110	1.53 54	0.21 41	0.97 107	2.66 31	1.60 28	2.70 43	0.79 38	-7.17 22	3 0			
169	2250 24 0398 2024/12/01	2	1.73	2250 20 0189 2250 22 0527		120	110	121	1.31 52	0.43 42	1.09 108	2.57 32	2.90 29	3.49 43	-6.42 35	-7.04 22	3 0			
170	2250 24 0399 2024/12/01	2	1.73	2250 20 0189 2250 22 0527		120	110	121	1.31 52	0.43 42	1.09 108	2.57 32	2.90 29	3.49 43	-6.42 35	-7.04 22	3 0			
171	2250 24 0400 2024/05/01	2	3.12	2250 20 0189 2250 23 0006		106	104	107	0.37 54	0.44 42	0.62 104	1.08 34	1.10 29	1.47 44	2.19 39	-4.94 22	2 0			
172	2250 24 0401 2024/05/01	2	3.12	2250 20 0189 2250 23 0006		106	104	107	0.37 54	0.44 42	0.62 104	1.08 34	1.10 29	1.47 44	2.19 39	-4.94 22	2 0			
173	2250 24 0402 2024/11/01	2	10.26	2250 20 0189 2250 23 0028		114	110	109	1.56 53	0.19 42	0.97 107	3.05 31	-0.40 29	1.50 43	-2.60 40	-10.23 22	1 0			
174	2250 24 0406 2024/08/01	2	4.18	2250 20 0189 2250 23 0041		113	110	109	1.43 52	0.25 42	0.97 107	2.76 30	-0.30 28	1.51 43	-2.98 40	-9.26 21	1 0			
175	2250 24 0408 2024/08/01	2	8.79	2250 20 0189 2250 23 0043		114	110	109	1.57 52	0.23 42	1.02 107	3.14 30	-0.20 28	1.68 43	-2.68 40	-8.73 21	1 0			
176	2250 24 0412 2024/11/01	1	5.31	2250 20 0189 2250 23 0058		110	111	101	1.69 52	0.26 41	1.10 108	3.20 29	-1.80 27	0.87 42	0.09 40	-8.27 21	1 0			
177	2250 24 0413 2024/11/01	1	5.01	2250 20 0189 2250 23 0062		110	110	103	1.61 52	0.18 40	0.98 107	2.98 29	-0.20 27	1.67 42	-0.09 39	-4.54 20	1 0			
178	2250 24 0414 2024/11/01	1	3.51	2250 20 0189 2250 23 0069		112	109	108	1.26 51	0.45 40	1.08 108	2.61 30	0.10 27	1.77 41	-0.24 38	-8.23 19	1 0			
179	2250 24 0418 2024/12/01	1	4.50	2250 20 0189 2250 23 0102		111	110	104	1.54 52	0.22 42	0.99 107	2.96 29	-1.20 27	1.04 42	-1.16 40	-8.32 21	1 0			
180	2250 24 0420 2024/11/01	2	7.28	2250 20 0189 2250 23 0106		113	112	107	1.71 50	0.33 38	1.18 108	3.26 28	-0.30 25	1.86 40	-0.89 37	-8.57 18	1 0			

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
181	2250 24 0423 2024/11/01	1	4.45	2250 20 0189 2250 23 0119		112	110	107	1.48 50	0.22 112	0.96 107	2.67 29	-0.10 26	1.64 40	-2.31 38	-6.19 19	1 0	
182	2250 24 0424 2024/10/01	1	3.31	2250 20 0189 2250 23 0137		109	109	103	1.56 52	0.02 112	0.80 105	2.67 28	0.30 26	1.76 41	-0.54 35	-3.04 20	1 0	
183	2250 24 0425 2024/11/01	2	5.09	2250 20 0189 2250 23 0140		108	109	102	1.28 52	0.32 110	0.96 107	2.72 30	-0.80 29	1.12 43	-0.85 40	-3.81 22	1 0	
184	2250 24 0427 2024/11/01	1	6.32	2250 20 0189 2250 23 0143		110	111	102	1.62 52	0.26 113	1.07 107	3.21 29	-2.40 28	0.44 43	-1.81 40	-9.76 21	1 0	
185	2250 24 0429 2024/11/01	1	3.38	2250 20 0189 2250 23 0157		107	106	104	0.88 52	0.33 107	0.77 105	1.96 30	0.00 28	1.21 43	-1.61 40	-2.37 22	1 0	
186	2250 24 0432 2024/08/01	1	28.08	2250 20 0189 2250 23 0178		112	111	107	1.25 52	0.73 110	1.36 110	3.28 30	-1.60 27	1.03 42	-2.84 38	-9.29 19	1 0	
187	2250 24 0438 2024/12/01	2	3.12	2250 20 0189 2250 23 0006		106	104	107	0.37 54	0.44 102	0.62 104	1.08 34	1.10 29	1.47 44	2.19 39	-4.94 22	2 0	
188	2250 24 0439 2024/12/01	2	3.12	2250 20 0189 2250 23 0006		106	104	107	0.37 54	0.44 102	0.62 104	1.08 34	1.10 29	1.47 44	2.19 39	-4.94 22	2 0	
189	2250 24 0449 2024/01/01	1	3.15	2250 22 0316 2250 22 0529		116	116	108	2.18 44	0.62 118	1.71 113	4.10 21	0.20 22	2.91 35	-1.21 32	-5.76 19	2 0	
190	2250 24 0450 2024/01/01	1	2.39	2250 22 0316 2250 22 0465		115	113	110	1.67 43	0.63 113	1.46 111	3.28 21	0.70 21	2.72 34	-2.70 31	-4.64 18	2 0	
191	2250 24 0453 2024/01/01	1	3.77	2250 22 0316 2250 22 0188		109	114	98	2.02 42	0.45 116	1.46 111	3.89 20	-1.80 22	1.39 35	1.42 34	-4.74 20	2 0	
192	2250 24 0456 2024/01/01	1	4.66	2250 22 0316 2250 22 0455		110	115	98	2.16 44	0.36 118	1.44 110	3.92 18	-1.00 21	1.92 35	2.26 33	-3.06 18	2 0	
193	2250 24 0457 2024/01/01	1	3.98	2250 22 0316 2250 22 0489		112	112	104	2.02 44	0.09 116	1.10 108	3.27 20	-0.30 22	1.93 35	-1.04 32	-5.04 18	2 0	
194	2250 24 0459 2024/01/01	1	2.37	2250 22 0316 2250 22 0371		112	115	103	2.01 45	0.50 116	1.50 111	3.87 22	0.20 24	2.63 37	1.22 34	-2.99 20	2 0	
195	2250 24 0461 2024/01/01	1	2.97	2250 22 0316 2250 22 0260		106	109	99	1.41 42	0.23 111	0.93 106	2.51 21	-1.00 23	1.04 35	0.08 34	-2.60 20	2 0	
196	2250 24 0462 2024/01/01	1	7.34	2250 22 0316 2250 22 0277		104	109	96	1.36 43	0.18 111	0.86 106	2.33 21	-1.40 24	0.70 36	1.55 35	-2.58 21	2 0	
197	2250 24 0464 2024/01/01	1	8.96	2250 22 0316 2250 22 0169		112	116	99	2.27 42	0.51 119	1.65 112	4.33 19	-1.90 21	1.64 34	2.78 34	-8.31 20	2 0	
198	2250 24 0468 2024/01/01	1	5.83	2250 22 0316 2250 22 0204		111	115	98	2.36 43	0.16 119	1.34 110	3.95 19	-2.50 21	1.01 35	0.16 35	-7.66 19	2 0	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
199	2250 24 0475 2024/02/01	1	3.59	2250 20 0189 2250 22 0575		113	110	110	1.28 53	0.45 39	1.09 108	2.69 30	-0.10 27	1.67 42	-1.88 37	-9.13 21		2 0
200	2250 24 0480 2024/02/01	1	4.43	2250 20 0189 2250 22 0362		110	111	102	1.79 54	0.12 40	1.01 107	3.14 29	-0.50 27	1.61 42	1.65 38	-6.47 21		2 0
201	2250 24 0481 2024/02/01	1	3.79	2250 20 0189 2250 22 0540		114	111	110	1.46 54	0.49 40	1.22 109	2.94 31	1.30 28	2.72 43	-0.23 38	-6.09 22		2 0
202	2250 24 0485 2024/01/01	1	5.52	2250 20 0189 2250 22 0033		115	116	105	2.38 55	0.25 42	1.44 111	4.41 30	-0.20 27	2.51 44	0.51 40	-6.66 22		3 0
203	2250 24 0700 2024/11/01	2	5.95	2250 15 0303 2250 20 0242		98	98	98	0.17 43	-0.39 41	-0.31 96	-0.01 31	-0.20 29	-0.35 39	5.48 35	-6.73 21	100	5 3
204	2250 24 0701 2024/11/01	2	5.95	2250 15 0303 2250 20 0242		98	98	98	0.17 43	-0.39 41	-0.31 96	-0.01 31	-0.20 29	-0.35 39	5.48 35	-6.73 21	100	5 3
205	2250 24 0702 2024/11/01	2	5.65	2250 20 0147 2250 22 0455		107	113	93	2.35 56	-0.19 44	0.98 107	3.37 19	-2.50 26	0.66 44	2.98 48	-6.47 27		2 0
206	2250 24 0703 2024/11/01	2	5.65	2250 20 0147 2250 22 0455		107	113	93	2.35 56	-0.19 44	0.98 107	3.37 19	-2.50 26	0.66 44	2.98 48	-6.47 27		2 0
207	2250 24 0706 2024/11/01	2	3.64	2250 22 0316 2250 22 0258		104	111	95	1.45 41	0.48 35	1.21 109	2.83 23	-1.10 24	1.27 35	4.18 34	-1.41 21		2 0
208	2250 24 0708 2024/11/01	1	4.71	2250 22 0316 2250 23 0122		112	113	104	2.13 41	0.14 33	1.20 109	3.67 19	-0.20 21	2.15 33	-2.17 33	-3.05 17		1 0
209	2250 24 0714 2024/11/01	1	3.44	2250 20 0147 2250 22 0535		118	114	111	2.21 56	0.27 45	1.38 110	3.53 24	0.20 28	2.60 45	-3.40 48	-9.22 28		2 0
210	2250 24 0716 2024/11/01	3	7.89	2250 20 0147 2250 22 0001		107	113	92	2.47 57	-0.24 47	1.00 107	3.49 22	-3.20 29	0.31 47	4.16 49	-8.81 29		3 0
211	2250 24 0721 2024/11/01	1	6.48	2250 22 0316 2250 22 0103		110	113	100	1.94 42	0.30 33	1.27 109	3.51 18	-1.90 21	1.09 34	-2.08 32	-5.19 17		3 0
212	2250 24 0722 2024/11/01	2	7.72	2250 23 0377 2250 22 0489		102	97	105	0.15 40	-0.57 33	-0.49 95	-0.85 18	1.10 22	0.24 33	-0.47 32	-3.72 18		2 0
213	2250 24 0723 2024/11/01	1	17.42	2250 20 0465 2250 21 0259		107	109	102	1.08 57	0.55 50	1.10 108	2.51 35	1.20 34	2.36 49	3.10 46	0.44 27	96	3 1
214	2250 24 0724 2024/11/01	1	2.43	2250 20 0465 2250 20 0355		109	110	104	1.50 58	0.35 51	1.10 108	2.62 34	1.60 34	2.81 50	4.52 44	-2.99 26		3 2
215	2250 24 0725 2024/11/01	2	5.60	2250 22 0316 2250 22 0484		117	115	110	2.02 44	0.51 35	1.52 111	3.85 24	0.30 24	2.71 36	-1.23 32	-8.23 19		2 0
216	2250 24 0727 2024/11/01	2	2.70	2250 22 0316 2250 22 0438		116	115	110	1.91 43	0.64 33	1.59 112	3.68 22	1.10 22	3.21 34	-1.75 32	-4.14 19		2 0

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76


Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lambded N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
217	2250 24 0729 2024/11/01	1	4.24	2250 22 0316 2250 22 0576		113	113	106	1.78 43	0.52 32	1.41 110	3.44 20	-0.60 27	1.94 34	-0.83 30	-7.24 18	2 0	
218	2250 24 0732 2024/11/01	1	5.91	2250 20 0465 2250 17 0432		110	110	107	1.18 59	0.71 55	1.31 109	2.92 39	1.60 38	2.86 53	6.31 46	-6.54 28	110 8	
219	2250 24 0733 2024/11/01	1	5.77	2250 22 0316 2250 22 0070		110	112	100	1.93 45	0.17 37	1.13 108	3.27 19	-1.60 22	1.13 37	0.30 34	-6.63 20	91 1	
220	2250 24 0736 2024/11/01	1	3.94	2250 20 0465 2250 22 0095		109	111	102	1.57 56	0.43 48	1.21 109	2.84 33	1.10 32	2.66 47	4.58 43	-2.03 24	90 1	
221	2250 24 0737 2024/11/01	1	3.52	2250 15 0303 2250 21 0127		90	97	85	0.05 43	-0.39 39	-0.36 96	-0.57 27	-2.90 27	-2.08 38	7.03 35	-3.06 22	97 1	
222	2250 24 0740 2024/11/01	1	5.55	2250 15 0303 2250 21 0137		93	98	90	-0.19 43	-0.07 39	-0.16 97	-0.22 27	-3.00 29	-2.05 38	1.57 35	-2.58 21	97 1	
223	2250 24 0742 2024/11/01	1	10.39	2250 22 0316 2250 19 0164		108	106	105	1.13 46	-0.02 41	0.54 103	1.73 22	-0.30 26	0.92 39	-4.95 33	-2.85 19	97 4	
224	2250 24 0746 2024/11/01	1	2.91	2250 21 0281 2250 16 0224		98	102	93	0.95 57	-0.54 49	-0.07 98	0.74 30	-0.40 32	0.17 48	3.68 44	0.40 25	119 10	
225	2250 24 0750 2024/11/01	1	4.98	2250 20 0189 2250 22 0386		110	112	101	1.80 54	0.21 42	1.10 108	3.27 29	-1.50 27	1.10 43	1.76 40	-9.27 23	3 0	
226	2250 24 0751 2024/11/01	1	6.02	2250 20 0189 2250 22 0429		103	107	96	1.00 55	0.22 44	0.72 105	2.00 30	-1.40 30	0.37 45	4.26 40	-4.94 24	3 0	
227	2250 24 0754 2024/10/01	1	1.73	2250 20 0189 2250 22 0527		120	110	121	1.31 52	0.43 42	1.09 108	2.57 32	2.90 29	3.49 43	-6.42 35	-7.04 22	3 0	
228	2250 24 0757 2024/01/01	1	4.77	2250 22 0316 2250 22 0155		112	115	102	1.88 42	0.76 35	1.70 113	4.11 23	-0.40 22	2.40 35	1.05 33	-3.27 19	2 0	
229	2250 24 0759 2024/04/01	1	28.47	2250 20 0189 2250 23 0216		112	110	109	1.07 54	0.67 41	1.20 109	2.99 32	0.70 27	2.16 43	-0.40 34	-5.48 20	2 0	
Ram Flock Average :						106	107	100	1.18	0.09	0.68	1.95	-0.77	0.81	1.38	-4.97		
Total number of young rams :						229												

Young rams born since Jan 2024, with at least one parent known

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-wean EBV Acc	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
1	2250 15 0065 2015/12/30	2	3.99	2250 13 0412 2250 13 0528	112	103	121	-0.03 61	0.70 99	0.69 65	0.82 106	5.50 47	3.97 127	4.04 59	-5.85 115	93	9					
2	2250 15 0117 2015/05/18	2	2.27	2105 12 0435 2250 14 0160	92	87	100	-1.22 72	-0.75 89	-1.36 74	-3.14 91	1.70 57	-0.95 69	4.31 61	-1.84 89	130	10					
3	2250 16 0224 2016/09/27	2	1.40	2250 14 0566 2250 10 0477	89	96	87	-0.38 70	-0.12 96	-0.31 73	-0.70 98	-1.80 51	-1.58 67	8.40 92	-0.22 102	119	7					
4	1619 16 0420 2016/09/20	1	4.21	1619 15 0029 1619 14 0205	102	101	105	-0.14 71	0.50 98	0.42 71	0.04 104	3.10 47	2.21 65	9.69 108	-3.02 110	111	7					
5	2250 17 0262 2017/07/20	1	2.57	2105 10 0504 2250 15 0053	95	101	93	-0.11 68	0.52 98	0.46 70	0.01 104	-0.20 48	0.29 64	18.22 100	-4.95 115	91	8					
6	2250 17 0279 2017/08/25	2	1.52	2455 15 0144 2250 12 0160	94	93	97	-0.29 69	-0.72 97	-0.86 72	-2.01 91	1.30 52	-0.23 66	7.01 97	-1.89 107	101	8					
7	2250 17 0354 2017/10/20	1	7.56	2250 14 0522 2250 15 0445	91	93	92	-0.55 52	-0.40 95	-0.67 50	-1.56 95	-1.80 42	-2.03 89	8.72 90	-8.23 123		0					
8	2250 17 0374 2017/11/06	1	1.52	2455 15 0144 2105 12 0631	110	97	119	0.15 69	-0.43 100	-0.36 70	-0.81 94	5.30 49	2.90 111	-2.20 107	-1.96 107	117	9					
9	2250 17 0432 2017/11/10	1	7.41	2250 15 0199 2250 14 0282	110	105	110	0.97 71	0.03 108	0.52 73	1.75 99	1.20 54	1.72 68	4.72 106	-13.20 136	110	6					
10	2250 17 0472 2017/10/10	2	1.52	2455 15 0144 2250 16 0021	101	95	106	-0.39 66	-0.35 96	-0.54 70	-1.65 95	-0.20 49	-0.86 64	-1.33 95	-8.64 124	109	8					
11	2250 17 0487 2017/10/10	1	10.76	2250 15 0199 2250 14 0432	110	105	110	1.03 67	-0.12 108	0.39 70	1.60 98	1.50 54	1.81 65	5.00 106	-13.30 136	97	8					
12	2250 17 0498 2017/09/20	2	1.52	2455 15 0144 2250 14 0191	109	98	116	-0.05 67	-0.17 99	-0.20 71	-1.11 97	2.80 49	1.46 64	-2.81 105	-7.55 121	109	8					
13	2250 18 0109 2018/06/03	2	7.41	2250 15 0199 2250 14 0283	98	101	94	0.48 66	-0.22 103	0.02 71	0.61 97	-2.30 55	-1.12 65	8.53 94	-12.80 135	120	7					
14	2250 18 0112 2018/06/07	2	3.71	2250 15 0199 2250 13 0031	114	107	119	0.51 70	0.89 104	1.15 73	2.03 108	3.70 55	3.62 68	5.38 114	-10.98 130	140	7					
15	2250 18 0200 2018/09/01	1	1.44	2250 17 0029 2250 15 0258	102	96	110	-0.77 56	0.36 93	-0.02 63	-1.44 103	1.80 38	0.67 55	0.40 100	-4.67 114	101	5					
16	2250 18 0223 2018/06/07	1	16.13	2250 16 0262 2250 16 0321	99	99	97	0.02 59	0.00 99	0.01 64	0.05 99	-1.50 43	-0.89 57	0.20 100	-3.66 111	116	7					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
								EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
17	2250 18 0229 2018/06/20	2	0.70	2250 09 0223 2250 17 0023	93	93	95	-0.69 56	-0.23 93	-0.57 63	-1.49 96	-1.30 40	-1.70 91	4.49 44	-5.78 28	100	7						
18	2250 18 0242 2018/08/15	1	5.78	2250 16 0379 2250 15 0299	99	99	101	-0.49 65	0.52 71	0.27 104	-0.33 101	-0.70 46	-0.39 97	2.10 56	-5.18 31	109	6						
19	2250 18 0249 2018/08/15	2	1.08	2250 16 0265 2250 17 0269	112	104	114	1.08 75	-0.43 75	0.11 94	0.92 100	3.20 51	2.57 109	-3.65 56	-3.39 36	123	7						
20	2250 18 0251 2018/09/20	4	15.48	2250 16 0265 2250 15 0005	90	99	82	0.10 64	-0.20 68	-0.15 97	-0.03 101	-6.70 50	-4.12 81	1.30 56	-6.81 37	103	7						
21	2250 18 0270 2018/08/22	1	18.88	2250 16 0265 2250 17 0333	93	99	86	0.31 67	-0.38 70	-0.22 95	0.08 101	-5.30 49	-3.24 85	1.78 57	-7.71 34	98	6						
22	2250 18 0293 2018/10/01	1	8.14	2250 16 0262 2250 16 0054	98	95	100	0.21 63	-0.97 68	-0.86 89	-0.84 92	1.20 43	-0.04 98	5.95 51	-5.64 30	121	6						
23	2250 18 0336 2018/12/23	1	8.54	2250 16 0265 2250 15 0241	109	106	110	0.36 65	0.94 68	1.12 109	1.92 108	2.60 47	2.86 110	2.78 57	-1.51 34	99	5						
24	2250 18 0340 2018/12/14	2	14.79	2250 16 0265 2250 14 0131	107	112	102	0.81 66	1.38 69	1.78 114	3.62 113	-0.20 49	2.06 63	1.48 60	0.46 38	99	6						
25	2250 18 0387 2018/12/30	1	2.80	2250 16 0265 2250 14 0027	87	95	80	-0.10 63	-0.58 98	-0.63 66	-0.99 93	-4.60 47	-3.44 84	0.76 55	2.17 34	114	6						
26	2250 18 0391 2018/12/10	1	4.51	2250 16 0125 2250 17 0185	107	97	110	-0.06 63	-0.20 99	-0.23 68	-0.72 97	-1.30 43	-1.04 94	-11.16 53	-7.85 30	111	6						
27	2250 19 0048 2019/03/18	1	3.55	2250 17 0258 2250 16 0224	93	110	78	1.20 71	0.56 109	1.16 69	2.52 105	-4.00 47	-0.64 96	13.47 55	-1.34 35	113	6						
28	2250 19 0049 2019/03/10	2	4.01	2250 17 0258 2250 14 0051	94	103	87	0.65 70	-0.09 105	0.24 69	0.93 98	-1.40 48	-0.28 97	10.75 53	-1.11 39	111	6						
29	2250 19 0055 2019/03/05	1	1.14	2250 17 0258 2250 17 0172	93	101	85	0.93 70	-0.69 107	-0.23 69	0.18 92	-1.60 46	-0.72 95	10.74 56	-1.85 36	112	6						
30	2250 19 0084 2019/04/06	1	20.86	1619 16 0360 1619 17 0354	106	101	108	0.37 70	0.01 102	0.19 66	-0.74 99	-0.80 47	-0.11 98	-2.24 53	-11.02 35	94	6						
31	2250 19 0089 2019/05/10	2	10.77	2250 15 0199 2250 16 0342	109	107	108	0.80 71	0.55 106	0.95 71	2.17 105	0.80 53	1.83 106	7.27 59	-15.12 38	132	7						
32	2250 19 0111 2019/05/27	1	7.63	2250 15 0199 2250 15 0102	117	103	124	0.55 73	0.06 104	0.33 73	0.95 99	2.80 54	2.28 108	-5.88 63	-12.50 38	131	7						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned		
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
									EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
33	2250 19 0136 2019/04/02	1	1.52	2250 16 0125	92	94	89	-0.16	-0.64	-0.72	-1.67	-4.40	-3.43	-5.93	-1.26	95	6 3							
				2250 17 0248				64 98	64 92	93	32 94	42 76	59 84	52 117	31 105									
34	2250 19 0138 2019/06/03	1	1.61	2250 16 0125	97	97	92	0.74	-1.26	-0.89	-0.96	-2.60	-2.08	-6.78	0.29	95	4 3							
				2250 17 0450				66 106	66 85	92	32 97	44 85	61 90	48 119	30 101									
35	2250 19 0146 2019/06/21	2	8.07	2250 16 0265	106	105	103	0.95	-0.01	0.47	1.42	-1.10	0.28	0.21	-8.54	110	5 5							
				2250 17 0196				68 107	68 99	103	31 107	47 93	63 100	57 100	35 124									
36	2250 19 0161 2019/06/28	2	2.11	2250 17 0028	97	100	93	0.14	0.09	0.16	-0.12	-1.70	-0.79	1.12	-0.10	92	5 2							
				2250 15 0161				64 100	58 100	100	35 100	39 90	56 95	52 98	27 102									
37	2250 19 0163 2019/06/28	2	1.39	2250 16 0265	103	107	96	0.54	0.83	1.10	1.68	-3.90	-0.97	-2.05	-6.06	97	6 3							
				2455 14 1161				66 104	65 108	108	21 108	40 78	60 94	53 106	32 117									
38	2250 19 0164 2019/04/01	2	4.73	2250 16 0125	98	91	103	-0.47	-0.96	-1.19	-2.31	0.30	-1.24	-7.98	1.33	97	5 4							
				2250 14 0306				67 95	66 89	89	32 92	43 100	61 93	54 122	31 98									
39	2250 19 0208 2019/08/20	2	1.94	1619 18 0081	99	91	109	-0.67	-0.61	-0.94	-2.42	4.30	1.31	-1.99	5.65	101	4 4							
				2250 15 0035				69 94	67 92	91	36 91	41 121	62 104	53 106	29 87									
40	2250 19 0296 2019/09/01	1	3.10	1619 18 0081	87	88	90	-1.02	-0.86	-1.37	-3.32	-1.50	-2.78	3.89	-1.43	115	6 4							
				2250 16 0178				66 91	64 90	88	34 87	40 91	59 87	51 90	26 105									
41	2250 19 0318 2019/10/20	1	3.02	1619 18 0081	91	93	94	-0.76	-0.23	-0.61	-1.99	0.40	-0.75	2.92	4.17	95	4 2							
				2250 18 0025				66 93	60 96	94	35 93	37 101	57 95	54 93	30 91									
42	2250 20 0017 2020/01/20	2	6.20	2250 17 0506	95	96	97	-0.44	-0.03	-0.25	-0.57	-0.50	-0.77	11.37	-10.58	110	5 3							
				2250 14 0557				68 95	66 99	97	41 99	45 96	62 95	55 70	32 129									
43	2250 20 0036 2020/02/05	2	3.02	2250 17 0506	114	106	118	1.11	0.05	0.61	1.91	5.90	4.70	4.33	-3.62	135	5 6							
				2250 15 0053				71 109	69 99	104	40 109	46 129	64 118	53 89	31 111									
44	2250 20 0043 2020/04/27	2	1.56	2250 18 0243	85	86	86	-0.32	-1.90	-2.06	-3.69	-2.00	-3.41	4.79	-3.64	96	5 2							
				2250 17 0215				66 97	61 79	82	27 86	38 88	58 84	54 88	32 111									
45	2250 20 0054 2020/04/25	2	2.16	2250 18 0243	93	99	85	0.90	-1.00	-0.55	-0.44	-3.90	-2.45	2.58	-4.20	93	4 1							
				2250 17 0450				71 107	63 88	94	27 99	40 78	61 88	61 94	34 113									
46	2250 20 0057 2020/04/25	2	7.32	2250 18 0243	103	103	99	0.98	-0.33	0.16	1.14	-2.00	-0.55	2.24	-10.75	109	7 3							
				2250 17 0477				67 108	64 95	100	32 106	42 88	60 96	58 95	35 129									
47	2250 20 0058 2020/04/25	2	7.70	2250 18 0243	112	113	104	1.60	0.78	1.58	3.62	-1.60	1.42	2.11	-11.06	116	5 4							
				2250 17 0143				72 113	66 107	112	41 116	42 90	63 104	56 95	34 130									
48	2250 20 0062 2020/04/25	2	1.51	2250 18 0243	94	102	86	1.01	-0.65	-0.15	0.28	-2.20	-0.96	10.98	-5.59	97	5 2							
				2250 17 0279				67 108	64 92	98	27 102	40 87	60 94	58 71	33 116									

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents			Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
										Dir	Mat	Comb	Post-wean										
										Acc	Index	Acc	Index	EBV Index	Acc	Index							
Active Breed Average :							100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
49	2250 20 0074 2020/04/25	2	4.15	2250 18 0243	90	91	91	-0.86	-0.45	-0.88	-2.46	-3.30	-3.29	1.03	-5.83	97	4						
				2250 14 0484				67 92	62 94	92	27 91	40 81	59 85	57 98	33 117			2					
50	2250 20 0078 2020/04/01	2	9.01	2250 17 0506	109	106	107	0.93	0.20	0.67	2.11	-0.30	0.96	2.41	-11.70	95	5						
				2250 15 0092				60 107	62 101	104 44 109	44 97	57 102	54 94	34 132	2								
51	2250 20 0093 2020/05/01	2	1.39	2250 17 0506	108	102	108	0.65	-0.19	0.13	0.63	-0.70	0.03	-4.75	-9.15	92	5						
				2455 14 1161				64 105	61 97	100 36 103	38 95	57 99	51 114	29 125	2								
52	2250 20 0117 2020/05/15	2	6.46	2250 17 0506	122	112	128	0.84	1.38	1.80	3.53	5.60	5.58	5.97	-14.09	100	6						
				2250 15 0065				67 106	64 114	113 39 115	42 127	60 122	60 85	34 136	3								
53	2250 20 0144 2020/05/25	2	9.36	2250 18 0243	98	104	91	0.85	-0.02	0.41	1.17	-3.00	-0.97	3.60	-5.06		4						
				2250 16 0296				64 106	54 99	102 27 106	37 83	54 94	48 91	33 115	0								
54	2250 20 0158 2020/05/25	2	5.00	2250 18 0243	96	104	86	0.73	0.15	0.51	1.15	-5.50	-2.43	2.56	-7.26	94	5						
				2250 16 0103				71 105	62 100	103 37 106	39 70	60 88	59 94	33 120	1								
55	2250 20 0163 2020/06/15	2	4.56	2250 17 0258	96	106	87	0.99	0.07	0.56	1.46	-0.90	0.52	8.21	3.42	107	5						
				2250 18 0336				68 108	65 100	103 28 107	43 94	61 101	58 79	35 93	3								
56	2250 20 0165 2020/06/15	2	5.88	2250 18 0243	108	110	99	2.20	-0.63	0.47	2.58	-1.50	0.67	3.12	-10.93	97	4						
				2250 17 0432				67 118	62 92	103 30 111	40 91	59 101	56 92	33 130	2								
57	2250 20 0168 2020/06/15	2	4.89	2250 18 0243	96	110	80	1.72	-0.01	0.85	2.65	-4.10	-0.75	11.07	-4.07	106	4						
				2250 16 0224				68 114	64 99	106 32 112	41 77	60 95	56 71	32 112	3								
58	2250 20 0186 2020/06/20	2	10.44	2250 17 0506	105	100	107	1.06	-1.11	-0.58	0.52	3.60	2.11	12.21	-12.09	113	4						
				2250 13 0386				70 108	67 87	94 44 103	45 117	63 107	56 68	34 133	5								
59	2250 20 0190 2020/05/25	2	4.25	2250 18 0243	96	101	92	0.42	-0.18	0.03	-0.01	-3.20	-1.68	5.98	-9.88	97	5						
				2250 18 0011				65 103	60 97	99 21 101	36 82	56 91	56 85	31 127	2								
60	2250 20 0213 2020/06/20	2	2.77	2250 17 0506	111	104	113	0.59	0.22	0.51	1.42	1.80	1.89	-0.08	-8.52	104	4						
				2250 14 0319				66 104	63 101	103 37 107	42 108	59 106	53 101	29 124	3								
61	2250 20 0223 2020/07/01	2	5.09	2250 17 0258	104	117	91	1.55	1.52	2.29	4.58	-1.00	2.47	10.79	2.06	96	5						
				2250 18 0340				67 112	63 115	117 30 119	42 93	60 109	59 72	37 96	2								
62	2250 20 0228 2020/06/20	2	0.91	2250 18 0259	96	102	90	0.89	-0.54	-0.10	0.45	0.20	0.47	6.11	4.32		3						
				2250 12 0193				66 107	57 93	98 26 103	40 99	57 100	53 84	35 91	0								
63	2250 20 0229 2020/06/20	2	0.91	2250 18 0259	100	107	92	1.19	0.05	0.64	1.77	0.70	1.66	9.71	1.97	98	5						
				2250 12 0193				68 109	64 99	104 26 108	43 102	61 105	60 75	36 97	2								
64	2250 20 0240 2020/07/01	2	3.82	2250 18 0243	95	108	80	1.43	0.02	0.73	2.20	-5.00	-1.55	8.31	-4.29	91	4						
				2250 19 0035				64 111	58 99	105 19 110	32 73	54 92	54 78	31 113	1								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
								EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
65	2250 20 0242 2020/07/01	2	6.34	2250 17 0506	112	106	111	1.28	-0.17	0.47	2.13	2.20	2.43	5.64	-12.16	100	5						
				2250 14 0371				68 110	64 97	103 42 110	45 110 61 109	53 86 32 133											
66	2250 20 0255 2020/06/27	2	3.93	2250 17 0258	89	94	86	0.32	-1.21	-1.05	-1.57	-0.80	-1.37	12.57	-5.06	96	4						
				2250 18 0307				66 102	63 86	90 28 95	40 94 59 93	58 67 36 115											
67	2250 20 0283 2020/07/03	2	2.80	2250 17 0258	104	105	101	0.87	0.18	0.61	1.27	0.20	1.16	6.71	-7.33		4						
				2250 17 0229				65 107	57 101	104 35 106	40 99 56 103	56 83 35 121											
68	2250 20 0289 2020/07/01	2	8.12	2250 16 0265	107	103	104	0.74	-0.18	0.19	0.97	-2.20	-0.76	-5.88	-9.32	123	5						
				2250 17 0417				70 106	69 97	100 32 105	47 87 64 95	54 117 35 126											
69	2250 20 0296 2020/07/06	2	1.10	2250 18 0259	102	104	97	1.06	-0.38	0.16	0.92	-0.20	0.57	0.77	-0.59		4						
				2250 14 0553				64 108	55 95	100 30 105	39 97 55 101	50 99 35 103											
70	2250 20 0309 2020/06/25	2	7.11	2250 18 0243	99	104	89	1.29	-0.62	0.02	1.01	-5.40	-2.58	0.55	-12.37	121	5						
				2250 15 0198				68 110	66 92	99 29 105	45 70 62 88	59 99 35 134											
71	2250 20 0311 2020/06/25	1	17.90	2250 17 0506	109	104	108	0.96	-0.24	0.24	1.39	0.50	1.02	3.57	-13.33	103	5						
				2250 18 0017				66 107	63 96	101 43 107	41 101 59 103	51 91 31 136											
72	2250 20 0343 2020/09/01	3	2.90	2250 17 0258	100	102	98	0.43	0.15	0.36	0.64	0.60	0.93	5.80	-0.63	92	4						
				2250 16 0295				67 103	61 100	102 32 104	43 102 59 102	56 85 36 103											
73	2250 20 0344 2020/09/01	3	2.90	2250 17 0258	98	104	93	0.53	0.35	0.61	1.08	0.70	1.30	8.45	3.03	113	4						
				2250 16 0295				69 104	66 103	104 32 105	46 102 63 104	58 78 37 94											
74	2250 20 0355 2020/09/01	2	1.16	2250 18 0243	108	105	105	1.61	-0.70	0.11	1.14	1.10	1.57	1.14	-6.09	100	3						
				2250 17 0269				68 113	63 92	100 29 106	40 104 60 105	53 98 33 117											
75	2250 20 0376 2020/09/01	2	8.26	2250 16 0265	95	103	87	0.84	-0.27	0.15	1.03	-2.60	-0.99	5.02	-1.56	112	4						
				2250 15 0214				66 106	64 96	100 30 105	44 85 60 94	52 87 33 106											
76	2250 20 0377 2020/08/20	2	1.64	2250 17 0258	94	99	90	0.44	-0.49	-0.27	-0.45	-1.70	-1.06	8.63	-5.43	108	6						
				2250 17 0414				69 103	67 94	97 34 99	46 90 63 94	58 78 37 116											
77	2250 20 0383 2020/08/15	1	4.00	2250 17 0258	88	106	71	1.04	0.14	0.66	1.72	-6.10	-2.48	11.84	-1.20	93	4						
				2250 14 0150				68 108	65 100	104 35 108	47 67 62 88	58 69 38 105											
78	2250 20 0394 2020/09/01	2	6.34	2250 18 0243	107	116	91	2.44	0.24	1.46	4.02	-3.80	0.40	0.89	-4.69	95	3						
				2250 18 0239				64 120	58 101	111 23 117	36 79 55 100	47 98 31 114											
79	2250 20 0458 2020/12/01	2	4.58	2250 18 0243	110	108	107	1.32	0.17	0.83	2.19	0.50	1.80	4.47	-10.82		3						
				2250 18 0111				65 110	55 101	106 29 110	38 101 55 106	49 89 33 130											
80	2250 20 0464 2020/10/10	1	2.07	2250 17 0258	87	98	79	0.19	-0.45	-0.36	-0.84	-4.20	-2.78	6.58	0.26		4						
				2250 19 0136				64 101	56 94	96 29 98	38 77 55 87	57 83 35 101											

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID	BDate	Birth Status	% In-breding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-wean		Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambded	Nr Weaned	
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index		
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
81	2250 20 0468 2020/10/10	2	7.63	2250 17 0506 2250 18 0029		102	104	98	0.88 64	-0.20 107	0.24 58	1.43 97	-0.10 40	0.62 98	3.79 56	-3.11 101	93	4 1		
82	2250 20 0475 2020/09/01	2	3.10	2250 17 0258 2250 19 0084		94	99	90	0.32 68	-0.31 102	-0.15 63	-0.84 96	-1.70 42	-1.01 90	9.60 60	-5.81 94	100	5 2		
83	2250 20 0995 2020/10/30	3	2.33	1619 15 0013 - - -		100	100	101	-0.08 56	0.29 99	0.25 62	-0.19 102	2.00 46	1.41 109	1.54 56	5.63 104	103	3 3		
84	2250 21 0005 2021/01/01	2	8.54	2250 18 0243 2250 14 0146		102	105	97	0.91 65	0.06 107	0.51 60	1.31 100	-1.60 42	0.01 90	4.75 58	-7.94 98	99	3 1		
85	2250 21 0021 2021/03/01	2	7.00	2250 16 0265 2250 18 0112		103	107	95	1.14 66	0.20 109	0.77 61	2.20 101	-2.00 45	0.15 88	7.06 59	-9.25 99	98	3 1		
86	2250 21 0033 2021/03/15	1	5.01	2250 17 0258 2250 13 0607		92	103	80	1.02 66	-0.50 108	0.02 60	0.55 94	-4.50 43	-2.17 75	10.09 58	-6.87 89	97	3 1		
87	2250 21 0038 2021/03/15	1	3.02	2250 17 0258 2250 17 0008		92	103	84	0.52 66	0.08 104	0.34 62	0.56 100	-2.70 42	-1.02 84	12.41 59	-4.20 94	103	3 2		
88	2250 21 0053 2021/03/15	2	10.16	2250 16 0265 2250 19 0111		104	103	102	0.55 67	0.05 104	0.32 61	1.02 99	-2.30 45	-0.79 87	-1.59 60	-10.50 95	97	3 1		
89	2250 21 0055 2021/03/15	2	1.45	2250 18 0259 2250 18 0293		99	100	97	0.72 66	-0.65 105	-0.29 62	0.28 92	1.50 38	0.97 106	6.72 58	-0.36 102	103	3 2		
90	2250 21 0063 2021/03/15	2	4.70	2250 17 0258 2250 17 0168		96	106	86	1.08 68	0.08 108	0.63 64	1.69 100	-1.80 45	0.09 89	11.03 61	-1.74 99	103	3 2		
91	2250 21 0066 2021/03/15	2	1.95	2250 18 0259 2250 19 0103		107	108	100	1.50 64	-0.04 112	0.71 53	2.39 98	-1.00 37	0.86 93	-2.85 54	-2.46 102		3 0		
92	2250 21 0073 2021/03/15	2	8.11	2250 18 0243 2250 19 0030		102	106	94	1.54 65	-0.57 112	0.20 60	1.56 93	-2.60 36	-0.59 85	0.90 56	-6.50 96	103	3 2		
93	2250 21 0082 2021/03/15	1	4.46	2250 17 0258 2250 19 0100		94	103	85	1.19 67	-0.63 109	-0.03 61	0.93 92	-2.00 43	-0.64 88	11.68 59	-4.78 96	96	3 1		
94	2250 21 0083 2021/03/01	2	2.67	2250 17 0258 2250 18 0132		90	101	81	0.61 65	-0.39 104	-0.09 56	0.04 95	-2.90 39	-1.52 83	11.28 56	-1.78 92		2 0		
95	2250 21 0097 2021/03/15	2	2.83	2250 17 0258 2250 15 0521		88	97	81	0.33 68	-0.70 102	-0.54 64	-0.72 91	-2.30 44	-1.75 87	8.71 61	1.69 91	102	3 2		
96	2250 21 0105 2021/03/15	2	3.08	2250 17 0258 2250 15 0299		90	96	87	-0.17 67	-0.32 98	-0.41 61	-1.20 95	-3.00 44	-2.29 83	4.45 59	-2.53 89	87	4 1		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned
									Dir	Mat	Comb	Post-wean										
									Acc	Index	Acc	Index	EBV Index	Acc	Index							
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
97	2250 21 0113	2	3.06	2250 17 0258	90	99	84	0.32	-0.27	-0.11	-0.33	-1.80	-1.03	7.38	3.34			3				
	2021/03/15			2250 19 0318				64 102	54 96	98 30 100	37 89	54 94	58 81	34 93	0							
98	2250 21 0124	2	3.99	2250 17 0258	100	104	95	1.00	-0.20	0.30	1.06	0.10	0.86	10.35		-5.12			93	4		
	2021/03/15			2250 19 0398				67 108	60 97	101 34 105	42 99	59 102	51 73	33 115								
99	2250 21 0126	1	8.92	2250 16 0265	112	115	105	1.47	1.21	1.94	4.06	0.80	3.16	7.69	-7.09			116	3			
	2021/04/01			2250 15 0217				67 112	66 112	115 31 117	46 103	62 112	57 80	34 120								
100	2250 21 0127	2	1.51	2250 18 0243	95	105	85	1.03	-0.16	0.35	1.00	-3.40	-1.17	8.74	-4.82			97	3			
	2021/04/01			2250 17 0279				66 108	59 97	102 27 105	39 81	57 93	56 77	33 114								
101	2250 21 0136	2	1.21	2250 17 0258	82	98	73	0.06	-0.23	-0.20	-0.91	-3.50	-2.27	10.49	6.95				2			
	2021/03/15			2250 17 0291				64 100	56 96	97 32 97	40 80	55 89	57 73	35 84								
102	2250 21 0137	2	5.45	2250 16 0265	101	105	95	0.57	0.48	0.76	1.72	-3.50	-1.05	-2.19	-3.84			97	3			
	2021/03/15			2250 15 0060				66 104	60 104	105 29 108	44 80	59 94	55 107	33 112								
103	2250 21 0158	1	1.40	1619 15 0013	109	102	114	-0.17	0.87	0.79	-0.13	2.40	2.14	-0.07	-5.33			102	3			
	2021/04/15			2250 13 1113				66 98	65 108	105 50 100	50 111	62 107	59 101	40 116								
104	2250 21 0160	2	2.42	1619 15 0013	117	102	126	0.31	0.19	0.35	-0.03	4.40	3.14	-6.92	-7.21				5			
	2021/04/15			2250 17 0374				66 102	59 101	102 51 101	49 121	59 112	58 119	38 120								
105	2250 21 0166	2	4.46	1619 15 0013	96	95	99	-0.88	0.30	-0.14	-1.51	-1.80	-1.66	0.27	-6.27			96	3			
	2021/04/15			2250 18 0060				65 92	62 102	98 49 95	50 89	60 91	59 100	40 118								
106	2250 21 0189	2	2.53	2250 17 0258	89	99	81	0.50	-0.49	-0.24	-0.21	-3.10	-1.85	7.44	1.24			95	4			
	2021/05/01			2250 18 0115				66 104	61 94	97 30 100	41 82	58 91	57 81	35 99								
107	2250 21 0190	2	2.53	2250 17 0258	89	99	84	0.00	-0.07	-0.07	-0.42	-0.90	-0.61	7.53	7.21			101	2			
	2021/05/01			2250 18 0115				67 99	63 98	98 30 99	41 94	59 96	58 81	35 83								
108	2250 21 0191	2	1.82	2250 18 0259	103	101	103	0.72	-0.42	-0.06	0.29	2.30	1.69	-1.86	5.21			100	3			
	2021/05/01			2250 19 0208				67 105	61 94	98 29 102	38 110	58 105	58 106	34 88								
109	2250 21 0196	1	2.50	2250 17 0258	91	104	82	0.50	0.31	0.56	0.76	-2.90	-0.93	9.55	1.34			101	3			
	2021/05/01			2250 14 0307				64 103	61 102	103 26 104	41 83	58 95	57 75	34 98								
110	2250 21 0212	2	3.49	1619 15 0013	103	99	108	-0.45	0.62	0.39	-0.48	2.30	1.55	6.92	-5.87			95	3			
	2021/05/15			2250 15 0214				65 95	61 105	102 51 99	49 110	60 105	56 82	40 117								
111	2250 21 0214	1	1.52	2250 18 0259	98	95	101	-0.29	-0.31	-0.46	-1.03	-0.40	-0.84	-0.99	-3.48			100	3			
	2021/05/15			2250 16 0193				67 97	63 96	95 29 97	42 96	60 95	58 103	36 111								
112	2250 21 0220	2	6.00	2250 18 0259	99	104	94	0.67	0.08	0.41	1.06	-0.40	0.51	2.19	3.15			100	3			
	2021/06/01			2250 17 0102				67 105	64 100	102 34 105	42 96	60 101	59 95	38 94								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned		
									Dir	Mat	Comb	Post-wean												
										EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index			
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
113	2250 21 0221 2021/06/15	2	3.33	2250 18 0259 2250 15 0472	93	100	90	0.26 63	-0.13 101	-0.01 53	-0.11 97	0.00 99	0.12 27	8.22 101	2.92	36	98	53	99	48	79	31	94	1 0
114	2250 21 0223 2021/07/01	1	2.07	2250 17 0258 2250 19 0136	87	98	78	0.38 65	-0.64 102	-0.45 59	-0.79 92	-5.00 40	-3.26 73	3.62 57	-0.14 85	97	3 1							
115	2250 21 0228 2021/06/01	2	4.00	2250 17 0258 2250 18 0344	92	106	80	1.14 67	-0.07 109	0.50 63	1.29 98	-2.90 42	-0.67 60	10.26 59	1.66 73	100	3 2							
116	2250 21 0232 2021/06/01	2	5.09	2250 17 0258 2250 18 0340	99	110	88	1.22 67	0.56 110	1.17 63	2.70 105	-1.40 42	0.94 60	10.47 59	-0.23 73	100	3 2							
117	2250 21 0233 2021/06/15	1	4.56	2250 18 0259 2250 16 0085	106	106	105	0.77 64	0.38 106	0.77 60	1.60 103	1.40 36	1.99 106	2.10 56	-1.42 107	100	4 2							
118	2250 21 0243 2021/06/15	2	2.44	2250 17 0258 2250 14 0439	89	97	83	0.25 67	-0.61 101	-0.48 61	-0.78 92	-2.40 44	-1.80 86	7.63 59	-0.14 91	95	4 1							
119	2250 21 0244 2021/06/01	2	1.49	2250 18 0259 2250 17 0487	107	106	103	1.52 66	-0.52 112	0.24 62	1.74 93	1.20 41	1.72 105	4.67 59	-6.10 106	100	3 2							
120	2250 21 0251 2021/06/01	2	1.20	1619 15 0013 2250 17 0269	118	105	123	0.89 68	0.09 107	0.54 64	0.68 100	3.70 51	3.20 118	-4.57 63	-8.97 112	94	3 1							
121	2250 21 0252 2021/06/01	2	1.25	2250 18 0259 2250 17 0452	104	104	101	0.85 66	-0.13 106	0.30 62	0.90 97	0.60 41	1.08 102	1.40 59	-1.63 103	100	3 2							
122	2250 21 0256 2021/07/01	2	2.01	2250 18 0259 2250 19 0163	100	105	91	1.05 65	-0.04 108	0.49 58	1.42 98	-3.30 37	-0.97 81	-0.53 56	-2.36 94	96	3 1							
123	2250 21 0257 2021/07/01	2	2.01	2250 18 0259 2250 19 0163	104	109	95	1.24 64	0.33 110	0.95 53	2.23 102	-2.10 35	0.31 88	-1.30 53	-0.52 100		2 0							
124	2250 21 0259 2021/07/01	2	1.52	2250 18 0259 2250 17 0353	103	102	100	0.78 64	-0.30 106	0.09 58	0.94 96	0.30 40	0.66 100	-1.70 58	0.78 105	96	3 1							
125	2250 21 0261 2021/07/01	2	2.30	2250 18 0259 2250 17 0171	103	99	108	-0.11 67	0.13 98	0.08 62	-0.41 100	3.10 40	1.88 115	-0.01 59	2.49 106	103	3 2							
126	2250 21 0269 2021/07/01	2	10.37	1619 18 0081 2250 20 0999	95	98	96	-0.37 63	0.36 96	0.17 55	-0.64 103	0.90 37	0.53 103	6.21 54	3.64 101	97	3 1							
127	2250 21 0270 2021/07/01	2	10.37	1619 18 0081 2250 20 0999	94	94	99	-0.82 64	0.02 92	-0.39 59	-1.83 99	2.10 37	0.47 109	4.39 56	5.04 100	103	3 2							
128	2250 21 0272 2021/06/15	2	1.83	2250 18 0259 2250 18 0369	96	101	90	0.53 65	-0.34 104	-0.08 58	0.37 95	-2.50 40	-1.32 85	0.33 57	-0.06 93	95	3 1							

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
129	2250 21 0279 2021/07/01	2	12.37	1619 15 0013 1619 16 0420		108	104	112	0.20 67	0.64 101	0.74 63	0.43 106	2.80 50	2.52 62	6.08 84	-7.54 41	121		96	3 1		
130	2250 21 0286 2021/07/01	1	0.86	2250 18 0259 2250 12 0280		90	92	90	-0.15 66	-1.15 87	-1.22 89	-2.17 26	-0.30 39	-1.48 58	2.15 95	4.21 33	91		101	3 2		
131	2250 21 0292 2021/07/15	2	4.01	1619 15 0013 2250 19 0088		106	99	112	-0.31 68	0.47 65	0.32 104	-0.50 48	1.40 49	1.01 62	-0.58 103	-7.20 41	120		104	3 3		
132	2250 21 0303 2021/08/01	2	1.85	2250 18 0259 2250 20 0036		111	110	106	2.11 67	-0.47 117	0.59 62	2.73 94	4.00 39	4.04 59	7.02 82	-1.11 34	105		104	3 2		
133	2250 21 0309 2021/08/01	2	1.31	2250 18 0259 2250 16 0103		98	103	92	0.50 65	0.20 103	0.45 59	0.89 101	-2.80 39	-0.98 57	1.99 94	-2.75 35	109		102	4 1		
134	2250 21 0313 2021/08/01	2	6.03	2250 17 0258 2250 20 0074		90	101	81	0.44 66	-0.06 103	0.16 59	0.16 98	-3.90 40	-1.96 57	10.57 90	-4.00 58	72		98	3 1		
135	2250 21 0325 2021/08/01	1	1.46	2250 18 0259 2250 20 0093		107	104	104	1.13 65	-0.38 109	0.19 60	1.17 95	0.30 37	0.93 57	-4.17 102	-2.12 34	107		105	3 2		
136	2250 21 0346 2021/09/01	2	2.07	2250 17 0258 2250 17 0498		97	103	91	0.95 65	-0.29 107	0.18 57	0.48 96	-0.60 40	0.30 56	8.14 100	-1.60 49	106			2 0		
137	2250 21 0352 2021/09/01	2	1.99	2250 18 0259 2250 20 0048		103	109	95	1.18 64	0.46 109	1.05 57	2.37 104	-1.00 37	1.04 55	6.39 103	-3.25 34	110		96	3 1		
138	2250 21 0357 2021/08/15	1	4.70	2250 17 0258 2250 19 0334		92	103	83	0.68 63	0.00 105	0.34 52	0.69 99	-3.20 37	-1.25 53	9.83 93	-2.68 48	109			1 0		
139	2250 21 0388 2021/09/15	2	3.55	2250 17 0258 2250 20 0017		90	100	84	0.13 66	-0.05 100	0.02 60	-0.01 98	-2.60 41	-1.48 58	13.27 92	-4.94 57	115		96	3 1		
140	2250 21 0390 2021/10/01	2	1.52	2250 20 0147 2250 12 0193		101	107	92	1.48 66	-0.26 112	0.48 58	1.83 96	-2.10 38	-0.04 56	3.54 98	-3.59 32	111		99	3 1		
141	2250 21 0405 2021/10/01	3	7.54	2250 20 0147 2250 20 0117		119	114	113	2.34 66	-0.05 119	1.12 59	3.81 98	2.00 33	3.49 56	3.60 113	-13.76 32	136		104	3 2		
142	2250 21 0406 2021/10/01	3	7.54	2250 20 0147 2250 20 0117		119	119	109	2.78 65	0.35 123	1.74 55	5.08 103	0.40 33	3.37 54	3.98 113	-16.68 32	136		97	4 1		
143	2250 21 0407 2021/10/01	3	7.54	2250 20 0147 2250 20 0117		117	116	110	2.18 65	0.60 118	1.69 55	4.47 105	0.40 33	3.02 54	4.25 111	-15.57 32	136		98	3 1		
144	2250 21 0410 2021/10/15	2	2.07	2250 20 0489 2250 20 0229		109	111	100	2.05 59	-0.15 117	0.87 51	3.08 97	1.20 32	2.62 50	4.35 89	-1.48 28	106		97	3 1		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
145	2250 21 0420 2021/10/15	2	10.41	2250 20 0147 2250 20 0344		109	115	97	2.27	0.29	1.43	3.92	-1.90	1.42	2.95	-6.31	98	3				
									65	119	56	102	110	23	117	34			89	54	104	57
146	2250 21 0436 2021/10/15	2	10.22	2250 20 0147 2250 19 0089		111	115	99	2.37	0.17	1.35	4.10	-1.90	1.40	3.73	-10.04	98	2				
									66	119	57	101	110	29	118	37			89	56	104	57
147	2250 21 0441 2021/11/15	2	11.07	2250 20 0147 2250 20 0007		114	113	105	2.29	-0.14	1.01	3.71	-1.40	1.31	-0.98	-11.52		2				
									63	119	48	97	107	27	116	30			91	50	104	46
148	2250 21 0444 2021/10/15	2	8.58	2250 20 0153 2250 20 0223		106	117	91	2.32	0.50	1.66	4.38	-1.60	1.86	8.32	-2.89		2				
									57	119	43	104	112	22	119	28			90	45	106	45
149	2250 22 0001 2022/01/15	2	4.79	2250 17 0258 2250 19 0146		99	109	86	1.84	-0.28	0.64	2.29	-2.50	0.06	8.79	-3.77		3				
									65	115	56	96	104	29	110	39			85	56	99	57
150	2250 22 0016 2022/01/15	2	1.53	2250 20 0147 2250 17 0279		105	108	96	1.91	-0.55	0.41	2.03	-1.30	0.58	3.43	-7.05		2				
									65	115	53	93	102	27	109	34			92	53	101	48
151	2250 22 0024 2022/01/15	2	4.10	2250 17 0258 2250 16 0357		88	97	81	0.30	-0.61	-0.45	-0.68	-3.40	-2.34	10.46	-4.18	85	3				
									66	102	61	92	95	30	98	44			81	59	89	51
152	2250 22 0032 2022/02/01	1	8.91	2250 20 0147 2250 20 0383		110	124	87	3.62	0.33	2.15	6.22	-4.70	1.14	5.86	-7.53	92	3				
									65	130	55	102	116	24	126	35			74	54	103	57
153	2250 22 0033 2022/02/01	2	7.26	2250 20 0147 2250 19 0321		112	118	97	3.23	-0.30	1.32	4.79	-0.40	2.69	4.64	-4.57		3				
									65	127	51	96	110	27	120	31			96	52	110	56
154	2250 22 0038 2022/02/01	2	10.15	2250 20 0147 2250 18 0284		116	117	103	3.32	-0.56	1.10	4.55	-0.30	2.58	2.55	-10.45		2				
									64	127	52	93	108	21	119	31			97	52	109	52
155	2250 22 0055 2022/01/15	2	4.58	2250 20 0076 2250 17 0188		99	93	103	-0.16	-0.89	-0.97	-1.93	-0.40	-1.29	0.02	-9.39		3				
									60	98	47	89	91	25	93	32			96	49	93	51
156	2250 22 0064 2022/02/15	2	4.76	2250 20 0337 2250 15 0117		99	93	105	-0.33	-0.63	-0.79	-1.79	3.00	0.84	4.59	-2.38	94	3				
									64	96	57	92	92	30	94	37			114	55	102	52
157	2250 22 0065 2022/02/15	2	3.26	2250 20 0076 2250 20 0995		102	100	101	0.65	-0.48	-0.16	-0.04	1.00	0.77	0.99	-0.93	94	3				
									60	105	54	94	98	27	101	33			104	51	102	49
158	2250 22 0069 2022/02/15	1	9.88	2250 20 0337 2250 19 0111		111	101	115	0.69	-0.36	-0.01	0.30	2.40	1.78	-2.53	-8.75		3				
									62	105	48	95	99	31	102	33			111	50	106	52
159	2250 22 0070 2022/02/15	2	4.66	2250 20 0147 2250 20 0479		100	103	93	1.13	-0.57	-0.01	0.77	-2.20	-0.76	2.52	-6.22	91	3				
									65	109	56	93	99	23	104	34			87	54	95	56
160	2250 22 0084 2022/02/15	2	2.72	2250 20 0147 2250 17 0374		111	104	111	0.96	-0.19	0.29	1.04	0.70	1.19	-2.36	-10.08		3				
									65	107	52	97	101	26	105	32			102	52	103	56

Ewes with Progeny



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID	BDate	Birth Status	% In-breding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
161	2250 22 0091 2022/01/15	2	6.95	2250 20 0147	103	110	91	2.30	-0.72	0.43	2.47	-1.80	0.50	7.69	-7.64					3	0	
				65 119				52 91	102	22 111	32 89	52 101	54 80	32 121								
162	2250 22 0095 2022/01/15	2	6.39	2250 20 0337	107	107	101	1.74	-0.54	0.33	1.60	0.20	1.32	1.27	-4.17					90	3	
				61 114				51 93	101	24 107	32 99	50 104	47 97	26 113								
163	2250 22 0103 2022/02/01	1	9.21	2250 20 0076	101	105	94	1.15	-0.31	0.27	1.25	-2.90	-0.90	-2.24	-3.35					3	0	
				58 109				45 96	101	19 106	30 83	47 95	50 107	26 110								
164	2250 22 0111 2022/02/15	2	1.31	2250 18 0259	104	105	100	0.94	-0.10	0.37	1.45	0.30	1.02	-0.72	1.04					3	0	
				65 107				56 98	102	32 107	40 100	56 103	58 103	36 99								
165	2250 22 0112 2022/02/15	2	1.31	2250 18 0259	100	103	96	0.64	-0.04	0.28	1.04	0.30	0.78	1.16	4.43					3	0	
				65 105				56 98	101	32 105	40 100	56 102	58 98	36 90								
166	2250 22 0145 2022/07/01	2	5.82	2250 20 0147	119	112	117	1.75	0.26	1.14	3.16	1.40	2.86	-1.23	-14.37					2	0	
				59 114				53 102	108	28 114	35 106	51 110	57 104	33 136								
167	2250 22 0153 2022/07/01	2	4.56	2250 20 0465	106	110	100	1.14	0.60	1.17	2.55	-0.50	1.44	4.97	-5.47					2	0	
				57 109				51 105	108	32 111	33 96	49 104	54 87	30 116								
168	2250 22 0155 2022/07/01	2	16.71	2250 20 0465	105	109	99	1.04	0.61	1.13	2.44	0.30	1.83	4.02	0.50					2	0	
				57 108				50 105	108	33 111	33 100	49 106	54 90	30 101								
169	2250 22 0166 2022/07/01	2	2.73	2250 18 0259	93	101	86	0.64	-0.35	-0.03	0.24	-2.20	-1.03	3.13	3.05					100	2	
				59 105				55 95	99	27 102	34 87	52 94	58 92	35 94								
170	2250 22 0167 2022/07/01	2	2.72	2250 18 0259	96	100	91	0.77	-0.65	-0.27	0.08	-0.60	-0.24	6.28	-1.32					2	0	
				58 106				53 92	97	27 101	35 95	51 97	56 84	35 105								
171	2250 22 0169 2022/07/01	2	6.75	2250 20 0147	104	111	92	1.82	0.12	1.03	2.89	-2.80	0.26	7.47	-9.58					2	0	
				57 115				48 100	107	22 113	30 84	47 99	57 81	33 126								
172	2250 22 0180 2022/07/15	2	2.96	2250 17 0258	93	98	91	-0.08	-0.09	-0.13	-0.74	-1.20	-0.89	7.84	-3.20					100	2	
				60 99				60 98	98	28 98	39 92	55 95	57 80	36 110								
173	2250 22 0183 2022/07/01	2	3.60	2250 17 0258	94	99	91	0.29	-0.31	-0.17	-0.06	-0.40	-0.26	9.99	-2.66					2	0	
				58 102				56 96	97	35 101	41 96	53 97	58 74	36 109								
174	2250 22 0187 2022/07/01	2	1.77	2250 18 0259	99	107	88	1.32	-0.01	0.65	2.00	-2.60	-0.25	4.39	-0.56					2	0	
				57 110				50 99	104	25 109	33 85	49 97	55 89	34 103								
175	2250 22 0188 2022/07/01	2	1.77	2250 18 0259	99	107	89	1.32	-0.01	0.65	2.00	-2.60	-0.25	4.76	-2.45					2	0	
				57 110				50 99	104	25 109	33 85	49 97	57 88	34 108								
176	2250 22 0190 2022/07/01	2	1.52	2250 18 0259	94	98	91	0.26	-0.50	-0.36	-0.44	0.40	0.01	6.48	3.09					2	0	
				57 101				52 94	96	31 99	35 101	50 98	57 83	34 94								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID	BDate	Birth Status	% In-bred	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-wean		Lambs Weaned	TWW	AFL	ILP	EPI		Times Lambded	Nr Weaned
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index		
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
177	2250 22 0196 2022/07/01	3	11.28	2250 20 0147 2250 17 0221		112	112	104	2.08	0.03	1.07	3.47	-0.40	1.87	2.19	-9.69			2	0
									58	117	52	99	34	96	50	106	57	95	33	127
178	2250 22 0197 2022/07/01	2	1.79	2250 18 0259 2250 18 0387		93	101	86	0.56	-0.31	-0.03	0.40	-2.50	-1.25	1.79	3.62			2	0
									56	104	53	96	37	85	50	93	57	96	35	92
179	2250 22 0204 2022/07/01	3	17.36	2250 20 0147 2250 20 0054		102	108	90	2.00	-0.60	0.40	2.13	-3.90	-0.94	2.23	-8.29			2	0
									59	116	49	93	29	78	48	94	58	95	32	123
180	2250 22 0210 2022/07/01	2	3.43	2250 17 0258 2250 20 0296		92	102	83	0.77	-0.26	0.13	0.50	-2.10	-0.75	10.18	0.89			2	0
									58	106	52	96	37	88	51	95	57	73	36	99
181	2250 22 0216 2022/07/15	2	3.80	2250 17 0258 2250 19 0163		94	105	84	0.56	0.44	0.72	1.10	-4.00	-1.40	9.03	-4.54			100	3
									60	104	59	104	38	78	55	93	50	77	35	113
182	2250 22 0258 2022/07/01	2	2.98	2250 17 0258 2250 20 0993		90	100	84	0.18	0.06	0.15	-0.11	-1.20	-0.48	10.27	4.21			2	0
									54	101	50	99	38	92	49	96	56	73	36	91
183	2250 22 0260 2022/07/15	2	1.53	2250 18 0259 2250 19 0296		94	97	92	0.10	-0.45	-0.40	-0.77	-0.90	-0.90	2.08	1.84			2	0
									57	100	52	94	35	94	50	95	56	95	33	97
184	2250 22 0272 2022/07/15	1	4.10	2250 17 0258 2250 17 0487		98	103	92	0.75	-0.13	0.25	0.83	-1.30	-0.16	10.46	-7.39			2	0
									59	106	57	98	42	92	54	98	59	73	37	121
185	2250 22 0289 2022/07/15	3	22.19	2250 20 0147 2250 20 0070		104	109	92	1.89	-0.32	0.63	2.53	-3.90	-0.77	1.58	-9.41			2	0
									57	115	48	96	30	78	47	95	57	97	32	126
186	2250 22 0362 2022/09/15	2	4.58	2250 21 0281 2250 21 0038		103	109	93	2.05	-0.56	0.46	2.25	-0.80	1.01	6.91	-4.18			2	0
									62	117	46	93	29	94	48	103	52	82	30	113
187	2250 22 0371 2022/09/15	2	1.44	2250 18 0259 1619 16 0420		105	108	100	1.30	0.08	0.74	1.96	1.40	2.23	4.36	1.06			2	0
									65	110	55	100	37	106	55	108	56	89	34	99
188	2250 22 0386 2022/10/01	1	4.25	2250 20 0147 2250 20 0377		103	110	91	2.06	-0.39	0.64	2.52	-2.80	-0.01	7.13	-9.80			3	0
									64	117	51	95	32	84	52	98	56	82	33	127
189	2250 22 0429 2022/11/01	2	4.70	2250 17 0258 2250 18 0232		89	100	81	0.47	-0.37	-0.14	-0.04	-2.60	-1.46	12.12	-1.13			3	0
									65	103	57	95	40	85	56	92	57	68	36	105
190	2250 22 0438 2022/10/15	1	12.21	2250 21 0250 2250 21 0269		113	108	113	1.10	0.37	0.92	1.58	3.20	3.38	-1.59	-1.26			2	0
									61	109	44	103	31	115	48	113	51	105	31	105
191	2250 22 0465 2022/11/01	2	1.47	2250 21 0234 2250 21 0261		111	105	113	0.61	0.35	0.66	0.77	2.40	2.41	-3.47	-2.25			2	0
									59	104	43	103	29	111	46	109	49	110	29	108
192	2250 22 0476 2022/11/01	3	2.30	2250 21 0250 2250 17 0260		110	106	109	1.53	-0.39	0.38	1.28	3.20	3.06	5.19	-5.58			3	0
									63	112	49	95	35	115	51	111	50	87	31	116

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID	BDate	Birth Status	% In-bred	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-wean		Lambs Weaned	TWW	AFL	ILP	EPI		Times Lambded	Nr Weaned
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index		
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
193	2250 22 0484 2022/09/15	2	3.32	2250 21 0250 2250 18 0109		114	108	113	1.31	0.12	0.78	1.91	1.70	2.45	-0.55	-9.43			2	0
194	2250 22 0485 2022/10/01	1	3.75	2250 21 0281 2250 21 0127		104	110	92	2.31	-0.68	0.47	2.48	-1.10	0.96	4.31	-2.02			3	0
195	2250 22 0489 2022/10/01	2	6.44	2250 21 0281 2250 17 0472		105	103	101	1.31	-0.72	-0.07	0.76	0.50	0.89	-0.17	-3.06			2	0
196	2250 22 0499 2022/11/01	2	2.75	2250 21 0234 2250 19 0049		106	106	103	0.83	0.28	0.69	1.22	0.20	1.22	1.46	-4.04			2	0
197	2250 22 0510 2022/10/01	2	2.83	2250 21 0250 2250 21 0126		127	118	126	2.03	1.12	2.13	4.40	3.20	5.06	-4.60	-10.59			94	3
198	2250 22 0526 2022/10/01	1	4.16	2250 17 0258 2250 14 0166		81	94	74	-0.37	-0.49	-0.67	-1.56	-4.80	-3.74	10.71	-1.15			94	2
199	2250 22 0527 2022/08/01	1	25.98	2250 21 0250 2250 17 0269		123	106	131	1.10	0.06	0.61	1.11	6.00	4.76	-9.23	-5.33			3	0
200	2250 22 0529 2022/09/15	2	2.25	2250 21 0250 2250 21 0196		113	111	109	1.63	0.33	1.14	2.41	1.40	2.80	-0.50	-4.49			2	0
201	2250 22 0535 2022/11/01	2	14.18	2250 21 0250 2250 21 0235		122	111	125	1.32	0.73	1.39	2.36	4.30	4.63	-6.34	-4.58			2	0
202	2250 22 0536 2022/12/31	2	15.81	2250 20 0465 2250 21 0303		108	114	100	2.07	0.41	1.44	3.84	3.00	4.27	14.53	-0.69			1	0
203	2250 22 0540 2022/12/15	2	4.43	2250 21 0250 2250 21 0208		111	109	109	1.38	0.17	0.87	1.86	2.70	3.18	3.16	-3.42			2	0
204	2250 22 0544 2022/12/15	1	4.37	2250 20 0465 2250 20 0171		119	119	112	2.04	1.22	2.24	5.08	2.70	4.88	5.30	-5.40			2	0
205	2250 22 0554 2022/12/15	2	3.81	2250 20 0465 2250 16 0275		108	108	105	1.23	0.27	0.89	2.22	2.40	2.94	7.41	-3.23			1	0
206	2250 22 0575 2022/12/15	2	2.40	2250 21 0234 2250 21 0010		109	106	107	1.02	0.11	0.62	1.36	-0.10	1.07	-0.14	-9.50			2	0
207	2250 22 0576 2022/12/15	2	2.40	2250 21 0234 2250 21 0010		107	105	105	0.83	0.14	0.56	1.09	-0.10	0.91	0.26	-7.44			2	0
208	2250 22 0587 2022/11/15	2	15.23	2250 21 0281 2250 21 0325		106	106	100	1.61	-0.65	0.15	1.55	0.70	1.38	-0.12	-0.62			1	0

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID	BDate	Birth Status	% In-bred	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-wean		Lambs Weaned	TWW	AFL	ILP	EPI		Times Lambded	Nr Weaned
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index		
									EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
209	2250 22 0589 2022/12/31	1	6.25	2250 21 0281 2250 20 0151		101	110	87	2.03	-0.30	0.71	2.55	-2.10	0.47	2.70	3.03			2	0
									62	116	46	96	29	88	48	100	51	94	29	94
210	2250 22 0593 2022/11/15	2	2.94	2250 21 0250 2250 16 0193		109	96	118	-0.27	-0.30	-0.43	-1.37	2.20	0.76	-5.88	-9.76			3	0
									63	97	50	96	37	110	52	102	49	117	29	127
211	2250 22 0594 2022/12/31	2	4.67	2250 21 0281 2250 19 0233		100	98	101	0.54	-0.86	-0.59	-0.35	1.90	0.83	6.19	-4.53			1	0
									62	104	45	90	30	108	48	102	49	84	24	113
212	2250 23 0006 2023/01/01	1	13.32	1619 18 0081 2250 21 0279		96	94	101	-0.78	0.07	-0.32	-1.86	2.30	0.67	8.00	-1.13			2	0
									64	93	51	100	36	110	53	101	52	79	31	105
213	2250 23 0021 2023/03/01	3	7.54	2250 20 0147 2250 20 0117		121	115	116	1.97	0.60	1.58	4.11	0.80	3.04	-1.94	-15.72			2	0
									57	116	50	105	30	103	48	111	54	106	31	136
214	2250 23 0025 2023/08/15	3	7.54	2250 20 0147 2250 20 0117		118	115	112	1.97	0.60	1.58	4.11	0.80	3.04	3.23	-13.99			1	0
									57	116	50	105	30	103	48	111	57	92	29	136
215	2250 23 0028 2023/07/01	2	7.79	2250 20 0147 2250 14 0058		111	107	107	1.58	-0.43	0.37	2.08	-0.70	0.74	-1.58	-11.71			1	0
									60	113	53	94	36	95	52	102	58	105	31	132
216	2250 23 0030 2023/08/01	3	3.80	2250 21 0295 2250 15 0241		111	107	112	0.98	0.30	0.79	1.91	3.70	3.50	4.59	-4.33			1	0
									48	108	45	102	32	118	43	113	50	88	23	113
217	2250 23 0041 2023/04/15	1	1.55	2250 20 0147 2250 17 0414		110	106	106	1.34	-0.30	0.37	1.49	-0.60	0.68	-2.35	-9.76			1	0
									57	111	51	96	34	95	49	101	56	107	29	127
218	2250 23 0043 2023/04/15	2	7.82	2250 20 0147 2250 17 0353		110	107	106	1.61	-0.34	0.47	2.25	-0.40	1.03	-1.74	-8.71			1	0
									56	113	51	95	33	96	49	103	56	105	30	124
219	2250 23 0046 2023/04/15	1	8.95	2250 20 0147 2250 19 0085		99	105	90	1.45	-0.55	0.18	1.47	-2.60	-0.65	8.24	-8.98			1	0
									57	112	47	93	30	85	47	96	48	79	29	125
220	2250 23 0050 2023/06/01	1	2.26	2250 18 0259 2250 19 0161		99	103	94	0.67	0.03	0.36	0.84	-1.00	0.10	0.81	1.84			1	0
									57	105	51	99	35	93	50	99	53	99	30	97
221	2250 23 0051 2023/06/01	1	1.43	2250 18 0259 2250 20 0054		98	103	90	1.05	-0.52	0.01	0.68	-2.10	-0.73	1.49	-0.21			1	0
									59	108	52	93	35	88	51	95	55	97	32	102
222	2250 23 0058 2023/07/15	2	6.51	2250 20 0147 2250 21 0083		103	109	91	1.86	-0.29	0.64	2.36	-3.40	-0.48	3.80	-7.78			1	0
									57	115	47	96	29	81	47	96	56	91	29	122
223	2250 23 0062 2023/07/15	2	4.31	2250 21 0281 2250 21 0063		103	107	94	1.68	-0.44	0.40	1.94	-0.40	1.00	3.43	-0.32			1	0
									56	114	46	94	30	96	46	103	54	92	27	103
224	2250 23 0069 2023/08/15	2	7.91	2250 22 0040 1619 16 0420		107	106	104	0.99	0.10	0.60	1.19	0.30	1.27	3.14	-7.70			1	0
									51	108	45	100	29	100	44	104	50	92	22	122

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID	BDate	Birth Status	% In-brding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
225	2250 23 0083 2023/08/01	2	9.82	2250 20 0147	109	109	101	2.08	-0.65	0.39	2.61	-0.10	1.37	7.25	-13.02					1		
				58 117				50 92	102 27 111	31 98	49 104	56 81	29 135	0								
226	2250 23 0087 2023/08/01	2	16.24	2250 21 0281	106	107	101	1.52	-0.29	0.47	1.89	1.30	2.01	2.35	-0.25					1		
				55 112				45 96	103 19 109	27 105	45 107	53 94	25 102	0								
227	2250 23 0091 2023/07/01	1	3.82	1619 18 0081	89	90	93	-0.98	-0.49	-0.98	-2.60	0.20	-1.35	6.58	0.59					1		
				58 91				53 94	91 35 90	36 99	51 93	54 83	27 100	0								
228	2250 23 0094 2023/06/01	2	6.38	2250 20 0147	113	110	109	1.53	0.26	1.02	2.76	0.80	2.27	2.48	-9.88					1		
				56 112				50 102	107 22 112	32 103	48 108	54 94	28 127	0								
229	2250 23 0099 2023/07/15	2	3.81	1619 18 0081	98	94	105	-0.60	-0.22	-0.52	-1.59	2.20	0.50	5.65	-4.26					1		
				60 94				54 97	95 40 95	38 110	53 101	55 86	28 113	0								
230	2250 23 0100 2023/07/15	2	3.81	1619 18 0081	98	94	105	-0.60	-0.22	-0.52	-1.59	2.20	0.50	5.65	-4.26					1		
				60 94				54 97	95 40 95	38 110	53 101	55 86	28 113	0								
231	2250 23 0102 2023/08/01	2	7.02	2250 20 0147	105	107	96	1.55	-0.35	0.42	1.89	-2.20	-0.12	1.29	-7.89					1		
				57 112				51 95	102 24 109	31 87	49 98	56 97	28 122	0								
232	2250 23 0104 2023/08/01	2	3.25	2250 21 0281	107	107	101	1.58	-0.39	0.39	1.73	0.70	1.60	2.00	-3.13					1		
				55 113				44 95	102 22 108	28 102	45 105	53 95	26 110	0								
233	2250 23 0106 2023/08/01	1	3.60	2250 22 0040	110	110	103	1.89	-0.15	0.80	2.49	-0.40	1.50	1.83	-8.39					1		
				46 115				37 97	105 19 111	22 96	37 105	49 96	20 123	0								
234	2250 23 0115 2023/06/15	2	2.98	2250 21 0281	103	99	101	0.91	-0.96	-0.51	-0.06	0.70	0.37	-4.44	1.17					1		
				56 107				47 89	95 21 101	29 102	46 100	50 113	24 99	0								
235	2250 23 0122 2023/07/15	1	15.77	2250 21 0281	106	105	101	1.53	-0.63	0.14	1.56	0.70	1.32	-2.42	0.92					1		
				55 112				44 92	100 22 107	28 102	45 104	53 107	26 99	0								
236	2250 23 0140 2023/08/01	2	2.12	2250 18 0259	99	105	92	1.02	-0.15	0.36	1.41	-1.40	0.03	1.91	1.13					1		
				57 108				52 97	102 27 107	36 91	50 99	56 96	32 99	0								
237	2250 23 0142 2023/08/01	1	7.63	2250 20 0147	113	113	102	2.10	0.15	1.20	3.74	-2.60	0.69	-2.82	-10.61					1		
				54 117				44 100	109 23 116	27 85	44 101	55 108	26 129	0								
238	2250 23 0143 2023/08/01	2	9.24	2250 20 0147	104	108	92	1.71	-0.28	0.57	2.39	-4.60	-1.34	-0.01	-10.77					1		
				57 114				51 96	103 21 111	33 75	49 93	57 101	29 130	0								
239	2250 23 0151 2023/06/20	2	10.88	2250 20 0147	111	115	100	1.95	0.59	1.57	4.15	-2.10	1.28	-0.25	-6.68					1		
				57 116				51 105	112 24 118	33 88	49 104	56 101	30 119	0								
240	2250 23 0155 2023/07/15	2	18.32	2250 21 0281	107	108	98	1.76	-0.32	0.56	2.21	-0.50	1.14	-2.23	0.28					1		
				55 114				42 96	103 19 110	26 96	43 103	52 107	25 101	0								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed
									Dir	Mat	Comb	Post-wean										
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
241	2250 23 0157 2023/07/15	1	1.41	2250 18 0259 2250 19 0318	97	100	96	0.23 57	-0.14 51	-0.03 99	-0.10 29	0.00 34	0.09 49	0.39 57	4.01 31	1 0						
242	2250 23 0159 2023/07/01	2	5.23	2250 21 0281 2250 18 0324	100	102	95	0.85 53	-0.42 46	0.00 99	0.70 19	-1.20 30	-0.29 45	-0.44 52	-0.68 24	1 0						
243	2250 23 0163 2023/08/01	2	7.08	2250 20 0147 2250 20 0464	101	108	89	1.64 57	-0.32 47	0.50 103	1.93 22	-4.00 29	-1.08 47	2.20 57	-6.78 29	1 0						
244	2250 23 0178 2023/04/01	1	4.46	2250 20 0189 2250 20 0138	107	109	101	0.98 55	0.67 44	1.16 108	2.53 29	-3.20 30	-0.28 45	-2.06 50	-9.82 23	1 0						
245	2250 23 0186 2023/04/01	2	4.72	2250 20 0189 2250 18 0344	107	109	102	0.79 54	0.90 48	1.29 109	2.53 30	-1.70 33	0.66 47	-2.16 50	-3.83 23	1 0						
246	2250 23 0216 2023/04/01	1	5.25	2250 20 0189 2250 19 0321	107	106	106	0.60 63	0.54 48	0.84 106	1.95 34	1.50 32	2.04 50	2.81 39	-2.21 26	2 0						
247	2250 23 0231 2023/04/01	1	4.20	1619 18 0081 2250 17 0309	86	89	88	-1.13 57	-0.49 52	-1.06 90	-2.79 37	-2.00 37	-2.82 50	5.00 54	-1.45 28	1 0						
Ewe Flock Average Number of ewes with progeny in the flock: 247						104	105	99	0.98	0.04	0.53	1.49	-0.66	0.62	2.38	-4.55						

Active ewes with progeny born since Jan 2024.

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc			Index	
									EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index		
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
1	1787 24 0029 2024/02/23	1	2.52	- - - 1787 22 0016	94	88	105	-1.72 5 85	-0.03 5 99	-0.89 92	-3.72 5 86	0.90 5 103			-2.14 5 107	-1.47 5 106					0			
2	1787 24 0058 2024/05/21	1	2.52	- - - 1787 20 0037	94	87	105	-1.63 5 85	-0.19 5 97	-1.01 91	-3.70 5 86	1.00 5 104			-1.50 5 105	-1.81 5 106					0			
3	1787 24 0111 2024/07/01	2	2.33	1787 20 0120 1787 19 0091	93	92	99	-1.30 5 88	0.25 5 102	-0.40 96	-2.10 5 92	-0.20 5 97			-0.31 5 102	1.18 5 99					0			
4	1787 24 0112 2024/07/01	2	2.33	1787 20 0120 1787 19 0091	93	92	99	-1.30 5 88	0.25 5 102	-0.40 96	-2.10 5 92	-0.20 5 97			-0.31 5 102	1.18 5 99					0			
5	1787 24 0126 2024/07/19	1	2.33	1787 20 0120 1787 19 0114	93	92	99	-1.24 5 89	0.22 5 101	-0.40 96	-2.06 5 93	-0.40 5 96			-0.81 5 103	1.23 5 99					0			
6	1787 24 0129 2024/07/14	2	2.33	1787 20 0120 1787 21 0064	95	94	99	-1.01 5 91	0.20 5 101	-0.31 96	-1.60 5 94	-0.70 5 95			-1.81 5 106	0.43 5 101					0			
7	1787 24 0152 2024/08/01	1	2.52	- - - 1787 19 0116	93	88	102	-1.47 11 87	-0.28 9 96	-1.02 90	-3.32 9 88	0.50 8 101	-1.45 10 92		-0.60 8 102	-2.20 6 107					0			
8	1787 24 0158 2024/08/01	1	2.33	1787 20 0120 1787 18 0271	95	94	99	-0.97 5 91	0.13 5 100	-0.35 96	-1.63 5 94	-0.30 5 97			-0.81 5 103	0.44 5 101					0			
9	2250 24 0002 2024/09/01	2	9.64	2250 22 0316 2250 21 0405	119	118	110	2.53 45 121	0.43 38 103	1.69 113	4.79 20 120	0.50 22 101	3.26 37 112		0.84 34 99	-10.39 19 129	104		3	2				
10	2250 24 0003 2024/08/15	2	1.41	2250 18 0259 2250 19 0318	97	100	94	0.23 57 101	-0.14 51 97	-0.03 99	-0.10 29 101	0.00 34 98	0.09 49 99		1.68 49 96	3.98 31 92	95		4	2				
11	2250 24 0004 2024/08/15	2	1.41	2250 18 0259 2250 19 0318	97	100	94	0.23 57 101	-0.14 51 97	-0.03 99	-0.10 29 101	0.00 34 98	0.09 49 99		1.68 49 96	3.98 31 92	95		4	2				
12	2250 24 0006 2024/08/15	2	8.58	2250 20 0147 2250 22 0272	106	110	95	1.92 55 116	-0.16 47 97	0.80 105	2.76 24 112	-2.60 30 85	0.20 46 99		5.00 50 87	-10.62 30 129				0				
13	2250 24 0007 2024/08/15	2	8.58	2250 20 0147 2250 22 0272	106	110	95	1.92 55 116	-0.16 47 97	0.80 105	2.76 24 112	-2.60 30 85	0.20 46 99		5.00 50 87	-10.62 30 129				0				
14	2250 24 0009 2024/08/15	2	6.58	2250 20 0147 2250 17 0262	103	109	93	1.49 58 112	0.17 52 101	0.91 106	2.35 23 110	-2.10 32 88	0.40 50 100		8.88 48 77	-9.40 28 126	91		8	7				
15	2250 24 0010 2024/08/15	2	1.43	2250 18 0259 2250 22 0016	104	107	96	1.56 57 112	-0.29 49 96	0.49 103	1.91 27 109	-0.80 33 94	0.78 48 102		1.94 48 96	-1.63 31 106				0				

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc			Index	
									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index						
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
16	2250 24 0011 2024/08/15	2	1.43	2250 18 0259 2250 22 0016	104	107	96	1.56 57 112		-0.29 49 96		0.49 103 27 109		-0.80 33 94		0.78 48 102		1.94 48 96		-1.63 31 106		0		
17	2250 24 0012 2024/08/15	2	3.77	2250 22 0316 2250 22 0187	109	114	97	2.02 42 116		0.45 35 104		1.46 111 20 117		-1.80 22 89		1.39 35 104		1.24 33 97		-3.79 20 112		0		
18	2250 24 0013 2024/08/15	2	3.77	2250 22 0316 2250 22 0187	109	114	97	2.02 42 116		0.45 35 104		1.46 111 20 117		-1.80 22 89		1.39 35 104		1.24 33 97		-3.79 20 112		0		
19	2250 24 0014 2024/08/15	2	3.98	2250 22 0316 2250 21 0257	111	115	101	1.98 44 116		0.62 36 105		1.61 112 20 117		-1.60 23 90		1.64 36 105		-1.61 32 105		-3.78 20 112		0		
20	2250 24 0015 2024/08/15	2	3.98	2250 22 0316 2250 21 0257	111	115	101	1.98 44 116		0.62 36 105		1.61 112 20 117		-1.60 23 90		1.64 36 105		-1.61 32 105		-3.78 20 112		0		
21	2250 24 0016 2024/08/15	2	4.37	2250 20 0147 2250 18 0200	108	107	104	1.16 54 109		0.09 49 100		0.67 104 18 108		-1.00 29 93		0.65 46 101		-0.03 46 101		-9.27 26 126		101	5 5	
22	2250 24 0017 2024/08/15	2	4.37	2250 20 0147 2250 18 0200	108	107	104	1.16 54 109		0.09 49 100		0.67 104 18 108		-1.00 29 93		0.65 46 101		-0.03 46 101		-9.27 26 126		101	5 5	
23	2250 24 0019 2024/08/15	2	5.61	2250 22 0316 2250 22 0536	113	118	103	2.39 45 120		0.66 35 106		1.86 114 23 120		1.00 22 104		3.65 36 114		6.31 33 84		-3.86 17 112		0		
24	2250 24 0020 2024/08/15	2	5.61	2250 22 0316 2250 22 0536	113	118	103	2.39 45 120		0.66 35 106		1.86 114 23 120		1.00 22 104		3.65 36 114		6.31 33 84		-3.86 17 112		0		
25	2250 24 0022 2024/08/15	2	6.02	2250 22 0316 2250 22 0091	111	116	99	2.51 45 121		0.09 36 100		1.35 110 19 118		-1.40 22 91		1.77 36 106		2.89 33 93		-7.34 19 121		0		
26	2250 24 0023 2024/08/15	2	1.43	2250 18 0259 2250 22 0593	106	101	107	0.47 56 103		-0.17 48 97		0.07 99 28 102		1.00 34 104		0.90 48 102		-2.71 48 108		-2.99 31 109		0		
27	2250 24 0024 2024/06/15	2	1.43	2250 18 0259 2250 22 0593	106	101	107	0.47 56 103		-0.17 48 97		0.07 99 28 102		1.00 34 104		0.90 48 102		-2.71 48 108		-2.99 31 109		0		
28	2250 24 0025 2024/08/15	1	4.24	2250 22 0316 2250 22 0575	114	114	107	1.87 43 115		0.51 32 104		1.44 111 20 115		-0.60 21 95		2.02 34 107		-1.03 30 104		-8.27 18 123		0		
29	2250 24 0027 2024/07/15	2	2.52	2250 22 0316 - - -	100	109	91	1.29 31 110		0.24 24 101		0.89 106 15 111		-0.70 15 95		1.12 25 103		1.09 19 98		8.29 11 80		0		
30	2250 24 0028 2024/07/15	1	2.52	2250 22 0316 - - -	100	109	91	1.29 31 110		0.24 24 101		0.89 106 15 111		-0.70 15 95		1.12 25 103		1.09 19 98		8.29 11 80		0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
31	2250 24 0030 2024/08/01	2	5.41	2250 20 0147 2250 22 0362	109	113	95	2.57 56 121	-0.38 44 95	0.91 106	3.47 19 115	-2.30 26 87	0.82 44 102	3.22 48 92	-9.02 27 125	0									
32	2250 24 0031 2024/08/01	2	5.41	2250 20 0147 2250 22 0362	109	113	95	2.57 56 121	-0.38 44 95	0.91 106	3.47 19 115	-2.30 26 87	0.82 44 102	3.22 48 92	-9.02 27 125	0									
33	2250 24 0034 2024/07/15	2	10.08	2250 20 0147 2250 22 0188	107	112	93	2.21 55 118	-0.10 45 98	1.00 107	3.34 20 114	-3.30 27 81	0.13 45 99	2.15 49 95	-8.16 29 123	0									
34	2250 24 0041 2024/08/01	2	4.76	2250 21 0281 2250 15 0117	100	98	100	0.53 57 104	-0.86 50 90	-0.59 94	-0.48 27 99	1.40 35 106	0.51 49 101	1.64 45 96	-0.41 28 103	130	10 14								
35	2250 24 0044 2024/08/15	2	2.54	2250 18 0259 2250 21 0196	97	105	89	0.86 57 106	0.14 51 100	0.56 103	1.28 26 106	-1.60 35 90	0.03 50 99	5.00 50 87	2.56 32 95	101	3 2								
36	2250 24 0050 2024/08/15	1	10.41	2250 20 0147 2250 20 0344	106	111	96	1.81 58 115	0.08 50 100	0.99 107	2.89 23 113	-1.60 31 90	0.93 49 102	3.99 49 90	-5.42 30 116	113	4 3								
37	2250 24 0053 2024/08/01	1	5.69	2250 22 0316 2250 22 0153	113	115	103	1.93 42 116	0.75 35 107	1.72 113	4.16 22 118	-0.80 22 94	2.21 35 108	1.53 33 97	-6.25 18 118	0									
38	2250 24 0055 2024/08/01	1	5.63	2250 22 0316 2250 18 0249	116	112	110	1.90 49 115	0.24 45 101	1.19 108	3.35 22 114	1.10 30 104	2.80 43 110	-2.79 34 108	-5.21 21 115	123	7 11								
39	2250 24 0057 2024/08/01	2	9.24	2250 20 0147 2250 18 0270	103	108	92	1.71 57 114	-0.28 51 96	0.57 103	2.39 21 111	-4.60 33 75	-1.34 49 93	0.66 49 99	-10.79 29 130	98	6 6								
40	2250 24 0058 2024/11/01	2	5.82	2250 20 0147 2250 18 0112	114	112	108	1.80 58 115	0.35 53 103	1.25 109	3.36 28 115	-0.10 35 98	2.09 51 107	2.46 50 94	-12.42 30 134	140	7 8								
41	2250 24 0059 2024/11/01	2	5.82	2250 20 0147 2250 18 0112	114	112	108	1.80 58 115	0.35 53 103	1.25 109	3.36 28 115	-0.10 35 98	2.09 51 107	2.46 50 94	-12.42 30 134	140	7 8								
42	2250 24 0063 2024/11/01	2	3.49	2250 21 0281 2250 19 0111	112	105	112	1.42 58 111	-0.45 49 94	0.25 101	1.56 28 107	1.90 33 108	2.10 49 107	-3.46 46 110	-5.74 27 117	131	7 7								
43	2250 24 0066 2024/11/01	2	5.11	2250 20 0465 2250 22 0024	99	107	93	0.85 58 106	0.40 51 103	0.82 105	1.70 34 108	-0.70 35 95	0.82 50 102	9.18 44 76	-2.04 27 107	85	3 1								
44	2250 24 0067 2024/11/01	2	5.11	2250 20 0465 2250 22 0024	99	107	93	0.85 58 106	0.40 51 103	0.82 105	1.70 34 108	-0.70 35 95	0.82 50 102	9.18 44 76	-2.04 27 107	85	3 1								
45	2250 24 0069 2024/11/01	3	5.86	2250 15 0303 2250 21 0063	91	98	86	0.07 44 100	-0.26 41 96	-0.23 97	-0.23 29 100	-2.20 30 87	-1.51 40 92	8.18 38 79	-1.52 23 106	103	3 2								

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
46	2250 24 0070 2024/11/01	3	5.86	2250 15 0303 2250 21 0063	91	98	86	0.07 44	100	-0.26 41	96	-0.23 97	-0.23 29	100	-2.20 30	87	-1.51 40	92	8.18 38	79	-1.52 23	106	103	3 2
47	2250 24 0072 2024/11/01	3	4.62	2250 21 0281 2250 21 0436	110	112	99	2.33 55	119	-0.40 44	95	0.77 105	3.14 20	114	-0.40 27	96	1.69 44	106	1.35 44	97	-4.51 25	113	98	2 1
48	2250 24 0073 2024/11/01	3	4.62	2250 21 0281 2250 21 0436	110	112	99	2.33 55	119	-0.40 44	95	0.77 105	3.14 20	114	-0.40 27	96	1.69 44	106	1.35 44	97	-4.51 25	113	98	2 1
49	2250 24 0075 2024/11/01	3	1.53	2250 20 0147 2250 17 0279	104	105	97	1.40 58	111	-0.45 52	94	0.25 101	1.34 27	106	-1.30 34	92	0.17 50	99	3.27 48	92	-7.88 29	122	101	8 9
50	2250 24 0076 2024/11/01	3	1.53	2250 20 0147 2250 17 0279	104	105	97	1.40 58	111	-0.45 52	94	0.25 101	1.34 27	106	-1.30 34	92	0.17 50	99	3.27 48	92	-7.88 29	122	101	8 9
51	2250 24 0077 2024/11/01	1	3.06	2250 21 0281 2250 15 0065	110	105	110	1.13 54	109	-0.13 46	97	0.43 102	1.50 20	107	3.30 31	116	2.98 46	111	1.50 43	97	-2.42 24	108	93	9 11
52	2250 24 0078 2024/11/01	2	9.23	2250 21 0281 2250 22 0465	110	106	107	1.45 54	112	-0.31 39	96	0.42 102	1.48 20	107	1.80 25	108	2.22 42	108	-2.26 41	107	-0.62 24	103		0
53	2250 24 0081 2024/11/01	2	4.36	2250 20 0147 2250 22 0166	104	109	92	1.87 55	115	-0.27 47	96	0.67 104	2.47 21	111	-3.10 27	82	-0.26 45	97	1.33 49	97	-5.40 29	116	100	2 1
54	2250 24 0085 2024/11/01	3	2.52	2250 22 0316 - - -	100	109	91	1.29 31	110	0.24 24	101	0.89 106	2.59 15	111	-0.70 15	95	1.12 25	103	1.09 19	98	8.29 11	80		0
55	2250 24 0089 2024/11/01	2	8.86	2250 20 0147 2250 18 0336	111	112	104	1.73 57	114	0.38 51	103	1.24 109	3.31 22	114	-0.60 32	95	1.74 49	106	1.16 49	98	-7.69 29	122	99	5 4
56	2250 24 0091 2024/11/01	2	3.91	2250 20 0147 2250 23 0155	110	113	98	2.43 54	120	-0.25 43	96	0.96 107	3.45 19	115	-2.20 25	87	0.86 43	102	-1.35 48	104	-6.79 26	119		0
57	2250 24 0094 2024/11/01	1	7.67	2250 15 0303 2250 16 0193	88	87	92	-1.13 44	90	-0.96 44	89	-1.52 86	-3.12 29	88	-1.90 33	89	-3.23 41	85	3.77 37	91	-6.63 24	119	118	9 12
58	2250 24 0095 2024/11/01	1	5.72	2250 23 0377 2250 23 0091	93	90	100	-1.00 38	91	-0.45 34	94	-0.95 91	-2.53 22	91	0.90 24	103	-0.90 33	95	2.91 32	93	-1.90 17	107		0
59	2250 24 0100 2024/11/01	1	6.23	2250 15 0303 2250 23 0021	104	102	102	0.51 40	104	-0.01 35	99	0.25 101	0.98 26	105	-0.80 24	94	0.03 34	99	1.69 35	96	-8.51 21	124		0
60	2250 24 0101 2024/11/01	1	6.87	2250 20 0147 2250 21 0292	110	109	105	1.39 58	111	0.14 50	100	0.84 106	2.10 29	109	-1.30 33	92	0.76 49	102	-0.52 49	102	-10.53 31	129	104	3 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned					
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index		
									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index		
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10			
61	2250 24 0102 2024/11/01	1	5.14	2250 22 0316 2250 22 0064	109	107	106	1.20 45 109		0.14 37 100		0.74 105 21 109		1.00 24 104		1.94 37 107		1.34 32 97		-4.70 18 114		94	3 2			
62	2250 24 0104 2024/11/01	1	3.83	2250 15 0303 2250 22 0065	94	95	94	-0.15 41 98		-0.54 36 93		-0.62 94 27 97		-0.70 25 95		-1.11 35 94		3.16 33 92		-1.12 19 105		94	3 2			
63	2250 24 0105 2024/09/01	1	1.58	2250 20 0147 2250 20 0229	107	112	95	2.14 58 117		-0.07 50 98		1.00 107 21 114		-1.60 30 90		1.11 48 103		4.62 50 88		-5.95 29 117		98	5 2			
64	2250 24 0108 2024/11/01	1	2.67	2250 15 0303 2250 21 0279	97	97	99	-0.37 43 96		0.01 40 99		-0.17 97 35 97		0.20 31 99		-0.24 39 97		5.70 37 85		-4.42 25 113		96	3 1			
65	2250 24 0110 2024/11/01	2	2.13	2250 22 0316 2250 21 0286	104	107	98	1.28 45 110		-0.12 39 98		0.52 103 20 108		-0.60 25 95		0.81 38 102		0.12 34 100		-1.41 20 105		101	3 2			
66	2250 24 0111 2024/11/01	2	2.13	2250 22 0316 2250 21 0286	104	107	98	1.28 45 110		-0.12 39 98		0.52 103 20 108		-0.60 25 95		0.81 38 102		0.12 34 100		-1.41 20 105		101	3 2			
67	2250 24 0113 2024/11/01	2	7.32	2250 20 0147 2250 22 0111	109	111	99	2.02 57 116		-0.14 47 97		0.87 106 23 113		-1.80 29 89		0.80 47 102		-0.59 50 102		-6.41 29 118			0			
68	2250 24 0117 2024/11/01	1	17.36	2250 20 0147 2250 20 0054	103	108	91	2.00 59 116		-0.60 49 93		0.40 102 21 110		-3.90 29 78		-0.94 48 94		1.06 50 98		-9.03 29 125		93	4 1			
69	2250 24 0119 2024/11/01	1	1.98	2250 15 0303 2250 21 0252	95	97	93	-0.05 43 99		-0.37 40 95		-0.40 96 28 98		-1.00 28 93		-1.02 38 94		3.36 36 92		-1.47 22 106		100	3 2			
70	2250 24 0120 2024/11/01	1	11.07	2250 22 0316 2250 18 0391	113	109	108	1.33 44 111		0.35 42 103		1.02 107 21 111		-1.20 26 92		0.96 39 102		-6.54 33 118		-7.44 18 121		111	6 6			
71	2250 24 0121 2024/11/01	1	4.10	2250 21 0281 2250 21 0082	101	106	92	1.74 56 114		-0.80 45 90		0.07 99 22 107		-0.50 29 96		0.64 46 101		5.32 44 86		-1.88 26 107		96	3 1			
72	2250 24 0123 2024/11/01	1	7.23	2250 22 0316 2250 21 0444	113	119	99	2.52 42 121		0.70 32 106		1.96 115 19 122		-1.30 21 92		2.45 33 109		3.20 30 92		-4.96 18 115			0			
73	2250 24 0127 2024/11/01	1	2.64	2250 15 0303 2250 17 0498	97	94	101	-0.50 43 95		-0.39 43 95		-0.64 94 31 94		0.20 31 99		-0.77 40 95		1.26 32 97		-4.43 21 113		109	8 8			
74	2250 24 0128 2024/11/01	1	7.09	2250 15 0303 2250 18 0293	92	92	93	-0.36 42 96		-0.79 42 91		-0.97 91 27 95		-0.70 29 95		-1.57 39 92		5.64 33 86		-3.47 20 111		121	6 8			
75	2250 24 0129 2024/11/01	2	6.17	2250 20 0147 2250 20 0283	109	112	100	1.98 57 116		-0.01 47 99		0.99 107 24 113		-1.80 29 89		0.90 47 102		3.12 49 92		-10.59 29 129			0			

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
76	2250 24 0130 2024/11/01	2	6.17	2250 20 0147 2250 20 0283		109	112	100	1.98 57	-0.01 116	47	99	0.99 107	2.98 24	113	-1.80 29	0.90 47	102	3.12 49	92	-10.59 29	129		0
77	2250 24 0131 2024/12/01	1	3.37	2250 21 0281 2250 21 0097		98	103	91	1.31 56	-0.83 110	46	90	-0.18 97	0.73 21	104	-0.60 30	0.11 46	99	3.84 44	90	1.36 26	98	102	3 2
78	2250 24 0133 2024/11/01	2	4.19	2250 21 0281 2250 22 0169		106	110	96	2.05 53	-0.42 117	41	94	0.60 104	2.53 18	111	-0.90 25	1.09 42	103	3.22 44	92	-4.28 25	113		0
79	2250 24 0134 2024/11/01	2	4.19	2250 21 0281 2250 22 0169		106	110	96	2.05 53	-0.42 117	41	94	0.60 104	2.53 18	111	-0.90 25	1.09 42	103	3.22 44	92	-4.28 25	113		0
80	2250 24 0140 2024/11/01	2	2.52	2250 21 0281 - -		95	102	87	1.08 45	-0.69 108	33	92	-0.15 98	0.79 14	104	0.30 20	0.56 35	101	1.53 33	97	12.31 19	70		0
81	2250 24 0143 2024/11/01	1	9.82	2250 20 0147 2250 20 0186		110	109	103	2.08 58	-0.65 117	50	92	0.39 102	2.61 27	111	-0.10 31	1.37 49	104	5.87 49	85	-12.98 29	135	113	4 5
82	2250 24 0145 2024/11/01	1	4.06	2250 21 0281 2250 21 0136		95	103	87	1.17 55	-0.60 109	43	93	-0.01 99	0.64 21	104	-1.20 28	-0.15 44	98	4.72 44	88	3.98 26	92		0
83	2250 24 0147 2024/11/01	1	3.06	2250 15 0303 2250 21 0346		91	96	88	0.00 43	-0.45 99	38	94	-0.45 95	-0.83 28	98	-1.60 28	-1.41 38	92	6.73 33	83	-1.45 22	106		0
84	2250 24 0150 2024/11/01	2	2.22	2250 21 0281 2250 21 0270		101	101	99	0.73 55	-0.47 105	44	94	-0.10 98	0.18 24	102	1.60 27	1.22 44	104	1.67 42	96	3.03 24	94	103	3 2
85	2250 24 0151 2024/11/01	2	2.22	2250 21 0281 2250 21 0270		101	101	99	0.73 55	-0.47 105	44	94	-0.10 98	0.18 24	102	1.60 27	1.22 44	104	1.67 42	96	3.03 24	94	103	3 2
86	2250 24 0153 2024/11/01	2	7.77	2250 15 0303 2250 20 0309		93	97	88	0.17 44	-0.62 101	41	92	-0.53 94	-0.57 27	99	-3.90 29	-2.79 39	87	2.94 37	93	-6.84 22	119	121	5 4
87	2250 24 0161 2024/11/01	1	3.80	2250 21 0281 2250 19 0138		103	102	96	1.51 56	-1.11 112	47	87	-0.36 96	0.61 21	103	-0.70 29	-0.02 46	98	-3.91 41	111	0.65 24	100	95	4 3
88	2250 24 0162 2024/11/01	2	6.25	2250 21 0281 2250 21 0228		100	107	90	1.71 56	-0.52 114	46	93	0.34 102	1.74 20	108	-0.90 29	0.66 46	101	4.61 44	88	1.34 26	98	100	3 2
89	2250 24 0164 2024/11/01	1	8.92	2250 20 0147 2250 20 0223		109	117	94	2.32 57	0.66 119	49	106	1.83 114	4.63 22	120	-2.50 30	1.49 48	105	5.16 50	87	-5.90 30	117	96	5 2
90	2250 24 0165 2024/11/01	1	2.34	2250 21 0281 2250 20 0993		103	104	100	1.09 51	-0.36 108	41	95	0.19 100	0.94 27	105	1.30 29	1.51 42	105	-0.04 41	101	3.49 26	93		0

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
91	2250 24 0166 2024/09/01	1	3.11	2250 22 0316 2250 19 0084	113	111	107	1.54 47 112 41 104		1.23 109 29 111		2.52		-0.90 28 94	1.46 40 105		-2.08 33 106		-9.02 21 125		94	6 3		
92	2250 24 0168 2024/12/30	1	4.77	2250 22 0316 2250 22 0155	112	115	102	1.88 42 115 35 107		1.70 113 23 118		4.11		-0.40 22 96	2.40 35 108		1.05 33 98		-3.27 19 110			0		
93	2250 24 0169 2024/12/30	2	5.74	2250 22 0316 2250 22 0526	100	108	90	1.18 46 109 39 101		0.80 105 23 109		2.11		-2.90 26 83	-0.35 39 97		4.40 35 89		-4.09 22 112		94	2 1		
94	2250 24 0170 2024/12/30	2	5.74	2250 22 0316 2250 22 0526	100	108	90	1.18 46 109 39 101		0.80 105 23 109		2.11		-2.90 26 83	-0.35 39 97		4.40 35 89		-4.09 22 112		94	2 1		
95	2250 24 0171 2024/12/01	1	10.29	2250 21 0281 2250 18 0340	108	110	101	1.54 55 112 48 101		0.98 107 22 113		2.90		0.40 31 101	1.99 47 107		0.22 45 100		0.74 27 100		99	6 4		
96	2250 24 0177 2024/12/30	1	5.98	2250 22 0316 2250 23 0100	109	108	106	1.06 43 108 36 103		0.88 106 25 109		2.10		0.60 24 102	1.77 36 106		1.87 34 96		-5.65 18 116			0		
97	2250 24 0179 2024/04/01	1	5.24	2250 22 0316 2250 21 0033	105	112	93	1.87 45 115 39 101		1.14 108 21 114		3.17		-2.80 26 84	0.40 38 100		4.09 35 90		-6.95 21 120		97	3 1		
98	2250 24 0181 2024/04/01	2	7.58	2250 22 0316 2250 22 0038	118	119	105	3.02 45 125 36 101		1.69 112 18 122		5.17		-0.60 22 95	2.83 36 110		0.32 32 100		-8.74 19 124			0		
99	2250 24 0182 2024/04/01	2	10.44	2250 22 0316 2250 21 0441	116	117	106	2.50 44 120 34 103		1.64 112 20 120		4.75		-1.20 21 92	2.17 35 108		-1.45 30 105		-9.27 19 126			0		
100	2250 24 0183 2024/04/01	2	10.44	2250 22 0316 2250 21 0441	116	117	106	2.50 44 120 34 103		1.64 112 20 120		4.75		-1.20 21 92	2.17 35 108		-1.45 30 105		-9.27 19 126			0		
101	2250 24 0185 2024/04/01	1	9.14	2250 22 0316 2250 18 0251	105	110	94	1.41 45 111 42 103		1.06 107 23 113		2.87		-3.80 29 79	-0.52 40 96		-0.31 34 102		-6.92 21 120		103	7 5		
102	2250 24 0188 2024/04/01	1	5.00	2250 20 0189 2250 21 0189	103	106	96	1.02 55 108 45 101		0.66 104 31 109		1.91		-1.60 30 90	0.21 45 99		1.92 40 96		-3.76 23 111		95	4 1		
103	2250 24 0192 2024/04/01	1	5.23	2250 20 0189 2250 21 0243	103	105	98	0.89 55 107 45 100		0.54 103 32 108		1.62		-1.30 31 92	0.21 46 99		2.01 40 95		-4.45 24 113		95	4 1		
104	2250 24 0194 2024/04/01	2	4.72	2250 20 0189 2250 21 0233	111	110	108	1.15 54 109 45 105		1.17 108 30 112		2.81		0.60 29 102	2.10 45 107		-0.76 40 103		-5.09 23 115		100	4 2		
105	2250 24 0197 2024/04/01	1	4.20	2250 20 0189 2250 20 0464	102	105	95	0.86 54 107 43 101		0.61 104 30 107		1.60		-2.10 29 88	-0.23 44 97		1.48 40 97		-4.25 24 113			0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
106	2250 24 0221 2024/04/01	1	4.22	2250 20 0189 2250 19 0055	104	107	98	1.23 56 110		0.05 48 99		0.67 104 32 109		2.10		-0.90 32 94		0.75 47 102		3.56 40 91		-5.30 24 115		112	6 5
107	2250 24 0222 2024/05/01	2	15.78	2250 20 0189 2250 20 0093	112	108	110	1.09 54 108		0.30 45 102		0.85 106 32 110		2.33		-0.40 29 96		1.15 45 103		-4.18 38 112		-8.95 21 125		92	5 2
108	2250 24 0224 2024/08/01	2	11.71	2250 20 0189 2250 21 0406	119	116	112	2.16 55 118		0.57 43 105		1.65 112 30 119		4.56		0.10 28 99		2.79 44 110		0.19 40 100		-12.72 22 135		97	4 1
109	2250 24 0227 2024/08/01	1	5.60	2250 20 0189 2250 18 0387	102	104	96	0.72 54 105		0.11 47 100		0.47 103 30 107		1.52		-2.40 32 86		-0.61 46 96		-1.43 39 105		-3.29 23 110		114	6 4
110	2250 24 0229 2024/08/01	2	4.56	2250 20 0189 2250 19 0163	110	110	104	1.03 55 108		0.82 46 108		1.33 110 29 112		2.85		-2.00 30 88		0.65 46 101		-2.83 39 108		-7.41 22 121		97	6 3
111	2250 24 0232 2024/08/01	2	4.02	2250 20 0189 2250 19 0296	102	101	101	0.26 55 101		-0.03 46 99		0.10 100 32 102		0.35		-0.80 30 94		-0.25 46 97		0.14 38 100		-5.09 20 115		115	6 4
112	2250 24 0233 2024/08/01	2	4.75	2250 20 0189 2250 20 0158	106	109	99	1.13 56 109		0.48 45 104		1.04 107 32 111		2.59		-2.80 30 84		-0.08 46 98		-0.53 41 102		-8.01 23 122		94	5 1
113	2250 24 0234 2024/08/01	2	4.75	2250 20 0189 2250 20 0158	106	109	99	1.13 56 109		0.48 45 104		1.04 107 32 111		2.59		-2.80 30 84		-0.08 46 98		-0.53 41 102		-8.01 23 122		94	5 1
114	2250 24 0236 2024/08/01	2	4.84	2250 20 0189 2250 22 0055	108	103	107	0.68 53 105		-0.04 41 98		0.30 101 29 105		1.05		-0.30 28 97		0.46 43 100		-1.80 38 106		-9.07 21 125			0
115	2250 24 0240 2024/04/01	2	4.20	2250 20 0189 2250 22 0084	114	109	111	1.25 55 110		0.31 42 102		0.93 106 30 111		2.53		0.30 28 100		1.73 44 106		-2.98 40 109		-9.41 22 126			0
116	2250 24 0241 2024/04/01	2	4.41	2250 20 0189 2250 22 0510	122	116	119	1.78 54 114		0.96 43 109		1.85 114 31 118		4.21		1.60 28 107		3.70 44 114		-4.11 38 112		-9.67 22 127		94	3 1
117	2250 24 0242 2024/04/01	2	4.41	2250 20 0189 2250 22 0510	122	116	119	1.78 54 114		0.96 43 109		1.85 114 31 118		4.21		1.60 28 107		3.70 44 114		-4.11 38 112		-9.67 22 127		94	3 1
118	2250 24 0244 2024/08/01	2	6.43	2250 20 0189 2250 21 0126	114	114	108	1.50 55 112		1.01 47 110		1.76 113 31 117		4.04		0.30 32 100		2.68 47 110		2.04 40 95		-7.92 23 122		116	3 3
119	2250 24 0247 2024/04/01	2	5.50	2250 20 0189 2250 20 0058	114	113	108	1.57 57 113		0.79 47 107		1.57 112 34 116		3.83		-0.80 31 94		1.87 47 106		-0.75 40 103		-9.91 23 127		116	5 4
120	2250 24 0248 2024/04/01	2	5.95	2250 20 0189 2250 20 0383	102	110	92	1.29 55 110		0.47 46 104		1.12 108 32 113		2.87		-3.10 33 82		-0.10 46 98		4.11 40 90		-4.98 25 115		93	4 2

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lambed N Weaned			
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc			Index	Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
121	2250 24 0250 2024/04/01	1	7.17	2250 20 0189 2250 20 0376	106	108	100	1.18 0.27 0.86 2.53 55 109 46 102 106 31 111		-1.30 0.67 0.71 -5.16 31 92 46 101 38 99 23 115		112		4 3											
122	2250 24 0255 2024/04/01	2	11.88	2250 20 0189 2250 19 0111	117	108	118	1.04 0.43 0.95 2.49 57 108 49 103 106 36 111		1.30 2.25 -4.75 -10.63 35 105 49 108 42 114 25 129		131		7 7											
123	2250 24 0256 2024/04/01	2	11.88	2250 20 0189 2250 19 0111	117	108	118	1.04 0.43 0.95 2.49 57 108 49 103 106 36 111		1.30 2.25 -4.75 -10.63 35 105 49 108 42 114 25 129		131		7 7											
124	2250 24 0258 2024/12/01	2	5.00	2250 20 0189 2250 21 0189	103	106	96	1.02 0.15 0.66 1.91 55 108 45 101 104 31 109		-1.60 0.21 1.92 -3.76 30 90 45 99 40 96 23 111		95		4 1											
125	2250 24 0260 2024/04/01	2	9.23	2250 20 0189 2250 20 0057	110	108	105	1.25 0.24 0.86 2.58 55 110 46 101 106 31 111		-1.10 0.83 -0.69 -9.75 30 93 46 102 40 103 23 127		109		7 3											
126	2250 24 0264 2024/04/01	2	4.74	2250 22 0316 2250 22 0112	109	112	101	1.68 0.43 1.27 3.41 45 114 37 104 109 22 115		-0.40 1.87 -0.38 -1.30 25 96 37 106 35 102 21 105				0											
127	2250 24 0265 2024/04/01	2	4.29	2250 22 0316 2250 19 0048	106	116	92	1.96 0.74 1.72 4.15 47 116 42 107 113 24 118		-2.50 1.20 5.78 -4.18 28 85 41 103 34 85 21 113		113		6 5											
128	2250 24 0266 2024/04/01	2	4.29	2250 22 0316 2250 19 0048	106	116	92	1.96 0.74 1.72 4.15 47 116 42 107 113 24 118		-2.50 1.20 5.78 -4.18 28 85 41 103 34 85 21 113		113		6 5											
129	2250 24 0270 2024/04/01	2	5.35	2250 22 0316 2250 20 0240	107	115	93	2.08 0.46 1.50 3.99 45 117 38 104 111 18 117		-3.00 0.74 3.20 -5.66 22 83 37 102 33 92 19 116		91		4 1											
130	2250 24 0272 2024/04/01	2	5.16	2250 22 0316 2250 21 0390	110	114	99	2.10 0.32 1.38 3.81 45 117 38 102 110 18 116		-1.50 1.53 0.81 -5.31 24 91 37 105 34 99 19 115		99		3 1											
131	2250 24 0273 2024/08/01	1	11.39	2250 22 0316 2250 20 0017	107	109	102	1.14 0.44 1.01 2.60 46 109 41 104 107 25 111		-0.70 1.16 4.72 -8.80 27 95 40 103 33 88 19 124		110		5 3											
132	2250 24 0274 2024/06/01	2	5.97	2250 22 0316 2250 20 0163	108	113	97	1.85 0.49 1.42 3.62 46 115 41 104 110 21 116		-0.90 1.80 3.15 -1.80 26 94 39 106 35 92 21 106		107		5 3											
133	2250 24 0277 2024/08/01	2	5.66	2250 22 0316 2250 20 0190	108	111	99	1.57 0.36 1.15 2.89 45 113 39 103 108 19 113		-2.10 0.68 2.03 -8.46 23 88 38 101 34 95 19 124		97		5 2											
134	2250 24 0281 2024/05/01	1	8.50	2250 22 0316 2250 18 0223	109	110	102	1.37 0.45 1.14 2.91 43 111 40 104 108 19 113		-1.20 1.10 -0.86 -5.35 26 92 38 103 31 103 18 116		116		7 6											
135	2250 24 0282 2024/04/01	1	4.71	2250 22 0316 2250 21 0352	111	115	101	1.95 0.68 1.66 4.07 45 116 37 106 112 20 117		-1.00 2.03 2.24 -5.14 24 93 37 107 34 95 20 115		96		3 1											

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned					
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index	Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10			
136	2250 24 0284 2024/04/01	2	2.99	2250 22 0316 2250 21 0160	118	112	116	1.51 45 112 38 105		0.55 109		1.31 30 113		2.87 28 107 38 111		3.08 35 113		-4.42 22 120		-7.12 22 120				0		
137	2250 24 0285 2024/04/01	2	2.99	2250 22 0316 2250 21 0160	118	112	116	1.51 45 112 38 105		0.55 109		1.31 30 113		2.87 28 107 38 111		3.08 35 113		-4.42 22 120		-7.12 22 120				0		
138	2250 24 0289 2024/12/01	1	4.72	2250 20 0189 2250 21 0233	111	110	108	1.15 54 109 45 105		0.59 108		1.17 30 112		2.81 29 102 45 107		2.10 40 103		-0.76 23 115		-5.09 23 115		100		4 2		
139	2250 24 0290 2024/12/01	2	5.23	2250 20 0189 2250 21 0243	103	105	98	0.89 55 107 45 100		0.10 103		0.54 32 108		1.62 31 92 46 99		2.01 40 95		-4.45 24 113		-4.45 24 113		95		4 1		
140	2250 24 0291 2024/12/01	2	5.23	2250 20 0189 2250 21 0243	103	105	98	0.89 55 107 45 100		0.10 103		0.54 32 108		1.62 31 92 46 99		2.01 40 95		-4.45 24 113		-4.45 24 113		95		4 1		
141	2250 24 0292 2024/08/01	2	17.64	2250 20 0189 2250 20 0117	120	113	120	1.18 55 109 46 111		1.09 112		1.68 33 116		3.78 31 112 46 115		3.90 41 98		1.18 23 131		-11.42 23 131		100		6 3		
142	2250 24 0293 2024/08/01	2	17.64	2250 20 0189 2250 20 0117	120	113	120	1.18 55 109 46 111		1.09 112		1.68 33 116		3.78 31 112 46 115		3.90 41 98		1.18 23 131		-11.42 23 131		100		6 3		
143	2250 24 0295 2024/04/01	1	3.06	2250 20 0189 2250 21 0269	106	106	104	0.58 54 104 43 105		0.58 106		0.87 33 108		1.70 29 101 44 104		1.40 39 97		1.30 22 108		-2.56 22 108		97		3 1		
144	2250 24 0300 2024/04/01	1	5.14	2250 20 0189 2250 21 0212	110	106	110	0.54 55 104 45 106		0.71 107		0.98 37 108		1.77 33 104 46 106		1.91 40 96		1.65 25 121		-7.31 25 121		95		3 1		
145	2250 24 0301 2024/04/01	1	4.64	2250 22 0316 2250 21 0313	104	111	94	1.58 45 113 38 103		0.42 109		1.21 21 113		2.97 25 85 38 101		0.50 35 89		4.33 21 116		-5.52 21 116		98		3 1		
146	2250 24 0304 2024/12/01	3	5.81	2250 22 0316 2250 21 0166	108	108	103	0.92 45 107 39 105		0.60 107		1.07 29 110		2.14 29 91 39 101		0.69 35 103		-0.83 23 119		-6.65 23 119		96		3 1		
147	2250 24 0305 2024/04/01	2	7.96	2250 22 0316 2250 17 0354	105	107	99	1.09 41 108 35 102		0.26 105		0.80 23 109		2.11 26 91 35 101		0.50 31 92		3.40 19 121		-7.63 19 121				0		
148	2250 24 0306 2024/04/01	2	7.96	2250 22 0316 2250 17 0354	105	107	99	1.09 41 108 35 102		0.26 105		0.80 23 109		2.11 26 91 35 101		0.50 31 92		3.40 19 121		-7.63 19 121				0		
149	2250 24 0308 2024/04/01	2	4.98	2250 22 0316 2250 18 0158	103	106	97	0.72 45 105 42 103		0.37 105		0.73 18 107		1.45 27 84 40 96		0.52 33 99		-7.31 18 121		-7.31 18 121		126		6 7		
150	2250 24 0312 2024/04/01	2	2.31	2250 22 0316 2250 17 0374	115	109	113	1.43 46 111 43 101		0.24 107		0.96 25 111		2.48 29 110 41 111		2.99 33 106		-2.06 19 113		-4.49 19 113		117		9 12		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID BDate			Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned				
										Dir	Mat		Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index			Acc	EBV Index	
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10			
151	2250 24 0316 2024/04/01	2	9.64	2250 22 0316 2250 21 0407		119	119	109	2.45 0.75 45 120 37 107		1.98 115	5.12 20 122		-0.30 3.03 22 97 37 111		1.17 1.17 34 98 34 98		-11.30 -11.30 19 131 19 131		98		3 1					
152	2250 24 0317 2024/04/01	2	7.10	2250 22 0316 2250 21 0410		114	116	103	2.39 0.38 43 120 35 103		1.57 112	4.43 19 119		0.10 2.82 22 99 35 110		1.22 1.22 31 98 31 98		-4.26 -4.26 18 113 18 113		97		3 1					
153	2250 24 0318 2024/04/01	2	7.10	2250 22 0316 2250 21 0410		114	116	103	2.39 0.38 43 120 35 103		1.57 112	4.43 19 119		0.10 2.82 22 99 35 110		1.22 1.22 31 98 31 98		-4.26 -4.26 18 113 18 113		97		3 1					
154	2250 24 0320 2024/08/01	2	5.78	2250 22 0316 2250 18 0344		108	113	99	1.38 0.95 44 111 42 109		1.64 112	3.41 21 115		-2.10 1.07 28 88 40 103		-0.53 -0.53 35 102 35 102		-2.99 -2.99 20 110 20 110		115		6 4					
155	2250 24 0322 2024/08/01	2	7.65	2250 22 0316 2250 20 0289		113	112	105	1.73 0.36 47 114 42 103		1.23 109	3.37 22 115		-1.60 1.13 28 90 41 103		-3.90 -3.90 33 111 33 111		-8.17 -8.17 21 123 21 123		123		5 5					
156	2250 24 0324 2024/04/01	2	7.18	2250 22 0316 2250 20 0400		110	112	100	1.81 0.35 45 115 39 103		1.26 109	3.40 19 115		-2.00 0.96 23 88 38 102		-0.38 -0.38 33 102 33 102		-7.30 -7.30 19 121 19 121		100		4 2					
157	2250 24 0327 2024/04/01	2	3.98	2250 22 0316 2250 21 0256		109	113	99	1.89 0.43 45 115 38 104		1.38 110	3.60 20 116		-2.20 1.00 24 87 37 103		-1.23 -1.23 34 104 34 104		-4.70 -4.70 20 114 20 114		96		3 1					
158	2250 24 0329 2024/08/01	2	7.03	2250 22 0316 2250 21 0303		115	116	106	2.41 0.22 46 120 39 101		1.43 110	4.25 22 118		1.50 3.53 24 106 38 113		2.55 2.55 35 94 35 94		-4.07 -4.07 20 112 20 112		104		3 2					
159	2250 24 0330 2024/04/01	2	5.69	2250 22 0316 2250 21 0038		106	112	95	1.62 0.49 45 113 39 104		1.30 109	3.17 21 114		-1.80 1.03 26 89 38 103		5.25 5.25 35 87 35 87		-5.62 -5.62 21 116 21 116		103		3 2					
160	2250 24 0331 2024/04/01	2	5.69	2250 22 0316 2250 21 0038		106	112	95	1.62 0.49 45 113 39 104		1.30 109	3.17 21 114		-1.80 1.03 26 89 38 103		5.25 5.25 35 87 35 87		-5.62 -5.62 21 116 21 116		103		3 2					
161	2250 24 0332 2024/04/01	2	6.60	2250 22 0316 2250 21 0232		109	116	97	1.97 0.73 46 116 40 107		1.72 113	4.24 21 118		-1.20 1.98 26 92 39 107		4.28 4.28 35 89 35 89		-3.63 -3.63 21 111 21 111		100		3 2					
162	2250 24 0334 2024/04/01	1	3.29	2250 22 0316 2250 20 0377		106	110	98	1.58 0.21 46 113 41 101		1.00 107	2.67 23 112		-1.40 0.95 27 91 40 102		3.36 3.36 35 92 35 92		-6.23 -6.23 21 118 21 118		108		6 4					
163	2250 24 0338 2024/04/01	2	9.56	2250 22 0316 2250 21 0053		112	112	104	1.63 0.48 46 113 39 104		1.29 109	3.40 22 115		-1.70 1.09 27 90 39 103		-1.75 -1.75 34 106 34 106		-8.76 -8.76 21 124 21 124		97		3 1					
164	2250 24 0339 2024/04/01	2	9.56	2250 22 0316 2250 21 0053		112	112	104	1.63 0.48 46 113 39 104		1.29 109	3.40 22 115		-1.70 1.09 27 90 39 103		-1.75 -1.75 34 106 34 106		-8.76 -8.76 21 124 21 124		97		3 1					
165	2250 24 0343 2024/03/01	1	4.68	2250 22 0316 2250 21 0309		108	112	99	1.61 0.55 45 113 38 105		1.36 110	3.33 21 114		-1.90 1.02 24 89 37 103		0.04 0.04 35 101 35 101		-4.89 -4.89 21 114 21 114		102		4 1					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
166	2250 24 0344 2024/04/01	1	4.18	2250 22 0316 2250 21 0379	103	111	91	1.64 0.31 45 113 38 102		1.13 2.91 108 21 113		-2.20 0.63 25 87 38 101		6.57 -3.77 35 83 21 111		97		2							
167	2250 24 0345 2024/04/04	1	14.32	2250 22 0316 2250 20 0171	121	120	113	2.42 1.03 46 120 40 110		2.24 5.54 117 26 123		1.20 4.16 27 105 39 116		0.63 -8.81 34 99 20 124		108		4							
168	2250 24 0350 2024/04/04	1	9.47	2250 22 0316 2250 21 0094	110	111	102	1.70 0.21 45 114 39 101		1.06 3.17 107 22 114		-1.90 0.77 27 89 39 102		-0.39 -9.14 34 102 21 125		109		7							
169	2250 24 0352 2024/08/04	1	10.01	2250 22 0316 2250 19 0140	112	116	101	2.13 0.57 46 117 41 105		1.64 4.39 112 22 119		-1.50 1.80 28 91 40 106		1.01 -6.36 34 98 20 118		104		6							
170	2250 24 0354 2024/12/01	1	3.25	2250 22 0316 2250 19 0055	106	111	96	1.83 0.11 47 115 42 100		1.02 2.98 107 23 113		-1.30 1.15 28 92 41 103		4.41 -4.44 34 89 21 113		112		6							
171	2250 24 0357 2024/12/01	2	8.17	2250 22 0316 2250 20 0057	111	112	103	1.85 0.29 46 115 40 102		1.21 3.46 109 22 115		-1.50 1.24 26 91 39 104		0.16 -8.89 35 100 20 125		109		7							
172	2250 24 0359 2024/12/01	3	4.07	2250 22 0316 2250 20 0062	106	112	96	1.87 0.13 46 115 40 100		1.06 3.03 107 21 113		-1.60 1.03 25 90 39 103		4.53 -6.31 35 89 20 118		97		5							
173	2250 24 0360 2024/12/01	3	6.09	2250 20 0189 2250 20 0163	106	109	100	1.26 0.44 55 110 46 104		1.06 2.74 107 30 112		-0.50 1.39 31 96 46 104		2.30 -2.67 41 95 24 109		107		5							
174	2250 24 0361 2024/12/01	3	4.20	2250 20 0189 2250 20 0464	102	105	95	0.86 0.18 54 107 43 101		0.61 1.60 104 30 107		-2.10 -0.23 29 88 44 97		1.48 -4.25 40 97 24 113				0							
175	2250 24 0362 2024/12/01	3	5.81	2250 22 0316 2250 21 0166	108	108	103	0.92 0.60 45 107 39 105		1.07 2.14 107 29 110		-1.40 0.69 29 91 39 101		-0.83 -6.65 35 103 23 119		96		3							
176	2250 24 0364 2024/12/01	3	5.16	2250 22 0316 2250 21 0390	110	114	99	2.10 0.32 45 117 38 102		1.38 3.81 110 18 116		-1.50 1.53 24 91 37 105		0.81 -5.31 34 99 19 115		99		3							
177	2250 24 0365 2024/12/01	1	3.94	2250 20 0189 2250 22 0112	108	108	104	1.08 0.38 55 108 43 103		0.92 2.54 106 31 111		0.10 1.52 30 99 45 105		-1.23 -2.16 41 104 24 107				0							
178	2250 24 0368 2024/12/01	3	4.07	2250 22 0316 2250 20 0062	106	112	96	1.87 0.13 46 115 40 100		1.06 3.03 107 21 113		-1.60 1.03 25 90 39 103		4.53 -6.31 35 89 20 118		97		5							
179	2250 24 0371 2024/12/01	3	6.45	2250 22 0316 2250 20 0464	103	109	93	1.45 0.23 45 112 37 101		0.96 2.47 107 21 111		-2.60 0.12 24 85 37 99		2.33 -3.38 34 95 21 111				0							
180	2250 24 0372 2024/12/01	3	6.45	2250 22 0316 2250 20 0464	103	109	93	1.45 0.23 45 112 37 101		0.96 2.47 107 21 111		-2.60 0.12 24 85 37 99		2.33 -3.38 34 95 21 111				0							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
181	2250 24 0373 2024/12/01	3	5.81	2250 22 0316 2250 21 0166	108 108 103				0.92 45	0.60 39	1.07 107	2.14 29	-1.40 29	0.69 91	0.69 39	-0.83 35	-6.65 23	96	3 1					
182	2250 24 0376 2024/06/01	1	5.07	2250 22 0316 2250 20 0168	108 116 93				2.22 46	0.45 40	1.56 111	4.21 22	-2.50 25	1.17 85	1.17 39	4.58 34	-5.55 19	106	4 3					
183	2250 24 0381 2024/02/01	1	4.98	2250 20 0189 2250 22 0386	110 112 101				1.80 54	0.21 42	1.10 108	3.27 29	-1.50 27	1.10 91	1.10 43	1.76 40	-9.27 23	0						
184	2250 24 0384 2024/01/01	1	3.75	2250 20 0189 2250 22 0485	110 112 102				1.92 54	0.06 40	1.02 107	3.25 28	-0.60 26	1.62 95	1.62 42	0.35 38	-5.38 21	0						
185	2250 24 0387 2024/06/01	1	6.55	2250 20 0189 2250 22 0587	111 109 106				1.57 54	0.07 40	0.86 106	2.79 29	0.30 26	1.82 100	1.82 42	-1.87 37	-4.69 20	0						
186	2250 24 0389 2024/06/01	1	4.38	2250 20 0189 2250 23 0373	103 101 105				0.02 50	0.31 39	0.32 101	0.53 29	0.00 26	0.33 98	0.33 40	-0.54 33	-4.82 19	0						
187	2250 24 0391 2024/12/01	2	4.98	2250 20 0189 2250 22 0386	110 112 101				1.80 54	0.21 42	1.10 108	3.27 29	-1.50 27	1.10 91	1.10 43	1.76 40	-9.27 23	0						
188	2250 24 0393 2024/12/01	2	6.02	2250 20 0189 2250 22 0429	103 107 96				1.00 55	0.22 44	0.72 105	2.00 30	-1.40 30	0.37 91	0.37 45	4.26 40	-4.94 24	0						
189	2250 24 0395 2024/12/01	2	3.65	2250 20 0189 2250 22 0476	114 110 110				1.53 54	0.21 41	0.97 107	2.66 31	1.60 28	2.70 107	2.70 43	0.79 38	-7.17 22	0						
190	2250 24 0396 2024/12/01	2	3.75	2250 20 0189 2250 22 0485	110 112 102				1.92 54	0.06 40	1.02 107	3.25 28	-0.60 26	1.62 95	1.62 42	0.35 38	-5.38 21	0						
191	2250 24 0397 2024/12/01	2	3.75	2250 20 0189 2250 22 0485	110 112 102				1.92 54	0.06 40	1.02 107	3.25 28	-0.60 26	1.62 95	1.62 42	0.35 38	-5.38 21	0						
192	2250 24 0403 2024/11/01	2	10.26	2250 20 0189 2250 23 0028	114 110 109				1.56 53	0.19 42	0.97 107	3.05 31	-0.40 29	1.50 96	1.50 43	-2.60 40	-10.23 22	0						
193	2250 24 0404 2024/12/01	2	4.67	2250 20 0189 2250 23 0030	114 110 112				1.25 50	0.55 40	1.18 108	2.97 29	1.80 27	2.89 108	2.89 41	0.49 38	-6.54 19	0						
194	2250 24 0405 2024/12/01	2	4.67	2250 20 0189 2250 23 0030	114 110 112				1.25 50	0.55 40	1.18 108	2.97 29	1.80 27	2.89 108	2.89 41	0.49 38	-6.54 19	0						
195	2250 24 0407 2024/08/01	2	4.18	2250 20 0189 2250 23 0041	113 110 109				1.43 52	0.25 42	0.97 107	2.76 30	-0.30 28	1.51 97	1.51 43	-2.98 40	-9.26 21	0						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
196	2250 24 0409 2024/08/01	2	8.79	2250 20 0189 2250 23 0043	114	110	109	1.57 0.23 52 113 42 101		1.02 3.14 107 30 114	-0.20 1.68 28 97 43 105		-2.68 -8.73 40 108 21 124								0				
197	2250 24 0410 2024/09/01	1	5.21	2250 20 0189 2250 23 0050	108	108	103	1.10 0.41 52 109 42 103		0.96 2.43 107 30 111	-0.60 1.15 28 95 43 103		-1.40 -3.46 39 105 22 111								0				
198	2250 24 0411 2024/09/01	1	3.28	2250 20 0189 2250 23 0051	107	108	101	1.29 0.14 53 110 42 100		0.79 2.35 105 30 110	-1.10 0.77 28 93 43 102		-1.06 -4.48 40 104 22 113								0				
199	2250 24 0415 2024/12/01	1	12.14	2250 20 0189 2250 23 0083	113	111	107	1.80 0.08 53 115 42 100		0.98 3.32 107 30 114	-0.10 1.82 27 98 43 106		1.82 -10.88 40 96 21 130								0				
200	2250 24 0416 2024/12/01	1	4.22	2250 20 0189 2250 23 0087	111	110	106	1.53 0.26 52 112 40 102		1.02 2.96 107 28 113	0.60 2.14 26 102 41 107		-0.63 -4.50 39 103 20 113								0				
201	2250 24 0419 2024/11/01	1	5.87	2250 20 0189 2250 23 0104	112	110	107	1.55 0.20 52 112 40 101		0.98 2.88 107 29 113	0.30 1.94 26 100 41 107		-0.81 -5.94 39 103 20 117								0				
202	2250 24 0421 2024/11/01	2	7.28	2250 20 0189 2250 23 0106	113	112	107	1.71 0.33 50 114 38 102		1.18 3.26 108 28 114	-0.30 1.86 25 97 40 106		-0.89 -8.57 37 103 18 124								0				
203	2250 24 0422 2024/11/01	1	4.05	2250 20 0189 2250 23 0115	110	106	107	1.22 -0.08 52 110 41 98		0.53 1.98 103 29 109	0.30 1.32 27 100 42 104		-4.03 -3.79 38 112 20 112								0				
204	2250 24 0426 2024/11/01	2	5.09	2250 20 0189 2250 23 0140	108	109	102	1.28 0.32 52 110 42 102		0.96 2.72 107 30 112	-0.80 1.12 29 94 43 103		-0.85 -3.81 40 103 22 112								0				
205	2250 24 0428 2024/11/01	1	6.68	2250 20 0189 2250 23 0151	114	114	106	1.74 0.70 52 114 42 106		1.57 4.09 112 29 118	-1.10 1.78 28 93 43 106		-1.93 -7.72 40 106 22 122								0				
206	2250 24 0430 2024/11/01	1	4.95	2250 20 0189 2250 23 0159	108	108	103	1.19 0.19 51 109 40 101		0.78 2.37 105 28 111	-0.70 0.96 27 95 41 102		-2.03 -4.72 38 106 20 114								0				
207	2250 24 0431 2024/11/01	1	4.99	2250 20 0189 2250 23 0163	109	110	100	1.59 0.24 52 113 41 101		1.03 2.98 107 29 113	-2.10 0.57 27 88 42 101		-0.71 -7.76 40 103 21 122								0				
208	2250 24 0433 2024/08/01	1	28.20	2250 20 0189 2250 23 0186	112	111	107	1.16 0.85 52 109 41 108		1.43 3.28 110 31 114	-0.90 1.47 28 94 42 105		-2.89 -6.29 38 109 19 118								0				
209	2250 24 0434 2024/08/01	1	4.89	2250 20 0189 2250 23 0231	101	101	100	0.20 0.15 52 101 42 101		0.26 0.62 101 33 103	-1.10 -0.31 29 93 43 97		0.69 -5.10 39 99 21 115								0				
210	2250 24 0436 2024/12/01	2	11.71	2250 20 0189 2250 23 0025	117	114	112	1.75 0.70 52 114 41 106		1.57 4.07 112 30 117	0.40 2.69 27 101 42 110		-0.19 -11.37 40 101 21 131								0				

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In-brding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
211	2250 24 0437 2024/12/01	2	11.71	2250 20 0189 2250 23 0025	117	114	112	1.75 52	0.70 114	1.57 112	4.07 30	117	0.40 27	101	2.69 42	110	-0.19 40	101	-11.37 21	131	0		
212	2250 24 0451 2024/01/01	1	4.26	2250 22 0316 2250 22 0499	112	114	105	1.77 43	0.59 114	1.48 111	3.50 21	115	-0.40 22	96	2.13 34	107	-0.23 31	101	-5.54 19	116	0		
213	2250 24 0452 2024/01/01	1	3.65	2250 22 0316 2250 22 0535	121	116	115	2.02 44	0.82 116	1.83 114	4.07 23	117	1.60 23	107	3.80 35	114	-4.13 32	112	-5.80 20	117	0		
214	2250 24 0454 2024/01/01	1	2.70	2250 22 0316 2250 22 0438	116	115	110	1.91 43	0.64 115	1.59 112	3.68 22	116	1.10 22	104	3.21 34	112	-1.75 32	106	-4.14 19	112	0		
215	2250 24 0455 2024/01/01	1	5.69	2250 22 0316 2250 22 0153	113	115	103	1.93 42	0.75 116	1.72 113	4.16 22	118	-0.80 22	94	2.21 35	108	1.53 33	97	-6.25 18	118	0		
216	2250 24 0458 2024/01/01	1	6.56	2250 22 0316 2250 22 0183	107	110	99	1.51 42	0.30 112	1.05 107	2.86 23	113	-0.70 25	95	1.39 36	104	4.04 35	90	-4.84 21	114	0		
217	2250 24 0460 2024/01/01	1	5.60	2250 22 0316 2250 22 0484	117	115	110	2.02 44	0.51 116	1.52 111	3.85 24	117	0.30 24	100	2.71 36	110	-1.23 32	104	-8.23 19	123	0		
218	2250 24 0463 2024/01/01	1	7.34	2250 22 0316 2250 22 0289	112	115	99	2.30 42	0.30 119	1.45 111	4.16 19	118	-2.50 21	85	1.10 34	103	-0.17 34	101	-8.22 20	123	0		
219	2250 24 0465 2024/01/01	1	3.59	2250 22 0316 2250 22 0190	106	110	99	1.49 42	0.21 112	0.95 107	2.67 22	112	-0.30 23	97	1.52 35	105	2.28 34	95	-1.97 20	107	0		
220	2250 24 0466 2024/01/01	1	8.82	2250 22 0316 2250 22 0196	116	117	105	2.40 42	0.47 120	1.67 112	4.63 21	120	-0.70 22	95	2.45 35	109	0.14 34	100	-8.36 20	123	0		
221	2250 24 0469 2024/01/01	1	3.84	2250 22 0316 2250 22 0210	105	112	95	1.74 43	0.33 114	1.20 109	3.14 21	114	-1.50 24	91	1.17 36	103	4.13 34	90	-3.07 21	110	0		
222	2250 24 0476 2024/05/01	1	11.71	2250 20 0189 2250 23 0021	119	114	115	1.75 52	0.70 114	1.57 112	4.07 30	117	0.40 27	101	2.69 42	110	-2.78 39	108	-12.24 22	133	0		
223	2250 24 0479 2024/04/01	1	4.48	2250 20 0189 2250 22 0589	109	112	99	1.78 54	0.25 114	1.14 108	3.29 29	114	-1.10 27	93	1.37 42	104	-0.46 38	102	-2.86 21	109	0		
224	2250 24 0482 2024/02/01	1	6.02	2250 20 0189 2250 22 0429	103	107	96	1.00 55	0.22 108	0.72 105	2.00 30	109	-1.40 30	91	0.37 45	100	4.26 40	89	-4.94 24	115	0		
225	2250 24 0483 2024/02/01	1	12.41	2250 20 0189 2250 22 0544	118	116	112	1.78 54	1.01 114	1.90 114	4.55 33	119	1.30 28	105	3.57 43	113	0.84 39	99	-7.08 22	120	0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned				
									Dir	Mat	Comb													
									Acc	Index	Acc	Index	EBV Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
226	2250 24 0484 2024/02/01	1	3.59	2250 20 0189 2250 22 0576	112 109 109				1.18 53 109	0.47 39 104	1.06 107	2.56 30 111	-0.10 27 98	1.59 42 105	-1.68 37 105	-8.10 21 123					0			
227	2250 24 0486 2024/01/01	1	3.97	2250 20 0189 2250 22 0095	112 110 106				1.64 54 113	0.13 42 100	0.95 107	2.81 29 112	0.00 28 98	1.77 43 106	-1.17 37 104	-6.46 20 118	90			3 1				
228	2250 24 0608 2024/01/15	1	4.22	2250 20 0189 2250 19 0055	104 107 98				1.23 56 110	0.05 48 99	0.67 104	2.10 32 109	-0.90 32 94	0.75 47 102	3.56 40 91	-5.30 24 115	112			6 5				
229	2250 24 0704 2024/11/01	1	8.82	2250 22 0316 2250 22 0196	116 117 105				2.40 42 120	0.47 36 104	1.67 112	4.63 21 120	-0.70 22 95	2.45 35 109	0.14 34 100	-8.36 20 123				0				
230	2250 24 0705 2024/11/01	1	5.21	2250 20 0147 2250 22 0589	107 114 92				2.56 56 121	-0.25 44 96	1.04 107	3.62 19 116	-3.00 26 83	0.52 44 101	1.12 48 98	-5.42 27 116				0				
231	2250 24 0707 2024/11/01	2	3.64	2250 22 0316 2250 22 0258	104 111 95				1.45 41 112	0.48 35 104	1.21 109	2.83 23 112	-1.10 24 93	1.27 35 104	4.18 34 90	-1.41 21 105				0				
232	2250 24 0709 2024/11/01	1	5.30	2250 21 0281 2250 23 0142	110 111 101				2.19 52 118	-0.41 40 95	0.69 104	2.96 18 113	-0.70 24 95	1.36 41 104	-1.93 43 106	-4.80 23 114				0				
233	2250 24 0710 2024/11/01	1	5.05	2250 15 0303 2250 22 0544	102 104 99				0.55 42 104	0.30 36 102	0.58 103	1.47 30 107	0.10 26 99	0.91 36 102	5.31 34 87	-3.36 20 110				0				
234	2250 24 0711 2024/11/01	1	4.99	2250 22 0316 2250 20 0074	105 106 99				0.93 45 107	0.23 40 101	0.70 104	1.66 20 108	-2.10 25 88	-0.10 38 98	-0.44 34 102	-6.43 20 118	97			4 2				
235	2250 24 0712 2024/11/01	1	3.52	2250 22 0316 2250 22 0540	115 115 108				2.05 44 117	0.54 34 105	1.57 112	3.82 22 116	0.90 22 103	3.13 35 112	0.62 32 99	-5.23 19 115				0				
236	2250 24 0713 2024/11/01	1	6.41	2250 22 0316 2250 23 0094	116 116 108				2.13 42 117	0.58 35 105	1.65 112	4.27 19 118	-0.10 22 98	2.65 35 110	0.28 33 100	-8.45 18 124				0				
237	2250 24 0715 2024/11/01	1	6.16	2250 23 0377 2250 23 0046	99 98 99				0.22 38 101	-0.48 32 94	-0.37 96	-0.50 17 99	-0.50 22 96	-0.56 32 96	3.74 30 91	-6.69 18 119				0				
238	2250 24 0717 2024/11/01	3	7.89	2250 20 0147 2250 22 0001	107 113 92				2.47 57 120	-0.24 47 96	1.00 107	3.49 22 115	-3.20 29 82	0.31 47 100	4.16 49 90	-8.81 29 124				0				
239	2250 24 0719 2024/11/01	2	3.59	2250 22 0316 2250 22 0190	106 110 99				1.49 42 112	0.21 35 101	0.95 107	2.67 22 112	-0.30 23 97	1.52 35 105	2.28 34 95	-1.97 20 107				0				
240	2250 24 0720 2024/11/01	2	3.59	2250 22 0316 2250 22 0190	106 110 99				1.49 42 112	0.21 35 101	0.95 107	2.67 22 112	-0.30 23 97	1.52 35 105	2.28 34 95	-1.97 20 107				0				

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
241	2250 24 0726 2024/11/01	2	5.60	2250 22 0316 2250 22 0484	117	115	110	2.02 44 116		0.51 35 104	1.52 111	3.85 24 117		0.30 24 100		2.71 36 110		-1.23 32 104		-8.23 19 123		0			
242	2250 24 0728 2024/11/01	2	2.70	2250 22 0316 2250 22 0438	116	115	110	1.91 43 115		0.64 33 106	1.59 112	3.68 22 116		1.10 22 104		3.21 34 112		-1.75 32 106		-4.14 19 112		0			
243	2250 24 0730 2024/11/01	1	3.41	2250 21 0281 2250 20 0165	108	109	99	2.24 56 118		-0.80 45 90	0.33 101	2.38 21 111		-0.20 28 97		1.33 45 104		1.04 44 98		-4.96 25 115		97	4 2		
244	2250 24 0731 2024/11/01	1	2.50	2250 22 0248 2250 18 0229	95	97	95	-0.20 41 98		-0.18 41 97	-0.28 96	-0.74 20 98		-0.60 26 95		-0.74 38 95		3.09 34 92		-0.90 21 104		100	7 5		
245	2250 24 0734 2024/11/01	1	16.63	2250 20 0465 2250 21 0055	105	108	101	1.05 58 108		0.38 51 103	0.90 106	2.18 33 110		1.80 33 108		2.51 50 109		7.31 45 81		-0.13 27 102		103	3 2		
246	2250 24 0735 2024/11/01	1	3.70	2250 22 0316 2250 20 0475	106	110	98	1.52 46 112		0.30 40 102	1.06 107	2.47 23 111		-1.30 26 92		1.04 39 103		3.84 34 90		-6.42 21 118		100	5 2		
247	2250 24 0738 2024/11/01	1	5.69	2250 15 0303 2250 18 0242	92	94	94	-0.72 42 93		-0.05 43 98	-0.40 95	-1.24 27 96		-1.60 30 90		-1.72 40 91		3.71 35 91		-3.25 21 110		109	6 8		
248	2250 24 0739 2024/11/01	1	17.15	2250 20 0465 2250 21 0214	104	105	102	0.55 58 104		0.54 51 105	0.82 105	1.53 34 107		0.80 34 103		1.58 50 105		3.45 46 92		-1.68 27 106		100	3 2		
249	2250 24 0741 2024/11/01	1	9.87	2250 22 0316 2250 17 0487	115	113	108	1.87 46 115		0.39 43 103	1.33 110	3.69 30 116		0.20 31 99		2.39 41 108		1.54 36 97		-10.16 23 128		97	8 6		
250	2250 24 0743 2024/11/01	1	14.59	2250 21 0281 2250 20 0228	102	105	95	1.59 55 113		-0.75 44 91	0.04 99	1.32 19 106		0.70 28 102		1.25 45 104		2.54 43 94		2.67 26 95			0		
251	2250 24 0744 2024/11/01	1	7.26	2250 22 0316 2250 19 0146	113	113	105	1.83 46 115		0.45 42 104	1.37 110	3.60 22 116		-1.00 28 93		1.68 40 105		-0.86 34 103		-7.79 21 122		110	5 5		
252	2250 24 0745 2024/11/01	1	6.82	2250 20 0159 2250 20 0458	106	105	103	0.93 46 107		-0.04 40 99	0.43 102	1.36 20 106		-0.50 28 96		0.60 40 101		2.42 34 94		-8.50 23 124			0		
253	2250 24 0747 2024/11/01	2	7.72	2250 23 0377 2250 22 0489	102	97	105	0.15 40 101		-0.57 33 93	-0.49 95	-0.85 18 97		1.10 22 104		0.24 33 99		-0.47 32 102		-3.72 18 111			0		
254	2250 24 0748 2024/11/01	3	7.89	2250 20 0147 2250 22 0001	107	113	92	2.47 57 120		-0.24 47 96	1.00 107	3.49 22 115		-3.20 29 82		0.31 47 100		4.16 49 90		-8.81 29 124			0		
255	2250 24 0752 2024/11/01	1	3.65	2250 20 0189 2250 22 0476	114	110	110	1.53 54 112		0.21 41 101	0.97 107	2.66 31 112		1.60 28 107		2.70 43 110		0.79 38 99		-7.17 22 120			0		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID BDate		Birth Status	% In-brding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW	AFL	ILP	Dam T Lambded N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
256	2250 24 0753 2024/10/01	1	3.75	2250 20 0189 2250 22 0485		110	112	102	1.92 54	0.06 116	1.02 107	3.25 28	114	-0.60 26	95	1.62 42	0.35 100	-5.38 21	116	0
257	2250 24 0755 2024/01/01	1	4.35	2250 22 0316 2250 22 0197		106	111	96	1.64 42	0.30 113	1.12 108	3.09 20	113	-1.70 24	90	0.92 36	-0.06 101	-1.71 20	106	0
258	2250 24 0756 2024/01/01	1	3.64	2250 22 0316 2250 22 0258		104	111	95	1.45 41	0.48 112	1.21 109	2.83 23	112	-1.10 24	93	1.27 35	4.18 90	-1.41 21	105	0
259	2250 24 0758 2024/04/01	1	4.21	2250 20 0189 2250 22 0593		113	104	115	0.63 54	0.25 105	0.57 103	1.33 31	106	1.10 29	104	1.54 44	-4.75 37	-9.26 114	126	0
260	2250 25 0041 2025/03/01	1	5.83	2250 23 0023 2250 22 0510		123	116	119	2.00 43	0.86 116	1.85 114	4.25 20	118	2.00 23	109	4.05 36	-0.92 103	-12.28 21	133	94 3 1
Ewe Flock Average:						103.8	99.1		0.98	0.04	0.53	1.49		-0.66	0.62	2.38	-4.55			
Total number of young ewes:						260														

Ewes born since Jan 2024, with at least one known parent