



MEATMASTER GENETIC REPORT

21 September 2026

COLLETT FARMING CC

FDM : CC



CERTIFICATE
OF QUALITY

Valid up to
October 2029



 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Meatmaster breed, namely the Growth Index, Reproduction Index and the Logix Merit Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production while not reaching very large adult weights. Very large animals require more feed to meet their maintenance requirements, which makes them more expensive to keep and more likely to struggle during difficult times. Since large animals in a breeding flock are unfavourable, a penalty is placed on Post-Wean Weight EBV (indicated by the negative value) in the index. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, give multiple lambs and has lower maintenance requirements. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The **LMI** is constructed as follows :

$$(0.33 * \text{Wean Dir}) + (0.17 * \text{Wean Mat}) - (0.10 * \text{Post-wean}) + (0.25 * \text{N_Lambs_Weaned}) + (0.10 * \text{AFL}) + (0.05 * \text{ILP})$$

Schematically the LMI can be explained as follows :



Growth Index (GI)

The Growth Index indicates growth potential up to weaning and is a combination of Wean Direct, Wean Maternal and Post-Wean breeding values. The Growth Index is useful to indicate an animal's advantage in crossbreeding systems. The GI is constructed as follows :

$$GI = 0.54 \text{ Wean Dir} + 0.26 \text{ Wean Mat} + 0.2 \text{ Post-Wean}$$


Reproduction Index (RI)

This index includes the EBVs of the components of Total Weight Weaned (Weaning Direct and Maternal and Number of Lambs Weaned), as well as Age at First Lambing and Interlambing Period. This is especially an important index to consider in the development of a dam line.

The **RI** is constructed as follows :

$$(0.15 * \text{AFL}) + (0.05 * \text{ILP}) + (0.35 * \text{N_Lambs_Weaned}) + (0.10 * \text{Wean Dir}) + (0.35 * \text{Wean Mat})$$

Schematically it can be explained as follows :



Meatmaster

Genetic Averages of Animals

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	1.78	1.77	1.79	-0.08	0.05	-0.14
Weaning Weight Maternal	0.41	0.41	0.42	-0.03	0.00	-0.05
Weaning Weight Comb	1.31	1.29	1.31	-0.07	0.02	-0.12
Post-wean Weight	2.69	2.65	2.71	-0.49	-0.30	-0.59
Number Lambs Weaned	2.22	2.10	2.27	0.59	0.70	0.53
Total Weight Weaned	3.53	3.43	3.57	0.24	0.47	0.13
Age at First Lambing	2.17	2.06	2.23	-0.13	-0.01	-0.20
Interlambing Period	-0.33	-0.60	-0.20	-0.36	-0.56	-0.25
Selection Indices						
Logix Merit Index	110	109	110	95	96	95
Reproduction Index	107	107	107	97	97	97
Growth Index	111	111	111	94	95	94
Inbreeding						
Inbreeding (%)	5.43	5.48	5.40	4.09	4.45	3.92
Number of Animals						
Number of Animals	1132	363	769	33272	10479	22715

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	111.3	111.1	111.3
Weaning Weight Maternal	105.0	104.9	105.0
Weaning Weight Comb	109.6	109.5	109.7
Post-wean Weight	112.5	112.3	112.6
Number Lambs Weaned	104.4	104.0	104.6
Total Weight Weaned	110.1	109.7	110.3
Age First Lambing	97.5	97.8	97.4
Interlambing Period	96.6	97.1	96.4
Selection Indices			
Logix Merit Index	109.6	109.4	109.7
Reproduction Index	107.3	107.1	107.5
Growth Index	111.3	111.1	111.4
Inbreeding			
Inbreeding (%)	5.43	5.48	5.40
Number of Animals			
Number of Animals	1132	363	769

** Averages of all active animals in the flock.

Inbreeding

Notes

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2026	5.61	0.22
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding




Pedigree Information

	Number	%
Known Sires	1131	100
Known Dams	1132	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Weaning Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Interlambing Period
RI: Reproduction Index
GI: Growth Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the active ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 704




Sires

Number: 65




Young Ewes

Number: 361



Young Rams


Number: 363




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned







Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	2551	-0.74	-0.62	-0.99	1364	-2.24	940	0.52	2551	89	1204	3.43	935	-0.91	2551	86	2551	86
2014	2768	-0.70	-0.54	-0.89	1344	-2.17	1129	0.21	2768	89	1363	3.25	1019	0.48	2768	86	2768	86
2015	3224	-0.51	-0.38	-0.63	1476	-1.56	1066	0.16	3224	91	1297	2.63	880	-0.26	3224	89	3224	89
2016	2994	-0.40	-0.43	-0.63	1674	-1.28	1252	-0.47	2994	92	1656	2.50	1234	1.07	2994	89	2994	89
2017	2937	-0.20	-0.41	-0.51	1491	-0.92	1326	-0.57	2937	92	1935	2.36	1440	1.11	2937	89	2937	89
2018	3790	-0.09	-0.23	-0.28	2173	-0.88	1417	-0.41	3790	94	1822	2.15	1212	0.70	3790	92	3790	92
2019	4281	-0.05	-0.12	-0.15	1997	-0.44	1217	-0.58	4281	94	1668	1.81	1280	0.50	4281	93	4281	92
2020	3443	-0.08	-0.10	-0.14	2062	-0.41	1878	-1.38	3443	94	2008	1.21	1538	-0.31	3443	94	3443	93
2021	4483	0.00	0.00	0.00	2120	0.00	1584	0.03	4483	96	2151	0.00	1550	0.00	4483	97	4483	96
2022	5249	0.03	-0.06	-0.05	2476	-0.11	2167	-1.03	5249	95	2259	0.05	1542	-1.27	5249	95	5249	95
2023	6336	0.27	-0.11	0.02	2328	0.31	2097	-0.74	6336	94	2276	0.62	1289	-0.97	6336	93	6336	94
2024	7264	0.27	-0.09	0.05	2650	0.61	1115	0.20	7264	95	1853	0.69	489	0.59	7264	95	7264	95
2025	6535	0.34	0.01	0.18	2250	1.00	83	1.28	6535	98	440	-0.86	5	-5.27	6535	98	6535	98

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	461	-0.25	-0.31	-0.43	327	-1.33	132	0.54	461	93	132	4.10	104	3.02	461	90	461	90
2014	402	-0.13	-0.11	-0.17	259	-0.81	207	0.38	402	95	160	3.37	129	1.67	402	93	402	92
2015	541	0.05	0.04	0.07	351	-0.69	133	0.24	541	96	128	3.13	96	0.93	541	95	541	95
2016	612	0.02	-0.24	-0.23	528	-0.71	194	1.42	612	96	216	4.78	158	1.94	612	93	612	93
2017	671	0.36	-0.11	0.07	626	-0.13	247	1.06	671	98	272	4.30	191	0.97	671	94	671	95
2018	660	0.32	-0.11	0.05	589	-0.12	210	0.95	660	98	233	2.96	157	0.02	660	95	660	96
2019	765	0.51	-0.16	0.09	704	0.20	196	0.27	765	97	210	3.39	153	1.56	765	93	765	95
2020	606	0.74	-0.19	0.18	568	0.70	210	0.84	606	98	217	3.07	160	2.23	606	93	606	95
2021	645	0.87	-0.14	0.30	556	0.89	183	1.14	645	100	193	3.51	149	0.21	645	95	645	97
2022	581	0.94	0.04	0.51	541	1.13	176	2.39	581	103	196	1.82	124	0.92	581	100	581	102
2023	616	1.28	-0.09	0.55	540	1.62	239	1.66	616	105	250	3.21	176	-0.06	616	100	616	103
2024	663	1.41	0.06	0.76	609	1.96	187	2.25	663	107	202	2.23	31	1.97	663	102	663	105
2025	649	1.52	0.36	1.12	584	2.36	25	1.61	649	108	31	1.33			649	106	649	108

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.08	1.11	-3.81	-2.07	-1.47	-1.22	-1.02	-0.88	-0.77	-0.56	-0.33	-0.02	0.35	0.57	0.84	1.53	2.08	3.01	5.79
Weaning Weight Maternal	-0.03	0.59	-2.90	-1.41	-0.94	-0.74	-0.52	-0.43	-0.34	-0.21	-0.06	0.09	0.26	0.36	0.46	0.71	0.97	1.48	3.08
Weaning Weight Combined	-0.07	0.96	-4.28	-2.07	-1.42	-1.12	-0.82	-0.72	-0.62	-0.41	-0.20	-0.01	0.29	0.48	0.68	1.28	1.75	2.51	4.75
Post-Wean Weight	-0.49	1.82	-7.24	-3.96	-2.92	-2.39	-1.96	-1.75	-1.56	-1.26	-0.90	-0.40	0.23	0.63	0.99	2.08	2.97	4.61	9.11
Number of Lambs Weaned	0.59	2.70	-9.30	-5.00	-4.10	-2.70	-1.50	-1.10	-0.80	-0.10	0.50	1.10	1.70	2.10	2.50	4.00	5.40	8.10	17.60
Total Weight Weaned	0.24	2.28	-8.32	-4.63	-3.11	-2.30	-1.48	-1.26	-0.95	-0.46	-0.07	0.41	1.05	1.48	1.95	3.39	4.58	6.60	10.90
Age at First Lambing	-0.13	-4.88	30.68	12.31	7.93	5.91	3.62	2.87	2.15	0.99	-0.13	-1.31	-2.45	-3.14	-3.93	-5.96	-8.28	-11.88	-26.31
Interlambing Period	-0.36	-7.80	56.43	20.90	13.49	9.89	5.76	4.17	2.82	0.71	-1.22	-2.97	-4.62	-5.29	-6.17	-9.00	-11.90	-17.94	-35.86
Growth Index	94	10	59	74	81	84	87	88	89	90	92	95	98	100	103	109	114	123	141
Reproduction Index	97	10	52	74	81	85	89	90	91	94	96	99	101	103	105	110	115	124	153
Logix Merit Index	95	11	55	75	80	83	87	88	89	91	94	96	99	101	103	110	115	124	146

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.05	1.12	-3.70	-1.86	-1.32	-1.17	-0.92	-0.78	-0.68	-0.49	-0.22	0.12	0.52	0.76	1.03	1.67	2.20	3.05	5.79
Weaning Weight Maternal	0.00	0.55	-2.00	-1.22	-0.86	-0.67	-0.46	-0.37	-0.30	-0.17	-0.02	0.12	0.28	0.37	0.46	0.71	0.94	1.42	2.44
Weaning Weight Combined	0.02	0.93	-2.67	-1.76	-1.22	-0.98	-0.76	-0.65	-0.54	-0.35	-0.13	0.07	0.40	0.58	0.79	1.36	1.80	2.52	4.44
Post-Wean Weight	-0.30	1.81	-6.14	-3.60	-2.58	-2.14	-1.79	-1.60	-1.43	-1.14	-0.74	-0.25	0.47	0.81	1.25	2.34	3.16	4.66	9.11
Number of Lambs Weaned	0.70	2.46	-8.50	-4.50	-3.00	-2.30	-1.30	-1.00	-0.60	0.00	0.60	1.10	1.70	2.00	2.40	3.90	5.20	7.60	13.40
Total Weight Weaned	0.47	2.19	-6.35	-3.73	-2.54	-1.94	-1.31	-0.98	-0.72	-0.30	0.04	0.53	1.20	1.64	2.18	3.63	4.77	6.44	10.85
Age at First Lambing	0.00	-4.46	19.12	10.97	7.38	5.62	3.48	2.80	2.12	1.10	0.05	-1.15	-2.17	-2.75	-3.49	-5.46	-7.11	-10.68	-23.87
Interlambing Period	-0.56	-6.99	35.22	18.74	12.10	8.64	4.90	3.41	2.27	0.39	-1.25	-2.92	-4.48	-5.29	-5.96	-8.41	-10.77	-15.75	-30.26
Growth Index	95	10	66	78	83	85	87	88	89	91	93	96	100	102	104	110	115	123	141
Reproduction Index	97	10	55	76	83	86	89	90	92	94	96	99	101	103	105	111	115	124	153
Logix Merit Index	96	10	66	77	82	84	87	88	89	92	94	97	100	102	104	111	116	123	142

All Active Ewes

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.14	1.10	-3.81	-2.13	-1.52	-1.27	-1.04	-0.92	-0.81	-0.60	-0.38	-0.08	0.27	0.47	0.74	1.45	2.01	3.00	5.63
Weaning Weight Maternal	-0.05	0.61	-2.90	-1.50	-0.98	-0.77	-0.55	-0.45	-0.37	-0.23	-0.08	0.07	0.25	0.35	0.45	0.71	0.98	1.51	3.08
Weaning Weight Combined	-0.12	0.97	-4.28	-2.21	-1.51	-1.18	-0.86	-0.76	-0.65	-0.44	-0.22	-0.05	0.23	0.42	0.62	1.22	1.71	2.51	4.75
Post-Wean Weight	-0.58	1.82	-7.24	-4.11	-3.02	-2.52	-2.05	-1.84	-1.63	-1.31	-0.97	-0.48	0.11	0.51	0.85	1.96	2.83	4.57	9.10
Number of Lambs Weaned	0.53	2.81	-9.30	-5.20	-4.20	-3.10	-1.70	-1.30	-0.90	-0.10	0.50	1.00	1.70	2.10	2.50	4.10	5.40	8.30	17.60
Total Weight Weaned	0.13	2.31	-8.32	-4.85	-3.35	-2.50	-1.63	-1.37	-1.08	-0.55	-0.14	0.35	0.96	1.38	1.83	3.26	4.48	6.66	10.90
Age at First Lambing	-0.20	-5.08	30.68	12.91	8.19	6.05	3.68	2.88	2.16	0.96	-0.22	-1.41	-2.65	-3.29	-4.14	-6.34	-8.76	-12.31	-26.31
Interlambing Period	-0.25	-8.19	56.43	21.86	14.10	10.50	6.28	4.57	3.18	0.83	-1.20	-3.01	-4.71	-5.29	-6.32	-9.36	-12.40	-19.14	-35.86
Growth Index	94	10	59	73	80	83	86	87	88	90	92	94	97	100	102	108	114	123	141
Reproduction Index	97	11	52	73	80	84	88	90	91	94	96	98	101	103	105	110	115	124	148
Logix Merit Index	95	11	55	74	79	83	86	88	89	91	93	96	99	101	103	109	115	124	146

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID Comp no.	Parents Sire Dam		% In-breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
							Dir	Mat							
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lambd
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
CC 23 0600 98184351	CC 21 0309 CC 20 0332		5.49	112	107	105	1.88 85 112	-0.31 51 93	0.63 102	1.96 66 109	5.30 41 116	4.75 62 116	8.07 38 84	-8.53 35 110	141 5
CC 23 0902 98833783	CC 23 0003 CC 18 0704		2.77	99	104	106	0.29 90 97	1.02 46 116	1.16 108	1.38 86 105	-1.20 37 91	0.58 61 97	-3.22 33 110	1.99 33 93	151 9
CC 23 0913 98834005	CC 23 0003 CC 19 0456		2.77	116	119	121	1.69 71 110	1.68 45 127	2.53 123	3.73 63 118	1.20 37 101	4.09 53 113	-0.96 32 105	-0.32 33 97	132 6
CC 24 0039 99762189	CC 21 0025 CC 19 0462		5.20	108	120	102	2.72 66 120	0.78 54 111	2.14 119	3.69 68 118	-2.30 48 87	2.12 57 104	4.35 45 93	-9.62 42 111	103 6
CC 24 0164 99762494	CC 22 0031 CC 23 0111		5.34	114	126	109	3.33 82 126	0.92 52 114	2.59 123	5.55 66 128	-0.20 43 95	4.13 61 113	4.05 42 93	-1.44 40 98	109 3
CC 24 0301 106743248	CC 21 0025 CC 21 0363		6.74	111	114	105	2.24 82 115	0.36 53 104	1.48 112	2.89 67 114	0.90 46 99	3.14 63 108	3.47 44 95	-10.42 41 113	108 4
CC 24 0370 106743818	CC 21 0188 CC 22 0565		5.66	115	131	106	4.14 82 133	0.89 54 113	2.96 127	5.86 66 130	-2.80 46 85	3.35 63 109	-2.02 43 107	7.51 41 84	117 4
CC 24 0377 106743883	CC 22 0031 CC 18 0059		4.41	102	112	91	2.65 66 119	-0.52 54 89	0.81 104	3.42 68 117	-0.20 45 95	2.01 57 103	4.78 43 92	-2.27 40 100	152 7
CC 24 0407 106744170	CC 21 0188 CC 20 0343		5.14	108	119	104	2.67 70 119	0.68 56 110	2.02 117	4.00 68 120	-1.00 49 92	2.75 60 107	-1.07 45 105	12.50 42 76	132 5
CC 24 0421 106744295	CC 20 0456 CC 18 0548		5.28	104	94	107	-0.26 81 92	0.29 55 103	0.16 97	-1.19 68 91	4.80 47 114	2.91 63 107	4.58 45 92	-0.96 42 98	151 7
CC 24 0569 106745508	CC 21 0025 CC 19 0710		6.46	98	107	94	1.37 71 107	0.32 54 103	1.00 106	1.23 68 104	-2.20 47 88	0.37 59 96	4.64 45 92	-9.71 41 112	122 7
CC 24 0721 106746795	CC 21 0095 CC 18 0511		4.57	121	108	115	1.89 67 112	-0.21 55 94	0.73 104	1.88 68 108	8.60 47 129	6.84 58 125	4.59 44 92	-3.18 42 101	209 8
CC 24 0722 106746803	CC 21 0095 CC 18 0511		4.57	118	104	116	1.19 67 106	-0.06 55 97	0.54 101	1.13 68 104	8.60 47 129	6.29 58 123	4.59 44 92	-3.18 42 101	209 8

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 24 0770 106747231	CC	22	0392	5.48	108	110	104	1.92 63	0.02 45	0.98 106	2.80 65	36	4.00 111	4.35 50	6.38 35	6.06 31	99	2
CC 25 0004 108937327	CC	21	0515	5.96	112	111	105	2.29 65	-0.23 48	0.92 106	2.79 66	40	3.70 110	4.29 53	2.10 39	0.96 36	101	3
CC 25 0006 108937384	CC	21	0095	6.18	116	109	111	1.96 64	-0.22 52	0.76 104	2.47 66	44	6.10 119	5.40 55	-1.03 43	5.77 40	92	2
CC 25 0009 108891185	CC	23	0043	4.99	108	118	104	2.42 62	0.85 40	2.06 118	3.43 64	32	-1.10 92	2.61 47	5.47 31	-4.76 29	103	3
CC 25 0011 108936956	CC	21	0188	3.80	123	126	123	2.84 65	1.59 53	3.01 128	4.90 66	46	1.60 102	5.39 56	-1.85 44	4.49 42	109	3
CC 25 0012 108936964	CC	21	0095	3.66	115	109	106	2.33 65	-0.55 52	0.61 102	2.26 66	42	5.40 117	5.02 55	1.66 41	0.52 38	113	3
CC 25 0013 108891201	CC	22	0031	6.55	110	122	100	3.45 65	0.06 52	1.78 115	5.13 67	43	0.20 97	3.62 55	4.93 41	-3.18 39	119	5
CC 25 0014 108936972	CC	21	0095	5.22	107	107	95	2.40 65	-1.10 52	0.10 97	2.40 67	45	3.70 110	3.51 55	1.52 43	1.21 39	113	4
CC 25 0017 108937392	CC	21	0188	4.42	118	129	110	3.87 64	0.79 52	2.73 125	6.09 66	44	0.00 96	4.67 55	1.70 41	3.33 40	111	3
CC 25 0030 108937301	CC	21	0188	5.46	104	107	105	1.13 66	0.62 53	1.18 108	1.66 67	45	0.60 98	2.11 56	1.21 42	0.17 41	129	5
CC 25 0035 108937012	CC	21	0515	4.46	118	115	115	2.24 64	0.48 46	1.60 113	3.59 65	37	4.60 114	5.47 51	1.68 36	0.23 33	107	2
CC 25 0036 108937020	CC	21	0515	4.46	116	113	115	1.89 64	0.49 46	1.44 111	3.12 65	37	4.60 114	5.14 51	1.68 36	0.23 33	107	2
CC 25 0043 108891292	CC	22	0031	6.21	97	113	86	2.69 65	-0.35 53	0.99 106	3.16 67	45	-2.20 88	1.02 56	8.43 43	-4.01 41	113	3

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EPI Times Lambd									
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0044 108891300	CC	22	0031 0071	6.24	97	105	92	1.42 65	-0.18 52	0.53 101	1.50 67	106	-0.50 45	0.94 55	3.80 43	1.71 41	102 5
CC 25 0047 108937137	CC	21	0188 0058	5.34	106	109	104	1.56 66	0.46 55	1.24 109	1.89 68	108	-0.60 46	1.66 57	-1.85 43	-6.44 41	138 6
CC 25 0048 108937178	CC	21	0095 0040	5.23	109	100	106	0.98 66	-0.41 55	0.08 97	0.80 68	102	6.20 47	4.29 57	1.87 45	4.77 41	134 6
CC 25 0051 108937160	CC	21	0025 0555	6.39	114	114	110	2.14 65	0.42 52	1.49 112	3.39 66	116	1.80 45	3.64 55	0.05 44	-10.59 40	100 3
CC 25 0055 108937194	CC	21	0515 0580	5.95	109	119	95	3.41 65	-0.24 50	1.46 111	4.24 66	121	0.60 43	3.52 54	7.60 40	-2.92 36	111 6
CC 25 0056 108891367	CC	23	0043 0490	5.00	101	108	94	1.79 62	0.03 38	0.92 106	1.96 64	109	-0.30 30	1.64 45	10.40 30	-19.27 29	88 2
CC 25 0063 108891409	CC	22	0031 0631	7.18	105	121	95	3.32 64	0.07 50	1.73 114	4.82 66	124	-1.60 41	2.43 53	5.01 40	-0.38 38	109 3
CC 25 0064 108891417	CC	22	0031 0631	7.18	106	122	94	3.48 64	0.02 50	1.76 115	4.96 66	125	-1.60 41	2.54 53	5.01 40	-0.38 38	109 3
CC 25 0072 108937103	CC	21	0095 0051	4.92	106	98	106	0.61 65	-0.38 52	-0.08 95	0.82 67	102	5.90 43	3.77 55	0.41 41	5.34 38	108 3
CC 25 0074 108937111	CC	21	0515 0072	5.37	119	123	114	3.04 65	0.75 48	2.27 120	4.68 66	124	2.70 39	5.41 52	4.14 39	-1.99 35	112 3
CC 25 0075 108891474	CC	21	0374 0038	3.85	109	116	107	2.19 64	0.62 48	1.71 114	3.80 66	119	1.60 39	3.77 52	3.01 39	7.06 37	105 3
CC 25 0079 108891490	CC	22	0031 0004	5.08	110	124	98	3.68 65	0.17 52	2.01 117	4.87 66	125	-0.70 42	3.42 55	6.81 42	-4.87 39	115 3
CC 25 0081 108891508	CC	22	0031 0576	6.90	104	114	93	2.91 64	-0.62 50	0.84 105	4.14 66	121	0.60 42	2.65 54	2.70 42	2.35 39	98 2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Dir EBV Acc Index									EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0082 108937855	CC CC	21 21	0515 0019	4.87	105	109	100	1.83 65	0.15 50	1.06 107	1.75 66	0.50 43	2.28 54	4.45 40	-6.59 37	114	6					
CC 25 0085 108937871	CC CC	21 21	0515 0013	3.83	115	112	114	1.70 65	0.69 50	1.54 112	2.31 66	3.20 41	4.31 54	0.79 39	-4.08 33	133	5					
CC 25 0087 108937889	CC CC	21 20	0025 0101	6.36	108	107	108	1.18 67	0.36 55	0.95 106	1.97 68	2.90 47	3.28 58	4.21 45	-10.09 41	152	6					
CC 25 0089 108937434	CC CC	21 19	0095 0803	4.86	107	92	110	-0.18 66	-0.26 54	-0.35 92	-1.13 67	7.20 45	3.88 57	-0.43 42	6.03 39	113	5					
CC 25 0090 108937418	CC CC	21 19	0095 0803	4.86	111	96	108	0.71 66	-0.54 54	-0.19 94	-0.31 67	7.20 45	4.49 57	-0.43 42	6.03 39	113	5					
CC 25 0093 108937467	CC CC	21 22	0515 0413	6.59	116	102	114	1.05 66	-0.24 50	0.29 99	1.07 66	7.90 41	5.56 54	0.73 40	-0.70 36	128	4					
CC 25 0095 108937483	CC CC	21 23	0188 0742	3.79	114	114	112	1.96 64	0.57 52	1.55 112	3.31 66	2.10 45	3.79 55	-3.20 43	1.61 41	100	3					
CC 25 0098 108891557	CC CC	22 20	0031 0393	6.02	106	110	100	1.96 66	0.00 54	0.98 106	2.37 67	2.00 46	3.16 57	7.17 45	-2.72 41	124	6					
CC 25 0100 108937509	CC CC	21 22	0095 0140	4.20	90	87	82	0.29 64	-1.59 51	-1.44 80	-1.34 66	1.50 44	-0.40 54	-0.13 43	-0.17 39	94	3					
CC 25 0103 108891573	CC CC	23 21	0043 0618	4.08	103	119	93	3.12 63	0.15 42	1.71 114	4.10 65	-2.30 34	1.89 48	7.25 33	-5.13 32	110	4					
CC 25 0108 108891599	CC CC	21 21	0374 0118	5.74	106	105	107	0.94 65	0.32 50	0.80 104	1.57 66	2.40 42	2.71 54	-2.93 39	7.62 35	121	5					
CC 25 0110 108891607	CC CC	22 22	0031 0484	5.25	100	119	89	3.12 65	0.08 51	1.64 113	4.19 66	-3.30 43	1.22 55	5.33 41	4.34 39	106	4					
CC 25 0117 108937608	CC CC	21 19	0188 0867	4.05	105	110	103	1.61 65	0.37 53	1.17 108	2.53 67	0.40 46	2.22 56	-1.17 42	7.45 40	114	5					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
	Dir	Mat	Comb					Post-Wean	EBV Acc Index		EBV Acc Index	EBV Acc Index						EBV Acc Index	EPI
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0121 108937640	CC	21	0025	5.04	97	106	93	1.33 66	0.07 53	0.74 104	1.75 67	-1.80 46	0.32 56	3.39 45	-10.01 39	108	5		
CC 25 0122 108891631	CC	23	0043	5.77	107	118	101	2.57 63	0.79 42	2.08 118	3.19 65	-1.70 35	2.34 48	6.69 33	-5.80 31	100	3		
CC 25 0129 108891672	CC	23	0043	5.70	113	119	108	2.66 64	0.71 44	2.03 118	3.71 65	1.30 35	4.14 50	7.61 33	-8.60 31	126	4		
CC 25 0131 108937681	CC	21	0095	5.50	121	112	115	2.49 65	-0.33 52	0.91 105	3.25 66	7.50 45	6.66 55	-1.00 43	5.96 40	130	3		
CC 25 0133 108891698	CC	21	0374	4.46	111	117	111	2.05 66	0.84 53	1.86 116	3.87 68	1.60 45	3.85 56	-1.90 42	15.79 39	155	6		
CC 25 0143 108891797	CC	23	0902	4.62	119	123	116	2.82 62	0.94 38	2.35 121	5.08 64	2.40 30	5.20 45	1.61 27	-2.84 27	136	2		
CC 25 0153 108891904	CC	23	0043	5.89	112	117	112	2.01 64	1.05 45	2.05 118	3.56 66	1.70 37	4.07 50	5.01 35	-0.38 34	129	6		
CC 25 0156 108891920	CC	21	0374	6.85	103	99	105	0.32 65	0.27 50	0.43 100	0.36 66	2.50 41	2.09 54	-0.85 39	2.33 37	112	3		
CC 25 0177 108892001	CC	22	0597	6.92	116	121	116	2.44 62	1.07 41	2.29 120	4.78 65	2.10 32	4.78 47	3.06 32	-4.47 28	124	2		
CC 25 0178 108892019	CC	22	0597	6.92	119	125	118	2.83 62	1.22 41	2.64 124	5.58 65	2.10 32	5.32 47	3.06 32	-4.47 28	124	2		
CC 25 0179 108892027	LM	22	1507	2.30	114	111	118	1.20 63	1.03 34	1.63 113	2.88 65	2.70 28	3.85 44	-1.96 30	-5.90 30	95	3		
CC 25 0183 108892126	LM	22	1507	1.71	109	105	113	0.68 65	0.69 36	1.03 107	1.48 66	3.00 28	3.18 45	-3.45 27	4.56 25	125	6		
CC 25 0190 108891821	LM	22	1507	2.10	117	114	122	1.35 64	1.28 35	1.96 117	3.19 65	3.00 29	4.43 45	-2.36 30	-3.47 30	102	3		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index										EBV Acc Index	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0193 108891847	LM CC	22 20	1507 0732	2.17	100	106	102	0.84 65	0.70 35	1.12 108	1.81 65	-0.90 28	1.00 45	-0.47 27	3.03 25	111	6					
CC 25 0197 108891888	LM CC	22 22	1507 0628	2.54	107	108	113	0.77 63	1.00 33	1.38 111	2.05 65	1.50 26	2.67 43	-0.63 25	-2.27 27	115	4					
CC 25 0198 108937830	CC CC	22 21	0031 0015	17.68	104	113	94	2.53 66	-0.31 54	0.96 106	3.60 68	1.00 45	2.82 57	7.13 44	-2.13 41	132	5					
CC 25 0201 108892209	LM CC	22 22	1507 0324	2.07	112	113	115	1.40 64	1.03 35	1.73 114	3.09 66	1.60 29	3.39 45	-2.16 30	0.36 31	101	3					
CC 25 0202 108892217	LM CC	22 21	1507 0363	2.39	107	102	114	0.08 65	0.96 36	1.00 106	0.55 66	2.70 30	2.66 46	-1.49 30	-1.07 31	108	4					
CC 25 0204 108892233	LM CC	22 21	1507 0399	2.57	106	107	111	0.66 64	0.88 35	1.21 109	2.13 66	1.70 28	2.56 45	-0.35 28	-1.87 28	104	4					
CC 25 0208 108892274	LM CC	22 22	1507 0532	1.90	101	100	102	0.54 64	0.07 35	0.34 99	0.84 66	1.00 28	1.21 45	-1.36 29	-7.31 29	113	4					
CC 25 0213 108892324	LM CC	22 21	1507 0356	2.17	113	112	117	1.20 64	1.25 36	1.85 115	2.69 66	1.80 30	3.52 45	-1.71 30	-0.82 31	107	4					
CC 25 0216 108892670	CC CC	22 19	0031 0462	7.62	107	126	94	3.92 66	0.24 54	2.21 119	5.06 68	-3.10 46	2.31 57	5.63 44	-1.66 42	103	6					
CC 25 0218 108892696	LM CC	22 20	1507 0529	2.15	110	113	115	1.25 64	1.15 35	1.78 115	3.08 66	0.80 28	2.88 45	-4.13 28	3.39 26	114	5					
CC 25 0224 108892993	LM CC	22 19	1507 0609	1.57	109	106	116	0.46 65	0.96 39	1.19 108	2.03 67	3.30 33	3.40 48	0.17 32	-5.91 32	134	7					
CC 25 0229 108893041	LM CC	22 22	1507 0013	2.24	110	105	117	0.53 62	0.78 31	1.05 107	2.00 64	3.10 22	3.17 41	-5.11 19	-1.45 20	131	4					
CC 25 0233 108892365	LM CC	22 22	1507 0319	2.14	121	116	125	1.72 64	1.12 36	1.98 117	3.67 66	4.80 30	5.72 45	-1.65 30	-2.73 30	122	4					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 25 0243 108892787	CC	22	0031 0757	6.25	111	120	100	3.27 65	-0.06 51	1.58 113	4.64 66	123	1.40 42	4.05 54	6.17 41	-3.64 39	107	2
CC 25 0251 108892464	LM	22	1507 0365	1.98	103	108	108	0.81 64	0.91 35	1.31 110	2.35 65	111	0.40 28	1.96 45	-0.61 29	5.41 29	114	4
CC 25 0255 108892506	LM	22	1507 0318	2.10	108	101	111	0.43 65	0.20 37	0.42 100	1.44 66	106	5.30 28	3.81 46	1.34 28	-1.99 29	130	5
CC 25 0272 108892597	CC	22	0031 0080	4.82	110	124	97	3.85 65	-0.06 52	1.87 116	5.20 67	126	-0.80 41	3.32 54	4.33 42	-2.64 39	113	3
CC 25 0285 108892969	LM	22	1507 0068	2.13	107	113	107	1.58 63	0.93 34	1.72 114	2.66 63	112	-0.70 26	2.09 43	0.78 28	-6.59 29	108	3
CC 25 0287 108893066	LM	22	1507 0477	1.63	121	116	128	1.35 65	1.48 37	2.16 119	3.68 66	118	4.90 31	5.77 46	-1.69 31	2.14 32	123	4
CC 25 0305 111289203	CC	21	0512 0389	4.64	109	105	115	0.51 65	0.99 45	1.25 109	1.19 66	104	3.20 38	3.42 51	-0.20 38	4.30 34	115	3
CC 25 0306 111289211	CC	21	0512 0133	5.89	119	118	119	2.21 63	1.03 42	2.13 119	3.84 65	119	3.40 36	5.28 49	2.32 37	-4.63 31	97	1
CC 25 0307 111289252	CC	21	0512 0562	6.73	115	109	116	1.29 64	0.65 43	1.29 110	1.99 66	109	4.40 35	4.58 49	-0.47 36	2.23 32	107	2
CC 25 0308 111289260	CC	21	0512 0562	6.73	108	100	113	0.20 64	0.56 43	0.66 103	0.29 66	99	4.40 35	3.40 49	-0.47 36	2.23 32	107	2
CC 25 0313 111289039	CC	21	0512 0671	5.70	124	116	124	2.01 65	0.84 45	1.85 116	3.32 66	116	6.20 37	6.57 51	0.73 37	-2.39 33	140	4
CC 25 0315 111289096	CC	21	0512 0364	2.00	105	108	107	1.04 60	0.76 39	1.28 109	2.25 63	110	1.10 28	2.46 45	3.07 35	-5.21 31	118	2
CC 25 0319 111289138	CC	21	0512 0043	5.24	104	102	107	0.58 65	0.57 46	0.87 105	0.31 67	99	1.60 39	2.12 52	-1.25 38	6.78 35	148	6

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility										
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean				Number Weaned		TWW		AFL		ILP		Dam	
									Dir EBV Acc Index	Mat EBV Acc Index		Comb EBV Index	Post-Wean EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd						
Active Breed Average:					100	100	100	-0.08	-0.03		-0.07	-0.49		0.59	0.24		-0.13	-0.36								
CC 25 0324 111289187		CC	21	0512	5.91	115	109	116	1.29 64	0.76 42	1.40 111	1.94 65		3.70 35	4.27 49	0.02 35	-2.65 32		113		2					
CC 25 0331 111289385		CC	21	0512	4.08	121	121	120	2.47 64	1.10 43	2.33 121	4.31 66		2.90 36	5.30 49	-0.10 37	-2.80 33		106		2					
CC 25 0333 111289336		CC	21	0512	5.75	119	108	119	1.29 65	0.43 45	1.07 107	1.93 66		7.60 38	6.28 51	2.94 38	2.31 35		114		3					
CC 25 0335 111289294		CC	21	0512	4.46	130	123	129	2.74 66	1.14 47	2.51 123	4.59 67		6.40 40	7.72 53	1.47 39	-2.36 33		141		5					
CC 25 0336 111289302		CC	21	0512	4.46	116	104	127	-0.13 66	1.47 47	1.40 111	1.02 67		6.40 40	5.18 53	1.47 39	-2.36 33		141		5					
CC 25 0338 111289310		CC	21	0512	5.42	121	108	122	1.27 65	0.45 46	1.08 107	2.30 67		7.60 38	6.28 51	-0.20 37	-1.03 31		137		5					
CC 25 0344 111289666		CC	21	0512	6.52	113	111	111	1.65 64	0.51 43	1.34 110	2.33 66		3.10 36	4.02 49	2.55 37	-5.44 33		108		2					
CC 25 0347 111289823		CC	21	0512	6.74	119	118	116	2.40 64	0.70 43	1.90 116	3.96 66		3.70 36	5.32 49	0.05 37	3.15 33		107		2					
CC 25 0351 111289864		CC	21	0512	6.20	112	100	115	0.42 63	0.19 41	0.40 100	0.43 65		6.10 35	4.27 48	-1.21 37	-2.70 32		98		1					
CC 25 0352 111289872		CC	21	0512	6.06	94	96	97	-0.08 63	0.18 41	0.14 97	-0.22 65		-0.10 35	0.04 48	2.62 37	-8.56 31		95		1					
CC 25 0354 111289393		CC	21	0512	6.53	107	109	108	1.21 63	0.85 41	1.45 111	1.77 65		0.70 36	2.48 48	0.93 37	-0.21 32		97		1					
CC 25 0356 111289435		CC	21	0512	7.02	109	112	106	1.91 63	0.34 42	1.30 110	3.17 65		1.80 34	3.33 48	0.38 36	2.79 32		107		2					
CC 25 0357 111289419		CC	21	0512	7.02	104	106	103	1.20 63	0.18 42	0.78 104	1.89 65		1.80 34	2.46 48	0.38 36	2.79 32		107		2					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
								Dir	Mat								EBV	EBV	
								Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	EPI Times Lambd			
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0358 111289427	CC	21	0512 0393	6.43	110	99	110	0.60 65 100	-0.08 45 97	0.22 98	-0.08 67 97	6.30 38 120	4.30 51 114	3.47 37 95	-2.56 34 100	123 4			
CC 25 0360 111289542	CC	21 23	0512 0533	5.84	110	105	111	0.99 64 104	0.44 43 106	0.94 106	1.20 66 104	3.70 36 110	3.66 49 111	0.39 37 102	2.34 33 92	105 2			
CC 25 0364 111289583	CC	21 23	0512 0680	7.35	113	113	113	1.65 63 110	0.83 42 112	1.65 113	2.78 66 113	2.10 35 104	3.74 48 111	0.59 36 101	-4.36 33 103	106 2			
CC 25 0367 111289716	CC	21 24	0512 0173	5.20	113	110	111	1.73 63 111	0.24 42 102	1.11 108	2.55 65 112	4.00 36 111	4.37 49 114	0.18 37 102	0.08 32 96	102 1			
CC 25 0370 111289740	CC	21 23	0512 0372	2.00	102	103	104	0.52 60 100	0.58 39 108	0.84 105	1.04 63 103	1.10 28 100	1.76 45 102	3.07 35 96	-5.21 31 104	119 2			
CC 25 0376 111289807	CC	21 23	0512 0688	7.49	117	118	115	2.29 63 116	0.85 42 113	1.99 117	3.62 66 118	2.80 36 107	4.82 49 116	1.82 37 98	-2.51 33 100	99 2			
CC 25 0383 111289930	CC	21 23	0512 0681	5.48	112	110	110	1.67 63 110	0.43 43 105	1.27 109	2.17 66 110	2.30 37 105	3.48 49 110	-2.02 37 107	-1.18 34 98	98 2			
CC 25 0385 111289963	CC	21 19	0512 0117	6.25	122	126	114	3.54 65 128	0.62 47 109	2.39 121	5.64 67 129	3.20 40 108	6.08 52 122	4.38 39 93	-2.13 36 100	137 6			
CC 25 0386 111289971	CC	21 20	0512 0692	6.86	123	136	114	4.61 64 136	1.18 44 118	3.48 133	7.82 66 136	-0.10 37 96	5.73 50 120	3.45 36 95	-2.34 31 100	110 5			
CC 25 0392 111289443	CC	21 19	0512 0410	4.54	129	120	128	2.56 66 119	0.78 48 111	2.06 118	4.39 67 122	7.20 40 124	7.66 53 129	-0.27 39 103	-3.28 35 101	156 6			
CC 25 0394 111289492	CC	21 23	0512 0591	5.81	120	121	117	2.65 64 119	0.82 43 112	2.15 119	4.46 66 122	3.50 36 109	5.57 49 120	2.04 37 98	-1.88 33 99	107 2			
CC 25 0396 111289518	CC	21 23	0512 0781	6.03	121	120	123	2.12 64 114	1.36 43 122	2.42 122	3.87 66 119	3.20 36 108	5.40 49 119	-0.84 37 104	1.43 33 94	107 2			
CC 25 0397 111289526	CC	21 23	0512 0781	6.03	122	121	121	2.54 64 118	1.11 43 117	2.39 121	4.07 66 120	3.20 36 108	5.58 49 120	-0.84 37 104	1.43 33 94	107 2			

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index													
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
CC 25 0398 111289591	CC	21	0512 0468	5.18	117	109	124	0.89 65	1.02 103	1.46 46	2.41 116	1.46 111	2.41 66	111	6.20 39	5.63 120	5.63 52	0.60 37	0.60 101	1.39 32	1.39 94	135	5
CC 25 0399 111289609	CC	21	0512 0468	5.18	122	116	124	1.95 65	0.86 113	0.86 46	1.83 113	1.83 115	3.66 66	118	6.20 39	6.52 120	6.52 52	0.60 37	0.60 101	1.39 32	1.39 94	135	5
CC 25 0400 111289617	CC	21	0512 0468	5.18	126	120	125	2.52 65	0.90 118	0.90 46	2.16 114	2.16 119	4.56 66	123	6.20 39	7.15 120	7.15 52	0.60 37	0.60 101	1.39 32	1.39 94	135	5
CC 25 0404 111186086	CC	21	0374 0706	8.26	118	119	114	2.67 65	0.46 119	0.46 50	1.80 106	1.80 115	4.37 67	122	3.90 41	5.47 54	5.47 119	0.63 40	0.63 101	5.85 38	5.85 87	107	2
CC 25 0406 111186102	CC	22	0597 0802	6.91	107	109	107	1.35 63	0.52 107	0.52 42	1.20 107	1.20 109	2.28 65	110	1.60 33	2.83 48	2.83 107	0.29 32	0.29 102	3.76 28	3.76 90	99	2
CC 25 0409 111186136	CC	21	0374 0516	6.66	107	106	104	1.37 64	0.02 108	0.02 49	0.98	0.70 103	1.59 66	106	2.50 41	2.89 53	2.89 107	-0.61 40	-0.61 104	3.93 37	3.93 90	97	2
CC 25 0410 111186144	CC	22	0031 0303	6.39	100	110	93	1.97 66	-0.03 113	-0.03 54	0.97	0.95 106	2.37 68	111	-0.50 46	1.64 57	1.64 101	5.92 44	5.92 89	0.21 41	0.21 96	113	5
CC 25 0411 111185419	CC	23	0902 0777	7.14	96	95	100	-0.22 63	0.11 93	0.11 38	100	0.00 96	-0.08 64	97	1.00 31	0.49 46	0.49 96	-4.06 28	-4.06 112	6.03 29	6.03 87	98	2
CC 25 0415 111185450	CC	21	0374 0496	7.72	115	112	116	1.66 65	0.73 110	0.73 49	111	1.56 112	2.86 66	114	3.70 39	4.61 53	4.61 115	-0.26 38	-0.26 103	3.27 36	3.27 91	112	2
CC 25 0416 111185468	CC	21	0374 0466	6.50	104	102	101	1.13 64	-0.25 105	-0.25 48	94	0.32 99	1.24 66	105	2.30 40	2.26 52	2.26 104	-2.99 40	-2.99 109	6.62 37	6.62 86	98	2
CC 25 0420 111185500	CC	22	0031 0676	8.05	114	126	102	4.01 64	0.06 132	0.06 50	99	2.07 118	6.06 66	131	1.50 41	4.98 53	4.98 117	7.51 41	7.51 85	2.19 38	2.19 93	111	2
CC 25 0421 111185518	CC	22	0597 0782	7.41	110	108	110	1.30 63	0.34 107	0.34 42	104	0.99 106	2.41 66	111	4.20 33	4.16 48	4.16 113	1.11 33	1.11 100	6.89 29	6.89 85	108	2
CC 25 0422 111185526	CC	21	0374 0652	5.86	103	108	100	1.60 64	-0.06 110	-0.06 48	97	0.74 104	2.53 66	112	1.40 39	2.37 52	2.37 105	-0.36 39	-0.36 103	7.51 36	7.51 84	97	2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
								Dir	Mat	Comb										EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0427 111185575	CC CC	22 19	0392 0456	5.57	117	117	117	2.08 66	1.11 49	2.14 119	3.08 67	3.00 41	4.98 54	2.75 38	5.02 34	132	6					
CC 25 0428 111185583	CC CC	22 19	0392 0456	5.57	118	118	118	2.19 66	1.17 49	2.26 120	3.34 67	3.00 41	5.16 54	2.75 38	5.02 34	132	6					
CC 25 0429 111185591	CC CC	21 20	0374 0307	4.44	120	119	122	2.15 66	1.01 52	2.09 118	4.36 67	4.20 43	5.68 55	-3.65 41	8.35 36	126	5					
CC 25 0431 111185617	CC CC	21 22	0374 0584	6.50	124	123	121	2.98 65	0.70 50	2.19 119	5.24 67	4.80 42	6.56 54	-2.95 40	10.81 38	108	3					
CC 25 0433 111185633	CC CC	21 23	0374 0820	6.13	104	100	104	0.63 64	-0.19 48	0.12 97	1.24 66	3.80 40	2.72 52	-2.96 39	9.02 37	96	2					
CC 25 0434 111185641	CC CC	22 23	0031 0758	6.63	97	110	84	2.57 65	-0.79 50	0.50 101	2.96 67	-1.20 42	1.06 54	4.82 41	1.89 39	99	2					
CC 25 0435 111186151	CC CC	21 23	0374 0403	2.03	100	102	102	0.53 61	0.34 45	0.60 102	1.11 63	1.50 34	1.77 49	2.21 38	3.55 36	110	2					
CC 25 0436 111186169	CC CC	22 22	0031 0594	6.55	103	120	92	3.24 64	-0.01 50	1.61 113	4.64 66	-2.20 42	1.91 54	3.37 41	4.66 38	102	3					
CC 25 0437 111186177	CC CC	21 23	0374 0740	7.50	104	102	102	1.07 64	-0.24 48	0.30 99	1.46 66	2.90 40	2.57 52	-1.85 39	7.28 37	99	2					
CC 25 0442 111186227	CC CC	22 23	0597 0836	6.74	108	113	107	1.86 62	0.57 41	1.50 112	3.02 65	1.40 33	3.27 47	1.91 32	3.53 29	99	2					
CC 25 0443 111185658	CC CC	21 19	0374 0554	10.50	113	110	112	1.64 66	0.40 52	1.22 109	2.38 68	3.20 44	3.96 56	-3.41 41	8.47 39	131	6					
CC 25 0445 111185674	CC CC	22 23	0392 0699	4.29	114	110	110	1.85 63	0.05 45	0.98 106	2.47 65	5.40 36	5.14 50	2.49 35	7.41 31	105	2					
CC 25 0449 111185716	CC CC	23 23	0902 0658	4.19	109	105	114	0.61 64	0.73 40	1.04 107	1.30 64	3.50 32	3.44 47	-2.03 30	5.96 29	116	2					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0451 111186235	CC CC	22 20	0031 0200	5.67	101	113	94	2.30 66	-0.03 54	1.12 108	3.37 68		-0.90 46	1.73 57	5.29 44	-4.62 41	120 5
CC 25 0453 111186250	CC CC	22 23	0031 0760	6.07	100	111	89	2.51 65	-0.57 50	0.69 103	3.47 66		0.40 41	2.18 54	8.71 41	-4.28 38	104 2
CC 25 0455 111186276	CC CC	23 23	0902 0545	4.61	107	110	109	1.23 63	0.81 38	1.42 111	2.16 64		1.90 31	3.18 46	3.39 28	2.19 29	105 2
CC 25 0456 111186284	CC CC	23 23	0902 0545	4.61	108	111	111	1.27 63	0.94 38	1.57 113	2.43 64		1.90 31	3.34 46	3.39 28	2.19 29	105 2
CC 25 0457 111186292	CC CC	22 23	0031 0592	5.75	103	114	95	2.57 64	-0.26 51	1.02 107	4.08 67		1.30 41	3.09 54	7.81 41	2.17 38	103 2
CC 25 0459 111185732	CC CC	22 20	0392 0389	4.83	112	102	115	0.62 65	0.29 49	0.59 102	0.99 67		7.30 39	5.28 53	1.40 37	12.56 30	134 5
CC 25 0460 111185740	CC CC	22 20	0392 0389	4.83	115	105	116	1.11 65	0.26 49	0.82 104	1.65 67		7.30 39	5.75 53	1.40 37	12.56 30	134 5
CC 25 0463 111185773	CC CC	22 22	0597 0546	7.54	105	107	104	1.38 63	0.18 44	0.87 105	1.95 66		2.10 34	2.82 49	0.93 32	5.61 29	107 3
CC 25 0465 111185799	CC CC	23 20	0902 0070	5.10	97	103	103	0.19 64	1.05 42	1.15 108	0.79 65		-1.70 37	0.22 49	2.65 33	-7.84 33	117 6
CC 25 0467 111185815	CC CC	23 19	0902 0353	4.93	110	103	117	0.17 65	1.01 44	1.10 107	0.84 66		4.30 37	3.76 50	1.08 33	1.87 33	116 6
CC 25 0469 111185831	CC CC	22 23	0597 0503	7.43	103	113	101	1.77 63	0.61 42	1.49 112	2.90 65		-0.80 34	1.90 48	2.45 32	4.98 30	100 2
CC 25 0470 111185849	CC CC	21 24	0374 0193	7.71	109	110	106	1.74 63	0.17 47	1.03 107	2.56 66		2.00 39	3.10 51	-0.67 39	-1.44 35	98 1
CC 25 0471 111185856	CC CC	21 23	0374 0596	6.76	110	118	104	2.77 64	0.10 49	1.48 112	4.59 66		1.50 40	3.77 53	-0.48 40	7.98 37	100 2

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Mat		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
								EBV Acc Index	EBV Acc Index		EBV Acc Index		EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
CC 25 0477 111185914	CC	23	0902	6.06	95	103	99	0.32 64	0.93 41	1.09 114	1.07	0.55 65	101	-2.60 34	-0.32 48	93	1.59 29	99	-1.23 27	98	119	5	
CC 25 0478 111185922	CC	23	0902	6.06	98	107	102	0.76 64	1.09 41	1.47 117	1.11	1.46 65	106	-2.60 34	0.29 48	95	1.59 29	99	-1.23 27	98	119	5	
CC 25 0479 111185930	CC	21	0374	7.10	104	93	107	-0.19 64	-0.29 49	-0.38 93	-0.37 66	96	5.50 40	2.83 53	107	-4.94 40	114	11.26 38	78	102	2		
CC 25 0481 111185955	CC	22	0597	7.39	104	109	106	1.22 63	0.66 41	1.28 109	1.09	2.64 65	112	1.30 32	2.67 47	106	4.22 32	93	-0.87 26	98	102	1	
CC 25 0483 111185971	CC	22	0031	6.34	104	112	95	2.37 65	-0.22 51	0.97 94	0.97	3.10 67	115	1.20 42	2.88 54	107	8.67 42	83	-3.21 39	101	105	2	
CC 25 0484 111185989	CC	22	0031	6.34	104	112	95	2.38 65	-0.21 51	0.98 94	0.98	3.13 67	115	1.20 42	2.89 54	107	8.67 42	83	-3.21 39	101	105	2	
CC 25 0485 111185997	CC	22	0392	5.08	124	115	123	2.12 64	0.48 47	1.54 106	1.54	3.52 66	117	8.20 38	7.52 51	128	2.30 37	97	3.41 33	91	119	3	
CC 25 0489 111186037	CC	23	0902	5.92	112	112	115	1.31 63	1.11 39	1.76 117	1.76	2.33 64	111	2.40 31	3.86 46	112	2.37 29	97	-0.75 29	97	111	2	
CC 25 0491 111186318	CC	22	0392	4.80	103	102	96	1.47 65	-0.69 49	0.04 86	0.04	1.26 67	105	3.40 39	2.82 53	107	4.23 37	93	0.88 33	95	142	6	
CC 25 0493 111186334	CC	23	0902	4.52	111	112	114	1.34 64	1.00 41	1.67 115	1.67	2.83 65	113	1.90 33	3.48 48	110	-0.81 28	104	-0.72 26	97	122	5	
CC 25 0494 111186342	CC	23	0902	4.52	104	102	110	0.18 64	0.80 41	0.89 112	0.89	0.85 65	102	1.90 33	2.12 48	104	-0.81 28	104	-0.72 26	97	122	5	
CC 25 0495 111186359	CC	23	0902	3.90	112	118	116	1.73 64	1.41 42	2.28 122	2.28	3.94 65	119	0.80 36	3.62 49	111	1.18 32	100	0.93 30	95	124	5	
CC 25 0496 111186367	CC	23	0902	3.90	107	112	113	1.08 64	1.24 42	1.79 119	1.79	2.75 65	113	0.80 36	2.81 49	107	1.18 32	100	0.93 30	95	124	5	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index													
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
CC 25 0497 111186375	CC	22	0392	5.16	108	110	102	2.12 64	-0.21 45	0.86 105	2.99 65	3.10 36	3.78 50	2.90 35	5.32 31	104	2						
CC 25 0499 111186391	CC	23	0902	5.86	108	106	113	0.67 62	0.91 37	1.24 109	1.59 64	1.20 29	2.29 45	-4.81 26	0.99 26	105	2						
CC 25 0501 111186417	CC	22	0392	5.89	128	125	122	3.33 65	0.63 48	2.30 120	5.45 67	6.50 39	7.87 52	3.53 38	1.34 34	128	4						
CC 25 0510 111186516	CC	23	0607	6.23	127	129	117	4.15 61	0.61 39	2.69 125	5.54 63	3.10 31	6.62 46	0.71 30	2.43 26	110	1						
CC 25 0514 111186466	CC	23	0607	6.84	119	127	108	3.95 61	0.35 40	2.32 121	5.64 63	0.70 32	4.71 46	1.06 31	-3.00 28	109	1						
CC 25 0520 111186607	CC	22	0392	5.43	106	106	105	1.31 63	0.14 43	0.79 104	1.70 65	2.80 35	3.13 49	0.49 35	8.22 29	97	1						
CC 25 0521 111186615	CC	22	0031	6.02	100	113	88	2.78 64	-0.65 49	0.74 104	3.57 66	-0.90 40	1.58 53	1.77 41	8.23 38	102	2						
CC 25 0523 111186631	CC	22	0392	4.74	107	112	102	2.17 63	0.00 44	1.08 107	2.81 65	2.30 35	3.55 49	3.30 34	7.40 31	99	2						
CC 25 0524 111186649	CC	23	0902	4.96	115	119	118	2.04 63	1.35 40	2.36 121	3.98 64	1.10 34	4.04 47	-1.61 31	2.86 30	104	3						
CC 25 0526 111186664	CC	23	0902	4.63	106	106	110	0.77 63	0.70 36	1.08 107	1.88 64	2.10 30	2.73 45	-1.87 28	6.21 25	97	1						
CC 25 0529 111186698	CC	23	0607	6.11	114	115	109	2.38 60	0.36 37	1.55 112	3.41 63	2.70 31	4.36 44	1.83 29	1.80 26	98	1						
CC 25 0530 111186706	CC	23	0635	7.10	87	79	93	-1.70 61	-0.66 38	-1.51 79	-3.07 63	3.30 32	-0.38 45	0.64 31	0.74 28	96	1						
CC 25 0535 111186755	CC	23	0902	4.61	103	106	106	0.71 63	0.75 37	1.11 108	1.83 64	0.90 29	2.01 45	2.19 27	-1.21 24	101	1						

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb	Post-Wean						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0537 111186771	CC	22	0031	5.71	104	113	93	2.74 65	-0.55 50	0.82 104	3.99 67	120	1.10 41	2.85 54	4.22 41	3.45 38	106 2					
CC 25 0539 111187670	CC	23	0902	4.64	103	96	110	-0.36 63	0.48 37	0.30 99	0.02 64	98	3.10 29	1.98 45	-3.70 28	2.95 26	98 1					
CC 25 0543 111187712	CC	22	0031	5.90	101	114	88	2.93 66	-0.75 53	0.72 103	4.09 67	120	-0.30 44	2.00 56	6.70 41	-5.46 37	120 6					
CC 25 0547 111186797	CC	23	0902	4.88	104	109	106	1.12 65	0.82 43	1.38 111	1.94 65	108	0.50 36	2.24 50	4.01 32	-1.79 31	127 4					
CC 25 0553 111186854	CC	22	0597	6.27	105	97	111	-0.16 64	0.36 44	0.28 99	0.22 66	99	4.60 35	2.96 50	0.80 32	-1.77 29	116 3					
CC 25 0555 111187753	CC	23	0902	4.98	104	107	108	0.79 63	0.80 37	1.19 108	2.11 64	109	1.00 29	2.19 45	1.12 27	0.05 25	100 1					
CC 25 0559 111187795	CC	22	0597	6.85	108	112	105	1.96 64	0.25 45	1.23 109	3.27 66	116	2.30 36	3.59 50	5.03 33	-2.61 30	124 4					
CC 25 0564 111186870	CC	21	0374	5.85	101	106	97	1.48 64	-0.12 47	0.62 102	2.03 66	109	0.70 39	1.78 52	1.45 40	2.59 35	97 1					
CC 25 0565 111186888	CC	22	0031	6.63	97	111	85	2.62 65	-0.66 50	0.66 103	3.24 67	116	-1.30 42	1.19 54	5.05 41	2.27 39	98 2					
CC 25 0568 111186912	CC	22	0597	7.02	122	120	125	2.09 63	1.37 44	2.42 122	4.36 66	122	3.90 36	5.80 49	-0.14 34	-1.02 31	102 3					
CC 25 0569 111186920	CC	22	0597	7.02	122	120	125	2.08 63	1.41 44	2.45 122	4.41 66	122	3.90 36	5.83 49	-0.14 34	-1.02 31	102 3					
CC 25 0570 111186938	CC	22	0392	4.97	107	102	114	0.15 64	0.86 47	0.93 106	1.04 66	103	3.70 38	3.22 51	1.14 37	0.44 31	128 5					
CC 25 0574 111186979	CC	22	0597	5.10	103	98	110	-0.24 64	0.66 45	0.54 102	0.37 66	100	2.90 35	2.16 50	1.51 33	-6.53 30	131 4					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd	
	Dir EBV Acc Index	Mat EBV Acc Index															
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0576 111186995	CC CC	23 24	0635 0502	7.45	93	91	93	-0.29 60	-0.29 36	-0.44 91	-1.42 61	1.10 29	0.08 44	1.65 28	-0.99 24	99 1	
CC 25 0577 111187001	CC CC	23 24	0635 0537	6.02	99	98	100	0.41 60	-0.17 37	0.03 96	0.77 63	2.40 30	1.68 44	0.58 29	0.46 26	98 1	
CC 25 0578 111187019	CC CC	23 24	0635 0651	6.80	96	96	99	-0.02 60	0.01 36	-0.01 96	0.03 63	1.80 29	1.06 44	1.35 28	0.51 23	98 1	
CC 25 0581 111187845	CC CC	23 24	0635 0428	5.47	90	91	88	-0.04 61	-0.80 39	-0.81 87	-0.47 64	1.90 32	0.31 46	4.21 31	-0.57 27	97 1	
CC 25 0583 111187860	CC CC	23 24	0109 0499	6.03	101	104	97	1.26 61	-0.10 39	0.54 101	1.63 63	1.30 33	1.95 46	4.58 32	-3.01 27	98 1	
CC 25 0586 111187894	CC CC	23 24	0043 0366	4.94	115	120	110	2.69 61	0.72 38	2.07 118	4.00 64	1.20 30	4.13 45	4.61 30	-8.12 26	99 1	
CC 25 0587 111187902	CC CC	23 24	0043 0335	5.39	119	120	113	2.79 62	0.68 41	2.07 118	3.87 65	2.70 32	5.09 47	4.15 32	-6.64 29	109 1	
CC 25 0591 111187944	CC CC	23 24	0043 0491	4.66	113	114	108	2.30 61	0.23 39	1.38 111	3.08 64	2.40 31	3.97 46	1.76 31	-6.35 26	99 1	
CC 25 0595 111187985	CC CC	23 24	0607 0533	8.58	112	120	109	2.63 60	0.65 36	1.97 117	4.45 63	1.00 29	3.88 44	1.23 29	3.25 25	99 1	
CC 25 0597 111187043	CC CC	23 24	0043 0570	4.41	112	104	108	1.36 62	-0.14 40	0.54 101	1.22 64	4.90 32	4.15 47	2.00 32	-5.69 28	107 1	
CC 25 0599 111187068	CC CC	23 24	0635 0434	5.91	115	112	116	1.53 61	0.85 40	1.62 113	2.31 64	3.50 33	4.48 46	0.55 31	1.32 28	110 1	
CC 25 0600 111187076	CC CC	23 24	0635 0434	5.91	117	115	115	2.06 61	0.71 40	1.74 114	2.84 64	3.50 33	4.87 46	0.55 31	1.32 28	110 1	
CC 25 0605 111187126	CC CC	23 24	0635 0331	5.69	104	105	102	1.13 60	0.11 38	0.68 103	1.55 63	2.00 32	2.44 45	2.15 31	-1.49 27	100 1	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index										EBV Acc Index		EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0606 111187134	CC	23	0607 0566	8.03	110	106	106	1.56 61	-0.17 39	0.61 102	1.71 63	4.20 32	3.90 46	1.42 31	-0.36 26	98	1					
CC 25 0607 111187142	CC	23	0043 0447	5.30	109	110	107	1.58 62	0.49 39	1.28 109	1.85 64	2.20 32	3.39 46	5.03 32	-5.25 28	100	1					
CC 25 0609 111187167	CC	23	0109 0627	5.75	99	98	101	0.29 59	0.14 35	0.28 99	0.37 61	1.50 29	1.32 43	1.61 30	-5.23 24	99	1					
CC 25 0610 111187175	CC	23	0607 0516	6.91	124	130	112	4.29 60	0.57 37	2.71 125	5.67 61	1.70 30	5.87 44	2.08 29	-1.79 25	101	1					
CC 25 0611 111187183	CC	23	0607 0557	6.94	120	127	110	3.78 60	0.52 36	2.41 122	5.45 62	1.30 29	5.08 44	0.77 29	1.45 25	100	1					
CC 25 0613 111187209	CC	23	0109 0647	5.75	106	107	104	1.30 59	0.32 35	0.97 106	1.70 61	1.40 29	2.46 43	1.94 30	-5.88 24	100	1					
CC 25 0614 111187217	CC	23	0109 0487	6.77	103	116	92	2.88 60	-0.20 39	1.24 109	3.58 63	-1.50 33	1.78 46	5.40 32	-7.81 28	100	1					
CC 25 0616 111187233	CC	22	0031 0486	6.22	97	107	84	2.43 65	-1.01 51	0.20 98	2.36 66	-0.10 42	1.36 54	5.03 42	1.69 39	103	2					
CC 25 0617 111187241	CC	22	0031 0486	6.22	97	106	85	2.22 65	-0.95 51	0.16 97	2.17 66	-0.10 42	1.21 54	5.03 42	1.69 39	103	2					
CC 25 0620 111187993	CC	23	0635 0489	6.36	111	104	110	1.08 61	0.15 39	0.69 103	1.39 63	4.70 31	4.05 46	1.58 30	-3.64 25	108	1					
CC 25 0621 111188009	CC	23	0635 0489	6.36	114	108	110	1.71 61	0.04 39	0.90 105	2.11 63	4.70 31	4.57 46	1.58 30	-3.64 25	108	1					
CC 25 0622 111188017	CC	23	0043 0327	4.66	121	118	115	2.76 62	0.37 39	1.75 114	4.01 64	4.50 31	5.83 46	3.67 32	-7.32 27	107	1					
CC 25 0623 111188025	CC	23	0043 0327	4.66	119	116	114	2.43 62	0.39 39	1.60 113	3.56 55	4.50 31	5.51 46	3.67 32	-7.32 27	107	1					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0626 111188058	CC	23	0607 0345	6.76	135	132	124	4.45 61 136	0.64 41 109	2.86 126	6.40 64 133	5.90 34 119	8.62 47 134	0.83 32 101	1.92 29 93	110	1		
CC 25 0629 111188322	CC	23	0635 0307	5.15	102	98	100	0.55 61 100	-0.17 39 95	0.10 97	0.18 63 99	3.30 32 109	2.35 46 105	3.72 30 94	-1.00 27 98	100	1		
CC 25 0631 111188330	CC	23	0043 0414	5.09	105	107	105	1.13 61 105	0.49 38 106	1.05 107	1.65 64 107	1.40 30 101	2.46 45 105	3.39 31 95	-3.54 26 102	98	1		
CC 25 0636 111188389	CC	23	0043 0411	4.54	106	112	102	1.98 62 113	0.39 37 105	1.38 110	2.68 63 113	0.20 28 97	2.49 45 105	3.74 29 94	-3.92 24 102	108	1		
CC 25 0641 111187316	CC	23	0607 0400	6.31	113	121	104	3.20 61 124	0.32 40 103	1.92 116	4.46 64 122	0.50 34 98	3.82 47 112	3.12 33 95	-3.13 29 101	100	1		
CC 25 0645 111187357	CC	23	0607 0337	6.03	118	121	112	3.00 61 123	0.58 40 108	2.08 118	4.41 63 122	2.60 33 106	5.14 46 118	1.17 32 100	5.39 29 88	100	1		
CC 25 0648 111187381	CC	23	0607 0399	6.31	120	130	108	4.22 61 134	0.51 40 107	2.62 124	6.00 64 131	0.40 34 98	4.97 47 117	3.12 33 95	-3.13 29 101	101	1		
CC 25 0649 111187399	CC	23	0607 0363	6.09	104	113	97	2.27 60 116	0.06 39 99	1.20 109	3.03 63 114	-0.70 33 93	1.91 46 103	2.54 32 97	-3.80 28 102	99	1		
CC 25 0656 111187464	CC	23	0635 0495	6.70	109	100	108	0.69 61 101	0.01 39 98	0.35 99	0.58 63 101	5.20 31 116	3.81 46 111	2.61 30 97	-1.73 26 99	107	1		
CC 25 0657 111187472	CC	23	0635 0495	6.70	105	96	107	0.16 61 96	-0.04 39 97	0.04 96	-0.25 63 96	5.20 31 116	3.24 46 109	2.61 30 97	-1.73 26 99	107	1		
CC 25 0679 111187621	CC	23	0043 0759	5.16	112	116	108	2.21 61 115	0.68 38 110	1.79 115	3.21 63 115	1.10 31 100	3.55 45 110	5.62 32 90	-13.27 27 117	100	1		
CC 25 0680 111187639	CC	23	0043 0390	4.31	119	127	111	3.50 62 127	0.86 39 113	2.61 124	5.23 64 127	0.90 31 99	4.91 46 116	5.69 32 90	-9.32 28 111	102	1		
CC 25 0682 111187654	CC	21	0374 0511	6.62	113	122	107	3.03 64 123	0.41 48 105	1.93 116	5.16 66 126	1.10 40 100	4.10 52 113	-0.99 40 105	10.38 37 80	102	2		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index											
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0684 111188157	CC	23	0109	6.39	103	115	92	2.78 60	-0.21 38	1.18 108	3.49 62	-0.90 32	2.03 45	6.70 32	-6.52 27	101	1		
	CC	24	0564						121	94		117	93	103	87	107			
CC 25 0687 111188181	CC	23	0043	4.45	104	110	96	2.05 62	0.02 39	1.05 107	2.40 64	-0.20 32	1.95 46	6.87 32	-13.06 28	99	1		
	CC	24	0444					114	98		111	95	103	87	117				
CC 25 0694 111188256	CC	23	0043	4.48	108	106	105	1.36 62	0.04 39	0.72 103	1.63 64	3.50 31	3.49 46	4.40 32	-5.02 28	98	1		
	CC	24	0431					107	99		107	109	110	93	104				
CC 25 0699 111188306	LM	22	1507	2.19	106	106	106	1.23 64	0.20 34	0.81 104	2.17 65	2.60 26	2.99 44	-0.92 28	7.46 28	103	2		
	CC	23	0625					106	101		110	106	108	105	84				
CC 25 0702 111188413	CC	23	0109	5.58	104	107	103	1.27 59	0.42 35	1.05 107	1.79 61	1.40 28	2.53 43	6.09 29	-5.70 24	101	1		
	CC	24	0709					107	105		108	101	106	89	105				
CC 25 0705 111188454	CC	23	0635	6.49	95	92	98	-0.47 61	-0.05 39	-0.29 93	-0.86 63	2.70 32	1.10 46	4.20 31	-0.85 28	98	1		
	CC	24	0398						91	97		93	106	99	93	97			
CC 25 0712 111188520	CC	23	0043	4.70	96	95	93	0.34 62	-0.22 38	-0.05 95	-0.88 64	1.70 31	1.14 46	8.24 31	-5.62 27	99	1		
	CC	24	0333					98	94		93	102	99	84	105				
CC 25 0713 111188538	CC	23	0043	5.03	112	118	104	2.79 62	0.30 38	1.70 114	3.56 64	1.50 30	3.99 45	7.31 31	-8.63 26	101	1		
	CC	24	0389					121	103		117	102	112	86	110				
CC 25 0716 111188561	CC	23	0109	5.75	99	100	100	0.49 59	0.15 35	0.40 100	0.55 61	1.40 29	1.48 43	3.84 30	-5.38 24	100	1		
	CC	24	0555					99	100		101	101	101	94	105				
CC 26 0001 113727572	CC	23	0600	5.52	118	115	114	2.31 62	0.44 40	1.60 113	3.38 48	4.40 33	5.39 47	3.76 30	-5.60 29	100	2		
	CC	23	0669					116	106		116	113	119	94	105				
CC 26 0002 113727580	CC	24	0301	5.92	109	119	100	3.04 62	0.12 43	1.64 113	4.31 49	0.00 37	3.15 49	4.43 34	-5.73 30	115	5		
	CC	21	0043					123	100		122	96	108	92	105				
CC 26 0003 113727598	CC	24	0301	4.05	107	119	101	2.77 61	0.52 40	1.91 116	3.98 48	-0.50 31	2.99 46	7.58 32	-4.25 31	105	3		
	CC	23	0038					120	107		120	94	108	85	103				
CC 26 0005 113727614	CC	24	0164	6.13	103	108	102	1.33 61	0.46 40	1.13 108	2.15 48	0.10 34	1.85 47	2.21 32	-0.88 32	106	2		
	CC	24	0110					107	106		110	96	102	98	98				

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
								Dir	Mat	Comb										EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 26 0007 113727630	CC	24	0370 0097	4.91	107	116	101	2.57 61	0.28 41	1.57 112	3.38 48	3.38 116	-0.30 34	2.67 47	1.27 32	4.67 31	99	3				
CC 26 0009 113727655	CC	24	0370 0433	5.30	128	127	126	3.18 62	1.44 44	3.03 128	4.78 49	4.78 124	3.30 37	6.61 49	-0.05 34	-0.26 34	125	4				
CC 26 0010 113727663	CC	24	0370 0757	5.87	117	119	113	2.59 61	0.82 41	2.11 118	3.79 48	3.79 119	1.90 34	4.55 47	0.80 31	1.39 31	107	2				
CC 26 0011 113727671	CC	24	0301 0076	5.68	114	110	112	1.71 62	0.32 44	1.17 108	2.07 50	2.07 109	3.90 38	4.36 50	0.30 34	-1.36 33	127	6				
CC 26 0012 113727689	CC	24	0301 0003	6.45	119	120	115	2.72 61	0.67 40	2.02 117	4.37 48	4.37 122	3.50 33	5.48 46	4.96 31	-9.04 30	136	2				
CC 26 0013 113727697	CC	24	0301 0003	6.45	119	119	115	2.63 61	0.67 40	1.99 117	4.25 48	4.25 121	3.50 33	5.40 46	4.96 31	-9.04 30	136	2				
CC 26 0014 113727705	CC	24	0421 0058	3.62	112	108	110	1.48 61	0.28 42	1.02 107	1.65 49	1.65 107	4.30 34	4.34 47	4.50 32	-4.23 31	109	3				
CC 26 0015 113727713	CC	24	0421 0058	3.62	112	108	110	1.48 61	0.28 42	1.02 107	1.65 49	1.65 107	4.30 34	4.34 47	4.50 32	-4.23 31	109	3				
CC 26 0021 113727770	CC	24	0421 0019	4.81	100	100	99	0.54 54	0.34 44	0.61 102	-0.24 49	-0.24 96	0.50 38	1.19 46	5.01 33	-6.04 33	114	6				
CC 26 0022 113727788	CC	24	0421 0308	6.32	95	96	99	-0.13 62	0.44 44	0.38 100	-0.67 50	-0.67 94	0.50 37	0.62 49	4.62 33	-1.88 30	121	6				
CC 26 0024 113727804	CC	24	0164 0422	6.20	110	121	102	3.05 61	0.41 41	1.94 116	4.34 48	4.34 122	-1.10 34	2.80 47	3.01 32	-6.86 31	113	4				
CC 26 0025 113727812	CC	24	0301 0562	6.57	97	106	92	1.53 61	-0.01 42	0.75 104	1.69 49	1.69 107	-1.80 36	0.44 48	3.61 33	-6.79 31	120	5				
CC 26 0027 113727838	CC	24	0421 0653	6.08	104	100	105	0.46 60	0.20 38	0.43 100	0.50 47	0.50 100	3.90 31	3.00 45	4.96 30	0.54 27	98	1				

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd		
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 26 0032 113727887	CC	23	0902 0642	3.78	94	100	96	0.32 63	0.24 37	0.41 100	0.90 55	103	-1.30 30	-0.21 45	-1.52 27	1.44 94	109 3		
CC 26 0034 113727903	CC	24	0421 0918	3.85	110	104	114	0.70 60	0.61 39	0.96 106	1.15 47	104	4.60 31	4.07 45	2.24 28	0.78 95	107 2		
CC 26 0035 113727911	CC	23	0902 0742	4.46	106	105	110	0.74 63	0.61 37	0.98 106	1.77 55	107	1.50 32	2.25 46	-3.26 29	-2.06 99	100 3		
CC 26 0036 113727929	CC	24	0370 0137	5.26	109	116	102	2.62 61	0.25 41	1.56 112	3.45 48	117	-0.10 35	2.81 47	-0.63 32	5.73 87	101 3		
CC 26 0037 113727937	CC	24	0164 0732	6.76	104	117	102	2.13 62	0.86 41	1.92 116	3.73 48	118	-1.70 34	1.96 47	3.45 30	2.19 93	111 6		
CC 26 0041 113727978	CC	23	0600 0631	5.88	111	111	108	1.81 62	0.37 40	1.27 109	2.49 47	111	2.90 32	3.92 47	4.69 27	-3.37 28	109 3		
CC 26 0042 113727986	CC	23	0902 0604	6.71	103	109	103	1.32 63	0.54 40	1.20 109	2.44 55	111	-0.70 33	1.43 47	-2.14 30	-0.88 98	109 5		
CC 26 0044 113728000	CC	23	0902 0522	5.73	104	112	107	1.21 65	1.19 43	1.80 115	2.28 57	110	-1.10 37	1.75 50	2.02 31	-1.60 99	134 5		
CC 26 0046 113728026	CC	24	0301 0015	6.33	110	113	104	2.27 61	0.20 41	1.33 110	2.69 48	113	1.50 34	3.37 47	2.99 32	-3.98 31	122 2		
CC 26 0047 113728034	CC	24	0301 0015	6.33	108	109	103	1.78 61	0.22 41	1.11 108	2.02 48	109	1.50 34	2.90 47	2.99 32	-3.98 31	122 2		
CC 26 0050 113728067	CC	24	0370 0924	5.37	112	124	106	3.16 60	0.85 38	2.43 122	4.65 46	123	-1.80 31	2.93 45	-2.59 28	8.84 82	101 2		
CC 26 0052 113728083	CC	23	0902 0119	4.31	106	109	106	1.37 63	0.67 37	1.35 110	1.99 54	109	0.70 30	2.45 45	1.71 28	-0.17 96	113 2		
CC 26 0053 113728091	CC	24	0164 0409	6.26	119	129	113	3.59 61	1.15 41	2.94 127	5.81 48	130	0.70 34	5.15 47	3.69 32	3.67 90	104 3		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 26 0054 113728109	CC	24	0164 0074	7.46	107	113	101	2.20 62	0.25 44	1.35 110	2.85 49	1.60 38	3.40 50	7.79 33	0.30 33	127	5	
CC 26 0056 113728125	CC	24	0370 0381	5.48	109	117	103	2.51 61	0.53 43	1.79 115	3.64 49	-0.50 36	2.74 48	2.43 33	-2.81 33	114	4	
CC 26 0057 113728133	CC	23	0600 0214	6.24	104	109	97	1.97 62	-0.20 40	0.78 104	2.15 48	1.00 32	2.37 47	2.85 28	-1.53 27	123	4	
CC 26 0058 113728141	CC	23	0600 0393	5.73	112	113	107	2.11 62	0.34 41	1.40 111	2.66 48	2.70 34	4.07 47	5.25 31	-6.13 30	103	4	
CC 26 0061 113728174	CC	23	0902 0004	3.35	116	121	114	2.57 64	1.16 40	2.44 122	4.00 55	0.50 31	4.02 47	0.84 29	-2.60 29	115	3	
CC 26 0063 113728190	CC	23	0600 0576	6.36	120	108	113	1.97 62	-0.20 39	0.78 104	2.07 44	7.50 30	6.27 46	4.99 29	-7.54 27	110	2	
CC 26 0064 113728208	CC	23	0600 0576	6.36	120	109	113	2.06 62	-0.21 39	0.82 105	2.19 44	7.50 30	6.35 46	4.99 29	-7.54 27	110	2	
CC 26 0072 113728281	CC	23	0902 0532	4.42	94	95	97	-0.24 64	0.14 40	0.02 96	-0.32 56	-0.30 33	-0.27 48	-1.08 30	-6.43 29	113	4	
CC 26 0073 113728299	CC	24	0301 0365	6.28	109	117	103	2.52 61	0.47 42	1.73 114	3.82 48	0.10 35	3.05 48	3.02 33	0.09 31	114	4	
CC 26 0074 113728307	CC	24	0301 0072	6.02	113	118	109	2.45 61	0.77 41	1.99 117	3.59 48	0.80 33	3.70 47	4.15 32	-6.17 30	112	3	
CC 26 0075 113728315	CC	24	0370 0101	4.92	119	122	117	2.71 63	0.96 45	2.31 121	4.36 51	2.50 38	5.17 50	0.13 34	2.90 33	152	6	
CC 26 0077 113728331	CC	24	0164 0108	6.03	105	116	99	2.38 61	0.47 41	1.66 113	3.28 48	-1.60 34	1.89 47	4.00 32	-6.22 30	105	3	
CC 26 0079 113728356	CC	24	0164 0157	6.74	104	108	102	1.45 61	0.23 41	0.95 106	2.18 48	1.30 33	2.46 47	2.82 30	0.78 29	120	4	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility											
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Wean Weight		Mat		Comb		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
								EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36												
CC 26 0080 113728364		CC	24	0421	4.81	104	106	102	1.23 61	0.27 43	0.89 105	1.49 49	1.40 36	2.34 48	2.34 33	2.40 32	112	4									
CC 26 0082 113728380		CC	24	0370	5.06	127	132	121	3.83 62	1.34 43	3.25 131	5.84 48	1.00 36	5.76 49	-0.99 33	-5.33 32	141	4									
CC 26 0084 113728406		CC	24	0421	6.05	116	99	119	0.33 62	0.31 44	0.48 101	-0.10 50	8.20 37	5.56 49	1.70 32	-0.46 29	138	6									
CC 26 0086 113728422		CC	24	0164	7.32	119	114	114	2.30 62	0.14 43	1.30 110	3.30 49	5.40 35	5.69 48	1.02 32	-0.40 32	128	4									
CC 26 0088 113728448		CC	24	0164	5.64	113	114	109	2.24 60	0.34 37	1.46 111	3.38 47	3.00 29	4.38 44	1.98 29	4.56 25	105	1									
CC 26 0089 113728455		CC	24	0164	5.64	112	113	109	2.09 60	0.35 37	1.39 111	3.18 47	3.00 29	4.24 44	1.98 29	4.56 25	105	1									
CC 26 0090 113728463		CC	24	0370	5.54	129	130	126	3.50 62	1.44 43	3.20 130	5.30 49	2.40 37	6.39 49	-4.27 34	4.22 33	119	4									
CC 26 0091 113728471		CC	24	0370	5.54	132	133	127	3.97 62	1.42 43	3.41 132	5.94 49	2.40 37	6.83 49	-4.27 34	4.22 33	119	4									
CC 26 0092 113728489		CC	23	0600	5.78	108	103	105	1.20 61	-0.24 37	0.36 100	1.36 47	5.00 28	3.96 44	4.51 27	-0.94 23	103	1									
CC 26 0093 113728497		CC	23	0600	5.78	108	104	105	1.33 61	-0.25 37	0.42 100	1.54 47	5.00 28	4.09 44	4.51 27	-0.94 23	103	1									
CC 26 0097 113728539		CC	23	0902	5.36	100	105	101	0.83 64	0.44 41	0.85 105	1.55 56	0.00 34	1.26 48	1.11 30	0.37 27	116	5									
CC 26 0098 113728547		CC	24	0421	6.17	106	99	110	0.11 59	0.52 36	0.57 102	0.12 45	4.00 29	3.03 43	2.11 29	-0.90 26	99	1									
CC 26 0099 113728554		CC	23	0902	5.69	101	100	106	0.19 63	0.35 38	0.44 100	0.93 55	1.80 31	1.61 46	-3.27 29	4.62 29	98	2									

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam		
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Acc Index	EBV Acc Index					EPI	Times Lambd	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 26 0101 113728570	CC CC	24 23	0421 0735	6.71	112	115	110	2.08 60	0.80 40	1.85 115	2.97 48	2.97 114	1.60 34	3.85 46	2.59 32	5.50 31	100	2	
CC 26 0104 113728604	CC CC	24 23	0421 0506	7.48	109	113	104	2.05 60	0.31 41	1.34 110	2.83 48	2.83 113	1.60 34	3.32 47	2.96 32	1.41 30	100	3	
CC 26 0105 113728612	CC CC	24 23	0301 0910	4.61	104	108	101	1.44 59	0.34 37	1.06 107	2.08 46	2.08 109	-0.10 30	1.72 44	0.81 28	-4.15 28	99	2	
CC 26 0107 113728638	CC CC	23 24	0600 0643	7.80	101	98	100	0.55 61	-0.28 35	-0.01 96	0.55 47	0.55 101	3.30 28	2.25 43	2.74 27	-2.10 26	96	2	
CC 26 0108 113728646	CC CC	23 22	0600 0570	5.31	114	107	113	1.33 62	0.25 42	0.92 106	1.88 48	1.88 108	5.30 35	4.76 48	3.69 32	-9.05 31	112	4	
CC 26 0111 113728679	CC CC	24 21	0370 0015	5.05	114	119	109	2.64 62	0.64 45	1.96 117	4.00 50	4.00 120	1.50 38	4.18 50	1.77 35	2.90 34	132	5	
CC 26 0112 113728687	CC CC	24 21	0370 0626	3.87	118	135	110	4.35 61	1.25 41	3.42 132	6.77 47	6.77 135	-2.40 33	4.16 47	0.18 30	6.27 29	113	4	
CC 26 0114 113728703	CC CC	24 22	0421 0347	6.27	103	99	106	0.19 61	0.45 43	0.55 102	0.01 49	0.01 98	2.90 36	2.38 48	3.04 33	-0.48 32	112	4	
CC 26 0125 113728810	CC CC	24 20	0301 0640	3.32	109	114	108	1.80 62	0.85 43	1.75 114	2.83 48	2.83 113	0.10 35	2.71 48	2.20 32	-6.52 30	117	5	
CC 26 0126 113728828	CC CC	24 20	0301 0640	3.32	111	116	108	2.15 62	0.83 43	1.90 116	3.30 48	3.30 116	0.10 35	3.03 48	2.20 32	-6.52 30	117	5	
CC 26 0127 113728836	CC CC	23 21	0600 0404	6.15	121	115	121	1.94 64	0.84 44	1.81 115	2.93 50	2.93 114	5.20 36	5.90 50	1.58 32	-3.39 32	142	5	
CC 26 0129 113728851	CC CC	24 23	0421 0121	7.27	117	107	120	0.97 61	0.70 43	1.18 108	1.63 49	1.63 107	6.70 37	5.69 49	2.34 34	3.07 33	130	3	
CC 26 0130 113728869	CC CC	24 23	0421 0121	7.27	118	108	120	1.15 61	0.69 43	1.26 109	1.87 49	1.87 108	6.70 37	5.86 49	2.34 34	3.07 33	130	3	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights						EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Mat		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
								EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		EPI	Times Lambd						
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 26 0135 113728919	CC	24	0301	6.99	104	103	100	1.17 63	-0.24 45	0.35 99	1.36 50	105	2.00 38	2.13 50	2.78 34	-14.49 32	120	6		
CC 26 0136 113728927	CC	24	0301	5.98	108	110	103	1.95 61	0.09 42	1.07 107	2.56 49	112	0.90 36	2.58 48	0.52 33	-6.04 31	113	4		
CC 26 0138 113728943	CC	24	0421	6.88	108	103	110	0.65 61	0.45 40	0.77 104	0.82 48	102	4.60 33	3.86 46	5.21 31	-2.99 30	100	2		
CC 26 0141 113728976	CC	24	0301	5.09	110	118	104	2.62 61	0.68 41	1.99 117	3.48 48	117	-1.00 34	2.70 47	4.41 32	-11.91 31	108	3		
CC 26 0144 113729008	CC	23	0902	4.59	104	115	104	1.81 63	1.02 39	1.93 116	2.96 55	114	-2.10 33	1.57 47	-0.64 28	6.61 29	106	4		
CC 26 0145 113729016	CC	24	0164	6.55	125	131	121	3.55 62	1.51 43	3.29 131	5.62 49	129	1.60 35	6.02 48	3.03 32	0.57 31	129	4		
CC 26 0149 113729057	CC	23	0600	6.31	107	101	103	1.05 63	-0.50 42	0.02 96	1.31 49	105	5.50 33	3.84 48	6.30 30	-9.62 28	117	4		
CC 26 0153 113729099	CC	24	0164	5.85	107	117	104	2.16 60	0.91 38	1.99 117	3.31 46	116	-1.70 31	2.05 45	2.72 29	-5.68 29	101	3		
CC 26 0155 113729115	CC	23	0902	4.25	102	105	103	0.81 62	0.52 36	0.93 106	1.60 53	107	0.10 29	1.39 44	0.40 24	-5.28 25	100	4		
CC 26 0156 113729123	CC	24	0407	5.70	113	114	109	2.23 57	0.33 40	1.44 111	2.98 48	114	2.30 34	3.94 45	-0.96 32	2.55 29	104	1		
CC 26 0159 113729156	CC	23	0600	7.29	116	121	108	3.18 61	0.33 40	1.92 116	4.73 47	124	2.70 31	5.13 46	7.28 27	-5.60 27	111	3		
CC 26 0160 113729164	CC	23	0600	7.29	111	115	107	2.28 61	0.38 40	1.52 112	3.52 47	117	2.70 31	4.28 46	7.28 27	-5.60 27	111	3		
CC 26 0161 113729172	CC	23	0902	4.46	112	110	116	1.09 64	0.91 41	1.46 111	2.70 56	113	3.00 34	3.80 48	-2.44 30	4.08 30	120	4		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Comp no.		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight				Number Weaned	TWW	AFL	ILP	Dam						
								Dir	Mat	Comb	Post-Wean											
								EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd					
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 26 0162 113729180	CC	23	0902 CC 22 0579	4.46	111	110	116	1.06 64	0.91 105	1.44 111	2.66 56	112	3.00 34	3.77 48	-2.44 108	4.08 30	120 4					
CC 26 0167 113729230	CC	23	0902 CC 22 0319	5.82	113	108	120	0.62 64	1.22 101	1.53 112	2.09 56	109	3.40 34	3.87 48	-1.37 106	-1.85 30	122 4					
CC 26 0169 113729255	CC	24	0370 CC 21 0318	5.40	119	122	109	3.50 62	0.08 99	1.83 115	5.08 49	126	3.20 36	5.51 49	2.23 97	1.66 31	130 5					
CC 26 0171 113729271	CC	24	0164 CC 22 0415	7.08	119	118	115	2.52 62	0.60 118	1.86 116	3.91 49	119	4.00 35	5.52 48	4.74 92	-5.62 32	125 4					
CC 26 0173 113729297	CC	23	0600 CC 22 0355	7.24	108	113	102	2.20 62	0.35 115	1.45 111	2.41 48	111	1.50 34	3.45 48	7.78 85	-2.94 30	116 4					
CC 26 0176 113729321	CC	23	0635 CC 25 0042	3.91	112	115	109	2.19 61	0.51 115	1.61 113	3.01 54	114	1.60 32	3.66 46	0.62 101	-0.11 28	105 1					
CC 26 0177 113729339	CC	23	0913 CC 25 0062	6.85	108	106	109	1.02 57	0.54 104	1.04 107	1.73 46	107	2.40 31	2.99 43	0.00 103	0.96 26	101 1					
CC 26 0178 113729347	CC	23	0600 CC 20 0444	5.34	115	114	111	2.13 63	0.43 115	1.50 112	2.83 49	113	3.30 36	4.54 49	3.74 94	-4.14 27	127 6					
CC 26 0179 113729354	CC	23	0600 CC 20 0444	5.34	112	110	110	1.69 63	0.45 110	1.30 110	2.24 49	110	3.30 36	4.13 49	3.74 94	-4.14 27	127 6					
CC 26 0190 113729461	CC	24	0301 CC 24 0580	6.99	110	118	104	2.64 52	0.47 119	1.79 115	4.04 47	120	0.20 32	3.23 42	3.89 94	-7.57 30	90 2					
CC 26 0191 113729479	CC	23	0635 CC 25 0021	6.87	100	99	97	0.73 60	-0.23 94	0.14 97	0.54 54	101	1.50 32	1.40 45	1.11 100	-2.69 28	103 1					
CC 26 0192 113729487	CC	24	0164 CC 24 0623	6.13	110	112	108	1.83 60	0.41 112	1.33 110	2.89 47	114	2.90 29	3.98 44	2.41 97	4.44 25	98 1					
CC 26 0193 113729495	CC	23	0600 CC 20 0479	5.95	110	107	108	1.38 64	0.13 108	0.83 105	2.24 50	110	5.30 37	4.70 50	8.22 84	-4.47 32	138 6					

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Wean Weight		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
	Dir EBV Acc Index	Mat EBV Acc Index	EBV Acc Index					EBV Acc Index	EPI		Times Lambd							
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 26 0194 113729503	CC	23	0600 CC 23 0056	4.47	110	113	102	2.33 62	0.12 116	1.28 109	2.85 48	1.50 32	3.35 47	6.46 88	-11.36 29	105	3	
CC 26 0196 113729529	CC	23	0902 CC 22 0187	4.60	99	108	102	0.88 63	0.80 112	1.24 109	2.36 55	-1.60 31	0.72 97	-0.14 103	-1.41 27	120	4	
CC 26 0197 113729537	CC	24	0569 CC 25 0008	6.43	98	111	92	2.05 57	0.10 100	1.12 108	2.82 47	-2.40 32	0.71 97	5.22 91	-6.46 28	103	1	
CC 26 0198 113729545	CC	23	0913 CC 25 0058	4.61	113	115	108	2.34 57	0.45 106	1.62 113	3.27 46	1.30 29	3.57 110	-1.48 106	2.39 25	104	1	
CC 26 0199 113729552	CC	24	0164 CC 23 0029	4.05	119	124	113	3.14 61	0.83 112	2.40 121	4.83 47	2.20 32	5.28 118	4.74 92	-2.62 30	113	3	
CC 26 0201 113729578	CC	24	0164 CC 20 0495	5.99	102	116	98	2.33 63	0.40 105	1.57 113	3.77 49	-0.70 37	2.32 50	4.88 91	8.05 31	128	6	
CC 26 0203 113729594	CC	24	0164 CC 24 0021	7.75	118	121	116	2.49 61	1.05 116	2.30 120	4.17 48	2.10 32	4.80 116	0.41 102	2.98 29	122	2	
CC 26 0211 114273303	LM	22	1507 CC 24 0402	1.85	100	94	105	-0.38 63	0.20 101	0.01 96	-0.29 56	2.90 25	1.56 101	-1.75 106	-0.50 28	97	2	
CC 26 0214 113729677	CC	23	0635 CC 25 0026	5.03	94	91	98	-0.55 61	-0.09 96	-0.36 92	-1.07 54	2.20 33	0.68 97	1.42 99	1.82 28	102	1	
CC 26 0215 113729685	CC	23	0913 CC 25 0060	3.85	103	102	105	0.64 57	0.31 103	0.62 102	1.22 46	2.00 30	2.14 104	0.33 102	1.42 25	102	1	
CC 26 0216 113729693	CC	24	0407 CC 25 0096	4.41	107	120	98	3.04 57	0.21 102	1.74 114	4.40 48	-0.80 33	2.78 107	2.55 97	6.12 29	104	1	
CC 26 0217 114273253	LM	22	1507 CC 24 0696	1.96	106	108	108	1.13 64	0.53 107	1.09 107	2.32 57	2.20 26	2.97 108	0.97 100	3.48 29	104	2	
CC 26 0219 114273329	LM	22	1507 CC 24 0460	2.26	106	111	105	1.62 64	0.44 105	1.24 109	2.99 56	1.10 26	2.71 106	0.99 100	-1.63 27	103	1	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility												
Animal ID Comp no.	Parents Sire Dam			% In- breeding	Logix Merit Index	Growth Index	Repro- duction Index	Dir		Mat		Comb EBV Index	Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam		
								EBV Acc Index		EBV Acc Index			EBV Acc Index			EBV Acc Index		EBV Acc Index		EBV Acc Index		EPI	Times Lambd	
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36									
CC 26 0220 114273279	LM CC	22 24	1507 0460	2.26	101	104	104	0.64 64	101	0.49 33	106	0.81 104	1.68 56	107	1.10 26	100	1.79 43	102	0.99 29	100	-1.63 27	99	103	1
CC 26 0221 114273287	LM CC	22 21	1507 0118	2.09	102	103	105	0.49 64	99	0.59 35	108	0.84 105	1.13 57	104	0.60 28	98	1.44 45	101	-1.99 27	107	1.63 25	94	121	5
CC 26 0222 113729701	CC CC	23 25	0635 0140	7.51	98	97	101	0.13 60	96	0.14 35	100	0.21 98	0.27 54	99	2.10 29	104	1.53 43	101	0.58 28	101	4.76 24	89	103	1
CC 26 0225 114273204	LM CC	22 24	1507 0456	2.55	103	104	106	0.59 63	100	0.63 32	109	0.93 106	0.99 57	103	1.00 26	100	1.82 43	102	-0.10 29	103	0.47 27	95	100	1
CC 26 0228 113733380	CC CC	23 25	0913 0097	5.87	110	118	109	2.18 57	115	1.03 34	116	2.12 118	3.82 45	119	0.10 27	96	3.27 41	109	3.01 25	96	0.82 23	95	102	1
CC 26 0229 113733398	CC CC	24 25	0569 0046	7.29	87	94	85	0.17 57	96	-0.43 39	90	-0.35 92	-0.41 47	95	-1.30 32	91	-1.04 44	89	5.54 32	90	-4.93 28	104	100	1
CC 26 0230 113733406	CC CC	24 25	0407 0005	5.85	116	123	111	3.00 57	123	0.83 40	112	2.33 121	4.62 48	123	0.70 34	99	4.25 45	113	1.41 33	99	-0.46 29	97	104	1
CC 26 0232 114273113	CC CC	22 20	0031 0514	4.12	108	109	98	2.28 66	116	-0.60 54	87	0.54 101	2.54 60	112	3.40 44	109	3.71 56	111	4.20 42	93	-0.05 37	96	150	6
CC 26 0233 114273121	CC CC	22 20	0031 0514	4.12	105	104	98	1.68 66	110	-0.57 54	88	0.27 99	1.73 60	107	3.40 44	109	3.15 56	108	4.20 42	93	-0.05 37	96	150	6
CC 26 0234 114273139	CC CC	22 22	0031 0354	5.85	100	117	89	3.08 65	123	-0.17 52	95	1.37 110	3.88 59	119	-2.00 43	88	1.71 55	102	7.58 41	85	1.30 39	94	123	4
CC 26 0236 114273162	CC CC	22 21	0031 0680	6.55	111	122	100	3.47 65	127	0.06 52	99	1.80 115	5.17 59	126	0.20 43	97	3.65 55	111	4.93 41	91	-3.18 39	101	119	5
CC 26 0238 114273188	CC CC	22 21	0031 0312	6.31	102	115	91	2.81 65	121	-0.32 52	92	1.08 107	4.03 59	120	-0.10 42	96	2.42 55	105	8.09 41	84	-0.88 39	98	117	4
Ram Flock Average:					109	111	107	1.77	0.41	1.29	2.65	2.10	3.43	2.06	-0.60									
Number of rams in the flock: 363																								

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamed
Comp no.	Sire	Dam					Dir	Mat								EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 20 0035 89767230	CC 17 0756 CC 16 0049	5.29	103	116	104	1.67 74	1.60 72	2.43 122	2.31 74	-2.30 63	1.89 71	10.57 53	-0.33 50	125	5	
CC 20 0076 89767362	CC 17 0528 CC 16 0093	4.20	115	101	118	0.58 73	0.30 70	0.59 102	0.46 74	6.90 61	5.02 69	-2.88 52	7.70 50	127	6	
CC 20 0101 89767875	CC 17 0528 CC 17 0133	3.44	126	116	129	1.90 77	1.00 73	1.95 117	3.69 77	7.80 61	7.58 72	2.27 52	-1.70 52	152	6	
CC 20 0177 89767446	CC 16 0592 CC 16 0220	6.36	102	93	95	0.72 73	-1.28 71	-0.92 86	-0.05 75	7.00 60	3.64 69	6.45 51	0.49 52	124	6	
CC 20 0179 89768634	CC 16 0592 CC 18 0617	6.32	103	94	96	0.84 71	-1.31 67	-0.89 86	0.55 74	6.50 55	3.43 66	2.82 48	1.31 41	120	5	
CC 20 0194 89768394	CC 16 0164 CC 18 0180	5.95	102	97	111	-0.52 72	0.95 69	0.69 103	-0.34 74	2.30 60	1.81 68	2.72 52	-8.46 52	133	6	
CC 20 0200 89767461	CC 16 0164 CC 16 0240	4.09	102	99	108	-0.17 73	0.73 72	0.65 103	0.09 74	1.90 63	1.70 70	1.86 56	-6.68 53	120	5	
CC 20 0202 89768808	CC 18 0065 CC 19 0056	6.21	98	112	100	1.30 69	1.13 64	1.78 115	2.25 70	-3.50 53	0.32 63	-0.68 43	12.72 38	116	5	
CC 20 0303 90334707	CC 16 0164 CC 18 0457	4.97	113	112	119	1.05 73	1.52 71	2.04 118	2.10 74	2.70 63	4.19 70	3.12 55	2.98 52	113	5	
CC 20 0307 90334749	CC 17 0528 CC 14 0410	3.77	122	122	125	2.31 73	1.44 71	2.59 124	4.85 73	3.40 58	5.79 69	-1.63 50	4.49 43	126	5	
CC 20 0308 90334756	CC 19 0145 CC 16 0526	4.63	94	109	91	1.44 72	0.52 68	1.24 109	1.77 73	-3.90 57	-0.38 67	4.66 48	-2.81 42	121	6	
CC 20 0311 90334780	CC 19 0076 CC 18 0460	4.88	125	111	121	2.24 73	-0.39 70	0.73 103	3.89 75	11.20 56	8.57 68	0.36 46	2.63 38	137	5	
CC 20 0317 90334848	CC 16 0164 CC 18 0560	5.03	116	113	123	1.15 72	1.55 71	2.12 118	2.28 73	3.80 61	4.98 69	1.71 55	5.86 55	117	5	
CC 20 0332 90334988	CC 17 0528 CC 18 0558	3.59	122	109	126	1.10 78	0.80 72	1.35 110	2.34 77	8.80 60	7.19 72	3.70 52	-0.02 45	141	5	
CC 20 0343 90335092	CC 17 0380 CC 15 0262	5.06	103	117	96	2.70 76	0.32 73	1.67 114	3.52 76	-1.90 63	1.89 72	0.95 54	15.67 50	132	5	

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
CC 20 0363 90335290	CC 17 0380 CC 18 0642	4.63	105	119	95	3.15 74 124	-0.26 71 93	1.31 110	4.94 73 125	1.10 60 100	3.55 70 110	4.67 50 92	14.70 46 73	134	6					
CC 20 0373 90335381	CC 19 0076 CC 17 0448	4.84	111	104	113	0.92 74 103	0.31 67 103	0.77 104	0.94 71 103	4.50 54 113	3.93 67 112	-3.13 44 110	8.89 36 82	125	6					
CC 20 0383 90335472	CC 19 0140 CC 17 0570	5.01	102	112	99	1.86 72 112	0.11 69 100	1.04 107	3.73 73 118	1.20 57 101	2.69 67 106	4.38 47 93	3.66 42 90	123	5					
CC 20 0389 90335530	CC 17 0528 CC 18 0462	3.44	121	105	128	0.48 74 99	0.89 72 113	1.13 108	1.26 75 105	9.80 59 134	7.25 70 127	0.54 52 101	15.43 45 72	134	5					
CC 20 0393 90335571	CC 16 0164 CC 15 0105	3.40	119	104	124	0.47 74 99	1.00 72 115	1.24 109	0.34 74 100	7.70 64 126	6.09 71 122	5.63 57 90	-2.88 54 101	124	6					
CC 20 0413 90335779	CC 19 0076 CC 16 0408	4.81	124	118	120	2.53 70 118	0.57 67 108	1.84 115	3.78 71 119	5.20 57 116	6.22 66 123	0.29 48 102	-7.91 42 109	114	5					
CC 20 0438 90335969	CC 17 0528 CC 19 0118	6.02	105	109	99	2.03 71 114	-0.49 69 89	0.52 101	3.50 74 117	4.00 58 111	3.94 67 112	6.05 52 89	5.32 44 88	115	5					
CC 20 0441 90335985	CC 17 0528 CC 18 0540	4.66	105	116	103	2.05 72 114	0.73 69 110	1.75 114	3.51 73 117	-1.60 59 90	1.82 68 102	0.63 52 101	-1.54 46 99	108	5					
CC 20 0442 90335993	CC 17 0528 CC 16 0561	3.80	114	108	114	1.37 74 108	0.28 72 103	0.96 106	2.53 75 112	6.90 60 122	5.79 70 121	5.42 51 90	7.01 44 85	144	6					
CC 20 0444 90339870	CC 19 0076 CC 19 0021	4.19	114	114	116	1.59 72 110	1.21 70 119	2.01 117	2.62 72 112	1.40 58 101	3.64 68 111	-0.59 49 104	0.25 42 96	127	6					
CC 20 0445 90336025	CC 19 0076 CC 17 0443	5.46	104	105	105	1.06 71 105	0.10 69 100	0.63 102	2.06 72 109	2.20 58 104	2.47 67 105	-5.79 48 116	15.05 47 72	127	6					
CC 20 0454 90336116	CC 19 0076 CC 17 0495	5.15	126	104	128	0.98 73 104	0.33 70 104	0.82 104	1.06 74 104	11.60 57 136	8.26 68 132	-1.19 47 105	0.03 39 96	138	6					
CC 20 0468 90336231	CC 19 0076 CC 16 0381	3.31	123	115	118	2.55 73 118	-0.07 70 97	1.21 109	4.32 74 122	8.50 57 129	7.58 68 129	1.94 48 98	7.48 41 84	135	5					
CC 20 0479 90336348	CC 16 0164 CC 16 0619	2.83	105	101	111	0.14 74 96	0.62 72 109	0.68 103	1.50 74 106	5.40 62 117	3.99 70 112	8.37 56 84	-0.42 53 97	138	6					
CC 20 0495 90336470	CC 17 0380 CC 19 0026	5.01	92	108	87	1.80 73 111	-0.14 71 95	0.76 104	2.62 73 112	-1.30 61 91	0.89 69 98	5.71 53 90	17.53 49 68	128	6					



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 20 0501 90336538	CC 19 0140 CC 17 0769		4.43	106	108	95	2.32 72 116	-0.88 68 83	0.28 99	3.01 72 114	3.10 57 108	3.29 67 109	4.69 45 92	-8.37 39 109	120	6		
CC 20 0514 90336660	CC 19 0076 CC 15 0134		2.95	120	98	120	0.67 74 101	-0.26 70 93	0.07 96	-0.03 74 98	10.50 57 136	6.71 69 125	-0.32 47 103	2.45 38 92	150	6		
CC 20 0529 90339912	CC 19 0075 CC 19 0348		4.68	114	120	115	2.27 68 116	1.21 66 119	2.34 121	4.41 71 122	0.10 55 96	3.54 64 110	-4.47 46 113	6.56 40 86	114	5		
CC 20 0536 90336850	CC 17 0390 CC 19 0410		5.16	108	106	97	2.14 74 115	-0.95 72 81	0.12 97	2.55 75 112	3.00 60 107	2.99 70 108	2.09 52 98	-18.56 49 126	120	6		
CC 20 0550 90336991	CC 16 0164 M 17 0920		1.73	119	118	129	1.19 69 106	2.03 68 133	2.63 124	3.72 70 118	2.70 56 106	4.84 66 116	0.02 50 102	-8.81 45 110	128	5		
CC 20 0559 90340357	CC 19 0075 CC 19 0324		3.96	116	109	117	1.27 70 107	0.67 67 109	1.30 110	2.17 72 110	5.00 54 115	4.94 65 117	1.60 45 99	-3.42 39 102	122	5		
CC 20 0598 90337379	CC 17 0390 CC 19 0595		4.27	105	120	100	2.64 70 119	0.86 66 113	2.18 119	3.85 72 119	-3.60 57 82	1.34 65 100	2.09 50 98	-6.17 46 106	103	4		
CC 20 0615 90337502	CC 19 0145 CC 17 0065		5.60	96	110	96	1.16 72 106	1.20 68 119	1.78 115	0.97 74 103	-5.10 58 76	-0.71 67 91	5.42 51 90	-11.42 46 114	116	5		
CC 20 0640 90340753	CC 17 0528 M 17 0907		1.73	108	115	111	1.53 70 109	1.32 67 121	2.09 118	3.00 69 114	-0.80 53 93	2.37 65 105	0.93 45 100	-2.61 44 100	117	5		
CC 20 0692 90341736	CC 18 0393 CC 19 0548		4.57	102	128	88	4.09 69 133	0.14 66 100	2.19 119	6.53 71 134	-4.20 53 80	1.72 64 102	7.64 44 85	0.03 38 96	110	5		
CC 20 0717 90339979	CC 19 0075 CC 19 0846		5.82	111	102	112	0.77 69 102	0.22 66 102	0.61 102	0.85 71 102	4.10 52 112	3.45 64 110	-2.29 44 108	-5.22 35 104	109	5		
CC 20 0732 90340159	CC 18 0393 CC 19 0431		5.32	96	111	96	1.47 73 108	0.76 64 111	1.50 112	2.63 69 112	-3.30 54 83	0.25 65 95	2.84 43 96	5.83 38 87	111	6		
CC 21 0009 92022193	KI 19 0441 CC 19 0143		2.59	90	95	89	0.15 69 96	-0.09 65 96	-0.02 96	-0.84 70 93	-1.80 54 89	-1.02 64 89	0.20 45 102	4.68 47 89	120	6		
CC 21 0013 92022219	KI 19 0441 CC 17 0133		3.34	120	118	121	2.05 71 114	1.39 66 122	2.42 122	3.06 72 115	1.50 54 102	4.34 65 114	-1.88 45 107	-6.10 41 106	133	5		
CC 21 0015 92026384	CC 16 0164 CC 18 0591		4.17	111	105	113	0.94 74 104	0.40 71 105	0.87 105	1.86 74 108	5.80 61 118	4.82 70 116	5.55 55 90	-1.70 53 99	132	5		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 21 0019 92022268	CC 17 0756 CC 16 0080	3.01	95	106	91	1.35 71	0.40 68	1.07 107	0.72 72	0.72 102	-3.80 60	-0.54 67	5.44 50	-11.12 50	114	6
CC 21 0032 92025626	CC 16 0164 CC 19 0260	5.34	106	102	106	0.76 72	0.19 69	0.57 102	1.08 73	1.08 104	3.90 61	3.28 68	5.48 54	-3.87 51	108	4
CC 21 0040 92022409	KI 19 0441 CC 18 0114	3.33	91	105	90	0.96 68	0.61 64	1.09 107	0.47 70	0.47 100	-5.80 53	-1.91 63	-2.99 45	9.54 41	105	4
CC 21 0042 92022425	CC 19 0145 CC 19 0040	4.71	105	105	103	1.11 72	0.31 69	0.86 105	1.14 74	1.14 104	2.90 56	3.16 67	8.89 49	-5.12 48	126	4
CC 21 0043 92025667	CC 17 0528 CC 17 0277	4.82	99	112	93	2.13 71	-0.04 68	1.02 107	3.44 72	3.44 117	-0.90 58	1.55 67	5.38 51	-1.04 44	115	5
CC 21 0054 92022516	KI 19 0441 CC 19 0158	1.67	99	108	98	1.31 69	0.43 65	1.09 107	1.89 70	1.89 108	-2.00 54	0.54 64	-2.55 45	6.60 47	122	6
CC 21 0074 92022698	CC 17 0756 CC 16 0358	5.17	97	96	93	0.61 73	-0.40 71	-0.10 95	-0.46 73	-0.46 95	3.50 62	2.30 70	11.53 51	2.03 53	127	5
CC 21 0117 92026145	CC 16 0164 CC 18 0425	5.46	101	105	106	0.53 71	0.87 69	1.13 108	1.32 71	1.32 105	0.90 61	1.94 68	3.43 55	1.72 51	121	5
CC 21 0118 92022938	CC 19 0866 CC 15 0536	3.22	100	104	99	1.00 70	0.29 65	0.79 104	1.21 70	1.21 104	-0.30 54	1.11 64	-0.20 44	3.05 39	121	5
CC 21 0161 92026848	CC 17 0528 CC 19 0333	4.91	96	100	95	0.66 72	-0.11 67	0.22 98	0.78 72	0.78 102	1.20 57	1.27 67	5.44 51	-1.25 43	116	5
CC 21 0203 92023407	CC 19 0576 CC 16 0566	6.03	133	118	139	1.67 73	1.56 71	2.40 121	3.77 74	3.77 119	9.30 58	8.82 69	0.94 52	-0.10 52	137	4
CC 21 0312 92602911	CC 19 0610 CC 18 0630	6.34	110	113	106	2.05 70	0.28 64	1.30 110	3.37 70	3.37 116	3.60 51	4.49 63	7.47 45	0.80 46	117	4
CC 21 0318 92602978	CC 19 0610 CC 19 0408	5.58	112	100	109	0.90 72	-0.62 68	-0.17 94	1.65 72	1.65 107	9.10 55	5.74 67	6.46 47	-4.19 47	130	5
CC 21 0319 92602986	CC 19 0358 CC 18 0372	5.74	109	106	102	1.77 72	-0.38 67	0.51 101	2.09 73	2.09 109	5.10 54	4.45 66	8.88 47	-8.08 47	124	4
CC 21 0353 92603323	CC 17 0756 CC 18 0548	3.78	109	114	106	1.97 74	0.68 72	1.67 114	2.62 75	2.62 112	2.20 62	3.97 70	11.24 54	-5.57 54	127	4



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility														
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lamberd					
Comp no.	Sire	Dam						EBV	Mat				EBV	EBV	EBV	Acc Index	Acc Index	Acc Index			Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36											
CC 21 0356 92603356	CC 19 0576 CC 19 0734	4.76	118	118	121	1.90 70	1.48 68	2.43 122	3.39 72	112	124	2.10 58	4.64 66	0.37 51	-1.86 53	107	4								
CC 21 0363 92603422	CC 19 0576 CC 18 0522	5.21	116	109	119	1.06 72	1.03 67	1.56 112	1.32 72	105	116	3.90 58	4.43 67	0.80 51	-2.37 52	108	4								
CC 21 0393 92603729	CC 19 0358 CC 16 0184	4.71	100	83	96	-0.40 72	-1.36 68	-1.56 79	-2.57 74	91	74	8.60 54	3.40 66	7.68 47	-0.43 48	123	4								
CC 21 0399 92603786	CC 19 0610 CC 19 0462	5.27	114	120	110	2.63 70	0.62 64	1.93 116	4.64 72	119	123	1.90 53	4.39 64	3.08 47	-3.96 46	104	4								
CC 21 0400 92603794	CC 19 0576 CC 19 0589	3.61	112	118	114	1.93 69	1.21 66	2.18 119	4.12 71	113	120	0.50 57	3.44 65	-0.18 50	0.66 50	107	4								
CC 21 0404 92603836	CC 19 0576 CC 18 0704	5.92	132	124	138	2.22 76	1.98 71	3.09 129	4.21 74	115	132	5.10 60	7.26 70	-4.91 52	1.76 53	142	5								
CC 21 0419 92603984	CC 19 0576 CC 19 0545	4.84	125	122	125	2.48 70	1.27 67	2.51 123	4.38 71	118	120	3.10 58	5.61 66	-2.77 51	-6.89 52	109	5								
CC 21 0433 92604123	CC 19 0576 CC 17 0479	5.19	137	118	145	1.53 72	2.03 69	2.80 126	2.76 73	109	133	9.30 59	9.14 68	1.92 52	-8.03 53	125	4								
CC 21 0454 92604339	CC 19 0576 CC 19 0117	6.13	143	136	139	4.11 73	1.49 71	3.54 134	7.44 74	133	124	8.40 59	10.64 69	4.80 53	-7.02 53	128	4								
CC 21 0477 92604560	CC 19 0576 CC 16 0381	4.27	136	127	143	2.34 72	2.07 70	3.23 130	5.74 73	116	134	8.30 60	9.38 68	0.40 54	4.06 54	123	4								
CC 21 0513 92604891	CC 19 0610 CC 18 0714	4.14	134	126	131	3.15 72	1.00 67	2.58 123	5.77 73	124	115	7.60 52	8.71 65	3.95 45	-13.29 45	127	4								
CC 21 0522 92604982	CC 17 0756 CC 15 0392	4.68	112	123	109	2.70 74	1.34 73	2.69 125	3.94 75	120	121	-0.90 64	3.50 71	7.26 53	-5.19 54	134	5								
CC 21 0532 92605070	CC 19 0145 CC 19 0595	4.84	100	118	99	1.96 70	1.56 65	2.54 123	2.74 72	113	125	-5.90 56	-0.02 65	4.50 47	-3.19 47	111	5								
CC 21 0536 92605112	CC 19 0358 CC 18 0367	5.67	109	98	108	0.53 70	-0.20 63	0.07 96	-0.05 71	100	94	6.60 52	4.29 63	3.23 46	3.04 46	98	3								
CC 21 0548 92605237	CC 19 0576 M 16 0935	1.79	114	100	121	-0.16 70	0.85 68	0.77 104	0.49 72	93	113	6.10 52	4.35 65	1.85 46	-15.92 47	131	4								



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV	Acc Index	Acc Index		Acc Index
											EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 21 0559 92605344	CC 17 CC 17	0756 0556	4.31	102	105	99	1.23 72	0.14 106	0.75 104	1.09 73	2.30 62	2.75 69	10.69 78	-3.88 53	105	4			
CC 21 0560 92605351	CC 19 CC 20	0576 0045	6.13	117	112	115	1.83 70	0.38 112	1.30 110	3.32 71	5.80 58	5.69 66	4.15 93	-4.16 52	122	5			
CC 21 0562 92605377	CC 19 CC 20	0145 0094	5.69	89	106	80	1.83 70	-0.44 90	0.48 101	1.86 71	-4.50 55	-1.31 65	3.75 88	-3.16 47	120	5			
CC 21 0563 92605385	CC 19 CC 19	0610 0348	5.36	114	116	119	1.52 73	1.20 109	1.96 117	4.23 74	3.00 54	4.52 66	-0.42 103	3.96 47	110	4			
CC 21 0570 92605435	CC 19 CC 20	0089 0460	3.36	92	96	96	-0.23 69	0.35 93	0.23 98	-0.05 69	-1.10 51	-0.54 63	1.84 98	-8.08 43	129	5			
CC 21 0591 92605641	CC 20 CC 20	0093 0343	4.62	108	108	97	2.55 71	-1.11 118	0.17 97	3.02 73	4.20 51	3.96 64	-1.78 107	12.29 43	130	4			
CC 21 0604 92605724	CC 20 CC 20	0183 0353	6.53	109	116	101	2.64 69	0.04 99	1.36 110	3.89 70	-0.20 54	2.56 64	-1.05 106	-3.76 48	109	5			
CC 21 0626 92667575	CC 20 CC 20	0026 0488	4.03	116	133	113	3.59 66	1.65 128	3.45 133	6.36 67	-2.10 48	3.98 60	2.38 97	5.04 41	113	4			
CC 21 0643 92606052	CC 20 CC 20	0183 0469	4.16	109	119	98	3.22 70	-0.26 93	1.35 110	4.74 71	1.10 55	3.62 65	5.16 91	-2.40 49	113	4			
CC 21 0661 92606185	CC 19 CC 20	0089 0372	5.26	100	99	105	-0.05 71	0.70 94	0.67 103	0.13 72	1.40 52	1.49 64	5.51 90	-8.98 45	129	5			
CC 21 0671 92606276	CC 20 CC 20	0075 0568	4.95	123	111	118	2.13 72	-0.13 96	0.93 106	2.80 73	8.50 53	7.10 66	2.22 97	-0.07 46	140	4			
CC 21 0680 92606342	CC 19 CC 18	0610 0348	5.44	123	121	122	2.50 70	1.09 117	2.34 121	4.49 70	4.10 52	6.06 64	1.14 100	-3.80 46	119	5			
CC 21 0712 92606631	CC 20 CC 20	0093 0365	6.00	101	106	94	1.67 68	-0.31 93	0.53 101	1.86 68	0.50 49	1.67 61	2.45 97	-0.33 42	120	4			
CC 22 0013 94069358	- CC 18	- 0597	2.56	117	110	120	1.26 61	0.58 108	1.20 109	3.05 62	4.60 42	4.59 55	-6.43 21	-3.12 22	131	4			
CC 22 0030 94011244	CC 17 CC 17	0756 0109	4.28	99	107	96	1.30 71	0.41 105	1.05 107	1.20 72	-0.70 60	1.28 67	8.14 84	-5.46 53	113	3			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight		Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambded																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Comp no.	Sire	Dam	Dir					Mat	Comb	EBV	EBV		EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index			Acc Index	Acc Index																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												EBV									EBV	EBV			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV	Acc Index	Acc Index		Acc Index
											EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 22 0345 95153151	CC 19 0576 CC 20 0495		6.26	117	116	118	1.98 70 113	0.91 67 114	1.90 116	3.81 70 119	4.30 58 112	5.47 66 119	2.96 51 96	2.65 51 92	114	4			
CC 22 0347 95153433	CC 21 0188 CC 17 0442		4.09	109	113	106	1.88 70 112	0.55 66 107	1.49 112	2.88 70 114	1.00 55 100	3.03 65 108	1.51 49 99	-0.01 48 96	112	4			
CC 22 0353 95155339	CC 21 0025 CC 20 0311		5.85	110	106	103	1.90 71 112	-0.78 65 84	0.17 97	2.92 71 114	5.70 52 118	4.54 64 115	4.52 47 92	-10.71 43 113	117	4			
CC 22 0354 95155354	CC 20 0342 CC 16 0275		4.48	103	111	100	1.74 70 111	0.63 65 109	1.51 112	1.94 69 108	-0.40 54 94	2.14 64 104	6.45 46 88	5.16 47 88	123	4			
CC 22 0355 95155370	CC 20 0342 CC 16 0275		4.48	103	116	100	2.08 69 114	1.03 65 116	2.07 118	2.26 71 110	-2.30 54 87	1.74 64 102	7.49 46 86	2.66 48 92	116	4			
CC 22 0362 95155511	CC 21 0025 CC 18 0644		4.40	112	112	104	2.27 70 116	-0.05 65 97	1.09 107	2.85 71 113	3.30 51 109	4.20 64 113	6.53 47 88	-9.96 46 112	105	4			
CC 22 0365 95155578	CC 21 0188 CC 20 0327		5.86	104	117	101	2.26 70 116	0.61 65 108	1.74 114	4.01 70 120	-0.80 54 93	2.39 64 105	2.56 48 97	10.61 47 79	114	4			
CC 22 0379 95155032	CC 21 0188 CC 20 0319		6.03	113	112	115	1.39 68 108	0.96 63 115	1.66 113	2.51 70 112	3.40 53 109	4.39 63 114	5.80 50 89	-9.28 49 111	100	4			
CC 22 0381 95155073	CC 20 0075 CC 20 0070		4.80	102	103	101	0.82 70 102	0.18 66 101	0.59 102	1.34 71 105	1.80 56 103	2.08 65 103	6.87 50 87	-13.13 50 117	114	4			
CC 22 0389 95155792	CC 21 0188 CC 17 0427		2.45	111	115	113	1.80 72 111	0.90 68 113	1.80 115	3.54 72 117	2.40 55 105	4.14 67 113	0.36 50 102	13.31 49 75	115	3			
CC 22 0393 95155875	CC 21 0188 CC 18 0492		5.24	112	118	110	2.26 70 116	1.00 64 115	2.13 118	3.25 70 116	0.10 54 96	3.31 64 109	2.42 49 97	-3.72 49 102	103	4			
CC 22 0409 95156675	CC 21 0188 CC 19 0050		5.39	118	125	117	2.77 69 120	1.43 63 123	2.81 126	4.63 70 123	1.60 53 102	5.16 63 118	3.34 48 95	8.77 49 82	104	3			
CC 22 0413 95156758	CC 20 0075 CC 17 0445		7.42	116	93	117	0.14 72 96	-0.58 69 88	-0.50 90	-0.47 71 95	10.90 56 136	6.11 67 122	-2.01 49 107	0.65 50 95	128	4			
CC 22 0415 95156790	CC 20 0075 CC 17 0542		4.55	122	110	120	1.71 72 111	0.29 67 103	1.14 108	2.26 72 110	8.10 55 127	6.85 66 125	5.42 49 90	-9.80 50 112	125	4			
CC 22 0422 95156998	CC 21 0025 CC 19 0550		5.56	101	110	94	2.04 69 114	-0.06 64 97	0.96 106	2.15 71 110	-2.10 53 88	0.72 63 97	1.97 49 98	-12.28 47 116	113	4			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times		
Comp no.	Sire	Dam					Dir	Mat								EBV	EBV	EBV
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
CC 22 0430 95156113	CC 20 0075 CC 17 0433		3.13	111	97	107	0.88 72 103	-0.90 68 82	-0.46 91	0.39 74 100	11.30 55 136	6.76 67 125	6.63 50 87	9.33 51 81	114	3		
CC 22 0438 95156279	CC 21 0188 CC 20 0214		4.11	103	117	97	2.67 69 119	0.26 65 102	1.59 113	4.09 70 120	-2.10 55 88	1.66 64 102	0.11 49 102	5.76 49 87	112	4		
CC 22 0440 95156311	CC 20 0342 CC 17 0757		4.23	115	117	112	2.41 68 117	0.81 63 112	2.02 117	3.07 70 115	1.90 52 103	4.36 62 114	1.96 47 98	3.01 47 91	102	3		
CC 22 0444 95156394	CC 19 0576 CC 20 0307		4.16	146	136	148	3.62 70 128	2.40 67 136	4.21 136	7.29 70 136	7.50 56 125	10.52 66 142	-2.83 52 109	-5.19 49 104	114	4		
CC 22 0450 95156519	CC 20 0342 CC 19 0387		4.50	110	115	111	1.69 69 110	1.26 65 120	2.10 118	2.38 71 111	0.80 53 99	3.42 64 110	5.23 46 91	1.89 48 93	125	4		
CC 22 0451 95156535	CC 19 0576 CC 20 0707		5.26	118	116	121	1.73 68 111	1.30 65 120	2.17 119	3.32 69 116	2.50 55 106	4.53 64 115	-1.23 49 105	-4.88 50 104	117	4		
CC 22 0459 95158317	CC 21 0025 CC 18 0517		4.30	107	109	103	1.56 69 109	0.35 61 104	1.13 108	1.88 70 108	1.20 51 101	2.63 62 106	8.27 49 84	-23.20 48 133	92	3		
CC 22 0484 95158978	CC 20 0342 CC 17 0696		3.63	101	116	101	1.91 68 112	1.10 62 117	2.05 118	2.63 69 112	-3.00 53 84	1.21 62 100	1.95 46 98	11.24 48 78	106	4		
CC 22 0487 95159513	CC 19 0576 CC 20 0080		5.35	121	116	119	2.12 73 114	0.73 67 111	1.80 115	3.64 71 118	4.30 58 112	5.44 67 119	0.50 51 101	-8.96 52 110	117	4		
CC 22 0493 95159596	CC 19 0576 CC 20 0441		3.85	132	130	133	3.14 69 124	1.71 65 128	3.28 131	5.98 70 131	4.40 56 113	7.49 64 128	-0.95 51 105	-7.17 50 108	102	3		
CC 22 0499 95158234	CC 19 0576 CC 20 0427		4.64	143	132	147	3.10 68 123	2.11 64 135	3.66 135	6.21 70 132	8.20 54 127	10.13 63 140	-1.45 50 106	-4.91 51 104	102	3		
CC 22 0525 95159398	CC 20 0342 CC 18 0367		5.35	131	130	132	3.06 71 123	2.14 67 135	3.67 135	4.74 71 124	3.40 55 109	7.24 66 127	2.00 48 98	2.58 48 92	129	4		
CC 22 0529 95159471	CC 21 0188 CC 20 0536		4.00	106	109	100	1.93 70 113	-0.20 65 94	0.77 104	2.59 71 112	0.80 54 99	2.21 64 104	-2.43 48 108	-1.65 47 99	113	4		
CC 22 0531 95152252	CC 21 0188 CC 20 0593		5.35	97	113	92	2.22 69 115	0.29 63 103	1.40 111	2.87 71 114	-3.40 52 83	0.47 63 96	-1.45 48 106	28.30 46 64	101	3		
CC 22 0532 95152278	CC 21 0025 CC 17 0397		5.12	95	94	90	0.51 70 100	-0.80 65 84	-0.54 90	-0.30 71 96	0.60 54 98	0.07 64 94	1.07 49 100	-14.84 47 120	113	4		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
Comp no.		Sire Dam						Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
								Acc Index	Acc Index	Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 22 0546 95152831		CC 21 0147 CC 18 0348	6.17	113	109	108	1.90 69 112	-0.08 64 97	0.87 105	2.01 71 109	4.60 50 114	4.58 63 115	0.68 45 101	8.36 46 83	107	3						
CC 22 0553 95153219		CC 21 0188 CC 19 0343	4.48	97	113	90	2.13 69 115	0.27 65 102	1.33 110	2.63 70 112	-4.10 54 80	-0.07 64 94	5.79 48 89	-12.27 48 116	112	4						
CC 22 0555 95153276		CC 19 0576 CC 20 0569	4.55	126	116	131	1.60 68 110	1.26 64 120	2.06 118	3.58 69 117	5.60 54 117	6.22 63 123	-6.04 50 116	-2.71 50 100	100	3						
CC 22 0557 95153250		CC 19 0576 CC 20 0343	5.80	127	128	127	2.97 70 122	1.61 66 126	3.09 129	5.30 71 127	3.40 57 109	6.61 65 124	0.00 51 103	3.72 51 90	104	3						
CC 22 0565 95153557		CC 20 0342 CC 17 0591	5.84	98	115	92	2.23 71 115	0.65 64 109	1.77 115	2.23 69 110	-5.50 53 75	-0.41 64 92	-0.94 45 105	5.69 47 87	117	4						
CC 22 0570 95153656		CC 19 0576 CC 19 0545	4.84	122	114	123	1.87 70 112	0.75 67 111	1.69 114	3.25 70 116	5.30 58 116	5.81 66 121	-0.70 51 104	-9.56 52 111	112	4						
CC 22 0572 95152450		CC 19 0576 CC 17 0421	4.80	139	123	145	2.06 72 114	2.04 68 133	3.07 129	3.66 72 118	7.50 58 125	8.60 67 133	-6.53 52 117	0.93 52 95	119	4						
CC 22 0573 95152476		CC 21 0147 CC 18 0341	5.88	130	119	130	2.46 70 118	0.83 65 112	2.06 118	4.01 70 120	9.30 51 132	8.87 64 135	2.16 45 98	10.24 46 80	116	3						
CC 22 0579 95154290		CC 19 0576 CC 20 0363	5.36	125	118	127	2.19 71 115	0.79 68 112	1.89 116	4.42 71 122	7.20 57 124	7.30 67 127	-1.66 50 106	6.17 50 86	120	4						
CC 22 0583 95154373		CC 21 0188 CC 20 0318	4.70	122	117	120	2.39 71 117	0.70 66 110	1.89 116	3.58 72 117	6.00 52 119	6.68 65 125	2.42 47 97	10.18 46 80	117	3						
CC 22 0584 95154399		CC 21 0188 CC 20 0318	4.70	123	125	119	3.26 70 125	0.70 66 110	2.33 121	5.40 72 128	4.40 53 113	6.60 65 124	-0.23 48 103	9.42 47 81	108	3						
CC 22 0589 95154498		CC 19 0576 CC 19 0707	5.30	121	117	126	1.62 70 110	1.67 67 127	2.48 122	2.76 71 113	3.30 58 109	5.27 66 118	1.22 52 100	-5.98 52 106	118	4						
CC 22 0594 95154779		CC 20 0633 CC 21 0404	6.70	103	111	106	1.29 66 107	0.95 60 114	1.59 113	2.36 68 111	-0.70 49 93	1.82 60 102	-1.98 43 107	11.88 44 77	102	3						
CC 22 0612 95154571		CC 21 0025 CC 20 0316	6.14	110	122	103	2.95 67 122	0.76 59 111	2.23 120	4.32 69 122	-1.30 49 91	2.92 60 107	4.97 47 91	-5.14 46 104	94	2						
CC 22 0614 95154613		CC 20 0716 CC 21 0459	5.89	117	131	110	3.86 66 130	1.01 60 115	2.94 127	6.67 66 135	0.10 47 96	4.92 59 117	6.48 39 88	-2.67 42 100	111	3						



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 22 0628 95157350	CC 21 0081 CC 21 0522	5.59	116	120	115	2.39 66 117	1.08 61 117	2.27 120	4.21 68 121	1.50 50 102	4.37 60 114	2.51 40 97	-4.77 42 104	115	4			
CC 22 0631 95157418	CC 20 0716 CC 21 0356	7.05	112	119	111	2.27 66 116	1.02 60 116	2.16 119	3.73 68 118	0.50 49 98	3.59 60 110	1.31 39 100	1.78 43 93	109	3			
CC 22 0669 95157954	CC 21 0134 CC 21 0661	6.92	104	105	100	1.28 63 107	0.03 56 98	0.67 103	1.76 64 107	1.30 44 101	2.09 56 104	4.01 34 93	-12.55 38 116	100	4			
CC 23 0004 96793468	KI 20 0260 CC 17 0109	2.03	126	129	121	3.53 70 127	1.36 65 122	3.13 129	4.84 69 124	2.30 51 105	6.27 64 123	4.90 49 91	-7.20 48 108	115	3			
CC 23 0006 96793500	KI 20 0260 M 18 0102	1.97	100	111	90	2.39 67 117	-0.38 61 91	0.81 104	2.67 68 112	-2.50 47 86	0.50 60 96	-0.27 45 103	-5.94 45 106	104	3			
CC 23 0028 96793948	KI 20 0260 CC 19 0803	2.30	115	108	111	1.71 69 111	0.12 63 100	0.98 106	1.84 68 108	5.40 48 117	5.07 62 117	6.37 45 88	-11.68 46 115	111	3			
CC 23 0029 96793963	KI 20 0260 CC 19 0803	2.30	123	121	118	2.93 69 122	0.74 63 111	2.20 119	4.08 68 120	4.60 48 114	6.42 62 123	5.43 45 90	-3.79 45 102	113	3			
CC 23 0031 96794003	KI 20 0260 CC 20 0317	2.20	115	121	109	2.82 68 121	0.78 62 111	2.19 119	4.14 68 121	1.20 49 101	4.32 61 114	5.36 47 90	-3.75 47 102	105	3			
CC 23 0038 96794144	OC 20 7475 CC 18 0377	1.90	100	118	95	2.43 67 117	0.73 59 111	1.94 117	3.90 68 119	-1.90 43 89	2.02 58 103	11.69 45 76	1.92 46 93	105	3			
CC 23 0056 96794508	KI 20 0260 CC 21 0422	2.31	107	118	99	2.64 69 119	0.55 61 107	1.87 116	3.54 68 117	-2.30 48 87	1.81 61 102	4.84 47 92	-14.18 46 119	105	3			
CC 23 0058 96794524	KI 20 0260 CC 17 0133	2.41	119	119	111	2.91 70 122	0.29 64 103	1.75 114	4.07 69 120	3.70 49 110	5.42 63 119	4.43 47 92	-7.51 46 108	109	3			
CC 23 0059 96794540	CC 19 0576 CC 21 0435	7.90	124	110	127	1.29 70 107	0.89 66 113	1.53 112	1.91 69 108	7.70 56 126	6.80 65 125	2.95 51 96	-8.21 52 109	113	3			
CC 23 0068 96794722	KI 20 0260 CC 17 0477	2.30	109	122	103	2.85 69 121	1.01 62 115	2.43 122	3.86 69 119	-2.90 50 85	2.12 62 104	5.34 47 90	-13.40 47 118	108	3			
CC 23 0072 96794805	KI 20 0260 CC 19 0175	2.45	116	124	112	2.96 69 122	1.15 63 118	2.63 124	4.69 69 124	0.60 48 98	4.47 62 114	4.83 45 92	-1.92 45 99	112	3			
CC 23 0080 96794961	KI 20 0260 CC 19 0631	2.34	122	123	118	2.93 70 122	1.04 64 116	2.51 123	4.36 70 122	2.00 49 104	5.18 63 118	-0.05 47 103	-2.72 46 100	113	3			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility													
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times					
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			Acc	Acc	Phenotype	Lambd		
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 23 0097 96795281		KI CC	20 18	0260 0368	2.16	103	106	96	1.69 68	-0.37 110	62	92	0.48 101	1.82 69	108	2.20 50	2.65 104	62	106	4.55 47	1.84 92	47	93	99	3
CC 23 0108 96783147		CC CC	21 17	0025 0488	4.27	97	108	90	1.78 68	-0.01 111	62	98	0.89 105	1.48 70	106	-3.10 52	-0.08 84	62	94	3.95 48	-10.99 94	45	114	105	3
CC 23 0111 96795463		CC CC	19 21	0576 0626	4.16	132	134	135	3.27 70	2.69 125	63	136	4.32 136	6.53 69	134	3.30 54	7.93 109	64	130	-0.61 48	-0.33 104	49	97	109	3
CC 23 0113 96795505		CC CC	19 19	0576 0260	4.78	123	120	121	2.50 69	1.03 118	65	116	2.28 120	4.04 70	120	3.60 57	5.69 110	65	120	-0.03 51	-4.27 103	52	103	105	3
CC 23 0117 96783170		CC CC	21 21	0025 0643	7.07	99	108	90	2.03 67	-0.55 114	59	88	0.46 101	2.79 69	113	-0.20 49	1.36 95	60	100	4.84 47	-8.37 92	46	109	90	2
CC 23 0121 96795562		CC CC	19 20	0576 0131	5.17	131	122	133	2.50 69	1.09 118	66	117	2.34 121	4.86 69	125	8.60 56	8.75 129	65	134	0.11 51	7.10 102	51	85	130	3
CC 23 0133 96795646		CC CC	19 21	0576 0707	6.31	123	119	122	2.26 67	1.00 116	62	115	2.13 119	4.21 69	121	3.90 55	5.60 111	62	120	-0.13 50	-12.02 103	51	115	95	3
CC 23 0137 96783311		CC CC	20 21	0075 0491	4.56	102	102	98	1.21 68	-0.40 106	62	91	0.20 98	1.19 69	104	2.60 52	2.36 106	62	105	0.75 47	3.96 101	47	90	101	3
CC 23 0140 96783337		CC CC	21 19	0025 0019	5.61	108	112	99	2.47 69	-0.34 118	63	92	0.90 105	3.07 71	115	2.30 50	3.51 105	62	110	5.86 48	-6.19 89	47	106	108	2
CC 23 0144 96783378		CC CC	20 17	0456 0118	5.10	108	108	107	1.37 69	0.61 107	63	108	1.30 110	1.46 70	106	1.60 53	2.94 102	63	107	2.79 48	-1.84 96	48	99	106	3
CC 23 0178 96783659		CC CC	21 17	0025 0712	5.29	98	101	96	0.72 70	0.15 102	64	100	0.51 101	0.13 70	98	-0.20 52	0.75 95	64	97	3.96 45	-7.54 94	46	108	112	3
CC 23 0180 96795828		CC CC	19 18	0576 0046	4.32	125	104	131	0.55 72	0.76 100	69	111	1.03 107	1.11 73	104	10.10 58	7.36 135	68	128	1.00 50	-4.96 100	52	104	122	3
CC 23 0337 106719024		OC CC	20 19	7475 0914	2.36	86	97	86	0.18 49	-0.06 97	48	97	0.04 96	0.57 47	101	-1.80 18	-0.95 89	41	90	6.76 39	-1.58 87	40	99	109	2
CC 23 0364 106718992		OC CC	20 19	7475 0911	2.36	83	93	82	-0.14 52	-0.41 94	51	91	-0.48 91	-0.01 53	98	-1.80 18	-1.63 89	44	86	6.89 39	-5.71 87	40	105	118	2
CC 23 0372 106719008		OC CC	20 19	7475 0912	2.36	82	91	82	-0.31 52	-0.41 92	51	91	-0.57 90	-0.59 53	94	-1.80 18	-1.80 89	44	86	6.89 39	-5.71 87	40	105	119	2



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam	Dir					Mat	EBV			EBV	EBV	EBV	Acc	Acc	Acc			Acc
								EBV	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
CC 23 0457 98180417	CC 21 0095 CC 19 0560		3.87	110	113	105	2.17 68 115	0.18 62 101	1.27 109	3.21 70 115	1.80 49 103	3.43 61 110	0.55 46 101	-0.90 44 98	106	2				
CC 23 0467 98181019	CC 21 0483 CC 21 0150		4.10	116	109	117	1.42 69 108	0.53 64 107	1.24 109	1.73 70 107	7.10 49 123	6.21 62 122	6.01 46 89	9.59 47 81	117	2				
CC 23 0475 98181621	CC 20 0456 CC 21 0458		4.66	107	107	105	1.41 66 108	0.16 58 101	0.87 105	2.30 68 110	2.00 48 104	2.77 59 107	-1.76 46 107	3.61 46 90	98	2				
CC 23 0483 98182140	CC 21 0483 CC 21 0439		5.70	120	121	119	2.45 67 117	1.03 61 116	2.26 120	4.56 69 123	5.20 47 116	6.60 60 124	6.81 44 87	6.58 45 86	105	2				
CC 23 0484 98182157	CC 20 0735 CC 21 0372		6.36	83	91	78	0.41 66 99	-1.30 59 75	-1.09 84	0.06 69 98	-0.40 45 94	-1.13 58 89	1.51 43 99	10.28 42 80	107	2				
CC 23 0487 98182181	CC 22 0031 CC 20 0398		5.17	108	126	102	3.28 68 125	0.88 61 113	2.52 123	5.67 70 129	-2.60 50 86	2.60 61 106	5.25 49 91	-3.91 47 102	101	2				
CC 23 0496 98184872	CC 21 0309 CC 20 0444		6.02	114	116	112	2.12 69 114	0.85 60 113	1.91 116	2.94 69 114	2.30 45 105	4.35 60 114	5.16 41 91	-5.67 41 105	112	2				
CC 23 0498 98184898	CC 21 0309 CC 19 0021		5.93	101	106	95	1.53 70 109	0.07 61 99	0.84 105	1.17 70 104	0.30 47 97	1.78 61 102	8.26 44 84	-6.19 44 106	104	2				
CC 23 0506 98180508	CC 22 0031 CC 20 0529		6.05	108	123	100	3.29 67 125	0.40 60 105	2.04 118	5.42 68 128	-1.50 48 90	2.78 60 107	1.34 46 99	3.77 43 90	100	3				
CC 23 0511 98180557	CC 22 0031 CC 21 0174		3.96	105	126	93	3.89 66 131	0.16 59 101	2.10 118	6.05 69 131	-2.90 47 85	2.31 59 105	3.70 46 94	8.57 45 82	102	2				
CC 23 0516 98180607	CC 21 0095 CC 20 0615		5.50	99	104	92	1.52 67 109	-0.28 60 93	0.48 101	0.83 69 102	-0.20 50 95	1.12 60 99	4.45 47 92	-4.35 44 103	97	2				
CC 23 0518 98180623	CC 22 0031 CC 21 0522		5.97	116	135	105	4.94 69 136	0.98 62 115	3.44 133	7.35 71 136	-1.60 50 90	4.95 62 117	8.53 47 83	-2.34 47 100	114	2				
CC 23 0531 98181688	CC 21 0483 CC 20 0568		5.45	118	121	117	2.50 67 118	1.12 60 117	2.37 121	4.26 69 121	3.10 48 108	5.48 60 119	2.96 45 96	8.91 45 82	101	2				
CC 23 0533 98181704	CC 21 0095 CC 18 0630		5.90	98	94	93	0.65 68 101	-0.84 62 83	-0.51 90	-0.50 70 95	3.50 49 109	1.91 61 103	1.53 46 99	9.38 45 81	105	2				
CC 23 0545 98181134	CC 21 0483 CC 21 0559		6.04	122	124	117	3.02 68 123	0.93 61 114	2.44 122	4.70 68 124	5.10 49 116	7.01 61 126	10.00 45 80	2.38 47 92	105	2				

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
CC 23 0548 98181159	CC 21 CC 21	0483 0562	5.69	108	118	102	2.60 66 119	0.54 58 107	1.84 115	3.86 68 119	0.00 47 96	3.14 59 108	4.34 44 93	5.11 45 88	99	2		
CC 23 0557 98181779	CC 21 CC 19	0483 0554	5.09	116	116	113	2.23 67 115	0.58 59 108	1.70 114	3.32 67 116	3.70 48 110	5.04 60 117	1.68 44 99	6.48 46 86	98	2		
CC 23 0558 98181787	CC 21 CC 19	0483 0554	5.09	117	117	115	2.25 67 116	0.78 59 111	1.90 116	3.44 67 117	3.50 48 109	5.13 60 117	0.38 45 102	9.46 46 81	99	2		
CC 23 0562 98182207	CC 20 CC 20	0456 0668	6.24	103	97	104	0.38 68 98	-0.28 62 93	-0.09 95	0.10 70 98	4.80 47 114	2.98 61 108	-0.18 45 103	9.15 43 82	107	2		
CC 23 0572 98182769	CC 22 CC 19	0031 0785	6.53	104	120	96	3.02 67 123	0.31 60 103	1.82 115	4.31 69 122	-2.60 48 86	1.77 60 102	2.39 46 97	2.44 45 92	99	2		
CC 23 0576 98183270	CC 20 CC 22	0075 0324	5.15	108	102	106	1.02 67 104	-0.37 60 91	0.14 97	1.73 68 107	4.90 50 115	3.59 60 110	-3.32 47 110	7.25 48 85	98	2		
CC 23 0578 98183296	CC 21 CC 22	0188 0457	4.70	112	110	110	1.79 69 111	0.14 63 100	1.03 107	2.74 70 113	3.20 51 108	3.85 63 112	-5.32 48 115	10.82 47 79	107	2		
CC 23 0590 98180748	CC 22 CC 20	0031 0469	4.68	112	118	102	3.06 69 123	-0.14 62 95	1.39 111	4.63 69 123	2.00 50 104	4.12 62 113	5.45 46 90	-7.58 44 108	112	3		
CC 23 0591 98180755	CC 22 CC 20	0031 0469	4.68	112	118	104	3.01 69 123	-0.11 62 96	1.39 111	4.62 70 123	3.00 49 107	4.70 62 116	4.84 46 92	0.93 44 95	107	2		
CC 23 0592 98181191	CC 21 CC 20	0483 0438	4.84	118	119	112	2.83 67 121	0.14 61 100	1.56 112	4.85 70 124	6.20 48 120	6.69 60 125	6.90 45 87	6.88 45 85	103	2		
CC 23 0596 98181233	CC 22 CC 20	0031 0383	5.05	104	124	91	3.80 68 130	-0.14 60 96	1.77 115	6.08 70 131	-2.20 48 88	2.35 60 105	4.70 46 92	3.77 44 90	100	2		
CC 23 0605 98181803	CC 22 CC 20	0031 0375	5.47	110	129	102	3.80 68 130	0.75 60 111	2.65 124	6.40 70 133	-1.60 49 90	3.59 61 110	7.24 47 86	0.66 46 95	100	2		
CC 23 0625 98183346	CC 21 CC 20	0095 0495	6.05	106	108	97	2.30 69 116	-0.73 62 85	0.42 100	2.65 70 112	3.60 50 110	3.73 62 111	1.94 47 98	14.70 45 73	103	2		
CC 23 0633 98184971	CC 21 CC 21	0309 0353	6.85	111	122	100	3.31 69 125	0.25 58 102	1.91 116	4.56 68 123	0.70 47 99	3.98 60 112	11.82 43 76	-11.34 44 114	99	2		
CC 23 0636 98183700	CC 21 CC 20	0095 0327	5.82	106	107	99	1.90 68 112	-0.53 62 89	0.41 100	2.43 70 111	3.50 49 109	3.46 61 110	0.85 47 101	11.01 45 79	107	2		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 23 0640 98183874	CC 21 0095 CC 20 0202	5.77	101	105	94	1.74 67 111	-0.56 59 88	0.31 99	1.75 69 107	0.90 48 99	1.72 60 102	-1.02 45 105	8.43 43 83	96	2			
CC 23 0642 98183882	CC 20 0735 CC 19 0446	5.90	90	98	87	0.68 67 101	-0.54 59 88	-0.21 93	0.84 68 102	-1.30 48 91	-0.65 60 91	0.18 42 102	0.88 42 95	109	3			
CC 23 0654 98184088	CC 20 0456 CC 18 0511	4.67	112	105	113	0.84 68 103	0.55 63 107	0.97 106	1.12 69 104	6.10 50 119	5.04 62 117	8.62 47 83	-3.87 47 102	105	2			
CC 23 0658 98180789	CC 21 0095 CC 18 0341	5.27	123	110	123	1.65 71 110	0.47 66 106	1.30 110	2.30 71 110	8.20 52 127	7.05 65 126	-0.84 49 104	9.92 48 80	116	2			
CC 23 0661 98180813	CC 21 0100 CC 22 0576	6.54	105	108	104	1.40 64 108	0.41 54 105	1.10 108	2.11 66 109	1.60 44 102	2.76 56 107	1.26 42 100	8.23 42 83	99	2			
CC 23 0662 98180821	CC 21 0374 CC 22 0584	6.50	119	120	118	2.60 67 119	0.74 58 111	2.04 118	4.83 69 124	3.60 46 110	5.50 59 119	-3.73 44 111	12.45 44 76	100	2			
CC 23 0665 98181282	CC 21 0374 CC 22 0439	6.99	105	108	103	1.60 66 110	0.01 55 98	0.81 104	2.55 68 112	1.80 44 103	2.70 57 106	-5.18 43 114	19.00 42 66	102	2			
CC 23 0669 98181324	CC 21 0188 CC 22 0319	5.76	123	122	123	2.52 68 118	1.20 61 119	2.46 122	4.48 68 122	3.50 51 109	5.82 61 121	-0.56 48 104	-2.67 47 100	100	2			
CC 23 0670 98181332	CC 21 0188 CC 22 0440	5.21	129	126	126	3.21 70 125	1.14 61 118	2.75 125	4.79 71 124	4.70 50 114	7.18 62 127	-1.81 48 107	6.17 47 86	127	2			
CC 23 0672 98181837	CC 21 0374 CC 22 0395	7.12	122	114	118	2.43 68 117	-0.18 58 95	1.03 107	4.17 69 121	7.60 46 125	6.81 59 125	-4.33 45 112	11.87 44 77	100	2			
CC 23 0674 98181852	CC 22 0031 CC 20 0303	6.39	105	117	99	2.46 68 118	0.45 60 106	1.68 114	3.60 69 118	-0.90 50 93	2.37 61 105	7.15 47 86	-4.56 46 103	101	2			
CC 23 0676 98181878	CC 21 0483 CC 22 0248	5.20	127	126	122	3.33 66 126	0.80 59 112	2.47 122	5.41 69 128	6.60 45 121	8.09 58 131	6.31 43 88	6.93 43 85	111	2			
CC 23 0680 98180847	CC 20 0456 CC 21 0570	4.65	98	101	95	0.83 67 103	-0.12 60 96	0.29 99	0.95 69 103	0.30 47 97	0.89 60 98	1.92 44 98	-4.03 44 103	106	2			
CC 23 0682 98180862	CC 21 0374 CC 22 0539	6.06	113	109	111	1.74 67 111	-0.10 60 96	0.78 104	3.19 70 115	5.80 46 118	5.13 59 118	-0.28 45 103	9.46 43 81	106	2			
CC 23 0686 98185051	CC 21 0309 CC 21 0477	6.50	114	113	113	1.79 68 111	0.59 58 108	1.49 112	3.13 67 115	4.40 46 113	5.02 59 117	5.84 43 89	-5.02 44 104	100	2			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 23 0688 98181357	CC 20 0456 CC 19 0773		5.81	107	111	100	2.16 67 115	-0.05 60 97	1.03 107	2.75 69 113	1.70 50 102	3.13 60 108	4.38 47 93	-0.32 46 97	99	2		
CC 23 0690 98181373	CC 21 0483 CC 20 0692		6.67	113	129	106	3.65 66 129	0.91 58 114	2.73 125	6.04 68 131	0.00 47 96	4.56 59 115	7.66 43 85	4.82 44 88	100	2		
CC 23 0694 98181415	CC 20 0456 CC 18 0367		4.67	120	109	122	1.26 69 107	0.85 61 113	1.48 112	1.71 68 107	5.90 51 119	5.65 62 120	2.68 48 96	-7.62 47 108	100	3		
CC 23 0699 98181928	CC 21 0483 CC 21 0097		5.47	121	116	117	2.48 67 118	0.40 61 105	1.64 113	3.52 69 117	6.00 49 119	6.48 61 124	2.72 45 96	5.13 47 88	105	2		
CC 23 0706 98182348	CC 20 0456 CC 18 0457		5.79	113	118	105	2.82 70 121	0.21 63 101	1.62 113	3.90 70 119	2.70 51 106	4.65 63 115	6.92 47 87	-0.50 47 97	107	2		
CC 23 0708 98182363	CC 22 0031 CC 19 0711		5.96	95	107	86	1.90 69 112	-0.43 62 90	0.52 101	2.11 70 109	-2.00 49 88	0.27 62 95	4.28 46 93	-2.54 45 100	105	2		
CC 23 0712 98182868	CC 20 0735 CC 17 0773		6.32	83	89	81	-0.14 67 94	-1.03 57 80	-1.10 84	-0.67 69 94	0.40 46 98	-0.93 58 90	2.10 43 98	12.13 42 77	98	2		
CC 23 0732 98183775	CC 21 0483 CC 19 0117		5.54	116	125	108	3.42 67 126	0.49 60 106	2.20 119	5.55 69 128	3.40 49 109	5.94 60 121	10.49 45 79	2.43 47 92	99	2		
CC 23 0735 98183791	CC 21 0188 CC 22 0384		5.80	117	134	111	4.03 67 132	1.34 59 121	3.36 132	6.59 68 134	-1.60 49 90	4.41 60 114	0.60 47 101	11.96 46 77	100	2		
CC 23 0742 98180961	CC 20 0075 CC 22 0588		5.28	109	101	112	0.48 66 99	0.24 59 102	0.48 101	1.20 68 104	4.20 51 112	3.23 60 109	-3.31 47 110	-6.10 47 106	100	3		
CC 23 0746 98181456	CC 21 0374 CC 22 0496		5.98	113	120	112	2.47 66 118	0.89 57 113	2.12 118	4.43 69 122	0.70 46 99	3.78 58 111	-1.65 45 106	5.26 42 88	101	2		
CC 23 0757 98182009	CC 21 0483 CC 18 0564		5.24	120	110	121	1.40 69 108	0.72 62 110	1.42 111	2.20 69 110	6.50 49 121	6.03 62 122	3.62 45 94	-4.73 47 104	107	2		
CC 23 0758 98182017	CC 20 0735 CC 17 0479		4.70	94	96	92	0.44 68 99	-0.48 60 90	-0.26 93	-0.11 70 97	1.20 49 101	0.68 61 97	0.93 46 100	6.34 46 86	99	2		
CC 23 0761 98184633	CC 21 0309 CC 20 0479		6.46	107	112	102	1.95 69 113	0.26 58 102	1.23 109	3.12 68 115	2.30 47 105	3.58 60 110	9.53 43 81	-7.04 44 107	99	2		
CC 23 0765 98182413	CC 21 0095 CC 18 0517		4.68	107	101	102	1.12 69 105	-0.35 62 92	0.20 98	0.53 70 101	3.60 52 110	2.92 62 107	0.41 49 102	-1.38 48 98	99	2		

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility												
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times		
Comp no.	Sire	Dam					EBV	Acc Index	EBV	Acc Index				EBV	Acc Index	EBV	Acc Index	EBV	Acc Index		EBV	Acc Index	EBV
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
CC 23 0781 98181555	CC 21 0188 CC 22 0546		6.27	115	117	113	2.35 68	0.67 117	63	110	1.85 116	3.51 71	117	2.50 50	4.52 106	62	115	-0.92 47	105	7.56 47	84	107	2
CC 23 0782 98181563	CC 21 0374 CC 22 0430		6.19	117	104	118	1.09 68	0.02 105	60	98	0.57 102	1.65 71	107	8.90 47	6.45 130	60	124	1.04 45	100	10.92 45	79	108	2
CC 23 0797 98182470	CC 21 0483 CC 22 0074		5.69	117	121	115	2.61 66	1.13 119	58	117	2.43 122	4.09 68	120	2.30 45	5.11 105	58	117	3.44 43	95	6.72 43	85	106	2
CC 23 0802 98183015	CC 21 0483 CC 20 0314		5.07	117	116	116	2.14 66	0.71 115	58	110	1.78 115	3.28 68	116	3.60 47	5.01 110	59	117	-0.60 44	104	4.66 44	89	99	2
CC 23 0808 98183056	CC 20 0456 CC 19 0324		3.90	108	106	108	1.09 69	0.34 105	64	104	0.88 105	1.72 71	107	3.90 52	3.77 111	63	111	4.59 49	92	-0.54 48	97	109	2
CC 23 0809 98182512	CC 20 0075 CC 22 0450		6.45	111	106	107	1.53 68	-0.14 109	62	95	0.62 102	1.76 70	107	5.20 49	4.51 116	61	115	4.70 46	92	-0.63 47	97	106	2
CC 23 0816 98182587	CC 21 0100 CC 22 0417		5.20	101	109	100	1.30 65	0.88 107	55	113	1.53 112	1.49 65	106	-3.20 44	0.26 84	56	95	1.38 40	99	-9.92 41	112	101	3
CC 23 0818 98182603	CC 21 0188 CC 22 0525		5.68	123	129	122	3.21 68	1.73 124	61	128	3.34 132	5.25 69	127	0.30 51	5.13 97	61	117	-2.59 48	108	6.72 47	85	101	2
CC 23 0821 98182637	CC 21 0188 CC 22 0617		4.51	117	127	113	3.27 66	1.14 125	58	118	2.78 126	5.61 68	129	-0.50 48	4.11 94	59	113	-1.69 46	106	4.15 45	90	98	2
CC 23 0831 98183114	CC 22 0031 CC 22 0198		6.73	113	122	102	3.46 69	-0.06 127	61	97	1.68 114	5.27 69	127	1.50 48	4.31 102	61	114	3.54 47	94	0.96 47	95	104	2
CC 23 0836 98183510	CC 21 0483 CC 22 0095		6.72	116	117	112	2.50 65	0.55 118	58	107	1.80 115	3.39 68	116	3.20 46	4.97 108	58	117	2.66 44	97	4.20 45	89	99	2
CC 23 0841 98183809	CC 22 0031 CC 21 0319		5.36	106	121	90	3.73 68	-0.50 129	60	89	1.37 110	5.05 70	126	-0.30 48	3.06 95	60	108	9.00 46	82	-3.69 45	102	100	2
CC 23 0843 98183825	CC 21 0374 CC 22 0359		6.16	115	101	119	0.42 68	0.27 99	61	103	0.48 101	1.08 71	104	8.10 46	5.55 127	60	119	-1.54 45	106	8.77 42	82	116	2
CC 23 0847 98183858	CC 22 0031 CC 22 0178		6.25	94	119	84	2.97 67	0.19 122	60	101	1.68 114	4.34 68	122	-5.70 50	-0.26 74	60	93	7.81 47	85	-4.34 45	103	98	2
CC 23 0851 98183965	CC 21 0188 CC 22 0381		4.44	104	111	105	1.32 67	0.95 107	61	114	1.61 113	2.41 69	111	-0.50 51	1.97 94	61	103	3.51 48	95	-2.73 48	100	99	2

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat								EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 23 0875 98183668	CC 21 0100 CC 22 0610		7.07	121	116	123	1.89 65	1.01 112	1.95 117	3.35 68	3.50 45	5.00 109	-6.40 41	-0.01 96	105	2
CC 23 0910 98833940	CC 23 0003 CC 21 0009		2.77	95	100	97	0.34 62	0.33 52	0.50 101	0.85 63	-1.20 40	-0.06 53	-1.84 33	2.12 93	99	2
CC 23 0916 98834062	CC 23 0003 CC 19 0631		2.77	106	105	110	0.60 64	0.68 53	0.98 106	1.61 66	0.90 41	1.82 54	-5.38 33	-3.01 39	97	2
CC 23 0918 98834104	CC 23 0003 CC 18 0566		2.77	116	112	119	1.36 65	0.95 56	1.63 113	3.10 66	4.40 41	4.96 56	-0.11 34	2.51 92	107	2
CC 23 0924 98834229	CC 23 0003 CC 20 0043		2.77	102	108	105	0.94 63	0.87 53	1.34 110	1.78 65	-0.90 41	1.27 54	-3.17 36	10.17 39	101	2
CC 24 0003 99761710	CC 22 0043 CC 20 0101		5.69	126	125	124	2.97 69	0.98 60	2.46 122	5.55 69	6.00 46	7.55 60	6.45 44	-7.66 42	136	2
CC 24 0009 99761751	CC 21 0188 CC 22 0067		4.25	96	109	92	1.64 66	0.25 58	1.07 107	1.89 68	-2.60 50	0.32 59	2.61 48	4.28 43	97	1
CC 24 0013 99792707	CC 20 0075 CC 22 0143		5.33	108	92	108	0.14 66	-0.85 57	-0.78 87	-0.33 68	8.10 47	4.16 58	-1.68 45	-0.71 41	98	1
CC 24 0014 99761959	CC 21 0515 CC 18 0540		5.28	101	104	97	1.19 69	-0.01 58	0.59 102	0.99 69	0.40 48	1.43 60	3.05 46	-5.70 44	109	2
CC 24 0015 99792723	CC 20 0075 CC 18 0589		5.54	104	103	102	1.09 68	0.10 62	0.64 103	0.85 68	2.10 50	2.45 62	2.52 46	2.47 47	122	2
CC 24 0021 99761785	CC 21 0374 CC 21 0013		5.57	121	116	124	1.90 68	1.16 60	2.11 118	3.12 68	4.30 47	5.64 60	-3.24 43	7.41 42	122	2
CC 24 0050 99762726	CC 21 0188 CC 21 0015		5.31	108	110	109	1.45 67	0.63 59	1.35 110	2.42 69	2.20 50	3.40 60	2.32 49	3.76 43	97	1
CC 24 0063 99762072	CC 21 0025 CC 22 0555		6.39	108	109	106	1.49 66	0.40 56	1.14 108	2.58 68	1.60 47	2.85 58	3.18 47	-11.64 40	97	1
CC 24 0064 99762080	CC 22 0043 CC 19 0052		6.03	104	104	105	0.88 67	0.11 57	0.55 102	1.95 68	3.30 47	2.97 59	2.85 44	0.08 44	110	2
CC 24 0070 99762247	CC 21 0188 CC 22 0191		4.88	116	119	118	2.09 68	1.23 61	2.27 120	3.94 68	2.10 51	4.58 61	-2.37 48	9.39 48	112	2



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
CC 24 0091 99763021	CC 21 0374 CC 19 0056	4.46	107	114	110	1.57 69 109	0.98 60 115	1.77 115	3.17 69 115	0.80 49 99	3.04 61 108	-2.81 46 109	20.51 45 64	112	2					
CC 24 0092 99763039	CC 22 0043 CC 19 0557	5.46	111	114	110	1.85 67 112	0.68 57 110	1.61 113	3.43 69 117	3.00 44 107	4.33 58 114	7.27 43 86	-4.61 36 103	102	1					
CC 24 0093 99763047	CC 22 0043 CC 19 0557	5.46	109	112	108	1.67 67 110	0.52 57 107	1.36 110	3.09 69 115	3.10 44 108	4.05 58 113	7.61 43 85	-4.40 36 103	101	1					
CC 24 0105 99793309	CC 20 0735 CC 23 0080	4.17	96	104	90	1.48 64 109	-0.42 53 91	0.32 99	1.91 65 108	-1.00 42 92	0.46 55 96	-1.69 42 106	7.78 35 84	98	1					
CC 24 0108 99763294	CC 22 0043 CC 19 0143	5.95	95	105	93	1.08 65 105	0.15 54 101	0.70 103	1.52 68 106	-0.20 45 95	1.12 56 99	9.47 44 81	-3.85 37 102	98	1					
CC 24 0110 99763344	CC 21 0188 CC 19 0248	5.67	96	97	96	0.32 68 98	-0.06 61 97	0.11 97	0.09 69 98	0.40 52 98	0.51 62 96	0.37 49 102	-0.32 49 97	106	2					
CC 24 0115 99763385	CC 22 0043 CC 22 0614	7.22	100	116	89	2.89 65 122	-0.44 55 90	1.01 107	4.88 64 125	-0.60 43 94	2.10 56 104	9.89 40 80	-11.36 40 114	106	2					
CC 24 0119 99763401	CC 21 0515 CC 21 0435	7.01	111	113	106	2.19 67 115	0.33 58 104	1.43 111	2.25 67 110	2.60 48 106	4.08 59 113	6.64 45 87	-2.33 44 100	113	2					
CC 24 0133 99761942	CC 21 0025 CC 18 0689	5.76	109	111	104	2.01 68 113	0.06 58 99	1.06 107	2.80 69 113	2.80 48 107	3.75 60 111	5.40 48 90	-4.55 40 103	97	1					
CC 24 0142 99792962	CC 20 0735 CC 23 0004	4.47	95	102	91	1.03 64 104	-0.24 53 94	0.28 99	1.06 66 104	-0.20 42 95	0.68 55 97	2.36 43 97	5.88 36 87	98	1					
CC 24 0153 99762395	CC 21 0188 CC 22 0484	4.90	100	112	98	1.82 67 112	0.60 60 108	1.51 112	2.40 68 111	-2.10 50 88	1.16 60 99	-0.18 47 103	13.86 47 74	109	2					
CC 24 0157 99762429	CC 22 0043 CC 22 0499	6.49	135	136	131	4.06 66 132	1.62 56 126	3.65 135	7.56 68 136	4.60 44 114	8.44 57 133	4.94 42 91	-11.81 42 115	124	2					
CC 24 0172 99762577	CC 21 0025 CC 22 0444	6.46	120	122	118	2.59 66 119	1.08 57 117	2.38 121	4.44 68 122	2.10 48 104	4.94 58 117	1.87 48 98	-12.52 40 116	98	1					
CC 24 0190 99762817	CC 22 0043 CC 20 0317	5.64	108	110	108	1.52 66 109	0.43 57 105	1.18 108	2.91 68 114	3.20 44 108	3.86 57 112	5.47 44 90	-1.90 37 99	100	1					
CC 24 0193 99762841	CC 21 0025 CC 22 0669	7.16	101	108	96	1.63 65 110	0.07 54 99	0.89 105	1.98 67 109	-1.10 44 92	1.05 56 99	4.33 44 93	-15.08 37 120	98	1					



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamberd
Comp no.	Sire	Dam	Dir					Mat	EBV								
	EBV	Acc	Index					EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 24 0199 99762908	CC 21 0374 CC 20 0442		4.91	109	103	113	0.68 67	0.36 56	0.70 103	1.52 69	5.30 46	4.22 58	-0.52 45	10.44 37	97	1	
CC 24 0204 99762957	CC 21 0374 CC 21 0019		5.09	103	104	103	0.96 66	0.44 55	0.92 106	0.86 68	-0.10 46	1.33 57	-1.57 45	0.29 39	98	1	
CC 24 0208 99763070	CC 21 0374 CC 21 0473		16.69	113	98	115	0.42 67	-0.15 58	0.06 96	0.55 69	7.30 45	4.65 58	-4.18 45	3.92 39	98	1	
CC 24 0321 106805930	CC 22 0454 CC 20 0469		6.27	113	109	111	1.66 65	0.20 51	1.03 107	2.09 66	4.80 41	4.74 54	1.75 40	3.99 31	98	1	
CC 24 0327 106743438	CC 21 0095 CC 23 0110		5.63	130	118	123	3.02 66	-0.10 58	1.41 111	4.59 67	9.30 46	8.50 58	1.01 46	-2.56 40	107	1	
CC 24 0331 106743479	CC 20 0456 CC 21 0400		4.62	106	113	104	1.84 65	0.57 56	1.48 112	3.02 68	0.20 46	2.52 57	2.61 46	-0.89 40	100	1	
CC 24 0335 106743511	CC 21 0188 CC 21 0454		5.47	133	130	125	3.98 68	0.86 61	2.85 126	6.15 70	5.70 50	8.26 61	1.97 48	-1.21 43	109	1	
CC 24 0337 106743537	CC 21 0188 CC 20 0389		3.92	114	111	117	1.36 67	0.89 59	1.57 112	2.29 69	4.50 49	4.95 60	0.43 48	11.18 41	100	1	
CC 24 0343 106743578	CC 21 0025 CC 20 0468		6.34	111	114	104	2.40 67	-0.04 57	1.16 108	3.47 69	2.90 48	4.10 59	4.49 47	-5.96 38	100	1	
CC 24 0344 106743586	CC 21 0095 CC 18 0367		4.80	126	110	124	1.83 68	0.25 59	1.17 108	1.92 69	8.90 50	7.42 60	-1.52 49	4.22 42	100	1	
CC 24 0345 106743594	CC 21 0095 CC 18 0367		4.80	133	114	132	2.03 69	0.63 62	1.64 113	2.48 70	11.20 50	9.38 62	-0.24 49	4.23 42	110	1	
CC 24 0356 106805997	CC 22 0454 CC 20 0076		6.76	120	109	121	1.34 66	0.88 55	1.55 112	1.10 68	5.40 42	5.46 56	-0.48 41	5.26 33	110	1	
CC 24 0357 106743693	CC 21 0515 CC 19 0631		5.94	117	112	117	1.69 67	0.72 55	1.56 112	2.49 68	3.40 45	4.45 57	-2.10 44	-1.07 37	99	1	
CC 24 0360 106743719	CC 22 0031 CC 19 0711		5.96	97	113	86	2.70 67	-0.39 57	0.96 106	3.37 68	-2.80 47	0.63 59	5.15 46	-3.61 39	100	1	
CC 24 0361 106743727	CC 20 0456 CC 22 0357		6.87	109	108	106	1.60 66	0.10 56	0.90 105	2.08 67	3.30 46	3.68 58	4.66 46	-5.84 40	99	1	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 24 0363 106743743	CC 21 0025 CC 21 0054		4.97	98	109	92	1.78 66 111	-0.04 56 97	0.85 105	2.40 68 111	-2.10 47 88	0.48 58 96	3.18 47 95	-7.20 39 108	99	1		
CC 24 0366 106743776	CC 21 0515 CC 22 0628		6.97	117	120	112	2.81 65 121	0.55 53 107	1.95 117	4.39 67 122	2.70 42 106	4.98 55 117	2.88 42 96	-4.16 34 103	99	1		
CC 24 0371 106743826	CC 21 0095 CC 22 0122		3.72	113	100	111	0.96 66 104	-0.59 59 88	-0.11 95	1.20 68 104	7.00 46 123	4.58 59 115	-2.54 45 108	-7.09 38 107	106	1		
CC 24 0375 106743867	CC 20 0456 CC 20 0529		6.48	106	113	104	1.89 65 112	0.46 56 106	1.40 111	3.10 68 115	-0.30 46 95	2.16 57 104	-1.71 45 106	3.27 37 91	99	1		
CC 24 0384 106743941	CC 20 0456 CC 20 0444		6.60	105	109	102	1.55 66 109	0.31 57 103	1.08 107	1.95 68 108	0.30 47 97	2.04 58 103	0.52 45 101	-0.50 37 97	99	1		
CC 24 0385 106743958	CC 21 0095 CC 20 0692		5.47	105	114	93	2.87 66 121	-0.59 56 88	0.85 105	3.72 68 118	0.50 46 98	2.58 58 106	2.12 45 98	1.98 36 93	100	1		
CC 24 0389 106743990	CC 21 0515 CC 23 0140		6.70	112	116	104	2.73 66 120	0.01 53 98	1.37 110	3.59 67 118	3.20 42 108	4.66 55 115	8.28 44 84	-5.18 35 104	101	1		
CC 24 0390 106744006	CC 20 0456 CC 21 0384		5.31	115	119	114	2.34 66 116	0.98 56 115	2.15 119	4.10 68 120	2.10 47 104	4.58 58 115	5.05 46 91	-6.56 40 107	102	1		
CC 24 0394 106744048	CC 20 0456 CC 22 0594		6.93	101	108	99	1.41 65 108	0.35 54 104	1.05 107	1.85 67 108	-0.80 44 93	1.28 56 100	0.21 44 102	5.47 38 87	100	1		
CC 24 0395 106744055	CC 21 0515 CC 19 0410		4.97	132	120	129	2.78 69 120	0.55 59 107	1.94 116	4.24 63 121	8.80 46 130	8.61 60 133	0.51 45 101	-1.92 37 99	111	1		
CC 24 0399 106744097	CC 21 0025 CC 18 0457		6.04	107	113	104	1.96 69 113	0.57 59 108	1.55 112	2.52 70 112	0.10 50 96	2.59 61 106	4.34 49 93	-5.86 42 105	101	1		
CC 24 0400 106744105	CC 21 0025 CC 18 0457		6.04	105	110	100	1.80 69 111	0.23 59 102	1.13 108	2.22 70 110	0.30 50 97	2.21 61 104	4.34 49 93	-5.86 42 105	100	1		
CC 24 0402 106744121	CC 21 0095 CC 21 0548		3.72	101	94	100	0.27 66 97	-0.55 57 88	-0.42 91	-0.28 67 96	4.20 48 112	2.24 58 104	0.28 46 102	-1.22 44 98	97	2		
CC 24 0404 106744147	CC 21 0025 CC 19 0456		6.55	115	123	112	2.78 68 120	1.28 58 120	2.67 124	4.15 68 121	-0.50 50 94	3.76 60 111	4.84 49 92	-9.54 42 111	100	1		
CC 24 0411 106744204	CC 22 0597 CC 23 0572		7.39	105	112	103	1.89 65 112	0.37 52 104	1.31 110	3.26 67 116	0.60 37 98	2.62 54 106	1.15 38 100	4.25 29 89	108	1		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 24 0418 106744261	CC 21 0025 CC 19 0021		5.28	101	114	97	1.95 67 113	0.82 54 112	1.80 115	2.55 68 112	-2.90 47 85	1.03 57 99	8.55 49 83	-13.30 42 117	90	1		
CC 24 0428 106744360	CC 22 0031 CC 20 0438		6.05	97	111	83	2.84 67 121	-1.10 57 79	0.32 99	4.02 69 120	0.00 47 96	1.74 59 102	6.72 47 87	0.94 38 95	97	1		
CC 24 0430 106744386	CC 21 0515 CC 20 0615		6.39	104	112	100	1.88 67 112	0.52 55 107	1.46 111	2.29 66 110	-0.20 45 95	2.27 57 104	8.33 45 84	-8.78 35 110	99	1		
CC 24 0431 106744394	CC 21 0095 CC 22 0527		5.78	112	103	108	1.33 67 107	-0.58 57 88	0.09 97	1.76 68 107	7.30 47 124	5.14 59 118	2.48 47 97	2.04 41 93	98	1		
CC 24 0434 106744428	CC 21 0188 CC 22 0525		5.68	130	131	131	3.26 68 125	1.93 61 131	3.56 134	5.25 69 127	3.10 48 108	7.05 61 126	-0.59 47 104	4.73 42 89	110	1		
CC 24 0438 106744469	CC 21 0515 CC 19 0067		5.93	102	100	101	0.63 67 101	-0.03 56 97	0.29 99	0.67 68 101	3.90 46 111	2.94 58 107	8.12 46 84	-2.25 38 100	98	1		
CC 24 0444 106744527	CC 21 0025 CC 19 0476		5.14	96	102	86	1.62 67 110	-0.84 58 83	-0.03 95	1.35 69 105	0.00 48 96	0.78 59 98	7.42 48 86	-14.05 41 119	99	1		
CC 24 0448 106744568	CC 20 0456 CC 19 0353		5.28	102	94	105	-0.12 67 94	0.00 58 98	-0.06 95	-0.56 67 95	4.70 49 114	2.70 59 106	3.10 48 95	2.84 47 92	97	2		
CC 24 0456 106744626	CC 21 0188 CC 18 0309		5.08	100	102	100	0.63 67 101	0.40 59 105	0.72 103	0.15 68 99	0.50 50 98	1.33 60 100	3.58 48 94	0.72 43 95	100	1		
CC 24 0460 106744642	CC 22 0031 CC 19 0789		6.46	110	122	99	3.49 68 127	-0.03 61 97	1.71 114	5.24 68 127	0.60 49 98	3.81 61 111	5.77 48 89	-3.48 43 102	103	1		
CC 24 0465 106806060	CC 22 0454 CC 22 0532		6.75	103	103	98	1.25 64 106	-0.11 50 96	0.52 101	0.40 66 100	0.80 40 99	1.62 53 101	2.30 40 97	-6.07 31 106	99	1		
CC 24 0468 106744709	CC 22 0031 CC 22 0451		5.62	114	129	104	3.93 66 131	0.56 56 108	2.52 123	6.10 68 131	-0.90 46 93	3.95 58 112	5.64 46 90	-6.00 40 106	101	1		
CC 24 0470 106744717	CC 22 0031 CC 22 0487		5.92	109	121	96	3.57 67 128	-0.19 56 95	1.59 113	5.10 68 126	0.30 47 97	3.56 58 110	8.27 47 84	-8.92 41 110	99	1		
CC 24 0473 106806094	CC 22 0454 CC 23 0138		6.50	108	116	105	2.14 63 115	0.96 47 115	2.03 117	2.49 63 111	-1.30 37 91	2.32 51 105	3.10 38 96	-0.98 27 98	101	1		
CC 24 0479 106744782	CC 22 0031 CC 22 0589		7.07	109	120	100	3.00 66 122	0.35 56 104	1.85 116	4.19 68 121	-0.20 47 95	3.23 58 109	7.35 47 86	-6.27 41 106	99	1		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV		EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 24 0480 106744790	CC 21 0188 CC 22 0381		4.44	115	122	111	2.75 66 120	0.98 58 115	2.35 121	4.52 68 123	0.20 49 97	3.84 59 112	1.29 48 100	-2.53 42 100	101	1			
CC 24 0481 106744808	CC 21 0095 CC 22 0497		5.45	120	108	113	2.10 66 114	-0.45 58 90	0.61 102	1.93 68 108	6.80 45 122	5.74 58 120	-3.20 45 110	3.62 38 90	111	1			
CC 24 0482 106744816	CC 22 0031 CC 22 0493		6.30	114	125	104	3.63 66 128	0.33 56 104	2.14 119	5.58 68 129	0.30 46 97	4.14 58 113	4.44 47 92	-6.33 40 106	99	1			
CC 24 0484 106744832	CC 21 0025 CC 22 0379		6.43	104	109	99	1.72 66 111	0.04 56 98	0.90 105	2.51 67 112	0.50 47 98	2.06 58 103	4.02 48 93	-13.71 40 118	98	1			
CC 24 0487 106744865	CC 22 0031 CC 19 0207		5.49	103	118	91	3.19 67 124	-0.12 57 96	1.48 112	3.90 69 119	-2.50 47 86	1.58 59 101	5.00 46 91	-5.77 40 105	100	1			
CC 24 0489 106744881	CC 21 0515 CC 20 0314		5.31	127	121	121	3.01 67 123	0.57 57 108	2.07 118	4.39 68 122	5.60 43 117	6.93 58 126	1.46 44 99	-5.19 33 104	108	1			
CC 24 0495 106744931	CC 21 0515 CC 19 0371		6.64	116	106	114	1.39 68 108	0.20 58 101	0.89 105	1.46 69 106	6.50 45 121	5.49 59 119	3.52 45 95	-1.39 37 98	107	1			
CC 24 0504 106745011	CC 21 0188 CC 22 0178		4.35	113	129	108	3.48 67 127	1.21 59 119	2.95 127	5.54 68 128	-2.70 50 86	3.07 60 108	1.26 48 100	-1.01 42 98	100	1			
CC 24 0508 106745037	CC 21 0188 CC 21 0353		4.16	111	118	106	2.56 67 118	0.53 59 107	1.81 115	3.72 68 118	1.30 50 101	3.87 60 112	3.88 49 94	1.26 43 94	99	1			
CC 24 0516 106806177	CC 22 0454 CC 20 0413		6.34	123	122	117	2.96 64 122	0.92 50 114	2.40 121	3.51 58 117	2.80 41 107	5.56 53 119	2.25 40 97	-3.19 30 101	101	1			
CC 24 0523 106745128	CC 21 0374 CC 23 0484		7.01	96	97	96	0.48 65 99	-0.51 53 89	-0.28 93	0.80 68 102	2.00 42 104	1.16 55 99	-3.77 43 111	12.77 36 76	98	1			
CC 24 0533 106745201	CC 22 0597 CC 23 0531		6.76	107	112	108	1.60 64 110	0.69 48 110	1.49 112	3.20 67 115	1.30 37 101	3.07 52 108	0.56 38 101	6.90 29 85	99	1			
CC 24 0534 106745219	CC 22 0392 CC 23 0562		5.10	109	100	108	0.80 66 102	-0.22 54 94	0.18 98	0.75 66 102	6.20 38 120	4.30 55 114	-0.10 39 103	10.55 30 79	105	1			
CC 24 0535 106745227	CC 21 0374 CC 23 0647		5.98	125	130	117	4.13 66 133	0.48 54 106	2.54 123	6.99 67 136	3.80 43 111	6.89 56 126	1.16 44 100	2.04 37 93	99	1			
CC 24 0536 106745235	CC 21 0374 CC 23 0647		5.98	122	127	114	3.77 66 130	0.37 54 104	2.25 120	6.36 68 133	3.90 43 111	6.48 56 124	3.15 44 95	1.60 37 94	99	1			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd	
Comp no.	Sire	Dam	Dir EBV Acc Index					Mat EBV Acc Index	EBV Index				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				EBV Acc Index
										Active Breed Average:										
CC 24 0538 106747413		CC 22 0447 CC 23 0322	2.28	112	107	119	0.59 58 100		1.20 46 119	1.50 112	1.63 51 107	3.10 35 108		3.65 48 111	-1.56 39 106		-0.50 28 97		100	1
CC 24 0551 106745375		CC 22 0597 CC 23 0670	5.99	116	119	116	2.26 63 116		1.12 48 117	2.25 120	3.79 62 119	1.50 38 102		4.28 51 114	-0.95 38 105		5.12 30 88		101	1
CC 24 0555 106747454		CC 22 0447 CC 23 0308	2.28	107	103	113	0.27 58 97		0.90 46 113	1.03 107	1.01 62 103	3.20 35 108		3.09 48 108	1.88 39 98		-0.89 28 98		100	1
CC 24 0557 106745383		CC 22 0597 CC 23 0670	5.99	121	126	116	3.31 63 125		0.91 48 114	2.56 123	5.16 64 126	1.90 38 103		5.36 51 119	-0.38 39 103		3.30 30 91		100	1
CC 24 0561 106745433		CC 22 0031 CC 19 0560	3.98	107	123	98	3.36 67 126		0.28 59 103	1.96 117	5.47 68 128	-1.50 46 90		2.74 59 107	4.74 45 92		-4.46 39 103		108	1
CC 24 0564 106745458		CC 22 0031 CC 23 0087	3.67	109	125	97	3.78 67 130		0.23 55 102	2.12 118	5.44 67 128	-1.30 44 91		3.23 57 109	7.61 46 85		-3.18 39 101		101	1
CC 24 0570 106745516		CC 21 0095 CC 23 0180	4.92	116	95	113	0.68 67 101		-0.89 60 82	-0.55 90	0.07 69 98	10.10 48 135		5.85 60 121	-2.33 47 108		0.70 40 95		107	1
CC 24 0571 106745524		CC 21 0095 CC 18 0118	4.22	109	105	104	1.46 67 108		-0.21 58 94	0.52 101	1.46 69 106	4.20 49 112		3.77 59 111	3.71 47 94		-2.13 40 100		101	1
CC 24 0574 106745540		CC 20 0456 CC 22 0422	6.11	112	117	104	2.79 66 121		0.18 58 101	1.57 113	3.69 67 118	0.60 45 98		3.33 58 109	0.21 45 102		-5.60 39 105		109	1
CC 24 0576 106745565		CC 21 0515 CC 20 0406	6.06	126	108	122	1.79 68 111		-0.08 58 96	0.81 104	1.81 58 108	9.70 44 133		7.53 59 129	1.90 44 98		-6.54 40 107		110	2
CC 24 0580 106745607		CC 22 0031 CC 20 0550	4.61	110	122	104	3.05 65 123		0.57 53 108	2.09 118	5.19 67 126	-0.50 44 94		3.32 56 109	4.30 46 93		-4.71 44 104		90	2
CC 24 0585 106745656		CC 21 0025 CC 22 0389	5.53	109	118	105	2.48 67 118		0.69 57 110	1.93 116	3.95 68 120	-0.20 47 95		3.05 59 108	3.41 48 95		-3.30 40 101		101	1
CC 24 0588 106745680		CC 20 0456 CC 20 0200	5.91	97	98	97	0.36 60 98		0.00 57 98	0.18 98	0.17 61 99	1.00 48 100		0.96 56 98	2.82 44 96		-3.52 41 102		99	1
CC 24 0589 106745698		CC 20 0456 CC 20 0200	5.91	95	93	99	-0.39 66 91		0.09 57 99	-0.10 95	-0.79 59 93	1.30 48 101		0.48 58 96	0.89 47 101		-1.30 41 98		99	1
CC 24 0591 106806235		CC 22 0454 CC 20 0501	6.22	103	104	99	1.27 65 107		-0.04 51 97	0.60 102	0.93 58 103	2.00 41 104		2.43 54 105	4.71 39 92		-1.51 29 99		99	1

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir		Wean Weight Mat		Comb		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
Comp no.		Sire Dam						EBV Acc Index		EBV Acc Index		EBV Index		EBV Acc Index		EBV Acc Index		EBV Acc Index		EBV Acc Index		EBV Acc Index			
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 24 0596 106745748		CC 21 0515 CC 18 0492	6.42	104	101	101	0.88 67 103	-0.16 56 95	0.29 99	0.51 61 101	3.00 46 107	2.53 58 106	2.35 46 97	-2.56 38 100	99	1									
CC 24 0597 106745755		CC 21 0515 CC 18 0492	6.42	110	107	107	1.55 67 109	0.07 56 99	0.85 105	1.91 67 108	3.30 46 109	3.61 58 111	1.40 46 99	-2.16 38 100	99	1									
CC 24 0604 106745821		CC 21 0374 CC 23 0511	6.62	107	115	104	2.27 65 116	0.25 53 102	1.38 110	4.03 68 120	1.10 43 100	3.17 55 109	-1.17 44 105	11.28 37 78	99	1									
CC 24 0612 106745904		CC 22 0043 CC 23 0818	5.29	112	123	108	2.89 64 121	0.95 51 114	2.39 121	5.13 66 126	-0.30 41 95	3.65 54 111	3.65 42 94	-0.39 34 97	99	1									
CC 24 0623 106747637		CC 22 0392 CC 23 0658	4.73	110	103	109	1.17 65 106	-0.15 51 95	0.44 100	1.36 66 105	5.90 40 119	4.57 54 115	0.77 41 101	10.33 31 80	98	1									
CC 24 0627 106747488		CC 22 0447 CC 23 0315	2.28	110	104	115	0.49 58 99	0.72 46 110	0.96 106	1.31 62 105	3.50 35 109	3.30 48 109	-2.57 39 108	-0.59 28 97	99	1									
CC 24 0637 106746050		CC 22 0043 CC 23 0509	5.26	117	129	109	3.79 63 130	0.53 46 107	2.43 122	6.80 65 135	0.50 40 98	4.62 51 115	1.97 42 98	-4.82 31 104	90	1									
CC 24 0643 106746100		CC 22 0597 CC 23 0777	7.77	95	95	96	0.12 64 96	-0.29 48 93	-0.24 93	0.35 65 100	1.20 37 101	0.54 52 96	-2.59 39 108	4.33 37 89	96	2									
CC 24 0646 106746126		CC 22 0392 CC 23 0841	5.11	103	109	95	2.07 64 114	-0.41 50 91	0.63 102	2.57 67 112	1.90 39 103	2.80 53 107	4.56 40 92	5.05 30 88	100	1									
CC 24 0647 106747520		CC 22 0447 CC 23 0286	2.28	117	112	122	1.17 58 106	1.31 46 121	1.89 116	2.40 62 111	3.20 35 108	4.39 48 114	-1.91 39 107	-1.90 28 99	100	1									
CC 24 0653 106746183		CC 22 0043 CC 23 0467	6.08	108	112	104	2.00 64 113	0.08 52 99	1.08 107	3.31 65 116	3.10 41 108	3.94 54 112	5.34 41 90	2.03 34 93	98	1									
CC 24 0656 106746217		CC 21 0515 CC 22 0340	5.18	108	111	101	2.23 66 115	-0.31 53 92	0.81 104	3.28 67 116	2.50 43 106	3.42 56 110	-0.75 43 104	7.71 35 84	99	1									
CC 24 0663 106746266		CC 22 0597 CC 23 0573	7.68	104	109	105	1.26 65 107	0.61 48 108	1.24 109	2.48 66 111	0.70 38 99	2.30 52 104	0.74 39 101	5.94 30 87	101	1									
CC 24 0668 106746316		CC 22 0043 CC 23 0836	5.89	109	119	102	2.89 63 122	0.17 50 101	1.62 113	4.72 65 124	1.10 40 100	3.72 53 111	5.78 40 89	-1.88 33 99	99	1									
CC 24 0672 106746357		CC 22 0597 CC 23 0483	7.25	111	118	111	2.12 64 114	0.92 48 114	1.98 117	4.08 67 120	2.10 37 104	4.30 52 114	5.29 38 91	3.73 29 90	101	1									

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean		Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lamberd
Comp no.		Sire	Dam					Dir	Mat	Comb				EBV	EBV	EBV	EBV	Acc	Acc		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 24 0673 106746365		CC 21 0374 CC 23 0550	7.08	102	103	102	0.98 66 104	-0.17 55 95	0.32 99	2.02 66 109	2.90 45 107	2.55 57 106	-1.77 44 107	12.25 41 77	106	2					
CC 24 0681 106746449		CC 22 0392 CC 23 0746	5.35	109	105	105	1.45 65 108	-0.22 53 94	0.51 101	2.02 65 109	4.60 38 114	3.99 54 112	0.94 39 100	6.65 29 86	103	1					
CC 24 0682 106746456		CC 21 0374 CC 23 0765	5.03	108	105	107	1.22 67 106	-0.03 57 97	0.58 102	1.65 67 107	3.60 46 110	3.35 58 109	-2.60 44 108	7.05 44 85	114	2					
CC 24 0691 106747538		CC 22 0447 CC 23 0418	2.28	108	105	113	0.58 60 100	0.74 47 111	1.03 107	1.55 60 106	3.20 35 108	3.24 49 109	-0.35 38 103	-0.84 30 97	99	1					
CC 24 0695 106746563		CC 22 0031 CC 18 0341	6.04	116	132	105	4.27 68 134	0.68 59 110	2.82 126	6.71 68 135	-0.60 51 94	4.60 61 115	6.83 48 87	-2.79 48 101	100	2					
CC 24 0696 106746571		CC 22 0031 CC 18 0341	6.04	112	119	104	3.01 69 123	0.12 61 100	1.63 113	4.57 68 123	2.80 49 107	4.81 61 116	5.72 48 90	6.74 48 85	104	2					
CC 24 0704 106746647		CC 22 0392 CC 23 0847	4.85	96	110	89	1.96 63 113	-0.11 44 96	0.88 105	2.60 65 112	-2.00 39 88	0.65 50 97	4.25 40 93	3.75 31 90	90	1					
CC 24 0709 106747561		CC 22 0447 CC 23 0403	1.99	111	111	118	0.92 59 103	1.46 47 123	1.91 116	2.24 62 110	3.20 33 108	4.29 48 114	6.40 39 88	-1.54 30 99	101	1					
CC 24 0733 106746902		CC 22 0392 CC 23 0682	5.36	111	109	106	1.98 64 113	-0.28 50 93	0.71 103	2.97 66 114	5.10 38 116	4.76 53 116	0.92 39 100	8.94 30 82	99	1					
CC 24 0735 106746928		CC 22 0597 CC 23 0851	6.31	102	110	104	1.19 64 106	0.78 48 111	1.37 110	2.42 65 111	-0.60 38 94	1.61 52 101	1.74 38 99	0.59 30 95	100	1					
CC 24 0755 106747108		CC 20 0456 CC 22 0531	5.88	101	113	93	2.50 64 118	-0.12 51 96	1.13 108	3.03 66 114	-1.60 43 90	1.42 54 100	-1.34 45 106	13.12 38 75	90	1					
CC 24 0758 106747132		CC 21 0095 CC 23 0163	10.95	108	105	98	2.09 65 114	-0.99 54 81	0.06 96	1.84 67 108	2.80 46 107	2.78 56 107	-3.23 46 110	-5.17 39 104	99	1					
CC 24 0759 106747140		CC 21 0025 CC 23 0181	6.71	112	112	109	1.85 65 112	0.50 55 107	1.42 111	2.84 60 113	2.40 47 105	3.79 57 111	4.92 48 91	-14.46 39 119	100	1					
CC 25 0003 108937350		LM 22 1140 LM 21 1090	2.09	91	97	90	0.35 47 98	-0.06 24 97	0.12 97	-0.26 50 96	0.00 10 96	0.29 30 95	6.54 38 88	6.23 39 86	0						
CC 25 0005 108937368		CC 21 0025 CC 22 0444	6.46	120	121	117	2.54 66 118	1.01 57 115	2.28 120	4.18 67 121	2.40 47 105	5.00 58 117	3.88 48 94	-13.41 40 118	104	1					

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0007 108936931	CC 21 0095 CC 21 0604	5.13	104	102	94	1.78 66 111	-1.06 56 80	-0.17 94	1.54 66 106	3.10 46 108	2.59 58 106	-0.31 47 103	-0.04 39 96	102	1			
CC 25 0008 108891177	CC 22 0031 CC 22 0187	6.00	98	117	89	2.80 66 121	-0.12 55 96	1.28 109	4.53 66 123	-2.70 44 86	1.06 57 99	5.79 45 89	-3.22 38 101	103	1			
CC 25 0016 108937376	CC 21 0095 CC 22 0131	5.46	119	109	114	1.84 66 112	-0.03 57 97	0.89 105	2.03 66 109	5.60 47 117	5.17 58 118	-0.86 46 104	-7.41 40 108	104	1			
CC 25 0021 108937251	CC 21 0188 CC 23 0126	5.56	102	109	96	1.86 66 112	-0.05 57 97	0.89 105	2.31 67 110	-0.80 47 93	1.34 58 100	0.54 47 101	-3.29 42 101	103	1			
CC 25 0022 108937269	CC 21 0188 CC 21 0203	3.81	121	115	123	1.84 67 112	1.03 59 116	1.95 117	3.23 68 116	4.90 49 115	5.80 60 121	-0.82 48 104	3.51 43 91	104	1			
CC 25 0026 108937293	CC 21 0188 CC 21 0161	3.88	96	98	98	0.24 67 97	0.19 58 101	0.31 99	0.36 67 100	0.70 49 99	0.85 59 98	1.15 48 100	5.71 40 87	102	1			
CC 25 0028 108937285	CC 21 0188 CC 21 0678	5.03	95	104	91	1.22 66 106	-0.02 57 97	0.59 102	1.22 67 104	-1.70 48 89	0.18 58 95	2.09 47 98	1.04 42 94	100	1			
CC 25 0031 108937236	CC 21 0188 CC 23 0108	5.55	106	115	99	2.45 65 117	0.33 53 104	1.55 112	3.01 67 114	-1.60 45 90	1.82 56 102	0.43 44 102	-0.84 41 97		0			
CC 25 0032 108937400	CC 21 0515 CC 21 0712	5.88	109	110	102	2.08 65 114	-0.12 48 96	0.92 106	2.58 65 112	2.60 39 106	3.52 52 110	2.96 38 96	-1.19 34 98		0			
CC 25 0033 108937004	CC 21 0515 CC 21 0439	6.34	108	107	106	1.47 65 108	0.11 49 100	0.85 105	2.19 66 110	3.80 40 111	3.87 53 112	5.19 39 91	-1.13 35 98		0			
CC 25 0037 108891276	CC 23 0043 CC 22 0571	5.16	131	128	130	3.06 63 123	1.77 42 129	3.30 131	4.58 65 123	3.60 35 110	6.99 48 126	1.23 33 100	-5.71 32 105		0			
CC 25 0038 108891284	CC 23 0043 CC 22 0571	5.16	134	133	130	3.81 63 130	1.66 42 127	3.57 134	5.49 65 128	3.60 35 110	7.64 48 129	1.23 33 100	-5.71 32 105		0			
CC 25 0039 108937038	CC 21 0188 CC 20 0442	4.24	112	112	111	1.80 66 111	0.49 56 106	1.39 111	2.93 68 114	3.40 48 109	4.33 58 114	1.17 44 100	8.17 40 83		0			
CC 25 0040 108937046	CC 21 0188 CC 20 0442	4.24	116	116	115	2.07 67 114	0.80 59 112	1.84 115	3.44 68 117	3.50 50 109	4.98 60 117	0.55 48 101	8.30 40 83	105	1			
CC 25 0042 108937152	CC 21 0188 CC 20 0640	2.35	116	124	116	2.64 66 119	1.54 58 125	2.86 126	4.35 67 122	-0.60 48 94	3.82 59 111	-0.47 47 104	1.85 40 93	105	1			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility														
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lamberd				
Comp no.	Sire	Dam					EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36											
CC 25 0045 108937129	CC 21 0188 CC 19 0707		5.14	101	108	101	1.29 66	0.64 56	1.28 109	1.51 68	1.06	-1.10 48	1.27 58	0.53 45	5.21 43	88					0				
CC 25 0046 108891318	CC 22 0031 CC 22 0157		6.35	88	97	78	1.26 66	-1.30 55	-0.67 89	1.04 67	1.03	-0.40 44	-0.28 57	6.44 45	-0.15 38	96	100			1					
CC 25 0049 108937186	CC 21 0515 CC 21 0626		4.48	117	124	113	3.05 64	0.95 48	2.47 122	4.99 65	1.25	1.30 39	4.78 52	2.38 42	1.93 33	93	90			1					
CC 25 0050 108891326	CC 22 0031 CC 21 0536		5.80	102	108	93	2.17 65	-0.55 51	0.54 101	2.52 67	1.12	1.50 42	2.52 54	5.97 41	0.25 39	96			0						
CC 25 0052 108891334	CC 23 0043 CC 21 0419		4.92	121	124	116	3.08 63	0.99 43	2.53 123	4.64 65	1.23	1.40 36	4.91 49	2.12 39	-10.62 32	113	90			1					
CC 25 0053 108891342	CC 23 0043 CC 22 0573		5.28	124	124	119	3.17 63	0.83 42	2.42 122	4.69 65	1.24	4.50 33	6.70 48	4.25 31	-0.92 30	98			0						
CC 25 0057 108891375	CC 22 0031 CC 22 0668		6.11	97	113	85	2.70 63	-0.43 49	0.92 106	3.61 66	1.18	-2.10 41	1.01 53	7.12 39	-1.14 37	98			0						
CC 25 0058 108937202	CC 21 0095 CC 22 0214		4.73	102	102	94	1.53 65	-0.70 55	0.06 96	0.85 66	1.02	1.40 45	1.67 57	-2.00 45	5.09 37	88	104			1					
CC 25 0060 108937053	CC 21 0095 CC 21 0043		5.92	95	94	89	0.71 66	-1.13 57	-0.78 87	0.24 67	0.99	2.80 48	1.26 58	1.63 47	3.16 38	91	102			1					
CC 25 0061 108891391	CC 23 0043 CC 21 0312		4.47	113	119	108	2.72 63	0.60 42	1.96 117	4.09 65	1.20	1.70 33	4.34 48	6.90 31	-5.64 30	105			0						
CC 25 0062 108937061	CC 21 0095 CC 21 0117		5.10	102	98	98	0.96 66	-0.65 57	-0.17 94	0.57 67	1.01	3.70 48	2.53 58	0.97 48	2.24 40	93	101			1					
CC 25 0070 108937087	CC 21 0025 CC 22 0572		6.60	114	109	115	1.27 66	0.81 53	1.44 111	1.86 67	1.08	2.70 46	3.70 56	-0.19 45	-8.77 41	110			0						
CC 25 0071 108937095	CC 21 0188 CC 23 0874		4.98	112	108	114	1.14 66	0.66 55	1.23 109	1.77 66	1.07	3.90 45	4.14 57	0.01 45	4.72 38	89	117			1					
CC 25 0073 108891466	CC 23 0043 CC 21 0373		5.51	96	104	95	0.89 63	0.42 42	0.86 105	1.00 65	1.03	-2.10 34	0.05 48	4.52 32	-8.11 30	109			0						
CC 25 0076 108937210	CC 21 0188 CC 22 0047		5.42	102	110	98	1.90 65	0.13 54	1.08 107	2.53 67	1.12	0.00 47	2.02 57	2.49 44	5.37 42	88			0						

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc		Acc
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 25 0077 108891482		CC 22 0031 CC 19 0416	5.46	89	106	79		1.88 67 112	-0.64 54 87	0.30 99	2.04 68 109	-3.70 46 82	-0.98 57 89	3.84 43 94	1.96 41 93					0	
CC 25 0078 108936998		CC 21 0025 CC 23 0031	5.33	103	111	98		1.91 65 113	0.24 51 102	1.20 109	2.58 66 112	-0.50 43 94	1.85 55 102	5.75 43 89	-11.11 39 114					0	
CC 25 0083 108891516		CC 21 0374 CC 21 0074	6.34	107	99	106		0.72 67 101	-0.36 56 92	0.00 96	0.58 67 101	6.40 47 121	4.20 58 113	2.42 45 97	6.80 40 85	115				1	
CC 25 0088 108937426		CC 21 0025 CC 20 0101	6.36	105	103	107		0.60 67 100	0.43 55 105	0.73 103	1.26 68 105	2.90 47 107	2.77 58 107	4.21 45 93	-10.09 41 112					0	
CC 25 0091 108937442		CC 21 0095 CC 21 0433	5.14	122	108	120		1.53 65 109	0.21 53 102	0.98 106	1.65 67 107	7.80 46 126	6.42 56 123	-0.10 43 103	-1.61 41 99					0	
CC 25 0092 108937459		CC 21 0095 CC 21 0433	5.14	121	106	119		1.44 65 108	0.11 53 100	0.83 105	1.34 67 105	7.80 46 126	6.22 56 123	-0.10 43 103	-1.61 41 99					0	
CC 25 0094 108937475		CC 21 0515 CC 22 0413	6.59	118	104	115		1.32 66 107	-0.18 50 95	0.48 101	1.54 66 106	7.90 41 126	5.88 54 121	0.73 40 101	-0.70 36 97					0	
CC 25 0096 108891532		CC 22 0031 CC 23 0093	4.11	103	117	92		2.96 65 122	-0.23 54 94	1.25 109	4.19 66 121	-0.60 44 94	2.37 56 105	6.16 46 89	-0.26 39 97	104				1	
CC 25 0097 108891540		CC 23 0043 CC 20 0495	4.57	106	120	98		2.99 65 122	0.36 50 104	1.86 116	4.33 65 122	-0.90 40 93	2.81 53 107	6.99 39 87	1.95 31 93	102				1	
CC 25 0102 108891565		CC 23 0043 CC 23 0144	5.17	112	117	108		2.42 63 117	0.74 41 111	1.95 117	3.15 65 115	0.60 34 98	3.52 48 110	4.56 32 92	-6.96 31 107					0	
CC 25 0104 108891581		CC 22 0031 CC 21 0563	7.13	106	120	98		3.05 66 123	0.14 52 100	1.66 114	5.19 68 126	-0.40 43 94	2.95 55 107	4.15 42 93	0.70 39 95					0	
CC 25 0106 108937533		CC 21 0515 CC 23 0058	4.05	115	114	109		2.38 65 117	0.13 49 100	1.32 110	3.15 66 115	3.20 42 108	4.43 54 114	1.19 44 100	-3.25 35 101	90				1	
CC 25 0107 108937541		CC 21 0188 CC 23 0816	4.81	108	116	104		2.18 64 115	0.77 51 111	1.86 116	2.98 66 114	-1.60 43 90	1.99 54 103	-0.85 41 104	-0.30 40 97					0	
CC 25 0109 108937558		CC 21 0095 CC 23 0557	5.76	107	100	103		1.05 64 105	-0.50 50 89	0.03 96	0.76 66 102	5.00 42 115	3.56 54 110	-0.22 41 103	5.65 38 87					0	
CC 25 0111 108891615		CC 22 0031 CC 22 0387	6.65	95	109	85		2.26 65 116	-0.62 54 87	0.51 101	3.13 66 115	-1.40 44 91	0.79 56 98	3.28 45 95	6.35 39 86	104				1	

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat								EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0115 108937582	CC 21 0188 CC 22 0612	4.18	111	121	105	2.95 65	0.67 122	52	2.15 119	4.25 67	-0.70 45	3.20 55	0.94 109	2.09 43	2.09 93	0
CC 25 0119 108937624	CC 21 0188 CC 21 0022	3.21	96	107	93	1.43 66	0.16 108	55	0.87 105	1.74 67	-1.40 48	0.75 91	3.24 97	6.68 45	6.68 85	0
CC 25 0120 108937632	CC 21 0188 CC 21 0032	5.89	103	102	105	0.59 66	0.43 100	55	0.72 103	0.88 67	1.90 48	2.15 103	1.20 104	2.73 45	2.73 92	0
CC 25 0124 108937657	CC 21 0188 CC 19 0052	5.76	106	99	114	-0.12 67	0.70 94	56	0.64 102	0.04 68	4.10 49	3.03 112	-2.44 108	8.37 46	8.37 83	0
CC 25 0128 108937673	CC 21 0025 CC 23 0471	6.54	97	101	92	1.07 64	-0.33 105	50	0.21 98	0.93 66	0.50 43	1.04 98	6.55 44	-9.46 38	-9.46 111	0
CC 25 0132 108937699	CC 21 0095 CC 23 0121	5.50	120	109	116	1.91 66	-0.17 112	56	0.79 104	2.58 66	7.50 47	6.25 125	-2.15 123	6.70 47	6.70 107	103 1
CC 25 0134 108891706	CC 21 0374 CC 19 0056	4.46	109	115	111	1.81 66	0.83 112	53	1.73 114	3.51 68	1.60 45	3.60 102	-1.90 110	15.79 42	15.79 107	0
CC 25 0135 108891714	CC 23 0043 CC 22 0191	5.08	121	128	119	3.17 63	1.39 124	44	2.97 128	5.35 65	1.20 39	5.28 101	2.24 50	-3.19 32	-3.19 101	90 1
CC 25 0136 108891722	CC 23 0043 CC 22 0191	5.08	124	127	122	3.11 63	1.39 124	44	2.95 127	5.26 65	2.60 36	6.06 106	2.98 49	-3.04 32	-3.04 101	0
CC 25 0140 108891763	CC 22 0597 CC 24 0091	6.68	102	109	104	1.21 64	0.66 106	48	1.26 109	2.51 65	0.30 37	2.05 97	-0.54 52	11.61 38	11.61 104	103 1
CC 25 0141 108891789	CC 22 0392 CC 24 0015	4.02	105	104	102	1.29 63	-0.14 107	45	0.51 101	1.27 65	3.40 36	3.19 109	2.39 50	6.08 35	6.08 97	0
CC 25 0144 108891805	CC 23 0902 CC 24 0003	4.62	114	117	117	1.76 62	1.14 111	38	2.03 117	3.89 64	2.40 30	4.35 105	1.82 45	-2.90 27	-2.90 101	90 1
CC 25 0145 108937707	CC 21 0025 CC 22 0090	6.56	97	100	100	0.29 65	0.24 97	51	0.38 102	0.86 66	1.10 43	1.18 100	3.61 55	-5.57 42	-5.57 94	0
CC 25 0146 108937715	CC 21 0025 CC 20 0179	6.80	100	101	92	1.39 66	-0.84 108	53	-0.14 94	1.40 68	2.20 45	1.88 104	4.48 56	-8.58 44	-8.58 92	0
CC 25 0147 108891813	CC 22 0031 CC 23 0686	5.95	106	118	96	3.05 65	-0.16 123	50	1.37 110	4.46 66	0.40 41	3.13 98	7.28 54	-3.79 40	-3.79 86	0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times Lambd
Comp no.		Sire	Dam					Dir	Mat			EBV	EBV	EBV	EBV	Acc	Acc			
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0148 108937723		CC 21 0515 CC 23 0117		6.49	108	110	101	2.08 64 114	-0.14 47 95	0.90 105	2.95 66 114	2.30 39 105	3.32 52 109	4.15 39 93	-5.21 35 104		0			
CC 25 0154 108891912		CC 21 0374 CC 21 0462		5.52	95	94	98	-0.13 64 94	-0.05 49 97	-0.12 94	-0.12 67 97	1.80 41 103	0.90 53 98	-1.73 38 106	12.11 36 77		0			
CC 25 0157 108937780		CC 21 0025 CC 23 0910		4.19	95	102	93	0.89 63 103	0.01 48 98	0.45 101	1.24 65 105	-1.60 41 90	-0.06 52 94	2.15 40 98	-8.18 37 109		0			
CC 25 0162 108892084		CC 22 0392 CC 24 0142		5.83	99	101	95	1.09 62 105	-0.41 42 91	0.13 97	0.95 65 103	2.20 34 104	1.99 48 103	2.31 34 97	7.79 27 84		0			
CC 25 0167 108937806		CC 21 0025 CC 23 0113		6.39	109	112	104	1.95 65 113	0.33 52 104	1.30 110	2.74 67 113	0.80 45 99	2.75 55 107	3.06 44 96	-11.37 41 114		0			
CC 25 0168 108891938		LM 22 1507 CC 22 0553		2.15	100	107	102	0.90 65 103	0.79 42 112	1.24 109	1.68 65 107	-1.50 32 90	0.79 49 98	1.00 29 100	-6.02 29 106	104	1			
CC 25 0175 108891987		CC 23 0902 CC 24 0153		4.26	99	107	102	0.90 62 103	0.84 38 113	1.29 110	1.72 64 107	-1.60 31 90	0.78 46 98	-1.70 29 106	7.93 28 83		0			
CC 25 0181 108892043		LM 22 1507 CC 21 0054		1.85	100	103	104	0.48 64 99	0.63 35 109	0.87 105	1.19 65 104	-0.20 28 95	0.99 45 99	-3.17 27 110	3.41 29 91		0			
CC 25 0182 108892118		CC 22 0031 CC 19 0557		5.94	104	114	97	2.36 66 117	0.14 54 100	1.32 110	3.24 68 116	0.20 46 97	2.62 57 106	6.63 44 87	-1.19 41 98		0			
CC 25 0185 108892142		LM 22 1507 CC 21 0009		1.95	95	96	100	-0.21 64 93	0.41 35 105	0.31 99	-0.27 65 96	-0.10 28 96	0.14 45 95	-1.79 28 107	2.45 29 92		0			
CC 25 0189 108892183		LM 22 1507 CC 22 0415		1.87	113	106	116	0.97 65 104	0.57 36 108	1.06 107	1.81 66 108	4.80 29 114	4.42 46 114	0.82 29 101	-4.79 30 104		0			
CC 25 0196 108891870		CC 23 0043 CC 22 0409		5.79	118	126	113	3.23 62 125	1.14 41 118	2.75 125	4.88 65 125	0.70 34 99	4.79 47 116	4.83 32 92	-1.65 31 99		0			
CC 25 0199 108937848		CC 22 0031 CC 21 0015		17.68	102	111	95	2.23 66 115	-0.25 54 94	0.87 105	3.26 68 116	1.00 45 100	2.58 57 106	7.13 44 86	-2.13 41 100		0			
CC 25 0200 108892191		LM 22 1507 CC 20 0308		1.95	99	105	101	0.72 65 101	0.69 37 110	1.05 107	1.40 66 105	-1.20 30 91	0.69 46 97	0.44 29 102	-1.29 27 98		0			
CC 25 0209 108892282		LM 22 1507 CC 21 0562		2.46	95	101	95	0.60 64 100	0.21 35 102	0.51 101	1.00 66 103	-1.50 28 90	-0.09 45 94	-0.02 29 103	-1.47 29 98		0			



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.		Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
								Acc Index	Acc Index	Index	Index	Index	Index	Index	Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0211 108892308		LM 22 1507 CC 22 0451	2.06		110	108	116	0.65 64	1.13 101	1.46 35	1.96 118	1.11	1.96 65	2.00 104	2.98 45	-2.50 108	-2.33 30	100	0
CC 25 0212 108892316		LM 22 1507 CC 22 0525	2.08		117	116	122	1.49 64	1.53 109	2.28 36	2.87 124	1.20	2.87 66	2.40 105	4.46 114	-0.89 105	1.40 29	94	0
CC 25 0215 108892662		LM 22 1507 CC 19 0734	2.64		93	102	94	0.50 65	0.45 99	0.70 37	0.70 106	1.03	0.70 66	-2.80 31	-0.73 46	0.02 30	0.72 102	32 95	0
CC 25 0219 108892704		LM 22 1507 CC 22 0589	2.43		112	108	119	0.65 64	1.30 101	1.62 36	1.72 120	1.13	1.72 66	2.40 30	3.39 109	-1.28 30	-2.88 105	31 101	0
CC 25 0220 108892712		CC 22 0031 CC 23 0674	29.26		100	118	87	3.27 64	-0.29 125	1.35 50	4.44 93	1.10	4.44 66	-2.30 42	1.61 54	7.93 85	-3.55 39	102	0
CC 25 0221 108892720		CC 22 0031 CC 23 0720	5.95		103	107	92	2.20 64	-0.91 115	0.19 49	2.52 82	0.98	2.52 66	2.50 41	2.79 53	3.99 93	2.13 37	93	0
CC 25 0225 108893009		LM 22 1507 CC 19 0609	1.57		108	104	117	0.05 65	1.13 95	1.15 39	1.71 117	1.08	1.71 67	3.30 33	3.16 48	0.17 102	-5.91 32	106	0
CC 25 0227 108893025		LM 22 1507 CC 21 0522	3.09		111	117	112	1.92 65	1.19 113	2.15 39	3.45 119	1.19	3.45 66	0.30 33	3.29 48	1.74 99	-2.48 32	100	0
CC 25 0236 108892399		LM 22 1507 CC 22 0579	1.65		113	107	119	0.72 64	0.88 101	1.24 36	2.28 113	1.09	2.28 66	4.30 30	4.18 45	-2.72 109	3.19 30	91	0
CC 25 0244 108892795		CC 22 0031 CC 23 0757	6.25		108	116	99	2.75 65	-0.09 120	1.29 51	3.84 96	1.09	3.84 66	1.40 42	3.50 54	6.17 89	-3.64 39	102	0
CC 25 0247 108892423		LM 22 1507 CC 22 0487	2.34		110	106	116	0.59 65	0.90 100	1.20 36	1.83 114	1.09	1.83 66	2.90 30	3.23 46	-1.64 106	-4.37 31	103	0
CC 25 0252 108892472		CC 22 0031 CC 19 0066	6.15		101	109	93	2.01 66	-0.21 113	0.80 54	2.20 94	1.04	2.20 68	-0.30 45	1.62 57	6.14 89	-6.82 40	107	0
CC 25 0261 108892563		LM 22 1507 CC 23 0180	2.44		113	101	121	0.01 65	0.85 95	0.86 37	0.76 113	1.05	0.76 66	5.80 30	4.34 46	-1.39 114	-2.37 30	100	0
CC 25 0270 108892571		LM 22 1507 CC 22 0529	2.24		102	102	105	0.46 64	0.37 99	0.60 35	1.15 104	1.02	1.15 66	1.20 28	1.55 45	-3.11 110	-0.72 29	97	0
CC 25 0271 108892589		LM 22 1507 CC 22 0565	2.31		100	107	102	0.98 64	0.78 104	1.26 34	1.46 111	1.09	1.46 65	-2.00 28	0.55 44	-2.36 108	2.96 29	91	0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambed
Comp no.	Sire	Dam	Dir					Mat	EBV				EBV	EBV	EBV	EBV			
								Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0274 108892613	LM 22 1507 CC 22 0381			1.87	104	104	108	0.56 64 100	0.66 36 109	0.94 106	1.64 66 107	1.70 29 102	2.24 45 104	1.54 30 99	-6.46 30 106			0	
CC 25 0278 108892894	LM 22 1507 CC 22 0259			2.27	107	104	113	0.36 63 98	1.03 32 116	1.21 109	1.04 64 103	1.20 23 101	2.11 42 104	-3.57 21 111	-0.26 25 97			0	
CC 25 0282 108892936	CC 22 0031 CC 20 0454			6.28	112	112	103	2.55 65 118	-0.39 53 91	0.89 105	3.13 66 115	3.90 44 111	4.51 56 115	3.76 42 94	-1.26 37 98			0	
CC 25 0300 111289047	CC 21 0512 CC 23 0633			7.41	119	123	117	2.73 64 120	1.14 41 118	2.50 123	4.55 65 123	2.30 35 105	5.25 48 118	5.53 36 90	-8.02 33 109			0	
CC 25 0301 111289054	CC 21 0512 CC 23 0818			6.54	126	127	126	2.85 63 121	1.74 43 128	3.16 130	4.92 66 125	2.10 36 104	5.85 49 121	-1.67 37 106	1.01 34 95			0	
CC 25 0304 111289195	CC 21 0512 CC 23 0685			6.63	106	109	107	1.21 63 106	0.63 42 109	1.24 109	2.24 66 110	1.00 36 100	2.44 49 105	0.55 37 101	-1.71 33 99			0	
CC 25 0309 111289278	CC 21 0512 CC 23 0574			5.35	115	111	113	1.79 64 111	0.27 43 103	1.17 108	2.67 66 112	4.50 36 113	4.76 49 116	0.24 37 102	1.90 34 93			0	
CC 25 0310 111289286	CC 21 0512 CC 23 0574			5.35	100	91	105	-0.56 64 90	-0.04 43 97	-0.32 92	-1.20 66 91	4.50 36 113	2.10 49 104	0.24 37 102	1.90 34 93			0	
CC 25 0312 111289021	CC 21 0512 CC 19 0857			5.63	115	107	113	1.49 65 109	0.07 46 99	0.82 104	2.20 59 110	6.40 39 121	5.40 52 119	2.34 37 97	2.67 35 92			0	
CC 25 0314 111289088	CC 21 0512 CC 21 0671			5.70	124	115	122	2.16 65 115	0.63 45 109	1.71 114	3.19 66 115	6.20 37 120	6.51 51 124	0.73 37 101	-2.39 33 100			0	
CC 25 0316 111289104	CC 21 0512 CC 23 0364			2.00	101	103	105	0.41 60 99	0.64 39 109	0.84 105	1.14 63 104	1.10 28 100	1.71 45 102	3.07 35 96	-5.21 31 104			0	
CC 25 0317 111289112	CC 21 0512 CC 24 0046			6.80	108	105	109	0.86 63 103	0.50 42 107	0.94 106	1.17 66 104	2.40 35 105	2.81 48 107	1.94 37 98	-7.44 31 108			0	
CC 25 0318 111289120	CC 21 0512 CC 24 0046			6.80	108	105	109	0.89 63 103	0.56 42 108	1.01 107	1.31 66 105	2.40 35 105	2.90 48 107	1.94 37 98	-7.44 31 108			0	
CC 25 0320 111289146	CC 21 0512 CC 20 0043			5.24	100	96	109	-0.56 65 90	0.91 46 114	0.63 102	-0.79 67 93	1.60 39 102	1.31 52 100	-1.25 38 105	6.78 35 85			0	
CC 25 0321 111289153	CC 21 0512 CC 23 0670			6.51	124	119	125	2.12 64 114	1.27 43 120	2.33 121	3.36 66 116	4.30 36 112	5.97 49 121	-1.28 38 105	0.74 34 95			0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0322 111289161	CC 21 0512 CC 23 0670	6.51	124	118	126	2.04 64	1.34 114	2.35 43	3.34 121	2.35 121	3.34 66	4.30 36	5.95 112	49	-1.28 105	0.74 34	95	0
CC 25 0326 111289237	CC 21 0512 CC 22 0327	5.34	123	123	123	2.61 64	1.27 119	44	1.20	2.57 123	4.30 66	3.70 37	6.10 110	50	0.70 101	4.86 34	88	0
CC 25 0327 111289245	CC 21 0512 CC 23 0809	6.47	118	114	118	1.84 64	0.80 112	43	1.12	1.71 114	2.92 66	4.60 36	5.39 114	49	1.97 98	-2.66 34	100	0
CC 25 0328 111289351	CC 21 0512 CC 23 0809	6.47	121	117	119	2.21 64	0.82 115	43	1.12	1.93 116	3.50 66	4.60 36	5.79 114	49	1.97 98	-2.66 34	100	0
CC 25 0330 111289377	CC 21 0512 CC 23 0851	6.27	118	121	119	2.32 63	1.38 116	43	1.22	2.54 123	4.13 66	1.70 37	4.72 102	49	1.38 99	-3.71 34	102	0
CC 25 0332 111289328	CC 21 0512 CC 23 0457	4.08	122	123	120	2.81 64	1.01 121	43	1.15	2.41 122	4.66 66	2.90 36	5.56 107	49	-0.10 103	-2.80 33	101	0
CC 25 0334 111289344	CC 21 0512 CC 22 0430	5.75	121	111	122	1.54 65	0.58 109	45	1.08	1.35 110	2.53 66	7.60 38	6.68 125	51	2.94 96	2.31 35	92	0
CC 25 0337 111289625	CC 21 0512 CC 20 0332	4.46	127	119	131	1.95 66	1.42 113	47	1.23	2.40 121	3.92 67	6.40 40	7.22 121	53	1.47 99	-2.36 33	100	0
CC 25 0340 111289476	CC 21 0512 CC 20 0311	5.42	130	122	128	2.87 65	0.68 121	46	1.10	2.12 118	4.97 67	7.60 38	8.11 125	51	-0.20 103	-1.03 31	98	0
CC 25 0342 111289641	CC 21 0512 CC 22 0583	5.54	122	117	122	2.06 64	0.99 114	44	1.15	2.02 117	3.17 66	5.00 37	6.05 115	50	0.83 101	2.74 33	92	0
CC 25 0343 111289658	CC 21 0512 CC 22 0583	5.54	117	110	122	1.00 64	1.17 104	44	1.18	1.67 114	1.95 66	5.00 37	5.18 115	50	0.83 101	2.74 33	92	0
CC 25 0345 111289674	CC 21 0512 CC 23 0140	6.52	116	115	113	2.14 64	0.60 115	43	1.08	1.67 114	3.17 66	3.10 36	4.60 108	49	2.55 97	-5.44 33	105	0
CC 25 0346 111289682	CC 21 0512 CC 23 0140	6.52	118	117	114	2.38 64	0.69 117	43	1.10	1.89 116	3.67 66	3.10 36	4.94 108	49	2.55 97	-5.44 33	105	0
CC 25 0348 111289831	CC 21 0512 CC 23 0636	6.74	113	110	113	1.55 64	0.54 109	43	1.07	1.31 110	2.47 66	3.70 36	4.31 110	49	0.05 102	3.15 33	91	0
CC 25 0349 111289849	CC 21 0512 CC 22 0531	5.59	109	115	109	1.90 64	0.95 112	43	1.14	1.90 116	2.96 66	0.30 37	3.03 108	50	-1.10 105	11.80 33	77	0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0350 111289856	CC 21 0512 CC 23 0644		5.71	107	109	104	1.63 63 110	0.19 42 101	1.00 106	2.21 65 110	1.80 36 103	2.90 49 107	1.28 37 100	1.57 33 94		0
CC 25 0353 111289955	CC 21 0512 CC 23 0679		6.25	93	91	95	-0.45 63 91	-0.11 41 96	-0.34 92	-1.36 65 90	1.80 35 103	0.52 48 96	5.94 36 89	-8.28 32 109		0
CC 25 0359 111289534	CC 21 0512 CC 21 0393		6.43	109	96	111	0.08 65 96	0.13 45 100	0.17 98	-0.47 67 95	6.30 38 120	3.99 51 112	3.47 37 95	-2.56 34 100		0
CC 25 0361 111289559	CC 21 0512 CC 23 0533		5.84	112	108	111	1.39 64 108	0.43 43 105	1.13 108	1.75 66 107	3.70 36 110	4.04 49 113	0.39 37 102	2.34 33 92		0
CC 25 0363 111289575	CC 21 0512 CC 23 0578		4.88	115	111	118	1.33 64 107	0.86 43 113	1.53 112	2.38 66 111	3.60 37 110	4.36 50 114	-3.04 37 109	3.06 34 91		0
CC 25 0365 111289690	CC 21 0512 CC 23 0680		7.35	109	107	111	1.00 63 104	0.69 42 110	1.19 108	1.62 66 107	2.10 35 104	2.95 48 107	0.59 36 101	-4.36 33 103		0
CC 25 0369 111289732	CC 21 0512 CC 23 0708		6.42	108	111	107	1.58 64 109	0.60 43 108	1.39 111	2.37 66 111	1.00 36 100	2.78 49 107	1.76 37 99	-3.62 33 102		0
CC 25 0371 111289757	CC 21 0512 CC 23 0372		2.00	102	104	105	0.60 60 100	0.63 39 109	0.93 106	1.24 63 105	1.10 28 100	1.89 45 103	3.07 35 96	-5.21 31 104		0
CC 25 0375 111289799	CC 21 0512 CC 23 0661		6.42	120	121	120	2.37 63 117	1.21 40 119	2.39 121	4.16 65 121	2.80 34 107	5.25 47 118	0.25 36 102	1.77 32 93		0
CC 25 0377 111289815	CC 21 0512 CC 23 0821		8.55	124	128	123	3.01 63 123	1.55 42 125	3.05 128	5.44 65 128	1.70 36 102	5.57 49 120	-1.22 37 105	-0.28 33 97		0
CC 25 0379 111289906	CC 21 0512 CC 24 0004		7.60	103	101	107	0.34 63 98	0.50 41 107	0.67 103	0.63 57 101	1.90 35 103	1.99 48 103	1.19 37 100	-6.15 31 106		0
CC 25 0380 111289914	CC 21 0512 CC 23 0751		6.12	117	116	114	2.19 63 115	0.62 42 109	1.72 114	3.41 66 117	2.70 36 106	4.43 49 114	-1.20 37 105	-3.14 33 101		0
CC 25 0381 111289898	CC 21 0512 CC 19 0207		5.25	110	109	111	1.22 65 106	0.81 45 112	1.42 111	1.46 67 106	1.50 40 102	2.92 52 107	0.89 38 101	-6.92 35 107		0
CC 25 0382 111289922	CC 21 0512 CC 20 0413		6.07	121	114	123	1.57 64 109	1.08 45 117	1.86 116	2.70 66 113	4.60 39 114	5.40 51 119	-0.23 37 103	-6.31 32 106		0
CC 25 0384 111289948	CC 21 0512 CC 23 0823		5.68	121	126	120	2.82 63 121	1.58 42 125	2.99 128	4.73 66 124	0.80 36 99	4.87 49 116	0.00 37 103	0.73 34 95		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir	Wean Weight	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI
Comp no.	Sire	Dam					EBV	Mat	EBV	EBV	EBV	EBV	EBV	EBV	Times Lambled
							Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
CC 25 0387 111289989	CC 21 0512 CC 23 0916		5.75	114	110	119	1.03 63 104	1.13 40 117	1.64 113	2.22 65 110	2.40 33 105	3.59 47 110	-3.07 33 109	-3.85 31 102	0
CC 25 0388 111289997	CC 21 0512 CC 23 0572		7.09	110	114	110	1.80 63 111	0.85 42 113	1.75 115	2.80 66 113	0.70 36 99	3.07 49 108	0.82 37 101	-1.13 33 98	0
CC 25 0389 111290003	CC 21 0512 CC 19 0004		6.25	112	112	112	1.55 65 109	0.84 46 112	1.61 113	2.12 67 109	2.00 40 104	3.58 52 110	1.56 39 99	-5.06 35 104	0
CC 25 0391 111289468	CC 21 0512 CC 21 0513		5.38	135	131	134	3.28 65 125	1.61 45 126	3.25 131	6.21 66 132	5.80 37 118	8.37 51 132	1.60 36 99	-9.00 33 110	0
CC 25 0395 111289500	CC 21 0512 CC 23 0591		5.81	122	123	117	2.99 64 122	0.79 43 112	2.29 120	4.90 66 125	3.50 36 109	5.88 49 121	2.04 37 98	-1.88 33 99	0
CC 25 0401 111186052	CC 22 0597 CC 23 0761		7.23	107	114	103	2.07 63 114	0.42 42 105	1.46 111	3.58 65 117	1.00 33 100	3.09 48 108	5.35 32 90	-2.09 29 99	0
CC 25 0402 111186060	CC 22 0392 CC 23 0475		4.95	108	107	105	1.55 63 109	-0.05 44 97	0.72 103	2.22 65 110	3.40 36 109	3.54 49 110	0.26 35 102	6.65 31 86	0
CC 25 0403 111186078	CC 22 0392 CC 23 0487		5.27	107	115	101	2.44 63 117	0.14 45 100	1.36 110	3.57 66 117	1.00 36 100	3.18 50 109	3.76 36 94	2.89 31 92	0
CC 25 0405 111186094	CC 22 0031 CC 23 0732		5.69	107	124	93	3.93 64 131	-0.24 50 94	1.73 114	5.73 66 129	-0.10 42 96	3.64 54 111	9.60 41 81	-0.06 39 96	0
CC 25 0407 111186110	CC 23 0902 CC 23 0672		4.71	117	118	115	2.46 63 118	0.53 37 107	1.76 115	4.54 64 123	3.20 30 108	4.91 45 117	-3.78 28 111	6.93 27 85	0
CC 25 0408 111186128	CC 21 0374 CC 23 0640		5.55	108	107	106	1.44 64 108	0.03 48 98	0.75 104	2.22 66 110	3.00 40 107	3.26 52 109	-3.34 39 110	10.31 36 80	0
CC 25 0412 111185427	CC 22 0031 CC 23 0662		5.55	113	128	101	4.20 64 134	0.06 50 99	2.16 119	6.62 66 134	0.00 41 96	4.27 53 114	2.49 41 97	4.95 38 88	0
CC 25 0414 111185443	CC 21 0374 CC 23 0841		6.84	111	115	103	2.65 64 119	-0.06 49 97	1.26 109	3.98 66 120	2.40 40 105	4.03 53 112	1.67 40 99	4.25 37 89	0
CC 25 0418 111185484	CC 21 0374 CC 23 0712		6.84	99	99	99	0.69 64 101	-0.33 48 92	0.02 96	1.09 66 104	2.70 40 106	1.98 52 103	-1.78 39 107	12.17 36 77	0
CC 25 0419 111185492	CC 22 0392 CC 23 0808		4.96	107	104	104	1.26 64 107	-0.12 46 96	0.51 101	1.49 66 106	4.30 37 112	3.72 51 111	3.43 36 95	4.58 31 89	0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned		TWW		AFL		ILP	EPI	Times
Comp no.		Sire	Dam					Dir	Mat		Comb	EBV	EBV	EBV	EBV	EBV			EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 25 0423 111185534		CC 22 0392 CC 23 0467	4.17	110	103	108	1.13 64 105	-0.01 46 98	0.56 102	1.10 66 104	5.90 36 119	4.66 51 115	4.14 35 93	9.64 31 81			0		
CC 25 0424 111185542		CC 22 0392 CC 23 0467	4.17	106	99	106	0.60 64 100	-0.12 46 96	0.18 98	0.15 66 99	5.90 36 119	4.02 51 112	4.14 35 93	9.64 31 81			0		
CC 25 0426 111185567		CC 22 0392 CC 23 0493	4.78	104	99	101	0.81 64 102	-0.42 45 91	-0.02 95	0.59 65 101	4.80 35 114	3.26 50 109	1.52 35 99	10.72 30 79			0		
CC 25 0430 111185609		CC 21 0374 CC 20 0307	4.44	113	108	118	0.94 66 104	0.81 52 112	1.28 109	2.30 67 110	4.20 43 112	4.27 55 114	-3.65 41 111	8.35 36 83			0		
CC 25 0432 111185625		CC 21 0374 CC 23 0611	7.47	102	97	102	0.41 64 99	-0.26 47 93	-0.06 95	0.50 66 100	4.20 38 112	2.67 51 106	1.79 38 98	1.68 36 93			0		
CC 25 0438 111186185		CC 23 0902 CC 20 0615	5.99	98	107	102	0.73 64 102	1.16 41 118	1.52 112	1.26 65 105	-3.20 35 84	-0.04 48 94	1.10 30 100	-4.72 28 104			0		
CC 25 0439 111186193		CC 22 0031 CC 23 0746	6.05	107	124	95	3.73 64 129	-0.02 50 97	1.84 115	5.57 66 128	-1.50 41 90	2.81 53 107	3.53 41 95	1.35 38 94			0		
CC 25 0440 111186201		CC 23 0902 CC 24 0172	4.27	113	118	114	2.02 62 114	1.13 36 118	2.14 119	3.88 64 119	0.40 30 98	3.40 45 110	-0.68 29 104	-5.27 26 105			0		
CC 25 0441 111186219		CC 21 0374 CC 23 0923	3.58	107	104	111	0.64 63 101	0.42 47 105	0.74 104	1.83 66 108	3.20 38 108	2.98 51 108	-3.77 37 111	5.31 35 88			0		
CC 25 0444 111185666		CC 22 0392 CC 20 0383	4.63	107	112	103	2.06 65 114	0.01 48 98	1.04 107	3.49 66 117	2.90 39 107	3.81 52 111	3.32 36 95	6.68 29 85			0		
CC 25 0446 111185682		CC 22 0392 CC 23 0699	4.29	110	105	107	1.39 63 108	-0.15 45 95	0.55 102	1.49 65 106	5.40 36 117	4.49 50 115	2.49 35 97	7.41 31 84			0		
CC 25 0447 111185690		CC 22 0597 CC 23 0797	7.15	109	116	109	1.93 63 113	0.91 42 114	1.88 116	3.49 65 117	0.90 33 99	3.38 48 109	2.30 32 97	4.79 28 88			0		
CC 25 0448 111185708		CC 22 0597 CC 23 0797	7.15	111	118	111	2.19 63 115	1.02 42 116	2.12 118	4.03 65 120	0.90 33 99	3.75 48 111	2.30 32 97	4.79 28 88			0		
CC 25 0450 111185724		CC 23 0902 CC 23 0658	4.19	111	107	114	0.89 64 103	0.72 40 110	1.16 108	1.68 64 107	3.50 32 109	3.71 47 111	-2.03 30 107	5.96 29 87			0		
CC 25 0452 111186243		CC 22 0031 CC 20 0200	5.67	98	108	93	1.68 66 110	-0.04 54 97	0.80 104	2.45 68 111	-0.90 46 93	1.10 57 99	5.29 44 91	-4.62 41 104			0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0454 111186268	CC 22 0031 CC 23 0760	6.07	104	117	91	3.23 65 125	-0.54 50 89	1.08 107	4.55 66 123	0.40 41 98	2.94 54 107	8.71 41 83	-4.28 38 103	0				
CC 25 0458 111186300	CC 22 0031 CC 23 0592	5.75	108	121	95	3.64 64 128	-0.43 51 90	1.39 111	5.34 67 127	1.30 41 101	3.99 54 112	7.81 41 85	2.17 38 93	0				
CC 25 0461 111185757	CC 22 0031 CC 23 0499	5.85	104	110	92	2.55 65 118	-0.75 51 85	0.53 101	2.91 67 114	2.30 41 105	3.18 54 109	7.01 41 87	2.13 39 93	0				
CC 25 0462 111185765	CC 22 0031 CC 23 0499	5.85	102	108	92	2.24 65 115	-0.73 51 85	0.38 100	2.48 67 111	2.30 41 105	2.88 54 107	7.01 41 87	2.13 39 93	0				
CC 25 0464 111185781	CC 22 0597 CC 22 0546	7.54	104	105	104	1.06 63 105	0.23 44 102	0.76 104	1.57 66 106	2.10 34 104	2.55 49 106	0.93 32 100	5.61 29 87	0				
CC 25 0466 111185807	CC 22 0392 CC 19 0003	6.29	102	109	100	1.61 65 110	0.17 48 101	0.98 106	2.23 67 110	1.40 40 101	2.62 53 106	3.69 37 94	10.89 33 79	0				
CC 25 0468 111185823	CC 22 0597 CC 23 0690	7.05	111	124	106	3.04 63 123	0.77 42 111	2.29 120	5.25 65 127	-0.20 33 95	3.69 48 111	4.42 32 93	3.84 28 90	0				
CC 25 0472 111185864	CC 22 0392 CC 23 0605	5.73	111	120	103	3.01 63 123	0.23 45 102	1.74 114	4.63 65 123	1.50 36 102	4.14 50 113	4.75 36 92	5.18 31 88	0				
CC 25 0473 111185872	CC 22 0597 CC 23 0542	6.62	101	112	99	1.80 63 111	0.41 42 105	1.31 110	3.29 65 116	-0.90 34 93	1.67 48 102	1.77 33 99	7.18 30 85	0				
CC 25 0475 111185898	CC 22 0597 CC 23 0531	6.76	109	115	109	1.89 63 112	0.82 42 112	1.76 115	3.43 65 117	1.30 34 101	3.48 48 110	2.06 33 98	5.89 29 87	0				
CC 25 0476 111185906	CC 22 0597 CC 24 0050	6.39	107	114	108	1.73 63 111	0.76 42 111	1.63 113	3.35 65 116	0.90 34 99	3.03 48 108	1.75 34 99	3.31 28 91	0				
CC 25 0480 111185948	CC 21 0374 CC 23 0791	7.10	106	96	109	0.05 64 95	-0.13 49 96	-0.11 95	0.22 66 99	5.50 40 117	3.22 53 109	-4.94 40 114	11.26 38 78	0				
CC 25 0482 111185963	CC 22 0597 CC 24 0092	7.39	105	110	106	1.37 63 108	0.63 41 109	1.32 110	2.80 65 113	1.30 32 101	2.78 47 107	4.22 32 93	-0.87 26 98	0				
CC 25 0486 111186003	CC 22 0392 CC 22 0342	5.08	122	111	123	1.59 64 109	0.52 47 107	1.31 110	2.82 66 113	8.20 38 127	7.02 51 126	2.30 37 97	3.41 33 91	0				
CC 25 0487 111186011	CC 21 0374 CC 20 0343	6.67	101	102	102	0.82 66 102	0.16 53 101	0.57 102	1.03 68 103	1.60 45 102	1.93 56 103	-2.36 42 108	13.94 39 74	0				



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0488 111186029	CC 21 0374 CC 20 0343		6.67	106	109	105	1.50 66 109	0.34 53 104	1.09 107	2.30 68 110	1.60 45 102	2.80 56 107	-2.36 42 108	13.94 39 74		0
CC 25 0490 111186045	CC 23 0902 CC 23 0655		5.92	109	107	111	1.01 63 104	0.82 39 112	1.33 110	1.43 64 106	2.40 31 105	3.27 46 109	2.37 29 97	-0.75 29 97		0
CC 25 0492 111186326	CC 22 0392 CC 19 0476		4.80	101	99	93	1.21 65 106	-0.86 49 83	-0.25 93	0.63 67 101	3.40 39 109	2.39 53 105	4.23 37 93	0.88 33 95		0
CC 25 0498 111186383	CC 22 0392 CC 23 0831		5.16	104	105	99	1.56 64 109	-0.33 45 92	0.45 100	1.97 65 109	3.10 36 108	3.09 50 108	2.90 35 96	5.32 31 88		0
CC 25 0500 111186409	CC 23 0902 CC 23 0875		5.86	110	109	114	1.02 62 104	0.98 37 115	1.50 112	2.22 64 110	1.20 29 101	2.73 45 106	-4.81 26 113	0.99 26 95		0
CC 25 0502 111186425	CC 22 0392 CC 21 0454		5.89	125	121	123	2.76 65 120	0.76 48 111	2.14 119	4.83 67 124	6.50 39 121	7.42 52 128	3.53 38 95	1.34 34 94		0
CC 25 0503 111186433	CC 22 0031 CC 23 0843		6.27	103	108	97	1.87 65 112	-0.38 51 91	0.56 102	2.63 67 112	2.20 41 104	2.81 54 107	3.59 41 94	3.11 38 91		0
CC 25 0504 111186441	CC 22 0031 CC 23 0843		6.27	103	107	97	1.83 65 112	-0.39 51 91	0.53 101	2.56 67 112	2.20 41 104	2.76 54 107	3.59 41 94	3.11 38 91		0
CC 25 0506 111186474	CC 23 0607 CC 24 0384		7.34	109	115	102	2.46 60 118	0.20 39 101	1.43 111	3.19 63 115	0.50 32 98	2.96 45 108	1.21 31 100	-0.45 28 97		0
CC 25 0507 111186482	CC 23 0607 CC 24 0375		7.78	113	122	106	3.14 60 124	0.44 39 105	2.01 117	4.75 63 124	0.20 32 97	3.70 45 111	0.10 31 102	1.44 28 94		0
CC 25 0508 111186490	CC 23 0607 CC 24 0344		6.76	126	124	118	3.57 61 128	0.38 40 104	2.16 119	4.89 64 125	4.80 34 114	6.83 47 125	0.19 32 102	1.91 29 93		0
CC 25 0509 111186508	CC 23 0043 CC 24 0357		5.14	118	120	113	2.66 62 119	0.86 38 113	2.19 119	3.89 64 119	1.60 31 102	4.48 46 115	2.11 31 98	-6.58 26 107		0
CC 25 0511 111186524	CC 23 0607 CC 24 0356		6.23	118	117	114	2.42 61 117	0.65 39 109	1.86 116	3.13 63 115	3.10 31 108	4.93 46 117	0.71 30 101	2.43 26 92		0
CC 25 0512 111188215	CC 23 0607 CC 24 0481		6.89	115	113	107	2.51 61 118	-0.19 40 95	1.06 107	2.83 63 113	3.70 32 110	4.54 46 115	-0.65 31 104	1.61 28 94		0
CC 25 0513 111188223	CC 23 0607 CC 24 0481		6.89	119	118	106	3.51 61 127	-0.46 40 90	1.30 110	3.82 63 119	3.70 32 110	5.27 46 118	-0.65 31 104	1.61 28 94		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lamed
Comp no.	Sire	Dam					Dir EBV	Mat EBV								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 25 0515 111186557	CC 23 0043 CC 24 0504	4.95	115	128	108	3.51 62 127	1.07 40 116	2.82 126	5.30 64 127	-1.50 33 90	3.68 47 111	3.79 32 94	-6.54 28 107		0	
CC 25 0516 111186565	CC 23 0043 CC 24 0395	4.54	123	121	118	2.81 62 121	0.71 40 110	2.11 118	4.10 63 120	4.30 31 112	6.10 46 122	3.42 31 95	-7.00 26 107		0	
CC 25 0517 111186573	CC 23 0043 CC 24 0395	4.54	128	128	118	3.98 62 132	0.54 40 107	2.53 123	5.50 63 128	4.30 31 112	7.10 46 127	3.42 31 95	-7.00 26 107		0	
CC 25 0519 111186599	CC 22 0031 CC 23 0765	5.36	101	110	88	2.54 65 118	-0.74 51 85	0.53 101	2.74 67 113	-0.10 42 96	1.74 54 102	4.56 42 92	-1.97 39 99		0	
CC 25 0522 111186623	CC 23 0902 CC 23 0807	5.47	100	100	106	0.01 63 95	0.63 39 109	0.64 103	0.54 64 101	1.40 32 101	1.48 47 101	0.01 29 103	1.65 29 94		0	
CC 25 0525 111186656	CC 23 0902 CC 24 0108	5.15	97	103	98	0.66 62 101	0.45 35 106	0.78 104	1.20 64 104	-0.70 29 93	0.69 44 97	3.12 28 95	-0.93 25 98		0	
CC 25 0527 111186672	CC 21 0374 CC 24 0097	7.01	108	107	110	1.03 64 104	0.50 48 107	1.02 107	1.92 66 108	3.00 40 107	3.33 52 109	-1.08 40 105	7.45 36 84		0	
CC 25 0528 111186680	CC 21 0374 CC 23 0518	6.38	110	114	107	2.05 65 114	0.52 49 107	1.55 112	3.17 67 115	1.70 41 102	3.59 53 110	1.43 40 99	4.93 38 88		0	
CC 25 0531 111186714	CC 23 0043 CC 24 0394	4.63	106	114	101	2.15 61 115	0.44 38 106	1.52 112	2.67 64 112	-0.60 30 94	2.23 45 104	3.27 31 95	-3.31 27 101		0	
CC 25 0532 111186722	CC 23 0607 CC 24 0385	5.90	114	125	101	3.94 60 131	-0.08 39 96	1.89 116	5.51 63 128	0.60 32 98	4.22 45 113	2.01 31 98	0.79 27 95		0	
CC 25 0534 111186748	CC 23 0607 CC 24 0369	4.99	97	110	91	1.90 60 112	-0.05 39 97	0.90 105	2.96 63 114	-2.30 33 87	0.47 46 96	2.34 32 97	-2.20 28 100		0	
CC 25 0536 111186763	CC 23 0902 CC 24 0093	4.61	102	105	106	0.72 63 101	0.69 37 110	1.05 107	1.73 64 107	0.90 29 99	1.95 45 103	2.19 27 98	-1.21 24 98		0	
CC 25 0538 111186789	CC 22 0031 CC 23 0682	5.71	100	109	91	2.21 65 115	-0.66 50 86	0.45 101	3.07 67 115	1.10 41 100	2.22 54 104	4.22 41 93	3.45 38 91		0	
CC 25 0540 111187688	CC 23 0902 CC 24 0208	4.64	104	98	110	-0.10 63 94	0.41 37 105	0.36 100	0.28 64 99	3.10 29 108	2.17 45 104	-3.70 28 111	2.95 26 91		0	
CC 25 0541 111187696	CC 22 0597 CC 23 0483	7.25	108	113	110	1.54 63 109	0.79 43 112	1.56 112	3.16 65 115	2.40 33 105	3.77 48 111	3.99 32 93	4.72 29 89		0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0542 111187704	CC 22 0597 CC 23 0483		7.25	108	112	111	1.37 63 107	0.90 43 113	1.58 113	3.08 65 115	2.40 33 105	3.70 48 111	3.99 32 93	4.72 29 89			0	
CC 25 0545 111187738	CC 22 0597 CC 23 0498		6.90	100	106	98	1.17 64 106	0.33 43 104	0.91 105	1.61 66 107	-0.10 33 96	1.44 49 101	4.72 32 92	-1.66 29 99			0	
CC 25 0546 111187746	CC 22 0597 CC 23 0498		6.90	92	96	93	0.07 64 95	0.08 43 99	0.11 97	-0.37 66 96	-0.10 33 96	0.09 49 94	4.72 32 92	-1.66 29 99			0	
CC 25 0548 111186805	CC 23 0902 CC 21 0353		4.88	106	111	108	1.25 65 106	0.99 43 115	1.62 113	2.40 65 111	0.50 36 98	2.54 50 106	4.01 32 93	-1.79 31 99			0	
CC 25 0549 111186813	CC 22 0392 CC 19 0408		6.26	101	95	101	0.20 65 97	-0.35 49 92	-0.25 93	-0.36 67 96	4.90 41 115	2.79 53 107	3.21 39 95	5.81 35 87			0	
CC 25 0550 111186821	CC 22 0392 CC 19 0408		6.26	100	93	101	-0.05 65 94	-0.35 49 92	-0.38 92	-0.72 67 94	4.90 41 115	2.53 53 106	3.21 39 95	5.81 35 87			0	
CC 25 0551 111186839	CC 22 0597 CC 24 0135		7.89	105	102	108	0.57 63 100	0.28 41 103	0.56 102	1.29 65 105	4.20 32 112	3.37 47 109	1.23 32 100	6.45 26 86			0	
CC 25 0552 111186847	CC 22 0597 CC 24 0135		7.89	104	100	109	0.27 63 97	0.35 41 104	0.49 101	0.99 65 103	4.20 32 112	3.15 47 108	1.23 32 100	6.45 26 86			0	
CC 25 0556 111187761	CC 23 0902 CC 24 0190		4.98	102	104	106	0.52 63 100	0.69 37 110	0.95 106	1.56 64 106	1.00 29 100	1.82 45 102	1.12 27 100	0.05 25 96			0	
CC 25 0558 111187787	CC 22 0031 CC 23 0455		6.31	94	99	88	1.07 65 105	-0.67 51 86	-0.14 94	0.42 67 100	0.90 42 99	0.94 54 98	6.55 42 88	-0.06 39 96			0	
CC 25 0560 111187803	CC 22 0597 CC 21 0319		6.85	106	109	103	1.57 64 109	0.19 45 101	0.98 106	2.62 66 112	2.30 36 105	3.14 50 108	5.03 33 91	-2.61 30 100			0	
CC 25 0567 111186896	CC 21 0374 CC 23 0398		2.24	105	107	105	1.29 61 107	0.23 46 102	0.87 105	2.29 63 110	1.50 36 102	2.42 49 105	-2.38 38 108	3.55 35 90			0	
CC 25 0571 111186946	CC 22 0392 CC 20 0550		4.97	108	103	113	0.44 64 99	0.71 47 110	0.93 106	1.22 66 104	3.70 38 110	3.37 51 109	1.14 37 100	0.44 31 95			0	
CC 25 0572 111186953	CC 21 0374 CC 21 0591		6.70	110	106	106	1.58 65 109	-0.35 51 92	0.44 100	2.31 67 110	4.70 41 114	4.05 54 113	-3.73 39 111	12.25 36 77			0	
CC 25 0573 111186961	CC 21 0374 CC 21 0591		6.70	103	97	103	0.54 65 100	-0.54 51 89	-0.27 93	0.52 67 101	4.70 41 114	2.82 54 107	-3.73 39 111	12.25 36 77			0	

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
Comp no.		Sire Dam						Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
								Acc	Index	Index	Index	Index	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
CC 25 0575 111186987	CC 22 0597 CC 21 0548	5.10	106	102	112	0.21 64	0.78 45	0.88 105	1.20 66	104	2.90 35	2.73 50	1.51 33	-6.53 30					0		
CC 25 0579 111187027	CC 23 0635 CC 24 0577	6.27	102	89	104	-0.44 61	-0.43 38	-0.65 89	-1.33 62	90	5.90 31	2.67 45	0.69 30	-1.38 25					0		
CC 25 0580 111187837	CC 23 0109 CC 24 0480	7.02	106	113	99	2.24 60	0.16 39	1.28 109	3.00 63	114	-0.10 33	2.35 46	3.54 33	-6.20 29					0		
CC 25 0584 111187878	CC 23 0635 CC 24 0523	6.79	97	94	99	0.01 60	-0.34 37	-0.34 92	-0.07 63	97	2.90 30	1.40 44	-1.04 30	5.35 26					0		
CC 25 0585 111187886	CC 23 0635 CC 24 0408	5.60	97	97	98	0.23 61	0.00 40	0.12 97	-0.01 64	98	1.30 33	1.02 46	-0.02 32	5.43 28					0		
CC 25 0588 111187910	CC 23 0043 CC 24 0335	5.39	121	124	115	3.25 62	0.75 41	2.37 121	4.64 65	123	2.70 32	5.62 47	4.15 32	-6.64 29					0		
CC 25 0593 111187969	CC 23 0043 CC 24 0371	3.99	111	107	109	1.49 62	0.16 40	0.90 105	2.01 64	109	3.40 31	3.68 46	1.90 31	-9.58 27					0		
CC 25 0594 111187977	CC 23 0043 CC 24 0371	3.99	110	106	109	1.31 62	0.18 40	0.84 105	1.80 64	108	3.40 31	3.54 46	1.90 31	-9.58 27					0		
CC 25 0598 111187050	CC 23 0043 CC 24 0570	4.41	112	104	110	1.14 62	0.06 40	0.63 102	1.24 64	105	4.90 32	4.14 47	2.00 32	-5.69 28					0		
CC 25 0601 111187084	CC 23 0607 CC 24 0758	5.72	116	120	105	3.38 60	-0.15 38	1.54 112	4.55 63	123	1.80 32	4.31 45	-0.66 32	-2.78 28					0		
CC 25 0604 111187118	CC 23 0607 CC 24 0656	7.81	117	124	106	3.67 60	0.13 38	1.96 117	5.48 63	128	1.60 31	4.76 45	0.58 31	3.66 27					0		
CC 25 0608 111187159	CC 23 0109 CC 24 0528	6.66	101	107	95	1.68 60	-0.09 37	0.75 104	2.08 62	109	0.20 30	1.71 44	4.28 30	-3.07 25					0		
CC 25 0612 111187191	CC 23 0607 CC 24 0343	5.85	119	126	107	3.97 61	0.16 39	2.15 119	5.72 63	129	1.80 33	5.21 46	3.20 32	-3.18 28					0		
CC 25 0615 111187225	CC 23 0635 CC 24 0608	5.99	99	102	97	0.98 60	-0.14 36	0.35 99	1.30 62	105	1.20 29	1.56 44	2.22 29	-0.17 25					0		
CC 25 0618 111187258	CC 23 0109 CC 24 0597	6.98	100	101	98	0.80 60	-0.10 39	0.30 99	0.78 53	102	1.40 32	1.54 45	3.60 32	-6.01 27					0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 25 0625 111188041	CC 23 0607 CC 24 0508		5.81	113	120	107	2.95 61 122	0.50 40 106	1.97 117	4.34 54 122	1.00 34 100	4.04 47 113	2.89 33 96	0.43 30 95			0	
CC 25 0627 111188066	CC 23 0607 CC 24 0345		6.76	126	120	119	3.02 61 123	0.42 41 105	1.93 116	4.01 63 120	5.90 34 119	6.98 47 126	0.83 32 101	1.92 29 93			0	
CC 25 0628 111188314	CC 23 0635 CC 24 0482		5.76	106	107	102	1.55 61 109	-0.03 38 97	0.75 104	2.11 63 109	2.10 32 104	2.78 45 107	3.07 31 96	-4.21 28 103			0	
CC 25 0638 111187282	CC 23 0902 CC 24 0063		4.47	106	110	109	1.19 62 106	0.88 36 113	1.47 111	2.68 63 113	0.20 30 97	2.19 45 104	-0.02 29 103	-4.82 26 104			0	
CC 25 0640 111187308	CC 23 0635 CC 24 0744		6.27	105	100	108	0.43 61 99	0.14 38 100	0.35 99	0.76 63 102	3.80 31 111	2.84 45 107	-1.49 30 106	4.16 27 90			0	
CC 25 0642 111187324	CC 23 0109 CC 24 0596		6.98	94	94	93	0.12 61 96	-0.36 39 92	-0.30 92	-0.64 61 94	1.30 32 101	0.54 46 96	4.07 32 93	-6.21 27 106			0	
CC 25 0643 111187332	CC 23 0635 CC 24 0737		6.58	92	86	98	-1.14 60 84	-0.28 37 93	-0.85 87	-1.66 63 89	2.80 31 107	0.26 44 95	-1.46 30 106	3.07 26 91			0	
CC 25 0646 111187365	CC 23 0043 CC 24 0585		4.70	117	127	108	3.66 62 129	0.77 39 111	2.60 124	5.36 64 127	-0.20 31 95	4.31 46 114	4.87 32 91	-7.69 28 108			0	
CC 25 0647 111187373	CC 23 0635 CC 24 0361		5.86	103	99	103	0.55 61 100	-0.13 38 96	0.15 97	0.40 63 100	3.60 32 110	2.58 45 106	3.18 31 95	-3.96 28 102			0	
CC 25 0650 111187407	CC 23 0109 CC 24 0538		5.75	109	111	107	1.71 59 111	0.51 35 107	1.36 110	2.71 59 113	1.30 29 101	3.00 43 108	2.12 30 98	-5.18 24 104			0	
CC 25 0651 111187415	CC 23 0635 CC 24 0588		6.87	95	91	97	-0.40 59 91	-0.23 39 94	-0.43 91	-1.11 62 92	2.40 32 105	0.81 45 98	2.26 30 97	-2.80 28 101			0	
CC 25 0653 111187431	CC 23 0635 CC 24 0617		6.72	99	95	101	0.05 60 95	-0.26 37 93	-0.23 93	0.12 63 98	3.90 29 111	2.13 44 104	2.46 29 97	-0.86 25 98			0	
CC 25 0655 111187456	CC 23 0109 CC 24 0527		6.26	101	103	97	1.16 60 106	-0.16 38 95	0.42 100	1.52 62 106	1.60 30 102	1.96 45 103	3.51 30 95	-0.82 24 97			0	
CC 25 0659 111187498	CC 23 0635 CC 24 0561		4.18	98	100	98	0.60 61 100	-0.01 39 98	0.30 99	0.96 63 103	1.20 32 101	1.32 46 100	3.22 30 95	-3.27 27 101			0	
CC 25 0661 111188074	CC 23 0607 CC 24 0611		6.02	111	116	102	2.90 60 122	-0.18 38 95	1.27 109	3.75 63 118	1.90 30 103	3.86 45 112	1.48 30 99	3.27 26 91			0	

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility						
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd		
Comp no.		Sire	Dam					Dir	Mat									EBV	EBV
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 25 0675 111187589		CC 23 0635 CC 24 0422	6.29	99	92	99	-0.15 61	-0.35 93 38	-0.43 91	-0.85 63	3.90 31	1.84 45	3.01 96 30	-2.25 25	100	0			
CC 25 0676 111187597		CC 23 0635 CC 24 0692	4.34	102	96	106	-0.13 59	0.28 94 35	0.21 98	-0.18 62	3.60 27	2.31 42	2.55 97 28	-1.04 24	98	0			
CC 25 0677 111187605		CC 23 0109 CC 24 0468	6.96	108	120	98	3.18 60	0.12 100 39	1.71 114	4.55 63	-0.70 32	2.88 45	5.72 90 32	-7.93 28	109	0			
CC 25 0681 111187647		CC 23 0607 CC 24 0571	6.42	123	129	110	4.27 61	0.26 102 40	2.39 121	6.11 63	2.50 33	6.03 46	2.81 96 32	-1.27 29	98	0			
CC 25 0683 111187662		CC 23 0109 CC 24 0646	6.12	98	103	91	1.39 60	-0.47 90 36	0.23 98	1.38 62	0.70 30	1.34 44	5.18 91 30	-2.41 24	100	0			
CC 25 0685 111188165		CC 23 0109 CC 24 0750	5.58	98	98	99	0.20 59	0.17 101 35	0.27 99	0.27 61	1.50 28	1.27 43	4.03 93 29	-4.65 24	104	0			
CC 25 0686 111188173		CC 23 0607 CC 24 0672	8.27	117	126	110	3.53 60	0.68 110 36	2.45 122	5.66 63	1.40 29	5.05 44	3.60 94 29	1.67 25	93	0			
CC 25 0688 111188199		CC 23 0635 CC 24 0604	6.12	105	106	105	1.21 60	0.19 101 37	0.80 104	2.24 63	2.40 30	2.84 44	0.26 102 30	4.60 27	89	0			
CC 25 0692 111188231		CC 23 0607 CC 24 0663	6.52	121	132	110	4.41 60	0.59 108 36	2.79 126	6.83 63	0.70 29	5.42 44	1.32 100 29	2.77 25	92	0			
CC 25 0693 111188249		CC 23 0109 CC 24 0591	6.28	101	104	96	1.37 60	-0.14 95 37	0.54 102	1.34 61	0.80 31	1.71 44	5.25 91 29	-5.69 24	105	0			
CC 25 0695 111188264		CC 23 0109 CC 24 0612	6.94	105	114	100	2.21 60	0.31 103 37	1.42 111	3.43 62	-0.40 31	2.29 44	4.72 92 31	-5.13 26	104	0			
CC 25 0696 111188272		CC 23 0635 CC 24 0436	6.78	102	102	98	1.08 61	-0.10 96 38	0.44 100	0.97 62	1.70 32	1.99 45	4.04 93 31	-4.17 28	103	0			
CC 25 0697 111188280		CC 23 0635 CC 24 0479	5.90	101	102	98	0.97 61	-0.11 96 38	0.38 100	0.89 63	1.80 32	1.94 45	4.52 92 31	-4.17 28	103	0			
CC 25 0698 111188298		CC 23 0109 CC 24 0461	5.75	100	101	102	0.49 59	0.27 103 35	0.52 101	1.03 61	1.60 29	1.72 43	3.17 95 30	-5.51 24	105	0			
CC 25 0700 111188397		LM 22 1507 CC 23 0625	2.19	103	103	104	0.82 64	0.11 100 34	0.52 101	1.44 65	2.60 26	2.49 44	-0.92 105 28	7.46 28	84	0			

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV	Acc	Acc		Acc
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
CC 25 0701 111188405	CC 23 0109 CC 24 0536		7.49	106	111	101	2.06 60 114	-0.02 38 98	1.01 107	3.12 63 115	1.70 31 102	3.06 45 108	4.47 31 92	-4.13 27 103			0		
CC 25 0703 111188421	CC 23 0109 CC 24 0690		7.36	97	99	96	0.57 60 100	-0.19 37 95	0.09 97	0.59 62 101	1.90 30 103	1.52 44 101	5.67 30 90	-2.71 25 100			0		
CC 25 0706 111188462	CC 23 0635 CC 24 0470		7.21	103	106	98	1.53 61 109	-0.23 38 94	0.54 101	1.98 63 109	2.00 32 104	2.51 45 105	4.98 31 91	-5.50 28 105			0		
CC 25 0709 111188496	CC 23 0635 CC 24 0602		4.61	99	101	97	0.89 60 103	-0.22 36 94	0.22 98	0.97 63 103	1.90 29 103	1.80 44 102	2.59 29 97	2.84 24 92			0		
CC 25 0711 111188512	CC 23 0635 CC 24 0720		5.93	104	105	102	1.18 60 106	-0.06 36 97	0.54 101	1.93 63 108	3.40 29 109	3.17 44 109	6.02 29 89	-2.57 25 100			0		
CC 25 0714 111188546	CC 23 0109 CC 24 0671		6.65	93	100	89	0.82 60 102	-0.37 36 91	0.04 96	1.09 62 104	0.20 30 97	0.57 44 97	6.15 30 89	-1.10 23 98			0		
CC 25 0715 111188553	CC 23 0043 CC 24 0438		4.96	107	110	105	1.49 62 109	0.57 39 108	1.31 110	2.20 64 110	1.80 31 103	3.14 46 108	7.23 32 86	-7.16 27 108			0		
CC 26 0004 113727606	CC 24 0301 CC 22 0090		6.80	105	104	108	0.60 61 100	0.55 41 107	0.85 105	1.33 48 105	2.60 34 106	2.71 47 106	2.28 30 97	-1.55 29 99			0		
CC 26 0006 113727622	CC 23 0600 CC 24 0014		5.84	106	104	101	1.40 62 108	-0.15 39 95	0.55 102	1.29 48 105	2.80 32 107	2.93 46 107	5.56 30 90	-7.12 28 107			0		
CC 26 0008 113727648	CC 24 0301 CC 21 0009		6.46	100	104	97	1.15 61 105	0.14 42 100	0.72 103	0.97 48 103	-0.50 35 94	0.99 48 99	1.84 32 98	-2.87 31 101			0		
CC 26 0016 113727721	CC 23 0902 CC 24 0157		4.66	121	126	120	2.96 62 122	1.28 36 120	2.76 125	5.54 55 128	1.70 29 102	5.26 44 118	0.86 27 101	-4.91 27 104			0		
CC 26 0017 113727739	CC 23 0902 CC 24 0157		4.66	117	120	119	2.17 56 115	1.32 36 121	2.40 121	4.47 55 122	1.70 29 102	4.51 42 115	0.86 27 101	-4.91 27 104			0		
CC 26 0023 113727796	CC 24 0421 CC 21 0643		6.05	106	106	103	1.42 61 108	0.02 43 98	0.73 103	1.69 49 107	3.00 36 107	3.24 48 109	4.87 33 91	-1.68 32 99			0		
CC 26 0026 113727820	CC 24 0301 CC 22 0259		4.53	111	112	109	1.70 60 111	0.69 39 110	1.54 112	2.13 47 109	0.90 32 99	2.93 45 107	0.06 26 102	-5.58 28 105			0		
CC 26 0028 113727846	CC 24 0164 CC 21 0013		4.34	117	122	115	2.70 62 120	1.16 42 118	2.51 123	4.32 49 122	0.70 34 99	4.28 48 114	1.09 31 100	-3.77 28 102			0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.		Sire	Dam					Dir	Mat			Comb	EBV	EBV	EBV			EBV
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36
CC 26 0029 113727853		CC 23 0902 CC 23 0694	5.73	110	108	114	0.88 63 103	0.93 38 114	1.36 110	1.68 55 107	2.30 32 105	3.18 46 109	-0.27 29 103	-2.82 29 101		0		
CC 26 0030 113727861		CC 23 0902 CC 20 0393	4.93	109	104	115	0.43 65 99	1.01 43 115	1.22 109	0.93 56 103	3.20 37 108	3.35 50 109	1.20 33 100	-0.45 31 97		0		
CC 26 0031 113727879		CC 24 0370 CC 21 0419	4.72	116	121	115	2.56 61 119	1.12 43 117	2.40 121	4.12 49 120	0.20 37 97	3.80 49 111	-2.39 33 108	0.31 33 96		0		
CC 26 0033 113727895		CC 24 0421 CC 23 0031	6.56	111	110	109	1.59 61 110	0.52 41 107	1.31 110	1.89 48 108	3.00 34 107	3.91 47 112	4.97 32 91	-2.36 32 100		0		
CC 26 0038 113727945		CC 24 0421 CC 20 0177	6.57	105	97	102	0.65 62 101	-0.52 45 89	-0.19 94	-0.06 51 97	5.90 38 119	3.67 50 111	5.52 34 90	-0.24 33 97		0		
CC 26 0039 113727952		CC 23 0902 CC 23 0111	4.02	121	125	124	2.46 64 118	1.82 39 129	3.05 128	4.88 55 125	1.10 33 100	4.94 47 117	-1.92 29 107	0.83 29 95		0		
CC 26 0040 113727960		CC 24 0421 CC 24 0637	6.48	110	111	108	1.77 51 111	0.41 36 105	1.29 110	2.80 47 113	2.60 31 106	3.74 41 111	3.27 30 95	-2.89 26 101		0		
CC 26 0043 113727994		CC 23 0902 CC 22 0345	5.63	110	113	112	1.46 64 108	0.95 40 114	1.68 114	3.03 55 114	1.50 34 102	3.31 48 109	-0.13 30 103	2.32 30 92		0		
CC 26 0045 113728018		CC 23 0600 CC 20 0317	6.69	115	111	114	1.62 63 110	0.61 44 109	1.42 111	2.25 49 110	4.60 37 114	4.99 50 117	4.89 33 91	-1.34 33 98		0		
CC 26 0048 113728042		CC 23 0600 CC 23 0590	6.08	114	116	104	2.97 62 122	-0.25 40 94	1.23 109	3.97 48 120	3.70 33 110	4.93 47 117	6.76 30 87	-8.06 28 109		0		
CC 26 0049 113728059		CC 23 0600 CC 23 0590	6.08	115	117	104	3.11 62 124	-0.26 40 93	1.30 110	4.17 48 121	3.70 33 110	5.07 47 117	6.76 30 87	-8.06 28 109		0		
CC 26 0051 113728075		CC 23 0902 CC 23 0557	4.62	108	110	110	1.29 63 107	0.80 38 112	1.44 111	2.39 54 111	1.20 31 101	2.81 46 107	-0.77 28 104	4.23 28 89		0		
CC 26 0055 113728117		CC 23 0600 CC 24 0695	6.25	114	120	105	3.14 62 124	0.18 39 101	1.75 115	4.42 48 122	2.30 33 105	4.70 46 116	7.45 31 86	-5.66 29 105		0		
CC 26 0059 113728158		CC 24 0421 CC 22 0013	5.35	112	103	114	0.71 59 101	0.42 40 105	0.78 104	1.22 46 104	4.70 31 114	3.95 45 112	-0.93 25 105	-2.04 24 99		0		
CC 26 0060 113728166		CC 24 0370 CC 21 0560	5.50	116	122	111	3.06 61 123	0.63 43 109	2.16 119	4.69 49 124	1.50 37 102	4.59 49 115	1.07 33 100	1.67 33 93		0		



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 26 0062 113728182	CC 23 0902 CC 23 0004		3.35	116	121	114	2.57 64 119	1.16 40 118	2.44 122	4.00 55 120	0.50 31 98	4.02 47 112	0.84 29 101	-2.60 29 100		0
CC 26 0067 113728232	CC 23 0600 CC 24 0064		5.92	109	107	105	1.64 61 110	-0.11 39 96	0.71 103	2.30 47 110	4.30 31 112	4.11 46 113	5.46 29 90	-4.23 28 103		0
CC 26 0068 113728240	CC 24 0421 CC 20 0363		5.40	102	103	101	0.93 62 103	0.04 45 99	0.51 101	1.19 50 104	3.00 38 107	2.77 50 107	4.62 33 92	6.87 31 85		0
CC 26 0069 113728257	CC 24 0370 CC 23 0558		5.63	115	123	111	3.05 60 123	0.84 40 112	2.37 121	4.46 47 122	0.40 33 98	4.14 46 113	-0.82 31 104	8.48 31 83		0
CC 26 0070 113728265	CC 24 0164 CC 21 0661		6.40	104	109	106	1.08 62 105	0.84 41 112	1.38 111	2.09 49 109	0.60 34 98	2.28 47 104	4.78 30 92	-5.21 30 104		0
CC 26 0071 113728273	CC 24 0301 CC 23 0080		5.21	116	118	111	2.49 61 118	0.71 42 110	1.95 117	3.50 49 117	1.50 33 102	4.10 47 113	1.71 32 99	-6.57 31 107		0
CC 26 0076 113728323	CC 24 0421 CC 22 0122		5.83	112	103	118	0.36 61 98	0.89 43 113	1.07 107	0.88 48 103	4.30 35 112	3.83 48 112	0.81 32 101	-9.27 31 111		0
CC 26 0078 113728349	CC 24 0370 CC 23 0113		5.34	122	129	114	3.80 61 130	0.93 42 114	2.83 126	5.59 48 129	0.40 36 98	4.97 48 117	-1.02 33 105	1.62 33 94		0
CC 26 0081 113728372	CC 23 0600 CC 23 0674		6.33	110	114	102	2.51 62 118	0.05 40 99	1.31 110	3.24 48 116	2.20 32 104	3.88 47 112	7.61 30 85	-6.54 29 107		0
CC 26 0083 113728398	CC 24 0370 CC 22 0131		5.06	124	128	121	3.24 62 125	1.37 43 122	2.99 128	5.05 48 126	1.00 36 100	5.21 49 118	-0.99 33 105	-5.33 32 105		0
CC 26 0085 113728414	CC 24 0421 CC 20 0454		6.05	116	99	119	0.36 62 98	0.31 44 103	0.49 101	-0.06 50 97	8.20 37 127	5.59 49 120	1.70 32 99	-0.46 29 97		0
CC 26 0087 113728430	CC 24 0164 CC 22 0413		7.32	114	107	113	1.39 62 108	0.19 43 101	0.89 105	2.07 49 109	5.40 35 117	4.82 48 116	1.02 32 100	-0.40 32 97		0
CC 26 0094 113728505	CC 24 0370 CC 23 0144		6.40	112	121	107	2.88 61 121	0.74 42 111	2.18 119	3.83 48 119	-0.60 35 94	3.26 48 109	0.39 32 102	2.83 32 92		0
CC 26 0095 113728513	CC 24 0164 CC 22 0178		7.68	108	124	103	2.95 62 122	1.02 43 116	2.49 122	4.70 49 124	-2.30 38 87	2.59 49 106	5.81 33 89	-4.95 31 104		0
CC 26 0100 113728562	CC 24 0301 CC 22 0565		6.09	103	112	98	1.98 62 113	0.52 41 107	1.51 112	2.22 48 110	-2.30 35 87	1.13 48 99	1.26 32 100	-2.37 31 100		0



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
Comp no.	Sire	Dam					Dir	Mat								
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 26 0102 113728588	CC 24 0421 CC 21 0054		6.47	98	97	102	-0.06 61 94	0.39 43 105	0.36 100	-0.44 49 95	1.40 36 101	1.17 48 99	1.01 32 100	2.82 32 92		0
CC 26 0103 113728596	CC 23 0600 CC 22 0451		6.83	115	112	113	1.88 62 112	0.49 41 106	1.43 111	2.75 48 113	3.90 34 111	4.71 47 116	3.42 31 95	-6.71 30 107		0
CC 26 0106 113728620	CC 23 0902 CC 22 0628		4.95	109	114	111	1.56 63 109	1.04 38 116	1.82 115	3.09 55 115	0.10 31 96	2.65 46 106	-0.35 26 103	-1.39 27 98		0
CC 26 0109 113728653	CC 24 0370 CC 20 0194		5.62	107	111	108	1.39 62 108	0.94 44 114	1.63 113	2.18 50 110	-0.20 38 95	2.21 50 104	0.35 34 102	-0.48 33 97		0
CC 26 0110 113728661	CC 24 0301 CC 24 0733		7.30	110	111	106	1.96 60 113	0.05 36 99	1.03 107	2.73 47 113	3.00 30 107	3.81 44 111	2.19 30 98	-0.74 25 97		0
CC 26 0113 113728695	CC 24 0370 CC 21 0117		6.14	111	121	107	2.79 62 121	0.85 44 113	2.25 120	4.20 49 121	-0.90 38 93	3.11 50 108	0.71 35 101	4.61 33 89		0
CC 26 0115 113728711	CC 24 0301 CC 23 0006		3.15	105	112	97	2.22 61 115	-0.01 40 98	1.10 108	2.65 48 112	-0.80 33 93	1.73 46 102	1.60 32 99	-8.18 31 109		0
CC 26 0116 113728729	CC 24 0421 CC 24 0668		6.62	105	104	104	1.00 59 104	0.25 37 102	0.74 104	1.33 47 105	2.90 31 107	2.98 44 108	5.18 30 91	-1.42 27 98		0
CC 26 0117 113728737	CC 24 0370 CC 20 0442		5.61	115	121	110	2.90 63 122	0.58 45 108	2.03 117	4.39 50 122	2.00 38 104	4.67 50 115	1.70 33 99	7.26 30 85		0
CC 26 0118 113728745	CC 24 0370 CC 20 0442		5.61	114	119	110	2.73 63 120	0.58 45 108	1.95 117	4.16 50 121	2.00 38 104	4.51 50 115	1.70 33 99	7.26 30 85		0
CC 26 0119 113728752	CC 24 0164 CC 22 0573		7.32	123	124	119	3.12 62 124	0.86 42 113	2.42 122	5.08 48 126	4.50 33 113	6.69 48 125	3.11 31 95	4.40 30 89		0
CC 26 0120 113728760	CC 24 0164 CC 22 0573		7.32	124	125	120	3.26 62 125	0.85 42 113	2.49 122	5.27 48 127	4.50 33 113	6.82 48 125	3.11 31 95	4.40 30 89		0
CC 26 0121 113728778	CC 24 0301 CC 23 0028		4.73	113	111	108	1.96 61 113	0.24 41 102	1.22 109	2.35 48 111	3.10 33 108	4.07 47 113	4.92 32 91	-11.05 31 114		0
CC 26 0122 113728786	CC 24 0301 CC 23 0028		4.73	111	109	107	1.67 61 110	0.26 41 102	1.10 107	1.96 48 109	3.10 33 108	3.79 47 111	4.92 32 91	-11.05 31 114		0
CC 26 0123 113728794	CC 23 0600 CC 23 0178		6.33	107	106	101	1.62 62 110	-0.10 41 96	0.71 103	1.48 48 106	2.60 33 106	3.09 47 108	6.02 29 89	-8.03 29 109		0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-breeding	Logix Merit Index	Growth Index	Reproduction	Dir	Wean Weight	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI
Comp no.	Sire Dam					EBV	Mat	EBV	EBV	EBV	EBV	EBV	EBV	Times Lamberd
						Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
CC 26 0124 113728802	CC 23 0600 CC 23 0178	6.33	107	107	101	1.76 62 111	-0.10 41 96	0.78 104	1.67 48 107	2.60 33 106	3.22 47 109	6.02 29 89	-8.03 29 109	0
CC 26 0128 113728844	CC 23 0600 CC 21 0404	6.15	125	120	122	2.63 64 119	0.80 44 112	2.12 118	3.87 50 119	5.20 36 116	6.55 50 124	1.58 32 99	-3.39 32 102	0
CC 26 0131 113728877	CC 24 0569 CC 25 0040	5.67	110	116	105	2.37 57 117	0.53 40 107	1.71 114	3.20 48 115	0.60 34 98	3.26 45 109	2.60 33 97	-0.71 29 97	0
CC 26 0132 113728885	CC 23 0600 CC 24 0070	5.46	113	112	111	1.87 62 112	0.47 40 106	1.40 111	2.80 48 113	3.70 33 110	4.56 47 115	2.85 31 96	0.43 30 95	0
CC 26 0133 113728893	CC 24 0370 CC 22 0487	4.94	114	119	112	2.42 62 117	0.85 43 113	2.06 118	3.79 49 119	0.70 37 99	3.69 49 111	-0.76 33 104	-0.73 33 97	0
CC 26 0134 113728901	CC 24 0164 CC 20 0373	5.46	109	109	110	1.33 63 107	0.66 42 109	1.32 110	2.17 49 110	2.20 35 104	3.30 48 109	0.46 30 101	3.73 27 90	0
CC 26 0137 113728935	CC 23 0913 CC 25 0022	4.75	118	117	122	1.75 57 111	1.36 37 121	2.23 120	3.46 46 117	3.00 31 107	4.90 43 116	-0.89 29 105	1.60 27 94	0
CC 26 0139 113728950	CC 23 0600 CC 24 0735	7.00	107	108	104	1.54 61 109	0.23 35 102	1.01 106	2.20 47 110	2.40 28 105	3.22 43 109	4.90 27 91	-3.97 23 102	0
CC 26 0140 113728968	CC 24 0301 CC 24 0551	8.46	117	121	111	2.90 59 122	0.71 36 110	2.16 119	4.22 46 121	1.20 30 101	4.33 43 114	1.26 29 100	-2.65 25 100	0
CC 26 0142 113728984	CC 24 0370 CC 24 0115	5.24	106	122	97	3.26 60 125	0.24 38 102	1.87 116	5.02 46 125	-1.70 31 89	2.48 45 105	3.94 29 94	-1.93 29 99	0
CC 26 0143 113728992	CC 24 0164 CC 22 0450	6.78	112	121	110	2.53 61 118	1.09 42 117	2.35 121	3.99 49 120	0.30 34 97	3.80 47 111	4.64 31 92	0.22 31 96	0
CC 26 0146 113729024	CC 24 0164 CC 22 0525	6.55	122	127	120	3.08 62 123	1.54 43 125	3.08 129	4.98 49 125	1.60 35 102	5.57 48 120	3.03 32 96	0.57 31 95	0
CC 26 0147 113729032	CC 23 0600 CC 23 0180	5.40	118	105	117	1.09 63 105	0.23 43 102	0.78 104	1.37 49 105	7.70 36 126	5.94 49 121	4.54 31 92	-6.75 31 107	0
CC 26 0148 113729040	CC 23 0600 CC 23 0180	5.40	118	106	118	1.23 63 106	0.22 43 102	0.84 105	1.56 49 106	7.70 36 126	6.07 49 122	4.54 31 92	-6.75 31 107	0
CC 26 0150 113729065	CC 23 0600 CC 22 0353	6.31	111	107	104	1.89 63 112	-0.55 42 88	0.40 100	2.44 49 111	5.50 33 117	4.64 48 115	6.30 30 88	-9.62 28 111	0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lamberd
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 26 0151 113729073	CC 24 0301 CC 21 0712		6.92	106	110	100	1.96 61 113	0.03 41 98	1.01 107	2.39 48 111	0.70 33 99	2.41 47 105	2.96 31 96	-5.38 29 105			0	
CC 26 0152 113729081	CC 24 0301 CC 21 0712		6.92	103	107	99	1.52 61 109	0.05 41 99	0.81 104	1.80 48 108	0.70 33 99	2.00 47 103	2.96 31 96	-5.38 29 105			0	
CC 26 0154 113729107	CC 24 0164 CC 24 0448		7.33	106	107	106	1.15 60 105	0.48 39 106	1.06 107	1.88 47 108	2.30 32 105	3.02 45 108	3.58 32 94	0.70 31 95			0	
CC 26 0157 113729131	CC 23 0902 CC 22 0444		4.07	122	119	128	1.64 64 110	1.73 41 128	2.55 123	3.92 55 119	3.20 34 108	5.29 48 118	-3.03 31 109	-1.60 30 99			0	
CC 26 0158 113729149	CC 23 0902 CC 22 0444		4.07	124	122	129	2.05 64 114	1.70 41 127	2.73 125	4.47 55 122	3.20 34 108	5.68 48 120	-3.03 31 109	-1.60 30 99			0	
CC 26 0163 113729198	CC 23 0913 CC 25 0083		4.89	109	105	113	0.73 57 102	0.69 36 110	1.06 107	1.52 46 106	3.80 30 111	3.70 43 111	0.73 28 101	3.24 26 91			0	
CC 26 0164 113729206	CC 23 0913 CC 25 0083		4.89	110	107	113	0.97 57 104	0.68 36 110	1.16 108	1.84 46 108	3.80 30 111	3.93 43 112	0.73 28 101	3.24 26 91			0	
CC 26 0165 113729214	CC 23 0600 CC 23 0059		6.44	121	113	116	2.22 62 115	0.25 42 102	1.37 110	2.79 48 113	6.50 35 121	6.38 48 123	5.51 32 90	-8.37 31 109			0	
CC 26 0166 113729222	CC 23 0600 CC 23 0059		6.44	116	106	115	1.16 62 106	0.31 42 103	0.89 105	1.37 48 105	6.50 35 121	5.37 48 119	5.51 32 90	-8.37 31 109			0	
CC 26 0168 113729248	CC 23 0902 CC 22 0319		5.82	115	111	121	1.00 64 104	1.20 41 119	1.70 114	2.61 56 112	3.40 34 109	4.24 48 113	-1.37 30 106	-1.85 30 99			0	
CC 26 0170 113729263	CC 24 0370 CC 21 0318		5.40	103	101	105	0.55 62 100	0.24 43 102	0.51 101	1.10 49 104	3.20 36 108	2.71 49 106	2.23 32 97	1.66 31 93			0	
CC 26 0172 113729289	CC 24 0164 CC 22 0415		7.08	118	118	114	2.45 62 117	0.61 42 108	1.83 115	3.82 49 119	4.00 35 111	5.46 48 119	4.74 32 92	-5.62 32 105			0	
CC 26 0174 113729305	CC 23 0902 CC 22 0589		6.91	110	110	116	0.85 64 103	1.35 41 121	1.77 115	1.92 56 108	1.00 35 100	2.79 48 107	-1.00 31 105	-2.00 31 99			0	
CC 26 0175 113729313	CC 23 0913 CC 25 0132		4.68	119	115	119	1.98 57 113	0.75 36 111	1.74 114	3.40 46 116	4.30 30 112	5.31 43 118	-1.56 28 106	3.19 26 91			0	
CC 26 0189 113729453	CC 23 0600 CC 24 0682		5.62	109	105	106	1.44 61 108	-0.17 38 95	0.55 102	1.66 47 107	4.50 31 113	3.97 45 112	2.74 29 96	-0.74 28 97			0	



Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights							EBV - Fertility										
Animal ID		Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight				Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times		
Comp no.		Sire	Dam					Dir	Mat		Comb				EBV	EBV	EBV	EBV	EBV	EBV		EBV	EBV	Phenotype
								EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc
Active Breed Average:					100	100	100	-0.08				-0.03	-0.07	-0.49	0.59		0.24	-0.13		-0.36				
CC 26 0195 113729511		CC 24 0421 CC 24 0091		6.76	106	105	109	0.75 61 102		0.63 41 109		1.01 106		1.11 49 104		2.80 34 107		3.06 47 108		0.89 32 101		9.78 31 81		0
CC 26 0200 113729560		CC 24 0164 CC 23 0029		4.05	120	126	113	3.37 61 126		0.82 41 112		2.50 123		5.14 47 126		2.20 32 104		5.51 47 119		4.74 31 92		-2.62 30 100		0
CC 26 0202 113729586		CC 24 0164 CC 20 0495		5.99	101	115	98	2.16 63 115		0.41 44 105		1.49 112		3.54 49 117		-0.70 37 93		2.15 50 104		4.88 34 91		8.05 31 83		0
CC 26 0204 113729602		CC 24 0164 CC 24 0021		7.75	119	122	117	2.75 61 120		1.04 40 116		2.41 122		4.52 48 123		2.10 32 104		5.04 46 117		0.41 30 102		2.98 29 91		0
CC 26 0205 113729610		CC 24 0569 CC 25 0071		8.00	109	113	105	2.03 56 114		0.45 39 106		1.46 111		2.53 47 112		0.90 33 99		3.01 44 108		2.33 32 97		-2.49 28 100		0
CC 26 0206 113729628		CC 24 0569 CC 25 0071		8.00	105	107	104	1.19 56 106		0.49 39 106		1.09 107		1.41 47 105		0.90 33 99		2.22 44 104		2.33 32 97		-2.49 28 100		0
CC 26 0207 113729636		CC 23 0600 CC 24 0673		7.33	103	100	102	0.69 61 101		-0.20 38 94		0.15 97		1.00 47 103		4.10 30 112		2.95 45 107		3.15 29 95		1.86 27 93		0
CC 26 0208 113729644		CC 23 0600 CC 24 0673		7.33	108	107	103	1.63 61 110		-0.25 38 94		0.57 102		2.26 47 110		4.10 30 112		3.84 45 112		3.15 29 95		1.86 27 93		0
CC 26 0210 114273311		LM 22 1507 CC 21 0570		1.90	97	97	104	-0.37 64 91		0.63 35 109		0.45 101		0.18 57 99		0.20 27 97		0.39 44 96		-0.97 27 105		-3.93 27 102		0
CC 26 0212 114273295		LM 22 1507 CC 24 0153		1.99	99	103	104	0.35 63 98		0.78 33 111		0.95 106		0.99 56 103		-0.30 26 95		0.95 43 98		-1.98 28 107		7.04 29 85		0
CC 26 0213 113729669		CC 23 0913 CC 25 0007		5.37	108	108	107	1.40 57 108		0.33 36 104		1.03 107		2.19 46 110		2.10 30 104		2.99 43 108		-0.64 28 104		-0.18 25 96		0
CC 26 0218 114273261		LM 22 1507 CC 24 0696		1.96	102	102	107	0.28 64 97		0.57 33 108		0.71 103		1.18 57 104		2.20 26 104		2.17 43 104		0.97 29 100		3.48 29 91		0
CC 26 0223 113729719		CC 24 0407 CC 25 0111		5.13	102	114	95	2.47 57 118		0.03 39 98		1.26 109		3.57 48 117		-1.20 33 91		1.78 45 102		1.10 32 100		9.42 29 81		0
CC 26 0226 113733372		CC 24 0569 CC 25 0028		7.13	91	98	92	0.30 57 98		0.20 39 101		0.35 99		-0.12 48 97		-2.00 34 88		-0.70 45 91		3.37 33 95		-4.33 29 103		0
CC 26 0227 114273212		CC 23 0913 CC 25 0168		4.37	110	116	112	1.74 57 111		1.21 31 119		2.09 118		3.31 46 116		-0.20 25 95		2.84 40 107		0.02 22 102		-3.17 22 101		0

Ewes



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times
Comp no.	Sire	Dam					Dir	Mat				EBV	EBV	EBV	EBV			Acc Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 26 0231 114273154	CC 22 0392 CC 22 0191	4.99		122	121	119	2.76 64 120	0.68 48 110	2.06 118	4.44 58 122	5.00 39 115	6.44 52 124	0.95 37 100	7.84 33 84	0			
CC 26 0235 114273147	CC 22 0031 CC 22 0354	5.85		96	111	88	2.26 65 116	-0.13 52 96	1.01 106	2.79 59 113	-2.00 43 88	0.94 55 98	7.58 41 85	1.30 39 94	0			
CC 26 0237 114273170	CC 22 0031 CC 21 0680	6.55		111	123	100	3.54 65 128	0.06 52 99	1.83 115	5.27 59 127	0.20 43 97	3.72 55 111	4.93 41 91	-3.18 39 101	0			
CC 26 0239 114273196	CC 22 0031 CC 21 0312	6.31		104	118	92	3.18 65 124	-0.34 52 92	1.25 109	4.53 59 123	-0.10 42 96	2.78 55 107	8.09 41 84	-0.88 39 98	0			
Ewe flock average: Total ewes in flock: 769				110	111	107	1.79	0.42	1.31	2.71	2.27	3.57	2.23	-0.20				

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
				Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV
		Weaned	Herds	Weaned	Herds	EBV Acc	EBV Index				EBV Index	EBV Acc	EBV Index	EBV Acc	Index	Index	Index	Index		Index	Index
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
CC 16 0164 77715571	2.62	CC 14 0287 CRC 12 0168	515	12	173	9	117	102	131	-0.47 98	1.45 96	1.22 123	0.87 109	98	102	8.70 93	6.21 96	3.43 88	-0.23 87	188	9
CC 16 0592 78117694	3.12	CC 15 0018 CC 15 0530	188	2	39	3	99	100	85	2.09 96	-2.85 87	-1.81 64	2.17 76	96	110	4.50 79	1.94 89	3.72 75	4.78 72	91	4
CC 17 0380 80195100	3.95	CC 14 0295 CC 15 0374	204	2	63	1	68	102	57	1.71 96	-1.26 90	-0.41 76	2.38 91	97	111	-7.90 82	-4.29 90	6.25 78	34.30 75	122	7
CC 17 0390 80195522	4.02	CC 15 0407 CC 15 0074	177	4	46	2	76	94	65	0.84 96	-1.05 88	-0.63 80	-0.72 89	96	94	-7.60 81	-4.77 89	5.49 78	-19.97 78	90	2
CC 17 0528 80196405	2.20	CC 16 0226 CC 16 0391	171	2	56	2	109	110	108	1.53 96	0.25 90	1.01 102	3.22 107	96	115	3.80 83	4.06 91	1.94 77	5.82 72	94	3
CC 17 0756 80198427	2.67	CC 15 0310 CC 16 0504	2332	11	498	5	71	101	57	1.66 99	-1.26 97	-0.43 76	1.52 91	98	106	-7.40 93	-4.04 97	12.79 80	-4.52 78	131	6
CC 18 0065 81806952	3.52	CC 15 0407 CC 16 0010	22	1	1	1	87	91	89	-0.45 80	0.03 61	-0.20 98	-1.62 94	81	89	-1.60 55	-1.38 67	1.97 51	2.51 51	92	4
CC 18 0393 82382797	3.32	CC 16 0592 CC 13 0316	19	1	5	1	90	110	75	2.72 80	-1.05 66	0.31 80	3.66 99	82	118	-4.40 57	-0.97 69	3.73 51	-4.84 47	125	6
CC 19 0075 83330597	3.29	CC 16 0509 CC 16 0464	22	1	10	1	104	99	104	0.55 82	-0.13 73	0.14 96	0.34 97	84	100	3.00 63	2.22 74	-4.36 55	5.01 53	155	8
CC 19 0076 83330605	3.29	CC 16 0509 CC 16 0464	45	1	27	1	117	102	115	1.20 89	-0.39 82	0.21 91	1.56 98	89	106	6.90 72	4.95 82	-7.26 65	2.17 56	155	8
CC 19 0089 83372789	4.02	CC 16 0164 CC 16 0055	59	2	10	2	104	85	116	-1.81 89	0.57 73	-0.34 108	-2.48 92	89	84	7.80 63	3.43 77	4.17 58	-4.68 58	131	6
CC 19 0140 83370635	3.38	CC 16 0592 CC 13 0099	62	2	29	2	96	104	83	2.14 90	-1.38 82	-0.31 74	2.55 92	89	112	1.90 72	1.90 83	7.45 60	0.75 57	143	6
CC 19 0145 83370718	3.71	CC 17 0390 CC 16 0021	155	6	43	1	76	96	71	0.43 95	-0.13 85	0.09 96	-1.08 97	95	92	-8.50 75	-4.80 87	7.24 70	-12.77 66	119	6
CC 19 0358 86054327	4.47	CC 16 0592 CC 17 0507	109	5	21	2	86	86	74	0.41 93	-2.64 77	-2.44 64	-1.72 70	93	88	1.60 64	-1.27 80	6.33 61	-4.10 57	116	6
KI 19 0441 86546355	1.51	JFK 16 0208 CC 13 0347	30	3	10	2	95	105	94	1.14 86	0.21 74	0.78 101	1.30 104	84	105	-3.80 64	-0.93 76	-6.85 59	4.29 59	132	6

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Number Weaned	TWW	AFL	ILP	Dam			
				Prog	Nr	Prog	Nr				Dir	Mat	Comb	Post-Wean								
				Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc	EBV Index	EBV Index	EBV Acc							EBV Acc	EBV Acc
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 19 0576 86056306	4.17	CC 16 0164 CC 14 0076	199	6	76	4	142	122	153	1.65 97	2.36 110	3.18 92	4.34 136	11.40 84	10.85 92	-3.35 144	-5.47 80	133	5			
CC 19 0610 86056579	3.12	CC 17 0528 CC 15 0004	108	6	25	4	117	111	115	1.89 93	-0.14 112	0.81 77	4.47 95	7.80 65	6.43 126	4.17 80	-6.32 123	152	7			
CC 19 0866 86058336	7.18	CC 16 0592 CC 17 0065	31	3	12	1	109	102	97	2.07 86	-1.45 114	-0.41 73	1.75 73	5.70 62	4.04 118	-1.03 75	1.31 58	162	7			
CC 20 0021 89767594	5.16	CC 17 0528 CC 16 0539	40	3	13	3	105	107	116	0.18 86	1.40 96	1.49 70	2.57 122	2.00 59	2.78 104	-0.80 74	5.21 56	124	7			
CC 20 0026 89768907	1.79	CC 17 0756 M 16 0933	22	1	4	1	80	104	72	1.47 80	-0.53 108	0.20 63	2.06 89	-7.10 52	-3.33 67	2.32 79	-1.15 46	119	8			
CC 20 0075 89767354	4.20	CC 17 0528 CC 16 0093	166	3	46	1	102	85	98	0.03 95	-1.84 95	-1.82 84	-0.73 66	8.80 74	3.48 130	-3.06 86	5.63 110	161	8			
CC 20 0093 89768592	6.28	CC 16 0592 CC 18 0591	42	2	14	2	101	106	86	2.64 86	-1.57 119	-0.25 71	3.11 71	1.80 60	2.15 103	-1.41 74	7.12 104	133	6			
CC 20 0183 89767420	5.93	CC 17 0390 CC 16 0198	223	4	65	4	83	104	67	2.14 96	-1.31 115	-0.24 86	2.11 75	-5.20 76	-2.29 88	8.38 83	-11.51 77	141	7			
KI 20 0260 91582833	0.90	JFK 13 1395 KI 16 0534	100	3	36	2	111	122	96	3.72 93	-0.23 129	1.63 79	4.81 94	0.10 59	3.55 96	8.13 80	-13.96 110		1			
CC 20 0342 90335084	5.06	CC 17 0380 CC 15 0262	44	2	17	1	90	113	82	2.28 89	0.40 116	1.54 77	1.89 105	-7.00 68	-1.52 80	4.02 87	10.60 62	162	11			
CC 20 0456 90336132	5.10	CC 17 0528 CC 17 0512	98	2	37	1	94	99	88	1.02 92	-0.60 104	-0.09 79	0.55 87	0.20 67	0.54 97	3.77 81	-0.37 96	101	5			
CC 20 0633 90340613	3.98	CC 17 0380 CC 16 0400	14	1	2	1	73	89	73	-0.38 77	-0.64 91	-0.83 61	-1.10 87	-3.20 54	-2.94 66	5.52 80	20.93 50	121	6			
CC 20 0716 90339953	4.99	CC 17 0756 CC 19 0462	18	1	6	1	98	117	90	2.70 81	0.27 120	1.62 68	3.55 103	-4.10 61	0.51 71	5.13 96	-0.86 53	103	6			
CC 20 0735 90340217	4.52	CC 17 0380 CC 17 0599	58	1	20	1	68	81	63	-0.60 89	-2.02 89	-2.32 72	-1.34 64	-2.20 60	-3.93 88	1.37 76	16.12 76	110	5			
CC 20 0900 93925758	2.59		12	1	1	1	107	94	120	-1.10 61	1.45 85	0.89 26	-2.08 123	1.60 18	1.30 102	-9.08 38	-0.43 100					

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
				Prog	Nr	Prog	Nr				Dir	Mat	Comb									
				EBV	EBV	EBV	EBV				Acc	Index	Index	Index	Acc	Index					Acc	Index
Active Breed Average:				100	100	100	100	100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
OC 20 7475 93077378	2.59	JFK -	13 -	1395 -	54	3	22	3	91	104	86	1.22 87	-0.21 67	0.40 100	2.14 85	0.50 37	1.31 68	19.12 67	-6.72 64	139	5	
CC 21 0025 92022326	4.74	CC CC	17 16	0756 0552	169	3	42	2	93	101	86	1.18 95	-0.45 81	0.14 97	1.03 95	-2.10 71	-0.53 84	6.15 73	-18.48 63	139	5	
CC 21 0081 92025840	3.84	CC CC	17 19	0528 0052	16	1	1	1	110	102	116	0.38 78	0.52 60	0.71 103	1.33 79	5.60 54	4.25 66	-0.39 48	4.43 103	122	6	
CC 21 0095 92022805	4.63	CC CC	17 16	0756 0093	136	7	40	2	102	90	93	0.79 94	-1.78 81	-1.39 81	-0.82 94	6.30 70	2.78 83	-2.12 69	4.82 107	161	8	
CC 21 0100 92022839	4.18	CC CC	17 19	0756 0631	41	3	9	1	92	100	93	0.40 86	0.36 67	0.56 102	0.31 84	-2.80 59	-0.92 72	0.80 54	-3.74 101	108	6	
CC 21 0134 92023043	3.95	CC CC	19 16	0866 0372	12	1	1	1	95	93	90	0.51 74	-1.08 54	-0.83 87	0.06 75	2.80 46	1.11 60	2.56 41	-2.00 97	118	5	
CC 21 0147 92023159	5.58	CC CC	19 18	0866 0046	44	1	19	1	104	93	95	1.00 87	-1.68 72	-1.18 83	0.16 88	7.00 59	3.53 75	-2.16 110	12.00 57	183	9	
CC 21 0188 92023357	1.67	KI CC	19 15	0441 0452	199	5	65	3	108	114	107	1.90 96	0.72 86	1.67 114	2.89 96	-0.10 74	2.56 87	-3.09 106	9.32 73	173	11	
CC 21 0309 92602887	4.85	CC CC	19 17	0358 0542	485	2	17	2	95	96	84	1.14 98	-1.10 72	-0.53 90	-0.05 88	1.80 57	1.12 79	12.45 55	-17.05 74	141	6	
CC 21 0374 92603539	5.21	CC CC	19 19	0576 0416	165	2	29	1	111	104	116	0.65 95	0.40 76	0.73 103	1.66 95	5.10 65	4.11 81	-5.67 113	12.20 65	119	6	
CC 21 0483 92604628	4.32	CC CC	19 15	0576 0441	57	2	24	2	126	123	126	2.71 90	1.20 78	2.56 123	4.67 89	6.60 65	7.87 80	4.42 63	9.40 93	122	6	
CC 21 0512 92604883	4.08	CC CC	19 18	0576 0540	97	1			124	118	129	1.67 92	1.70 59	2.54 123	3.34 92	4.00 52	5.77 70	-0.75 57	-4.70 104	138	9	
CC 21 0515 92604917	5.51	CC CC	19 18	0576 0627	181	4	26	3	116	113	110	2.39 95	0.03 74	1.22 109	3.09 92	4.80 61	5.29 79	3.46 118	-2.05 63	162	9	
CC 22 0031 93923217	4.28	CC CC	20 18	0183 0591	172	3	43	2	96	121	77	4.08 95	-0.95 81	1.09 107	5.38 95	-3.70 67	0.91 83	8.72 98	-2.55 62	133	6	
CC 22 0043 93923167	3.60	CC CC	20 16	0183 0387	64	2	17	1	102	119	94	2.88 89	-0.01 69	1.43 111	5.40 90	-0.70 57	2.45 74	8.90 105	-8.80 58	132	5	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID		1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
				Prog	Nr	Prog	Nr				Dir	Mat	Comb									
				EBV	EBV	EBV	EBV				Acc	Index	Index	Index	Acc	Index					Acc	Index
		Active Breed Average:						100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
CC 22 0392 95155859	4.09	CC 21 0188 CC 17 0773	89	3	13	1	103	99	101	0.80 91	-0.43 66	-0.03 95	0.59 91	4.70 52	3.19 72	2.27 53	9.69 41	139	10			
CC 22 0447 95156451	4.04	CC 19 0576 CC 20 0332	26	1	9	1	124	104	139	-0.34 82	1.85 64	1.69 114	0.91 83	9.10 55	6.98 69	-1.38 54	3.73 45	141	5			
CC 22 0454 95156857	4.66	CC 20 0342 CC 18 0548	56	2	7	1	105	104	105	0.96 88	0.68 60	1.16 108	-0.24 86	1.20 51	2.36 69	3.71 49	4.21 42	151	7			
CC 22 0597 95155230	6.73	CC 20 0716 CC 21 0563	81	2	11	1	97	103	100	0.46 90	0.56 59	0.79 104	1.52 91	-0.40 47	0.78 68	1.17 47	2.87 37	110	4			
LM 22 1140 96128525	1.74	LM 20 0395 LM 17 1326	5	2	1	1	85	87	83	-0.54 46	-0.66 21	-0.93 86	-1.81 41	0.30 12	-1.02 29	10.24 66	-12.86 60		12			
LM 22 1507 96154307	1.28	LM 20 0949 LM 20 0862	114	3	1	1	100	96	111	-0.73 92	0.93 26	0.57 102	0.11 90	1.50 15	1.10 49	-3.78 32	0.22 33		5			
CC 23 0003 96796024	2.77	- - - CC 18 0591	19	1	5	1	105	108	111	0.80 76	0.71 51	1.11 108	2.98 77	0.90 39	2.05 58	-5.16 33	-0.98 36	133	6			
CC 23 0043 96794243	2.28	KI 20 0260 CC 18 0597	55	1	2	1	113	121	107	2.84 87	0.82 53	2.24 120	3.87 87	-0.30 42	3.47 64	6.33 43	-12.08 38	129	5			
CC 23 0109 96783154	5.97	CC 21 0025 CC 21 0161	32	2			95	101	90	1.09 82	-0.34 53	0.21 98	1.05 81	-0.40 46	0.51 63	5.79 44	-9.86 38	116	5			
CC 23 0600 98184351	5.49	CC 21 0309 CC 20 0332	41	2			112	107	105	1.88 85	-0.31 51	0.63 102	1.96 66	5.30 41	4.75 62	8.07 38	-8.53 35	141	5			
CC 23 0607 98181829	6.93	CC 22 0031 CC 21 0404	33	1			121	131	108	4.45 83	0.40 54	2.63 124	6.47 84	0.70 45	5.27 63	1.91 43	-0.40 41	142	5			
CC 23 0635 98183692	5.55	CC 21 0095 CC 21 0661	39	1			96	87	98	-0.71 84	-0.39 52	-0.75 88	-1.65 85	3.80 44	1.17 62	1.69 41	-2.08 38	129	5			
CC 23 0902 98833783	2.77	CC 23 0003 CC 18 0704	78	2			99	104	106	0.29 90	1.02 46	1.16 108	1.38 86	-1.20 37	0.58 61	-3.22 33	1.99 33	151	9			
CC 23 0913 98834005	2.77	CC 23 0003 CC 19 0456	10	1			116	119	121	1.69 71	1.68 45	2.53 123	3.73 63	1.20 37	4.09 53	-0.96 32	-0.32 33	132	6			
CC 24 0164 99762494	5.34	CC 22 0031 CC 23 0111	31	1			114	126	109	3.33 82	0.92 52	2.59 123	5.55 66	-0.20 43	4.13 61	4.05 42	-1.44 40	109	3			

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
		Sire ID Dam ID	Prog Weaned	Nr Herds	Prog Weaned				Nr Herds	Dir EBV Acc Index							Mat EBV Acc Index	Comb EBV Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
CC 24 0301 106743248	6.74	CC 21 0025 CC 21 0363	28	1		111	114	105	2.24 82	0.36 115	1.48 53	2.89 104	0.90 46	3.14 99	3.47 63	-10.42 41	108 4	
CC 24 0370 106743818	5.66	CC 21 0188 CC 22 0565	28	2		115	131	106	4.14 82	0.89 133	2.96 54	5.86 113	-2.80 46	3.35 85	-2.02 63	7.51 43	117 4	
CC 24 0407 106744170	5.14	CC 21 0188 CC 20 0343	4	1		108	119	104	2.67 70	0.68 119	2.02 56	4.00 110	-1.00 49	2.75 92	-1.07 60	12.50 45	132 5	
CC 24 0421 106744295	5.28	CC 20 0456 CC 18 0548	25	2		104	94	107	-0.26 81	0.29 92	0.16 55	-1.19 103	4.80 47	2.91 114	4.58 63	-0.96 107	151 7	
CC 24 0569 106745508	6.46	CC 21 0025 CC 19 0710	6	1		98	107	94	1.37 71	0.32 107	1.00 54	1.23 103	-2.20 47	0.37 88	4.64 59	-9.71 96	122 7	
		Sire Flock Average: Nr of sires used in the flock: 65				101	105	98	1.27	-0.10	0.54	1.66	1.06	1.81	2.50	-0.08		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL	ILP		Dam	
			Prog	Nr	Prog	Nr				Dir	Mat				EBV	EBV		EBV	EBV	EBV	EBV
			Weaned	Herds	Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambd		
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
1	CC 25 0626 111188058	6.76	CC 23 0607 CC 24 0345			135	132	124	4.45 61	0.64 136	2.86 126	6.40 133	5.90 34	8.62 47	0.83 101	1.92 29	93	110	1		
2	CC 26 0091 113728471	5.54	CC 24 0370 CC 22 0572			132	133	127	3.97 62	1.42 123	3.41 132	5.94 130	2.40 37	6.83 49	-4.27 112	4.22 33	89	119	4		
3	CC 25 0335 111289294	4.46	CC 21 0512 CC 20 0332			130	123	129	2.74 66	1.14 118	2.51 123	4.59 123	6.40 40	7.72 53	1.47 99	-2.36 33	100	141	5		
4	CC 26 0090 113728463	5.54	CC 24 0370 CC 22 0572			129	130	126	3.50 62	1.44 123	3.20 130	5.30 127	2.40 37	6.39 49	-4.27 112	4.22 33	89	119	4		
5	CC 25 0392 111289443	4.54	CC 21 0512 CC 19 0410			129	120	128	2.56 66	0.78 111	2.06 118	4.39 122	7.20 40	7.66 53	-0.27 103	-3.28 35	101	156	6		
6	CC 26 0009 113727655	5.30	CC 24 0370 CC 21 0433			128	127	126	3.18 62	1.44 123	3.03 128	4.78 124	3.30 37	6.61 49	-0.05 103	-0.26 34	97	125	4		
7	CC 25 0501 111186417	5.89	CC 22 0392 CC 21 0454			128	125	122	3.33 65	0.63 109	2.30 120	5.45 128	6.50 39	7.87 52	3.53 95	1.34 34	94	128	4		
8	CC 25 0510 111186516	6.23	CC 23 0607 CC 24 0356			127	129	117	4.15 61	0.61 108	2.69 125	5.54 128	3.10 31	6.62 46	0.71 101	2.43 26	92	110	1		
9	CC 26 0082 113728380	5.06	CC 24 0370 CC 22 0131			127	132	121	3.83 62	1.34 121	3.25 131	5.84 130	1.00 36	5.76 49	-0.99 105	-5.33 32	105	141	4		
10	CC 25 0400 111289617	5.18	CC 21 0512 CC 20 0468			126	120	125	2.52 65	0.90 114	2.16 119	4.56 123	6.20 39	7.15 52	0.60 101	1.39 32	94	135	5		
11	CC 26 0145 113729016	6.55	CC 24 0164 CC 22 0525			125	131	121	3.55 62	1.51 124	3.29 131	5.62 129	1.60 35	6.02 48	3.03 96	0.57 31	95	129	4		
12	CC 25 0485 111185997	5.08	CC 22 0392 CC 22 0342			124	115	123	2.12 64	0.48 106	1.54 112	3.52 117	8.20 38	7.52 51	2.30 97	3.41 33	91	119	3		
13	CC 25 0610 111187175	6.91	CC 23 0607 CC 24 0516			124	130	112	4.29 60	0.57 108	2.71 125	5.67 129	1.70 30	5.87 44	2.08 98	-1.79 25	99	101	1		
14	CC 25 0313 111289039	5.70	CC 21 0512 CC 21 0671			124	116	124	2.01 65	0.84 113	1.85 116	3.32 116	6.20 37	6.57 51	0.73 101	-2.39 33	100	140	4		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	EPI	Times Lambded		
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
15	CC 25 0431 111185617	6.50	CC 21 0374 CC 22 0584				124	123	121	2.98 65	0.70 122	2.19 119	5.24 127	4.80 42	6.56 54	-2.95 109	10.81 38	108 3	
16	CC 25 0386 111289971	6.86	CC 21 0512 CC 20 0692				123	136	114	4.61 64	1.18 118	3.48 133	7.82 136	-0.10 37	5.73 50	3.45 95	-2.34 31	110 5	
17	CC 25 0011 108936956	3.80	CC 21 0188 CC 23 0111				123	126	123	2.84 65	1.59 126	3.01 128	4.90 125	1.60 46	5.39 56	-1.85 107	4.49 42	109 3	
18	CC 25 0399 111289609	5.18	CC 21 0512 CC 20 0468				122	116	124	1.95 65	0.86 113	1.83 115	3.66 118	6.20 39	6.52 52	0.60 101	1.39 32	135 5	
19	CC 25 0397 111289526	6.03	CC 21 0512 CC 23 0781				122	121	121	2.54 64	1.11 117	2.39 121	4.07 120	3.20 36	5.58 49	-0.84 104	1.43 33	107 2	
20	CC 25 0569 111186920	7.02	CC 22 0597 CC 22 0499				122	120	125	2.08 63	1.41 122	2.45 122	4.41 122	3.90 36	5.83 49	-0.14 103	-1.02 31	102 3	
21	CC 25 0568 111186912	7.02	CC 22 0597 CC 22 0499				122	120	125	2.09 63	1.37 122	2.42 122	4.36 122	3.90 36	5.80 49	-0.14 103	-1.02 31	102 3	
22	CC 25 0385 111289963	6.25	CC 21 0512 CC 19 0117				122	126	114	3.54 65	0.62 109	2.39 121	5.64 129	3.20 40	6.08 52	4.38 93	-2.13 36	137 6	
23	CC 25 0233 108892365	2.14	LM 22 1507 CC 22 0319				121	116	125	1.72 64	1.12 117	1.98 117	3.67 118	4.80 30	5.72 45	-1.65 106	-2.73 30	122 4	
24	CC 25 0131 108937681	5.50	CC 21 0095 CC 23 0121				121	112	115	2.49 65	-0.33 92	0.91 105	3.25 116	7.50 45	6.66 55	-1.00 105	5.96 40	130 3	
25	CC 26 0127 113728836	6.15	CC 23 0600 CC 21 0404				121	115	121	1.94 64	0.84 112	1.81 115	2.93 114	5.20 36	5.90 50	1.58 99	-3.39 32	142 5	
26	CC 25 0396 111289518	6.03	CC 21 0512 CC 23 0781				121	120	123	2.12 64	1.36 122	2.42 122	3.87 119	3.20 36	5.40 49	-0.84 104	1.43 33	107 2	
27	CC 24 0721 106746795	4.57	CC 21 0095 CC 18 0511				121	108	115	1.89 67	-0.21 94	0.73 104	1.88 108	8.60 47	6.84 58	4.59 92	-3.18 42	209 8	
28	CC 25 0331 111289385	4.08	CC 21 0512 CC 23 0457				121	121	120	2.47 64	1.10 117	2.33 121	4.31 121	2.90 36	5.30 49	-0.10 103	-2.80 33	106 2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV
			Weaned	Herds	Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	EPI	Times Lambcd			
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
29	CC 25 0287 108893066	1.63	LM 22 1507 CC 21 0477				121	116	128	1.35 65	1.48 37	2.16 119	3.68 118	4.90 31	5.77 46	-1.69 31	2.14 32	123	4	
30	CC 25 0622 111188017	4.66	CC 23 0043 CC 24 0327				121	118	115	2.76 62	0.37 39	1.75 114	4.01 120	4.50 31	5.83 46	3.67 32	-7.32 27	107	1	
31	CC 25 0338 111289310	5.42	CC 21 0512 CC 20 0311				121	108	122	1.27 65	0.45 46	1.08 107	2.30 110	7.60 38	6.28 51	-0.20 37	-1.03 31	137	5	
32	CC 25 0429 111185591	4.44	CC 21 0374 CC 20 0307				120	119	122	2.15 66	1.01 52	2.09 118	4.36 122	4.20 43	5.68 55	-3.65 41	8.35 36	126	5	
33	CC 26 0064 113728208	6.36	CC 23 0600 CC 24 0576				120	109	113	2.06 62	-0.21 39	0.82 105	2.19 110	7.50 30	6.35 46	4.99 29	-7.54 27	110	2	
34	CC 25 0394 111289492	5.81	CC 21 0512 CC 23 0591				120	121	117	2.65 64	0.82 43	2.15 119	4.46 122	3.50 36	5.57 49	2.04 37	-1.88 33	107	2	
35	CC 25 0648 111187381	6.31	CC 23 0607 CC 24 0399				120	130	108	4.22 61	0.51 40	2.62 124	6.00 131	0.40 34	4.97 47	3.12 33	-3.13 29	101	1	
36	CC 25 0611 111187183	6.94	CC 23 0607 CC 24 0557				120	127	110	3.78 60	0.52 36	2.41 122	5.45 128	1.30 29	5.08 44	0.77 29	1.45 25	100	1	
37	CC 26 0063 113728190	6.36	CC 23 0600 CC 24 0576				120	108	113	1.97 62	-0.20 39	0.78 104	2.07 109	7.50 30	6.27 46	4.99 29	-7.54 27	110	2	
38	CC 25 0178 108892019	6.92	CC 22 0597 CC 24 0157				119	125	118	2.83 62	1.22 41	2.64 124	5.58 129	2.10 32	5.32 47	3.06 32	-4.47 28	124	2	
39	CC 26 0075 113728315	4.92	CC 24 0370 CC 20 0101				119	122	117	2.71 63	0.96 45	2.31 121	4.36 122	2.50 38	5.17 50	0.13 34	2.90 33	152	6	
40	CC 26 0012 113727689	6.45	CC 24 0301 CC 24 0003				119	120	115	2.72 61	0.67 40	2.02 117	4.37 122	3.50 33	5.48 46	4.96 31	-9.04 30	136	2	
41	CC 25 0306 111289211	5.89	CC 21 0512 CC 24 0133				119	118	119	2.21 63	1.03 42	2.13 119	3.84 119	3.40 36	5.28 49	2.32 37	-4.63 31	97	1	
42	CC 25 0143 108891797	4.62	CC 23 0902 CC 24 0003				119	123	116	2.82 62	0.94 38	2.35 121	5.08 126	2.40 30	5.20 45	1.61 27	-2.84 27	136	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EPI	Times Lambded
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13
43	CC 25 0074 108937111	5.37	CC 21 0515 CC 23 0072				119	123	114	3.04 65	0.75 123	2.27 120	4.68 66	2.70 39	5.41 52	4.14 39	-1.99 35	112	3
44	CC 26 0053 113728091	6.26	CC 24 0164 CC 22 0409				119	129	113	3.59 61	1.15 41	2.94 127	5.81 48	0.70 34	5.15 47	3.69 32	3.67 31	104	3
45	CC 25 0680 111187639	4.31	CC 23 0043 CC 24 0390				119	127	111	3.50 62	0.86 39	2.61 124	5.23 64	0.90 31	4.91 46	5.69 32	-9.32 28	102	1
46	CC 25 0623 111188025	4.66	CC 23 0043 CC 24 0327				119	116	114	2.43 62	0.39 39	1.60 113	3.56 55	4.50 31	5.51 46	3.67 32	-7.32 27	107	1
47	CC 25 0514 111186466	6.84	CC 23 0607 CC 24 0574				119	127	108	3.95 61	0.35 40	2.32 121	5.64 63	0.70 32	4.71 46	1.06 31	-3.00 28	109	1
48	CC 26 0013 113727697	6.45	CC 24 0301 CC 24 0003				119	119	115	2.63 61	0.67 40	1.99 117	4.25 48	3.50 33	5.40 46	4.96 31	-9.04 30	136	2
49	CC 26 0199 113729552	4.05	CC 24 0164 CC 23 0029				119	124	113	3.14 61	0.83 41	2.40 121	4.83 47	2.20 32	5.28 47	4.74 31	-2.62 30	113	3
50	CC 25 0587 111187902	5.39	CC 23 0043 CC 24 0335				119	120	113	2.79 62	0.68 41	2.07 118	3.87 65	2.70 32	5.09 47	4.15 32	-6.64 29	109	1
51	CC 26 0086 113728422	7.32	CC 24 0164 CC 22 0413				119	114	114	2.30 62	0.14 43	1.30 110	3.30 49	5.40 35	5.69 48	1.02 32	-0.40 32	128	4
52	CC 25 0333 111289336	5.75	CC 21 0512 CC 22 0430				119	108	119	1.29 65	0.43 45	1.07 107	1.93 66	7.60 38	6.28 51	2.94 38	2.31 35	114	3
53	CC 25 0347 111289823	6.74	CC 21 0512 CC 23 0636				119	118	116	2.40 64	0.70 43	1.90 116	3.96 66	3.70 36	5.32 49	0.05 37	3.15 33	107	2
54	CC 26 0171 113729271	7.08	CC 24 0164 CC 22 0415				119	118	115	2.52 62	0.60 42	1.86 116	3.91 49	4.00 35	5.52 48	4.74 32	-5.62 32	125	4
55	CC 26 0169 113729255	5.40	CC 24 0370 CC 21 0318				119	122	109	3.50 62	0.08 43	1.83 115	5.08 49	3.20 36	5.51 49	2.23 32	1.66 31	130	5
56	CC 26 0112 113728687	3.87	CC 24 0370 CC 21 0626				118	135	110	4.35 61	1.25 41	3.42 132	6.77 47	-2.40 33	4.16 47	0.18 30	6.27 29	113	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							
			EBV	EBV	EBV	EBV				Acc	Index	Index	Acc	Index				
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
57	CC 26 0001 113727572	5.52	CC 23 0600 CC 23 0669			118	115	114	2.31 62	0.44 40	1.60 113	3.38 48	4.40 33	5.39 47	3.76 30	-5.60 29	100	2
58	CC 25 0035 108937012	4.46	CC 21 0515 CC 23 0918			118	115	115	2.24 64	0.48 46	1.60 113	3.59 65	4.60 37	5.47 51	1.68 36	0.23 96	107	2
59	CC 24 0722 106746803	4.57	CC 21 0095 CC 18 0511			118	104	116	1.19 67	-0.06 55	0.54 101	1.13 68	8.60 47	6.29 58	4.59 44	-3.18 42	209	8
60	CC 25 0645 111187357	6.03	CC 23 0607 CC 24 0337			118	121	112	3.00 61	0.58 40	2.08 118	4.41 63	2.60 33	5.14 46	1.17 32	5.39 88	100	1
61	CC 25 0404 111186086	8.26	CC 21 0374 CC 23 0706			118	119	114	2.67 65	0.46 50	1.80 115	4.37 67	3.90 41	5.47 54	0.63 40	5.85 38	107	2
62	CC 25 0428 111185583	5.57	CC 22 0392 CC 19 0456			118	118	118	2.19 66	1.17 49	2.26 120	3.34 67	3.00 41	5.16 54	2.75 38	5.02 88	132	6
63	CC 26 0130 113728869	7.27	CC 24 0421 CC 23 0121			118	108	120	1.15 61	0.69 43	1.26 109	1.87 49	6.70 37	5.86 49	2.34 34	3.07 91	130	3
64	CC 25 0017 108937392	4.42	CC 21 0188 CC 22 0614			118	129	110	3.87 64	0.79 52	2.73 125	6.09 66	0.00 44	4.67 55	1.70 41	3.33 91	111	3
65	CC 26 0203 113729594	7.75	CC 24 0164 CC 24 0021			118	121	116	2.49 61	1.05 40	2.30 120	4.17 48	2.10 32	4.80 46	0.41 30	2.98 91	122	2
66	CC 25 0398 111289591	5.18	CC 21 0512 CC 20 0468			117	109	124	0.89 65	1.02 46	1.46 111	2.41 66	6.20 39	5.63 52	0.60 37	1.39 94	135	5
67	CC 25 0376 111289807	7.49	CC 21 0512 CC 23 0688			117	118	115	2.29 63	0.85 42	1.99 117	3.62 66	2.80 36	4.82 49	1.82 37	-2.51 100	99	2
68	CC 25 0600 111187076	5.91	CC 23 0635 CC 24 0434			117	115	115	2.06 61	0.71 40	1.74 114	2.84 64	3.50 33	4.87 46	0.55 31	1.32 94	110	1
69	CC 25 0190 108891821	2.10	LM 22 1507 CC 22 0493			117	114	122	1.35 64	1.28 35	1.96 117	3.19 65	3.00 29	4.43 45	-2.36 30	-3.47 102	102	3
70	CC 25 0427 111185575	5.57	CC 22 0392 CC 19 0456			117	117	117	2.08 66	1.11 49	2.14 119	3.08 67	3.00 41	4.98 54	2.75 38	5.02 88	132	6

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Mat EBV Acc Index	EBV Acc Index				EBV Acc Index	EBV Acc Index	EPI	Times Lambed				
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
71	CC 26 0010 113727663	5.87	CC 24 0370 CC 23 0757				117	119	113	2.59 61	0.82 41	2.11 118	3.79 48	1.90 34	4.55 47	0.80 31	1.39 31	107	2			
72	CC 26 0129 113728851	7.27	CC 24 0421 CC 23 0121				117	107	120	0.97 61	0.70 43	1.18 108	1.63 49	6.70 37	5.69 49	2.34 34	3.07 33	130	3			
73	CC 25 0177 108892001	6.92	CC 22 0597 CC 24 0157				116	121	116	2.44 62	1.07 41	2.29 120	4.78 65	2.10 32	4.78 47	3.06 32	-4.47 28	124	2			
74	CC 25 0006 108937384	6.18	CC 21 0095 CC 22 0580				116	109	111	1.96 64	-0.22 52	0.76 104	2.47 66	6.10 44	5.40 55	-1.03 43	5.77 40	92	2			
75	CC 26 0061 113728174	3.35	CC 23 0902 CC 23 0004				116	121	114	2.57 64	1.16 40	2.44 122	4.00 55	0.50 31	4.02 47	0.84 29	-2.60 29	115	3			
76	CC 23 0913 98834005	2.77	CC 23 0003 CC 19 0456	10	1		116	119	121	1.69 71	1.68 45	2.53 123	3.73 63	1.20 37	4.09 53	-0.96 32	-0.32 33	132	6			
77	CC 25 0036 108937020	4.46	CC 21 0515 CC 23 0918				116	113	115	1.89 64	0.49 46	1.44 111	3.12 65	4.60 37	5.14 51	1.68 36	0.23 33	107	2			
78	CC 26 0084 113728406	6.05	CC 24 0421 CC 20 0454				116	99	119	0.33 62	0.31 44	0.48 101	-0.10 50	8.20 37	5.56 49	1.70 32	-0.46 29	138	6			
79	CC 26 0230 113733406	5.85	CC 24 0407 CC 25 0005				116	123	111	3.00 57	0.83 40	2.33 121	4.62 48	0.70 34	4.25 45	1.41 33	-0.46 29	104	1			
80	CC 26 0159 113729156	7.29	CC 23 0600 CC 22 0614				116	121	108	3.18 61	0.33 40	1.92 116	4.73 47	2.70 31	5.13 46	7.28 27	-5.60 27	111	3			
81	CC 25 0336 111289302	4.46	CC 21 0512 CC 20 0332				116	104	127	-0.13 66	1.47 47	1.40 111	1.02 67	6.40 40	5.18 53	1.47 39	-2.36 33	141	5			
82	CC 25 0093 108937467	6.59	CC 21 0515 CC 22 0413				116	102	114	1.05 66	-0.24 50	0.29 99	1.07 66	7.90 41	5.56 54	0.73 40	-0.70 36	128	4			
83	CC 24 0370 106743818	5.66	CC 21 0188 CC 22 0565	28	2		115	131	106	4.14 82	0.89 54	2.96 127	5.86 66	-2.80 46	3.35 63	-2.02 43	7.51 41	117	4			
84	CC 25 0524 111186649	4.96	CC 23 0902 CC 22 0557				115	119	118	2.04 63	1.35 40	2.36 121	3.98 64	1.10 34	4.04 47	-1.61 31	2.86 30	104	3			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Prog	Nr	Prog	Nr				Dir	Mat							EBV	EBV	EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV							Index	Index	Lambd	
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
85	CC 25 0085 108937871	3.83	CC 21 0515 CC 21 0013				115	112	114	1.70 65	0.69 50	1.54 112	2.31 66	3.20 41	4.31 54	0.79 39	-4.08 33	133	5		
86	CC 25 0599 111187068	5.91	CC 23 0635 CC 24 0434				115	112	116	1.53 61	0.85 40	1.62 113	2.31 64	3.50 33	4.48 46	0.55 31	1.32 28	110	1		
87	CC 25 0415 111185450	7.72	CC 21 0374 CC 23 0496				115	112	116	1.66 65	0.73 49	1.56 112	2.86 66	3.70 39	4.61 53	-0.26 38	3.27 36	112	2		
88	CC 25 0012 108936964	3.66	CC 21 0095 CC 23 0029				115	109	106	2.33 65	-0.55 52	0.61 102	2.26 66	5.40 42	5.02 55	1.66 41	0.52 38	113	3		
89	CC 25 0307 111289252	6.73	CC 21 0512 CC 23 0562				115	109	116	1.29 64	0.65 43	1.29 110	1.99 66	4.40 35	4.58 49	-0.47 36	2.23 32	107	2		
90	CC 25 0460 111185740	4.83	CC 22 0392 CC 20 0389				115	105	116	1.11 65	0.26 49	0.82 104	1.65 67	7.30 39	5.75 53	1.40 37	12.56 30	134	5		
91	CC 25 0586 111187894	4.94	CC 23 0043 CC 24 0366				115	120	110	2.69 61	0.72 38	2.07 118	4.00 64	1.20 30	4.13 45	4.61 30	-8.12 26	99	1		
92	CC 26 0178 113729347	5.34	CC 23 0600 CC 20 0444				115	114	111	2.13 63	0.43 43	1.50 112	2.83 49	3.30 36	4.54 49	3.74 31	-4.14 27	127	6		
93	CC 25 0324 111289187	5.91	CC 21 0512 CC 23 0501				115	109	116	1.29 64	0.76 42	1.40 111	1.94 65	3.70 35	4.27 49	0.02 35	-2.65 32	113	2		
94	CC 24 0164 99762494	5.34	CC 22 0031 CC 23 0111	31	1		114	126	109	3.33 82	0.92 52	2.59 123	5.55 66	-0.20 43	4.13 61	4.05 42	-1.44 40	109	3		
95	CC 26 0011 113727671	5.68	CC 24 0301 CC 20 0076				114	110	112	1.71 62	0.32 44	1.17 108	2.07 50	3.90 38	4.36 50	0.30 34	-1.36 33	127	6		
96	CC 26 0108 113728646	5.31	CC 23 0600 CC 22 0570				114	107	113	1.33 62	0.25 42	0.92 106	1.88 48	5.30 35	4.76 48	3.69 32	-9.05 31	112	4		
97	CC 25 0420 111185500	8.05	CC 22 0031 CC 23 0676				114	126	102	4.01 64	0.06 50	2.07 118	6.06 66	1.50 41	4.98 53	7.51 41	2.19 38	111	2		
98	CC 25 0179 108892027	2.30	LM 22 1507 CC 23 0133				114	111	118	1.20 63	1.03 34	1.63 113	2.88 65	2.70 28	3.85 44	-1.96 30	-5.90 30	95	3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL EBV Acc Index	ILP		Dam	
			Prog	Nr	Prog	Nr				Dir	Mat				EBV	EBV		EBV	EBV	EPI	Times
			Weaned	Herds	Weaned	Herds				Acc index	Acc Index				Index	Acc Index		Acc Index	Acc Index	Lambd	
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
99 CC 25 0621 111188009	6.36	CC 23 0635 CC 24 0489				114	108	110	1.71 61	0.04 99	0.90 105	2.11 63	4.70 31	4.57 46	1.58 30	-3.64 25	108	1			
100 CC 26 0111 113728679	5.05	CC 24 0370 CC 21 0015				114	119	109	2.64 62	0.64 45	1.96 117	4.00 50	1.50 38	4.18 50	1.77 35	2.90 34	132	5			
101 CC 25 0529 111186698	6.11	CC 23 0607 CC 24 0321				114	115	109	2.38 60	0.36 37	1.55 112	3.41 63	2.70 31	4.36 44	1.83 29	1.80 26	98	1			
102 CC 25 0095 108937483	3.79	CC 21 0188 CC 23 0742				114	114	112	1.96 64	0.57 52	1.55 112	3.31 66	2.10 45	3.79 55	-3.20 43	1.61 41	100	3			
103 CC 25 0051 108937160	6.39	CC 21 0025 CC 22 0555				114	114	110	2.14 65	0.42 52	1.49 112	3.39 66	1.80 45	3.64 55	0.05 44	-10.59 40	100	3			
104 CC 25 0445 111185674	4.29	CC 22 0392 CC 23 0699				114	110	110	1.85 63	0.05 45	0.98 106	2.47 65	5.40 36	5.14 50	2.49 35	7.41 31	105	2			
105 CC 25 0591 111187944	4.66	CC 23 0043 CC 24 0491				113	114	108	2.30 61	0.23 39	1.38 111	3.08 64	2.40 31	3.97 46	1.76 31	-6.35 26	99	1			
106 CC 25 0367 111289716	5.20	CC 21 0512 CC 24 0173				113	110	111	1.73 63	0.24 42	1.11 108	2.55 65	4.00 36	4.37 49	0.18 37	0.08 32	102	1			
107 CC 26 0156 113729123	5.70	CC 24 0407 CC 25 0016				113	114	109	2.23 57	0.33 40	1.44 111	2.98 48	2.30 34	3.94 45	-0.96 32	2.55 29	104	1			
108 CC 25 0129 108891672	5.70	CC 23 0043 CC 21 0042				113	119	108	2.66 64	0.71 44	2.03 118	3.71 65	1.30 35	4.14 50	7.61 33	-8.60 31	126	4			
109 CC 25 0641 111187316	6.31	CC 23 0607 CC 24 0400				113	121	104	3.20 61	0.32 40	1.92 116	4.46 64	0.50 34	3.82 47	3.12 33	-3.13 29	100	1			
110 CC 25 0364 111289583	7.35	CC 21 0512 CC 23 0680				113	113	113	1.65 63	0.83 42	1.65 113	2.78 66	2.10 35	3.74 48	0.59 36	-4.36 33	106	2			
111 CC 26 0074 113728307	6.02	CC 24 0301 CC 23 0072				113	118	109	2.45 61	0.77 41	1.99 117	3.59 48	0.80 33	3.70 47	4.15 32	-6.17 30	112	3			
112 CC 26 0198 113729545	4.61	CC 23 0913 CC 25 0058				113	115	108	2.34 57	0.45 36	1.62 113	3.27 46	1.30 29	3.57 42	-1.48 28	2.39 25	104	1			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Progeny	Progeny	Acc	Index				Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
113 CC 26 0088 113728448	5.64	CC 24 0164 CC 24 0534				113	114	109	2.24 60	0.34 37	1.46 111	3.38 47	3.00 29	4.38 44	1.98 29	4.56 25	105	1
114 CC 25 0344 111289666	6.52	CC 21 0512 CC 23 0140				113	111	111	1.65 64	0.51 43	1.34 110	2.33 66	3.10 36	4.02 49	2.55 37	-5.44 33	108	2
115 CC 25 0682 111187654	6.62	CC 21 0374 CC 23 0511				113	122	107	3.03 64	0.41 48	1.93 116	5.16 66	1.10 40	4.10 52	-0.99 40	10.38 37	102	2
116 CC 25 0213 108892324	2.17	LM 22 1507 CC 21 0356				113	112	117	1.20 64	1.25 36	1.85 115	2.69 66	1.80 30	3.52 45	-1.71 30	-0.82 31	107	4
117 CC 26 0167 113729230	5.82	CC 23 0902 CC 22 0319				113	108	120	0.62 64	1.22 41	1.53 112	2.09 56	3.40 34	3.87 48	-1.37 30	-1.85 30	122	4
118 CC 25 0443 111185658	10.50	CC 21 0374 CC 19 0554				113	110	112	1.64 66	0.40 52	1.22 109	2.38 68	3.20 44	3.96 56	-3.41 41	8.47 39	131	6
119 CC 25 0595 111187985	8.58	CC 23 0607 CC 24 0533				112	120	109	2.63 60	0.65 36	1.97 117	4.45 63	1.00 29	3.88 44	1.23 29	3.25 25	99	1
120 CC 26 0176 113729321	3.91	CC 23 0635 CC 25 0042				112	115	109	2.19 61	0.51 39	1.61 113	3.01 54	1.60 32	3.66 46	0.62 31	-0.11 28	105	1
121 CC 25 0383 111289930	5.48	CC 21 0512 CC 23 0681				112	110	110	1.67 63	0.43 43	1.27 109	2.17 66	2.30 37	3.48 49	-2.02 37	-1.18 34	98	2
122 CC 25 0351 111289864	6.20	CC 21 0512 CC 24 0013				112	100	115	0.42 63	0.19 41	0.40 100	0.43 65	6.10 35	4.27 48	-1.21 37	-2.70 32	98	1
123 CC 25 0713 111188538	5.03	CC 23 0043 CC 24 0389				112	118	104	2.79 62	0.30 38	1.70 114	3.56 64	1.50 30	3.99 45	7.31 31	-8.63 26	101	1
124 CC 26 0179 113729354	5.34	CC 23 0600 CC 20 0444				112	110	110	1.69 63	0.45 43	1.30 110	2.24 49	3.30 36	4.13 49	3.74 31	-4.14 27	127	6
125 CC 26 0015 113727713	3.62	CC 24 0421 CC 23 0058				112	108	110	1.48 61	0.28 42	1.02 107	1.65 49	4.30 34	4.34 47	4.50 32	-4.23 31	109	3
126 CC 26 0014 113727705	3.62	CC 24 0421 CC 23 0058				112	108	110	1.48 61	0.28 42	1.02 107	1.65 49	4.30 34	4.34 47	4.50 32	-4.23 31	109	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index				EBV Acc Index	EBV Acc Index	EPI	Times Lambd
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36				
127	CC 26 0058 113728141	5.73	CC 23 0600 CC 22 0393				112	113	107	2.11 62	0.34 41	1.40 111	2.66 48	2.70 34	4.07 47	5.25 31	-6.13 30	103	4	
128	CC 25 0459 111185732	4.83	CC 22 0392 CC 20 0389				112	102	115	0.62 65	0.29 49	0.59 102	0.99 67	7.30 39	5.28 53	1.40 37	12.56 30	134	5	
129	CC 25 0679 111187621	5.16	CC 23 0043 CC 24 0759				112	116	108	2.21 61	0.68 38	1.79 115	3.21 63	1.10 31	3.55 45	5.62 32	-13.27 27	100	1	
130	CC 25 0489 111186037	5.92	CC 23 0902 CC 23 0655				112	112	115	1.31 63	1.11 39	1.76 115	2.33 64	2.40 31	3.86 46	2.37 29	-0.75 29	111	2	
131	CC 25 0004 108937327	5.96	CC 21 0515 CC 23 0137				112	111	105	2.29 65	-0.23 48	0.92 106	2.79 66	3.70 40	4.29 53	2.10 39	0.96 36	101	3	
132	CC 26 0050 113728067	5.37	CC 24 0370 CC 23 0924				112	124	106	3.16 60	0.85 38	2.43 122	4.65 46	-1.80 31	2.93 45	-2.59 28	8.84 28	101	2	
133	CC 25 0153 108891904	5.89	CC 23 0043 CC 19 0042				112	117	112	2.01 64	1.05 45	2.05 118	3.56 66	1.70 37	4.07 50	5.01 35	-0.38 34	129	6	
134	CC 25 0597 111187043	4.41	CC 23 0043 CC 24 0570				112	104	108	1.36 62	-0.14 40	0.54 101	1.22 64	4.90 32	4.15 47	2.00 32	-5.69 28	107	1	
135	CC 25 0495 111186359	3.90	CC 23 0902 CC 20 0375				112	118	116	1.73 64	1.41 42	2.28 120	3.94 65	0.80 36	3.62 49	1.18 32	0.93 30	124	5	
136	CC 26 0089 113728455	5.64	CC 24 0164 CC 24 0534				112	113	109	2.09 60	0.35 37	1.39 111	3.18 47	3.00 29	4.24 44	1.98 29	4.56 25	105	1	
137	CC 23 0600 98184351	5.49	CC 21 0309 CC 20 0332	41	2		112	107	105	1.88 85	-0.31 51	0.63 102	1.96 66	5.30 41	4.75 62	8.07 38	-8.53 35	141	5	
138	CC 26 0161 113729172	4.46	CC 23 0902 CC 22 0579				112	110	116	1.09 64	0.91 41	1.46 111	2.70 56	3.00 34	3.80 48	-2.44 30	4.08 30	120	4	
139	CC 26 0101 113728570	6.71	CC 24 0421 CC 23 0735				112	115	110	2.08 60	0.80 40	1.85 115	2.97 48	1.60 34	3.85 46	2.59 32	5.50 31	100	2	
140	CC 25 0201 108892209	2.07	LM 22 1507 CC 22 0324				112	113	115	1.40 64	1.03 35	1.73 114	3.09 66	1.60 29	3.39 45	-2.16 30	0.36 31	101	3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility													
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam					
			Prog	Nr	Prog	Nr				Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times				
			Weaned	Herds	Weaned	Herds				Acc	Index				Index	Index	Index	Index	Index	Index	Lambd					
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36										
141 CC 26 0162 113729180	4.46	CC 23 0902 CC 22 0579					111	110	116	1.06 64	0.91 105	41	114	1.44 111	2.66 56	112	3.00 34	3.77 107	48	111	30	108	4.08 30	90	120	4
142 CC 25 0493 111186334	4.52	CC 23 0902 CC 20 0559					111	112	114	1.34 64	1.00 107	41	115	1.67 114	2.83 65	113	1.90 33	3.48 103	48	110	28	104	-0.81 26	-0.72 97	122	5
143 CC 25 0243 108892787	6.25	CC 22 0031 CC 23 0757					111	120	100	3.27 65	-0.06 125	51	97	1.58 113	4.64 66	123	1.40 42	4.05 101	54	113	41	89	-3.64 39	-3.64 102	107	2
144 CC 26 0160 113729164	7.29	CC 23 0600 CC 22 0614					111	115	107	2.28 61	0.38 116	40	104	1.52 112	3.52 47	117	2.70 31	4.28 106	46	114	27	86	-5.60 27	-5.60 105	111	3
145 CC 25 0620 111187993	6.36	CC 23 0635 CC 24 0489					111	104	110	1.08 61	0.15 105	39	100	0.69 103	1.39 63	105	4.70 31	4.05 114	46	113	30	99	-3.64 25	-3.64 102	108	1
146 CC 25 0133 108891698	4.46	CC 21 0374 CC 19 0056					111	117	111	2.05 66	0.84 114	53	112	1.86 116	3.87 68	119	1.60 45	3.85 102	56	112	42	107	-1.90 39	15.79 71	155	6
147 CC 26 0126 113728828	3.32	CC 24 0301 CC 20 0640					111	116	108	2.15 62	0.83 115	43	112	1.90 116	3.30 48	116	0.10 35	3.03 96	48	108	32	98	-6.52 30	-6.52 107	117	5
148 CC 25 0090 108937418	4.86	CC 21 0095 CC 19 0803					111	96	108	0.71 66	-0.54 101	54	88	-0.19 94	-0.31 67	96	7.20 45	4.49 124	57	115	42	104	-0.43 39	6.03 87	113	5
149 CC 26 0236 114273162	6.55	CC 22 0031 CC 21 0680					111	122	100	3.47 65	0.06 127	52	99	1.80 115	5.17 59	126	0.20 43	3.65 97	55	111	41	91	-3.18 39	-3.18 101	119	5
150 CC 26 0041 113727978	5.88	CC 23 0600 CC 22 0631					111	111	108	1.81 62	0.37 112	40	104	1.27 109	2.49 47	111	2.90 32	3.92 107	47	112	27	92	-3.37 28	-3.37 102	109	3
151 CC 24 0301 106743248	6.74	CC 21 0025 CC 21 0363	28	1			111	114	105	2.24 82	0.36 115	53	104	1.48 112	2.89 67	114	0.90 46	3.14 99	63	108	44	95	-10.42 41	-10.42 113	108	4
152 CC 25 0079 108891490	5.08	CC 22 0031 CC 23 0004					110	124	98	3.68 65	0.17 129	52	101	2.01 117	4.87 66	125	-0.70 42	3.42 93	55	110	42	87	-4.87 39	-4.87 104	115	3
153 CC 25 0272 108892597	4.82	CC 22 0031 CC 23 0080					110	124	97	3.85 65	-0.06 130	52	97	1.87 116	5.20 67	126	-0.80 41	3.32 93	54	109	42	93	-2.64 39	-2.64 100	113	3
154 CC 26 0190 113729461	6.99	CC 24 0301 CC 24 0580					110	118	104	2.64 52	0.47 119	37	106	1.79 115	4.04 47	120	0.20 32	3.23 97	42	109	32	94	-7.57 30	-7.57 108	90	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights					EBV - Fertility					
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	Acc Index							Index	Acc Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
155	CC 25 0013 108891201	6.55	CC 22 0031 CC 21 0680				110	122	100	3.45 65	0.06 127	1.78 115	5.13 67	0.20 43	3.62 55	4.93 41	-3.18 39	119	5
156	CC 26 0034 113727903	3.85	CC 24 0421 CC 23 0918				110	104	114	0.70 60	0.61 39	0.96 106	1.15 47	4.60 31	4.07 45	2.24 28	0.78 28	107	2
157	CC 25 0471 111185856	6.76	CC 21 0374 CC 23 0596				110	118	104	2.77 64	0.10 49	1.48 112	4.59 66	1.50 40	3.77 53	-0.48 40	7.98 37	100	2
158	CC 26 0046 113728026	6.33	CC 24 0301 CC 24 0015				110	113	104	2.27 61	0.20 41	1.33 110	2.69 48	1.50 34	3.37 47	2.99 32	-3.98 31	122	2
159	CC 25 0358 111289427	6.43	CC 21 0512 CC 21 0393				110	99	110	0.60 65	-0.08 45	0.22 98	-0.08 67	6.30 38	4.30 51	3.47 37	-2.56 34	123	4
160	CC 26 0141 113728976	5.09	CC 24 0301 CC 23 0068				110	118	104	2.62 61	0.68 41	1.99 117	3.48 48	-1.00 34	2.70 47	4.41 32	-11.91 31	108	3
161	CC 26 0192 113729487	6.13	CC 24 0164 CC 24 0623				110	112	108	1.83 60	0.41 37	1.33 110	2.89 47	2.90 29	3.98 44	2.41 29	4.44 25	98	1
162	CC 25 0229 108893041	2.24	LM 22 1507 CC 22 0013				110	105	117	0.53 62	0.78 31	1.05 107	2.00 64	3.10 22	3.17 41	-5.11 19	-1.45 20	131	4
163	CC 25 0606 111187134	8.03	CC 23 0607 CC 24 0566				110	106	106	1.56 61	-0.17 39	0.61 102	1.71 63	4.20 32	3.90 46	1.42 31	-0.36 26	98	1
164	CC 26 0193 113729495	5.95	CC 23 0600 CC 20 0479				110	107	108	1.38 64	0.13 44	0.83 105	2.24 50	5.30 37	4.70 50	8.22 34	-4.47 32	138	6
165	CC 25 0218 108892696	2.15	LM 22 1507 CC 20 0529				110	113	115	1.25 64	1.15 35	1.78 115	3.08 66	0.80 28	2.88 45	-4.13 28	3.39 26	114	5
166	CC 25 0360 111289542	5.84	CC 21 0512 CC 23 0533				110	105	111	0.99 64	0.44 43	0.94 106	1.20 66	3.70 36	3.66 49	0.39 37	2.34 33	105	2
167	CC 26 0228 113733380	5.87	CC 23 0913 CC 25 0097				110	118	109	2.18 57	1.03 34	2.12 118	3.82 45	0.10 27	3.27 41	3.01 25	0.82 23	102	1
168	CC 26 0024 113727804	6.20	CC 24 0164 CC 22 0422				110	121	102	3.05 61	0.41 41	1.94 116	4.34 48	-1.10 34	2.80 47	3.01 32	-6.86 31	113	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
169	CC 25 0421 111185518	7.41	CC 22 0597 CC 23 0782			110	108	110	1.30 63	0.34 42	0.99 106	2.41 66	4.20 33	4.16 48	1.11 33	6.89 29	108	2	
170	CC 26 0194 113729503	4.47	CC 23 0600 CC 23 0056			110	113	102	2.33 62	0.12 40	1.28 109	2.85 48	1.50 32	3.35 47	6.46 30	-11.36 29	105	3	
171	CC 25 0467 111185815	4.93	CC 23 0902 CC 19 0353			110	103	117	0.17 65	1.01 44	1.10 107	0.84 66	4.30 37	3.76 50	1.08 33	1.87 33	116	6	
172	CC 25 0224 108892993	1.57	LM 22 1507 CC 19 0609			109	106	116	0.46 65	0.96 39	1.19 108	2.03 67	3.30 33	3.40 48	0.17 32	-5.91 32	134	7	
173	CC 25 0075 108891474	3.85	CC 21 0374 CC 23 0038			109	116	107	2.19 64	0.62 48	1.71 114	3.80 66	1.60 39	3.77 52	3.01 39	7.06 37	105	3	
174	CC 26 0002 113727580	5.92	CC 24 0301 CC 21 0043			109	119	100	3.04 62	0.12 43	1.64 113	4.31 49	0.00 37	3.15 49	4.43 34	-5.73 30	115	5	
175	CC 25 0607 111187142	5.30	CC 23 0043 CC 24 0447			109	110	107	1.58 62	0.49 39	1.28 109	1.85 64	2.20 32	3.39 46	5.03 32	-5.25 28	100	1	
176	CC 25 0449 111185716	4.19	CC 23 0902 CC 23 0658			109	105	114	0.61 64	0.73 40	1.04 107	1.30 64	3.50 32	3.44 47	-2.03 30	5.96 29	116	2	
177	CC 25 0305 111289203	4.64	CC 21 0512 CC 22 0389			109	105	115	0.51 65	0.99 45	1.25 109	1.19 66	3.20 38	3.42 51	-0.20 38	4.30 34	115	3	
178	CC 25 0183 108892126	1.71	LM 22 1507 CC 20 0373			109	105	113	0.68 65	0.69 36	1.03 107	1.48 66	3.00 28	3.18 45	-3.45 27	4.56 25	125	6	
179	CC 25 0470 111185849	7.71	CC 21 0374 CC 24 0193			109	110	106	1.74 63	0.17 47	1.03 107	2.56 66	2.00 39	3.10 51	-0.67 39	-1.44 35	98	1	
180	CC 26 0125 113728810	3.32	CC 24 0301 CC 20 0640			109	114	108	1.80 62	0.85 43	1.75 114	2.83 48	0.10 35	2.71 48	2.20 32	-6.52 30	117	5	
181	CC 25 0356 111289435	7.02	CC 21 0512 CC 23 0484			109	112	106	1.91 63	0.34 42	1.30 110	3.17 65	1.80 34	3.33 48	0.38 36	2.79 32	107	2	
182	CC 26 0056 113728125	5.48	CC 24 0370 CC 22 0381			109	117	103	2.51 61	0.53 43	1.79 115	3.64 49	-0.50 36	2.74 48	2.43 33	-2.81 33	114	4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times
			Weaned	Herds	Weaned	Herds				EBV	EBV							EBV	EBV
			Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36		
183 CC 25 0048 108937178	5.23	CC 21 0095 CC 19 0040					109	100	106	0.98 66	-0.41 55	0.08 97	0.80 68	6.20 47	4.29 57	1.87 45	4.77 41	134	6
184 CC 26 0036 113727929	5.26	CC 24 0370 CC 23 0137					109	116	102	2.62 61	0.25 41	1.56 112	3.45 48	-0.10 35	2.81 47	-0.63 32	5.73 31	101	3
185 CC 25 0055 108937194	5.95	CC 21 0515 CC 19 0580					109	119	95	3.41 65	-0.24 50	1.46 111	4.24 66	0.60 43	3.52 54	7.60 40	-2.92 36	111	6
186 CC 26 0073 113728299	6.28	CC 24 0301 CC 22 0365					109	117	103	2.52 61	0.47 42	1.73 114	3.82 48	0.10 35	3.05 48	3.02 33	0.09 31	114	4
187 CC 26 0104 113728604	7.48	CC 24 0421 CC 23 0506					109	113	104	2.05 60	0.31 41	1.34 110	2.83 48	1.60 34	3.32 47	2.96 32	1.41 30	100	3
188 CC 25 0656 111187464	6.70	CC 23 0635 CC 24 0495					109	100	108	0.69 61	0.01 39	0.35 99	0.58 63	5.20 31	3.81 46	2.61 30	-1.73 26	107	1
189 CC 25 0442 111186227	6.74	CC 22 0597 CC 23 0836					108	113	107	1.86 62	0.57 41	1.50 112	3.02 65	1.40 33	3.27 47	1.91 32	3.53 29	99	2
190 CC 26 0173 113729297	7.24	CC 23 0600 CC 22 0355					108	113	102	2.20 62	0.35 42	1.45 111	2.41 48	1.50 34	3.45 48	7.78 30	-2.94 30	116	4
191 CC 24 0770 106747231	5.48	CC 22 0392 CC 23 0732					108	110	104	1.92 63	0.02 45	0.98 106	2.80 65	4.00 36	4.35 50	6.38 35	6.06 31	99	2
192 CC 26 0138 113728943	6.88	CC 24 0421 CC 23 0686					108	103	110	0.65 61	0.45 40	0.77 104	0.82 48	4.60 33	3.86 46	5.21 31	-2.99 30	100	2
193 CC 26 0093 113728497	5.78	CC 23 0600 CC 24 0681					108	104	105	1.33 61	-0.25 37	0.42 100	1.54 47	5.00 28	4.09 44	4.51 27	-0.94 23	103	1
194 CC 25 0308 111289260	6.73	CC 21 0512 CC 23 0562					108	100	113	0.20 64	0.56 43	0.66 103	0.29 66	4.40 35	3.40 49	-0.47 36	2.23 32	107	2
195 CC 24 0407 106744170	5.14	CC 21 0188 CC 20 0343	4	1			108	119	104	2.67 70	0.68 56	2.02 117	4.00 68	-1.00 49	2.75 60	-1.07 45	12.50 42	132	5
196 CC 25 0559 111187795	6.85	CC 22 0597 CC 21 0319					108	112	105	1.96 64	0.25 45	1.23 109	3.27 66	2.30 36	3.59 50	5.03 33	-2.61 30	124	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL EBV Acc Index	ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index				EBV Acc Index	EBV Acc Index		EBV Acc Index	EPI	Times Lambd	
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36	
197	CC 25 0087 108937889	6.36	CC 21 0025 CC 20 0101				108	107	108	1.18 67	0.36 55	0.95 106	1.97 68	2.90 47	3.28 58	4.21 45	-10.09 41	152	6		
198	CC 24 0039 99762189	5.20	CC 21 0025 CC 19 0462				108	120	102	2.72 66	0.78 54	2.14 119	3.69 68	-2.30 48	2.12 57	4.35 45	-9.62 42	103	6		
199	CC 25 0456 111186284	4.61	CC 23 0902 CC 23 0545				108	111	111	1.27 63	0.94 38	1.57 113	2.43 64	1.90 31	3.34 46	3.39 28	2.19 29	105	2		
200	CC 25 0497 111186375	5.16	CC 22 0392 CC 23 0831				108	110	102	2.12 64	-0.21 45	0.86 105	2.99 65	3.10 36	3.78 50	2.90 35	5.32 31	104	2		
201	CC 25 0694 111188256	4.48	CC 23 0043 CC 24 0431				108	106	105	1.36 62	0.04 39	0.72 103	1.63 64	3.50 31	3.49 46	4.40 32	-5.02 28	98	1		
202	CC 25 0009 108891185	4.99	CC 23 0043 CC 22 0069				108	118	104	2.42 62	0.85 40	2.06 118	3.43 64	-1.10 32	2.61 47	5.47 31	-4.76 29	103	3		
203	CC 26 0232 114273113	4.12	CC 22 0031 CC 20 0514				108	109	98	2.28 66	-0.60 54	0.54 101	2.54 60	3.40 44	3.71 56	4.20 42	-0.05 37	150	6		
204	CC 25 0255 108892506	2.10	LM 22 1507 CC 21 0318				108	101	111	0.43 65	0.20 37	0.42 100	1.44 66	5.30 28	3.81 46	1.34 28	-1.99 29	130	5		
205	CC 26 0047 113728034	6.33	CC 24 0301 CC 24 0015				108	109	103	1.78 61	0.22 41	1.11 108	2.02 48	1.50 34	2.90 47	2.99 32	-3.98 31	122	2		
206	CC 26 0136 113728927	5.98	CC 24 0301 CC 22 0529				108	110	103	1.95 61	0.09 42	1.07 107	2.56 49	0.90 36	2.58 48	0.52 33	-6.04 31	113	4		
207	CC 26 0092 113728489	5.78	CC 23 0600 CC 24 0681				108	103	105	1.20 61	-0.24 37	0.36 100	1.36 47	5.00 28	3.96 44	4.51 27	-0.94 23	103	1		
208	CC 25 0499 111186391	5.86	CC 23 0902 CC 23 0875				108	106	113	0.67 62	0.91 37	1.24 109	1.59 64	1.20 29	2.29 45	-4.81 26	0.99 26	105	2		
209	CC 26 0177 113729339	6.85	CC 23 0913 CC 25 0062				108	106	109	1.02 57	0.54 36	1.04 107	1.73 46	2.40 31	2.99 43	0.00 29	0.96 26	101	1		
210	CC 26 0003 113727598	4.05	CC 24 0301 CC 23 0038				107	119	101	2.77 61	0.52 40	1.91 116	3.98 48	-0.50 31	2.99 46	7.58 32	-4.25 31	105	3		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded			
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
211	CC 25 0496 111186367	3.90	CC 23 0902 CC 20 0375				107	112	113	1.08 64	1.24 42	1.79 115	2.75 65	0.80 36	2.81 49	1.18 32	0.93 30	124	5	
212	CC 25 0197 108891888	2.54	LM 22 1507 CC 22 0628				107	108	113	0.77 63	1.00 33	1.38 111	2.05 65	1.50 26	2.67 43	-0.63 25	-2.27 27	115	4	
213	CC 25 0523 111186631	4.74	CC 22 0392 CC 23 0548				107	112	102	2.17 63	0.00 44	1.08 107	2.81 65	2.30 35	3.55 49	3.30 34	7.40 31	99	2	
214	CC 26 0007 113727630	4.91	CC 24 0370 CC 23 0097				107	116	101	2.57 61	0.28 41	1.57 112	3.38 48	-0.30 34	2.67 47	1.27 32	4.67 31	99	3	
215	CC 25 0089 108937434	4.86	CC 21 0095 CC 19 0803				107	92	110	-0.18 66	-0.26 54	-0.35 92	-1.13 67	7.20 45	3.88 57	-0.43 42	6.03 39	113	5	
216	CC 25 0202 108892217	2.39	LM 22 1507 CC 21 0363				107	102	114	0.08 65	0.96 36	1.00 106	0.55 66	2.70 30	2.66 46	-1.49 30	-1.07 31	108	4	
217	CC 25 0014 108936972	5.22	CC 21 0095 CC 21 0643				107	107	95	2.40 65	-1.10 52	0.10 97	2.40 67	3.70 45	3.51 55	1.52 43	1.21 39	113	4	
218	CC 25 0216 108892670	7.62	CC 22 0031 CC 19 0462				107	126	94	3.92 66	0.24 54	2.21 119	5.06 68	-3.10 46	2.31 57	5.63 44	-1.66 42	103	6	
219	CC 25 0455 111186276	4.61	CC 23 0902 CC 23 0545				107	110	109	1.23 63	0.81 38	1.42 111	2.16 64	1.90 31	3.18 46	3.39 28	2.19 29	105	2	
220	CC 25 0122 108891631	5.77	CC 23 0043 CC 21 0491				107	118	101	2.57 63	0.79 42	2.08 118	3.19 65	-1.70 35	2.34 48	6.69 33	-5.80 31	100	3	
221	CC 25 0285 108892969	2.13	LM 22 1507 CC 23 0068				107	113	107	1.58 63	0.93 34	1.72 114	2.66 63	-0.70 26	2.09 43	0.78 28	-6.59 29	108	3	
222	CC 25 0354 111289393	6.53	CC 21 0512 CC 24 0009				107	109	108	1.21 63	0.85 41	1.45 111	1.77 65	0.70 36	2.48 48	0.93 37	-0.21 32	97	1	
223	CC 26 0153 113729099	5.85	CC 24 0164 CC 23 0816				107	117	104	2.16 60	0.91 38	1.99 117	3.31 46	-1.70 31	2.05 45	2.72 29	-5.68 29	101	3	
224	CC 26 0216 113729693	4.41	CC 24 0407 CC 25 0096				107	120	98	3.04 57	0.21 39	1.74 114	4.40 48	-0.80 33	2.78 45	2.55 32	6.12 29	104	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EPI	Times Lambed
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
225 CC 25 0570 111186938	4.97	CC 22 0392 CC 20 0550					107	102	114	0.15 64	0.86 96 47	0.93 106	1.04 66 103	3.70 38	3.22 51 109	1.14 37 100	0.44 31 95	128	5
226 CC 26 0054 113728109	7.46	CC 24 0164 CC 21 0074					107	113	101	2.20 62	0.25 115 44	1.35 110	2.85 49 113	1.60 38	3.40 50 110	7.79 33 85	0.30 33 96	127	5
227 CC 25 0409 111186136	6.66	CC 21 0374 CC 23 0516					107	106	104	1.37 64	0.02 108 49	0.70 103	1.59 66 106	2.50 41	2.89 53 107	-0.61 40 104	3.93 37 90	97	2
228 CC 25 0406 111186102	6.91	CC 22 0597 CC 23 0802					107	109	107	1.35 63	0.52 107 42	1.20 109	2.28 65 110	1.60 33	2.83 48 107	0.29 32 102	3.76 28 90	99	2
229 CC 26 0149 113729057	6.31	CC 23 0600 CC 22 0353					107	101	103	1.05 63	-0.50 104 42	0.02 96	1.31 49 105	5.50 33	3.84 48 112	6.30 30 88	-9.62 28 111	117	4
230 CC 26 0219 114273329	2.26	LM 22 1507 CC 24 0460					106	111	105	1.62 64	0.44 110 33	1.24 109	2.99 56 114	1.10 26	2.71 43 106	0.99 29 100	-1.63 27 99	103	1
231 CC 25 0047 108937137	5.34	CC 21 0188 CC 19 0058					106	109	104	1.56 66	0.46 109 55	1.24 109	1.89 68 108	-0.60 46	1.66 57 102	-1.85 43 107	-6.44 41 106	138	6
232 CC 26 0035 113727911	4.46	CC 23 0902 CC 23 0742					106	105	110	0.74 63	0.61 102 37	0.98 106	1.77 55 107	1.50 32	2.25 46 104	-3.26 29 110	-2.06 29 99	100	3
233 CC 25 0520 111186607	5.43	CC 22 0392 CC 24 0203					106	106	105	1.31 63	0.14 107 43	0.79 104	1.70 65 107	2.80 35	3.13 49 108	0.49 35 101	8.22 29 83	97	1
234 CC 25 0072 108937103	4.92	CC 21 0095 CC 22 0051					106	98	106	0.61 65	-0.38 100 52	-0.08 95	0.82 67 102	5.90 43	3.77 55 111	0.41 41 102	5.34 38 88	108	3
235 CC 25 0636 111188389	4.54	CC 23 0043 CC 24 0411					106	112	102	1.98 62	0.39 113 37	1.38 110	2.68 63 113	0.20 28	2.49 45 105	3.74 29 94	-3.92 24 102	108	1
236 CC 26 0217 114273253	1.96	LM 22 1507 CC 24 0696					106	108	108	1.13 64	0.53 105 33	1.09 107	2.32 57 110	2.20 26	2.97 43 108	0.97 29 100	3.48 29 91	104	2
237 CC 25 0613 111187209	5.75	CC 23 0109 CC 24 0647					106	107	104	1.30 59	0.32 107 35	0.97 106	1.70 61 107	1.40 29	2.46 43 105	1.94 30 98	-5.88 24 106	100	1
238 CC 26 0052 113728083	4.31	CC 23 0902 CC 24 0119					106	109	106	1.37 63	0.67 107 37	1.35 110	1.99 54 109	0.70 30	2.45 45 105	1.71 28 99	-0.17 27 96	113	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV
			Progeny Weaned	Herds	Progeny Weaned	Herds				Acc Index	Acc Index	EBV Index	EBV Index	Acc Index	Acc Index	EPI	Times Lambd			
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
239	CC 25 0526 111186664	4.63	CC 23 0902 CC 24 0199				106	106	110	0.77 63	0.70 102	1.08 107	1.88 64	2.10 30	2.73 45	-1.87 28	6.21 86	97	1	
240	CC 25 0108 108891599	5.74	CC 21 0374 CC 21 0118				106	105	107	0.94 65	0.32 104	0.80 104	1.57 66	2.40 42	2.71 54	-2.93 39	7.62 84	121	5	
241	CC 25 0064 108891417	7.18	CC 22 0031 CC 22 0631				106	122	94	3.48 64	0.02 127	1.76 115	4.96 66	-1.60 41	2.54 53	5.01 40	-0.38 91	109	3	
242	CC 25 0204 108892233	2.57	LM 22 1507 CC 21 0399				106	107	111	0.66 64	0.88 101	1.21 109	2.13 66	1.70 28	2.56 45	-0.35 28	-1.87 99	104	4	
243	CC 25 0699 111188306	2.19	LM 22 1507 CC 23 0625				106	106	106	1.23 64	0.20 101	0.81 104	2.17 65	2.60 26	2.99 44	-0.92 28	7.46 84	103	2	
244	CC 26 0098 113728547	6.17	CC 24 0421 CC 24 0691				106	99	110	0.11 59	0.52 96	0.57 102	0.12 45	4.00 29	3.03 43	2.11 29	-0.90 98	99	1	
245	CC 25 0098 108891557	6.02	CC 22 0031 CC 20 0393				106	110	100	1.96 66	0.00 113	0.98 106	2.37 67	2.00 46	3.16 57	7.17 45	-2.72 41	100	6	
246	CC 25 0657 111187472	6.70	CC 23 0635 CC 24 0495				105	96	107	0.16 61	-0.04 97	0.04 96	-0.25 63	5.20 31	3.24 46	2.61 30	-1.73 26	99	1	
247	CC 25 0063 108891409	7.18	CC 22 0031 CC 22 0631				105	121	95	3.32 64	0.07 99	1.73 114	4.82 66	-1.60 41	2.43 53	5.01 40	-0.38 91	109	3	
248	CC 25 0082 108937855	4.87	CC 21 0515 CC 21 0019				105	109	100	1.83 65	0.15 100	1.06 107	1.75 66	0.50 43	2.28 54	4.45 40	-6.59 37	107	6	
249	CC 25 0463 111185773	7.54	CC 22 0597 CC 22 0546				105	107	104	1.38 63	0.18 101	0.87 105	1.95 66	2.10 34	2.82 49	0.93 32	5.61 87	107	3	
250	CC 25 0315 111289096	2.00	CC 21 0512 CC 23 0364				105	108	107	1.04 60	0.76 111	1.28 109	2.25 63	1.10 28	2.46 45	3.07 35	-5.21 31	104	2	
251	CC 26 0077 113728331	6.03	CC 24 0164 CC 23 0108				105	116	99	2.38 61	0.47 106	1.66 113	3.28 48	-1.60 34	1.89 47	4.00 32	-6.22 30	106	3	
252	CC 25 0631 111188330	5.09	CC 23 0043 CC 24 0414				105	107	105	1.13 61	0.49 106	1.05 107	1.65 64	1.40 30	2.46 45	3.39 31	-3.54 26	102	1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights					EBV - Fertility					
Animal ID Computer nr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index							EPI	Times Lambbed
			Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13
253	CC 25 0553 111186854	6.27	CC 22 0597 CC 22 0143				105	97	111	-0.16 64	0.36 44	0.28 99	0.22 66	4.60 35	2.96 50	0.80 32	-1.77 29	116	3
254	CC 26 0233 114273121	4.12	CC 22 0031 CC 20 0514				105	104	98	1.68 66	-0.57 54	0.27 99	1.73 60	3.40 44	3.15 56	4.20 42	-0.05 37	150	6
255	CC 25 0117 108937608	4.05	CC 21 0188 CC 19 0867				105	110	103	1.61 65	0.37 53	1.17 108	2.53 67	0.40 46	2.22 56	-1.17 42	7.45 40	114	5
256	CC 25 0030 108937301	5.46	CC 21 0188 CC 21 0661				104	107	105	1.13 66	0.62 53	1.18 108	1.66 67	0.60 45	2.11 56	1.21 42	0.17 41	129	5
257	CC 26 0057 113728133	6.24	CC 23 0600 CC 22 0214				104	109	97	1.97 62	-0.20 40	0.78 104	2.15 48	1.00 32	2.37 47	2.85 28	-1.53 27	123	4
258	CC 25 0481 111185955	7.39	CC 22 0597 CC 24 0092				104	109	106	1.22 63	0.66 41	1.28 109	2.64 65	1.30 32	2.67 47	4.22 32	-0.87 26	102	1
259	CC 25 0319 111289138	5.24	CC 21 0512 CC 20 0043				104	102	107	0.58 65	0.57 46	0.87 105	0.31 67	1.60 39	2.12 52	-1.25 38	6.78 35	148	6
260	CC 26 0044 113728000	5.73	CC 23 0902 CC 21 0522				104	112	107	1.21 65	1.19 43	1.80 115	2.28 57	-1.10 37	1.75 50	2.02 31	-1.60 32	134	5
261	CC 25 0081 108891508	6.90	CC 22 0031 CC 23 0576				104	114	93	2.91 64	-0.62 50	0.84 105	4.14 66	0.60 42	2.65 54	2.70 42	2.35 39	98	2
262	CC 25 0357 111289419	7.02	CC 21 0512 CC 23 0484				104	106	103	1.20 63	0.18 42	0.78 104	1.89 65	1.80 34	2.46 48	0.38 36	2.79 32	107	2
263	CC 26 0135 113728919	6.99	CC 24 0301 CC 20 0536				104	103	100	1.17 63	-0.24 45	0.35 99	1.36 50	2.00 38	2.13 50	2.78 34	-14.49 32	120	6
264	CC 25 0702 111188413	5.58	CC 23 0109 CC 24 0709				104	107	103	1.27 59	0.42 35	1.05 107	1.79 61	1.40 28	2.53 43	6.09 29	-5.70 24	101	1
265	CC 25 0494 111186342	4.52	CC 23 0902 CC 20 0559				104	102	110	0.18 64	0.80 41	0.89 105	0.85 65	1.90 33	2.12 48	-0.81 28	-0.72 26	122	5
266	CC 26 0144 113729008	4.59	CC 23 0902 CC 22 0484				104	115	104	1.81 63	1.02 39	1.93 116	2.96 55	-2.10 33	1.57 47	-0.64 28	6.61 29	106	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL EBV Acc Index	ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Mat EBV Acc Index	EBV Acc Index				EBV Acc Index	EBV Acc Index		EPI	Times Lambed		
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
267	CC 25 0649 111187399	6.09	CC 23 0607 CC 24 0363				104	113	97	2.27 60	0.06 99	1.20 109	3.03 63	-0.70 33	1.91 46	2.54 97	-3.80 28	99	1		
268	CC 25 0605 111187126	5.69	CC 23 0635 CC 24 0331				104	105	102	1.13 60	0.11 100	0.68 103	1.55 63	2.00 32	2.44 45	2.15 98	-1.49 27	100	1		
269	CC 25 0547 111186797	4.88	CC 23 0902 CC 21 0353				104	109	106	1.12 65	0.82 112	1.38 111	1.94 65	0.50 36	2.24 50	4.01 93	-1.79 31	127	4		
270	CC 26 0079 113728356	6.74	CC 24 0164 CC 22 0157				104	108	102	1.45 61	0.23 102	0.95 106	2.18 48	1.30 33	2.46 47	2.82 96	0.78 29	120	4		
271	CC 25 0437 111186177	7.50	CC 21 0374 CC 23 0740				104	102	102	1.07 64	-0.24 94	0.30 99	1.46 66	2.90 40	2.57 52	-1.85 107	7.28 37	99	2		
272	CC 26 0037 113727937	6.76	CC 24 0164 CC 20 0732				104	117	102	2.13 62	0.86 113	1.92 116	3.73 48	-1.70 34	1.96 47	3.45 95	2.19 28	111	6		
273	CC 25 0484 111185989	6.34	CC 22 0031 CC 23 0654				104	112	95	2.38 65	-0.21 94	0.98 106	3.13 67	1.20 42	2.89 54	8.67 83	-3.21 39	105	2		
274	CC 26 0080 113728364	4.81	CC 24 0421 CC 22 0438				104	106	102	1.23 61	0.27 103	0.89 105	1.49 49	1.40 36	2.34 48	2.34 97	2.40 32	112	4		
275	CC 25 0416 111185468	6.50	CC 21 0374 CC 23 0466				104	102	101	1.13 64	-0.25 94	0.32 99	1.24 66	2.30 40	2.26 52	-2.99 109	6.62 37	98	2		
276	CC 24 0421 106744295	5.28	CC 20 0456 CC 18 0548	25	2		104	94	107	-0.26 81	0.29 103	0.16 97	-1.19 68	4.80 47	2.91 63	4.58 92	-0.96 42	151	7		
277	CC 25 0555 111187753	4.98	CC 23 0902 CC 24 0190				104	107	108	0.79 63	0.80 112	1.19 108	2.11 64	1.00 29	2.19 45	1.12 100	0.05 25	100	1		
278	CC 25 0483 111185971	6.34	CC 22 0031 CC 23 0654				104	112	95	2.37 65	-0.22 94	0.97 106	3.10 67	1.20 42	2.88 54	8.67 83	-3.21 39	105	2		
279	CC 25 0198 108937830	17.68	CC 22 0031 CC 21 0015				104	113	94	2.53 66	-0.31 93	0.96 106	3.60 68	1.00 45	2.82 57	7.13 86	-2.13 41	132	5		
280	CC 25 0537 111186771	5.71	CC 22 0031 CC 23 0682				104	113	93	2.74 65	-0.55 88	0.82 104	3.99 67	1.10 41	2.85 54	4.22 93	3.45 38	106	2		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam					
			Prog	Nr	Prog	Nr				Dir	Mat								EBV	EBV			
			Weaned	Herds	Weaned	Herds				EBV	Acc Index	EBV	Acc Index	EBV	Acc Index	EBV	Acc Index		EBV	Acc Index	EBV	Acc Index	EPI
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
281	CC 26 0027 113727838	6.08	CC 24 0421 CC 24 0653				104	100	105	0.46 60	99	0.20 38	101	0.43 100	47	100	3.90 31	3.00 45	4.96 30	0.54 27	95	98	1
282	CC 26 0105 113728612	4.61	CC 24 0301 CC 23 0910				104	108	101	1.44 59	108	0.34 37	104	1.06 107	46	109	-0.10 30	1.72 44	0.81 28	-4.15 28	103	99	2
283	CC 25 0687 111188181	4.45	CC 23 0043 CC 24 0444				104	110	96	2.05 62	114	0.02 39	98	1.05 107	64	111	-0.20 32	1.95 46	6.87 32	-13.06 28	117	99	1
284	CC 25 0433 111185633	6.13	CC 21 0374 CC 23 0820				104	100	104	0.63 64	101	-0.19 48	95	0.12 97	66	105	3.80 40	2.72 52	-2.96 39	9.02 37	82	96	2
285	CC 25 0479 111185930	7.10	CC 21 0374 CC 23 0791				104	93	107	-0.19 64	93	-0.29 49	93	-0.38 92	66	96	5.50 40	2.83 53	-4.94 40	11.26 38	78	102	2
286	CC 25 0103 108891573	4.08	CC 23 0043 CC 21 0618				103	119	93	3.12 63	124	0.15 42	100	1.71 114	65	120	-2.30 34	1.89 48	7.25 33	-5.13 32	104	110	4
287	CC 25 0614 111187217	6.77	CC 23 0109 CC 24 0487				103	116	92	2.88 60	121	-0.20 39	94	1.24 109	63	117	-1.50 33	1.78 46	5.40 32	-7.81 28	109	100	1
288	CC 26 0042 113727986	6.71	CC 23 0902 CC 21 0604				103	109	103	1.32 63	107	0.54 40	107	1.20 109	55	111	-0.70 33	1.43 47	-2.14 30	-0.88 29	98	109	5
289	CC 25 0684 111188157	6.39	CC 23 0109 CC 24 0564				103	115	92	2.78 60	121	-0.21 38	94	1.18 108	62	117	-0.90 32	2.03 45	6.70 32	-6.52 27	107	101	1
290	CC 25 0457 111186292	5.75	CC 22 0031 CC 23 0592				103	114	95	2.57 64	119	-0.26 51	93	1.02 107	67	120	1.30 41	3.09 54	7.81 41	2.17 38	93	103	2
291	CC 25 0422 111185526	5.86	CC 21 0374 CC 23 0652				103	108	100	1.60 64	110	-0.06 48	97	0.74 104	66	112	1.40 39	2.37 52	-0.36 39	7.51 36	84	97	2
292	CC 26 0225 114273204	2.55	LM 22 1507 CC 24 0456				103	104	106	0.59 63	100	0.63 32	109	0.93 106	57	103	1.00 26	1.82 43	-0.10 29	0.47 27	95	100	1
293	CC 26 0114 113728703	6.27	CC 24 0421 CC 22 0347				103	99	106	0.19 61	97	0.45 43	106	0.55 102	49	98	2.90 36	2.38 48	3.04 33	-0.48 32	97	112	4
294	CC 25 0436 111186169	6.55	CC 22 0031 CC 22 0594				103	120	92	3.24 64	125	-0.01 50	98	1.61 113	66	123	-2.20 42	1.91 54	3.37 41	4.66 38	89	102	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog	Nr	Prog	Nr				Dir	Mat							
			Progeny Weaned	Herds	Progeny Weaned	Herds				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded	
Active Breed Average:			100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
295	CC 25 0251 108892464	1.98	LM 22 1507 CC 22 0365				103	108	108	0.81 64	0.91 35	1.31 110	2.35 65	0.40 28	1.96 45	-0.61 29	5.41 87	114 4
296	CC 25 0574 111186979	5.10	CC 22 0597 CC 21 0548				103	98	110	-0.24 64	0.66 45	0.54 109	0.37 66	2.90 35	2.16 50	1.51 33	-6.53 30	107 4
297	CC 25 0156 108891920	6.85	CC 21 0374 CC 23 0178				103	99	105	0.32 65	0.27 50	0.43 103	0.36 66	2.50 41	2.09 54	-0.85 39	2.33 104	92 3
298	CC 25 0491 111186318	4.80	CC 22 0392 CC 19 0476				103	102	96	1.47 65	-0.69 49	0.04 96	1.26 67	3.40 39	2.82 53	4.23 37	0.88 93	95 6
299	CC 26 0005 113727614	6.13	CC 24 0164 CC 24 0110				103	108	102	1.33 61	0.46 40	1.13 106	2.15 48	0.10 34	1.85 47	2.21 32	-0.88 98	98 2
300	CC 26 0215 113729685	3.85	CC 23 0913 CC 25 0060				103	102	105	0.64 57	0.31 36	0.62 103	1.22 46	2.00 30	2.14 43	0.33 28	1.42 102	94 1
301	CC 25 0539 111187670	4.64	CC 23 0902 CC 24 0208				103	96	110	-0.36 63	0.48 37	0.30 106	0.02 64	3.10 29	1.98 45	-3.70 28	2.95 111	91 1
302	CC 25 0469 111185831	7.43	CC 22 0597 CC 23 0503				103	113	101	1.77 63	0.61 42	1.49 108	2.90 65	-0.80 34	1.90 48	2.45 32	4.98 88	100 2
303	CC 25 0535 111186755	4.61	CC 23 0902 CC 24 0093				103	106	106	0.71 63	0.75 37	1.11 111	1.83 64	0.90 29	2.01 45	2.19 27	-1.21 98	98 1
304	CC 26 0201 113729578	5.99	CC 24 0164 CC 20 0495				102	116	98	2.33 63	0.40 44	1.57 105	3.77 49	-0.70 37	2.32 50	4.88 34	8.05 83	128 6
305	CC 24 0377 106743883	4.41	CC 22 0031 CC 18 0059				102	112	91	2.65 66	-0.52 54	0.81 89	3.42 68	-0.20 45	2.01 57	4.78 43	-2.27 92	100 7
306	CC 26 0155 113729115	4.25	CC 23 0902 CC 22 0669				102	105	103	0.81 62	0.52 36	0.93 107	1.60 53	0.10 29	1.39 44	0.40 24	-5.28 102	105 4
307	CC 26 0221 114273287	2.09	LM 22 1507 CC 21 0118				102	103	105	0.49 64	0.59 35	0.84 108	1.13 57	0.60 28	1.44 45	-1.99 27	1.63 107	94 5
308	CC 26 0238 114273188	6.31	CC 22 0031 CC 21 0312				102	115	91	2.81 65	-0.32 52	1.08 92	4.03 59	-0.10 42	2.42 55	8.09 41	-0.88 84	98 4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam					
			Prog	Nr	Prog	Nr				Dir	Mat							EPI	Times				
			Weaned	Herds	Weaned	Herds				EBV	EBV							EBV	EBV	Index	Index	Index	Index
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
309	CC 25 0370 111289740	2.00	CC 21 0512 CC 23 0372				102	103	104	0.52 60	100	0.58 39	108	0.84 105	1.04 63	103	1.10 28	1.76 45	3.07 96	-5.21 31	104	119	2
310	CC 25 0629 111188322	5.15	CC 23 0635 CC 24 0307				102	98	100	0.55 61	100	-0.17 39	95	0.10 97	0.18 63	99	3.30 32	2.35 109	3.72 30	-1.00 27	98	100	1
311	CC 25 0451 111186235	5.67	CC 22 0031 CC 20 0200				101	113	94	2.30 66	116	-0.03 54	97	1.12 108	3.37 68	116	-0.90 46	1.73 57	5.29 44	-4.62 41	104	120	5
312	CC 26 0220 114273279	2.26	LM 22 1507 CC 24 0460				101	104	104	0.64 64	101	0.49 33	106	0.81 104	1.68 56	107	1.10 26	1.79 43	0.99 29	-1.63 27	99	103	1
313	CC 25 0056 108891367	5.00	CC 23 0043 CC 23 0490				101	108	94	1.79 62	111	0.03 38	98	0.92 106	1.96 64	109	-0.30 30	1.64 45	10.40 30	-19.27 29	127	88	2
314	CC 25 0208 108892274	1.90	LM 22 1507 CC 22 0532				101	100	102	0.54 64	100	0.07 35	99	0.34 99	0.84 66	102	1.00 28	1.21 45	-1.36 29	-7.31 29	108	113	4
315	CC 26 0107 113728638	7.80	CC 23 0600 CC 24 0643				101	98	100	0.55 61	100	-0.28 35	93	-0.01 96	0.55 47	101	3.30 28	2.25 109	2.74 27	-2.10 26	99	96	2
316	CC 26 0099 113728554	5.69	CC 23 0902 CC 23 0576				101	100	106	0.19 63	97	0.35 38	104	0.44 100	0.93 55	103	1.80 31	1.61 46	-3.27 29	4.62 29	89	98	2
317	CC 25 0564 111186870	5.85	CC 21 0374 CC 24 0165				101	106	97	1.48 64	108	-0.12 47	96	0.62 102	2.03 66	109	0.70 39	1.78 52	1.45 40	2.59 35	92	97	1
318	CC 25 0543 111187712	5.90	CC 22 0031 CC 20 0501				101	114	88	2.93 66	122	-0.75 53	85	0.72 103	4.09 67	120	-0.30 44	2.00 56	6.70 41	-5.46 37	105	120	6
319	CC 25 0583 111187860	6.03	CC 23 0109 CC 24 0499				101	104	97	1.26 61	106	-0.10 39	96	0.54 101	1.63 63	107	1.30 33	1.95 46	4.58 32	-3.01 27	101	98	1
320	CC 26 0234 114273139	5.85	CC 22 0031 CC 22 0354				100	117	89	3.08 65	123	-0.17 52	95	1.37 110	3.88 59	119	-2.00 43	1.71 55	7.58 41	1.30 39	94	123	4
321	CC 25 0453 111186250	6.07	CC 22 0031 CC 23 0760				100	111	89	2.51 65	118	-0.57 50	88	0.69 103	3.47 66	117	0.40 41	2.18 54	8.71 41	-4.28 38	103	104	2
322	CC 26 0211 114273303	1.85	LM 22 1507 CC 24 0402				100	94	105	-0.38 63	91	0.20 31	101	0.01 96	-0.29 56	96	2.90 25	1.56 42	-1.75 28	-0.50 28	97	97	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								
			Weaned	Herds	Weaned	Herds				EBV	EBV	EBV	EBV	Acc	Index	Index	Index		Index
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
323	CC 25 0110 108891607	5.25	CC 22 0031 CC 22 0484				100	119	89	3.12 65	0.08 124	1.64 113	4.19 66	-3.30 43	1.22 55	5.33 41	4.34 39	106	4
324	CC 25 0410 111186144	6.39	CC 22 0031 CC 20 0303				100	110	93	1.97 66	-0.03 113	0.95 106	2.37 68	-0.50 46	1.64 57	5.92 44	0.21 41	113	5
325	CC 25 0193 108891847	2.17	LM 22 1507 CC 20 0732				100	106	102	0.84 65	0.70 110	1.12 108	1.81 65	-0.90 28	1.00 45	-0.47 27	3.03 25	111	6
326	CC 26 0097 113728539	5.36	CC 23 0902 CC 21 0161				100	105	101	0.83 64	0.44 105	0.85 105	1.55 56	0.00 34	1.26 48	1.11 30	0.37 27	116	5
327	CC 25 0521 111186615	6.02	CC 22 0031 CC 23 0665				100	113	88	2.78 64	-0.65 87	0.74 104	3.57 66	-0.90 40	1.58 53	1.77 41	8.23 38	102	2
328	CC 25 0435 111186151	2.03	CC 21 0374 CC 23 0403				100	102	102	0.53 61	0.34 104	0.60 102	1.11 63	1.50 34	1.77 49	2.21 38	3.55 36	110	2
329	CC 26 0191 113729479	6.87	CC 23 0635 CC 25 0021				100	99	97	0.73 60	-0.23 94	0.14 97	0.54 54	1.50 32	1.40 45	1.11 31	-2.69 28	103	1
330	CC 26 0021 113727770	4.81	CC 24 0421 CC 21 0019				100	100	99	0.54 54	0.34 104	0.61 102	-0.24 49	0.50 38	1.19 46	5.01 33	-6.04 33	114	6
331	CC 25 0716 111188561	5.75	CC 23 0109 CC 24 0555				99	100	100	0.49 59	0.15 100	0.40 100	0.55 61	1.40 29	1.48 43	3.84 30	-5.38 24	100	1
332	CC 25 0609 111187167	5.75	CC 23 0109 CC 24 0627				99	98	101	0.29 59	0.14 100	0.28 99	0.37 61	1.50 29	1.32 43	1.61 30	-5.23 24	99	1
333	CC 23 0902 98833783	2.77	CC 23 0003 CC 18 0704	78	2		99	104	106	0.29 90	1.02 46	1.16 108	1.38 86	-1.20 37	0.58 61	-3.22 33	1.99 33	151	9
334	CC 25 0577 111187001	6.02	CC 23 0635 CC 24 0537				99	98	100	0.41 60	-0.17 37	0.03 96	0.77 63	2.40 30	1.68 44	0.58 29	0.46 26	98	1
335	CC 26 0196 113729529	4.60	CC 23 0902 CC 22 0187				99	108	102	0.88 63	0.80 112	1.24 109	2.36 55	-1.60 31	0.72 46	-0.14 27	-1.41 27	120	4
336	CC 26 0222 113729701	7.51	CC 23 0635 CC 25 0140				98	97	101	0.13 60	0.14 35	0.21 98	0.27 54	2.10 29	1.53 43	0.58 28	4.76 24	103	1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat								EBV
			Acc	Index	Acc	Index				Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI
Active Breed Average:			100	100	100				-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
337	CC 24 0569 106745508		6.46	CC 21 0025 CC 19 0710	6	1	98	107	94	1.37 71	0.32 54	1.00 106	1.23 68	-2.20 47	0.37 59	4.64 45	-9.71 41	122 7	
338	CC 25 0478 111185922		6.06	CC 23 0902 CC 20 0567			98	107	102	0.76 64	1.09 41	1.47 111	1.46 65	-2.60 34	0.29 48	1.59 29	-1.23 27	119 5	
339	CC 26 0197 113729537		6.43	CC 24 0569 CC 25 0008			98	111	92	2.05 57	0.10 39	1.12 108	2.82 47	-2.40 32	0.71 44	5.22 32	-6.46 28	103 1	
340	CC 25 0616 111187233		6.22	CC 22 0031 CC 23 0486			97	107	84	2.43 65	-1.01 51	0.20 98	2.36 66	-0.10 42	1.36 54	5.03 42	1.69 39	103 2	
341	CC 25 0043 108891292		6.21	CC 22 0031 CC 22 0030			97	113	86	2.69 65	-0.35 53	0.99 106	3.16 67	-2.20 45	1.02 56	8.43 43	-4.01 41	113 3	
342	CC 26 0025 113727812		6.57	CC 24 0301 CC 21 0562			97	106	92	1.53 61	-0.01 42	0.75 104	1.69 49	-1.80 36	0.44 48	3.61 33	-6.79 31	120 5	
343	CC 25 0565 111186888		6.63	CC 22 0031 CC 23 0759			97	111	85	2.62 65	-0.66 50	0.66 103	3.24 67	-1.30 42	1.19 54	5.05 41	2.27 39	98 2	
344	CC 25 0465 111185799		5.10	CC 23 0902 CC 20 0070			97	103	103	0.19 64	1.05 42	1.15 108	0.79 65	-1.70 37	0.22 49	2.65 33	-7.84 33	117 6	
345	CC 25 0121 108937640		5.04	CC 21 0025 CC 20 0441			97	106	93	1.33 66	0.07 53	0.74 104	1.75 67	-1.80 46	0.32 56	3.39 45	-10.01 39	108 5	
346	CC 25 0044 108891300		6.24	CC 22 0031 CC 20 0071			97	105	92	1.42 65	-0.18 52	0.53 101	1.50 67	-0.50 45	0.94 55	3.80 43	1.71 41	102 5	
347	CC 25 0434 111185641		6.63	CC 22 0031 CC 23 0758			97	110	84	2.57 65	-0.79 50	0.50 101	2.96 67	-1.20 42	1.06 54	4.82 41	1.89 39	99 2	
348	CC 25 0617 111187241		6.22	CC 22 0031 CC 23 0486			97	106	85	2.22 65	-0.95 51	0.16 97	2.17 66	-0.10 42	1.21 54	5.03 42	1.69 39	103 2	
349	CC 25 0578 111187019		6.80	CC 23 0635 CC 24 0651			96	96	99	-0.02 60	0.01 36	-0.01 96	0.03 63	1.80 29	1.06 44	1.35 28	0.51 23	98 1	
350	CC 25 0411 111185419		7.14	CC 23 0902 CC 23 0777			96	95	100	-0.22 63	0.11 38	0.00 96	-0.08 64	1.00 31	0.49 46	-4.06 28	6.03 29	98 2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
			Prog Weaned	Nr Herds	Prog Weaned	Nr Herds				Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd			
		Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
351 CC 25 0712 111188520	4.70	CC 23 0043 CC 24 0333				96	95	93	0.34 62	98	-0.22 38	94	-0.05 95	-0.88 64	1.70 31	1.14 46	99	8.24 31	-5.62 27	105	99	1
352 CC 26 0022 113727788	6.32	CC 24 0421 CC 20 0308				95	96	99	-0.13 62	94	0.44 44	106	0.38 100	-0.67 50	0.50 37	0.62 49	97	4.62 33	-1.88 30	99	121	6
353 CC 25 0477 111185914	6.06	CC 23 0902 CC 20 0567				95	103	99	0.32 64	98	0.93 41	114	1.09 107	0.55 65	-2.60 34	-0.32 48	93	1.59 29	-1.23 27	98	119	5
354 CC 25 0705 111188454	6.49	CC 23 0635 CC 24 0398				95	92	98	-0.47 61	91	-0.05 39	97	-0.29 93	-0.86 63	2.70 32	1.10 46	99	4.20 31	-0.85 28	97	98	1
355 CC 25 0352 111289872	6.06	CC 21 0512 CC 24 0126				94	96	97	-0.08 63	94	0.18 41	101	0.14 97	-0.22 65	-0.10 35	0.04 48	94	2.62 37	-8.56 31	110	95	1
356 CC 26 0072 113728281	4.42	CC 23 0902 CC 22 0532				94	95	97	-0.24 64	93	0.14 40	100	0.02 96	-0.32 56	-0.30 33	-0.27 48	93	-1.08 30	-6.43 29	106	113	4
357 CC 26 0214 113729677	5.03	CC 23 0635 CC 25 0026				94	91	98	-0.55 61	90	-0.09 39	96	-0.36 92	-1.07 54	2.20 33	0.68 46	97	1.42 31	1.82 28	93	102	1
358 CC 26 0032 113727887	3.78	CC 23 0902 CC 23 0642				94	100	96	0.32 63	98	0.24 37	102	0.41 100	0.90 55	-1.30 30	-0.21 45	93	-1.52 27	1.44 27	94	109	3
359 CC 25 0576 111186995	7.45	CC 23 0635 CC 24 0502				93	91	93	-0.29 60	92	-0.29 36	93	-0.44 91	-1.42 61	1.10 29	0.08 44	94	1.65 28	-0.99 24	98	99	1
360 CC 25 0581 111187845	5.47	CC 23 0635 CC 24 0428				90	91	88	-0.04 61	94	-0.80 39	84	-0.81 87	-0.47 64	1.90 32	0.31 46	95	4.21 31	-0.57 27	97	97	1
361 CC 25 0100 108937509	4.20	CC 21 0095 CC 22 0140				90	87	82	0.29 64	98	-1.59 51	70	-1.44 80	-1.34 66	1.50 44	-0.40 54	92	-0.13 43	-0.17 39	96	94	3
362 CC 25 0530 111186706	7.10	CC 23 0635 CC 24 0488				87	79	93	-1.70 61	79	-0.66 38	86	-1.51 79	-3.07 63	3.30 32	-0.38 45	92	0.64 31	0.74 28	95	96	1
363 CC 26 0229 113733398	7.29	CC 24 0569 CC 25 0046				87	94	85	0.17 57	96	-0.43 39	90	-0.35 92	-0.41 47	-1.30 32	-1.04 44	89	5.54 32	-4.93 28	104	100	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
1	CC 22 0444 95156394	4.16	CC 19 0576 CC 20 0307	146	136	148	3.62 70	2.40 128	67	136	4.21 136	7.29 70	136	7.50 56	10.52 125	66	142	-2.83 52	-5.19 109	49	104	114	4
2	CC 22 0499 95158234	4.64	CC 19 0576 CC 20 0427	143	132	147	3.10 68	2.11 123	64	135	3.66 135	6.21 70	132	8.20 54	10.13 127	63	140	-1.45 50	-4.91 106	51	104	102	3
3	CC 21 0454 92604339	6.13	CC 19 0576 CC 19 0117	143	136	139	4.11 73	1.49 133	71	124	3.54 134	7.44 74	136	8.40 59	10.64 128	69	143	4.80 53	-7.02 92	53	107	128	4
4	CC 22 0572 95152450	4.80	CC 19 0576 CC 17 0421	139	123	145	2.06 72	2.04 114	68	133	3.07 129	3.66 72	118	7.50 58	8.60 125	67	133	-6.53 52	0.93 117	52	95	119	4
5	CC 22 0342 95153094	4.66	CC 19 0576 CC 19 0616	138	123	141	2.46 71	1.42 118	67	123	2.65 124	5.08 72	126	11.70 56	10.90 136	66	144	2.34 50	-2.87 97	51	101	119	3
6	CC 21 0433 92604123	5.19	CC 19 0576 CC 17 0479	137	118	145	1.53 72	2.03 109	69	133	2.80 126	2.76 73	113	9.30 59	9.14 132	68	136	1.92 52	-8.03 98	53	109	125	4
7	CC 21 0477 92604560	4.27	CC 19 0576 CC 16 0381	136	127	143	2.34 72	2.07 116	70	134	3.23 130	5.74 73	129	8.30 60	9.38 128	68	137	0.40 54	4.06 102	54	90	123	4
8	CC 24 0157 99762429	6.49	CC 22 0043 CC 22 0499	135	136	131	4.06 66	1.62 132	56	126	3.65 135	7.56 68	136	4.60 44	8.44 114	57	133	4.94 42	-11.81 91	42	115	124	2
9	CC 25 0391 111289468	5.38	CC 21 0512 CC 21 0513	135	131	134	3.28 65	1.61 125	45	126	3.25 131	6.21 66	132	5.80 37	8.37 118	51	132	1.60 36	-9.00 99	33	110		0
10	CC 25 0038 108891284	5.16	CC 23 0043 CC 22 0571	134	133	130	3.81 63	1.66 130	42	127	3.57 134	5.49 65	128	3.60 35	7.64 110	48	129	1.23 33	-5.71 100	32	105		0
11	CC 22 0319 95152195	6.12	CC 19 0576 CC 20 0696	134	123	136	2.48 70	1.34 118	68	121	2.58 123	4.87 71	125	8.00 57	8.62 127	66	134	0.48 51	-5.69 101	50	105	122	4
12	CC 21 0513 92604891	4.14	CC 19 0610 CC 18 0714	134	126	131	3.15 72	1.00 124	67	115	2.58 123	5.77 73	130	7.60 52	8.71 125	65	134	3.95 45	-13.29 94	45	117	127	4
13	CC 24 0345 106743594	4.80	CC 21 0095 CC 18 0367	133	114	132	2.03 69	0.63 114	62	109	1.64 113	2.48 70	111	11.20 50	9.38 136	62	137	-0.24 49	4.23 103	42	89	110	1
14	CC 24 0335 106743511	5.47	CC 21 0188 CC 21 0454	133	130	125	3.98 68	0.86 132	61	113	2.85 126	6.15 70	132	5.70 50	8.26 118	61	132	1.97 48	-1.21 98	43	98	109	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
								Dir	Mat	Comb														EBV	EBV	EBV
Active Breed Average:								100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
15	CC 21 0203 92023407	6.03	CC 19 0576 CC 16 0566	133	118	139	1.67 73	1.56 71	2.40 121	3.77 74	119	9.30 58	8.82 69	0.94 52	-0.10 96	137	4									
16	CC 22 0493 95159596	3.85	CC 19 0576 CC 20 0441	132	130	133	3.14 69	1.71 65	3.28 131	5.98 70	131	4.40 56	7.49 64	-0.95 51	-7.17 108	102	3									
17	CC 24 0395 106744055	4.97	CC 21 0515 CC 19 0410	132	120	129	2.78 69	0.55 59	1.94 116	4.24 63	121	8.80 46	8.61 60	0.51 45	-1.92 99	111	1									
18	CC 23 0111 96795463	4.16	CC 19 0576 CC 21 0626	132	134	135	3.27 70	2.69 63	4.32 136	6.53 69	134	3.30 54	7.93 64	-0.61 48	-0.33 97	109	3									
19	CC 21 0404 92603836	5.92	CC 19 0576 CC 18 0704	132	124	138	2.22 76	1.98 71	3.09 129	4.21 74	121	5.10 60	7.26 70	-4.91 52	1.76 93	142	5									
20	CC 22 0131 93923993	3.83	CC 19 0576 CC 19 0058	132	123	135	2.26 71	1.85 68	2.98 128	4.14 70	121	4.70 57	6.93 67	0.03 50	-18.18 125	141	4									
21	CC 23 0121 96795562	5.17	CC 19 0576 CC 20 0131	131	122	133	2.50 69	1.09 66	2.34 121	4.86 69	125	8.60 56	8.75 65	0.11 51	7.10 85	130	3									
22	CC 22 0525 95159398	5.35	CC 20 0342 CC 18 0367	131	130	132	3.06 71	2.14 67	3.67 135	4.74 71	124	3.40 55	7.24 66	2.00 48	2.58 92	129	4									
23	CC 25 0037 108891276	5.16	CC 23 0043 CC 22 0571	131	128	130	3.06 63	1.77 42	3.30 131	4.58 65	123	3.60 35	6.99 48	1.23 33	-5.71 105		0									
24	CC 22 0191 93924397	4.40	CC 19 0576 CC 19 0056	131	128	135	2.72 72	1.89 70	3.25 131	5.60 72	129	5.40 58	7.85 68	-0.36 52	5.99 87	146	4									
25	CC 24 0434 106744428	5.68	CC 21 0188 CC 22 0525	130	131	131	3.26 68	1.93 61	3.56 134	5.25 69	127	3.10 48	7.05 61	-0.59 47	4.73 89	110	1									
26	CC 25 0340 111289476	5.42	CC 21 0512 CC 20 0311	130	122	128	2.87 65	0.68 46	2.12 118	4.97 67	125	7.60 38	8.11 51	-0.20 37	-1.03 98		0									
27	CC 22 0573 95152476	5.88	CC 21 0147 CC 18 0341	130	119	130	2.46 70	0.83 65	2.06 118	4.01 70	120	9.30 51	8.87 64	2.16 45	10.24 80	116	3									
28	CC 24 0327 106743438	5.63	CC 21 0095 CC 23 0110	130	118	123	3.02 66	-0.10 58	1.41 111	4.59 67	123	9.30 46	8.50 58	1.01 46	-2.56 100	107	1									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat	Comb	Post-Wean										
							EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
29	CC 23 0670 98181332	5.21	CC 21 0188 CC 22 0440	129	126	126	3.21 70	1.14 61	2.75 125	4.79 71	4.70 50	7.18 62	-1.81 48	6.17 47	127	2					
30	CC 25 0517 111186573	4.54	CC 23 0043 CC 24 0395	128	128	118	3.98 62	0.54 40	2.53 123	5.50 63	4.30 31	7.10 46	3.42 31	-7.00 26	0						
31	CC 25 0337 111289625	4.46	CC 21 0512 CC 20 0332	127	119	131	1.95 66	1.42 47	2.40 121	3.92 67	6.40 40	7.22 53	1.47 39	-2.36 33	0						
32	CC 23 0676 98181878	5.20	CC 21 0483 CC 22 0248	127	126	122	3.33 66	0.80 59	2.47 122	5.41 69	6.60 45	8.09 58	6.31 43	6.93 43	111	2					
33	CC 24 0489 106744881	5.31	CC 21 0515 CC 20 0314	127	121	121	3.01 67	0.57 57	2.07 118	4.39 68	5.60 43	6.93 58	1.46 44	-5.19 33	108	1					
34	CC 22 0557 95153250	5.80	CC 19 0576 CC 20 0343	127	128	127	2.97 70	1.61 66	3.09 129	5.30 71	3.40 57	6.61 65	0.00 51	3.72 51	104	3					
35	CC 24 0003 99761710	5.69	CC 22 0043 CC 20 0101	126	125	124	2.97 69	0.98 60	2.46 122	5.55 69	6.00 46	7.55 60	6.45 44	-7.66 42	136	2					
36	CC 20 0101 89767875	3.44	CC 17 0528 CC 17 0133	126	116	129	1.90 77	1.00 73	1.95 117	3.69 77	7.80 61	7.58 72	2.27 52	-1.70 52	152	6					
37	CC 24 0344 106743586	4.80	CC 21 0095 CC 18 0367	126	110	124	1.83 68	0.25 59	1.17 108	1.92 69	8.90 50	7.42 60	-1.52 49	4.22 42	100	1					
38	CC 23 0004 96793468	2.03	KI 20 0260 CC 17 0109	126	129	121	3.53 70	1.36 65	3.13 129	4.84 69	2.30 51	6.27 64	4.90 49	-7.20 48	115	3					
39	CC 25 0508 111186490	6.76	CC 23 0607 CC 24 0344	126	124	118	3.57 61	0.38 40	2.16 119	4.89 64	4.80 34	6.83 47	0.19 32	1.91 29	0						
40	CC 20 0454 90336116	5.15	CC 19 0076 CC 17 0495	126	104	128	0.98 73	0.33 70	0.82 104	1.06 74	11.60 57	8.26 68	-1.19 47	0.03 39	138	6					
41	CC 24 0576 106745565	6.06	CC 21 0515 CC 20 0406	126	108	122	1.79 68	-0.08 58	0.81 104	1.81 58	9.70 44	7.53 59	1.90 44	-6.54 40	110	2					
42	CC 22 0555 95153276	4.55	CC 19 0576 CC 20 0569	126	116	131	1.60 68	1.26 64	2.06 118	3.58 69	5.60 54	6.22 63	-6.04 50	-2.71 50	100	3					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights								EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
43	CC 25 0627 111188066	6.76	CC 23 0607 CC 24 0345	126	120	119	3.02 61	0.42 41	1.93 116	4.01 63	120	5.90 34	6.98 47	0.83 32	1.92 29	93	0								
44	CC 25 0301 111289054	6.54	CC 21 0512 CC 23 0818	126	127	126	2.85 63	1.74 43	3.16 130	4.92 66	125	2.10 36	5.85 49	-1.67 37	1.01 34	95	0								
45	CC 24 0535 106745227	5.98	CC 21 0374 CC 23 0647	125	130	117	4.13 66	0.48 54	2.54 123	6.99 67	136	3.80 43	6.89 56	1.16 44	2.04 37	93	99	1							
46	CC 25 0502 111186425	5.89	CC 22 0392 CC 21 0454	125	121	123	2.76 65	0.76 48	2.14 119	4.83 67	124	6.50 39	7.42 52	3.53 38	1.34 34	94	0								
47	CC 22 0579 95154290	5.36	CC 19 0576 CC 20 0363	125	118	127	2.19 71	0.79 68	1.89 116	4.42 71	122	7.20 57	7.30 67	-1.66 50	6.17 50	86	120	4							
48	CC 20 0311 90334780	4.88	CC 19 0076 CC 18 0460	125	111	121	2.24 73	-0.39 70	0.73 103	3.89 75	119	11.20 56	8.57 68	0.36 46	2.63 38	92	137	5							
49	CC 26 0128 113728844	6.15	CC 23 0600 CC 21 0404	125	120	122	2.63 64	0.80 44	2.12 118	3.87 50	119	5.20 36	6.55 50	1.58 32	-3.39 32	102	0								
50	CC 23 0180 96795828	4.32	CC 19 0576 CC 18 0046	125	104	131	0.55 72	0.76 69	1.03 107	1.11 73	104	10.10 58	7.36 68	1.00 50	-4.96 52	104	122	3							
51	CC 21 0419 92603984	4.84	CC 19 0576 CC 19 0545	125	122	125	2.48 70	1.27 67	2.51 123	4.38 71	122	3.10 58	5.61 66	-2.77 51	-6.89 52	107	109	5							
52	CC 25 0053 108891342	5.28	CC 23 0043 CC 22 0573	124	124	119	3.17 63	0.83 42	2.42 122	4.69 65	124	4.50 33	6.70 48	4.25 31	-0.92 30	98	0								
53	CC 23 0059 96794540	7.90	CC 19 0576 CC 21 0435	124	110	127	1.29 70	0.89 66	1.53 112	1.91 69	108	7.70 56	6.80 65	2.95 51	-8.21 52	109	113	3							
54	CC 20 0413 90335779	4.81	CC 19 0076 CC 16 0408	124	118	120	2.53 70	0.57 67	1.84 115	3.78 71	119	5.20 57	6.22 66	0.29 48	-7.91 42	109	114	5							
55	CC 26 0120 113728760	7.32	CC 24 0164 CC 22 0573	124	125	120	3.26 62	0.85 42	2.49 122	5.27 48	127	4.50 33	6.82 48	3.11 31	4.40 30	89	0								
56	CC 26 0083 113728398	5.06	CC 24 0370 CC 22 0131	124	128	121	3.24 62	1.37 43	2.99 128	5.05 48	126	1.00 36	5.21 49	-0.99 33	-5.33 32	105	0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat	Comb	Post-Wean											EBV	EBV
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
57	CC	25	0136	5.08	CC	23	0043	124	127	122	3.11	1.39	2.95	5.26	2.60	6.06	2.98	-3.04				0			
108891722					CC	22	0191				63	124	44	122		127	65	127	36	106	49	122	34	96	32
58	CC	25	0321	6.51	CC	21	0512	124	119	125	2.12	1.27	2.33	3.36	4.30	5.97	-1.28	0.74				0			
111289153					CC	23	0670				64	114	43	120		121	66	116	36	112	49	121	38	105	34
59	CC	26	0158	4.07	CC	23	0902	124	122	129	2.05	1.70	2.73	4.47	3.20	5.68	-3.03	-1.60				0			
113729149					CC	22	0444				64	114	41	127		125	55	122	34	108	48	120	31	109	30
60	CC	25	0377	8.55	CC	21	0512	124	128	123	3.01	1.55	3.05	5.44	1.70	5.57	-1.22	-0.28				0			
111289815					CC	23	0821				63	123	42	125		128	65	128	36	102	49	120	37	105	33
61	CC	25	0322	6.51	CC	21	0512	124	118	126	2.04	1.34	2.35	3.34	4.30	5.95	-1.28	0.74				0			
111289161					CC	23	0670				64	114	43	121		121	66	116	36	112	49	121	38	105	34
62	CC	25	0314	5.70	CC	21	0512	124	115	122	2.16	0.63	1.71	3.19	6.20	6.51	0.73	-2.39				0			
111289088					CC	21	0671				65	115	45	109		114	66	115	37	120	51	124	37	101	33
63	CC	26	0119	7.32	CC	24	0164	123	124	119	3.12	0.86	2.42	5.08	4.50	6.69	3.11	4.40				0			
113728752					CC	22	0573				62	124	42	113		122	48	126	33	113	48	125	31	95	30
64	CC	22	0584	4.70	CC	21	0188	123	125	119	3.26	0.70	2.33	5.40	4.40	6.60	-0.23	9.42			108	3			
95154399					CC	20	0318				70	125	66	110		121	72	128	53	113	65	124	48	103	47
65	CC	23	0669	5.76	CC	21	0188	123	122	123	2.52	1.20	2.46	4.48	3.50	5.82	-0.56	-2.67			100	2			
98181324					CC	22	0319				68	118	61	119		122	68	122	51	109	61	121	48	104	47
66	CC	23	0658	5.27	CC	21	0095	123	110	123	1.65	0.47	1.30	2.30	8.20	7.05	-0.84	9.92			116	2			
98180789					CC	18	0341				71	110	66	106		110	71	110	52	127	65	126	49	104	48
67	CC	23	0818	5.68	CC	21	0188	123	129	122	3.21	1.73	3.34	5.25	0.30	5.13	-2.59	6.72			101	2			
98182603					CC	22	0525				68	124	61	128		132	69	127	51	97	61	117	48	108	47
68	CC	25	0326	5.34	CC	21	0512	123	123	123	2.61	1.27	2.57	4.30	3.70	6.10	0.70	4.86				0			
111289237					CC	22	0327				64	119	44	120		123	66	121	37	110	50	122	37	101	34
69	CC	21	0680	5.44	CC	19	0610	123	121	122	2.50	1.09	2.34	4.49	4.10	6.06	1.14	-3.80			119	5			
92606342					CC	18	0348				70	118	65	117		121	70	122	52	112	64	122	46	100	46
70	CC	23	0029	2.30	KI	20	0260	123	121	118	2.93	0.74	2.20	4.08	4.60	6.42	5.43	-3.79			113	3			
96793963					CC	19	0803				69	122	63	111		119	68	120	48	114	62	123	45	90	45

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility													
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded				
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype			
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
71	CC	25	0516	4.54	CC	23 0043	123	121	118	2.81		0.71		2.11		4.10		4.30		6.10		3.42		-7.00		0	
111186565					CC	24 0395				62 121		40 110		118 63 120		31 112		46 122		31 95		26 107					
72	CC	25	0681	6.42	CC	23 0607	123	129	110	4.27		0.26		2.39		6.11		2.50		6.03		2.81		-1.27		0	
111187647					CC	24 0571				61 134		40 102		121 63 131		33 106		46 122		32 96		29 98					
73	CC	23	0133	6.31	CC	19 0576	123	119	122	2.26		1.00		2.13		4.21		3.90		5.60		-0.13		-12.02		95	3
96795646					CC	21 0707				67 116		62 115		119 69 121		55 111		62 120		50 103		51 115					
74	CC	20	0468	3.31	CC	19 0076	123	115	118	2.55		-0.07		1.21		4.32		8.50		7.58		1.94		7.48		135	5
90336231					CC	16 0381				73 118		70 97		109 74 122		57 129		68 129		48 98		41 84					
75	CC	24	0516	6.34	CC	22 0454	123	122	117	2.96		0.92		2.40		3.51		2.80		5.56		2.25		-3.19		101	1
106806177					CC	20 0413				64 122		50 114		121 58 117		41 107		53 119		40 97		30 101					
76	CC	23	0113	4.78	CC	19 0576	123	120	121	2.50		1.03		2.28		4.04		3.60		5.69		-0.03		-4.27		105	3
96795505					CC	19 0260				69 118		65 116		120 70 120		57 110		65 120		51 103		52 103					
77	CC	21	0671	4.95	CC	20 0075	123	111	118	2.13		-0.13		0.93		2.80		8.50		7.10		2.22		-0.07		140	4
92606276					CC	20 0568				72 114		68 96		106 73 113		53 129		66 127		46 97		46 96					
78	CC	22	0570	4.84	CC	19 0576	122	114	123	1.87		0.75		1.69		3.25		5.30		5.81		-0.70		-9.56		112	4
95153656					CC	19 0545				70 112		67 111		114 70 116		58 116		66 121		51 104		52 111					
79	CC	22	0415	4.55	CC	20 0075	122	110	120	1.71		0.29		1.14		2.26		8.10		6.85		5.42		-9.80		125	4
95156790					CC	17 0542				72 111		67 103		108 72 110		55 127		66 125		49 90		50 112					
80	CC	20	0332	3.59	CC	17 0528	122	109	126	1.10		0.80		1.35		2.34		8.80		7.19		3.70		-0.02		141	5
90334988					CC	18 0558				78 105		72 112		110 77 111		60 130		72 127		52 94		45 96					
81	CC	25	0091	5.14	CC	21 0095	122	108	120	1.53		0.21		0.98		1.65		7.80		6.42		-0.10		-1.61		0	
108937442					CC	21 0433				65 109		53 102		106 67 107		46 126		56 123		43 103		41 99					
82	CC	25	0332	4.08	CC	21 0512	122	123	120	2.81		1.01		2.41		4.66		2.90		5.56		-0.10		-2.80		0	
111289328					CC	23 0457				64 121		43 115		122 66 123		36 107		49 119		37 103		33 101					
83	CC	26	0146	6.55	CC	24 0164	122	127	120	3.08		1.54		3.08		4.98		1.60		5.57		3.03		0.57		0	
113729024					CC	22 0525				62 123		43 125		129 49 125		35 102		48 120		32 96		31 95					
84	CC	24	0536	5.98	CC	21 0374	122	127	114	3.77		0.37		2.25		6.36		3.90		6.48		3.15		1.60		99	1
106745235					CC	23 0647				66 130		54 104		120 68 133		43 111		56 124		44 95		37 94					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc	Index	Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
85	CC	26	0231	4.99	CC	22 0392	122	121	119	2.76		0.68		2.06		4.44		5.00		6.44		0.95		7.84		0	
114273154					CC	22 0191				64 120		48 110		118 58 122		39 115		52 124		37 100		33 84					
86	CC	20	0307	3.77	CC	17 0528	122	122	125	2.31		1.44		2.59		4.85		3.40		5.79		-1.63		4.49		126	5
90334749					CC	14 0410				73 116		71 123		124 73 124		58 109		69 121		50 106		43 89					
87	CC	22	0122	1.79	CC	19 0576	122	114	128	1.21		1.49		2.09		3.28		3.70		4.92		-2.96		-17.58		136	5
93923928					M	16 0902				67 106		65 124		118 67 116		51 110		63 117		46 109		46 124					
88	CC	23	0672	7.12	CC	21 0374	122	114	118	2.43		-0.18		1.03		4.17		7.60		6.81		-4.33		11.87		100	2
98181837					CC	22 0395				68 117		58 95		107 69 121		46 125		59 125		45 112		44 77					
89	CC	25	0342	5.54	CC	21 0512	122	117	122	2.06		0.99		2.02		3.17		5.00		6.05		0.83		2.74		0	
111289641					CC	22 0583				64 114		44 115		117 66 115		37 115		50 122		37 101		33 92					
90	CC	25	0486	5.08	CC	22 0392	122	111	123	1.59		0.52		1.31		2.82		8.20		7.02		2.30		3.41		0	
111186003					CC	22 0342				64 109		47 107		110 66 113		38 127		51 126		37 97		33 91					
91	CC	26	0157	4.07	CC	23 0902	122	119	128	1.64		1.73		2.55		3.92		3.20		5.29		-3.03		-1.60		0	
113729131					CC	22 0444				64 110		41 128		123 55 119		34 108		48 118		31 109		30 99					
92	CC	23	0545	6.04	CC	21 0483	122	124	117	3.02		0.93		2.44		4.70		5.10		7.01		10.00		2.38		105	2
98181134					CC	21 0559				68 123		61 114		122 68 124		49 116		61 126		45 80		47 92					
93	CC	25	0395	5.81	CC	21 0512	122	123	117	2.99		0.79		2.29		4.90		3.50		5.88		2.04		-1.88		0	
111289500					CC	23 0591				64 122		43 112		120 66 125		36 109		49 121		37 98		33 99					
94	CC	26	0078	5.34	CC	24 0370	122	129	114	3.80		0.93		2.83		5.59		0.40		4.97		-1.02		1.62		0	
113728349					CC	23 0113				61 130		42 114		126 48 129		36 98		48 117		33 105		33 94					
95	CC	23	0080	2.34	KI	20 0260	122	123	118	2.93		1.04		2.51		4.36		2.00		5.18		-0.05		-2.72		113	3
96794961					CC	19 0631				70 122		64 116		123 70 122		49 104		63 118		47 103		46 100					
96	CC	22	0583	4.70	CC	21 0188	122	117	120	2.39		0.70		1.89		3.58		6.00		6.68		2.42		10.18		117	3
95154373					CC	20 0318				71 117		66 110		116 72 117		52 119		65 125		47 97		46 80					
97	CC	22	0589	5.30	CC	19 0576	121	117	126	1.62		1.67		2.48		2.76		3.30		5.27		1.22		-5.98		118	4
95154498					CC	19 0707				70 110		67 127		122 71 113		58 109		66 118		52 100		52 106					
98	CC	25	0588	5.39	CC	23 0043	121	124	115	3.25		0.75		2.37		4.64		2.70		5.62		4.15		-6.64		0	
111187910					CC	24 0335				62 125		41 111		121 65 123		32 106		47 120		32 93		29 107					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
99	CC 24 0021 99761785	5.57	CC 21 0374 CC 21 0013	121	116	124	1.90 68 112		1.16 60 118		2.11 118 68 115		4.30 47 112		5.64 60 120		-3.24 43 110		7.41 42 84		122	2	
100	CC 23 0875 98183668	7.07	CC 21 0100 CC 22 0610	121	116	123	1.89 65 112		1.01 57 115		1.95 117 68 116		3.50 45 109		5.00 57 117		-6.40 41 117		-0.01 41 96		105	2	
101	CC 25 0135 108891714	5.08	CC 23 0043 CC 22 0191	121	128	119	3.17 63 124		1.39 44 122		2.97 128 65 127		1.20 39 101		5.28 50 118		2.24 39 97		-3.19 32 101		90	1	
102	CC 26 0165 113729214	6.44	CC 23 0600 CC 23 0059	121	113	116	2.22 62 115		0.25 42 102		1.37 110 48 113		6.50 35 121		6.38 48 123		5.51 32 90		-8.37 31 109			0	
103	CC 26 0039 113727952	4.02	CC 23 0902 CC 23 0111	121	125	124	2.46 64 118		1.82 39 129		3.05 128 55 125		1.10 33 100		4.94 47 117		-1.92 29 107		0.83 29 95			0	
104	CC 25 0692 111188231	6.52	CC 23 0607 CC 24 0663	121	132	110	4.41 60 136		0.59 36 108		2.79 126 63 135		0.70 29 99		5.42 44 119		1.32 29 100		2.77 25 92			0	
105	CC 26 0016 113727721	4.66	CC 23 0902 CC 24 0157	121	126	120	2.96 62 122		1.28 36 120		2.76 125 55 128		1.70 29 102		5.26 44 118		0.86 27 101		-4.91 27 104			0	
106	CC 24 0557 106745383	5.99	CC 22 0597 CC 23 0670	121	126	116	3.31 63 125		0.91 48 114		2.56 123 64 126		1.90 38 103		5.36 51 119		-0.38 39 103		3.30 30 91		100	1	
107	CC 25 0092 108937459	5.14	CC 21 0095 CC 21 0433	121	106	119	1.44 65 108		0.11 53 100		0.83 105 67 105		7.80 46 126		6.22 56 123		-0.10 43 103		-1.61 41 99			0	
108	CC 23 0699 98181928	5.47	CC 21 0483 CC 21 0097	121	116	117	2.48 67 118		0.40 61 105		1.64 113 69 117		6.00 49 119		6.48 61 124		2.72 45 96		5.13 47 88		105	2	
109	CC 25 0052 108891334	4.92	CC 23 0043 CC 21 0419	121	124	116	3.08 63 123		0.99 43 115		2.53 123 65 123		1.40 36 101		4.91 49 117		2.12 39 98		-10.62 32 113		90	1	
110	CC 25 0022 108937269	3.81	CC 21 0188 CC 21 0203	121	115	123	1.84 67 112		1.03 59 116		1.95 117 68 116		4.90 49 115		5.80 60 121		-0.82 48 104		3.51 43 91		104	1	
111	CC 25 0382 111289922	6.07	CC 21 0512 CC 20 0413	121	114	123	1.57 64 109		1.08 45 117		1.86 116 66 113		4.60 39 114		5.40 51 119		-0.23 37 103		-6.31 32 106			0	
112	CC 25 0334 111289344	5.75	CC 21 0512 CC 22 0430	121	111	122	1.54 65 109		0.58 45 108		1.35 110 66 112		7.60 38 125		6.68 51 125		2.94 38 96		2.31 35 92			0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
113	CC 20 0389 90335530	3.44	CC 17 0528 CC 18 0462	121	105	128	0.48 74	0.89 72	1.13 108	1.26 75	105	9.80 59	7.25 70	0.54 52	15.43 45	134	5						
114	CC 25 0328 111289351	6.47	CC 21 0512 CC 23 0809	121	117	119	2.21 64	0.82 43	1.93 116	3.50 66	117	4.60 36	5.79 49	1.97 37	-2.66 34	100	0						
115	CC 25 0384 111289948	5.68	CC 21 0512 CC 23 0823	121	126	120	2.82 63	1.58 42	2.99 128	4.73 66	124	0.80 36	4.87 49	0.00 37	0.73 34	95	0						
116	CC 22 0487 95159513	5.35	CC 19 0576 CC 20 0080	121	116	119	2.12 73	0.73 67	1.80 115	3.64 71	118	4.30 58	5.44 67	0.50 51	-8.96 52	110	4						
117	CC 24 0172 99762577	6.46	CC 21 0025 CC 22 0444	120	122	118	2.59 66	1.08 57	2.38 121	4.44 68	122	2.10 48	4.94 58	1.87 48	-12.52 40	116	1						
118	CC 20 0514 90336660	2.95	CC 19 0076 CC 15 0134	120	98	120	0.67 74	-0.26 70	0.07 96	-0.03 74	98	10.50 57	6.71 69	-0.32 47	2.45 38	92	6						
119	CC 26 0200 113729560	4.05	CC 24 0164 CC 23 0029	120	126	113	3.37 61	0.82 41	2.50 123	5.14 47	126	2.20 32	5.51 47	4.74 31	-2.62 30	100	0						
120	CC 23 0694 98181415	4.67	CC 20 0456 CC 18 0367	120	109	122	1.26 69	0.85 61	1.48 112	1.71 68	107	5.90 51	5.65 62	2.68 48	-7.62 47	108	3						
121	CC 25 0132 108937699	5.50	CC 21 0095 CC 23 0121	120	109	116	1.91 66	-0.17 56	0.79 104	2.58 66	112	7.50 47	6.25 58	-2.15 47	6.70 40	85	1						
122	CC 21 0013 92022219	3.34	KI 19 0441 CC 17 0133	120	118	121	2.05 71	1.39 66	2.42 122	3.06 72	115	1.50 54	4.34 65	-1.88 45	-6.10 41	106	5						
123	CC 23 0757 98182009	5.24	CC 21 0483 CC 18 0564	120	110	121	1.40 69	0.72 62	1.42 111	2.20 69	110	6.50 49	6.03 62	3.62 45	-4.73 47	104	2						
124	CC 25 0375 111289799	6.42	CC 21 0512 CC 23 0661	120	121	120	2.37 63	1.21 40	2.39 121	4.16 65	121	2.80 34	5.25 47	0.25 36	1.77 32	93	0						
125	CC 24 0481 106744808	5.45	CC 21 0095 CC 22 0497	120	108	113	2.10 66	-0.45 58	0.61 102	1.93 68	108	6.80 45	5.74 58	-3.20 45	3.62 38	90	1						
126	CC 25 0005 108937368	6.46	CC 21 0025 CC 22 0444	120	121	117	2.54 66	1.01 57	2.28 120	4.18 67	121	2.40 47	5.00 58	3.88 48	-13.41 40	118	1						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd
								Dir	Mat	Comb	Post-Wean										
							EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
127	CC 23 0483 98182140	5.70	CC 21 0483 CC 21 0439	120	121	119	2.45 67	1.03 61	2.26 120	4.56 69	123	5.20 47	6.60 60	6.81 87	6.58 86	105	2				
128	CC 24 0356 106805997	6.76	CC 22 0454 CC 20 0076	120	109	121	1.34 66	0.88 55	1.55 112	1.10 68	104	5.40 42	5.46 56	-0.48 41	5.26 88	110	1				
129	CC 20 0550 90336991	1.73	CC 16 0164 M 17 0920	119	118	129	1.19 69	2.03 68	2.63 124	3.72 70	118	2.70 56	4.84 66	0.02 50	-8.81 45	128	5				
130	CC 25 0513 111188223	6.89	CC 23 0607 CC 24 0481	119	118	106	3.51 61	-0.46 40	1.30 110	3.82 63	119	3.70 32	5.27 46	-0.65 31	1.61 94		0				
131	CC 25 0300 111289047	7.41	CC 21 0512 CC 23 0633	119	123	117	2.73 64	1.14 41	2.50 123	4.55 65	123	2.30 35	5.25 48	5.53 36	-8.02 33		0				
132	CC 23 0662 98180821	6.50	CC 21 0374 CC 22 0584	119	120	118	2.60 67	0.74 58	2.04 118	4.83 69	124	3.60 46	5.50 59	-3.73 44	12.45 44	100	2				
133	CC 22 0324 95152518	6.46	CC 19 0576 CC 20 0733	119	123	117	2.80 69	1.08 65	2.48 122	4.96 71	125	1.70 56	4.90 64	-0.54 51	0.50 95	101	3				
134	CC 25 0612 111187191	5.85	CC 23 0607 CC 24 0343	119	126	107	3.97 61	0.16 39	2.15 119	5.72 63	129	1.80 33	5.21 46	3.20 32	-3.18 28		0				
135	CC 26 0204 113729602	7.75	CC 24 0164 CC 24 0021	119	122	117	2.75 61	1.04 40	2.41 122	4.52 48	123	2.10 32	5.04 46	0.41 30	2.98 91		0				
136	CC 23 0058 96794524	2.41	KI 20 0260 CC 17 0133	119	119	111	2.91 70	0.29 64	1.75 114	4.07 69	120	3.70 49	5.42 63	4.43 47	-7.51 46	109	3				
137	CC 26 0175 113729313	4.68	CC 23 0913 CC 25 0132	119	115	119	1.98 57	0.75 36	1.74 114	3.40 46	116	4.30 30	5.31 43	-1.56 28	3.19 91		0				
138	CC 25 0016 108937376	5.46	CC 21 0095 CC 22 0131	119	109	114	1.84 66	-0.03 57	0.89 105	2.03 66	109	5.60 47	5.17 58	-0.86 46	-7.41 40	104	1				
139	CC 20 0393 90335571	3.40	CC 16 0164 CC 15 0105	119	104	124	0.47 74	1.00 72	1.24 109	0.34 74	100	7.70 64	6.09 71	5.63 57	-2.88 54	124	6				
140	CC 25 0327 111289245	6.47	CC 21 0512 CC 23 0809	118	114	118	1.84 64	0.80 43	1.71 114	2.92 66	114	4.60 36	5.39 49	1.97 37	-2.66 34		0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd		
							Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype						
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
141	CC 25 0330 111289377	6.27	CC 21 0512 CC 23 0851	118	121	119	2.32 63	1.38 43	2.54 123	4.13 66	121	1.70 37	4.72 49	1.38 37	-3.71 34	102	0					
142	CC 26 0148 113729040	5.40	CC 23 0600 CC 23 0180	118	106	118	1.23 63	0.22 43	0.84 105	1.56 49	106	7.70 36	6.07 49	4.54 31	-6.75 31	107	0					
143	CC 21 0356 92603356	4.76	CC 19 0576 CC 19 0734	118	118	121	1.90 70	1.48 68	2.43 122	3.39 72	116	2.10 58	4.64 66	0.37 51	-1.86 53	99	107	4				
144	CC 26 0137 113728935	4.75	CC 23 0913 CC 25 0022	118	117	122	1.75 57	1.36 37	2.23 120	3.46 46	117	3.00 31	4.90 43	-0.89 29	1.60 27	94	0					
145	CC 26 0172 113729289	7.08	CC 24 0164 CC 22 0415	118	118	114	2.45 62	0.61 42	1.83 115	3.82 49	119	4.00 35	5.46 48	4.74 32	-5.62 32	105	0					
146	CC 22 0451 95156535	5.26	CC 19 0576 CC 20 0707	118	116	121	1.73 68	1.30 65	2.17 119	3.32 69	116	2.50 55	4.53 64	-1.23 49	-4.88 50	104	117	4				
147	CC 25 0196 108891870	5.79	CC 23 0043 CC 22 0409	118	126	113	3.23 62	1.14 41	2.75 125	4.88 65	125	0.70 34	4.79 47	4.83 32	-1.65 31	99	0					
148	CC 22 0409 95156675	5.39	CC 21 0188 CC 19 0050	118	125	117	2.77 69	1.43 63	2.81 126	4.63 70	123	1.60 53	5.16 63	3.34 48	8.77 49	82	104	3				
149	CC 23 0531 98181688	5.45	CC 21 0483 CC 20 0568	118	121	117	2.50 67	1.12 60	2.37 121	4.26 69	121	3.10 48	5.48 60	2.96 45	8.91 45	82	101	2				
150	CC 25 0511 111186524	6.23	CC 23 0607 CC 24 0356	118	117	114	2.42 61	0.65 39	1.86 116	3.13 63	115	3.10 31	4.93 46	0.71 30	2.43 26	92	0					
151	CC 23 0592 98181191	4.84	CC 21 0483 CC 20 0438	118	119	112	2.83 67	0.14 61	1.56 112	4.85 70	124	6.20 48	6.69 60	6.90 45	6.88 45	85	103	2				
152	CC 25 0509 111186508	5.14	CC 23 0043 CC 24 0357	118	120	113	2.66 62	0.86 38	2.19 119	3.89 64	119	1.60 31	4.48 46	2.11 31	-6.58 26	107	0					
153	CC 25 0346 111289682	6.52	CC 21 0512 CC 23 0140	118	117	114	2.38 64	0.69 43	1.89 116	3.67 66	118	3.10 36	4.94 49	2.55 37	-5.44 33	105	0					
154	CC 26 0147 113729032	5.40	CC 23 0600 CC 23 0180	118	105	117	1.09 63	0.23 43	0.78 104	1.37 49	105	7.70 36	5.94 49	4.54 31	-6.75 31	107	0					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight				Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
							Dir EBV Acc Index	Mat EBV Acc Index					EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
155	CC 25 0094 108937475	6.59	CC 21 0515 CC 22 0413	118	104	115	1.32 66	-0.18 50	0.48 101	1.54 66	1.54 106	7.90 41	5.88 126	54	5.88 121	40	0.73 101	36	-0.70 97		0	
156	CC 25 0686 111188173	8.27	CC 23 0607 CC 24 0672	117	126	110	3.53 60	0.68 36	2.45 122	5.66 63	5.66 129	1.40 29	5.05 101	44	5.05 117	29	3.60 94	25	1.67 93		0	
157	CC 24 0366 106743776	6.97	CC 21 0515 CC 22 0628	117	120	112	2.81 65	0.55 53	1.95 117	4.39 67	4.39 122	2.70 42	4.98 106	55	4.98 117	42	2.88 96	34	-4.16 103	99	1	
158	CC 23 0802 98183015	5.07	CC 21 0483 CC 20 0314	117	116	116	2.14 66	0.71 58	1.78 115	3.28 68	3.28 116	3.60 47	5.01 110	59	5.01 117	44	-0.60 104	44	4.66 89	99	2	
159	CC 23 0735 98183791	5.80	CC 21 0188 CC 22 0384	117	134	111	4.03 67	1.34 59	3.36 132	6.59 68	6.59 134	-1.60 49	4.41 90	60	4.41 114	47	0.60 101	46	11.96 77	100	2	
160	CC 26 0028 113727846	4.34	CC 24 0164 CC 21 0013	117	122	115	2.70 62	1.16 42	2.51 123	4.32 49	4.32 122	0.70 34	4.28 99	48	4.28 114	31	1.09 100	28	-3.77 102		0	
161	CC 22 0013 94069358	2.56	- - - CC 18 0597	117	110	120	1.26 61	0.58 57	1.20 109	3.05 62	3.05 115	4.60 42	4.59 114	55	4.59 115	21	-6.43 117	22	-3.12 101	131	4	
162	CC 25 0407 111186110	4.71	CC 23 0902 CC 23 0672	117	118	115	2.46 63	0.53 37	1.76 115	4.54 64	4.54 123	3.20 30	4.91 108	45	4.91 117	28	-3.78 111	27	6.93 85		0	
163	CC 23 0782 98181563	6.19	CC 21 0374 CC 22 0430	117	104	118	1.09 68	0.02 60	0.57 102	1.65 71	1.65 107	8.90 47	6.45 130	60	6.45 124	45	1.04 100	45	10.92 79	108	2	
164	CC 22 0614 95154613	5.89	CC 20 0716 CC 21 0459	117	131	110	3.86 66	1.01 60	2.94 127	6.67 66	6.67 135	0.10 47	4.92 96	59	4.92 117	39	6.48 88	42	-2.67 100	111	3	
165	CC 25 0049 108937186	4.48	CC 21 0515 CC 21 0626	117	124	113	3.05 64	0.95 48	2.47 122	4.99 65	4.99 125	1.30 39	4.78 101	52	4.78 116	42	2.38 97	33	1.93 93	90	1	
166	CC 23 0797 98182470	5.69	CC 21 0483 CC 22 0074	117	121	115	2.61 66	1.13 58	2.43 122	4.09 68	4.09 120	2.30 45	5.11 105	58	5.11 117	43	3.44 95	43	6.72 85	106	2	
167	CC 22 0345 95153151	6.26	CC 19 0576 CC 20 0495	117	116	118	1.98 70	0.91 67	1.90 116	3.81 70	3.81 119	4.30 58	5.47 112	66	5.47 119	51	2.96 96	51	2.65 92	114	4	
168	CC 26 0017 113727739	4.66	CC 23 0902 CC 24 0157	117	120	119	2.17 56	1.32 36	2.40 121	4.47 55	4.47 122	1.70 29	4.51 102	42	4.51 115	27	0.86 101	27	-4.91 104		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility												
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
169	CC 25 0212 108892316	2.08	LM 22 1507 CC 22 0525	117	116	122	1.49 64 109		1.53 36 124		2.28 120 66 114		2.40 29 105		4.46 45 114		-0.89 29 105		1.40 29 94		0		
170	CC 25 0343 111289658	5.54	CC 21 0512 CC 22 0583	117	110	122	1.00 64 104		1.17 44 118		1.67 114 66 108		5.00 37 115		5.18 50 118		0.83 37 101		2.74 33 92		0		
171	CC 23 0821 98182637	4.51	CC 21 0188 CC 22 0617	117	127	113	3.27 66 125		1.14 58 118		2.78 126 68 129		-0.50 48 94		4.11 59 113		-1.69 46 106		4.15 45 90		98	2	
172	CC 24 0637 106746050	5.26	CC 22 0043 CC 23 0509	117	129	109	3.79 63 130		0.53 46 107		2.43 122 65 135		0.50 40 98		4.62 51 115		1.97 42 98		-4.82 31 104		90	1	
173	CC 21 0560 92605351	6.13	CC 19 0576 CC 20 0045	117	112	115	1.83 70 112		0.38 67 104		1.30 110 71 116		5.80 58 118		5.69 66 120		4.15 51 93		-4.16 52 103		122	5	
174	CC 25 0646 111187365	4.70	CC 23 0043 CC 24 0585	117	127	108	3.66 62 129		0.77 39 111		2.60 124 64 127		-0.20 31 95		4.31 46 114		4.87 32 91		-7.69 28 108		0		
175	CC 23 0558 98181787	5.09	CC 21 0483 CC 19 0554	117	117	115	2.25 67 116		0.78 59 111		1.90 116 67 117		3.50 48 109		5.13 60 117		0.38 45 102		9.46 46 81		99	2	
176	CC 24 0647 106747520	2.28	CC 22 0447 CC 23 0286	117	112	122	1.17 58 106		1.31 46 121		1.89 116 62 111		3.20 35 108		4.39 48 114		-1.91 39 107		-1.90 28 99		100	1	
177	CC 25 0380 111289914	6.12	CC 21 0512 CC 23 0751	117	116	114	2.19 63 115		0.62 42 109		1.72 114 66 117		2.70 36 106		4.43 49 114		-1.20 37 105		-3.14 33 101		0		
178	CC 24 0357 106743693	5.94	CC 21 0515 CC 19 0631	117	112	117	1.69 67 110		0.72 55 110		1.56 112 68 111		3.40 45 109		4.45 57 114		-2.10 44 107		-1.07 37 98		99	1	
179	CC 26 0140 113728968	8.46	CC 24 0301 CC 24 0551	117	121	111	2.90 59 122		0.71 36 110		2.16 119 46 121		1.20 30 101		4.33 43 114		1.26 29 100		-2.65 25 100		0		
180	CC 25 0604 111187118	7.81	CC 23 0607 CC 24 0656	117	124	106	3.67 60 129		0.13 38 100		1.96 117 63 128		1.60 31 102		4.76 45 116		0.58 31 101		3.66 27 90		0		
181	CC 24 0070 99762247	4.88	CC 21 0188 CC 22 0191	116	119	118	2.09 68 114		1.23 61 119		2.27 120 68 119		2.10 51 104		4.58 61 115		-2.37 48 108		9.39 48 81		112	2	
182	CC 26 0060 113728166	5.50	CC 24 0370 CC 21 0560	116	122	111	3.06 61 123		0.63 43 109		2.16 119 49 124		1.50 37 102		4.59 49 115		1.07 33 100		1.67 33 93		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index					
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
183	CC 20 0317 90334848	5.03	CC 16 0164 CC 18 0560	116	113	123	1.15 72		1.55 71		2.12 118		2.28 73		3.80 61		4.98 69		1.71 55		5.86 55		117	5	
184	CC 23 0467 98181019	4.10	CC 21 0483 CC 21 0150	116	109	117	1.42 69		0.53 64		1.24 109		1.73 70		7.10 49		6.21 62		6.01 46		9.59 47		117	2	
185	CC 24 0495 106744931	6.64	CC 21 0515 CC 19 0371	116	106	114	1.39 68		0.20 58		0.89 105		1.46 69		6.50 45		5.49 59		3.52 45		-1.39 37		107	1	
186	CC 25 0042 108937152	2.35	CC 21 0188 CC 20 0640	116	124	116	2.64 66		1.54 58		2.86 126		4.35 67		-0.60 48		3.82 59		-0.47 47		1.85 40		105	1	
187	CC 26 0031 113727879	4.72	CC 24 0370 CC 21 0419	116	121	115	2.56 61		1.12 43		2.40 121		4.12 49		0.20 37		3.80 49		-2.39 33		0.31 33			0	
188	CC 26 0085 113728414	6.05	CC 24 0421 CC 20 0454	116	99	119	0.36 62		0.31 44		0.49 101		-0.06 50		8.20 37		5.59 49		1.70 32		-0.46 29			0	
189	CC 24 0570 106745516	4.92	CC 21 0095 CC 23 0180	116	95	113	0.68 67		-0.89 60		-0.55 90		0.07 69		10.10 48		5.85 60		-2.33 47		0.70 40		107	1	
190	CC 26 0062 113728182	3.35	CC 23 0902 CC 23 0004	116	121	114	2.57 64		1.16 40		2.44 122		4.00 55		0.50 31		4.02 47		0.84 29		-2.60 29			0	
191	CC 23 0836 98183510	6.72	CC 21 0483 CC 22 0095	116	117	112	2.50 65		0.55 58		1.80 115		3.39 68		3.20 46		4.97 58		2.66 44		4.20 45		99	2	
192	CC 23 0732 98183775	5.54	CC 21 0483 CC 19 0117	116	125	108	3.42 67		0.49 60		2.20 119		5.55 69		3.40 49		5.94 60		10.49 45		2.43 47		99	2	
193	CC 23 0072 96794805	2.45	KI 20 0260 CC 19 0175	116	124	112	2.96 69		1.15 63		2.63 124		4.69 69		0.60 48		4.47 62		4.83 45		-1.92 45		112	3	
194	CC 25 0601 111187084	5.72	CC 23 0607 CC 24 0758	116	120	105	3.38 60		-0.15 38		1.54 112		4.55 63		1.80 32		4.31 45		-0.66 32		-2.78 28			0	
195	CC 24 0695 106746563	6.04	CC 22 0031 CC 18 0341	116	132	105	4.27 68		0.68 59		2.82 126		6.71 68		-0.60 51		4.60 61		6.83 48		-2.79 48		100	2	
196	CC 22 0628 95157350	5.59	CC 21 0081 CC 21 0522	116	120	115	2.39 66		1.08 61		2.27 120		4.21 68		1.50 50		4.37 60		2.51 40		-4.77 42		115	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat														
								EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype	
								Acc		Index		Acc		Index		Acc		Index		Acc		Index	
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36									
197	CC 22 0413 95156758	7.42	CC 20 0075 CC 17 0445	116	93	117	0.14 72	-0.58 69	-0.50 88	-0.47 90	71	95	10.90 56	6.11 67	-2.01 49	0.65 50	128	4					
198	CC 21 0626 92667575	4.03	CC 20 0026 CC 20 0488	116	133	113	3.59 66	1.65 61	3.45 127	6.36 133	67	133	-2.10 48	3.98 60	2.38 41	5.04 41	113	4					
199	CC 23 0518 98180623	5.97	CC 22 0031 CC 21 0522	116	135	105	4.94 69	0.98 62	3.44 115	7.35 136	71	136	-1.60 50	4.95 62	8.53 47	-2.34 47	114	2					
200	CC 25 0040 108937046	4.24	CC 21 0188 CC 20 0442	116	116	115	2.07 67	0.80 59	1.84 112	3.44 115	68	117	3.50 50	4.98 60	0.55 48	8.30 40	105	1					
201	CC 23 0557 98181779	5.09	CC 21 0483 CC 19 0554	116	116	113	2.23 67	0.58 59	1.70 108	3.32 114	67	116	3.70 48	5.04 60	1.68 44	6.48 46	98	2					
202	CC 25 0345 111289674	6.52	CC 21 0512 CC 23 0140	116	115	113	2.14 64	0.60 43	1.67 108	3.17 114	66	115	3.10 36	4.60 49	2.55 37	-5.44 33		0					
203	CC 20 0559 90340357	3.96	CC 19 0075 CC 19 0324	116	109	117	1.27 70	0.67 67	1.30 109	2.17 110	72	110	5.00 54	4.94 65	1.60 45	-3.42 39	122	5					
204	CC 26 0166 113729222	6.44	CC 23 0600 CC 23 0059	116	106	115	1.16 62	0.31 42	0.89 103	1.37 105	48	105	6.50 35	5.37 48	5.51 32	-8.37 31		0					
205	CC 24 0551 106745375	5.99	CC 22 0597 CC 23 0670	116	119	116	2.26 63	1.12 48	2.25 117	3.79 120	62	119	1.50 38	4.28 51	-0.95 38	5.12 30	101	1					
206	CC 26 0071 113728273	5.21	CC 24 0301 CC 23 0080	116	118	111	2.49 61	0.71 42	1.95 110	3.50 117	49	117	1.50 33	4.10 47	1.71 32	-6.57 31		0					
207	CC 23 0918 98834104	2.77	CC 23 0003 CC 18 0566	116	112	119	1.36 65	0.95 56	1.63 114	3.10 113	66	115	4.40 41	4.96 56	-0.11 34	2.51 38	107	2					
208	CC 21 0363 92603422	5.21	CC 19 0576 CC 18 0522	116	109	119	1.06 72	1.03 67	1.56 116	1.32 112	72	105	3.90 58	4.43 67	0.80 51	-2.37 52	108	4					
209	CC 26 0069 113728257	5.63	CC 24 0370 CC 23 0558	115	123	111	3.05 60	0.84 40	2.37 112	4.46 121	47	122	0.40 33	4.14 46	-0.82 31	8.48 31		0					
210	CC 23 0781 98181555	6.27	CC 21 0188 CC 22 0546	115	117	113	2.35 68	0.67 63	1.85 110	3.51 116	71	117	2.50 50	4.52 62	-0.92 47	7.56 47	107	2					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
211	CC 23 0028 96793948	2.30	KI 20 0260 CC 19 0803	115	108	111	1.71 69	0.12 63	0.98 100	1.84 68	106	5.40 48	5.07 62	6.37 45	-11.68 46	111	3								
212	CC 22 0440 95156311	4.23	CC 20 0342 CC 17 0757	115	117	112	2.41 68	0.81 63	2.02 117	3.07 70	115	1.90 52	4.36 62	1.96 47	3.01 47	102	3								
213	CC 25 0363 111289575	4.88	CC 21 0512 CC 23 0578	115	111	118	1.33 64	0.86 43	1.53 112	2.38 66	111	3.60 37	4.36 50	-3.04 37	3.06 34	0									
214	CC 26 0103 113728596	6.83	CC 23 0600 CC 22 0451	115	112	113	1.88 62	0.49 41	1.43 111	2.75 48	113	3.90 34	4.71 47	3.42 31	-6.71 30	0									
215	CC 25 0515 111186557	4.95	CC 23 0043 CC 24 0504	115	128	108	3.51 62	1.07 40	2.82 126	5.30 64	127	-1.50 33	3.68 47	3.79 32	-6.54 28	0									
216	CC 24 0404 106744147	6.55	CC 21 0025 CC 19 0456	115	123	112	2.78 68	1.28 58	2.67 124	4.15 68	121	-0.50 50	3.76 60	4.84 49	-9.54 42	100	1								
217	CC 24 0390 106744006	5.31	CC 20 0456 CC 21 0384	115	119	114	2.34 66	0.98 56	2.15 119	4.10 68	120	2.10 47	4.58 58	5.05 46	-6.56 40	102	1								
218	CC 26 0117 113728737	5.61	CC 24 0370 CC 20 0442	115	121	110	2.90 63	0.58 45	2.03 117	4.39 50	122	2.00 38	4.67 50	1.70 33	7.26 30	0									
219	CC 26 0049 113728059	6.08	CC 23 0600 CC 23 0590	115	117	104	3.11 62	-0.26 40	1.30 110	4.17 48	121	3.70 33	5.07 47	6.76 30	-8.06 28	0									
220	CC 25 0512 111188215	6.89	CC 23 0607 CC 24 0481	115	113	107	2.51 61	-0.19 40	1.06 107	2.83 63	113	3.70 32	4.54 46	-0.65 31	1.61 28	0									
221	CC 20 0076 89767362	4.20	CC 17 0528 CC 16 0093	115	101	118	0.58 73	0.30 70	0.59 102	0.46 74	100	6.90 61	5.02 69	-2.88 52	7.70 50	127	6								
222	CC 22 0143 94011905	5.27	CC 19 0089 CC 18 0558	115	93	121	-0.43 71	0.13 65	-0.08 95	-0.61 71	94	9.60 51	5.47 64	0.42 44	-6.41 45	116	3								
223	CC 25 0106 108937533	4.05	CC 21 0515 CC 23 0058	115	114	109	2.38 65	0.13 49	1.32 110	3.15 66	115	3.20 42	4.43 54	1.19 44	-3.25 35	90	1								
224	CC 25 0312 111289021	5.63	CC 21 0512 CC 19 0857	115	107	113	1.49 65	0.07 46	0.82 104	2.20 59	110	6.40 39	5.40 52	2.34 37	2.67 35	0									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
225	CC 24 0480 106744790	4.44	CC 21 0188 CC 22 0381	115	122	111	2.75 66		0.98 58		2.35 121		4.52 68		0.20 49		3.84 59		1.29 48		-2.53 42		101	1	
226	CC 26 0168 113729248	5.82	CC 23 0902 CC 22 0319	115	111	121	1.00 64		1.20 41		1.70 114		2.61 56		3.40 34		4.24 48		-1.37 30		-1.85 30			0	
227	CC 26 0045 113728018	6.69	CC 23 0600 CC 20 0317	115	111	114	1.62 63		0.61 44		1.42 111		2.25 49		4.60 37		4.99 50		4.89 33		-1.34 33			0	
228	CC 25 0309 111289278	5.35	CC 21 0512 CC 23 0574	115	111	113	1.79 64		0.27 43		1.17 108		2.67 66		4.50 36		4.76 49		0.24 37		1.90 34			0	
229	CC 23 0843 98183825	6.16	CC 21 0374 CC 22 0359	115	101	119	0.42 68		0.27 61		0.48 101		1.08 71		8.10 46		5.55 60		-1.54 45		8.77 42		116	2	
230	CC 23 0031 96794003	2.20	KI 20 0260 CC 20 0317	115	121	109	2.82 68		0.78 62		2.19 119		4.14 68		1.20 49		4.32 61		5.36 47		-3.75 47		105	3	
231	CC 23 0496 98184872	6.02	CC 21 0309 CC 20 0444	114	116	112	2.12 69		0.85 60		1.91 116		2.94 69		2.30 45		4.35 60		5.16 41		-5.67 41		112	2	
232	CC 24 0337 106743537	3.92	CC 21 0188 CC 20 0389	114	111	117	1.36 67		0.89 59		1.57 112		2.29 69		4.50 49		4.95 60		0.43 48		11.18 41		100	1	
233	CC 25 0532 111186722	5.90	CC 23 0607 CC 24 0385	114	125	101	3.94 60		-0.08 39		1.89 116		5.51 63		0.60 32		4.22 45		2.01 31		0.79 27			0	
234	CC 22 0327 95152559	4.91	CC 21 0188 CC 19 0422	114	116	113	2.20 70		0.75 66		1.85 115		3.18 72		3.40 53		4.99 65		2.16 48		14.41 48		119	3	
235	CC 23 0686 98185051	6.50	CC 21 0309 CC 21 0477	114	113	113	1.79 68		0.59 58		1.49 112		3.13 67		4.40 46		5.02 59		5.84 43		-5.02 44		100	2	
236	CC 26 0048 113728042	6.08	CC 23 0600 CC 23 0590	114	116	104	2.97 62		-0.25 40		1.23 109		3.97 48		3.70 33		4.93 47		6.76 30		-8.06 28			0	
237	CC 24 0482 106744816	6.30	CC 22 0031 CC 22 0493	114	125	104	3.63 66		0.33 56		2.14 119		5.58 68		0.30 46		4.14 58		4.44 47		-6.33 40		99	1	
238	CC 25 0144 108891805	4.62	CC 23 0902 CC 24 0003	114	117	117	1.76 62		1.14 38		2.03 117		3.89 64		2.40 30		4.35 45		1.82 34		-2.90 27		90	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
239	CC 26 0133 113728893	4.94	CC 24 0370 CC 22 0487	114	119	112	2.42 62 117		0.85 43 113		2.06 118 49 119		0.70 37 99		3.69 49 111		-0.76 33 104		-0.73 33 97		0		
240	CC 26 0118 113728745	5.61	CC 24 0370 CC 20 0442	114	119	110	2.73 63 120		0.58 45 108		1.95 117 50 121		2.00 38 104		4.51 50 115		1.70 33 99		7.26 30 85		0		
241	CC 21 0399 92603786	5.27	CC 19 0610 CC 19 0462	114	120	110	2.63 70 119		0.62 64 109		1.93 116 72 123		1.90 53 103		4.39 64 114		3.08 47 96		-3.96 46 102		104	4	
242	CC 26 0055 113728117	6.25	CC 23 0600 CC 24 0695	114	120	105	3.14 62 124		0.18 39 101		1.75 115 48 122		2.30 33 105		4.70 46 116		7.45 31 86		-5.66 29 105		0		
243	CC 24 0468 106744709	5.62	CC 22 0031 CC 22 0451	114	129	104	3.93 66 131		0.56 56 108		2.52 123 68 131		-0.90 46 93		3.95 58 112		5.64 46 90		-6.00 40 106		101	1	
244	CC 20 0529 90339912	4.68	CC 19 0075 CC 19 0348	114	120	115	2.27 68 116		1.21 66 119		2.34 121 71 122		0.10 55 96		3.54 64 110		-4.47 46 113		6.56 40 86		114	5	
245	CC 26 0087 113728430	7.32	CC 24 0164 CC 22 0413	114	107	113	1.39 62 108		0.19 43 101		0.89 105 49 109		5.40 35 117		4.82 48 116		1.02 32 100		-0.40 32 97		0		
246	CC 25 0070 108937087	6.60	CC 21 0025 CC 22 0572	114	109	115	1.27 66 107		0.81 53 112		1.44 111 67 108		2.70 46 106		3.70 56 111		-0.19 45 103		-8.77 41 110		0		
247	CC 25 0387 111289989	5.75	CC 21 0512 CC 23 0916	114	110	119	1.03 63 104		1.13 40 117		1.64 113 65 110		2.40 33 105		3.59 47 110		-3.07 33 109		-3.85 31 102		0		
248	CC 21 0563 92605385	5.36	CC 19 0610 CC 19 0348	114	116	119	1.52 73 109		1.20 66 119		1.96 117 74 121		3.00 54 107		4.52 66 115		-0.42 49 103		3.96 47 90		110	4	
249	CC 21 0548 92605237	1.79	CC 19 0576 M 16 0935	114	100	121	-0.16 70 93		0.85 68 113		0.77 104 72 100		6.10 52 119		4.35 65 114		1.85 46 98		-15.92 47 122		131	4	
250	CC 20 0444 90339870	4.19	CC 19 0076 CC 19 0021	114	114	116	1.59 72 110		1.21 70 119		2.01 117 72 112		1.40 58 101		3.64 68 111		-0.59 49 104		0.25 42 96		127	6	
251	CC 20 0442 90335993	3.80	CC 17 0528 CC 16 0561	114	108	114	1.37 74 108		0.28 72 103		0.96 106 75 112		6.90 60 122		5.79 70 121		5.42 51 90		7.01 44 85		144	6	
252	CC 22 0379 95155032	6.03	CC 21 0188 CC 20 0319	113	112	115	1.39 68 108		0.96 63 115		1.66 113 70 112		3.40 53 109		4.39 63 114		5.80 50 89		-9.28 49 111		100	4	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights								EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Post-Wean				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype						
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
253	CC 25 0189 108892183	1.87	LM 22 1507 CC 22 0415	113	106	116	0.97 65		0.57 36		1.06 107		1.81 66		108		4.80 29		4.42 46		0.82 29		-4.79 30		104	0	
254	CC 24 0371 106743826	3.72	CC 21 0095 CC 22 0122	113	100	111	0.96 66		-0.59 59		-0.11 95		1.20 68		104		7.00 46		4.58 59		-2.54 45		-7.09 38		107	106 1	
255	CC 23 0690 98181373	6.67	CC 21 0483 CC 20 0692	113	129	106	3.65 66		0.91 58		2.73 125		6.04 68		131		0.00 47		4.56 59		7.66 43		4.82 44		88	100 2	
256	CC 25 0412 111185427	5.55	CC 22 0031 CC 23 0662	113	128	101	4.20 64		0.06 50		2.16 119		6.62 66		134		0.00 41		4.27 53		2.49 41		4.95 38		88	0	
257	CC 25 0440 111186201	4.27	CC 23 0902 CC 24 0172	113	118	114	2.02 62		1.13 36		2.14 119		3.88 64		119		0.40 30		3.40 45		-0.68 29		-5.27 26		105	0	
258	CC 23 0746 98181456	5.98	CC 21 0374 CC 22 0496	113	120	112	2.47 66		0.89 57		2.12 118		4.43 69		122		0.70 46		3.78 58		-1.65 45		5.26 42		88	101 2	
259	CC 26 0132 113728885	5.46	CC 23 0600 CC 24 0070	113	112	111	1.87 62		0.47 40		1.40 111		2.80 48		113		3.70 33		4.56 47		2.85 31		0.43 30		95	0	
260	CC 24 0321 106805930	6.27	CC 22 0454 CC 20 0469	113	109	111	1.66 65		0.20 51		1.03 107		2.09 66		109		4.80 41		4.74 54		1.75 40		3.99 31		90	98 1	
261	CC 24 0504 106745011	4.35	CC 21 0188 CC 22 0178	113	129	108	3.48 67		1.21 59		2.95 127		5.54 68		128		-2.70 50		3.07 60		1.26 48		-1.01 42		98	100 1	
262	CC 25 0507 111186482	7.78	CC 23 0607 CC 24 0375	113	122	106	3.14 60		0.44 39		2.01 117		4.75 63		124		0.20 32		3.70 45		0.10 31		1.44 28		94	0	
263	CC 25 0625 111188041	5.81	CC 23 0607 CC 24 0508	113	120	107	2.95 61		0.50 40		1.97 117		4.34 54		122		1.00 34		4.04 47		2.89 33		0.43 30		95	0	
264	CC 25 0061 108891391	4.47	CC 23 0043 CC 21 0312	113	119	108	2.72 63		0.60 42		1.96 117		4.09 65		120		1.70 33		4.34 48		6.90 31		-5.64 30		105	0	
265	CC 25 0348 111289831	6.74	CC 21 0512 CC 23 0636	113	110	113	1.55 64		0.54 43		1.31 110		2.47 66		111		3.70 36		4.31 49		0.05 37		3.15 33		91	0	
266	CC 20 0303 90334707	4.97	CC 16 0164 CC 18 0457	113	112	119	1.05 73		1.52 71		2.04 118		2.10 74		109		2.70 63		4.19 70		3.12 55		2.98 52		91	113 5	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
										Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
267	CC 25 0430 111185609	4.44	CC 21 0374 CC 20 0307	113	108	118	0.94 66	104	52	112	1.28 109	2.30 67	110	4.20 43	112	4.27 55	114	-3.65 41	111	8.35 36	83	0	
268	CC 25 0261 108892563	2.44	LM 22 1507 CC 23 0180	113	101	121	0.01 65	95	37	113	0.86 105	0.76 66	102	5.80 30	118	4.34 46	114	-1.39 30	106	-2.37 31	100	0	
269	CC 23 0682 98180862	6.06	CC 21 0374 CC 22 0539	113	109	111	1.74 67	111	60	96	0.78 104	3.19 70	115	5.80 46	118	5.13 59	118	-0.28 45	103	9.46 43	81	106 2	
270	CC 24 0208 99763070	16.69	CC 21 0374 CC 21 0473	113	98	115	0.42 67	99	58	95	0.06 96	0.55 69	101	7.30 45	124	4.65 58	115	-4.18 45	112	3.92 39	90	98 1	
271	CC 23 0706 98182348	5.79	CC 20 0456 CC 18 0457	113	118	105	2.82 70	121	63	101	1.62 113	3.90 70	119	2.70 51	106	4.65 63	115	6.92 47	87	-0.50 47	97	107 2	
272	CC 26 0121 113728778	4.73	CC 24 0301 CC 23 0028	113	111	108	1.96 61	113	41	102	1.22 109	2.35 48	111	3.10 33	108	4.07 47	113	4.92 32	91	-11.05 31	114	0	
273	CC 23 0831 98183114	6.73	CC 22 0031 CC 22 0198	113	122	102	3.46 69	127	61	97	1.68 114	5.27 69	127	1.50 48	102	4.31 61	114	3.54 47	94	0.96 47	95	104 2	
274	CC 25 0236 108892399	1.65	LM 22 1507 CC 22 0579	113	107	119	0.72 64	101	36	113	1.24 109	2.28 66	110	4.30 30	112	4.18 45	113	-2.72 30	109	3.19 30	91	0	
275	CC 22 0546 95152831	6.17	CC 21 0147 CC 18 0348	113	109	108	1.90 69	112	64	97	0.87 105	2.01 71	109	4.60 50	114	4.58 63	115	0.68 45	101	8.36 46	83	107 3	
276	CC 26 0094 113728505	6.40	CC 24 0370 CC 23 0144	112	121	107	2.88 61	121	42	111	2.18 119	3.83 48	119	-0.60 35	94	3.26 48	109	0.39 32	102	2.83 32	92	0	
277	CC 25 0389 111290003	6.25	CC 21 0512 CC 19 0004	112	112	112	1.55 65	109	46	112	1.61 113	2.12 67	109	2.00 40	104	3.58 52	110	1.56 39	99	-5.06 35	104	0	
278	CC 24 0574 106745540	6.11	CC 20 0456 CC 22 0422	112	117	104	2.79 66	121	58	101	1.57 113	3.69 67	118	0.60 45	98	3.33 58	109	0.21 45	102	-5.60 39	105	109 1	
279	CC 23 0591 98180755	4.68	CC 22 0031 CC 20 0469	112	118	104	3.01 69	123	62	96	1.39 111	4.62 70	123	3.00 49	107	4.70 62	116	4.84 46	92	0.93 44	95	107 2	
280	CC 24 0389 106743990	6.70	CC 21 0515 CC 23 0140	112	116	104	2.73 66	120	53	98	1.37 110	3.59 67	118	3.20 42	108	4.66 55	115	8.28 44	84	-5.18 35	104	101 1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
281	CC 22 0631 95157418	7.05	CC 20 0716 CC 21 0356	112	119	111	2.27 66	1.02 60	2.16 119	3.73 68	118	0.50 49	3.59 60	1.31 39	1.78 43	109	3				
282	CC 21 0522 92604982	4.68	CC 17 0756 CC 15 0392	112	123	109	2.70 74	1.34 73	2.69 125	3.94 75	119	-0.90 64	3.50 71	7.26 53	-5.19 54	134	5				
283	CC 26 0143 113728992	6.78	CC 24 0164 CC 22 0450	112	121	110	2.53 61	1.09 42	2.35 121	3.99 49	120	0.30 34	3.80 47	4.64 31	0.22 31	0					
284	CC 25 0102 108891565	5.17	CC 23 0043 CC 23 0144	112	117	108	2.42 63	0.74 41	1.95 117	3.15 65	115	0.60 34	3.52 48	4.56 32	-6.96 31	0					
285	CC 24 0759 106747140	6.71	CC 21 0025 CC 23 0181	112	112	109	1.85 65	0.50 55	1.42 111	2.84 60	113	2.40 47	3.79 57	4.92 48	-14.46 39	100	1				
286	CC 26 0076 113728323	5.83	CC 24 0421 CC 22 0122	112	103	118	0.36 61	0.89 43	1.07 107	0.88 48	103	4.30 35	3.83 48	0.81 32	-9.27 31	0					
287	CC 25 0282 108892936	6.28	CC 22 0031 CC 20 0454	112	112	103	2.55 65	-0.39 53	0.89 105	3.13 66	115	3.90 44	4.51 56	3.76 42	-1.26 37	0					
288	CC 22 0393 95155875	5.24	CC 21 0188 CC 18 0492	112	118	110	2.26 70	1.00 64	2.13 118	3.25 70	116	0.10 54	3.31 64	2.42 49	-3.72 49	103	4				
289	CC 24 0696 106746571	6.04	CC 22 0031 CC 18 0341	112	119	104	3.01 69	0.12 61	1.63 113	4.57 68	123	2.80 49	4.81 61	5.72 48	6.74 48	104	2				
290	CC 25 0071 108937095	4.98	CC 21 0188 CC 23 0874	112	108	114	1.14 66	0.66 55	1.23 109	1.77 66	107	3.90 45	4.14 57	0.01 45	4.72 38	117	1				
291	CC 25 0361 111289559	5.84	CC 21 0512 CC 23 0533	112	108	111	1.39 64	0.43 43	1.13 108	1.75 66	107	3.70 36	4.04 49	0.39 37	2.34 33	0					
292	CC 24 0538 106747413	2.28	CC 22 0447 CC 23 0322	112	107	119	0.59 58	1.20 46	1.50 112	1.63 51	107	3.10 35	3.65 48	-1.56 39	-0.50 28	100	1				
293	CC 23 0578 98183296	4.70	CC 21 0188 CC 22 0457	112	110	110	1.79 69	0.14 63	1.03 107	2.74 70	113	3.20 51	3.85 63	-5.32 48	10.82 47	107	2				
294	CC 23 0654 98184088	4.67	CC 20 0456 CC 18 0511	112	105	113	0.84 68	0.55 63	0.97 106	1.12 69	104	6.10 50	5.04 62	8.62 47	-3.87 47	105	2				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat	Comb	Post-Wean											EBV
											Acc	Index	Acc	Index	Acc	Index	Acc	Index						
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
295	CC 25 0219 108892704	2.43	LM 22 1507 CC 22 0589	112	108	119	0.65 64	1.30 101	36	120	1.62 113	1.72 66	107	2.40 30	3.39 105	45	109	-1.28 30	-2.88 105	31	101	0		
296	CC 22 0362 95155511	4.40	CC 21 0025 CC 18 0644	112	112	104	2.27 70	-0.05 116	65	97	1.09 107	2.85 71	113	3.30 51	4.20 109	64	113	6.53 47	-9.96 88	46	112	105 4		
297	CC 24 0612 106745904	5.29	CC 22 0043 CC 23 0818	112	123	108	2.89 64	0.95 121	51	114	2.39 121	5.13 66	126	-0.30 41	3.65 95	54	111	3.65 42	-0.39 94	34	97	99 1		
298	CC 21 0400 92603794	3.61	CC 19 0576 CC 19 0589	112	118	114	1.93 69	1.21 113	66	119	2.18 119	4.12 71	120	0.50 57	3.44 98	65	110	-0.18 50	0.66 103	50	95	107 4		
299	CC 25 0039 108937038	4.24	CC 21 0188 CC 20 0442	112	112	111	1.80 66	0.49 111	56	106	1.39 111	2.93 68	114	3.40 48	4.33 109	58	114	1.17 44	8.17 100	40	83	0		
300	CC 26 0059 113728158	5.35	CC 24 0421 CC 22 0013	112	103	114	0.71 59	0.42 101	40	105	0.78 104	1.22 46	104	4.70 31	3.95 114	45	112	-0.93 25	-2.04 105	24	99	0		
301	CC 25 0598 111187050	4.41	CC 23 0043 CC 24 0570	112	104	110	1.14 62	0.06 105	40	99	0.63 102	1.24 64	105	4.90 32	4.14 115	47	113	2.00 32	-5.69 98	28	105	0		
302	CC 24 0431 106744394	5.78	CC 21 0095 CC 22 0527	112	103	108	1.33 67	-0.58 107	57	88	0.09 97	1.76 68	107	7.30 47	5.14 124	59	118	2.48 47	2.04 97	41	93	98 1		
303	CC 23 0590 98180748	4.68	CC 22 0031 CC 20 0469	112	118	102	3.06 69	-0.14 123	62	95	1.39 111	4.63 69	123	2.00 50	4.12 104	62	113	5.45 46	-7.58 90	44	108	112 3		
304	CC 21 0318 92602978	5.58	CC 19 0610 CC 19 0408	112	100	109	0.90 72	-0.62 103	68	87	-0.17 94	1.65 72	107	9.10 55	5.74 131	67	120	6.46 47	-4.19 88	47	103	130 5		
305	CC 25 0227 108893025	3.09	LM 22 1507 CC 21 0522	111	117	112	1.92 65	1.19 113	39	119	2.15 119	3.45 66	117	0.30 33	3.29 97	48	109	1.74 31	-2.48 99	32	100	0		
306	CC 25 0115 108937582	4.18	CC 21 0188 CC 22 0612	111	121	105	2.95 65	0.67 122	52	110	2.15 119	4.25 67	121	-0.70 45	3.20 93	55	109	0.94 43	2.09 100	41	93	0		
307	CC 24 0709 106747561	1.99	CC 22 0447 CC 23 0403	111	111	118	0.92 59	1.46 103	47	123	1.91 116	2.24 62	110	3.20 33	4.29 108	48	114	6.40 39	-1.54 88	30	99	101 1		
308	CC 24 0508 106745037	4.16	CC 21 0188 CC 21 0353	111	118	106	2.56 67	0.53 118	59	107	1.81 115	3.72 68	118	1.30 50	3.87 101	60	112	3.88 49	1.26 94	43	94	99 1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW	AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36					
309	CC 24 0119 99763401	7.01	CC 21 0515 CC 21 0435	111	113	106	2.19 67	0.33 58	1.43 111	2.25 67	110	2.60 48	4.08 59	6.64 45	-2.33 44	100	113	2		
310	CC 24 0343 106743578	6.34	CC 21 0025 CC 20 0468	111	114	104	2.40 67	-0.04 57	1.16 108	3.47 69	117	2.90 48	4.10 59	4.49 47	-5.96 38	106	100	1		
311	CC 24 0733 106746902	5.36	CC 22 0392 CC 23 0682	111	109	106	1.98 64	-0.28 50	0.71 103	2.97 66	114	5.10 38	4.76 53	0.92 39	8.94 30	82	99	1		
312	CC 22 0430 95156113	3.13	CC 20 0075 CC 17 0433	111	97	107	0.88 72	-0.90 68	-0.46 91	0.39 74	100	11.30 55	6.76 67	6.63 50	9.33 51	81	114	3		
313	CC 20 0373 90335381	4.84	CC 19 0076 CC 17 0448	111	104	113	0.92 74	0.31 67	0.77 104	0.94 71	103	4.50 54	3.93 67	-3.13 44	8.89 36	82	125	6		
314	CC 26 0122 113728786	4.73	CC 24 0301 CC 23 0028	111	109	107	1.67 61	0.26 41	1.10 107	1.96 48	109	3.10 33	3.79 47	4.92 32	-11.05 31			0		
315	CC 25 0593 111187969	3.99	CC 23 0043 CC 24 0371	111	107	109	1.49 62	0.16 40	0.90 105	2.01 64	109	3.40 31	3.68 46	1.90 31	-9.58 27			0		
316	CC 21 0015 92026384	4.17	CC 16 0164 CC 18 0591	111	105	113	0.94 74	0.40 71	0.87 105	1.86 74	108	5.80 61	4.82 70	5.55 55	-1.70 53	99	132	5		
317	CC 25 0448 111185708	7.15	CC 22 0597 CC 23 0797	111	118	111	2.19 63	1.02 42	2.12 118	4.03 65	120	0.90 33	3.75 48	2.30 32	4.79 28	88		0		
318	CC 24 0672 106746357	7.25	CC 22 0597 CC 23 0483	111	118	111	2.12 64	0.92 48	1.98 117	4.08 67	120	2.10 37	4.30 52	5.29 38	3.73 29	90	101	1		
319	CC 25 0661 111188074	6.02	CC 23 0607 CC 24 0611	111	116	102	2.90 60	-0.18 38	1.27 109	3.75 63	118	1.90 30	3.86 45	1.48 30	3.27 26	91		0		
320	CC 26 0237 114273170	6.55	CC 22 0031 CC 21 0680	111	123	100	3.54 65	0.06 52	1.83 115	5.27 59	127	0.20 43	3.72 55	4.93 41	-3.18 39	101		0		
321	CC 20 0717 90339979	5.82	CC 19 0075 CC 19 0846	111	102	112	0.77 69	0.22 66	0.61 102	0.85 71	102	4.10 52	3.45 64	-2.29 44	-5.22 35	104	109	5		
322	CC 26 0150 113729065	6.31	CC 23 0600 CC 22 0353	111	107	104	1.89 63	-0.55 42	0.40 100	2.44 49	111	5.50 33	4.64 48	6.30 30	-9.62 28	111		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
323	CC 26 0113 113728695	6.14	CC 24 0370 CC 21 0117	111	121	107	2.79 62	0.85 44	2.25 120	4.20 49	121	-0.90 38	3.11 50	0.71 35	4.61 89				0			
324	CC 24 0092 99763039	5.46	CC 22 0043 CC 19 0557	111	114	110	1.85 67	0.68 57	1.61 113	3.43 69	117	3.00 44	4.33 58	7.27 43	-4.61 36			102	1			
325	CC 22 0389 95155792	2.45	CC 21 0188 CC 17 0427	111	115	113	1.80 72	0.90 68	1.80 115	3.54 72	117	2.40 55	4.14 67	0.36 50	13.31 49			115	3			
326	CC 26 0026 113727820	4.53	CC 24 0301 CC 22 0259	111	112	109	1.70 60	0.69 39	1.54 112	2.13 47	109	0.90 32	2.93 45	0.06 26	-5.58 28				0			
327	CC 25 0472 111185864	5.73	CC 22 0392 CC 23 0605	111	120	103	3.01 63	0.23 45	1.74 114	4.63 65	123	1.50 36	4.14 50	4.75 36	5.18 31				0			
328	CC 26 0033 113727895	6.56	CC 24 0421 CC 23 0031	111	110	109	1.59 61	0.52 41	1.31 110	1.89 48	108	3.00 34	3.91 47	4.97 32	-2.36 32				0			
329	CC 25 0450 111185724	4.19	CC 23 0902 CC 23 0658	111	107	114	0.89 64	0.72 40	1.16 108	1.68 64	107	3.50 32	3.71 47	-2.03 30	5.96 29				0			
330	CC 25 0414 111185443	6.84	CC 21 0374 CC 23 0841	111	115	103	2.65 64	-0.06 49	1.26 109	3.98 66	120	2.40 40	4.03 53	1.67 40	4.25 37				0			
331	CC 23 0809 98182512	6.45	CC 20 0075 CC 22 0450	111	106	107	1.53 68	-0.14 62	0.62 102	1.76 70	107	5.20 49	4.51 61	4.70 46	-0.63 47			106	2			
332	CC 25 0468 111185823	7.05	CC 22 0597 CC 23 0690	111	124	106	3.04 63	0.77 42	2.29 120	5.25 65	127	-0.20 33	3.69 48	4.42 32	3.84 28				0			
333	CC 23 0633 98184971	6.85	CC 21 0309 CC 21 0353	111	122	100	3.31 69	0.25 58	1.91 116	4.56 68	123	0.70 47	3.98 60	11.82 43	-11.34 44			99	2			
334	CC 26 0227 114273212	4.37	CC 23 0913 CC 25 0168	110	116	112	1.74 57	1.21 31	2.09 118	3.31 46	116	-0.20 25	2.84 40	0.02 22	-3.17 22				0			
335	CC 24 0460 106744642	6.46	CC 22 0031 CC 19 0789	110	122	99	3.49 68	-0.03 61	1.71 114	5.24 68	127	0.60 49	3.81 61	5.77 48	-3.48 43			103	1			
336	CC 26 0164 113729206	4.89	CC 23 0913 CC 25 0083	110	107	113	0.97 57	0.68 36	1.16 108	1.84 46	108	3.80 30	3.93 43	0.73 28	3.24 26				0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat	Comb	Post-Wean											EBV	EBV
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
337	CC	25	0594	3.99	CC	23 0043	110	106	109	1.31	0.18	0.84	1.80	3.40	3.54	1.90	-9.58	0							
	111187977	CC	24 0371		62	107				40	101	105	64	108	31	109	46					110	31	98	27
338	CC	22	0353	5.85	CC	21 0025	110	106	103	1.90	-0.78	0.17	2.92	5.70	4.54	4.52	-10.71	117	4						
	95155339	CC	20 0311		71	112				65	84	97	71	114	52	118	64					115	47	92	43
339	CC	23	0605	5.47	CC	22 0031	110	129	102	3.80	0.75	2.65	6.40	-1.60	3.59	7.24	0.66	100	2						
	98181803	CC	20 0375		68	130				60	111	124	70	133	49	90	61					110	47	86	46
340	CC	26	0131	5.67	CC	24 0569	110	116	105	2.37	0.53	1.71	3.20	0.60	3.26	2.60	-0.71	0							
	113728877	CC	25 0040		57	117				40	107	114	48	115	34	98	45					109	33	97	29
341	CC	25	0381	5.25	CC	21 0512	110	109	111	1.22	0.81	1.42	1.46	1.50	2.92	0.89	-6.92	0							
	111289898	CC	19 0207		65	106				45	112	111	67	106	40	102	52					107	38	101	35
342	CC	26	0040	6.48	CC	24 0421	110	111	108	1.77	0.41	1.29	2.80	2.60	3.74	3.27	-2.89	0							
	113727960	CC	24 0637		51	111				36	105	110	47	113	31	106	41					111	30	95	26
343	CC	26	0110	7.30	CC	24 0301	110	111	106	1.96	0.05	1.03	2.73	3.00	3.81	2.19	-0.74	0							
	113728661	CC	24 0733		60	113				36	99	107	47	113	30	107	44					111	30	98	25
344	CC	24	0623	4.73	CC	22 0392	110	103	109	1.17	-0.15	0.44	1.36	5.90	4.57	0.77	10.33	98	1						
	106747637	CC	23 0658		65	106				51	95	100	66	105	40	119	54					115	41	101	31
345	CC	24	0580	4.61	CC	22 0031	110	122	104	3.05	0.57	2.09	5.19	-0.50	3.32	4.30	-4.71	90	2						
	106745607	CC	20 0550		65	123				53	108	118	67	126	44	94	56					109	46	93	44
346	CC	25	0388	7.09	CC	21 0512	110	114	110	1.80	0.85	1.75	2.80	0.70	3.07	0.82	-1.13	0							
	111289997	CC	23 0572		63	111				42	113	115	66	113	36	99	49					108	37	101	33
347	CC	23	0457	3.87	CC	21 0095	110	113	105	2.17	0.18	1.27	3.21	1.80	3.43	0.55	-0.90	106	2						
	98180417	CC	19 0560		68	115				62	101	109	70	115	49	103	61					110	46	101	44
348	CC	25	0446	4.29	CC	22 0392	110	105	107	1.39	-0.15	0.55	1.49	5.40	4.49	2.49	7.41	0							
	111185682	CC	23 0699		63	108				45	95	102	65	106	36	117	50					115	35	97	31
349	CC	22	0450	4.50	CC	20 0342	110	115	111	1.69	1.26	2.10	2.38	0.80	3.42	5.23	1.89	125	4						
	95156519	CC	19 0387		69	110				65	120	118	71	111	53	99	64					110	46	91	48
350	CC	26	0029	5.73	CC	23 0902	110	108	114	0.88	0.93	1.36	1.68	2.30	3.18	-0.27	-2.82	0							
	113727853	CC	23 0694		63	103				38	114	110	55	107	32	105	46					109	29	103	29

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
351	CC 25 0528 111186680	6.38	CC 21 0374 CC 23 0518	110	114	107	2.05 65	0.52 49	1.55 112	3.17 67	115	1.70 41	3.59 53	1.43 40	4.93 38	0				
352	CC 25 0500 111186409	5.86	CC 23 0902 CC 23 0875	110	109	114	1.02 62	0.98 37	1.50 112	2.22 64	110	1.20 29	2.73 45	-4.81 26	0.99 26	0				
353	CC 25 0211 108892308	2.06	LM 22 1507 CC 22 0451	110	108	116	0.65 64	1.13 35	1.46 111	1.96 65	109	2.00 29	2.98 45	-2.50 29	-2.33 30	0				
354	CC 26 0081 113728372	6.33	CC 23 0600 CC 23 0674	110	114	102	2.51 62	0.05 40	1.31 110	3.24 48	116	2.20 32	3.88 47	7.61 30	-6.54 29	0				
355	CC 25 0247 108892423	2.34	LM 22 1507 CC 22 0487	110	106	116	0.59 65	0.90 36	1.20 109	1.83 66	108	2.90 30	3.23 46	-1.64 30	-4.37 31	0				
356	CC 26 0043 113727994	5.63	CC 23 0902 CC 22 0345	110	113	112	1.46 64	0.95 40	1.68 114	3.03 55	114	1.50 34	3.31 48	-0.13 30	2.32 30	0				
357	CC 22 0259 94012929	2.59	CC 20 0900 CC 18 0142	110	108	113	0.96 63	1.02 57	1.50 112	1.08 65	104	0.80 44	2.46 56	-3.35 29	-0.74 37	131	4			
358	CC 24 0627 106747488	2.28	CC 22 0447 CC 23 0315	110	104	115	0.49 58	0.72 46	0.96 106	1.31 62	105	3.50 35	3.30 48	-2.57 39	-0.59 28	99	1			
359	CC 24 0597 106745755	6.42	CC 21 0515 CC 18 0492	110	107	107	1.55 67	0.07 56	0.85 105	1.91 67	108	3.30 46	3.61 58	1.40 46	-2.16 38	99	1			
360	CC 25 0572 111186953	6.70	CC 21 0374 CC 21 0591	110	106	106	1.58 65	-0.35 51	0.44 100	2.31 67	110	4.70 41	4.05 54	-3.73 39	12.25 36	0				
361	CC 22 0612 95154571	6.14	CC 21 0025 CC 20 0316	110	122	103	2.95 67	0.76 59	2.23 120	4.32 69	122	-1.30 49	2.92 60	4.97 47	-5.14 46	94	2			
362	CC 26 0174 113729305	6.91	CC 23 0902 CC 22 0589	110	110	116	0.85 64	1.35 41	1.77 115	1.92 56	108	1.00 35	2.79 48	-1.00 31	-2.00 31	0				
363	CC 21 0312 92602911	6.34	CC 19 0610 CC 18 0630	110	113	106	2.05 70	0.28 64	1.30 110	3.37 70	116	3.60 51	4.49 63	7.47 45	0.80 46	117	4			
364	CC 25 0423 111185534	4.17	CC 22 0392 CC 23 0467	110	103	108	1.13 64	-0.01 46	0.56 102	1.10 66	104	5.90 36	4.66 51	4.14 35	9.64 31	0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
365	CC 25 0134 108891706	4.46	CC 21 0374 CC 19 0056	109	115	111	1.81 66 112	0.83 53 112	1.73 114	3.51 68 117	1.60 45 102	3.60 56 110	-1.90 42 107	15.79 39 71					0	
366	CC 26 0189 113729453	5.62	CC 23 0600 CC 24 0682	109	105	106	1.44 61 108	-0.17 38 95	0.55 102	1.66 47 107	4.50 31 113	3.97 45 112	2.74 29 96	-0.74 28 97					0	
367	CC 23 0742 98180961	5.28	CC 20 0075 CC 22 0588	109	101	112	0.48 66 99	0.24 59 102	0.48 101	1.20 68 104	4.20 51 112	3.23 60 109	-3.31 47 110	-6.10 47 106	100			3		
368	CC 24 0585 106745656	5.53	CC 21 0025 CC 22 0389	109	118	105	2.48 67 118	0.69 57 110	1.93 116	3.95 68 120	-0.20 47 95	3.05 59 108	3.41 48 95	-3.30 40 101	101			1		
369	CC 24 0199 99762908	4.91	CC 21 0374 CC 20 0442	109	103	113	0.68 67 101	0.36 56 104	0.70 103	1.52 69 106	5.30 46 116	4.22 58 113	-0.52 45 104	10.44 37 79	97			1		
370	CC 26 0205 113729610	8.00	CC 24 0569 CC 25 0071	109	113	105	2.03 56 114	0.45 39 106	1.46 111	2.53 47 112	0.90 33 99	3.01 44 108	2.33 32 97	-2.49 28 100					0	
371	CC 26 0163 113729198	4.89	CC 23 0913 CC 25 0083	109	105	113	0.73 57 102	0.69 36 110	1.06 107	1.52 46 106	3.80 30 111	3.70 43 111	0.73 28 101	3.24 26 91					0	
372	CC 21 0319 92602986	5.74	CC 19 0358 CC 18 0372	109	106	102	1.77 72 111	-0.38 67 91	0.51 101	2.09 73 109	5.10 54 116	4.45 66 114	8.88 47 82	-8.08 47 109	124			4		
373	CC 23 0068 96794722	2.30	KI 20 0260 CC 17 0477	109	122	103	2.85 69 121	1.01 62 115	2.43 122	3.86 69 119	-2.90 50 85	2.12 62 104	5.34 47 90	-13.40 47 118	108			3		
374	CC 25 0447 111185690	7.15	CC 22 0597 CC 23 0797	109	116	109	1.93 63 113	0.91 42 114	1.88 116	3.49 65 117	0.90 33 99	3.38 48 109	2.30 32 97	4.79 28 88					0	
375	CC 24 0668 106746316	5.89	CC 22 0043 CC 23 0836	109	119	102	2.89 63 122	0.17 50 101	1.62 113	4.72 65 124	1.10 40 100	3.72 53 111	5.78 40 89	-1.88 33 99	99			1		
376	CC 24 0470 106744717	5.92	CC 22 0031 CC 22 0487	109	121	96	3.57 67 128	-0.19 56 95	1.59 113	5.10 68 126	0.30 47 97	3.56 58 110	8.27 47 84	-8.92 41 110	99			1		
377	CC 24 0361 106743727	6.87	CC 20 0456 CC 22 0357	109	108	106	1.60 66 110	0.10 56 100	0.90 105	2.08 67 109	3.30 46 109	3.68 58 111	4.66 46 92	-5.84 40 105	99			1		
378	CC 26 0067 113728232	5.92	CC 23 0600 CC 24 0064	109	107	105	1.64 61 110	-0.11 39 96	0.71 103	2.30 47 110	4.30 31 112	4.11 46 113	5.46 29 90	-4.23 28 103					0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lamberd		
								Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
379	CC 25 0349 111289849	5.59	CC 21 0512 CC 22 0531	109	115	109	1.90 64 112		0.95 43 114		1.90 116 66 114		0.30 37 97		3.03 50 108		-1.10 38 105		11.80 33 77		0		
380	CC 25 0475 111185898	6.76	CC 22 0597 CC 23 0531	109	115	109	1.89 63 112		0.82 42 112		1.76 115 65 117		1.30 34 101		3.48 48 110		2.06 33 98		5.89 29 87		0		
381	CC 21 0353 92603323	3.78	CC 17 0756 CC 18 0548	109	114	106	1.97 74 113		0.68 72 110		1.67 114 75 112		2.20 62 104		3.97 70 112		11.24 54 77		-5.57 54 105		127	4	
382	CC 25 0506 111186474	7.34	CC 23 0607 CC 24 0384	109	115	102	2.46 60 118		0.20 39 101		1.43 111 63 115		0.50 32 98		2.96 45 108		1.21 31 100		-0.45 28 97		0		
383	CC 26 0030 113727861	4.93	CC 23 0902 CC 20 0393	109	104	115	0.43 65 99		1.01 43 115		1.22 109 56 103		3.20 37 108		3.35 50 109		1.20 33 100		-0.45 31 97		0		
384	CC 24 0133 99761942	5.76	CC 21 0025 CC 18 0689	109	111	104	2.01 68 113		0.06 58 99		1.06 107 69 113		2.80 48 107		3.75 60 111		5.40 48 90		-4.55 40 103		97	1	
385	CC 24 0093 99763047	5.46	CC 22 0043 CC 19 0557	109	112	108	1.67 67 110		0.52 57 107		1.36 110 69 115		3.10 44 108		4.05 58 113		7.61 43 85		-4.40 36 103		101	1	
386	CC 25 0490 111186045	5.92	CC 23 0902 CC 23 0655	109	107	111	1.01 63 104		0.82 39 112		1.33 110 64 106		2.40 31 105		3.27 46 109		2.37 29 97		-0.75 29 97		0		
387	CC 24 0534 106745219	5.10	CC 22 0392 CC 23 0562	109	100	108	0.80 66 102		-0.22 54 94		0.18 98 66 102		6.20 38 120		4.30 55 114		-0.10 39 103		10.55 30 79		105	1	
388	CC 24 0564 106745458	3.67	CC 22 0031 CC 23 0087	109	125	97	3.78 67 130		0.23 55 102		2.12 118 67 128		-1.30 44 91		3.23 57 109		7.61 46 85		-3.18 39 101		101	1	
389	CC 24 0479 106744782	7.07	CC 22 0031 CC 22 0589	109	120	100	3.00 66 122		0.35 56 104		1.85 116 68 121		-0.20 47 95		3.23 58 109		7.35 47 86		-6.27 41 106		99	1	
390	CC 21 0643 92606052	4.16	CC 20 0183 CC 20 0469	109	119	98	3.22 70 125		-0.26 66 93		1.35 110 71 124		1.10 55 100		3.62 65 111		5.16 50 91		-2.40 49 100		113	4	
391	CC 26 0134 113728901	5.46	CC 24 0164 CC 20 0373	109	109	110	1.33 63 107		0.66 42 109		1.32 110 49 110		2.20 35 104		3.30 48 109		0.46 30 101		3.73 27 90		0		
392	CC 25 0032 108937400	5.88	CC 21 0515 CC 21 0712	109	110	102	2.08 65 114		-0.12 48 96		0.92 106 65 112		2.60 39 106		3.52 52 110		2.96 38 96		-1.19 34 98		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
393	CC 25 0365 111289690	7.35	CC 21 0512 CC 23 0680	109	107	111	1.00 63		0.69 42		1.19 108		1.62 66		2.10 35		2.95 48		0.59 36		-4.36 33		0		
394	CC 21 0536 92605112	5.67	CC 19 0358 CC 18 0367	109	98	108	0.53 70		-0.20 63		0.07 96		-0.05 71		6.60 52		4.29 63		3.23 46		3.04 46		98	3	
395	CC 26 0106 113728620	4.95	CC 23 0902 CC 22 0628	109	114	111	1.56 63		1.04 38		1.82 115		3.09 55		0.10 31		2.65 46		-0.35 26		-1.39 27		0		
396	CC 22 0347 95153433	4.09	CC 21 0188 CC 17 0442	109	113	106	1.88 70		0.55 66		1.49 112		2.88 70		1.00 55		3.03 65		1.51 49		-0.01 48		112	4	
397	CC 25 0650 111187407	5.75	CC 23 0109 CC 24 0538	109	111	107	1.71 59		0.51 35		1.36 110		2.71 59		1.30 29		3.00 43		2.12 30		-5.18 24		0		
398	CC 21 0604 92605724	6.53	CC 20 0183 CC 20 0353	109	116	101	2.64 69		0.04 64		1.36 110		3.89 70		-0.20 54		2.56 64		-1.05 50		-3.76 48		109	5	
399	CC 25 0167 108937806	6.39	CC 21 0025 CC 23 0113	109	112	104	1.95 65		0.33 52		1.30 110		2.74 67		0.80 45		2.75 55		3.06 44		-11.37 41		0		
400	CC 24 0571 106745524	4.22	CC 21 0095 CC 18 0118	109	105	104	1.46 67		-0.21 58		0.52 101		1.46 69		4.20 49		3.77 59		3.71 47		-2.13 40		101	1	
401	CC 24 0681 106746449	5.35	CC 22 0392 CC 23 0746	109	105	105	1.45 65		-0.22 53		0.51 101		2.02 65		4.60 38		3.99 54		0.94 39		6.65 29		103	1	
402	CC 25 0359 111289534	6.43	CC 21 0512 CC 21 0393	109	96	111	0.08 65		0.13 45		0.17 98		-0.47 67		6.30 38		3.99 51		3.47 37		-2.56 34		0		
403	CC 25 0541 111187696	7.25	CC 22 0597 CC 23 0483	108	113	110	1.54 63		0.79 43		1.56 112		3.16 65		2.40 33		3.77 48		3.99 32		4.72 29		0		
404	CC 24 0691 106747538	2.28	CC 22 0447 CC 23 0418	108	105	113	0.58 60		0.74 47		1.03 107		1.55 60		3.20 35		3.24 49		-0.35 38		-0.84 30		99	1	
405	CC 24 0013 99792707	5.33	CC 20 0075 CC 22 0143	108	92	108	0.14 66		-0.85 57		-0.78 87		-0.33 68		8.10 47		4.16 58		-1.68 45		-0.71 41		98	1	
406	CC 26 0095 113728513	7.68	CC 24 0164 CC 22 0178	108	124	103	2.95 62		1.02 43		2.49 122		4.70 49		-2.30 38		2.59 49		5.81 33		-4.95 31		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:					100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
407	CC 24 0190 99762817	5.64	CC 22 0043 CC 20 0317	108	110	108	1.52 66	0.43 57	1.18 108	2.91 68	114	3.20 44	3.86 57	5.47 44	-1.90 37	99	100	1			
408	CC 21 0591 92605641	4.62	CC 20 0093 CC 20 0343	108	108	97	2.55 71	-1.11 66	0.17 97	3.02 73	114	4.20 51	3.96 64	-1.78 45	12.29 43	77	130	4			
409	CC 24 0758 106747132	10.95	CC 21 0095 CC 23 0163	108	105	98	2.09 65	-0.99 54	0.06 96	1.84 67	108	2.80 46	2.78 56	-3.23 46	-5.17 39	104	99	1			
410	CC 24 0050 99762726	5.31	CC 21 0188 CC 21 0015	108	110	109	1.45 67	0.63 59	1.35 110	2.42 69	111	2.20 50	3.40 60	2.32 49	3.76 43	90	97	1			
411	CC 23 0144 96783378	5.10	CC 20 0456 CC 17 0118	108	108	107	1.37 69	0.61 63	1.30 110	1.46 70	106	1.60 53	2.94 63	2.79 48	-1.84 48	99	106	3			
412	CC 25 0244 108892795	6.25	CC 22 0031 CC 23 0757	108	116	99	2.75 65	-0.09 51	1.29 109	3.84 66	119	1.40 42	3.50 54	6.17 41	-3.64 39	102		0			
413	CC 26 0213 113729669	5.37	CC 23 0913 CC 25 0007	108	108	107	1.40 57	0.33 36	1.03 107	2.19 46	110	2.10 30	2.99 43	-0.64 28	-0.18 25	96		0			
414	CC 25 0677 111187605	6.96	CC 23 0109 CC 24 0468	108	120	98	3.18 60	0.12 39	1.71 114	4.55 63	123	-0.70 32	2.88 45	5.72 32	-7.93 28	109		0			
415	CC 25 0458 111186300	5.75	CC 22 0031 CC 23 0592	108	121	95	3.64 64	-0.43 51	1.39 111	5.34 67	127	1.30 41	3.99 54	7.81 41	2.17 38	93		0			
416	CC 23 0140 96783337	5.61	CC 21 0025 CC 19 0019	108	112	99	2.47 69	-0.34 63	0.90 105	3.07 71	115	2.30 50	3.51 62	5.86 48	-6.19 47	106	108	2			
417	CC 25 0033 108937004	6.34	CC 21 0515 CC 21 0439	108	107	106	1.47 65	0.11 49	0.85 105	2.19 66	110	3.80 40	3.87 53	5.19 39	-1.13 35	98		0			
418	CC 24 0682 106746456	5.03	CC 21 0374 CC 23 0765	108	105	107	1.22 67	-0.03 57	0.58 102	1.65 67	107	3.60 46	3.35 58	-2.60 44	7.05 44	85	114	2			
419	CC 20 0640 90340753	1.73	CC M 17 0528 17 0907	108	115	111	1.53 70	1.32 67	2.09 118	3.00 69	114	-0.80 53	2.37 65	0.93 45	-2.61 44	100	117	5			
420	CC 23 0506 98180508	6.05	CC 22 0031 CC 20 0529	108	123	100	3.29 67	0.40 60	2.04 118	5.42 68	128	-1.50 48	2.78 60	1.34 46	3.77 43	90	100	3			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
421	CC 25 0369 111289732	6.42	CC 21 0512 CC 23 0708	108	111	107	1.58 64 109		0.60 43 108		1.39 111 66 111		1.00 36 100		2.78 49 107		1.76 37 99		-3.62 33 102		0		
422	CC 20 0536 90336850	5.16	CC 17 0390 CC 19 0410	108	106	97	2.14 74 115		-0.95 72 81		0.12 97 75 112		3.00 60 107		2.99 70 108		2.09 52 98		-18.56 49 126		120	6	
423	CC 24 0473 106806094	6.50	CC 22 0454 CC 23 0138	108	116	105	2.14 63 115		0.96 47 115		2.03 117 63 111		-1.30 37 91		2.32 51 105		3.10 38 96		-0.98 27 98		101	1	
424	CC 25 0542 111187704	7.25	CC 22 0597 CC 23 0483	108	112	111	1.37 63 107		0.90 43 113		1.58 113 65 115		2.40 33 105		3.70 48 111		3.99 32 93		4.72 29 89		0		
425	CC 25 0225 108893009	1.57	LM 22 1507 CC 19 0609	108	104	117	0.05 65 95		1.13 39 117		1.15 108 67 107		3.30 33 109		3.16 48 108		0.17 32 102		-5.91 32 106		0		
426	CC 24 0653 106746183	6.08	CC 22 0043 CC 23 0467	108	112	104	2.00 64 113		0.08 52 99		1.08 107 65 116		3.10 41 108		3.94 54 112		5.34 41 90		2.03 34 93		98	1	
427	CC 25 0318 111289120	6.80	CC 21 0512 CC 24 0046	108	105	109	0.89 63 103		0.56 42 108		1.01 107 66 105		2.40 35 105		2.90 48 107		1.94 37 98		-7.44 31 108		0		
428	CC 23 0808 98183056	3.90	CC 20 0456 CC 19 0324	108	106	108	1.09 69 105		0.34 64 104		0.88 105 71 107		3.90 52 111		3.77 63 111		4.59 49 92		-0.54 48 97		109	2	
429	CC 23 0487 98182181	5.17	CC 22 0031 CC 20 0398	108	126	102	3.28 68 125		0.88 61 113		2.52 123 70 129		-2.60 50 86		2.60 61 106		5.25 49 91		-3.91 47 102		101	2	
430	CC 24 0063 99762072	6.39	CC 21 0025 CC 22 0555	108	109	106	1.49 66 109		0.40 56 105		1.14 108 68 112		1.60 47 102		2.85 58 107		3.18 47 95		-11.64 40 115		97	1	
431	CC 25 0527 111186672	7.01	CC 21 0374 CC 24 0097	108	107	110	1.03 64 104		0.50 48 107		1.02 107 66 108		3.00 40 107		3.33 52 109		-1.08 40 105		7.45 36 84		0		
432	CC 25 0408 111186128	5.55	CC 21 0374 CC 23 0640	108	107	106	1.44 64 108		0.03 48 98		0.75 104 66 110		3.00 40 107		3.26 52 109		-3.34 39 110		10.31 36 80		0		
433	CC 25 0571 111186946	4.97	CC 22 0392 CC 20 0550	108	103	113	0.44 64 99		0.71 47 110		0.93 106 66 104		3.70 38 110		3.37 51 109		1.14 37 100		0.44 31 95		0		
434	CC 24 0656 106746217	5.18	CC 21 0515 CC 22 0340	108	111	101	2.23 66 115		-0.31 53 92		0.81 104 67 116		2.50 43 106		3.42 56 110		-0.75 43 104		7.71 35 84		99	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat			EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:								100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36			
435	CC 25 0402 111186060	4.95	CC 22 0392 CC 23 0475	108	107	105	1.55 63	-0.05 44	0.72 103	2.22 65	110	3.40 36	3.54 49	0.26 35	6.65 31	86			0		
436	CC 26 0208 113729644	7.33	CC 23 0600 CC 24 0673	108	107	103	1.63 61	-0.25 38	0.57 102	2.26 47	110	4.10 30	3.84 45	3.15 29	1.86 27	93			0		
437	CC 23 0548 98181159	5.69	CC 21 0483 CC 21 0562	108	118	102	2.60 66	0.54 58	1.84 115	3.86 68	119	0.00 47	3.14 59	4.34 44	5.11 45	88	99	2			
438	CC 25 0107 108937541	4.81	CC 21 0188 CC 23 0816	108	116	104	2.18 64	0.77 51	1.86 116	2.98 66	114	-1.60 43	1.99 54	-0.85 41	-0.30 40	97			0		
439	CC 26 0051 113728075	4.62	CC 23 0902 CC 23 0557	108	110	110	1.29 63	0.80 38	1.44 111	2.39 54	111	1.20 31	2.81 46	-0.77 28	4.23 28	89			0		
440	CC 25 0317 111289112	6.80	CC 21 0512 CC 24 0046	108	105	109	0.86 63	0.50 42	0.94 106	1.17 66	104	2.40 35	2.81 48	1.94 37	-7.44 31	108			0		
441	CC 25 0148 108937723	6.49	CC 21 0515 CC 23 0117	108	110	101	2.08 64	-0.14 47	0.90 105	2.95 66	114	2.30 39	3.32 52	4.15 39	-5.21 35	104			0		
442	CC 23 0576 98183270	5.15	CC 20 0075 CC 22 0324	108	102	106	1.02 67	-0.37 60	0.14 97	1.73 68	107	4.90 50	3.59 60	-3.32 47	7.25 48	85	98	2			
443	CC 24 0561 106745433	3.98	CC 22 0031 CC 19 0560	107	123	98	3.36 67	0.28 59	1.96 117	5.47 68	128	-1.50 46	2.74 59	4.74 45	-4.46 39	103	108	1			
444	CC 22 0459 95158317	4.30	CC 21 0025 CC 18 0517	107	109	103	1.56 69	0.35 61	1.13 108	1.88 70	108	1.20 51	2.63 62	8.27 49	-23.20 48	133	92	3			
445	CC 25 0444 111185666	4.63	CC 22 0392 CC 20 0383	107	112	103	2.06 65	0.01 48	1.04 107	3.49 66	117	2.90 39	3.81 52	3.32 36	6.68 29	85			0		
446	CC 26 0124 113728802	6.33	CC 23 0600 CC 23 0178	107	107	101	1.76 62	-0.10 41	0.78 104	1.67 48	107	2.60 33	3.22 47	6.02 29	-8.03 29	109			0		
447	CC 25 0439 111186193	6.05	CC 22 0031 CC 23 0746	107	124	95	3.73 64	-0.02 50	1.84 115	5.57 66	128	-1.50 41	2.81 53	3.53 41	1.35 38	94			0		
448	CC 25 0405 111186094	5.69	CC 22 0031 CC 23 0732	107	124	93	3.93 64	-0.24 50	1.73 114	5.73 66	129	-0.10 42	3.64 54	9.60 41	-0.06 39	96			0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility												
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat			EBV	EBV	EBV	EBV	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
449	CC 25 0476 111185906	6.39	CC 22 0597 CC 24 0050	107	114	108	1.73 63	0.76 42	1.63 113	3.35 65	0.90 34	3.03 48	1.75 34	3.31 28								0			
450	CC 25 0083 108891516	6.34	CC 21 0374 CC 21 0074	107	99	106	0.72 67	-0.36 56	0.00 96	0.58 67	6.40 47	4.20 58	2.42 45	6.80 40	115	1									
451	CC 24 0399 106744097	6.04	CC 21 0025 CC 18 0457	107	113	104	1.96 69	0.57 59	1.55 112	2.52 70	0.10 50	2.59 61	4.34 49	-5.86 42	101	1									
452	CC 24 0604 106745821	6.62	CC 21 0374 CC 23 0511	107	115	104	2.27 65	0.25 53	1.38 110	4.03 68	1.10 43	3.17 55	-1.17 44	11.28 37	99	1									
453	CC 24 0091 99763021	4.46	CC 21 0374 CC 19 0056	107	114	110	1.57 69	0.98 60	1.77 115	3.17 69	0.80 49	3.04 61	-2.81 46	20.51 45	112	2									
454	CC 25 0403 111186078	5.27	CC 22 0392 CC 23 0487	107	115	101	2.44 63	0.14 45	1.36 110	3.57 66	1.00 36	3.18 50	3.76 36	2.89 31								0			
455	CC 25 0109 108937558	5.76	CC 21 0095 CC 23 0557	107	100	103	1.05 64	-0.50 50	0.03 96	0.76 66	5.00 42	3.56 54	-0.22 41	5.65 38								0			
456	CC 24 0533 106745201	6.76	CC 22 0597 CC 23 0531	107	112	108	1.60 64	0.69 48	1.49 112	3.20 67	1.30 37	3.07 52	0.56 38	6.90 29	99	1									
457	CC 25 0715 111188553	4.96	CC 23 0043 CC 24 0438	107	110	105	1.49 62	0.57 39	1.31 110	2.20 64	1.80 31	3.14 46	7.23 32	-7.16 27								0			
458	CC 26 0139 113728950	7.00	CC 23 0600 CC 24 0735	107	108	104	1.54 61	0.23 35	1.01 106	2.20 47	2.40 28	3.22 43	4.90 27	-3.97 23								0			
459	CC 25 0441 111186219	3.58	CC 21 0374 CC 23 0923	107	104	111	0.64 63	0.42 47	0.74 104	1.83 66	3.20 38	2.98 51	-3.77 37	5.31 35								0			
460	CC 25 0419 111185492	4.96	CC 22 0392 CC 23 0808	107	104	104	1.26 64	-0.12 46	0.51 101	1.49 66	4.30 37	3.72 51	3.43 36	4.58 31								0			
461	CC 24 0555 106747454	2.28	CC 22 0447 CC 23 0308	107	103	113	0.27 58	0.90 46	1.03 107	1.01 62	3.20 35	3.09 48	1.88 39	-0.89 28	100	1									
462	CC 25 0350 111289856	5.71	CC 21 0512 CC 23 0644	107	109	104	1.63 63	0.19 42	1.00 106	2.21 65	1.80 36	2.90 49	1.28 37	1.57 33								0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat	Comb	Post-Wean										
											Acc	Index	Acc	Index	Acc	Index	Acc	Index					
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
463	CC 26 0123 113728794	6.33	CC 23 0600 CC 23 0178	107	106	101	1.62 62	-0.10 41	0.71 103	1.48 48	2.60 33	3.09 47	6.02 29	-8.03 29	105	3							
464	CC 23 0056 96794508	2.31	KI 20 0260 CC 21 0422	107	118	99	2.64 69	0.55 61	1.87 116	3.54 68	-2.30 48	1.81 61	4.84 47	-14.18 46	105	3							
465	CC 26 0109 113728653	5.62	CC 24 0370 CC 20 0194	107	111	108	1.39 62	0.94 44	1.63 113	2.18 50	-0.20 38	2.21 50	0.35 34	-0.48 33	0								
466	CC 23 0761 98184633	6.46	CC 21 0309 CC 20 0479	107	112	102	1.95 69	0.26 58	1.23 109	3.12 68	2.30 47	3.58 60	9.53 43	-7.04 44	99	2							
467	CC 25 0278 108892894	2.27	LM 22 1507 CC 22 0259	107	104	113	0.36 63	1.03 32	1.21 109	1.04 64	1.20 23	2.11 42	-3.57 21	-0.26 25	0								
468	CC 23 0688 98181357	5.81	CC 20 0456 CC 19 0773	107	111	100	2.16 67	-0.05 60	1.03 107	2.75 69	1.70 50	3.13 60	4.38 47	-0.32 46	99	2							
469	CC 25 0401 111186052	7.23	CC 22 0597 CC 23 0761	107	114	103	2.07 63	0.42 42	1.46 111	3.58 65	1.00 33	3.09 48	5.35 32	-2.09 29	0								
470	CC 23 0475 98181621	4.66	CC 20 0456 CC 21 0458	107	107	105	1.41 66	0.16 58	0.87 105	2.30 68	2.00 48	2.77 59	-1.76 46	3.61 46	98	2							
471	CC 23 0765 98182413	4.68	CC 21 0095 CC 18 0517	107	101	102	1.12 69	-0.35 62	0.20 98	0.53 70	3.60 52	2.92 62	0.41 49	-1.38 48	99	2							
472	CC 26 0142 113728984	5.24	CC 24 0370 CC 24 0115	106	122	97	3.26 60	0.24 38	1.87 116	5.02 46	-1.70 31	2.48 45	3.94 29	-1.93 29	0								
473	CC 25 0104 108891581	7.13	CC 22 0031 CC 21 0563	106	120	98	3.05 66	0.14 52	1.66 114	5.19 68	-0.40 43	2.95 55	4.15 42	0.70 39	0								
474	CC 25 0124 108937657	5.76	CC 21 0188 CC 19 0052	106	99	114	-0.12 67	0.70 56	0.64 102	0.04 68	4.10 49	3.03 59	-2.44 46	8.37 44	0								
475	CC 25 0701 111188405	7.49	CC 23 0109 CC 24 0536	106	111	101	2.06 60	-0.02 38	1.01 107	3.12 63	1.70 31	3.06 45	4.47 31	-4.13 27	0								
476	CC 22 0090 93923746	4.25	CC 20 0021 CC 19 0804	106	104	112	0.41 68	0.66 62	0.87 105	1.74 68	4.20 50	3.59 62	1.08 40	7.33 41	122	4							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
								Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
							Acc		Index		Acc		Index		Acc		Index		Acc		Index		Phenotype	
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36			
477	CC 25 0147 108891813	5.95	CC 22 0031 CC 23 0686	106	118	96	3.05 65	-0.16 50	1.37 110	4.46 66	122	0.40 41	3.13 54	7.28 40	-3.79 38	102					0			
478	CC 26 0023 113727796	6.05	CC 24 0421 CC 21 0643	106	106	103	1.42 61	0.02 43	0.73 103	1.69 49	107	3.00 36	3.24 48	4.87 33	-1.68 32	99					0			
479	CC 20 0501 90336538	4.43	CC 19 0140 CC 17 0769	106	108	95	2.32 72	-0.88 68	0.28 99	3.01 72	114	3.10 57	3.29 67	4.69 45	-8.37 39	109	120					6		
480	CC 25 0424 111185542	4.17	CC 22 0392 CC 23 0467	106	99	106	0.60 64	-0.12 46	0.18 98	0.15 66	99	5.90 36	4.02 51	4.14 35	9.64 31	81					0			
481	CC 25 0531 111186714	4.63	CC 23 0043 CC 24 0394	106	114	101	2.15 61	0.44 38	1.52 112	2.67 64	112	-0.60 30	2.23 45	3.27 31	-3.31 27	101					0			
482	CC 25 0638 111187282	4.47	CC 23 0902 CC 24 0063	106	110	109	1.19 62	0.88 36	1.47 111	2.68 63	113	0.20 30	2.19 45	-0.02 29	-4.82 26	104					0			
483	CC 22 0529 95159471	4.00	CC 21 0188 CC 20 0536	106	109	100	1.93 70	-0.20 65	0.77 104	2.59 71	112	0.80 54	2.21 64	-2.43 48	-1.65 47	99	113					4		
484	CC 24 0331 106743479	4.62	CC 20 0456 CC 21 0400	106	113	104	1.84 65	0.57 56	1.48 112	3.02 68	114	0.20 46	2.52 57	2.61 46	-0.89 40	98	100					1		
485	CC 25 0304 111289195	6.63	CC 21 0512 CC 23 0685	106	109	107	1.21 63	0.63 42	1.24 109	2.24 66	110	1.00 36	2.44 49	0.55 37	-1.71 33	99					0			
486	CC 25 0488 111186029	6.67	CC 21 0374 CC 20 0343	106	109	105	1.50 66	0.34 53	1.09 107	2.30 68	110	1.60 45	2.80 56	-2.36 42	13.94 39	74					0			
487	CC 23 0916 98834062	2.77	CC 23 0003 CC 19 0631	106	105	110	0.60 64	0.68 53	0.98 106	1.61 66	107	0.90 41	1.82 54	-5.38 33	-3.01 39	101	97					2		
488	CC 24 0375 106743867	6.48	CC 20 0456 CC 20 0529	106	113	104	1.89 65	0.46 56	1.40 111	3.10 68	115	-0.30 46	2.16 57	-1.71 45	3.27 37	91	99					1		
489	CC 25 0580 111187837	7.02	CC 23 0109 CC 24 0480	106	113	99	2.24 60	0.16 39	1.28 109	3.00 63	114	-0.10 33	2.35 46	3.54 33	-6.20 29	106					0			
490	CC 26 0154 113729107	7.33	CC 24 0164 CC 24 0448	106	107	106	1.15 60	0.48 39	1.06 107	1.88 47	108	2.30 32	3.02 45	3.58 32	0.70 31	95					0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility													
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed			
										Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36		
491	CC	26	0195	6.76	CC	24 0421	106	105	109	0.75	0.63	1.01	1.11	2.80	3.06	0.89	9.78						0			
	113729511		CC		24 0091					61	102	41	109		106	49	104	34	107	47	108	32	101	31	81	
492	CC	25	0575	5.10	CC	22 0597	106	102	112	0.21	0.78	0.88	1.20	2.90	2.73	1.51	-6.53						0			
	111186987		CC		21 0548					64	97	45	111		105	66	104	35	107	50	106	33	99	30	107	
493	CC	23	0625	6.05	CC	21 0095	106	108	97	2.30	-0.73	0.42	2.65	3.60	3.73	1.94	14.70	103					2			
	98183346		CC		20 0495					69	116	62	85		100	70	112	50	110	62	111	47	98	45	73	
494	CC	25	0097	4.57	CC	23 0043	106	120	98	2.99	0.36	1.86	4.33	-0.90	2.81	6.99	1.95	102					1			
	108891540		CC		20 0495					65	122	50	104		116	65	122	40	93	53	107	39	87	31	93	
495	CC	25	0031	5.55	CC	21 0188	106	115	99	2.45	0.33	1.55	3.01	-1.60	1.82	0.43	-0.84						0			
	108937236		CC		23 0108					65	117	53	104		112	67	114	45	90	56	102	44	102	41	97	
496	CC	26	0151	6.92	CC	24 0301	106	110	100	1.96	0.03	1.01	2.39	0.70	2.41	2.96	-5.38						0			
	113729073		CC		21 0712					61	113	41	98		107	48	111	33	99	47	105	31	96	29	105	
497	CC	25	0560	6.85	CC	22 0597	106	109	103	1.57	0.19	0.98	2.62	2.30	3.14	5.03	-2.61						0			
	111187803		CC		21 0319					64	109	45	101		106	66	112	36	105	50	108	33	91	30	100	
498	CC	23	0636	5.82	CC	21 0095	106	107	99	1.90	-0.53	0.41	2.43	3.50	3.46	0.85	11.01	107					2			
	98183700		CC		20 0327					68	112	62	89		100	70	111	49	109	61	110	47	101	45	79	
499	CC	25	0548	4.88	CC	23 0902	106	111	108	1.25	0.99	1.62	2.40	0.50	2.54	4.01	-1.79						0			
	111186805		CC		21 0353					65	106	43	115		113	65	111	36	98	50	106	32	93	31	99	
500	CC	23	0841	5.36	CC	22 0031	106	121	90	3.73	-0.50	1.37	5.05	-0.30	3.06	9.00	-3.69	100					2			
	98183809		CC		21 0319					68	129	60	89		110	70	126	48	95	60	108	46	82	45	102	
501	CC	25	0628	5.76	CC	23 0635	106	107	102	1.55	-0.03	0.75	2.11	2.10	2.78	3.07	-4.21						0			
	111188314		CC		24 0482					61	109	38	97		104	63	109	32	104	45	107	31	96	28	103	
502	CC	21	0032	5.34	CC	16 0164	106	102	106	0.76	0.19	0.57	1.08	3.90	3.28	5.48	-3.87	108					4			
	92025626		CC		19 0260					72	102	69	101		102	73	104	61	111	68	109	54	90	51	102	
503	CC	26	0006	5.84	CC	23 0600	106	104	101	1.40	-0.15	0.55	1.29	2.80	2.93	5.56	-7.12						0			
	113727622		CC		24 0014					62	108	39	95		102	48	105	32	107	46	107	30	90	28	107	
504	CC	25	0480	7.10	CC	21 0374	106	96	109	0.05	-0.13	-0.11	0.22	5.50	3.22	-4.94	11.26						0			
	111185948		CC		23 0791					64	95	49	96		95	66	99	40	117	53	109	40	114	38	78	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49	0.59		0.24		-0.13		-0.36	
505	CC 25 0567 111186896	2.24	CC 21 0374 CC 23 0398	105	107	105	1.29 61	0.23 46	0.87 105	2.29 63	110	1.50 36	2.42 49	-2.38 38	3.55 90						0	
506	CC 25 0551 111186839	7.89	CC 22 0597 CC 24 0135	105	102	108	0.57 63	0.28 41	0.56 102	1.29 65	105	4.20 32	3.37 47	1.23 32	6.45 86						0	
507	CC 25 0141 108891789	4.02	CC 22 0392 CC 24 0015	105	104	102	1.29 63	-0.14 45	0.51 101	1.27 65	105	3.40 36	3.19 50	2.39 35	6.08 86						0	
508	CC 24 0411 106744204	7.39	CC 22 0597 CC 23 0572	105	112	103	1.89 65	0.37 52	1.31 110	3.26 67	116	0.60 37	2.62 54	1.15 38	4.25 89	108					1	
509	CC 25 0088 108937426	6.36	CC 21 0025 CC 20 0101	105	103	107	0.60 67	0.43 55	0.73 103	1.26 68	105	2.90 47	2.77 58	4.21 45	-10.09 41						0	
510	CC 20 0598 90337379	4.27	CC 17 0390 CC 19 0595	105	120	100	2.64 70	0.86 66	2.18 119	3.85 72	119	-3.60 57	1.34 65	2.09 50	-6.17 46	103					4	
511	CC 20 0363 90335290	4.63	CC 17 0380 CC 18 0642	105	119	95	3.15 74	-0.26 71	1.31 110	4.94 73	125	1.10 60	3.55 70	4.67 50	14.70 46	134					6	
512	CC 25 0640 111187308	6.27	CC 23 0635 CC 24 0744	105	100	108	0.43 61	0.14 38	0.35 99	0.76 63	102	3.80 31	2.84 45	-1.49 30	4.16 90						0	
513	CC 23 0661 98180813	6.54	CC 21 0100 CC 22 0576	105	108	104	1.40 64	0.41 54	1.10 108	2.11 66	109	1.60 44	2.76 56	1.26 42	8.23 83	99					2	
514	CC 23 0665 98181282	6.99	CC 21 0374 CC 22 0439	105	108	103	1.60 66	0.01 55	0.81 104	2.55 68	112	1.80 44	2.70 57	-5.18 43	19.00 42	102					2	
515	CC 25 0688 111188199	6.12	CC 23 0635 CC 24 0604	105	106	105	1.21 60	0.19 37	0.80 104	2.24 63	110	2.40 30	2.84 44	0.26 30	4.60 89						0	
516	CC 26 0038 113727945	6.57	CC 24 0421 CC 20 0177	105	97	102	0.65 62	-0.52 45	-0.19 94	-0.06 51	97	5.90 38	3.67 50	5.52 34	-0.24 97						0	
517	CC 20 0441 90335985	4.66	CC 17 0528 CC 18 0540	105	116	103	2.05 72	0.73 69	1.75 114	3.51 73	117	-1.60 59	1.82 68	0.63 52	-1.54 99	108					5	
518	CC 25 0482 111185963	7.39	CC 22 0597 CC 24 0092	105	110	106	1.37 63	0.63 41	1.32 110	2.80 65	113	1.30 32	2.78 47	4.22 32	-0.87 98						0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID	LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:				100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36						
519	CC 26 0206 113729628	8.00	CC 24 0569 CC 25 0071	105	107	104	1.19 56	0.49 39	1.09 107	1.41 47	105	0.90 33	2.22 44	2.33 32	-2.49 28	100			0	
520	CC 20 0438 90335969	6.02	CC 17 0528 CC 19 0118	105	109	99	2.03 71	-0.49 69	0.52 101	3.50 74	117	4.00 58	3.94 67	6.05 52	5.32 44	88	115	5		
521	CC 21 0042 92022425	4.71	CC 19 0145 CC 19 0040	105	105	103	1.11 72	0.31 69	0.86 105	1.14 74	104	2.90 56	3.16 67	8.89 49	-5.12 48	104	126	4		
522	CC 26 0004 113727606	6.80	CC 24 0301 CC 22 0090	105	104	108	0.60 61	0.55 41	0.85 105	1.33 48	105	2.60 34	2.71 47	2.28 30	-1.55 29	99			0	
523	CC 26 0115 113728711	3.15	CC 24 0301 CC 23 0006	105	112	97	2.22 61	-0.01 40	1.10 108	2.65 48	112	-0.80 33	1.73 46	1.60 32	-8.18 31	109			0	
524	CC 24 0384 106743941	6.60	CC 20 0456 CC 20 0444	105	109	102	1.55 66	0.31 57	1.08 107	1.95 68	108	0.30 47	2.04 58	0.52 45	-0.50 37	97	99	1		
525	CC 24 0385 106743958	5.47	CC 21 0095 CC 20 0692	105	114	93	2.87 66	-0.59 56	0.85 105	3.72 68	118	0.50 46	2.58 58	2.12 45	1.98 36	93	100	1		
526	CC 26 0116 113728729	6.62	CC 24 0421 CC 24 0668	105	104	104	1.00 59	0.25 37	0.74 104	1.33 47	105	2.90 31	2.98 44	5.18 30	-1.42 27	98			0	
527	CC 23 0674 98181852	6.39	CC 22 0031 CC 20 0303	105	117	99	2.46 68	0.45 60	1.68 114	3.60 69	118	-0.90 50	2.37 61	7.15 47	-4.56 46	103	101	2		
528	CC 25 0695 111188264	6.94	CC 23 0109 CC 24 0612	105	114	100	2.21 60	0.31 37	1.42 111	3.43 62	117	-0.40 31	2.29 44	4.72 31	-5.13 26	104			0	
529	CC 23 0511 98180557	3.96	CC 22 0031 CC 21 0174	105	126	93	3.89 66	0.16 59	2.10 118	6.05 69	131	-2.90 47	2.31 59	3.70 46	8.57 45	82	102	2		
530	CC 24 0400 106744105	6.04	CC 21 0025 CC 18 0457	105	110	100	1.80 69	0.23 59	1.13 108	2.22 70	110	0.30 50	2.21 61	4.34 49	-5.86 42	105	100	1		
531	CC 20 0479 90336348	2.83	CC 16 0164 CC 16 0619	105	101	111	0.14 74	0.62 72	0.68 103	1.50 74	106	5.40 62	3.99 70	8.37 56	-0.42 53	97	138	6		
532	CC 24 0430 106744386	6.39	CC 21 0515 CC 20 0615	104	112	100	1.88 67	0.52 55	1.46 111	2.29 66	110	-0.20 45	2.27 57	8.33 45	-8.78 35	110	99	1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded			
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index			EBV Acc Index	Acc	Index	Acc Index	EBV Acc Index			EBV Acc Index	Phenotype	
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36		
533	CC 25 0182 108892118	5.94	CC 22 0031 CC 19 0557	104	114	97	2.36 66		0.14 54		1.32 110		3.24 68		0.20 46		2.62 57		6.63 44		-1.19 41		98		0	
534	CC 24 0484 106744832	6.43	CC 21 0025 CC 22 0379	104	109	99	1.72 66		0.04 56		0.90 105		2.51 67		0.50 47		2.06 58		4.02 48		-13.71 40		118		98	1
535	CC 20 0445 90336025	5.46	CC 19 0076 CC 17 0443	104	105	105	1.06 71		0.10 69		0.63 102		2.06 72		2.20 58		2.47 67		-5.79 48		15.05 47		72		127	6
536	CC 25 0274 108892613	1.87	LM 22 1507 CC 22 0381	104	104	108	0.56 64		0.66 36		0.94 106		1.64 66		1.70 29		2.24 45		1.54 30		-6.46 30		106		0	
537	CC 25 0552 111186847	7.89	CC 22 0597 CC 24 0135	104	100	109	0.27 63		0.35 41		0.49 101		0.99 65		4.20 32		3.15 47		1.23 32		6.45 26		86		0	
538	CC 25 0498 111186383	5.16	CC 22 0392 CC 23 0831	104	105	99	1.56 64		-0.33 45		0.45 100		1.97 65		3.10 36		3.09 50		2.90 35		5.32 31		88		0	
539	CC 26 0070 113728265	6.40	CC 24 0164 CC 21 0661	104	109	106	1.08 62		0.84 41		1.38 111		2.09 49		0.60 34		2.28 47		4.78 30		-5.21 30		104		0	
540	CC 25 0007 108936931	5.13	CC 21 0095 CC 21 0604	104	102	94	1.78 66		-1.06 56		-0.17 94		1.54 66		3.10 46		2.59 58		-0.31 47		-0.04 39		96		102	1
541	CC 23 0572 98182769	6.53	CC 22 0031 CC 19 0785	104	120	96	3.02 67		0.31 60		1.82 115		4.31 69		-2.60 48		1.77 60		2.39 46		2.44 45		92		99	2
542	CC 25 0454 111186268	6.07	CC 22 0031 CC 23 0760	104	117	91	3.23 65		-0.54 50		1.08 107		4.55 66		0.40 41		2.94 54		8.71 41		-4.28 38		103		0	
543	CC 25 0711 111188512	5.93	CC 23 0635 CC 24 0720	104	105	102	1.18 60		-0.06 36		0.54 101		1.93 63		3.40 29		3.17 44		6.02 29		-2.57 25		100		0	
544	CC 24 0596 106745748	6.42	CC 21 0515 CC 18 0492	104	101	101	0.88 67		-0.16 56		0.29 99		0.51 61		3.00 46		2.53 58		2.35 46		-2.56 38		100		99	1
545	CC 23 0851 98183965	4.44	CC 21 0188 CC 22 0381	104	111	105	1.32 67		0.95 61		1.61 113		2.41 69		-0.50 51		1.97 61		3.51 48		-2.73 48		100		99	2
546	CC 24 0064 99762080	6.03	CC 22 0043 CC 19 0052	104	104	105	0.88 67		0.11 57		0.55 102		1.95 68		3.30 47		2.97 59		2.85 44		0.08 44		96		110	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr					% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
											Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:								100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
547	CC 22 0320 95152211	3.90	CC 20 0342 CC 19 0324	104	113	102	1.83 68	0.75 112	1.67 114	2.57 69	112	-0.60 52	2.22 62	5.81 89	0.88 47	95	99	3								
548	CC 25 0464 111185781	7.54	CC 22 0597 CC 22 0546	104	105	104	1.06 63	0.23 105	0.76 104	1.57 66	106	2.10 34	2.55 49	0.93 100	5.61 29	87	0									
549	CC 24 0015 99792723	5.54	CC 20 0075 CC 18 0589	104	103	102	1.09 68	0.10 105	0.64 103	0.85 68	102	2.10 50	2.45 62	2.52 97	2.47 47	92	122	2								
550	CC 25 0461 111185757	5.85	CC 22 0031 CC 23 0499	104	110	92	2.55 65	-0.75 118	0.53 101	2.91 67	114	2.30 41	3.18 54	7.01 87	2.13 39	93	0									
551	CC 23 0596 98181233	5.05	CC 22 0031 CC 20 0383	104	124	91	3.80 68	-0.14 130	1.77 115	6.08 70	131	-2.20 48	2.35 60	4.70 92	3.77 44	90	100	2								
552	CC 22 0669 95157954	6.92	CC 21 0134 CC 21 0661	104	105	100	1.28 63	0.03 107	0.67 103	1.76 64	107	1.30 44	2.09 56	4.01 93	-12.55 38	116	100	4								
553	CC 25 0540 111187688	4.64	CC 23 0902 CC 24 0208	104	98	110	-0.10 63	0.41 94	0.36 100	0.28 64	99	3.10 29	2.17 45	-3.70 111	2.95 26	91	0									
554	CC 26 0239 114273196	6.31	CC 22 0031 CC 21 0312	104	118	92	3.18 65	-0.34 124	1.25 109	4.53 59	123	-0.10 42	2.78 55	8.09 84	-0.88 39	98	0									
555	CC 24 0663 106746266	7.68	CC 22 0597 CC 23 0573	104	109	105	1.26 65	0.61 107	1.24 109	2.48 66	111	0.70 38	2.30 52	0.74 101	5.94 30	87	101	1								
556	CC 22 0365 95155578	5.86	CC 21 0188 CC 20 0327	104	117	101	2.26 70	0.61 116	1.74 114	4.01 70	120	-0.80 54	2.39 64	2.56 97	10.61 47	79	114	4								
557	CC 25 0426 111185567	4.78	CC 22 0392 CC 23 0493	104	99	101	0.81 64	-0.42 102	-0.02 95	0.59 65	101	4.80 35	3.26 50	1.52 99	10.72 30	79	0									
558	CC 22 0594 95154779	6.70	CC 20 0633 CC 21 0404	103	111	106	1.29 66	0.95 107	1.59 113	2.36 68	111	-0.70 49	1.82 60	-1.98 107	11.88 44	77	102	3								
559	CC 25 0078 108936998	5.33	CC 21 0025 CC 23 0031	103	111	98	1.91 65	0.24 113	1.20 109	2.58 66	112	-0.50 43	1.85 55	5.75 89	-11.11 39	114	0									
560	CC 26 0152 113729081	6.92	CC 24 0301 CC 21 0712	103	107	99	1.52 61	0.05 109	0.81 104	1.80 48	108	0.70 33	2.00 47	2.96 96	-5.38 29	105	0									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir	Mat	Comb	Post-Wean											EBV
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
561	CC 25 0379 111289906	7.60	CC 21 0512 CC 24 0004	103	101	107	0.34 63	0.50 41	0.67 103	0.63 57	101		1.90 35	1.99 48	1.19 37	100	-6.15 31	106		0		
562	CC 24 0591 106806235	6.22	CC 22 0454 CC 20 0501	103	104	99	1.27 65	-0.04 51	0.60 102	0.93 58	103		2.00 41	2.43 54	4.71 39	92	-1.51 29	99		99	1	
563	CC 25 0503 111186433	6.27	CC 22 0031 CC 23 0843	103	108	97	1.87 65	-0.38 51	0.56 102	2.63 67	112		2.20 41	2.81 54	3.59 41	94	3.11 38	91		0		
564	CC 26 0170 113729263	5.40	CC 24 0370 CC 21 0318	103	101	105	0.55 62	0.24 43	0.51 101	1.10 49	104		3.20 36	2.71 49	2.23 32	97	1.66 31	93		0		
565	CC 23 0562 98182207	6.24	CC 20 0456 CC 20 0668	103	97	104	0.38 68	-0.28 62	-0.09 95	0.10 70	98		4.80 47	2.98 61	-0.18 45	103	9.15 43	82		107	2	
566	CC 22 0438 95156279	4.11	CC 21 0188 CC 20 0214	103	117	97	2.67 69	0.26 65	1.59 113	4.09 70	120		-2.10 55	1.66 64	0.11 49	102	5.76 49	87		112	4	
567	CC 24 0487 106744865	5.49	CC 22 0031 CC 19 0207	103	118	91	3.19 67	-0.12 57	1.48 112	3.90 69	119		-2.50 47	1.58 59	5.00 46	91	-5.77 40	105		100	1	
568	CC 25 0700 111188397	2.19	LM 22 1507 CC 23 0625	103	103	104	0.82 64	0.11 34	0.52 101	1.44 65	106		2.60 26	2.49 44	-0.92 28	105	7.46 28	84		0		
569	CC 25 0647 111187373	5.86	CC 23 0635 CC 24 0361	103	99	103	0.55 61	-0.13 38	0.15 97	0.40 63	100		3.60 32	2.58 45	3.18 31	95	-3.96 28	102		0		
570	CC 25 0573 111186961	6.70	CC 21 0374 CC 21 0591	103	97	103	0.54 65	-0.54 51	-0.27 93	0.52 67	101		4.70 41	2.82 54	-3.73 39	111	12.25 36	77		0		
571	CC 25 0706 111188462	7.21	CC 23 0635 CC 24 0470	103	106	98	1.53 61	-0.23 38	0.54 101	1.98 63	109		2.00 32	2.51 45	4.98 31	91	-5.50 28	105		0		
572	CC 26 0100 113728562	6.09	CC 24 0301 CC 22 0565	103	112	98	1.98 62	0.52 41	1.51 112	2.22 48	110		-2.30 35	1.13 48	1.26 32	100	-2.37 31	100		0		
573	CC 25 0096 108891532	4.11	CC 22 0031 CC 23 0093	103	117	92	2.96 65	-0.23 54	1.25 109	4.19 66	121		-0.60 44	2.37 56	6.16 46	89	-0.26 39	97		104	1	
574	CC 24 0646 106746126	5.11	CC 22 0392 CC 23 0841	103	109	95	2.07 64	-0.41 50	0.63 102	2.57 67	112		1.90 39	2.80 53	4.56 40	92	5.05 30	88		100	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index					
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
575	CC 25 0504 111186441	6.27	CC 22 0031 CC 23 0843	103	107	97	1.83 65	-0.39 51	0.53 101	2.56 67	112	2.20 41	2.76 54	3.59 41	3.11 38	91	0						
576	CC 22 0355 95155370	4.48	CC 20 0342 CC 16 0275	103	116	100	2.08 69	1.03 65	2.07 118	2.26 71	110	-2.30 54	1.74 64	7.49 46	2.66 48	92	116	4					
577	CC 23 0097 96795281	2.16	KI 20 0260 CC 18 0368	103	106	96	1.69 68	-0.37 62	0.48 101	1.82 69	108	2.20 50	2.65 62	4.55 47	1.84 47	93	99	3					
578	CC 26 0207 113729636	7.33	CC 23 0600 CC 24 0673	103	100	102	0.69 61	-0.20 38	0.15 97	1.00 47	103	4.10 30	2.95 45	3.15 29	1.86 27	93	0						
579	CC 24 0465 106806060	6.75	CC 22 0454 CC 22 0532	103	103	98	1.25 64	-0.11 50	0.52 101	0.40 66	100	0.80 40	1.62 53	2.30 40	-6.07 31	106	99	1					
580	CC 20 0035 89767230	5.29	CC 17 0756 CC 16 0049	103	116	104	1.67 74	1.60 72	2.43 122	2.31 74	110	-2.30 63	1.89 71	10.57 53	-0.33 50	97	125	5					
581	CC 20 0343 90335092	5.06	CC 17 0380 CC 15 0262	103	117	96	2.70 76	0.32 73	1.67 114	3.52 76	117	-1.90 63	1.89 72	0.95 54	15.67 50	71	132	5					
582	CC 24 0204 99762957	5.09	CC 21 0374 CC 21 0019	103	104	103	0.96 66	0.44 55	0.92 106	0.86 68	102	-0.10 46	1.33 57	-1.57 45	0.29 39	96	98	1					
583	CC 25 0221 108892720	5.95	CC 22 0031 CC 23 0720	103	107	92	2.20 64	-0.91 49	0.19 98	2.52 66	112	2.50 41	2.79 53	3.99 41	2.13 37	93	0						
584	CC 25 0120 108937632	5.89	CC 21 0188 CC 21 0032	103	102	105	0.59 66	0.43 55	0.72 103	0.88 67	103	1.90 48	2.15 58	1.20 45	2.73 43	92	0						
585	CC 20 0179 89768634	6.32	CC 16 0592 CC 18 0617	103	94	96	0.84 71	-1.31 67	-0.89 86	0.55 74	101	6.50 55	3.43 66	2.82 48	1.31 41	94	120	5					
586	CC 22 0354 95155354	4.48	CC 20 0342 CC 16 0275	103	111	100	1.74 70	0.63 65	1.51 112	1.94 69	108	-0.40 54	2.14 64	6.45 46	5.16 47	88	123	4					
587	CC 20 0383 90335472	5.01	CC 19 0140 CC 17 0570	102	112	99	1.86 72	0.11 69	1.04 107	3.73 73	118	1.20 57	2.69 67	4.38 47	3.66 42	90	123	5					
588	CC 25 0466 111185807	6.29	CC 22 0392 CC 19 0003	102	109	100	1.61 65	0.17 48	0.98 106	2.23 67	110	1.40 40	2.62 53	3.69 37	10.89 33	79	0						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	EBV	EBV		
										Acc index	Acc Index	EBV Index	EBV	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
589	CC	23	0137	4.56	CC	20 0075	102	102	98	1.21 68	-0.40 62	0.20 98	1.19 69	2.60 52	2.36 62	0.75 47	3.96 47	101	3					
590	CC	25	0062	5.10	CC	21 0095	102	98	98	0.96 66	-0.65 57	-0.17 94	0.57 67	3.70 48	2.53 58	0.97 48	2.24 40	101	1					
591	CC	22	0178	5.25	CC	17 0756	102	121	98	2.60 72	1.11 69	2.41 122	3.90 72	-4.40 62	1.07 69	7.57 50	-8.46 49	138	5					
592	CC	25	0371	2.00	CC	21 0512	102	104	105	0.60 60	0.63 39	0.93 106	1.24 63	1.10 28	1.89 45	3.07 35	-5.21 31	0						
593	CC	25	0199	17.68	CC	22 0031	102	111	95	2.23 66	-0.25 54	0.87 105	3.26 68	1.00 45	2.58 57	7.13 44	-2.13 41	0						
594	CC	25	0270	2.24	LM	22 1507	102	102	105	0.46 64	0.37 35	0.60 102	1.15 66	1.20 28	1.55 45	-3.11 29	-0.72 29	0						
595	CC	25	0140	6.68	CC	22 0597	102	109	104	1.21 64	0.66 48	1.26 109	2.51 65	0.30 37	2.05 52	-0.54 38	11.61 29	103	1					
596	CC	25	0076	5.42	CC	21 0188	102	110	98	1.90 65	0.13 54	1.08 107	2.53 67	0.00 47	2.02 57	2.49 44	5.37 42	0						
597	CC	25	0536	4.61	CC	23 0902	102	105	106	0.72 63	0.69 37	1.05 107	1.73 64	0.90 29	1.95 45	2.19 27	-1.21 24	0						
598	CC	25	0579	6.27	CC	23 0635	102	89	104	-0.44 61	-0.43 38	-0.65 89	-1.33 62	5.90 31	2.67 45	0.69 30	-1.38 25	0						
599	CC	25	0462	5.85	CC	22 0031	102	108	92	2.24 65	-0.73 51	0.38 100	2.48 67	2.30 41	2.88 54	7.01 41	2.13 39	0						
600	CC	25	0432	7.47	CC	21 0374	102	97	102	0.41 64	-0.26 47	-0.06 95	0.50 66	4.20 38	2.67 51	1.79 38	1.68 36	0						
601	CC	20	0194	5.95	CC	16 0164	102	97	111	-0.52 72	0.95 69	0.69 103	-0.34 74	2.30 60	1.81 68	2.72 52	-8.46 52	133	6					
602	CC	25	0050	5.80	CC	22 0031	102	108	93	2.17 65	-0.55 51	0.54 101	2.52 67	1.50 42	2.52 54	5.97 41	0.25 39	0						

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
603	CC 20 0177 89767446	6.36	CC 16 0592 CC 16 0220	102	93	95	0.72 73		-1.28 71		-0.92 86		-0.05 75		7.00 60		3.64 69		6.45 51		0.49 52		124	6	
604	CC 25 0021 108937251	5.56	CC 21 0188 CC 23 0126	102	109	96	1.86 66		-0.05 57		0.89 105		2.31 67		-0.80 47		1.34 58		0.54 47		-3.29 42		103	1	
605	CC 21 0559 92605344	4.31	CC 17 0756 CC 17 0556	102	105	99	1.23 72		0.14 70		0.75 104		1.09 73		2.30 62		2.75 69		10.69 53		-3.88 53		105	4	
606	CC 24 0735 106746928	6.31	CC 22 0597 CC 23 0851	102	110	104	1.19 64		0.78 48		1.37 110		2.42 65		-0.60 38		1.61 52		1.74 38		0.59 30		100	1	
607	CC 26 0068 113728240	5.40	CC 24 0421 CC 20 0363	102	103	101	0.93 62		0.04 45		0.51 101		1.19 50		3.00 38		2.77 50		4.62 33		6.87 31			0	
608	CC 24 0673 106746365	7.08	CC 21 0374 CC 23 0550	102	103	102	0.98 66		-0.17 55		0.32 99		2.02 66		2.90 45		2.55 57		-1.77 44		12.25 41		106	2	
609	CC 24 0438 106744469	5.93	CC 21 0515 CC 19 0067	102	100	101	0.63 67		-0.03 56		0.29 99		0.67 68		3.90 46		2.94 58		8.12 46		-2.25 38		98	1	
610	CC 20 0692 90341736	4.57	CC 18 0393 CC 19 0548	102	128	88	4.09 69		0.14 66		2.19 119		6.53 71		-4.20 53		1.72 64		7.64 44		0.03 38		110	5	
611	CC 23 0924 98834229	2.77	CC 23 0003 CC 20 0043	102	108	105	0.94 63		0.87 53		1.34 110		1.78 65		-0.90 41		1.27 54		-3.17 36		10.17 39		101	2	
612	CC 26 0218 114273261	1.96	LM 22 1507 CC 24 0696	102	102	107	0.28 64		0.57 33		0.71 103		1.18 57		2.20 26		2.17 43		0.97 29		3.48 29			0	
613	CC 20 0200 89767461	4.09	CC 16 0164 CC 16 0240	102	99	108	-0.17 73		0.73 72		0.65 103		0.09 74		1.90 63		1.70 70		1.86 56		-6.68 53		120	5	
614	CC 24 0448 106744568	5.28	CC 20 0456 CC 19 0353	102	94	105	-0.12 67		0.00 58		-0.06 95		-0.56 67		4.70 49		2.70 59		3.10 48		2.84 47		97	2	
615	CC 26 0223 113729719	5.13	CC 24 0407 CC 25 0111	102	114	95	2.47 57		0.03 39		1.26 109		3.57 48		-1.20 33		1.78 45		1.10 32		9.42 29			0	
616	CC 25 0556 111187761	4.98	CC 23 0902 CC 24 0190	102	104	106	0.52 63		0.69 37		0.95 106		1.56 64		1.00 29		1.82 45		1.12 27		0.05 25			0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
617	CC 22 0381 95155073	4.80	CC 20 0075 CC 20 0070	102	103	101	0.82 70		0.18 66		0.59 102		1.34 71		1.80 56		2.08 65		6.87 50		-13.13 50		114	4	
618	CC 25 0696 111188272	6.78	CC 23 0635 CC 24 0436	102	102	98	1.08 61		-0.10 38		0.44 100		0.97 62		1.70 32		1.99 45		4.04 31		-4.17 28			0	
619	CC 25 0676 111187597	4.34	CC 23 0635 CC 24 0692	102	96	106	-0.13 59		0.28 35		0.21 98		-0.18 62		3.60 27		2.31 42		2.55 28		-1.04 24			0	
620	CC 25 0058 108937202	4.73	CC 21 0095 CC 22 0214	102	102	94	1.53 65		-0.70 55		0.06 96		0.85 66		1.40 45		1.67 57		-2.00 45		5.09 37		104	1	
621	CC 22 0484 95158978	3.63	CC 20 0342 CC 17 0696	101	116	101	1.91 68		1.10 62		2.05 118		2.63 69		-3.00 53		1.21 62		1.95 46		11.24 48		106	4	
622	CC 26 0202 113729586	5.99	CC 24 0164 CC 20 0495	101	115	98	2.16 63		0.41 44		1.49 112		3.54 49		-0.70 37		2.15 50		4.88 34		8.05 31			0	
623	CC 25 0045 108937129	5.14	CC 21 0188 CC 19 0707	101	108	101	1.29 66		0.64 56		1.28 109		1.51 68		-1.10 48		1.27 58		0.53 45		5.21 43			0	
624	CC 21 0117 92026145	5.46	CC 16 0164 CC 18 0425	101	105	106	0.53 71		0.87 69		1.13 108		1.32 71		0.90 61		1.94 68		3.43 55		1.72 51		121	5	
625	CC 22 0422 95156998	5.56	CC 21 0025 CC 19 0550	101	110	94	2.04 69		-0.06 64		0.96 106		2.15 71		-2.10 53		0.72 63		1.97 49		-12.28 47		113	4	
626	CC 24 0402 106744121	3.72	CC 21 0095 CC 21 0548	101	94	100	0.27 66		-0.55 57		-0.42 91		-0.28 67		4.20 48		2.24 58		0.28 46		-1.22 44		97	2	
627	CC 24 0418 106744261	5.28	CC 21 0025 CC 19 0021	101	114	97	1.95 67		0.82 54		1.80 115		2.55 68		-2.90 47		1.03 57		8.55 49		-13.30 42		90	1	
628	CC 24 0755 106747108	5.88	CC 20 0456 CC 22 0531	101	113	93	2.50 64		-0.12 51		1.13 108		3.03 66		-1.60 43		1.42 54		-1.34 45		13.12 38		90	1	
629	CC 25 0487 111186011	6.67	CC 21 0374 CC 20 0343	101	102	102	0.82 66		0.16 53		0.57 102		1.03 68		1.60 45		1.93 56		-2.36 42		13.94 39			0	
630	CC 24 0193 99762841	7.16	CC 21 0025 CC 22 0669	101	108	96	1.63 65		0.07 54		0.89 105		1.98 67		-1.10 44		1.05 56		4.33 44		-15.08 37		98	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36								
631	CC 25 0316 111289104	2.00	CC 21 0512 CC 23 0364	101	103	105				0.41 60	0.64 39	0.84 105	1.14 63	1.10 28	1.71 45	3.07 35	-5.21 31						0		
632	CC 25 0549 111186813	6.26	CC 22 0392 CC 19 0408	101	95	101				0.20 65	-0.35 49	-0.25 93	-0.36 67	4.90 41	2.79 53	3.21 39	5.81 35						0		
633	CC 24 0014 99761959	5.28	CC 21 0515 CC 18 0540	101	104	97				1.19 69	-0.01 58	0.59 102	0.99 69	0.40 48	1.43 60	3.05 46	-5.70 44					109	2		
634	CC 25 0608 111187159	6.66	CC 23 0109 CC 24 0528	101	107	95				1.68 60	-0.09 37	0.75 104	2.08 62	0.20 30	1.71 44	4.28 30	-3.07 25						0		
635	CC 25 0697 111188280	5.90	CC 23 0635 CC 24 0479	101	102	98				0.97 61	-0.11 38	0.38 100	0.89 63	1.80 32	1.94 45	4.52 31	-4.17 28						0		
636	CC 23 0816 98182587	5.20	CC 21 0100 CC 22 0417	101	109	100				1.30 65	0.88 55	1.53 112	1.49 65	-3.20 44	0.26 56	1.38 40	-9.92 41					101	3		
637	CC 25 0252 108892472	6.15	CC 22 0031 CC 19 0066	101	109	93				2.01 66	-0.21 54	0.80 104	2.20 68	-0.30 45	1.62 57	6.14 43	-6.82 40						0		
638	CC 23 0498 98184898	5.93	CC 21 0309 CC 19 0021	101	106	95				1.53 70	0.07 61	0.84 105	1.17 70	0.30 47	1.78 61	8.26 44	-6.19 44					104	2		
639	CC 23 0640 98183874	5.77	CC 21 0095 CC 20 0202	101	105	94				1.74 67	-0.56 59	0.31 99	1.75 69	0.90 48	1.72 60	-1.02 45	8.43 43					96	2		
640	CC 25 0693 111188249	6.28	CC 23 0109 CC 24 0591	101	104	96				1.37 60	-0.14 37	0.54 102	1.34 61	0.80 31	1.71 44	5.25 29	-5.69 24						0		
641	CC 25 0519 111186599	5.36	CC 22 0031 CC 23 0765	101	110	88				2.54 65	-0.74 51	0.53 101	2.74 67	-0.10 42	1.74 54	4.56 42	-1.97 39						0		
642	CC 21 0712 92606631	6.00	CC 20 0093 CC 20 0365	101	106	94				1.67 68	-0.31 62	0.53 101	1.86 68	0.50 49	1.67 61	2.45 42	-0.33 42					120	4		
643	CC 25 0655 111187456	6.26	CC 23 0109 CC 24 0527	101	103	97				1.16 60	-0.16 38	0.42 100	1.52 62	1.60 30	1.96 45	3.51 30	-0.82 24						0		
644	CC 25 0473 111185872	6.62	CC 22 0597 CC 23 0542	101	112	99				1.80 63	0.41 42	1.31 110	3.29 65	-0.90 34	1.67 48	1.77 33	7.18 30						0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	-0.08	-0.03	-0.07	-0.49	0.59	0.24	-0.13	-0.36							
645	CC 24 0394 106744048	6.93	CC 20 0456 CC 22 0594	101	108	99	1.41 65	0.35 54	1.05 107	1.85 67	108	-0.80 44	1.28 56	0.21 44	5.47 38	100	1							
646	CC 25 0492 111186326	4.80	CC 22 0392 CC 19 0476	101	99	93	1.21 65	-0.86 49	-0.25 93	0.63 67	101	3.40 39	2.39 53	4.23 37	0.88 33	0								
647	CC 25 0220 108892712	29.26	CC 22 0031 CC 23 0674	100	118	87	3.27 64	-0.29 50	1.35 110	4.44 66	122	-2.30 42	1.61 54	7.93 42	-3.55 39	0								
648	CC 25 0168 108891938	2.15	LM 22 1507 CC 22 0553	100	107	102	0.90 65	0.79 42	1.24 109	1.68 65	107	-1.50 32	0.79 49	1.00 29	-6.02 29	104	1							
649	CC 25 0698 111188298	5.75	CC 23 0109 CC 24 0461	100	101	102	0.49 59	0.27 35	0.52 101	1.03 61	103	1.60 29	1.72 43	3.17 30	-5.51 24	0								
650	CC 24 0153 99762395	4.90	CC 21 0188 CC 22 0484	100	112	98	1.82 67	0.60 60	1.51 112	2.40 68	111	-2.10 50	1.16 60	-0.18 47	13.86 47	109	2							
651	CC 25 0181 108892043	1.85	LM 22 1507 CC 21 0054	100	103	104	0.48 64	0.63 35	0.87 105	1.19 65	104	-0.20 28	0.99 45	-3.17 27	3.41 29	0								
652	CC 25 0310 111289286	5.35	CC 21 0512 CC 23 0574	100	91	105	-0.56 64	-0.04 43	-0.32 92	-1.20 66	91	4.50 36	2.10 49	0.24 37	1.90 34	0								
653	CC 24 0115 99763385	7.22	CC 22 0043 CC 22 0614	100	116	89	2.89 65	-0.44 55	1.01 107	4.88 64	125	-0.60 43	2.10 56	9.89 40	-11.36 40	106	2							
654	CC 25 0538 111186789	5.71	CC 22 0031 CC 23 0682	100	109	91	2.21 65	-0.66 50	0.45 101	3.07 67	115	1.10 41	2.22 54	4.22 41	3.45 38	0								
655	CC 25 0271 108892589	2.31	LM 22 1507 CC 22 0565	100	107	102	0.98 64	0.78 34	1.26 109	1.46 65	106	-2.00 28	0.55 44	-2.36 28	2.96 29	0								
656	CC 25 0522 111186623	5.47	CC 23 0902 CC 23 0807	100	100	106	0.01 63	0.63 39	0.64 103	0.54 64	101	1.40 32	1.48 47	0.01 29	1.65 29	0								
657	CC 25 0146 108937715	6.80	CC 21 0025 CC 20 0179	100	101	92	1.39 66	-0.84 53	-0.14 94	1.40 68	105	2.20 45	1.88 56	4.48 44	-8.58 38	0								
658	CC 23 0038 96794144	1.90	OC 20 7475 CC 18 0377	100	118	95	2.43 67	0.73 59	1.94 117	3.90 68	119	-1.90 43	2.02 58	11.69 45	1.92 46	105	3							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight				Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Phenotype	
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
659	CC 23 0006 96793500	1.97	KI 20 0260 M 18 0102	100	111	90	2.39 67	-0.38 61	0.81 104	2.67 68	112	-2.50 47	0.50 60	-0.27 45	-5.94 106	104	3								
660	CC 21 0118 92022938	3.22	CC 19 0866 CC 15 0536	100	104	99	1.00 70	0.29 65	0.79 104	1.21 70	104	-0.30 54	1.11 64	-0.20 44	3.05 91	121	5								
661	CC 26 0008 113727648	6.46	CC 24 0301 CC 21 0009	100	104	97	1.15 61	0.14 42	0.72 103	0.97 48	103	-0.50 35	0.99 48	1.84 32	-2.87 101		0								
662	CC 21 0393 92603729	4.71	CC 19 0358 CC 16 0184	100	83	96	-0.40 72	-1.36 68	-1.56 79	-2.57 74	84	8.60 54	3.40 66	7.68 47	-0.43 97	123	4								
663	CC 25 0320 111289146	5.24	CC 21 0512 CC 20 0043	100	96	109	-0.56 65	0.91 46	0.63 102	-0.79 67	93	1.60 39	1.31 52	-1.25 38	6.78 85		0								
664	CC 25 0618 111187258	6.98	CC 23 0109 CC 24 0597	100	101	98	0.80 60	-0.10 39	0.30 99	0.78 53	102	1.40 32	1.54 45	3.60 32	-6.01 106		0								
665	CC 25 0550 111186821	6.26	CC 22 0392 CC 19 0408	100	93	101	-0.05 65	-0.35 49	-0.38 92	-0.72 67	94	4.90 41	2.53 53	3.21 39	5.81 87		0								
666	CC 21 0532 92605070	4.84	CC 19 0145 CC 19 0595	100	118	99	1.96 70	1.56 65	2.54 123	2.74 72	113	-5.90 56	-0.02 65	4.50 47	-3.19 101	111	5								
667	CC 21 0661 92606185	5.26	CC 19 0089 CC 20 0372	100	99	105	-0.05 71	0.70 63	0.67 103	0.13 72	98	1.40 52	1.49 64	5.51 42	-8.98 110	129	5								
668	CC 25 0545 111187738	6.90	CC 22 0597 CC 23 0498	100	106	98	1.17 64	0.33 43	0.91 105	1.61 66	107	-0.10 33	1.44 49	4.72 32	-1.66 99		0								
669	CC 24 0456 106744626	5.08	CC 21 0188 CC 18 0309	100	102	100	0.63 67	0.40 59	0.72 103	0.15 68	99	0.50 50	1.33 60	3.58 48	0.72 95	100	1								
670	CC 25 0418 111185484	6.84	CC 21 0374 CC 23 0712	99	99	99	0.69 64	-0.33 48	0.02 96	1.09 66	104	2.70 40	1.98 52	-1.78 39	12.17 77		0								
671	CC 25 0653 111187431	6.72	CC 23 0635 CC 24 0617	99	95	101	0.05 60	-0.26 37	-0.23 93	0.12 63	98	3.90 29	2.13 44	2.46 29	-0.86 98		0								
672	CC 25 0615 111187225	5.99	CC 23 0635 CC 24 0608	99	102	97	0.98 60	-0.14 36	0.35 99	1.30 62	105	1.20 29	1.56 44	2.22 29	-0.17 96		0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
673	CC	25	0709	4.61	CC	23 0635	99	101	97	0.89	-0.22	0.22	0.97	1.90	1.80	2.59	2.84						0		
	111188496				CC	24 0602				60	103	36	94		98	63	103	29	103	44	102	29		97	24
674	CC	25	0162	5.83	CC	22 0392	99	101	95	1.09	-0.41	0.13	0.95	2.20	1.99	2.31	7.79						0		
	108892084				CC	24 0142				62	105	42	91		97	65	103	34	104	48	103	34		97	27
675	CC	25	0175	4.26	CC	23 0902	99	107	102	0.90	0.84	1.29	1.72	-1.60	0.78	-1.70	7.93						0		
	108891987				CC	24 0153				62	103	38	113		110	64	107	31	90	46	98	29		106	28
676	CC	21	0043	4.82	CC	17 0528	99	112	93	2.13	-0.04	1.02	3.44	-0.90	1.55	5.38	-1.04					115	5		
	92025667				CC	17 0277				71	115	68	97		107	72	117	58	93	67	101	51		90	44
677	CC	23	0516	5.50	CC	21 0095	99	104	92	1.52	-0.28	0.48	0.83	-0.20	1.12	4.45	-4.35					97	2		
	98180607				CC	20 0615				67	109	60	93		101	69	102	50	95	60	99	47		92	44
678	CC	22	0030	4.28	CC	17 0756	99	107	96	1.30	0.41	1.05	1.20	-0.70	1.28	8.14	-5.46					113	3		
	94011244				CC	17 0109				71	107	68	105		107	72	104	60	93	67	100	52		84	53
679	CC	26	0212	1.99	LM	22 1507	99	103	104	0.35	0.78	0.95	0.99	-0.30	0.95	-1.98	7.04						0		
	114273295				CC	24 0153				63	98	33	111		106	56	103	26	95	43	98	28		107	29
680	CC	23	0117	7.07	CC	21 0025	99	108	90	2.03	-0.55	0.46	2.79	-0.20	1.36	4.84	-8.37					90	2		
	96783170				CC	21 0643				67	114	59	88		101	69	113	49	95	60	100	47		92	46
681	CC	21	0054	1.67	KI	19 0441	99	108	98	1.31	0.43	1.09	1.89	-2.00	0.54	-2.55	6.60					122	6		
	92022516				CC	19 0158				69	107	65	105		107	70	108	54	88	64	96	45		108	47
682	CC	25	0200	1.95	LM	22 1507	99	105	101	0.72	0.69	1.05	1.40	-1.20	0.69	0.44	-1.29						0		
	108892191				CC	20 0308				65	101	37	110		107	66	105	30	91	46	97	29		102	27
683	CC	25	0675	6.29	CC	23 0635	99	92	99	-0.15	-0.35	-0.43	-0.85	3.90	1.84	3.01	-2.25						0		
	111187589				CC	24 0422				61	93	38	92		91	63	93	31	111	45	102	30		96	25
684	CC	23	0178	5.29	CC	21 0025	98	101	96	0.72	0.15	0.51	0.13	-0.20	0.75	3.96	-7.54					112	3		
	96783659				CC	17 0712				70	102	64	100		101	70	98	52	95	64	97	45		94	46
685	CC	26	0102	6.47	CC	24 0421	98	97	102	-0.06	0.39	0.36	-0.44	1.40	1.17	1.01	2.82						0		
	113728588				CC	21 0054				61	94	43	105		100	49	95	36	101	48	99	32		100	32
686	CC	25	0008	6.00	CC	22 0031	98	117	89	2.80	-0.12	1.28	4.53	-2.70	1.06	5.79	-3.22					103	1		
	108891177				CC	22 0187				66	121	55	96		109	66	123	44	86	57	99	45		89	38

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir EBV Acc Index	Mat EBV Acc Index		EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype						
Active Breed Average:					100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
687	CC 23 0533 98181704	5.90	CC 21 0095 CC 18 0630	98	94	93	0.65 68 101		-0.84 62 83		-0.51 90 70 95		3.50 49 109		1.91 61 103		1.53 46 99		9.38 45 81		105	2	
688	CC 22 0565 95153557	5.84	CC 20 0342 CC 17 0591	98	115	92	2.23 71 115		0.65 64 109		1.77 115 69 110		-5.50 53 75		-0.41 64 92		-0.94 45 105		5.69 47 87		117	4	
689	CC 25 0438 111186185	5.99	CC 23 0902 CC 20 0615	98	107	102	0.73 64 102		1.16 41 118		1.52 112 65 105		-3.20 35 84		-0.04 48 94		1.10 30 100		-4.72 28 104			0	
690	CC 25 0659 111187498	4.18	CC 23 0635 CC 24 0561	98	100	98	0.60 61 100		-0.01 39 98		0.30 99 63 103		1.20 32 101		1.32 46 100		3.22 30 95		-3.27 27 101			0	
691	CC 25 0452 111186243	5.67	CC 22 0031 CC 20 0200	98	108	93	1.68 66 110		-0.04 54 97		0.80 104 68 111		-0.90 46 93		1.10 57 99		5.29 44 91		-4.62 41 104			0	
692	CC 22 0187 93924355	5.05	CC 20 0021 CC 17 0277	98	110	98	1.31 68 107		0.59 62 108		1.24 109 68 115		-1.90 50 89		0.76 62 97		2.94 43 96		-4.80 42 104		120	4	
693	CC 22 0214 94012424	4.44	CC 20 0093 CC 21 0040	98	110	90	2.14 67 115		-0.10 62 96		0.97 106 68 111		-3.20 50 84		0.12 61 95		-2.38 42 108		5.47 42 87		123	4	
694	CC 20 0202 89768808	6.21	CC 18 0065 CC 19 0056	98	112	100	1.30 69 107		1.13 64 117		1.78 115 70 110		-3.50 53 83		0.32 63 95		-0.68 43 104		12.72 38 76		116	5	
695	CC 24 0363 106743743	4.97	CC 21 0025 CC 21 0054	98	109	92	1.78 66 111		-0.04 56 97		0.85 105 68 111		-2.10 47 88		0.48 58 96		3.18 47 95		-7.20 39 108		99	1	
696	CC 23 0680 98180847	4.65	CC 20 0456 CC 21 0570	98	101	95	0.83 67 103		-0.12 60 96		0.29 99 69 103		0.30 47 97		0.89 60 98		1.92 44 98		-4.03 44 103		106	2	
697	CC 25 0685 111188165	5.58	CC 23 0109 CC 24 0750	98	98	99	0.20 59 97		0.17 35 101		0.27 99 61 99		1.50 28 102		1.27 43 100		4.03 29 93		-4.65 24 104			0	
698	CC 25 0683 111187662	6.12	CC 23 0109 CC 24 0646	98	103	91	1.39 60 108		-0.47 36 90		0.23 98 62 105		0.70 30 99		1.34 44 100		5.18 30 91		-2.41 24 100			0	
699	CC 25 0145 108937707	6.56	CC 21 0025 CC 22 0090	97	100	100	0.29 65 97		0.24 51 102		0.38 100 66 102		1.10 43 100		1.18 55 99		3.61 42 94		-5.57 38 105			0	
700	CC 24 0360 106743719	5.96	CC 22 0031 CC 19 0711	97	113	86	2.70 67 120		-0.39 57 91		0.96 106 68 116		-2.80 47 85		0.63 59 97		5.15 46 91		-3.61 39 102		100	1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed
								Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
701	CC 25 0584 111187878	6.79	CC 23 0635 CC 24 0523	97	94	99	0.01 60	-0.34 95	37	92	-0.34 92	-0.07 63	97	2.90 30	1.40 44	100	-1.04 30	5.35 26	88		0	
702	CC 24 0428 106744360	6.05	CC 22 0031 CC 20 0438	97	111	83	2.84 67	-1.10 121	57	79	0.32 99	4.02 69	120	0.00 47	1.74 59	102	6.72 47	0.94 38	95	97	1	
703	CC 24 0588 106745680	5.91	CC 20 0456 CC 20 0200	97	98	97	0.36 60	0.00 98	57	98	0.18 98	0.17 61	99	1.00 48	0.96 56	98	2.82 44	-3.52 41	102	99	1	
704	CC 25 0703 111188421	7.36	CC 23 0109 CC 24 0690	97	99	96	0.57 60	-0.19 100	37	95	0.09 97	0.59 62	101	1.90 30	1.52 44	101	5.67 30	-2.71 25	100		0	
705	CC 22 0553 95153219	4.48	CC 21 0188 CC 19 0343	97	113	90	2.13 69	0.27 115	65	102	1.33 110	2.63 70	112	-4.10 54	-0.07 64	94	5.79 48	-12.27 48	116	112	4	
706	CC 23 0108 96783147	4.27	CC 21 0025 CC 17 0488	97	108	90	1.78 68	-0.01 111	62	98	0.89 105	1.48 70	106	-3.10 52	-0.08 62	94	3.95 48	-10.99 45	114	105	3	
707	CC 25 0585 111187886	5.60	CC 23 0635 CC 24 0408	97	97	98	0.23 61	0.00 97	40	98	0.12 97	-0.01 64	98	1.30 33	1.02 46	99	-0.02 32	5.43 28	87		0	
708	CC 22 0531 95152252	5.35	CC 21 0188 CC 20 0593	97	113	92	2.22 69	0.29 115	63	103	1.40 111	2.87 71	114	-3.40 52	0.47 63	96	-1.45 48	28.30 46	64	101	3	
709	CC 25 0128 108937673	6.54	CC 21 0025 CC 23 0471	97	101	92	1.07 64	-0.33 105	50	92	0.21 98	0.93 66	103	0.50 43	1.04 54	99	6.55 44	-9.46 38	111		0	
710	CC 21 0074 92022698	5.17	CC 17 0756 CC 16 0358	97	96	93	0.61 73	-0.40 100	71	91	-0.10 95	-0.46 73	95	3.50 62	2.30 70	105	11.53 51	2.03 53	93	127	5	
711	CC 25 0057 108891375	6.11	CC 22 0031 CC 22 0668	97	113	85	2.70 63	-0.43 120	49	90	0.92 106	3.61 66	118	-2.10 41	1.01 53	99	7.12 39	-1.14 37	98		0	
712	CC 25 0534 111186748	4.99	CC 23 0607 CC 24 0369	97	110	91	1.90 60	-0.05 112	39	97	0.90 105	2.96 63	114	-2.30 33	0.47 46	96	2.34 32	-2.20 28	100		0	
713	CC 25 0525 111186656	5.15	CC 23 0902 CC 24 0108	97	103	98	0.66 62	0.45 101	35	106	0.78 104	1.20 64	104	-0.70 29	0.69 44	97	3.12 28	-0.93 25	98		0	
714	CC 26 0210 114273311	1.90	LM 22 1507 CC 21 0570	97	97	104	-0.37 64	0.63 91	35	109	0.45 101	0.18 57	99	0.20 27	0.39 44	96	-0.97 27	-3.93 27	102		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Parents	Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Computer nr					% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
											Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc			Index	Phenotype
Active Breed Average:								100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
715	CC 20 0615 90337502	5.60	CC 19 0145 CC 17 0065	96	110	96	1.16 72		1.20 68		1.78 115		0.97 74		-5.10 58		-0.71 67		5.42 51		-11.42 46		116	5		
716	CC 21 0161 92026848	4.91	CC 17 0528 CC 19 0333	96	100	95	0.66 72		-0.11 67		0.22 98		0.78 72		1.20 57		1.27 67		5.44 51		-1.25 43		116	5		
717	CC 24 0009 99761751	4.25	CC 21 0188 CC 22 0067	96	109	92	1.64 66		0.25 58		1.07 107		1.89 68		-2.60 50		0.32 59		2.61 48		4.28 43		97	1		
718	CC 26 0235 114273147	5.85	CC 22 0031 CC 22 0354	96	111	88	2.26 65		-0.13 52		1.01 106		2.79 59		-2.00 43		0.94 55		7.58 41		1.30 39			0		
719	CC 24 0523 106745128	7.01	CC 21 0374 CC 23 0484	96	97	96	0.48 65		-0.51 53		-0.28 93		0.80 68		2.00 42		1.16 55		-3.77 43		12.77 36		98	1		
720	CC 25 0119 108937624	3.21	CC 21 0188 CC 21 0022	96	107	93	1.43 66		0.16 55		0.87 105		1.74 67		-1.40 48		0.75 58		3.24 45		6.68 43			0		
721	CC 24 0444 106744527	5.14	CC 21 0025 CC 19 0476	96	102	86	1.62 67		-0.84 58		-0.03 95		1.35 69		0.00 48		0.78 59		7.42 48		-14.05 41		99	1		
722	CC 24 0110 99763344	5.67	CC 21 0188 CC 19 0248	96	97	96	0.32 68		-0.06 61		0.11 97		0.09 69		0.40 52		0.51 62		0.37 49		-0.32 49		106	2		
723	CC 20 0732 90340159	5.32	CC 18 0393 CC 19 0431	96	111	96	1.47 73		0.76 64		1.50 112		2.63 69		-3.30 54		0.25 65		2.84 43		5.83 38		111	6		
724	CC 24 0704 106746647	4.85	CC 22 0392 CC 23 0847	96	110	89	1.96 63		-0.11 44		0.88 105		2.60 65		-2.00 39		0.65 50		4.25 40		3.75 31		90	1		
725	CC 25 0026 108937293	3.88	CC 21 0188 CC 21 0161	96	98	98	0.24 67		0.19 58		0.31 99		0.36 67		0.70 49		0.85 59		1.15 48		5.71 40		102	1		
726	CC 24 0105 99793309	4.17	CC 20 0735 CC 23 0080	96	104	90	1.48 64		-0.42 53		0.32 99		1.91 65		-1.00 42		0.46 55		-1.69 42		7.78 35		98	1		
727	CC 25 0073 108891466	5.51	CC 23 0043 CC 21 0373	96	104	95	0.89 63		0.42 42		0.86 105		1.00 65		-2.10 34		0.05 48		4.52 32		-8.11 30			0		
728	CC 24 0108 99763294	5.95	CC 22 0043 CC 19 0143	95	105	93	1.08 65		0.15 54		0.70 103		1.52 68		-0.20 45		1.12 56		9.47 44		-3.85 37		98	1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
										Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc	Index	Acc	Index	Acc	Index	Acc			Index	Phenotype
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
729	CC 21 0019 92022268	3.01	CC 17 0756 CC 16 0080	95	106	91	1.35 71	0.40 68	1.07 107	0.72 72	102	-3.80 60	-0.54 67	5.44 50	-11.12 50	114	6								
730	CC 25 0185 108892142	1.95	LM 22 1507 CC 21 0009	95	96	100	-0.21 64	0.41 35	0.31 99	-0.27 65	96	-0.10 28	0.14 45	-1.79 28	2.45 29	92	0								
731	CC 22 0532 95152278	5.12	CC 21 0025 CC 17 0397	95	94	90	0.51 70	-0.80 65	-0.54 90	-0.30 71	96	0.60 54	0.07 64	1.07 49	-14.84 47	120	4								
732	CC 25 0028 108937285	5.03	CC 21 0188 CC 21 0678	95	104	91	1.22 66	-0.02 57	0.59 102	1.22 67	104	-1.70 48	0.18 58	2.09 47	1.04 42	94	1								
733	CC 25 0060 108937053	5.92	CC 21 0095 CC 21 0043	95	94	89	0.71 66	-1.13 57	-0.78 87	0.24 67	99	2.80 48	1.26 58	1.63 47	3.16 38	91	1								
734	CC 25 0651 111187415	6.87	CC 23 0635 CC 24 0588	95	91	97	-0.40 59	-0.23 39	-0.43 91	-1.11 62	92	2.40 32	0.81 45	2.26 30	-2.80 28	101	0								
735	CC 25 0111 108891615	6.65	CC 22 0031 CC 22 0387	95	109	85	2.26 65	-0.62 54	0.51 101	3.13 66	115	-1.40 44	0.79 56	3.28 45	6.35 39	86	1								
736	CC 25 0157 108937780	4.19	CC 21 0025 CC 23 0910	95	102	93	0.89 63	0.01 48	0.45 101	1.24 65	105	-1.60 41	-0.06 52	2.15 40	-8.18 37	109	0								
737	CC 24 0643 106746100	7.77	CC 22 0597 CC 23 0777	95	95	96	0.12 64	-0.29 48	-0.24 93	0.35 65	100	1.20 37	0.54 52	-2.59 39	4.33 37	89	2								
738	CC 23 0708 98182363	5.96	CC 22 0031 CC 19 0711	95	107	86	1.90 69	-0.43 62	0.52 101	2.11 70	109	-2.00 49	0.27 62	4.28 46	-2.54 45	100	2								
739	CC 24 0142 99792962	4.47	CC 20 0735 CC 23 0004	95	102	91	1.03 64	-0.24 53	0.28 99	1.06 66	104	-0.20 42	0.68 55	2.36 43	5.88 36	87	1								
740	CC 24 0589 106745698	5.91	CC 20 0456 CC 20 0200	95	93	99	-0.39 66	0.09 57	-0.10 95	-0.79 59	93	1.30 48	0.48 58	0.89 47	-1.30 41	98	1								
741	CC 25 0154 108891912	5.52	CC 21 0374 CC 21 0462	95	94	98	-0.13 64	-0.05 49	-0.12 94	-0.12 67	97	1.80 41	0.90 53	-1.73 38	12.11 36	77	0								
742	CC 23 0910 98833940	2.77	CC 23 0003 CC 21 0009	95	100	97	0.34 62	0.33 52	0.50 101	0.85 63	102	-1.20 40	-0.06 53	-1.84 33	2.12 38	93	2								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
								Dir	Mat			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV
													Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:				100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
743	CC 25 0209 108892282	2.46	LM 22 1507 CC 21 0562	95	101	95	0.60 64	0.21 100	0.51 35	1.00 102	0.101	1.00 66	103	-1.50 28	-0.09 90	45	-0.02 94	29	-1.47 103	29	98	0
744	CC 25 0642 111187324	6.98	CC 23 0109 CC 24 0596	94	94	93	0.12 61	-0.36 96	-0.30 39	-0.64 92	-0.30 92	-0.64 61	94	1.30 32	0.54 101	46	4.07 96	32	-6.21 93	27	106	0
745	CC 25 0558 111187787	6.31	CC 22 0031 CC 23 0455	94	99	88	1.07 65	-0.67 105	-0.14 51	0.42 86	-0.14 94	0.42 67	100	0.90 42	0.94 99	54	6.55 98	42	-0.06 88	39	96	0
746	CC 23 0758 98182017	4.70	CC 20 0735 CC 17 0479	94	96	92	0.44 68	-0.48 99	-0.26 60	-0.11 90	-0.26 93	-0.11 70	97	1.20 49	0.68 101	61	0.93 97	46	6.34 100	46	86	99 2
747	CC 20 0308 90334756	4.63	CC 19 0145 CC 16 0526	94	109	91	1.44 72	0.52 108	1.24 68	1.77 107	1.24 109	1.77 73	107	-3.90 57	-0.38 81	67	4.66 92	48	-2.81 92	42	101	121 6
748	CC 23 0847 98183858	6.25	CC 22 0031 CC 22 0178	94	119	84	2.97 67	0.19 122	1.68 60	4.34 101	1.68 114	4.34 68	122	-5.70 50	-0.26 74	60	7.81 93	47	-4.34 85	45	103	98 2
749	CC 25 0353 111289955	6.25	CC 21 0512 CC 23 0679	93	91	95	-0.45 63	-0.11 91	-0.34 41	-1.36 96	-0.34 92	-1.36 65	90	1.80 35	0.52 103	48	5.94 96	36	-8.28 89	32	109	0
750	CC 25 0215 108892662	2.64	LM 22 1507 CC 19 0734	93	102	94	0.50 65	0.45 99	0.70 37	0.70 106	0.70 103	0.70 66	102	-2.80 31	-0.73 85	46	0.02 91	30	0.72 102	32	95	0
751	CC 25 0714 111188546	6.65	CC 23 0109 CC 24 0671	93	100	89	0.82 60	-0.37 102	0.04 36	1.09 91	0.04 96	1.09 62	104	0.20 30	0.57 97	44	6.15 97	30	-1.10 89	23	98	0
752	CC 20 0495 90336470	5.01	CC 17 0380 CC 19 0026	92	108	87	1.80 73	-0.14 111	0.76 71	2.62 95	0.76 104	2.62 73	112	-1.30 61	0.89 91	69	5.71 98	53	17.53 90	49	68	128 6
753	CC 25 0546 111187746	6.90	CC 22 0597 CC 23 0498	92	96	93	0.07 64	0.08 95	0.11 43	-0.37 99	0.11 97	-0.37 66	96	-0.10 33	0.09 96	49	4.72 94	32	-1.66 92	29	99	0
754	CC 21 0570 92605435	3.36	CC 19 0089 CC 20 0460	92	96	96	-0.23 69	0.35 93	0.23 64	-0.05 104	0.23 98	-0.05 69	97	-1.10 51	-0.54 92	63	1.84 91	43	-8.08 98	43	109	129 5
755	CC 22 0157 94011988	4.96	CC 19 0089 CC 18 0546	92	87	94	-0.72 68	-0.46 88	-0.82 63	-1.59 90	-0.82 87	-1.59 69	89	2.80 51	0.50 107	62	1.58 96	44	3.00 99	43	91	120 4
756	CC 25 0643 111187332	6.58	CC 23 0635 CC 24 0737	92	86	98	-1.14 60	-0.28 84	-0.85 37	-1.66 93	-0.85 87	-1.66 63	89	2.80 31	0.26 107	44	-1.46 95	30	3.07 106	26	91	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		LMI	GI	RI	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype		
Active Breed Average:							100	100	100	-0.08		-0.03		-0.07		-0.49		0.59		0.24		-0.13		-0.36	
757	CC	26	0226	7.13	CC	24 0569	91	98	92	0.30	0.20		0.35	-0.12		-2.00		-0.70		3.37		-4.33		0	
113733372					CC	25 0028				57	98	39		101	99	48	97	34	88	45	91	33	95		29
758	CC	25	0003	2.09	LM	22 1140	91	97	90	0.35	-0.06		0.12	-0.26		0.00		0.29		6.54		6.23		0	
108937350					LM	21 1090				47	98	24		97	97	50	96	10	96	30	95	38	88		39
759	CC	21	0040	3.33	KI	19 0441	91	105	90	0.96	0.61		1.09	0.47		-5.80		-1.91		-2.99		9.54		105	4
92022409					CC	18 0114				68	104	64		108	107	70	100	53	74	63	85	45	109		
760	CC	23	0642	5.90	CC	20 0735	90	98	87	0.68	-0.54		-0.21	0.84		-1.30		-0.65		0.18		0.88		109	3
98183882					CC	19 0446				67	101	59		88	93	68	102	48	91	60	91	42	102		
761	CC	21	0009	2.59	KI	19 0441	90	95	89	0.15	-0.09		-0.02	-0.84		-1.80		-1.02		0.20		4.68		120	6
92022193					CC	19 0143				69	96	65		96	96	70	93	54	89	64	89	45	102		
762	CC	21	0562	5.69	CC	19 0145	89	106	80	1.83	-0.44		0.48	1.86		-4.50		-1.31		3.75		-3.16		120	5
92605377					CC	20 0094				70	112	66		90	101	71	108	55	79	65	88	48	94		
763	CC	25	0077	5.46	CC	22 0031	89	106	79	1.88	-0.64		0.30	2.04		-3.70		-0.98		3.84		1.96		0	
108891482					CC	19 0416				67	112	54		87	99	68	109	46	82	57	89	43	94		41
764	CC	25	0046	6.35	CC	22 0031	88	97	78	1.26	-1.30		-0.67	1.04		-0.40		-0.28		6.44		-0.15		100	1
108891318					CC	22 0157				66	106	55		75	89	67	103	44	94	57	93	45	88		
765	CC	23	0337	2.36	OC	20 7475	86	97	86	0.18	-0.06		0.04	0.57		-1.80		-0.95		6.76		-1.58		109	2
106719024					CC	19 0914				49	97	48		97	96	47	101	18	89	41	90	39	87		
766	CC	23	0712	6.32	CC	20 0735	83	89	81	-0.14	-1.03		-1.10	-0.67		0.40		-0.93		2.10		12.13		98	2
98182868					CC	17 0773				67	94	57		80	84	69	94	46	98	58	90	43	98		
767	CC	23	0484	6.36	CC	20 0735	83	91	78	0.41	-1.30		-1.09	0.06		-0.40		-1.13		1.51		10.28		107	2
98182157					CC	21 0372				66	99	59		75	84	69	98	45	94	58	89	43	99		
768	CC	23	0364	2.36	OC	20 7475	83	93	82	-0.14	-0.41		-0.48	-0.01		-1.80		-1.63		6.89		-5.71		118	2
106718992					CC	19 0911				52	94	51		91	91	53	98	18	89	44	86	39	87		
769	CC	23	0372	2.36	OC	20 7475	82	91	82	-0.31	-0.41		-0.57	-0.59		-1.80		-1.80		6.89		-5.71		119	2
106719008					CC	19 0912				52	92	51		91	90	53	94	18	89	44	86	39	87		