



WAGYU BREEDING VALUE REPORT

September 2026



INFRACOR STUD BREEDERS

Herd Number: 670862


E-mail: derick@infracor.co.za
anri4orsmond@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 692



Breeding Values (EBV):

Birth: Birth weight
Wean: Weaning weight
Birth.mat: Birth mat
Milk: Milk
Postwn: Postwean weight
Matwt: Mature weight
HF: Heifer Fertility
CF: Cow Fertility
LL: Longevity
IMF: Marbling
Carcwt: Carcass wt
EMA: Eye muscle area
RibFatt: Rib Fat thickness
MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
CGrowthV: Calf Growth Value
MilkV: Milk Value
MaintV: Maintenance Value
FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewrite growth	Birth Weight	2.28	89	1.23
	Wean Weight	11.5	121	2.9
	Birth Mat.	-0.09	92	-0.38
	Milk (Wn.Mat.)	9.6	102	8.7
Postwean growth	Postwean wt	21.0	121	6.4
	Mature weight	32	118	6
	Heifer Fertility	-14.4	120	-2.9
Fertility	Cow Fertility	-4.1	125	0.5
	Longevity	7.1	104	5.2
Carcass	IMF	0.0	94	0.8
	Carcass weight	3.7	104	0.8
	EMA	1.3	103	0.8
	Rib Fat	-0.4	96	-0.1
	MF	-1.1	96	-0.5

Selection Value	Herd Avg
Calving Ease Value	87
Calf Growth Value	121
Milk Value	102
Maintenance Value	82
Fertility Value	119


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
Calf growth: Heavier calves at wean due to growth potential of the calf
Milk: Cows with more milk and better mothering ability
Maintenance: Animals with low maintenance requirements (lower mature weight).
Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility							
	Birth Weight		Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2017																			7 8.4			
2018											3 18.2		88		8 -16.9		6 -4.5		20 11.6		129	
2019	6	1.36	0.45	94	2	12.0	123	2	3.93	91	9	16.8	93		17	-3.0	17	-2.5	96	4.3	110	
2020	12	2.22	0.24	85	7	14.6	129	7	5.09	93	5	22.7	2	64	77	6	-16.8	5	-4.6	176	2.6	126
2021	18	1.77	-0.36	93	12	14.0	128	12	2.10	87	17	23.0	5	31	86	10	-21.7	6	-6.6	120	2.9	135
2022	33	0.86	-0.11	102	28	12.4	124	28	-0.31	83	25	18.1	9	27	90	13	-19.1	1	-4.5	47	3.6	130
2023	31	1.35	-0.27	99	22	16.3	133	22	-0.04	83	17	23.1	81		6	-20.4					132	
2024	32	1.12	-0.07	99	17	12.9	125	17	0.21	84	17	20.7	90									
2025	35	1.17	-0.05	97	29	10.6	119	29	0.44	84												
2026	11	0.64	0.02	104																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance						Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility		
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102		
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102		
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106		
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103		
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106		
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108		
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103		
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110		
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101		
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84														
2026	307	0.25	-0.03	106																				

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2017															
2018	5	0.9	101	5	6.4	108	5	-1.1	88						
2019	38	0.5	97	38	-6.4	90	38	1.9	107	1	1.5	116			
2020	16	-0.5	90	17	0.3	99	17	1.2	103	2	-2.4	76			
2021	30	-0.6	89	40	2.1	102	40	0.1	95	40	-0.9	92	28	0.2	104
2022	7	0.0	93	11	14.5	119	11	1.4	104	11	1.0	112	7	-1.3	95
2023	4	0.2	95	4	1.3	101	4	1.8	106	4	-0.4	97	4	-1.0	97

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
2132A		FB102	111	130	127	129	116	92	75	97	112	105	119					
FB		V5909S	0.16	14.9	23.0	29.8	30	4.4	-2.3	-1.0	2.7	0.4	2.5	8	31	4	4	
HEARTBRAND J-PRIME 2132A			58%	32%	28%	19%	13%	17%	43%	44%	36%	37%	23%					
2619A		J251830R	116	132	128	128	118	83	108	118	110	112	91					
FB		AF2681	-0.29	16.0	23.3	29.4	32	-0.2	1.8	13.6	2.4	1.1	-1.9	2	7	4	4	
HEARTBRAND HERCULES 2619A			68%	53%	54%	27%	45%	43%	43%	49%	43%	46%	30%					
733D		AF7291	99	119	110	114	98	84	114	94	91	101	85					
PBD		3A55457	1.29	10.4	12.6	18.8	4	0.3	2.6	-3.5	-0.7	0.0	-2.9	6	82	29	38	10
EL PADRINO			80%	38%	67%	16%	12%	22%	75%	75%	67%	69%	53%					
AP112607		AF15430	116	124	121	123	113	89	119	94	102	137	109					
PBD		3A40027	-0.33	12.8	18.9	25.1	25	2.7	3.2	-3.3	1.1	3.5	1.0	3	60	11	36	2
HEARTBRAND 15/16 14E KING			63%	21%	18%	13%	11%	27%	60%	63%	55%	63%	47%					
C0402		HBCFV2141	79	149	151	150	149	78	102	110	142	77	72					
FB		VW36	3.32	22.6	37.8	46.9	76	-3.2	1.0	8.1	7.3	-2.3	-4.9	27	79	33	14	3
KALANGA RED STAR C402			87%	69%	78%	75%	49%	47%	76%	76%	71%	68%	47%					
CCCFH0037		B0125	87	138	133	135	114	82	111	75	118	82	91					
FB		B218	2.48	18.3	26.6	35.0	27	-0.8	2.2	-16.8	3.6	-1.8	-2.0	25	135	52	41	2
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	94%	94%	94%					
CCCFL0126		CCCFH0019	112	129	125	127	117	84	102	94	114	75	81					
FB		CCCFH0025	0.09	14.8	21.7	28.8	30	0.4	1.0	-3.6	2.9	-2.5	-3.4	5	8	1	6	
BALD RIDGE PROXIMO L0126			52%	30%	33%	30%	34%	30%	31%	31%	29%	27%	19%					
CCCFM0128		IMUFN2125	116	124	120	120	118	86	101	95	121	67	76					
FB		C767	-0.36	12.6	18.3	23.5	32	1.3	0.9	-2.9	4.0	-3.2	-4.3	3	11	4	6	1
BALD RIDGE TAMAMARU M128 (ET)			63%	41%	48%	46%	34%	29%	52%	52%	47%	40%	26%					
FB14989		FB101	86	125	122	125	123	107	93	126	96	114	96					
FB		FB12815	2.60	13.1	19.7	27.2	39	12.5	-0.1	19.2	0.1	1.2	-1.1	15	97	23	39	15
JC RUESHAW 75			83%	46%	64%	66%	52%	58%	79%	78%	71%	49%	34%					
FB19622		FB101	107	117	113	116	110	90	82	112	95	95	106					
FB		FB11873	0.60	9.7	14.0	19.7	20	3.2	-1.4	9.4	0.0	-0.6	0.4	1	13	1	7	
GK4 RUESHAMARU (ET)			55%	29%	24%	22%	15%	18%	39%	38%	34%	34%	25%					
HBCFV2139		AL502	106	109	104	109	91	88	101	90	86	83	85					
FB		J19461	0.64	6.8	8.8	14.6	-7	2.4	1.0	-6.1	-1.4	-1.7	-2.8	35	178	80	50	5
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
HSFV0010		FB2124	104	149	142	142	135	91	101	111	140	107	96	11	60	13	23	1
FB		TWAFS0341	0.87	22.6	32.1	40.4	56	3.7	0.9	8.5	7.0	0.5	-1.1					
ASHWOOD PARK VIRILE (ET)			78%	55%	74%	62%	39%	49%	63%	62%	55%	50%	38%					
IR 170701		CCCFH0037	72	142	134	134	120	81	104	69	122	45	72	5	111	32	27	26
FB		CCCFJ0066	3.98	20.0	27.4	33.9	35	-1.5	1.3	-20.9	4.2	-5.3	-4.9					
INFRACOR ICHIRO			83%	69%	71%	45%	64%	53%	79%	80%	74%	58%	36%					
IR 170703		HBCFV2139	107	115	109	112	99	87	101	75	106	73	90	1	31	16	13	
FB		CCCFH0045	0.57	8.9	11.8	16.9	5	2.0	0.9	-16.9	1.8	-2.7	-2.1					
INFRACOR JIMMO			60%	48%	51%	46%	60%	47%	52%	52%	50%	49%	41%					
IR 170705		HBCFV2139	112	112	106	110	101	87	99	58	115	61	92	1	29	16	12	5
FB		CCCFH0045	0.09	7.6	10.1	14.9	8	1.8	0.6	-28.5	3.1	-3.8	-1.8					
INFRACOR ITOKU			60%	44%	50%	46%	64%	44%	63%	63%	58%	49%	41%					
IR 180712		2619A	102	136	133	133	122	83	106	125	100	136	101	2	106	10	64	5
FB		BB 150131	1.00	17.5	26.6	33.5	38	-0.2	1.5	18.6	0.8	3.3	-0.2					
HERCULES 1			81%	64%	65%	29%	56%	40%	51%	56%	49%	51%	35%					
IR 180714		2619A	133	123	112	115	103	71	111	106	108	105	87	2	107	16	21	6
FB		BB 150158	-1.96	12.1	13.4	18.9	10	-6.4	2.2	5.3	2.0	0.4	-2.5					
HERCULES 2			87%	78%	76%	30%	64%	48%	44%	59%	52%	58%	33%					
IR 180716		TWAFS0348	91	149	151	145	142	77	80	106	107	56	83	3	113	24	44	9
FB		BB 150105	2.13	22.6	37.8	43.0	67	-3.4	-1.8	5.1	1.8	-4.3	-3.2					
RED STAR 1			91%	80%	78%	33%	65%	59%	67%	71%	64%	66%	46%					
IR 180718		TWAFS0348	91	146	135	132	129	80	86	92	110	54	81	1	1	1	1	
FB		BB 150117	2.12	21.3	27.9	32.4	47	-1.8	-1.0	-4.5	2.3	-4.4	-3.4					
RED STAR 2			51%	34%	40%	34%	30%	30%	42%	42%	37%	39%	30%					
IR 190791	✓ ✓	HSFV0010	96	140	134	134	118	85	105	97	131	92	90	3	29	2	3	
FB		IR 170704	1.58	19.2	27.1	34.3	33	0.6	1.4	-1.4	5.6	-0.9	-2.1					
IR190791			53%	39%	63%	38%	43%	40%	40%	40%	36%	34%	25%					
IR 190800	✓ ✓	HSFV0010	101	139	134	134	123	85	109	92	133	95	92	2	65	7	17	
FB		IR 170704	1.13	18.8	27.0	34.2	39	0.8	2.0	-4.5	5.8	-0.6	-1.7					
IR190800			66%	51%	68%	38%	39%	41%	46%	45%	41%	41%	31%					
IR 190805	✓ ✓	HSFV0010	94	137	130	131	119	91	101	93	125	87	91	2	35	4	18	
FB		IR 170706	1.79	17.9	24.7	31.9	34	4.1	1.0	-4.3	4.6	-1.4	-1.9					
IR190805			66%	52%	68%	39%	40%	43%	41%	42%	38%	36%	28%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
IR 210719		IR 180716	89	144	135	133	121	78	96	99	110	74	84	3	16		4	
FB		IR 170704	2.30	20.6	27.9	33.5	37	-2.8	0.3	0.0	2.3	-2.6	-3.0					
IR210719				84%	82%	83%	81%	82%	82%	82%	82%	82%	81%					
IR 210790		CCCFH0037	84	145	138	138	122	83	89	94	115	72	93	2	31		5	
FB		CCCFH0021	2.74	21.0	29.9	37.4	38	-0.2	-0.6	-3.8	3.1	-2.8	-1.5					
IR210790				86%	84%	85%	83%	82%	82%	83%	83%	83%	83%					
IR 210851		CCCFH0037	97	136	131	133	117	84	107	85	121	80	89	2	19			
FB		KALFB0005	1.52	17.4	25.6	33.1	31	0.3	1.7	-9.8	4.0	-2.0	-2.2					
IR210851				83%	81%	84%	82%	81%	80%	82%	82%	81%	81%					
TWAFS0348		J251830R	102	136	126	125	118	81	82	95	98	50	85	11	48	9	19	
FB	FB2120	1.00	17.4	22.5	27.3	32	-1.2	-1.5	-2.8	0.4	-4.9	-2.9						
TWA KOTSUKARI			71%	54%	62%	45%	49%	53%	61%	62%	56%	59%	47%					
WB 180157		2132A	111	122	119	123	109	91	90	98	102	108	105	4	73		17	2
FB		B3518R	0.19	11.9	18.2	25.3	19	4.2	-0.4	-0.6	1.0	0.6	0.3					
WB18-157				73%	57%	47%	22%	12%	17%	50%	57%	42%	47%					
ZEWB190053		733D	85	131	126	128	113	88	108	97	97	97	88	6	81	1	15	
PBD		AF9202	2.72	15.6	22.0	29.3	25	2.4	1.9	-1.5	0.4	-0.4	-2.4					
ZEWB190053				93%	87%	87%	84%	84%	84%	86%	86%	85%	86%					
ZEWB194054		733D	110	117	113	118	107	92	89	107	100	107	101	3	48	2	9	
PBD		9174X	0.26	9.8	14.4	21.4	16	4.2	-0.6	5.6	0.8	0.5	-0.3					
ZEWB194054				89%	84%	86%	83%	83%	83%	86%	86%	85%	86%					
ZEWB210226		FB19622	95	120	117	119	111	93	96	110	98	78	84	3	12			
FB		ZEWB190059	1.68	11.1	16.5	22.3	22	4.8	0.3	8.1	0.5	-2.2	-3.1					
ZEWB210226				84%	81%	79%	78%	78%	78%	79%	79%	79%	79%					
JAPANESE BLACK																		
AL 210113		YH11	139	70	66	66	62	63	124	62	100	113	115	2	11		5	
FB		CC4810(RE)	-2.56	-9.0	-15.3	-18.8	-47	-11.1	3.9	-25.9	0.8	1.2	1.9					
KOUSYN S113 (ET)(USA)				87%	85%	82%	82%	82%	82%	82%	82%	82%	82%					
IR 170709		TWAFS0348	98	117	108	107	102	79	84	107	86	83	110	1	71	11	15	3
PBD	PK 110003	1.43	9.6	10.9	12.7	10	-2.5	-1.2	5.6	-1.4	-1.7	1.2						
INFRACOR ISAMU			50%	40%	43%	35%	55%	41%	73%	72%	66%	72%	60%					

WAGYU Sires

Sire			Growth						Carcass					Stats					
ID	Parentage	Sire ID	Gen. DNA	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name		Dam ID																	
JAPANESE BLACK																			
KF 180008		PK 140005		97	93	87	88	78	75	90	103	82	92	113	2	23	6	15	
FB		KF 120008		1.55	-0.1	-2.0	-1.8	-25	-4.7	-0.4	3.1	-2.0	-0.9	1.6					
180008				79%	43%	46%	35%	29%	39%	55%	55%	52%	45%	38%					
KJDFC0087		IMUFM1615		102	95	84	80	87	72	98	115	118	102	118	55	369	126	100	52
FB		KJDFY0034		1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4					
LAKE WAGYU C087					98%	97%	97%	97%	96%	97%	98%	98%	98%	97%					
MOI 160003		OVE 080002		133	68	64	67	68	74	94	76	106	77	109	3	39	16	17	
FB		OVE 080003		-1.94	-10.1	-16.5	-18.4	-40	-5.3	0.0	-16.1	1.7	-2.3	1.0					
16003				73%	58%	67%	67%	40%	54%	59%	59%	57%	53%	43%					
MOI 190020		PK 130001	✓	124	80	77	80	76	62	103	80	116	97	108	3	15		13	
FB		OVE 080003	✓	-1.09	-5.2	-8.0	-7.9	-28	-11.5	1.2	-13.6	3.3	-0.4	0.8					
MOI190020				77%	55%	50%	40%	29%	46%	58%	58%	56%	50%	40%					
MOI 190028		PK 130001	✓	123	84	81	83	79	61	103	80	116	97	108	1	1			
FB		OVE 080003	✓	-1.01	-3.6	-6.1	-5.8	-23	-11.8	1.2	-13.6	3.3	-0.4	0.8					
MOI190028				61%	52%	50%	40%	29%	46%	58%	58%	56%	50%	40%					
MOI 200048		WESFZ0278	✓	119	91	89	94	86	80	100	82	110	62	91	3	21		4	
FB		OVE 080003	✓	-0.64	-0.7	-0.7	3.1	-14	-1.9	0.7	-11.6	2.3	-3.7	-1.8					
MOI200048				75%	64%	51%	43%	36%	44%	53%	53%	51%	46%	37%					
MOYFF0054		IMUFQ2599		121	48	47	56	47	72	98	117	129	116	100	31	142	58	17	24
FB		MOYFB0430		-0.84	-17.9	-26.7	-26.8	-70	-6.3	0.5	12.5	5.3	1.4	-0.5					
MOYHU F054					95%	92%	93%	91%	90%	92%	95%	95%	94%	92%					
Y398		J068		130	74	63	65	62	86	106	61	70	81	111	9	67	28	3	
FB		U100		-1.72	-7.7	-16.8	-19.8	-48	1.2	1.5	-27.0	-3.9	-1.9	1.3					
BLACKMORE AIZATZURUDOI Y398				88%	64%	60%	48%	33%	58%	64%	64%	60%	55%	41%					

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
KSOFF0023		IMUFQT147	109	85	82	87	77	92	91	131	98	103	93	3	8	6	1
		HWDF0002	0.33	-2.9	-5.4	-3.0	-26	4.4	-0.3	22.7	0.5	0.2	-1.6				
OASIS HIKOHIME F023			52%	39%	36%	32%	20%	44%	42%	43%	38%	30%	21%				
AKAUSHI																	
AF9202		AF4790	85	137	133	133	123	89	96	104	103	79	85	1	3	1	
FB		AF5513	2.73	17.9	26.4	33.6	39	3.0	0.3	3.9	1.3	-2.1	-2.8				
MYERS-COOPER 7863W			52%	36%	34%	17%	12%	14%	27%	27%	23%	25%	19%				
B3518R		FB2998	97	129	124	128	112	90	96	99	97	90	92	5	14	2	
FB		AF6862	1.51	14.8	21.3	29.8	24	3.2	0.3	-0.2	0.3	-1.0	-1.8				
HEARTBRAND BARBARA B3518R			62%	40%	48%	40%	20%	19%	50%	51%	44%	41%	28%				
B563		IMUFN2124	103	110	107	108	103	87	108	96	131	95	90	8	18	4	1
FB		RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0				
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
BB 150102		HBCFV2139	101	119	113	115	101	90	103	88	112	89	90	2	15	8	
FB		B563	1.18	10.5	14.5	19.3	8	3.5	1.2	-7.8	2.6	-1.1	-2.0				
BB150102			89%	86%	86%	86%	85%	86%	86%	87%	86%	86%	85%				
BB 150105		C0402	99	149	145	139	144	81	101	120	123	72	65	3	17	4	3
FB		C767	1.28	22.6	34.4	38.3	69	-1.2	0.9	15.3	4.3	-2.8	-6.0				
NAMIKO			71%	56%	58%	49%	40%	38%	75%	75%	68%	64%	37%				
BB 150158		HBCFV2139	106	122	112	115	104	80	104	92	99	73	77	2	2	1	
FB		OHVFA0045	0.61	11.6	13.7	19.1	13	-1.9	1.3	-4.9	0.6	-2.7	-4.1				
HOMARE			66%	53%	61%	53%	47%	42%	59%	61%	57%	57%	43%				
CCCFH0021		SMOFE0214	101	134	128	128	118	83	86	92	110	57	88	4	7	4	1
FB		KALFD0003	1.11	16.7	23.7	29.5	31	-0.3	-1.0	-4.9	2.4	-4.2	-2.4				
BALD RIDGE JOUCHAN			50%	32%	43%	26%	33%	28%	35%	33%	30%	32%	25%				
CCCFH0045		B0125	107	122	116	117	116	89	100	60	127	62	94	5	9	3	
FB		KALFC0555	0.54	11.8	15.9	20.5	29	3.0	0.8	-27.8	5.0	-3.7	-1.4				
BALD RIDGE ANAKI			63%	50%	45%	37%	55%	51%	53%	54%	50%	46%	33%				
CCCFJ0066		C0402	81	141	132	130	125	78	102	91	130	63	73	3	7	4	
FB		KALFC0037	3.12	19.4	26.2	30.9	42	-3.1	1.0	-5.8	5.4	-3.6	-4.8				
BALD RIDGE JANETTO			67%	52%	56%	44%	53%	47%	62%	62%	58%	49%	35%				
EPW 200026		C0402	86	149	139	135	142	75	100	105	129	61	66	1	1		
FB		OHVFA0045	2.59	22.6	30.4	34.5	67	-4.7	0.9	4.3	5.3	-3.8	-5.9				
RED STAR VALE			61%	48%	51%	50%	63%	45%	53%	52%	48%	46%	31%				
EPW 210009		CCCFM0128	113	126	119	119	125	81	100	97	118	56	68	1	2		
FB		OHVFA0045	0.01	13.3	17.8	22.4	42	-1.5	0.8	-1.2	3.6	-4.3	-5.6				
TAMAMARU VALE			58%	39%	40%	40%	61%	40%	45%	44%	40%	37%	24%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
IR 170704		CCCFH0037	89	133	127	127	109	79	109	83	122	77	83	1	10	5	
FB		CCCFJ0066	2.34	16.0	22.7	28.9	20	-2.6	1.9	-11.3	4.2	-2.2	-3.1				
INFRACOR YUKIKO			72%	56%	64%	45%	66%	64%	51%	51%	48%	45%	33%				
IR 170706		HBCFV2139	97	121	115	118	106	92	102	75	110	66	85	1	9	3	1
FB		CCCFH0045	1.50	11.5	15.6	21.5	15	4.6	1.0	-17.1	2.3	-3.3	-2.8				
INFRACOR YACHI			73%	61%	64%	46%	70%	69%	52%	55%	52%	52%	41%				
IR 180713		2619A	111	128	122	123	112	87	105	100	112	96	90	1	2	1	
FB		BB 150102	0.15	14.1	20.0	25.4	24	1.7	1.4	0.9	2.7	-0.5	-2.1				
BUCKCHERRY 2			58%	34%	37%	26%	30%	31%	34%	36%	33%	34%	25%				
IR 180717		2619A	98	134	129	129	114	92	106	105	111	99	90	1	6	4	1
FB		BB 150102	1.46	16.5	24.0	30.3	27	4.5	1.5	4.1	2.5	-0.2	-2.1				
BUCKCHERRY 3			63%	46%	44%	26%	47%	54%	34%	43%	38%	42%	25%				
IR 190767	✓	IR 170701	78	126	127	126	126	110	91	94	108	76	87	1	3	1	
F1		CWBFBV 120643	3.39	13.5	23.1	27.7	43	13.8	-0.4	-3.2	2.0	-2.4	-2.5				
F1 A701			57%	46%	46%	23%	32%	53%	45%	45%	40%	36%	25%				
IR 190784	✓	IR 170705	92	104	106	107	109	108	92	86	104	83	97	1	2	1	
F1		CWBFIR 160124	2.05	4.4	10.1	13.3	19	12.7	-0.3	-9.2	1.4	-1.7	-1.0				
IR190784			47%	33%	33%	23%	32%	43%	32%	31%	29%	24%	21%				
IR 190789	✓	HSFV0010	96	146	140	140	132	98	104	92	125	87	89	1	5	3	
FB	✓	IR 170706	1.64	21.6	30.8	38.8	52	7.5	1.3	-4.8	4.7	-1.3	-2.2				
IR190789			66%	55%	67%	39%	67%	66%	41%	42%	38%	36%	28%				
IR 190803	✓	HSFV0010	98	135	129	130	118	84	105	97	131	92	90	1	2	1	
FB	✓	IR 170704	1.44	17.2	24.1	30.8	33	0.4	1.4	-1.4	5.6	-0.9	-2.1				
IR190803			59%	48%	65%	38%	39%	57%	40%	40%	36%	34%	25%				
IR 190834	✓	IR 170703	98	122	116	118	90	81	105	79	114	75	87	1	3	2	
FB	✓	IR 170704	1.41	11.8	16.2	21.6	-7	-1.4	1.4	-14.1	3.0	-2.5	-2.6				
IR190834			69%	57%	50%	32%	64%	58%	36%	36%	34%	33%	26%				
IR 200885		IR 180716	82	149	149	145	132	87	94	113	114	90	88	2	4	3	
FB		IR 180717	3.02	22.6	36.4	42.7	52	1.9	0.0	9.7	2.9	-1.1	-2.4				
IR200885			87%	85%	84%	82%	87%	86%	83%	83%	83%	83%	82%				
IR 210792		CCCFH0037	98	133	129	130	115	86	112	92	135	96	89	2	2	1	
FB	✓	B563	1.42	16.4	24.0	31.3	27	1.5	2.3	-5.1	6.2	-0.5	-2.2				
IR210792			85%	83%	85%	83%	85%	83%	83%	84%	83%	83%	82%				
IR 210800		CCCFH0037	98	129	124	126	106	78	102	80	110	73	91	2	2	1	
FB	✓	CCCFH0021	1.47	14.6	20.9	27.8	14	-3.1	1.1	-13.1	2.4	-2.7	-1.9				
IR210800			86%	84%	86%	84%	86%	84%	84%	84%	83%	84%	83%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
IR 210801		CCCFL0126	110	136	131	133	127	90	107	90	120	85	85	2	2	1	
FB		IR 190789	0.30	17.4	25.6	33.3	44	3.3	1.7	-6.2	3.9	-1.5	-2.8				
IR210801			84%	80%	80%	78%	83%	81%	78%	78%	78%	78%	78%				
IR 210812		IR 180716	76	137	135	131	126	109	82	110	100	81	92	1	2	1	
F1		CWBFAVN 160119	3.51	17.8	27.9	31.9	43	13.2	-1.5	7.6	0.8	-1.9	-1.7				
IR210812			55%	40%	39%	17%	58%	29%	33%	35%	32%	33%	23%				
IR 220710		IR 180716	94	147	139	136	127	85	89	102	103	77	91	1	1		
FB		IR 180717	1.85	21.9	30.2	36.0	45	0.6	-0.6	2.5	1.2	-2.3	-1.9				
IR220710			87%	84%	83%	82%	85%	84%	83%	83%	82%	83%	82%				
IR 220743		IR 180716	104	149	141	137	132	82	90	97	112	68	85	1	1	1	
FB		IR 180713	0.81	22.6	31.7	36.7	53	-0.8	-0.4	-1.0	2.6	-3.2	-2.8				
IR220743			86%	82%	82%	80%	81%	81%	81%	81%	81%	81%	80%				
IR 220755		IR 180714	119	118	110	113	95	77	108	93	111	90	87	1	1	1	
FB		IR 190834	-0.57	10.2	12.5	17.7	0	-3.3	1.8	-4.4	2.5	-1.0	-2.5				
IR220755			71%	62%	60%	22%	45%	49%	29%	35%	31%	34%	21%				
IR 220756		IR 180714	113	133	125	124	116	85	102	114	105	103	88	1	1		
FB		IR 200885	-0.04	16.1	21.8	26.2	29	0.6	1.1	10.6	1.6	0.2	-2.3				
IR220756			87%	85%	84%	80%	85%	83%	81%	81%	81%	81%	80%				
IR 220777		IR 180714	113	136	127	128	112	86	108	99	117	96	88	1	1		
FB		IR 190789	-0.01	17.3	22.7	29.6	24	1.1	1.8	0.3	3.3	-0.5	-2.4				
IR220777			71%	62%	51%	24%	66%	51%	30%	36%	32%	34%	22%				
IR 220801		IR 180714	103	148	137	137	121	80	96	106	104	92	92	1	1		
FB		IR 200879	0.96	22.3	29.4	36.4	36	-1.7	0.3	5.1	1.4	-0.9	-1.7				
IR220801			72%	62%	60%	20%	61%	49%	30%	37%	32%	34%	21%				
IR 230583		IR 190800	108	122	117	119	115	86	103	91	123	84	89	1	1		
FB		IR 210804	0.49	11.7	16.7	22.0	28	1.1	1.2	-5.4	4.3	-1.6	-2.2				
IR230583			68%	57%	61%	25%	38%	37%	33%	33%	30%	26%	19%				
IR 230601		IR 180716	94	149	147	143	135	84	93	105	109	78	86	1	1		
FB		IR 180717	1.81	22.6	35.2	41.2	56	0.0	-0.1	4.6	2.2	-2.2	-2.7				
IR230601			70%	60%	60%	21%	40%	41%	37%	41%	37%	39%	26%				
KALFB0005		RWAFT0010	114	112	112	113	106	90	102	92	121	87	94	4	10	3	
FB			-0.14	7.9	13.7	17.6	15	3.3	1.0	-4.6	4.0	-1.4	-1.4				
KALANGA SHIGEYUKO B005 (AI)			40%	17%	41%	32%	12%	14%	29%	30%	26%	28%	20%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60	8	41	19	5
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9				
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
S190808		733D	97	121	115	117	108	89	111	94	93	94	84	2	7	4	
PBD		ZEWB170033	1.55	11.6	15.5	20.9	18	2.9	2.2	-3.6	-0.4	-0.7	-3.0				
S190808			88%	86%	87%	86%	85%	86%	88%	88%	87%	87%	87%				
ZEWB190059		H5070S	96	131	125	126	116	86	104	114	97	69	70	1	3	2	
FB		7863W	1.61	15.3	21.6	28.0	29	1.2	1.3	10.6	0.3	-3.1	-5.2				
ZEWB190059			85%	83%	82%	82%	82%	82%	83%	83%	83%	83%	82%				
ZEWB200150		733D	94	116	111	115	102	91	106	93	92	90	84	1	3	3	
PBD		ZEWB170033	1.83	9.4	13.0	19.5	9	4.0	1.6	-4.3	-0.5	-1.1	-3.0				
ZEWB200150			87%	85%	86%	85%	84%	84%	86%	86%	86%	86%	85%				
ZEWB210025		AP112607	113	129	124	125	116	87	104	89	123	78	85	2	2	1	
PBD		ZEWB180203	-0.04	14.7	21.3	27.0	29	1.8	1.3	-7.0	4.3	-2.2	-2.9				
ZEWB210025			85%	83%	83%	83%	82%	83%	84%	84%	83%	84%	83%				
ZEWB210042		AP112607	118	122	119	122	112	89	101	91	104	125	115	2	2	1	
PBD		ZEWB180213	-0.47	11.9	18.1	24.3	24	2.7	0.9	-5.4	1.4	2.3	2.0				
ZEWB210042			52%	27%	17%	11%	7%	37%	35%	36%	31%	36%	26%				
JAPANESE BLACK																	
BB 150122		FB14115	108	111	102	103	99	89	100	109	103	123	109	8	23	9	6
PBD		BB 120022	0.42	7.2	7.3	9.5	5	3.1	0.8	7.5	1.3	2.1	1.0				
KUNISAKE			62%	34%	44%	47%	37%	38%	66%	65%	58%	33%	23%				
BB 150141		FB13429	87	138	140	141	135	120	59	113	81	119	133	3	12	12	
PBD		CWBFBB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8				
JUDO ICHIRO			58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 150144		FB13429	88	132	124	126	103	85	70	109	78	139	144	6	12	3	4
PBD		BB 110006	2.36	15.7	21.2	27.6	11	0.8	-3.0	7.4	-2.6	3.6	6.4				
JUDO ICHIRO			73%	41%	47%	46%	22%	43%	62%	61%	55%	37%	24%				
C2			87	100				122	100	92	101			1	3	1	1
BS			2.45	2.8				20.6	0.7	-4.6	1.0						
INFRACOR C2			42%	21%				37%	28%	27%	22%						
HJM 020000			87	99			110	122						1	1	1	
BS			2.46	2.6			21	20.2									
INFRACOR HJM020000			27%	23%			28%	32%									
IR 170707		TWAFS0348	92	116	107	106	103	79	91	99	90	83	106	1	5	2	2
PBD		PK 110003	1.97	9.2	10.6	12.3	10	-2.2	-0.3	0.3	-0.7	-1.7	0.6				
INFRACOR YAEKA			66%	54%	55%	35%	44%	64%	55%	54%	50%	43%	35%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
IR 170708		TWAFS0348	92	120	111	110	102	80	90	100	96	90	112	1	6	4	1
PBD		PK 110003	2.02	10.9	13.0	15.2	9	-1.7	-0.5	0.7	0.2	-1.1	1.4				
YASUO			69%	54%	53%	35%	54%	64%	52%	52%	48%	48%	39%				
IR 180723		FB14989	94	117	111	113	112	99	92	113	98	116	107	1	6	3	1
PBD		BB 150122	1.82	9.7	13.0	17.7	24	8.3	-0.2	9.9	0.5	1.5	0.7				
HARUMI 1			69%	50%	52%	40%	69%	66%	55%	54%	49%	30%	20%				
IR 180724		PK 140005	82	98	101	101	100	107	99	91	79	95	105	1	2	2	
F1			2.94	2.3	6.9	8.3	6	12.6	0.6	-5.4	-2.4	-0.6	0.4				
F1			52%	40%	46%	20%	19%	49%	42%	41%	39%	33%	27%				
IR 180725		FB14989	82	142	140	142	139	120	75	126	89	117	112	1	6	3	1
PBD		BB 150141	2.95	20.0	31.3	40.1	62	19.5	-2.4	19.5	-0.9	1.5	1.4				
HARUMI 2			69%	55%	52%	35%	65%	71%	49%	49%	44%	38%	27%				
IR 180728		FB14989	76	132	126	129	113	97	82	115	89	121	118	2	6	1	
PBD		BB 150144	3.52	15.7	22.5	30.0	25	7.1	-1.5	11.5	-1.0	1.9	2.4				
HARUMI 3			72%	50%	50%	40%	30%	64%	50%	49%	45%	31%	21%				
IR 180729		FB14989	92	132	130	132	129	112	74	116	85	119	120	1	6	3	1
PBD		BB 150141	1.97	15.8	25.0	32.7	48	15.1	-2.5	11.7	-1.6	1.7	2.7				
HARUMI 4			69%	53%	52%	35%	67%	68%	49%	49%	44%	30%	20%				
IR 190733	✓	KJDFC0087	109	82	75	74	74	64	101	123	121	103	105	2	5	3	
FB	✓	MOYFH0079	0.34	-4.3	-9.5	-13.0	-30	-10.5	1.0	16.9	4.0	0.2	0.3				
TANI79 A			71%	62%	59%	44%	67%	71%	56%	56%	53%	47%	39%				
IR 190734	✓	KJDFC0087	110	78	71	70	70	64	100	130	120	121	114	1	4	2	
FB	✓	MOYFH0079	0.23	-5.8	-12.1	-15.8	-36	-10.5	0.8	21.7	3.8	1.9	1.7				
TANI79 B			68%	59%	59%	44%	64%	68%	59%	59%	55%	51%	43%				
IR 190737	✓	MOYFF0054	114	70	69	78	65	81	87	96	114	90	108	2	4	1	
FB	✓	MOYFH0107	-0.09	-9.3	-13.6	-9.9	-44	-1.6	-0.8	-2.2	2.9	-1.0	0.8				
SHIGEKINU 1			68%	52%	49%	44%	21%	55%	56%	56%	53%	45%	34%				
IR 190746	✓	KJDFC0087	107	99	93	90	93	83	112	105	121	95	97	2	4	1	1
FB	✓	MOYFH0037	0.50	2.7	1.6	0.1	-3	-0.1	2.3	4.2	4.0	-0.5	-1.0				
MOYFH37A			64%	58%	56%	46%	40%	65%	51%	56%	54%	52%	40%				
IR 190747	✓	KJDFC0087	115	96	88	87	98	79	106	100	109	98	108	2	3	1	
FB	✓	KJDFK0005	-0.20	1.2	-1.1	-2.9	3	-2.2	1.6	0.9	2.1	-0.3	0.8				
LAKE WAGYU FK5A			64%	59%	55%	45%	64%	66%	52%	52%	51%	47%	39%				
IR 190750	✓	KJDFC0087	114	87	80	78	76	70	108	96	105	90	106	1	3	2	
FB	✓	KJDFK0011	-0.12	-2.5	-6.5	-9.5	-28	-7.4	1.8	-1.8	1.5	-1.1	0.5				
MOYFH138 B			64%	55%	66%	45%	64%	61%	53%	53%	52%	48%	40%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
IR 190754	✓ Y398		115	81	71	73	67	88	100	66	71	92	115	2	3	1	
FB	✓ KJDFOB0044		-0.24	-4.7	-12.2	-13.6	-41	2.5	0.8	-23.2	-3.6	-0.9	2.0				
LAKE WAGYU B44 A			64%	50%	61%	30%	22%	57%	43%	42%	40%	35%	26%				
IR 190756	✓ KJDFOC0087		110	87	80	78	81	75	107	96	103	91	107	2	3	2	
FB	✓ KJDFOLO0008		0.28	-2.2	-6.4	-9.9	-21	-4.6	1.7	-1.7	1.3	-1.0	0.7				
IR190756			63%	55%	66%	47%	42%	62%	55%	55%	53%	48%	40%				
IR 190783	✓ CWBMIR 170702		117	91	93	95	78	82	102	93	102	92	101	1	3		
PBD	✓ IR 170708		-0.43	-0.6	1.8	3.7	-25	-0.9	1.0	-4.0	1.2	-0.9	-0.3				
IR190783			66%	45%	40%	17%	61%	61%	26%	26%	24%	24%	19%				
IR 190793	✓ KJDFOC0087		104	92	84	84	84	82	95	123	108	103	105	2	4	3	
FB	✓ KSOFF0023		0.82	-0.4	-3.8	-4.6	-17	-0.8	0.1	17.2	2.0	0.2	0.4				
IR190793			67%	58%	54%	44%	40%	66%	52%	52%	50%	46%	38%				
IR 190801	✓ KJDFOC0087		115	94	87	86	87	74	103	113	115	102	105	1	4	1	1
FB	✓ SFWFJO060		-0.20	0.6	-1.9	-3.6	-12	-5.0	1.1	9.9	3.2	0.1	0.4				
IR190801			68%	60%	60%	49%	65%	68%	57%	58%	56%	55%	44%				
IR 190806	✓ KJDFOC0087		113	90	82	82	85	75	104	108	115	106	109	1	4	1	
FB	✓ SFWFJO060		-0.06	-1.2	-4.8	-6.8	-15	-4.5	1.3	6.3	3.1	0.5	1.0				
IR190806			67%	55%	54%	49%	51%	58%	53%	55%	54%	51%	41%				
IR 200879	✓ IR 180716		75	149	147	145	132	92	81	106	101	79	97	1	4	1	
PBD	✓ IR 180728		3.65	22.6	35.4	42.7	52	4.5	-1.6	5.0	0.9	-2.1	-1.0				
IR200879			87%	82%	82%	80%	81%	83%	81%	81%	81%	81%	80%				
IR 200891	✓ IR 180716		85	149	147	145	149	90	77	116	101	91	100	1	2	1	
PBD	✓ IR 180725		2.70	22.6	35.7	42.4	76	3.4	-2.1	12.2	0.9	-0.9	-0.4				
IR200891			86%	84%	82%	80%	84%	83%	81%	81%	81%	81%	80%				
IR 200956	✓ IR 180712		99	125	119	119	103	80	98	113	98	113	107	2	4	2	
PBD	✓ IR 170708		1.30	13.0	18.2	22.5	11	-1.9	0.5	9.6	0.5	1.1	0.6				
IR200956			73%	55%	47%	23%	62%	63%	36%	38%	34%	35%	26%				
IR 210794	✓ IR 170701		72	145	135	133	122	86	97	85	109	67	92	1	2	1	
PBD	✓ IR 170708		3.91	20.9	27.9	33.5	38	1.5	0.4	-10.1	2.2	-3.2	-1.8				
IR210794			71%	63%	62%	29%	67%	59%	47%	48%	44%	38%	26%				
IR 210804	✓ IR 170701		82	127	119	120	118	85	98	90	113	72	86	1	2	2	
PBD	✓ IR 180723		3.02	13.8	18.1	23.1	32	0.9	0.5	-6.3	2.7	-2.7	-2.7				
IR210804			86%	83%	83%	79%	84%	83%	81%	81%	81%	80%	79%				
IR 210817	✓ IR 180714		118	93	86	87	85	69	106	115	114	104	96	1	2	1	
PBD	IR 190733		-0.51	0.3	-2.9	-2.4	-16	-7.5	1.6	11.1	3.0	0.3	-1.1				
TANI79 A1			73%	62%	62%	27%	65%	44%	36%	41%	37%	37%	26%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
IR 210821	✓	IR 170701	77	141	135	136	125	96	89	92	104	82	96	1	2	1	
PBD	✓	IR 180729	3.50	19.4	28.1	35.5	42	6.7	-0.6	-4.6	1.3	-1.8	-1.1				
HARUMI 4B			71%	60%	60%	29%	46%	44%	47%	47%	43%	33%	20%				
IR 220714	✓	IR 190800	110	111	105	104	102	81	108	94	118	93	100	1	1		
PBD	✓	IR 190756	0.29	7.2	9.1	10.8	9	-1.5	1.9	-3.1	3.5	-0.8	-0.5				
IR220714			69%	38%	47%	30%	29%	37%	36%	36%	34%	31%	26%				
IR 220722	✓	IR 190800	101	115	108	109	102	84	102	108	120	99	99	1	1		
PBD	✓	IR 190793	1.11	8.9	11.2	14.3	8	0.1	1.1	6.3	3.9	-0.2	-0.7				
IR220722			69%	56%	59%	29%	28%	40%	35%	34%	32%	31%	25%				
IR 220733	✓	IR 180716	85	142	132	130	128	89	86	110	103	86	95	1	1		
PBD	✓	IR 180723	2.68	19.7	26.2	31.3	46	3.0	-1.0	7.5	1.2	-1.4	-1.3				
IR220733			72%	61%	61%	26%	65%	53%	43%	45%	40%	36%	25%				
IR 220741		✓ IR 180716	101	145	136	134	131	87	81	110	93	94	103	2	2	1	
PBD	✓	IR 180729	1.15	20.9	28.3	34.0	50	1.8	-1.6	8.0	-0.2	-0.7	0.0				
IR220741			86%	82%	82%	79%	84%	83%	81%	81%	80%	80%	79%				
IR 220804	✓	IR 170701	91	117	109	109	105	81	98	84	106	64	89	1	2		
PBD	✓	IR 170707	2.11	9.6	11.4	14.5	13	-1.6	0.5	-10.3	1.8	-3.5	-2.2				
IR220804			73%	62%	61%	29%	61%	51%	48%	48%	44%	36%	25%				
IR 220817	✓	IR 180714	113	107	97	98	93	75	108	107	111	106	98	1	1		
PBD	✓	IR 190806	-0.02	5.6	4.0	5.9	-4	-4.7	1.8	5.8	2.5	0.4	-0.8				
IR220817			70%	59%	58%	29%	64%	49%	35%	40%	37%	39%	26%				
IR 230596	✓	IR 180716	96	136	128	126	118	80	89	109	102	85	95	1	1		
PBD	✓	IR 200956	1.61	17.3	23.5	27.8	32	-2.1	-0.6	7.4	1.2	-1.6	-1.3				
IR230596			73%	64%	60%	20%	45%	44%	38%	40%	36%	37%	26%				
IR 230828	✓	IR 180714	123	113	104	104	100	77	112	106	114	100	92	2	2		
PBD	✓	IR 190746	-1.03	8.0	8.5	10.5	7	-3.6	2.3	4.8	3.0	-0.1	-1.8				
IR230828			61%	59%	59%	27%	38%	41%	34%	41%	37%	39%	26%				
IR 230929	✓	IR 180716	85	143	132	128	123	78	85	103	99	70	95	1	1		
PBD	✓	IR 170707	2.67	20.4	25.9	29.6	38	-3.2	-1.0	2.7	0.6	-3.0	-1.3				
IR230929			72%	48%	48%	24%	39%	44%	43%	45%	40%	39%	29%				
KJDFB0044		ETJ002	111	100	90	91	84	89	94	71	73	102	120	2	5	1	
FB		NPFFV0011	0.17	3.1	-0.4	0.7	-17	3.1	0.1	-19.3	-3.4	0.1	2.7				
LAKE WAGYU B44			66%	47%	50%	35%	29%	43%	56%	56%	52%	44%	30%				
KJDFK0005		MOYFF0137	127	86	83	85	89	80	114	85	100	93	98	2	2	2	
FB		KJDFB0050	-1.35	-2.7	-4.2	-4.4	-9	-1.9	2.5	-9.7	0.7	-0.7	-0.8				
LAKE WAGYU F K0005			50%	44%	43%	37%	39%	45%	42%	43%	41%	33%	24%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
KJDFL00008		MOYFF0137	118	80	77	76	75	79	116	78	88	79	96	3	4	1	2
FB		KJDFD0030	-0.48	-5.1	-8.1	-10.9	-30	-2.3	2.9	-15.1	-1.0	-2.1	-1.0				
LAKE WAGYU L8			50%	43%	56%	42%	34%	43%	56%	55%	51%	40%	32%				
MOI 180014		MOI 160005	101	89	92	94	97	106	83	91	105	86	109	1	2	1	
F1			1.14	-1.6	1.2	2.8	2	12.1	-1.4	-5.8	1.6	-1.5	1.0				
ENYA			41%	27%	28%	27%	20%	27%	43%	42%	40%	37%	29%				
MOI 190040	✓	MOI 160004	90	93	97	98	99	107	88	95	100	92	106	2	5	2	
F1			2.18	0.3	4.0	6.0	5	12.7	-0.7	-2.9	0.7	-0.9	0.5				
MOI190040			57%	27%	34%	33%	20%	27%	29%	29%	28%	26%	21%				
MOI 190042	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105	1	1	1	
F1			1.13	-2.2	0.0	0.4	2	12.1	-0.6	-3.0	0.7	-0.9	0.4				
MOI190042			42%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 190043	✓	MOI 160004	95	92	95	97	99	107	88	95	100	92	106	1	3	2	
F1			1.76	-0.2	3.2	5.0	5	12.4	-0.7	-2.9	0.7	-0.9	0.5				
MOI190043			47%	27%	34%	33%	20%	27%	29%	29%	28%	26%	21%				
MOI 200032	✓	MOI 160003	100	87	90	91	97	106	89	95	100	91	105	2	2	1	
F1			1.19	-2.1	0.1	0.6	2	12.1	-0.6	-3.0	0.7	-0.9	0.4				
MOI200032			49%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 200055	✓	MOI 160003	104	86	89	90	97	106	89	95	100	91	105	1	2	2	
F1			0.82	-2.6	-0.6	-0.3	2	11.9	-0.6	-3.0	0.7	-0.9	0.4				
MOI200055			47%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 200056	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105	1	4	2	
F1			1.10	-2.3	0.0	0.4	2	12.0	-0.6	-3.0	0.7	-0.9	0.4				
MOI200056			57%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOYFH0037		TWAFR0007	119	96	93	94	87	77	119	88	110	80	82	10	15	4	
FB		MOYFA0238	-0.62	1.4	1.7	2.9	-12	-3.2	3.2	-7.9	2.4	-2.0	-3.4				
MOYHU F H37			50%	44%	50%	38%	23%	43%	38%	44%	42%	42%	31%				
MOYFH0079		MOYFZ0179	118	72	70	71	64	58	104	130	125	103	92	7	30	6	4
FB		MOYFB0354	-0.53	-8.2	-12.9	-15.4	-45	-13.4	1.4	22.3	4.6	0.2	-1.7				
MOYHU F H79			66%	47%	48%	30%	44%	54%	58%	57%	51%	36%	26%				
MOYFH0107		IMJFAJ2810	116	80	80	90	77	79	77	75	99	65	116	5	10	1	4
FB		WESFY0168	-0.36	-4.9	-6.5	-0.3	-27	-2.6	-2.2	-16.9	0.6	-3.4	2.1				
MOYHU F H107			67%	61%	59%	56%	38%	55%	64%	64%	59%	46%	37%				
PK 110003	✓	KJDFC0087	94	97	89	88	88	76	92	106	89	117	134	4	13	3	1
FB	✓	KJDFC0082	1.86	1.8	-0.6	-1.9	-11	-3.9	-0.2	5.4	-1.0	1.5	5.0				
PENSIE			71%	60%	59%	53%	56%	62%	73%	73%	69%	63%	51%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage		Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
T100166				82														
BS				3.00											1			
INFRACOR T100166				29%														

WAGYU Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull			Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA Sire ID Dam ID																			
AKAUSHI																					
IR 170701 FB INFRACOR ICHIRO	12	CCCFH0037 CCCFJ0066	69 78%	142 69%	81 53 %	80 64%	143 36%	72 3.98 83 %	142 20.0 69 %	99 -0.35 61%	81 -1.5 53%	134 30.2 58%	120 35 64%	147 -30.1 54%	136 -6.3 18%	115 11.7 83 %	104 1.3 79 %	69 -20.9 80 %	122 4.2 74 %	45 -5.3 58 %	72 -4.9 36 %
IR 180714 FB INFRACOR HERCULES 2	8	2619A BB 150158	111 80%	123 78%	71 48 %	97 64%	149 32%	133 -1.96 87 %	123 12.1 78 %	97 -0.26 53%	71 -6.4 48%	113 15.8 53%	103 10 64%	150 -31.9 51%	150 -8.6 14%	121 14.2 72 %	111 2.2 44 %	106 5.3 59 %	108 2.0 52 %	105 0.4 58 %	87 -2.5 33 %
IR 180716 FB INFRACOR RED STAR 1	11	TWAFS0348 BB 150105	90 86%	148 80%	77 59 %	58 65%	133 37%	91 2.13 91 %	149 22.6 80 %	97 -0.27 65%	77 -3.4 59%	148 40.0 56%	142 67 65%	135 -23.1 56%	124 -4.8 18%	120 13.6 76 %	80 -1.8 67 %	106 5.1 71 %	107 1.8 64 %	56 -4.3 66 %	83 -3.2 46 %
WB 180157 FB MILAH WB18-157	2	2132A B3518R	111 65%	122 57%	91 17 %	91 12%	139 22%	111 0.19 73 %	122 11.9 57 %	88 0.07 33%	91 4.2 17%	121 21.3 34%	109 19 12%	130 -20.5 31%	140 -7.3 12%	104 6.8 66 %	90 -0.4 50 %	98 -0.6 57 %	102 1.0 42 %	108 0.6 47 %	105 0.3 28 %
IR 190791 FB INFRACOR IR190791	7	HSFV0010 IR 170704	96 52%	140 39%	85 40 %	82 43%	140 24%	96 1.58 53 %	140 19.2 39 %	94 -0.17 48%	85 0.6 40%	134 30.3 50%	118 33 43%	140 -26.2 35%	134 -6.2 12%	113 10.7 63 %	105 1.4 40 %	97 -1.4 40 %	131 5.6 36 %	92 -0.9 34 %	90 -2.1 25 %
IR 190800 FB INFRACOR IR190800	7	HSFV0010 IR 170704	101 63%	139 51%	85 41 %	77 39%	136 26%	101 1.13 66 %	139 18.8 51 %	94 -0.15 52%	85 0.8 41%	134 30.2 53%	123 39 39%	134 -22.7 41%	132 -5.7 12%	124 15.3 70 %	109 2.0 46 %	92 -4.5 45 %	133 5.8 41 %	95 -0.6 41 %	92 -1.7 31 %
IR 190805 FB INFRACOR IR190805	6	HSFV0010 IR 170706	93 62%	137 52%	91 43 %	81 40%	145 24%	94 1.79 66 %	137 17.9 52 %	92 -0.07 49%	91 4.1 43%	131 27.9 54%	119 34 40%	143 -28.0 34%	141 -7.3 14%	131 18.4 66 %	101 1.0 41 %	93 -4.3 42 %	125 4.6 38 %	87 -1.4 36 %	91 -1.9 28 %
ZEWB190053 PBD EBUHLANTI ZEWB190053	12	733D AF9202	78 91%	131 87%	88 84 %	87 84%	149 84%	85 2.72 93 %	131 15.6 87 %	79 0.42 85%	88 2.4 84%	127 25.2 86%	113 25 84%	150 -31.9 85%	142 -7.8 84%	141 22.6 87 %	108 1.9 86 %	97 -1.5 86 %	97 0.4 85 %	97 -0.4 86 %	88 -2.4 85 %
IR 210790 FB INFRACOR IR210790	6	CCCFH0037 CCCFH0021	79 85%	145 84%	83 82 %	78 82%	140 82%	84 2.74 86 %	145 21.0 84 %	82 0.28 83%	83 -0.2 82%	138 33.2 84%	122 38 82%	145 -29.1 83%	131 -5.8 81%	137 21.1 86 %	89 -0.6 83 %	94 -3.8 83 %	115 3.1 83 %	72 -2.8 83 %	93 -1.5 82 %
IR 210851 FB INFRACOR IR210851		CCCFH0037 KALFB0005	96 83%	136 81%	84 80 %	83 81%	143 81%	97 1.52 83 %	136 17.4 81 %	93 -0.11 82%	84 0.3 80%	132 28.9 83%	117 31 81%	143 -28.1 82%	138 -6.8 80%	128 17.3 84 %	107 1.7 82 %	85 -9.8 82 %	121 4.0 81 %	80 -2.0 81 %	89 -2.2 80 %
ZEWB210226 FB EBUHLANTI ZEWB210226	3	FB19622 ZEWB190059	93 83%	120 81%	93 78 %	89 78%	141 78%	95 1.68 84 %	120 11.1 81 %	88 0.05 80%	93 4.8 78%	118 19.0 78%	111 22 78%	137 -24.4 79%	140 -7.0 78%	132 18.9 82 %	96 0.3 79 %	110 8.1 79 %	98 0.5 79 %	78 -2.2 79 %	84 -3.1 79 %
IR 230599 FB INFRACOR IR230599	10	IR 180716 IR 190803	100 63%	145 61%	81 42 %	71 38%	133 24%	99 1.29 68 %	145 21.2 61 %	95 -0.19 44%	81 -1.2 42%	135 31.1 38%	129 47 38%	137 -24.2 35%	125 -4.7 12%	119 13.2 49 %	92 -0.2 39 %	102 1.9 41 %	119 3.7 37 %	74 -2.6 37 %	86 -2.6 26 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA																				
AKAUSHI																							
IR 230902	9	☒	IR 180716	91	148	87	52	142	91	149	99	87	150	148	143	135	114	92	101	117	69	83	
FB		☒	IR 190789	2.15	22.6				2.15	22.6	-0.33	2.0	41.8	75	-27.6	-6.5	11.4	-0.2	1.2	3.4	-3.0	-3.2	
INFRACOR IR230902				85%	84%	82 %	82%	80%	86 %	84 %	82%	82%	82%	82%	81%	80%	83 %	81 %	81 %	81 %	81 %	80 %	
IR 230939	31	☒	IR 180716	76	148	82	60	131	79	149	91	82	150	140	134	123	134	87	109	110	73	85	
FB		☒	IR 200885	3.24	22.6				3.24	22.6	-0.05	-1.1	41.8	64	-22.6	-4.5	19.6	-0.9	7.4	2.4	-2.7	-2.8	
INFRACOR IR230939				66%	64%	46 %	47%	25%	71 %	64 %	46%	46%	34%	47%	36%	14%	48 %	38 %	41 %	37 %	38 %	26 %	
ZEWB230016	7	☒	AP112607	90	126	89	91	148	94	126	84	89	123	109	148	141	143	112	99	95	116	95	
PBD		☒	ZEWB200150	1.81	13.4				1.81	13.4	0.20	2.7	22.2	19	-31.1	-7.5	23.6	2.4	0.1	0.0	1.5	-1.2	
EBUHLANTI ZEWB230016				84%	82%	82 %	82%	82%	84 %	82 %	83%	82%	82%	82%	82%	81%	84 %	83 %	83 %	83 %	83 %	82 %	
IR 240605	9	☒	IR 190805	86	138	88	83	147	89	138	91	88	132	117	150	140	134	107	92	130	91	90	
FB		☒	IR 210792	2.32	18.3				2.32	18.3	-0.05	2.6	29.1	30	-31.9	-7.1	19.6	1.7	-4.7	5.4	-0.9	-2.1	
INFRACOR IR240605				58%	52%	32 %	36%	20%	64 %	52 %	37%	32%	45%	36%	30%	10%	46 %	31 %	31 %	29 %	28 %	20 %	
IR 240608	8	☒	IR 190805	92	126	85	94	147	95	126	84	85	121	106	150	139	135	102	87	118	80	91	
FB		☒	IR 210800	1.67	13.5				1.67	13.5	0.21	0.8	21.2	15	-31.9	-7.0	20.4	1.0	-8.7	3.5	-2.0	-1.9	
INFRACOR IR240608				61%	55%	35 %	38%	20%	67 %	55 %	38%	35%	44%	38%	30%	9%	45 %	29 %	30 %	27 %	27 %	20 %	
IR 240615	10	☒	IR 180716	88	145	85	76	142	91	145	89	85	134	124	142	136	128	91	90	108	61	84	
FB		☒	IR 170706	2.15	20.9				2.15	20.9	0.01	0.6	30.0	41	-27.1	-6.5	17.3	-0.4	-6.0	2.1	-3.8	-3.0	
INFRACOR IR240615				67%	50%	45 %	48%	26%	72 %	50 %	49%	45%	40%	48%	37%	15%	52 %	42 %	45 %	41 %	42 %	31 %	
IR 240620	13	☒	IR 180716	87	148	78	74	136	89	149	92	78	138	126	139	129	117	94	95	115	67	83	
FB		☒	IR 170704	2.26	22.5				2.26	22.5	-0.07	-3.0	32.8	43	-25.3	-5.4	12.3	0.1	-3.1	3.0	-3.3	-3.2	
INFRACOR IR240620				66%	49%	44 %	47%	24%	71 %	49 %	49%	44%	39%	47%	37%	12%	52 %	42 %	44 %	40 %	40 %	28 %	
IR 240712	4	☒	WB 180157	126	131	87	79	138	121	131	100	87	125	121	137	133	117	90	98	107	88	95	
FB		☒	IR 220743	-0.76	15.3				-0.76	15.3	-0.40	2.0	24.2	36	-24.6	-6.0	12.5	-0.4	-0.8	1.8	-1.3	-1.3	
INFRACOR IR 240712				59%	36%	19 %	19%	18%	67 %	36 %	30%	19%	24%	19%	28%	9%	43 %	31 %	35 %	28 %	30 %	19 %	
IR 240727	7	☒	IR 180716	93	148	85	72	130	94	149	91	85	139	128	135	122	131	93	105	109	78	86	
FB		☒	IR 180717	1.79	22.6				1.79	22.6	-0.03	0.6	33.4	47	-23.0	-4.1	18.4	-0.1	4.6	2.2	-2.2	-2.7	
INFRACOR IR 240727				53%	46%	40 %	40%	26%	55 %	46 %	46%	40%	33%	40%	38%	15%	49 %	37 %	41 %	37 %	39 %	26 %	
IR 250731	4	☒	WB 180157	90	140	92	80	137	93	140	87	92	134	120	130	136	113	86	102	101	93	101	
FB		☒	IR 200879	1.92	19.0				1.92	19.0	0.11	4.3	30.0	35	-20.2	-6.7	10.8	-1.0	2.2	0.9	-0.7	-0.3	
INFRACOR IR 250731				50%	39%	32 %	22%	20%	53 %	39 %	36%	32%	26%	22%	28%	11%	44 %	32 %	36 %	29 %	30 %	19 %	
IR 250733	4	☒	WB 180157	92	128	85	91	140	95	128	86	85	125	109	137	137	111	100	90	112	93	94	
FB		☒	IR 170704	1.77	14.4				1.77	14.4	0.14	0.8	24.0	19	-24.2	-6.6	9.8	0.7	-6.0	2.6	-0.8	-1.4	
INFRACOR IR 250733				61%	55%	34 %	34%	20%	66 %	55 %	40%	34%	32%	34%	29%	10%	49 %	36 %	38 %	32 %	32 %	22 %	
IR 250735	5	☒	WB 180157	124	114	87	88	143	125	114	108	87	112	112	138	140	109	95	98	110	82	86	
FB		☒	EPW 210009	-1.19	8.4				-1.19	8.4	-0.70	1.9	15.0	23	-25.0	-7.3	8.9	0.2	-0.9	2.3	-1.8	-2.7	
INFRACOR IR 250735				59%	54%	23 %	31%	18%	66 %	54 %	32%	23%	27%	31%	27%	10%	45 %	33 %	36 %	29 %	30 %	19 %	

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
IR 250827	7	✓	ZEWB190053	74	148	87	76	140	80	148	82	87	139	124	142	132	142	101	105	106	94	88
PBD		✓	IR 200885	63%	61%	36 %	34%	20%	3.14	22.2	0.29	2.0	33.8	41	-27.5	-6.0	23.4	1.0	4.1	1.7	-0.7	-2.4
INFRACOR IR 250827									70 %	61 %	38%	36%	26%	34%	29%	12%	41 %	30 %	31 %	28 %	30 %	22 %
IR 250829	5	✓	ZEWB210226	108	127	91	82	143	106	127	97	91	124	118	139	142	129	102	100	109	82	84
FB		✓	IR 210801	59%	56%	30 %	33%	16%	0.63	13.6	-0.27	4.1	23.1	32	-25.6	-7.4	17.7	1.0	0.9	2.2	-1.8	-2.9
INFRACOR IR 250829									66 %	56 %	31%	30%	18%	33%	23%	8%	34 %	18 %	18 %	16 %	16 %	12 %
JAPANESE BLACK																						
IR 230592		✓	IR 180712	105	109	86	105	121	107	109	84	86	103	95	116	123	117	103	96	86	114	108
FB		✓	IR 190754	62%	41%	35 %	30%	23%	0.55	6.7	0.21	1.1	8.6	-2	-12.1	-3.7	12.5	1.1	-2.3	-1.4	1.2	0.9
INFRACOR IR230592									68 %	41 %	38%	35%	33%	30%	32%	14%	50 %	33 %	35 %	32 %	31 %	22 %
IR 230839	3	✓	IR 180716	97	135	90	73	130	100	135	85	90	126	127	124	129	123	89	111	102	93	97
PBD		✓	IR 180723	85%	83%	82 %	82%	80%	1.24	17.1	0.20	3.5	24.8	45	-16.8	-5.5	15.0	-0.6	8.4	1.1	-0.7	-1.0
INFRACOR IR230839									86 %	83 %	82%	82%	82%	82%	81%	79%	83 %	81 %	82 %	81 %	81 %	80 %
IR 230900	2	✓	IR 180716	88	148	97	51	123	90	149	91	97	150	149	117	122	123	77	116	98	87	97
PBD		✓	IR 180725	66%	63%	47 %	46%	26%	2.21	22.6	-0.05	7.1	41.8	76	-12.6	-4.2	14.9	-2.1	12.3	0.4	-1.4	-0.9
INFRACOR IR230900									71 %	63 %	48%	47%	43%	46%	37%	14%	49 %	42 %	43 %	39 %	38 %	27 %
IR 240628	3	✓	IR 180716	88	141	88	73	130	91	141	86	88	130	127	125	129	127	86	110	103	86	95
PBD		✓	IR 180723	66%	47%	44 %	47%	26%	2.07	19.5	0.12	2.4	27.7	45	-17.6	-5.4	16.9	-1.0	7.5	1.2	-1.4	-1.3
INFRACOR IR240628									71 %	47 %	49%	44%	36%	47%	38%	15%	50 %	43 %	45 %	40 %	36 %	25 %
IR 240658		✓	IR 180712	95	108	81	106	117	96	108	91	81	108	94	113	119	104	96	110	107	113	105
FB		✓	IR 190737	64%	41%	34 %	30%	24%	1.60	6.3	-0.05	-1.2	11.8	-3	-10.7	-3.0	6.7	0.3	8.2	1.9	1.2	0.3
INFRACOR IR240658									70 %	41 %	41%	34%	34%	30%	33%	15%	50 %	38 %	39 %	36 %	34 %	24 %
IR 250732	4	✓	WB 180157	97	139	91	70	127	100	139	85	91	133	130	121	127	117	84	107	101	99	102
PBD		✓	IR 200891	59%	57%	33 %	34%	19%	1.23	18.8	0.19	3.8	29.6	49	-14.9	-5.0	12.5	-1.3	5.8	1.0	-0.1	-0.1
INFRACOR IR 250732									66 %	57 %	34%	33%	26%	34%	28%	10%	43 %	32 %	36 %	28 %	30 %	19 %
IR 250734	3	✓	IR 210790	93	131	78	89	138	93	131	94	78	122	111	135	136	129	98	100	113	89	96
PBD		✓	IR 220817	58%	55%	30 %	36%	22%	1.87	15.3	-0.17	-2.7	21.5	22	-23.4	-6.3	17.6	0.6	1.0	2.8	-1.2	-1.2
INFRACOR IR 250734									64 %	55 %	34%	30%	34%	36%	32%	11%	41 %	27 %	29 %	27 %	28 %	20 %
IR 250749	13	✓	IR 210790	94	128	82	86	133	95	128	92	82	122	114	134	128	131	93	89	111	68	91
PBD		✓	IR 220804	59%	55%	31 %	35%	20%	1.69	14.4	-0.08	-0.8	21.5	26	-22.5	-5.0	18.6	0.0	-7.0	2.4	-3.2	-1.9
INFRACOR IR 250749									65 %	55 %	37%	31%	34%	35%	31%	9%	42 %	32 %	32 %	30 %	27 %	19 %
IR 250776	3	✓	ZEWB190053	110	99	86	110	126	113	99	75	86	101	90	124	123	125	105	95	100	95	95
PBD		✓	IR 190783	62%	58%	33 %	31%	18%	-0.04	2.5	0.54	1.4	7.3	-8	-16.9	-4.0	15.8	1.5	-2.8	0.8	-0.6	-1.3
INFRACOR IR 250776									69 %	58 %	35%	33%	24%	31%	26%	10%	39 %	27 %	27 %	24 %	26 %	20 %
IR 250794	6	✓	ZEWB190053	74	146	86	77	137	79	146	87	86	136	123	136	132	132	103	91	103	82	90
PBD		✓	IR 210794	63%	61%	32 %	34%	18%	3.24	21.5	0.12	1.4	31.8	39	-23.9	-5.9	18.7	1.1	-5.8	1.3	-1.8	-2.1
INFRACOR IR 250794									70 %	61 %	36%	32%	30%	34%	27%	10%	42 %	34 %	33 %	30 %	29 %	22 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
JAPANESE BLACK																						
IR 250802 2 ZEWB190053				75	142	104	70	132	82	142	78	104	138	130	126	131	136	92	112	93	107	100
PBD IR 180725				64%	60%	38 %	33%	20%	2.98	20.0	0.44	10.6	33.0	49	-18.1	-5.7	20.6	-0.3	9.0	-0.3	0.6	-0.5
INFRACOR IR 250802				64%	60%	38 %	33%	20%	70 %	60 %	41%	38%	29%	33%	29%	12%	43 %	34 %	34 %	30 %	29 %	22 %
IR 260301 8 IR 180714				117	131	75	87	149	115	131	94	75	120	113	145	146	125	98	105	103	87	91
PEN IR 230929				59%	46%	33 %	38%	22%	-0.18	15.2	-0.17	-4.7	20.1	24	-29.1	-8.3	15.8	0.6	4.0	1.3	-1.3	-1.9
INFRACOR IR 260301				59%	46%	33 %	38%	22%	65 %	46 %	37%	33%	32%	38%	33%	10%	45 %	31 %	37 %	33 %	35 %	22 %
IR 260317 5 IR 180714				104	133	84	86	149	103	133	95	84	125	114	147	149	125	100	99	106	94	92
PEN IR 210821				63%	49%	33 %	40%	22%	0.96	16.1	-0.18	0.1	24.1	26	-30.4	-8.6	16.0	0.8	0.4	1.7	-0.7	-1.8
INFRACOR IR 260317				63%	49%	33 %	40%	22%	69 %	49 %	38%	33%	34%	40%	34%	11%	46 %	32 %	38 %	34 %	33 %	19 %
IR 260335 3 IR 180714				117	120	76	98	144	114	120	98	76	112	102	137	146	124	110	100	113	99	93
PEN IR 220714				62%	43%	31 %	35%	22%	-0.08	11.1	-0.29	-4.1	14.6	9	-24.1	-8.0	15.5	2.0	1.1	2.8	-0.2	-1.5
INFRACOR IR 260335				62%	43%	31 %	35%	22%	69 %	43 %	36%	31%	33%	35%	33%	11%	44 %	29 %	34 %	31 %	33 %	21 %
IR 260338 11 IR 180714				119	128	76	90	149	117	128	94	76	119	110	150	149	124	100	108	105	95	91
PEN IR 230596				62%	50%	33 %	39%	22%	-0.40	14.3	-0.15	-4.2	19.9	21	-31.9	-8.6	15.7	0.8	6.3	1.6	-0.6	-1.9
INFRACOR IR 260338				62%	50%	33 %	39%	22%	69 %	50 %	37%	33%	34%	39%	33%	10%	44 %	29 %	36 %	32 %	35 %	21 %
IR 260359 7 IR 180714				123	116	76	96	149	119	116	99	76	108	104	146	148	123	104	95	107	85	88
PEN IR 220804				64%	50%	35 %	44%	22%	-0.61	9.6	-0.34	-3.8	12.3	12	-29.8	-8.5	15.2	1.4	-2.5	1.9	-1.6	-2.3
INFRACOR IR 260359				64%	50%	35 %	44%	22%	70 %	50 %	39%	35%	35%	44%	33%	10%	46 %	33 %	38 %	34 %	34 %	21 %
IR 260388 6 IR 180714				118	119	79	91	149	128	119	101	79	113	109	150	150	127	107	99	115	94	88
PEN IR 230583				62%	48%	30 %	37%	21%	-1.47	10.5	-0.43	-2.5	15.4	19	-31.9	-8.6	16.8	1.7	0.0	3.1	-0.6	-2.3
INFRACOR IR 260388				62%	48%	30 %	37%	21%	69 %	48 %	36%	30%	34%	37%	33%	9%	43 %	28 %	34 %	30 %	32 %	19 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
IR 170704	12		CCCFH0037	85	133	79	91	140	89	133	86	79	127	109	142	136	115	109	83	122	77	83
FB			CCCFJ0066	72 %	56 %	64 %	66 %	33 %	2.34	16.0	0.14	-2.6	25.4	20	-27.4	-6.0	11.8	1.9	-11.3	4.2	-2.2	-3.1
INFRACOR YUKIKO				72 %	56 %	64 %	66 %	33 %	72 %	56 %	72 %	64 %	54 %	66%	50%	16%	69 %	51 %	51 %	48 %	45 %	33 %
IR 170706	8		HBCFV2139	94	121	92	94	149	97	121	83	92	117	106	148	149	130	102	75	110	66	85
FB			CCCFH0045	73 %	61 %	69 %	70 %	36 %	1.50	11.5	0.27	4.6	18.1	15	-31.0	-8.3	17.9	1.0	-17.1	2.3	-3.3	-2.8
INFRACOR YACHI				73 %	61 %	69 %	70 %	36 %	73 %	61 %	73 %	69 %	55 %	70%	49%	22%	68 %	52 %	55 %	52 %	52 %	41 %
IR 180713	3		2619A	114	128	87	88	130	111	128	97	87	123	112	133	126	135	105	100	112	96	90
FB			BB 150102	58 %	34 %	31 %	30 %	33 %	0.15	14.1	-0.27	1.7	22.3	24	-22.2	-4.2	20.3	1.4	0.9	2.7	-0.5	-2.1
INFRACOR BUCKCHERRY 2				58 %	34 %	31 %	30 %	33 %	58 %	34 %	58 %	31 %	32 %	30%	48%	18%	56 %	34 %	36 %	33 %	34 %	25 %
IR 180717	3		2619A	95	134	92	86	128	98	134	84	92	129	114	134	121	139	106	105	111	99	90
FB			BB 150102	63 %	46 %	54 %	47 %	37 %	1.46	16.5	0.21	4.5	26.7	27	-22.9	-3.4	22.1	1.5	4.1	2.5	-0.2	-2.1
INFRACOR BUCKCHERRY 3				63 %	46 %	54 %	47 %	37 %	63 %	46 %	64 %	54 %	35 %	47%	51%	23%	60 %	34 %	43 %	38 %	42 %	25 %
IR 190789	6		HSFV0010	96	146	98	68	149	96	146	97	98	140	132	147	147	115	104	92	125	87	89
FB			IR 170706	66 %	55 %	66 %	67 %	34 %	1.64	21.6	-0.29	7.5	34.4	52	-30.0	-8.0	11.7	1.3	-4.8	4.7	-1.3	-2.2
INFRACOR IR190789				66 %	55 %	66 %	67 %	34 %	66 %	55 %	68 %	66 %	53 %	67%	47%	22%	60 %	41 %	42 %	38 %	36 %	28 %
IR 190834	14		IR 170703	98	122	81	110	144	98	122	93	81	117	90	141	143	121	105	79	114	75	87
FB			IR 170704	68 %	57 %	58 %	64 %	32 %	1.41	11.8	-0.12	-1.4	18.5	-7	-26.4	-7.2	14.2	1.4	-14.1	3.0	-2.5	-2.6
INFRACOR IR190834				68 %	57 %	58 %	64 %	32 %	69 %	57 %	62 %	58 %	41 %	64%	46%	19%	57 %	36 %	36 %	34 %	33 %	26 %
EPW 200026	6		C0402	87	148	75	58	145	86	149	116	75	137	142	149	139	110	100	105	129	61	66
FB			OHVFA0045	60 %	48 %	45 %	63 %	30 %	2.59	22.6	-0.98	-4.7	32.0	67	-31.3	-6.5	9.3	0.9	4.3	5.3	-3.8	-5.9
EMBRIO PLUS RED STAR VALE				60 %	48 %	45 %	63 %	30 %	61 %	48 %	55 %	45 %	50 %	63%	49%	12%	64 %	53 %	52 %	48 %	46 %	31 %
IR 200885	7		IR 180716	76	148	87	68	131	82	149	85	87	147	132	135	126	139	94	113	114	90	88
FB			IR 180717	87 %	85 %	86 %	87 %	83 %	3.02	22.6	0.17	1.9	39.2	52	-23.3	-4.3	22.0	0.0	9.7	2.9	-1.1	-2.4
INFRACOR IR200885				87 %	85 %	86 %	87 %	83 %	87 %	85 %	86 %	86 %	83 %	87%	84%	82%	85 %	83 %	83 %	83 %	83 %	82 %
EPW 210009	6		CCCFM0128	114	126	81	75	145	113	126	128	81	119	125	143	144	110	100	97	118	56	68
FB			OHVFA0045	57 %	39 %	40 %	61 %	28 %	0.01	13.3	-1.44	-1.5	19.7	42	-28.0	-7.4	9.5	0.8	-1.2	3.6	-4.3	-5.6
EMBRIO PLUS TAMAMARU VALE				57 %	39 %	40 %	61 %	28 %	58 %	39 %	54 %	40 %	40 %	61%	43%	14%	58 %	45 %	44 %	40 %	37 %	24 %
IR 210792	2		CCCFH0037	98	133	86	85	146	98	133	92	86	130	115	150	141	129	112	92	135	96	89
FB			B563	85 %	83 %	83 %	85 %	82 %	1.42	16.4	-0.10	1.5	27.2	27	-31.9	-6.9	17.5	2.3	-5.1	6.2	-0.5	-2.2
INFRACOR IR210792				85 %	83 %	83 %	85 %	82 %	85 %	83 %	84 %	83 %	84 %	85%	84%	81%	86 %	83 %	84 %	84 %	83 %	82 %
IR 210800	6		CCCFH0037	93	129	78	94	146	98	129	79	78	125	106	150	140	133	102	80	110	73	91
FB			CCCFH0021	86 %	84 %	84 %	86 %	83 %	1.47	14.6	0.39	-3.1	23.9	14	-31.9	-6.8	19.5	1.1	-13.1	2.4	-2.7	-1.9
INFRACOR IR210800				86 %	84 %	84 %	86 %	83 %	86 %	84 %	85 %	84 %	85 %	86%	84%	82%	86 %	84 %	84 %	83 %	84 %	83 %
IR 210801	9		CCCFL0126	114	136	90	73	146	110	136	105	90	132	127	142	145	121	107	90	120	85	85
FB			IR 190789	83 %	80 %	81 %	83 %	78 %	0.30	17.4	-0.56	3.3	29.0	44	-27.1	-7.7	14.1	1.7	-6.2	3.9	-1.5	-2.8
INFRACOR IR210801				83 %	80 %	81 %	83 %	78 %	84 %	80 %	81 %	81 %	79 %	83%	79%	77%	80 %	78 %	78 %	78 %	78 %	78 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow		Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding Genomic DNA Sire ID Dam ID																			
AKAUSHI																				
IR 220710	7  IR 180716	91	147	85	73	121	94	147	87	85	138	127	122	119	134	89	102	103	77	91
FB	IR 180717	86 %	84 %	84 %	85 %	82 %	1.85	21.9	0.09	0.6	32.7	45	-15.6	-3.0	19.6	-0.6	2.5	1.2	-2.3	-1.9
INFRACOR IR220710							87 %	84 %	84 %	84 %	82 %	85%	83%	81%	84 %	83 %	83 %	82 %	83 %	82 %
IR 220755	10  IR 180714	122	118	77	105	149	119	118	94	77	112	95	150	150	128	108	93	111	90	87
FB	IR 190834	66 %	62 %	49 %	45 %	28 %	-0.57	10.2	-0.17	-3.3	14.7	0	-31.9	-8.6	17.2	1.8	-4.4	2.5	-1.0	-2.5
INFRACOR IR220755							71 %	62 %	48 %	49 %	41 %	45%	44%	12%	49 %	29 %	35 %	31 %	34 %	21 %
IR 220756	14  IR 180714	117	133	85	84	141	113	133	99	85	125	116	142	138	129	102	114	105	103	88
FB	IR 200885	86 %	85 %	83 %	85 %	81 %	-0.04	16.1	-0.34	0.6	23.6	29	-27.3	-6.4	17.5	1.1	10.6	1.6	0.2	-2.3
INFRACOR IR220756							87 %	85 %	83 %	83 %	82 %	85%	82%	80%	83 %	81 %	81 %	81 %	81 %	80 %
IR 220777	9  IR 180714	115	136	86	88	149	113	136	95	86	128	112	150	150	126	108	99	117	96	88
FB	IR 190789	67 %	62 %	51 %	66 %	28 %	-0.01	17.3	-0.20	1.1	25.8	24	-31.9	-8.6	16.2	1.8	0.3	3.3	-0.5	-2.4
INFRACOR IR220777							71 %	62 %	50 %	51 %	38 %	66%	44%	13%	50 %	30 %	36 %	32 %	34 %	22 %
IR 220801	6  IR 180714	102	148	80	79	149	103	148	90	80	137	121	147	150	128	96	106	104	92	92
FB	IR 200879	67 %	62 %	49 %	61 %	28 %	0.96	22.3	-0.01	-1.7	32.5	36	-30.0	-8.6	17.1	0.3	5.1	1.4	-0.9	-1.7
INFRACOR IR220801							72 %	62 %	48 %	49 %	40 %	61%	44%	12%	48 %	30 %	37 %	32 %	34 %	21 %
IR 230583	11  IR 190800	112	122	86	85	135	108	122	104	86	118	115	132	136	133	103	91	123	84	89
FB	IR 210804	64 %	57 %	37 %	38 %	26 %	0.49	11.7	-0.52	1.1	18.9	28	-21.3	-6.0	19.3	1.2	-5.4	4.3	-1.6	-2.2
INFRACOR IR230583							68 %	57 %	47 %	37 %	43 %	38%	41%	10%	48 %	33 %	33 %	30 %	26 %	19 %
IR 230601	7  IR 180716	93	148	84	65	130	94	149	94	84	145	135	134	126	139	93	105	109	78	86
FB	IR 180717	66 %	60 %	41 %	40 %	30 %	1.81	22.6	-0.14	0.0	37.8	56	-22.8	-4.1	21.9	-0.1	4.6	2.2	-2.2	-2.7
INFRACOR IR230601							70 %	60 %	52 %	41 %	40 %	40%	46%	15%	51 %	37 %	41 %	37 %	39 %	26 %
IR 230857	8  IR 180714	109	128	75	94	149	109	128	91	75	121	106	150	150	117	110	95	115	91	85
FB	IR 170704	65 %	61 %	41 %	46 %	23 %	0.38	14.2	-0.05	-4.5	20.8	14	-31.9	-8.6	12.5	2.1	-3.0	3.1	-0.9	-2.8
INFRACOR IR230857							70 %	61 %	45 %	41 %	38 %	46%	35%	11%	52 %	34 %	39 %	35 %	37 %	23 %
IR 230913	29  IR 180716	78	148	84	60	126	82	149	87	84	141	140	127	124	132	78	111	104	74	92
FB	IR 200891	68 %	64 %	43 %	46 %	28 %	2.98	22.6	0.09	0.3	34.9	64	-18.3	-3.9	18.9	-1.9	8.6	1.4	-2.6	-1.8
INFRACOR IR230913							72 %	64 %	51 %	43 %	42 %	46%	45%	12%	49 %	39 %	41 %	37 %	38 %	26 %
ZEWB230154	6  ZEWB190053	93	133	87	85	143	95	133	88	87	128	115	143	139	145	106	93	110	87	86
PBD	ZEWB210025	62 %	53 %	23 %	5 %	18 %	1.68	16.1	0.05	2.0	25.7	28	-28.0	-6.6	24.6	1.6	-4.2	2.4	-1.3	-2.7
EBUHLANTI ZEWB230154							70 %	53 %	33 %	23 %	21 %	5 %	28%	8%	40 %	31 %	31 %	27 %	30 %	23 %
ZEWB230158	5  ZEWB194054	113	119	90	91	140	112	119	88	90	117	109	141	137	137	95	99	102	116	108
PBD	ZEWB210042	61 %	47 %	24 %	5 %	18 %	0.03	10.4	0.08	3.6	18.6	19	-26.6	-6.2	20.9	0.2	0.1	1.1	1.4	0.8
EBUHLANTI ZEWB230158							68 %	47 %	33 %	24 %	23 %	5 %	28%	8%	42 %	35 %	36 %	32 %	36 %	28 %
ZEWB230167	21  ZEWB190053	100	122	89	89	149	103	122	83	89	118	111	149	145	149	110	95	95	96	86
PBD	S190808	64 %	56 %	24 %	9 %	16 %	0.99	11.8	0.24	2.8	19.0	22	-31.6	-7.6	26.3	2.0	-2.6	0.0	-0.5	-2.7
EBUHLANTI ZEWB230167							71 %	56 %	35 %	24 %	26 %	9 %	25%	8%	42 %	36 %	36 %	32 %	35 %	28 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
IR 240603	7		IR 180716	105	145	82	73	131	103	145	97	82	135	127	134	128	129	92	103	110	76	86
FB			IR 180713	63 %	44 %	33 %	36 %	25 %	0.93	21.1	-0.28	-0.8	30.6	45	-22.7	-4.5	17.7	-0.2	3.0	2.3	-2.4	-2.6
INFRACOR IR240603									68 %	44 %	44 %	33 %	32 %	36%	37%	13%	48 %	37 %	40 %	36 %	37 %	26 %
IR 240706	4		WB 180157	123	121	91	88	143	119	121	97	91	120	112	137	144	112	99	94	111	96	95
FB			IR 210801	60 %	57 %	31 %	33 %	18 %	-0.60	11.5	-0.26	4.1	20.4	24	-24.3	-7.5	10.4	0.6	-3.4	2.4	-0.4	-1.3
INFRACOR IR 240706									68 %	57 %	31 %	31 %	36 %	33%	26%	9%	42 %	28 %	31 %	24 %	26 %	17 %
IR 240711	4		WB 180157	102	135	89	79	134	101	135	94	89	130	121	130	135	119	86	104	98	101	104
FB			IR 220741	62 %	58 %	32 %	33 %	19 %	1.11	17.0	-0.16	3.0	27.7	37	-20.1	-5.9	13.4	-1.0	3.7	0.4	0.0	0.1
INFRACOR IR 240711									69 %	58 %	34 %	32 %	36 %	33%	28%	10%	43 %	32 %	36 %	28 %	30 %	19 %
IR 240713	4		WB 180157	117	120	84	99	149	115	120	91	84	115	101	145	150	115	99	95	106	99	96
FB			IR 220755	59 %	57 %	28 %	23 %	18 %	-0.23	10.9	-0.06	0.4	17.2	8	-29.1	-8.6	11.7	0.7	-2.5	1.8	-0.2	-1.1
INFRACOR IR 240713									67 %	57 %	30 %	28 %	37 %	23%	27%	8%	42 %	29 %	33 %	26 %	29 %	18 %
IR 240728	4		WB 180157	104	124	86	94	134	105	124	86	86	120	106	128	136	110	94	105	100	110	106
FB			IR 200956	48 %	39 %	33 %	32 %	19 %	0.75	12.4	0.14	1.2	20.6	15	-19.3	-6.1	9.5	0.0	4.5	0.8	0.9	0.4
INFRACOR IR 240728									52 %	39 %	34 %	33 %	24 %	32%	26%	12%	44 %	31 %	34 %	27 %	29 %	19 %
IR 250736	5		WB 180157	96	125	91	92	145	99	125	85	91	122	108	139	146	117	96	86	106	87	95
FB			IR 170706	62 %	58 %	37 %	35 %	21 %	1.38	13.2	0.18	4.2	21.7	18	-25.5	-7.8	12.3	0.3	-8.9	1.7	-1.3	-1.3
INFRACOR IR 250736									68 %	58 %	40 %	37 %	33 %	35%	29%	13%	49 %	36 %	40 %	33 %	35 %	25 %
IR 250737	7		IR 210790	94	143	84	80	149	96	143	89	84	135	120	150	147	131	98	96	116	84	91
FB			IR 220777	59 %	55 %	31 %	37 %	20 %	1.65	20.4	0.04	0.2	31.1	34	-31.9	-8.1	18.5	0.6	-1.8	3.2	-1.6	-1.9
INFRACOR IR 250737									65 %	55 %	35 %	31 %	32 %	37%	31%	9%	41 %	26 %	28 %	26 %	26 %	18 %
IR 250755	6		IR 210790	87	146	82	79	147	91	146	85	82	137	121	146	145	132	93	100	110	82	93
FB			IR 220801	59 %	55 %	31 %	35 %	20 %	2.11	21.4	0.16	-0.9	32.6	37	-29.6	-7.6	19.0	-0.1	0.7	2.3	-1.8	-1.6
INFRACOR IR 250755									65 %	55 %	34 %	31 %	33 %	35%	30%	9%	40 %	26 %	28 %	26 %	26 %	18 %
IR 250795	6		ZEWB210226	83	136	89	80	131	87	136	87	89	129	120	129	131	133	93	106	100	77	87
FB			IR 220710	58 %	55 %	28 %	32 %	16 %	2.47	17.2	0.12	2.6	26.9	35	-19.7	-5.0	19.3	-0.1	5.3	0.8	-2.3	-2.5
INFRACOR IR 250795									65 %	55 %	31 %	28 %	18 %	32%	25%	8%	36 %	23 %	24 %	22 %	23 %	16 %
IR 250804	6		ZEWB190053	95	127	83	80	147	95	127	96	83	122	120	150	142	126	104	101	113	79	77
PBD			EPW 200026	63 %	61 %	27 %	32 %	19 %	1.75	13.7	-0.23	-0.3	21.5	34	-31.9	-7.1	16.5	1.4	1.4	2.8	-2.1	-4.1
INFRACOR IR 250804									70 %	61 %	35 %	27 %	32 %	32%	30%	8%	45 %	35 %	35 %	32 %	32 %	23 %
IR 250805	6		ZEWB210226	114	119	89	90	142	112	119	93	89	115	110	141	140	130	99	112	102	90	86
FB			IR 220756	58 %	58 %	29 %	34 %	16 %	0.09	10.5	-0.14	3.1	17.2	20	-26.9	-6.7	18.3	0.7	9.4	1.0	-1.0	-2.7
INFRACOR IR 250805									66 %	58 %	29 %	29 %	21 %	34%	24%	7%	36 %	20 %	22 %	20 %	21 %	14 %
IR 250811	5		ZEWB190053	88	132	87	86	148	91	132	86	87	128	114	150	143	135	110	94	116	97	89
PBD			IR 210792	50 %	39 %	25 %	30 %	19 %	2.07	16.0	0.16	1.9	26.2	26	-31.9	-7.4	20.3	2.1	-3.3	3.3	-0.4	-2.3
INFRACOR IR 250811									54 %	39 %	35 %	25 %	33 %	30%	30%	8%	44 %	33 %	33 %	30 %	31 %	23 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Dam ID																			
AKAUSHI																					
IR 250814	8	✓ ZEWB190053	86	124	84	94	147	92	124	77	84	121	106	150	143	137	105	89	104	85	89
PBD		✓ IR 210800	62 %	59 %	30 %	32 %	19 %	2.06	12.5	0.46	0.1	21.4	14	-31.9	-7.3	21.1	1.5	-7.3	1.4	-1.5	-2.2
INFRACOR IR 250814								69 %	59 %	36 %	30 %	32 %	32 %	30 %	8 %	43 %	32 %	32 %	29 %	30 %	23 %
JAPANESE BLACK																					
IR 170708		TWAFS0348	87	120	80	98	110	92	120	82	80	110	102	105	115	112	90	100	96	90	112
PBD		PK 110003	70 %	54 %	64 %	54 %	33 %	2.02	10.9	0.30	-1.7	13.7	9	-5.5	-2.1	10.2	-0.5	0.7	0.2	-1.1	1.4
INFRACOR YASUO								69 %	54 %	73 %	64 %	44 %	54 %	44 %	22 %	61 %	52 %	52 %	48 %	48 %	39 %
IR 180723	8	FB14989	88	117	99	88	128	94	117	76	99	112	112	116	136	130	92	113	98	116	107
PBD		BB 150122	70 %	50 %	66 %	69 %	38 %	1.82	9.7	0.51	8.3	14.9	24	-12.1	-6.0	17.9	-0.2	9.9	0.5	1.5	0.7
INFRACOR HARUMI 1								69 %	50 %	72 %	66 %	46 %	69 %	51 %	24 %	62 %	55 %	54 %	49 %	30 %	20 %
IR 180725	4	FB14989	74	142	120	61	116	82	142	75	120	141	139	104	123	128	75	126	89	117	112
PBD		BB 150141	69 %	55 %	71 %	65 %	34 %	2.95	20.0	0.55	19.5	35.3	62	-5.0	-3.6	17.2	-2.4	19.5	-0.9	1.5	1.4
INFRACOR HARUMI 2								69 %	55 %	70 %	71 %	44 %	65 %	47 %	22 %	59 %	49 %	49 %	44 %	38 %	27 %
IR 180728	4	FB14989	65	132	97	87	128	76	132	65	97	128	113	116	134	109	82	115	89	121	118
PBD		BB 150144	72 %	50 %	64 %	30 %	35 %	3.52	15.7	0.92	7.1	25.8	25	-12.4	-5.7	8.8	-1.5	11.5	-1.0	1.9	2.4
INFRACOR HARUMI 3								72 %	50 %	71 %	64 %	45 %	30 %	48 %	22 %	62 %	50 %	49 %	45 %	31 %	21 %
IR 180729	4	FB14989	90	132	112	71	120	92	132	90	112	131	129	110	125	129	74	116	85	119	120
PBD		BB 150141	70 %	53 %	68 %	67 %	36 %	1.97	15.8	-0.02	15.1	28.4	48	-8.6	-4.0	17.7	-2.5	11.7	-1.6	1.7	2.7
INFRACOR HARUMI 4								69 %	53 %	72 %	68 %	44 %	67 %	49 %	22 %	59 %	49 %	49 %	44 %	30 %	20 %
IR 190733	11	✓ KJDFC0087	113	82	64	126	102	109	82	116	64	74	74	82	117	119	101	123	121	103	105
FB		✓ MOYFH0079	71 %	62 %	71 %	67 %	44 %	0.34	-4.3	-1.00	-10.5	-11.7	-30	7.4	-2.6	13.4	1.0	16.9	4.0	0.2	0.3
INFRACOR TANI79 A								71 %	62 %	72 %	71 %	52 %	67 %	55 %	34 %	67 %	56 %	56 %	53 %	47 %	39 %
IR 190737		✓ MOYFF0054	116	70	81	135	92	114	70	94	81	74	65	87	98	99	87	96	114	90	108
FB		✓ MOYFH0107	68 %	52 %	55 %	21 %	39 %	-0.09	-9.3	-0.15	-1.6	-12.2	-44	5.0	0.8	4.6	-0.8	-2.2	2.9	-1.0	0.8
INFRACOR SHIGEKINU 1								68 %	52 %	67 %	55 %	46 %	21 %	53 %	25 %	65 %	56 %	56 %	53 %	45 %	34 %
IR 190746	1	✓ KJDFC0087	109	99	83	107	105	107	99	123	83	91	93	90	116	101	112	105	121	95	97
FB		✓ MOYFH0037	64 %	58 %	65 %	40 %	44 %	0.50	2.7	-1.25	-0.1	0.4	-3	2.8	-2.4	5.6	2.3	4.2	4.0	-0.5	-1.0
INFRACOR MOYFH37A								64 %	58 %	65 %	65 %	51 %	40 %	56 %	32 %	64 %	51 %	56 %	54 %	52 %	40 %
IR 190747	5	✓ KJDFC0087	117	96	79	102	85	115	96	124	79	87	98	68	100	110	106	100	109	98	108
FB		✓ KJDFK0005	64 %	59 %	66 %	64 %	42 %	-0.20	1.2	-1.30	-2.2	-2.4	3	15.8	0.6	9.4	1.6	0.9	2.1	-0.3	0.8
INFRACOR LAKE WAGYU FK5A								64 %	59 %	64 %	66 %	50 %	64 %	54 %	29 %	62 %	52 %	52 %	51 %	47 %	39 %
IR 190754	4	✓ Y398	113	81	88	133	99	115	81	77	88	72	67	92	106	115	100	66	71	92	115
FB		✓ KJDFB0044	63 %	50 %	57 %	22 %	36 %	-0.24	-4.7	0.46	2.5	-13.3	-41	2.0	-0.6	11.5	0.8	-23.2	-3.6	-0.9	2.0
INFRACOR LAKE WAGYU B44 A								64 %	50 %	61 %	57 %	46 %	22 %	49 %	22 %	63 %	43 %	42 %	40 %	35 %	26 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Dam ID																			
JAPANESE BLACK																					
IR 190756	8	KJDFC0087	114	87	75	119	96	110	87	117	75	79	81	79	110	117	107	96	103	91	107
FB		KJDFL00008	63 %	55 %	62 %	42 %	42 %	0.28	-2.2	-1.03	-4.6	-8.6	-21	9.2	-1.3	12.5	1.7	-1.7	1.3	-1.0	0.7
INFRACOR IR190756								63 %	55 %	65 %	62 %	56 %	42%	55%	30%	63 %	55 %	55 %	53 %	48 %	40 %
IR 190783		CWBMIR 170702	114	91	82	122	101	117	91	73	82	94	78	98	104	105	102	93	102	92	101
PBD		IR 170708	64 %	45 %	61 %	61 %	28 %	-0.43	-0.6	0.62	-0.9	2.4	-25	-1.5	-0.3	7.3	1.0	-4.0	1.2	-0.9	-0.3
INFRACOR IR190783								66 %	45 %	57 %	61 %	28 %	61%	38%	18%	47 %	26 %	26 %	24 %	24 %	19 %
IR 190793	4	KJDFC0087	109	92	82	116	97	104	92	106	82	84	84	78	112	119	95	123	108	103	105
FB		KSOFF0023	67 %	58 %	66 %	40 %	43 %	0.82	-0.4	-0.61	-0.8	-4.7	-17	9.9	-1.6	13.5	0.1	17.2	2.0	0.2	0.4
INFRACOR IR190793								67 %	58 %	68 %	66 %	49 %	40%	55%	31%	64 %	52 %	52 %	50 %	46 %	38 %
IR 200879	2	IR 180716	69	148	92	68	135	75	149	86	92	146	132	129	136	120	81	106	101	79	97
PBD		IR 180728	86 %	82 %	83 %	81 %	80 %	3.65	22.6	0.16	4.5	38.6	52	-19.9	-6.1	14.0	-1.6	5.0	0.9	-2.1	-1.0
INFRACOR IR200879								87 %	82 %	84 %	83 %	81 %	81%	81%	79%	83 %	81 %	81 %	81 %	81 %	80 %
IR 200891	2	IR 180716	79	148	90	51	115	85	149	81	90	146	149	111	118	129	77	116	101	91	100
PBD		IR 180725	85 %	84 %	83 %	84 %	80 %	2.70	22.6	0.35	3.4	38.7	76	-9.3	-2.7	17.8	-2.1	12.2	0.9	-0.9	-0.4
INFRACOR IR200891								86 %	84 %	83 %	83 %	81 %	84%	81%	79%	83 %	81 %	81 %	81 %	81 %	80 %
IR 200956	5	IR 180712	96	125	80	97	129	99	125	84	80	119	103	126	130	117	98	113	98	113	107
PBD		IR 170708	70 %	55 %	63 %	62 %	32 %	1.30	13.0	0.22	-1.9	19.9	11	-18.2	-4.9	12.5	0.5	9.6	0.5	1.1	0.6
INFRACOR IR200956								73 %	55 %	60 %	63 %	35 %	62%	42%	21%	54 %	36 %	38 %	34 %	35 %	26 %
IR 210794	5	IR 170701	67	145	86	78	126	72	145	90	86	134	122	126	125	120	97	85	109	67	92
PBD		IR 170708	68 %	63 %	59 %	67 %	30 %	3.91	20.9	-0.01	1.5	30.3	38	-17.7	-4.0	13.6	0.4	-10.1	2.2	-3.2	-1.8
INFRACOR IR210794								71 %	63 %	58 %	59 %	46 %	67%	42%	18%	56 %	47 %	48 %	44 %	38 %	26 %
IR 210817		IR 180714	121	93	69	115	140	118	93	96	69	86	85	128	147	126	106	115	114	104	96
PBD		IR 190733	69 %	62 %	44 %	65 %	33 %	-0.51	0.3	-0.22	-7.5	-3.1	-16	-19.1	-7.9	16.4	1.6	11.1	3.0	0.3	-1.1
INFRACOR TANI79 A1								73 %	62 %	55 %	44 %	44 %	65%	46%	20%	55 %	36 %	41 %	37 %	37 %	26 %
IR 210821	2	IR 170701	73	141	96	75	128	77	141	93	96	136	125	125	129	130	89	92	104	82	96
PBD		IR 180729	67 %	60 %	44 %	46 %	30 %	3.50	19.4	-0.12	6.7	31.4	42	-17.2	-4.7	17.9	-0.6	-4.6	1.3	-1.8	-1.1
INFRACOR HARUMI 4B								71 %	60 %	53 %	44 %	44 %	46%	45%	16%	56 %	47 %	47 %	43 %	33 %	20 %
IR 220714		IR 190800	113	111	81	98	114	110	111	100	81	104	102	103	121	127	108	94	118	93	100
PBD		IR 190756	65 %	38 %	37 %	29 %	30 %	0.29	7.2	-0.39	-1.5	9.5	9	-4.7	-3.3	16.9	1.9	-3.1	3.5	-0.8	-0.5
INFRACOR IR220714								69 %	38 %	49 %	37 %	38 %	29%	44%	16%	51 %	36 %	36 %	34 %	31 %	26 %
IR 220722		IR 190800	103	115	84	98	114	101	115	97	84	108	102	103	122	128	102	108	120	99	99
PBD		IR 190793	65 %	56 %	40 %	28 %	30 %	1.11	8.9	-0.28	0.1	12.3	8	-4.7	-3.4	17.4	1.1	6.3	3.9	-0.2	-0.7
INFRACOR IR220722								69 %	56 %	50 %	40 %	44 %	28%	44%	17%	52 %	35 %	34 %	32 %	31 %	25 %
IR 220733	3	IR 180716	79	142	89	72	131	85	142	79	89	131	128	127	133	131	86	110	103	86	95
PBD		IR 180723	68 %	61 %	53 %	65 %	30 %	2.68	19.7	0.42	3.0	28.3	46	-18.3	-5.4	18.4	-1.0	7.5	1.2	-1.4	-1.3
INFRACOR IR220733								72 %	61 %	54 %	53 %	44 %	65%	46%	15%	53 %	43 %	45 %	40 %	36 %	25 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name			Dam ID																			
JAPANESE BLACK																						
IR 220741	2		IR 180716	103	145	87	69	129	101	145	102	87	135	131	129	127	136	81	110	93	94	103
PBD			IR 180729	85 %	82 %	83 %	84 %	80 %	1.15	20.9	-0.46	1.8	30.7	50	-19.6	-4.5	20.5	-1.6	8.0	-0.2	-0.7	0.0
INFRACOR IR220741				85 %	82 %	83 %	84 %	80 %	86 %	82 %	83 %	83 %	80 %	84%	81%	79%	82 %	81 %	81 %	80 %	80 %	79 %
IR 220804	5		IR 170701	91	117	81	95	125	91	117	99	81	109	105	123	126	126	98	84	106	64	89
PBD			IR 170707	70 %	62 %	51 %	61 %	29 %	2.11	9.6	-0.34	-1.6	12.5	13	-16.1	-4.2	16.3	0.5	-10.3	1.8	-3.5	-2.2
INFRACOR IR220804				70 %	62 %	51 %	61 %	29 %	73 %	62 %	57 %	51 %	45 %	61%	44%	14%	56 %	48 %	48 %	44 %	36 %	25 %
IR 220817			IR 180714	119	107	75	107	136	113	107	106	75	97	93	127	140	120	108	107	111	106	98
PBD			IR 190806	66 %	59 %	49 %	64 %	33 %	-0.02	5.6	-0.61	-4.7	4.5	-4	-18.7	-6.8	13.9	1.8	5.8	2.5	0.4	-0.8
INFRACOR IR220817				66 %	59 %	49 %	64 %	33 %	70 %	59 %	49 %	49 %	44 %	64%	47%	19%	52 %	35 %	40 %	37 %	39 %	26 %
IR 230596	12		IR 180716	95	136	80	82	132	96	136	90	80	127	118	133	130	128	89	109	102	85	95
PBD			IR 200956	68 %	64 %	44 %	45 %	29 %	1.61	17.3	-0.02	-2.1	25.2	32	-22.0	-4.9	17.2	-0.6	7.4	1.2	-1.6	-1.3
INFRACOR IR230596				68 %	64 %	44 %	45 %	29 %	73 %	64 %	51 %	44 %	40 %	45%	44%	14%	49 %	38 %	40 %	36 %	37 %	26 %
IR 230828			IR 180714	124	113	77	100	143	123	113	117	77	104	100	135	147	111	112	106	114	100	92
PBD			IR 190746	60 %	59 %	41 %	38 %	32 %	-1.03	8.0	-1.04	-3.6	9.1	7	-23.2	-8.0	10.0	2.3	4.8	3.0	-0.1	-1.8
INFRACOR IR230828				60 %	59 %	41 %	38 %	32 %	61 %	59 %	55 %	41 %	43 %	38%	46%	18%	52 %	34 %	41 %	37 %	39 %	26 %
IR 230894	15		IR 180716	80	146	78	78	121	84	146	88	78	132	122	120	122	114	85	103	102	73	97
PBD			IR 170708	66 %	48 %	44 %	42 %	25 %	2.77	21.3	0.05	-2.7	28.7	38	-14.3	-3.5	11.1	-1.1	2.9	1.0	-2.7	-0.9
INFRACOR IR230894				66 %	48 %	44 %	42 %	25 %	71 %	48 %	49 %	44 %	36 %	42%	36%	14%	50 %	42 %	44 %	40 %	41 %	30 %
IR 230927			IR 180716	108	125	73	91	116	104	125	112	73	113	109	108	121	114	94	101	106	73	95
PBD			IR 190750	64 %	49 %	42 %	46 %	28 %	0.85	12.9	-0.83	-5.4	15.4	19	-7.2	-3.3	11.2	0.0	1.6	1.7	-2.7	-1.3
INFRACOR IR230927				64 %	49 %	42 %	46 %	28 %	69 %	49 %	46 %	42 %	40 %	46%	39%	18%	50 %	43 %	44 %	41 %	41 %	30 %
IR 230929	15		IR 180716	82	143	78	77	123	85	143	91	78	130	123	120	124	129	85	103	99	70	95
PBD			IR 170707	68 %	48 %	44 %	39 %	29 %	2.67	20.4	-0.04	-3.2	27.3	38	-14.6	-3.8	17.5	-1.0	2.7	0.6	-3.0	-1.3
INFRACOR IR230929				68 %	48 %	44 %	39 %	29 %	72 %	48 %	51 %	44 %	36 %	39%	44%	14%	52 %	43 %	45 %	40 %	39 %	29 %
IR 240612	7		IR 190805	72	148	88	73	135	76	149	91	88	142	127	133	134	126	99	89	117	77	91
PBD			IR 210794	60 %	56 %	37 %	39 %	19 %	3.53	22.6	-0.06	2.4	36.1	45	-22.2	-5.7	16.5	0.7	-7.2	3.4	-2.3	-1.8
INFRACOR IR240612				60 %	56 %	37 %	39 %	19 %	66 %	56 %	38 %	37 %	42 %	39%	27%	11%	45 %	31 %	32 %	29 %	26 %	19 %
IR 240656			IR 180712	109	124	79	86	124	105	124	114	79	121	114	115	128	106	104	119	108	119	103
FB			IR 190801	63 %	59 %	40 %	43 %	27 %	0.76	12.6	-0.91	-2.6	21.0	27	-11.8	-4.6	7.8	1.3	14.3	2.0	1.7	0.1
INFRACOR IR240656				63 %	59 %	40 %	43 %	27 %	69 %	59 %	41 %	40 %	45 %	43%	35%	19%	50 %	38 %	40 %	37 %	38 %	28 %
IR 240657			IR 180712	108	106	74	105	122	105	106	103	74	100	95	112	129	116	103	124	111	119	103
FB			IR 190733	64 %	61 %	42 %	43 %	26 %	0.79	5.4	-0.51	-5.3	6.4	-1	-9.7	-4.7	12.2	1.2	17.8	2.4	1.8	0.0
INFRACOR IR240657				64 %	61 %	42 %	43 %	26 %	70 %	61 %	43 %	42 %	44 %	43%	34%	19%	51 %	38 %	39 %	36 %	35 %	26 %
IR 240665			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
FB			CWBFI 200929	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240665				37 %	32 %	20 %	28 %	14 %	41 %	32 %	23 %	20 %	23 %	28%	20%	8%	39 %	25 %	28 %	24 %	26 %	18 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness			
		Genomic DNA	Sire ID																				Dam ID		
JAPANESE BLACK																									
IR 240677 2 ✓ IR 180716 ✓ IR 180729 INFRACOR IR240677				89	148	94	65	126	90	149	94	94	141	135	122	127	126	77	111	96	88	101			
				66 %	61 %	46 %	47 %	26 %	2.17	22.6	-0.16	5.6	34.9	57	-15.6	-4.4	16.2	-2.1	8.4	0.1	-1.3	-0.2			
				66 %	61 %	46 %	47 %	26 %	70 %	61 %	49 %	46 %	43 %	47 %	37 %	14 %	49 %	42 %	43 %	39 %	36 %	25 %			
IR 240679 ✓ IR 180714 ✓ IR 190734 INFRACOR IR240679				119	89	68	124	137	128	89	104	68	80	76	126	143	120	105	118	114	113	101			
				64 %	62 %	42 %	45 %	28 %	-1.52	-1.6	-0.55	-8.1	-7.6	-28	-17.8	-7.4	13.8	1.5	13.5	2.9	1.1	-0.4			
				64 %	62 %	42 %	45 %	28 %	69 %	62 %	44 %	42 %	46 %	45 %	37 %	18 %	51 %	37 %	42 %	38 %	39 %	27 %			
IR 240691 ✓ IR 180714 ✓ IR 190750 INFRACOR IR 240691				118	88	72	123	138	130	88	110	72	81	77	127	143	118	109	101	106	97	97			
				63 %	61 %	40 %	45 %	28 %	-1.67	-2.1	-0.74	-6.1	-6.8	-27	-18.5	-7.3	12.9	2.0	1.7	1.8	-0.3	-1.0			
				63 %	61 %	40 %	45 %	28 %	69 %	61 %	42 %	40 %	46 %	45 %	37 %	18 %	50 %	35 %	40 %	37 %	38 %	26 %			
IR 240692 11 ✓ IR 190800 ✓ IR 210804 INFRACOR IR 240692				82	141	84	74	138	84	141	96	84	134	126	135	138	123	103	91	123	84	89			
				61 %	56 %	37 %	38 %	20 %	2.83	19.4	-0.25	0.5	30.0	43	-23.2	-6.4	15.2	1.2	-5.4	4.3	-1.6	-2.2			
				61 %	56 %	37 %	38 %	20 %	66 %	56 %	40 %	37 %	44 %	38 %	31 %	10 %	46 %	33 %	33 %	30 %	26 %	19 %			
IR 250205 2 ✓ AL 210113 ✓ IR 190737 INFRACOR IR 250205				123	81	70	130	95	125	81	104	70	77	70	90	100	114	106	79	107	102	112			
				62 %	60 %	32 %	17 %	22 %	-1.17	-4.9	-0.54	-7.1	-9.5	-36	3.2	0.6	11.0	1.5	-14.0	1.8	0.1	1.4			
				62 %	60 %	32 %	17 %	22 %	68 %	60 %	37 %	32 %	26 %	17 %	30 %	14 %	42 %	30 %	30 %	29 %	25 %	19 %			
IR 250206 5 ✓ AL 210113 ✓ IR 190733 INFRACOR IR 250206				123	72	64	134	100	125	72	112	64	67	66	90	109	124	113	93	111	108	110			
				62 %	61 %	39 %	36 %	24 %	-1.21	-8.2	-0.84	-10.5	-16.6	-43	3.0	-1.1	15.3	2.4	-4.5	2.4	0.7	1.1			
				62 %	61 %	39 %	36 %	24 %	68 %	61 %	40 %	39 %	28 %	36 %	31 %	18 %	43 %	30 %	30 %	29 %	26 %	21 %			
IR 250730 ✓ IR 180714 ✓ IR 190806 INFRACOR IR 250730				117	103	74	106	137	131	103	112	74	95	94	129	141	114	108	107	111	106	98			
				63 %	48 %	38 %	41 %	29 %	-1.73	4.1	-0.85	-5.3	2.9	-3	-19.5	-6.9	11.1	1.8	5.8	2.5	0.4	-0.8			
				63 %	48 %	38 %	41 %	29 %	68 %	48 %	43 %	38 %	38 %	41 %	39 %	19 %	50 %	35 %	40 %	37 %	39 %	26 %			
IR 250766 7 ✓ IR 210790 ✓ IR 220733 INFRACOR IR 250766				68	148	86	75	136	76	148	80	86	139	125	136	134	133	88	102	109	79	94			
				59 %	55 %	32 %	37 %	20 %	3.57	22.3	0.38	1.1	33.5	42	-23.8	-5.6	19.3	-0.8	1.9	2.1	-2.1	-1.4			
				59 %	55 %	32 %	37 %	20 %	65 %	55 %	36 %	32 %	34 %	37 %	31 %	10 %	42 %	30 %	31 %	28 %	27 %	19 %			
IR 250774 2 ✓ ZEWB210226 ✓ IR 220722 INFRACOR IR 250774				94	119	88	94	128	95	119	92	88	114	106	120	132	129	99	109	109	88	91			
				58 %	37 %	21 %	15 %	16 %	1.70	10.6	-0.10	2.4	16.5	15	-14.5	-5.2	17.8	0.7	7.2	2.2	-1.2	-1.9			
				58 %	37 %	21 %	15 %	16 %	65 %	37 %	30 %	21 %	24 %	15 %	24 %	9 %	36 %	22 %	22 %	20 %	19 %	15 %			
IR 250801 3 ✓ ZEWB190053 ✓ IR 180723 INFRACOR IR 250801				81	130	93	83	139	88	130	78	93	124	117	132	141	135	100	105	98	107	98			
				64 %	59 %	35 %	35 %	22 %	2.43	14.9	0.42	5.0	22.9	31	-21.7	-6.9	20.3	0.9	4.2	0.5	0.5	-0.8			
				64 %	59 %	35 %	35 %	22 %	70 %	59 %	41 %	35 %	30 %	35 %	31 %	13 %	44 %	36 %	36 %	32 %	27 %	20 %			
IR 250803 2 ✓ ZEWB190053 ✓ IR 180729 INFRACOR IR 250803				81	137	99	75	134	86	137	85	99	133	125	130	135	135	91	106	91	108	104			
				64 %	60 %	36 %	34 %	21 %	2.60	17.6	0.18	8.4	29.3	42	-20.1	-5.9	20.4	-0.3	5.1	-0.6	0.7	0.2			
				64 %	60 %	36 %	34 %	21 %	70 %	60 %	41 %	36 %	29 %	34 %	30 %	12 %	43 %	34 %	34 %	30 %	27 %	20 %			
IR 260291 4 ZEWB190053 IR 210817 INFRACOR IR260291				93	115	78	101	145	95	115	86	78	109	99	139	146	133	107	106	106	101	92			
				59 %	45 %	24 %	33 %	20 %	1.67	9.0	0.13	-2.7	12.6	5	-25.7	-7.9	19.5	1.7	4.8	1.7	0.0	-1.7			
				59 %	45 %	24 %	33 %	20 %	66 %	45 %	34 %	24 %	29 %	33 %	29 %	11 %	40 %	30 %	31 %	28 %	29 %	22 %			

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
IR 260322	5	ZEWB190053		69	146	90	77	142	76	146	82	90	138	123	140	141	131	95	101	99	88	92
PEN		IR 200879							3.55	21.5	0.30	3.3	32.9	38	-26.1	-6.9	18.3	0.1	1.7	0.6	-1.2	-1.7
INFRACOR IR260322				64 %	43 %	32 %	22 %	20 %	71 %	43 %	38 %	32 %	27 %	22%	29%	11%	40 %	32 %	32 %	28 %	29 %	22 %
IR 260323	6	ZEWB190053		77	136	90	86	139	84	136	80	90	131	114	142	134	140	107	101	104	98	89
PEN		IR 180717							2.81	17.4	0.35	3.3	27.9	26	-27.6	-5.6	22.4	1.7	1.3	1.5	-0.3	-2.2
INFRACOR IR260323				63 %	40 %	29 %	24 %	22 %	69 %	40 %	38 %	29 %	26 %	24%	31%	13%	42 %	29 %	32 %	28 %	31 %	22 %
IR 260354	14	IR 180714		118	140	78	81	149	115	140	95	78	129	119	150	150	130	102	106	108	91	87
PEN		IR 230601							-0.20	18.9	-0.21	-3.2	26.5	33	-31.9	-8.5	18.1	1.1	5.0	2.1	-0.9	-2.6
INFRACOR IR 260354				62 %	49 %	32 %	38 %	22 %	69 %	49 %	37 %	32 %	34 %	38%	34%	10%	44 %	29 %	36 %	32 %	35 %	21 %



CWB

BREEDING VALUE REPORT

September 2026



INFRACOR STUD BREEDERS

Herd Number: 670862


E-mail: derick@infracor.co.za
anri4orsmond@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
KSOFF0023		IMUFQT147	109	85	82	87	77	92	91	131	98	103	93	3	8	6	1
		HWDF0002	0.33	-2.9	-5.4	-3.0	-26	4.4	-0.3	22.7	0.5	0.2	-1.6				
OASIS HIKOHIME F023			52%	39%	36%	32%	20%	44%	42%	43%	38%	30%	21%				
AKAUSHI																	
AF9202		AF4790	85	137	133	133	123	89	96	104	103	79	85	1	3	1	
FB		AF5513	2.73	17.9	26.4	33.6	39	3.0	0.3	3.9	1.3	-2.1	-2.8				
MYERS-COOPER 7863W			52%	36%	34%	17%	12%	14%	27%	27%	23%	25%	19%				
B3518R		FB2998	97	129	124	128	112	90	96	99	97	90	92	5	14	2	
FB		AF6862	1.51	14.8	21.3	29.8	24	3.2	0.3	-0.2	0.3	-1.0	-1.8				
HEARTBRAND BARBARA B3518R			62%	40%	48%	40%	20%	19%	50%	51%	44%	41%	28%				
B563		IMUFN2124	103	110	107	108	103	87	108	96	131	95	90	8	18	4	1
FB		RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0				
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
BB 150102		 HBCFV2139	101	119	113	115	101	90	103	88	112	89	90	2	15	8	
FB		B563	1.18	10.5	14.5	19.3	8	3.5	1.2	-7.8	2.6	-1.1	-2.0				
BB150102			89%	86%	86%	86%	85%	86%	86%	87%	86%	86%	85%				
BB 150105		C0402	99	149	145	139	144	81	101	120	123	72	65	3	17	4	3
FB		C767	1.28	22.6	34.4	38.3	69	-1.2	0.9	15.3	4.3	-2.8	-6.0				
NAMIKO			71%	56%	58%	49%	40%	38%	75%	75%	68%	64%	37%				
BB 150158		HBCFV2139	106	122	112	115	104	80	104	92	99	73	77	2	2	1	
FB		OHVFA0045	0.61	11.6	13.7	19.1	13	-1.9	1.3	-4.9	0.6	-2.7	-4.1				
HOMARE			66%	53%	61%	53%	47%	42%	59%	61%	57%	57%	43%				
CCCFH0021		SMOFE0214	101	134	128	128	118	83	86	92	110	57	88	4	7	4	1
FB		KALFD0003	1.11	16.7	23.7	29.5	31	-0.3	-1.0	-4.9	2.4	-4.2	-2.4				
BALD RIDGE JOUCHAN			50%	32%	43%	26%	33%	28%	35%	33%	30%	32%	25%				
CCCFH0045		B0125	107	122	116	117	116	89	100	60	127	62	94	5	9	3	
FB		KALFC0555	0.54	11.8	15.9	20.5	29	3.0	0.8	-27.8	5.0	-3.7	-1.4				
BALD RIDGE ANAKI			63%	50%	45%	37%	55%	51%	53%	54%	50%	46%	33%				
CCCFJ0066		C0402	81	141	132	130	125	78	102	91	130	63	73	3	7	4	
FB		KALFC0037	3.12	19.4	26.2	30.9	42	-3.1	1.0	-5.8	5.4	-3.6	-4.8				
BALD RIDGE JANETTO			67%	52%	56%	44%	53%	47%	62%	62%	58%	49%	35%				
CWBFIR 190760		 IR 170705	91	109	112	112	110	113	92	86	104	83	97	1	4	2	
F1		CWBFAVN160	2.12	6.6	13.3	17.1	21	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
F1 A705			30%	22%	25%	23%	60%	22%	32%	31%	29%	24%	21%				
CWBFIR 190761		 IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	1	1	
F1		CWBFAVN 160119	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
F1 A701			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 190763	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	3	1	
F1		CWBFIR 160151	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
F1 A701			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190766	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	5	3	
F1		CWBFKGL17*	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
F1 A701			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190771	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	5		1
F1		CWBFAVN304	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR190771			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190772	✓	IR 170705	91	109	112	112	98	113	92	86	104	83	97	1	5	1	1
F1		CWBFIR 160147	2.12	6.6	13.3	17.1	4	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
IR190772			30%	22%	25%	23%	61%	22%	32%	31%	29%	24%	21%				
CWBFIR 190773	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	4	2	
F1		CWBFBV 150359	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR190773			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190777	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	5	1	1
F1		CWBFBV 110606	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR190777			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190782	✓	IR 170705	91	109	112	112	121	113	92	86	104	83	97	1	5	2	
F1		CWBFIR 160113	2.12	6.6	13.3	17.1	36	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
IR190782			30%	22%	25%	23%	61%	22%	32%	31%	29%	24%	21%				
CWBFIR 190785	✓	IR 170705	91	109	112	112	117	113	92	86	104	83	97	1	5	2	
F1		CWBFKGL3	2.12	6.6	13.3	17.1	30	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
IR190785			30%	22%	25%	23%	61%	22%	32%	31%	29%	24%	21%				
CWBFIR 190816	✓	IR 170701	75	123	124	124	120	101	102	85	112	73	84	1	4	1	
F1	✓	HJM 020000	3.67	12.2	21.0	26.4	35	9.3	1.0	-10.1	2.6	-2.7	-3.0				
IR190816			62%	52%	35%	23%	60%	32%	40%	40%	37%	29%	18%				
CWBFIR 190827	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	5	1	1
F1		CWBFEF2645	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR190827			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 190830	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96	1	5	1	
F1		CWBFBV 150306	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR190830			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200700	✓	IR 180712	86	121	125	124	124	111	95	119	97	121	101	1	1	1	
F1		CWBFIR 170169	2.58	11.5	21.5	26.3	41	14.6	0.2	14.3	0.3	1.9	-0.3				
IR200700			41%	32%	32%	14%	28%	20%	25%	28%	24%	26%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 200712	✓	IR 180712	86	121	125	124	119	111	95	119	97	121	101	2	3	2	
F1		CWBFIR 170162	2.58	11.5	21.5	26.3	34	14.6	0.2	14.3	0.3	1.9	-0.3				
IR200712			41%	32%	32%	14%	61%	20%	25%	28%	24%	26%	18%				
CWBFIR 200717	✓	IR 180712	86	121	125	124	125	111	95	119	97	121	101	2	2	1	
F1		CWBFIR 170155	2.58	11.5	21.5	26.3	42	14.6	0.2	14.3	0.3	1.9	-0.3				
IR200717			41%	32%	32%	14%	61%	20%	25%	28%	24%	26%	18%				
CWBFIR 200843	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	3		
F1	✓	CWBFBJM 110037	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200843			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200848	✓	IR 170701	77	122	123	123	113	102	102	85	112	73	84	1	5	2	1
F1		T100166	3.49	11.6	20.4	25.7	24	9.5	1.0	-10.1	2.6	-2.7	-3.0				
IR200848			44%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200849	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	4	1	
F1		CWBFBV 140229	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200849			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200851	✓	IR 170701	71	125	125	124	120	110	94	91	108	76	87	1	3	1	
F1			4.07	12.8	21.9	26.5	35	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200851			41%	34%	35%	23%	60%	27%	40%	40%	37%	29%	18%				
CWBFIR 200852	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	3	1	
F1		CWBFAVN119	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200852			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200855	✓	IR 170701	71	125	125	124	122	110	94	91	108	76	87	2	3	1	
F1		CWBFBV 140221	4.07	12.8	21.9	26.5	38	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200855			41%	34%	35%	23%	61%	27%	40%	40%	37%	29%	18%				
CWBFIR 200857	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	3	1	
F1		CWBFBV 120643	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200857			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200858	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	3	2	
F1		CWBFGKL17	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200858			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200859	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	3		
F1		CWBFT140006	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200859			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200864	✓	IR 170701	71	125	125	124	118	110	94	91	108	76	87	1	2	1	
F1		CWBFHJM133	4.07	12.8	21.9	26.5	32	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200864			41%	34%	35%	23%	61%	27%	40%	40%	37%	29%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 200869	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87				
F1		CWBFIR 160105	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6	2	3	2	
IR200869			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200894	✓	IR 170705	91	109	112	112	114	113	92	86	104	83	97				
F1		CWBFIR 170195	2.12	6.6	13.3	17.1	26	15.6	-0.3	-9.2	1.4	-1.7	-1.0	2	3	1	
IR200894			30%	22%	25%	23%	32%	22%	32%	31%	29%	24%	21%				
CWBFIR 200901	✓	IR 170705	91	109	112	112	122	113	92	86	104	83	97				
F1		CWBFJDK 050407	2.12	6.6	13.3	17.1	37	15.6	-0.3	-9.2	1.4	-1.7	-1.0	2	4	1	
IR200901			30%	22%	25%	23%	60%	22%	32%	31%	29%	24%	21%				
CWBFIR 200902	✓	IR 170705	91	109	112	112	119	113	92	86	104	83	97				
F1		CWBFJDK 010411	2.12	6.6	13.3	17.1	34	15.6	-0.3	-9.2	1.4	-1.7	-1.0	2	2		
IR200902			30%	22%	25%	23%	61%	22%	32%	31%	29%	24%	21%				
CWBFIR 200904	✓	IR 170705	91	109	112	112	114	113	92	86	104	83	97				
F1		CWBFJDK 010514	2.12	6.6	13.3	17.1	26	15.6	-0.3	-9.2	1.4	-1.7	-1.0	2	4	1	
IR200904			30%	22%	25%	23%	32%	22%	32%	31%	29%	24%	21%				
CWBFIR 200913	✓	IR 170705	91	109	112	112	113	113	92	86	104	83	97				
F1		CWBFJDK 010310	2.12	6.6	13.3	17.1	25	15.6	-0.3	-9.2	1.4	-1.7	-1.0	1	3		
IR200913			30%	22%	25%	23%	58%	22%	32%	31%	29%	24%	21%				
CWBFIR 200916	✓	IR 170705	91	109	112	112	110	113	92	86	104	83	97				
F1		CWBFJDK 010513	2.12	6.6	13.3	17.1	20	15.6	-0.3	-9.2	1.4	-1.7	-1.0	2	4	1	
IR200916			30%	22%	25%	23%	60%	22%	32%	31%	29%	24%	21%				
CWBFIR 200931		IR 170703	88	111	113	113	113	113	93	94	100	89	96				
F1		CWBFJDK 050740	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2	2	4	2	
IR200931			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200936	✓	IR 170703	88	111	113	113	112	113	93	94	100	89	96				
F1		CWBFJDK 010729	2.37	7.3	14.1	18.0	23	15.7	-0.1	-3.4	0.8	-1.1	-1.2	2	3	1	
IR200936			30%	24%	26%	23%	61%	24%	26%	26%	25%	24%	21%				
CWBFIR 200948	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96				
F1		CWBFJDK 050735	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2	2	3		
IR200948			30%	24%	26%	23%	57%	24%	26%	26%	25%	24%	21%				
CWBFIR 200949	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96				
F1		CWBFJDK 050737	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2	2	3	1	
IR200949			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200950	✓	IR 170703	88	111	113	113	111	113	93	94	100	89	96				
F1		CWBFJDK 050739	2.37	7.3	14.1	18.0	22	15.7	-0.1	-3.4	0.8	-1.1	-1.2	2	3		
IR200950			30%	24%	26%	23%	61%	24%	26%	26%	25%	24%	21%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 200951	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96	2	3	1	
F1		CWBFJDK 050738	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200951			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200952	✓	IR 170703	88	111	113	113	127	113	93	94	100	89	96	1	2		
F1		CWBFJDK 010723	2.37	7.3	14.1	18.0	44	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200952			30%	24%	26%	23%	60%	24%	26%	26%	25%	24%	21%				
CWBFIR 200960	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96	2	3	1	
F1		CWBFBV 100557	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200960			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200965	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	2	3	1	
F1			4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR200965			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 200966	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96	2	4	1	
F1		CWBFKGL21	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200966			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200970	✓	IR 170703	88	111	113	113	112	113	93	94	100	89	96	2	3	2	
F1		CWBFAVN207	2.37	7.3	14.1	18.0	23	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200970			30%	24%	26%	23%	61%	24%	26%	26%	25%	24%	21%				
CWBFIR 200982	✓	IR 170703	88	111	113	113	113	113	93	94	100	89	96	2	4	1	
F1		CWBFBV 110558	2.37	7.3	14.1	18.0	25	15.7	-0.1	-3.4	0.8	-1.1	-1.2				
IR200982			30%	24%	26%	23%	30%	24%	26%	26%	25%	24%	21%				
CWBFIR 200987	✓	IR 170705	91	109	112	112	114	113	92	86	104	83	97	2	3		
F1		CWBFIR 170196	2.12	6.6	13.3	17.1	26	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
IR200987			30%	22%	25%	23%	32%	22%	32%	31%	29%	24%	21%				
CWBFIR 200989	✓	IR 180714	101	115	114	115	115	105	98	110	101	106	94	1	3	1	
F1		CWBFEF2645	1.10	8.9	14.9	19.0	27	11.5	0.5	7.7	0.9	0.4	-1.4				
IR200989			44%	39%	38%	15%	32%	24%	22%	29%	26%	29%	16%				
CWBFIR 200992	✓	IR 180712	86	121	125	124	126	111	95	119	97	121	101	2	3	1	
F1		CWBFIR 170170	2.58	11.5	21.5	26.3	44	14.6	0.2	14.3	0.3	1.9	-0.3				
IR200992			41%	32%	32%	14%	59%	20%	25%	28%	24%	26%	18%				
CWBFIR 200998	✓	IR 170705	91	109	112	112	114	113	92	86	104	83	97	2	3	1	
F1		CWBFBV 090451	2.12	6.6	13.3	17.1	26	15.6	-0.3	-9.2	1.4	-1.7	-1.0				
IR200998			30%	22%	25%	23%	58%	22%	32%	31%	29%	24%	21%				
CWBFIR 210720	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	4	1	
F1		CWBFEF2608	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210720			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 210777	✓	IR 170701	71	125	125	124	123	110	94	91	108	76	87	1	1	1	
F1		CWBFIR 120057	4.07	12.8	21.9	26.5	40	14.0	0.1	-5.4	2.0	-2.4	-2.6				
IR210777			41%	34%	35%	23%	32%	27%	40%	40%	37%	29%	18%				
CWBFIR 210802	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	3	1	
F1		CWBFAVN212	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210802			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 210806	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	2	1	
F1		CWBFIR 10001D	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210806			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 210811	✓	IR 180712	86	122	125	126	114	102	103	109	101	116	99	1	1		
F1		C2	2.61	11.8	21.9	27.6	26	10.0	1.1	7.0	0.9	1.4	-0.6				
IR210811			65%	33%	32%	14%	28%	27%	29%	31%	27%	26%	18%				
CWBFIR 210815	✓	IR 180714	101	115	114	115	123	105	98	110	101	106	94	1	2	1	
F1		CWBFIR 180314	1.10	8.9	14.9	19.0	40	11.5	0.5	7.7	0.9	0.4	-1.4				
IR210815			44%	39%	38%	15%	58%	24%	22%	29%	26%	29%	16%				
CWBFIR 210818	✓	IR 180714	112	133	128	127	123	90	101	100	108	91	87	2	3	2	
F2	✓	IR 190767	0.06	16.2	23.3	28.8	39	3.3	0.9	1.1	2.0	-1.0	-2.5				
IR210818			68%	58%	60%	19%	36%	37%	32%	37%	33%	34%	21%				
CWBFIR 210827	✓	IR 180716	80	136	134	130	128	108	82	110	100	81	92	1	1	1	
F2		CWBFIR 190766	3.15	17.3	27.2	31.1	46	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210827			45%	40%	39%	17%	61%	29%	33%	35%	32%	33%	23%				
CWBFIR 210830	✓	IR 180716	80	136	134	130	137	108	82	110	100	81	92	2	2	1	
F1		CWBFAVN220	3.15	17.3	27.2	31.1	60	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210830			45%	40%	39%	17%	61%	29%	33%	35%	32%	33%	23%				
CWBFIR 210831	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	3	1	
F1		CWBFBV 100557	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210831			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 210837	✓	IR 180718	80	126	126	123	128	110	85	103	102	80	91	1	3		
F1		CWBFBV 150274	3.14	13.5	22.2	25.8	46	13.8	-1.1	2.8	1.0	-2.0	-1.9				
IR210837			26%	17%	20%	17%	15%	15%	21%	21%	18%	19%	15%				
CWBFIR 210847	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	2	1	
F1		CWBFBV 160362	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR210847			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 210850	✓	IR 180714	101	115	114	115	108	105	98	110	101	106	94	1	1	1	
F2	✓	CWBFIR 190833	1.10	8.9	14.9	19.0	18	11.5	0.5	7.7	0.9	0.4	-1.4				
IR210850			44%	39%	38%	15%	61%	24%	22%	29%	26%	29%	16%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 220702	✓	IR 180714	101	115	114	115	115	105	98	110	101	106	94	1	1		
F2	✓	CWBFIR 190814	1.10	8.9	14.9	19.0	27	11.5	0.5	7.7	0.9	0.4	-1.4				
IR220702			44%	39%	38%	15%	32%	24%	22%	29%	26%	29%	16%				
CWBFIR 220703	✓	IR 180714	101	115	114	115	115	105	98	110	101	106	94	1	1		
F2	✓	CWBFIR 190785	1.10	8.9	14.9	19.0	27	11.5	0.5	7.7	0.9	0.4	-1.4				
IR220703			44%	39%	38%	15%	32%	24%	22%	29%	26%	29%	16%				
CWBFIR 220712	✓	IR 180712	86	121	125	124	131	111	95	119	97	121	101	1	3	1	
F1		CWBFAVN 110160	2.58	11.5	21.5	26.3	51	14.6	0.2	14.3	0.3	1.9	-0.3				
IR220712			41%	32%	32%	14%	60%	20%	25%	28%	24%	26%	18%				
CWBFIR 220718	✓	IR 180714	101	115	114	115	121	105	98	110	101	106	94	2	2	1	
F1		CWBFKGL21	1.10	8.9	14.9	19.0	37	11.5	0.5	7.7	0.9	0.4	-1.4				
IR220718			44%	39%	38%	15%	61%	24%	22%	29%	26%	29%	16%				
CWBFIR 220726	✓	IR 190800	85	123	125	125	125	112	97	103	113	101	97	1	1		
F1		CWBFIR 190481	2.65	12.2	21.7	26.7	42	15.1	0.4	2.8	2.8	0.0	-1.0				
IR220726			33%	26%	34%	19%	19%	20%	23%	23%	20%	20%	16%				
CWBFIR 220744	✓	IR 190800	85	123	125	125	125	112	97	103	113	101	97	1	2	1	
F1		CWBFIR 190569	2.65	12.2	21.7	26.7	42	15.1	0.4	2.8	2.8	0.0	-1.0				
IR220744			33%	26%	34%	19%	19%	20%	23%	23%	20%	20%	16%				
CWBFIR 220759	✓	IR 190805	82	122	123	123	123	115	93	103	109	96	96	1	1		
F1		CWBFIR 180295	2.97	11.8	20.6	25.6	39	16.7	-0.1	2.9	2.2	-0.5	-1.1				
IR220759			33%	26%	34%	19%	20%	21%	20%	21%	19%	18%	14%				
CWBFIR 220766	✓	IR 180712	86	121	125	124	128	111	95	119	97	121	101	1	1		
F1		CWBFAVN 150313	2.58	11.5	21.5	26.3	46	14.6	0.2	14.3	0.3	1.9	-0.3				
IR220766			41%	32%	32%	14%	60%	20%	25%	28%	24%	26%	18%				
CWBFIR 220768	✓	IR 180712	86	121	125	124	124	111	95	119	97	121	101	1	1	1	
F1			2.58	11.5	21.5	26.3	41	14.6	0.2	14.3	0.3	1.9	-0.3				
IR220768			41%	32%	32%	14%	28%	20%	25%	28%	24%	26%	18%				
CWBFIR 220773	✓	IR 190791	83	124	125	125	123	112	95	105	112	99	96	1	1		
F1			2.87	12.4	21.8	26.7	39	15.0	0.1	4.4	2.7	-0.2	-1.2				
IR220773			26%	20%	31%	19%	22%	20%	20%	20%	18%	17%	13%				
CWBFIR 220791	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92	1	1		
F2	✓	CWBFIR 200841	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7				
IR220791			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 220807	✓	IR 190791	83	124	125	125	111	112	95	105	112	99	96	1	1		
F1			2.87	12.4	21.8	26.7	22	15.0	0.1	4.4	2.7	-0.2	-1.2				
IR220807			26%	20%	31%	19%	58%	20%	20%	20%	18%	17%	13%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
CWBFIR 220812	✓	IR 190805	82	122	123	123	123	115	93	103	109	96	96				
F2	✓	CWBFIR 200855	2.97	11.8	20.6	25.6	39	16.7	-0.1	2.9	2.2	-0.5	-1.1	1	1		
IR220812			33%	26%	34%	19%	20%	21%	20%	21%	19%	18%	14%				
CWBFIR 220858	✓	IR 180714	101	115	114	115	115	105	98	110	101	106	94				
F2	✓	CWBFIR 190761	1.10	8.9	14.9	19.0	27	11.5	0.5	7.7	0.9	0.4	-1.4	1	1	1	
IR220858			44%	39%	38%	15%	32%	24%	22%	29%	26%	29%	16%				
CWBFIR 230855	✓	IR 180716	80	136	134	130	135	108	82	110	100	81	92				
F1		CWBFIR 190399	3.15	17.3	27.2	31.1	56	13.0	-1.5	7.6	0.8	-1.9	-1.7	1	1		
IR230855			45%	40%	39%	17%	33%	29%	33%	35%	32%	33%	23%				
CWBFIR 230859	✓	IR 180714	101	115	114	115	115	105	98	110	101	106	94				
F2	✓	CWBFIR 190773	1.10	8.9	14.9	19.0	27	11.5	0.5	7.7	0.9	0.4	-1.4	1	1		
IR230859			44%	39%	38%	15%	32%	24%	22%	29%	26%	29%	16%				
CWBFIR 230879	✓	IR 190805	82	122	123	123	123	115	93	103	109	96	96				
F1		CWBFIR 200046	2.97	11.8	20.6	25.6	39	16.7	-0.1	2.9	2.2	-0.5	-1.1	1	1		
IR230879			33%	26%	34%	19%	20%	21%	20%	21%	19%	18%	14%				
CWBFIR 230905	✓	IR 190800	85	123	125	125	125	112	97	103	113	101	97				
F2	✓	CWBFIR 200960	2.65	12.2	21.7	26.7	42	15.1	0.4	2.8	2.8	0.0	-1.0	1	1		
IR230905			33%	26%	34%	19%	19%	20%	23%	23%	20%	20%	16%				
CWBFIR 230915	✓	IR 190805	82	122	123	123	123	115	93	103	109	96	96				
F1		CWBFIR 200067	2.97	11.8	20.6	25.6	39	16.7	-0.1	2.9	2.2	-0.5	-1.1	1	1		
IR230915			33%	26%	34%	19%	20%	21%	20%	21%	19%	18%	14%				
CWBFIR 230917	✓	IR 190800	85	123	125	125	125	112	97	103	113	101	97				
F1		CWBFIR 200011	2.65	12.2	21.7	26.7	42	15.1	0.4	2.8	2.8	0.0	-1.0	1	1		
IR230917			33%	26%	34%	19%	19%	20%	23%	23%	20%	20%	16%				
EPW 200026	✓	C0402	86	149	139	135	142	75	100	105	129	61	66				
FB	✓	OHVFA0045	2.59	22.6	30.4	34.5	67	-4.7	0.9	4.3	5.3	-3.8	-5.9	1	1		
RED STAR VALE			61%	48%	51%	50%	63%	45%	53%	52%	48%	46%	31%				
EPW 210009	✓	CCCFM0128	113	126	119	119	125	81	100	97	118	56	68				
FB	✓	OHVFA0045	0.01	13.3	17.8	22.4	42	-1.5	0.8	-1.2	3.6	-4.3	-5.6	1	2		
TAMAMARU VALE			58%	39%	40%	40%	61%	40%	45%	44%	40%	37%	24%				
IR 170704		CCCFH0037	89	133	127	127	109	79	109	83	122	77	83				
FB		CCCFJ0066	2.34	16.0	22.7	28.9	20	-2.6	1.9	-11.3	4.2	-2.2	-3.1	1	10	5	
INFRACOR YUKIKO			72%	56%	64%	45%	66%	64%	51%	51%	48%	45%	33%				
IR 170706		HBCFV2139	97	121	115	118	106	92	102	75	110	66	85				
FB		CCCFH0045	1.50	11.5	15.6	21.5	15	4.6	1.0	-17.1	2.3	-3.3	-2.8	1	9	3	1
INFRACOR YACHI			73%	61%	64%	46%	70%	69%	52%	55%	52%	52%	41%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
IR 180713		2619A	111	128	122	123	112	87	105	100	112	96	90				
FB		BB 150102	0.15	14.1	20.0	25.4	24	1.7	1.4	0.9	2.7	-0.5	-2.1	1	2	1	
BUCKCHERRY 2			58%	34%	37%	26%	30%	31%	34%	36%	33%	34%	25%				
IR 180717		2619A	98	134	129	129	114	92	106	105	111	99	90				
FB		BB 150102	1.46	16.5	24.0	30.3	27	4.5	1.5	4.1	2.5	-0.2	-2.1	1	6	4	1
BUCKCHERRY 3			63%	46%	44%	26%	47%	54%	34%	43%	38%	42%	25%				
IR 190767	✓	IR 170701	78	126	127	126	126	110	91	94	108	76	87				
F1		CWBFBV 120643	3.39	13.5	23.1	27.7	43	13.8	-0.4	-3.2	2.0	-2.4	-2.5	1	3	1	
F1 A701			57%	46%	46%	23%	32%	53%	45%	45%	40%	36%	25%				
IR 190784	✓	IR 170705	92	104	106	107	109	108	92	86	104	83	97				
F1		CWBFIR 160124	2.05	4.4	10.1	13.3	19	12.7	-0.3	-9.2	1.4	-1.7	-1.0	1	2	1	
IR190784			47%	33%	33%	23%	32%	43%	32%	31%	29%	24%	21%				
IR 190789	✓	HSFV0010	96	146	140	140	132	98	104	92	125	87	89				
FB	✓	IR 170706	1.64	21.6	30.8	38.8	52	7.5	1.3	-4.8	4.7	-1.3	-2.2	1	5	3	
IR190789			66%	55%	67%	39%	67%	66%	41%	42%	38%	36%	28%				
IR 190803	✓	HSFV0010	98	135	129	130	118	84	105	97	131	92	90				
FB	✓	IR 170704	1.44	17.2	24.1	30.8	33	0.4	1.4	-1.4	5.6	-0.9	-2.1	1	2	1	
IR190803			59%	48%	65%	38%	39%	57%	40%	40%	36%	34%	25%				
IR 190834	✓	IR 170703	98	122	116	118	90	81	105	79	114	75	87				
FB	✓	IR 170704	1.41	11.8	16.2	21.6	-7	-1.4	1.4	-14.1	3.0	-2.5	-2.6	1	3	2	
IR190834			69%	57%	50%	32%	64%	58%	36%	36%	34%	33%	26%				
IR 200885		✓ IR 180716	82	149	149	145	132	87	94	113	114	90	88				
FB		✓ IR 180717	3.02	22.6	36.4	42.7	52	1.9	0.0	9.7	2.9	-1.1	-2.4	2	4	3	
IR200885			87%	85%	84%	82%	87%	86%	83%	83%	83%	83%	82%				
IR 210792		✓ CCCFH0037	98	133	129	130	115	86	112	92	135	96	89				
FB	✓	B563	1.42	16.4	24.0	31.3	27	1.5	2.3	-5.1	6.2	-0.5	-2.2	2	2	1	
IR210792			85%	83%	85%	83%	85%	83%	83%	84%	83%	83%	82%				
IR 210800		✓ CCCFH0037	98	129	124	126	106	78	102	80	110	73	91				
FB	✓	CCCFH0021	1.47	14.6	20.9	27.8	14	-3.1	1.1	-13.1	2.4	-2.7	-1.9	2	2	1	
IR210800			86%	84%	86%	84%	86%	84%	84%	84%	83%	84%	83%				
IR 210801		✓ CCCFL0126	110	136	131	133	127	90	107	90	120	85	85				
FB	✓	IR 190789	0.30	17.4	25.6	33.3	44	3.3	1.7	-6.2	3.9	-1.5	-2.8	2	2	1	
IR210801			84%	80%	80%	78%	83%	81%	78%	78%	78%	78%	78%				
IR 210812	✓	IR 180716	76	137	135	131	126	109	82	110	100	81	92				
F1		CWBFHAVN 160119	3.51	17.8	27.9	31.9	43	13.2	-1.5	7.6	0.8	-1.9	-1.7	1	2	1	
IR210812			55%	40%	39%	17%	58%	29%	33%	35%	32%	33%	23%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
IR 220710		IR 180716	94	147	139	136	127	85	89	102	103	77	91	1	1		
FB		IR 180717	1.85	21.9	30.2	36.0	45	0.6	-0.6	2.5	1.2	-2.3	-1.9				
IR220710			87%	84%	83%	82%	85%	84%	83%	83%	82%	83%	82%				
IR 220743		IR 180716	104	149	141	137	132	82	90	97	112	68	85	1	1	1	
FB		IR 180713	0.81	22.6	31.7	36.7	53	-0.8	-0.4	-1.0	2.6	-3.2	-2.8				
IR220743			86%	82%	82%	80%	81%	81%	81%	81%	81%	81%	80%				
IR 220755		IR 180714	119	118	110	113	95	77	108	93	111	90	87	1	1	1	
FB		IR 190834	-0.57	10.2	12.5	17.7	0	-3.3	1.8	-4.4	2.5	-1.0	-2.5				
IR220755			71%	62%	60%	22%	45%	49%	29%	35%	31%	34%	21%				
IR 220756		IR 180714	113	133	125	124	116	85	102	114	105	103	88	1	1		
FB		IR 200885	-0.04	16.1	21.8	26.2	29	0.6	1.1	10.6	1.6	0.2	-2.3				
IR220756			87%	85%	84%	80%	85%	83%	81%	81%	81%	81%	80%				
IR 220777		IR 180714	113	136	127	128	112	86	108	99	117	96	88	1	1		
FB		IR 190789	-0.01	17.3	22.7	29.6	24	1.1	1.8	0.3	3.3	-0.5	-2.4				
IR220777			71%	62%	51%	24%	66%	51%	30%	36%	32%	34%	22%				
IR 220801		IR 180714	103	148	137	137	121	80	96	106	104	92	92	1	1		
FB		IR 200879	0.96	22.3	29.4	36.4	36	-1.7	0.3	5.1	1.4	-0.9	-1.7				
IR220801			72%	62%	60%	20%	61%	49%	30%	37%	32%	34%	21%				
IR 230583		IR 190800	108	122	117	119	115	86	103	91	123	84	89	1	1		
FB		IR 210804	0.49	11.7	16.7	22.0	28	1.1	1.2	-5.4	4.3	-1.6	-2.2				
IR230583			68%	57%	61%	25%	38%	37%	33%	33%	30%	26%	19%				
IR 230601		IR 180716	94	149	147	143	135	84	93	105	109	78	86	1	1		
FB		IR 180717	1.81	22.6	35.2	41.2	56	0.0	-0.1	4.6	2.2	-2.2	-2.7				
IR230601			70%	60%	60%	21%	40%	41%	37%	41%	37%	39%	26%				
KALFB0005		RWAFT0010	114	112	112	113	106	90	102	92	121	87	94	4	10	3	
FB			-0.14	7.9	13.7	17.6	15	3.3	1.0	-4.6	4.0	-1.4	-1.4				
KALANGA SHIGEYUKO B005 (AI)			40%	17%	41%	32%	12%	14%	29%	30%	26%	28%	20%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60	8	41	19	5
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9				
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
S190808		733D	97	121	115	117	108	89	111	94	93	94	84	2	7	4	
PBD		ZEWB170033	1.55	11.6	15.5	20.9	18	2.9	2.2	-3.6	-0.4	-0.7	-3.0				
S190808			88%	86%	87%	86%	85%	86%	88%	88%	87%	87%	87%				
ZEWB190059		H5070S	96	131	125	126	116	86	104	114	97	69	70	1	3	2	
FB		7863W	1.61	15.3	21.6	28.0	29	1.2	1.3	10.6	0.3	-3.1	-5.2				
ZEWB190059			85%	83%	82%	82%	82%	82%	83%	83%	83%	83%	82%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
ZEWB200150		733D	94	116	111	115	102	91	106	93	92	90	84	1	3	3	
PBD		ZEWB170033	1.83	9.4	13.0	19.5	9	4.0	1.6	-4.3	-0.5	-1.1	-3.0				
ZEWB200150			87%	85%	86%	85%	84%	84%	86%	86%	86%	86%	85%				
ZEWB210025		AP112607	113	129	124	125	116	87	104	89	123	78	85	2	2	1	
PBD		ZEWB180203	-0.04	14.7	21.3	27.0	29	1.8	1.3	-7.0	4.3	-2.2	-2.9				
ZEWB210025			85%	83%	83%	83%	82%	83%	84%	84%	83%	84%	83%				
ZEWB210042		AP112607	118	122	119	122	112	89	101	91	104	125	115	2	2	1	
PBD		ZEWB180213	-0.47	11.9	18.1	24.3	24	2.7	0.9	-5.4	1.4	2.3	2.0				
ZEWB210042			52%	27%	17%	11%	7%	37%	35%	36%	31%	36%	26%				
JAPANESE BLACK																	
BB 150122		FB14115	108	111	102	103	99	89	100	109	103	123	109	8	23	9	6
PBD		BB 120022	0.42	7.2	7.3	9.5	5	3.1	0.8	7.5	1.3	2.1	1.0				
KUNISAKE			62%	34%	44%	47%	37%	38%	66%	65%	58%	33%	23%				
BB 150141		FB13429	87	138	140	141	135	120	59	113	81	119	133	3	12	12	
PBD		CWBFBB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8				
JUDO ICHIRO			58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 150144		FB13429	88	132	124	126	103	85	70	109	78	139	144	6	12	3	4
PBD		BB 110006	2.36	15.7	21.2	27.6	11	0.8	-3.0	7.4	-2.6	3.6	6.4				
JUDO ICHIRO			73%	41%	47%	46%	22%	43%	62%	61%	55%	37%	24%				
C2			87	100				122	100	92	101			1	3	1	1
BS			2.45	2.8				20.6	0.7	-4.6	1.0						
INFRACOR C2			42%	21%				37%	28%	27%	22%						
CWBFIR 200701		IR 170709	84	112	112	111	115	109	84	110	89	95	106	1	1	1	
F1		CWBFIR 170157	2.79	7.6	13.7	15.9	27	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200701			25%	20%	21%	17%	27%	20%	37%	36%	33%	36%	30%				
CWBFIR 200702		IR 170709	84	112	112	111	115	109	84	110	89	95	106	1	2	1	
F1		CWBFIR 170202	2.79	7.6	13.7	15.9	27	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200702			25%	20%	21%	17%	27%	20%	37%	36%	33%	36%	30%				
CWBFIR 200873		IR 170709	84	112	112	111	115	109	84	110	89	95	106	1	2	1	
F1		CWBFIR 170222	2.79	7.6	13.7	15.9	27	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200873			25%	20%	21%	17%	27%	20%	37%	36%	33%	36%	30%				
CWBFIR 200918		IR 170709	84	112	112	111	116	109	84	110	89	95	106	2	4		
F1		CWBFJDK 010733	2.79	7.6	13.7	15.9	28	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200918			25%	20%	21%	17%	56%	20%	37%	36%	33%	36%	30%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFIR 200925	✓	IR 170709	84	112	112	111	111	109	84	110	89	95	106	1	3	1	
F1		CWBFJDK 030754	2.79	7.6	13.7	15.9	22	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200925			25%	20%	21%	17%	59%	20%	37%	36%	33%	36%	30%				
CWBFIR 200929	✓	IR 170709	84	112	112	111	115	109	84	110	89	95	106	1	2	1	
F1		CWBFJDK 010732	2.79	7.6	13.7	15.9	27	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200929			25%	20%	21%	17%	27%	20%	37%	36%	33%	36%	30%				
CWBFIR 200944	✓	IR 170709	84	112	112	111	116	109	84	110	89	95	106	2	3	1	
F1		CWBFJDK 010722	2.79	7.6	13.7	15.9	29	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200944			25%	20%	21%	17%	59%	20%	37%	36%	33%	36%	30%				
CWBFIR 200945	✓	IR 170709	84	112	112	111	115	109	84	110	89	95	106	1	2	1	
F1		CWBFJDK 010719	2.79	7.6	13.7	15.9	27	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200945			25%	20%	21%	17%	27%	20%	37%	36%	33%	36%	30%				
CWBFIR 200958	✓	IR 170709	84	112	112	111	110	109	84	110	89	95	106	2	3	2	
F1		CWBFIR 170214	2.79	7.6	13.7	15.9	20	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200958			25%	20%	21%	17%	61%	20%	37%	36%	33%	36%	30%				
CWBFIR 200975	✓	IR 170709	84	112	112	111	119	109	84	110	89	95	106	1	1		
F1		CWBFKZ 150040	2.79	7.6	13.7	15.9	33	13.4	-1.2	7.8	-0.8	-0.6	0.5				
IR200975			25%	20%	21%	17%	60%	20%	37%	36%	33%	36%	30%				
CWBFIR 210776	✓	IR 170701	81	120	118	117	112	94	101	80	101	70	89	1	1		
F2		IR 180724	3.06	11.0	17.2	21.2	23	5.6	1.0	-13.2	0.9	-2.9	-2.3				
IR210776			64%	53%	56%	25%	33%	37%	45%	45%	42%	33%	22%				
CWBFIR 220731	✓	IR 180716	75	140	133	130	125	91	89	99	93	76	94	1	1		
F2	✓	IR 180724	3.63	19.0	26.7	30.6	42	4.2	-0.6	-0.2	-0.3	-2.4	-1.4				
IR220731			68%	58%	60%	20%	34%	39%	39%	41%	37%	37%	27%				
CWBFMOI 200020	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105	3	4	2	
F1			1.11	-2.2	0.0	0.4	2	12.0	-0.6	-3.0	0.7	-0.9	0.4				
MOI200020			37%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
CWBFMOI 200023	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105	1	3		
F1			1.11	-2.2	0.0	0.4	2	12.0	-0.6	-3.0	0.7	-0.9	0.4				
MOI200023			37%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
CWBFMOI 200026	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105	2	2	1	
F1			1.11	-2.2	0.0	0.4	2	12.0	-0.6	-3.0	0.7	-0.9	0.4				
MOI200026			37%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
CWBFMOI 220019	✓	MOI 190042	108	88	96	98	90	105	102	91	104	93	98	2	2	1	
BS			0.46	-1.9	3.3	5.7	-7	11.2	1.0	-5.9	1.4	-0.8	-0.8				
TINA			60%	14%	17%	17%	10%	13%	15%	15%	14%	13%	11%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
HJM 020000			87	99			110	122									
BS			2.46	2.6			21	20.2						1	1	1	
INFRACOR HJM020000			27%	23%			28%	32%									
IR 170707		TWAFS0348	92	116	107	106	103	79	91	99	90	83	106				
PBD		PK 110003	1.97	9.2	10.6	12.3	10	-2.2	-0.3	0.3	-0.7	-1.7	0.6	1	5	2	2
INFRACOR YAEKA			66%	54%	55%	35%	44%	64%	55%	54%	50%	43%	35%				
IR 170708		TWAFS0348	92	120	111	110	102	80	90	100	96	90	112				
PBD		PK 110003	2.02	10.9	13.0	15.2	9	-1.7	-0.5	0.7	0.2	-1.1	1.4	1	6	4	1
YASUO			69%	54%	53%	35%	54%	64%	52%	52%	48%	48%	39%				
IR 180723		FB14989	94	117	111	113	112	99	92	113	98	116	107				
PBD		BB 150122	1.82	9.7	13.0	17.7	24	8.3	-0.2	9.9	0.5	1.5	0.7	1	6	3	1
HARUMI 1			69%	50%	52%	40%	69%	66%	55%	54%	49%	30%	20%				
IR 180724		PK 140005	82	98	101	101	100	107	99	91	79	95	105				
F1			2.94	2.3	6.9	8.3	6	12.6	0.6	-5.4	-2.4	-0.6	0.4	1	2	2	
F1			52%	40%	46%	20%	19%	49%	42%	41%	39%	33%	27%				
IR 180725		FB14989	82	142	140	142	139	120	75	126	89	117	112				
PBD		BB 150141	2.95	20.0	31.3	40.1	62	19.5	-2.4	19.5	-0.9	1.5	1.4	1	6	3	1
HARUMI 2			69%	55%	52%	35%	65%	71%	49%	49%	44%	38%	27%				
IR 180728		FB14989	76	132	126	129	113	97	82	115	89	121	118				
PBD		BB 150144	3.52	15.7	22.5	30.0	25	7.1	-1.5	11.5	-1.0	1.9	2.4	2	6	1	
HARUMI 3			72%	50%	50%	40%	30%	64%	50%	49%	45%	31%	21%				
IR 180729		FB14989	92	132	130	132	129	112	74	116	85	119	120				
PBD		BB 150141	1.97	15.8	25.0	32.7	48	15.1	-2.5	11.7	-1.6	1.7	2.7	1	6	3	1
HARUMI 4			69%	53%	52%	35%	67%	68%	49%	49%	44%	30%	20%				
IR 190733		🔗 KJDFC0087	109	82	75	74	74	64	101	123	121	103	105				
FB		🔗 MOYFH0079	0.34	-4.3	-9.5	-13.0	-30	-10.5	1.0	16.9	4.0	0.2	0.3	2	5	3	
TANI79 A			71%	62%	59%	44%	67%	71%	56%	56%	53%	47%	39%				
IR 190734		🔗 KJDFC0087	110	78	71	70	70	64	100	130	120	121	114				
FB		🔗 MOYFH0079	0.23	-5.8	-12.1	-15.8	-36	-10.5	0.8	21.7	3.8	1.9	1.7	1	4	2	
TANI79 B			68%	59%	59%	44%	64%	68%	59%	59%	55%	51%	43%				
IR 190737		🔗 MOYFF0054	114	70	69	78	65	81	87	96	114	90	108				
FB		🔗 MOYFH0107	-0.09	-9.3	-13.6	-9.9	-44	-1.6	-0.8	-2.2	2.9	-1.0	0.8	2	4	1	
SHIGEKINU 1			68%	52%	49%	44%	21%	55%	56%	56%	53%	45%	34%				
IR 190746		🔗 KJDFC0087	107	99	93	90	93	83	112	105	121	95	97				
FB		🔗 MOYFH0037	0.50	2.7	1.6	0.1	-3	-0.1	2.3	4.2	4.0	-0.5	-1.0	2	4	1	1
MOYFH37A			64%	58%	56%	46%	40%	65%	51%	56%	54%	52%	40%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
IR 190747		KJDFC0087	115	96	88	87	98	79	106	100	109	98	108	2	3	1	
FB		KJDFK0005	-0.20	1.2	-1.1	-2.9	3	-2.2	1.6	0.9	2.1	-0.3	0.8				
LAKE WAGYU FK5A			64%	59%	55%	45%	64%	66%	52%	52%	51%	47%	39%				
IR 190750		KJDFC0087	114	87	80	78	76	70	108	96	105	90	106	1	3	2	
FB		KJDFK0011	-0.12	-2.5	-6.5	-9.5	-28	-7.4	1.8	-1.8	1.5	-1.1	0.5				
MOYFH138 B			64%	55%	66%	45%	64%	61%	53%	53%	52%	48%	40%				
IR 190754		Y398	115	81	71	73	67	88	100	66	71	92	115	2	3	1	
FB		KJDFB0044	-0.24	-4.7	-12.2	-13.6	-41	2.5	0.8	-23.2	-3.6	-0.9	2.0				
LAKE WAGYU B44 A			64%	50%	61%	30%	22%	57%	43%	42%	40%	35%	26%				
IR 190756		KJDFC0087	110	87	80	78	81	75	107	96	103	91	107	2	3	2	
FB		KJDFL00008	0.28	-2.2	-6.4	-9.9	-21	-4.6	1.7	-1.7	1.3	-1.0	0.7				
IR190756			63%	55%	66%	47%	42%	62%	55%	55%	53%	48%	40%				
IR 190783		CWBMIR 170702	117	91	93	95	78	82	102	93	102	92	101	1	3		
PBD		IR 170708	-0.43	-0.6	1.8	3.7	-25	-0.9	1.0	-4.0	1.2	-0.9	-0.3				
IR190783			66%	45%	40%	17%	61%	61%	26%	26%	24%	24%	19%				
IR 190793		KJDFC0087	104	92	84	84	84	82	95	123	108	103	105	2	4	3	
FB		KSOFF0023	0.82	-0.4	-3.8	-4.6	-17	-0.8	0.1	17.2	2.0	0.2	0.4				
IR190793			67%	58%	54%	44%	40%	66%	52%	52%	50%	46%	38%				
IR 190801		KJDFC0087	115	94	87	86	87	74	103	113	115	102	105	1	4	1	1
FB		SFWFJ0060	-0.20	0.6	-1.9	-3.6	-12	-5.0	1.1	9.9	3.2	0.1	0.4				
IR190801			68%	60%	60%	49%	65%	68%	57%	58%	56%	55%	44%				
IR 190806		KJDFC0087	113	90	82	82	85	75	104	108	115	106	109	1	4	1	
FB		SFWFJ0060	-0.06	-1.2	-4.8	-6.8	-15	-4.5	1.3	6.3	3.1	0.5	1.0				
IR190806			67%	55%	54%	49%	51%	58%	53%	55%	54%	51%	41%				
IR 200879		 IR 180716	75	149	147	145	132	92	81	106	101	79	97	1	4	1	
PBD		IR 180728	3.65	22.6	35.4	42.7	52	4.5	-1.6	5.0	0.9	-2.1	-1.0				
IR200879			87%	82%	82%	80%	81%	83%	81%	81%	81%	81%	80%				
IR 200891		 IR 180716	85	149	147	145	149	90	77	116	101	91	100	1	2	1	
PBD		IR 180725	2.70	22.6	35.7	42.4	76	3.4	-2.1	12.2	0.9	-0.9	-0.4				
IR200891			86%	84%	82%	80%	84%	83%	81%	81%	81%	81%	80%				
IR 200956		IR 180712	99	125	119	119	103	80	98	113	98	113	107	2	4	2	
PBD		IR 170708	1.30	13.0	18.2	22.5	11	-1.9	0.5	9.6	0.5	1.1	0.6				
IR200956			73%	55%	47%	23%	62%	63%	36%	38%	34%	35%	26%				
IR 210794		IR 170701	72	145	135	133	122	86	97	85	109	67	92	1	2	1	
PBD		IR 170708	3.91	20.9	27.9	33.5	38	1.5	0.4	-10.1	2.2	-3.2	-1.8				
IR210794			71%	63%	62%	29%	67%	59%	47%	48%	44%	38%	26%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
IR 210804		IR 170701	82	127	119	120	118	85	98	90	113	72	86	1	2	2	
PBD		IR 180723	3.02	13.8	18.1	23.1	32	0.9	0.5	-6.3	2.7	-2.7	-2.7				
IR210804			86%	83%	83%	79%	84%	83%	81%	81%	81%	80%	79%				
IR 210817		IR 180714	118	93	86	87	85	69	106	115	114	104	96	1	2	1	
PBD		IR 190733	-0.51	0.3	-2.9	-2.4	-16	-7.5	1.6	11.1	3.0	0.3	-1.1				
TANI79 A1			73%	62%	62%	27%	65%	44%	36%	41%	37%	37%	26%				
IR 210821		IR 170701	77	141	135	136	125	96	89	92	104	82	96	1	2	1	
PBD		IR 180729	3.50	19.4	28.1	35.5	42	6.7	-0.6	-4.6	1.3	-1.8	-1.1				
HARUMI 4B			71%	60%	60%	29%	46%	44%	47%	47%	43%	33%	20%				
IR 220714		IR 190800	110	111	105	104	102	81	108	94	118	93	100	1	1		
PBD		IR 190756	0.29	7.2	9.1	10.8	9	-1.5	1.9	-3.1	3.5	-0.8	-0.5				
IR220714			69%	38%	47%	30%	29%	37%	36%	36%	34%	31%	26%				
IR 220722		IR 190800	101	115	108	109	102	84	102	108	120	99	99	1	1		
PBD		IR 190793	1.11	8.9	11.2	14.3	8	0.1	1.1	6.3	3.9	-0.2	-0.7				
IR220722			69%	56%	59%	29%	28%	40%	35%	34%	32%	31%	25%				
IR 220733		IR 180716	85	142	132	130	128	89	86	110	103	86	95	1	1		
PBD		IR 180723	2.68	19.7	26.2	31.3	46	3.0	-1.0	7.5	1.2	-1.4	-1.3				
IR220733			72%	61%	61%	26%	65%	53%	43%	45%	40%	36%	25%				
IR 220741		IR 180716	101	145	136	134	131	87	81	110	93	94	103	2	2	1	
PBD		IR 180729	1.15	20.9	28.3	34.0	50	1.8	-1.6	8.0	-0.2	-0.7	0.0				
IR220741			86%	82%	82%	79%	84%	83%	81%	81%	80%	80%	79%				
IR 220804		IR 170701	91	117	109	109	105	81	98	84	106	64	89	1	2		
PBD		IR 170707	2.11	9.6	11.4	14.5	13	-1.6	0.5	-10.3	1.8	-3.5	-2.2				
IR220804			73%	62%	61%	29%	61%	51%	48%	48%	44%	36%	25%				
IR 220817		IR 180714	113	107	97	98	93	75	108	107	111	106	98	1	1		
PBD		IR 190806	-0.02	5.6	4.0	5.9	-4	-4.7	1.8	5.8	2.5	0.4	-0.8				
IR220817			70%	59%	58%	29%	64%	49%	35%	40%	37%	39%	26%				
IR 230596		IR 180716	96	136	128	126	118	80	89	109	102	85	95	1	1		
PBD		IR 200956	1.61	17.3	23.5	27.8	32	-2.1	-0.6	7.4	1.2	-1.6	-1.3				
IR230596			73%	64%	60%	20%	45%	44%	38%	40%	36%	37%	26%				
IR 230828		IR 180714	123	113	104	104	100	77	112	106	114	100	92	2	2		
PBD		IR 190746	-1.03	8.0	8.5	10.5	7	-3.6	2.3	4.8	3.0	-0.1	-1.8				
IR230828			61%	59%	59%	27%	38%	41%	34%	41%	37%	39%	26%				
IR 230929		IR 180716	85	143	132	128	123	78	85	103	99	70	95	1	1		
PBD		IR 170707	2.67	20.4	25.9	29.6	38	-3.2	-1.0	2.7	0.6	-3.0	-1.3				
IR230929			72%	48%	48%	24%	39%	44%	43%	45%	40%	39%	29%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
KJDFB0044		ETJ002	111	100	90	91	84	89	94	71	73	102	120				
FB		NPFFV0011	0.17	3.1	-0.4	0.7	-17	3.1	0.1	-19.3	-3.4	0.1	2.7	2	5	1	
LAKE WAGYU B44			66%	47%	50%	35%	29%	43%	56%	56%	52%	44%	30%				
KJDFK0005		MOYFF0137	127	86	83	85	89	80	114	85	100	93	98				
FB		KJDFB0050	-1.35	-2.7	-4.2	-4.4	-9	-1.9	2.5	-9.7	0.7	-0.7	-0.8	2	2	2	
LAKE WAGYU F K0005			50%	44%	43%	37%	39%	45%	42%	43%	41%	33%	24%				
KJDFL00008		MOYFF0137	118	80	77	76	75	79	116	78	88	79	96				
FB		KJDFD0030	-0.48	-5.1	-8.1	-10.9	-30	-2.3	2.9	-15.1	-1.0	-2.1	-1.0	3	4	1	2
LAKE WAGYU L8			50%	43%	56%	42%	34%	43%	56%	55%	51%	40%	32%				
MOI 180014		MOI 160005	101	89	92	94	97	106	83	91	105	86	109				
F1			1.14	-1.6	1.2	2.8	2	12.1	-1.4	-5.8	1.6	-1.5	1.0	1	2	1	
ENYA			41%	27%	28%	27%	20%	27%	43%	42%	40%	37%	29%				
MOI 190040	✓	MOI 160004	90	93	97	98	99	107	88	95	100	92	106				
F1			2.18	0.3	4.0	6.0	5	12.7	-0.7	-2.9	0.7	-0.9	0.5	2	5	2	
MOI190040			57%	27%	34%	33%	20%	27%	29%	29%	28%	26%	21%				
MOI 190042	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105				
F1			1.13	-2.2	0.0	0.4	2	12.1	-0.6	-3.0	0.7	-0.9	0.4	1	1	1	
MOI190042			42%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 190043	✓	MOI 160004	95	92	95	97	99	107	88	95	100	92	106				
F1			1.76	-0.2	3.2	5.0	5	12.4	-0.7	-2.9	0.7	-0.9	0.5	1	3	2	
MOI190043			47%	27%	34%	33%	20%	27%	29%	29%	28%	26%	21%				
MOI 200032	✓	MOI 160003	100	87	90	91	97	106	89	95	100	91	105				
F1			1.19	-2.1	0.1	0.6	2	12.1	-0.6	-3.0	0.7	-0.9	0.4	2	2	1	
MOI200032			49%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 200055	✓	MOI 160003	104	86	89	90	97	106	89	95	100	91	105				
F1			0.82	-2.6	-0.6	-0.3	2	11.9	-0.6	-3.0	0.7	-0.9	0.4	1	2	2	
MOI200055			47%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOI 200056	✓	MOI 160003	101	87	90	91	97	106	89	95	100	91	105				
F1			1.10	-2.3	0.0	0.4	2	12.0	-0.6	-3.0	0.7	-0.9	0.4	1	4	2	
MOI200056			57%	29%	34%	33%	20%	27%	29%	29%	28%	27%	21%				
MOYFH0037		TWAFR0007	119	96	93	94	87	77	119	88	110	80	82				
FB		MOYFA0238	-0.62	1.4	1.7	2.9	-12	-3.2	3.2	-7.9	2.4	-2.0	-3.4	10	15	4	
MOYHU F H37			50%	44%	50%	38%	23%	43%	38%	44%	42%	42%	31%				
MOYFH0079		MOYFZ0179	118	72	70	71	64	58	104	130	125	103	92				
FB		MOYFB0354	-0.53	-8.2	-12.9	-15.4	-45	-13.4	1.4	22.3	4.6	0.2	-1.7	7	30	6	4
MOYHU F H79			66%	47%	48%	30%	44%	54%	58%	57%	51%	36%	26%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
MOYFH0107		IMJFAJ2810	116	80	80	90	77	79	77	75	99	65	116	5	10	1	4
FB		WESFY0168	-0.36	-4.9	-6.5	-0.3	-27	-2.6	-2.2	-16.9	0.6	-3.4	2.1				
MOYHU F H107			67%	61%	59%	56%	38%	55%	64%	64%	59%	46%	37%				
PK 110003		KJDFC0087	94	97	89	88	88	76	92	106	89	117	134	4	13	3	1
FB		KJDFC0082	1.86	1.8	-0.6	-1.9	-11	-3.9	-0.2	5.4	-1.0	1.5	5.0				
PENSIE			71%	60%	59%	53%	56%	62%	73%	73%	69%	63%	51%				
T100166			82											1	2	1	
BS			3.00														
INFRACOR T100166			29%														

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																				
AKAUSHI																								
CWBMIR 230600  IR 180716					78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.3	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR230600										45 %	40 %	33%	29%	28%	33%	28%	9%	38 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 230824  IR 170701					67	125	110	77	114	71	125	96	110	125	123	120	108	108	94	91	108	76	87	
F2  CWBFIR 200931					39%	34%	27 %	32%	18%	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	8.8	0.1	-5.4	2.0	-2.4	-2.6	
INFRACOR IR230824										41 %	34 %	31%	27%	29%	32%	27%	9%	46 %	40 %	40 %	37 %	29 %	18 %	
CWBMIR 230875  IR 190805					79	122	115	77	115	82	122	92	115	123	123	118	110	107	93	103	109	96	96	
F2  CWBFIR 200981					31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	8.0	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR230875										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	
CWBMIR 230880  IR 180712					84	121	111	76	114	86	121	92	111	124	124	117	109	94	95	119	97	121	101	
F1					37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	2.4	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR230880										41 %	32 %	23%	20%	23%	28%	20%	8%	36 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 230908  IR 180712					84	121	111	76	114	86	121	92	111	124	124	117	109	96	95	119	97	121	101	
F2  CWBFIR 200869					37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.3	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR230908										41 %	32 %	23%	20%	23%	28%	20%	8%	39 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 230920  IR 190805					79	122	115	77	115	82	122	92	115	123	123	118	110	107	93	103	109	96	96	
F2  CWBFIR 200712					31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	8.0	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR230920										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	
CWBMIR 230925  IR 190800					83	123	112	75	111	85	123	93	112	125	125	114	106	103	97	103	113	101	97	
F2  CWBFIR 200864					32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.4	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR230925										33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBMIR 230928  IR 190800					83	123	112	75	111	85	123	93	112	125	125	114	106	103	97	103	113	101	97	
F2  CWBFIR 200951					32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.4	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR230928										33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBMIR 230936  IR 190800					83	123	112	75	111	85	123	93	112	125	125	114	106	111	97	103	113	101	97	
F2  CWBFIR 200970					32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	9.7	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR230936										33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBMIR 230945  IR 190800					83	123	112	75	111	85	123	93	112	125	125	114	106	100	97	103	113	101	97	
F1					32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.2	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR230945										33 %	26 %	26%	20%	26%	19%	21%	6%	35 %	23 %	23 %	20 %	20 %	16 %	
CWBMIR 230946  IR 180712					84	121	111	76	114	86	121	92	111	124	124	117	109	103	95	119	97	121	101	
F2  CWBFIR 200700					37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	6.7	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR230946										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240607  IR 190805					79	122	115	77	115	82	122	92	115	123	123	118	110	106	93	103	109	96	96	
F2  CWBFIR 210777					31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.7	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR240607										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID DNA Dam ID																				
AKAUSHI																								
CWBMIR 240617				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 190830	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240617										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240623				IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	110	106	93	103	109	96	96	
F2				CWBFIR 210831	31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.7	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR240623										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	
CWBMIR 240625				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 190833	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240625										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240626				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 200966	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240626										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240631				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	102	95	119	97	121	101	
F2				CWBFIR 190827	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	6.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240631										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240635				IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	110	106	93	103	109	96	96	
F2				CWBFIR 210802	31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.7	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR240635										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	
CWBMIR 240638				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 190760	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240638										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240639				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 190766	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240639										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240640				IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	110	106	93	103	109	96	96	
F2				CWBFIR 210847	31%	26%	21 %	20%	12%	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.7	-0.1	2.9	2.2	-0.5	-1.1	
INFRACOR IR240640										33 %	26 %	24%	21%	26%	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %	
CWBMIR 240642				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 200848	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240642										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240643				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 200916	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240643										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	
CWBMIR 240645				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101	
F2				CWBFIR 190773	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240645										41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
CWBMIR 240663			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101
F2			CWBFIR 200954	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240663				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240664			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101
F2			CWBFIR 200869	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240664				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240670			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101
F2			CWBFIR 200858	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240670				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240676			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101
F2			CWBFIR 190816	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240676				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240678			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	95	95	119	97	121	101
F3			CWBFIR 210818	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	3.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240678				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240681			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	92	95	119	97	121	101
F2			CWBFIR 200717	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	1.8	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240681				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240683			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	92	95	119	97	121	101
F2			CWBFIR 200989	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	1.8	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240683				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240684			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	92	95	119	97	121	101
F2			CWBFIR 200841	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	1.8	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240684				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240687			IR 200885	76	124	96	89	121	89	124	52	96	129	111	116	120	115	104	100	111	92	89
F1				2.30	12.5	2.30	12.5	2.30	2.30	12.5	1.41	6.5	26.6	21	-12.4	-3.5	11.6	1.3	0.5	2.5	-0.8	-2.2
INFRACOR IR 240687				64%	55%	35 %	34%	17%	64 %	55 %	33%	35%	33%	34%	23%	11%	30 %	19 %	21 %	19 %	20 %	13 %
CWBMIR 240689			IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	99	95	119	97	121	101
F2			CWBFIR 190777	2.58	11.5	2.58	11.5	2.58	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.8	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR 240689				37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBMIR 240693			WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	110	94	87	106	97	107	103
F2			CWBFIR 210722	2.18	8.7	2.18	8.7	2.18	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.8	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 240693				33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 240695			IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	105	104	87	103	104	89	97
F2			CWBFIR 200965	3.45	13.3	3.45	13.3	3.45	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.0	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 240695				31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %

CWB Bulls

Bull				
		Parentage		
ID	%Inbreeding	Genomic	Sire ID	
Name		DNA	Dam ID	

Breeding values with an accuracy < 5% are not printed																				
Selection Value						Calf weight		Mother	Growth		Fertility		Carcass							
Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value		Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity		IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness

AKAUSHI

[illegible]

88	114	115	82	112		90	114	90	115	118	118	112	110	94	87	106	97	107	103
33%	28%	9 %	6 %	11%		2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.8	-0.8	4.7	0.4	0.6	0.0
						37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %

88	114	115	82	112	90	114	90	115	118	118	112	110	94	87	106	97	107	103
33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.8	-0.8	4.7	0.4	0.6	0.0
					37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %

88	114	115	82	112	90	114	90	115	118	118	112	110	94	87	106	97	107	103
33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.8	-0.8	4.7	0.4	0.6	0.0
					37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %

88	114	115	82	112		90	114	90	115	118	118	112	110	94	87	106	97	107	103
33%	28%	9 %	6 %	11%		2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.8	-0.8	4.7	0.4	0.6	0.0
						37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %

84	121	111	76	114		86	121	92	111	124	124	117	109	94	95	119	97	121	101
37%	32%	20 %	28%	14%		2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	2.4	0.2	14.3	0.3	1.9	-0.3
						41 %	32 %	23%	20%	23%	28%	20%	8%	36 %	25 %	28 %	24 %	26 %	18 %

76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
28%	24%	22%	23%	12%	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.4	-0.4	5.0	1.0	-1.1	-1.6
					29%	24%	24%	22%	20%	23%	19%	6%	31%	21%	22%	20%	20%	14%

72	126	111	75	113	77	126	88	111	127	125	119	105	104	87	103	104	89	97
31%	26%	16%	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.0	-0.9	3.1	1.4	-1.2	-0.9
					33%	26%	24%	16%	26%	17%	21%	6%	33%	21%	21%	20%	20%	15%

102	115	105	85	130	101	115	95	105	115	115	132	125	98	98	110	101	106	94
40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.4	0.5	7.7	0.9	0.4	-1.4
					44 %	39 %	27%	24%	26%	32%	25%	7%	38 %	22 %	29 %	26 %	29 %	16 %

76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
28%	24%	22 %	23%	12%	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
					29 %	24 %	24%	22%	20%	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %

72	126	111	75	113	77	126	88	111	127	125	119	105	105	87	103	104	89	97
31%	26%	16%	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.3	-0.9	3.1	1.4	-1.2	-0.9
					33%	26%	24%	16%	26%	17%	21%	6%	32%	21%	21%	20%	20%	15%

72	126	111	75	113	77	126	88	111	127	125	119	105	111	87	103	104	89	97
31%	26%	16%	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.8	-0.9	3.1	1.4	-1.2	-0.9
					33%	26%	24%	16%	26%	17%	21%	6%	33%	21%	21%	20%	20%	15%

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
CWBMIR 250210			IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.8	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250210				26%	20%	20 %	22%	12%	26 %	20 %	24%	20%	25%	22%	17%	6%	32 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 250215			IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	100	97	103	113	101	97
F1				32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.2	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250215				32%	26%	20 %	19%	14%	33 %	26 %	26%	20%	26%	19%	21%	6%	35 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250220			IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	104	97	103	113	101	97
F2			CWBFIR 190777	32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250220				32%	26%	20 %	19%	14%	33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250229			ZEWB210226	79	113	116	81	113	83	113	91	116	117	119	115	110	108	90	112	96	92	92
F3			CWBFIR 210818	29%	24%	7 %	5 %	8 %	2.92	8.4	-0.04	17.1	18.2	33	-11.7		8.5	-0.4	9.1	0.1	-0.9	-1.7
INFRACOR IR 250229				29%	24%	7 %	5 %	8 %	32 %	24 %	16%	7 %	8 %	5 %	11%		25 %	13 %	13 %	11 %	12 %	9 %
CWBMIR 250230			IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	104	97	103	113	101	97
F2			CWBFIR 200912	32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250230				32%	26%	20 %	19%	14%	33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250237			ZEWB210226	79	113	116	81	113	83	113	91	116	117	119	115	110	104	90	112	96	92	92
F1				29%	24%	7 %	5 %	8 %	2.92	8.4	-0.04	17.1	18.2	33	-11.7		6.9	-0.4	9.1	0.1	-0.9	-1.7
INFRACOR IR 250237				29%	24%	7 %	5 %	8 %	32 %	24 %	16%	7 %	8 %	5 %	11%		22 %	13 %	13 %	11 %	12 %	9 %
CWBMIR 250241			IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	105	111	87	103	104	89	97
F2			CWBFIR 190763	31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.8	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250241				31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %
CWBMIR 250244			IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	104	97	103	113	101	97
F2			CWBFIR 200712	32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250244				32%	26%	20 %	19%	14%	33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250252			ZEWB210226	79	113	116	81	113	83	113	91	116	117	119	115	110	108	90	112	96	92	92
F2			CWBFIR 220718	29%	24%	7 %	5 %	8 %	2.92	8.4	-0.04	17.1	18.2	33	-11.7		8.5	-0.4	9.1	0.1	-0.9	-1.7
INFRACOR IR 250252				29%	24%	7 %	5 %	8 %	32 %	24 %	16%	7 %	8 %	5 %	11%		25 %	13 %	13 %	11 %	12 %	9 %
CWBMIR 250272			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 230353	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250272				24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250273			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220007	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250273				24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250274			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 230356	28%	24%	22 %	23%	12%	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250274				28%	24%	22 %	23%	12%	29 %	24 %	24%	22%	20%	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
CWBMIR 250277			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220041	3.23	13.1				29 %	24 %	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250277				28 %	24 %	22 %	23 %	12 %			24 %	22 %	20 %	23 %	19 %	6 %	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250278			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220011	2.84	11.5				24 %	16 %	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250278				24 %	16 %	14 %	15 %	14 %			23 %	14 %	26 %	15 %	21 %	6 %	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250280			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220056	3.23	13.1				29 %	24 %	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250280				28 %	24 %	22 %	23 %	12 %			24 %	22 %	20 %	23 %	19 %	6 %	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250281			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220017	3.23	13.1				29 %	24 %	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250281				28 %	24 %	22 %	23 %	12 %			24 %	22 %	20 %	23 %	19 %	6 %	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250282			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 230355	3.23	13.1				29 %	24 %	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250282				28 %	24 %	22 %	23 %	12 %			24 %	22 %	20 %	23 %	19 %	6 %	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250283			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220020	3.23	13.1				29 %	24 %	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250283				28 %	24 %	22 %	23 %	12 %			24 %	22 %	20 %	23 %	19 %	6 %	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250284			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220045	2.84	11.5				24 %	16 %	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250284				24 %	16 %	14 %	15 %	14 %			23 %	14 %	26 %	15 %	21 %	6 %	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250285			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220038	2.84	11.5				24 %	16 %	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250285				24 %	16 %	14 %	15 %	14 %			23 %	14 %	26 %	15 %	21 %	6 %	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250738			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	102	98	110	101	106	94
F2			CWBFIR 190771	1.10	8.9				44 %	39 %	-0.19	11.5	16.6	27	-21.2	-4.4	5.9	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 250738				40 %	39 %	24 %	32 %	16 %			27 %	24 %	26 %	32 %	25 %	7 %	38 %	22 %	29 %	26 %	29 %	16 %
CWBMIR 250739			WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103
F2			CWBFIR 210720	2.18	8.7				37 %	28 %	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250739				33 %	28 %	9 %	6 %	11 %			17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 250741			WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103
F2			CWBFIR 200966	2.18	8.7				37 %	28 %	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250741				33 %	28 %	9 %	6 %	11 %			17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 250746			WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103
F2			CWBFIR 190833	2.18	8.7				37 %	28 %	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250746				33 %	28 %	9 %	6 %	11 %			17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID DNA Dam ID																				
AKAUSHI																								
CWBMIR 250748					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250748					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250751					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250751					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250754					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250754					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250758					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250758					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250763					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250763					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250764					88	114	115	82	112	90	114	90	115	118	118	112	110	91	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.4	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250764					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250769					88	114	115	82	112	90	114	90	115	118	118	112	110	90	87	106	97	107	103	
F2					33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.8	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250769					33%	28%	9 %	6 %	11%	37 %	28 %	17%	9 %	17%	6 %	16%	6%	34 %	25 %	28 %	21 %	23 %	14 %	
CWBMIR 250775					79	113	116	81	113	83	113	91	116	117	119	115	110	106	90	112	96	92	92	
F2					29%	24%	7 %	5 %	8 %	2.92	8.4	-0.04	17.1	18.2	33	-11.7		7.7	-0.4	9.1	0.1	-0.9	-1.7	
INFRACOR IR 250775					29%	24%	7 %	5 %	8 %	32 %	24 %	16%	7 %	8 %	5 %	11%		25 %	13 %	13 %	11 %	12 %	9 %	
CWBMIR 250780					72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97	
F3					31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250780					31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %	
CWBMIR 250785					72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97	
F2					31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250785					31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %	
CWBMIR 250786					72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97	
F2					31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250786					31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %	
CWBMIR 250787					72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97	
F3					31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250787					31%	26%	16 %	17%	14%	33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %	

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
CWBMIR 250788			IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97
F2			CWBFIR 210811	31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250788									33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %
CWBMIR 250791			IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	105	108	87	103	104	89	97
F3			CWBFIR 220812	31%	26%	16 %	17%	14%	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.5	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250791									33 %	26 %	24%	16%	26%	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %
CWBMIR 250799			IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	102	101	82	110	100	81	92
F1			CWBFIR 160305	43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	5.5	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250799									45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBMIR 250806			ZEWB210226	79	113	116	81	113	83	113	91	116	117	119	115	110	106	90	112	96	92	92
F2			CWBFIR 220726	29%	24%	7 %	5 %	8 %	2.92	8.4	-0.04	17.1	18.2	33	-11.7		7.7	-0.4	9.1	0.1	-0.9	-1.7
INFRACOR IR 250806									32 %	24 %	16%	7 %	8 %	5 %	11%		25 %	13 %	13 %	11 %	12 %	9 %
CWBMIR 250807			WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	110	90	87	106	97	107	103
F2			CWBFIR 200875	33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.8	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250807									37 %	28 %	17%	9 %	17%	6 %	16%	6%	34 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 250819			IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92
F1				43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.3	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250819									45 %	40 %	33%	29%	28%	33%	28%	9%	38 %	33 %	35 %	32 %	33 %	23 %
CWBMIR 250831			IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	104	97	103	113	101	97
F2			CWBFIR 200857	32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250831									33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250884			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220030	28%	24%	22 %	23%	12%	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250884									29 %	24 %	24%	22%	20%	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250886			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220047	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250886									24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 250887			IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	103	91	90	106	102	90	93
F1			CWBFIR 220034	28%	24%	22 %	23%	12%	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250887									29 %	24 %	24%	22%	20%	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %
CWBMIR 250888			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220029	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250888									24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBMIR 260765			IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95
F1			CWBFIR 220040	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 260765									24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic DNA	Sire ID Dam ID																				
AKAUSHI																								
CWBMIR 260768			✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95	
F1				CWBFIR 220025	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 260768					24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
CWBMIR 260770			✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95	
F1				CWBFIR 220012	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 260770					24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
CWBMIR 260771			✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95	
F1				CWBFIR 220014	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 260771					24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
CWBMIR 260772			✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	109	102	96	99	107	93	95	
F1				CWBFIR 220061	24%	16%	14 %	15%	14%	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 260772					24%	16%	14 %	15%	14%	24 %	16 %	23%	14%	26%	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
JAPANESE BLACK																								
CWBMIR 230585			✓	IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96	
F1					26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.8	0.1	4.4	2.7	-0.2	-1.2	
INFRACOR IR230585					26%	20%	20 %	22%	12%	26 %	20 %	24%	20%	25%	22%	17%	6%	32 %	20 %	20 %	18 %	17 %	13 %	
CWBMIR 230862			✓	IR 180716	104	126	76	90	114	100	126	107	76	112	110	107	117	117	94	101	105	73	95	
PBD			✓	IR 190756	65%	63%	44 %	39%	28%	1.25	13.3	-0.66	-4.1	14.8	21	-7.0	-3.0	12.4	0.0	1.7	1.5	-2.6	-1.3	
INFRACOR IR230862					65%	63%	44 %	39%	28%	70 %	63 %	46%	44%	46%	39%	39%	18%	51 %	43 %	45 %	41 %	41 %	30 %	
CWBMIR 230863			✓	IR 180716	96	133	79	83	115	94	133	102	79	121	117	106	118	118	87	115	107	80	94	
PBD			✓	IR 190793	66%	63%	45 %	38%	28%	1.80	16.2	-0.44	-2.2	21.2	31	-6.4	-3.2	13.1	-0.8	11.1	1.9	-2.0	-1.4	
INFRACOR IR230863					66%	63%	45 %	38%	28%	71 %	63 %	47%	45%	44%	38%	39%	18%	51 %	42 %	44 %	41 %	40 %	30 %	
CWBMIR 230870			✓	IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	106	102	97	103	113	101	97	
F2			✓	CWBFIR 200701	32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.0	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR230870					32%	26%	20 %	19%	14%	33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBMIR 230895			✓	IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.3	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR230895					43%	40%	29 %	33%	18%	45 %	40 %	33%	29%	28%	33%	28%	9%	38 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 230896			✓	IR 180716	101	125	70	92	117	97	125	106	70	112	108	109	121	118	91	114	114	80	94	
PBD			✓	IR 190733	67%	51%	46 %	47%	29%	1.50	12.9	-0.62	-7.0	14.9	18	-7.9	-3.7	13.1	-0.4	11.0	2.9	-2.0	-1.4	
INFRACOR IR230896					67%	51%	46 %	47%	29%	72 %	51 %	49%	46%	38%	47%	39%	19%	52 %	43 %	45 %	41 %	41 %	30 %	
CWBMIR 230921			✓	IR 180716	101	123	70	94	116	98	123	105	70	110	106	107	119	116	90	118	113	89	98	
PBD			✓	IR 190734	65%	50%	45 %	46%	29%	1.42	12.0	-0.56	-7.0	13.5	15	-7.0	-3.4	12.2	-0.5	13.4	2.8	-1.2	-0.7	
INFRACOR IR230921					65%	50%	45 %	46%	29%	70 %	50 %	48%	45%	38%	46%	39%	19%	52 %	44 %	46 %	42 %	42 %	31 %	
CWBMIR 240644			✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	109	94	95	119	97	121	101	
F2			✓	CWBFIR 200873	37%	32%	20 %	28%	14%	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	2.6	0.2	14.3	0.3	1.9	-0.3	
INFRACOR IR240644					37%	32%	20 %	28%	14%	41 %	32 %	23%	20%	23%	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																				
JAPANESE BLACK																								
CWBMIR 240652	2		IR 180716		81	148	99	59	124	85	149	86	99	145	141	119	122	122	77	116	98	87	97	
PBD			IR 180725		66%	49%	46 %	46%	26%	2.68	22.6	0.14	8.0	38.0	64	-14.1	-4.2	14.7	-2.1	12.3	0.4	-1.4	-0.9	
INFRACOR IR240652										71 %	49 %	48%	46%	36%	46%	37%	14%	49 %	42 %	43 %	39 %	38 %	27 %	
CWBMIR 240659			IR 180712		111	112	83	97	119	108	112	99	83	107	103	109	125	114	100	124	104	119	103	
FB			IR 190793		64%	43%	39 %	34%	26%	0.44	7.6	-0.36	-0.4	11.2	10	-8.2	-4.2	11.0	0.8	17.9	1.4	1.8	0.1	
INFRACOR IR240659										70 %	43 %	41%	39%	34%	34%	34%	18%	50 %	36 %	38 %	35 %	35 %	26 %	
CWBMIR 240688			IR 210817		100	95	86	116	124	108	95	59	86	98	84	111	131	108	110	101	112	99	93	
F1					55%	31%	22 %	32%	16%	0.41	0.8	1.14	1.2	4.7	-17	-9.3	-5.4	8.6	2.1	1.2	2.6	-0.2	-1.5	
INFRACOR IR 240688										62 %	31 %	28%	22%	22%	32%	23%	10%	30 %	18 %	20 %	19 %	19 %	13 %	
CWBMIR 250202	5		AL 210113		111	73	72	127	92	134	73	116	72	69	73	84	101	121	115	81	104	105	111	
FB			IR 190747		61%	61%	37 %	34%	23%	-2.11	-7.9	-0.99	-6.1	-15.0	-32	6.6	0.5	14.3	2.7	-12.5	1.4	0.4	1.4	
INFRACOR IR 250202										67 %	61 %	36%	37%	28%	34%	30%	16%	41 %	28 %	29 %	28 %	26 %	21 %	
CWBMIR 250204	2		AL 210113		119	76	75	135	99	125	76	93	75	69	65	94	104	123	112	64	86	102	115	
FB			IR 190754		60%	60%	33 %	17%	20%	-1.18	-6.8	-0.12	-4.3	-15.2	-43	0.8	-0.1	15.2	2.3	-24.5	-1.4	0.1	2.0	
INFRACOR IR 250204										67 %	60 %	35%	33%	26%	17%	28%	13%	41 %	24 %	24 %	23 %	21 %	15 %	
CWBMIR 250211			IR 180716		78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.4	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR 250211										45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 250214			IR 180716		78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.4	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR 250214										45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 250224			IR 180716		78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.4	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR 250224										45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 250225			IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96	
F1					26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2	
INFRACOR IR 250225										26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %	
CWBMIR 250226	3		ZEWB210226		104	120	84	94	142	101	120	102	84	114	106	136	143	121	104	108	106	89	88	
F3			IR 230828		59%	38%	22 %	20%	18%	1.13	11.1	-0.46	0.4	16.2	14	-23.8	-7.5	14.4	1.3	6.4	1.7	-1.1	-2.4	
INFRACOR IR 250226										66 %	38 %	32%	22%	22%	20%	25%	10%	36 %	22 %	24 %	22 %	23 %	16 %	
CWBMIR 250227			IR 180716		78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92	
F1					43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.4	-1.5	7.6	0.8	-1.9	-1.7	
INFRACOR IR 250227										45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %	
CWBMIR 250228			IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96	
F1					26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2	
INFRACOR IR 250228										26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMIR 250236	2	 ZEWB190053		67	133	92	87	139	77	133	71	92	129	113	133	137	125	95	106	93	109	103
PBD		 IR 180728		65%	41%	34 %	16%	21%	3.49	16.3	0.69	4.6	26.5	25	-22.3	-6.7	15.8	0.2	5.0	-0.3	0.8	0.0
INFRACOR IR 250236									71 %	41 %	41%	34%	30%	16%	30%	12%	44 %	35 %	34 %	31 %	27 %	20 %
CWBMIR 250243		 IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250243									26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 250245		 IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250245									26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 250247		 IR 190800		83	123	112	75	111	85	123	93	112	125	125	114	106	103	97	103	113	101	97
F2		 CWBFIR 200958		32%	26%	20 %	19%	14%	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	6.3	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250247									33 %	26 %	26%	20%	26%	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBMIR 250253		 IR 180716		78	136	108	65	109	80	136	95	108	132	135	114	102	98	82	110	100	81	92
F1				43%	40%	29 %	33%	18%	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.4	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250253									45 %	40 %	33%	29%	28%	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBMIR 250255		 ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	107	97	105	95	102	95
F1				40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.2	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 250255									45 %	33 %	20%	10%	18%		17%	5%	32 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 250264		 IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250264									26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 250267		 IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250267									26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 250767		 WB 180157		88	114	115	82	112	90	114	90	115	118	118	112	110	90	87	106	97	107	103
F3		 CWBFIR 210776		33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.9	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250767									37 %	28 %	17%	9 %	17%	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 250796		 WB 180157		88	114	115	82	112	90	114	90	115	118	118	112	110	89	87	106	97	107	103
F2		 CWBFIR 200944		33%	28%	9 %	6 %	11%	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.4	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250796									37 %	28 %	17%	9 %	17%	6 %	16%	6%	34 %	25 %	28 %	21 %	23 %	14 %
CWBMIR 250818		 IR 190791		81	124	112	77	113	83	124	94	112	125	123	117	107	95	95	105	112	99	96
F1				26%	20%	20 %	22%	12%	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250818									26 %	20 %	24%	20%	25%	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBMIR 260293		IR 180714		102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94
PEN		CWBFIR 220744		40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260293									44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMIR 260294				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200987	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260294					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260296				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 190397	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260296					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260300				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 230905	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260300					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260302				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200022	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260302					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260304				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200852	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260304					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260306				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200915	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260306					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260312				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFKZ 150070	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260312					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260313				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200007	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260313					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260314				ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95	
PEN				CWBFIR 230859	40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3	
INFRACOR IR 260314					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %	
CWBMIR 260315				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94	
PEN				CWBFIR 200965	40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4	
INFRACOR IR 260315					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %	
CWBMIR 260333				ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95	
PEN				CWBFIR 230879	40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3	
INFRACOR IR 260333					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %	
CWBMIR 260339				ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95	
PEN				CWBFIR 230853	40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3	
INFRACOR IR 260339					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %	

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage				Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID	Dam ID																			
JAPANESE BLACK																							
CWBMIR 260344			IR 180714		102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94
PEN			CWBFIR 190782		40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260344					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBMIR 260349			IR 180714		102	115	105	85	130	101	115	95	105	115	115	132	125	99	98	110	101	106	94
PEN			CWBFIR 190766		40%	39%	24 %	32%	16%	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260349					40%	39%	24 %	32%	16%	44 %	39 %	27%	24%	26%	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBMIR 260357			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 230855		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260357					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260360			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 200904		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260360					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260361			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 200901		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260361					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260365			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 200916		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260365					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260366			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 210837		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260366					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260367			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 210802		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260367					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260368			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 190824		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260368					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260370			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 220773		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260370					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260380			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 200061		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260380					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260381			ZEWB190053		72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 190772		40%	33%	10 %		11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260381					40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
JAPANESE BLACK																						
CWBMIR 260382			ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 190830	3.44	10.6			11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260382				40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260385			ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 200981	3.44	10.6			11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260385				40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBMIR 260390			ZEWB190053	72	119	113		118	77	119	86	113	121		122	111	108	97	105	95	102	95
PEN			CWBFIR 220712	3.44	10.6			11%	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 260390				40%	33%	10 %		11%	45 %	33 %	20%	10%	18%		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																						
CWBFIR 190760	IR 170705			89	109	113	90	117	91	109	92	113	112	110	120	114	111	92	86	104	83	97
F1	CWBFAVN160			29 %	22 %	22 %	60 %	16 %	2.12	6.6	-0.07	15.6	14.7	21	-14.6	-2.0	10.0	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR F1 A705									30 %	22 %	27 %	22 %	24 %	60%	23%	10%	48 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 190763	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	103	94	91	108	76	87
F1	CWBFIK 160151			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.6	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR F1 A701									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190766	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	106	94	91	108	76	87
F1	CWBFKGL17*			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR F1 A701									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190771	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	106	94	91	108	76	87
F1	CWBFAVN304			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR190771									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190772	IR 170705			89	109	113	102	117	91	109	92	113	112	98	120	114	113	92	86	104	83	97
F1	CWBFIK 160147			29 %	22 %	22 %	61 %	16 %	2.12	6.6	-0.07	15.6	14.7	4	-14.6	-2.0	10.7	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR IR190772									30 %	22 %	27 %	22 %	24 %	61%	23%	10%	48 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 190773	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	104	94	91	108	76	87
F1	CWBFBV 150359			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.9	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR190773									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190777	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	103	94	91	108	76	87
F1	CWBFBV 110606			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.6	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR190777									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190782	IR 170705			89	109	113	79	117	91	109	92	113	112	121	120	114	111	92	86	104	83	97
F1	CWBFIK 160113			29 %	22 %	22 %	61 %	16 %	2.12	6.6	-0.07	15.6	14.7	36	-14.6	-2.0	10.0	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR IR190782									30 %	22 %	27 %	22 %	24 %	61%	23%	10%	48 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 190785	IR 170705			89	109	113	83	117	91	109	92	113	112	117	120	114	111	92	86	104	83	97
F1	CWBFKGL3			29 %	22 %	22 %	61 %	16 %	2.12	6.6	-0.07	15.6	14.7	30	-14.6	-2.0	10.0	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR IR190785									30 %	22 %	27 %	22 %	24 %	61%	23%	10%	48 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 190816	IR 170701			65	123	101	80	112	75	123	74	101	124	120	120	106	106	102	85	112	73	84
F1	HJM 020000			56 %	52 %	32 %	60 %	28 %	3.67	12.2	0.58	9.3	23.3	35	-14.5	-0.5	7.7	1.0	-10.1	2.6	-2.7	-3.0
INFRACOR IR190816									62 %	52 %	34 %	32 %	29 %	60%	39%	16%	52 %	40 %	40 %	37 %	29%	18 %
CWBFIR 190827	IR 170701			67	125	110	77	114	71	125	96	110	125	123	120	109	99	94	91	108	76	87
F1	CWBFEK2645			39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	4.8	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR190827									41 %	34 %	31 %	27 %	29 %	32%	27%	9%	50 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 190830	IR 170703			86	111	113	87	117	88	111	93	113	113	113	119	114	103	93	94	100	89	96
F1	CWBFBV 150306			30 %	24 %	24 %	30 %	18 %	2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	6.3	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR190830									30 %	24 %	28 %	24 %	24 %	30%	24%	11%	48 %	26 %	26 %	25 %	24 %	21 %

CWB Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugaarheid			Karkas				
ID	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA Sire ID Dam ID																			
AKAUSHI																					
CWBFIR 200712		IR 180712	84	121	111	81	114	86	121	92	111	124	119	117	111	100	95	119	97	121	101
F1		CWBFIR 170162	37 %	32 %	20 %	61 %	14 %	2.58	11.5	-0.09	14.6	23.5	34	-12.6	-1.4	5.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR200712								41 %	32 %	23 %	20 %	23 %	61%	20%	8%	44 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 200717		IR 180712	84	121	111	75	114	86	121	92	111	124	125	117	111	100	95	119	97	121	101
F1		CWBFIR 170155	37 %	32 %	20 %	61 %	14 %	2.58	11.5	-0.09	14.6	23.5	42	-12.6	-1.4	5.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR200717								41 %	32 %	23 %	20 %	23 %	61%	20%	8%	44 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 200843		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	105	94	91	108	76	87
F1		CWBFBJM 110037	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.5	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200843								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200848		IR 170701	66	122	102	87	133	77	122	70	102	123	113	134	129	101	102	85	112	73	84
F1		T100166	42 %	34 %	27 %	32 %	26 %	3.49	11.6	0.73	9.5	22.7	24	-22.8	-4.8	5.7	1.0	-10.1	2.6	-2.7	-3.0
INFRACOR IR200848								44 %	34 %	35 %	27 %	29 %	32%	35%	16%	51 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200849		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	104	94	91	108	76	87
F1		CWBFBV 140229	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200849								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200851		IR 170701	67	125	110	80	114	71	125	96	110	125	120	120	109	105	94	91	108	76	87
F1			39 %	34 %	27 %	60 %	18 %	4.07	12.8	-0.24	14.0	23.8	35	-14.5	-1.1	7.5	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200851								41 %	34 %	31 %	27 %	29 %	60%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200852		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	105	94	91	108	76	87
F1		CWBFAVN119	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.5	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200852								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200855		IR 170701	67	125	110	78	114	71	125	96	110	125	122	120	109	102	94	91	108	76	87
F1		CWBFBV 140221	39 %	34 %	27 %	61 %	18 %	4.07	12.8	-0.24	14.0	23.8	38	-14.5	-1.1	6.2	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200855								41 %	34 %	31 %	27 %	29 %	61%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200857		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	104	94	91	108	76	87
F1		CWBFBV 120643	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200857								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200858		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	104	94	91	108	76	87
F1		CWBFGKL17	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200858								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200859		IR 170701	67	125	110	77	114	71	125	96	110	125	123	120	109	105	94	91	108	76	87
F1		CWBFT140006	39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.5	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200859								41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200864		IR 170701	67	125	110	82	114	71	125	96	110	125	118	120	109	104	94	91	108	76	87
F1		CWBFHJM133	39 %	34 %	27 %	61 %	18 %	4.07	12.8	-0.24	14.0	23.8	32	-14.5	-1.1	6.9	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200864								41 %	34 %	31 %	27 %	29 %	61%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
AKAUSHI																							
CWBFIR 200869				67	125	110	77	114	71	125	96	110	125	123	120	109	104	94	91	108	76	87	
F1				4.07	12.8				4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.7	0.1	-5.4	2.0	-2.4	-2.6	
INFRACOR IR200869				39 %	34 %	27 %	32 %	18 %	41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %	
CWBFIR 200894				89	109	113	86	117	91	109	92	113	112	114	120	114	111	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	26	-14.6	-2.0	9.8	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200894				29 %	22 %	22 %	32 %	16 %	30 %	22 %	27 %	22 %	24 %	32%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200901				89	109	113	78	117	91	109	92	113	112	122	120	114	113	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	37	-14.6	-2.0	10.6	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200901				29 %	22 %	22 %	60 %	16 %	30 %	22 %	27 %	22 %	24 %	60%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200902				89	109	113	81	117	91	109	92	113	112	119	120	114	110	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	34	-14.6	-2.0	9.4	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200902				29 %	22 %	22 %	61 %	16 %	30 %	22 %	27 %	22 %	24 %	61%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200904				89	109	113	86	117	91	109	92	113	112	114	120	114	111	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	26	-14.6	-2.0	9.8	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200904				29 %	22 %	22 %	32 %	16 %	30 %	22 %	27 %	22 %	24 %	32%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200913				89	109	113	87	117	91	109	92	113	112	113	120	114	113	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	25	-14.6	-2.0	10.6	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200913				29 %	22 %	22 %	58 %	16 %	30 %	22 %	27 %	22 %	24 %	58%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200916				89	109	113	90	117	91	109	92	113	112	110	120	114	113	92	86	104	83	97	
F1				2.12	6.6				2.12	6.6	-0.07	15.6	14.7	20	-14.6	-2.0	10.6	-0.3	-9.2	1.4	-1.7	-1.0	
INFRACOR IR200916				29 %	22 %	22 %	60 %	16 %	30 %	22 %	27 %	22 %	24 %	60%	23%	10%	48 %	32 %	31 %	29 %	24 %	21 %	
CWBFIR 200931				86	111	113	87	117	88	111	93	113	113	113	119	114	109	93	94	100	89	96	
F1				2.37	7.3				2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	9.0	-0.1	-3.4	0.8	-1.1	-1.2	
INFRACOR IR200931				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	48 %	26 %	26 %	25 %	24 %	21 %	
CWBFIR 200936				86	111	113	88	117	88	111	93	113	113	112	119	114	107	93	94	100	89	96	
F1				2.37	7.3				2.37	7.3	-0.10	15.7	15.6	23	-14.0	-2.0	8.2	-0.1	-3.4	0.8	-1.1	-1.2	
INFRACOR IR200936				30 %	24 %	24 %	61 %	18 %	30 %	24 %	28 %	24 %	24 %	61%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %	
CWBFIR 200948				86	111	113	87	117	88	111	93	113	113	113	119	114	109	93	94	100	89	96	
F1				2.37	7.3				2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	9.0	-0.1	-3.4	0.8	-1.1	-1.2	
INFRACOR IR200948				30 %	24 %	24 %	57 %	18 %	30 %	24 %	28 %	24 %	24 %	57%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %	
CWBFIR 200949				86	111	113	87	117	88	111	93	113	113	113	119	114	107	93	94	100	89	96	
F1				2.37	7.3				2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	8.2	-0.1	-3.4	0.8	-1.1	-1.2	
INFRACOR IR200949				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	48 %	26 %	26 %	25 %	24 %	21 %	
CWBFIR 200950				86	111	113	89	117	88	111	93	113	113	111	119	114	107	93	94	100	89	96	
F1				2.37	7.3				2.37	7.3	-0.10	15.7	15.6	22	-14.0	-2.0	8.2	-0.1	-3.4	0.8	-1.1	-1.2	
INFRACOR IR200950				30 %	24 %	24 %	61 %	18 %	30 %	24 %	28 %	24 %	24 %	61%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
AKAUSHI																						
CWBFIR 200951				86	111	113	87	117	88	111	93	113	113	113	119	114	107	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	8.2	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200951				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200952				86	111	113	73	117	88	111	93	113	113	127	119	114	108	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	44	-14.0	-2.0	8.5	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200952				30 %	24 %	24 %	60 %	18 %	30 %	24 %	28 %	24 %	24 %	60%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200960				86	111	113	87	117	88	111	93	113	113	113	119	114	105	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	7.5	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200960				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200965				67	125	110	77	114	71	125	96	110	125	123	120	109	103	94	91	108	76	87
F1									4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	6.5	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR200965				39 %	34 %	27 %	32 %	18 %	41 %	34 %	31 %	27 %	29 %	32%	27%	9%	49 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 200966				86	111	113	87	117	88	111	93	113	113	113	119	114	107	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	8.1	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200966				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200970				86	111	113	88	117	88	111	93	113	113	112	119	114	107	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	23	-14.0	-2.0	8.1	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200970				30 %	24 %	24 %	61 %	18 %	30 %	24 %	28 %	24 %	24 %	61%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200982				86	111	113	87	117	88	111	93	113	113	113	119	114	107	93	94	100	89	96
F1									2.37	7.3	-0.10	15.7	15.6	25	-14.0	-2.0	8.1	-0.1	-3.4	0.8	-1.1	-1.2
INFRACOR IR200982				30 %	24 %	24 %	30 %	18 %	30 %	24 %	28 %	24 %	24 %	30%	24%	11%	47 %	26 %	26 %	25 %	24 %	21 %
CWBFIR 200987				89	109	113	86	117	91	109	92	113	112	114	120	114	110	92	86	104	83	97
F1									2.12	6.6	-0.07	15.6	14.7	26	-14.6	-2.0	9.5	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR IR200987				29 %	22 %	22 %	32 %	16 %	30 %	22 %	27 %	22 %	24 %	32%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 200992				84	121	111	74	114	86	121	92	111	124	126	117	111	100	95	119	97	121	101
F1									2.58	11.5	-0.09	14.6	23.5	44	-12.6	-1.4	5.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR200992				37 %	32 %	20 %	59 %	14 %	41 %	32 %	23 %	20 %	23 %	59%	20%	8%	44 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 200998				89	109	113	86	117	91	109	92	113	112	114	120	114	110	92	86	104	83	97
F1									2.12	6.6	-0.07	15.6	14.7	26	-14.6	-2.0	9.7	-0.3	-9.2	1.4	-1.7	-1.0
INFRACOR IR200998				29 %	22 %	22 %	58 %	16 %	30 %	22 %	27 %	22 %	24 %	58%	23%	10%	47 %	32 %	31 %	29 %	24 %	21 %
CWBFIR 210720				78	136	108	65	109	80	136	95	108	132	135	114	105	108	82	110	100	81	92
F1									3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	8.5	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210720				43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	46 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210777				67	125	110	77	114	71	125	96	110	125	123	120	109	105	94	91	108	76	87
F1									4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	7.4	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR210777				39 %	34 %	27 %	32 %	18 %	41 %	34 %	31 %	27 %	29 %	32%	27%	9%	46 %	40 %	40 %	37 %	29 %	18 %

CWB Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugaarheid			Karkas				
ID	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA Sire ID Dam ID																			
AKAUSHI																					
CWBFIR 210802		IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	110	82	110	100	81	92
F1		CWBFAVN212	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	9.5	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210802			43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33 %	28 %	9 %	46 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210806		IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	110	82	110	100	81	92
F1		CWBFI 10001D	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	9.5	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210806			43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33 %	28 %	9 %	46 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210811		IR 180712	77	122	102	86	115	86	122	70	102	126	114	110	117	105	103	109	101	116	99
F1		C2	2.61	11.8	10.0	11.8	11.8	2.61	11.8	0.74	10.0	24.3	26	-8.6	-2.6	7.5	1.1	7.0	0.9	1.4	-0.6
INFRACOR IR210811			58 %	33 %	27 %	28 %	22 %	65 %	33 %	33 %	27 %	23 %	28 %	37 %	8 %	44 %	29 %	31 %	27 %	26 %	18 %
CWBFIR 210815		IR 180714	102	115	105	77	130	101	115	95	105	115	123	132	127	109	98	110	101	106	94
F1		CWBFI 180314	1.10	8.9	11.5	8.9	8.9	1.10	8.9	-0.19	11.5	16.6	40	-21.2	-4.4	9.3	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR210815			40 %	39 %	24 %	58 %	16 %	44 %	39 %	27 %	24 %	26 %	58 %	25 %	7 %	42 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 210818	4	IR 180714	118	133	90	77	149	112	133	108	90	127	123	150	150	112	101	100	108	91	87
F2		IR 190767	0.06	16.2	3.3	16.2	16.2	0.06	16.2	-0.68	3.3	25.6	39	-31.9	-8.6	10.3	0.9	1.1	2.0	-1.0	-2.5
INFRACOR IR210818			62 %	58 %	37 %	36 %	26 %	68 %	58 %	38 %	37 %	40 %	36 %	41 %	12 %	50 %	32 %	37 %	33 %	34 %	21 %
CWBFIR 210827		IR 180716	78	136	108	72	109	80	136	95	108	132	128	114	105	109	82	110	100	81	92
F2		CWBFI 190766	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	46	-11.0	-0.4	9.1	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210827			43 %	40 %	29 %	61 %	18 %	45 %	40 %	33 %	29 %	28 %	61 %	28 %	9 %	44 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210830		IR 180716	78	136	108	63	109	80	136	95	108	132	137	114	105	109	82	110	100	81	92
F1		CWBFAVN220	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	60	-11.0	-0.4	8.9	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210830			43 %	40 %	29 %	61 %	18 %	45 %	40 %	33 %	29 %	28 %	61 %	28 %	9 %	45 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210831		IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	110	82	110	100	81	92
F1		CWBFBV 100557	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	9.6	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210831			43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33 %	28 %	9 %	46 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210837		IR 180718	78	126	110	72	113	80	126	95	110	124	128	118	109	107	85	103	102	80	91
F1		CWBFBV 150274	3.14	13.5	13.8	13.5	13.5	3.14	13.5	-0.20	13.8	23.6	46	-13.6	-1.1	8.3	-1.1	2.8	1.0	-2.0	-1.9
INFRACOR IR210837			26 %	17 %	15 %	15 %	12 %	26 %	17 %	24 %	15 %	18 %	15 %	18 %	6 %	41 %	21 %	21 %	18 %	19 %	15 %
CWBFIR 210847		IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	109	82	110	100	81	92
F1		CWBFBV 160362	3.15	17.3	13.0	17.3	17.3	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	9.1	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR210847			43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33 %	28 %	9 %	44 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 210850		IR 180714	102	115	105	92	130	101	115	95	105	115	108	132	127	109	98	110	101	106	94
F2		CWBFI 190833	1.10	8.9	11.5	8.9	8.9	1.10	8.9	-0.19	11.5	16.6	18	-21.2	-4.4	9.1	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR210850			40 %	39 %	24 %	61 %	16 %	44 %	39 %	27 %	24 %	26 %	61 %	25 %	7 %	41 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 220702		IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	110	98	110	101	106	94
F2		CWBFI 190814	1.10	8.9	11.5	8.9	8.9	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	9.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR220702			40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32 %	25 %	7 %	42 %	22 %	29 %	26 %	29 %	16 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value			Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID							Birth Weight	Wean Weight												
AKAUSHI																							
CWBFIR 220703		 IR 180714		102	115	105	85	130		101	115	95	105	115	115	132	127	110	98	110	101	106	94
F2		 CWBFIR 190785		40 %	39 %	24 %	32 %	16 %		1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	9.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR220703										44 %	39 %	27 %	24 %	26 %	32%	25%	7%	42 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 220712		 IR 180712		84	121	111	69	114		86	121	92	111	124	131	117	111	111	95	119	97	121	101
F1		CWBFAVN 110160		37 %	32 %	20 %	60 %	14 %		2.58	11.5	-0.09	14.6	23.5	51	-12.6	-1.4	10.0	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR220712										41 %	32 %	23 %	20 %	23 %	60%	20%	8%	44 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 220718		 IR 180714		102	115	105	79	130		101	115	95	105	115	121	132	127	114	98	110	101	106	94
F1		CWBFBKGL21		40 %	39 %	24 %	61 %	16 %		1.10	8.9	-0.19	11.5	16.6	37	-21.2	-4.4	11.1	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR220718										44 %	39 %	27 %	24 %	26 %	61%	25%	7%	42 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 220725		 IR 180712		84	121	111	76	114		86	121	92	111	124	124	117	111	102	95	119	97	121	101
F2		 CWBFIR 190782		37 %	32 %	20 %	28 %	14 %		2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	5.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR220725										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 220726		 IR 190800		83	123	112	75	111		85	123	93	112	125	125	114	108	116	97	103	113	101	97
F1		CWBFIR 190481		32 %	26 %	20 %	19 %	14 %		2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	11.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR220726										33 %	26 %	26 %	20 %	26 %	19%	21%	6%	42 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 220744		 IR 190800		83	123	112	75	111		85	123	93	112	125	125	114	108	116	97	103	113	101	97
F1		CWBFIR 190569		32 %	26 %	20 %	19 %	14 %		2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	11.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR220744										33 %	26 %	26 %	20 %	26 %	19%	21%	6%	42 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 220759		 IR 190805		79	122	115	77	115		82	122	92	115	123	123	118	112	118	93	103	109	96	96
F1		CWBFIR 180295		31 %	26 %	21 %	20 %	12 %		2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	12.9	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR220759										33 %	26 %	24 %	21 %	26 %	20%	17%	7%	38 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 220766		 IR 180712		84	121	111	72	114		86	121	92	111	124	128	117	111	108	95	119	97	121	101
F1		CWBFAVN 150313		37 %	32 %	20 %	60 %	14 %		2.58	11.5	-0.09	14.6	23.5	46	-12.6	-1.4	8.6	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR220766										41 %	32 %	23 %	20 %	23 %	60%	20%	8%	41 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 220768		 IR 180712		84	121	111	76	114		86	121	92	111	124	124	117	111	108	95	119	97	121	101
F1				37 %	32 %	20 %	28 %	14 %		2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	8.6	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR220768										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	41 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 220773		 IR 190791		81	124	112	77	113		83	124	94	112	125	123	117	109	110	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %		2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	9.4	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR220773										26 %	20 %	24 %	20 %	25 %	22%	17%	6%	39 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 220782		 IR 180716		78	136	108	65	109		80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %		3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.3	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR220782										45 %	40 %	33 %	29 %	28 %	33%	28%	9%	38 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 220791		 IR 180716		78	136	108	65	109		80	136	95	108	132	135	114	105	112	82	110	100	81	92
F2		 CWBFIR 200841		43 %	40 %	29 %	33 %	18 %		3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	10.3	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR220791										45 %	40 %	33 %	29 %	28 %	33%	28%	9%	42 %	33 %	35 %	32 %	33 %	23 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
CWBFIR 220807  IR 190791				81	124	112	89	113	83	124	94	112	125	111	117	109	109	95	105	112	99	96
F1				26 %	20 %	20 %	58 %	12 %	2.87	12.4	-0.14	15.0	23.8	22	-12.6	-1.1	8.9	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR220807				26 %	20 %	20 %	58 %	12 %	26 %	20 %	24 %	20 %	25 %	58%	17%	6%	37 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 220812  IR 190805				79	122	115	77	115	82	122	92	115	123	123	118	112	117	93	103	109	96	96
F2  CWBFIR 200855				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	12.6	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR220812				31 %	26 %	21 %	20 %	12 %	33 %	26 %	24 %	21 %	26 %	20%	17%	7%	38 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 220858  IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	109	98	110	101	106	94
F2  CWBFIR 190761				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	9.1	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR220858				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	41 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 230852  IR 170701				67	125	110	77	114	71	125	96	110	125	123	120	109	96	94	91	108	76	87
F2  CWBFIR 190766				39 %	34 %	27 %	32 %	18 %	4.07	12.8	-0.24	14.0	23.8	40	-14.5	-1.1	3.7	0.1	-5.4	2.0	-2.4	-2.6
INFRACOR IR230852				39 %	34 %	27 %	32 %	18 %	41 %	34 %	31 %	27 %	29 %	32%	27%	9%	44 %	40 %	40 %	37 %	29 %	18 %
CWBFIR 230855  IR 180716				78	136	108	65	109	80	136	95	108	132	135	114	105	113	82	110	100	81	92
F1 CWBFIR 190399				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	10.9	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR230855				43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	42 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 230858  IR 180716				78	136	108	65	109	80	136	95	108	132	135	114	105	113	82	110	100	81	92
F2  CWBFIR 200848				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	10.9	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR230858				43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	42 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 230859  IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	114	98	110	101	106	94
F2  CWBFIR 190773				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	11.4	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR230859				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	41 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 230871  IR 190805				79	122	115	77	115	82	122	92	115	123	123	118	112	105	93	103	109	96	96
F2  CWBFIR 200858				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.4	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR230871				31 %	26 %	21 %	20 %	12 %	33 %	26 %	24 %	21 %	26 %	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 230879  IR 190805				79	122	115	77	115	82	122	92	115	123	123	118	112	119	93	103	109	96	96
F1 CWBFIR 200046				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	13.2	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR230879				31 %	26 %	21 %	20 %	12 %	33 %	26 %	24 %	21 %	26 %	20%	17%	7%	38 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 230890  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	102	97	103	113	101	97
F2  CWBFIR 200954				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230890				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 230893  IR 180716				78	136	108	65	109	80	136	95	108	132	135	114	105	99	82	110	100	81	92
F2  CWBFIR 190760				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.9	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR230893				43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 230905  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	115	97	103	113	101	97
F2  CWBFIR 200960				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	11.7	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230905				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	40 %	23 %	23 %	20 %	20 %	16 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name																						
AKAUSHI																						
CWBFIR 230906		✓	IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	108	102	97	103	113	101	97
F1			CWBFIR 200092	32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230906									33 %	26 %	26 %	20 %	26 %	19 %	21 %	6 %	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 230909		✓	IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	108	102	97	103	113	101	97
F1			CWBFIR 200031	32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.8	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230909									33 %	26 %	26 %	20 %	26 %	19 %	21 %	6 %	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 230915		✓	IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	112	104	93	103	109	96	96
F1			CWBFIR 200067	31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	6.9	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR230915									33 %	26 %	24 %	21 %	26 %	20 %	17 %	7 %	37 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 230917		✓	IR 190800	83	123	112	75	111	85	123	93	112	125	125	114	108	101	97	103	113	101	97
F1			CWBFIR 200011	32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.4	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230917									33 %	26 %	26 %	20 %	26 %	19 %	21 %	6 %	39 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 230940		✓	IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	105	82	110	100	81	92
F3		✓	CWBFIR 210818	43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	7.1	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR230940									45 %	40 %	33 %	29 %	28 %	33 %	28 %	9 %	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 240610		4	✓	IR 190805	84	136	100	77	87	136	90	100	131	123	129	124	120	92	101	113	84	91
F2			✓	IR 210812	58 %	33 %	26 %	35 %	2.53	17.6	-0.03	8.7	28.4	39	-19.5	-3.9	13.6	-0.2	1.6	2.7	-1.6	-1.8
INFRACOR IR240610									64 %	33 %	35 %	26 %	30 %	35 %	22 %	8 %	42 %	26 %	27 %	25 %	25 %	18 %
CWBFIR 240613		✓	IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	112	110	93	103	109	96	96
F2			✓	CWBFIR 210806	31 %	26 %	21 %	20 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	9.5	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR240613									33 %	26 %	24 %	21 %	26 %	20 %	17 %	7 %	35 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 240614		✓	IR 190805	79	122	115	77	115	82	122	92	115	123	123	118	112	110	93	103	109	96	96
F2			✓	CWBFIR 210815	31 %	26 %	21 %	20 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	9.5	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR240614									33 %	26 %	24 %	21 %	26 %	20 %	17 %	7 %	35 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 240616		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	92	95	119	97	121	101
F2			✓	CWBFIR 200931	37 %	32 %	20 %	28 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	1.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240616									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	38 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240619		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	99	95	119	97	121	101
F1			✓	CWBFAVN160	37 %	32 %	20 %	28 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240619									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	39 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240627		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	99	95	119	97	121	101
F2			✓	CWBFIR 190824	37 %	32 %	20 %	28 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240627									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	39 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240630		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	99	95	119	97	121	101
F2			✓	CWBFIR 190835	37 %	32 %	20 %	28 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240630									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	39 %	25 %	28 %	24 %	26 %	18 %

CWB Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
AKAUSHI																						
CWBFIR 240632		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 210720																				
INFRACOR IR240632																						
CWBFIR 240633		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	92 1.9 38 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 200982																				
INFRACOR IR240633																						
CWBFIR 240634		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 200851																				
INFRACOR IR240634																						
CWBFIR 240636		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 190785																				
INFRACOR IR240636																						
CWBFIR 240637		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 190782																				
INFRACOR IR240637																						
CWBFIR 240641		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 190772																				
INFRACOR IR240641																						
CWBFIR 240649		🔗 IR 180714		102 40 %	115 39 %	105 24 %	85 32 %	130 16 %	101 1.10 44 %	115 8.9 39 %	95 -0.19 27 %	105 11.5 24 %	115 16.6 26 %	115 27 32%	132 -21.2 25%	127 -4.4 7%	105 7.3 38 %	98 0.5 22 %	110 7.7 29 %	101 0.9 26 %	106 0.4 29 %	94 -1.4 16 %
F2		🔗 CWBFIR 200875																				
INFRACOR IR240649																						
CWBFIR 240654		10	🔗 IR 180712	99 63 %	127 58 %	82 36 %	94 43 %	143 22 %	99 1.29 69 %	127 14.0 58 %	92 -0.07 38 %	82 -0.7 36 %	124 23.1 41 %	106 14 43%	141 -26.5 31%	142 -7.0 12%	117 12.6 48 %	105 1.5 31 %	102 2.2 33 %	107 1.9 30 %	105 0.4 31 %	94 -1.4 22 %
F2		🔗 IR 190834																				
INFRACOR IR240654																						
CWBFIR 240660		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	107 8.0 41 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 200904																				
INFRACOR IR240660																						
CWBFIR 240666		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F1		🔗 CWBFIR 200998																				
INFRACOR IR240666																						
CWBFIR 240667		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 200852																				
INFRACOR IR240667																						
CWBFIR 240669		🔗 IR 180712		84 37 %	121 32 %	111 20 %	76 28 %	114 14 %	86 2.58 41 %	121 11.5 32 %	92 -0.09 23 %	111 14.6 20 %	124 23.5 23 %	124 41 28%	117 -12.6 20%	111 -1.4 8%	99 4.9 39 %	95 0.2 25 %	119 14.3 28 %	97 0.3 24 %	121 1.9 26 %	101 -0.3 18 %
F2		🔗 CWBFIR 200857																				
INFRACOR IR240669																						

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBFIR 240671	6			IR 180712	100	118	95	85	130	100	118	91	95	119	115	131	127	111	99	106	102	110	99
F2				IR 190784	58 %	36 %	29 %	32 %	16 %	1.21	10.3	-0.05	6.3	19.6	28	-20.9	-4.4	10.1	0.6	4.7	1.1	0.8	-0.6
INFRACOR IR240671										65 %	36 %	33 %	29 %	27 %	32%	23%	9%	46 %	30 %	32 %	28 %	28 %	20 %
CWBFIR 240675				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	99	95	119	97	121	101
F2				CWBFIR 200992	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.9	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240675										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	39 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240680				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
F2				CWBFIR 200901	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.2	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240680										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240682				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
F2				CWBFIR 200849	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.2	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240682										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240697				WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103
F2				CWBFIR 220718	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.2	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 240697										37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 240700				WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103
F2				CWBFIR 220768	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.2	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 240700										37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 240701				IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	103	87	103	104	89	97
F2				CWBFIR 200978	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	6.4	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 240701										33 %	26 %	24 %	16 %	26 %	17%	21%	6%	32 %	21 %	21 %	20 %	20 %	15 %
CWBFIR 240704				IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	105	90	90	106	102	90	93
F2				CWBFIR 200936	28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	0.9	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 240704										29 %	24 %	24 %	22 %	20 %	23%	19%	6%	31 %	21 %	22 %	20 %	20 %	14 %
CWBFIR 240705				IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	105	90	90	106	102	90	93
F2				CWBFIR 200712	28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	0.9	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 240705										29 %	24 %	24 %	22 %	20 %	23%	19%	6%	31 %	21 %	22 %	20 %	20 %	14 %
CWBFIR 240708				IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	97	98	110	101	106	94
F2				CWBFIR 200981	40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	3.8	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 240708										44 %	39 %	27 %	24 %	26 %	32%	25%	7%	38 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 240718				WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103
F2				CWBFIR 210830	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.2	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 240718										37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 240723				IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	91	95	119	97	121	101
F2				CWBFIR 200970	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	1.2	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR 240723										41 %	32 %	23 %	20 %	23 %	28%	20%	8%	38 %	25 %	28 %	24 %	26 %	18 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
AKAUSHI																							
CWBFIR 240724  IR 210790				72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97	
F2  CWBFIR 190763				3.45	13.3				3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.3	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 240724				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 240725  WB 180157				88	114	115	82	112	90	114	90	115	118	118	112	112	90	87	106	97	107	103	
F1				2.18	8.7				2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.9	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 240725				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	33 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250231  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F2  CWBFIR 200936				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250231				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250233  IR 210790				72	126	111	75	113	77	126	88	111	127	125	119	108	107	87	103	104	89	97	
F1				3.45	13.3				3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.0	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250233				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17%	21%	6%	30 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250239  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F1				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.2	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250239				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	35 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250242  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F2  CWBFIR 200978				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250242				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250249  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F2  CWBFIR 200970				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250249				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250251  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F2  CWBFIR 210830				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250251				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250254  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F1				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.2	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250254				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	35 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250263  IR 190800				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97	
F2  CWBFIR 200717				2.65	12.2				2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0	
INFRACOR IR 250263				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %	
CWBFIR 250275  IR 210851				81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95	
F1 CWBFIR 220001				2.84	11.5				2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 250275				24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
CWBFIR 250279  IR 210851				81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95	
F1 CWBFIR 220019				2.84	11.5				2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 250279				24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
AKAUSHI																							
CWBFIR 250286		✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95	
F1			CWBFIR 220026	24 %	16 %	14 %	15 %	14 %	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3	
INFRACOR IR 250286				24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %	
CWBFIR 250740		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 190824	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250740				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250742		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 190830	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250742				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250743		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 190766	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250743				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250744		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103	
F2		✓	CWBFIR 210815	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250744				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250745		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 200931	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250745				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250747		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 210802	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250747				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250752		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 200916	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250752				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250757		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 190835	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250757				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250760		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F1			CWBFIR 200998	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250760				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250762		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103	
F2		✓	CWBFIR 190772	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250762				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250768		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103	
F2		✓	CWBFIR 190760	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250768				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %	

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
		Genomic DNA	Sire ID																				Dam ID
Name																							
AKAUSHI																							
CWBFIR 250770		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	89	87	106	97	107	103	
F2		✓	CWBFIR 190827	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.6	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250770				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250771		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	91	87	106	97	107	103	
F2		✓	CWBFIR 200869	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.2	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250771				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250772		2	✓	WB 180157	84	132	100	83	124	88	132	88	100	129	117	122	124	101	86	104	101	94	98
F2		✓	IR 210812	58 %	35 %	17 %	29 %	14 %	2.44	15.9	0.08	8.6	27.0	31	-15.8	-3.8	5.6	-1.0	3.5	0.9	-0.6	-0.7	
INFRACOR IR 250772				58 %	35 %	17 %	29 %	14 %	65 %	35 %	31 %	17 %	22 %	29 %	21 %	7 %	42 %	30 %	33 %	26 %	29 %	18 %	
CWBFIR 250773		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103	
F2		✓	CWBFIR 200859	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250773				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250777		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97	
F2		✓	CWBFIR 220807	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.4	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250777				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	33 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250778		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	106	87	103	104	89	97	
F2		✓	CWBFIR 200855	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.7	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250778				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	32 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250779		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	106	87	103	104	89	97	
F1			CWBFIR 200975	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.7	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250779				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	32 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250781		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97	
F2		✓	CWBFIR 220759	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.4	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250781				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	33 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250782		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97	
F2		✓	CWBFIR 200952	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.4	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250782				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	33 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250783		✓	WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103	
F3		✓	CWBFIR 220702	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0	
INFRACOR IR 250783				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16 %	6 %	35 %	25 %	28 %	21 %	23 %	14 %	
CWBFIR 250784		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	106	87	103	104	89	97	
F2		✓	CWBFIR 200995	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.7	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250784				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	32 %	21 %	21 %	20 %	20 %	15 %	
CWBFIR 250789		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97	
F2		✓	CWBFIR 220766	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.4	-0.9	3.1	1.4	-1.2	-0.9	
INFRACOR IR 250789				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17 %	21 %	6 %	33 %	21 %	21 %	20 %	20 %	15 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Name	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic DNA																			
AKAUSHI																						
CWBFIR 250790				72	126	111	75	113	77	126	88	111	127	125	119	108	106	87	103	104	89	97
F2				31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	7.7	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250790				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17%	21%	6%	32 %	21 %	21 %	20 %	20 %	15 %
CWBFIR 250792				72	126	111	75	113	77	126	88	111	127	125	119	108	110	87	103	104	89	97
F2				31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	9.4	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250792				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17%	21%	6%	33 %	21 %	21 %	20 %	20 %	15 %
CWBFIR 250793				72	126	111	75	113	77	126	88	111	127	125	119	108	107	87	103	104	89	97
F1				31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.0	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 250793				31 %	26 %	16 %	17 %	14 %	33 %	26 %	24 %	16 %	26 %	17%	21%	6%	30 %	21 %	21 %	20 %	20 %	15 %
CWBFIR 250797				88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103
F2				33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250797				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 250798				88	114	115	82	112	90	114	90	115	118	118	112	112	93	87	106	97	107	103
F2				33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	2.3	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250798				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 250808				79	122	115	77	115	82	122	92	115	123	123	118	112	105	93	103	109	96	96
F2				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	7.3	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR 250808				31 %	26 %	21 %	20 %	12 %	33 %	26 %	24 %	21 %	26 %	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 250810				88	114	115	82	112	90	114	90	115	118	118	112	112	91	87	106	97	107	103
F2				33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	1.2	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250810				33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 250812				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97
F2				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250812				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 250813				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97
F2				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250813				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 250823				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97
F2				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.3	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR 250823				32 %	26 %	20 %	19 %	14 %	33 %	26 %	26 %	20 %	26 %	19%	21%	6%	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 250830				79	122	115	77	115	82	122	92	115	123	123	118	112	107	93	103	109	96	96
F2				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	8.0	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR 250830				31 %	26 %	21 %	20 %	12 %	33 %	26 %	24 %	21 %	26 %	20%	17%	7%	35 %	20 %	21 %	19 %	18 %	14 %
CWBFIR 250885				76	125	109	76	109	79	125	91	109	125	124	114	105	91	90	106	102	90	93
F1				28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250885				28 %	24 %	22 %	23 %	12 %	29 %	24 %	24 %	22 %	20 %	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
AKAUSHI																						
CWBFIR 250889		✓	IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	105	91	90	106	102	90	93
F1			CWBFIR 220037	28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250889				28 %	24 %	22 %	23 %	12 %	29 %	24 %	24 %	22 %	20 %	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %
CWBFIR 260764		✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95
F1			CWBFIR 220039	24 %	16 %	14 %	15 %	14 %	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 260764				24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBFIR 260766		✓	IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	105	91	90	106	102	90	93
F1			CWBFIR 220053	28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 260766				28 %	24 %	22 %	23 %	12 %	29 %	24 %	24 %	22 %	20 %	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %
CWBFIR 260767		✓	IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95
F1			CWBFIR 220021	24 %	16 %	14 %	15 %	14 %	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 260767				24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
JAPANESE BLACK																						
CWBFIR 170168				103	135	105	71	142	105	135	83	105	133	129	133	146	84	72	132	92	116	115
F1				68 %	68 %	68 %	68 %	68 %	0.76	17.1	0.24	11.6	29.8	48	-22.1	-7.8	-1.9	-2.7	23.4	-0.4	1.4	1.9
INFRACOR GRAFIN A2				68 %	68 %	68 %	68 %	68 %	68 %	68 %	68 %	68 %	68 %	68%	68%	68%	68 %	68 %	68 %	68 %	68 %	68 %
CWBFIR 200702		✓	IR 170709	81	112	109	85	99	84	112	91	109	111	115	98	99	93	84	110	89	95	106
F1			CWBFIR 170202	25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	2.3	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200702				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	46 %	37 %	36 %	33 %	36 %	30 %
CWBFIR 200918		✓	IR 170709	81	112	109	84	99	84	112	91	109	111	116	98	99	97	84	110	89	95	106
F1			CWBFJDK 010733	25 %	20 %	20 %	56 %	15 %	2.79	7.6	-0.06	13.4	14.4	28	-2.0	0.7	3.9	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200918				25 %	20 %	20 %	56 %	15 %	25 %	20 %	23 %	20 %	19 %	56%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %
CWBFIR 200925		✓	IR 170709	81	112	109	89	99	84	112	91	109	111	111	98	99	97	84	110	89	95	106
F1			CWBFJDK 030754	25 %	20 %	20 %	59 %	15 %	2.79	7.6	-0.06	13.4	14.4	22	-2.0	0.7	3.9	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200925				25 %	20 %	20 %	59 %	15 %	25 %	20 %	23 %	20 %	19 %	59%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %
CWBFIR 200944		✓	IR 170709	81	112	109	84	99	84	112	91	109	111	116	98	99	95	84	110	89	95	106
F1			CWBFJDK 010722	25 %	20 %	20 %	59 %	15 %	2.79	7.6	-0.06	13.4	14.4	29	-2.0	0.7	3.1	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200944				25 %	20 %	20 %	59 %	15 %	25 %	20 %	23 %	20 %	19 %	59%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %
CWBFIR 200945		✓	IR 170709	81	112	109	85	99	84	112	91	109	111	115	98	99	95	84	110	89	95	106
F1			CWBFJDK 010719	25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	3.2	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200945				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %
CWBFIR 200958		✓	IR 170709	81	112	109	90	99	84	112	91	109	111	110	98	99	94	84	110	89	95	106
F1			CWBFIR 170214	25 %	20 %	20 %	61 %	15 %	2.79	7.6	-0.06	13.4	14.4	20	-2.0	0.7	2.8	-1.2	7.8	-0.8	-0.6	0.5
INFRACOR IR200958				25 %	20 %	20 %	61 %	15 %	25 %	20 %	23 %	20 %	19 %	61%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
																							Genomic DNA	Dam ID
JAPANESE BLACK																								
CWBFIR 200975  IR 170709				81	112	109	81	99	84	112	91	109	111	119	98	99	91	84	110	89	95	106		
F1 CWBFKZ 150040				25 %	20 %	20 %	60 %	15 %	2.79	7.6	-0.06	13.4	14.4	33	-2.0	0.7	1.5	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR200975				25 %	20 %	20 %	60 %	15 %	25 %	20 %	23 %	20 %	19 %	60%	20%	10%	48 %	37 %	36 %	33 %	36 %	30 %		
CWBFMOI 200023  MOI 160003				105	87	106	103	95	101	87	105	106	91	97	103	90	95	89	95	100	91	105		
F1 MOOIPLAATS MOI200023				36 %	29 %	27 %	20 %	21 %	1.11	-2.2	-0.57	12.0	-0.2	2	-4.8	2.3	3.1	-0.6	-3.0	0.7	-0.9	0.4		
MOOIPLAATS MOI200023				36 %	29 %	27 %	20 %	21 %	37 %	29 %	33 %	27 %	34 %	20%	27%	15%	47 %	29 %	29 %	28 %	27 %	21 %		
CWBFMOI 200026  MOI 160003				105	87	106	103	95	101	87	105	106	91	97	103	90	95	89	95	100	91	105		
F1 MOOIPLAATS MOI200026				36 %	29 %	27 %	20 %	21 %	1.11	-2.2	-0.57	12.0	-0.2	2	-4.8	2.3	2.9	-0.6	-3.0	0.7	-0.9	0.4		
MOOIPLAATS MOI200026				36 %	29 %	27 %	20 %	21 %	37 %	29 %	33 %	27 %	34 %	20%	27%	15%	45 %	29 %	29 %	28 %	27 %	21 %		
CWBFIR 210733  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJD K01804				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210733				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210744  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJD K01801				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210744				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210759  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 010722				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210759				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210761  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 050740				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210761				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210776  IR 170701				80	120	94	88	110	81	120	98	94	118	112	107	111	116	101	80	101	70	89		
F2 IR 180724				59 %	53 %	37 %	33 %	26 %	3.06	11.0	-0.32	5.6	18.7	23	-7.0	-1.5	12.0	1.0	-13.2	0.9	-2.9	-2.3		
INFRACOR IR210776				59 %	53 %	37 %	33 %	26 %	64 %	53 %	40 %	37 %	40 %	33%	40%	11%	55 %	45 %	45 %	42 %	33 %	22 %		
CWBFIR 210861  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 050509				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210861				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210863  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 010719				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210863				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210864  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 010721				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210864				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		
CWBFIR 210865  IR 170709				81	112	109	85	99	84	112	91	109	111	115	98	99	86	84	110	89	95	106		
F1 CWBFJDK 010512				25 %	20 %	20 %	27 %	15 %	2.79	7.6	-0.06	13.4	14.4	27	-2.0	0.7	-0.8	-1.2	7.8	-0.8	-0.6	0.5		
INFRACOR IR210865				25 %	20 %	20 %	27 %	15 %	25 %	20 %	23 %	20 %	19 %	27%	20%	10%	42 %	37 %	36 %	33 %	36 %	30 %		

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name																						
JAPANESE BLACK																						
CWBFMOI 210002				84	100	107	98	87	83	100	105	107	102	102	85	90	98	87	108	88	99	107
F1				37 %	21 %	19 %	15 %	17 %	2.86	2.8	-0.55	12.3	7.5	10	5.7	2.3	4.2	-0.8	6.6	-1.1	-0.2	0.7
MOOIPLAATS SUZIE									39 %	21 %	27 %	19 %	20 %	15 %	23 %	11 %	40 %	28 %	27 %	26 %	23 %	19 %
CWBFMOI 210018				92	94	91	112	100	91	94	102	91	93	88	103	100	98	89	99	91	92	110
F2				62 %	25 %	24 %	18 %	24 %	2.12	0.6	-0.45	3.9	1.8	-10	-4.5	0.6	4.5	-0.6	0.1	-0.6	-0.9	1.1
MOOIPLAATS MOI210018									68 %	25 %	40 %	24 %	26 %	18 %	35 %	13 %	45 %	31 %	31 %	29 %	26 %	22 %
CWBFMOI 210024				100	91	90	112	84	96	91	110	90	90	88	78	91	94	90	99	91	91	109
F2				61 %	26 %	24 %	18 %	24 %	1.65	-0.6	-0.74	3.6	-0.4	-11	10.0	2.2	2.8	-0.5	0.1	-0.6	-0.9	1.0
MOOIPLAATS MOI210024									67 %	26 %	37 %	24 %	26 %	18 %	35 %	13 %	46 %	31 %	31 %	30 %	26 %	22 %
CWBFIR 220731				72	140	91	75	101	75	140	96	91	131	125	95	105	121	89	99	93	76	94
F2				62 %	58 %	39 %	34 %	27 %	3.63	19.0	-0.23	4.2	28.3	42	-0.1	-0.5	14.2	-0.6	-0.2	-0.3	-2.4	-1.4
INFRACOR IR220731									68 %	58 %	41 %	39 %	40 %	34 %	43 %	11 %	51 %	39 %	41 %	37 %	37 %	27 %
CWBFMOI 220019				101	88	105	110	102	108	88	65	105	97	90	99	104	114	102	91	104	93	98
BS				52 %	14 %	13 %	10 %	10 %	0.46	-1.9	0.94	11.2	4.1	-7	-2.1	-0.3	11.4	1.0	-5.9	1.4	-0.8	-0.8
MOOIPLAATS TINA									60 %	14 %	22 %	13 %	17 %	10 %	14 %	7 %	34 %	15 %	15 %	14 %	13 %	11 %
CWBFMOI 220024				104	87	105	110	102	110	87	67	105	96	90	99	104	89	102	91	104	93	98
BS				53 %	14 %	13 %	10 %	10 %	0.23	-2.3	0.84	11.1	3.6	-7	-2.1	-0.3	0.3	1.0	-5.9	1.4	-0.8	-0.8
MOOIPLAATS THEMBA									60 %	14 %	26 %	13 %	17 %	10 %	14 %	7 %	22 %	15 %	15 %	14 %	13 %	11 %
CWBFIR 230924				83	123	112	75	111	85	123	93	112	125	125	114	108	100	97	103	113	101	97
F2				32 %	26 %	20 %	19 %	14 %	2.65	12.2	-0.13	15.1	23.8	42	-10.8	-0.9	5.4	0.4	2.8	2.8	0.0	-1.0
INFRACOR IR230924									33 %	26 %	26 %	20 %	26 %	19 %	21 %	6 %	37 %	23 %	23 %	20 %	20 %	16 %
CWBFIR 230943				79	122	115	77	115	82	122	92	115	123	123	118	112	110	93	103	109	96	96
F2				31 %	26 %	21 %	20 %	12 %	2.97	11.8	-0.10	16.7	22.6	39	-13.5	-1.7	9.3	-0.1	2.9	2.2	-0.5	-1.1
INFRACOR IR230943									33 %	26 %	24 %	21 %	26 %	20 %	17 %	7 %	35 %	20 %	21 %	19 %	18 %	14 %
CWBFMOI 230008				105	87	106	103	95	101	87	105	106	91	97	103	90	89	89	95	100	91	105
F1				36 %	29 %	27 %	20 %	21 %	1.11	-2.2	-0.57	12.0	-0.2	2	-4.8	2.3	0.7	-0.6	-3.0	0.7	-0.9	0.4
MOOIPLAATS RINA									37 %	29 %	33 %	27 %	34 %	20 %	27 %	15 %	38 %	29 %	29 %	28 %	27 %	21 %
CWBFMOI 230047				84	100	107	98	87	83	100	105	107	102	102	85	90	94	87	108	88	99	107
F2				37 %	21 %	19 %	15 %	17 %	2.86	2.8	-0.55	12.3	7.5	10	5.7	2.3	2.6	-0.8	6.6	-1.1	-0.2	0.7
MOOIPLAATS MOI230047									39 %	21 %	27 %	19 %	20 %	15 %	23 %	11 %	34 %	28 %	27 %	26 %	23 %	19 %
CWBFIR 240646				84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
F2				37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240646									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	39 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240650				84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
F2				37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240650									41 %	32 %	23 %	20 %	23 %	28 %	20 %	8 %	39 %	25 %	28 %	24 %	26 %	18 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFIR 240655		✓	IR 180712	99	142	79	71	113	96	142	111	79	133	129	101	120	112	106	113	104	117	105
BS		✓	IR 190747	63 %	61 %	40 %	42 %	26 %	1.65	19.9	-0.79	-2.5	29.4	47	-3.5	-3.2	10.3	1.5	9.8	1.5	1.5	0.3
INFRACOR IR240655									69 %	61 %	39 %	40 %	44 %	42%	34%	17%	49 %	36 %	38 %	35 %	35 %	26 %
CWBFIR 240662		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	94	95	119	97	121	101
F1				37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	2.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240662									41 %	32 %	23 %	20 %	23 %	28%	20%	8%	36 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240672		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	98	95	119	97	121	101
F2		✓	CWBFIR 200958	37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	4.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240672									41 %	32 %	23 %	20 %	23 %	28%	20%	8%	39 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240685		✓	IR 180712	84	121	111	76	114	86	121	92	111	124	124	117	111	94	95	119	97	121	101
F1				37 %	32 %	20 %	28 %	14 %	2.58	11.5	-0.09	14.6	23.5	41	-12.6	-1.4	2.4	0.2	14.3	0.3	1.9	-0.3
INFRACOR IR240685									41 %	32 %	23 %	20 %	23 %	28%	20%	8%	36 %	25 %	28 %	24 %	26 %	18 %
CWBFIR 240716		✓	IR 210790	72	126	111	75	113	77	126	88	111	127	125	119	108	107	87	103	104	89	97
F2		✓	CWBFIR 200949	31 %	26 %	16 %	17 %	14 %	3.45	13.3	0.08	14.6	25.3	41	-14.0	-0.9	8.0	-0.9	3.1	1.4	-1.2	-0.9
INFRACOR IR 240716									33 %	26 %	24 %	16 %	26 %	17%	21%	6%	30 %	21 %	21 %	20 %	20 %	15 %
CWBFIR 240726		✓	IR 210821	85	115	100	96	118	96	115	59	100	119	104	109	124	117	102	89	106	88	93
F1				33 %	30 %	22 %	23 %	16 %	1.61	8.8	1.16	8.5	19.8	12	-8.3	-3.8	12.3	1.0	-6.7	1.7	-1.2	-1.5
INFRACOR IR 240726									35 %	30 %	27 %	22 %	22 %	23%	23%	8%	34 %	23 %	23 %	21 %	16 %	10 %
CWBFMOI 240021		9	✓ MOI 190020	114	85	84	113	101	109	85	107	84	86	87	110	96	94	96	87	108	94	106
F2			✓ MOI 200056	62 %	31 %	27 %	18 %	22 %	0.38	-3.0	-0.64	0.2	-3.3	-13	-8.8	1.2	2.5	0.3	-8.3	2.0	-0.7	0.6
MOOIPLAATS MOI 240021									67 %	31 %	41 %	27 %	28 %	18%	29%	15%	40 %	33 %	32 %	32 %	28 %	23 %
CWBFMOI 240027		9	✓ MOI 190020	109	88	84	112	101	106	88	102	84	89	88	110	96	96	96	87	108	94	107
F2			✓ MOI 190043	60 %	31 %	27 %	18 %	22 %	0.68	-2.1	-0.45	0.4	-1.4	-12	-8.8	1.2	3.3	0.2	-8.3	2.0	-0.7	0.6
MOOIPLAATS MOI 240027									66 %	31 %	38 %	27 %	28 %	18%	28%	15%	40 %	32 %	32 %	31 %	28 %	23 %
CWBFMOI 240036			✓ MOI 200048	95	99	109	94	90	95	99	99	109	104	106	96	87	97	92	98	102	84	96
F2			✓ CWBFMOI 200020	36 %	32 %	22 %	18 %	18 %	1.76	2.4	-0.34	13.7	9.1	15	-0.5	2.9	3.9	-0.2	-0.8	1.0	-1.6	-1.1
MOOIPLAATS MOI 240036									38 %	32 %	27 %	22 %	24 %	18%	23%	12%	31 %	27 %	27 %	25 %	23 %	19 %
CWBFMOI 240039		10	✓ MOI 200048	115	90	93	108	95	110	90	105	93	93	92	100	92	108	91	87	108	74	100
F2			✓ MOI 180014	59 %	35 %	26 %	21 %	20 %	0.26	-1.1	-0.56	5.1	1.2	-6	-3.1	2.0	8.5	-0.3	-8.7	1.9	-2.6	-0.4
MOOIPLAATS MOI 240039									66 %	35 %	34 %	26 %	27 %	21%	27%	14%	38 %	34 %	34 %	32 %	30 %	24 %
CWBFIR 250201		4	✓ AL 210113	123	89	72	118	101	124	89	118	72	82	82	93	108	115	118	84	110	104	106
FB			✓ IR 190746	61 %	61 %	36 %	24 %	24 %	-1.09	-1.4	-1.05	-5.9	-6.4	-20	1.3	-1.0	11.6	3.1	-10.8	2.4	0.3	0.5
INFRACOR IR 250201									67 %	61 %	36 %	36 %	28 %	24%	31%	17%	42 %	28 %	30 %	29 %	29 %	22 %
CWBFIR 250203			IR 190756	102	85	89	119	103	108	85	69	89	89	81	88	114	99	111	91	106	93	99
PEN				56 %	57 %	33 %	21 %	22 %	0.46	-3.0	0.76	3.1	-1.2	-21	4.3	-2.0	4.7	2.2	-5.2	1.7	-0.8	-0.6
INFRACOR IR 250203									62 %	57 %	33 %	33 %	28 %	21%	28%	15%	35 %	28 %	28 %	27 %	24 %	20 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFIR 250207		4	 AL 210113	127	82	72	127	97	119	82	107	72	76	73	87	106	123	109	93	104	108	110
FB			 IR 190793	62 %	61 %	37 %	24 %	24 %	-0.65	-4.5	-0.66	-6.0	-10.7	-33	4.9	-0.6	15.2	2.0	-4.3	1.4	0.7	1.2
INFRACOR IR 250207									68 %	61 %	38 %	37 %	27 %	24%	31%	17%	42 %	28 %	29 %	28 %	26 %	21 %
CWBFIR 250209			 IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250209									45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250212			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250212									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250213			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250213									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250216			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250216									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250217			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250217									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250218			 IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250218									45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250219			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250219									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250221			 IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250221									45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250222			 IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250222									45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250223			 IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	98	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	4.4	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250223									26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250232			 IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250232									45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Dam ID																						
JAPANESE BLACK																							
CWBFIR 250238	6			✓ ZEWB210226	110	126	90	80	135	108	126	96	90	121	120	134	135	133	89	110	96	86	93
F3				✓ IR 220741	0.46	13.5				0.46	13.5	-0.23	3.6	21.5	35	-22.4	-5.7	19.5	-0.6	8.0	0.1	-1.4	-1.6
INFRACOR IR 250238					60 %	58 %	32 %	33 %	17 %	67 %	58 %	33 %	32 %	20 %	33%	25%	9%	36 %	25 %	25 %	22 %	22 %	15 %
CWBFIR 250240				✓ IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1					43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250240					43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250246				✓ IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1					43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250246					43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250256				✓ ZEWB190053	72	119	113		118	77	119	86	113	121		122	113	107	97	105	95	102	95
F1					40 %	33 %	10 %		11 %	3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.1	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR 250256					40 %	33 %	10 %		11 %	45 %	33 %	20 %	10 %	18 %		17%	5%	32 %	24 %	24 %	21 %	23 %	18 %
CWBFIR 250266				✓ IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1					43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250266					43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250269				✓ IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95
F1				CWBFIR 220309	24 %	16 %	14 %	15 %	14 %	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250269					24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBFIR 250270				✓ IR 210851	81	121	112	78	114	83	121	93	112	124	122	118	110	102	96	99	107	93	95
F1				CWBFIR 220318	24 %	16 %	14 %	15 %	14 %	2.84	11.5	-0.12	14.8	23.1	38	-13.5	-1.4	6.2	0.3	0.1	1.9	-0.7	-1.3
INFRACOR IR 250270					24 %	16 %	14 %	15 %	14 %	24 %	16 %	23 %	14 %	26 %	15%	21%	6%	28 %	21 %	21 %	20 %	19 %	14 %
CWBFIR 250271				✓ IR 210719	76	125	109	76	109	79	125	91	109	125	124	114	105	91	90	106	102	90	93
F1				CWBFIR 220344	28 %	24 %	22 %	23 %	12 %	3.23	13.1	-0.05	13.3	23.8	41	-10.8	-0.4	1.3	-0.4	5.0	1.0	-1.1	-1.6
INFRACOR IR 250271					28 %	24 %	22 %	23 %	12 %	29 %	24 %	24 %	22 %	20 %	23%	19%	6%	28 %	21 %	22 %	20 %	20 %	14 %
CWBFIR 250765				✓ WB 180157	88	114	115	82	112	90	114	90	115	118	118	112	112	88	87	106	97	107	103
F2				✓ CWBFIR 200918	33 %	28 %	9 %	6 %	11 %	2.18	8.7	-0.03	16.8	19.4	32	-9.7	-1.6	0.1	-0.8	4.7	0.4	0.6	0.0
INFRACOR IR 250765					33 %	28 %	9 %	6 %	11 %	37 %	28 %	17 %	9 %	17 %	6 %	16%	6%	35 %	25 %	28 %	21 %	23 %	14 %
CWBFIR 250817				✓ IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1					43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250817					43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250820				✓ IR 190791	81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1					26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250820					26 %	20 %	20 %	22 %	12 %	26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250821				✓ IR 180716	78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1					43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250821					43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFIR 250822  IR 190791				81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250822				26 %	20 %	20 %	22 %	12 %	26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250824  IR 180716				78	136	108	65	109	80	136	95	108	132	135	114	105	98	82	110	100	81	92
F1				43 %	40 %	29 %	33 %	18 %	3.15	17.3	-0.20	13.0	28.7	56	-11.0	-0.4	4.2	-1.5	7.6	0.8	-1.9	-1.7
INFRACOR IR 250824				43 %	40 %	29 %	33 %	18 %	45 %	40 %	33 %	29 %	28 %	33%	28%	9%	40 %	33 %	35 %	32 %	33 %	23 %
CWBFIR 250825  IR 190791				81	124	112	77	113	83	124	94	112	125	123	117	109	94	95	105	112	99	96
F1				26 %	20 %	20 %	22 %	12 %	2.87	12.4	-0.14	15.0	23.8	39	-12.6	-1.1	2.7	0.1	4.4	2.7	-0.2	-1.2
INFRACOR IR 250825				26 %	20 %	20 %	22 %	12 %	26 %	20 %	24 %	20 %	25 %	22%	17%	6%	34 %	20 %	20 %	18 %	17 %	13 %
CWBFIR 250828   ZEWB190053  IR 200956				89	134	83	88	139	93	134	83	83	127	112	138	138	129	103	105	98	105	97
F3				64 %	61 %	34 %	31 %	19 %	1.92	16.4	0.26	-0.1	25.2	24	-24.8	-6.4	17.6	1.2	4.1	0.4	0.4	-0.9
INFRACOR IR 250828				64 %	61 %	34 %	31 %	19 %	71 %	61 %	36 %	34 %	26 %	31%	27%	11%	41 %	30 %	30 %	27 %	29 %	22 %
CWBFMOI 250007  MOI 190028  CWBFMOI 200023				98	95	100	97	97	96	95	101	100	99	103	105	91	92	94	96	105	101	105
F2				30 %	26 %	23 %	14 %	19 %	1.58	1.0	-0.44	8.8	5.5	11	-5.6	2.1	1.9	0.0	-1.8	1.5	0.0	0.2
MOOIPLAATS MOI 250007				30 %	26 %	23 %	14 %	19 %	30 %	26 %	28 %	23 %	22 %	14%	25%	13%	33 %	29 %	29 %	28 %	25 %	20 %
CWBFIR 260289 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 230842				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260289				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260298 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 230915				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260298				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260299 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 220731				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260299				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260307 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 190543				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260307				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260308 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 200057				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260308				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260316 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 230466				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260316				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260318 IR 180714				102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN CWBFIR 200894				40 %	39 %	24 %	32 %	16 %	1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260318				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBFIR 260319			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 210806						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260319				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260320			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 200951						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260320				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260326			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 200990						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260326				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260327			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 230836						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260327				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260330			ZEWB190053	72	119	113		118	77	119	86	113	121		122	113	108	97	105	95	102	95
PEN			CWBFIR 200014						3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR260330				40 %	33 %	10 %		11 %	45 %	33 %	20 %	10 %	18 %		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBFIR 260331			ZEWB190053	72	119	113		118	77	119	86	113	121		122	113	108	97	105	95	102	95
PEN			CWBFIR 230841						3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3
INFRACOR IR260331				40 %	33 %	10 %		11 %	45 %	33 %	20 %	10 %	18 %		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %
CWBFIR 260336			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 210720						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260336				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260337			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 200966						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260337				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260342			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 200982						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260342				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260347			MOI 200048	95	99	109	94	90	95	99	99	109	104	106	96	87	97	92	98	102	84	96
PEN			CWBFMOI 220019						1.76	2.4	-0.34	13.7	9.1	15	-0.5	2.9	3.9	-0.2	-0.8	1.0	-1.6	-1.1
INFRACOR IR 260347				36 %	32 %	22 %	18 %	18 %	38 %	32 %	27 %	22 %	24 %	18%	23%	12%	31 %	27 %	27 %	25 %	23 %	19 %
CWBFIR 260348			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 200948						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260348				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %
CWBFIR 260350			IR 180714	102	115	105	85	130	101	115	95	105	115	115	132	127	99	98	110	101	106	94
PEN			CWBFIR 190835						1.10	8.9	-0.19	11.5	16.6	27	-21.2	-4.4	4.6	0.5	7.7	0.9	0.4	-1.4
INFRACOR IR 260350				40 %	39 %	24 %	32 %	16 %	44 %	39 %	27 %	24 %	26 %	32%	25%	7%	36 %	22 %	29 %	26 %	29 %	16 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness			
Name		Genomic DNA	Sire ID																				Dam ID		
JAPANESE BLACK																									
CWBFIR 260351		IR 180714		102 40 %	115 39 %	105 24 %	85 32 %	130 16 %	101 1.10 44 %	115 8.9 39 %	95 -0.19 27 %	105 11.5 24 %	115 16.6 26 %	115 27 32%	132 -21.2 25%	127 -4.4 7%	99 4.6 36 %	98 0.5 22 %	110 7.7 29 %	101 0.9 26 %	106 0.4 29 %	94 -1.4 16 %			
PEN		CWBFIR 200998																							
INFRACOR IR 260351																									
CWBFIR 260356		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 230917																							
INFRACOR IR 260356																									
CWBFIR 260358		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 200848																							
INFRACOR IR 260358																									
CWBFIR 260362		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 200918																							
INFRACOR IR 260362																									
CWBFIR 260363		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 200931																							
INFRACOR IR 260363																									
CWBFIR 260364		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 200949																							
INFRACOR IR 260364																									
CWBFIR 260369		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 190833																							
INFRACOR IR 260369																									
CWBFIR 260371		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 190785																							
INFRACOR IR 260371																									
CWBFIR 260373		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 190827																							
INFRACOR IR 260373																									
CWBFIR 260374		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 190771																							
INFRACOR IR 260374																									
CWBFIR 260377		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFBV 140230																							
INFRACOR IR 260377																									
CWBFIR 260378		ZEWB190053		72 40 %	119 33 %	113 10 %		118 11 %	77 3.44 45 %	119 10.6 33 %	86 0.15 20 %	113 15.9 10 %	121 21.3 18 %		122 -15.6 17%	113 -1.9 5%	108 8.8 29 %	97 0.4 24 %	105 4.3 24 %	95 0.1 21 %	102 0.1 23 %	95 -1.3 18 %			
PEN		CWBFIR 190489																							
INFRACOR IR 260378																									

CWB Cows

Inbreeding >6% is high			<75		75 - 125		>125		Breeding values with an accuracy < 5% are not printed														
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																							
CWBFIR 260387		ZEWB190053		72	119	113		118	77	119	86	113	121		122	113	108	97	105	95	102	95	
PEN		CWBFIR 210831							3.44	10.6	0.15	15.9	21.3		-15.6	-1.9	8.8	0.4	4.3	0.1	0.1	-1.3	
INFRACOR IR 260387				40 %	33 %	10 %		11 %	45 %	33 %	20 %	10 %	18 %		17%	5%	29 %	24 %	24 %	21 %	23 %	18 %	