



BOERBOK GENETIC REPORT

21 September 2026



MR S. SAIF ALKAABI

FDM : 1639



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.05	0.23	-0.14	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.08	-0.07	-0.08	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.10	0.04	-0.15	-0.06	-0.03	-0.07
Post-wean Weight	0.65	1.09	0.51	0.50	0.58	0.45
Number Lambs Weaned	-1.05	-1.01	-1.06	-0.36	-0.55	-0.26
Total Weight Weaned	-0.76	-0.45	-0.86	-0.31	-0.37	-0.27
Age at First Lambing	0.54	-0.72	0.94	-0.30	-0.22	-0.35
Inter-lambing Period	0.99	1.85	0.72	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	98	100	97	101	100	101
Reproduction Index	98	98	98	102	101	102
Inbreeding						
Inbreeding (%)	6.38	7.72	5.97	5.54	5.93	5.34
Number of Animals						
Number of Animals	249	59	190	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	99.1	102.2	98.2
Weaning Weight Maternal	98.8	99.0	98.8
Weaning Weight Comb	98.5	101.0	97.7
Post-wean Weight	99.9	102.8	99.0
Number Lambs Weaned	98.4	98.6	98.4
Total Weight Weaned	98.1	99.9	97.6
Age First Lambing	99.1	100.7	98.6
Interlambing Period	99.1	96.8	99.9
Selection Indices			
Logix Merit Index	98.0	100.0	97.4
Ewe Index	97.9	97.9	98.0
Growth Index	99.4	102.6	98.5
Inbreeding			
Inbreeding (%)	6.38	7.72	5.97
Number of Animals			
Number of Animals	249	59	190

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2011 - 2025	5.59	0.30
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	248	100
Known Dams	248	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 221




Sires

Number: 144




Young Ewes

Number: 5



Young Rams

Number: 59



Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

For AFL and ILP flock genetic trends below breed averages are desirable.

Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		Dam			
									Dir	Mat	Comb				Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1162	22	0080	1162	19	0105	4.08	121	118	0.62	0.24	0.55	1.91	2.50	2.36	-21.60	4.55						
	98539364		1162	20	0081				37	107	31	107	13	115	29	116	33	127	19	89	2	
762	22	0820	762	21	0143	5.59	91	88	-0.25	-0.48	-0.60	0.26	-2.10	-1.98	-9.56	7.85						
	96021522		762	19	0949				71	97	52	89	24	94	53	91	54	112	30	80	92	6
2083	23	0017	1384	21	0012	2.66	98	103	-0.78	0.04	-0.35	-0.26	-0.20	-0.86	-1.13	0.18						
	101429462		1054	20	0014				23	91	23	102	9	102	20	98	36	101	17	101	1	
1162	23	0060	1162	21	0102	3.83	110	110	-0.07	0.03	-0.01	0.39	1.70	0.98	-15.90	5.01						
	98539786		1162	21	0030				36	99	18	101	5	111	22	108	17	120	11	88	2	
1318	23	0087	1318	22	0050	12.68	114	110	0.94	0.02	0.48	2.11	1.40	1.79	-3.33	-1.52						
	101390250		1318	21	0057				26	110	20	101	7	110	19	113	32	104	21	106	3	
1940	23	0140	1940	22	0161	3.24	100	98	0.12	-0.10	-0.04	0.91	-0.80	-0.46	-4.18	3.73						
	98782956		1298	20	0556				19	101	18	98	9	100	16	100	29	105	20	92	6	
776	23	0297	776	22	0447	11.48	104	100	0.06	-0.56	-0.53	0.82	1.10	0.16	-5.16	0.91						
	101223113		776	20	0053				40	100	33	87	17	109	32	104	41	106	26	99	5	
1298	23	0503	430	19	0153	6.24	98	96	0.36	0.05	0.23	1.03	-2.30	-0.97	-0.03	1.35						
	99319790		1298	14	0411				23	104	20	102	9	93	19	97	35	100	22	98	4	
1564	23	0530	762	21	0081	4.22	90	82	0.70	-0.54	-0.19	2.47	-4.70	-2.66	-0.38	1.87						
	100461458		1564	17	0042				67	108	54	87	32	81	54	87	51	100	31	97	122	8
762	23	0957	762	21	0605	12.07	91	94	-0.35	0.13	-0.05	-0.17	-2.80	-1.90	1.28	2.92						
	98696206		762	20	0355				63	96	47	104	26	90	48	92	44	98	29	94	115	3
1962	24	0001	762	21	0848	3.12	100	91	1.02	-0.13	0.38	2.07	-2.00	-0.31	-0.93	6.07						
	98824956		1562	18	0091				44	111	30	98	13	94	31	101	30	101	19	85	3	
832	24	0006	832	22	0114	14.50	102	103	-0.07	0.04	0.00	0.45	0.20	0.09	5.20	-1.31						
	109562900		832	22	0003				16	99	13	102	5	104	12	103	29	93	19	106	2	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded					
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
762	24	0011	762	21	0467	14.64	97	105	-1.19	0.32	-0.27	-1.28	0.60	-0.50	1.70	3.55								
	99659179		762	18	0127				67	86	55	109	96	26	87	32	106	54	100	54	98	36	92	122
1844	24	0020	1673	22	0080	4.29	88	86	-0.04	-0.29	-0.31	1.13	-3.40	-2.36	10.03	0.33								
	101265791		1673	18	0095				28	99	26	94	95	18	103	15	87	24	89	34	87	23	101	
1563	24	0038	1563	23	0098	3.45	94	95	-0.59	-0.16	-0.46	-0.11	-1.40	-1.59	-7.87	5.58								
	99285827		1563	21	0099				25	93	19	97	92	8	95	10	97	19	93	34	110	18	87	
1749	24	0051	1890	22	0064	3.77	110	101	1.65	0.31	1.13	2.93	-1.10	1.30	2.74	1.78								
	110372067		1765	21	0033				55	118	33	109	120	17	115	13	98	37	110	25	96	20	97	105
1564	24	0056	1564	22	0472	9.49	100	96	0.33	0.00	0.16	1.22	-1.10	-0.34	-2.89	5.18								
	109888529		1564	22	0240				52	103	40	101	103	33	104	28	98	42	101	39	103	27	88	
832	24	0060	832	22	0114	21.25	104	105	-0.05	0.11	0.09	0.39	0.90	0.60	3.37	-0.31								
	109622761		832	22	0051				13	99	10	104	102	5	98	5	108	10	106	32	96	18	103	
1563	24	0061	22 1	65	9DJL	3.52	102	107	-0.74	0.14	-0.22	-0.25	1.10	0.07	0.77	0.29								
	99324519		16 0	05	0BSB				19	91	10	104	96	6	94	5	109	12	103	34	99	12	101	
832	24	0061	832	22	0114	21.25	104	105	-0.05	0.11	0.09	0.39	0.90	0.60	3.37	-0.31								
	109622779		832	22	0051				13	99	10	104	102	5	98	5	108	10	106	32	96	18	103	
1563	24	0062	22 1	65	9DJL	3.52	102	107	-0.74	0.14	-0.22	-0.25	1.10	0.07	0.77	0.29								
	99324600		16 0	05	0BSB				19	91	10	104	96	6	94	5	109	12	103	34	99	12	101	
1564	24	0062	1564	22	0472	11.33	115	111	0.59	0.28	0.57	1.30	1.50	1.77	-19.57	8.45								
	108054974		1564	22	0366				50	106	41	108	110	31	104	28	111	41	113	39	125	27	79	100
1673	24	0069	1673	22	0060	3.89	90	90	-0.13	-0.08	-0.14	1.22	-3.30	-2.19	4.05	1.55								
	107621385		1673	22	0046				31	98	26	99	98	21	104	16	88	26	90	39	95	23	98	
1829	24	0078	1829	22	0101	5.19	100	105	-0.62	0.24	-0.07	-0.16	0.30	-0.20	5.62	-0.47								
	110029014		1829	21	0078				17	93	14	107	99	11	95	7	105	14	101	30	93	17	103	
1749	24	0080	1749	23	0042	9.81	99	108	-1.18	0.07	-0.52	-0.76	0.40	-0.87	-1.75	-2.09								
	110450293		1749	21	0041				52	87	34	103	91	14	91	13	105	36	98	28	102	16	108	128

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility										
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam						
									Dir	Mat	Comb												
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambd					
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1829	24	0124	1673	21	0126	6.19	95	101	-0.71	0.22	-0.13	-0.20	-0.50	-0.79	15.90	-3.38		3					
	110028834		1829	21	0088				27	92	22	106	98	20	94	11	101		21	98	36	80	21
1917	24	0149	1700	20	0560	9.16	100	105	-0.31	0.25	0.10	-0.38	-0.60	-0.42	0.05	-0.04		1					
	110719119		1917	23	0093				16	96	14	107	102	12	93	9	101		14	100	17	100	12
1673	24	0155	1673	22	0060	5.30	88	86	0.08	-0.04	0.00	1.55	-4.40	-2.60	4.75	2.69		4					
	107621930		1673	21	0038				34	101	30	100	100	24	106	19	83		29	88	42	94	25
762	24	0287	762	22	0248	8.19	104	88	1.87	-0.47	0.47	2.99	-0.90	0.86	5.50	3.86		2					
	107586885		762	22	0467				51	121	38	89	108	24	115	19	99		39	108	46	93	28
762	24	0307	762	22	1427	6.36	85	92	-0.68	0.14	-0.20	-0.43	-4.50	-3.24	3.90	-0.49		5					
	107573966		762	20	0597				50	92	40	104	97	17	93	20	82		39	84	41	95	24
762	24	0316	762	22	0248	9.17	109	100	1.18	-0.56	0.03	2.30	0.80	1.10	4.09	-5.02		4					
	107587008		762	21	1275				48	113	33	87	101	27	111	12	107		34	109	46	95	25
762	24	0349	762	22	1014	10.70	82	79	-0.16	-0.59	-0.67	0.93	-4.30	-3.33	11.55	-0.46		5					
	107587370		762	21	0100				43	98	39	86	89	25	102	22	83		37	83	39	85	26
762	24	0358	762	22	0248	9.84	110	106	1.09	0.18	0.73	1.89	-0.10	1.21	0.91	-1.37		4					
	107587388		762	20	0676				49	112	38	105	113	26	108	13	103		36	110	48	99	28
1563	24	0437	116	22	0102	2.52	106	113	-0.80	0.25	-0.15	-0.76	1.40	0.29	-9.20	0.82		2					
	100412667		1563	22	0280				26	91	14	107	98	19	91	5	110		16	104	35	112	14
1146	24	0507	1562	21	0135	4.81	108	101	0.43	-0.33	-0.11	3.13	0.20	0.23	-9.51	2.25		1					
	99856684		1146	22	0016				64	105	42	93	98	63	116	20	104		45	104	35	112	18
762	24	0511	762	22	0829	10.16	95	87	0.62	-0.49	-0.18	1.03	-2.80	-1.55	-8.29	5.83		4					
	107620445		762	21	1081				42	107	29	89	97	13	102	17	90		31	94	38	110	23
1146	24	0514	1146	23	0503	2.98	109	105	0.19	0.08	0.17	1.68	1.50	1.17	-4.43	5.20		5					
	99803629		1520	20	0159				59	102	41	103	103	59	107	16	111		42	109	24	105	16
1146	24	0516	170	22	0095	4.10	119	115	1.29	0.67	1.31	3.09	-0.20	1.84	-20.31	5.82		6					
	99856262		1146	19	0043				60	114	44	118	123	60	116	26	102		46	113	33	126	18

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

- Indices ≥ 124
- Above breed average
- Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility						
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
									Dir	Mat	Comb								Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1146	24	0520	1146	23	0503	3.85	110	108	0.09	0.15	0.20	2.27	1.50	1.14	1.46	-0.11				
	99803652		1562	18	0298				59	101	41	105	20	111	43	109	93	5		
1146	24	0537	1146	22	0522	5.11	111	95	2.46	0.01	1.24	5.90	-1.70	1.45	15.83	-3.40				
	107002388		1146	21	0037				65	127	48	101	27	95	50	111	110	3		
762	24	0563	762	22	1629	11.11	97	90	0.73	-0.49	-0.13	1.51	-1.50	-0.66	4.15	0.86				
	107578395		762	20	0743				58	108	45	88	22	96	45	99	96	5		
762	24	0653	762	22	0161	7.97	80	76	-1.16	-1.00	-1.58	-0.33	-2.00	-3.36	1.91	7.91				
	107588121		762	19	0220				64	87	48	76	21	94	48	83	146	8		
762	24	0729	762	22	1627	7.58	93	95	-0.13	0.06	0.00	0.31	-2.60	-1.62	1.54	1.61				
	107595381		762	22	0888				47	98	34	102	17	91	35	93	20	1		
762	24	0759	762	22	1629	10.84	82	68	0.78	-0.89	-0.50	1.80	-4.60	-2.87	4.52	9.68				
	107588568		762	21	0114				54	108	41	78	20	82	41	94	25	2		
762	24	0799	762	22	0918	6.91	106	109	0.30	0.19	0.34	1.32	-0.90	-0.05	-7.38	-1.96				
	108046905		762	21	0442				42	103	32	106	17	99	32	102	24	4		
762	24	0852	762	22	0538	8.35	113	107	1.24	0.42	1.04	1.94	0.70	2.08	-2.92	4.33				
	107598443		762	16	0327				57	114	46	111	26	107	46	115	28	9		
762	24	0987	762	22	1003	9.39	84	97	-1.78	-0.39	-1.28	-1.35	-2.30	-3.55	10.46	-9.94				
	107597775		762	23	0016				50	80	38	91	20	93	38	82	22	4		
762	24	1053	762	23	0432	11.40	112	114	-0.17	0.01	-0.08	0.89	3.30	1.82	2.70	-3.81				
	107596470		762	17	0395				45	98	40	101	24	119	38	113	24	7		
762	24	1181	762	23	0152	7.67	82	74	0.53	-0.76	-0.49	1.27	-6.10	-3.89	-3.87	5.00				
	107597221		762	22	1401				60	106	43	82	22	75	45	80	26	2		
762	24	1242	762	22	1368	7.53	85	102	-2.48	0.28	-0.96	-2.76	-2.00	-3.40	-7.38	3.20				
	107612004		762	20	1008				57	72	38	108	14	94	40	83	19	3		
762	24	1249	762	23	0152	7.24	80	83	-0.66	-0.16	-0.49	-0.12	-5.70	-4.24	-4.73	5.59				
	107613242		762	21	1237				59	92	42	97	20	77	43	78	23	3		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat	Comb							
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambd
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
762	24	1261	762	23	0222	8.88	105	99	0.89	-0.11	0.34	2.32	-1.00	0.18	2.82	-1.76	140 6	
	107612079		762	20	0700				60 110	40 98	106	22 111	22 99	44 104	35 96	22 107		
762	24	1292	762	23	0398	12.01	112	100	1.99	-0.35	0.64	3.12	-0.60	1.28	-2.81	-2.03	101 5	
	107612244		762	21	0444				41 122	33 92	111	17 116	18 101	33 110	43 103	23 108		
762	24	1296	762	23	0398	8.69	125	114	1.84	0.24	1.16	3.22	2.90	3.82	-7.76	2.72	154 7	
	107612285		762	18	0143				47 120	38 107	120	19 117	22 117	38 125	45 110	24 94		
762	24	1406	762	22	0538	8.48	91	85	0.46	-0.31	-0.08	1.12	-3.10	-1.70	2.32	5.25	116 7	
	107616625		762	18	0400				55 105	45 93	99	29 103	27 89	45 93	47 97	28 87		
762	24	1438	762	22	0538	4.33	106	89	2.23	-0.25	0.86	2.96	-1.30	1.20	4.35	5.19	115 3	
	107616906		762	21	0375				60 125	43 94	115	21 115	21 97	44 109	45 94	24 88		
762	24	1579	762	23	0100	6.42	107	99	1.49	0.10	0.84	2.49	-1.20	0.86	0.87	1.88	96 2	
	107620924		762	19	0699				58 116	37 103	115	18 112	18 98	41 108	30 99	19 97		
762	25	0433	762	23	0898	4.73	90	87	-0.01	-0.36	-0.36	0.52	-3.20	-2.29	-1.77	3.94	1	
	109707828		762	23	1032				47 100	33 92	94	12 99	15 88	34 89	36 102	20 91		
762	25	0521	762	23	0898	8.18	100	94	1.03	0.09	0.60	1.62	-2.10	-0.14	3.55	3.65	1	
	109708594		762	23	0906				51 111	37 103	111	14 106	17 94	38 102	38 95	22 92		
Ram Flock Average: Number of rams in the flock: 59							100	98	0.23	-0.07	0.04	1.09	-1.01	-0.45	-0.72	1.85		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index
	Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1700 18 0259 97218127	762 16 0554 1700 13 0019	2.23			106	116	-0.68 29 92	0.41 29 111	0.07 102	-0.49 18 92		1.30 21 110	0.51 27 106	1.06 28 98	-4.66 21 115			0		
762 18 0808 82733049	762 16 0414 762 12 0296	4.49			66	64	-0.61 71 93	-0.92 67 78	-1.23 79	0.04 37 96		-8.10 43 65	-6.40 63 66	2.38 60 97	4.98 44 88	116	7			
1162 19 0011 91068692	1162 17 0012 1162 17 0005	2.92			105	110	-0.53 10 94	0.03 8 102	-0.23 96	-0.42 5 93		2.00 5 113	0.70 8 107	-1.00 9 101	-0.68 6 104		2			
1256 19 0035 101257962	493 17 0055 1256 16 0007	1.68			96	104	-0.90 25 90	0.35 23 109	-0.11 99	-0.53 20 92		-1.10 15 98	-1.22 22 96	-4.52 50 106	3.06 27 94		2			
1298 20 0046 91951152	1298 18 0096 1298 18 0358	3.14			102	103	-0.23 21 97	-0.03 19 100	-0.14 98	0.18 11 97		-0.20 7 102	-0.38 17 100	-11.19 53 114	4.65 30 89		2			
1435 20 0064 108629908	1435 17 0007 1435 18 1008	2.80			108	113	-0.60 17 93	0.25 19 107	-0.05 100	-0.36 5 93		2.80 8 117	1.33 16 110	0.16 27 100	0.83 13 100		1			
116 20 0212 91252247	116 19 0039 116 17 0121	14.28			104	108	-0.79 24 91	0.01 19 101	-0.38 94	-0.64 5 92		2.00 5 113	0.43 17 105	-2.74 39 103	1.69 20 97		0			
170 21 0132 94054855	762 19 0269 170 16 0092	3.65			79	80	-0.42 66 95	-0.26 55 94	-0.47 92	0.20 62 97		-5.90 35 76	-4.22 55 78	0.49 48 99	3.81 33 91	89	2			
430 21 0164 93137859	430 20 0034 627 17 0091	2.92			107	109	-0.04 46 99	-0.07 47 99	-0.09 99	0.74 18 101		1.20 7 109	0.61 37 106	-1.40 34 102	-3.86 28 113	100	3			
1574 21 0202 93259562	430 19 0027 1574 12 0122	1.88			100	104	-0.55 63 94	-0.34 50 92	-0.62 90	-0.61 35 92		0.80 24 107	-0.41 49 100	-2.83 39 103	-2.06 31 108		4			
1563 21 0338 92469006	1590 19 0187 1563 14 0008	5.48			92	93	-0.30 23 96	-0.13 19 98	-0.28 96	0.15 11 97		-2.80 13 90	-2.11 19 90	-10.21 49 113	6.19 25 85		3			
832 22 0003 94051166	1088 19 0156 1484 20 0018	3.04			97	101	-0.21 25 97	-0.01 22 101	-0.11 98	0.34 12 98		-0.50 9 101	-0.52 20 100	16.05 39 79	-6.40 29 120		2			
1146 22 0005 93691020	762 19 0666 1146 20 0022	7.07			93	109	-2.05 68 77	0.21 54 106	-0.82 86	-3.71 65 71		1.40 34 110	-1.00 55 97	7.76 42 90	-3.41 32 111		2			
1984 22 0023 98646029	1590 17 0089 1650 18 0034	2.80			98	103	-1.02 50 88	-0.58 50 86	-1.09 82	-0.52 13 92		1.00 17 108	-1.00 42 97	-0.75 31 101	-5.15 19 116	100	1			
170 22 0030 95465217	1590 16 0020 170 19 0073	9.35			105	105	0.87 63 109	0.39 55 111	0.82 114	1.23 42 104		-1.00 31 99	0.65 53 106	12.20 57 84	-5.47 34 117	98	1			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
832 22 0051 95461380	1088 19 0156 832 19 0004	3.03	103	106	-0.17 18 98	0.14 14 104	0.06 101	0.24 5 97	0.90 5 108	0.51 13 106	12.38 48 84	-4.40 28 114	2								
1890 22 0052 94890464	959 20 0058 1765 20 0170	5.00	106	113	0.78 40 109	0.84 39 122	1.24 122	0.72 15 100	-2.40 14 92	0.19 34 104	5.40 31 93	-7.41 27 122	94	2							
1889 22 0061 96456736	970 18 0010 1889 20 0910	2.71	94	99	-1.67 37 81	-0.59 35 86	-1.43 76	-1.27 12 87	2.00 11 113	-1.06 30 96	-0.70 49 101	1.61 31 97	2								
1085 22 0102 101429389	1085 21 0503 1085 19 0166	2.71	110	113	0.19 25 102	0.49 22 113	0.58 110	0.52 17 99	0.50 11 106	0.98 21 108	-9.34 24 112	1.77 17 97	0								
1085 22 0116 101429405	1085 21 0503 1610 20 0032	2.78	107	110	0.09 23 101	0.36 21 110	0.41 107	0.46 17 99	0.40 11 105	0.69 19 107	-3.58 21 104	0.57 16 100	0								
1563 22 0122 93590933	116 20 0114 116 15 0074	3.40	105	111	-0.60 9 93	-0.08 10 99	-0.38 94	-0.36 5 93	1.70 5 111	0.34 8 105	-2.68 47 103	-3.37 23 111	3								
1695 22 0160 96048673	762 20 0698 1695 18 0021	3.68	112	111	1.02 49 111	0.02 40 101	0.53 109	0.96 21 102	-0.50 18 101	0.74 38 107	-12.15 48 115	-3.92 36 113	1								
1700 22 0223 97948756	1590 18 0118 776 15 0002	2.22	103	108	-0.16 29 98	0.09 28 103	0.00 100	0.21 16 97	-0.20 16 102	-0.20 26 101	0.72 36 99	-4.37 23 114	0								
1700 22 0225 110449303	1700 20 0560 1700 20 0166	3.54	102	108	-0.31 16 96	0.30 15 108	0.14 103	-0.32 12 94	-0.10 10 103	-0.07 14 102	-2.63 17 103	0.33 12 101	1								
1563 22 0359 95147559	1590 19 0033 1563 20 0194	6.25	90	85	0.64 39 107	-0.19 35 96	0.13 103	1.58 27 106	-5.00 22 80	-2.55 34 88	-5.81 54 107	5.70 28 86	1								
1563 22 0367 94947678	19 1 00 3BSB 1298 18 0142	3.68	103	105	-0.33 28 96	0.17 22 105	0.00 100	0.52 16 99	0.40 12 105	0.08 22 103	-3.81 51 105	3.41 28 93	2								
1564 22 0500 98912165	1564 19 0376 1564 17 0280	4.59	100	103	-0.45 60 95	-0.19 55 96	-0.42 93	0.42 42 98	0.00 39 103	-0.64 53 99	5.20 50 93	-5.60 35 117	0								
1564 22 0516 98908551	1564 21 0005 1564 21 0035	9.32	100	106	-0.77 46 91	0.13 41 104	-0.25 96	0.09 28 96	-0.60 28 101	-1.00 40 97	-7.16 39 109	0.71 26 100	0								
762 22 0531 96016456	762 19 0382 762 17 0086	6.89	80	76	-0.25 59 97	-0.58 56 86	-0.71 88	-0.46 30 93	-4.10 36 84	-3.29 53 84	8.47 55 89	4.62 41 89	1								
1085 22 0643 101389187	1085 21 0503 1085 20 0002	3.22	108	110	0.30 24 103	0.33 22 109	0.49 109	0.67 17 100	0.40 11 105	0.88 20 108	-2.98 22 104	0.09 18 102	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility													
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd		
							EBV		Mat		Comb		EBV		EBV		EBV		EBV		EBV		Phenotype
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1298 22 0755 100387190	1298 21 0046 1398 15 0192	2.16		114	112	0.52 28 106		0.04 24 102		0.30 16 107		1.72 16 107		1.90 12 112		1.70 23 112		0.20 47 100		-4.20 25 113		1	
762 22 0888 96069612	762 20 0304 762 16 0443	12.38		90	98	-0.94 60 89		0.07 47 103		-0.40 94		-0.60 21 92		-2.50 26 92		-2.36 47 89		4.59 50 94		-2.89 28 110		1	
762 22 1121 96027776	762 20 0813 762 20 1200	5.71		90	102	-1.12 56 87		0.13 45 104		-0.44 93		-1.25 18 88		-2.60 21 91		-2.56 44 88		-1.32 53 101		-3.28 29 111		1	
762 22 1220 96028451	762 20 0813 762 21 0054	7.15		98	99	-0.32 43 96		0.04 41 102		-0.12 98		-0.05 16 95		-0.40 20 102		-0.52 37 100		-1.91 51 102		4.24 28 90		1	
2006 23 0001 96102488	762 19 1002 1574 20 0081	2.16		94	96	-0.78 53 91		-0.28 45 94		-0.67 89		-0.23 33 94		-1.10 26 98		-1.72 44 93		-8.23 56 110		4.52 36 89		2	
1673 23 0002 98898448	762 18 0307 1673 16 0048	3.93		87	94	-0.84 47 90		0.40 38 111		-0.02 100		-0.62 39 92		-2.60 21 91		-2.00 38 91		19.28 47 75		-1.58 32 106		0	
157 23 0003 100836477	157 18 0900 157 18 0890	15.59		97	89	0.13 45 101		-0.51 33 88		-0.45 93		2.33 29 111		-0.60 14 101		-0.74 33 98		-0.88 32 101		6.53 14 84		0	
1889 23 0007 99050213	762 22 0911 1889 18 0910	2.80		93	94	-0.51 24 94		-0.40 21 91		-0.65 89		0.18 13 97		-0.90 11 99		-1.44 20 94		4.78 43 94		-1.20 21 105		2	
1562 23 0008 97955355	1562 21 0135 1562 18 0351	11.44		99	90	0.58 49 106		-0.55 36 87		-0.27 96		2.47 42 112		-1.40 13 97		-0.82 36 98		-1.23 38 101		2.78 21 94		0	
1765 23 0009 95749966	762 18 0648 1298 18 0297	3.99		108	111	-0.08 49 99		0.32 43 109		0.28 105		1.20 37 104		0.50 23 106		0.54 41 106		-7.59 45 109		1.26 34 98		3	
157 23 0010 101271666	157 16 0817 157 16 0819	18.43		100	91	0.46 53 105		-0.29 39 94		-0.06 99		2.60 42 113		-0.80 18 100		-0.32 40 101		-2.06 36 102		7.51 14 81		0	
157 23 0011 101271674	157 16 0817 157 16 0819	18.43		100	91	0.46 53 105		-0.29 39 94		-0.06 99		2.60 42 113		-0.80 18 100		-0.32 40 101		-2.06 36 102		7.51 14 81		0	
1720 23 0013 96871611	1318 19 0108 1720 19 0022	2.95		112	106	0.66 43 107		-0.13 32 98		0.20 104		1.48 19 105		0.70 12 107		0.95 32 108		-24.07 52 130		7.49 32 81		2	
157 23 0018 101271682	157 16 0817 157 11 0501	11.30		91	78	0.78 55 109		-0.96 44 77		-0.56 91		3.00 45 115		-2.90 22 90		-1.91 43 91		3.26 41 96		3.47 18 92		0	
2177 23 0021 107018046	1695 21 0095 1695 20 0005	6.43		90	90	0.06 35 100		-0.35 30 92		-0.32 95		0.20 22 97		-3.10 17 89		-2.15 29 90		5.22 53 93		-2.21 31 108		2	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50	-0.36		-0.31		-0.30		0.15		
157 23 0021 100836436	157 18 0928 157 19 0965			13.21	99	88	0.73 44 108		-0.50 29 88		-0.14 98		3.43 28 118	-1.80 13 95		-0.86 31 98		-3.19 24 104		5.29 11 87	0	
1028 23 0024 98367477	1658 19 0056 1028 22 0003			2.92	102	106	-0.67 7 92		0.01 6 101		-0.33 95		-0.40 5 93	1.30 5 110		0.12 5 103		1.88 26 97		-0.25 15 103	0	
157 23 0026 101366359	157 19 0982 157 18 0921			14.95	98	86	0.84 37 109		-0.61 27 85		-0.19 97		2.97 28 115	-1.80 13 95		-0.85 28 98		-3.19 30 104		5.81 13 86	0	
1844 23 0028 100618099	1673 22 0079 1844 20 0009			10.05	82	76	0.16 37 101		-0.47 32 89		-0.40 94		1.68 24 107	-4.50 23 82		-3.02 32 85		15.80 40 80		2.01 27 96	0	
1085 23 0031 101412187	1085 21 0503 686 17 0051			2.81	106	109	-0.07 19 99		0.22 17 106		0.18 103		-0.01 13 96	0.80 9 107		0.63 16 106		1.48 29 98		-1.92 18 107	0	
930 23 0032 98564719	930 20 0065 930 18 0115			11.26	103	100	-0.29 31 97		0.04 28 102		-0.10 99		1.52 29 106	1.00 20 108		0.36 27 105		-2.00 34 102		7.26 19 82	0	
157 23 0033 100836360	157 18 0928 157 19 0945			11.40	97	92	0.26 44 103		-0.33 30 92		-0.20 97		1.60 29 106	-1.60 13 96		-1.03 31 97		-0.47 27 100		2.82 12 94	0	
1484 23 0039 99712739	762 20 0720 1484 21 0020			6.10	94	88	0.75 36 108		-0.25 35 95		0.13 103		1.23 17 104	-2.90 18 90		-1.24 31 95		0.27 36 99		4.65 24 89	0	
762 23 0042 96530001	762 20 0208 762 19 0738			8.93	94	97	-0.40 46 95		-0.45 39 90		-0.65 89		0.01 15 96	-1.30 20 97		-1.63 37 93		2.99 46 96		-4.39 29 114	0	
2006 23 0042 96641410	959 18 0089 1574 21 0071			2.42	99	95	0.16 51 102		-0.27 39 94		-0.19 97		1.91 25 108	-1.30 18 97		-0.89 39 97		-7.07 44 109		4.31 30 90	0	
930 23 0044 98564917	762 20 0198 930 21 0077			4.30	95	97	-0.40 33 95		-0.03 31 100		-0.23 96		0.06 23 96	-1.20 21 98		-1.15 29 96		0.06 40 100		2.18 25 96	0	
1564 23 0045 97155493	1564 19 0376 1564 16 0238			4.74	82	89	-1.34 65 85		-0.58 55 86		-1.26 79		-0.68 37 91	-2.90 37 90		-3.67 55 81		10.36 48 87		-5.87 35 118	0	
1765 23 0050 96708052	959 20 0164 1502 18 0101			4.22	85	97	-1.63 43 81		0.05 35 102		-0.77 87		-1.01 22 89	-3.40 14 87		-3.63 33 82		-1.41 35 102		-1.39 22 106	1	
1502 23 0054 97604425	762 20 0828 1502 19 0067			3.70	95	91	-0.21 65 97		-0.63 46 85		-0.74 88		0.76 22 101	-2.00 20 94		-2.04 47 91		-16.81 34 121		5.71 19 86	0	
959 23 0054 99135709	959 21 0180 959 20 0175			11.38	98	98	-0.01 58 100		-0.06 35 99		-0.06 99		0.83 23 101	-1.20 14 98		-0.79 39 98		-1.21 43 101		1.82 24 97	0	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
157 23 0056 100836378	157 18 0900 157 18 0936	10.32	105	93	0.69 47 108	-0.65 35 85	-0.30 95	2.66 32 113	1.00 15 108	0.65 35 106	-1.88 32 102	4.63 14 89	1							
157 23 0059 101366367	157 18 0900 157 18 0714	2.80	100	98	-0.43 38 95	-0.32 24 93	-0.53 91	0.87 22 101	0.90 11 108	-0.21 26 101	-0.10 21 100	2.73 9 94	0							
430 23 0059 99480642	1590 21 0030 430 19 0028	2.22	107	104	0.65 36 107	-0.14 32 97	0.19 104	1.24 23 104	0.20 21 104	0.63 31 106	1.71 38 98	-3.34 29 111	0							
930 23 0068 98565039	762 20 0198 930 20 0104	1.81	105	104	0.19 33 102	-0.06 30 99	0.04 101	0.91 20 102	0.30 20 105	0.31 29 104	0.30 38 99	-1.32 25 106	0							
1984 23 0069 98258403	762 18 0307 1298 20 0473	2.87	99	99	0.68 63 107	0.40 46 111	0.74 113	1.34 42 104	-2.10 21 94	-0.18 47 102	14.69 48 81	-2.80 35 110	0							
1028 23 0070 98367733	959 21 0170 1028 19 0039	2.89	100	99	0.00 24 100	-0.01 19 101	-0.01 100	1.03 13 102	-0.80 8 100	-0.49 18 100	-2.51 33 103	3.08 18 93	0							
1766 23 0074 107663908	1658 19 0018 1766 20 0015	2.87	104	109	-0.61 5 93	0.07 5 103	-0.24 96	-0.41 5 93	1.60 5 111		1.32 40 98	-2.18 7 108	0							
1502 23 0080 97949531	762 20 0828 1502 20 0513	2.87	113	102	1.51 56 117	-0.18 37 96	0.58 110	2.72 20 114	-0.20 14 102	1.22 39 110	-14.41 31 118	4.41 17 90	0							
1028 23 0084 98385750	959 20 0043 1028 20 0025	2.89	101	107	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.35 22 101	-0.02 38 100	0.39 22 101	0							
1563 23 0090 96764709	1563 21 0249 1563 19 0303	4.56	96	98	-0.21 22 97	-0.17 18 96	-0.28 96	0.19 13 97	-0.90 13 99	-0.93 18 97	4.22 45 94	-1.35 17 106	1							
1673 23 0091 98904287	1673 21 0126 1673 22 0142	28.18	87	94	-0.99 38 89	0.27 33 108	-0.22 97	-0.12 33 95	-2.10 15 94	-1.98 31 91	19.00 39 76	-1.57 24 106	0							
1838 23 0099 107551343	1838 20 0029 1838 16 1018	2.76	100	105	-0.70 19 92	-0.10 16 98	-0.45 93	-0.49 7 92	0.60 11 106	-0.44 16 100	-1.58 21 102	-1.34 12 106	0							
1564 23 0103 97155956	762 16 0299 1564 19 0397	4.45	101	101	-1.53 68 83	-0.64 61 85	-1.40 76	0.14 51 97	4.00 44 122	0.24 60 104	0.76 58 99	3.56 37 92	96 1							
1838 23 0107 107551335	1838 20 0029 1838 16 1011	2.76	100	105	-0.70 19 92	-0.10 16 98	-0.45 93	-0.49 7 92	0.60 11 106	-0.44 16 100	-1.58 21 102	-1.34 12 106	0							
170 23 0112 99457855	1162 21 0090 170 21 0123	2.42	98	92	0.65 62 107	-0.20 41 96	0.13 103	1.34 32 104	-1.80 22 95	-0.62 45 99	2.73 34 96	2.07 18 96	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
1564 23 0121 100363688	1564 20 0499 1564 19 0057	7.33	94	109	-1.72 65 80		0.60 51 116		-0.26 96		-1.26 36 87		-1.60 35 96		-2.08 53 91		-4.65 45 106		-0.39 31 103		0
1564 23 0124 100363589	1564 20 0499 1564 18 0381	3.02	107	115	-0.66 65 92		0.57 50 115		0.24 104		-0.13 33 95		1.40 33 110		0.75 52 107		-1.80 42 102		-0.32 29 103		0
1838 23 0128 107551293	1838 20 0157 1838 20 1021	2.87	100	105	-0.70 19 92		-0.10 16 98		-0.45 93		-0.49 7 92		0.60 11 106		-0.44 16 100		-1.63 16 102		-0.82 12 104		0
1574 23 0139 97279335	762 18 0307 1574 21 0066	1.91	83	89	-0.56 63 93		0.08 46 103		-0.20 97		-1.34 57 87		-3.30 26 88		-2.46 48 88		18.53 54 76		-1.50 32 106		1
1765 23 0146 99324766	1574 21 0050 170 16 0284	2.76	112	113	0.65 51 107		0.34 44 109		0.67 112		1.10 44 103		0.60 24 106		1.35 42 110		1.25 40 98		-5.01 24 116		0
1085 23 0151 101380749	1085 21 0150 1085 17 0162	6.55	109	109	0.25 20 102		0.06 17 102		0.18 104		0.60 9 100		1.60 5 111		1.27 15 110		-1.20 24 101		-0.94 14 105		0
1828 23 0161 99436644	19 0 86 8DJL 1828 21 0199	2.79	102	104	-0.62 36 93		-0.14 16 97		-0.45 93		-0.23 7 94		1.70 5 111		0.27 20 104		-0.10 29 100		1.64 12 97		0
1673 23 0183 98905433	1673 22 0018 1673 20 0080	6.27	85	90	-0.89 38 90		-0.08 30 99		-0.53 91		-0.35 19 93		-3.10 19 89		-2.83 31 86		9.31 35 88		-0.75 23 104		0
762 23 0190 98664733	762 21 0467 762 19 0348	6.98	95	90	0.43 55 105		-0.07 50 99		0.15 103		0.86 22 101		-2.20 25 93		-0.96 46 97		0.05 51 100		6.42 32 84		0
1563 23 0192 96780796	116 21 0084 1400 14 0110	2.18	107	112	-0.18 17 98		0.12 13 104		0.03 101		0.09 6 96		1.30 5 110		0.72 13 107		5.01 48 93		-7.03 23 121		2
1917 23 0225 99078222	1700 20 0565 1917 20 0099	2.87	100	107	-0.66 13 92		0.14 12 104		-0.19 97		-0.61 10 92		0.30 8 105		-0.34 11 101		1.31 15 98		-2.10 10 108		1
1564 23 0237 100452374	1564 22 0129 1564 20 0433	13.43	99	106	-1.38 64 84		-0.10 46 98		-0.78 87		-0.80 32 90		2.60 30 116		0.09 49 103		14.61 42 81		-4.19 28 113		0
1509 23 0272 107874216	1509 21 0117 1509 22 0051	2.67	102	105	-0.30 14 96		0.05 14 102		-0.10 99		0.12 7 96		0.20 7 104		-0.13 12 102		-0.59 30 101		-0.39 16 103		0
1563 23 0289 96780416	22 1 65 9DJL 1563 21 0507	2.37	97	102	-0.48 22 94		-0.04 12 100		-0.28 96		-0.19 7 94		-0.30 7 102		-0.69 15 99		11.84 48 85		-5.69 16 118		1
1730 23 0304 97224489	1740 21 0109 1740 21 0039	5.74	110	113	0.27 43 103		0.43 32 112		0.57 110		0.75 19 101		0.20 12 104		0.82 32 107		-9.28 40 112		0.13 26 102		1

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1730 23 0312 97139372	430 21 0043 1619 21 0090	2.85	115	114	0.76 0.36 0.73 1.73 53 108 32 110 113 28 107	1.70 2.13 -1.58 -0.88 7 111 34 115 31 102 21 104	0												
1730 23 0325 97305205	430 21 0043 1619 21 0048	2.79	114	114	0.47 0.49 0.73 1.60 41 105 29 113 113 30 106	1.70 1.98 -1.48 0.49 7 111 29 114 30 102 19 101	0												
1730 23 0329 97555635	1298 19 0333 1298 21 0334	4.63	111	101	1.68 0.27 1.11 2.57 50 119 33 108 119 18 113	-0.50 1.65 -3.40 5.41 8 101 34 112 32 104 25 87	0												
1564 23 0330 100453117	1564 22 0061 1564 18 0191	8.17	102	93	1.27 -0.80 -0.17 2.43 63 114 47 81 98 34 112	-1.50 -0.43 1.28 -5.49 32 96 50 100 42 98 27 117	0												
1564 23 0334 100453141	1564 22 0129 1564 19 0354	12.47	94	110	-2.17 0.43 -0.66 -1.34 63 75 46 112 89 33 87	0.60 -1.38 5.81 -2.10 31 106 49 95 42 92 27 108	0												
1563 23 0339 97173611	22 1 65 9DJL 116 15 0032	2.04	105	109	-0.52 0.04 -0.22 -0.21 19 94 10 102 97 5 94	1.80 0.60 4.98 -3.46 5 112 12 106 48 93 15 111	1												
1509 23 0362 110300407	1509 20 0133 1509 19 0055	2.89	102	107	-0.63 0.00 -0.32 -0.47 7 93 7 101 95 5 93	1.30 0.15 -0.68 -0.02 5 110 6 103 25 101 12 102	0												
1564 23 0367 100453406	1564 22 0061 1564 16 0290	3.95	100	94	0.42 -0.87 -0.66 1.01 62 104 44 79 89 26 102	-0.10 -0.51 0.36 -3.02 26 103 47 100 35 99 23 110	0												
1564 23 0384 100453562	1564 22 0061 1564 17 0240	5.82	96	98	0.21 -0.04 0.07 0.11 62 102 45 100 101 36 96	-2.70 -1.45 1.90 -3.82 29 91 48 94 38 97 23 112	0												
1298 23 0402 100512680	1298 20 0357 1298 21 0159	3.22	107	106	-0.09 -0.17 -0.22 1.23 37 99 24 96 97 33 104	1.60 0.70 -0.55 -0.83 8 111 25 107 37 101 24 104	0												
1564 23 0419 100460765	762 16 0299 1564 18 0346	6.40	99	105	-1.13 0.13 -0.44 0.45 66 87 57 104 93 49 99	0.40 -0.77 1.50 0.11 41 105 57 98 52 98 38 102	0												
1298 23 0440 100605625	430 19 0153 1398 19 0091	2.61	105	106	0.33 0.12 0.28 0.87 19 103 15 104 105 9 101	-0.40 0.21 -1.88 -1.45 6 102 14 104 36 102 21 106	0												
1564 23 0535 100461508	762 21 0081 1564 19 0095	7.02	82	92	-0.77 0.50 0.11 -0.87 66 91 53 113 102 34 90	-6.50 -4.17 -0.27 0.89 30 73 53 78 50 100 31 99	0												
1563 23 0612 98548746	116 21 0108 1563 22 0143	2.16	108	116	-0.60 0.42 0.12 -0.30 16 93 14 111 102 9 94	1.60 0.78 -0.36 -3.05 5 111 12 107 50 100 19 110	1												
1563 23 0688 98647233	19 1 00 3BSB 1563 19 0342	2.75	104	107	-0.71 0.16 -0.20 -0.14 17 92 11 105 97 11 95	1.70 0.47 -2.48 3.75 5 111 11 105 46 103 16 92	1												

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	Lambled	
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
762 23 0906 98694482	762 21 0467 762 22 0008	5.29	111	102	1.30 64	0.10 114	0.75 50	2.07 103	113	20	0.00 61	-0.54 100	-0.54 44	0.85 87	91	18	-2.40 22	-1.98 92	-8.78 52	9.71 111	27 75	1
762 23 1022 98695364	762 22 0040 762 21 1135	12.68	91	84	-0.79 48	-0.78 91	-0.78 37	-1.17 81	80	14	-0.13 95	-1.10 16	-2.23 98	-2.23 36	-10.02 50	5.13 113	24 88				1	
762 23 1032 107568016	762 22 0040 776 17 0203	1.96	91	89	-0.07 43	-0.21 99	-0.21 37	-0.24 96	96	21	0.47 99	-1.40 25	-1.11 97	-1.11 37	-5.38 36	-1.69 107	27 107				0	
762 23 1074 108064098	762 22 0782 762 18 0128	6.60	99	101	0.60 62	0.69 106	0.69 51	0.99 118	117	19	0.98 102	0.80 26	1.76 107	1.76 49	1.13 113	4.23 50	98 98	32 32	90 90	0		
762 23 1261 99674988	762 21 0143 762 19 0949	5.59	92	87	0.11 55	-0.55 101	-0.55 49	-0.49 87	92	15	0.74 101	-2.10 24	-1.70 94	-1.70 46	-4.47 47	5.51 105	30 87				0	
1574 24 0001 98883291	1574 21 0314 1765 20 0169	3.83	102	108	-0.71 45	0.27 92	0.27 32	-0.08 108	99	21	-0.48 93	0.50 18	-0.14 106	-0.14 34	-1.89 102	0.90 24	99 102				0	
1890 24 0001 98960487	762 21 0873 762 21 0324	14.13	105	96	0.64 39	-0.76 107	-0.76 29	-0.44 82	93	15	1.75 107	1.30 15	0.66 110	0.66 30	1.94 106	-1.10 32	-1.10 19	105 105	0			
1146 24 0001 99856361	1562 21 0135 1146 18 0025	2.72	100	107	-1.14 66	-0.01 87	-0.01 45	-0.58 101	90	62	-0.77 91	0.30 24	-0.97 105	-0.97 48	-10.99 36	1.36 114	98 98				0	
959 24 0005 108074717	762 22 0227 1720 21 0001	3.71	101	89	1.01 43	-0.44 111	-0.44 33	0.07 90	102	17	2.36 111	-1.50 18	-0.33 96	-0.33 33	-6.75 101	7.44 35	81 108				0	
1146 24 0006 99856460	1562 21 0135 1146 21 0032	3.85	106	86	2.56 65	-0.61 128	-0.61 44	0.67 85	112	64	5.05 129	-3.00 23	0.15 89	0.15 47	-5.39 103	3.60 37	92 107				0	
832 24 0007 109562918	832 22 0114 832 22 0003	14.50	102	103	-0.07 16	0.04 99	0.04 13	0.00 102	100	6	0.45 99	0.20 5	0.09 104	0.09 12	5.20 103	-1.31 29	-1.31 93	106 106	0			
762 24 0007 99659138	762 21 0467 762 19 0598	8.89	84	89	-0.89 65	0.01 90	0.01 52	-0.44 101	93	23	-1.06 89	-3.20 28	-2.80 51	-2.80 51	3.47 52	4.23 95	90 90				0	
1564 24 0008 109888370	1590 19 0219 1564 22 0214	9.55	93	88	0.68 57	-0.34 107	-0.34 41	0.00 92	100	25	2.21 110	-3.30 24	-1.64 88	-1.64 43	11.75 93	-3.36 39	-3.36 85	111 111	0			
2006 24 0009 98920119	762 19 1002 430 21 0164	2.88	98	99	-0.46 59	-0.06 95	-0.06 48	-0.29 99	95	31	-0.18 95	-0.20 24	-0.64 102	-0.64 47	-1.48 99	3.39 47	93 102	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1936 24 0009 100729995	1563 22 0057 776 21 1071	3.19	97	96	0.16 30 102	-0.07 28 99	0.01 101	0.88 23 101	-2.10 16 94	-1.17 26 96	-1.42 34 102	1.15 24 99	0							
1509 24 0009 107875445	762 22 0517 1509 20 0081	1.98	101	110	-1.16 27 87	0.01 23 101	-0.57 91	-1.20 11 88	1.10 12 109	-0.49 22 100	-4.82 30 106	-2.37 17 108	0							
1917 24 0011 110720919	1700 20 0560 1917 22 5129	2.71	102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0							
1146 24 0011 99856569	1562 21 0135 1146 17 0075	5.37	85	83	0.01 65 100	-0.45 46 90	-0.45 93	0.91 61 102	-5.20 27 79	-3.56 49 82	-3.68 40 104	2.07 23 96	0							
1917 24 0013 110720901	1700 20 0560 1917 20 0213	2.87	102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0							
1146 24 0014 99856601	170 22 0095 1562 18 0313	4.02	110	111	0.82 58 109	0.84 40 122	1.25 122	0.50 55 99	0.10 18 104	1.72 42 113	4.40 32 94	1.22 20 99	0							
1627 24 0017 110020583	1720 22 0115 1627 22 0068	3.06	101	104	-0.50 23 94	0.09 21 103	-0.16 98	-0.40 15 93	0.60 12 106	-0.05 20 102	-1.09 26 101	1.91 17 97	0							
1720 24 0019 99764607	959 22 0105 959 22 0035	7.04	96	100	-0.52 25 94	0.15 21 105	-0.11 98	0.11 10 96	-1.70 7 95	-1.39 19 95	-5.25 24 106	2.87 15 94	1							
1889 24 0021 101021111	19 1 00 3BSB 1563 22 0310	2.88	98	100	-0.61 20 93	0.07 14 103	-0.23 96	0.07 12 96	0.20 7 104	-0.42 15 100	-0.76 35 101	4.55 19 89	0							
1917 24 0022 110719135	1700 20 0560 776 21 0479	3.69	103	103	0.23 26 102	0.06 24 102	0.18 103	0.58 21 99	-0.60 14 101	-0.07 22 102	-1.61 31 102	0.35 20 101	0							
1844 24 0024 101266211	1673 21 0133 1673 18 0010	4.24	90	91	-0.41 27 95	-0.08 22 99	-0.29 95	0.10 20 96	-2.20 11 93	-1.81 21 92	5.80 29 92	2.43 18 95	0							
1844 24 0025 101265692	1673 21 0133 1673 18 0010	4.24	90	91	-0.41 27 95	-0.08 22 99	-0.29 95	0.10 20 96	-2.20 11 93	-1.81 21 92	5.80 29 92	2.43 18 95	0							
1720 24 0026 99763641	1318 19 0108 1720 22 0034	2.91	105	99	0.60 47 106	-0.21 37 96	0.09 102	1.67 23 107	-0.10 15 103	0.33 36 104	-3.50 50 104	2.53 32 95	1							
762 24 0026 99659328	762 22 0083 762 17 0428	6.90	87	84	0.18 55 102	-0.69 42 84	-0.60 90	0.61 18 100	-3.40 24 87	-2.55 43 88	12.53 40 84	-4.45 23 114	0							
1890 24 0029 99425266	762 21 0873 1890 21 0011	2.75	109	105	0.49 34 105	-0.18 22 96	0.07 102	1.20 12 104	1.80 12 112	1.39 24 111	1.43 33 98	-1.10 17 105	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1844 24 0030 108644170	1673 22 0082 1484 20 0025	3.72	88	86	0.10 30 101	-0.25 28 95	-0.20 97	1.22 20 104	-3.90 16 85	-2.49 26 88	8.37 33 89	0.04 24 102	0						
1789 24 0032 107865420	762 22 1039 762 23 0059	10.02	90	100	-1.18 51 87	-0.02 37 100	-0.61 90	-1.21 13 88	-2.50 18 92	-2.70 38 87	-4.08 39 105	-1.32 22 106	0						
1749 24 0034 110397254	1890 22 0064 1749 22 0007	5.80	105	94	1.88 56 121	-0.27 35 94	0.67 112	3.31 14 117	-2.20 17 93	0.29 39 104	5.00 29 93	-2.25 21 108	0						
1789 24 0036 107880700	762 22 1039 762 22 1590	7.72	95	105	-0.98 51 89	0.17 34 105	-0.32 95	-0.86 13 90	-1.80 16 95	-1.89 36 92	-6.13 35 108	-1.80 20 107	0						
1844 24 0036 108644238	1673 22 0029 1673 22 0030	14.09	84	79	0.07 35 101	-0.44 31 90	-0.40 93	1.58 23 106	-4.60 19 82	-3.13 30 84	10.39 35 87	1.25 24 98	0						
1749 24 0038 110393345	1890 22 0064 1890 22 0005	6.34	109	99	1.61 55 118	-0.05 32 99	0.75 113	3.16 16 116	-0.70 13 100	1.14 36 109	0.83 29 99	0.99 18 99	0						
1889 24 0040 107618803	1318 21 0028 1889 20 0903	2.75	106	104	-0.07 31 99	-0.26 27 94	-0.29 95	0.64 9 100	1.40 5 110	0.51 23 106	-5.84 32 107	1.20 15 99	0						
1673 24 0042 107621229	1673 21 0133 1673 21 0090	6.13	92	98	-0.63 28 93	0.14 22 104	-0.18 97	-0.08 21 95	-1.90 12 94	-1.64 22 93	8.10 34 90	-1.71 21 107	0						
2066 24 0042 107021065	2066 22 0121 1435 21 0048	6.92	97	102	-1.20 21 86	-0.23 20 95	-0.83 86	-0.75 8 91	1.10 9 109	-0.76 18 98	-3.25 24 104	2.25 16 96	0						
1749 24 0043 110385002	762 20 1100 1658 19 0250	2.07	106	109	0.09 54 101	0.44 35 112	0.48 109	1.00 21 102	0.10 16 104	0.59 38 106	0.68 39 99	0.12 22 102	0						
1749 24 0047 110385093	1890 22 0064 1890 22 0015	6.24	109	99	1.54 55 117	-0.05 32 100	0.72 113	3.07 16 116	-0.70 13 100	1.08 36 109	2.34 26 97	0.80 17 100	0						
1889 24 0050 107618233	1318 21 0028 1889 22 0015	3.09	108	106	0.51 30 105	0.08 27 103	0.34 106	1.25 11 104	0.00 8 103	0.59 24 106	-5.37 36 107	0.33 19 101	0						
1829 24 0051 109990366	1829 22 0101 1829 21 0099	16.36	93	98	-0.62 20 93	0.13 17 104	-0.19 97	-0.05 12 95	-1.40 9 97	-1.34 16 95	7.59 30 90	-0.35 17 103	0						
1146 24 0054 107002156	1562 21 0135 1146 18 0044	5.47	109	104	0.61 65 107	0.11 45 104	0.42 108	3.08 63 116	-0.40 23 102	0.48 48 105	-9.61 37 112	3.41 20 93	0						
1564 24 0057 109888537	1564 22 0472 1564 22 0240	9.49	100	96	0.33 52 103	0.00 40 101	0.16 103	1.22 33 104	-1.10 28 98	-0.34 42 101	-2.89 39 103	5.18 27 88	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1829 24 0059 109927418	1829 22 0100 1829 20 0126	3.81			98	102	-0.62 14 93	0.16 12 105	-0.15 98	-0.24 11 94	0.00 6 103	-0.46 11 100	5.24 21 93	0.30 13 101	0					
1673 24 0059 107621328	1673 22 0029 1673 22 0053	14.31			82	78	0.20 35 102	-0.53 31 88	-0.43 93	1.72 22 107	-5.50 19 77	-3.63 30 82	9.23 38 88	0.06 25 102	0					
1749 24 0061 110382934	762 22 1100 1749 18 0053	3.44			91	94	-0.78 54 91	-0.46 35 89	-0.85 86	-0.32 14 94	-1.10 15 98	-1.90 38 92	1.58 27 98	-0.36 18 103	0					
1673 24 0071 107631061	1673 22 0079 1673 16 0065	4.52			90	88	0.07 30 101	-0.18 26 96	-0.15 98	1.11 17 103	-3.10 15 89	-1.97 25 91	9.98 39 87	-0.17 24 102	0					
762 24 0075 99733784	762 22 0161 762 18 0179	8.94			89	89	-0.81 64 91	-0.36 47 92	-0.77 87	-0.35 22 93	-0.60 24 101	-1.54 48 94	6.61 45 91	4.81 27 89	0					
1509 24 0077 107886962	762 22 0519 1509 22 0064	2.49			92	89	-0.15 28 98	-0.30 25 93	-0.38 94	0.34 14 98	-1.40 15 97	-1.29 24 95	2.74 34 96	5.13 22 88	0					
1917 24 0082 110719127	1700 20 0560 1917 22 5116	2.71			102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0					
1749 24 0092 110369568	1749 23 0042 1749 22 0044	6.89			100	101	0.45 52 105	0.15 33 104	0.37 107	1.10 12 103	-2.20 14 93	-0.73 36 98	4.40 30 94	-3.35 19 111	0					
1563 24 0096 99387714	762 17 0222 1590 19 0093	5.68			93	81	1.57 53 117	-0.41 46 91	0.38 107	2.73 29 114	-4.40 26 83	-1.48 44 94	10.04 49 87	1.24 29 99	0					
1936 24 0101 101833366	1563 22 0057 1936 21 0010	2.79			96	99	-0.43 19 95	0.03 18 101	-0.19 97	-0.06 15 95	-1.50 11 96	-1.31 17 95	-2.60 22 103	1.91 15 97	0					
1917 24 0102 110719143	1700 20 0565 1917 20 0073	2.87			100	107	-0.66 13 92	0.14 12 104	-0.19 97	-0.61 10 92	0.30 8 105	-0.34 11 101	1.31 15 98	-2.10 10 108	0					
1695 24 0104 110035292	1695 21 0095 1757 22 0006	2.81			98	100	0.21 33 102	-0.09 26 98	0.01 101	0.22 18 97	-1.40 13 97	-0.73 26 98	7.41 41 90	-4.98 24 116	0					
1917 24 0105 110720893	1700 20 0565 1917 21 0123	2.79			100	107	-0.66 13 92	0.14 12 104	-0.19 97	-0.61 10 92	0.30 8 105	-0.34 11 101	1.31 15 98	-2.10 10 108	0					
1509 24 0117 110300431	762 22 0519 1509 19 0083	2.76			93	91	-0.10 28 99	-0.25 25 95	-0.30 95	0.38 14 98	-1.40 15 97	-1.19 24 96	5.67 34 93	2.09 22 96	0					
1936 24 0137 106947823	1563 22 0057 776 21 0490	3.52			97	97	0.11 29 101	-0.13 27 98	-0.07 99	0.85 23 101	-2.10 16 94	-1.28 25 95	0.45 34 99	-0.94 24 105	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	Times EPI Lamberd
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31	-0.30	0.15			
1673 24 0144 107631244	1673 22 0018 1673 21 0125		7.50	82	86	-0.64 38 93		0.08 30 103		-0.24 96	0.14 19 97		-4.50 17 82	-3.26 30 84	10.51 37 86	1.49 24 98		0		
1829 24 0157 109952077	1829 22 0101 1673 19 0103		5.00	99	103	-0.67 17 92		0.24 14 107		-0.10 99	-0.17 12 95		0.30 7 105	-0.25 14 101	6.83 30 91	0.69 16 100		0		
762 24 0157 107845786	762 22 1014 762 16 0622		7.68	85	89	-0.10 48 99		0.11 44 104		0.06 101	-0.06 21 95		-4.90 26 80	-2.93 41 86	7.44 39 90	-0.34 26 103		0		
762 24 0186 108047085	762 22 1427 762 21 1143		10.03	83	82	0.15 48 101		-0.02 38 100		0.05 101	0.73 17 100		-5.90 18 76	-3.41 37 83	6.00 41 92	3.00 23 94		0		
762 24 0191 109915413	762 22 1014 762 19 0446		9.37	86	85	0.09 45 101		-0.30 39 93		-0.25 96	0.96 27 102		-4.80 24 81	-3.09 38 85	3.76 40 95	0.12 28 102		0		
762 24 0201 107573511	762 22 0282 762 20 1191		8.77	81	78	0.11 36 101		-0.61 34 86		-0.55 91	1.20 21 104		-6.10 22 75	-4.16 32 78	5.27 36 93	-1.43 25 106		0		
762 24 0274 107613093	762 22 1427 762 12 0034		5.09	85	86	-0.57 45 93		-0.19 33 96		-0.47 92	0.08 13 96		-3.50 15 87	-2.85 33 86	5.07 35 93	3.81 19 91		0		
762 24 0327 107587123	762 22 1003 1435 20 0064		2.52	93	106	-1.62 42 82		0.22 29 106		-0.60 90	-1.36 27 87		0.10 15 104	-1.35 31 95	11.59 33 85	-5.56 16 117		0		
762 24 0341 107574055	762 22 1427 762 21 0693		8.98	77	83	-1.04 51 88		-0.22 42 95		-0.74 88	-0.57 17 92		-5.30 21 78	-4.44 41 77	4.06 42 95	1.85 24 97		0		
762 24 0528 109952630	762 22 1427 762 22 0865		10.38	82	81	-0.20 50 97		-0.19 41 96		-0.29 95	0.05 18 96		-4.80 22 81	-3.27 40 84	6.88 44 91	3.76 26 92		0		
762 24 0598 108043431	762 22 0161 776 18 0062		2.86	92	90	-0.37 50 96		-0.40 39 91		-0.59 90	0.62 18 100		-1.00 20 99	-1.37 39 95	6.14 39 92	2.39 24 95		0		
762 24 0609 107588782	762 22 0538 762 20 0875		9.23	85	65	1.76 54 120		-0.99 43 76		-0.11 98	2.86 25 114		-6.40 23 73	-3.07 43 85	-2.80 46 103	9.43 26 76		0		
762 24 0640 107588063	762 22 0161 762 22 0448		12.76	77	74	-0.35 56 96		-0.56 45 87		-0.74 88	0.51 19 99		-4.90 26 80	-3.85 45 80	11.27 41 85	4.05 27 91		0		
762 24 0662 107588188	762 22 0161 762 22 0007		7.97	96	92	0.20 55 102		-0.27 45 94		-0.17 97	1.25 17 104		-0.90 23 99	-0.60 44 99	7.99 42 90	1.72 25 97		0		
762 24 0680 107595324	762 23 0152 762 22 0346		6.35	87	80	0.37 50 104		-0.54 38 87		-0.36 94	1.18 17 103		-4.90 21 80	-3.11 39 85	-11.71 43 115	8.80 26 78		0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
							EBV		EBV			EBV			EBV		EBV		EBV			
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
762 24 0730 107595399	762 22 1627 762 22 0888		7.58	93	95	-0.13 47 98		0.06 34 102		0.00 100		0.31 13 98		-2.60 17 91		-1.62 35 93		1.54 36 98		1.61 20 97		0
762 24 0760 107588576	762 22 1629 762 21 0114		10.84	82	68	0.78 54 108		-0.89 41 78		-0.50 92		1.80 19 107		-4.60 20 82		-2.87 41 86		4.52 41 94		9.68 25 75		0
762 24 0775 107595696	762 22 1627 762 22 1121		10.11	94	97	-0.22 46 97		0.09 33 103		-0.02 100		-0.02 12 96		-2.60 15 91		-1.69 34 93		-1.41 37 102		1.41 20 98		0
762 24 0776 107595423	762 22 1627 762 22 1121		10.11	94	97	-0.22 46 97		0.09 33 103		-0.02 100		-0.02 12 96		-2.60 15 91		-1.69 34 93		-1.41 37 102		1.41 20 98		0
762 24 0784 107595274	762 22 1627 762 22 1220		10.66	98	95	0.18 42 102		0.05 32 102		0.14 103		0.58 12 100		-1.50 15 96		-0.67 32 99		-1.71 36 102		5.18 20 88		0
1563 24 0815 107508897	1590 19 0224 1936 22 0091		27.44	98	101	-0.07 25 99		0.24 23 107		0.21 104		0.10 17 96		-1.80 14 95		-0.91 22 97		-3.34 34 104		2.37 22 95		0
762 24 0815 109723148	762 22 1627 762 20 1080		6.45	93	85	0.97 46 111		-0.33 35 93		0.16 103		1.62 17 106		-3.90 15 85		-1.70 35 93		-2.55 36 103		4.42 20 90		0
762 24 0959 107598591	762 22 1003 762 21 0063		7.89	73	84	-1.70 62 81		-0.27 43 94		-1.12 81		-0.94 32 90		-4.90 21 80		-4.91 45 74		20.74 41 73		-6.68 24 120		0
1563 25 0462 110459211	1563 24 0125 1563 23 0688		3.84	99	103	-0.76 15 91		0.03 10 102		-0.35 94		-0.26 7 94		0.70 5 107		-0.31 10 101		-1.99 29 102		3.47 12 92		0
	Ewe flock average: Total ewes in flock: 189				97	98	-0.14		-0.08		-0.15		0.51		-1.06		-0.86		0.94		0.72	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny							Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index							
		Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1	1590 16 0020 77249266	5.17	762 12 0290 762 13 0150	21	3	12	2	103	110	0.56 81 106	0.42 72 111	0.70 112	-0.96 65 89	-0.90 43 99	0.44 69 105	16.51 81 79	-11.08 57 132	5	
2	762 16 0299 79101184	5.28	762 12 0564 762 13 0276	334	4	68	3	103	115	-2.38 98 73	0.40 92 111	-0.79 87	-1.04 83 89	4.20 71 123	0.54 89 106	3.59 89 95	2.09 67 96	120 7	
3	762 16 0414 79103727	5.14	762 12 0564 762 14 0190	237	2	43	2	68	57	0.23 97 102	-0.65 91 85	-0.53 91	2.08 70 109	-8.10 71 65	-5.28 89 72	15.87 92 80	9.50 77 76	109 4	
4	762 16 0554 79102158	5.60	762 12 0564 762 14 0119					109	122	-0.68 58 92	0.73 57 119	0.39 107	-0.48 37 93	1.00 42 108	0.65 54 106	2.51 56 97	-8.38 43 125	176 10	
5	157 16 0817 78112331	6.58	157 15 0721 157 15 0736	50	1	7	1	97	88	0.48 87 105	-0.16 63 97	0.08 102	2.69 59 113	-1.90 26 94	-0.82 64 98	-0.51 59 100	8.41 22 79	106 5	
6	1435 17 0007 90609553	2.75	970 15 0052 1435 14 0011			2	1	112	116	-0.52 34 94	0.42 37 111	0.16 103	-0.23 9 94	3.90 16 122	2.24 31 116	0.69 54 99	2.59 26 95	1	
7	1162 17 0012 84302884	2.25	1162 15 0098 1162 14 0076					107	110	-0.39 19 95	-0.01 17 101	-0.20 97	-0.34 7 93	2.30 8 114	0.98 16 108	-1.22 18 101	-0.76 11 104	1	
8	493 17 0055 81784720	1.51	762 14 0056 493 11 0405					91	100	-0.79 47 91	0.61 43 116	0.21 104	-0.28 39 94	-3.60 29 86	-2.35 41 89	-4.98 70 106	4.47 42 90	2	
9	1590 17 0089 81977282	8.23	1590 15 0011 762 15 0142	13	1	7	1	99	106	-0.67 69 92	-0.33 56 92	-0.67 89	-0.08 26 95	-0.10 32 103	-1.06 55 96	5.11 48 93	-10.13 35 130	3	
10	762 17 0222 80894090	6.50	762 15 0616 762 10 0018	130	3	23	2	92	71	2.21 94 125	-1.21 81 71	-0.10 99	3.75 45 120	-4.30 44 83	-1.57 77 93	8.36 79 89	0.63 45 100	68 9	
11	970 18 0010 82198524	1.65	HOK 16 0077 970 14 0121			15	1	89	94	-2.41 71 73	-0.93 67 77	-2.13 64	-1.87 24 83	2.30 22 114	-1.96 58 91	-6.39 80 108	5.30 54 87	2	
12	959 18 0089 82393075	3.21	959 16 0108 1370 15 0004	27	1	8	2	98	93	0.31 81 103	0.28 62 108	0.43 108	2.30 40 111	-2.90 25 90	-1.16 61 96	-12.64 77 116	11.97 51 69	9	
13	1298 18 0096 89799977	5.80	762 16 0251 1298 14 0685			1	1	97	102	-0.58 35 93	0.02 33 101	-0.27 96	-0.33 18 94	-1.50 12 96	-1.46 29 94	-9.15 77 111	1.93 45 97	4	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
14	1590 18 0118 86287778	5.28	762 15 0008 1590 15 0032			2	1	96	108	-0.60 51 93	0.44 49 112	0.14 103	-0.75 25 91	-2.20 30 93	-1.48 45 94	4.48 62 94	-6.88 40 121	1
15	762 18 0307 82047531	5.40	762 16 0414 762 14 0440	59	4	8	3	74	84	-1.43 90 84	0.25 70 107	-0.46 92	-1.12 78 88	-4.80 39 81	-4.05 71 79	29.09 78 64	-2.61 55 109	113 6
16	762 18 0648 82053943	12.75	762 17 0510 762 16 0183	119	2	16	2	114	113	0.17 94 102	0.26 81 107	0.35 106	2.31 73 111	0.90 44 108	0.97 77 108	-17.00 81 121	3.23 53 93	133 6
17	157 18 0900 81816902	14.68	157 16 0817 157 15 0739	21	1			96	87	-0.19 77 98	-0.71 49 83	-0.81 86	2.24 43 110	0.20 22 104	-0.78 54 98	0.17 42 100	6.40 18 84	100 5
18	157 18 0928 81817330	13.33	157 16 0820 157 13 0631	9	1			93	87	0.27 64 103	-0.42 42 90	-0.28 95	2.17 44 110	-3.00 19 89	-1.95 45 91	-0.46 38 100	3.19 17 93	91 4
19	1658 19 0018 96041801	2.92	770 17 0258 1658 12 0073					104	110	-0.55 8 94	0.06 5 102	-0.22 97	-0.33 5 94	1.60 5 111		3.03 80 96	-3.42 15 111	2
20	430 19 0027 84225713	2.25	16 4 60 DL 430 13 0116	88	1	20	2	115	114	0.43 92 105	0.30 77 108	0.51 109	1.88 62 108	2.10 42 113	1.98 75 114	-5.74 72 107	1.32 50 98	4
21	1590 19 0033 89802235	8.35	762 18 0157 762 15 0242	2	1	1	1	83	77	0.41 61 104	-0.66 56 84	-0.46 92	1.04 46 103	-5.50 33 77	-3.55 53 82	-3.27 72 104	4.79 46 89	99 6
22	116 19 0039 89868236	14.17	116 17 0105 116 17 0009			2	1	104	110	-1.02 42 88	0.17 33 105	-0.34 94	-0.91 6 90	2.00 8 113	0.35 31 105	-6.67 57 108	3.43 28 92	99 6
23	1658 19 0056 95833182	2.92	770 17 0258 1658 17 0007					102	107	-0.69 11 92	-0.12 10 98	-0.46 92	-0.42 5 93	1.60 5 111	0.15 8 103	6.59 36 91	-5.01 18 116	5
24	1162 19 0105 97698047	2.36	1085 15 0028 1162 17 0052			1	1	118	112	0.61 53 107	0.17 43 105	0.48 109	2.42 44 112	1.50 12 111	1.68 40 112	-33.30 41 136	10.12 17 74	2
25	1318 19 0108 93036432	2.57	16 4 60 DL 1318 18 0001	19	1			118	103	1.82 81 120	-0.31 59 93	0.60 111	3.83 34 121	1.40 16 110	2.34 58 116	-8.48 84 111	2.73 53 94	1
26	430 19 0153 88578661	2.79	430 18 0047 762 14 0552	1	1			105	105	0.76 35 108	0.25 28 107	0.63 111	1.65 17 106	-1.80 12 95	-0.07 27 102	0.09 63 100	-2.90 37 110	4

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Weaned			Herds	Dir	Mat	Comb						
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI Times	
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambed	
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
27	1088 19 0156 86215555	1.78	1673 18 0001 1088 18 0034			1	1	98	102	-0.42 32 95	0.14 25 104	-0.07 99	-0.12 8 95	0.20 7 104	-0.16 24 102	16.38 68 79	-4.02 42 113	9
28	1590 19 0187 90366287	8.03	762 18 0201 1590 18 0087	1		1		83	83	-0.28 42 97	-0.27 33 94	-0.40 93	0.32 20 98	-4.50 24 82	-3.24 34 84	7.29 58 91	1.57 33 98	6
29	1590 19 0219 86288875	5.20	1590 18 0057 1590 17 0001	71		1		95	86	1.50 89 117	0.08 52 103	0.83 115	3.04 26 116	-4.20 20 84	-0.94 59 97	15.39 53 80	0.37 27 101	10
30	1590 19 0224 91114413	6.05	1590 18 0057 1590 17 0013			1	1	96	99	0.01 44 100	0.45 39 112	0.46 108	0.13 29 97	-3.00 24 89	-1.34 37 95	-4.05 53 105	4.04 34 91	5
31	762 19 0269 86226131	5.98	762 18 0157 762 13 0600	60	3	9	2	63	63	-0.65 89 92	-0.98 73 76	-1.30 78	-0.83 87 90	-10.70 45 64	-8.05 73 56	13.72 62 82	-0.48 44 103	101 2
32	1298 19 0333 89814313	3.05	1298 17 0237 1298 14 0005	3	1	3	2	100	92	0.88 51 110	0.03 43 102	0.47 109	1.31 23 104	-1.20 11 98	0.20 39 104	-1.25 40 101	9.48 31 76	6
33	1564 19 0376 86130465	4.63	762 16 0299 1564 18 0128	218	2	41	1	90	105	-1.43 96 84	0.19 86 106	-0.52 91	-1.06 55 89	-2.20 60 93	-2.55 84 88	8.70 84 89	-9.07 57 127	95 6
34	762 19 0382 86288982	5.95	762 16 0414 762 17 0284	79	1	61	3	78	56	1.16 94 113	-1.33 89 67	-0.75 87	2.16 48 110	-4.90 56 80	-3.11 83 85	7.30 90 91	20.34 70 64	72 3
35	762 19 0666 86281565	11.64	762 17 0270 762 17 0126	148	3	14	2	79	94	-2.03 95 77	0.18 78 105	-0.83 86	-3.13 88 75	-3.50 46 87	-3.95 77 80	3.45 64 95	1.28 42 98	94 8
36	IMPA 19 0868 94212263	4.11	1600 12 SBS 18-0 42 0DJL	20		1		100	98	-0.56 72 93	-0.35 33 92	-0.63 89	0.04 14 96	1.70 5 111	0.11 41 103	0.18 59 100	4.23 25 90	2
37	157 19 0982 90169392	11.49	157 17 0849 157 17 0853					110	90	1.90 57 121	-0.51 37 88	0.44 108	5.13 35 129	-0.50 17 101	1.09 40 109	-4.39 33 105	7.09 14 82	100 3
38	762 19 1002 86225661	4.89	762 18 0157 762 13 0028	29	5	31	8	89	87	-0.48 90 94	-0.13 82 98	-0.37 94	-0.56 60 92	-1.60 48 96	-1.57 77 93	-1.57 87 102	10.65 62 73	100 8
39	IMPA 19 1003 93214120	11.76	14 9 37 6DJL 13 9 26 8DJL	1		1		103	104	-0.75 34 91	0.24 22 107	-0.14 98	0.22 22 97	1.70 6 111	0.51 23 106	-4.97 64 106	8.56 31 78	2

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir		Comb						
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index					
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
40 1838 20 0029 100249788	2.92	762 17 0640 1838 17 1045					97	101	-0.73 39 92	-0.28 33 94	-0.64 89	-0.48 15 93	-0.40 23 102	-1.25 33 95	-2.78 43 103	-1.74 24 107	1
41 430 20 0034 88577184	14.60	430 18 0050 430 18 0049			2	1	120	120	1.21 59 113	0.57 51 115	1.18 121	2.38 35 111	0.80 13 107	2.27 45 116	-2.83 67 103	-6.17 46 119	3
42 959 20 0043 89912943	15.80	959 17 0024 959 18 0009			3	1	99	110	-0.24 54 97	0.83 49 122	0.71 113	0.16 27 97	-2.90 22 90	-1.15 45 96	-1.00 56 101	-2.32 34 108	100 6
43 959 20 0058 89913032	7.88	959 17 0024 959 14 0100			1	1	102	105	0.92 59 110	0.48 45 113	0.94 117	0.78 19 101	-3.00 20 89	-0.40 45 100	5.66 53 93	-5.46 33 117	113 5
44 930 20 0065 92159235	2.04	970 18 0131 930 16 0014					106	103	-0.01 32 100	-0.04 29 100	-0.04 100	1.20 24 104	1.70 17 111	0.98 27 108	-1.16 51 101	4.37 25 90	5
45 116 20 0114 91251041	8.08	116 19 0035 116 19 0041					107	110	-0.46 16 95	-0.21 16 96	-0.44 93	-0.17 9 95	2.10 5 113	0.59 13 106	-6.81 45 108	-1.14 22 105	5
46 1509 20 0133 96041793	2.70	1509 19 0144 1658 19 0082					102	105	-0.50 10 94	0.04 8 102	-0.21 97	-0.40 5 93	1.00 5 108	0.14 8 103	-2.28 41 103	1.51 17 98	1
47 1838 20 0157 100249697	2.80	762 17 0640 1838 18 0070					96	100	-0.73 39 92	-0.28 33 94	-0.64 89	-0.48 15 93	-0.40 23 102	-1.25 33 95	-2.88 32 103	-0.71 23 104	1
48 959 20 0164 90157082	4.21	959 18 0128 959 17 0156			3	1	83	99	-2.07 66 77	0.15 50 105	-0.88 85	-1.93 31 83	-3.80 23 85	-4.20 50 78	-4.72 58 106	-1.77 34 107	96 4
49 762 20 0198 87041364	7.56	762 18 0157 762 18 0099					96	99	0.07 60 101	-0.05 56 100	-0.01 100	0.30 38 98	-2.00 38 94	-1.17 53 96	5.91 60 92	-4.14 42 113	99 5
50 762 20 0208 86888294	5.72	762 18 0006 762 16 0250	14	2	15	1	101	100	-0.08 81 99	-0.92 68 78	-0.96 84	0.76 21 101	0.20 31 104	-0.88 64 97	-5.27 81 107	-6.26 49 119	94 4
51 762 20 0304 90174418	7.48	762 19 0064 762 19 0141	24	2	10	1	78	73	0.41 82 104	-0.51 68 88	-0.30 95	1.73 34 107	-7.30 41 69	-4.48 67 77	9.14 68 88	0.65 45 100	2
52 1298 20 0357 91059204	3.68	430 19 0008 1298 17 0019	13	1	1	1	103	104	-0.45 68 95	-0.18 41 96	-0.41 93	1.25 64 104	1.10 11 109	0.03 44 103	2.12 51 97	-1.47 36 106	5

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% Inbreeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index		Weaning		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds				Dir	Mat							
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI Times
										Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambd
Active Breed Average:									100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15
53	1564 20 0499 90596446	6.74	762 16 0299 1564 18 0286	82	1	11	1	104	117	-1.58 91	0.71 73	-0.08 99	-0.55 49	1.20 47	-0.15 74	-11.16 68	3.75 44	83
54	1700 20 0560 97948764	4.12	1590 19 0158 1318 16 0066					99	102	0.05 28	0.36 26	0.38 107	-0.16 23	-1.60 17	-0.55 25	-1.21 30	2.02 23	96
55	1700 20 0565 91633578	1.77	1590 19 0158 554 16 0107					97	105	-0.65 26	0.21 24	-0.12 98	-0.72 20	-1.00 15	-1.04 23	3.00 30	-3.26 21	111
56	762 20 0698 90187006	3.29	430 18 0050 762 18 0159	48	1	17	2	124	115	2.47 88	0.20 71	1.44 125	3.61 32	0.20 31	2.79 68	-12.90 86	-3.46 64	114
57	762 20 0720 90187220	8.69	762 19 0382 762 19 0348					85	67	1.13 55	-0.92 52	-0.35 94	2.23 28	-4.20 31	-2.31 48	3.10 53	11.96 39	95
58	762 20 0813 90545211	3.37	762 19 0382 430 17 0059	4	1	9	1	92	93	-0.52 67	0.14 63	-0.12 98	-0.27 25	-2.10 31	-1.64 57	-6.36 68	9.21 45	77
59	762 20 0828 90545369	6.71	762 18 0648 762 16 0448	78	1	1	1	105	91	1.18 91	-0.79 64	-0.20 97	2.96 39	-1.90 29	-0.75 66	-28.45 63	9.77 33	121
60	762 20 1100 90576828	15.36	762 18 0648 762 19 0390	16	1	6	1	102	106	-0.19 75	0.58 59	0.48 109	1.25 41	-1.20 31	-0.34 59	-2.63 68	3.21 38	93
61	1564 21 0005 90581703	2.29	762 16 0299 776 16 0137	1	1			116	111	0.47 63	0.14 53	0.37 107	1.88 42	2.70 37	2.22 53	-6.95 51	3.47 37	102
62	1384 21 0012 94654423	2.76	1384 19 0109 1384 20 0017			4	1	102	107	-0.86 30	-0.15 33	-0.58 90	-0.65 5	1.60 5	-0.05 24	-5.71 64	0.66 24	100
63	1318 21 0028 95614509	8.76	1318 19 0108 1318 19 0030					113	105	1.08 46	-0.14 32	0.40 107	2.26 18	1.10 9	1.60 32	-7.59 51	2.39 28	95
64	1590 21 0030 96376470	3.88	762 15 0495 1590 19 0240					95	99	-0.09 50	-0.35 48	-0.40 94	-0.37 30	-1.50 38	-1.34 46	7.42 50	-7.91 39	124
65	430 21 0043 92207554	2.13	430 19 0008 430 13 0116	26	1	1	1	119	112	1.34 76	0.35 45	1.02 118	3.02 55	1.80 14	2.77 50	-1.20 59	0.45 37	101

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Weaned			Herds	Dir	Mat	Comb						
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	EPI Times Lamberd	
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
66	1298 21 0046 91059279	3.75	16 4 60 DL 1298 17 0163					117	107	1.47 48 116	-0.06 41 99	0.67 112	3.13 31 116	1.70 17 111	2.43 38 117	-1.55 55 102	-0.27 41 103	3
67	1574 21 0050 91122374	1.82	762 18 0280 1217 18 0055	68	1	14	2	131	132	1.46 91 116	0.99 75 126	1.73 130	3.07 81 116	2.40 44 115	3.90 74 125	-8.68 65 111	-5.55 40 117	79 7
68	762 21 0081 93552479	5.23	762 19 0080 762 16 0622	216	2	18	1	77	85	-0.77 96 91	0.33 80 109	-0.06 99	-1.09 29 89	-7.20 35 69	-4.77 76 75	-0.11 81 100	3.76 46 92	133 9
69	116 21 0084 94720786	2.33	116 19 0167 116 16 0081					101	108	-0.72 25 92	0.17 18 105	-0.19 97	-0.63 10 92	1.20 5 109	0.17 17 104	14.80 58 81	-6.75 27 121	5
70	1162 21 0090 96382742	14.78	1162 19 0120 1162 19 0062	38	1	7	1	105	107	-0.45 82 95	-0.08 52 99	-0.30 95	-0.29 10 94	1.60 23 111	0.43 57 105	-5.41 52 107	0.97 15 99	2
71	1695 21 0095 93489441	8.88	762 19 0290 762 18 0542	3	2	2	2	86	87	0.04 59 100	-0.71 48 83	-0.69 88	-0.12 34 95	-3.60 26 86	-2.83 47 86	13.83 73 82	-9.21 42 127	5
72	1162 21 0102 96382759	4.20	1162 19 0120 1162 19 0046	15	1			109	109	-0.11 67 99	-0.07 29 99	-0.13 98	-0.18 7 94	1.80 9 112	0.90 39 108	-13.99 27 118	3.75 13 92	6
73	116 21 0108 94726254	2.36	116 19 0104 116 19 0114					104	115	-0.91 25 90	0.28 22 108	-0.17 97	-0.91 11 90	1.40 7 110	0.22 20 104	7.87 62 90	-8.90 29 126	1
74	1740 21 0109 91974162	3.32	430 18 0050 762 19 0256					108	115	0.17 61 102	0.65 48 117	0.73 113	0.58 32 99	-0.90 21 99	0.28 47 104	-8.37 58 110	-1.62 41 106	89 5
75	1509 21 0117 97702542	2.80	1563 20 0084 1509 18 0102			1	1	99	99	0.17 27 102	0.14 25 104	0.23 104	0.83 13 101	-1.20 13 98	-0.41 23 100	1.33 49 98	2.31 20 96	4
76	1673 21 0126 92643816	4.46	762 18 0307 1673 18 0092			1	1	87	93	-0.98 50 89	0.19 40 106	-0.30 95	-0.34 40 93	-2.10 21 94	-2.05 39 91	20.18 58 74	-2.03 33 108	7
77	1673 21 0133 92643899	4.19	762 18 0307 1673 18 0030					86	92	-0.85 46 90	0.16 36 105	-0.26 96	-0.59 39 92	-2.70 20 91	-2.31 36 89	17.49 48 78	-1.78 31 107	6
78	1562 21 0135 94244035	4.36	762 19 0241 1562 18 0124	71	4	1	1	103	89	1.24 89 114	-0.77 56 81	-0.15 98	4.20 81 123	-1.50 19 96	-0.43 60 100	-3.77 55 105	1.28 25 98	3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						EBV Acc Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
79	762 21 0143 93602373	7.14	762 19 0382 762 18 0657	94	1	25	1	84	72	-0.21 92 97	-1.34 78 67	-1.44 75	0.87 26 101	-1.70 43 95	-2.57 75 88	-2.73 77 103	10.30 51 74	3
80	1085 21 0150 97652051	3.38	1085 18 0242 1400 15 0024					109	108	0.39 27 104	-0.23 22 95	-0.03 100	0.82 8 101	1.90 7 112	1.31 20 110	1.39 34 98	-3.49 20 112	7
81	959 21 0170 92813484	10.06	959 20 0061 959 18 0008					98	92	0.66 47 107	-0.09 37 99	0.24 105	2.53 26 112	-3.20 16 88	-1.35 36 95	-5.82 48 107	4.45 27 90	93 3
82	959 21 0180 92816453	4.02	959 20 0061 959 18 0063	18	2			91	96	-0.44 72 95	-0.17 43 97	-0.39 94	-0.15 40 95	-2.20 16 93	-1.93 48 91	10.72 66 86	-5.51 32 117	87 7
83	1563 21 0249 92029768	7.44	1590 19 0187 762 17 0679					89	90	-0.42 38 95	-0.25 32 95	-0.46 92	0.32 23 98	-2.50 23 92	-2.17 32 90	6.11 47 92	0.92 26 99	1
84	1574 21 0314 93289684	2.23	762 20 0032 1574 19 0189	32	1			105	111	-1.30 82 85	0.32 53 109	-0.33 95	-1.11 35 88	2.80 29 117	0.70 59 107	-5.68 36 107	5.52 26 87	141 8
85	762 21 0467 93656387	7.30	762 19 1002 762 17 0284	150	2	38	1	96	96	-0.23 95 97	0.36 82 110	0.25 105	-0.59 34 92	-0.90 42 99	-0.41 78 100	1.20 85 98	9.26 55 76	72 3
86	1085 21 0503 99055931	2.49	1298 19 0435 1085 19 0056					110	108	0.54 26 106	0.19 23 105	0.46 108	1.17 15 103	0.70 8 107	1.15 21 109	-2.33 28 103	-0.15 22 102	5
87	762 21 0605 93666766	7.01	762 19 0449 762 18 0665	26	1	9	1	86	83	0.03 84 100	-0.80 66 81	-0.78 87	0.79 24 101	-4.00 31 85	-3.17 65 84	3.41 64 95	-2.85 39 110	100 8
88	762 21 0848 96449012	2.79	762 21 0016 430 19 0045	30	2			106	90	2.29 79 125	0.14 46 104	1.28 122	3.53 12 119	-2.90 15 90	0.68 52 107	-8.04 36 110	11.65 19 70	114 7
89	762 21 0873 93679801	11.43	762 20 0478 762 20 0024	4	2			114	100	1.63 67 118	-0.47 44 89	0.35 106	2.88 25 115	1.90 24 112	2.31 48 116	2.11 51 97	0.38 29 101	93 2
90	1673 22 0018 95202875	7.99	762 19 0064 762 14 0008	8	2			73	80	-1.26 69 86	-0.02 52 100	-0.65 89	-0.38 35 93	-6.30 32 74	-5.06 54 73	9.32 55 88	2.97 38 94	6
91	1673 22 0029 95217766	9.66	762 20 0652 762 20 0062					86	81	0.42 46 104	-0.51 41 88	-0.30 95	1.59 28 106	-4.60 25 82	-2.85 39 86	10.23 49 87	-0.98 31 105	4

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progen y	Number Herds	Progeny Weaned	Number Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
92 762 22 0040 96006457	7.36	762 20 0304 762 18 0657	59	1	6	1	87	88	-0.87 89 90	-0.41 64 91	-0.84 86	0.06 20 96	-3.40 29 87	-3.32 66 83	-13.49 59 117	6.55 36 84	3	
93 1318 22 0050 95071767	17.87	1318 20 0020 1318 19 0107					117	112	1.30 34 114	0.15 28 105	0.80 114	2.56 21 112	1.30 12 110	2.23 27 115	-2.65 41 103	-2.14 30 108	5	
94 1563 22 0057 93568707	4.34	1590 19 0033 1298 17 0428					87	88	-0.19 38 98	-0.03 35 100	-0.12 98	0.38 30 98	-4.60 22 82	-2.98 33 85	-4.83 43 106	4.76 29 89	8	
95 1673 22 0060 95222329	5.58	762 19 0064 1673 19 0014					78	72	0.25 59 103	-0.34 49 92	-0.22 97	2.33 41 111	-7.60 31 68	-4.65 49 76	3.36 63 96	5.58 37 87	6	
96 1564 22 0061 93676690	4.52	1564 19 0376 1564 18 0073	23	1			97	86	1.05 82 111	-1.22 60 70	-0.70 88	2.42 43 112	-1.90 41 94	-1.31 64 95	0.17 56 100	-3.97 36 113	140 8	
97 1890 22 0064 95792909	5.31	762 20 0652 762 21 0347	20	1			110	89	2.81 74 131	-0.48 45 89	0.93 116	4.89 23 128	-1.60 22 96	1.37 51 111	3.89 40 95	1.22 28 99	4	
98 1673 22 0079 95222519	4.28	762 19 0064 1673 17 0051	2	1			79	70	0.57 54 106	-0.70 45 83	-0.41 93	2.46 32 112	-5.80 27 76	-3.60 44 82	16.70 62 79	1.43 35 98	5	
99 1673 22 0080 95222527	4.28	762 19 0064 1673 17 0051					79	72	0.34 49 104	-0.65 44 85	-0.48 92	2.15 32 110	-5.80 27 76	-3.79 42 81	12.84 51 83	2.08 35 96	5	
100 1673 22 0082 95222543	7.60	762 19 0064 1673 16 0051					75	71	0.15 50 101	-0.42 46 90	-0.35 94	1.61 33 106	-6.60 28 72	-4.23 43 78	22.82 55 71	-0.37 37 103	6	
101 762 22 0083 96006606	12.60	762 20 1063 762 18 0045	51	2	3	1	87	84	1.13 86 112	0.04 57 102	0.61 111	1.72 33 107	-5.80 29 76	-2.31 62 89	20.19 61 74	-4.18 35 113	87 6	
102 170 22 0095 97968481	2.90	762 19 0666 170 19 0180	8	1	2	1	110	111	1.04 68 111	0.86 52 122	1.38 124	0.57 60 99	-0.30 26 102	1.71 52 112	3.86 39 95	0.68 22 100	100 5	
103 1829 22 0100 97570063	6.32	1673 21 0126 1829 19 0041					95	101	-0.76 27 91	0.22 22 106	-0.16 98	-0.22 21 94	-0.50 11 101	-0.84 21 98	9.75 33 87	-0.66 19 104	5	
104 1829 22 0101 97570071	4.48	1673 21 0126 1673 19 0031					94	100	-0.81 28 91	0.23 23 107	-0.17 97	-0.25 21 94	-0.60 12 101	-0.94 22 97	15.11 39 81	-1.85 21 107	6	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Herds			Dir	Mat							Comb
			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
105 116 22 0102 96413075	2.46	116 21 0065 116 18 0087	2	1			105	115	-0.80 52 91	0.34 27 109	-0.06 99	-1.19 37 88	1.40 5 110	0.38 31 105	-0.58 56 101	-3.87 20 113	3
106 959 22 0105 96110119	6.34	959 20 0015 959 20 0125					89	96	-1.13 40 87	0.15 33 105	-0.41 93	-0.57 17 92	-3.20 12 88	-2.90 31 86	-7.93 40 110	4.09 25 91	2
107 832 22 0114 97242705	2.21	1088 19 0156 832 19 0001					106	105	0.07 19 100	0.09 14 103	0.12 102	0.55 5 99	1.00 5 108	0.75 14 107	-5.64 42 107	3.78 23 92	6
108 1720 22 0115 97972491	2.61	762 19 1002 1720 16 0006					97	99	-0.58 45 93	-0.03 41 100	-0.32 95	-0.53 30 92	0.00 24 103	-0.60 39 99	2.75 45 96	2.34 31 95	4
109 2066 22 0121 97818025	15.84	1435 21 0008 1435 21 0047					97	103	-1.60 26 82	-0.32 24 93	-1.12 81	-1.23 9 88	2.00 8 113	-0.72 21 98	-8.07 33 110	4.82 20 89	3
110 1564 22 0129 94769031	4.72	1564 19 0376 1564 18 0076	41	1			93	104	-1.26 86 86	0.24 61 107	-0.39 94	-0.90 41 90	-0.40 38 102	-1.26 65 95	14.06 58 82	-5.59 35 117	92 5
111 762 22 0161 96007083	10.55	762 19 0382 762 16 0356	82	1	3	1	71	71	-1.51 91 83	-0.68 68 84	-1.43 76	-0.97 28 89	-3.40 37 87	-4.23 70 78	15.78 68 80	7.04 41 83	105 9
112 1940 22 0161 96051040	2.62	1563 20 0304 1298 20 0299					105	101	0.71 28 108	-0.13 24 98	0.23 104	1.68 19 107	-0.40 12 102	0.34 23 105	-2.98 32 104	0.92 24 99	4
113 762 22 0227 96007570	10.65	762 19 0382 762 18 0120	15	2			100	76	2.20 76 124	-1.05 57 74	0.05 101	3.81 27 121	-2.30 34 93	-0.23 59 101	-7.11 57 109	9.84 41 75	94 4
114 762 22 0248 96007711	4.56	762 20 0478 762 20 0733	19	1	3	1	113	98	1.92 80 121	-0.64 53 85	0.32 106	3.26 39 117	1.70 17 111	2.30 55 116	11.05 75 86	-4.87 37 115	96 5
115 762 22 0282 96014667	6.96	762 20 1103 762 15 0544					83	83	0.27 42 103	-0.30 41 93	-0.16 98	1.30 23 104	-7.00 26 70	-4.23 38 78	-5.79 38 107	1.08 27 99	112 8
116 776 22 0447 97597256	7.51	430 10 0119 776 18 0227			1	1	102	95	0.40 52 104	-0.72 48 83	-0.52 91	1.34 37 104	0.30 25 105	-0.14 44 102	-3.71 59 105	0.34 38 101	4
117 1564 22 0472 98789142	6.31	762 16 0299 1564 18 0053	25	1			106	95	1.10 79 112	-0.45 59 90	0.10 102	2.66 52 113	1.10 43 109	1.31 63 110	12.89 54 83	-0.78 39 104	86 3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Herds	Progeny Number	Weaned			Herds	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index						EBV Acc Index	EBV Acc Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
118	762 22 0517 96016316	7.82	762 20 0208 762 17 0228	1	1		97	109	-1.65 54 81	-0.05 44 100	-0.88 85	-1.91 23 83	0.60 24 106	-1.34 43 95	-8.21 50 110	-1.59 32 106	4		
119	762 22 0519 96016332	11.99	762 19 0382 762 19 0253				81	70	0.45 56 105	-0.60 50 86	-0.37 94	1.24 28 104	-4.50 30 82	-2.84 48 86	10.30 52 87	9.36 39 76	3		
120	1146 22 0522 94843869	5.68	762 20 0884 1146 19 0004	77	1	5	1	111	106	1.05 91 112	0.03 68 102	0.56 110	2.95 90 115	1.80 36 112	2.16 69 115	32.18 54 64	-10.58 26 131	87 4	
121	762 22 0538 96016506	8.99	762 19 0382 762 19 0287	48	2	6	1	96	72	2.63 86 129	-0.76 63 82	0.55 110	3.41 39 118	-4.30 31 83	-0.71 64 98	-1.64 73 102	10.20 40 74	6	
122	762 22 0782 96017579	5.34	762 20 1137 762 18 0081	1	1			103	106	-0.10 55 99	0.03 46 102	-0.02 100	0.25 24 97	-1.50 27 96	-0.97 45 97	-18.30 46 123	2.07 29 96	105 5	
123	762 22 0829 96021571	5.81	762 20 0799 762 18 0429	16	1			96	87	1.01 71 111	-0.44 39 90	0.07 101	1.69 15 107	-3.40 20 87	-1.47 47 94	-10.48 55 113	6.38 30 84	78 6	
124	762 22 0911 95275012	8.36	762 20 0652 762 20 1056					87	84	0.02 45 100	-0.42 38 90	-0.41 93	1.08 26 103	-3.40 22 87	-2.43 37 88	10.00 55 87	0.06 32 102	2	
125	762 22 0918 96022033	11.68	762 20 0696 762 21 0821					110	107	0.84 61 109	-0.17 39 97	0.25 105	2.14 37 110	-1.00 15 99	0.07 42 103	-15.74 63 120	-1.37 30 106	97 4	
126	762 22 1003 96026257	9.22	762 20 0854 762 16 0355	35	3			78	100	-2.65 83 70	0.18 54 105	-1.15 81	-2.36 54 80	-2.60 28 91	-4.03 59 79	23.02 60 71	-11.95 29 135	108 9	
127	762 22 1014 96022785	8.05	762 20 0829 762 19 0035	4	2	2	1	91	85	0.70 61 108	-0.35 51 92	0.00 100	1.82 33 108	-4.10 26 84	-2.11 49 90	3.87 50 95	1.52 34 98	75 7	
128	762 22 1039 96026133	9.73	762 20 1137 762 18 0705	55	4			87	102	-1.74 87 80	0.25 55 107	-0.62 90	-2.02 21 82	-2.90 25 90	-3.23 60 84	-8.09 58 110	1.13 31 99	6	
129	762 22 1100 96027552	8.36	762 21 0143 762 21 0011	1	1			90	92	-0.75 65 91	-0.79 52 81	-1.17 80	-0.35 19 93	-0.90 26 99	-2.08 51 91	4.72 48 94	-3.75 31 112	120 5	
130	762 22 1368 96031422	7.84	762 21 0404 762 20 0515	12	1	1	1	86	111	-2.90 71 67	0.97 47 125	-0.49 92	-3.29 20 74	-1.80 21 95	-3.02 50 85	-1.25 54 101	1.11 25 99	90 6	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index						
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
131 762 22 1427 96031877	5.56	762 21 0081 762 18 0173	31	2	3	1	80	86	-0.84 83 90	0.20 60 106	-0.22 97	-0.50 23 92	-5.50 28 77	-3.93 61 80	2.48 63 97	4.71 33 89	119 6	
132 762 22 1627 99520199	7.89	762 21 0605 762 20 0758	15	1			97	92	0.68 73 107	0.06 50 102	0.40 107	1.21 17 104	-2.60 21 91	-0.82 52 98	-1.51 51 102	6.11 29 85	119 5	
133 762 22 1629 96033568	9.43	762 21 0605 762 21 0395	99	1	2	1	89	70	1.76 92 119	-1.22 64 70	-0.34 94	3.11 17 116	-4.30 25 83	-2.05 66 91	5.06 57 93	3.78 29 92	114 3	
134 IMPA 22 1659 94787231	3.90	20 1 06 7DL 20 1 00 5DJL	3	1			103	108	-0.66 35 92	0.10 12 103	-0.23 96	-0.24 5 94	1.60 5 111	0.40 19 105	5.78 56 92	-2.80 17 110	2	
135 1749 23 0042 107316762	3.40	1749 20 0022 1749 20 0016	4	1			98	98	0.16 53 102	-0.32 33 93	-0.24 96	1.03 18 102	-1.40 15 97	-1.00 37 97	4.47 31 94	-5.17 21 116	3	
136 1563 23 0098 96888979	2.47	762 20 0799 1563 21 0419					98	91	0.19 39 102	-0.40 27 91	-0.31 95	0.96 13 102	-0.40 15 102	-0.45 29 100	-6.66 48 108	8.40 26 79	4	
137 762 23 0100 96528138	8.28	762 21 0404 762 20 0855	17	1			99	99	0.14 75 101	-0.14 48 97	-0.06 99	0.96 27 102	-1.30 24 97	-0.77 53 98	1.84 50 97	-2.23 28 108	4	
138 762 23 0152 96528559	5.35	762 21 0081 762 15 0544	35	1	3	1	80	80	-0.03 83 99	-0.58 60 86	-0.59 90	0.74 22 101	-7.50 30 68	-5.11 62 73	-14.04 63 118	2.52 32 95	112 8	
139 762 23 0222 98690852	8.91	762 20 0538 762 21 0101	10	1			106	93	2.24 69 125	-0.13 38 98	0.99 117	3.55 18 119	-2.80 20 90	0.43 46 105	0.54 37 99	0.47 23 101	98 4	
140 762 23 0398 100590561	9.75	762 22 0248 762 21 0690	5	1			125	101	3.46 61 136	-0.52 37 88	1.21 121	5.24 22 130	1.40 14 110	3.78 41 124	-12.59 66 116	4.15 27 90	3	
141 762 23 0432 100590579	10.62	762 22 0248 762 19 0153					104	103	-0.32 51 96	-0.42 39 90	-0.58 90	0.83 25 101	1.80 19 112	0.34 39 105	0.71 52 99	-1.79 27 107	86 6	
142 1146 23 0503 96923628	4.53	762 19 0666 1146 18 0055	7	1			110	118	-0.87 74 90	0.75 54 120	0.31 106	0.04 70 96	2.60 31 116	1.44 56 111	-2.57 40 103	2.30 25 96	119 7	
143 762 23 0898 98697725	4.96	762 21 0081 762 21 0497	24	1			89	85	0.77 80 108	0.07 55 103	0.45 108	1.17 19 103	-5.20 25 79	-2.28 58 89	6.49 51 92	2.74 31 94	99 3	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number	Dir			Mat	EBV								EBV
			y	Herds	Weaned	Herds		Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times	
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
144	1563 24 0125 99286239	2.76	1563 21 0537 1298 18 0126				95	98	-0.81 25	-0.09 17	-0.50 92	-0.39 7	-0.40 6	-1.14 18	-1.50 35	3.19 17	93 4
			Sire Flock Average:				97	96	0.04	-0.11	-0.09	0.82	-1.39	-0.90	0.90	1.10	
			Number of sires used in the flock: 144														

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam
			Progeny Number	Progeny Number			Dir	Mat	Comb									
			Weaned Herds	Weaned Herds														
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1	762 24 1296 107612285	8.69	762 23 0398 762 18 0143		125	114	1.84 47	0.24 120	1.16 120	3.22 19	2.90 22	3.82 38	-7.76 45	2.72 24	154	7		
2	1162 22 0080 98539364	4.08	162 19 0105 162 20 0081		121	118	0.62 37	0.24 107	0.55 110	1.91 24	2.50 13	2.36 29	-21.60 33	4.55 19	2			
3	1146 24 0516 99856262	4.10	170 22 0095 146 19 0043		119	115	1.29 60	0.67 118	1.31 123	3.09 60	-0.20 26	1.84 46	-20.31 33	5.82 18	123	6		
4	1564 24 0062 108054974	11.33	564 22 0472 564 22 0366		115	111	0.59 50	0.28 108	0.57 110	1.30 31	1.50 28	1.77 41	-19.57 39	8.45 27	100	3		
5	1318 23 0087 101390250	12.68	318 22 0050 318 21 0057		114	110	0.94 26	0.02 101	0.48 109	2.11 14	1.40 7	1.79 19	-3.33 32	-1.52 21	3			
6	762 24 0852 107598443	8.35	762 22 0538 762 16 0327		113	107	1.24 57	0.42 111	1.04 118	1.94 23	0.70 26	2.08 46	-2.92 47	4.33 28	162	9		
7	762 24 1053 107596470	11.40	762 23 0432 762 17 0395		112	114	-0.17 45	0.01 101	-0.08 99	0.89 18	3.30 24	1.82 38	2.70 41	-3.81 24	125	7		
8	762 24 1292 107612244	12.01	762 23 0398 762 21 0444		112	100	1.99 41	-0.35 33	0.64 111	3.12 17	-0.60 18	1.28 33	-2.81 43	-2.03 23	101	5		
9	1146 24 0537 107002388	5.11	146 22 0522 146 21 0037		111	95	2.46 65	0.01 101	1.24 122	5.90 65	-1.70 27	1.45 50	15.83 36	-3.40 20	110	3		
10	1162 23 0060 98539786	3.83	162 21 0102 162 21 0030		110	110	-0.07 36	0.03 18	-0.01 100	0.39 11	1.70 5	0.98 22	-15.90 17	5.01 11	2			
11	762 24 0358 107587388	9.84	762 22 0248 762 20 0676		110	106	1.09 49	0.18 38	0.73 113	1.89 26	-0.10 13	1.21 36	0.91 48	-1.37 28	94	4		
12	1749 24 0051 110372067	3.77	890 22 0064 765 21 0033		110	101	1.65 55	0.31 33	1.13 120	2.93 17	-1.10 13	1.30 37	2.74 25	1.78 20	105	4		
13	1146 24 0520 99803652	3.85	146 23 0503 562 18 0298		110	108	0.09 59	0.15 41	0.20 104	2.27 57	1.50 20	1.14 43	1.46 33	-0.11 21	93	5		
14	762 24 0316 107587008	9.17	762 22 0248 762 21 1275		109	100	1.18 48	-0.56 33	0.03 101	2.30 27	0.80 12	1.10 34	4.09 46	-5.02 25	4			
15	1146 24 0514 99803629	2.98	146 23 0503 520 20 0159		109	105	0.19 59	0.08 41	0.17 103	1.68 59	1.50 16	1.17 42	-4.43 24	5.20 16	100	5		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		% In-breeding	Parents & Progeny		Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	Sire ID Dam ID		1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							Comb
			EBV	EBV			EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
16	1146 24 0507 99856684	4.81	562 21 0135 146 22 0016	108	101	0.43 64 105	-0.33 42 93	-0.11 98	3.13 63 116	0.20 20 104	0.23 45 104	-9.51 35 112	2.25 18 96	100	1
17	762 24 1579 107620924	6.42	762 23 0100 762 19 0699	107	99	1.49 58 116	0.10 37 103	0.84 115	2.49 18 112	-1.20 18 98	0.86 41 108	0.87 30 99	1.88 19 97	96	2
18	762 24 0799 108046905	6.91	762 22 0918 762 21 0442	106	109	0.30 42 103	0.19 32 106	0.34 106	1.32 26 104	-0.90 17 99	-0.05 32 102	-7.38 43 109	-1.96 24 107		4
19	762 24 1438 107616906	4.33	762 22 0538 762 21 0375	106	89	2.23 60 125	-0.25 43 94	0.86 115	2.96 21 115	-1.30 21 97	1.20 44 109	4.35 45 94	5.19 24 88	115	3
20	1563 24 0437 100412667	2.52	116 22 0102 563 22 0280	106	113	-0.80 26 91	0.25 14 107	-0.15 98	-0.76 19 91	1.40 5 110	0.29 16 104	-9.20 35 112	0.82 14 100		2
21	762 24 1261 107612079	8.88	762 23 0222 762 20 0700	105	99	0.89 60 110	-0.11 40 98	0.34 106	2.32 22 111	-1.00 22 99	0.18 44 104	2.82 35 96	-1.76 22 107	140	6
22	832 24 0060 109622761	21.25	832 22 0114 832 22 0051	104	105	-0.05 13 99	0.11 10 104	0.09 102	0.39 5 98	0.90 5 108	0.60 10 106	3.37 32 96	-0.31 18 103		2
23	832 24 0061 109622779	21.25	832 22 0114 832 22 0051	104	105	-0.05 13 99	0.11 10 104	0.09 102	0.39 5 98	0.90 5 108	0.60 10 106	3.37 32 96	-0.31 18 103		2
24	762 24 0287 107586885	8.19	762 22 0248 762 22 0467	104	88	1.87 51 121	-0.47 38 89	0.47 108	2.99 24 115	-0.90 19 99	0.86 39 108	5.50 46 93	3.86 28 91		2
25	776 23 0297 101223113	11.48	776 22 0447 776 20 0053	104	100	0.06 40 100	-0.56 33 87	-0.53 91	0.82 24 101	1.10 17 109	0.16 32 104	-5.16 41 106	0.91 26 99		5
26	1563 24 0061 99324519	3.52	22 1 65 9DJL 16 0 05 1BSB	102	107	-0.74 19 91	0.14 10 104	-0.22 96	-0.25 6 94	1.10 5 109	0.07 12 103	0.77 34 99	0.29 12 101		4
27	1563 24 0062 99324600	3.52	22 1 65 9DJL 16 0 05 1BSB	102	107	-0.74 19 91	0.14 10 104	-0.22 96	-0.25 6 94	1.10 5 109	0.07 12 103	0.77 34 99	0.29 12 101		4
28	832 24 0006 109562900	14.50	832 22 0114 832 22 0003	102	103	-0.07 16 99	0.04 13 102	0.00 100	0.45 6 99	0.20 5 104	0.09 12 103	5.20 29 93	-1.31 19 106		2
29	1564 24 0056 109888529	9.49	564 22 0472 564 22 0240	100	96	0.33 52 103	0.00 40 101	0.16 103	1.22 33 104	-1.10 28 98	-0.34 42 101	-2.89 39 103	5.18 27 88		2
30	1940 23 0140 98782956	3.24	940 22 0161 298 20 0556	100	98	0.12 19 101	-0.10 18 98	-0.04 100	0.91 12 102	-0.80 9 100	-0.46 16 100	-4.18 29 105	3.73 20 92		6

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1917 24 0149 110719119	9.16	700 20 0560 917 23 0093			100	105	-0.31 16 96	0.25 14 107	0.10 102	-0.38 12 93	-0.60 9 101	-0.42 14 100	0.05 17 100	-0.04 12 102	1
32 762 25 0521 109708594	8.18	762 23 0898 762 23 0906			100	94	1.03 51 111	0.09 37 103	0.60 111	1.62 14 106	-2.10 17 94	-0.14 38 102	3.55 38 95	3.65 22 92	1
33 1829 24 0078 110029014	5.19	829 22 0101 829 21 0078			100	105	-0.62 17 93	0.24 14 107	-0.07 99	-0.16 11 95	0.30 7 105	-0.20 14 101	5.62 30 93	-0.47 17 103	3
34 1962 24 0001 98824956	3.12	762 21 0848 562 18 0091			100	91	1.02 44 111	-0.13 30 98	0.38 107	2.07 15 109	-2.00 13 94	-0.31 31 101	-0.93 30 101	6.07 19 85	3
35 1749 24 0080 110450293	9.81	749 23 0042 749 21 0041			99	108	-1.18 52 87	0.07 34 103	-0.52 91	-0.76 14 91	0.40 13 105	-0.87 36 98	-1.75 28 102	-2.09 16 108	128 5
36 2083 23 0017 101429462	2.66	384 21 0012 054 20 0014			98	103	-0.78 23 91	0.04 23 102	-0.35 94	-0.26 10 94	-0.20 9 102	-0.86 20 98	-1.13 36 101	0.18 17 101	1
37 1298 23 0503 99319790	6.24	430 19 0153 298 14 0411			98	96	0.36 23 104	0.05 20 102	0.23 104	1.03 11 102	-2.30 9 93	-0.97 19 97	-0.03 35 100	1.35 22 98	4
38 762 24 0563 107578395	11.11	762 22 1629 762 20 0743			97	90	0.73 58 108	-0.49 45 88	-0.13 98	1.51 14 106	-1.50 22 96	-0.66 45 99	4.15 41 95	0.86 24 100	96 5
39 762 24 0011 99659179	14.64	762 21 0467 762 18 0127			97	105	-1.19 67 86	0.32 55 109	-0.27 96	-1.28 26 87	0.60 32 106	-0.50 54 100	1.70 54 98	3.55 36 92	122 4
40 1829 24 0124 110028834	6.19	673 21 0126 829 21 0088			95	101	-0.71 27 92	0.22 22 106	-0.13 98	-0.20 20 94	-0.50 11 101	-0.79 21 98	15.90 36 80	-3.38 21 111	3
41 762 24 0511 107620445	10.16	762 22 0829 762 21 1081			95	87	0.62 42 107	-0.49 29 89	-0.18 97	1.03 13 102	-2.80 17 90	-1.55 31 94	-8.29 38 110	5.83 23 86	4
42 1563 24 0038 99285827	3.45	563 23 0098 563 21 0099			94	95	-0.59 25 93	-0.16 19 97	-0.46 92	-0.11 8 95	-1.40 10 97	-1.59 19 93	-7.87 34 110	5.58 18 87	5
43 762 24 0729 107595381	7.58	762 22 1627 762 22 0888			93	95	-0.13 47 98	0.06 34 102	0.00 100	0.31 13 98	-2.60 17 91	-1.62 35 93	1.54 36 98	1.61 20 97	1
44 762 22 0820 96021522	5.59	762 21 0143 762 19 0949	8	1	91	88	-0.25 71 97	-0.48 52 89	-0.60 90	0.26 15 97	-2.10 24 94	-1.98 53 91	-9.56 54 112	7.85 30 80	92 6
45 762 23 0957 98696206	12.07	762 21 0605 762 20 0355			91	94	-0.35 63 96	0.13 47 104	-0.05 100	-0.17 22 95	-2.80 26 90	-1.90 48 92	1.28 44 98	2.92 29 94	115 3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							
			EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
46	762 24 1406 107616625	8.48	762 22 0538 762 18 0400		91	85	0.46 55	-0.31 105	-0.08 99	1.12 29	-3.10 27	-1.70 45	2.32 97	5.25 28	116 7
47	1673 24 0069 107621385	3.89	673 22 0060 673 22 0046		90	90	-0.13 31	-0.08 98	-0.14 98	1.22 21	-3.30 16	-2.19 26	4.05 95	1.55 23	3
48	1564 23 0530 100461458	4.22	762 21 0081 564 17 0042		90	82	0.70 67	-0.54 108	-0.19 97	2.47 34	-4.70 32	-2.66 54	-0.38 100	1.87 31	122 8
49	762 25 0433 109707828	4.73	762 23 0898 762 23 1032		90	87	-0.01 47	-0.36 92	-0.36 94	0.52 12	-3.20 15	-2.29 34	-1.77 102	3.94 20	1
50	1673 24 0155 107621930	5.30	673 22 0060 673 21 0038		88	86	0.08 34	-0.04 101	0.00 100	1.55 24	-4.40 19	-2.60 29	4.75 94	2.69 25	4
51	1844 24 0020 101265791	4.29	673 22 0080 673 18 0095		88	86	-0.04 28	-0.29 99	-0.31 95	1.13 18	-3.40 15	-2.36 24	10.03 87	0.33 23	4
52	762 24 0307 107573966	6.36	762 22 1427 762 20 0597		85	92	-0.68 50	0.14 40	-0.20 97	-0.43 17	-4.50 20	-3.24 39	3.90 84	-0.49 24	91 5
53	762 24 1242 107612004	7.53	762 22 1368 762 20 1008		85	102	-2.48 57	0.28 38	-0.96 84	-2.76 12	-2.00 14	-3.40 40	-7.38 37	3.20 19	99 3
54	762 24 0987 107597775	9.39	762 22 1003 762 23 0016		84	97	-1.78 50	-0.39 80	-1.28 78	-1.35 29	-2.30 20	-3.55 38	10.46 40	-9.94 22	90 4
55	762 24 0759 107588568	10.84	762 22 1629 762 21 0114		82	68	0.78 54	-0.89 108	-0.50 92	1.80 19	-4.60 20	-2.87 41	4.52 94	9.68 25	2
56	762 24 0349 107587370	10.70	762 22 1014 762 21 0100		82	79	-0.16 43	-0.59 98	-0.67 89	0.93 25	-4.30 22	-3.33 37	11.55 85	-0.46 26	91 5
57	762 24 1181 107597221	7.67	762 23 0152 762 22 1401		82	74	0.53 60	-0.76 106	-0.49 92	1.27 17	-6.10 22	-3.89 45	-3.87 105	5.00 26	96 2
58	762 24 1249 107613242	7.24	762 23 0152 762 21 1237		80	83	-0.66 59	-0.16 92	-0.49 92	-0.12 15	-5.70 20	-4.24 43	-4.73 106	5.59 23	96 3
59	762 24 0653 107588121	7.97	762 22 0161 762 19 0220		80	76	-1.16 64	-1.00 48	-1.58 73	-0.33 16	-2.00 21	-3.36 48	1.91 43	7.91 25	146 8

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1 1730 23 0312 97139372	2.85	430 21 0043 1619 21 0090	115	114	0.76 53 108	0.36 32 110	0.73 113	1.73 28 107	1.70 7 111	2.13 34 115	-1.58 31 102	-0.88 21 104		0
2 1730 23 0325 97305205	2.79	430 21 0043 1619 21 0048	114	114	0.47 41 105	0.49 29 113	0.73 113	1.60 30 106	1.70 7 111	1.98 29 114	-1.48 30 102	0.49 19 101		0
3 1298 22 0755 100387190	2.16	1298 21 0046 1398 15 0192	114	112	0.52 28 106	0.04 24 102	0.30 106	1.72 16 107	1.90 12 112	1.70 23 112	0.20 47 100	-4.20 25 113		1
4 1502 23 0080 97949531	2.87	762 20 0828 1502 20 0513	113	102	1.51 56 117	-0.18 37 96	0.58 110	2.72 20 114	-0.20 14 102	1.22 39 110	-14.41 31 118	4.41 17 90		0
5 1720 23 0013 96871611	2.95	1318 19 0108 1720 19 0022	112	106	0.66 43 107	-0.13 32 98	0.20 104	1.48 19 105	0.70 12 107	0.95 32 108	-24.07 52 130	7.49 32 81		2
6 1695 22 0160 96048673	3.68	762 20 0698 1695 18 0021	112	111	1.02 49 111	0.02 40 101	0.53 109	0.96 21 102	-0.50 18 101	0.74 38 107	-12.15 48 115	-3.92 36 113		1
7 1765 23 0146 99324766	2.76	1574 21 0050 170 16 0284	112	113	0.65 51 107	0.34 44 109	0.67 112	1.10 44 103	0.60 24 106	1.35 42 110	1.25 40 98	-5.01 24 116		0
8 762 23 0906 98694482	5.29	762 21 0467 762 22 0008	111	102	1.30 64 114	0.10 50 103	0.75 113	2.07 20 109	1.00 24 108	2.00 49 114	0.61 56 99	4.57 30 89		1
9 1730 23 0329 97555635	4.63	1298 19 0333 1298 21 0334	111	101	1.68 50 119	0.27 33 108	1.11 119	2.57 18 113	-0.50 8 101	1.65 34 112	-3.40 32 104	5.41 25 87		0
10 762 23 1235 99734774	7.59	762 21 0467 762 20 1082	110	110	0.60 62 106	0.69 51 118	0.99 117	0.98 19 102	0.80 26 107	1.76 49 113	1.13 50 98	4.23 32 90		0
11 1730 23 0304 97224489	5.74	1740 21 0109 1740 21 0039	110	113	0.27 43 103	0.43 32 112	0.57 110	0.75 19 101	0.20 12 104	0.82 32 107	-9.28 40 112	0.13 26 102		1
12 1085 22 0102 101429389	2.71	1085 21 0503 1085 19 0166	110	113	0.19 25 102	0.49 22 113	0.58 110	0.52 17 99	0.50 11 106	0.98 21 108	-9.34 24 112	1.77 17 97		0
13 1146 24 0014 99856601	4.02	170 22 0095 1562 18 0313	110	111	0.82 58 109	0.84 40 122	1.25 122	0.50 55 99	0.10 18 104	1.72 42 113	4.40 32 94	1.22 20 99		0
14 1749 24 0038 110393345	6.34	1890 22 0064 1890 22 0005	109	99	1.61 55 118	-0.05 32 99	0.75 113	3.16 16 116	-0.70 13 100	1.14 36 109	0.83 29 99	0.99 18 99		0
15 1085 23 0151 101380749	6.55	1085 21 0150 1085 17 0162	109	109	0.25 20 102	0.06 17 102	0.18 104	0.60 9 100	1.60 5 111	1.27 15 110	-1.20 24 101	-0.94 14 105		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 1890 24 0029 99425266	2.75	762 21 0873 1890 21 0011	109	105	0.49 34	-0.18 22	0.07 102	1.20 12	1.80 12	1.39 111	1.43 98	-1.10 17	0
17 1146 24 0054 107002156	5.47	1562 21 0135 1146 18 0044	109	104	0.61 65	0.11 45	0.42 108	3.08 63	-0.40 23	0.48 105	-9.61 37	3.41 112	0
18 1749 24 0047 110385093	6.24	1890 22 0064 1890 22 0015	109	99	1.54 55	-0.05 32	0.72 113	3.07 16	-0.70 13	1.08 109	2.34 26	0.80 17	0
19 1085 22 0643 101389187	3.22	1085 21 0503 1085 20 0002	108	110	0.30 24	0.33 22	0.49 109	0.67 17	0.40 11	0.88 108	-2.98 22	0.09 104	0
20 1765 23 0009 95749966	3.99	762 18 0648 1298 18 0297	108	111	-0.08 49	0.32 43	0.28 105	1.20 37	0.50 23	0.54 106	-7.59 45	1.26 109	3
21 1435 20 0064 108629908	2.80	1435 17 0007 1435 18 1008	108	113	-0.60 17	0.25 19	-0.05 100	-0.36 5	2.80 8	1.33 16	0.16 27	0.83 100	1
22 1563 23 0612 98548746	2.16	116 21 0108 1563 22 0143	108	116	-0.60 16	0.42 14	0.12 102	-0.30 9	1.60 5	0.78 12	-0.36 50	-3.05 19	1
23 1889 24 0050 107618233	3.09	1318 21 0028 1889 22 0015	108	106	0.51 30	0.08 27	0.34 106	1.25 11	0.00 8	0.59 24	-5.37 36	0.33 107	0
24 430 21 0164 93137859	2.92	430 20 0034 627 17 0091	107	109	-0.04 46	-0.07 47	-0.09 99	0.74 18	1.20 7	0.61 37	-1.40 34	-3.86 102	100 3
25 1085 22 0116 101429405	2.78	1085 21 0503 1610 20 0032	107	110	0.09 23	0.36 21	0.41 107	0.46 17	0.40 11	0.69 19	-3.58 21	0.57 104	0
26 1564 23 0124 100363589	3.02	1564 20 0499 1564 18 0381	107	115	-0.66 65	0.57 50	0.24 104	-0.13 33	1.40 33	0.75 52	-1.80 42	-0.32 102	0
27 1563 23 0192 96780796	2.18	116 21 0084 1400 14 0110	107	112	-0.18 17	0.12 13	0.03 101	0.09 6	1.30 5	0.72 13	5.01 48	-7.03 23	2
28 1298 23 0402 100512680	3.22	1298 20 0357 1298 21 0159	107	106	-0.09 37	-0.17 24	-0.22 97	1.23 33	1.60 8	0.70 25	-0.55 37	-0.83 101	0
29 430 23 0059 99480642	2.22	1590 21 0030 430 19 0028	107	104	0.65 36	-0.14 32	0.19 104	1.24 23	0.20 21	0.63 31	1.71 38	-3.34 29	0
30 1146 24 0006 99856460	3.85	1562 21 0135 1146 21 0032	106	86	2.56 65	-0.61 44	0.67 112	5.05 64	-3.00 23	0.15 47	-5.39 37	3.60 107	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1749 24 0043 110385002	2.07	762 20 1100 1658 19 0250	106	109	0.09 54 101	0.44 35 112	0.48 109	1.00 21 102	0.10 16 104	0.59 38 106	0.68 39 99	0.12 22 102	0
32 1700 18 0259 97218127	2.23	762 16 0554 1700 13 0019	106	116	-0.68 29 92	0.41 29 111	0.07 102	-0.49 18 92	1.30 21 110	0.51 27 106	1.06 28 98	-4.66 21 115	0
33 1890 22 0052 94890464	5.00	959 20 0058 1765 20 0170	106	113	0.78 40 109	0.84 39 122	1.24 122	0.72 15 100	-2.40 14 92	0.19 34 104	5.40 31 93	-7.41 27 122	94 2
34 1889 24 0040 107618803	2.75	1318 21 0028 1889 20 0903	106	104	-0.07 31 99	-0.26 27 94	-0.29 95	0.64 9 100	1.40 5 110	0.51 23 106	-5.84 32 107	1.20 15 99	0
35 1085 23 0031 101412187	2.81	1085 21 0503 686 17 0051	106	109	-0.07 19 99	0.22 17 106	0.18 103	-0.01 13 96	0.80 9 107	0.63 16 106	1.48 29 98	-1.92 18 107	0
36 1162 19 0011 91068692	2.92	1162 17 0012 1162 17 0005	105	110	-0.53 10 94	0.03 8 102	-0.23 96	-0.42 5 93	2.00 5 113	0.70 8 107	-1.00 9 101	-0.68 6 104	2
37 1563 22 0122 93590933	3.40	116 20 0114 116 15 0074	105	111	-0.60 9 93	-0.08 10 99	-0.38 94	-0.36 5 93	1.70 5 111	0.34 8 105	-2.68 47 103	-3.37 23 111	3
38 170 22 0030 95465217	9.35	1590 16 0020 170 19 0073	105	105	0.87 63 109	0.39 55 111	0.82 114	1.23 42 104	-1.00 31 99	0.65 53 106	12.20 57 84	-5.47 34 117	98 1
39 1890 24 0001 98960487	14.13	762 21 0873 762 21 0324	105	96	0.64 39 107	-0.76 29 82	-0.44 93	1.75 15 107	1.30 15 110	0.66 30 106	1.94 32 97	-1.10 19 105	0
40 157 23 0056 100836378	10.32	157 18 0900 157 18 0936	105	93	0.69 47 108	-0.65 35 85	-0.30 95	2.66 32 113	1.00 15 108	0.65 35 106	-1.88 32 102	4.63 14 89	1
41 1298 23 0440 100605625	2.61	430 19 0153 1398 19 0091	105	106	0.33 19 103	0.12 15 104	0.28 105	0.87 9 101	-0.40 6 102	0.21 14 104	-1.88 36 102	-1.45 21 106	0
42 1749 24 0034 110397254	5.80	1890 22 0064 1749 22 0007	105	94	1.88 56 121	-0.27 35 94	0.67 112	3.31 14 117	-2.20 17 93	0.29 39 104	5.00 29 93	-2.25 21 108	0
43 1720 24 0026 99763641	2.91	1318 19 0108 1720 22 0034	105	99	0.60 47 106	-0.21 37 96	0.09 102	1.67 23 107	-0.10 15 103	0.33 36 104	-3.50 50 104	2.53 32 95	1
44 1563 23 0339 97173611	2.04	22 1 65 9DJL 116 15 0032	105	109	-0.52 19 94	0.04 10 102	-0.22 97	-0.21 5 94	1.80 5 112	0.60 12 106	4.98 48 93	-3.46 15 111	1
45 930 23 0068 98565039	1.81	762 20 0198 930 20 0104	105	104	0.19 33 102	-0.06 30 99	0.04 101	0.91 20 102	0.30 20 105	0.31 29 104	0.30 38 99	-1.32 25 106	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambded				
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		Acc Index	Acc Index	Acc Index	Acc Index	Phenotype							
Active Breed Average:				100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
46	1766 23 0074 107663908	2.87	1658 19 0018 1766 20 0015	104	109	-0.61 5	0.07 93	-0.24 5	-0.41 103	-0.96	5	1.60 5	1.32 40	-2.18 7	108			0			
47	1563 23 0688 98647233	2.75	19 1 00 3BSB 1563 19 0342	104	107	-0.71 17	0.16 92	-0.20 11	-0.14 105	-0.97	11	1.70 5	0.47 11	-2.48 46	3.75 103	16	92	1			
48	116 20 0212 91252247	14.28	116 19 0039 116 17 0121	104	108	-0.79 24	0.01 91	-0.38 19	-0.64 101	-0.94	5	2.00 5	0.43 17	-2.74 39	1.69 103	20	97	0			
49	1563 22 0367 94947678	3.68	19 1 00 3BSB 1298 18 0142	103	105	-0.33 28	0.17 96	0.00 22	0.52 105	0.00	16	0.40 12	0.08 22	-3.81 51	3.41 105	28	93	2			
50	930 23 0032 98564719	11.26	930 20 0065 930 18 0115	103	100	-0.29 31	0.04 97	-0.10 28	1.52 102	1.52	29	1.00 20	0.36 27	-2.00 34	7.26 102	19	82	0			
51	1700 22 0223 97948756	2.22	1590 18 0118 776 15 0002	103	108	-0.16 29	0.09 98	0.00 28	0.21 103	0.21	16	-0.20 16	-0.20 26	0.72 36	-4.37 99	23	114	0			
52	832 22 0051 95461380	3.03	1088 19 0156 832 19 0004	103	106	-0.17 18	0.14 98	0.06 14	0.24 104	0.24	5	0.90 5	0.51 13	12.38 48	-4.40 84	28	114	2			
53	1917 24 0022 110719135	3.69	1700 20 0560 776 21 0479	103	103	0.23 26	0.06 102	0.18 24	0.58 102	0.58	21	-0.60 14	-0.07 22	-1.61 31	0.35 102	20	101	0			
54	1700 22 0225 110449303	3.54	1700 20 0560 1700 20 0166	102	108	-0.31 16	0.30 96	0.14 15	-0.32 108	-0.32	12	-0.10 10	-0.07 14	-2.63 17	0.33 103	12	101	1			
55	1564 23 0330 100453117	8.17	1564 22 0061 1564 18 0191	102	93	1.27 63	-0.80 114	-0.17 47	2.43 81	2.43	34	-1.50 32	-0.43 50	1.28 42	-5.49 98	27	117	0			
56	1509 23 0362 110300407	2.89	1509 20 0133 1509 19 0055	102	107	-0.63 7	0.00 93	-0.32 7	-0.47 101	-0.95	5	1.30 5	0.15 6	-0.68 25	-0.02 101	12	102	0			
57	1828 23 0161 99436644	2.79	19 0 86 8DJL 1828 21 0199	102	104	-0.62 36	-0.14 93	-0.45 16	-0.23 97	-0.93	7	1.70 5	0.27 20	-0.10 29	1.64 100	12	97	0			
58	1298 20 0046 91951152	3.14	1298 18 0096 1298 18 0358	102	103	-0.23 21	-0.03 97	-0.14 19	0.18 100	0.18	11	-0.20 7	-0.38 17	-11.19 53	4.65 114	30	89	2			
59	1509 23 0272 107874216	2.67	1509 21 0117 1509 22 0051	102	105	-0.30 14	0.05 96	-0.10 14	0.12 102	0.12	7	0.20 7	-0.13 12	-0.59 30	-0.39 101	16	103	0			
60	832 24 0007 109562918	14.50	832 22 0114 832 22 0003	102	103	-0.07 16	0.04 99	0.00 13	0.45 102	0.45	6	0.20 5	0.09 12	5.20 29	-1.31 93	19	106	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 1028 23 0024 98367477	2.92	1658 19 0056 1028 22 0003	102	106	-0.67 7 92	0.01 6 101	-0.33 95	-0.40 5 93	1.30 5 110	0.12 5 103	1.88 26 97	-0.25 15 103	0
62 1917 24 0011 110720919	2.71	1700 20 0560 1917 22 5129	102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0
63 1917 24 0013 110720901	2.87	1700 20 0560 1917 20 0213	102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0
64 1917 24 0082 110719127	2.71	1700 20 0560 1917 22 5116	102	106	-0.31 14 96	0.22 13 106	0.06 101	-0.32 11 94	0.00 9 103	-0.09 12 102	-0.80 15 101	0.54 11 100	0
65 1574 24 0001 98883291	3.83	1574 21 0314 1765 20 0169	102	108	-0.71 45 92	0.27 32 108	-0.08 99	-0.48 21 93	0.50 18 106	-0.14 34 102	-1.89 24 102	0.90 18 99	0
66 1509 24 0009 107875445	1.98	762 22 0517 1509 20 0081	101	110	-1.16 27 87	0.01 23 101	-0.57 91	-1.20 11 88	1.10 12 109	-0.49 22 100	-4.82 30 106	-2.37 17 108	0
67 1627 24 0017 110020583	3.06	1720 22 0115 1627 22 0068	101	104	-0.50 23 94	0.09 21 103	-0.16 98	-0.40 15 93	0.60 12 106	-0.05 20 102	-1.09 26 101	1.91 17 97	0
68 1028 23 0084 98385750	2.89	959 20 0043 1028 20 0025	101	107	-0.45 27 95	0.45 24 112	0.23 104	-0.16 13 95	-0.60 11 101	-0.35 22 101	-0.02 38 100	0.39 22 101	0
69 959 24 0005 108074717	3.71	762 22 0227 1720 21 0001	101	89	1.01 43 111	-0.44 33 90	0.07 102	2.36 17 111	-1.50 18 96	-0.33 33 101	-6.75 35 108	7.44 24 81	0
70 1564 23 0103 97155956	4.45	762 16 0299 1564 19 0397	101	101	-1.53 68 83	-0.64 61 85	-1.40 76	0.14 51 97	4.00 44 122	0.24 60 104	0.76 58 99	3.56 37 92	96 1
71 1917 24 0105 110720893	2.79	1700 20 0565 1917 21 0123	100	107	-0.66 13 92	0.14 12 104	-0.19 97	-0.61 10 92	0.30 8 105	-0.34 11 101	1.31 15 98	-2.10 10 108	0
72 1917 23 0225 99078222	2.87	1700 20 0565 1917 20 0099	100	107	-0.66 13 92	0.14 12 104	-0.19 97	-0.61 10 92	0.30 8 105	-0.34 11 101	1.31 15 98	-2.10 10 108	1
73 1574 21 0202 93259562	1.88	430 19 0027 1574 12 0122	100	104	-0.55 63 94	-0.34 50 92	-0.62 90	-0.61 35 92	0.80 24 107	-0.41 49 100	-2.83 39 103	-2.06 31 108	4
74 1917 24 0102 110719143	2.87	1700 20 0565 1917 20 0073	100	107	-0.66 13 92	0.14 12 104	-0.19 97	-0.61 10 92	0.30 8 105	-0.34 11 101	1.31 15 98	-2.10 10 108	0
75 1838 23 0107 107551335	2.76	1838 20 0029 1838 16 1011	100	105	-0.70 19 92	-0.10 16 98	-0.45 93	-0.49 7 92	0.60 11 106	-0.44 16 100	-1.58 21 102	-1.34 12 106	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding		Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
						Dir Acc	EBV Index	Mat Acc	EBV Index	Comb EBV Index	EBV Acc	Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
76	1838 23 0099 107551343	2.76	1838 20 0029 1838 16 1018	100	105	-0.70 19	-0.10 92	-0.45 16	-0.49 98	-0.45 93	-0.49 7	0.60 11	-0.44 16	-1.58 21	-1.34 102	0			
77	1564 24 0057 109888537	9.49	1564 22 0472 1564 22 0240	100	96	0.33 52	0.00 103	0.16 40	1.22 101	0.16 103	1.22 33	-1.10 28	-0.34 42	-2.89 39	5.18 103	0			
78	157 23 0059 101366367	2.80	157 18 0900 157 18 0714	100	98	-0.43 38	-0.32 95	-0.53 24	0.87 93	-0.53 91	0.87 22	0.90 11	-0.21 26	-0.10 21	2.73 100	0			
79	1028 23 0070 98367733	2.89	959 21 0170 1028 19 0039	100	99	0.00 24	-0.01 100	-0.01 19	1.03 101	-0.01 100	1.03 13	-0.80 8	-0.49 18	-2.51 33	3.08 103	0			
80	1838 23 0128 107551293	2.87	1838 20 0157 1838 20 1021	100	105	-0.70 19	-0.10 92	-0.45 16	-0.49 98	-0.45 93	-0.49 7	0.60 11	-0.44 16	-1.63 16	-0.82 102	0			
81	157 23 0011 101271674	18.43	157 16 0817 157 16 0819	100	91	0.46 53	-0.29 105	-0.06 39	2.60 94	-0.06 99	2.60 42	-0.80 18	-0.32 40	-2.06 36	7.51 102	0			
82	157 23 0010 101271666	18.43	157 16 0817 157 16 0819	100	91	0.46 53	-0.29 105	-0.06 39	2.60 94	-0.06 99	2.60 42	-0.80 18	-0.32 40	-2.06 36	7.51 102	0			
83	1564 23 0367 100453406	3.95	1564 22 0061 1564 16 0290	100	94	0.42 62	-0.87 104	-0.66 44	1.01 79	-0.66 89	1.01 26	-0.10 26	-0.51 47	0.36 35	-3.02 99	0			
84	1564 22 0500 98912165	4.59	1564 19 0376 1564 17 0280	100	103	-0.45 60	-0.19 95	-0.42 55	0.42 96	-0.42 93	0.42 42	0.00 39	-0.64 53	5.20 50	-5.60 93	0			
85	1564 22 0516 98908551	9.32	1564 21 0005 1564 21 0035	100	106	-0.77 46	0.13 91	-0.25 41	0.09 104	-0.25 96	0.09 28	-0.60 28	-1.00 40	-7.16 39	0.71 109	0			
86	1146 24 0001 99856361	2.72	1562 21 0135 1146 18 0025	100	107	-1.14 66	-0.01 87	-0.58 45	-0.77 101	-0.58 90	-0.77 62	0.30 24	-0.97 48	-10.99 36	1.36 114	0			
87	1749 24 0092 110369568	6.89	1749 23 0042 1749 22 0044	100	101	0.45 52	0.15 105	0.37 33	1.10 104	0.37 107	1.10 12	-2.20 14	-0.73 36	4.40 30	-3.35 94	0			
88	2006 23 0042 96641410	2.42	959 18 0089 1574 21 0071	99	95	0.16 51	-0.27 102	-0.19 39	1.91 94	-0.19 97	1.91 25	-1.30 18	-0.89 39	-7.07 44	4.31 109	0			
89	1563 25 0462 110459211	3.84	1563 24 0125 1563 23 0688	99	103	-0.76 15	0.03 91	-0.35 10	-0.26 102	-0.35 94	-0.26 7	0.70 5	-0.31 10	-1.99 29	3.47 102	0			
90	1984 23 0069 98258403	2.87	762 18 0307 1298 20 0473	99	99	0.68 63	0.40 107	0.74 46	1.34 111	0.74 113	1.34 42	-2.10 21	-0.18 47	14.69 48	-2.80 81	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
							Dir	Mat		Comb		Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
91	762 23 1074 108064098	6.60	762 22 0782 762 18 0128	99	101	-0.07 43	-0.21 37 96		-0.24 96	0.47 21 99		-1.40 25	-1.11 37 96		-5.38 36 107		-1.69 27 107		0			
92	157 23 0021 100836436	13.21	157 18 0928 157 19 0965	99	88	0.73 44	-0.50 29 88		-0.14 98	3.43 28 118		-1.80 13	-0.86 31 98		-3.19 24 104		5.29 11 87		0			
93	1564 23 0419 100460765	6.40	762 16 0299 1564 18 0346	99	105	-1.13 66	0.13 57 104		-0.44 93	0.45 49 99		0.40 41	-0.77 57 98		1.50 52 98		0.11 38 102		0			
94	1564 23 0237 100452374	13.43	1564 22 0129 1564 20 0433	99	106	-1.38 64	-0.10 46 98		-0.78 87	-0.80 32 90		2.60 30	0.09 49 103		14.61 42 81		-4.19 28 113		0			
95	1829 24 0157 109952077	5.00	1829 22 0101 1673 19 0103	99	103	-0.67 17	0.24 14 107		-0.10 99	-0.17 12 95		0.30 7	-0.25 14 101		6.83 30 91		0.69 16 100		0			
96	1562 23 0008 97955355	11.44	1562 21 0135 1562 18 0351	99	90	0.58 49	-0.55 36 87		-0.27 96	2.47 42 112		-1.40 13	-0.82 36 98		-1.23 38 101		2.78 21 94		0			
97	1889 24 0021 101021111	2.88	19 1 00 3BSB 1563 22 0310	98	100	-0.61 20	0.07 14 103		-0.23 96	0.07 12 96		0.20 7	-0.42 15 100		-0.76 35 101		4.55 19 89		0			
98	959 23 0054 99135709	11.38	959 21 0180 959 20 0175	98	98	-0.01 58	-0.06 35 99		-0.06 99	0.83 23 101		-1.20 14	-0.79 39 98		-1.21 43 101		1.82 24 97		0			
99	762 22 1220 96028451	7.15	762 20 0813 762 21 0054	98	99	-0.32 43	0.04 41 102		-0.12 98	-0.05 16 95		-0.40 20	-0.52 37 100		-1.91 51 102		4.24 28 90		1			
100	157 23 0026 101366359	14.95	157 19 0982 157 18 0921	98	86	0.84 37	-0.61 27 85		-0.19 97	2.97 28 115		-1.80 13	-0.85 28 98		-3.19 30 104		5.81 13 86		0			
101	1563 24 0815 107508897	27.44	1590 19 0224 1936 22 0091	98	101	-0.07 25	0.24 23 107		0.21 104	0.10 17 96		-1.80 14	-0.91 22 97		-3.34 34 104		2.37 22 95		0			
102	1695 24 0104 110035292	2.81	1695 21 0095 1757 22 0006	98	100	0.21 33	-0.09 26 98		0.01 101	0.22 18 97		-1.40 13	-0.73 26 98		7.41 41 90		-4.98 24 116		0			
103	1984 22 0023 98646029	2.80	1590 17 0089 1650 18 0034	98	103	-1.02 50	-0.58 50 86		-1.09 82	-0.52 13 92		1.00 17	-1.00 42 97		-0.75 31 101		-5.15 19 116		100	1		
104	1829 24 0059 109927418	3.81	1829 22 0100 1829 20 0126	98	102	-0.62 14	0.16 12 105		-0.15 98	-0.24 11 94		0.00 6	-0.46 11 100		5.24 21 93		0.30 13 101		0			
105	170 23 0112 99457855	2.42	1162 21 0090 170 21 0123	98	92	0.65 62	-0.20 41 96		0.13 103	1.34 32 104		-1.80 22	-0.62 45 99		2.73 34 96		2.07 18 96		0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight			Post-Wean			Number Weaned	TWW		AFL		ILP		EPI	Times Lambded
					Dir EBV Acc	Index	Mat EBV Acc	Index	Comb EBV Index	EBV Acc		Index	EBV Acc	Index	EBV Acc	Index	EBV Acc		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
106	2006 24 0009 98920119	2.88	762 19 1002 430 21 0164	98	99	-0.46 59	-0.06 95	-0.29 95	-0.18 31	-0.20 24	-0.64 102	-1.48 47	3.39 102	34	93	0			
107	762 24 0784 107595274	10.66	762 22 1627 762 22 1220	98	95	0.18 42	0.05 102	0.14 103	0.58 12	-1.50 15	-0.67 32	-1.71 36	5.18 102	20	88	0			
108	2066 24 0042 107021065	6.92	2066 22 0121 1435 21 0048	97	102	-1.20 21	-0.23 86	-0.83 86	-0.75 8	1.10 9	-0.76 18	-3.25 24	2.25 104	16	96	0			
109	157 23 0003 100836477	15.59	157 18 0900 157 18 0890	97	89	0.13 45	-0.51 101	-0.45 93	2.33 29	-0.60 14	-0.74 33	-0.88 32	6.53 101	14	84	0			
110	832 22 0003 94051166	3.04	1088 19 0156 1484 20 0018	97	101	-0.21 25	-0.01 101	-0.11 98	0.34 12	-0.50 9	-0.52 20	16.05 39	-6.40 79	29	120	2			
111	1936 24 0009 100729995	3.19	1563 22 0057 776 21 1071	97	96	0.16 30	-0.07 102	0.01 101	0.88 23	-2.10 16	-1.17 26	-1.42 34	1.15 102	24	99	0			
112	1563 23 0289 96780416	2.37	22 1 65 9DJL 1563 21 0507	97	102	-0.48 22	-0.04 94	-0.28 96	-0.19 7	-0.30 7	-0.69 15	11.84 48	-5.69 85	16	118	1			
113	157 23 0033 100836360	11.40	157 18 0928 157 19 0945	97	92	0.26 44	-0.33 103	-0.20 97	1.60 29	-1.60 13	-1.03 31	-0.47 27	2.82 100	12	94	0			
114	1936 24 0137 106947823	3.52	1563 22 0057 776 21 0490	97	97	0.11 29	-0.13 101	-0.07 99	0.85 23	-2.10 16	-1.28 25	0.45 34	-0.94 99	24	105	0			
115	1256 19 0035 101257962	1.68	493 17 0055 1256 16 0007	96	104	-0.90 25	0.35 90	-0.11 99	-0.53 20	-1.10 15	-1.22 22	-4.52 50	3.06 106	27	94	2			
116	1563 23 0090 96764709	4.56	1563 21 0249 1563 19 0303	96	98	-0.21 22	-0.17 97	-0.28 96	0.19 13	-0.90 13	-0.93 18	4.22 45	-1.35 94	17	106	1			
117	762 24 0662 107588188	7.97	762 22 0161 762 22 0007	96	92	0.20 55	-0.27 102	-0.17 97	1.25 17	-0.90 23	-0.60 44	7.99 42	1.72 90	25	97	0			
118	1720 24 0019 99764607	7.04	959 22 0105 959 22 0035	96	100	-0.52 25	0.15 94	-0.11 98	0.11 10	-1.70 7	-1.39 19	-5.25 24	2.87 106	15	94	1			
119	1564 23 0384 100453562	5.82	1564 22 0061 1564 17 0240	96	98	0.21 62	-0.04 102	0.07 101	0.11 36	-2.70 29	-1.45 48	1.90 38	-3.82 97	23	112	0			
120	1936 24 0101 101833366	2.79	1563 22 0057 1936 21 0010	96	99	-0.43 19	0.03 95	-0.19 97	-0.06 15	-1.50 11	-1.31 17	-2.60 22	1.91 103	15	97	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
								Dir		Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
121	930 23 0044 98564917	4.30	762 20 0198 930 21 0077	95	97	-0.40 33	95	-0.03 31	100	-0.23 96	0.06 23	96	-1.20 21	98	-1.15 29	96	0.06 40	100	2.18 25	96		0	
122	762 23 0190 98664733	6.98	762 21 0467 762 19 0348	95	90	0.43 55	105	-0.07 50	99	0.15 103	0.86 22	101	-2.20 25	93	-0.96 46	97	0.05 51	100	6.42 32	84		0	
123	1789 24 0036 107880700	7.72	762 22 1039 762 22 1590	95	105	-0.98 51	89	0.17 34	105	-0.32 95	-0.86 13	90	-1.80 16	95	-1.89 36	92	-6.13 35	108	-1.80 20	107		0	
124	1502 23 0054 97604425	3.70	762 20 0828 1502 19 0067	95	91	-0.21 65	97	-0.63 46	85	-0.74 88	0.76 22	101	-2.00 20	94	-2.04 47	91	-16.81 34	121	5.71 19	86		0	
125	1484 23 0039 99712739	6.10	762 20 0720 1484 21 0020	94	88	0.75 36	108	-0.25 35	95	0.13 103	1.23 17	104	-2.90 18	90	-1.24 31	95	0.27 36	99	4.65 24	89		0	
126	1889 22 0061 96456736	2.71	970 18 0010 1889 20 0910	94	99	-1.67 37	81	-0.59 35	86	-1.43 76	-1.27 12	87	2.00 11	113	-1.06 30	96	-0.70 49	101	1.61 31	97		2	
127	1564 23 0334 100453141	12.47	1564 22 0129 1564 19 0354	94	110	-2.17 63	75	0.43 46	112	-0.66 89	-1.34 33	87	0.60 31	106	-1.38 49	95	5.81 42	92	-2.10 27	108		0	
128	762 23 0042 96530001	8.93	762 20 0208 762 19 0738	94	97	-0.40 46	95	-0.45 39	90	-0.65 89	0.01 15	96	-1.30 20	97	-1.63 37	93	2.99 46	96	-4.39 29	114		0	
129	762 24 0775 107595696	10.11	762 22 1627 762 22 1121	94	97	-0.22 46	97	0.09 33	103	-0.02 100	-0.02 12	96	-2.60 15	91	-1.69 34	93	-1.41 37	102	1.41 20	98		0	
130	2006 23 0001 96102488	2.16	762 19 1002 1574 20 0081	94	96	-0.78 53	91	-0.28 45	94	-0.67 89	-0.23 33	94	-1.10 26	98	-1.72 44	93	-8.23 56	110	4.52 36	89		2	
131	762 24 0776 107595423	10.11	762 22 1627 762 22 1121	94	97	-0.22 46	97	0.09 33	103	-0.02 100	-0.02 12	96	-2.60 15	91	-1.69 34	93	-1.41 37	102	1.41 20	98		0	
132	1564 23 0121 100363688	7.33	1564 20 0499 1564 19 0057	94	109	-1.72 65	80	0.60 51	116	-0.26 96	-1.26 36	87	-1.60 35	96	-2.08 53	91	-4.65 45	106	-0.39 31	103		0	
133	1889 23 0007 99050213	2.80	762 22 0911 1889 18 0910	93	94	-0.51 24	94	-0.40 21	91	-0.65 89	0.18 13	97	-0.90 11	99	-1.44 20	94	4.78 43	94	-1.20 21	105		2	
134	762 24 0815 109723148	6.45	762 22 1627 762 20 1080	93	85	0.97 46	111	-0.33 35	93	0.16 103	1.62 17	106	-3.90 15	85	-1.70 35	93	-2.55 36	103	4.42 20	90		0	
135	1509 24 0117 110300431	2.76	762 22 0519 1509 19 0083	93	91	-0.10 28	99	-0.25 25	95	-0.30 95	0.38 14	98	-1.40 15	97	-1.19 24	96	5.67 34	93	2.09 22	96		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight			Post-Wean			Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir	Mat	Comb				Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
136	1829 24 0051 109990366	16.36	1829 22 0101 1829 21 0099	93	98	-0.62 20	0.13 93	-0.19 17	-0.05 104	97	12	95	-1.40 9	-1.34 16	7.59 30	-0.35 17	103				0	
137	762 24 0730 107595399	7.58	762 22 1627 762 22 0888	93	95	-0.13 47	0.06 98	0.00 34	0.31 102	100	13	98	-2.60 17	-1.62 35	1.54 98	1.61 20	97				0	
138	762 24 0327 107587123	2.52	762 22 1003 1435 20 0064	93	106	-1.62 42	0.22 82	-0.60 29	-1.36 106	90	27	87	0.10 15	-1.35 31	11.59 33	-5.56 85	117				0	
139	1564 24 0008 109888370	9.55	1590 19 0219 1564 22 0214	93	88	0.68 57	-0.34 107	0.00 41	2.21 92	100	25	110	-3.30 24	-1.64 43	11.75 39	-3.36 85	111				0	
140	1146 22 0005 93691020	7.07	762 19 0666 1146 20 0022	93	109	-2.05 68	0.21 77	-0.82 54	-3.71 106	86	65	71	1.40 34	-1.00 55	7.76 42	-3.41 90	111				2	
141	1563 24 0096 99387714	5.68	762 17 0222 1590 19 0093	93	81	1.57 53	-0.41 117	0.38 46	2.73 91	107	29	114	-4.40 26	-1.48 44	10.04 49	1.24 87	99				0	
142	762 23 1261 99674988	5.59	762 21 0143 762 19 0949	92	87	0.11 55	-0.55 101	-0.49 49	0.74 87	92	15	101	-2.10 24	-1.70 46	-4.47 47	5.51 105	87				0	
143	1509 24 0077 107886962	2.49	762 22 0519 1509 22 0064	92	89	-0.15 28	-0.30 98	-0.38 25	0.34 93	94	14	98	-1.40 15	-1.29 24	2.74 34	5.13 96	88				0	
144	1673 24 0042 107621229	6.13	1673 21 0133 1673 21 0090	92	98	-0.63 28	0.14 93	-0.18 22	-0.08 104	97	21	95	-1.90 12	-1.64 22	8.10 34	-1.71 90	107				0	
145	1563 21 0338 92469006	5.48	1590 19 0187 1563 14 0008	92	93	-0.30 23	-0.13 96	-0.28 19	0.15 98	96	11	97	-2.80 13	-2.11 19	-10.21 49	6.19 113	85				3	
146	762 24 0598 108043431	2.86	762 22 0161 776 18 0062	92	90	-0.37 50	-0.40 96	-0.59 39	0.62 91	90	18	100	-1.00 20	-1.37 39	6.14 39	2.39 92	95				0	
147	1749 24 0061 110382934	3.44	762 22 1100 1749 18 0053	91	94	-0.78 54	-0.46 91	-0.85 35	-0.32 89	86	14	94	-1.10 15	-1.90 38	1.58 27	-0.36 98	103				0	
148	157 23 0018 101271682	11.30	157 16 0817 157 11 0501	91	78	0.78 55	-0.96 109	-0.56 44	3.00 77	91	45	115	-2.90 22	-1.91 43	3.26 41	3.47 96	92				0	
149	762 23 1022 98695364	12.68	762 22 0040 762 21 1135	91	84	0.00 61	-0.54 100	-0.54 44	0.85 87	91	18	101	-2.40 22	-1.98 45	-8.78 52	9.71 111	75				1	
150	762 23 1032 107568016	1.96	762 22 0040 776 17 0203	91	89	-0.79 48	-0.78 91	-1.17 37	-0.13 81	80	14	95	-1.10 16	-2.23 36	-10.02 50	5.13 113	88				1	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned	TWW		AFL		ILP		EPI Times Lambd
					Dir		Mat		Comb	EBV Index		EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	
					Acc	Index	Acc	Index										
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
151	762 22 1121 96027776	5.71	762 20 0813 762 20 1200	90	102	-1.12 56	0.13 87	-0.44 45	-1.25 104	-0.93 93	18	-2.60 21	-2.56 91	44	-1.32 53	-3.28 101	29	1
152	1844 24 0025 101265692	4.24	1673 21 0133 1673 18 0010	90	91	-0.41 27	-0.08 95	-0.29 22	0.10 99	-0.95 95	20	-2.20 11	-1.81 93	21	5.80 29	2.43 92	18	0
153	2177 23 0021 107018046	6.43	1695 21 0095 1695 20 0005	90	90	0.06 35	-0.35 100	-0.32 30	0.20 92	-0.95 95	22	-3.10 17	-2.15 89	29	5.22 53	-2.21 93	31	2
154	1844 24 0024 101266211	4.24	1673 21 0133 1673 18 0010	90	91	-0.41 27	-0.08 95	-0.29 22	0.10 99	-0.95 95	20	-2.20 11	-1.81 93	21	5.80 29	2.43 92	18	0
155	1563 22 0359 95147559	6.25	1590 19 0033 1563 20 0194	90	85	0.64 39	-0.19 107	0.13 35	1.58 96	-0.103 103	27	-5.00 22	-2.55 80	34	-5.81 54	5.70 107	28	1
156	762 22 0888 96069612	12.38	762 20 0304 762 16 0443	90	98	-0.94 60	0.07 89	-0.40 47	-0.60 103	-0.94 94	21	-2.50 26	-2.36 92	47	4.59 50	-2.89 94	28	1
157	1673 24 0071 107631061	4.52	1673 22 0079 1673 16 0065	90	88	0.07 30	-0.18 101	-0.15 26	1.11 96	-0.98 98	17	-3.10 15	-1.97 89	25	9.98 39	-0.17 87	24	0
158	1789 24 0032 107865420	10.02	762 22 1039 762 23 0059	90	100	-1.18 51	-0.02 87	-0.61 37	-1.21 100	-0.90 90	13	-2.50 18	-2.70 92	38	-4.08 39	-1.32 105	22	0
159	762 24 0075 99733784	8.94	762 22 0161 762 18 0179	89	89	-0.81 64	-0.36 91	-0.77 47	-0.35 92	-0.87 87	22	-0.60 24	-1.54 101	48	6.61 45	4.81 91	27	0
160	1844 24 0030 108644170	3.72	1673 22 0082 1484 20 0025	88	86	0.10 30	-0.25 101	-0.20 28	1.22 95	-0.20 97	20	-3.90 16	-2.49 85	26	8.37 33	0.04 89	24	0
161	1673 23 0091 98904287	28.18	1673 21 0126 1673 22 0142	87	94	-0.99 38	0.27 89	-0.22 33	-0.12 108	-0.97 97	33	-2.10 15	-1.98 91	31	19.00 39	-1.57 76	24	0
162	762 24 0680 107595324	6.35	762 23 0152 762 22 0346	87	80	0.37 50	-0.54 104	-0.36 38	1.18 87	-0.94 94	17	-4.90 21	-3.11 80	39	-11.71 43	8.80 115	26	0
163	1673 23 0002 98898448	3.93	762 18 0307 1673 16 0048	87	94	-0.84 47	0.40 90	-0.02 38	-0.62 111	-0.100 100	39	-2.60 21	-2.00 91	38	19.28 47	-1.58 75	32	0
164	762 24 0026 99659328	6.90	762 22 0083 762 17 0428	87	84	0.18 55	-0.69 102	-0.60 42	0.61 84	-0.90 90	18	-3.40 24	-2.55 87	43	12.53 40	-4.45 84	23	0
165	762 24 0191 109915413	9.37	762 22 1014 762 19 0446	86	85	0.09 45	-0.30 101	-0.25 39	0.96 93	-0.296 96	27	-4.80 24	-3.09 81	38	3.76 40	0.12 95	28	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
									Dir		Mat		Comb		Acc		Acc		Acc		Acc			
									Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Index	Index	Phenotype	
Active Breed Average:							100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
166	762 24 0157 107845786	7.68	762 22 1014 762 16 0622	85	89	-0.10 48 99	0.11 44 104	0.06 101	-0.06 21 95		-4.90 26 80	-2.93 41 86	7.44 39 90	-0.34 26 103								0		
167	1673 23 0183 98905433	6.27	1673 22 0018 1673 20 0080	85	90	-0.89 38 90	-0.08 30 99	-0.53 91	-0.35 19 93		-3.10 19 89	-2.83 31 86	9.31 35 88	-0.75 23 104								0		
168	1146 24 0011 99856569	5.37	1562 21 0135 1146 17 0075	85	83	0.01 65 100	-0.45 46 90	-0.45 93	0.91 61 102		-5.20 27 79	-3.56 49 82	-3.68 40 104		2.07 23 96						0			
169	1765 23 0050 96708052	4.22	959 20 0164 1502 18 0101	85	97	-1.63 43 81	0.05 35 102	-0.77 87	-1.01 22 89		-3.40 14 87	-3.63 33 82	-1.41 35 102		-1.39 22 106						1			
170	762 24 0274 107613093	5.09	762 22 1427 762 12 0034	85	86	-0.57 45 93	-0.19 33 96	-0.47 92	0.08 13 96		-3.50 15 87	-2.85 33 86	5.07 35 93	3.81 19 91								0		
171	762 24 0609 107588782	9.23	762 22 0538 762 20 0875	85	65	1.76 54 120	-0.99 43 76	-0.11 98	2.86 25 114		-6.40 23 73	-3.07 43 85	-2.80 46 103		9.43 26 76						0			
172	762 24 0007 99659138	8.89	762 21 0467 762 19 0598	84	89	-0.89 65 90	0.01 52 101	-0.44 93	-1.06 23 89		-3.20 28 88	-2.80 51 86	3.47 52 95	4.23 33 90								0		
173	1844 24 0036 108644238	14.09	1673 22 0029 1673 22 0030	84	79	0.07 35 101	-0.44 31 90	-0.40 93	1.58 23 106		-4.60 19 82	-3.13 30 84	10.39 35 87	1.25 24 98								0		
174	1574 23 0139 97279335	1.91	762 18 0307 1574 21 0066	83	89	-0.56 63 93	0.08 46 103	-0.20 97	-1.34 57 87		-3.30 26 88	-2.46 48 88	18.53 54 76		-1.50 32 106						1			
175	762 24 0186 108047085	10.03	762 22 1427 762 21 1143	83	82	0.15 48 101	-0.02 38 100	0.05 101	0.73 17 100		-5.90 18 76	-3.41 37 83	6.00 41 92	3.00 23 94								0		
176	1673 24 0144 107631244	7.50	1673 22 0018 1673 21 0125	82	86	-0.64 38 93	0.08 30 103	-0.24 96	0.14 19 97		-4.50 17 82	-3.26 30 84	10.51 37 86	1.49 24 98								0		
177	762 24 0760 107588576	10.84	762 22 1629 762 21 0114	82	68	0.78 54 108	-0.89 41 78	-0.50 92	1.80 19 107		-4.60 20 82	-2.87 41 86	4.52 41 94	9.68 25 75								0		
178	1844 23 0028 100618099	10.05	1673 22 0079 1844 20 0009	82	76	0.16 37 101	-0.47 32 89	-0.40 94	1.68 24 107		-4.50 23 82	-3.02 32 85	15.80 40 80	2.01 27 96								0		
179	1673 24 0059 107621328	14.31	1673 22 0029 1673 22 0053	82	78	0.20 35 102	-0.53 31 88	-0.43 93	1.72 22 107		-5.50 19 77	-3.63 30 82	9.23 38 88	0.06 25 102								0		
180	762 24 0528 109952630	10.38	762 22 1427 762 22 0865	82	81	-0.20 50 97	-0.19 41 96	-0.29 95	0.05 18 96		-4.80 22 81	-3.27 40 84	6.88 44 91	3.76 26 92								0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility										
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambled		
					Dir EBV	Mat EBV	Comb EBV												
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
181	1564 23 0045 97155493	4.74	1564 19 0376 1564 16 0238	82	89	-1.34 65	-0.58 85	55	86	-1.26 79	-0.68 37	91	-2.90 37	-3.67 55	10.36 48	-5.87 35	118	0	
182	1564 23 0535 100461508	7.02	762 21 0081 1564 19 0095	82	92	-0.77 66	0.50 91	53	113	0.11 102	-0.87 34	90	-6.50 30	-4.17 53	-0.27 50	0.89 100	31	99	0
183	762 24 0201 107573511	8.77	762 22 0282 762 20 1191	81	78	0.11 36	-0.61 101	34	86	-0.55 91	1.20 21	104	-6.10 22	-4.16 32	5.27 36	-1.43 25	106	0	
184	762 22 0531 96016456	6.89	762 19 0382 762 17 0086	80	76	-0.25 59	-0.58 97	56	86	-0.71 88	-0.46 30	93	-4.10 36	-3.29 53	8.47 55	4.62 41	89	1	
185	170 21 0132 94054855	3.65	762 19 0269 170 16 0092	79	80	-0.42 66	-0.26 95	55	94	-0.47 92	0.20 62	97	-5.90 35	-4.22 55	0.49 48	3.81 33	91	89	2
186	762 24 0341 107574055	8.98	762 22 1427 762 21 0693	77	83	-1.04 51	-0.22 88	42	95	-0.74 88	-0.57 17	92	-5.30 21	-4.44 41	4.06 42	1.85 24	97	0	
187	762 24 0640 107588063	12.76	762 22 0161 762 22 0448	77	74	-0.35 56	-0.56 96	45	87	-0.74 88	0.51 19	99	-4.90 26	-3.85 45	11.27 41	4.05 27	91	0	
188	762 24 0959 107598591	7.89	762 22 1003 762 21 0063	73	84	-1.70 62	-0.27 81	43	94	-1.12 81	-0.94 32	90	-4.90 21	-4.91 45	20.74 41	-6.68 24	120	0	
189	762 18 0808 82733049	4.49	762 16 0414 762 12 0296	66	64	-0.61 71	-0.92 93	67	78	-1.23 79	0.04 37	96	-8.10 43	-6.40 63	2.38 60	4.98 44	88	116	7