

DORMER GENETIC REPORT

21 September 2026

dormer

D.H. CURRIE

FDM : DC



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dormer breed, namely a Growth Index, Ewe Index and the Logix Merit Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The **LMI** is constructed as follows :

$$LMI = 0.4 \text{ Wean Dir} + 0.2 \text{ Wean Mat} + 0.10 \text{ AFL} + 0.05 \text{ ILP} + 0.25 \text{ N_Lambs_weaned}$$

Schematically the LMI can be explained as follows :



Growth Index (GI)

The Growth Index indicates growth potential up to weaning and is a combination of Wean Direct and Maternal breeding values. The Growth Index is useful to indicate an animal's advantage at weaning for marketing.

The GI is constructed as follows :

$$GI = 0.67 \text{ Wean Dir} + 0.33 \text{ Wean Mat}$$


Ewe Index (EI)

This index includes Number of Lambs Weaned, Wean Direct and Maternal, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The **Ewe Index** is constructed as follows :

$$EI = (0.15 * AFL) + (0.05 * ILP) + (0.30 * \text{Wean Mat}) + (0.40 * \text{N_Lambs_Weaned}) + (0.10 * \text{Wean Dir})$$

Schematically it can be explained as follows :



Active Genetic Levels

Breeding Values

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-1.66	0.07	-2.05	1.56	2.07	1.33
Weaning Weight Maternal	0.46	-0.48	0.67	-0.01	-0.12	0.04
Weaning Weight Combined	-0.37	-0.44	-0.36	0.77	0.92	0.71
Post-wean Weight	-2.75	-0.63	-3.23	1.06	1.63	0.80
Number Lambs Weaned	0.86	1.33	0.76	0.68	0.76	0.65
Total Weight Weaned	-0.68	0.39	-0.93	1.96	2.41	1.76
Age at First Lambing	0.98	0.44	1.10	0.51	0.60	0.47
Interlambing Period	-2.04	-1.24	-2.22	0.14	0.26	0.09
Selection Indices						
Logix Merit Index	91	94	91	103	105	103
Ewe Index	102	101	103	103	104	103
Growth Index	87	89	87	103	106	102
Inbreeding						
Inbreeding (%)	6.35	7.04	6.20	7.48	7.73	7.36
Number of Animals						
Number of Animals	340	63	277	20502	6322	14167

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	84.0	89.8	82.7
Weaning Weight Maternal	103.6	95.5	105.5
Weaning Weight Comb	89.1	88.3	89.3
Post-wean Weight	87.0	92.2	85.9
Number Lambs Weaned	100.7	102.2	100.4
Total Weight Weaned	89.4	93.8	88.4
Age First Lambing	97.4	100.1	96.8
Interlambing Period	105.9	103.7	106.4
Selection Indices			
Logix Merit Index	91.4	93.9	90.8
Ewe Index	102.4	100.7	102.8
Growth Index	87.2	89.1	86.7
Inbreeding			
Inbreeding (%)	6.35	7.04	6.20
Number of Animals			
Number of Animals	340	63	277

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams. Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2012 - 2025	7.52	0.13
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth



Pedigree Information

	Number	%
Known Sires	336	99
Known Dams	336	99

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows

Genetic Linkage

(Based on the youngest measured generation)


Level	Nr of Link Rams
Sterk / Strong	6

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

All animals in flock

Number: 340



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Weaning Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Interlambing Period
EI: Ewe Index
GI: Growth Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and the sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2 years old. An index of 100 is equal to the average of the active population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 216




Sires

Number: 21




Young Ewes

Number: 277



Young Rams


Number: 63




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned







Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		EI	LMI
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV		
2014	11795	-1.16	-0.08	-0.66	3359	-1.69	2734	0.26	11795	88	2802	0.01	1869	0.30	99	88
2015	10537	-1.03	-0.02	-0.53	2249	-1.83	2556	-0.43	10537	88	2589	0.06	1733	0.21	99	88
2016	11125	-0.78	-0.08	-0.47	2606	-1.51	2653	0.25	11125	89	2603	-0.02	1882	0.24	99	89
2017	10555	-0.62	-0.09	-0.40	2067	-0.69	2488	0.37	10555	90	2432	0.11	1654	-0.37	100	90
2018	11181	-0.27	-0.09	-0.22	2944	-0.61	2763	0.13	11181	91	2603	0.41	1923	0.10	99	92
2019	10894	-0.23	0.02	-0.10	1270	0.65	2814	0.11	10894	92	2733	-0.28	1948	0.04	101	93
2020	10324	0.00	0.00	0.00	2195	0.00	2426	0.00	10324	92	2501	0.00	1836	0.00	100	94
2021	11647	0.44	0.06	0.28	2124	0.87	2900	0.27	11647	95	2916	-0.01	1907	0.92	101	96
2022	11484	0.81	0.20	0.61	2069	1.08	2412	0.13	11484	96	2505	0.52	1552	0.65	101	98
2023	11525	1.20	0.04	0.64	1647	1.72	2291	0.47	11525	97	2546	1.06	1312	0.95	101	100
2024	10438	1.42	-0.06	0.65	2447	1.90	1039	0.78	10438	98	1678	0.53	306	-0.93	101	101
2025	9676	1.87	-0.09	0.84	2315	2.36	73	-0.35	9676	101	192	2.07			103	104

Genetic Trends of Flock

Birth year	Weaning Weight				Post-Wean	Lambs Weaned		TWW	AFL		ILP		EI		LMI	
	EBV															
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2014							13	1.49								
2015							13	0.82								
2016							30	0.60								
2017	67	-1.80	0.08	-0.82			33	0.69	67	86	20	7.42	18	-1.05	67	81
2018	136	-1.81	-0.07	-0.98			39	1.38	136	85	21	8.75	18	-5.63	136	94
2019	137	-3.07	0.53	-1.01			52	1.15	137	84	38	-3.14	29	-2.21	137	102
2020	175	-3.65	0.96	-0.87			46	-0.20	175	81	46	-8.55	40	-2.18	175	103
2021	185	-3.04	0.61	-0.91			58	2.22	185	86	46	-0.49	26	-2.17	185	104
2022	208	-2.88	0.97	-0.47			37	-0.17	208	86	38	3.69	12	-0.96	208	101
2023	215	-2.60	0.62	-0.69			32	0.61	215	86	43	2.68			215	103
2024	116	-1.50	0.56	-0.19					116	90					116	103
2025	139	-0.85	0.05	-0.38					139	92					139	103

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	1.56	2.27	-27.86	-4.89	-1.06	-0.28	0.51	0.79	1.02	1.46	1.84	2.19	2.55	2.73	2.94	3.46	3.86	4.66	9.36
Weaning Weight Maternal	-0.01	1.23	-3.36	-2.07	-1.46	-1.16	-0.81	-0.68	-0.56	-0.34	-0.13	0.08	0.32	0.46	0.62	1.12	1.63	3.92	15.09
Weaning Weight Combined	0.77	1.15	-3.93	-1.86	-0.95	-0.54	-0.09	0.08	0.23	0.49	0.73	0.98	1.25	1.40	1.58	2.04	2.52	3.92	12.74
Post-Wean Weight	1.06	3.11	-37.11	-7.31	-2.48	-1.69	-0.73	-0.36	0.02	0.66	1.26	1.81	2.40	2.72	3.08	4.01	4.98	6.60	10.30
Number of Lambs Weaned	0.68	3.60	-16.30	-6.50	-4.40	-3.40	-2.20	-1.70	-1.30	-0.50	0.30	1.00	2.00	2.50	3.20	5.40	7.80	11.00	20.90
Total Weight Weaned	1.96	2.97	-13.84	-4.75	-2.36	-1.36	-0.32	0.07	0.44	1.08	1.73	2.41	3.15	3.58	4.13	5.80	7.56	9.87	16.57
Age at First Lambing	0.51	-5.64	27.84	15.72	10.06	7.25	4.26	3.33	2.52	1.26	0.20	-0.81	-1.89	-2.49	-3.17	-5.13	-7.07	-14.86	-43.14
Interlambing Period	0.15	-4.29	22.05	10.36	7.15	5.50	3.74	2.98	2.30	1.19	0.20	-0.88	-2.04	-2.70	-3.42	-5.38	-6.90	-9.89	-15.02
Growth Index	103	12	57	73	83	88	94	96	98	101	104	107	109	111	113	117	121	130	162
Ewe Index	103	12	61	77	85	89	94	96	97	100	103	106	109	111	113	119	125	133	155
Logix Merit Index	104	12	61	78	85	89	94	96	97	100	103	106	109	111	113	119	124	132	149

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed arc

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	2.07	1.28	-4.42	-1.05	-0.12	0.39	0.99	1.23	1.45	1.82	2.13	2.43	2.78	2.96	3.16	3.63	4.01	4.77	9.36
Weaning Weight Maternal	-0.12	0.84	-2.69	-1.85	-1.35	-1.10	-0.80	-0.67	-0.56	-0.36	-0.17	0.02	0.23	0.35	0.49	0.89	1.26	2.29	8.50
Weaning Weight Combined	0.92	1.04	-2.65	-1.24	-0.59	-0.28	0.12	0.27	0.41	0.65	0.87	1.09	1.33	1.49	1.65	2.08	2.51	3.90	12.74
Post-Wean Weight	1.63	2.12	-6.89	-2.80	-1.74	-1.14	-0.23	0.17	0.52	1.10	1.59	2.12	2.66	3.01	3.36	4.33	5.31	6.71	10.30
Number of Lambs Weaned	0.76	3.45	-8.80	-5.60	-4.00	-3.10	-2.00	-1.60	-1.20	-0.40	0.20	1.00	1.90	2.50	3.10	5.40	7.90	10.80	14.40
Total Weight Weaned	2.41	2.70	-5.22	-2.83	-1.37	-0.67	0.22	0.58	0.90	1.43	2.07	2.71	3.38	3.82	4.33	6.05	7.96	10.05	14.81
Age at First Lambing	0.60	-4.85	23.09	14.12	9.53	6.87	3.89	2.99	2.25	1.03	0.06	-0.84	-1.82	-2.30	-2.90	-4.47	-6.04	-10.31	-38.41
Interlambing Period	0.26	-3.84	17.61	9.09	6.44	5.11	3.54	2.83	2.19	1.24	0.35	-0.58	-1.68	-2.30	-2.88	-4.77	-6.11	-9.05	-13.77
Growth Index	106	10	71	82	89	93	98	99	101	104	106	108	111	113	114	118	121	131	162
Ewe Index	104	11	67	79	86	91	95	96	98	101	103	105	108	110	112	119	125	133	145
Logix Merit Index	105	11	74	82	89	92	96	97	99	102	105	108	111	112	114	121	125	133	146

All Active Ewes

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	1.33	2.56	-27.86	-10.12	-1.46	-0.56	0.28	0.58	0.84	1.28	1.68	2.05	2.43	2.62	2.82	3.36	3.77	4.58	8.26
Weaning Weight Maternal	0.04	1.37	-3.36	-2.17	-1.51	-1.18	-0.82	-0.68	-0.56	-0.33	-0.11	0.11	0.37	0.52	0.69	1.24	1.82	5.47	15.09
Weaning Weight Combined	0.71	1.19	-3.93	-2.01	-1.08	-0.65	-0.18	-0.01	0.14	0.42	0.67	0.92	1.20	1.35	1.55	2.03	2.53	3.93	11.44
Post-Wean Weight	0.81	3.43	-37.11	-13.29	-2.80	-1.94	-0.96	-0.57	-0.21	0.46	1.08	1.66	2.26	2.58	2.95	3.87	4.76	6.46	9.35
Number of Lambs Weaned	0.65	3.66	-16.30	-6.90	-4.60	-3.50	-2.20	-1.70	-1.30	-0.50	0.30	1.00	2.00	2.60	3.30	5.40	7.70	11.00	20.90
Total Weight Weaned	1.76	3.06	-13.84	-5.37	-2.72	-1.70	-0.56	-0.15	0.20	0.88	1.57	2.25	3.04	3.49	4.01	5.67	7.31	9.71	16.57
Age at First Lambing	0.48	-5.96	27.84	16.20	10.34	7.40	4.40	3.48	2.64	1.36	0.26	-0.79	-1.93	-2.60	-3.33	-5.43	-7.74	-16.27	-43.14
Interlambing Period	0.09	-4.47	22.05	10.92	7.51	5.71	3.82	3.03	2.36	1.17	0.13	-1.03	-2.21	-2.90	-3.66	-5.60	-7.32	-10.15	-15.02
Growth Index	102	12	57	71	82	86	92	95	97	100	103	106	109	110	112	116	120	130	162
Ewe Index	103	12	61	76	84	88	93	95	97	100	103	106	109	111	113	119	125	133	155
Logix Merit Index	103	12	61	76	84	88	93	94	96	99	102	105	109	110	113	118	123	132	149

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility													
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
								EBV Acc	Index	EBV Acc	Index		EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EPI
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14										
JB 20 0043 90235854	JB 18 0116 BR 13 0200	4.93	90	87	94	0.40 92	-1.20 71	-1.00 83	-0.29 53	1.10 58	-0.14 76	3.21 58	1.43 46	173	7									
J 23 0090 98592728	J 19 0109 J 20 0107	13.85	88	91	89	0.53 63	-0.67 51	-0.40 89	1.49 40	-2.40 38	-1.57 53	3.61 37	-3.43 30	89	2									
DC 24 0013 107602450	JB 15 0036 DC 22 0133	6.02	104	103	115	-0.12 61	2.05 54	1.99 113	-1.72 35	-0.90 44	1.39 54	-7.02 41	0.15 34	116	2									
DC 24 0022 107810988	JOR 16 0035 DC 20 0114	5.70	105	98	110	0.95 61	-0.01 56	0.47 97	0.00 39	0.00 47	0.95 56	-11.72 41	-5.77 34	97	3									
DC 24 0023 107811010	JOR 16 0035 DC 20 0114	5.70	106	99	110	1.06 61	-0.03 56	0.50 98	0.12 39	0.00 47	1.03 56	-11.72 41	-5.77 34	97	3									
DC 24 0027 107602542	NB 20 0104 DC 20 0049	4.97	96	84	105	-0.38 62	-0.86 57	-1.05 82	-1.96 42	1.30 47	-0.46 57	-10.84 44	-5.40 37	98	3									
DC 24 0045 107602385	JB 20 0091 DC 20 0134	4.45	106	95	114	0.76 61	-0.34 51	0.04 93	0.24 38	5.20 39	3.54 52	-2.05 36	-1.61 30	126	4									
DC 24 0049 107602567	JB 20 0091 DC 20 0133	4.45	95	84	105	-0.32 60	-0.90 50	-1.06 82	-1.06 38	3.60 39	0.94 51	-3.12 36	-0.43 30	109	4									
DC 24 0057 107602617	JT 16 0062 DC 22 0112	4.54	98	112	90	2.66 62	0.10 57	1.43 107	3.54 48	-2.20 51	1.44 58	13.18 49	5.45 42	97	1									
DC 24 0073 107602724	JT 16 0062 DC 22 0079	4.81	85	91	97	-1.18 62	1.37 57	0.78 101	-1.19 47	-2.20 51	-1.13 58	6.18 49	5.26 43	110	2									
DC 24 0076 107602732	JB 15 0036 DC 22 0019	8.55	85	97	91	-0.26 61	1.15 55	1.02 103	-0.38 39	-2.70 46	-0.73 55	15.61 44	1.82 37	106	2									
DC 24 0080 107602757	JT 16 0062 DC 22 0070	4.78	82	86	92	-1.04 63	0.40 58	-0.13 92	-0.73 51	-0.60 53	-1.01 59	10.22 51	6.11 46	104	2									
DC 24 0084 107602138	JB 20 0091 DC 19 0110	4.41	89	92	87	0.99 60	-1.17 50	-0.68 86	-0.15 38	0.30 40	0.00 52	14.06 36	-2.76 30	127	5									

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
								Dir	Mat									Comb
								EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd	
Active Breed Average:				100	100	100		1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14			
DC 24 0092 107602195	JT 16 0062 DC 22 0102	4.99		89	98	87		1.00 62 96	-0.19 56 99	0.31 96	2.19 47 105	-1.40 50 93	-0.03 57 92	16.13 49 68	0.25 42 100	95	1	
DC 24 0098 107811002	JOR 16 0035 DC 21 0074	4.54		102	101	106		0.84 61 95	0.60 56 108	1.02 103	0.46 43 97	0.40 49 99	1.68 56 99	3.44 44 94	-7.57 37 121	105	3	
DC 24 0100 107602781	JB 20 0091 DC 21 0255	7.48		97	82	106		0.00 60 89	-1.64 49 83	-1.65 76	-0.85 36 91	5.60 38 116	1.72 51 99	-4.69 36 111	1.74 30 96	118	3	
DC 24 0103 107602807	JB 20 0091 DC 20 0053	5.21		96	85	100		0.73 60 94	-1.90 49 80	-1.54 77	-0.35 37 94	3.60 39 110	0.99 51 96	-4.49 35 110	3.39 30 91	95	3	
DC 24 0106 107602831	NB 20 0104 DC 21 0003	4.45		107	104	102		2.54 63 106	-1.03 58 89	0.24 95	2.89 44 109	2.00 48 104	2.71 58 103	1.93 46 97	-3.95 39 111	124	3	
DC 24 0132 107595944	JB 20 0043 DC 20 0024	5.91		93	88	100		0.01 61 89	-0.61 49 94	-0.60 87	-0.60 32 92	-0.10 39 98	-0.66 51 90	-7.42 36 116	1.90 29 95	109	4	
DC 24 0140 107595993	JB 20 0043 DC 20 0124	5.23		90	83	100		-0.58 61 86	-0.77 49 92	-1.06 82	-1.50 32 88	0.10 39 98	-1.29 51 87	-9.38 36 120	2.16 29 95	108	4	
DC 24 0147 107596025	JB 20 0043 DC 21 0029	11.59		91	98	89		1.39 61 99	-0.61 49 94	0.08 94	2.15 36 105	-1.30 40 94	0.00 52 92	9.45 39 82	1.91 33 95	98	3	
DC 25 0001 111900312	NB 20 0104 DC 21 0074	10.67		98	94	102		0.69 62 94	-0.42 57 96	-0.08 92	0.53 45 98	0.80 49 101	0.75 57 95	0.65 47 100	-5.93 40 117	105	3	
DC 25 0008 111900353	NB 20 0104 DC 22 0018	4.97		100	99	98		1.69 62 101	-0.88 56 91	-0.03 92	2.53 43 107	1.20 48 102	1.53 56 98	5.78 46 89	-4.35 38 112	100	1	
DC 25 0013 112063409	JB 18 0064 DC 20 0134	4.39		102	98	108		0.64 62 94	0.27 55 104	0.59 99	-0.76 40 92	1.50 45 103	1.81 55 100	-3.18 41 108	0.43 35 99	126	4	
DC 25 0014 111900395	NB 20 0104 DC 22 0092	10.52		94	89	97		0.63 62 94	-1.17 56 88	-0.85 84	-0.61 45 92	1.70 49 104	0.48 57 94	4.52 47 92	-6.37 40 118	94	1	
DC 25 0017 111900429	NB 20 0104 DC 22 0019	4.97		97	99	94		1.71 62 101	-0.87 56 91	-0.01 93	2.55 43 107	0.00 48 98	0.84 56 96	7.96 46 85	-5.25 39 115	106	2	

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility					
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
								Dir	Mat									EBV Acc Index
Active Breed Average:					100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14			
DC 25 0033 111900445	NB 20 0104 DC 22 0050		10.56	97	89	103	0.39 62 92	-0.84 56 92	-0.64 86	-0.58 45 93	1.40 49 103	0.39 57 94	-3.41 47 108	-5.82 40 116	100	2		
DC 25 0034 111900452	JB 20 0091 DC 21 0253		5.25	99	89	102	0.98 60 96	-1.62 50 83	-1.13 82	0.30 38 97	3.10 39 108	1.22 51 97	-6.43 36 114	1.23 30 97	122	3		
DC 25 0035 111900528	JB 20 0091 DC 21 0253		5.25	94	82	102	-0.09 60 89	-1.42 50 85	-1.47 78	-0.90 38 91	3.10 39 108	0.35 51 94	-6.43 36 114	1.23 30 97	122	3		
DC 25 0038 111900551	NB 20 0104 DC 22 0103		5.05	95	92	101	0.02 62 90	0.09 56 102	0.10 94	-0.84 41 91	0.70 46 100	0.54 56 94	7.79 44 85	-10.89 37 130	110	2		
DC 25 0039 111900569	NB 20 0104 DC 22 0103		5.05	95	92	101	0.02 62 90	0.09 56 102	0.10 94	-0.84 41 91	0.70 46 100	0.54 56 94	7.79 44 85	-10.89 37 130	110	2		
DC 25 0046 111900486	JB 20 0091 DC 21 0159		7.48	83	72	92	-0.82 60 84	-2.24 49 76	-2.65 66	-1.84 36 87	3.50 38 109	-0.96 51 88	3.28 36 94	-0.99 30 103	107	3		
DC 25 0047 111900494	JB 20 0091 DC 21 0159		7.48	84	73	92	-0.72 60 85	-2.26 49 76	-2.62 67	-1.74 36 87	3.50 38 109	-0.88 51 89	3.28 36 94	-0.99 30 103	107	3		
DC 25 0051 112063326	JB 16 0084 DC 22 0193		17.23	87	71	114	-3.49 62 66	0.89 57 111	-0.86 84	-6.02 50 67	2.80 53 107	-0.92 58 88	-8.40 52 118	0.04 47 100	95	1		
DC 25 0052 112063334	JB 18 0064 DC 20 0073		4.39	104	108	105	1.53 61 99	0.82 54 110	1.58 109	0.32 40 97	-2.30 45 90	0.96 55 96	-6.43 42 114	3.00 35 92	111	4		
DC 25 0054 111900510	NB 20 0104 DC 22 0137		7.67	99	81	109	-0.21 62 88	-1.49 55 84	-1.59 77	-1.23 40 89	3.60 46 110	0.46 56 94	-13.03 44 128	-6.80 36 119	107	2		
DC 25 0055 111900692	NB 20 0104 DC 22 0137		7.67	99	82	109	-0.12 62 89	-1.50 55 84	-1.56 77	-1.13 40 90	3.60 46 110	0.54 56 94	-13.03 44 128	-6.80 36 119	107	2		
DC 25 0057 112063391	JB 18 0064 DC 20 0007		6.48	91	88	98	-0.02 61 89	-0.62 55 94	-0.63 86	-1.47 40 88	0.80 45 101	-0.17 55 92	-0.60 41 102	4.20 35 89	114	4		
DC 25 0061 111900718	JB 20 0091 DC 21 0027		7.90	90	89	90	0.98 60 96	-1.59 50 83	-1.10 82	0.30 42 97	2.00 42 104	0.59 52 95	10.12 40 80	0.63 35 99	104	3		

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
								Dir	Mat								
								Dir	Mat	Comb	Post-Wean	Number	TWW	AFL	ILP		
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times
								Acc	Acc	Index	Acc	Acc	Acc	Acc	Acc	Lambd	
Active Breed Average:					100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14		
DC 25 0063	JB 20 0091	DC 21 0002	10.76	88	88	87	1.16	-1.98	-1.40	1.38	2.80	0.86	15.29	2.01	109	3	
111900775	DC 21 0002			60	97	50	79	79	41	102	41	107	52	96	38	70	33
DC 25 0075	JB 18 0064	DC 20 0090	6.50	81	83	87	-0.44	-0.90	-1.12	-1.97	-3.00	-3.14	-2.69	5.22	102	4	
112063375	DC 20 0090			61	86	53	91	82	40	86	44	88	54	79	41	107	35
DC 25 0087	BRA 23 0189	DC 22 0020	5.30	101	96	104	1.11	-0.57	-0.02	1.84	3.80	2.82	6.25	-0.94	99	1	
112020417	DC 22 0020			56	97	40	95	93	26	104	31	110	44	104	29	88	24
DC 25 0106	JB 20 0043	DC 22 0125	5.33	96	92	105	-0.20	0.36	0.26	-1.25	1.10	0.83	-0.89	1.18	100	1	
111892139	DC 22 0125			60	88	47	105	95	32	89	37	102	50	96	37	103	28
DC 25 0112	BRA 23 0189	DC 20 0124	5.81	96	86	108	-0.55	-0.28	-0.56	-1.53	1.40	0.01	-10.38	-1.61	108	4	
112020409	DC 20 0124			56	86	41	98	87	21	88	30	103	44	92	26	122	21
DC 25 0116	JB 20 0043	DC 21 0255	5.74	97	79	111	-0.73	-1.10	-1.47	-1.73	4.30	0.75	-13.48	1.69	118	3	
111892501	DC 21 0255			61	84	49	89	78	31	87	37	112	51	95	36	129	29
DC 25 0127	BRA 23 0189	DC 23 0180	5.50	89	75	114	-3.22	1.13	-0.48	-5.43	2.20	-0.77	-7.30	-3.07	99	1	
112020482	DC 23 0180			55	68	35	114	88	20	70	26	105	41	89	25	116	18
DC 25 0137	JB 20 0043	DC 23 0012	6.14	87	82	94	-0.42	-1.10	-1.31	-0.81	1.10	-0.85	4.31	-3.33	99	1	
111892592	DC 23 0012			60	87	47	89	80	33	91	38	102	50	89	37	92	29
DC 25 0144	BRA 23 0189	DC 22 0186	5.89	93	73	120	-3.09	0.70	-0.85	-5.11	3.20	-0.48	-20.52	-1.62	105	2	
112020532	DC 22 0186			55	69	38	109	84	19	72	28	108	42	90	26	136	21
DC 25 0158	BRA 23 0189	DC 22 0205	5.26	97	89	105	-0.06	-0.40	-0.42	-0.62	3.50	1.65	4.03	-3.95	95	1	
112020599	DC 22 0205			55	89	36	96	89	19	92	26	109	41	99	25	93	18
DC 25 0162	JB 20 0043	DC 22 0079	5.32	84	82	105	-2.60	1.61	0.31	-4.69	-0.90	-1.54	0.01	1.59	110	2	
111892709	DC 22 0079			60	72	47	119	96	32	74	38	95	50	86	37	101	29
DC 25 0165	JB 20 0043	DC 23 0047	11.13	91	94	90	1.15	-0.94	-0.36	1.24	-0.10	0.15	7.15	3.81	101	1	
111892717	DC 23 0047			60	97	48	90	89	36	101	40	98	51	93	39	86	31
DC 25 0167	JB 20 0043	DC 23 0039	6.14	86	80	94	-0.66	-1.15	-1.48	-1.10	1.20	-1.09	2.61	-1.77	96	1	
111892733	DC 23 0039			60	85	47	88	78	33	90	38	102	50	88	37	96	29

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID Regnr	Parents Sire Dam	% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Dir EBV Acc Index	Wean Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 25 0170 112020656	BRA 23 0189 DC 22 0005	5.90	93	91	98	0.33 55 92	-0.50 37 95	-0.34 89	-1.25 24 89	1.70 29 104	0.85 42 96	9.18 27 82	-4.23 22 112	96 1
DC 25 0171 112020664	BRA 23 0189 DC 23 0049	5.07	98	85	117	-1.75 55 78	1.03 38 112	0.15 94	-3.37 23 80	2.40 29 106	0.72 42 95	-7.91 27 117	-5.79 21 116	103 1
DC 25 0172 111892741	JB 20 0043 DC 23 0097	12.53	90	95	89	1.08 60 97	-0.69 47 93	-0.15 91	0.20 35 96	-1.10 38 94	-0.27 50 91	8.25 38 84	1.44 30 97	101 1
DC 25 0174 112020672	BRA 23 0189 DC 23 0034	5.13	100	90	111	-0.14 56 88	-0.07 40 100	-0.14 91	-0.77 28 92	5.60 32 116	3.15 44 105	5.79 31 89	-2.82 26 108	106 1
DC 25 0175 112020680	BRA 23 0189 DC 23 0034	5.13	101	91	111	0.06 56 90	-0.11 40 100	-0.08 92	-0.56 28 93	5.60 32 116	3.31 44 106	5.79 31 89	-2.82 26 108	106 1
DC 25 0179 112020722	BRA 23 0189 DC 23 0192	5.85	92	79	105	-0.93 55 83	-0.86 36 91	-1.33 80	-1.66 19 88	3.90 27 111	0.55 41 94	-0.70 26 103	-3.75 19 111	99 1
J 25 0187 110943735	J 23 0107 J 22 0210	6.06	99	89	107	0.01 59 89	-0.36 43 97	-0.36 89	-0.95 22 91	-0.20 29 97	-0.48 46 90	-16.45 27 135	-0.11 21 101	113 3
DC 25 0191 111892790	JB 20 0043 DC 23 0078	5.69	87	85	95	-0.40 60 87	-0.57 48 95	-0.77 85	-1.85 38 87	1.10 40 102	-0.31 51 91	7.29 40 86	-0.54 34 102	98 1
DC 25 0210 111892907	JB 20 0043 DC 23 0053	12.65	88	91	91	0.37 60 92	-0.54 47 95	-0.35 89	-0.60 35 92	-0.30 38 97	-0.35 50 91	9.33 38 82	0.39 30 99	100 1
DC 25 0211 111892915	JB 20 0043 DC 23 0149	29.17	83	80	92	-0.84 60 84	-0.93 46 90	-1.35 79	-2.09 32 86	1.00 36 101	-1.17 49 87	5.76 36 89	0.47 28 99	98 1
DC 25 0212 112020813	BRA 23 0189 DC 23 0111	6.23	100	97	100	1.55 56 100	-0.98 39 90	-0.21 91	1.95 27 104	2.20 32 105	1.89 44 100	2.36 30 96	-0.31 25 101	101 1
Ram Flock Average: Number of rams in the flock: 63			94	89	101	0.07	-0.48	-0.44	-0.63	1.33	0.39	0.44	-1.24	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Regnr	Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI Phenotype	Times Lambd
	Dir EBV Acc Index	Mat EBV Acc Index					Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index						
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
DC 19 0009 85926038	JB 15 0121 DC 15 0011	5.27	93	93	108	-1.15 67 82	1.57 72 119	1.00 103	-0.07 32 95	2.20 53 105	1.74 66 99	11.06 44 78	0.49 35 99	147	5				
DC 19 0031 85927317	JB 15 0121 DC 12 0279	5.30	80	71	98	-2.32 64 74	-0.64 70 94	-1.80 75	-1.65 32 88	4.60 50 113	-0.20 63 91	13.08 42 74	-1.65 35 105	122	4				
DC 19 0110 85927473	JOR 16 0035 W 16 0109	3.82	89	95	90	0.53 66 93	-0.13 69 99	0.13 94	-1.31 39 89	-3.00 54 88	-1.40 64 87	7.35 44 86	-7.05 36 120	127	5				
DC 19 0154 85927879	JB 15 0121 DC 16 0030	5.36	100	95	115	-0.96 64 83	1.79 70 121	1.31 106	0.18 32 96	1.30 51 102	1.61 63 99	-2.29 41 106	0.36 35 99	152	5				
DC 19 0200 85927051	VR 17 0376 DC 17 0052	4.80	99	89	109	-0.15 66 88	-0.26 69 98	-0.34 89	-0.01 40 95	0.60 53 100	-0.06 64 92	-31.92 46 136	3.58 36 91	113	5				
DC 19 0210 85926533	J 17 0068 J 16 0091	5.39	105	92	114	0.54 65 93	-0.57 66 95	-0.30 90	0.03 24 95	2.70 49 107	1.59 62 99	-26.60 41 136	1.46 31 96	110	4				
DC 20 0007 90200114	VR 17 0376 DC 17 0030	4.77	103	83	120	-0.83 67 84	-0.33 70 97	-0.74 85	-1.46 37 88	5.20 52 115	1.96 65 100	-19.71 44 136	2.78 36 93	114	4				
DC 20 0024 90198276	VR 17 0376 DC 17 0021	4.79	93	85	106	-0.91 65 83	0.09 67 102	-0.37 89	-1.51 37 88	-1.40 53 93	-1.66 63 85	-18.05 44 136	2.37 36 94	109	4				
DC 20 0032 90201898	CN 03 0061 DC 14 0050	4.74	65	71	76	-2.41 61 73	-0.41 65 96	-1.62 77	-5.09 46 72	-4.30 53 84	-5.40 61 70	23.53 49 64	-9.75 43 127	94	3				
DC 20 0037 90202615	CN 03 0061 DC 16 0024	5.36	76	81	87	-1.76 64 78	0.41 69 105	-0.47 88	-4.25 46 76	-1.90 54 92	-2.49 64 82	20.69 49 64	-6.62 43 118	110	4				
DC 20 0039 90202755	CN 03 0061 DC 14 0015	4.74	76	86	85	-1.68 63 78	1.08 68 113	0.24 95	-4.09 46 76	-5.40 54 80	-3.84 63 77	11.99 49 77	-3.63 43 110	108	4				
DC 20 0045 90199936	JP 16 0027 DC 17 0075	5.26	85	83	112	-14.28 64 64	5.31 67 136	-1.83 75	-19.45 32 64	0.50 49 100	-8.67 62 57	13.48 43 74	-9.83 34 127	105	4				
DC 20 0047 90202094	CN 03 0061 DC 15 0008	5.27	64	72	72	-2.04 63 76	-0.69 67 93	-1.71 76	-4.70 46 73	-5.20 54 81	-5.85 62 68	15.85 48 69	-4.62 43 113	101	4				
DC 20 0073 90202771	VR 17 0376 DC 18 0032	5.84	117	114	127	0.77 66 94	2.83 68 133	3.21 125	0.42 37 97	-1.00 54 95	3.00 64 104	-31.38 45 136	0.38 36 99	111	4				
DC 20 0085 90202219	CN 03 0061 DC 15 0011	5.27	85	95	95	-1.13 65 82	1.96 70 123	1.40 107	-3.35 46 80	-4.20 55 84	-1.68 65 85	9.74 49 81	0.10 44 100	121	4				



Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 20 0090	VR 17 0376	4.81	84	76	96	-1.27	-0.96	-1.60	-2.04	-2.30	-3.61	-23.90	4.82	102 4
90199498	DC 18 0061					64 81	65 90	77	37 86	51 90	61 77	44 136	35 87	
DC 20 0093	CN 03 0061	5.36	72	72	86	-2.37	-0.34	-1.53	-5.04	-1.70	-3.73	10.83	-5.17	114 4
90202698	DC 16 0205					65 74	71 97	78	46 72	54 92	65 77	49 79	43 114	
DC 20 0108	CN 03 0061	4.74	80	82	93	-1.86	0.68	-0.25	-4.34	-0.70	-1.60	15.01	-6.63	102 3
90202656	DC 14 0041					64 77	69 108	90	46 75	55 96	64 86	51 70	44 118	
DC 20 0109	CN 03 0061	4.74	83	83	98	-1.84	0.73	-0.19	-4.31	0.90	-0.57	15.04	-6.10	115 4
90202458	DC 14 0041					66 77	71 109	91	46 75	55 101	65 90	50 70	44 117	
DC 20 0110	CN 03 0061	5.36	77	89	87	-1.64	1.55	0.73	-3.99	-5.60	-3.45	15.24	-7.52	108 4
90202672	DC 16 0129					63 78	67 118	100	46 77	53 80	62 78	48 70	43 121	
DC 20 0114	VR 17 0376	4.60	93	84	102	-0.19	-0.99	-1.09	-1.06	-0.40	-1.42	-28.45	4.10	97 3
90198672	DC 17 0081					65 88	67 90	82	41 90	52 97	63 86	46 136	38 89	
DC 20 0124	VR 17 0376	4.88	89	79	104	-1.48	-0.35	-1.10	-2.62	-0.80	-2.32	-21.97	2.90	108 4
90200015	DC 18 0017					65 80	67 97	82	36 83	52 95	63 83	44 136	35 93	
DC 20 0133	VR 17 0376	5.84	109	94	120	0.29	-0.02	0.13	-0.45	3.50	2.37	-27.02	-2.39	109 4
90200395	DC 18 0033					66 91	68 101	94	37 93	52 109	64 102	44 136	35 107	
DC 20 0134	VR 17 0376	5.84	124	105	139	0.69	1.43	1.77	0.17	6.70	6.13	-24.88	-4.76	126 4
90200056	DC 18 0033					67 94	70 117	110	37 96	52 120	65 117	43 136	35 113	
DC 20 0153	JP 16 0027	5.36	70	70	85	-2.85	-0.06	-1.48	-3.02	-1.80	-3.99	17.55	-12.69	105 4
90200072	DC 16 0134					62 70	65 100	78	28 81	48 92	60 76	40 65	33 135	
DC 20 0161	VR 17 0376	4.98	99	83	132	-13.16	6.50	-0.08	-18.24	2.40	-5.22	-31.51	-1.59	110 4
90198144	DC 18 0107					65 64	68 136	92	36 64	52 106	63 71	43 136	34 105	
DC 20 0172	JP 16 0027	5.36	89	77	109	-2.34	0.45	-0.72	-2.37	3.60	0.28	3.72	-6.96	117 4
90200130	DC 16 0185					65 74	69 106	86	28 84	47 110	62 93	39 94	32 119	
DC 20 0193	VR 17 0376	4.91	98	83	132	-13.00	5.47	-1.04	-17.77	2.70	-5.92	-40.29	2.84	111 4
90200411	DC 18 0151					65 64	68 136	82	37 64	52 107	63 68	43 136	35 93	
DC 20 0217	JP 16 0027	5.36	70	60	89	-3.39	-1.07	-2.76	-3.75	-1.10	-5.11	-3.82	-2.55	91 3
90200494	DC 16 0099					62 67	64 89	65	28 78	46 94	59 71	40 109	33 107	
DC 21 0002	JT 16 0062	4.39	93	94	89	1.90	-1.94	-0.99	2.88	1.90	1.10	9.79	2.48	109 3
93136471	W 16 0098					66 102	68 79	83	48 108	56 104	64 97	50 81	45 94	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	brding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Lambled
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 21 0003	JT 16 0062	4.39	105	105	102	2.49	-0.85	0.39	3.67	2.90	3.38	4.43	4.46	124 3
93136513	W 16 0098					67 106	70 91	97	48 112	56 107	66 106	50 92	45 88	
DC 21 0008	JB 16 0084	5.20	83	83	110	-12.34	7.26	1.09	-16.98	-0.50	-5.38	9.92	-5.99	96 3
93136570	DC 17 0090					62 64	64 136	104	50 64	54 96	61 70	52 81	48 117	
DC 21 0018	JB 16 0084	5.36	88	87	100	-1.27	0.82	0.19	-1.08	-0.80	-0.93	4.32	-3.59	111 3
93136935	DC 16 0205					63 81	68 110	95	48 90	55 95	63 88	52 92	47 110	
DC 21 0027	JB 16 0084	4.42	97	95	96	1.42	-1.14	-0.43	0.61	0.30	0.47	-0.54	-0.27	104 3
93137099	J 17 0045					67 99	68 88	89	51 98	60 99	66 94	56 102	50 101	
DC 21 0029	JT 16 0062	4.97	91	107	84	2.04	0.03	1.05	4.20	-3.70	-0.15	15.70	2.39	98 3
93135853	DC 17 0115					64 103	65 101	103	50 115	56 86	63 92	53 69	47 94	
DC 21 0042	JB 16 0084	5.36	102	97	118	-0.78	1.91	1.52	-0.39	3.10	3.00	5.14	-4.42	119 3
93136117	DC 16 0042					64 84	68 122	108	48 93	54 108	63 104	51 91	47 112	
DC 21 0046	JB 16 0084	5.36	96	89	110	-1.03	0.75	0.23	-0.80	3.60	1.88	5.43	-2.71	111 3
93136190	DC 16 0024					64 83	69 109	95	48 91	55 110	64 100	52 90	47 108	
DC 21 0048	JB 16 0084	5.36	90	91	102	-0.99	1.14	0.64	-0.72	-1.70	-0.88	0.28	-0.94	112 3
93136232	DC 16 0099					64 83	68 114	99	48 92	55 92	63 89	52 101	47 103	
DC 21 0056	JB 16 0084	5.36	96	84	113	-1.42	0.39	-0.32	-1.29	6.20	2.69	7.17	-3.39	117 3
93136372	DC 16 0034					64 80	69 105	90	48 89	54 118	64 103	51 86	47 110	
DC 21 0061	JB 16 0084	7.36	99	83	133	-12.45	5.31	-0.92	-17.31	6.20	-3.42	-2.64	-1.29	114 3
93136653	DC 17 0108					66 64	70 136	84	53 64	58 118	66 78	55 107	51 104	
DC 21 0070	JB 16 0084	5.36	90	92	101	-0.90	1.07	0.62	-0.62	-0.70	-0.25	7.60	-5.00	109 3
93136836	DC 16 0035					63 83	67 113	99	48 92	54 96	62 91	51 86	46 114	
DC 21 0074	JB 16 0084	6.36	95	93	101	0.16	0.11	0.19	0.50	0.50	0.58	1.88	0.51	105 3
93135291	DC 17 0052					66 90	69 102	95	53 97	59 100	66 95	56 97	49 99	
DC 21 0089	VR 17 0376	4.84	86	66	104	-2.12	-1.68	-2.74	-3.50	2.90	-2.06	-28.16	0.37	97 2
93006229	DC 19 0085					63 75	64 82	66	36 79	48 107	60 84	43 136	35 99	
DC 21 0116	J 19 0022	5.72	84	72	103	-2.45	-0.25	-1.48	-2.32	2.80	-1.02	3.69	-7.75	114 3
93031532	DC 19 0037					60 73	62 98	78	25 84	42 107	57 88	39 94	30 121	
DC 21 0157	JP 16 0027	5.36	82	69	101	-2.54	-0.58	-1.85	-2.73	4.20	-0.60	7.07	-5.33	95 3
93134104	DC 16 0029					62 72	64 94	74	28 83	44 112	59 90	40 87	33 115	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	brding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 21 0159	J 19 0022	5.96	82	60	100	-2.25	-2.42	-3.54	-3.76	3.30	-2.69	-14.23	-3.51	107 3
93134120	DC 19 0165					64 74	64 74	64	31 78	48 109	60 81	44 130	35 110	
DC 21 0173	J 19 0022	7.20	82	71	97	-2.02	-1.00	-2.01	-4.25	-0.50	-3.32	-10.80	-1.96	90 3
93134302	DC 18 0116					62 76	58 90	73	34 76	45 96	57 79	46 123	37 106	
DC 21 0175	JP 16 0027	5.36	75	76	89	-2.42	0.38	-0.84	-2.48	-1.60	-3.01	14.91	-9.12	111 3
93134328	DC 16 0054					60 73	62 105	84	28 84	45 93	57 80	39 71	33 125	
DC 21 0177	VR 17 0376	5.36	99	86	116	-1.24	0.64	0.02	-1.16	1.10	0.06	-33.09	-1.17	116 3
93134344	DC 16 0066					62 81	65 108	93	33 90	46 102	59 92	39 136	32 104	
DC 21 0192	J 19 0022	6.60	108	83	145	-15.00	3.87	-3.63	-20.32	7.00	-6.93	-17.29	-5.89	109 3
93134526	DC 18 0175					63 64	65 136	64	28 64	47 121	60 64	43 136	33 116	
DC 21 0198	J 19 0022	5.99	84	70	92	-0.85	-2.51	-2.94	-2.10	1.30	-2.58	-6.81	-5.75	92 2
93134641	J 17 0131					63 84	60 73	64	29 85	47 102	58 82	45 115	36 116	
DC 21 0252	VR 17 0376	4.91	97	83	130	-12.94	5.93	-0.54	-17.65	1.50	-6.11	-25.73	-1.68	116 3
93133544	DC 18 0142					62 64	65 136	87	37 64	50 103	60 67	42 136	35 105	
DC 21 0253	VR 17 0376	4.88	97	82	110	-0.68	-0.80	-1.14	-1.76	2.50	0.02	-33.65	0.93	122 3
93133569	DC 19 0026					65 85	67 92	81	36 87	50 106	62 92	43 136	35 98	
DC 21 0255	J 19 0022	5.95	101	76	120	-1.27	-1.11	-1.75	-2.50	7.60	2.18	-30.16	1.95	118 3
93133601	DC 19 0104					65 81	66 89	75	31 84	47 123	61 101	44 136	34 95	
DC 22 0005	JB 18 0064	8.91	80	84	85	-0.57	-0.63	-0.92	-3.00	-0.30	-1.38	17.15	-2.34	96 1
95278073	DC 18 0029					62 86	59 94	84	42 81	47 97	57 87	47 66	37 107	
DC 22 0011	JB 15 0036	5.36	93	96	111	-2.03	3.40	2.38	-2.02	-0.70	0.95	10.98	-6.05	117 2
95278339	DC 16 0066					61 76	64 136	117	32 86	44 96	58 96	41 79	33 117	
DC 22 0018	JT 16 0062	4.92	90	93	93	0.65	-0.52	-0.20	2.80	1.20	0.84	12.13	3.67	100 1
95278230	DC 17 0145					64 94	65 95	91	47 108	53 102	62 96	51 76	43 90	
DC 22 0019	JT 16 0062	4.92	85	93	85	0.66	-0.49	-0.17	2.82	-1.10	-0.50	16.50	1.87	106 2
95278370	DC 17 0145					64 94	65 95	91	47 108	55 94	62 90	51 67	45 95	
DC 22 0020	JT 16 0062	4.92	99	98	99	1.64	-0.90	-0.08	3.89	3.90	3.08	11.29	4.24	99 1
95278396	DC 17 0001					65 100	66 91	92	47 113	53 111	63 105	51 78	43 89	
DC 22 0032	JT 16 0062	5.43	86	106	78	1.79	0.24	1.14	2.52	-5.80	-1.45	18.54	2.49	109 2
95278578	DC 18 0060					64 101	65 104	104	49 107	56 79	63 86	53 64	46 94	



Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Dir	Wean Weight	Comb	Post-Wean	Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	EBV Acc Index	Mat Acc Index	EBV Acc Index	EBV Acc Index	Weaned Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 22 0044	JB 18 0064	5.07	84	84	86	0.21	-1.50	-1.40	-1.22	-0.10	-1.35	5.42	3.73	93 1
95281077	J 16 0069					63 91	60 84	79	41 90	49 98	59 87	47 90	37 90	
DC 22 0048	JB 18 0064	8.69	79	87	84	-0.62	0.01	-0.31	-1.31	-3.30	-2.60	12.05	1.81	95 1
95279592	DC 17 0013					61 85	58 101	90	39 89	46 87	56 82	45 76	35 96	
DC 22 0050	JB 16 0084	5.51	96	89	103	0.33	-0.87	-0.70	-0.87	1.60	0.42	-6.23	0.73	100 2
95330957	DC 19 0170					65 92	65 91	86	51 91	57 103	63 94	55 114	49 98	
DC 22 0070	JB 16 0084	7.81	81	79	109	-5.73	2.55	-0.32	-8.62	0.30	-3.01	4.89	3.44	104 2
95331054	DC 19 0142					64 64	65 129	90	52 64	57 99	63 80	55 91	50 91	
DC 22 0076	JB 16 0084	7.16	98	83	131	-13.69	5.74	-1.10	-18.83	6.20	-4.23	3.54	-5.47	99 1
95331716	DC 18 0020					63 64	65 136	82	50 64	55 118	62 75	53 94	46 115	
DC 22 0079	JB 15 0036	6.08	83	83	110	-6.93	4.66	1.20	-10.57	-3.00	-4.07	-3.18	1.75	110 2
95281416	DC 19 0073					63 64	62 136	105	37 64	49 88	59 76	45 108	36 96	
DC 22 0082	JB 15 0036	5.36	89	91	108	-2.30	2.73	1.58	-2.40	-1.30	-0.35	9.18	-4.65	100 1
95281473	DC 16 0035					60 74	62 131	109	32 84	41 94	56 91	41 82	29 113	
DC 22 0083	JT 16 0062	4.93	84	94	79	1.32	-1.11	-0.46	3.50	-3.10	-1.66	11.75	4.97	94 1
95281499	DC 17 0024					63 98	61 88	88	47 111	53 88	60 85	51 77	43 87	
DC 22 0088	JB 18 0064	8.91	74	84	76	-0.53	-0.68	-0.95	-2.96	-4.20	-3.73	13.24	1.66	93 1
95281572	DC 18 0116					62 86	59 93	83	42 82	48 84	58 77	47 74	37 96	
DC 22 0092	JB 16 0084	6.63	86	82	91	-0.21	-1.33	-1.44	-2.05	2.20	-0.22	9.61	-0.36	94 1
95331138	DC 18 0078					65 88	63 86	78	52 86	57 105	62 91	55 81	48 101	
DC 22 0094	JB 15 0036	5.72	75	81	92	-2.87	1.71	0.28	-3.17	-2.70	-2.78	16.49	-4.37	103 2
95281630	DC 19 0036					59 70	60 120	96	32 81	43 89	56 81	41 67	33 112	
DC 22 0102	JB 15 0036	4.95	84	88	96	-1.61	1.36	0.56	-2.72	-1.30	-1.03	16.72	-8.27	95 1
95281754	DC 19 0069					61 79	59 116	98	36 83	46 94	57 88	45 67	33 123	
DC 22 0103	JB 15 0036	4.95	86	87	100	-1.58	1.21	0.42	-2.71	0.30	-0.19	16.17	-9.41	110 2
95281770	DC 19 0069					63 79	64 114	97	36 83	48 99	60 91	45 68	36 126	
DC 22 0104	JB 15 0036	6.58	92	100	103	-0.65	2.13	1.81	-0.56	-2.30	0.11	8.14	0.28	97 1
95281796	DC 17 0052					63 85	61 125	111	39 93	48 90	59 93	46 84	34 100	
DC 22 0110	JB 16 0084	6.93	92	83	124	-13.10	5.00	-1.56	-17.84	3.30	-6.13	1.34	-1.30	92 1
95331211	DC 17 0018					63 64	63 136	77	50 64	54 109	61 67	53 98	47 104	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 22 0115	JB 15 0036	5.36	80	87	96	-2.35	2.04	0.86	-2.54	-3.40	-2.36	12.17	-4.90	96 1
95281978	DC 16 0014					60 74	59 124	101	32 83	41 87	55 83	41 76	29 114	
DC 22 0118	JB 15 0036	6.85	80	83	105	-12.87	8.05	1.61	-17.86	-2.90	-6.56	7.61	-3.56	95 1
95282034	DC 17 0075					60 64	59 136	109	35 64	44 88	56 65	43 86	31 110	
DC 22 0122	JB 15 0036	5.56	90	91	107	-1.83	2.03	1.11	-1.94	0.30	0.38	10.09	-2.14	111 2
95280830	DC 18 0019					60 77	62 124	104	32 86	43 99	57 94	40 80	33 106	
DC 22 0125	JB 15 0036	6.54	104	100	118	-0.38	1.84	1.65	-1.77	1.20	2.18	-4.98	0.92	100 1
95280871	DC 19 0211					63 87	61 122	109	34 87	46 102	58 101	45 111	33 98	
DC 22 0133	J 19 0022	5.08	112	100	127	-0.07	1.51	1.47	-0.98	2.50	2.93	-28.76	-1.48	116 2
95274437	DC 20 0073					64 89	62 118	107	31 91	46 106	59 104	43 136	35 104	
DC 22 0137	J 19 0022	5.95	90	64	111	-2.17	-1.92	-3.01	-3.62	6.00	-0.49	-25.47	-1.23	107 2
95280970	DC 20 0128					63 75	62 79	64	31 78	45 118	58 90	43 136	35 104	
DC 22 0184	J 19 0022	6.37	95	78	126	-7.92	2.38	-1.57	-12.06	1.90	-4.39	-24.91	-2.35	95 1
95279154	DC 20 0204					62 64	56 128	77	32 64	44 104	56 74	44 136	32 107	
DC 22 0185	JB 20 0043	5.61	84	83	94	-1.10	-0.04	-0.59	-2.71	-0.30	-1.32	7.65	-1.37	98 1
95279170	DC 20 0039					62 82	58 100	87	35 83	42 97	56 87	42 85	32 104	
DC 22 0186	J 19 0022	6.03	91	74	123	-7.33	1.75	-1.92	-10.63	2.70	-3.96	-42.25	2.88	105 2
95279196	DC 20 0207					63 64	60 120	74	31 64	45 107	58 76	43 136	35 93	
DC 22 0193	J 19 0022	6.02	94	75	125	-7.69	1.83	-2.01	-11.03	2.90	-4.12	-24.70	-1.52	95 1
95279337	DC 20 0200					61 64	56 121	73	31 64	43 107	55 75	43 136	31 105	
DC 22 0194	JB 20 0043	5.89	83	89	90	-0.56	0.17	-0.11	-2.07	-2.60	-1.95	8.56	-1.23	97 1
95279352	DC 20 0059					62 86	55 103	92	35 86	42 89	55 84	42 84	32 104	
DC 22 0205	JB 20 0043	5.52	91	84	101	-0.63	-0.55	-0.87	-0.96	3.40	0.86	6.84	-1.77	95 1
95280079	DC 18 0147					62 85	55 95	84	30 91	41 109	54 96	40 87	28 105	
DC 22 0208	JB 20 0043	5.36	93	91	104	-0.86	0.99	0.56	0.02	-0.20	0.01	3.50	-4.38	97 1
95280137	DC 16 0176					59 84	53 112	98	27 95	33 97	51 92	36 94	23 112	
DC 22 0210	JB 20 0043	5.61	86	86	91	-0.26	-0.66	-0.79	-1.82	0.00	-0.92	8.26	-2.11	94 1
95280178	DC 20 0108					62 88	55 93	85	35 87	42 98	55 88	43 84	32 106	
DC 23 0006	JB 20 0092	5.84	91	103	83	2.15	-0.67	0.41	0.47	-3.20	-0.44	12.36	0.62	1
98609944	DC 21 0027					63 104	56 93	97	45 97	48 87	57 90	51 76	39 99	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 23 0007	NB 18 0009	6.02	99	90	100	1.19	-1.77	-1.17	1.02	2.70	1.05	0.67	-11.10	98 1
98885106	DC 21 0088					63 97	61 81	81	48 100	51 107	59 96	51 100	42 131	
DC 23 0008	NB 18 0009	6.02	99	89	99	1.18	-1.80	-1.21	1.00	2.70	1.00	0.73	-11.11	97 1
98885122	DC 21 0088					63 97	61 81	81	48 100	51 107	59 96	51 100	42 131	
DC 23 0012	NB 20 0104	5.24	88	82	94	-0.43	-1.14	-1.36	-0.44	1.10	-0.91	5.42	-8.09	99 1
98611023	DC 17 0021					63 87	62 88	79	40 93	50 102	60 89	47 90	37 122	
DC 23 0017	JT 16 0062	4.89	87	96	81	1.54	-1.12	-0.35	3.35	-1.70	-0.60	16.55	-1.96	0
98611122	DC 20 0153					62 100	58 88	89	46 111	51 92	58 90	48 67	42 106	
DC 23 0024	JB 18 0064	4.39	101	96	108	0.39	0.32	0.52	-1.03	1.50	1.61	-3.18	0.43	0
98611247	DC 20 0134					62 92	55 104	98	40 90	45 103	55 99	41 108	35 99	
DC 23 0034	JB 16 0084	6.50	100	89	113	-0.31	0.01	-0.15	-0.73	7.50	4.20	10.36	0.48	106 1
98885148	DC 19 0054					65 87	66 101	91	50 92	55 123	63 109	54 80	47 99	
DC 23 0038	NB 20 0104	5.24	95	91	99	0.35	-0.60	-0.42	0.51	0.90	0.29	2.11	-5.44	0
98611403	DC 17 0114					62 92	58 94	89	40 98	47 101	57 93	44 97	36 115	
DC 23 0039	NB 20 0104	5.24	92	86	95	0.49	-1.51	-1.26	0.56	1.30	-0.24	2.00	-4.97	96 1
98611429	DC 17 0114					63 93	61 84	80	40 98	49 102	59 91	47 97	36 114	
DC 23 0047	JT 16 0062	4.34	94	104	87	2.30	-0.75	0.40	3.22	-1.30	0.77	11.09	6.19	101 1
98611585	DC 18 0125					64 105	63 92	97	48 110	54 94	61 95	52 78	43 84	
DC 23 0048	JB 20 0092	7.35	84	103	80	1.01	0.60	1.11	-1.39	-6.10	-2.05	20.38	-3.04	0
98611601	DC 20 0110					62 96	56 108	104	44 89	46 78	56 84	45 64	37 109	
DC 23 0049	NB 20 0104	4.88	95	78	126	-4.78	2.43	0.05	-7.31	1.20	-1.62	-17.04	-5.47	103 1
98611627	DC 20 0200					63 64	60 128	93	41 64	49 102	59 86	47 136	36 115	
DC 23 0050	JB 15 0036	5.60	90	83	120	-12.93	8.18	1.72	-18.09	-1.10	-5.41	-10.35	-1.27	103 1
98611643	DC 21 0134					59 64	56 136	110	36 64	44 94	54 70	43 122	32 104	
DC 23 0053	JB 20 0092	6.21	90	99	88	0.99	0.00	0.50	-0.19	-1.70	-0.02	15.46	-0.65	100 1
98611668	DC 21 0046					63 96	60 101	98	44 94	49 92	59 92	50 69	38 102	
DC 23 0054	JB 20 0092	6.21	89	97	88	0.87	-0.07	0.36	-0.34	-1.50	-0.11	15.25	-0.70	99 1
98611684	DC 21 0046					63 95	60 100	96	44 94	49 93	59 92	50 70	38 102	
DC 23 0061	NB 18 0009	4.91	106	107	95	3.49	-1.65	0.10	3.69	-0.60	1.49	-2.41	-3.92	0
98885247	DC 21 0034					63 113	58 82	94	51 112	52 96	59 98	51 106	45 111	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 23 0078	JB 16 0084	7.43	89	89	96	-0.25	-0.12	-0.25	-2.35	1.10	0.29	11.37	-2.50	98 1
98885262	DC 20 0108					64 88	63 100	90	53 84	57 102	62 93	56 78	49 107	
DC 23 0083	NB 20 0104	5.72	92	87	101	-0.64	0.05	-0.27	0.11	0.20	-0.47	4.62	-11.52	102 1
98611981	DC 19 0036					58 85	58 101	90	37 96	43 99	55 90	43 92	32 132	
DC 23 0085	JT 16 0062	4.99	87	83	116	-11.03	5.77	0.26	-13.29	1.50	-4.35	6.34	-1.00	101 1
98612021	DC 18 0107					63 64	62 136	95	46 64	53 103	60 74	50 88	42 103	
DC 23 0086	JT 16 0062	4.99	87	83	116	-10.77	5.94	0.56	-12.97	1.40	-3.98	6.30	-0.85	103 1
98612047	DC 18 0107					63 64	62 136	98	46 64	53 103	60 76	50 88	42 103	
DC 23 0091	JB 20 0092	6.74	79	75	105	-6.48	1.82	-1.42	-10.47	0.00	-4.66	4.51	-2.90	100 1
98609969	DC 21 0192					63 64	59 121	79	40 64	47 98	58 73	48 92	34 108	
DC 23 0094	JB 20 0092	6.93	80	86	81	0.06	-0.96	-0.93	-2.42	-3.40	-2.94	7.43	-0.52	98 1
98610025	DC 21 0173					63 90	57 90	84	41 84	46 87	57 80	48 86	35 102	
DC 23 0097	JB 20 0092	6.34	91	105	85	2.01	-0.23	0.78	0.95	-3.40	-0.26	13.29	1.44	101 1
98610082	DC 21 0074					64 103	60 98	101	46 100	50 87	59 91	51 74	39 97	
DC 23 0100	JB 20 0092	5.72	87	97	91	-0.09	1.01	0.97	-0.26	-3.00	-0.88	15.50	-4.67	0
98885304	DC 19 0064					58 89	53 112	102	37 94	37 88	51 89	39 69	30 113	
DC 23 0102	JB 16 0084	6.91	95	83	128	-13.19	5.76	-0.84	-17.84	4.40	-4.79	-0.42	-1.63	1
98884968	DC 18 0151					62 64	60 136	84	50 64	55 112	60 73	54 102	47 105	
DC 23 0108	JB 15 0036	6.48	89	83	119	-14.71	7.16	-0.20	-20.07	0.60	-7.19	-0.23	-5.03	98 1
98610207	DC 21 0218					59 64	56 136	91	34 64	43 100	54 63	43 102	32 114	
DC 23 0111	JT 16 0062	4.91	98	100	91	2.62	-1.73	-0.42	4.23	0.70	1.31	3.51	5.49	101 1
98610264	J 16 0069					65 107	64 82	89	49 115	55 100	62 98	53 94	44 86	
DC 23 0115	JB 16 0084	6.78	94	92	99	0.32	-0.24	-0.08	-0.04	2.40	1.52	9.67	1.33	99 1
98885007	DC 17 0122					64 91	64 98	92	50 95	56 106	62 98	54 81	48 97	
DC 23 0117	JB 20 0092	6.21	90	96	92	0.54	0.13	0.40	-0.70	-0.20	0.55	16.35	-0.98	0
98610322	DC 21 0056					62 93	56 102	97	44 92	46 97	56 94	46 68	38 103	
DC 23 0122	JB 18 0064	4.91	87	83	116	-12.49	6.02	-0.22	-17.53	0.90	-5.92	6.12	-5.48	1
98610389	DC 18 0073					59 64	53 136	91	39 64	44 101	53 68	44 89	34 115	
DC 23 0123	JB 20 0092	6.69	82	97	74	1.50	-0.82	-0.07	-0.59	-5.00	-2.32	20.22	-2.59	1
98610405	DC 20 0035					62 99	54 92	92	41 92	45 82	55 83	48 64	35 107	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 23 0124	JB 16 0084	5.51	100	89	112	-0.21	-0.16	-0.27	-1.41	4.00	2.03	-5.91	2.19	0
98885049	DC 20 0007					64 88	60 99	90	51 89	55 111	60 100	52 113	48 95	
DC 23 0125	JT 16 0062	5.72	89	95	90	0.76	-0.39	-0.01	3.61	-0.70	-0.05	12.77	-0.73	101 1
98610421	DC 19 0037					59 94	59 97	93	44 112	48 96	56 92	48 75	39 102	
DC 23 0135	JB 16 0084	6.76	96	95	104	-0.02	0.64	0.63	-0.33	2.20	1.94	9.44	1.03	100 1
98885064	DC 19 0009					65 89	64 108	99	50 94	56 105	63 100	55 82	48 98	
DC 23 0136	JB 20 0092	7.76	93	103	93	0.95	0.80	1.27	0.24	-2.70	0.13	11.61	0.90	0
98610603	DC 19 0154					62 96	56 110	105	41 96	45 89	56 93	44 77	34 98	
DC 23 0137	JB 20 0092	7.76	94	105	93	1.23	0.75	1.36	0.55	-2.70	0.35	11.61	0.90	0
98610629	DC 19 0154					62 97	56 109	106	41 98	45 89	56 94	44 77	34 98	
DC 23 0138	JB 20 0092	6.21	85	97	85	0.45	0.30	0.52	-0.77	-3.80	-1.53	14.80	-1.22	100 1
98610645	DC 21 0018					63 92	60 104	98	44 92	49 85	59 86	50 71	38 104	
DC 23 0140	JB 20 0092	6.21	88	101	84	1.28	0.10	0.74	0.15	-4.10	-1.09	12.81	0.72	99 1
98610686	DC 21 0048					63 98	59 102	100	44 96	48 84	58 88	50 75	38 98	
DC 23 0141	JB 20 0092	7.47	77	81	102	-6.00	2.80	-0.20	-9.72	-1.70	-4.22	12.68	-0.03	0
98610702	DC 21 0044					62 64	54 132	91	45 64	46 92	55 75	47 75	38 100	
DC 23 0143	JB 15 0036	6.48	89	83	118	-14.79	7.44	0.04	-20.13	0.20	-7.24	-0.24	-4.93	101 1
98610744	DC 21 0190					59 64	55 136	93	34 64	43 99	54 63	43 102	32 114	
DC 23 0148	JB 20 0043	5.87	83	80	92	-0.88	-0.80	-1.24	-2.54	0.90	-1.14	8.04	-0.54	98 1
98607260	DC 18 0057					63 84	56 92	80	35 83	44 101	56 88	43 85	32 102	
DC 23 0149	JB 20 0043	5.87	83	80	91	-0.82	-0.90	-1.31	-2.49	0.90	-1.18	8.31	-0.49	98 1
98607278	DC 18 0057					63 84	56 91	80	35 84	44 101	56 87	43 84	32 102	
DC 23 0154	J 19 0022	5.95	94	76	109	-1.14	-1.19	-1.76	-2.36	3.10	-0.47	-21.43	0.30	0
98607328	DC 19 0076					61 82	52 88	75	31 84	41 108	53 90	39 136	31 100	
DC 23 0159	JB 20 0043	6.92	90	87	102	-0.87	0.24	-0.20	-0.74	2.00	0.56	5.73	1.28	0
98607351	DC 17 0155					61 84	50 104	91	31 92	39 104	52 95	36 89	29 97	
DC 23 0160	JB 20 0043	6.92	90	87	101	-0.74	0.10	-0.27	-0.60	1.80	0.44	5.34	1.16	100 1
98607369	DC 17 0155					62 84	55 102	90	31 92	42 104	55 94	41 90	29 97	
DC 23 0162	J 19 0022	6.03	94	74	126	-7.60	1.76	-2.04	-10.94	3.50	-3.74	-30.24	0.28	0
98614027	DC 20 0207					61 64	52 121	73	31 64	40 109	53 77	39 136	31 100	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 23 0169	J 19 0022	6.46	91	80	106	-1.43	-0.17	-0.88	-1.80	2.50	-0.10	-2.61	-1.93	0
98607419	DC 19 0002					60 80	51 99	84	29 87	40 106	52 92	38 107	31 106	
DC 23 0174	J 19 0022	6.03	97	77	131	-7.12	2.14	-1.43	-10.35	4.50	-2.29	-24.82	0.15	0
98607468	DC 19 0111					60 64	51 125	79	31 64	40 113	52 83	39 136	31 100	
DC 23 0180	JB 20 0043	5.32	92	79	123	-6.82	2.48	-0.93	-10.41	0.70	-3.92	-15.81	-0.02	99 1
98607500	DC 20 0204					62 64	54 129	84	33 64	42 100	54 76	42 134	30 100	
DC 23 0181	J 19 0022	5.72	89	71	110	-2.62	-0.19	-1.50	-2.50	3.40	-0.77	-6.89	-6.59	1
98607518	DC 19 0124					56 72	49 99	78	25 84	32 109	48 89	39 115	26 118	
DC 23 0185	JB 20 0043	6.01	89	83	119	-13.26	5.84	-0.79	-18.99	0.70	-7.00	-0.07	-3.91	0
98607559	DC 18 0076					60 64	50 136	85	35 64	40 100	52 64	37 101	31 111	
DC 23 0187	J 19 0022	4.75	99	92	106	0.28	-0.33	-0.19	0.50	2.20	1.27	-1.84	-1.92	1
98607575	DC 21 0006					60 91	51 97	91	34 98	42 105	52 97	45 105	33 106	
DC 23 0189	J 19 0022	6.50	81	71	96	-1.96	-1.06	-2.04	-2.93	1.30	-2.24	-0.40	-5.72	0
98607591	DC 19 0108					60 76	51 89	72	28 82	39 102	52 83	38 102	31 116	
DC 23 0191	J 19 0022	6.49	87	74	115	-8.46	1.78	-2.46	-12.02	2.40	-5.25	-0.83	-6.98	1
98607617	DC 20 0045					61 64	52 121	68	29 64	40 106	53 71	43 103	31 119	
DC 23 0192	J 19 0022	6.50	85	69	100	-1.70	-1.61	-2.46	-2.28	4.20	-0.79	-2.61	-1.38	99 1
98607625	DC 18 0009					62 78	57 83	68	29 85	43 112	56 89	43 107	31 104	
DC 23 0200	J 19 0022	6.50	88	72	106	-1.97	-0.88	-1.86	-2.91	4.00	-0.44	-3.45	-5.02	1
98614068	DC 20 0164					60 76	51 91	74	28 82	39 111	52 90	43 108	31 114	
DC 23 0201	J 19 0022	6.50	86	70	105	-2.40	-0.74	-1.94	-3.39	3.70	-0.92	-3.26	-5.41	100 1
98614084	DC 20 0164					61 73	56 93	73	28 80	42 110	55 88	43 108	31 115	
DC 23 0203	J 19 0022	6.45	77	65	93	-2.52	-1.30	-2.56	-3.59	1.40	-2.98	0.86	-5.51	0
98607716	DC 19 0011					60 73	51 86	67	28 79	39 103	52 80	38 99	31 115	
DC 23 0207	JB 20 0043	5.91	91	84	100	-0.28	-0.91	-1.05	-0.96	1.00	-0.59	-6.95	3.12	0
98607732	DC 20 0015					60 88	48 91	82	32 91	38 101	50 90	36 115	29 92	
DC 23 0209	JB 20 0043	5.74	97	83	129	-13.56	5.58	-1.20	-17.96	3.30	-6.00	-6.52	-4.69	0
98607757	DC 21 0115					57 64	43 136	81	29 64	33 109	46 68	33 115	26 113	
DC 23 0212	JB 20 0043	4.69	90	91	92	0.52	-0.68	-0.42	-0.73	-1.00	-0.75	5.28	-2.81	0
98607781	DC 19 0110					61 93	50 93	89	33 92	40 95	52 89	36 90	29 108	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 23 0215	JB 20 0043	5.79	80	71	93	-1.83	-1.25	-2.16	-2.41	1.80	-1.99	3.09	-2.05	0
98607815	DC 19 0085					60 77	48 87	71	30 84	37 104	50 84	36 95	29 106	
DC 23 0217	JB 20 0043	5.23	90	82	100	-0.63	-0.76	-1.07	-1.55	0.10	-1.33	-9.33	2.06	1
98607831	DC 20 0124					61 85	49 92	82	32 88	39 98	51 87	41 120	29 95	
DC 23 0225	J 19 0022	5.35	94	83	125	-14.03	6.06	-0.95	-18.82	1.40	-7.13	-6.80	-7.27	101 1
98607914	DC 17 0075					60 64	56 136	83	29 64	39 103	54 63	41 115	28 120	
DC 23 0227	J 19 0022	5.72	81	65	102	-2.93	-0.89	-2.35	-2.94	2.50	-2.32	-4.80	-6.93	0
98607930	DC 19 0046					55 70	47 91	69	25 82	32 106	47 83	32 111	26 119	
DC 23 0233	J 19 0022	5.50	94	78	108	-1.00	-1.08	-1.59	-1.86	2.50	-0.59	-22.73	-0.03	1
98607997	DC 19 0200					61 83	52 89	77	32 87	41 106	53 90	44 136	31 100	
DC 23 0235	J 19 0022	5.80	92	76	104	-0.94	-1.46	-1.93	-2.30	1.90	-1.27	-21.39	0.47	1
98608011	DC 20 0114					61 83	52 85	74	32 85	41 104	53 87	44 136	32 99	
DC 23 0236	J 19 0022	5.61	92	89	95	0.43	-1.00	-0.78	0.62	0.30	-0.39	0.31	-0.34	0
98608029	DC 21 0029					60 92	51 90	85	35 98	42 99	52 91	42 101	35 101	
DC 23 0238	J 19 0022	7.20	82	71	96	-1.83	-1.18	-2.09	-4.05	1.30	-2.22	-2.13	-4.12	0
98608045	DC 20 0093					61 77	53 88	72	34 76	42 102	54 83	41 106	34 112	
DC 24 0007	JB 20 0091	4.47	105	104	110	0.95	0.93	1.41	1.22	3.00	3.68	11.65	-4.89	0
107602245	DC 18 0032					61 96	52 111	107	37 101	40 108	53 107	36 77	30 114	
DC 24 0009	NB 20 0104	4.88	94	77	126	-5.30	2.15	-0.50	-7.93	2.00	-1.95	-20.43	-4.76	0
107602401	DC 20 0193					62 64	57 125	88	41 64	47 104	57 84	44 136	36 113	
DC 24 0012	JB 15 0036	6.02	102	101	115	-0.52	2.13	1.87	-2.17	-0.90	1.07	-7.02	0.15	0
107602443	DC 22 0133					61 86	54 125	111	35 85	44 95	54 97	41 116	34 100	
DC 24 0014	JB 20 0091	5.55	89	76	118	-6.16	2.08	-1.00	-9.60	2.10	-2.82	-7.04	0.02	0
107602468	DC 20 0204					60 64	50 124	83	39 64	40 105	52 81	36 116	31 100	
DC 24 0015	JB 20 0091	5.55	89	77	119	-6.37	2.12	-1.06	-9.84	2.10	-2.98	-7.04	0.02	0
107602476	DC 20 0204					60 64	50 125	82	39 64	40 105	52 80	36 116	31 100	
DC 24 0024	JB 20 0092	7.72	90	103	89	1.04	0.65	1.17	0.32	-2.20	0.37	18.29	0.97	0
107602518	DC 19 0009					63 96	57 108	104	41 97	46 91	57 94	44 64	35 98	
DC 24 0025	JB 20 0092	7.72	90	102	89	0.93	0.67	1.14	0.21	-2.20	0.29	18.29	0.97	0
107602526	DC 19 0009					63 96	57 108	104	41 96	46 91	57 93	44 64	35 98	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 24 0028	NB 20 0104	5.70	92	83	122	-11.99	5.81	-0.19	-17.60	0.80	-5.70	-1.96	-10.80	0
107602559	DC 18 0076					61 64	58 136	91	43 64	48 101	57 69	44 105	38 130	
DC 24 0032	JOR 16 0035	4.59	94	83	126	-5.16	3.14	0.56	-8.11	3.30	-0.04	1.18	-8.46	0
107810962	DC 21 0061					61 64	57 136	98	43 64	48 109	56 92	44 99	38 123	
DC 24 0033	JOR 16 0035	4.59	94	83	126	-5.47	3.20	0.46	-8.45	3.30	-0.29	1.18	-8.46	0
107810970	DC 21 0061					61 64	57 136	97	43 64	48 109	56 91	44 99	38 123	
DC 24 0035	JT 16 0062	5.05	100	110	96	2.07	0.59	1.62	3.98	-1.10	2.00	13.26	1.36	0
107602310	DC 22 0011					62 103	58 107	109	47 114	50 94	58 100	48 74	42 97	
DC 24 0036	NB 20 0104	4.88	95	78	127	-5.32	2.31	-0.35	-7.94	1.80	-1.93	-17.65	-5.63	0
107602328	DC 20 0200					62 64	57 127	89	41 64	47 104	57 84	44 136	36 116	
DC 24 0044	JB 20 0091	4.45	108	97	114	1.09	-0.40	0.15	0.61	5.20	3.81	-2.05	-1.61	0
107602377	DC 20 0134					61 97	51 96	94	38 98	39 115	52 108	36 105	30 105	
DC 24 0051	JB 15 0036	9.59	76	87	86	-1.58	1.19	0.40	-4.08	-4.30	-2.97	13.98	1.72	0
107602583	DC 22 0088					60 79	53 114	97	38 76	44 84	54 80	42 72	34 96	
DC 24 0058	JT 16 0062	4.81	89	80	106	-1.56	-0.06	-0.84	-1.43	0.60	-1.26	-13.35	5.83	0
107602625	DC 22 0186					62 79	57 100	84	46 89	50 100	57 87	49 129	43 85	
DC 24 0061	JB 15 0036	6.97	86	103	87	0.29	1.52	1.67	-0.55	-5.10	-1.25	16.63	2.13	0
107602641	DC 22 0032					61 91	55 118	109	40 93	47 81	55 87	44 67	37 95	
DC 24 0065	JB 20 0091	8.40	97	95	101	0.66	-0.21	0.12	0.68	3.40	2.49	12.96	-1.44	0
107602658	DC 21 0042					60 94	50 99	94	41 98	40 109	52 102	38 75	34 104	
DC 24 0066	JOR 16 0035	5.05	87	95	93	-0.48	1.08	0.84	-2.29	-3.90	-1.74	11.00	-10.97	0
107811028	DC 18 0060					61 86	57 113	101	41 85	48 85	56 85	42 79	35 130	
DC 24 0069	JB 15 0036	6.97	83	98	86	0.05	1.09	1.11	-0.87	-4.50	-1.56	16.56	1.66	0
107602682	DC 22 0033					61 90	54 113	104	40 91	46 83	55 86	44 67	36 96	
DC 24 0075	JOR 16 0035	4.66	87	83	115	-6.37	3.20	0.01	-9.51	0.40	-2.94	9.24	-12.73	0
107811036	DC 20 0045					61 64	56 136	93	37 64	46 99	56 80	40 82	33 135	
DC 24 0078	JB 20 0091	8.40	91	87	98	-0.06	-0.68	-0.71	-0.20	3.70	1.48	13.10	-0.59	0
107809055	DC 21 0046					60 89	50 93	86	41 94	41 110	52 98	38 74	34 102	
DC 24 0079	NB 20 0104	5.37	98	83	130	-12.68	5.26	-1.08	-16.77	3.70	-5.20	-5.02	-8.19	0
107602740	DC 18 0151					61 64	57 136	82	40 64	47 110	56 71	42 111	36 123	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 24 0082	NB 20 0104	5.40	89	86	94	-0.23	-0.61	-0.73	-0.57	-0.30	-1.02	8.49	-12.53	0
107602104	DC 20 0153					61 88	56 94	86	39 93	46 97	56 88	43 84	36 134	
DC 24 0083	JB 20 0091	8.29	87	83	94	-0.29	-1.00	-1.14	-0.10	3.30	0.69	12.16	0.89	0
107602112	DC 18 0166					60 87	50 90	81	37 95	39 109	51 95	35 76	30 98	
DC 24 0086	JB 15 0036	7.95	89	81	106	-1.90	0.48	-0.47	-3.85	0.80	-0.94	-5.38	0.27	0
107602146	DC 22 0137					61 77	54 106	88	35 77	44 101	54 88	41 112	34 100	
DC 24 0090	JB 20 0091	8.55	81	79	107	-5.44	2.52	-0.20	-7.98	1.60	-1.96	15.35	-2.23	0
107602179	DC 21 0008					59 64	49 129	91	41 64	40 103	51 84	38 70	34 106	
DC 24 0091	NB 20 0104	4.87	98	83	106	0.05	-1.41	-1.38	-0.90	2.00	-0.15	-14.37	-6.00	0
107602187	DC 21 0089					62 90	56 85	79	41 91	46 104	56 92	44 131	36 117	
DC 24 0093	JB 20 0091	6.25	83	84	89	-0.37	-0.74	-0.92	-1.85	1.50	-0.21	17.89	-2.55	0
107602203	DC 20 0108					60 87	50 93	84	40 87	40 103	52 91	38 64	33 107	
DC 24 0096	JOR 16 0035	4.88	96	88	102	0.08	-0.67	-0.63	-1.13	0.90	-0.05	-0.91	-10.69	0
107811044	DC 21 0198					61 90	54 93	87	37 90	45 101	55 92	40 103	33 129	
DC 24 0104	JB 20 0091	5.21	92	80	100	-0.10	-1.75	-1.80	-1.27	3.60	0.32	-4.49	3.39	0
107602815	DC 20 0053					60 89	49 81	75	37 89	39 110	51 94	35 110	30 91	
DC 24 0105	NB 20 0104	5.29	82	83	87	-0.64	-0.67	-0.99	-2.32	-1.60	-2.28	11.47	-11.06	0
107602823	DC 20 0032					61 85	56 93	83	43 84	48 93	56 83	45 78	38 130	
DC 24 0107	NB 20 0104	4.45	104	101	102	2.03	-0.93	0.08	2.31	2.00	2.29	1.93	-3.95	0
107602849	DC 21 0003					63 103	58 90	94	44 106	48 104	58 102	46 97	39 111	
DC 24 0115	JB 20 0043	5.75	84	71	97	-1.44	-1.71	-2.43	-2.61	2.20	-1.84	-5.51	-1.04	0
107595837	DC 21 0159					61 80	48 82	69	31 83	38 105	51 85	36 112	29 103	
DC 24 0119	JB 20 0043	5.83	90	82	101	-0.95	-0.38	-0.85	-1.30	2.40	0.12	3.46	-2.77	0
107595860	DC 20 0172					61 83	50 97	84	30 89	37 106	51 93	35 94	28 108	
DC 24 0123	JB 20 0043	5.72	91	87	105	-1.39	0.87	0.18	-0.60	0.90	0.03	4.34	-4.68	0
107595878	DC 19 0075					57 80	47 111	95	27 92	29 101	47 92	29 92	23 113	
DC 24 0124	JB 20 0043	5.72	94	91	105	-0.76	0.76	0.38	0.11	0.90	0.54	4.34	-4.68	0
107595886	DC 19 0075					57 84	47 109	97	27 96	29 101	47 94	29 92	23 113	
DC 24 0126	JB 20 0043	5.04	99	88	107	0.22	-0.84	-0.73	-0.40	1.90	0.53	-11.70	1.44	0
107595902	DC 19 0210					61 91	49 92	86	29 93	38 104	51 94	36 125	28 97	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Regnr	Logix	Growth	Ewe	Dir	Wean Weight	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times
Sire	Dam	breeding		Merit	Index	Index	EBV	Mat	Comb		EBV	EBV	EBV	Phenotype	Lambled
Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 24 0127	JB 20 0043	5.91	107595910	98	87	108	0.06	-0.81	-0.78	-0.57	3.20	1.17	-8.25	2.11	0
	DC 20 0007						61 90	50 92	85	32 93	39 108	52 97	36 118	29 95	
DC 24 0128	JB 20 0043	5.91	107595928	98	87	108	0.06	-0.81	-0.78	-0.57	3.20	1.17	-8.25	2.11	0
	DC 20 0007						61 90	50 92	85	32 93	39 108	52 97	36 118	29 95	
DC 24 0136	JB 20 0043	5.21	107595977	92	89	95	0.52	-1.10	-0.84	-0.27	0.70	-0.15	1.34	0.58	0
	DC 21 0027						61 93	50 89	84	37 94	42 100	52 92	40 98	34 99	
DC 24 0157	JB 20 0043	5.89	107596058	83	86	88	-0.49	-0.32	-0.57	-2.05	-1.80	-1.89	8.81	-1.22	0
	DC 20 0059						61 86	50 97	87	35 86	39 92	52 84	38 83	32 104	
DC 24 0158	JB 20 0043	5.26	107596066	90	83	119	-12.85	6.02	-0.40	-17.11	1.10	-6.16	3.22	-8.27	0
	DC 18 0108						59 64	49 136	89	31 64	38 102	50 67	34 95	27 123	
DC 24 0168	JB 20 0043	5.61	107596116	85	90	90	-0.14	-0.15	-0.22	-1.63	-2.10	-1.55	7.60	-1.10	0
	DC 20 0039						60 88	50 99	91	35 88	40 91	52 86	38 86	32 103	
DC 24 0169	JB 20 0043	5.72	107596124	89	85	102	-1.23	0.33	-0.28	-0.48	0.90	-0.36	4.34	-4.68	0
	DC 19 0168						56 81	46 105	90	27 93	29 101	46 91	29 92	23 113	
DC 24 0173	JB 20 0043	4.74	107596132	107	102	114	0.80	0.77	1.17	0.31	0.00	1.57	-14.09	0.90	0
	DC 20 0073						61 95	50 110	104	32 97	39 98	52 99	37 130	29 98	
DC 24 0187	JB 20 0043	5.93	107602930	91	85	97	0.13	-1.18	-1.12	-0.53	-0.60	-1.42	-10.34	3.12	0
	DC 20 0090						61 90	49 88	82	32 93	39 96	51 86	36 122	29 92	
DC 25 0009	NB 20 0104	4.97	111900361	99	98	98	1.53	-0.85	-0.08	2.35	1.20	1.40	5.78	-4.35	0
	DC 22 0018						62 100	56 91	92	43 106	48 102	56 98	46 89	38 112	
DC 25 0010	NB 20 0104	5.60	111900379	94	96	94	1.00	-0.51	-0.01	-0.42	-0.40	0.26	10.06	-9.50	0
	DC 20 0037						62 96	58 95	93	43 93	48 97	57 93	45 81	38 126	
DC 25 0011	NB 20 0104	5.16	111900387	102	104	103	1.42	0.38	1.09	1.26	-0.60	1.44	3.78	-6.05	0
	DC 22 0104						61 99	55 105	104	41 101	46 96	55 98	44 93	36 117	
DC 25 0012	JB 18 0064	4.39	112063235	104	101	109	1.06	0.20	0.73	-0.28	1.50	2.16	-3.18	0.43	0
	DC 20 0134						62 96	55 103	100	40 94	45 103	55 101	41 108	35 99	
DC 25 0018	JB 16 0084	17.47	112063250	88	74	114	-3.26	1.10	-0.53	-6.15	2.30	-0.77	-8.51	-0.38	0
	DC 22 0184						62 68	57 113	88	50 67	53 105	58 89	52 119	47 101	
DC 25 0022	JB 18 0064	8.87	112063268	73	85	73	-0.20	-0.88	-0.98	-2.60	-4.40	-3.72	17.18	0.50	0
	DC 20 0047						60 88	54 91	83	42 83	45 84	54 77	43 66	37 99	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 25 0025	NB 20 0104	5.29	92	95	94	0.48	-0.07	0.17	-0.97	-2.10	-0.85	5.70	-8.00	0
111900437	DC 20 0039					62 93	57 100	95	43 91	48 91	57 89	45 89	38 122	
DC 25 0026	JB 18 0064	9.55	85	87	91	-0.37	-0.31	-0.49	-1.47	0.00	-0.68	11.12	-0.67	0
112063276	DC 20 0172					61 87	54 97	88	38 88	43 98	54 89	40 78	35 102	
DC 25 0027	NB 20 0104	7.49	115	104	118	1.68	0.07	0.91	1.03	1.80	2.84	-14.67	-6.92	0
111900460	DC 22 0133					62 101	56 102	102	40 100	46 104	56 104	44 131	36 119	
DC 25 0029	JB 20 0091	7.38	85	68	114	-6.57	0.79	-2.50	-9.43	5.30	-2.60	1.74	-2.18	0
111900478	DC 21 0192					60 64	49 110	68	36 64	38 115	51 82	35 98	29 106	
DC 25 0030	JB 20 0091	7.38	86	69	115	-7.45	0.95	-2.77	-10.41	5.30	-3.32	1.74	-2.18	0
112128665	DC 21 0192					60 64	49 112	65	36 64	38 115	51 79	35 98	29 106	
DC 25 0036	NB 20 0104	4.44	109	97	114	1.14	-0.56	0.01	0.49	2.30	1.96	-13.80	-7.38	0
111900536	DC 20 0133					62 97	57 95	93	41 97	47 105	57 100	44 130	36 120	
DC 25 0037	NB 20 0104	4.44	112	100	114	1.62	-0.65	0.17	1.03	2.30	2.36	-13.80	-7.38	0
111900544	DC 20 0133					62 100	57 94	94	41 100	47 105	57 102	44 130	36 120	
DC 25 0040	NB 20 0104	7.95	94	96	93	1.20	-0.64	-0.04	0.64	-1.10	-0.10	5.74	-5.28	0
111900577	DC 22 0048					61 97	54 94	92	41 98	46 94	55 92	44 89	36 115	
DC 25 0048	JB 18 0064	8.91	75	82	80	-0.79	-0.63	-1.02	-3.24	-2.70	-3.04	14.67	0.22	0
112063300	DC 20 0093					61 84	55 94	83	42 80	45 89	55 80	43 71	37 100	
DC 25 0050	JB 20 0099	6.27	78	83	104	-5.18	4.18	1.59	-6.89	-2.70	-2.62	6.35	3.86	0
111900502	DC 22 0118					61 64	51 136	109	47 64	40 89	52 82	40 88	31 90	
DC 25 0056	JB 18 0064	6.48	91	88	98	0.11	-0.65	-0.59	-1.32	0.80	-0.06	-0.60	4.20	0
112063383	DC 20 0007					61 90	55 94	87	40 89	45 101	55 92	41 102	35 89	
DC 25 0062	JB 20 0091	10.76	88	88	87	1.09	-1.97	-1.42	1.30	2.80	0.81	15.29	2.01	0
111900726	DC 21 0002					60 97	50 79	79	41 101	41 107	52 96	38 70	33 95	
DC 25 0066	NB 20 0104	10.90	91	77	121	-5.43	2.25	-0.47	-8.23	3.70	-0.97	1.48	-8.92	0
111900783	DC 22 0076					62 64	56 126	88	44 64	48 110	56 88	46 98	39 125	
DC 25 0068	JB 20 0099	4.61	96	105	92	1.78	0.04	0.93	1.67	-2.70	0.20	6.22	2.11	0
111900809	DC 19 0110					63 101	54 101	102	48 103	43 89	55 93	40 88	32 95	
DC 25 0070	JB 18 0064	6.96	86	80	115	-6.00	2.76	-0.24	-9.64	-0.60	-3.60	-6.49	2.02	0
112063359	DC 20 0161					61 64	54 132	90	40 64	45 96	55 78	41 115	35 95	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 25 0072	NB 20 0104	5.32	98	97	105	0.16	0.76	0.84	-0.13	-0.10	0.86	4.30	-8.51	0
111900627	DC 22 0082					61 90	55 109	101	40 95	45 98	55 96	43 92	35 123	
DC 25 0073	NB 20 0104	5.32	98	97	105	0.16	0.76	0.84	-0.13	-0.10	0.86	4.30	-8.51	0
111900643	DC 22 0082					61 90	55 109	101	40 95	45 98	55 96	43 92	35 123	
DC 25 0076	JB 20 0099	5.72	95	96	104	-0.09	0.85	0.81	1.79	0.00	0.76	3.42	0.39	0
111900676	DC 19 0124					58 89	51 110	101	43 103	33 98	50 95	35 94	27 99	
DC 25 0079	JB 20 0091	8.40	89	89	93	0.21	-0.72	-0.61	0.10	1.50	0.39	12.55	-1.03	0
111900734	DC 21 0018					60 91	50 93	87	41 96	41 103	52 94	38 75	34 103	
DC 25 0080	NB 20 0104	5.24	84	77	111	-6.45	2.16	-1.06	-9.36	0.80	-3.81	6.45	-11.10	0
111900742	DC 20 0045					62 64	57 125	82	40 64	47 101	57 77	44 88	36 131	
DC 25 0082	JB 20 0091	8.40	89	89	93	0.12	-0.52	-0.46	0.02	1.00	0.20	10.53	0.30	0
111900759	DC 21 0048					60 90	50 95	88	41 95	40 101	52 93	38 80	34 100	
DC 25 0088	BRA 23 0189	5.30	102	97	104	1.24	-0.60	0.02	1.99	3.80	2.92	6.25	-0.94	0
112020425	DC 22 0020					56 98	40 94	93	26 104	31 110	44 104	29 88	24 103	
DC 25 0092	JB 20 0043	5.65	89	82	98	-0.67	-0.79	-1.13	-0.90	2.00	-0.26	3.45	-3.16	0
111892071	DC 21 0116					60 85	48 92	82	29 91	36 104	50 91	35 94	28 109	
DC 25 0093	JB 20 0043	10.83	99	98	98	1.82	-1.09	-0.18	2.12	2.00	1.93	3.82	2.95	0
111892089	DC 21 0003					61 101	50 89	91	36 105	40 104	52 100	38 93	32 92	
DC 25 0094	JB 20 0043	10.83	98	97	98	1.63	-1.06	-0.24	1.90	2.00	1.77	3.82	2.95	0
111892097	DC 21 0003					61 100	50 89	90	36 104	40 104	52 99	38 93	32 92	
DC 25 0098	BRA 23 0189	5.68	95	91	108	-0.81	0.92	0.52	-1.29	2.00	1.31	5.65	-4.13	0
112020441	DC 22 0122					55 84	39 111	98	20 89	27 104	42 98	24 90	20 112	
DC 25 0099	JB 20 0043	5.98	91	78	121	-6.56	2.42	-0.86	-9.29	1.30	-3.36	-11.26	-0.12	0
111892105	DC 21 0252					60 64	48 128	84	32 64	38 102	50 79	36 124	29 101	
DC 25 0105	JB 20 0043	5.33	98	95	105	0.32	0.26	0.43	-0.67	1.10	1.25	-0.89	1.18	0
111892121	DC 22 0125					60 91	47 104	97	32 92	37 102	50 97	37 103	28 97	
DC 25 0111	BRA 23 0189	5.81	96	85	108	-0.61	-0.27	-0.58	-1.60	1.40	-0.04	-10.38	-1.61	0
112020458	DC 20 0124					56 85	41 98	87	21 88	30 103	44 92	26 122	21 105	
DC 25 0115	JB 20 0043	5.74	102	86	111	0.28	-1.29	-1.15	-0.60	4.30	1.57	-13.48	1.69	0
111892493	DC 21 0255					61 91	49 87	81	31 92	37 112	51 99	36 129	29 96	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DC 25 0119	JB 20 0043	5.92	87	92	90	0.05	0.05	0.08	-1.38	-2.30	-1.28	9.22	-3.05	0
111892519	DC 20 0110					60 90	49 101	94	35 89	39 90	51 87	38 82	31 109	
DC 25 0124	JB 20 0043	7.23	96	92	104	-0.12	0.27	0.21	0.13	1.20	0.87	0.46	0.89	0
111892543	DC 19 0154					61 89	50 104	95	31 96	38 102	51 96	36 100	29 98	
DC 25 0130	JB 20 0043	7.18	91	89	101	-0.53	0.22	-0.05	-0.35	1.60	0.65	7.13	0.96	0
111892568	DC 19 0009					61 86	51 103	92	31 94	39 103	52 95	36 87	29 98	
DC 25 0131	JB 20 0043	5.87	88	92	95	-0.32	0.37	0.22	-1.77	-1.50	-0.84	6.47	0.77	0
111892576	DC 20 0085					61 87	50 105	95	35 87	40 93	52 89	38 88	32 98	
DC 25 0134	BRA 23 0189	5.31	93	94	94	0.95	-0.68	-0.21	1.64	0.30	0.45	6.48	-0.57	0
112020557	DC 22 0083					55 96	38 93	91	26 103	31 99	43 94	29 88	24 102	
DC 25 0138	BRA 23 0189	5.43	93	88	100	-0.16	-0.40	-0.48	-1.38	1.80	0.52	4.74	-4.12	0
112020516	DC 22 0210					55 88	36 96	88	21 89	27 104	41 94	26 91	19 112	
DC 25 0140	BRA 23 0189	5.54	99	106	94	2.17	-0.19	0.90	2.26	-1.10	1.33	9.88	-1.81	0
112020524	DC 22 0032					56 104	40 99	102	27 106	32 94	44 98	30 81	26 105	
DC 25 0141	JB 20 0043	5.72	92	88	103	-0.75	0.41	0.03	0.08	0.90	0.20	4.34	-4.68	0
111892600	DC 19 0064					56 84	46 105	93	27 96	29 101	46 93	29 92	23 113	
DC 25 0149	BRA 23 0189	5.59	93	81	124	-6.58	2.88	-0.41	-9.35	2.50	-2.20	-2.79	-6.70	0
112020540	DC 23 0225					55 64	36 133	89	18 64	25 106	41 83	25 107	18 119	
DC 25 0150	JB 20 0043	29.69	89	86	97	-0.31	-0.52	-0.68	-0.60	1.40	0.01	4.27	1.29	0
111892642	DC 23 0160					60 87	45 95	86	31 92	36 103	49 92	35 92	27 97	
DC 25 0152	BRA 23 0189	5.46	89	82	108	-2.17	1.07	-0.02	-3.97	2.00	0.10	3.05	-1.34	0
112020565	DC 22 0070					56 75	40 113	93	28 77	33 104	45 93	31 95	27 104	
DC 25 0154	BRA 23 0189	5.17	101	96	107	0.47	0.26	0.49	0.59	1.70	1.75	2.36	-5.25	0
112020573	DC 22 0208					54 92	35 104	98	18 98	23 104	40 99	23 96	16 115	
DC 25 0156	JB 20 0043	12.65	87	90	91	0.18	-0.55	-0.46	-0.82	-0.20	-0.49	9.23	0.37	0
111892675	DC 23 0054					60 91	47 95	88	35 91	38 97	50 90	38 82	30 99	
DC 25 0159	BRA 23 0189	5.57	96	95	100	0.68	-0.17	0.18	-0.39	0.60	0.88	4.89	-3.67	0
112020607	DC 22 0194					55 94	36 99	95	21 93	26 100	41 96	25 91	19 110	
DC 25 0160	JB 20 0043	5.35	84	82	90	-0.29	-1.24	-1.38	-1.41	0.50	-1.23	4.31	2.58	0
111892691	DC 22 0044					60 87	47 87	79	34 89	38 100	50 87	37 92	30 93	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility								
Animal ID Regnr	Parents Sire Dam		% In- brding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight				Post-Wean	Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
	Dir	Mat					Comb	EBV Acc Index	EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index			
		EBV Acc Index									EBV Acc Index	EBV Acc Index					EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
DC 25 0166 111892725	JB 20 0043 DC 23 0148	29.17	84	81	93	-0.76 60 84	-0.90 46 91	-1.28 80	-1.99 32 86	1.00 36 101	-1.06 49 88	5.62 36 90	0.44 28 99			0			
DC 25 0168 112020623	BRA 23 0189 DC 23 0201		5.92	95	83	107	-0.77 55 84	-0.52 36 95	-0.91 84	-1.65 18 88	3.70 26 110	0.93 41 96	-1.02 26 103	-5.76 19 116			0		
DC 25 0169 112020631	BRA 23 0189 DC 19 0200	5.40	107	96	114	0.92 56 95	-0.39 41 97	0.07 94	0.68 23 98	2.10 31 105	1.80 44 100	-15.35 27 133	-1.27 21 104			0			
DC 25 0176 112020698	BRA 23 0189 DC 20 0024	5.73	100	93	108	0.27 56 91	-0.16 40 99	-0.03 93	-0.38 22 93	1.20 31 102	0.83 44 96	-8.42 26 118	-1.88 21 106			0			
DC 25 0177 112020706	BRA 23 0189 DC 23 0094	5.64	89	87	95	-0.15 55 88	-0.52 37 95	-0.59 87	-1.84 24 87	0.10 28 98	-0.60 42 90	4.32 28 92	-3.32 21 109			0			
DC 25 0178 112020714	BRA 23 0189 DC 23 0115	5.27	97	92	104	0.20 56 91	-0.20 39 99	-0.10 92	-0.40 28 93	3.00 32 108	1.80 44 100	5.44 31 90	-2.39 26 107			0			
DC 25 0182 112020367	BRA 23 0189 DC 23 0091	5.58	83	74	106	-2.99 55 69	0.79 37 110	-0.70 86	-5.39 23 70	1.80 28 104	-1.12 42 88	2.86 28 95	-4.51 20 113			0			
DC 25 0183 112020375	BRA 23 0189 DC 21 0046	5.10	99	91	110	-0.34 56 87	0.27 41 104	0.10 94	-0.64 27 92	3.60 32 110	2.09 45 101	3.32 30 94	-4.41 26 112			0			
DC 25 0186 112020730	BRA 23 0189 DC 23 0108	5.87	92	83	122	-7.45 54 64	3.53 36 136	-0.20 91	-10.57 21 64	2.10 27 105	-2.66 41 81	0.50 26 100	-5.58 19 116			0			
DC 25 0188 111892774	JB 20 0043 DC 23 0007	5.66	93	86	97	0.41 60 92	-1.41 47 85	-1.20 81	-0.06 36 95	1.90 39 104	0.14 50 93	1.94 39 97	-4.84 31 114			0			
DC 25 0192 112020748	BRA 23 0189 DC 22 0185	5.43	94	90	102	-0.14 55 88	-0.17 37 99	-0.24 90	-1.32 21 89	1.70 27 104	0.72 42 95	4.43 25 92	-3.74 19 111			0			
DC 25 0193 112020755	BRA 23 0189 DC 22 0185	5.43	93	88	102	-0.33 55 87	-0.13 37 99	-0.30 90	-1.54 21 88	1.70 27 104	0.56 42 94	4.43 25 92	-3.74 19 111			0			
DC 25 0195 111892816	JB 20 0043 DC 23 0138	12.65	87	91	89	0.32 60 91	-0.43 47 96	-0.27 90	-0.64 35 92	-1.40 38 93	-0.95 50 88	9.00 38 83	0.11 30 100			0			
DC 25 0196 111892824	JB 20 0043 DC 23 0135	6.47	92	91	99	0.08 61 90	-0.26 48 98	-0.22 91	-0.43 37 93	1.70 40 104	0.84 51 96	6.32 40 88	1.23 33 97			0			
DC 25 0199 112020789	BRA 23 0189 DC 23 0143	5.87	92	83	122	-7.10 54 64	3.59 36 136	0.04 93	-10.16 21 64	1.90 27 104	-2.36 41 83	0.49 26 100	-5.52 19 115			0			

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID Regnr	Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
							Dir	Mat		EBV	EBV		EBV	EBV	Acc	Acc			
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14						
DC 25 0204 111892873	JB 20 0043 DC 23 0008	5.66	93	86	97	0.36 60 92	-1.42 47 85	-1.24 80	-0.12 36 95	1.90 39 104	0.08 50 93	1.97 39 97	-4.84 31 114	0					
DC 25 0206 112020805	BRA 23 0189 DC 20 0153	5.86	85	81	97	-1.37 55 80	-0.11 40 100	-0.80 85	-1.88 18 87	0.90 29 101	-0.94 43 88	9.38 24 82	-9.40 20 126	0					
DC 25 0214 111892923	JB 20 0043 DC 23 0140	12.65	87	92	89	0.45 60 92	-0.48 47 96	-0.26 90	-0.51 35 93	-1.50 38 93	-0.93 50 88	8.01 38 85	1.07 30 98	0					
Ewe flock average: Total ewes in flock: 273			91	87	103	-2.05	0.67	-0.36	-3.23	0.76	-0.93	1.10	-2.22						

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambe			
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index										
		Active Breed Average:					100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14				
CN 03 0061 12163077	3.62	VZ 01 0137 VZ 99 0131	475	11	141	13	68	84	65	-0.19 98	-1.01 88	-1.11 97	-7.30 90	82	-6.90 91	-5.34 96	18.85 70	0.66 88	118 6		
JB 15 0036 75911131	6.03	JB 13 0074 JB 11 0022	157	6	44	5	85	99	97	-1.40 93	2.83 80	2.13 87	-3.83 133	114	-4.30 74	-1.15 86	14.72 88	1.77 71	121 5		
JB 15 0121 75912071	13.29	JB 13 0074 JB 13 0068	129	1	43	1	80	81	85	-0.37 93	-1.24 87	-1.43 89	-0.81 87	79	0.70 78	-1.20 88	9.65 71	9.19 81	8		
JP 16 0027 76982719	7.14	JB 11 0054 JP 14 0021	170	1	41	1	70	64	80	-1.83 93	-2.24 77	-3.16 86	-4.25 76	64	1.50 74	-3.17 86	14.61 79	-4.10 68	100 7		
JOR 16 0035 77626547	4.67	JOR 14 0262 JOR 12 0026	122	4	38	3	111	111	111	1.83 92	1.03 101	1.94 89	0.76 112	112	0.40 78	3.10 99	5.00 88	-15.64 105	97 4		
JT 16 0062 77974996	4.57	K 13 0137 JT 14 0888	458	17	137	14	98	113	79	4.54 98	-1.92 120	0.35 96	8.15 79	96	-1.50 89	1.73 93	15.54 95	8.77 99	97 3		
JB 16 0084 77493005	4.39	JB 14 0174 JB 12 0196	1364	22	378	17	100	99	103	1.09 99	-0.12 97	0.42 98	-0.59 100	97	2.70 96	2.59 107	7.89 98	1.59 103	8		
J 17 0068 80461767	5.93	J 15 0133 J 11 0041	67	2	17	2	107	90	122	-0.29 87	0.14 87	-0.01 80	-0.74 102	93	6.10 63	3.51 118	-9.73 79	1.58 107	113 5		
VR 17 0376 80306574	5.92	ASJ 13 0316 VR 14 0240	175	2	48	2	97	88	104	0.35 93	-0.95 92	-0.77 87	-1.73 90	85	0.30 74	-0.42 99	-55.52 86	7.08 91	236 11		
NB 18 0009 80863764	4.10	JB 16 0084 NB 14 0096	664	17	153	14	122	118	103	5.59 98	-2.31 126	0.49 96	5.61 75	98	1.60 90	4.25 103	-4.17 95	-14.53 110	96 3		
JB 18 0064 81976417	7.47	JB 16 0084 JB 13 0071	114	6	18	4	77	91	74	0.73 92	-0.91 94	-0.54 84	-1.53 91	87	-3.60 73	-2.34 86	18.52 85	5.62 83	135 9		
JB 18 0116 81977977	4.46	JT 16 0062 JB 13 0067	1737	19	378	13	99	123	71	5.86 99	-1.92 128	1.01 98	6.71 79	103	-4.80 93	1.06 97	22.97 92	7.56 83	5		

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean	Number Weaned		TWW		AFL		ILP		Dam	
			Prog	Nr	Prog	Nr				Dir	Mat	Comb	Number Weaned		TWW	AFL	ILP	Dam						
			Weaned	Flocks	Weaned	Flocks				EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambe					
			Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14							
J 19 0022 85256238	5.58	JB 16 0084 J 14 0010	138	1	25	1	88	66	106	-1.97 91	-1.88 79	-2.87 64	-3.83 49	4.30 64	-1.27 80	-15.09 65	-3.07 52	102	4					
J 19 0109 85258507	4.01	JB 16 0040 J 15 0189	126	2	15	2	88	96	87	0.85 91	-0.21 75	0.22 95	1.07 50	-2.30 58	-0.74 77	14.98 56	-5.64 46	102	5					
JB 20 0043 90235854	4.93	JB 18 0116 BR 13 0200	152	1	9	1	90	87	94	0.40 92	-1.20 71	-1.00 83	-0.29 53	1.10 58	-0.14 76	3.21 58	1.43 46	173	7					
JB 20 0091 90236696	6.01	JB 18 0116 JB 16 0103	103	6	6	3	87	86	86	1.01 89	-2.13 72	-1.63 77	0.52 66	3.70 59	1.10 76	20.78 56	1.53 49	132	7					
JB 20 0092 90236779	16.76	JB 18 0116 JB 18 0015	400	11	66	6	88	111	75	2.81 97	-0.19 88	1.22 105	0.26 75	-6.70 75	-1.39 88	25.52 77	1.44 60	92	1					
JB 20 0099 90236852	29.83	JB 18 0116 JB 18 0086	325	6	25	2	101	114	94	2.88 96	0.24 83	1.68 110	4.50 87	-2.40 66	1.68 84	5.08 67	11.27 53	4						
NB 20 0104 86463510	5.66	NB 18 0009 NB 14 0049	292	5	70	2	107	101	102	2.25 96	-1.14 91	-0.02 93	1.72 73	1.20 79	1.83 90	-0.58 76	-12.37 64	180	9					
J 23 0107 98598808	4.69	D 20 0126 J 21 0175	88	4			98	100	92	2.09 88	-1.09 57	-0.04 92	1.10 41	-2.20 40	-0.32 65	-2.50 39	-1.83 31	99	4					
BRA 23 0189 111971925	4.76	DC 19 0080 J 19 0029	40	1			104	95	110	0.72 76	-0.28 44	0.09 94	-0.06 23	3.70 32	2.67 54	1.22 28	-6.12 22	82	3					
			Sire Flock Average:				93	96	92	1.28	-0.79	-0.14	0.26	-0.35	0.29	5.28	-0.18							
			Number of sires used in the flock: 21																					

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	1st Generation Prog Nr Weaned Flocks	2nd Generation Prog Nr Weaned Flocks	Logix Merit Index	Growth Index	Ewe Index		Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambd
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
1 DC 24 0106 107602831	4.45	NB 20 0104 DC 21 0003			107	104	102		2.54 63 106	-1.03 58 89	0.24 95	2.89 44 109	2.00 48 104	2.71 58 103	1.93 46 97	-3.95 39 111	124 3
2 DC 24 0045 107602385	4.45	JB 20 0091 DC 20 0134			106	95	114		0.76 61 94	-0.34 51 97	0.04 93	0.24 38 96	5.20 39 115	3.54 52 107	-2.05 36 105	-1.61 30 105	126 4
3 DC 24 0023 107811010	5.70	JOR 16 0035 DC 20 0114			106	99	110		1.06 61 96	-0.03 56 101	0.50 98	0.12 39 96	0.00 47 98	1.03 56 96	-11.72 41 125	-5.77 34 116	97 3
4 DC 24 0022 107810988	5.70	JOR 16 0035 DC 20 0114			105	98	110		0.95 61 96	-0.01 56 101	0.47 97	0.00 39 95	0.00 47 98	0.95 56 96	-11.72 41 125	-5.77 34 116	97 3
5 DC 24 0013 107602450	6.02	JB 15 0036 DC 22 0133			104	103	115		-0.12 61 89	2.05 54 124	1.99 113	-1.72 35 87	-0.90 44 95	1.39 54 98	-7.02 41 116	0.15 34 100	116 2
6 DC 25 0052 112063334	4.39	JB 18 0064 DC 20 0073			104	108	105		1.53 61 99	0.82 54 110	1.58 109	0.32 40 97	-2.30 45 90	0.96 55 96	-6.43 42 114	3.00 35 92	111 4
7 DC 24 0098 107811002	4.54	JOR 16 0035 DC 21 0074			102	101	106		0.84 61 95	0.60 56 108	1.02 103	0.46 43 97	0.40 49 99	1.68 56 99	3.44 44 94	-7.57 37 121	105 3
8 DC 25 0013 112063409	4.39	JB 18 0064 DC 20 0134			102	98	108		0.64 62 94	0.27 55 104	0.59 99	-0.76 40 92	1.50 45 103	1.81 55 100	-3.18 41 108	0.43 35 99	126 4
9 DC 25 0175 112020680	5.13	BRA 23 0189 DC 23 0034			101	91	111		0.06 56 90	-0.11 40 100	-0.08 92	-0.56 28 93	5.60 32 116	3.31 44 106	5.79 31 89	-2.82 26 108	106 1
10 DC 25 0087 112020417	5.30	BRA 23 0189 DC 22 0020			101	96	104		1.11 56 97	-0.57 40 95	-0.02 93	1.84 26 104	3.80 31 110	2.82 44 104	6.25 29 88	-0.94 24 103	99 1
11 DC 25 0212 112020813	6.23	BRA 23 0189 DC 23 0111			100	97	100		1.55 56 100	-0.98 39 90	-0.21 91	1.95 27 104	2.20 32 105	1.89 44 100	2.36 30 96	-0.31 25 101	101 1
12 DC 25 0174 112020672	5.13	BRA 23 0189 DC 23 0034			100	90	111		-0.14 56 88	-0.07 40 100	-0.14 91	-0.77 28 92	5.60 32 116	3.15 44 105	5.79 31 89	-2.82 26 108	106 1
13 DC 25 0008 111900353	4.97	NB 20 0104 DC 22 0018			100	99	98		1.69 62 101	-0.88 56 91	-0.03 92	2.53 43 107	1.20 48 102	1.53 56 98	5.78 46 89	-4.35 38 112	100 1
14 DC 25 0055 111900692	7.67	NB 20 0104 DC 22 0137			99	82	109		-0.12 62 89	-1.50 55 84	-1.56 77	-1.13 40 90	3.60 46 110	0.54 56 94	-13.03 44 128	-6.80 36 119	107 2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Regnr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		Dam			
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index					EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14							
15	DC 25 0054 111900510	7.67	NB DC	20 0104 22 0137			99	81	109	-0.21 62	-1.49 88	55 84	-1.59 77	-1.23 40	89	3.60 46	0.46 110	56 94	-13.03 44	-6.80 128	36 119	107	2
16	DC 25 0034 111900452	5.25	JB DC	20 0091 21 0253			99	89	102	0.98 60	-1.62 96	50 83	-1.13 82	0.30 38	97	3.10 39	1.22 108	51 97	-6.43 36	1.23 114	30 97	122	3
17	J 25 0187 110943735	6.06	J J	23 0107 22 0210			99	89	107	0.01 59	-0.36 89	43 97	-0.36 89	-0.95 22	91	-0.20 29	-0.48 97	46 90	-16.45 27	-0.11 135	21 101	113	3
18	DC 25 0001 111900312	10.67	NB DC	20 0104 21 0074			98	94	102	0.69 62	-0.42 94	57 96	-0.08 92	0.53 45	98	0.80 49	0.75 101	57 95	0.65 47	-5.93 100	40 117	105	3
19	DC 25 0171 112020664	5.07	BRA DC	23 0189 23 0049			98	85	117	-1.75 55	1.03 78	38 112	0.15 94	-3.37 23	80	2.40 29	0.72 106	42 95	-7.91 27	-5.79 117	21 116	103	1
20	DC 24 0057 107602617	4.54	JT DC	16 0062 22 0112			98	112	90	2.66 62	0.10 107	57 102	1.43 107	3.54 48	112	-2.20 51	1.44 91	58 98	13.18 49	5.45 74	42 86	97	1
21	DC 25 0033 111900445	10.56	NB DC	20 0104 22 0050			97	89	103	0.39 62	-0.84 92	56 92	-0.64 86	-0.58 45	93	1.40 49	0.39 103	57 94	-3.41 47	-5.82 108	40 116	100	2
22	DC 25 0017 111900429	4.97	NB DC	20 0104 22 0019			97	99	94	1.71 62	-0.87 101	56 91	-0.01 93	2.55 43	107	0.00 48	0.84 98	56 96	7.96 46	-5.25 85	39 115	106	2
23	DC 25 0116 111892501	5.74	JB DC	20 0043 21 0255			97	79	111	-0.73 61	-1.10 84	49 89	-1.47 78	-1.73 31	87	4.30 37	0.75 112	51 95	-13.48 36	1.69 129	29 96	118	3
24	DC 24 0100 107602781	7.48	JB DC	20 0091 21 0255			97	82	106	0.00 60	-1.64 89	49 83	-1.65 76	-0.85 36	91	5.60 38	1.72 116	51 99	-4.69 36	1.74 111	30 96	118	3
25	DC 25 0158 112020599	5.26	BRA DC	23 0189 22 0205			97	89	105	-0.06 55	-0.40 89	36 96	-0.42 89	-0.62 19	92	3.50 26	1.65 109	41 99	4.03 25	-3.95 93	18 111	95	1
26	DC 25 0112 112020409	5.81	BRA DC	23 0189 20 0124			96	86	108	-0.55 56	-0.28 86	41 98	-0.56 87	-1.53 21	88	1.40 30	0.01 103	44 92	-10.38 26	-1.61 122	21 105	108	4
27	DC 25 0106 111892139	5.33	JB DC	20 0043 22 0125			96	92	105	-0.20 60	0.36 88	47 105	0.26 95	-1.25 32	89	1.10 37	0.83 102	50 96	-0.89 37	1.18 103	28 97	100	1
28	DC 24 0103 107602807	5.21	JB DC	20 0091 20 0053			96	85	100	0.73 60	-1.90 94	49 80	-1.54 77	-0.35 37	94	3.60 39	0.99 110	51 96	-4.49 35	3.39 110	30 91	95	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Regnr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14		
29	DC 24 0027 107602542	4.97	NB DC	20 0104 20 0049			96	84	105	-0.38 62	-0.86 57	-1.05 82	-1.96 42	1.30 47	-0.46 57	-10.84 44	-5.40 37	98 3
30	DC 24 0049 107602567	4.45	JB DC	20 0091 20 0133			95	84	105	-0.32 60	-0.90 50	-1.06 82	-1.06 38	3.60 39	0.94 51	-3.12 36	-0.43 30	109 4
31	DC 25 0039 111900569	5.05	NB DC	20 0104 22 0103			95	92	101	0.02 62	0.09 56	0.10 94	-0.84 41	0.70 46	0.54 56	7.79 44	-10.89 37	110 2
32	DC 25 0038 111900551	5.05	NB DC	20 0104 22 0103			95	92	101	0.02 62	0.09 56	0.10 94	-0.84 41	0.70 46	0.54 56	7.79 44	-10.89 37	110 2
33	DC 25 0014 111900395	10.52	NB DC	20 0104 22 0092			94	89	97	0.63 62	-1.17 56	-0.85 84	-0.61 45	1.70 49	0.48 57	4.52 47	-6.37 40	94 1
34	DC 25 0035 111900528	5.25	JB DC	20 0091 21 0253			94	82	102	-0.09 60	-1.42 50	-1.47 78	-0.90 38	3.10 39	0.35 51	-6.43 36	1.23 30	122 3
35	DC 25 0170 112020656	5.90	BRA DC	23 0189 22 0005			93	91	98	0.33 55	-0.50 37	-0.34 89	-1.25 24	1.70 29	0.85 42	9.18 27	-4.23 22	96 1
36	DC 24 0132 107595944	5.91	JB DC	20 0043 20 0024			93	88	100	0.01 61	-0.61 49	-0.60 87	-0.60 32	-0.10 39	-0.66 51	-7.42 36	1.90 29	109 4
37	DC 25 0144 112020532	5.89	BRA DC	23 0189 22 0186			93	73	120	-3.09 55	0.70 38	-0.85 84	-5.11 19	3.20 28	-0.48 42	-20.52 26	-1.62 21	105 2
38	DC 25 0179 112020722	5.85	BRA DC	23 0189 23 0192			92	79	105	-0.93 55	-0.86 36	-1.33 80	-1.66 19	3.90 27	0.55 41	-0.70 26	-3.75 19	99 1
39	DC 24 0147 107596025	11.59	JB DC	20 0043 21 0029			91	98	89	1.39 61	-0.61 49	0.08 94	2.15 36	-1.30 40	0.00 52	9.45 39	1.91 33	98 3
40	DC 25 0165 111892717	11.13	JB DC	20 0043 23 0047			91	94	90	1.15 60	-0.94 48	-0.36 89	1.24 36	-0.10 40	0.15 51	7.15 39	3.81 31	101 1
41	DC 25 0057 112063391	6.48	JB DC	18 0064 20 0007			91	88	98	-0.02 61	-0.62 55	-0.63 86	-1.47 40	0.80 45	-0.17 55	-0.60 41	4.20 35	114 4
42	DC 25 0172 111892741	12.53	JB DC	20 0043 23 0097			90	95	89	1.08 60	-0.69 47	-0.15 91	0.20 35	-1.10 38	-0.27 50	8.25 38	1.44 30	101 1

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Regnr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		Dam
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index					EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14				
43	DC 25 0061 111900718	7.90	JB 20 0091 DC 21 0027				90	89	90	0.98 60	-1.59 96	-1.10 83	0.30 42	2.00 42	0.59 95	10.12 40	0.63 80	35 99	104	3
44	DC 24 0140 107595993	5.23	JB 20 0043 DC 20 0124				90	83	100	-0.58 61	-0.77 86	-1.06 49	-1.50 92	0.10 39	-1.29 51	-9.38 36	2.16 120	29 95	108	4
45	JB 20 0043 90235854	4.93	JB 18 0116 BR 13 0200	152	1	9	90	87	94	0.40 92	-1.20 92	-1.00 71	-0.29 88	1.10 58	-0.14 76	3.21 92	1.43 58	46 95	173	7
46	DC 24 0084 107602138	4.41	JB 20 0091 DC 19 0110				89	92	87	0.99 60	-1.17 96	-0.68 50	-0.15 88	0.30 40	0.00 52	14.06 36	-2.76 72	30 108	127	5
47	DC 24 0092 107602195	4.99	JT 16 0062 DC 22 0102				89	98	87	1.00 62	-0.19 96	0.31 56	2.19 99	-1.40 50	-0.03 93	16.13 49	0.25 68	42 100	95	1
48	DC 25 0127 112020482	5.50	BRA 23 0189 DC 23 0180				89	75	114	-3.22 55	1.13 68	-0.48 35	-5.43 114	2.20 26	-0.77 41	-7.30 89	-3.07 116	18 109	99	1
49	J 23 0090 98592728	13.85	J 19 0109 J 20 0107	3	1		88	91	89	0.53 63	-0.67 93	-0.40 51	1.49 93	-2.40 38	-1.57 53	3.61 86	-3.43 37	30 94	89	2
50	DC 25 0210 111892907	12.65	JB 20 0043 DC 23 0053				88	91	91	0.37 60	-0.54 92	-0.35 47	-0.60 95	-0.30 38	-0.35 97	9.33 50	0.39 82	30 99	100	1
51	DC 25 0063 111900775	10.76	JB 20 0091 DC 21 0002				88	88	87	1.16 60	-1.98 97	-1.40 50	1.38 79	2.80 41	0.86 52	15.29 96	2.01 38	33 70	109	3
52	DC 25 0191 111892790	5.69	JB 20 0043 DC 23 0078				87	85	95	-0.40 60	-0.57 87	-0.77 48	-1.85 95	1.10 40	-0.31 51	7.29 91	-0.54 40	34 86	98	1
53	DC 25 0137 111892592	6.14	JB 20 0043 DC 23 0012				87	82	94	-0.42 60	-1.10 87	-1.31 47	-0.81 89	1.10 38	-0.85 102	4.31 50	-3.33 89	29 92	99	1
54	DC 25 0051 112063326	17.23	JB 16 0084 DC 22 0193				87	71	114	-3.49 62	0.89 66	-0.86 57	-6.02 111	2.80 53	-0.92 58	-8.40 88	0.04 52	47 118	95	1
55	DC 25 0167 111892733	6.14	JB 20 0043 DC 23 0039				86	80	94	-0.66 60	-1.15 85	-1.48 47	-1.10 88	1.20 38	-1.09 102	2.61 50	-1.77 37	29 96	96	1
56	DC 24 0076 107602732	8.55	JB 15 0036 DC 22 0019				85	97	91	-0.26 61	1.15 88	1.02 55	-0.38 114	-2.70 46	-0.73 89	15.61 89	1.82 44	37 69	106	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID Regnr	% In- bding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Prog	Nr	Prog	Nr				Dir	Mat							Comb	
			EBV	Acc	Index	EBV				Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc
			Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14		
57	DC 24 0073 107602724	4.81	JT 16 0062 DC 22 0079				85	91	97	-1.18 62	1.37 57	0.78 101	-1.19 47	-2.20 51	-1.13 58	6.18 49	5.26 43	110	2
58	DC 25 0162 111892709	5.32	JB 20 0043 DC 22 0079				84	82	105	-2.60 60	1.61 47	0.31 96	-4.69 32	-0.90 38	-1.54 50	0.01 37	1.59 29	110	2
59	DC 25 0047 111900494	7.48	JB 20 0091 DC 21 0159				84	73	92	-0.72 60	-2.26 49	-2.62 67	-1.74 36	3.50 38	-0.88 51	3.28 36	-0.99 30	107	3
60	DC 25 0211 111892915	29.17	JB 20 0043 DC 23 0149				83	80	92	-0.84 60	-0.93 46	-1.35 79	-2.09 32	1.00 36	-1.17 49	5.76 36	0.47 28	98	1
61	DC 25 0046 111900486	7.48	JB 20 0091 DC 21 0159				83	72	92	-0.82 60	-2.24 49	-2.65 66	-1.84 36	3.50 38	-0.96 51	3.28 36	-0.99 30	107	3
62	DC 24 0080 107602757	4.78	JT 16 0062 DC 22 0070				82	86	92	-1.04 63	0.40 58	-0.13 92	-0.73 51	-0.60 53	-1.01 59	10.22 51	6.11 46	104	2
63	DC 25 0075 112063375	6.50	JB 18 0064 DC 20 0090				81	83	87	-0.44 61	-0.90 53	-1.12 82	-1.97 40	-3.00 44	-3.14 54	-2.69 41	5.22 35	102	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Acc	Index	Acc	Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index			EBV Acc
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
1	DC	20	0134	5.84	VR	17	0376	124	105	139	0.69	1.43		1.77	0.17		6.70	6.13		-24.88		-4.76		126	4
90200056					DC	18	0033	67	94	70	117	110	37	96	52	120	65	117	43	136	35	113			
2	DC	20	0073	5.84	VR	17	0376	117	114	127	0.77	2.83		3.21	0.42		-1.00	3.00		-31.38		0.38		111	4
90202771					DC	18	0032	66	94	68	133	125	37	97	54	95	64	104	45	136	36	99			
3	DC	25	0027	7.49	NB	20	0104	115	104	118	1.68	0.07		0.91	1.03		1.80	2.84		-14.67		-6.92			0
111900460					DC	22	0133	62	101	56	102	102	40	100	46	104	56	104	44	131	36	119			
4	DC	22	0133	5.08	J	19	0022	112	100	127	-0.07	1.51		1.47	-0.98		2.50	2.93		-28.76		-1.48		116	2
95274437					DC	20	0073	64	89	62	118	107	31	91	46	106	59	104	43	136	35	104			
5	DC	25	0037	4.44	NB	20	0104	112	100	114	1.62	-0.65		0.17	1.03		2.30	2.36		-13.80		-7.38			0
111900544					DC	20	0133	62	100	57	94	94	41	100	47	105	57	102	44	130	36	120			
6	DC	25	0036	4.44	NB	20	0104	109	97	114	1.14	-0.56		0.01	0.49		2.30	1.96		-13.80		-7.38			0
111900536					DC	20	0133	62	97	57	95	93	41	97	47	105	57	100	44	130	36	120			
7	DC	20	0133	5.84	VR	17	0376	109	94	120	0.29	-0.02		0.13	-0.45		3.50	2.37		-27.02		-2.39		109	4
90200395					DC	18	0033	66	91	68	101	94	37	93	52	109	64	102	44	136	35	107			
8	DC	21	0192	6.60	J	19	0022	108	83	145	-15.00	3.87		-3.63	-20.32		7.00	-6.93		-17.29		-5.89		109	3
93134526					DC	18	0175	63	64	65	136	64	28	64	47	121	60	64	43	136	33	116			
9	DC	24	0044	4.45	JB	20	0091	108	97	114	1.09	-0.40		0.15	0.61		5.20	3.81		-2.05		-1.61			0
107602377					DC	20	0134	61	97	51	96	94	38	98	39	115	52	108	36	105	30	105			
10	DC	24	0173	4.74	JB	20	0043	107	102	114	0.80	0.77		1.17	0.31		0.00	1.57		-14.09		0.90			0
107596132					DC	20	0073	61	95	50	110	104	32	97	39	98	52	99	37	130	29	98			
11	DC	25	0169	5.40	BRA	23	0189	107	96	114	0.92	-0.39		0.07	0.68		2.10	1.80		-15.35		-1.27			0
112020631					DC	19	0200	56	95	41	97	94	23	98	31	105	44	100	27	133	21	104			
12	DC	23	0061	4.91	NB	18	0009	106	107	95	3.49	-1.65		0.10	3.69		-0.60	1.49		-2.41		-3.92			0
98885247					DC	21	0034	63	113	58	82	94	51	112	52	96	59	98	51	106	45	111			
13	DC	19	0210	5.39	J	17	0068	105	92	114	0.54	-0.57		-0.30	0.03		2.70	1.59		-26.60		1.46		110	4
85926533					J	16	0091	65	93	66	95	90	24	95	49	107	62	99	41	136	31	96			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	EBV Index			Acc
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14			
14	DC	21	0003	4.39	JT	16	0062	105	105	102	2.49	-0.85		0.39	3.67	2.90	3.38	4.43	4.46	124	3		
					W	16	0098				67	106	70	91	97	48	112	56	107			66	106
15	DC	24	0007	4.47	JB	20	0091	105	104	110	0.95	0.93		1.41	1.22	3.00	3.68	11.65	-4.89		0		
					DC	18	0032				61	96	52	111	107	37	101	40	108			53	107
16	DC	25	0012	4.39	JB	18	0064	104	101	109	1.06	0.20		0.73	-0.28	1.50	2.16	-3.18	0.43		0		
					DC	20	0134				62	96	55	103	100	40	94	45	103			55	101
17	DC	24	0107	4.45	NB	20	0104	104	101	102	2.03	-0.93		0.08	2.31	2.00	2.29	1.93	-3.95		0		
					DC	21	0003				63	103	58	90	94	44	106	48	104			58	102
18	DC	22	0125	6.54	JB	15	0036	104	100	118	-0.38	1.84		1.65	-1.77	1.20	2.18	-4.98	0.92	100	1		
					DC	19	0211				63	87	61	122	109	34	87	46	102			58	101
19	DC	20	0007	4.77	VR	17	0376	103	83	120	-0.83	-0.33		-0.74	-1.46	5.20	1.96	-19.71	2.78	114	4		
					DC	17	0030				67	84	70	97	85	37	88	52	115			65	100
20	DC	21	0042	5.36	JB	16	0084	102	97	118	-0.78	1.91		1.52	-0.39	3.10	3.00	5.14	-4.42	119	3		
					DC	16	0042				64	84	68	122	108	48	93	54	108			63	104
21	DC	25	0011	5.16	NB	20	0104	102	104	103	1.42	0.38		1.09	1.26	-0.60	1.44	3.78	-6.05		0		
					DC	22	0104				61	99	55	105	104	41	101	46	96			55	98
22	DC	24	0012	6.02	JB	15	0036	102	101	115	-0.52	2.13		1.87	-2.17	-0.90	1.07	-7.02	0.15		0		
					DC	22	0133				61	86	54	125	111	35	85	44	95			54	97
23	DC	25	0115	5.74	JB	20	0043	102	86	111	0.28	-1.29		-1.15	-0.60	4.30	1.57	-13.48	1.69		0		
					DC	21	0255				61	91	49	87	81	31	92	37	112			51	99
24	DC	25	0088	5.30	BRA	23	0189	102	97	104	1.24	-0.60		0.02	1.99	3.80	2.92	6.25	-0.94		0		
					DC	22	0020				56	98	40	94	93	26	104	31	110			44	104
25	DC	21	0255	5.95	J	19	0022	101	76	120	-1.27	-1.11		-1.75	-2.50	7.60	2.18	-30.16	1.95	118	3		
					DC	19	0104				65	81	66	89	75	31	84	47	123			61	101
26	DC	23	0024	4.39	JB	18	0064	101	96	108	0.39	0.32		0.52	-1.03	1.50	1.61	-3.18	0.43		0		
					DC	20	0134				62	92	55	104	98	40	90	45	103			55	99

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
27	DC	25	0154	5.17	BRA	23	0189	101	96	107	0.47	0.26		0.49	0.59		1.70	1.75		2.36		-5.25		0	
112020573					DC	22	0208	54		92	35		104	98		18	98	23		104	40	99	23		96
28	DC	25	0176	5.73	BRA	23	0189	100	93	108	0.27	-0.16		-0.03	-0.38		1.20	0.83		-8.42		-1.88		0	
112020698					DC	20	0024	56		91	40		99	93		22	93	31		102	44	96	26		118
29	DC	23	0124	5.51	JB	16	0084	100	89	112	-0.21	-0.16		-0.27	-1.41		4.00	2.03		-5.91		2.19		0	
98885049					DC	20	0007	64		88	60		99	90		51	89	55		111	60	100	52		113
30	DC	23	0034	6.50	JB	16	0084	100	89	113	-0.31	0.01		-0.15	-0.73		7.50	4.20		10.36		0.48		106	1
98885148					DC	19	0054	65		87	66		101	91		50	92	55		123	63	109	54		
31	DC	24	0035	5.05	JT	16	0062	100	110	96	2.07	0.59		1.62	3.98		-1.10	2.00		13.26		1.36		0	
107602310					DC	22	0011	62		103	58		107	109		47	114	50		94	58	100	48		74
32	DC	19	0154	5.36	JB	15	0121	100	95	115	-0.96	1.79		1.31	0.18		1.30	1.61		-2.29		0.36		152	5
85927879					DC	16	0030	64		83	70		121	106		32	96	51		102	63	99	41		
33	DC	25	0093	10.83	JB	20	0043	99	98	98	1.82	-1.09		-0.18	2.12		2.00	1.93		3.82		2.95		0	
111892089					DC	21	0003	61		101	50		89	91		36	105	40		104	52	100	38		93
34	DC	23	0007	6.02	NB	18	0009	99	90	100	1.19	-1.77		-1.17	1.02		2.70	1.05		0.67		-11.10		98	1
98885106					DC	21	0088	63		97	61		81	81		48	100	51		107	59	96	51		
35	DC	21	0061	7.36	JB	16	0084	99	83	133	-12.45	5.31		-0.92	-17.31		6.20	-3.42		-2.64		-1.29		114	3
93136653					DC	17	0108	66		64	70		136	84		53	64	58		118	66	78	55		
36	DC	21	0177	5.36	VR	17	0376	99	86	116	-1.24	0.64		0.02	-1.16		1.10	0.06		-33.09		-1.17		116	3
93134344					DC	16	0066	62		81	65		108	93		33	90	46		102	59	92	39		
37	DC	22	0020	4.92	JT	16	0062	99	98	99	1.64	-0.90		-0.08	3.89		3.90	3.08		11.29		4.24		99	1
95278396					DC	17	0001	65		100	66		91	92		47	113	53		111	63	105	51		
38	DC	23	0008	6.02	NB	18	0009	99	89	99	1.18	-1.80		-1.21	1.00		2.70	1.00		0.73		-11.11		97	1
98885122					DC	21	0088	63		97	61		81	81		48	100	51		107	59	96	51		
39	DC	25	0140	5.54	BRA	23	0189	99	106	94	2.17	-0.19		0.90	2.26		-1.10	1.33		9.88		-1.81		0	
112020524					DC	22	0032	56		104	40		99	102		27	106	32		94	44	98	30		81

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir EBV Acc	Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
40	DC 25 0183 112020375	5.10	BRA 23 0189 DC 21 0046	99	91	110				-0.34 56	0.27 41	0.10 94	-0.64 27		3.60 32	2.09 45	3.32 30	-4.41 26						0	
41	DC 20 0161 90198144	4.98	VR 17 0376 DC 18 0107	99	83	132				-13.16 65	6.50 68	-0.08 92	-18.24 36		2.40 52	-5.22 63	-31.51 43	-1.59 34				110	4		
42	DC 25 0009 111900361	4.97	NB 20 0104 DC 22 0018	99	98	98				1.53 62	-0.85 56	-0.08 92	2.35 43		1.20 48	1.40 56	5.78 46	-4.35 38						0	
43	DC 19 0200 85927051	4.80	VR 17 0376 DC 17 0052	99	89	109				-0.15 66	-0.26 69	-0.34 89	-0.01 40		0.60 53	-0.06 64	-31.92 46	3.58 36				113	5		
44	DC 24 0126 107595902	5.04	JB 20 0043 DC 19 0210	99	88	107				0.22 61	-0.84 49	-0.73 86	-0.40 29		1.90 38	0.53 51	-11.70 36	1.44 28						0	
45	DC 23 0187 98607575	4.75	J 19 0022 DC 21 0006	99	92	106				0.28 60	-0.33 51	-0.19 91	0.50 34		2.20 42	1.27 52	-1.84 45	-1.92 33						1	
46	DC 24 0127 107595910	5.91	JB 20 0043 DC 20 0007	98	87	108				0.06 61	-0.81 50	-0.78 85	-0.57 32		3.20 39	1.17 52	-8.25 36	2.11 29						0	
47	DC 25 0094 111892097	10.83	JB 20 0043 DC 21 0003	98	97	98				1.63 61	-1.06 50	-0.24 90	1.90 36		2.00 40	1.77 52	3.82 38	2.95 32						0	
48	DC 24 0091 107602187	4.87	NB 20 0104 DC 21 0089	98	83	106				0.05 62	-1.41 56	-1.38 79	-0.90 41		2.00 46	-0.15 56	-14.37 44	-6.00 36						0	
49	DC 24 0128 107595928	5.91	JB 20 0043 DC 20 0007	98	87	108				0.06 61	-0.81 50	-0.78 85	-0.57 32		3.20 39	1.17 52	-8.25 36	2.11 29						0	
50	DC 25 0073 111900643	5.32	NB 20 0104 DC 22 0082	98	97	105				0.16 61	0.76 55	0.84 101	-0.13 40		-0.10 45	0.86 55	4.30 43	-8.51 35						0	
51	DC 25 0072 111900627	5.32	NB 20 0104 DC 22 0082	98	97	105				0.16 61	0.76 55	0.84 101	-0.13 40		-0.10 45	0.86 55	4.30 43	-8.51 35						0	
52	DC 25 0105 111892121	5.33	JB 20 0043 DC 22 0125	98	95	105				0.32 60	0.26 47	0.43 97	-0.67 32		1.10 37	1.25 50	-0.89 37	1.18 28						0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
								Dir EBV Acc	Mat EBV Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
53	DC 23 0111 98610264	4.91	JT 16 0062 J 16 0069	98	100	91	2.62 65	-1.73 64	-0.42 89	4.23 49	0.70 55	1.31 62	3.51 53	5.49 44	101	1							
54	DC 20 0193 90200411	4.91	VR 17 0376 DC 18 0151	98	83	132	-13.00 65	5.47 68	-1.04 82	-17.77 37	2.70 52	-5.92 63	-40.29 43	2.84 35	111	4							
55	DC 24 0079 107602740	5.37	NB 20 0104 DC 18 0151	98	83	130	-12.68 61	5.26 57	-1.08 82	-16.77 40	3.70 47	-5.20 56	-5.02 42	-8.19 36		0							
56	DC 22 0076 95331716	7.16	JB 16 0084 DC 18 0020	98	83	131	-13.69 63	5.74 65	-1.10 82	-18.83 50	6.20 55	-4.23 62	3.54 53	-5.47 46	99	1							
57	DC 21 0252 93133544	4.91	VR 17 0376 DC 18 0142	97	83	130	-12.94 62	5.93 65	-0.54 87	-17.65 37	1.50 50	-6.11 60	-25.73 42	-1.68 35	116	3							
58	DC 21 0253 93133569	4.88	VR 17 0376 DC 19 0026	97	82	110	-0.68 65	-0.80 67	-1.14 81	-1.76 36	2.50 50	0.02 62	-33.65 43	0.93 35	122	3							
59	DC 23 0174 98607468	6.03	J 19 0022 DC 19 0111	97	77	131	-7.12 60	2.14 51	-1.43 79	-10.35 31	4.50 40	-2.29 52	-24.82 39	0.15 31		0							
60	DC 25 0178 112020714	5.27	BRA 23 0189 DC 23 0115	97	92	104	0.20 56	-0.20 39	-0.10 92	-0.40 28	3.00 32	1.80 44	5.44 31	-2.39 26		0							
61	DC 21 0027 93137099	4.42	JB 16 0084 J 17 0045	97	95	96	1.42 67	-1.14 68	-0.43 89	0.61 51	0.30 60	0.47 66	-0.54 56	-0.27 50	104	3							
62	DC 24 0065 107602658	8.40	JB 20 0091 DC 21 0042	97	95	101	0.66 60	-0.21 50	0.12 94	0.68 41	3.40 40	2.49 52	12.96 38	-1.44 34		0							
63	DC 23 0209 98607757	5.74	JB 20 0043 DC 21 0115	97	83	129	-13.56 57	5.58 43	-1.20 81	-17.96 29	3.30 33	-6.00 46	-6.52 33	-4.69 26		0							
64	DC 22 0050 95330957	5.51	JB 16 0084 DC 19 0170	96	89	103	0.33 65	-0.87 65	-0.70 86	-0.87 51	1.60 57	0.42 63	-6.23 55	0.73 49	100	2							
65	DC 25 0159 112020607	5.57	BRA 23 0189 DC 22 0194	96	95	100	0.68 55	-0.17 36	0.18 95	-0.39 21	0.60 26	0.88 41	4.89 25	-3.67 19		0							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir EBV Acc	Index	Mat EBV Acc	Index	Comb EBV Index	EBV Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
66	DC 25 0111 112020458	5.81	BRA 23 0189 DC 20 0124	96	85	108	-0.61 56	85	-0.27 41	98	-0.58 87	-1.60 21	88	1.40 30	103	-0.04 44	92	-10.38 26	122	-1.61 21	105		0
67	DC 21 0056 93136372	5.36	JB 16 0084 DC 16 0034	96	84	113	-1.42 64	80	0.39 69	105	-0.32 90	-1.29 48	89	6.20 54	118	2.69 64	103	7.17 51	86	-3.39 47	110	117	3
68	DC 21 0046 93136190	5.36	JB 16 0084 DC 16 0024	96	89	110	-1.03 64	83	0.75 69	109	0.23 95	-0.80 48	91	3.60 55	110	1.88 64	100	5.43 52	90	-2.71 47	108	111	3
69	DC 23 0135 98885064	6.76	JB 16 0084 DC 19 0009	96	95	104	-0.02 65	89	0.64 64	108	0.63 99	-0.33 50	94	2.20 56	105	1.94 63	100	9.44 55	82	1.03 48	98	100	1
70	DC 25 0124 111892543	7.23	JB 20 0043 DC 19 0154	96	92	104	-0.12 61	89	0.27 50	104	0.21 95	0.13 31	96	1.20 38	102	0.87 51	96	0.46 36	100	0.89 29	98		0
71	DC 24 0096 107811044	4.88	JOR 16 0035 DC 21 0198	96	88	102	0.08 61	90	-0.67 54	93	-0.63 87	-1.13 37	90	0.90 45	101	-0.05 55	92	-0.91 40	103	-10.69 33	129		0
72	DC 25 0068 111900809	4.61	JB 20 0099 DC 19 0110	96	105	92	1.78 63	101	0.04 54	101	0.93 102	1.67 48	103	-2.70 43	89	0.20 55	93	6.22 40	88	2.11 32	95		0
73	DC 25 0098 112020441	5.68	BRA 23 0189 DC 22 0122	95	91	108	-0.81 55	84	0.92 39	111	0.52 98	-1.29 20	89	2.00 27	104	1.31 42	98	5.65 24	90	-4.13 20	112		0
74	DC 25 0076 111900676	5.72	JB 20 0099 DC 19 0124	95	96	104	-0.09 58	89	0.85 51	110	0.81 101	1.79 43	103	0.00 33	98	0.76 50	95	3.42 35	94	0.39 27	99		0
75	DC 25 0168 112020623	5.92	BRA 23 0189 DC 23 0201	95	83	107	-0.77 55	84	-0.52 36	95	-0.91 84	-1.65 18	88	3.70 26	110	0.93 41	96	-1.02 26	103	-5.76 19	116		0
76	DC 23 0102 98884968	6.91	JB 16 0084 DC 18 0151	95	83	128	-13.19 62	64	5.76 60	136	-0.84 84	-17.84 50	64	4.40 55	112	-4.79 60	73	-0.42 54	102	-1.63 47	105		1
77	DC 24 0036 107602328	4.88	NB 20 0104 DC 20 0200	95	78	127	-5.32 62	64	2.31 57	127	-0.35 89	-7.94 41	64	1.80 47	104	-1.93 57	84	-17.65 44	136	-5.63 36	116		0
78	DC 21 0074 93135291	6.36	JB 16 0084 DC 17 0052	95	93	101	0.16 66	90	0.11 69	102	0.19 95	0.50 53	97	0.50 59	100	0.58 66	95	1.88 56	97	0.51 49	99	105	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
								Dir EBV Acc	Mat EBV Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
79	DC 23 0038 98611403	5.24	NB 20 0104 DC 17 0114	95	91	99	0.35 62 92		-0.60 58 94		-0.42 89 40 98		0.90 47 101		0.29 57 93		2.11 44 97		-5.44 36 115		0		
80	DC 22 0184 95279154	6.37	J 19 0022 DC 20 0204	95	78	126	-7.92 62 64		2.38 56 128		-1.57 77 32 64		1.90 44 104		-4.39 56 74		-24.91 44 136		-2.35 32 107		95	1	
81	DC 23 0049 98611627	4.88	NB 20 0104 DC 20 0200	95	78	126	-4.78 63 64		2.43 60 128		0.05 93 41 64		1.20 49 102		-1.62 59 86		-17.04 47 136		-5.47 36 115		103	1	
82	DC 24 0033 107810970	4.59	JOR 16 0035 DC 21 0061	94	83	126	-5.47 61 64		3.20 57 136		0.46 97 43 64		3.30 48 109		-0.29 56 91		1.18 44 99		-8.46 38 123		0		
83	DC 24 0032 107810962	4.59	JOR 16 0035 DC 21 0061	94	83	126	-5.16 61 64		3.14 57 136		0.56 98 43 64		3.30 48 109		-0.04 56 92		1.18 44 99		-8.46 38 123		0		
84	DC 23 0233 98607997	5.50	J 19 0022 DC 19 0200	94	78	108	-1.00 61 83		-1.08 52 89		-1.59 77 32 87		2.50 41 106		-0.59 53 90		-22.73 44 136		-0.03 31 100		1		
85	DC 24 0009 107602401	4.88	NB 20 0104 DC 20 0193	94	77	126	-5.30 62 64		2.15 57 125		-0.50 88 41 64		2.00 47 104		-1.95 57 84		-20.43 44 136		-4.76 36 113		0		
86	DC 23 0225 98607914	5.35	J 19 0022 DC 17 0075	94	83	125	-14.03 60 64		6.06 56 136		-0.95 83 29 64		1.40 39 103		-7.13 54 63		-6.80 41 115		-7.27 28 120		101	1	
87	DC 25 0010 111900379	5.60	NB 20 0104 DC 20 0037	94	96	94	1.00 62 96		-0.51 58 95		-0.01 93 43 93		-0.40 48 97		0.26 57 93		10.06 45 81		-9.50 38 126		0		
88	DC 25 0040 111900577	7.95	NB 20 0104 DC 22 0048	94	96	93	1.20 61 97		-0.64 54 94		-0.04 92 41 98		-1.10 46 94		-0.10 55 92		5.74 44 89		-5.28 36 115		0		
89	DC 23 0154 98607328	5.95	J 19 0022 DC 19 0076	94	76	109	-1.14 61 82		-1.19 52 88		-1.76 75 31 84		3.10 41 108		-0.47 53 90		-21.43 39 136		0.30 31 100		0		
90	DC 23 0047 98611585	4.34	JT 16 0062 DC 18 0125	94	104	87	2.30 64 105		-0.75 63 92		0.40 97 48 110		-1.30 54 94		0.77 61 95		11.09 52 78		6.19 43 84		101	1	
91	DC 25 0192 112020748	5.43	BRA 23 0189 DC 22 0185	94	90	102	-0.14 55 88		-0.17 37 99		-0.24 90 21 89		1.70 27 104		0.72 42 95		4.43 25 92		-3.74 19 111		0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
								Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
92	DC 23 0162 98614027	6.03	J 19 0022 DC 20 0207	94	74	126	-7.60 61 64		1.76 52 121		-2.04 73 31		-10.94 64		3.50 40 109		-3.74 53 77		-30.24 39 136		0.28 31 100		0
93	DC 23 0137 98610629	7.76	JB 20 0092 DC 19 0154	94	105	93	1.23 62 97		0.75 56 109		1.36 106 41		0.55 98		-2.70 45 89		0.35 56 94		11.61 44 77		0.90 34 98		0
94	DC 24 0124 107595886	5.72	JB 20 0043 DC 19 0075	94	91	105	-0.76 57 84		0.76 47 109		0.38 97 27		0.11 96		0.90 29 101		0.54 47 94		4.34 29 92		-4.68 23 113		0
95	DC 23 0115 98885007	6.78	JB 16 0084 DC 17 0122	94	92	99	0.32 64 91		-0.24 64 98		-0.08 92 50		-0.04 95		2.40 56 106		1.52 62 98		9.67 54 81		1.33 48 97		99 1
96	DC 22 0193 95279337	6.02	J 19 0022 DC 20 0200	94	75	125	-7.69 61 64		1.83 56 121		-2.01 73 31		-11.03 64		2.90 43 107		-4.12 55 75		-24.70 43 136		-1.52 31 105		95 1
97	DC 25 0134 112020557	5.31	BRA 23 0189 DC 22 0083	93	94	94	0.95 55 96		-0.68 38 93		-0.21 91 26		1.64 103		0.30 31 99		0.45 43 94		6.48 29 88		-0.57 24 102		0
98	DC 19 0009 85926038	5.27	JB 15 0121 DC 15 0011	93	93	108	-1.15 67 82		1.57 72 119		1.00 103 32		-0.07 95		2.20 53 105		1.74 66 99		11.06 44 78		0.49 35 99		147 5
99	DC 21 0002 93136471	4.39	JT 16 0062 W 16 0098	93	94	89	1.90 66 102		-1.94 68 79		-0.99 83 48		2.88 108		1.90 56 104		1.10 64 97		9.79 50 81		2.48 45 94		109 3
100	DC 20 0114 90198672	4.60	VR 17 0376 DC 17 0081	93	84	102	-0.19 65 88		-0.99 67 90		-1.09 82 41		-1.06 90		-0.40 52 97		-1.42 63 86		-28.45 46 136		4.10 38 89		97 3
101	DC 25 0149 112020540	5.59	BRA 23 0189 DC 23 0225	93	81	124	-6.58 55 64		2.88 36 133		-0.41 89 18		-9.35 64		2.50 25 106		-2.20 41 83		-2.79 25 107		-6.70 18 119		0
102	DC 20 0024 90198276	4.79	VR 17 0376 DC 17 0021	93	85	106	-0.91 65 83		0.09 67 102		-0.37 89 37		-1.51 88		-1.40 53 93		-1.66 63 85		-18.05 44 136		2.37 36 94		109 4
103	DC 25 0193 112020755	5.43	BRA 23 0189 DC 22 0185	93	88	102	-0.33 55 87		-0.13 37 99		-0.30 90 21		-1.54 88		1.70 27 104		0.56 42 94		4.43 25 92		-3.74 19 111		0
104	DC 25 0188 111892774	5.66	JB 20 0043 DC 23 0007	93	86	97	0.41 60 92		-1.41 47 85		-1.20 81 36		-0.06 95		1.90 39 104		0.14 50 93		1.94 39 97		-4.84 31 114		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:									100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
105	DC	25	0138	5.43	BRA	23	0189	93	88	100	-0.16	-0.40		-0.48	-1.38		1.80	0.52		4.74	-4.12			0			
		112020516	DC		22	0210	55				88	36	96	88	21	89	27	104	41	94	26	91			19	112	
106	DC	22	0011	5.36	JB	15	0036	93	96	111	-2.03	3.40		2.38	-2.02		-0.70	0.95		10.98	-6.05		117	2			
		95278339	DC		16	0066	61				76	64	136	117	32	86	44	96	58	96	41	79			33	117	
107	DC	22	0208	5.36	JB	20	0043	93	91	104	-0.86	0.99		0.56	0.02		-0.20	0.01		3.50	-4.38		97	1			
		95280137	DC		16	0176	59				84	53	112	98	27	95	33	97	51	92	36	94			23	112	
108	DC	25	0204	5.66	JB	20	0043	93	86	97	0.36	-1.42		-1.24	-0.12		1.90	0.08		1.97	-4.84			0			
		111892873	DC		23	0008	60				92	47	85	80	36	95	39	104	50	93	39	97			31	114	
109	DC	23	0136	7.76	JB	20	0092	93	103	93	0.95	0.80		1.27	0.24		-2.70	0.13		11.61	0.90			0			
		98610603	DC		19	0154	62				96	56	110	105	41	96	45	89	56	93	44	77			34	98	
110	DC	25	0196	6.47	JB	20	0043	92	91	99	0.08	-0.26		-0.22	-0.43		1.70	0.84		6.32	1.23			0			
		111892824	DC		23	0135	61				90	48	98	91	37	93	40	104	51	96	40	88			33	97	
111	DC	22	0110	6.93	JB	16	0084	92	83	124	-13.10	5.00		-1.56	-17.84		3.30	-6.13		1.34	-1.30		92	1			
		95331211	DC		17	0018	63				64	63	136	77	50	64	54	109	61	67	53	98			47	104	
112	DC	22	0104	6.58	JB	15	0036	92	100	103	-0.65	2.13		1.81	-0.56		-2.30	0.11		8.14	0.28		97	1			
		95281796	DC		17	0052	63				85	61	125	111	39	93	48	90	59	93	46	84			34	100	
113	DC	24	0028	5.70	NB	20	0104	92	83	122	-11.99	5.81		-0.19	-17.60		0.80	-5.70		-1.96	-10.80			0			
		107602559	DC		18	0076	61				64	58	136	91	43	64	48	101	57	69	44	105			38	130	
114	DC	25	0141	5.72	JB	20	0043	92	88	103	-0.75	0.41		0.03	0.08		0.90	0.20		4.34	-4.68			0			
		111892600	DC		19	0064	56				84	46	105	93	27	96	29	101	46	93	29	92			23	113	
115	DC	25	0025	5.29	NB	20	0104	92	95	94	0.48	-0.07		0.17	-0.97		-2.10	-0.85		5.70	-8.00			0			
		111900437	DC		20	0039	62				93	57	100	95	43	91	48	91	57	89	45	89			38	122	
116	DC	25	0186	5.87	BRA	23	0189	92	83	122	-7.45	3.53		-0.20	-10.57		2.10	-2.66		0.50	-5.58			0			
		112020730	DC		23	0108	54				64	36	136	91	21	64	27	105	41	81	26	100			19	116	
117	DC	23	0180	5.32	JB	20	0043	92	79	123	-6.82	2.48		-0.93	-10.41		0.70	-3.92		-15.81	-0.02		99	1			
		98607500	DC		20	0204	62				64	54	129	84	33	64	42	100	54	76	42	134			30	100	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility													
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd			
										Dir	Mat		Comb	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index	Acc
Active Breed Average:									100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
118	DC	24	0104	5.21	JB	20	0091	92	80	100	-0.10	-1.75	-1.80	-1.27	3.60	0.32	-4.49	3.39	39	110	51	94	-35	110	30	91	0	
107602815					DC	20	0053				60	89	49	81	75	37	89	49					102	59	91	47		97
119	DC	23	0039	5.24	NB	20	0104	92	86	95	0.49	-1.51	-1.26	0.56	1.30	-0.24	2.00	-4.97	49	102	59	91	47	97	36	114	96	1
98611429					DC	17	0114				63	93	61	84	80	40	98	49					102	59	91	47	97	36
120	DC	24	0136	5.21	JB	20	0043	92	89	95	0.52	-1.10	-0.84	-0.27	0.70	-0.15	1.34	0.58	42	100	52	92	40	98	34	99	0	
107595977					DC	21	0027				61	93	50	89	84	37	94	42					100	52	92	40		98
121	DC	23	0083	5.72	NB	20	0104	92	87	101	-0.64	0.05	-0.27	0.11	0.20	-0.47	4.62	-11.52	43	99	55	90	43	92	32	132	102	1
98611981					DC	19	0036				58	85	58	101	90	37	96	43					99	55	90	43	92	32
122	DC	23	0235	5.80	J	19	0022	92	76	104	-0.94	-1.46	-1.93	-2.30	1.90	-1.27	-21.39	0.47	41	104	53	87	44	136	32	99	1	
98608011					DC	20	0114				61	83	52	85	74	32	85	41					104	53	87	44		136
123	DC	23	0236	5.61	J	19	0022	92	89	95	0.43	-1.00	-0.78	0.62	0.30	-0.39	0.31	-0.34	42	99	52	91	42	101	35	101	0	
98608029					DC	21	0029				60	92	51	90	85	35	98	42					99	52	91	42		101
124	DC	25	0199	5.87	BRA	23	0189	92	83	122	-7.10	3.59	0.04	-10.16	1.90	-2.36	0.49	-5.52	27	104	41	83	26	100	19	115	0	
112020789					DC	23	0143				54	64	36	136	93	21	64	27					104	41	83	26		100
125	DC	22	0186	6.03	J	19	0022	91	74	123	-7.33	1.75	-1.92	-10.63	2.70	-3.96	-42.25	2.88	45	107	58	76	43	136	35	93	105	2
95279196					DC	20	0207				63	64	60	120	74	31	64	45					107	58	76	43	136	35
126	DC	23	0097	6.34	JB	20	0092	91	105	85	2.01	-0.23	0.78	0.95	-3.40	-0.26	13.29	1.44	50	87	59	91	51	74	39	97	101	1
98610082					DC	21	0074				64	103	60	98	101	46	100	50					87	59	91	51	74	39
127	DC	23	0207	5.91	JB	20	0043	91	84	100	-0.28	-0.91	-1.05	-0.96	1.00	-0.59	-6.95	3.12	38	101	50	90	36	115	29	92	0	
98607732					DC	20	0015				60	88	48	91	82	32	91	38					101	50	90	36		115
128	DC	25	0056	6.48	JB	18	0064	91	88	98	0.11	-0.65	-0.59	-1.32	0.80	-0.06	-0.60	4.20	45	101	55	92	41	102	35	89	0	
112063383					DC	20	0007				61	90	55	94	87	40	89	45					101	55	92	41		102
129	DC	23	0006	5.84	JB	20	0092	91	103	83	2.15	-0.67	0.41	0.47	-3.20	-0.44	12.36	0.62	48	87	57	90	51	76	39	99	1	
98609944					DC	21	0027				63	104	56	93	97	45	97	48					87	57	90	51		76
130	DC	24	0187	5.93	JB	20	0043	91	85	97	0.13	-1.18	-1.12	-0.53	-0.60	-1.42	-10.34	3.12	39	96	51	86	36	122	29	92	0	
107602930					DC	20	0090				61	90	49	88	82	32	93	39					96	51	86	36		122

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
								Dir EBV Acc	Mat EBV Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
131	DC 21 0029 93135853	4.97	JT 16 0062 DC 17 0115	91	107	84	2.04 64 103		0.03 65 101		1.05 103 50		4.20 115		-3.70 56 86		-0.15 63 92		15.70 53 69		2.39 47 94		98	3
132	DC 25 0066 111900783	10.90	NB 20 0104 DC 22 0076	91	77	121	-5.43 62 64		2.25 56 126		-0.47 88 44		-8.23 64		3.70 48 110		-0.97 56 88		1.48 46 98		-8.92 39 125			0
133	DC 25 0130 111892568	7.18	JB 20 0043 DC 19 0009	91	89	101	-0.53 61 86		0.22 51 103		-0.05 92 31		-0.35 94		1.60 39 103		0.65 52 95		7.13 36 87		0.96 29 98			0
134	DC 24 0123 107595878	5.72	JB 20 0043 DC 19 0075	91	87	105	-1.39 57 80		0.87 47 111		0.18 95 27		-0.60 92		0.90 29 101		0.03 47 92		4.34 29 92		-4.68 23 113			0
135	DC 24 0078 107809055	8.40	JB 20 0091 DC 21 0046	91	87	98	-0.06 60 89		-0.68 50 93		-0.71 86 41		-0.20 94		3.70 41 110		1.48 52 98		13.10 38 74		-0.59 34 102			0
136	DC 22 0205 95280079	5.52	JB 20 0043 DC 18 0147	91	84	101	-0.63 62 85		-0.55 55 95		-0.87 84 30		-0.96 91		3.40 41 109		0.86 54 96		6.84 40 87		-1.77 28 105		95	1
137	DC 23 0169 98607419	6.46	J 19 0022 DC 19 0002	91	80	106	-1.43 60 80		-0.17 51 99		-0.88 84 29		-1.80 87		2.50 40 106		-0.10 52 92		-2.61 38 107		-1.93 31 106			0
138	DC 25 0099 111892105	5.98	JB 20 0043 DC 21 0252	91	78	121	-6.56 60 64		2.42 48 128		-0.86 84 32		-9.29 64		1.30 38 102		-3.36 50 79		-11.26 36 124		-0.12 29 101			0
139	DC 24 0024 107602518	7.72	JB 20 0092 DC 19 0009	90	103	89	1.04 63 96		0.65 57 108		1.17 104 41		0.32 97		-2.20 46 91		0.37 57 94		18.29 44 64		0.97 35 98			0
140	DC 21 0048 93136232	5.36	JB 16 0084 DC 16 0099	90	91	102	-0.99 64 83		1.14 68 114		0.64 99 48		-0.72 92		-1.70 55 92		-0.88 63 89		0.28 52 101		-0.94 47 103		112	3
141	DC 21 0070 93136836	5.36	JB 16 0084 DC 16 0035	90	92	101	-0.90 63 83		1.07 67 113		0.62 99 48		-0.62 92		-0.70 54 96		-0.25 62 91		7.60 51 86		-5.00 46 114		109	3
142	DC 23 0160 98607369	6.92	JB 20 0043 DC 17 0155	90	87	101	-0.74 62 84		0.10 55 102		-0.27 90 31		-0.60 92		1.80 42 104		0.44 55 94		5.34 41 90		1.16 29 97		100	1
143	DC 22 0018 95278230	4.92	JT 16 0062 DC 17 0145	90	93	93	0.65 64 94		-0.52 65 95		-0.20 91 47		2.80 108		1.20 53 102		0.84 62 96		12.13 51 76		3.67 43 90		100	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51	0.14						
144	DC	22	0137	5.95	J	19	0022	90	64	111	-2.17	-1.92	-3.01	-3.62	6.00	-0.49	-25.47	-1.23					107	2	
					DC	20	0128				63	75	62	79	64	31	78	45	118	58	90	43			136
145	DC	23	0159	6.92	JB	20	0043	90	87	102	-0.87	0.24	-0.20	-0.74	2.00	0.56	5.73	1.28						0	
					DC	17	0155				61	84	50	104	91	31	92	39	104	52	95	36	89		29
146	DC	24	0025	7.72	JB	20	0092	90	102	89	0.93	0.67	1.14	0.21	-2.20	0.29	18.29	0.97						0	
					DC	19	0009				63	96	57	108	104	41	96	46	91	57	93	44	64		35
147	DC	23	0212	4.69	JB	20	0043	90	91	92	0.52	-0.68	-0.42	-0.73	-1.00	-0.75	5.28	-2.81						0	
					DC	19	0110				61	93	50	93	89	33	92	40	95	52	89	36	90		29
148	DC	23	0117	6.21	JB	20	0092	90	96	92	0.54	0.13	0.40	-0.70	-0.20	0.55	16.35	-0.98						0	
					DC	21	0056				62	93	56	102	97	44	92	46	97	56	94	46	68		38
149	DC	23	0050	5.60	JB	15	0036	90	83	120	-12.93	8.18	1.72	-18.09	-1.10	-5.41	-10.35	-1.27					103	1	
					DC	21	0134				59	64	56	136	110	36	64	44	94	54	70	43			122
150	DC	23	0217	5.23	JB	20	0043	90	82	100	-0.63	-0.76	-1.07	-1.55	0.10	-1.33	-9.33	2.06						1	
					DC	20	0124				61	85	49	92	82	32	88	39	98	51	87	41	120		29
151	DC	24	0158	5.26	JB	20	0043	90	83	119	-12.85	6.02	-0.40	-17.11	1.10	-6.16	3.22	-8.27						0	
					DC	18	0108				59	64	49	136	89	31	64	38	102	50	67	34	95		27
152	DC	24	0119	5.83	JB	20	0043	90	82	101	-0.95	-0.38	-0.85	-1.30	2.40	0.12	3.46	-2.77						0	
					DC	20	0172				61	83	50	97	84	30	89	37	106	51	93	35	94		28
153	DC	23	0053	6.21	JB	20	0092	90	99	88	0.99	0.00	0.50	-0.19	-1.70	-0.02	15.46	-0.65					100	1	
					DC	21	0046				63	96	60	101	98	44	94	49	92	59	92	50			69
154	DC	22	0122	5.56	JB	15	0036	90	91	107	-1.83	2.03	1.11	-1.94	0.30	0.38	10.09	-2.14					111	2	
					DC	18	0019				60	77	62	124	104	32	86	43	99	57	94	40			80
155	DC	25	0150	29.69	JB	20	0043	89	86	97	-0.31	-0.52	-0.68	-0.60	1.40	0.01	4.27	1.29						0	
					DC	23	0160				60	87	45	95	86	31	92	36	103	49	92	35	92		27
156	DC	24	0058	4.81	JT	16	0062	89	80	106	-1.56	-0.06	-0.84	-1.43	0.60	-1.26	-13.35	5.83						0	
					DC	22	0186				62	79	57	100	84	46	89	50	100	57	87	49	129		43

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat	Comb													
Active Breed Average:							100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14						
157	DC 23 0108 98610207	6.48	JB 15 0036 DC 21 0218	89	83	119	-14.71 59	7.16 64	-0.20 91	-20.07 34	64	0.60 43	-7.19 54	-0.23 43	-5.03 32	114	98	1					
158	DC 19 0110 85927473	3.82	JOR 16 0035 W 16 0109	89	95	90	0.53 66	-0.13 69	0.13 94	-1.31 39	89	-3.00 54	-1.40 64	7.35 44	-7.05 36	120	127	5					
159	DC 25 0177 112020706	5.64	BRA 23 0189 DC 23 0094	89	87	95	-0.15 55	-0.52 37	-0.59 87	-1.84 24	87	0.10 28	-0.60 42	4.32 28	-3.32 21	109		0					
160	DC 23 0125 98610421	5.72	JT 16 0062 DC 19 0037	89	95	90	0.76 59	-0.39 59	-0.01 93	3.61 44	112	-0.70 48	-0.05 56	12.77 48	-0.73 39	102	101	1					
161	DC 23 0185 98607559	6.01	JB 20 0043 DC 18 0076	89	83	119	-13.26 60	5.84 50	-0.79 85	-18.99 35	64	0.70 40	-7.00 52	-0.07 37	-3.91 31	111		0					
162	DC 23 0078 98885262	7.43	JB 16 0084 DC 20 0108	89	89	96	-0.25 64	-0.12 63	-0.25 90	-2.35 53	84	1.10 57	0.29 62	11.37 56	-2.50 49	107	98	1					
163	DC 20 0172 90200130	5.36	JP 16 0027 DC 16 0185	89	77	109	-2.34 65	0.45 69	-0.72 86	-2.37 28	84	3.60 47	0.28 62	3.72 39	-6.96 32	119	117	4					
164	DC 24 0169 107596124	5.72	JB 20 0043 DC 19 0168	89	85	102	-1.23 56	0.33 46	-0.28 90	-0.48 27	93	0.90 29	-0.36 46	4.34 29	-4.68 23	113		0					
165	DC 23 0054 98611684	6.21	JB 20 0092 DC 21 0046	89	97	88	0.87 63	-0.07 60	0.36 96	-0.34 44	94	-1.50 49	-0.11 59	15.25 50	-0.70 38	102	99	1					
166	DC 25 0152 112020565	5.46	BRA 23 0189 DC 22 0070	89	82	108	-2.17 56	1.07 40	-0.02 93	-3.97 28	77	2.00 33	0.10 45	3.05 31	-1.34 27	104		0					
167	DC 25 0092 111892071	5.65	JB 20 0043 DC 21 0116	89	82	98	-0.67 60	-0.79 48	-1.13 82	-0.90 29	91	2.00 36	-0.26 50	3.45 35	-3.16 28	109		0					
168	DC 24 0015 107602476	5.55	JB 20 0091 DC 20 0204	89	77	119	-6.37 60	2.12 50	-1.06 82	-9.84 39	64	2.10 40	-2.98 52	-7.04 36	0.02 31	100		0					
169	DC 25 0082 111900759	8.40	JB 20 0091 DC 21 0048	89	89	93	0.12 60	-0.52 50	-0.46 88	0.02 41	95	1.00 40	0.20 52	10.53 38	0.30 34	100		0					

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb	EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14					
170	DC 24 0086 107602146	7.95	JB 15 0036 DC 22 0137	89	81	106		-1.90 61	0.48 54	-0.47 88	-3.85 35	77	0.80 44	-0.94 54	88	-5.38 41	0.27 112	34	100			0			
171	DC 25 0079 111900734	8.40	JB 20 0091 DC 21 0018	89	89	93		0.21 60	-0.72 50	-0.61 87	0.10 41	96	1.50 41	0.39 52	94	12.55 38	-1.03 75	34	103			0			
172	DC 20 0124 90200015	4.88	VR 17 0376 DC 18 0017	89	79	104		-1.48 65	-0.35 67	-1.10 82	-2.62 36	83	-0.80 52	-2.32 63	83	-21.97 44	2.90 136	35	93	108	4				
173	DC 23 0143 98610744	6.48	JB 15 0036 DC 21 0190	89	83	118		-14.79 59	7.44 55	0.04 93	-20.13 34	64	0.20 43	-7.24 54	63	-0.24 43	-4.93 102	32	114	101	1				
174	DC 24 0082 107602104	5.40	NB 20 0104 DC 20 0153	89	86	94		-0.23 61	-0.61 56	-0.73 86	-0.57 39	93	-0.30 46	-1.02 56	88	8.49 43	-12.53 36		134		0				
175	DC 22 0082 95281473	5.36	JB 15 0036 DC 16 0035	89	91	108		-2.30 60	2.73 62	1.58 109	-2.40 32	84	-1.30 41	-0.35 56	91	9.18 41	-4.65 82	29	113	100	1				
176	DC 24 0014 107602468	5.55	JB 20 0091 DC 20 0204	89	76	118		-6.16 60	2.08 50	-1.00 83	-9.60 39	64	2.10 40	-2.82 52	81	-7.04 36	0.02 116	31	100		0				
177	DC 23 0181 98607518	5.72	J 19 0022 DC 19 0124	89	71	110		-2.62 56	-0.19 49	-1.50 78	-2.50 25	84	3.40 32	-0.77 48	89	-6.89 39	-6.59 115	26	118		1				
178	DC 25 0018 112063250	17.47	JB 16 0084 DC 22 0184	88	74	114		-3.26 62	1.10 57	-0.53 88	-6.15 50	67	2.30 53	-0.77 58	89	-8.51 52	-0.38 119	47	101		0				
179	DC 23 0140 98610686	6.21	JB 20 0092 DC 21 0048	88	101	84		1.28 63	0.10 59	0.74 100	0.15 44	96	-4.10 48	-1.09 58	88	12.81 50	0.72 75	38	98	99	1				
180	DC 23 0200 98614068	6.50	J 19 0022 DC 20 0164	88	72	106		-1.97 60	-0.88 51	-1.86 74	-2.91 28	82	4.00 39	-0.44 52	90	-3.45 43	-5.02 108	31	114		1				
181	DC 21 0018 93136935	5.36	JB 16 0084 DC 16 0205	88	87	100		-1.27 63	0.82 68	0.19 95	-1.08 48	90	-0.80 55	-0.93 63	88	4.32 52	-3.59 92	47	110	111	3				
182	DC 25 0062 111900726	10.76	JB 20 0091 DC 21 0002	88	88	87		1.09 60	-1.97 50	-1.42 79	1.30 41	101	2.80 41	0.81 52	96	15.29 38	2.01 70	33	95		0				

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
										Dir	Mat		EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
183	DC	25	0131	5.87	JB	20	0043	88	92	95	-0.32	0.37		0.22	-1.77		-1.50	-0.84		6.47		0.77		0		
111892576					DC	20	0085				61	87	50		105	95	35	87	40	93	52	89	38		88	32
184	DC	23	0012	5.24	NB	20	0104	88	82	94	-0.43	-1.14		-1.36	-0.44		1.10		-0.91		5.42		-8.09		99	1
98611023					DC	17	0021				63	87	62		88	79	40	93	50	102	60	89	47	90		
185	DC	25	0156	12.65	JB	20	0043	87	90	91	0.18	-0.55		-0.46	-0.82		-0.20	-0.49		9.23		0.37		0		
111892675					DC	23	0054				60	91	47		95	88	35	91	38	97	50	90	38		82	30
186	DC	23	0122	4.91	JB	18	0064	87	83	116	-12.49	6.02		-0.22	-17.53		0.90		-5.92		6.12		-5.48		1	
98610389					DC	18	0073				59	64	53		136	91	39	64	44	101	53	68	44	89		34
187	DC	24	0066	5.05	JOR	16	0035	87	95	93	-0.48	1.08		0.84	-2.29		-3.90	-1.74		11.00		-10.97		0		
107811028					DC	18	0060				61	86	57		113	101	41	85	48	85	56	85	42		79	35
188	DC	23	0017	4.89	JT	16	0062	87	96	81	1.54		-1.12		-0.35	3.35		-1.70	-0.60		16.55		-1.96		0	
98611122					DC	20	0153				62	100	58	88		89	46	111	51	92	58	90	48	67		42
189	DC	24	0083	8.29	JB	20	0091	87	83	94	-0.29	-1.00		-1.14	-0.10		3.30		0.69		12.16		0.89		0	
107602112					DC	18	0166				60	87	50		90	81	37	95	39	109	51	95	35	76		30
190	DC	25	0214	12.65	JB	20	0043	87	92	89	0.45	-0.48		-0.26	-0.51		-1.50	-0.93		8.01		1.07		0		
111892923					DC	23	0140				60	92	47		96	90	35	93	38	93	50	88	38		85	30
191	DC	23	0100	5.72	JB	20	0092	87	97	91	-0.09	1.01		0.97	-0.26		-3.00	-0.88		15.50		-4.67		0		
98885304					DC	19	0064				58	89	53		112	102	37	94	37	88	51	89	39		69	30
192	DC	24	0075	4.66	JOR	16	0035	87	83	115	-6.37	3.20		0.01	-9.51		0.40	-2.94		9.24		-12.73		0		
107811036					DC	20	0045				61	64	56		136	93	37	64	46	99	56	80	40		82	33
193	DC	23	0085	4.99	JT	16	0062	87	83	116	-11.03	5.77		0.26	-13.29		1.50		-4.35		6.34		-1.00		101	1
98612021					DC	18	0107				63	64	62		136	95	46	64	53	103	60	74	50	88		
194	DC	23	0191	6.49	J	19	0022	87	74	115	-8.46	1.78		-2.46	-12.02		2.40		-5.25		-0.83		-6.98		1	
98607617					DC	20	0045				61	64	52		121	68	29	64	40	106	53	71	43	103		31
195	DC	25	0119	5.92	JB	20	0043	87	92	90	0.05	0.05		0.08	-1.38		-2.30	-1.28		9.22		-3.05		0		
111892519					DC	20	0110				60	90	49		101	94	35	89	39	90	51	87	38		82	31

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14			
196	DC	23	0086	4.99	JT	16	0062	87	83	116	-10.77	5.94		0.56	-12.97	1.40	-3.98		6.30	-0.85		103	1
98612047					DC	18	0107				63	64	62		136	98	46	64	53	103	60		
197	DC	25	0195	12.65	JB	20	0043	87	91	89	0.32	-0.43		-0.27	-0.64	-1.40	-0.95		9.00	0.11			0
111892816					DC	23	0138				60	91	47	96	90	35	92	38	93	50	88	38	83
198	DC	22	0103	4.95	JB	15	0036	86	87	100	-1.58	1.21		0.42	-2.71	0.30	-0.19		16.17	-9.41		110	2
95281770					DC	19	0069				63	79	64		114	97	36	83	48	99	60		
199	DC	25	0070	6.96	JB	18	0064	86	80	115	-6.00	2.76		-0.24	-9.64	-0.60	-3.60		-6.49	2.02			0
112063359					DC	20	0161				61	64	54	132	90	40	64	45	96	55	78	41	115
200	DC	22	0032	5.43	JT	16	0062	86	106	78	1.79	0.24		1.14	2.52	-5.80	-1.45		18.54	2.49		109	2
95278578					DC	18	0060				64	101	65	104	104	49	107	56	79	63	86		
201	DC	23	0201	6.50	J	19	0022	86	70	105	-2.40	-0.74		-1.94	-3.39	3.70	-0.92		-3.26	-5.41		100	1
98614084					DC	20	0164				61	73	56	93	73	28	80	42	110	55	88		
202	DC	21	0089	4.84	VR	17	0376	86	66	104	-2.12	-1.68		-2.74	-3.50	2.90	-2.06		-28.16	0.37		97	2
93006229					DC	19	0085				63	75	64	82	66	36	79	48	107	60	84		
203	DC	22	0210	5.61	JB	20	0043	86	86	91	-0.26	-0.66		-0.79	-1.82	0.00	-0.92		8.26	-2.11		94	1
95280178					DC	20	0108				62	88	55	93	85	35	87	42	98	55	88		
204	DC	24	0061	6.97	JB	15	0036	86	103	87	0.29	1.52		1.67	-0.55	-5.10	-1.25		16.63	2.13			0
107602641					DC	22	0032				61	91	55	118	109	40	93	47	81	55	87	44	67
205	DC	22	0092	6.63	JB	16	0084	86	82	91	-0.21	-1.33		-1.44	-2.05	2.20	-0.22		9.61	-0.36		94	1
95331138					DC	18	0078				65	88	63	86	78	52	86	57	105	62	91		
206	DC	25	0030	7.38	JB	20	0091	86	69	115	-7.45	0.95		-2.77	-10.41	5.30	-3.32		1.74	-2.18			0
112128665					DC	21	0192				60	64	49	112	65	36	64	38	115	51	79	35	98
207	DC	25	0206	5.86	BRA	23	0189	85	81	97	-1.37	-0.11		-0.80	-1.88	0.90	-0.94		9.38	-9.40			0
112020805					DC	20	0153				55	80	40	100	85	18	87	29	101	43	88	24	82
208	DC	24	0168	5.61	JB	20	0043	85	90	90	-0.14	-0.15		-0.22	-1.63	-2.10	-1.55		7.60	-1.10			0
107596116					DC	20	0039				60	88	50	99	91	35	88	40	91	52	86	38	86

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:									100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
209	DC 25 0026 112063276	9.55	JB 18 0064 DC 20 0172	85	87	91	-0.37 61	-0.31 54	-0.49 88	-1.47 38	88	0.00 43	-0.68 54	11.12 40	-0.67 35	102	0										
210	DC 22 0019 95278370	4.92	JT 16 0062 DC 17 0145	85	93	85	0.66 64	-0.49 65	-0.17 91	2.82 47	108	-1.10 55	-0.50 62	16.50 51	1.87 45	95	106	2									
211	DC 23 0192 98607625	6.50	J 19 0022 DC 18 0009	85	69	100	-1.70 62	-1.61 57	-2.46 68	-2.28 29	85	4.20 43	-0.79 56	-2.61 43	-1.38 31	104	99	1									
212	DC 20 0085 90202219	5.27	CN 03 0061 DC 15 0011	85	95	95	-1.13 65	1.96 70	1.40 107	-3.35 46	80	-4.20 55	-1.68 65	9.74 49	0.10 44	100	121	4									
213	DC 25 0029 111900478	7.38	JB 20 0091 DC 21 0192	85	68	114	-6.57 60	0.79 49	-2.50 68	-9.43 36	64	5.30 38	-2.60 51	1.74 35	-2.18 29	106	0										
214	DC 23 0138 98610645	6.21	JB 20 0092 DC 21 0018	85	97	85	0.45 63	0.30 60	0.52 98	-0.77 44	92	-3.80 49	-1.53 59	14.80 50	-1.22 38	104	100	1									
215	DC 20 0045 90199936	5.26	JP 16 0027 DC 17 0075	85	83	112	-14.28 64	5.31 67	-1.83 75	-19.45 32	64	0.50 49	-8.67 62	13.48 43	-9.83 34	127	105	4									
216	DC 23 0048 98611601	7.35	JB 20 0092 DC 20 0110	84	103	80	1.01 62	0.60 56	1.11 104	-1.39 44	89	-6.10 46	-2.05 56	20.38 45	-3.04 37	109	0										
217	DC 25 0160 111892691	5.35	JB 20 0043 DC 22 0044	84	82	90	-0.29 60	-1.24 47	-1.38 79	-1.41 34	89	0.50 38	-1.23 50	4.31 37	2.58 30	93	0										
218	DC 25 0166 111892725	29.17	JB 20 0043 DC 23 0148	84	81	93	-0.76 60	-0.90 46	-1.28 80	-1.99 32	86	1.00 36	-1.06 49	5.62 36	0.44 28	99	0										
219	DC 25 0080 111900742	5.24	NB 20 0104 DC 20 0045	84	77	111	-6.45 62	2.16 57	-1.06 82	-9.36 40	64	0.80 47	-3.81 57	6.45 44	-11.10 36	131	0										
220	DC 22 0044 95281077	5.07	JB 18 0064 J 16 0069	84	84	86	0.21 63	-1.50 60	-1.40 79	-1.22 41	90	-0.10 49	-1.35 59	5.42 47	3.73 37	90	93	1									
221	DC 21 0116 93031532	5.72	J 19 0022 DC 19 0037	84	72	103	-2.45 60	-0.25 62	-1.48 78	-2.32 25	84	2.80 42	-1.02 57	3.69 39	-7.75 30	121	114	3									

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc		
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
222	DC 20 0090 90199498	4.81	VR 17 0376 DC 18 0061	84	76	96	-1.27 64	81	-0.96 65	90	-1.60 77	-2.04 37	86	-2.30 51	-3.61 61	-23.90 44	4.82 35	87	102	4		
223	DC 22 0102 95281754	4.95	JB 15 0036 DC 19 0069	84	88	96	-1.61 61	79	1.36 59	116	0.56 98	-2.72 36	83	-1.30 46	-1.03 57	16.72 45	-8.27 33	123	95	1		
224	DC 24 0115 107595837	5.75	JB 20 0043 DC 21 0159	84	71	97	-1.44 61	80	-1.71 48	82	-2.43 69	-2.61 31	83	2.20 38	-1.84 51	-5.51 36	-1.04 29	103	0			
225	DC 22 0185 95279170	5.61	JB 20 0043 DC 20 0039	84	83	94	-1.10 62	82	-0.04 58	100	-0.59 87	-2.71 35	83	-0.30 42	-1.32 56	7.65 42	-1.37 32	104	98	1		
226	DC 22 0083 95281499	4.93	JT 16 0062 DC 17 0024	84	94	79	1.32 63	98	-1.11 61	88	-0.46 88	3.50 47	111	-3.10 53	-1.66 60	11.75 51	4.97 43	87	94	1		
227	DC 21 0198 93134641	5.99	J 19 0022 J 17 0131	84	70	92	-0.85 63	84	-2.51 60	73	-2.94 64	-2.10 29	85	1.30 47	-2.58 58	-6.81 45	-5.75 36	116	92	2		
228	DC 25 0182 112020367	5.58	BRA 23 0189 DC 23 0091	83	74	106	-2.99 55	69	0.79 37	110	-0.70 86	-5.39 23	70	1.80 28	-1.12 42	2.86 28	-4.51 20	113	0			
229	DC 21 0008 93136570	5.20	JB 16 0084 DC 17 0090	83	83	110	-12.34 62	64	7.26 64	136	1.09 104	-16.98 50	64	-0.50 54	-5.38 61	9.92 52	-5.99 48	117	96	3		
230	DC 24 0069 107602682	6.97	JB 15 0036 DC 22 0033	83	98	86	0.05 61	90	1.09 54	113	1.11 104	-0.87 40	91	-4.50 46	-1.56 55	16.56 44	1.66 36	96	0			
231	DC 24 0093 107602203	6.25	JB 20 0091 DC 20 0108	83	84	89	-0.37 60	87	-0.74 50	93	-0.92 84	-1.85 40	87	1.50 40	-0.21 52	17.89 38	-2.55 33	107	0			
232	DC 22 0194 95279352	5.89	JB 20 0043 DC 20 0059	83	89	90	-0.56 62	86	0.17 55	103	-0.11 92	-2.07 35	86	-2.60 42	-1.95 55	8.56 42	-1.23 32	104	97	1		
233	DC 20 0109 90202458	4.74	CN 03 0061 DC 14 0041	83	83	98	-1.84 66	77	0.73 71	109	-0.19 91	-4.31 46	75	0.90 55	-0.57 65	15.04 50	-6.10 44	117	115	4		
234	DC 23 0148 98607260	5.87	JB 20 0043 DC 18 0057	83	80	92	-0.88 63	84	-0.80 56	92	-1.24 80	-2.54 35	83	0.90 44	-1.14 56	8.04 43	-0.54 32	102	98	1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr		% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:								100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96	0.51	0.14				
235	DC 23 0149 98607278	5.87	JB DC	20 0043 18 0057	83	80	91	-0.82 63	-0.90 56	-1.31 80	-2.49 35	84	0.90 44	-1.18 56	87	8.31 43	84	-0.49 32	102	98	1		
236	DC 22 0079 95281416	6.08	JB DC	15 0036 19 0073	83	83	110	-6.93 63	4.66 62	1.20 105	-10.57 37	64	-3.00 49	-4.07 59	76	-3.18 45	108	1.75 36	96	110	2		
237	DC 24 0157 107596058	5.89	JB DC	20 0043 20 0059	83	86	88	-0.49 61	-0.32 50	-0.57 87	-2.05 35	86	-1.80 39	-1.89 52	84	8.81 38	83	-1.22 32	104	0			
238	DC 21 0159 93134120	5.96	J DC	19 0022 19 0165	82	60	100	-2.25 64	-2.42 64	-3.54 64	-3.76 31	78	3.30 48	-2.69 60	81	-14.23 44	130	-3.51 35	110	107	3		
239	DC 23 0123 98610405	6.69	JB DC	20 0092 20 0035	82	97	74	1.50 62	-0.82 54	-0.07 92	-0.59 41	92	-5.00 45	-2.32 55	83	20.22 48	64	-2.59 35	107	1			
240	DC 21 0157 93134104	5.36	JP DC	16 0027 16 0029	82	69	101	-2.54 62	-0.58 64	-1.85 74	-2.73 28	83	4.20 44	-0.60 59	90	7.07 40	87	-5.33 33	115	95	3		
241	DC 23 0238 98608045	7.20	J DC	19 0022 20 0093	82	71	96	-1.83 61	-1.18 53	-2.09 72	-4.05 34	76	1.30 42	-2.22 54	83	-2.13 41	106	-4.12 34	112	0			
242	DC 24 0105 107602823	5.29	NB DC	20 0104 20 0032	82	83	87	-0.64 61	-0.67 56	-0.99 83	-2.32 43	84	-1.60 48	-2.28 56	83	11.47 45	78	-11.06 38	130	0			
243	DC 21 0173 93134302	7.20	J DC	19 0022 18 0116	82	71	97	-2.02 62	-1.00 58	-2.01 73	-4.25 34	76	-0.50 45	-3.32 57	79	-10.80 46	123	-1.96 37	106	90	3		
244	DC 22 0070 95331054	7.81	JB DC	16 0084 19 0142	81	79	109	-5.73 64	2.55 65	-0.32 90	-8.62 52	64	0.30 57	-3.01 63	80	4.89 55	91	3.44 50	91	104	2		
245	DC 23 0189 98607591	6.50	J DC	19 0022 19 0108	81	71	96	-1.96 60	-1.06 51	-2.04 72	-2.93 28	82	1.30 39	-2.24 52	83	-0.40 38	102	-5.72 31	116	0			
246	DC 23 0227 98607930	5.72	J DC	19 0022 19 0046	81	65	102	-2.93 55	-0.89 47	-2.35 69	-2.94 25	82	2.50 32	-2.32 47	83	-4.80 32	111	-6.93 26	119	0			
247	DC 24 0090 107602179	8.55	JB DC	20 0091 21 0008	81	79	107	-5.44 59	2.52 49	-0.20 91	-7.98 41	64	1.60 40	-1.96 51	84	15.35 38	70	-2.23 34	106	0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning		Weight		Comb EBV Index	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
								Dir EBV Acc	Index	Mat EBV Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14			
248	DC 20 0108 90202656	4.74	CN 03 0061 DC 14 0041	80	82	93	-1.86 64	0.68 77	-0.25 90	-4.34 46	75	-0.70 55	-1.60 64	15.01 51	-6.63 44	102	3								
249	DC 23 0094 98610025	6.93	JB 20 0092 DC 21 0173	80	86	81	0.06 63	-0.96 90	-0.93 84	-2.42 41	84	-3.40 46	-2.94 57	7.43 48	-0.52 35	98	1								
250	DC 19 0031 85927317	5.30	JB 15 0121 DC 12 0279	80	71	98	-2.32 64	-0.64 74	-1.80 75	-1.65 32	88	4.60 50	-0.20 63	13.08 42	-1.65 35	122	4								
251	DC 22 0115 95281978	5.36	JB 15 0036 DC 16 0014	80	87	96	-2.35 60	2.04 59	0.86 101	-2.54 32	83	-3.40 41	-2.36 55	12.17 41	-4.90 29	96	1								
252	DC 22 0005 95278073	8.91	JB 18 0064 DC 18 0029	80	84	85	-0.57 62	-0.63 59	-0.92 84	-3.00 42	81	-0.30 47	-1.38 57	17.15 47	-2.34 37	96	1								
253	DC 23 0215 98607815	5.79	JB 20 0043 DC 19 0085	80	71	93	-1.83 60	-1.25 48	-2.16 71	-2.41 30	84	1.80 37	-1.99 50	3.09 36	-2.05 29		0								
254	DC 22 0118 95282034	6.85	JB 15 0036 DC 17 0075	80	83	105	-12.87 60	8.05 59	1.61 109	-17.86 35	64	-2.90 44	-6.56 56	7.61 43	-3.56 31	95	1								
255	DC 23 0091 98609969	6.74	JB 20 0092 DC 21 0192	79	75	105	-6.48 63	1.82 59	-1.42 79	-10.47 40	64	0.00 47	-4.66 58	4.51 48	-2.90 34	100	1								
256	DC 22 0048 95279592	8.69	JB 18 0064 DC 17 0013	79	87	84	-0.62 61	0.01 58	-0.31 90	-1.31 39	89	-3.30 46	-2.60 56	12.05 45	1.81 35	95	1								
257	DC 25 0050 111900502	6.27	JB 20 0099 DC 22 0118	78	83	104	-5.18 61	4.18 51	1.59 109	-6.89 47	64	-2.70 40	-2.62 52	6.35 40	3.86 31		0								
258	DC 20 0110 90202672	5.36	CN 03 0061 DC 16 0129	77	89	87	-1.64 63	1.55 67	0.73 100	-3.99 46	77	-5.60 53	-3.45 62	15.24 48	-7.52 43	108	4								
259	DC 23 0141 98610702	7.47	JB 20 0092 DC 21 0044	77	81	102	-6.00 62	2.80 54	-0.20 91	-9.72 45	64	-1.70 46	-4.22 55	12.68 47	-0.03 38		0								
260	DC 23 0203 98607716	6.45	J 19 0022 DC 19 0011	77	65	93	-2.52 60	-1.30 51	-2.56 67	-3.59 28	79	1.40 39	-2.98 52	0.86 38	-5.51 31		0								

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
261	DC	20	0037	5.36	CN	03 0061	76	81	87	-1.76	0.41		-0.47	-4.25		-1.90	-2.49		20.69		-6.62		110	4	
90202615					DC	16 0024				64	78	69	105	88	46	76	54	92	64	82	49	64			43
262	DC	24	0051	9.59	JB	15 0036	76	87	86	-1.58	1.19		0.40	-4.08		-4.30	-2.97		13.98		1.72			0	
107602583					DC	22 0088				60	79	53	114	97	38	76	44	84	54	80	42	72			34
263	DC	20	0039	4.74	CN	03 0061	76	86	85	-1.68	1.08		0.24	-4.09		-5.40	-3.84		11.99		-3.63		108	4	
90202755					DC	14 0015				63	78	68	113	95	46	76	54	80	63	77	49	77			43
264	DC	25	0048	8.91	JB	18 0064	75	82	80	-0.79	-0.63		-1.02	-3.24		-2.70	-3.04		14.67		0.22			0	
112063300					DC	20 0093				61	84	55	94	83	42	80	45	89	55	80	43	71			37
265	DC	21	0175	5.36	JP	16 0027	75	76	89	-2.42	0.38		-0.84	-2.48		-1.60	-3.01		14.91		-9.12		111	3	
93134328					DC	16 0054				60	73	62	105	84	28	84	45	93	57	80	39	71			33
266	DC	22	0094	5.72	JB	15 0036	75	81	92	-2.87	1.71		0.28	-3.17		-2.70	-2.78		16.49		-4.37		103	2	
95281630					DC	19 0036				59	70	60	120	96	32	81	43	89	56	81	41	67			33
267	DC	22	0088	8.91	JB	18 0064	74	84	76	-0.53	-0.68		-0.95	-2.96		-4.20	-3.73		13.24		1.66		93	1	
95281572					DC	18 0116				62	86	59	93	83	42	82	48	84	58	77	47	74			37
268	DC	25	0022	8.87	JB	18 0064	73	85	73	-0.20	-0.88		-0.98	-2.60		-4.40	-3.72		17.18		0.50			0	
112063268					DC	20 0047				60	88	54	91	83	42	83	45	84	54	77	43	66			37
269	DC	20	0093	5.36	CN	03 0061	72	72	86	-2.37	-0.34		-1.53	-5.04		-1.70	-3.73		10.83		-5.17		114	4	
90202698					DC	16 0205				65	74	71	97	78	46	72	54	92	65	77	49	79			43
270	DC	20	0153	5.36	JP	16 0027	70	70	85	-2.85	-0.06		-1.48	-3.02		-1.80	-3.99		17.55		-12.69		105	4	
90200072					DC	16 0134				62	70	65	100	78	28	81	48	92	60	76	40	65			33
271	DC	20	0217	5.36	JP	16 0027	70	60	89	-3.39	-1.07		-2.76	-3.75		-1.10	-5.11		-3.82		-2.55		91	3	
90200494					DC	16 0099				62	67	64	89	65	28	78	46	94	59	71	40	109			33
272	DC	20	0032	4.74	CN	03 0061	65	71	76	-2.41	-0.41		-1.62	-5.09		-4.30	-5.40		23.53		-9.75		94	3	
90201898					DC	14 0050				61	73	65	96	77	46	72	53	84	61	70	49	64			43
273	DC	20	0047	5.27	CN	03 0061	64	72	72	-2.04	-0.69		-1.71	-4.70		-5.20	-5.85		15.85		-4.62		101	4	
90202094					DC	15 0008				63	76	67	93	76	46	73	54	81	62	68	48	69			43

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility													
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd			
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index	Acc
Active Breed Average:									100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
1	DC	21	0192	6.60	J	19	0022	108	83	145	-15.00		3.87		-3.63		-20.32		7.00		-6.93		-17.29		-5.89		109	3
93134526					DC	18	0175					63	64	65	136	64	28	64	47	121	60	64	43	136	33	116		
2	DC	20	0134	5.84	VR	17	0376	124	105	139	0.69		1.43		1.77		0.17		6.70		6.13		-24.88		-4.76		126	4
90200056					DC	18	0033					67	94	70	117	110	37	96	52	120	65	117	43	136	35	113		
3	DC	21	0061	7.36	JB	16	0084	99	83	133	-12.45		5.31		-0.92		-17.31		6.20		-3.42		-2.64		-1.29		114	3
93136653					DC	17	0108					66	64	70	136	84	53	64	58	118	66	78	55	107	51	104		
4	DC	20	0161	4.98	VR	17	0376	99	83	132	-13.16		6.50		-0.08		-18.24		2.40		-5.22		-31.51		-1.59		110	4
90198144					DC	18	0107					65	64	68	136	92	36	64	52	106	63	71	43	136	34	105		
5	DC	20	0193	4.91	VR	17	0376	98	83	132	-13.00		5.47		-1.04		-17.77		2.70		-5.92		-40.29		2.84		111	4
90200411					DC	18	0151					65	64	68	136	82	37	64	52	107	63	68	43	136	35	93		
6	DC	22	0076	7.16	JB	16	0084	98	83	131	-13.69		5.74		-1.10		-18.83		6.20		-4.23		3.54		-5.47		99	1
95331716					DC	18	0020					63	64	65	136	82	50	64	55	118	62	75	53	94	46	115		
7	DC	23	0174	6.03	J	19	0022	97	77	131	-7.12		2.14		-1.43		-10.35		4.50		-2.29		-24.82		0.15			0
98607468					DC	19	0111					60	64	51	125	79	31	64	40	113	52	83	39	136	31	100		
8	DC	24	0079	5.37	NB	20	0104	98	83	130	-12.68		5.26		-1.08		-16.77		3.70		-5.20		-5.02		-8.19			0
107602740					DC	18	0151					61	64	57	136	82	40	64	47	110	56	71	42	111	36	123		
9	DC	21	0252	4.91	VR	17	0376	97	83	130	-12.94		5.93		-0.54		-17.65		1.50		-6.11		-25.73		-1.68		116	3
93133544					DC	18	0142					62	64	65	136	87	37	64	50	103	60	67	42	136	35	105		
10	DC	23	0209	5.74	JB	20	0043	97	83	129	-13.56		5.58		-1.20		-17.96		3.30		-6.00		-6.52		-4.69			0
98607757					DC	21	0115					57	64	43	136	81	29	64	33	109	46	68	33	115	26	113		
11	DC	23	0102	6.91	JB	16	0084	95	83	128	-13.19		5.76		-0.84		-17.84		4.40		-4.79		-0.42		-1.63			1
98884968					DC	18	0151					62	64	60	136	84	50	64	55	112	60	73	54	102	47	105		
12	DC	20	0073	5.84	VR	17	0376	117	114	127	0.77		2.83		3.21		0.42		-1.00		3.00		-31.38		0.38		111	4
90202771					DC	18	0032					66	94	68	133	125	37	97	54	95	64	104	45	136	36	99		

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr		% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:								100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96	0.51		0.14			
13	DC 22 0133 95274437	5.08	J 19 0022 DC 20 0073	112	100	127	-0.07 64	89	1.51 62	118	1.47 107	-0.98 31	91	2.50 46	106	2.93 59	104	-28.76 43	136	-1.48 35	104	116	2
14	DC 24 0036 107602328	4.88	NB 20 0104 DC 20 0200	95	78	127	-5.32 62	64	2.31 57	127	-0.35 89	-7.94 41	64	1.80 47	104	-1.93 57	84	-17.65 44	136	-5.63 36	116		0
15	DC 22 0184 95279154	6.37	J 19 0022 DC 20 0204	95	78	126	-7.92 62	64	2.38 56	128	-1.57 77	-12.06 32	64	1.90 44	104	-4.39 56	74	-24.91 44	136	-2.35 32	107	95	1
16	DC 23 0049 98611627	4.88	NB 20 0104 DC 20 0200	95	78	126	-4.78 63	64	2.43 60	128	0.05 93	-7.31 41	64	1.20 49	102	-1.62 59	86	-17.04 47	136	-5.47 36	115	103	1
17	DC 23 0162 98614027	6.03	J 19 0022 DC 20 0207	94	74	126	-7.60 61	64	1.76 52	121	-2.04 73	-10.94 31	64	3.50 40	109	-3.74 53	77	-30.24 39	136	0.28 31	100		0
18	DC 24 0009 107602401	4.88	NB 20 0104 DC 20 0193	94	77	126	-5.30 62	64	2.15 57	125	-0.50 88	-7.93 41	64	2.00 47	104	-1.95 57	84	-20.43 44	136	-4.76 36	113		0
19	DC 24 0033 107810970	4.59	JOR 16 0035 DC 21 0061	94	83	126	-5.47 61	64	3.20 57	136	0.46 97	-8.45 43	64	3.30 48	109	-0.29 56	91	1.18 44	99	-8.46 38	123		0
20	DC 24 0032 107810962	4.59	JOR 16 0035 DC 21 0061	94	83	126	-5.16 61	64	3.14 57	136	0.56 98	-8.11 43	64	3.30 48	109	-0.04 56	92	1.18 44	99	-8.46 38	123		0
21	DC 23 0225 98607914	5.35	J 19 0022 DC 17 0075	94	83	125	-14.03 60	64	6.06 56	136	-0.95 83	-18.82 29	64	1.40 39	103	-7.13 54	63	-6.80 41	115	-7.27 28	120	101	1
22	DC 22 0193 95279337	6.02	J 19 0022 DC 20 0200	94	75	125	-7.69 61	64	1.83 56	121	-2.01 73	-11.03 31	64	2.90 43	107	-4.12 55	75	-24.70 43	136	-1.52 31	105	95	1
23	DC 25 0149 112020540	5.59	BRA 23 0189 DC 23 0225	93	81	124	-6.58 55	64	2.88 36	133	-0.41 89	-9.35 18	64	2.50 25	106	-2.20 41	83	-2.79 25	107	-6.70 18	119		0
24	DC 22 0110 95331211	6.93	JB 16 0084 DC 17 0018	92	83	124	-13.10 63	64	5.00 63	136	-1.56 77	-17.84 50	64	3.30 54	109	-6.13 61	67	1.34 53	98	-1.30 47	104	92	1
25	DC 22 0186 95279196	6.03	J 19 0022 DC 20 0207	91	74	123	-7.33 63	64	1.75 60	120	-1.92 74	-10.63 31	64	2.70 45	107	-3.96 58	76	-42.25 43	136	2.88 35	93	105	2

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
										1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14				
26	DC	23	0180	5.32	JB DC	20 20	0043 0204	92	79	123	-6.82	2.48		-0.93	-10.41	0.70	-3.92	-15.81		-0.02		99	1	
98607500											62	64	54	129	84	33	64	42	100	54	76			42
27	DC	25	0186	5.87	BRA DC	23 23	0189 0108	92	83	122	-7.45	3.53		-0.20	-10.57	2.10	-2.66	0.50		-5.58			0	
112020730											54	64	36	136	91	21	64	27	105	41	81			26
28	DC	24	0028	5.70	NB DC	20 18	0104 0076	92	83	122	-11.99	5.81		-0.19	-17.60	0.80	-5.70	-1.96		-10.80			0	
107602559											61	64	58	136	91	43	64	48	101	57	69			44
29	DC	25	0199	5.87	BRA DC	23 23	0189 0143	92	83	122	-7.10	3.59		0.04	-10.16	1.90	-2.36	0.49		-5.52			0	
112020789											54	64	36	136	93	21	64	27	104	41	83			26
30	DC	25	0099	5.98	JB DC	20 21	0043 0252	91	78	121	-6.56	2.42		-0.86	-9.29	1.30	-3.36	-11.26		-0.12			0	
111892105											60	64	48	128	84	32	64	38	102	50	79			36
31	DC	25	0066	10.90	NB DC	20 22	0104 0076	91	77	121	-5.43	2.25		-0.47	-8.23	3.70	-0.97	1.48		-8.92			0	
111900783											62	64	56	126	88	44	64	48	110	56	88			46
32	DC	21	0255	5.95	J DC	19 19	0022 0104	101	76	120	-1.27	-1.11		-1.75	-2.50	7.60	2.18	-30.16		1.95		118	3	
93133601								65	81	66	89	75	31	84	47	123	61	101	44	136	34			95
33	DC	20	0133	5.84	VR DC	17 18	0376 0033	109	94	120	0.29	-0.02		0.13	-0.45	3.50	2.37	-27.02		-2.39		109	4	
90200395								66	91	68	101	94	37	93	52	109	64	102	44	136	35			107
34	DC	20	0007	4.77	VR DC	17 17	0376 0030	103	83	120	-0.83	-0.33		-0.74	-1.46	5.20	1.96	-19.71		2.78		114	4	
90200114								67	84	70	97	85	37	88	52	115	65	100	44	136	36			93
35	DC	23	0050	5.60	JB DC	15 21	0036 0134	90	83	120	-12.93	8.18		1.72	-18.09	-1.10	-5.41	-10.35		-1.27		103	1	
98611643											59	64	56	136	110	36	64	44	94	54	70			43
36	DC	24	0158	5.26	JB DC	20 18	0043 0108	90	83	119	-12.85	6.02		-0.40	-17.11	1.10	-6.16	3.22		-8.27			0	
107596066											59	64	49	136	89	31	64	38	102	50	67			34
37	DC	24	0015	5.55	JB DC	20 20	0091 0204	89	77	119	-6.37	2.12		-1.06	-9.84	2.10	-2.98	-7.04		0.02			0	
107602476											60	64	50	125	82	39	64	40	105	52	80			36
38	DC	23	0108	6.48	JB DC	15 21	0036 0218	89	83	119	-14.71	7.16		-0.20	-20.07	0.60	-7.19	-0.23		-5.03		98	1	
98610207											59	64	56	136	91	34	64	43	100	54	63			43

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility						
Animal ID Regnr		% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
								Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index
Active Breed Average:								100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51	0.14	
39	DC 23 0185 98607559	6.01	JB DC	20 0043 18 0076	89	83	119	-13.26 60 64	5.84 50 136	-0.79 85	-18.99 35 64	0.70 40 100	-7.00 52 64	-0.07 37 101	-3.91 31 111					0	
40	DC 24 0014 107602468	5.55	JB DC	20 0091 20 0204	89	76	118	-6.16 60 64	2.08 50 124	-1.00 83	-9.60 39 64	2.10 40 105	-2.82 52 81	-7.04 36 116	0.02 31 100					0	
41	DC 25 0027 111900460	7.49	NB DC	20 0104 22 0133	115	104	118	1.68 62 101	0.07 56 102	0.91 102	1.03 40 100	1.80 46 104	2.84 56 104	-14.67 44 131	-6.92 36 119					0	
42	DC 21 0042 93136117	5.36	JB DC	16 0084 16 0042	102	97	118	-0.78 64 84	1.91 68 122	1.52 108	-0.39 48 93	3.10 54 108	3.00 63 104	5.14 51 91	-4.42 47 112			119		3	
43	DC 23 0143 98610744	6.48	JB DC	15 0036 21 0190	89	83	118	-14.79 59 64	7.44 55 136	0.04 93	-20.13 34 64	0.20 43 99	-7.24 54 63	-0.24 43 102	-4.93 32 114			101		1	
44	DC 22 0125 95280871	6.54	JB DC	15 0036 19 0211	104	100	118	-0.38 63 87	1.84 61 122	1.65 109	-1.77 34 87	1.20 46 102	2.18 58 101	-4.98 45 111	0.92 33 98			100		1	
45	DC 21 0177 93134344	5.36	VR DC	17 0376 16 0066	99	86	116	-1.24 62 81	0.64 65 108	0.02 93	-1.16 33 90	1.10 46 102	0.06 59 92	-33.09 39 136	-1.17 32 104			116		3	
46	DC 23 0085 98612021	4.99	JT DC	16 0062 18 0107	87	83	116	-11.03 63 64	5.77 62 136	0.26 95	-13.29 46 64	1.50 53 103	-4.35 60 74	6.34 50 88	-1.00 42 103			101		1	
47	DC 23 0122 98610389	4.91	JB DC	18 0064 18 0073	87	83	116	-12.49 59 64	6.02 53 136	-0.22 91	-17.53 39 64	0.90 44 101	-5.92 53 68	6.12 44 89	-5.48 34 115					1	
48	DC 23 0086 98612047	4.99	JT DC	16 0062 18 0107	87	83	116	-10.77 63 64	5.94 62 136	0.56 98	-12.97 46 64	1.40 53 103	-3.98 60 76	6.30 50 88	-0.85 42 103			103		1	
49	DC 23 0191 98607617	6.49	J DC	19 0022 20 0045	87	74	115	-8.46 61 64	1.78 52 121	-2.46 68	-12.02 29 64	2.40 40 106	-5.25 53 71	-0.83 43 103	-6.98 31 119					1	
50	DC 24 0012 107602443	6.02	JB DC	15 0036 22 0133	102	101	115	-0.52 61 86	2.13 54 125	1.87 111	-2.17 35 85	-0.90 44 95	1.07 54 97	-7.02 41 116	0.15 34 100					0	
51	DC 19 0154 85927879	5.36	JB DC	15 0121 16 0030	100	95	115	-0.96 64 83	1.79 70 121	1.31 106	0.18 32 96	1.30 51 102	1.61 63 99	-2.29 41 106	0.36 35 99			152		5	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd		
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index	Acc
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14				
52	DC	25	0070	6.96	JB	18	0064	86	80	115	-6.00	2.76		-0.24	-9.64		-0.60	-3.60		-6.49		2.02	0	
					DC	20	0161				61	64	54	132	90	40	64	45	96	55	78	41		115
53	DC	24	0075	4.66	JOR	16	0035	87	83	115	-6.37	3.20		0.01	-9.51		0.40	-2.94		9.24	-12.73		0	
					DC	20	0045				61	64	56	136	93	37	64	46	99	56	80	40		82
54	DC	25	0030	7.38	JB	20	0091	86	69	115	-7.45	0.95		-2.77	-10.41		5.30	-3.32		1.74	-2.18		0	
					DC	21	0192				60	64	49	112	65	36	64	38	115	51	79	35		98
55	DC	24	0173	4.74	JB	20	0043	107	102	114	0.80	0.77		1.17	0.31		0.00	1.57		-14.09		0.90	0	
					DC	20	0073				61	95	50	110	104	32	97	39	98	52	99	37		130
56	DC	25	0018	17.47	JB	16	0084	88	74	114	-3.26	1.10		-0.53	-6.15		2.30	-0.77		-8.51		-0.38	0	
					DC	22	0184				62	68	57	113	88	50	67	53	105	58	89	52		119
57	DC	25	0037	4.44	NB	20	0104	112	100	114	1.62	-0.65		0.17	1.03		2.30	2.36		-13.80		-7.38	0	
					DC	20	0133				62	100	57	94	94	41	100	47	105	57	102	44		130
58	DC	25	0036	4.44	NB	20	0104	109	97	114	1.14	-0.56		0.01	0.49		2.30	1.96		-13.80		-7.38	0	
					DC	20	0133				62	97	57	95	93	41	97	47	105	57	100	44		130
59	DC	24	0044	4.45	JB	20	0091	108	97	114	1.09	-0.40		0.15	0.61		5.20	3.81		-2.05		-1.61	0	
					DC	20	0134				61	97	51	96	94	38	98	39	115	52	108	36		105
60	DC	19	0210	5.39	J	17	0068	105	92	114	0.54	-0.57		-0.30	0.03		2.70	1.59		-26.60		1.46	110	4
					J	16	0091				65	93	66	95	90	24	95	49	107	62	99	41		
61	DC	25	0169	5.40	BRA	23	0189	107	96	114	0.92	-0.39		0.07	0.68		2.10	1.80		-15.35		-1.27	0	
					DC	19	0200				56	95	41	97	94	23	98	31	105	44	100	27		133
62	DC	25	0029	7.38	JB	20	0091	85	68	114	-6.57	0.79		-2.50	-9.43		5.30	-2.60		1.74	-2.18		0	
					DC	21	0192				60	64	49	110	68	36	64	38	115	51	82	35		98
63	DC	21	0056	5.36	JB	16	0084	96	84	113	-1.42	0.39		-0.32	-1.29		6.20	2.69		7.17	-3.39		117	3
					DC	16	0034				64	80	69	105	90	48	89	54	118	64	103	51		
64	DC	23	0034	6.50	JB	16	0084	100	89	113	-0.31	0.01		-0.15	-0.73		7.50	4.20		10.36	0.48		106	1
					DC	19	0054				65	87	66	101	91	50	92	55	123	63	109	54		

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb													Dir
										Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
65	DC	23	0124	5.51	JB	16	0084	100	89	112	-0.21	-0.16	-0.27	-1.41	4.00	2.03	-5.91	2.19						0		
					DC	20	0007				64	88	60	99	90	51	89	55	111	60	100	52	113	48	95	
66	DC	20	0045	5.26	JP	16	0027	85	83	112	-14.28	5.31	-1.83	-19.45	0.50	-8.67	13.48	-9.83	105	4						
					DC	17	0075				64	64	67	136	75	32	64	49	100	62	57	43	74	34	127	
67	DC	22	0011	5.36	JB	15	0036	93	96	111	-2.03	3.40	2.38	-2.02	-0.70	0.95	10.98	-6.05	117	2						
					DC	16	0066				61	76	64	136	117	32	86	44	96	58	96	41	79	33	117	
68	DC	25	0115	5.74	JB	20	0043	102	86	111	0.28	-1.29	-1.15	-0.60	4.30	1.57	-13.48	1.69						0		
					DC	21	0255				61	91	49	87	81	31	92	37	112	51	99	36	129	29	96	
69	DC	22	0137	5.95	J	19	0022	90	64	111	-2.17	-1.92	-3.01	-3.62	6.00	-0.49	-25.47	-1.23	107	2						
					DC	20	0128				63	75	62	79	64	31	78	45	118	58	90	43	136	35	104	
70	DC	25	0080	5.24	NB	20	0104	84	77	111	-6.45	2.16	-1.06	-9.36	0.80	-3.81	6.45	-11.10						0		
					DC	20	0045				62	64	57	125	82	40	64	47	101	57	77	44	88	36	131	
71	DC	21	0253	4.88	VR	17	0376	97	82	110	-0.68	-0.80	-1.14	-1.76	2.50	0.02	-33.65	0.93	122	3						
					DC	19	0026				65	85	67	92	81	36	87	50	106	62	92	43	136	35	98	
72	DC	21	0046	5.36	JB	16	0084	96	89	110	-1.03	0.75	0.23	-0.80	3.60	1.88	5.43	-2.71	111	3						
					DC	16	0024				64	83	69	109	95	48	91	55	110	64	100	52	90	47	108	
73	DC	21	0008	5.20	JB	16	0084	83	83	110	-12.34	7.26	1.09	-16.98	-0.50	-5.38	9.92	-5.99	96	3						
					DC	17	0090				62	64	64	136	104	50	64	54	96	61	70	52	81	48	117	
74	DC	23	0181	5.72	J	19	0022	89	71	110	-2.62	-0.19	-1.50	-2.50	3.40	-0.77	-6.89	-6.59						1		
					DC	19	0124				56	72	49	99	78	25	84	32	109	48	89	39	115	26	118	
75	DC	25	0183	5.10	BRA	23	0189	99	91	110	-0.34	0.27	0.10	-0.64	3.60	2.09	3.32	-4.41						0		
					DC	21	0046				56	87	41	104	94	27	92	32	110	45	101	30	94	26	112	
76	DC	22	0079	6.08	JB	15	0036	83	83	110	-6.93	4.66	1.20	-10.57	-3.00	-4.07	-3.18	1.75	110	2						
					DC	19	0073				63	64	62	136	105	37	64	49	88	59	76	45	108	36	96	
77	DC	24	0007	4.47	JB	20	0091	105	104	110	0.95	0.93	1.41	1.22	3.00	3.68	11.65	-4.89						0		
					DC	18	0032				61	96	52	111	107	37	101	40	108	53	107	36	77	30	114	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
										1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14								
78	DC 19 0200	85927051	4.80	VR 17 0376	DC 17 0052	99	89	109		-0.15	-0.26	-0.34	-0.01	0.60	-0.06	-31.92	3.58	53	64	46	36	113	5		
79	DC 20 0172	90200130	5.36	JP 16 0027	DC 16 0185	89	77	109		-2.34	0.45	-0.72	-2.37	3.60	0.28	3.72	-6.96	65	69	39	32	117	4		
80	DC 23 0154	98607328	5.95	J 19 0022	DC 19 0076	94	76	109		-1.14	-1.19	-1.76	-2.36	3.10	-0.47	-21.43	0.30	61	52	39	31		0		
81	DC 22 0070	95331054	7.81	JB 16 0084	DC 19 0142	81	79	109		-5.73	2.55	-0.32	-8.62	0.30	-3.01	4.89	3.44	64	65	55	50	104	2		
82	DC 25 0012	112063235	4.39	JB 18 0064	DC 20 0134	104	101	109		1.06	0.20	0.73	-0.28	1.50	2.16	-3.18	0.43	62	55	41	35		0		
83	DC 23 0024	98611247	4.39	JB 18 0064	DC 20 0134	101	96	108		0.39	0.32	0.52	-1.03	1.50	1.61	-3.18	0.43	62	55	41	35		0		
84	DC 23 0233	98607997	5.50	J 19 0022	DC 19 0200	94	78	108		-1.00	-1.08	-1.59	-1.86	2.50	-0.59	-22.73	-0.03	61	52	44	31		1		
85	DC 25 0152	112020565	5.46	BRA 23 0189	DC 22 0070	89	82	108		-2.17	1.07	-0.02	-3.97	2.00	0.10	3.05	-1.34	56	40	31	27		0		
86	DC 25 0176	112020698	5.73	BRA 23 0189	DC 20 0024	100	93	108		0.27	-0.16	-0.03	-0.38	1.20	0.83	-8.42	-1.88	56	40	26	21		0		
87	DC 25 0098	112020441	5.68	BRA 23 0189	DC 22 0122	95	91	108		-0.81	0.92	0.52	-1.29	2.00	1.31	5.65	-4.13	55	39	24	20		0		
88	DC 19 0009	85926038	5.27	JB 15 0121	DC 15 0011	93	93	108		-1.15	1.57	1.00	-0.07	2.20	1.74	11.06	0.49	67	72	44	35	147	5		
89	DC 25 0111	112020458	5.81	BRA 23 0189	DC 20 0124	96	85	108		-0.61	-0.27	-0.58	-1.60	1.40	-0.04	-10.38	-1.61	56	41	26	21		0		
90	DC 24 0127	107595910	5.91	JB 20 0043	DC 20 0007	98	87	108		0.06	-0.81	-0.78	-0.57	3.20	1.17	-8.25	2.11	61	50	36	29		0		

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc		
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype		
Active Breed Average:							100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
91	DC 24 0128 107595928	5.91	JB 20 0043 DC 20 0007	98	87	108	0.06 61 90	-0.81 50 92	-0.78 85 32	-0.57 93	3.20 39 108	1.17 52 97	-8.25 36 118	2.11 29 95								
92	DC 22 0082 95281473	5.36	JB 15 0036 DC 16 0035	89	91	108	-2.30 60 74	2.73 62 131	1.58 109	-2.40 32 84	-1.30 41 94	-0.35 56 91	9.18 41 82	-4.65 29 113	100	1						
93	DC 25 0168 112020623	5.92	BRA 23 0189 DC 23 0201	95	83	107	-0.77 55 84	-0.52 36 95	-0.91 84 18	-1.65 88	3.70 26 110	0.93 41 96	-1.02 26 103	-5.76 19 116								
94	DC 24 0090 107602179	8.55	JB 20 0091 DC 21 0008	81	79	107	-5.44 59 64	2.52 49 129	-0.20 91 41	-7.98 64	1.60 40 103	-1.96 51 84	15.35 38 70	-2.23 34 106								
95	DC 25 0154 112020573	5.17	BRA 23 0189 DC 22 0208	101	96	107	0.47 54 92	0.26 35 104	0.49 98 18	0.59 98	1.70 23 104	1.75 40 99	2.36 23 96	-5.25 16 115								
96	DC 22 0122 95280830	5.56	JB 15 0036 DC 18 0019	90	91	107	-1.83 60 77	2.03 62 124	1.11 104 32	-1.94 86	0.30 43 99	0.38 57 94	10.09 40 80	-2.14 33 106	111	2						
97	DC 24 0126 107595902	5.04	JB 20 0043 DC 19 0210	99	88	107	0.22 61 91	-0.84 49 92	-0.73 86 29	-0.40 93	1.90 38 104	0.53 51 94	-11.70 36 125	1.44 28 97								
98	DC 24 0091 107602187	4.87	NB 20 0104 DC 21 0089	98	83	106	0.05 62 90	-1.41 56 85	-1.38 79 41	-0.90 91	2.00 46 104	-0.15 56 92	-14.37 44 131	-6.00 36 117								
99	DC 24 0086 107602146	7.95	JB 15 0036 DC 22 0137	89	81	106	-1.90 61 77	0.48 54 106	-0.47 88 35	-3.85 77	0.80 44 101	-0.94 54 88	-5.38 41 112	0.27 34 100								
100	DC 24 0058 107602625	4.81	JT 16 0062 DC 22 0186	89	80	106	-1.56 62 79	-0.06 57 100	-0.84 84 46	-1.43 89	0.60 50 100	-1.26 57 87	-13.35 49 129	5.83 43 85								
101	DC 23 0169 98607419	6.46	J 19 0022 DC 19 0002	91	80	106	-1.43 60 80	-0.17 51 99	-0.88 84 29	-1.80 87	2.50 40 106	-0.10 52 92	-2.61 38 107	-1.93 31 106								
102	DC 23 0187 98607575	4.75	J 19 0022 DC 21 0006	99	92	106	0.28 60 91	-0.33 51 97	-0.19 91 34	0.50 98	2.20 42 105	1.27 52 97	-1.84 45 105	-1.92 33 106								
103	DC 23 0200 98614068	6.50	J 19 0022 DC 20 0164	88	72	106	-1.97 60 76	-0.88 51 91	-1.86 74 28	-2.91 82	4.00 39 111	-0.44 52 90	-3.45 43 108	-5.02 31 114								

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	EBV Index			Acc
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14			
104	DC	20	0024	4.79	VR	17 0376	93	85	106	-0.91	0.09		-0.37	-1.51	-1.40	-1.66	-18.05	2.37		109	4		
					DC	17 0021				65	83	67	102	89	37	53	93	63	85	44	136	36	94
105	DC	25	0182	5.58	BRA	23 0189	83	74	106	-2.99	0.79		-0.70	-5.39	1.80	-1.12	2.86	-4.51					
					DC	23 0091				55	69	37	110	86	23	28	104	42	88	28	95	20	113
106	DC	25	0105	5.33	JB	20 0043	98	95	105	0.32	0.26		0.43	-0.67	1.10	1.25	-0.89	1.18					
					DC	22 0125				60	91	47	104	97	32	37	102	50	97	37	103	28	97
107	DC	23	0091	6.74	JB	20 0092	79	75	105	-6.48	1.82		-1.42	-10.47	0.00	-4.66	4.51	-2.90		100	1		
					DC	21 0192				63	64	59	121	79	40	47	98	58	73	48	92	34	108
108	DC	23	0201	6.50	J	19 0022	86	70	105	-2.40	-0.74		-1.94	-3.39	3.70	-0.92	-3.26	-5.41		100	1		
					DC	20 0164				61	73	56	93	73	28	42	110	55	88	43	108	31	115
109	DC	24	0124	5.72	JB	20 0043	94	91	105	-0.76	0.76		0.38	0.11	0.90	0.54	4.34	-4.68					
					DC	19 0075				57	84	47	109	97	27	29	101	47	94	29	92	23	113
110	DC	24	0123	5.72	JB	20 0043	91	87	105	-1.39	0.87		0.18	-0.60	0.90	0.03	4.34	-4.68					
					DC	19 0075				57	80	47	111	95	27	29	101	47	92	29	92	23	113
111	DC	25	0072	5.32	NB	20 0104	98	97	105	0.16	0.76		0.84	-0.13	-0.10	0.86	4.30	-8.51					
					DC	22 0082				61	90	55	109	101	40	45	98	55	96	43	92	35	123
112	DC	22	0118	6.85	JB	15 0036	80	83	105	-12.87	8.05		1.61	-17.86	-2.90	-6.56	7.61	-3.56		95	1		
					DC	17 0075				60	64	59	136	109	35	44	88	56	65	43	86	31	110
113	DC	25	0073	5.32	NB	20 0104	98	97	105	0.16	0.76		0.84	-0.13	-0.10	0.86	4.30	-8.51					
					DC	22 0082				61	90	55	109	101	40	45	98	55	96	43	92	35	123
114	DC	25	0124	7.23	JB	20 0043	96	92	104	-0.12	0.27		0.21	0.13	1.20	0.87	0.46	0.89					
					DC	19 0154				61	89	50	104	95	31	38	102	51	96	36	100	29	98
115	DC	23	0235	5.80	J	19 0022	92	76	104	-0.94	-1.46		-1.93	-2.30	1.90	-1.27	-21.39	0.47					
					DC	20 0114				61	83	52	85	74	32	41	104	53	87	44	136	32	99
116	DC	25	0178	5.27	BRA	23 0189	97	92	104	0.20	-0.20		-0.10	-0.40	3.00	1.80	5.44	-2.39					
					DC	23 0115				56	91	39	99	92	28	32	108	44	100	31	90	26	107

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
										Dir	Mat		Comb		Post-Wean		Acc	Index	Acc	Index			Acc	Index	Acc
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype					
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
117	DC	25	0088	5.30	BRA	23 0189 DC 22 0020	102	97	104	1.24	-0.60	0.02	1.99	3.80	2.92	6.25	-0.94								
112020425										56	98	40	94	93	26	104	31	110	44	104	29	88	24	103	
118	DC	22	0208	5.36	JB	20 0043 DC 16 0176	93	91	104	-0.86	0.99	0.56	0.02	-0.20	0.01	3.50	-4.38			97	1				
95280137										59	84	53	112	98	27	95	33	97	51	92	36	94	23	112	
119	DC	21	0089	4.84	VR	17 0376 DC 19 0085	86	66	104	-2.12	-1.68	-2.74	-3.50	2.90	-2.06	-28.16	0.37			97	2				
93006229										63	75	64	82	66	36	79	48	107	60	84	43	136	35	99	
120	DC	25	0050	6.27	JB	20 0099 DC 22 0118	78	83	104	-5.18	4.18	1.59	-6.89	-2.70	-2.62	6.35	3.86				0				
111900502										61	64	51	136	109	47	64	40	89	52	82	40	88	31	90	
121	DC	23	0135	6.76	JB	16 0084 DC 19 0009	96	95	104	-0.02	0.64	0.63	-0.33	2.20	1.94	9.44	1.03			100	1				
98885064										65	89	64	108	99	50	94	56	105	63	100	55	82	48	98	
122	DC	25	0076	5.72	JB	20 0099 DC 19 0124	95	96	104	-0.09	0.85	0.81	1.79	0.00	0.76	3.42	0.39				0				
111900676										58	89	51	110	101	43	103	33	98	50	95	35	94	27	99	
123	DC	20	0124	4.88	VR	17 0376 DC 18 0017	89	79	104	-1.48	-0.35	-1.10	-2.62	-0.80	-2.32	-21.97	2.90			108	4				
90200015										65	80	67	97	82	36	83	52	95	63	83	44	136	35	93	
124	DC	25	0141	5.72	JB	20 0043 DC 19 0064	92	88	103	-0.75	0.41	0.03	0.08	0.90	0.20	4.34	-4.68				0				
111892600										56	84	46	105	93	27	96	29	101	46	93	29	92	23	113	
125	DC	22	0104	6.58	JB	15 0036 DC 17 0052	92	100	103	-0.65	2.13	1.81	-0.56	-2.30	0.11	8.14	0.28			97	1				
95281796										63	85	61	125	111	39	93	48	90	59	93	46	84	34	100	
126	DC	22	0050	5.51	JB	16 0084 DC 19 0170	96	89	103	0.33	-0.87	-0.70	-0.87	1.60	0.42	-6.23	0.73			100	2				
95330957										65	92	65	91	86	51	91	57	103	63	94	55	114	49	98	
127	DC	21	0116	5.72	J	19 0022 DC 19 0037	84	72	103	-2.45	-0.25	-1.48	-2.32	2.80	-1.02	3.69	-7.75			114	3				
93031532										60	73	62	98	78	25	84	42	107	57	88	39	94	30	121	
128	DC	25	0011	5.16	NB	20 0104 DC 22 0104	102	104	103	1.42	0.38	1.09	1.26	-0.60	1.44	3.78	-6.05				0				
111900387										61	99	55	105	104	41	101	46	96	55	98	44	93	36	117	
129	DC	21	0048	5.36	JB	16 0084 DC 16 0099	90	91	102	-0.99	1.14	0.64	-0.72	-1.70	-0.88	0.28	-0.94			112	3				
93136232										64	83	68	114	99	48	92	55	92	63	89	52	101	47	103	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
130	DC	23	0159	6.92	JB	20	0043	90	87	102	-0.87	0.24		-0.20	-0.74		2.00	0.56	5.73	1.28				0	
98607351					DC	17	0155			61	84	50	104	91	31	92	39	104	52	95	36	89	29	97	
131	DC	24	0169	5.72	JB	20	0043	89	85	102	-1.23	0.33		-0.28	-0.48		0.90	-0.36	4.34	-4.68				0	
107596124					DC	19	0168			56	81	46	105	90	27	93	29	101	46	91	29	92	23	113	
132	DC	24	0107	4.45	NB	20	0104	104	101	102	2.03	-0.93		0.08	2.31		2.00	2.29	1.93	-3.95				0	
107602849					DC	21	0003			63	103	58	90	94	44	106	48	104	58	102	46	97	39	111	
133	DC	23	0227	5.72	J	19	0022	81	65	102	-2.93	-0.89		-2.35	-2.94		2.50	-2.32	-4.80	-6.93				0	
98607930					DC	19	0046			55	70	47	91	69	25	82	32	106	47	83	32	111	26	119	
134	DC	25	0192	5.43	BRA	23	0189	94	90	102	-0.14	-0.17		-0.24	-1.32		1.70	0.72	4.43	-3.74				0	
112020748					DC	22	0185			55	88	37	99	90	21	89	27	104	42	95	25	92	19	111	
135	DC	23	0141	7.47	JB	20	0092	77	81	102	-6.00	2.80		-0.20	-9.72		-1.70	-4.22	12.68	-0.03				0	
98610702					DC	21	0044			62	64	54	132	91	45	64	46	92	55	75	47	75	38	100	
136	DC	20	0114	4.60	VR	17	0376	93	84	102	-0.19	-0.99		-1.09	-1.06		-0.40	-1.42	-28.45	4.10		97	3		
90198672					DC	17	0081			65	88	67	90	82	41	90	52	97	63	86	46	136	38	89	
137	DC	25	0193	5.43	BRA	23	0189	93	88	102	-0.33	-0.13		-0.30	-1.54		1.70	0.56	4.43	-3.74				0	
112020755					DC	22	0185			55	87	37	99	90	21	88	27	104	42	94	25	92	19	111	
138	DC	24	0096	4.88	JOR	16	0035	96	88	102	0.08	-0.67		-0.63	-1.13		0.90	-0.05	-0.91	-10.69				0	
107811044					DC	21	0198			61	90	54	93	87	37	90	45	101	55	92	40	103	33	129	
139	DC	21	0003	4.39	JT	16	0062	105	105	102	2.49	-0.85		0.39	3.67		2.90	3.38	4.43	4.46		124	3		
93136513					W	16	0098			67	106	70	91	97	48	112	56	107	66	106	50	92	45	88	
140	DC	21	0074	6.36	JB	16	0084	95	93	101	0.16	0.11		0.19	0.50		0.50	0.58	1.88	0.51		105	3		
93135291					DC	17	0052			66	90	69	102	95	53	97	59	100	66	95	56	97	49	99	
141	DC	24	0119	5.83	JB	20	0043	90	82	101	-0.95	-0.38		-0.85	-1.30		2.40	0.12	3.46	-2.77				0	
107595860					DC	20	0172			61	83	50	97	84	30	89	37	106	51	93	35	94	28	108	
142	DC	23	0160	6.92	JB	20	0043	90	87	101	-0.74	0.10		-0.27	-0.60		1.80	0.44	5.34	1.16		100	1		
98607369					DC	17	0155			62	84	55	102	90	31	92	42	104	55	94	41	90	29	97	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc		
										100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
143	DC	24	0065	8.40	JB	20	0091	97	95	101	0.66	-0.21	0.12	0.68	3.40	2.49	12.96	-1.44					0		
107602658					DC	21	0042			60	94	50	99	94	41	98	40	109	52	102	38	75	34	104	
144	DC	21	0157	5.36	JP	16	0027	82	69	101	-2.54	-0.58	-1.85	-2.73	4.20	-0.60	7.07	-5.33			95	3			
93134104				DC	16	0029			62	72	64	94	74	28	83	44	112	59	90	40	87	33	115		
145	DC	21	0070	5.36	JB	16	0084	90	92	101	-0.90	1.07	0.62	-0.62	-0.70	-0.25	7.60	-5.00			109	3			
93136836				DC	16	0035			63	83	67	113	99	48	92	54	96	62	91	51	86	46	114		
146	DC	22	0205	5.52	JB	20	0043	91	84	101	-0.63	-0.55	-0.87	-0.96	3.40	0.86	6.84	-1.77			95	1			
95280079				DC	18	0147			62	85	55	95	84	30	91	41	109	54	96	40	87	28	105		
147	DC	25	0130	7.18	JB	20	0043	91	89	101	-0.53	0.22	-0.05	-0.35	1.60	0.65	7.13	0.96					0		
111892568				DC	19	0009			61	86	51	103	92	31	94	39	103	52	95	36	87	29	98		
148	DC	23	0083	5.72	NB	20	0104	92	87	101	-0.64	0.05	-0.27	0.11	0.20	-0.47	4.62	-11.52			102	1			
98611981				DC	19	0036			58	85	58	101	90	37	96	43	99	55	90	43	92	32	132		
149	DC	21	0018	5.36	JB	16	0084	88	87	100	-1.27	0.82	0.19	-1.08	-0.80	-0.93	4.32	-3.59			111	3			
93136935				DC	16	0205			63	81	68	110	95	48	90	55	95	63	88	52	92	47	110		
150	DC	25	0138	5.43	BRA	23	0189	93	88	100	-0.16	-0.40	-0.48	-1.38	1.80	0.52	4.74	-4.12					0		
112020516				DC	22	0210			55	88	36	96	88	21	89	27	104	41	94	26	91	19	112		
151	DC	23	0192	6.50	J	19	0022	85	69	100	-1.70	-1.61	-2.46	-2.28	4.20	-0.79	-2.61	-1.38			99	1			
98607625				DC	18	0009			62	78	57	83	68	29	85	43	112	56	89	43	107	31	104		
152	DC	23	0207	5.91	JB	20	0043	91	84	100	-0.28	-0.91	-1.05	-0.96	1.00	-0.59	-6.95	3.12					0		
98607732				DC	20	0015			60	88	48	91	82	32	91	38	101	50	90	36	115	29	92		
153	DC	23	0217	5.23	JB	20	0043	90	82	100	-0.63	-0.76	-1.07	-1.55	0.10	-1.33	-9.33	2.06					1		
98607831				DC	20	0124			61	85	49	92	82	32	88	39	98	51	87	41	120	29	95		
154	DC	24	0104	5.21	JB	20	0091	92	80	100	-0.10	-1.75	-1.80	-1.27	3.60	0.32	-4.49	3.39					0		
107602815				DC	20	0053			60	89	49	81	75	37	89	39	110	51	94	35	110	30	91		
155	DC	22	0103	4.95	JB	15	0036	86	87	100	-1.58	1.21	0.42	-2.71	0.30	-0.19	16.17	-9.41			110	2			
95281770				DC	19	0069			63	79	64	114	97	36	83	48	99	60	91	45	68	36	126		

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14			
156	DC	23	0007	6.02	NB DC	18 21	0009 0088	99	90	100	1.19	-1.77		-1.17	1.02	2.70	1.05	0.67		-11.10		98	1
98885106											63	97	61	81	81	48	100	51	107	59	96		
157	DC	25	0159	5.57	BRA DC	23 22	0189 0194	96	95	100	0.68	-0.17		0.18	-0.39	0.60	0.88	4.89		-3.67			0
112020607											55	94	36	99	95	21	93	26	100	41	96		
158	DC	21	0159	5.96	J DC	19 19	0022 0165	82	60	100	-2.25	-2.42		-3.54	-3.76	3.30	-2.69	-14.23		-3.51		107	3
93134120											64	74	64	74	64	31	78	48	109	60	81		
159	DC	23	0008	6.02	NB DC	18 21	0009 0088	99	89	99	1.18	-1.80		-1.21	1.00	2.70	1.00	0.73		-11.11		97	1
98885122											63	97	61	81	81	48	100	51	107	59	96		
160	DC	23	0038	5.24	NB DC	20 17	0104 0114	95	91	99	0.35	-0.60		-0.42	0.51	0.90	0.29	2.11		-5.44			0
98611403											62	92	58	94	89	40	98	47	101	57	93		
161	DC	23	0115	6.78	JB DC	16 17	0084 0122	94	92	99	0.32	-0.24		-0.08	-0.04	2.40	1.52	9.67		1.33		99	1
98885007											64	91	64	98	92	50	95	56	106	62	98		
162	DC	25	0196	6.47	JB DC	20 23	0043 0135	92	91	99	0.08	-0.26		-0.22	-0.43	1.70	0.84	6.32		1.23			0
111892824											61	90	48	98	91	37	93	40	104	51	96		
163	DC	22	0020	4.92	JT DC	16 17	0062 0001	99	98	99	1.64	-0.90		-0.08	3.89	3.90	3.08	11.29		4.24		99	1
95278396											65	100	66	91	92	47	113	53	111	63	105		
164	DC	25	0092	5.65	JB DC	20 21	0043 0116	89	82	98	-0.67	-0.79		-1.13	-0.90	2.00	-0.26	3.45		-3.16			0
111892071											60	85	48	92	82	29	91	36	104	50	91		
165	DC	25	0093	10.83	JB DC	20 21	0043 0003	99	98	98	1.82	-1.09		-0.18	2.12	2.00	1.93	3.82		2.95			0
111892089											61	101	50	89	91	36	105	40	104	52	100		
166	DC	25	0009	4.97	NB DC	20 22	0104 0018	99	98	98	1.53	-0.85		-0.08	2.35	1.20	1.40	5.78		-4.35			0
111900361											62	100	56	91	92	43	106	48	102	56	98		
167	DC	20	0109	4.74	CN DC	03 14	0061 0041	83	83	98	-1.84	0.73		-0.19	-4.31	0.90	-0.57	15.04		-6.10		115	4
90202458											66	77	71	109	91	46	75	55	101	65	90		
168	DC	19	0031	5.30	JB DC	15 12	0121 0279	80	71	98	-2.32	-0.64		-1.80	-1.65	4.60	-0.20	13.08		-1.65		122	4
85927317											64	74	70	94	75	32	88	50	113	63	91		

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility																			
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd									
										Dir	Mat		Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index	Acc	Index	Phenotype				
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14										
169	DC	25	0094	10.83	JB	20	0043	98	97	98	1.63		-1.06		-0.24		1.90		2.00		1.77		3.82		2.95		0							
111892097					DC	21	0003	61		100		50		89		90		36		40		52		99		38		93		32		92		
170	DC	24	0078	8.40	JB	20	0091	91	87	98	-0.06		-0.68		-0.71		-0.20		3.70		1.48		13.10		-0.59		0							
107809055					DC	21	0046	60		89		50		93		86		41		41		110		52		98		38		74		34		102
171	DC	25	0056	6.48	JB	18	0064	91	88	98	0.11		-0.65		-0.59		-1.32		0.80		-0.06		-0.60		4.20		0							
112063383					DC	20	0007	61		90		55		94		87		40		45		55		92		41		102		35		89		
172	DC	25	0150	29.69	JB	20	0043	89	86	97	-0.31		-0.52		-0.68		-0.60		1.40		0.01		4.27		1.29		0							
111892642					DC	23	0160	60		87		45		95		86		31		36		49		92		35		92		27		97		
173	DC	25	0206	5.86	BRA	23	0189	85	81	97	-1.37		-0.11		-0.80		-1.88		0.90		-0.94		9.38		-9.40		0							
112020805					DC	20	0153	55		80		40		100		85		18		29		43		88		24		82		20		126		
174	DC	21	0173	7.20	J	19	0022	82	71	97	-2.02		-1.00		-2.01		-4.25		-0.50		-3.32		-10.80		-1.96		90	3						
93134302					DC	18	0116	62		76		58		90		73		34		45		96		57		79			46		123		37	
175	DC	24	0187	5.93	JB	20	0043	91	85	97	0.13		-1.18		-1.12		-0.53		-0.60		-1.42		-10.34		3.12		0							
107602930					DC	20	0090	61		90		49		88		82		32		39		96		51		86		36		122		29		92
176	DC	25	0188	5.66	JB	20	0043	93	86	97	0.41		-1.41		-1.20		-0.06		1.90		0.14		1.94		-4.84		0							
111892774					DC	23	0007	60		92		47		85		81		36		39		104		50		93		39		97		31		114
177	DC	24	0115	5.75	JB	20	0043	84	71	97	-1.44		-1.71		-2.43		-2.61		2.20		-1.84		-5.51		-1.04		0							
107595837					DC	21	0159	61		80		48		82		69		31		38		105		51		85		36		112		29		103
178	DC	25	0204	5.66	JB	20	0043	93	86	97	0.36		-1.42		-1.24		-0.12		1.90		0.08		1.97		-4.84		0							
111892873					DC	23	0008	60		92		47		85		80		36		39		104		50		93		39		97		31		114
179	DC	22	0102	4.95	JB	15	0036	84	88	96	-1.61		1.36		0.56		-2.72		-1.30		-1.03		16.72		-8.27		95	1						
95281754					DC	19	0069	61		79		59		116		98		36		46		94		57		88			45		67		33	
180	DC	23	0238	7.20	J	19	0022	82	71	96	-1.83		-1.18		-2.09		-4.05		1.30		-2.22		-2.13		-4.12		0							
98608045					DC	20	0093	61		77		53		88		72		34		42		102		54		83		41		106		34		112
181	DC	22	0115	5.36	JB	15	0036	80	87	96	-2.35		2.04		0.86		-2.54		-3.40		-2.36		12.17		-4.90		96	1						
95281978					DC	16	0014	60		74		59		124		101		32		41		87		55		83			41		76		29	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96	0.51	0.14							
182	DC	23	0078	7.43	JB	16	0084	89	89	96	-0.25	-0.12	-0.25	-2.35	1.10	0.29	11.37	-2.50			98	1			
					DC	20	0108					64	88	63	100	90	53	84	57	102	62	93	56	78	49
183	DC	21	0027	4.42	JB	16	0084	97	95	96	1.42	-1.14	-0.43	0.61	0.30	0.47	-0.54	-0.27			104	3			
					J	17	0045				67	99	68	88	89	51	98	60	99	66	94	56	102	50	101
184	DC	23	0189	6.50	J	19	0022	81	71	96	-1.96	-1.06	-2.04	-2.93	1.30	-2.24	-0.40	-5.72							
					DC	19	0108					60	76	51	89	72	28	82	39	102	52	83	38	102	31
185	DC	24	0035	5.05	JT	16	0062	100	110	96	2.07	0.59	1.62	3.98	-1.10	2.00	13.26	1.36							
					DC	22	0011				62	103	58	107	109	47	114	50	94	58	100	48	74	42	97
186	DC	20	0090	4.81	VR	17	0376	84	76	96	-1.27	-0.96	-1.60	-2.04	-2.30	-3.61	-23.90	4.82			102	4			
					DC	18	0061				64	81	65	90	77	37	86	51	90	61	77	44	136	35	87
187	DC	25	0177	5.64	BRA	23	0189	89	87	95	-0.15	-0.52	-0.59	-1.84	0.10	-0.60	4.32	-3.32							
					DC	23	0094				55	88	37	95	87	24	87	28	98	42	90	28	92	21	109
188	DC	20	0085	5.27	CN	03	0061	85	95	95	-1.13	1.96	1.40	-3.35	-4.20	-1.68	9.74	0.10			121	4			
					DC	15	0011				65	82	70	123	107	46	80	55	84	65	85	49	81	44	100
189	DC	23	0061	4.91	NB	18	0009	106	107	95	3.49	-1.65	0.10	3.69	-0.60	1.49	-2.41	-3.92							
					DC	21	0034				63	113	58	82	94	51	112	52	96	59	98	51	106	45	111
190	DC	23	0236	5.61	J	19	0022	92	89	95	0.43	-1.00	-0.78	0.62	0.30	-0.39	0.31	-0.34							
					DC	21	0029				60	92	51	90	85	35	98	42	99	52	91	42	101	35	101
191	DC	24	0136	5.21	JB	20	0043	92	89	95	0.52	-1.10	-0.84	-0.27	0.70	-0.15	1.34	0.58							
					DC	21	0027				61	93	50	89	84	37	94	42	100	52	92	40	98	34	99
192	DC	25	0131	5.87	JB	20	0043	88	92	95	-0.32	0.37	0.22	-1.77	-1.50	-0.84	6.47	0.77							
					DC	20	0085				61	87	50	105	95	35	87	40	93	52	89	38	88	32	98
193	DC	23	0039	5.24	NB	20	0104	92	86	95	0.49	-1.51	-1.26	0.56	1.30	-0.24	2.00	-4.97			96	1			
					DC	17	0114				63	93	61	84	80	40	98	49	102	59	91	47	97	36	114
194	DC	24	0083	8.29	JB	20	0091	87	83	94	-0.29	-1.00	-1.14	-0.10	3.30	0.69	12.16	0.89							
					DC	18	0166				60	87	50	90	81	37	95	39	109	51	95	35	76	30	98

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambed	
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14			
195	DC	25	0134	5.31	BRA	23	0189	93	94	94	0.95	-0.68		-0.21	1.64	0.30	0.45	6.48	-0.57			0	
					DC	22	0083				55	96	38	93	91	26	103	31	99	43			94
196	DC	23	0012	5.24	NB	20	0104	88	82	94	-0.43	-1.14		-1.36	-0.44	1.10	-0.91	5.42	-8.09		99	1	
					DC	17	0021				63	87	62	88	79	40	93	50	102	60			89
197	DC	25	0025	5.29	NB	20	0104	92	95	94	0.48	-0.07		0.17	-0.97	-2.10	-0.85	5.70	-8.00			0	
					DC	20	0039				62	93	57	100	95	43	91	48	91	57			89
198	DC	25	0010	5.60	NB	20	0104	94	96	94	1.00	-0.51		-0.01	-0.42	-0.40	0.26	10.06	-9.50			0	
					DC	20	0037				62	96	58	95	93	43	93	48	97	57			93
199	DC	22	0185	5.61	JB	20	0043	84	83	94	-1.10	-0.04		-0.59	-2.71	-0.30	-1.32	7.65	-1.37		98	1	
					DC	20	0039				62	82	58	100	87	35	83	42	97	56			87
200	DC	25	0140	5.54	BRA	23	0189	99	106	94	2.17	-0.19		0.90	2.26	-1.10	1.33	9.88	-1.81			0	
					DC	22	0032				56	104	40	99	102	27	106	32	94	44			98
201	DC	24	0082	5.40	NB	20	0104	89	86	94	-0.23	-0.61		-0.73	-0.57	-0.30	-1.02	8.49	-12.53			0	
					DC	20	0153				61	88	56	94	86	39	93	46	97	56			88
202	DC	20	0108	4.74	CN	03	0061	80	82	93	-1.86	0.68		-0.25	-4.34	-0.70	-1.60	15.01	-6.63		102	3	
					DC	14	0041				64	77	69	108	90	46	75	55	96	64			86
203	DC	25	0082	8.40	JB	20	0091	89	89	93	0.12	-0.52		-0.46	0.02	1.00	0.20	10.53	0.30			0	
					DC	21	0048				60	90	50	95	88	41	95	40	101	52			93
204	DC	23	0203	6.45	J	19	0022	77	65	93	-2.52	-1.30		-2.56	-3.59	1.40	-2.98	0.86	-5.51			0	
					DC	19	0011				60	73	51	86	67	28	79	39	103	52			80
205	DC	23	0215	5.79	JB	20	0043	80	71	93	-1.83	-1.25		-2.16	-2.41	1.80	-1.99	3.09	-2.05			0	
					DC	19	0085				60	77	48	87	71	30	84	37	104	50			84
206	DC	24	0066	5.05	JOR	16	0035	87	95	93	-0.48	1.08		0.84	-2.29	-3.90	-1.74	11.00	-10.97			0	
					DC	18	0060				61	86	57	113	101	41	85	48	85	56			85
207	DC	25	0040	7.95	NB	20	0104	94	96	93	1.20	-0.64		-0.04	0.64	-1.10	-0.10	5.74	-5.28			0	
					DC	22	0048				61	97	54	94	92	41	98	46	94	55			92

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd				
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index	Acc	Index	Acc
Active Breed Average:									100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51	0.14					
208	DC	23	0137	7.76	JB	20	0092	94	105	93	1.23	0.75		1.36	0.55	-2.70	0.35	11.61	0.90							
					DC	19	0154				62	97	56	109	106	41	98	45	89	56	94	44	77	34	98	0
209	DC	23	0136		7.76	JB	20	0092	93	103	93	0.95	0.80		1.27	0.24	-2.70	0.13	11.61	0.90						
						DC	19	0154				62	96	56	110	105	41	96	45	89	56	93	44	77	34	98
210	DC	25	0079	8.40		JB	20	0091	89	89	93	0.21	-0.72		-0.61	0.10	1.50	0.39	12.55	-1.03						
						DC	21	0018				60	91	50	93	87	41	96	41	103	52	94	38	75	34	103
211	DC	25	0166		29.17	JB	20	0043	84	81	93	-0.76	-0.90		-1.28	-1.99	1.00	-1.06	5.62	0.44						
						DC	23	0148				60	84	46	91	80	32	86	36	101	49	88	36	90	28	99
212	DC	22	0018	4.92		JT	16	0062	90	93	93	0.65	-0.52		-0.20	2.80	1.20	0.84	12.13	3.67	100	1				
						DC	17	0145				64	94	65	95	91	47	108	53	102	62	96	51	76	43	90
213	DC	22	0094		5.72	JB	15	0036	75	81	92	-2.87	1.71		0.28	-3.17	-2.70	-2.78	16.49	-4.37	103	2				
						DC	19	0036				59	70	60	120	96	32	81	43	89	56	81	41	67	33	112
214	DC	23	0117	6.21		JB	20	0092	90	96	92	0.54	0.13		0.40	-0.70	-0.20	0.55	16.35	-0.98						
						DC	21	0056				62	93	56	102	97	44	92	46	97	56	94	46	68	38	103
215	DC	21	0198		5.99	J	19	0022	84	70	92	-0.85	-2.51		-2.94	-2.10	1.30	-2.58	-6.81	-5.75	92	2				
						J	17	0131				63	84	60	73	64	29	85	47	102	58	82	45	115	36	116
216	DC	25	0068	4.61		JB	20	0099	96	105	92	1.78	0.04		0.93	1.67	-2.70	0.20	6.22	2.11						
						DC	19	0110				63	101	54	101	102	48	103	43	89	55	93	40	88	32	95
217	DC	23	0212		4.69	JB	20	0043	90	91	92	0.52	-0.68		-0.42	-0.73	-1.00	-0.75	5.28	-2.81						
						DC	19	0110				61	93	50	93	89	33	92	40	95	52	89	36	90	29	108
218	DC	23	0148	5.87		JB	20	0043	83	80	92	-0.88	-0.80		-1.24	-2.54	0.90	-1.14	8.04	-0.54	98	1				
						DC	18	0057				63	84	56	92	80	35	83	44	101	56	88	43	85	32	102
219	DC	22	0210		5.61	JB	20	0043	86	86	91	-0.26	-0.66		-0.79	-1.82	0.00	-0.92	8.26	-2.11	94	1				
						DC	20	0108				62	88	55	93	85	35	87	42	98	55	88	43	84	32	106
220	DC	22	0092	6.63		JB	16	0084	86	82	91	-0.21	-1.33		-1.44	-2.05	2.20	-0.22	9.61	-0.36	94	1				
						DC	18	0078				65	88	63	86	78	52	86	57	105	62	91	55	81	48	101

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
										Dir	Mat		Comb		Post-Wean	Acc	Index	Acc	Index	Acc			Index	Acc	Index
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51		0.14					
221	DC	25	0026	9.55	JB	18	0064	85	87	91	-0.37	-0.31	-0.49	-1.47	0.00	-0.68	11.12	-0.67			0				
					DC	20	0172				61	87	54	97	88	38	88	43	98	54	89	40	78	35	102
222	DC	23	0100	5.72	JB	20	0092	87	97	91	-0.09	1.01	0.97	-0.26	-3.00	-0.88	15.50	-4.67			0				
					DC	19	0064				58	89	53	112	102	37	94	37	88	51	89	39	69	30	113
223	DC	23	0149	5.87	JB	20	0043	83	80	91	-0.82	-0.90	-1.31	-2.49	0.90	-1.18	8.31	-0.49			98	1			
					DC	18	0057				63	84	56	91	80	35	84	44	101	56	87	43	84	32	102
224	DC	25	0156	12.65	JB	20	0043	87	90	91	0.18	-0.55	-0.46	-0.82	-0.20	-0.49	9.23	0.37			0				
					DC	23	0054				60	91	47	95	88	35	91	38	97	50	90	38	82	30	99
225	DC	23	0111	4.91	JT	16	0062	98	100	91	2.62	-1.73	-0.42	4.23	0.70	1.31	3.51	5.49			101	1			
					J	16	0069				65	107	64	82	89	49	115	55	100	62	98	53	94	44	86
226	DC	25	0119	5.92	JB	20	0043	87	92	90	0.05	0.05	0.08	-1.38	-2.30	-1.28	9.22	-3.05			0				
					DC	20	0110				60	90	49	101	94	35	89	39	90	51	87	38	82	31	109
227	DC	19	0110	3.82	JOR	16	0035	89	95	90	0.53	-0.13	0.13	-1.31	-3.00	-1.40	7.35	-7.05			127	5			
					W	16	0109				66	93	69	99	94	39	89	54	88	64	87	44	86	36	120
228	DC	25	0160	5.35	JB	20	0043	84	82	90	-0.29	-1.24	-1.38	-1.41	0.50	-1.23	4.31	2.58			0				
					DC	22	0044				60	87	47	87	79	34	89	38	100	50	87	37	92	30	93
229	DC	24	0168	5.61	JB	20	0043	85	90	90	-0.14	-0.15	-0.22	-1.63	-2.10	-1.55	7.60	-1.10			0				
					DC	20	0039				60	88	50	99	91	35	88	40	91	52	86	38	86	32	103
230	DC	23	0125	5.72	JT	16	0062	89	95	90	0.76	-0.39	-0.01	3.61	-0.70	-0.05	12.77	-0.73			101	1			
					DC	19	0037				59	94	59	97	93	44	112	48	96	56	92	48	75	39	102
231	DC	22	0194	5.89	JB	20	0043	83	89	90	-0.56	0.17	-0.11	-2.07	-2.60	-1.95	8.56	-1.23			97	1			
					DC	20	0059				62	86	55	103	92	35	86	42	89	55	84	42	84	32	104
232	DC	24	0024	7.72	JB	20	0092	90	103	89	1.04	0.65	1.17	0.32	-2.20	0.37	18.29	0.97			0				
					DC	19	0009				63	96	57	108	104	41	97	46	91	57	94	44	64	35	98
233	DC	24	0025	7.72	JB	20	0092	90	102	89	0.93	0.67	1.14	0.21	-2.20	0.29	18.29	0.97			0				
					DC	19	0009				63	96	57	108	104	41	96	46	91	57	93	44	64	35	98

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility												
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd		
										Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc			Index	Acc
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype					
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14			
234	DC	20	0217	5.36	JP	16	0027	70	60	89	-3.39	-1.07	-2.76	-3.75	-1.10	-5.11	-3.82	-2.55	91	3							
90200494					DC	16	0099				62	67	64	89	65	28	78	46			94	59	71	40	109	33	107
235	DC	21	0175	5.36	JP	16	0027	75	76	89	-2.42	0.38	-0.84	-2.48	-1.60	-3.01	14.91	-9.12	111	3							
93134328					DC	16	0054				60	73	62	105	84	28	84	45			93	57	80	39	71	33	125
236	DC	25	0195	12.65	JB	20	0043	87	91	89	0.32	-0.43	-0.27	-0.64	-1.40	-0.95	9.00	0.11		0							
111892816					DC	23	0138				60	91	47	96	90	35	92	38			93	50	88	38	83	30	100
237	DC	25	0214	12.65	JB	20	0043	87	92	89	0.45	-0.48	-0.26	-0.51	-1.50	-0.93	8.01	1.07		0							
111892923					DC	23	0140				60	92	47	96	90	35	93	38			93	50	88	38	85	30	98
238	DC	24	0093	6.25	JB	20	0091	83	84	89	-0.37	-0.74	-0.92	-1.85	1.50	-0.21	17.89	-2.55		0							
107602203					DC	20	0108				60	87	50	93	84	40	87	40			103	52	91	38	64	33	107
239	DC	21	0002	4.39	JT	16	0062	93	94	89	1.90	-1.94	-0.99	2.88	1.90	1.10	9.79	2.48	109	3							
93136471					W	16	0098				66	102	68	79	83	48	108	56			104	64	97	50	81	45	94
240	DC	23	0054	6.21	JB	20	0092	89	97	88	0.87	-0.07	0.36	-0.34	-1.50	-0.11	15.25	-0.70	99	1							
98611684					DC	21	0046				63	95	60	100	96	44	94	49			93	59	92	50	70	38	102
241	DC	23	0053	6.21	JB	20	0092	90	99	88	0.99	0.00	0.50	-0.19	-1.70	-0.02	15.46	-0.65	100	1							
98611668					DC	21	0046				63	96	60	101	98	44	94	49			92	59	92	50	69	38	102
242	DC	24	0157	5.89	JB	20	0043	83	86	88	-0.49	-0.32	-0.57	-2.05	-1.80	-1.89	8.81	-1.22		0							
107596058					DC	20	0059				61	86	50	97	87	35	86	39			92	52	84	38	83	32	104
243	DC	24	0061	6.97	JB	15	0036	86	103	87	0.29	1.52	1.67	-0.55	-5.10	-1.25	16.63	2.13		0							
107602641					DC	22	0032				61	91	55	118	109	40	93	47			81	55	87	44	67	37	95
244	DC	24	0105	5.29	NB	20	0104	82	83	87	-0.64	-0.67	-0.99	-2.32	-1.60	-2.28	11.47	-11.06		0							
107602823					DC	20	0032				61	85	56	93	83	43	84	48			93	56	83	45	78	38	130
245	DC	20	0110	5.36	CN	03	0061	77	89	87	-1.64	1.55	0.73	-3.99	-5.60	-3.45	15.24	-7.52	108	4							
90202672					DC	16	0129				63	78	67	118	100	46	77	53			80	62	78	48	70	43	121
246	DC	20	0037	5.36	CN	03	0061	76	81	87	-1.76	0.41	-0.47	-4.25	-1.90	-2.49	20.69	-6.62	110	4							
90202615					DC	16	0024				64	78	69	105	88	46	76	54			92	64	82	49	64	43	118

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean	Number Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat		Comb													
										Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype					
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
247	DC	23	0047	4.34	JT	16	0062	94	104	87	2.30		-0.75		0.40	3.22		-1.30	0.77	11.09		6.19		101	1	
98611585					DC	18	0125	64		105		63	92		97		48		54	94	61	95	52	78	43	84
248	DC	25	0062	10.76	JB	20	0091	88	88	87	1.09		-1.97		-1.42	1.30		2.80		0.81	15.29		2.01			0
111900726					DC	21	0002	60		97		50	79		79		41		41	107	52	96	38	70	33	95
249	DC	22	0044	5.07	JB	18	0064	84	84	86	0.21		-1.50		-1.40	-1.22		-0.10	-1.35	5.42		3.73		93	1	
95281077					J	16	0069	63		91		60	84		79		41		49	98	59	87	47	90	37	90
250	DC	24	0051	9.59	JB	15	0036	76	87	86	-1.58		1.19		0.40	-4.08		-4.30	-2.97	13.98		1.72			0	
107602583					DC	22	0088	60		79		53	114		97		38		44	84	54	80	42	72	34	96
251	DC	24	0069	6.97	JB	15	0036	83	98	86	0.05		1.09		1.11	-0.87		-4.50	-1.56	16.56		1.66			0	
107602682					DC	22	0033	61		90		54	113		104		40		46	83	55	86	44	67	36	96
252	DC	20	0093	5.36	CN	03	0061	72		72	86	-2.37		-0.34		-1.53	-5.04		-1.70	-3.73	10.83		-5.17		114	4
90202698					DC	16	0205	65		74		71	97		78		46		54	92	65	77	49	79	43	114
253	DC	20	0039	4.74	CN	03	0061	76		86	85	-1.68		1.08		0.24	-4.09		-5.40	-3.84	11.99		-3.63		108	4
90202755					DC	14	0015	63		78		68	113		95		46		54	80	63	77	49	77	43	110
254	DC	22	0005	8.91	JB	18	0064	80	84	85	-0.57		-0.63		-0.92	-3.00		-0.30	-1.38	17.15		-2.34		96	1	
95278073					DC	18	0029	62		86		59	94		84		42		47	97	57	87	47	66	37	107
255	DC	22	0019	4.92	JT	16	0062	85	93	85	0.66		-0.49		-0.17	2.82		-1.10	-0.50	16.50		1.87		106	2	
95278370					DC	17	0145	64		94		65	95		91		47		55	94	62	90	51	67	45	95
256	DC	20	0153	5.36	JP	16	0027	70		70	85	-2.85		-0.06		-1.48	-3.02		-1.80	-3.99	17.55		-12.69		105	4
90200072					DC	16	0134	62		70		65	100		78		28		48	92	60	76	40	65	33	135
257	DC	23	0138	6.21	JB	20	0092	85	97	85	0.45		0.30		0.52	-0.77		-3.80	-1.53	14.80		-1.22		100	1	
98610645					DC	21	0018	63		92		60	104		98		44		49	85	59	86	50	71	38	104
258	DC	23	0097	6.34	JB	20	0092	91	105	85	2.01		-0.23		0.78	0.95		-3.40	-0.26	13.29		1.44		101	1	
98610082					DC	21	0074	64		103		60	98		101		46		50	87	59	91	51	74	39	97
259	DC	23	0140	6.21	JB	20	0092	88	101	84	1.28		0.10		0.74	0.15		-4.10	-1.09	12.81		0.72		99	1	
98610686					DC	21	0048	63		98		59	102		100		44		48	84	58	88	50	75	38	98

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
										Dir	Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
										1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14								
260	DC	21	0029	4.97	JT	16	0062	91	107	84	2.04	0.03	1.05	4.20	-3.70	-0.15	15.70	2.39	98	3					
93135853					DC	17	0115				64	103	65	101	103	50	115	56			86	63	92	53	69
261	DC	22	0048	8.69	JB	18	0064	79	87	84	-0.62	0.01	-0.31	-1.31	-3.30	-2.60	12.05	1.81	95	1					
95279592					DC	17	0013				61	85	58	101	90	39	89	46			87	56	82	45	76
262	DC	23	0006	5.84	JB	20	0092	91	103	83	2.15	-0.67	0.41	0.47	-3.20	-0.44	12.36	0.62		1					
98609944					DC	21	0027				63	104	56	93	97	45	97	48			87	57	90	51	76
263	DC	23	0017	4.89	JT	16	0062	87	96	81	1.54	-1.12	-0.35	3.35	-1.70	-0.60	16.55	-1.96		0					
98611122					DC	20	0153				62	100	58	88	89	46	111	51			92	58	90	48	67
264	DC	23	0094	6.93	JB	20	0092	80	86	81	0.06	-0.96	-0.93	-2.42	-3.40	-2.94	7.43	-0.52	98	1					
98610025					DC	21	0173				63	90	57	90	84	41	84	46			87	57	80	48	86
265	DC	23	0048	7.35	JB	20	0092	84	103	80	1.01	0.60	1.11	-1.39	-6.10	-2.05	20.38	-3.04		0					
98611601					DC	20	0110				62	96	56	108	104	44	89	46			78	56	84	45	64
266	DC	25	0048	8.91	JB	18	0064	75	82	80	-0.79	-0.63	-1.02	-3.24	-2.70	-3.04	14.67	0.22		0					
112063300					DC	20	0093				61	84	55	94	83	42	80	45			89	55	80	43	71
267	DC	22	0083	4.93	JT	16	0062	84	94	79	1.32	-1.11	-0.46	3.50	-3.10	-1.66	11.75	4.97	94	1					
95281499					DC	17	0024				63	98	61	88	88	47	111	53			88	60	85	51	77
268	DC	22	0032	5.43	JT	16	0062	86	106	78	1.79	0.24	1.14	2.52	-5.80	-1.45	18.54	2.49	109	2					
95278578					DC	18	0060				64	101	65	104	104	49	107	56			79	63	86	53	64
269	DC	22	0088	8.91	JB	18	0064	74	84	76	-0.53	-0.68	-0.95	-2.96	-4.20	-3.73	13.24	1.66	93	1					
95281572					DC	18	0116				62	86	59	93	83	42	82	48			84	58	77	47	74
270	DC	20	0032	4.74	CN	03	0061	65	71	76	-2.41	-0.41	-1.62	-5.09	-4.30	-5.40	23.53	-9.75	94	3					
90201898					DC	14	0050				61	73	65	96	77	46	72	53			84	61	70	49	64
271	DC	23	0123	6.69	JB	20	0092	82	97	74	1.50	-0.82	-0.07	-0.59	-5.00	-2.32	20.22	-2.59		1					
98610405					DC	20	0035				62	99	54	92	92	41	92	45			82	55	83	48	64
272	DC	25	0022	8.87	JB	18	0064	73	85	73	-0.20	-0.88	-0.98	-2.60	-4.40	-3.72	17.18	0.50		0					
112063268					DC	20	0047				60	88	54	91	83	42	83	45			84	54	77	43	66

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd			
										Dir	Mat		Comb		Post-Wean	EBV		EBV		EBV			EBV		
										Acc	Index	Acc	Index		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc			EBV Index	EBV Acc	EBV Index
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96	0.51	0.14							
273	DC	20	0047	5.27	CN	03	0061	64	72	72	-2.04	-0.69		-1.71	-4.70		-5.20	-5.85		15.85	-4.62		101	4	
					DC	15	0008				63	76	67	93	76	46	73	54	81	62	68	48			69